


Advantages of the new 2019 catalog

- Find products quicker and more easily
- Product features instantly visible



Learn more inside!

Pictograms



New product



Locks



Double locking

Dual locking of the shackle in the lock body



Pocket size

Lock in small format



XL size

Lock in large format



Lighted key

Lighted key included



Manual locking

Active locking with a key required



Automatic locking

No active locking with a key required



Robust webbing

High-tech mesh, durable and hydrophobic



Combo

Combination code is factory set



Individual code

Combination code can be freely selected



Rechargeable

Rechargeable battery



Battery

Including battery



Bordo 6-bars

Folding lock with 6 bars The classic



Bordo 8-bars

Folding lock with 8 bars offers even more flexibility due to greater length



SmartX

Innovative locking system, controlled via smartphone



XPlus

Picking-resistant disc cylinder "XPIus"



Plus

Picking-resistant disc cylinder "Plus"



Keyed alike

Multiple locks can be operated with a single key



Magnetic bracket

Innovative bracket with magnetic function



Lightweight

Lightweight lock, ideal for sports use



llarm

Lock with 100 dB alarm function



0EM

Locks are delivered without sales packaging so they can be mounted more quickly. Ideal for use in workshops





ABS hard shell

Robust helmet made of EPS foam and injection molded outer shell



In-Mold

Lightweight, durable helmet with a long-lasting combination of EPS core and Polycarbonate shell



In-Mold/ABS

Combination of robust hard shell and In-mold



High visibility

High visibility due to reflectors



Bug mesh

Full protection from insects



Ponytail compatibility

Perfect fit for people with long hair



Half-ring

Adjustable ring connected to adjustment system enclosing half of the head



Full-ring

Adjustable ring connected to adjustment system enclosing all of the head



Lower edge protection

Provides the helmet with additional protection from external damage



Ctructura

Structural reinforcement integrated into the EPS to optimize stability



XL Size

Large helmet sizes available (62+ cm)



Ventilation

Number of air intakes and outlets



Forced Air Cooling

Innovative ventilation system using intelligently arranged air channels in the EPS



Multi Position Design

Optimized aerodynamics – regardless of head position and wind angles



Multi Speed Design

Honeycomb structure in the helmet, which doses the ventilation as needed

Discover the new 2019 catalog!

We're happy that you're holding the new 2019 ABUS catalog in your hands. The purpose of this catalog is not only to inform you of our product innovations, but also to present our new catalog concept:

An easy-to-understand organisation with quick access to each chapter as well as a list of all product novelties at the start of each chapter make it easy for you to find our new products. For an even better overview, you'll find a summary of all helmet models and colors behind each chapter entry page.


Clear product icons instead of long texts make it a breeze to compare products, and our new technology pages keep you informed about our unique technologies.

Another new feature: The icons at the side provide you with an overview of all of the specifications of our products. Just fold out the additional page of the cover and you've got all the relevant information at your fingertips at any time.

We hope you enjoy daily use of this catalog and that it offers you a better basis for your work.

Your mobile security team





ABUS - Made in Germany

When August Bremicker and his sons founded ABUS in 1924, they had a lot of experience with craftsmanship – and a clear vision: They wanted to create products that protected human life and property.

It was a far-sighted corporate guideline – paired with an expectation for quality right from the start.

It was the start of a continuous success story. The ABUS brand became a synonym for security.

High-quality materials

To be able to offer consistently high quality and security, we use high-quality materials at every price level. Complex hardening processes guarantee the best attack resistance in our materials. Our internal quality management processes all materials before and during the production process and ensures that every product has the high quality you expect.

The key to success

At ABUS, we produce and build many of our machines ourselves and all the tools we use in the production of our security products in-house. That bundles know-how, guarantees jobs, and strengthens identification. Our own engineering and toolmaking department concentrates exclusively on the development of bicycle and motorcycle locks.

This ensures that we meet the tough requirements you place on your bicycle or motorcycle lock every day.

Ensuring continuity

In our own ABUS test laboratory, we routinely carry out tests and attacks on our products to ensure that we offer consistently high quality.

Among others we make sure our locks are resistent to:

- Ice spray attacks and freezing conditions thanks to a -40°C chamber
- Twisting, pulling, hammering and sawing attacks with help of our manual or mechanical tests
- Rust by simulating highly corrosive weather conditions



Approvals

ABUS locks are tested and approved by independent, neutral testing institutions in a number of European countries. The following seals of approval confirm the outstanding security of ABUS cycle locks:





Svenska Stöldskyddsföreningen Stockholm, Sweden



Norges Forsikringsforbund Oslo, Norway



Dansk Varefakta Naevn Copenhagen, Danmark



Finanssiala Helsinki, Finland



ART ANWB, RAI, TASS Helmond, The Netherlands



THATCHAM VEHICLE SECURITY

Great Britain



Sold Secure Northants, Great Britain



Test Seal OSIMZ Moscow, Russia



Test Seal VdS Cologne, Germany



ABUS Seal for Ice Spray Test Volmarstein, Germany



Rate Award of the "Stiftung Warentest" Berlin, Germany









ABUS OEM

Strong service partner, reliable supplier ABUS as OEM partner – your first choice

In the bicycle market, the factors of success are added value, differentiation, flexibility, availability, fast service and high capacity. Suppliers that work with bicycle manufacturers have to meet the corresponding requirements. ABUS does meet them.

As a globally experienced specialist in mobile security, we offer you the best possible support and a high level of reliability.

For years, ABUS has been a synonym for security, and has earned a leading position in the bicycle accessory market.

Quality "Made in Germany" and "Just in time" deliveries: concentrating on these core competences has made us an important partner for many bicycle manufacturers worldwide. We are also a strong partner on the OEM market, offering a wide selection of frame locks, integrated security solutions, and many individual products. Among others, we offer keyed alike locks and battery cylinders for e-bikes.

Allow us to take advantage of mutual synergy and implement it to our shared success!


Our OEM team looks forward to hearing from you at: oem@abus.de

We hope to continue our good cooperation with leading bicycle manufacturers!





ABUS OEM



Custom security

Custom security solutions are not just a trend, but also a very convinient way for cyclists to secure their beloved bicycles. Take advantage of our more than 90 years of experience, and set yourself apart from the masses with a customized security solution.





Giant

LOCKING TECHNOLOGY



SECURITY MADE IN GERMANY

... for us, this is more than just an ad copy. It's a philosophy we live and breath every day. From high-quality materials to patented security solutions to innovative locking technologies. ABUS locks "Made in Germany" have been manufactured with high precision and many years of experience for over 90 years in Germany.

Power Cell technology

The ABUS Power Cell technology offers highest protection against hitting and pulling attacks. It is built into selected chain locks, Steel-O-Flex, and U-Shackle locks.

To provide extreme resistance against highest pulling forces, ABUS offers the Power Link technology. The chain is highly fixed in the ABUS Power Cell

highly fixed in the ABUS Power Cell, making it far more difficult to pull the chain out of the lock body.



XPLUS AND PLUS CYLINDERS

The high-quality cylinders XPlus and Plus from ABUS offer extremely high protection. They resist picking attempts just as well as brutal drill attacks.

As disk cylinders, they are the most secure ABUS currently offers.

Link Protection Shield

The ABUS Link Protection Shield technology makes the BORDO GRANIT XPlus™ 6500 even more secure. The special links are both flexible as well as extremely robust against sawing attacks.



U-SHACKLE LOCKS — RECOMMENDED BY THE POLICE

ABUS U-Shackle locks offer you a material thickness of up to 14 mm for the best possible protection against bicycle thieves. This type of bicycle locks is considered the most secure. The police agree.

Double Locking

ABUS U-Shackle locks features a double locking of the shackle in the lock body. This mechanism offers extra protection against twisting attacks.



CONVENIENCE

PRACTICAL FEATURES

At ABUS, we haven't simply made it our task to make life a little more secure, but also to make security a little more convenient. Below, you'll get an overview of the practical details that make the daily use of our products easier.



Lighted digits

Like a lighted key, the lighted digits of our Combo locks make day-to-day use a lot easier. Simply press the button and the digits light up, making it easy to set your combination even in bad lighting conditions or even in the dark.



High-quality

2-component digits

Some Combo digits become illegible after long-term use, as the digits are just printed.

That's why we fabricate our 2K digits from two long-lasting components that guarantee you long-lasting legibility.





Automatic cylinder

For even easier operation of the lock, some ABUS products have an automatic cylinder. This ensures that you don't need to actively use a key to lock up your bike. Just press the locking bolt into the lock body. A quiet click assures you that your lock is now locked.



Lighted key

Some of our high-quality ABUS locks are delivered with an additional LED key. This helps you with easy opening and locking of the lock even during bad lighting conditions or even after dark.



Brackets and bags

A bicycle lock protects best when it is actually used. To be sure it has a place on your bicycle on every trip, ABUS offers different brackets and transport solutions. So your lock is always there when you need it.





Keyed alike

Multiple locks – a single key

We are frequently asked whether you can use a single key to open multiple ABUS locks. No problem!

Our keyed alike service makes it possible and easy. Many ABUS locks can be ordered keyed alike. That means that two or more locks can be fabricated with identical keys.

For example, both the padlock in your basement and your bicycle and motorcycle locks can all be operated with just a single key.

Keyed alike locks offer convenience for families, couples, friends, companies, rental companies, etc.

Advantage: More space on your key ring, and always a full overview.



Keyed alike ABUS Locks

																													S)	0			0.25									
															Bordo Black Edition 6510	9200	_			Lock-Chain-Combinations	29		n 37	Granit Detecto XPlus 8077	Granit Detecto XPlus 8000	37		89	Granit Power XS 67 12/10KS	Granit CityChain XPlus 1060			Granit Steel-0-Flex XPIns 1025	0001		Granit Detecto XPlus 8077	-	0	00.2	M		
	S	65	8	0+	-+	0	94	_			0			Bordo 6000 A / BIG	lition	Bordo Granit XPlus 6500	Bordo 6010 Centium	315		nbin	Granit Extreme Plus		Granit Extreme Chain 37	XPlus	XPlus	Granit Power Chain 37		Granit Victory XPlus 68	(S 67	n XPI	_	cks	Flox	Granit Steel-0-Flex 1000	(5	XPILI		Granit Wictory Volue 60	APIUS	Granit Quick Maxi + Mini	, ,	200
	U-Shackle locks	Granit Extreme 59	Granit Power 58	Granit XPlus 540	Granit XPlus 54	Granit Plus 640	Granit Futura 6 ²	Granit Strato 61	uGrip Plus 501	Granit Plus 51	Granit Plus 470	_	Foldable locks	00 A	ack Ec	anit	10 Ce	Bordo 6000/6015	20	in-Col	trem	00	trem	tecto	tecto	wer (tory	wer)	yChai	CityChain 1010	Steel-0-Flex locks	-l-l-d	- O-les	Brake disk locks	tecto	Granit Slada 77	90.	יין אַ	Z .	Quick 37	oranit Power XS 67
	ackle	it Ex	it Po	it XP	iit XP	it Pli	it Fu	nit Str	p Plu	it Pli	it Pl	Varedo 47	able	lo 60	lo Bla	lo Gr	10 60	10 60	Bordo 6050	-Chai	it Ex	Granit 4900	it Ex	it De	it De	ıit Po	Granit 58	it Vic	it Po	nit Cit	hain	I-0-F	it Ste	it Ste	e dis	it De	1 1	11 71	1	וונ למו	ווג למ ביי)II PO
	U-S	Grar	Grar	Gran	Grar	Grar	Grar	Grar	uGri	Grar	Grar	Vare	Fold	Borc	Borc	Borc	Borc	Borc	Borc	Lock	Grar	Grar	Grar	Grar	Grar	Grar	Grar	Grar	Grar	Grar	City(Stee	Gran	Gran	Brak	Gran	, i	5 5	, d	Gran	Granit	Grai
U-Shackle locks																																										
Granit Extreme 59		Χ	Х																		Χ				Χ		Χ															
Granit Power 58		Χ	Χ																		Χ				Χ		Χ															
Granit XPlus 540				X	Χ										Χ	Χ						Χ							Χ	Χ			Х			L						X
Granit XPlus 54				X	Χ										Χ	X						Χ							Χ	Χ			Х			L						X
Granit Plus 640						Х	Х	Х	Χ	Χ	X	Χ		Χ			Х	Χ																Х		L					Х	
Granit Futura 64						Х	Х	Х	Х	Х	Х	X		Х			Х	Х															L	Х		L					Х	
Granit Strato 61						Х	Х	Χ	Х	Х	X	Χ		Χ			Х	Х															L	Х		L					Х	
uGrip Plus 501						Χ	Х	Χ	Х	Χ	Х	Χ		Χ			Х	Х															L	Х		L					Х	
Granit Plus 51						Х	Х	Х	Χ	Χ	Х	X		Х			Х	Х																Х		L					X	_
Granit Plus 470						Х	Х	Х	Х	Х	Х	X		Х			Х	Х															L	Х		L				2	Х	_
Varedo 47						Х	Х	Х	Х	Х	X	Х		Х			Х	Х																Х		L					Х	_
Foldable locks																																										
Bordo 6000 A / BIG						Х	Х	Х	Х	Х	Х	X		Х			Х	Х													Х		L	Х		L					Х	_
Bordo Black Edition 6510				X	Х										Х	X						X							Х	Х			Х			L)	X
Bordo Granit XPIus 6500				X	Х										Х	X						X							Х	Х			Х			L						X
Bordo 6010 Centium						Х	Х	Х	Х	Х	Х	X		Х			Х	Х													Х			Х		L					X	_
Bordo 6000/6015						Х	Х	Х	Х	Х	Х	X		Х			Х	Х													Х		L	Х		L					X	_
Bordo 6050																			Х																	L						_
Lock-Chain-Combinations																																										
Granit Extreme Plus 59		Х	Х																		Х				X		Х									L						_
Granit 4900				Х	Х										X	X						Х							Х	Х			Х			L						Χ
Granit Extreme Chain 37																				_			Х			Х					Х		L	Х		L)	()	X	_
Granit Detecto XPlus 8077																								Х				Х								X	Х	()	(_
Granit Detecto XPlus 8000		Х	Х																		Х				Х		Х									L						
Granit Power Chain 37																							Х			Χ					Χ			Х		L)	()	X	_
Granit 58		Χ	Х																		Х				Χ		Χ									L						
Granit Victory XPlus 68																								Χ				Χ					L			Х	Х	()	(_
Granit Power XS 67 12/10KS				Х	Х										Х	Х						Х							X	X			Х			L						X
Granit CityChain XPlus 1060				Χ	Χ										Χ	X						Χ							Χ	Χ			Х)	Χ
CityChain 1010														Χ			Χ	Χ					Χ			Χ					Χ			Х)	()	X	_
Steel-O-Flex locks																																										
Granit Steel-0-Flex XPlus 1025				Х	Х										Χ	Χ						Х							χ	Χ			Х									X
Granit Steel-O-Flex 1000														Χ			Χ	Χ					Χ			Χ					Χ			Х		L)	Κ .	X	
Brake disk locks																																										
Granit Detecto XPlus 8077																								Χ				Х									Х					_
Granit Sledg 77																								Χ				Χ								X	Х	()	(
Granit Victory XPlus 68																								Х				Χ					L			Х	Х	()	(_
Granit Quick Maxi + Mini																							Χ			Χ					Χ		L	Х		L)	()	X	_
Granit Quick 37														Χ			Χ	Χ					Χ			Χ					Х		L	Х		L)	()		_
Granit Power XS 67				Х	Х										Х	Х						Х							Х	Х			Χ)	X

YourPlus™ – The plus in convenience for the single-key solution!

With YourPlus™, you can convince your customers with more convenience and added value — and you'll have an excellent additional business! The YourPlus™ concept includes a whole range of services related to locks with the ABUS Plus cylinder. We provide the added value program for your customer that only ABUS can provide in this form.

OEM-SERVICE The ABUS Plus cylinder is already part of many OEM products. And additional keyed alike locks can also

keyed alike locks can also be produced. That's additional convenience for your customers.

A LOCK FOR EVERY KEY

Need another lock that can be opened with an existing key? No problem! We can build a new lock around the key. That makes it possible to create completely keyed alike systems – for example a rental bike fleet.

EASY FOR THE E-BIKE

To completely secure an e-bike, you often need one key for the battery lock, another for the frame lock and then a third to lock the bike to a fixed object. That's a thing of the past! With YourPlus™, It's possible to use multiple locks with just a single key.

FOR EVERY NEED

Products from different lock categories offer the right security for every need: U-Shackle locks, folding locks, frame locks, chain locks, padlocks. Combinations of different locks from any category can be produced keyed alike.

MADE IN

GERMANY



abus.com/yourplus

Plus cylinder

The Plus cylinder – Made in Germany – is among the top cylinders in our product line. The popular disk cylinder offers top security and additional protection from picking. Its easy operation makes opening and locking a pleasure.



Keyed alike index YourPlus™

U-SHACKLE LOCKS



640/135HB150 BK GL	81460 0
640/135HB150 BK/RD GL	81459 4
640/135HB230 BK GL TexKF	81461 7
470/150HB230 + EaZy KF GL	81462 4
470/150HB230 + USH GL	81463 1
470/150HB300 + EaZy KF GL	81464 8
470/150HB300 + USH GL	81465 5

FOLDING LOCKS



6405/110 BK SH GL	83172 0
6405/85 BK SH GL	78220 6
6000A/90 BK SH GL	809408
6000A/90 WH SH GL	81466 2
6000/75 BK ST GL	53913 8
6000/90 BK SH GL	72987 4
6000/90 WH SH GL	73177 8
6000/90 RD SH GL	76907 8
6000/120 BK SH GL	81380 1
6010/90 GL	72164 9

CHAIN LOCKS



9808/85 GL	81467 9
9808/110 GL	81468 6
9808/140 GL	81469 3
9809/85 GL	81471 6
9809/110 GL	81472 3
9809/140 GL	81473 0
9809/170 GL	81474 7

FRAME LOCKS



5950 NR BK GL	79846 7
5950 R BK GL	81475 4
5750L R BK GL	81476 1
5750L NR BK GL	81477 8

PADLOCKS



20/80 GL	08800 1
20/70 GL	08856 8

BATTERY LOCKS



BLO BMZ IT1 PLUS GL	81478 5
BLO BOS DT2 PLUS GL	81479 2
BLO BOS IT2 PLUS GL	81482 2
BLO BOS IT2.1 PLUS GL	71204 3
BLO BOS RT2 PLUS GL	81480 8
BLO CON IT1 PLUS GL	81483 9
BLO PAN IT1 PLUS GL	81484 6

Key service



The ABUS key service allows you to order new keys for existing locks.

Just select the required blank, enter the desired coding and the key will be delivered within no time.

If no key number is available, please send us the remaining pattern key. We'll produce a replica of the key.



I Plan' Cade Card	Additional ABUS XPIus Ref. No.: 24657	EAN-No.: 04003318246579
Pice" Gold Gold	Additional ABUS Plus Ref. No.: 06227	EAN-No.: 04003318062278
	Additional NW72 red IVY 9000/9100 num. Ref. No.: 54753	EAN-No.: 04003318547539
	Additional NW52 grey Bordo 6000 num. Ref. No.: 54593	EAN-No.: 04003318545938
	Additional T82/E6 Frame locks/Battery lock Ref. No.: 56113	EAN-No.: 04003318561139
	Additional Cylinder locks num. Ref. No.: 02675	EAN-No.: 04003318026751
	Additional 75+25/70 Ref. No.: 26766	EAN-No.: 04003318267666
Gotschein über eine Schlüsseinschbestellung m EEEEXXEE	ABUS - Voucher for Plus or XPlus Ref. No.: 04318	EAN-No.: 04003318043185
Guttchein über eines Schlüssetnschbestallung no.: EXEXXXXX	ABUS - Voucher for ABUS other Ref. No.: 29001	EAN-No.: 04003318290015

The ABUS level system

Level: 1 - 4

These locks provides basic protection against theft and best suited for areas of low risk.

Often intended for use on children's bikes, as a secondary locking option or as an accessory lock such as a helmets or bags.



STANDARD SECURITY

Level: 5 - 9

Locks in this security level offer an extra level of security and are most appropriate for areas of medium to low theft risk and for use on good to entry level adult bikes. Also recommened as secondary locking options in areas of high-theft risk when used with a higher rated lock for added security.



EXTRA SECURITY

Level: 10 - 15

These locks offers the maximum protection and are intended for use with higher-end bicycles, bikes locked in urban areas and for use in areas of high-theft risk. Fifteen is the maximum bicycle security and is represented by a completely red dial.



MAXIMUM SECURITY

For example:



Booster 6512K Page 102



Raydo Pro 1450 Page 104



52 Page 135



Universal 875 Page 148

For example:



GRANIT™ 460 Page 34



BORDO Combo™ 6100 Page 53



Ivera Chain 7210 Page 69



Steel-0-Flex™ 950 Page 89



PHANTOM™ 8950 Page 101

For example:



GRANIT XPIus™ 540 Page 29



BORDO GRANIT XPIus™ 6500 Page 47



GRANIT CityChain XPlus 1060 Page 61




GRANIT Steel-0-Flex X Plus™ 1025 Page 88

U-Shackle locks



Product novelties





Ref. No.	EAN 4003318	mm	mm	mm	Weight g	Carrier	Box Qty
770A/160HB230 SmartX	82361 9	230	108	13	2000	USH	2
770A/160HB230+USH SmartX	82359 6	230	108	13	2150	USH	2
770A/160HB300 SmartX	82362 6	300	108	13	2200	USH	2
770A/160HB300+USH SmartX	82360 2	300	108	13	2350	USH	2

770A SmartX™





Security Level



Technology









Test Seals













1) applied for

Technical Data

- 13 mm, hardened steel square parabolic shackle
- SmartX locking system with Bluetooth 3.0 High quality, keyless locking system offers user-friendly operation
- Alarm of at least 100 dB for 15 seconds
- Alarm function on basis of the ABUS 3D detection system that means, that every movement is detected
- Intelligent alarm In case of small and short movement, e.g. the bike gets hit by a football, the lock only gives a short warning tone
- USB-C port
- Connection to ABUS App
- Memorizes the last parking of the bicycle
- ABUS power cell technology offers highest protection against hitting and pulling attacks
- The shackle, the case as well as supporting elements of the locking mechanism are made of special hardened steel



GRANIT™ Extreme 59



Security Level





XPlus™

Technical Data

- 16 mm patented square parabolic shackle
- Double bolted shackle in the lock body
- The shackle, the lock body as well as supporting elements of the locking mechanism are made of special hardened steel
- ABUS XPlus cylinder for highest protection against manipulations, e.g. picking
- $\boldsymbol{\cdot}$ Two keys are supplied with the lock, one LED torch key
- $\boldsymbol{\cdot}$ Manually operated keyhole cover against dirt and corrosion
- ABUS Code Card for additional or replacement keys












Ref. No.	EAN 4003318	mm	mm	mm	Weight g	Carrier	Box Qty
59/180HB245	58606 4	245	111	19	2800		1
59/180HB260	58607 1	260	111	19	2900		1



Ref. No.	EAN 4003318				Weight o	Carrier	Box Qty
	4003310	mm	mm	mm	5		4. 3
540/160HB230	11161 7	230	108	13	1450		6
540/160HB300	11179 2	300	108	13	1656		6
540/160HB230+EaZy KF	11183 9	230	108	13	1556	EaZy KF	4
540/160HB300+EaZy KF	11185 3	300	108	13	1762	EaZy KF	4
540/160HB230+USH540	11186 0	230	108	13	1580	USH 540	5
540/160HB300+USH540	11188 4	300	108	13	1786	USH 540	5

GRANIT XPlus™ 540



Security Level



Features



XPlus™



EaZy KF



USH 540

Technology











Test Seals















Technical Data

- 13 mm, hardened steel square parabolic shackle
- ABUS power cell technology offers highest protection against hitting and pulling attacks
- The shackle, the case as well as supporting elements of the locking mechanism are made of special hardened steel
- ABUS XPlus cylinder for highest protection against manipulations, e.g. picking
- $\boldsymbol{\cdot}$ Automatic keyhole cover against dirt and corrosion





GRANIT™ Plus 640

Security Level



Features



Plus



Versions



black

Technical Data

- 12 mm, hardened steel round shackle
- The shackle, the case as well as supporting elements of the locking mechanism are made of special hardened steel
- Very intensive use of special weight-optimized alloy and light material
- \bullet ABUS Plus cylinder for high protection against manipulations, e.g. picking

Technology

























1) Only for SE-version (Art.-No. 72509)

Ref. No.	EAN 4003318	mm	mm	mm	Weight g	Carrier	Box Qty
640/135HB150 red	39704 2	150	83	12	860		6
640/135HB150 black	39702 8	150	83	12	860		6

GRANIT™ Plus 640



Security Level



Features



Plu



TexKF

Technical Data

- 12 mm, hardened steel round shackle
- The shackle, the case as well as supporting elements of the locking mechanism are made of special hardened steel
- Very intensive use of special weight-optimized alloy and light material
- $\boldsymbol{\cdot}$ ABUS Plus cylinder for high protection against manipulations, e.g. picking

Technology











Test Seals













1) Only for SE-version (Art.-No. 72510)

Ref. No.	EAN 4003318	mm	mm	mm	Weight g	Carrier	Box Qty
640/135HB230+TexKF black	39703 5	230	83	12	900	TexKF	6

GRANIT™ Plus 470

Security Level



Features



Plus



EaZv KF



USH 460/470/32



Technical Data

- 12 mm, hardened steel parabolic shackle
- ABUS power cell technology offers highest protection against hitting and pulling attacks
- The shackle, the case as well as supporting elements of the locking mechanism are manufactured out of special hardened steel
- Automatic keyhole cover against dirt and corrosion

Technology









Test Seals















Ref. No.	EAN 4003318	mm	mm	mm	Weight g	Carrier	Box Qty
470/150HB230+EaZy KF	11189 1	230	109	12	1189	EaZy KF	4
470/150HB300+EaZy KF	11194 5	300	109	12	1285	EaZy KF	4
470/150HB230+USH470	11249 2	230	109	12	1189	USH 470	6
470/150HB300+USH470	11251 5	300	109	12	1285	USH 470	5

Ultimate 420

Versions





Security Level



Technical Data

- 13 mm, hardened steel round shackle
- The shackle, the case as well as supporting elements of the locking mechanism are made of special hardened steel
- Ergonomic shape allows best handling
- Premium cylinder for high protection against manipulations, e.g. picking

Technology







Test Seals





Ref. No.	EAN 4003318	mm	mm	mm	Weight g	Carrier	Box Qty
420/150HB140+USH+10/120 Ultimate	81969 8	140	80	13	1240	USH	6
420/150HB140+USH Ultimate	81689 5	140	80	13	900	USH	6
420/170HB230+USH Ultimate	39631 1	230	100	13	1100	USH	6
420/170HB300+USH Ultimate	39632 8	300	100	13	1300	USH	6
420/170HB230+USH+10/120 Ultimate	39633 5	230	80	13	1440	USH	6

GRANIT™ 460

Security Level



Features







Technical Data

- 12 mm, hardened steel parabolic shackle
- The shackle, the case as well as supporting elements of the locking mechanism are made of special hardened steel
- ABUS Extra-Classe cylinder

Technology







Test Seals





Ref. No.	EAN 4003318	mm	mm	mm	Weight g	Carrier	Box Qty
460/150HB230+USH460	11253 9	230	109	12	1100	USH 460	6
460/150HB300+USH460	11255 3	300	109	12	1250	USH 460	6

440 Alarm



Security Level



Features



Technical Data

- 12 mm, hardened steel round shackle
- The shackle, the case as well as supporting elements of the locking mechanism are made of special hardened steel
- Ergonomic shape allows best handling
- Premium cylinder for high protection against manipulations, e.g. picking
- Alarm of at least 100 dB for 15 seconds
- Alarm function on basis of the ABUS 3D detection system that means, that every movement is detected
- One CR2 battery included

Technology







Test Seals



1) applied for

Ref. No.	EAN 4003318	mm	mm	mm	Weight g	Carrier	Box Qty
440A/150HB160 USH Alarm	82605 4	160	85	14	1100	USH	4
440A/170HB230 USH Alarm	82606 1	230	108	14	1500	USH	4



Ultra 410

Security Level



Features





Technical Data

- 12 mm, hardened steel round shackle
- The shackle, the case as well as supporting elements of the locking mechanism are manufactured out of special hardened steel
- Ergonomic shape allows best handling
- $\boldsymbol{\cdot}$ Premium cylinder for high protection against manipulations, e.g. picking

Technology











Ref. No.	EAN 4003318	mm	mm	mm	Weight g	Carrier	Box Qty
410/170HB230 GN SH34 Ultra	34591 3	230	110	12	1020	SH34	6
410/170HB230 GN SH34 Ultra +10/120	34590 6	230	110	12	1370	SH34	6
410/170HB300 GN SH34 Ultra	34592 0	300	110	12	1100	SH34	6

Ultra Mini 410

Versions



410/150HB140 +10/120



410/150HB180



410/150HB180 + 10/120



Security Level



Features



Technical Data

- 12 mm, hardened steel round shackle
- The shackle, the case as well as supporting elements of the locking mechanism are manufactured out of special hardened steel
- Ergonomic shape allows best handling
- Premium cylinder for high protection against manipulations, e.g. picking

Technology











Ref. No.	EAN 4003318	mm	mm	mm	Weight g	Carrier	Box Qty
410/150HB140 SH34	34594 4	140	80	12	741	SH 34	6
410/150HB140 SH34+10/120	34596 8	140	80	12	1060	SH 34	6
410/150HB180 SH34	34595 1	180	80	12	776	SH 34	6
410/150HB180 SH34+10/120	34597 5	180	80	12	1120	SH 34	6

Facilo 32

Security Level



Features







Technical Data

- 12 mm, hardened steel round shackle
- ABUS quality lock cylinder

Technology









Ref. No.	EAN 4003318	mm	mm	mm	Weight g	Carrier	Box Qty
32/150HB230+USH32	37492 0	230	109	12	1040	USH 32	6
32/150HB300+USH32	37887 4	300	109	12	1140	USH 32	6

Facilo 32 + Cobra™



Security Level



Features





Technical Data

- 12 mm, hardened steel round shackle
- ABUS quality lock cylinder
- 10 mm high quality steel cable with two loop ends
- PVC-coating to prevent damage

Technology





Test Seals





1) for Facilo


Ref. No.	EAN 4003318	mm	mm	mm	Weight g	Carrier	Box Qty
32/150HB230+USH32 + Cobra 10/140	47700 3	230	109	12	1500 336	USH 32 10 mm / 140 cm	6

Folding locks



Product novelties





Ref. No.	EAN 4003318	cm	Weight g	Carrier	Box Qty
6000A/90 black SH	77838 4	90	1450	SH 6000/90	4
6000A/90 white SH	78090 5	90	1450	SH 6000/90	4
6000A/120 black SH	82533 0	120	1700	SH 6000/120	4
Bracket SH 6000/90	72900 3			replacement bracket	1
Bracket SH 6000/120	78074 5			replacement bracket	1

BORDO™ Alarm 6000A BIG



Versions



6000A/90 black



6000A/90 white



Security Level



Features







SH 6000/120

Technology















Test Seals










Technical Data

- $\boldsymbol{\cdot}$ 5 mm steel bars, with extra soft 2-components coating to prevent damage to the bicycle's paintwork
- The bars, the case, the links as well as supporting elements of the locking system are made of special hardened steel
- Alarm of at least 100 dB for 20 seconds
- \bullet Alarm function on basis of the ABUS 3D detection system that means, that every movement is detected
- Intelligent alarm In case of small and short movement, e.g. the bike gets hit by a football, the lock only gives a short warning tone
- Different acoustic signals inform about battery, activation and alarm
- · Bars are linked with special rivets
- ABUS Plus cylinder for high protection against manipulations, e.g. picking

1) Only for UK-version (Art.-No. 78304 and 78305)









Ref. No.	EAN 4003318	cm	Weight g	Carrier	Box Qty
6010/90 BORDO CENTIUM	20154 7	90	1250	SH6010	1
Bordo Centium bracket	20155 4				6
VK-Display BORDO CENTIUM	70232 7			incl. 4 locks	

BORDO CENTIUM™ 6010



Security Level



Features



Pius



Technology












Technical Data

- 5 mm steel bars, with synthetic coating to prevent damage to the bicycle's paintwork
- Stainless steel case with manual cover for the keyhole against dirt and corrosion
- The bars, the links as well as supporting elements of the locking system are made of special hardened steel
- Bars are linked with special rivets
- ABUS Plus cylinder for high protection against manipulations, e.g. picking







Ref. No.	EAN 4003318	cm	Weight g	Carrier	Box Qty
6500/85 black SH	78068 4	85	1580	SH 6500/85	6
6500/85 black ST	55160 4	85	1580	ST 6500/85	6
6500/85 TwinSet SH	82639 9	85	1580 each	SH 6500/85	1
6500/110 black SH	78067 7	110	2140	SH 6500/110	6
Bracket SH 6500/85	78071 4			replacement bracket	6
ST 6500/85 black	55325 7			replacement bag	1
Bracket SH 6500/110	78072 1			replacement bracket	6

BORDO GRANIT XPlus™ 6500

Versions







Security Level



Features



XPlus™





Technology











Technical Data



- ${\boldsymbol{\cdot}}$ Colour-matching silicone cover for the lock body with "soft touch" properties
- ABUS Link-Protection-Shield offers high saw protection of the links
- The bars, the links, the case as well as supporting elements of the locking system are made of special hardened steel
- ABUS XPlus cylinder for extremely high protection against manipulation, e.g. picking



























BORDO™ 6000

Security Level



Features



Plus



T 6000/9





Versions





white



TwinSet

Technical Data

- 5 mm steel bars, with extra soft 2-components coating to prevent damage to the bicycle's paintwork
- The bars, the case, the links as well as supporting elements of the locking system are made of special hardened steel
- Bars are linked with special rivets
- ABUS Plus cylinder for high protection against manipulations, e.g. picking

Technology









Test Seals









1) only for GB-version 6000/90 black (56930 2)

Ref. No.	EAN 4003318	Çm	Weight g	Carrier	Box Qty
6000/90 black SH	72983 6	90	1100	SH 6000/90	6
6000/90 red SH	72984 3	90	1100	SH 6000/90	6
6000/90 white SH	72985 0	90	1100	SH 6000/90	6
6000/90 black ST	51798 3	90	1100	ST 6000/90 BK	6
6000/90 TwinSet SH	72986 7	90 each	1100 each	SH 6000/90	2
Bracket SH 6000/90	72900 3			replacement bracket	1
Bracket ST 6000/90 black	54297 8			replacement bag	1

BORDO™ Big 6000

Versions







white



Security Level



Features







Technical Data

- 5 mm steel bars, with extra soft 2-components coating to prevent damage to the bicycle's paintwork
- The bars, the case, the links as well as supporting elements of the locking system are made of special hardened steel
- Bars are linked with special rivets
- ABUS Plus cylinder for high protection against manipulations, e.g. picking

Technology















Ref. No.	EAN 4003318	Çm Cm	Weight g	Carrier	Box Qty
6000/120 black SH	78073 8	120	1400	SH 6000/120	3
6000/120 black ST	51794 5	120	1400	ST 6000/120 BK	3
6000/120 red SH	81513 3	120	1400	ST 6000/120 RD	3
6000/120 white SH	81514 0	120	1400	ST 6000/120	3
Bracket SH 6000/120	78074 5			replacement bracket	1
Bracket ST 6000/120 black	55327 1			replacement bag	1

BORDO™ 6015 / 6405 + Bosch

Security Level



Features





Versions



640





Technical Data

- 5 mm steel bars, with extra soft 2-components coating to prevent damage to the bicycle's paintwork
- The bars, the case, the links as well as supporting elements of the locking system are made of special hardened steel
- Bars are linked with special rivets
- ABUS Plus cylinder for high protection against manipulations, e.g. picking

Technology











Test Seals













1) Only for Bordo 6405

Ref. No.	EAN 4003318	cm	Weight g	Carrier	Box Qty
6015/90 BK SH BLO BOS DT2 PLUS	78779 9	90	1520	SH 6000/90	4
6015/90 BK SH BLO BOS RT2 PLUS	78780 5	90	1300	SH 6000/90	4
6405/85 BK SH BLO BOS DT2 PLUS*	78718 8	85	2000	SH 6000/85	4
6405/85 BK SH BLO BOS RT2 PLUS*	78719 5	85	1780	SH 6000/85	4

^{*} Security Level 13

BORDO Combo™ 6100

Versions



white





Security Level



Features







Technical Data

- 5 mm steel bars, with extra soft 2-components coating to prevent damage to the bicycle's paintwork
- The bars, the case, the links as well as supporting elements of the locking system are made of special hardened steel
- Bars are linked with special rivets
- Two component moulded digits guarantee life-long visibility
- · Individually settable code

Technology













Ref. No.	EAN 4003318	cm	Weight g	Carrier	Box Qty
6100/90 white SH	72992 8	90	1250	SH 6000/90	6
6100/90 black SH	72990 4	90	1250	SH 6000/90	6
6100/90 red SH	72991 1	90	1250	SH 6000/90	6
6100/75 black ST	51795 2	75	1000	ST 6000/75 black	6
6100/90 black ST	51796 9	90	1250	ST 6000/90 black	6
Bracket SH 6000/90	72900 3			replacement bracket	1
Bracket ST 6000/90 black	54297 8			replacement bag	1



uGrip BORDO™ 5700

Security Level



Features







Versions

















core green

Technical Data

- 5 mm steel bars
- Colour-matching lock body
- Bars are linked with special rivets
- Premium automatic cylinder

Technology









Ref. No.	EAN 4003318	cm	Weight g	Carrier	Box Qty
5700/80 black	11273 7	80	830	ST 5700	6
5700/80 lime	11274 4	80	830	ST 5700	6
5700/80 blue	11283 6	80	830	ST 5700	6
5700/80 red	77111 8	80	830	ST 5700	6
5700/80 core purple	72810 5	80	830	ST 5700	6
5700/80 core blue	72811 2	80	830	ST 5700	6
5700/80 core green	72809 9	80	830	ST 5700	6
Bracket ST 5700 uGrip BORDO	11284 3			replacement bag	1

BORDO™ Lite 6055



Versions



black (60)



red (60)



black (85)



red (85)



Security Level



Features





Technical Data

- 5 mm bars with a core of light steel and synthetic coating to prevent damage to the bicycle's paintwork
- The bars and the lock body are made of particularly light materials and ferrous alloy
- Bars are linked with special rivets
- Premium automatic cylinder
- The BORDO Lite Mini fits perfectly into jersey pocket

Technology









Ref. No.	EAN 4003318	cm	Weight g	Carrier	Box Qty
6055/60 black	78060 8	60	440	bracket optional	6
6055/60 red	78061 5	60	440	bracket optional	6
6055/60 MOVISTAR TEAM	78062 2	60	440	bracket optional	6
6055/85 black SH	78063 9	85	500	SH 6055	6
6055/85 red SH	78064 6	85	500	SH 6055	6
Bracket SH 6055	78066 0			replacement bracket	6

BORDO™ Lite 6050

Security Level



Features







Technical Data

- 5 mm bars with a core of light steel and synthetic coating to prevent damage to the bicycle's paintwork
- The bars and the lock body are made of particularly light materials and ferrous alloy
- Bars are linked with special rivets

Technology









Ref. No.	EAN 4003318	Çm	Weight g	Carrier	Box Qty
6050/85 black	51800 3	85	650	ST 6050/85	6
Bracket ST 6050/85	52909 2			replacement bag	1

BORDO Combo™ Lite 6150

Security Level



Features



Combo adjust



ST 6050



Technical Data

- 5 mm bars with a core of light steel and synthetic coating to prevent damage to the bicycle's paintwork
- The bars and the lock body are made of particularly light materials and ferrous alloy
- Bars are linked with special rivets
- Two component moulded digits guarantee life-long visibility
- · Individually settable code

Technology







Ref. No.	EAN 4003318	Cm	Weight g	Carrier	Box Qty
6150/85 black	51799 0	85	650	ST 6050/85	6
6150/85 red	52641 1	85	650	ST 6050/85	6
6150/85 white	52642 8	85	650	ST 6050/85	6
Bracket ST 6050/85	52909 2			replacement bag	1




Chain locks



Product novelties





Ref. No.	EAN 4003318	₩	<u>•0000</u>	Weight	Carrier	Box Qty
	4003310	mm	cm	ь		4-3
1060/85 black	28678 0	10	85	2100		2
1060/110 black	28623 0	10	110	2650		2
1060/140 black	28624 7	10	140	3260		2
1060/170 black	28625 4	10	170	3750		2

GRANIT CityChain XPlus™ 1060



Security Level



Features



XPlus™

Technology











Test Seals















Technical Data

- 10 mm hexagonal chain with fabric sleeve to prevent damage to the bicycle's paintwork
- ABUS Power Cell Technology offers highest protection against hitting and pulling attacks
- ABUS Power Link Technology offers a direct locking of the chain to the Power Cell and increases its effect
- Interlocked lock body cover to protect against brutal opening methods
- The chain, the case as well as supporting elements of the locking body are made of special hardened steel
- ABUS XPlus cylinder for extremely high protection against manipulations e.g. picking
- Automatic keyhole cover against dirt and corrosion

1) Class C



Ref. No.	EAN 4003318	₩	<u>•0000</u>	Weight g	Carrier	Box Qty
		mm	cm			
9100/85 black	52528 5	10	85	2450		2
9100/110 black	52544 5	10	110	2900		2
9100/140 black	52650 3	10	140	3850		1
9100/170 black	52651 0	10	170	4850		1
ST 2200	08470 6				transportation bag: 1.2 I	1
ST 2250	08469 0				Transportation bag: 1.8 I	1

IVY Chain 9100



Technology





Test Seals










Technical Data

- \cdot 10 mm strong square chain with functional, long-life and highly-flexible mesh sleeve to prevent damage to the bicycle's paintwork
- \cdot The chain, the case as well as supporting elements of the locking mechanism are made of special hardened steel
- Ergonomic lock body cover
- With user-friendly reversible key



Ref. No.	EAN 4003318	₩	<u>00000</u>	Weight g	Carrier	Box Qty
		mm	cm	8		4-5
1010/85 black	33559 4	9	85	1950		2
1010/110 black	12042 8	9	110	2400		2
1010/140 black	12527 0	9	140	2740		2
1010/170 black	12528 7	9	170	3380		2
ST 2200	08470 6				transportation bag: 1.2 I	1
ST 2250	08469 0				Transportation bag: 1.8 I	1

CityChain™ 1010



Security Level



Features



Plus

Technology









Test Seals















Technical Data

- 9 mm hexagonal chain with fabric sleeve to prevent damage to the bicycle's paintwork
- The chain, the case as well as supporting elements of the locking mechanism are made of special hardened steel
- ABUS Plus cylinder for high protection against manipulations, e.g. picking
- Automatic cover for the keyhole against dirt and corrosion

1) Class B

Steel-O-Chain™ 9809

Security Level



Features



Plus



Technical Data

- 9 mm square chain with fabric sleeve to prevent damage to the bicycle's paintwork
- The chain, the case as well as supporting elements of the locking mechanism are made of special hardened steel
- Automatic cover for the keyhole against dirt and corrosion
- ABUS Plus cylinder for high protection against manipulations, e.g. picking

Technology









Ref. No.	EAN 4003318		00000	Weight	Carrier	Box Qty
	4003310	mm	cm	ь		4-3
9809/85 black	78079 0	9	85	2073		2
9809/110 black	78080 6	9	110	2489		2
9809/140 black	78081 3	9	140	3321		2
9809/170 black	78082 0	9	170	4153		2

Security Level

Features

Plus

Steel-O-Chain™ 9808



Technical Data

- 8 mm square chain with fabric sleeve to prevent damage to the bicycle's
- The chain, the case as well as supporting elements of the locking mechanism are made of special hardened steel
- Automatic cover for the keyhole against dirt and corrosion
- ABUS Plus cylinder for high protection against manipulations, e.g. picking

Technology

















Ref. No.	EAN 4003318	∯ mm	<u>•∞∞</u>	Weight g	Carrier	Box Qty
9808/85 black	78075 2	8	85	1832		2
9808/110 black	78076 9	8	110	2160		2
9808/140 black	78077 6	8	140	2815		2

IVEN Chain 8210

Security Level



Features





Technical Data

- $\,\cdot\,$ 8 mm square chain with functional, long-life and highly-flexible mesh sleeve to prevent damage to the bicycle's paintwork
- $\boldsymbol{\cdot}$ The chain, the case as well as supporting elements of the locking mechanism are made of special hardened steel
- $\boldsymbol{\cdot}$ Ergonomic lock body cover with softcase technology, to prevent damage to the bicycle's paintwork

Technology



















Ref. No.	EAN 4003318	⊕ mm	<u>•∞∞∞</u>	Weight g	Carrier	Box Qty
8210/85	55152 9	8	85	1934		2
8210/110	55153 6	8	110	2497		2
ST 2200	08470 6				transportation bag: 1.2 l	1
ST 2250	08469 0				Transportation bag: 1.8 I	1

IVERA Chain 7210



Security Level



Features





Technical Data

- 7 mm square chain with functional, long-life and highly-flexible mesh sleeve to prevent damage to the bicycle's paintwork
- The chain, the case as well as supporting elements of the locking mechanism are made of special hardened steel

Technology







Ref. No.	EAN 4003318		€0000	Weight g	Carrier	Box Qty
		mm	cm			
7210/85	55141 3	7	85	1280		2
7210/110	55142 0	7	110	1680		2
7210/110 + RBU	58964 5	7	110	1700	RBU	2
Ivera RBU bracket	58497 8			100	for 7200, 7210, 7220 Ivera	1
ST 2012 Chain Bag	58496 1			200	transportation bag: 0.6 I	1
ST 2200	08470 6				transportation bag: 1.2 l	1
ST 2250	08469 0				Transportation bag: 1.8 l	1



Steel-O-Chain™ 8807

Security Level



Features





Technical Data

- 7 mm square chain with fabric sleeve to prevent damage to the bicycle's
- The chain, the case as well as supporting elements of the locking mechanism are made of special hardened steel

Technology







Ref. No.	EAN 4003318	∰ mm	€○○○○	Weight g	Carrier	Box Qty
8807K/85 black	71195 4	7	85	1600	ST 2012 / ST 200 / ST 2250	2
8807K/110 black	82519 4	7	110	1900	ST 2012 / ST 200 / ST 2250	2
ST 2012 Chain Bag	58496 1			200	transportation bag: 0.6 l	1
ST 2200	08470 6				transportation bag: 1.2 l	1
ST 2250	08469 0				Transportation bag: 1.8 I	1

Tresor 1385



Technical Data Technology

- \bullet 7 mm square chain with fabric sleeve to prevent damage to the bicycle's paintwork
- The chain is made of special hardened steel
- Two component moulded digits guarantee life-long visibility
- Special touch protection for higher security against unauthorized access to the code through manipulation of the mechanism
- Individually settable code



Ref. No.	EAN 4003318	∯ mm	€oooo	Weight g	Carrier	Box Qty
Tresor 1385/85 black	48566 4	7	85	1130		2
Tresor 1385/85 aqua	48567 1	7	85	1130		2
Tresor 1385/85 coral	48568 8	7	85	1130		2
Tresor 1385/85 brown	48569 5	7	85	1130		2
Tresor 1385/110 black	48628 9	7	110	1380		2
ST 2012 Chain Bag	58496 1			200	transportation bag: 0.6 l	1
ST 2200	08470 6				transportation bag: 1.2 l	1
ST 2250	08469 0				Transportation bag: 1.8	1

Tresor 1385 Neon

Security Level



Features



Combo adjust



Variants

Neon green

Neon orange

Neon pink

black

Technical Data

- 6 mm square chain with fabric sleeve to prevent damage to the bicycle's paintwork
- $\boldsymbol{\cdot}$ The chain is made of special hardened steel
- Two component moulded digits guarantee life-long visibility
- Special touch protection for higher security against unauthorized access to the code through manipulation of the mechanism
- Individually settable code



Ref. No.	EAN 4003318	ф тт	<u>+0000</u>	Weight g	Carrier	Box Qty
Trocor 1205/75 Noon groop	71263 0	mm 6	cm 75	1050		6
Tresor 1385/75 Neon green	11203 0	0	13	1030		
Tresor 1385/75 Neon blue	71 262 3	6	75	1050		6
Tresor 1385/75 Neon orange	71264 7	6	75	1050		6
Tresor 1385/75 Neon pink	71 265 4	6	75	1050		6
Tresor 1385/75 black	51133 2	6	75	1050		6
ST 2012 Chain Bag	58496 1			200	transportation bag: 0.6 l	1
ST 2200	08470 6				transportation bag: 1.2 l	1
ST 2250	08469 0				Transportation bag: 1.8 I	1
ST 8130 L	13390 9				saddle bag: 1.0 l	1

Expedition-Chain 70/45/6 KS



Security Level



Features



Technical Data

- 6 mm square chain with fabric sleeve to prevent damage to the bicycle's
- The chain is made of special hardened steel
- · Lock and cylinder especially corrosion-resistant
- ABUS quality cylinder

Ref. No.	EAN 4003318	∯ mm	<u>•∞∞∞</u>	Weight g	Carrier	Box Qty
70/45/6KS65 black	27951 5	6	65	720		6
70/45/6KS85 black	27950 8	6	85	880		6
70/45/6KS110 black	28679 7	6	110	1090		6
ST 2012 Chain Bag	58496 1			200	transportation bag: 0.6 l	1
ST 2200	08470 6				transportation bag: 1.2	1
ST 2250	08469 0				Transportation bag: 1.8 I	1

Catena 680

Security Level



Features







Technical Data

- 6 mm square chain with fabric sleeve to prevent damage to the bicycle's paintwork
- The chain is made of special hardened steel



Ref. No.	EAN 4003318		<u>+0000</u>	Weight	Carrier	Box Qty
		mm	cm	J		()
680/75 LL+URB black	48570 1	6	75	850	LL + URB	6

Catena 6806









coral





Security Level



Features



Technical Data

- 6 mm square chain with fabric sleeve to prevent damage to the bicycle's
- The chain is made of special hardened steel

Technology





Ref. No.	EAN 4003318			Weight g	Carrier	Box Qty
		mm	cm			
6806K/75 black	82510 1	6	75	850	ST 2012 / ST 200 / ST 2250 / ST 8130 L	6
6806K/75 aqua	82516 3	6	75	850	ST 2012 / ST 200 / ST 2250 / ST 8130 L	6
6806K/75 brown	82518 7	6	75	850	ST 2012 / ST 200 / ST 2250 / ST 8130 L	6
6806K/75 coral	82517 0	6	75	850	ST 2012 / ST 200 / ST 2250 / ST 8130 L	6
6806K/110 black	82511 8	6	110	950	ST 2012 / ST 200 / ST 2250 / ST 8130 L	6
ST 2200	08470 6				transportation bag: 1.2 l	1
ST 2250	08469 0				Transportation bag: 1.8 I	1



Catena 6806 Neon

Security Level





Technical Data

- 6 mm square chain with fabric sleeve to prevent damage to the bicycle's paintwork
- $\boldsymbol{\cdot}$ The chain as well as case are made of special hardened steel

Technology





Ref. No.	EAN 4003318	∯ mm	<u>•∞∞∞</u>	Weight g	Carrier	Box Qty
6806K/75 Neon blue	82513 2	6	75	850	ST 2012 / ST 200 / ST 2250 / ST 8130 L	6
6806K/75 Neon green	82514 9	6	75	850	ST 2012 / ST 200 / ST 2250 / ST 8130 L	6
6806K/75 Neon orange	82515 6	6	75	850	ST 2012 / ST 200 / ST 2250 / ST 8130 L	6
6806K/75 Neon pink	82512 5	6	75	850	ST 2012 / ST 200 / ST 2250 / ST 8130 L	6
ST 2200	08470 6				transportation bag: 1.2 l	1
ST 2250	08469 0				Transportation bag: 1.8 I	1

uGrip™ Chain 585

Versions





Security Level



Features



Technical Data

- 5 mm square chain with modern design
- Innovative, soft elastomer synthetic coating with "soft touch" properties to prevent damage to the bicycle's paintwork
- The chain is made of special hardened steel



Ref. No.	EAN 4003318	•	€0000	Weight	Carrier	Box Qty
	4003310	mm	cm	5		Ąty
585/75 black	58458 9	5	75	650		6
585/75 lime	58459 6	5	75	650		6
585/100 black	58463 3	5	100	750		6
585/100 lime	58464 0	5	100	750		6
ST 2012 Chain Bag	58496 1			200	transportation bag: 0.6 l	1

Steel-O-Chain™ 5805K

Security Level



Features







Technical Data

- 5 mm square chain with fabric sleeve to prevent damage to the bicycle's
- $\boldsymbol{\cdot}$ The chain is made of special hardened steel



Ref. No.	EAN	Φ	<u>•0000</u>	Weight	Carrier	Box
	4003318	mm	cm	g		Qty
5805K/75 blue	72490 9	5	75	510		6
5805K/75 red	72489 3	5	75	510		6
5805K/75 lime	72491 6	5	75	510		6
5805K/75 pink	72492 3	5	75	510		6
5805K/75 black	71205 0	5	75	510		6
5805K/110 black	72493 0	5	110	715		6
ST 2012 Chain Bag	58496 1			200	transportation bag: 0.6 l	1
ST 2200	08470 6				transportation bag: 1.2 l	1
ST 2250	08469 0				Transportation bag: 1.8 I	1
ST 8130 L	13390 9				saddle bag: 1.0 l	1

Steel-O-Chain™ 5805C

Versions



blue



ed



ime



pink



Security Level



Features



Combo adjus

Technical Data

- 5 mm square chain with fabric sleeve to prevent damage to the bicycle's
- The chain is made of special hardened steel
- Two component moulded digits guarantee life-long visibility
- Individually settable code



Ref. No.	EAN 4003318	₩	€0000	Weight	Carrier	Box
	4003318	mm	cm	g		Qty
5805C/75 blue	72494 7	5	75	485		6
5805C/75 red	72495 4	5	75	485		6
5805C/75 lime	72496 1	5	75	485		6
5805C/75 pink	72497 8	5	75	485		6
5805C/75 black	71206 7	5	75	485		6
5805C/110 black	72498 5	5	110	690		6
ST 2012 Chain Bag	58496 1			200	transportation bag: 0.6 l	1
ST 2200	08470 6				transportation bag: 1.2 I	1
ST 2250	08469 0				Transportation bag: 1.8 I	1
ST 8130 L	13390 9				saddle bag: 1.0 l	1

Steel-O-Chain™ 4804K

Security Level



Features







Technical Data

- 4 mm square chain with fabric sleeve to prevent damage to the bicycle's paintwork
- $\boldsymbol{\cdot}$ The chain is made of special hardened steel



Ref. No.	EAN 4003318	∰ mm	<u>•∞∞∞</u>	Weight g	Carrier	Box Qty
4804K/75 blue	72484 8	4	75	355		6
4804K/75 red	72485 5	4	75	355		6
4804K/75 lime	72486 2	4	75	355		6
4804K/75 pink	72487 9	4	75	355		6
4804K/75 black	72483 1	4	75	355		6
4804K/110 black	72488 6	4	110	510		6
ST 2012 Chain Bag	58496 1			200	transportation bag: 0.6 l	1
ST 2200	08470 6				transportation bag: 1.2 l	1
ST 8130 L	13390 9				saddle bag: 1.0 l	1

Steel-O-Chain™ 4804C

Versions











Security Level



Features



Combo adjust

Technical Data

- 4 mm square chain with fabric sleeve to prevent damage to the bicycle's paintwork
- The chain is made of special hardened steel
- Individually settable code



Ref. No.	EAN 4003318		<u>•0000</u>	Weight g	Carrier	Box Qty
		mm	cm	8		1.3
4804C/75 blue	71616 4	4	75	315		6
4804C/75 red	72468 8	4	75	315		6
4804C/75 lime	72480 0	4	75	315		6
4804C/75 pink	72481 7	4	75	315		6
4804C/75 black	71617 1	4	75	315		
4804C/110 black	72482 4	4	110	472		6
ST 2012 Chain Bag	58496 1			200	transportation bag: 0.6 l	1
ST 2200	08470 6				transportation bag: 1.2 l	1
ST 8130 L	13390 9				saddle bag: 1.0 l	1

1500 Web

Security Level



Features





Versions





orange







coral

Technical Data

- 4 mm chain with fabric sleeve to prevent damage to the bicycle's paintwork
- The chain is made of special steel



Ref. No.	EAN 4003318	∯ mm	<u>•∞∞∞</u> cm	Weight g	Carrier	Box Qty
1500/60 web black	56345 4	4	60	140		12
1500/60 web lime	56344 7	4	60	140		12
1500/60 web orange	56920 3	4	60	140		12
1500/60 web red	56343 0	4	60	140		12
1500/60 web white	56921 0	4	60	140		12
1500/60 web coral	57895 3	4	60	140		12
1500/60 web color	57658 4	4	60	140		12
1500/110 web black	56346 1	4	110	270		12
1500/110 web color	57659 1	4	110	270		12

1200 Web







Technical Data

- 4 mm chain with fabric sleeve to prevent damage to the bicycle's paintwork
- The chain is made of special steel



Ref. No.	EAN	Φ	<u>00000</u>	Weight	Carrier	Box
	4003318	mm	cm	g		Qty
1200/60 web black	56341 6	4	60	136		12
1200/60 web lime	56340 9	4	60	136		12
1200/60 web orange	56922 7	4	60	136		12
1200/60 web red	56339 3	4	60	136		12
1200/60 web white	56924 1	4	60	136		12
1200/60 web coral	57893 9	4	60	136		12
1200/60 web color	57656 0	4	60	136		12
1200/110 web black	56342 3	4	110	260		12
1200/110 web color	57657 7	4	110	260		12



My first ABUS 1510 Security Department




Technical Data

- 4 mm round chain with textile sleeve to prevent damage to the bicycle's paintwork
- Playful easy use even for children due to the automatic cylinder
- Two reversible keys including exclusive key-ring

Ref. No.	EAN 4003318	⊕ mm	•0000 CM	Weight g	Carrier	Box Qty
1510/60 Security Department	78098 1	/ı	60	280		6

My first ABUS 1510 Fire Department



Technical Data

- ${}^{\bullet}$ 4 mm round chain with textile sleeve to prevent damage to the bicycle's paintwork
- Playful easy use even for children due to the automatic cylinder
- Two reversible keys including exclusive key-ring

Ref. No.	EAN 4003318		<u>•0000</u>	Weight	Carrier	Box Otv
		mm	cm	Ü		
1510/60 Fire Department	78099 8	4	60	280		6

Steel-0-Flex[™] locks





GRANIT Steel-O-Flex[™] 1025

Security Level



Features



XPlus™



Double Protection



UGH 02 Bracket



Technical Data

- 27 mm overlapping steel shells protect the inner steel cable
- ABUS Power Cell Technology offers highest protection against hitting and pulling attacks
- ABUS Power Link Technology offers a direct locking of the chain to the Power Cell and increases its efficiency
- Interlocked lock body cover to protect against brutal opening methods
- The steel shells, the case as well as supporting elements of the locking mechanism are made of special hardened steel
- ABUS XPlus cylinder for highest protection against manipulations, e.g. picking
- Automatic keyhole cover against dirt and corrosion

Technology











Ref. No.	EAN 4003318	(Mm	© cm	Weight g	Carrier	Box Qty
1025/100	33561 7	27	100	1950		2
1025/120	33560 0	27	120	2250		2
UGH 02	26624 9				for 950, 970, 1000, 1025, 7200, 7220, 8200, 8220	1

Steel-0-Flex™ 950



Technical Data

- 25 mm overlapping steel shells protect the inner steel cable
- Synthetic coating to prevent damage to the bicycle's paintwork
- The steel shells, the case as well as supporting elements of the locking mechanism are made of special hardened steel
- $\boldsymbol{\cdot}$ ABUS Plus cyclinder for high protection against manipulations, e.g. picking
- Manually operated cover for the keyhole against dirt and corrosion

Technology









Ref. No.	EAN 4003318	<i>Q</i> mm	cm	Weight g	Carrier	Box Qty
950/100	25715 5	25	100	1600		2
UGH 02	26624 9				for 950, 970, 1000, 1025, 7200, 7220, 8200, 8220	1

IVEN Steel-O-Flex™ 8200

Security Level



Features



Key 9000



Double Protection



UGH 02 Bracket



Technical Data

- 25 mm overlapping steel shells protect the inner steel cable
- The steel shells, the case as well as supporting elements of the locking mechanism are made of special hardened steel
- Ergonomic lock body with softcase technology to prevent damage to the bicycle's paintwork

Technology







Ref. No.	EAN 4003318	<i>Q</i> mm	© cm	Weight g	Carrier	Box Qty
8200/85	55148 2	25	85	1362		6
8200/110	55149 9	25	110	1763		2
UGH 02	26624 9				for 950, 970, 1000, 1025, 7200, 7220, 8200, 8220	1

IVERA Steel-O-Flex™ 7200



Security Level



Features



Key Ivera



Double Protection



Technical Data

- 22 mm overlapping steel shells protect the inner steel cable
- Functional, long-life and highly-flexible mesh sleeve to prevent damage to the bicycle's paintwork
- The steel shells, the case as well as supporting elements of the locking mechanism are made of special hardened steel

Technology







Ref. No.	EAN 4003318	(mm	© cm	Weight g	Carrier	Box Qty
7200/85	55137 6	22	85	700		6
7200/110	55138 3	22	110	960		6
7200/85 + RBU	55139 0	22	85	1080	RBU	6
7200/110 + RBU	55140 6	22	110	1160	RBU	6
Ivera RBU bracket	58497 8			100	for 7200, 7210, 7220 Ivera	1

Centuro 860

Security Level



Features





Double Protection



QuickSnap RBU



QuickSnap

Technical Data Technology

- $\boldsymbol{\cdot}$ 20 mm overlapping steel shells protect the inner steel cable
- Synthetic coating to prevent damage to the bicycle's paintwork
- $\boldsymbol{\cdot}$ The steel shells, the case as well as supporting elements of the locking mechanism are made of special hardened steel









Ref. No.	EAN 4003318	(mm	cm	Weight g	Carrier	Box Qty
860/85 QS RBU	31493 3	20	85	825	QuickSnap RBU	6
860/110 QS RBU	31494 0	20	110	980	QuickSnap RBU	6
860/85 QS	31528 2	20	85	840	QuickSnap	6
860/110	31496 4	20	110	950		6
860/85	31495 7	20	85	780		6



el-U-Flex ks

PHANTOM™ 8960

Security Level



Features





Double Protection

Technical Data

Features

- 17 mm overlapping steel shells protect the inner steel cable
- Synthetic coating to prevent damage to the bicycle's paintwork
- The steel shells and the supporting elements of the locking mechanism are made of special hardened steel
- \bullet ABUS Extra Classe automatic cylinder with encoded reversible key

Technology









Ref. No.	EAN 4003318	<i>€</i>	© cm	Weight g	Carrier	Box Qty
8960/85 TexFL	39680 9	17	85	675	TexFL	6
8960/110 TexFL	39683 0	17	110	850	TexFL	6
8960/85 FL	39681 6	17	85	675	FL	6
8960/110 FL	39682 3	17	110	850	FL	6
8960/85 Twinset TexFL	39809 4	17	85	1350	TexFL	6
8960/110 TexKF	79043 0	17	110	850	TexKF	6
8960/85 TexKF	79045 4	17	85	675	TexKF	6
8960/110 KF	78596 2	17	110	850	KF	6
8960/85 KF	78595 5	17	85	675	KF	6
8960/85 Twinset TexKF	79046 1	17	85	1350	TexKF	6

Steel-O-Flex[™] Raydo Pro 1460

Security Level



Features



Combo adjust



Combo Light



TeyKE



Technical Data

- $\boldsymbol{\cdot}$ 20 mm overlapping steel shells protect the inner steel cable
- Synthetic coating to prevent damage to the bicycle's paintwork
- The steel shells and the supporting elements of the locking mechanism are made of special hardened steel
- Individually settable code
- Press'n Shine Function the illuminated dials make setting the code easy even in the dark

Technology





Ref. No.	EAN 4003318	<i>Q</i> mm	cm	Weight g	Carrier	Box Qty
1460/85 TexKF	59217 1	20	85	845	TexKF	6
1460/85 KF	59216 4	20	85	790	KF	6





Steel-O-Flex[™] Tresor 1360



Technical Data

- 20 mm overlapping steel shells protect the inner steel cable
- Synthetic coating to prevent damage to the bicycle's paintwork
- Two component moulded digits guarantee life-long visibility
- Special touch protection for higher security against unauthorized access to the code through manipulation of the mechanism
- The special imprinting on the digits makes the operation easier even in the dark
- Individually settable code

Technology





Ref. No.	EAN 4003318	<i>Q</i> mm	© cm	Weight g	Carrier	Box Qty
1360/85 black	42935 4	20	85	664		6
1360/110 black	42934 7	20	110	840		6

Microflex 6615K

Security Level



Features





Double Protection



Technical Data

- 15 mm overlapping steel shells protect the inner steel cable
- Synthetic coating to prevent damage to the bicycle's paintwork

Technology



Ref. No.	EAN 4003318	<i>€</i> mm	© cm	Weight g	Carrier	Box Qty
6615K/85/15 black	13410 4	15	85	540		6
6615K/85/15 black SCMU	13408 1	15	85	595	SCMU	6
6615K/120/15 black	13412 8	15	120	710		6
6615K/120/15 black SCMU	13409 8	15	120	765	SCMU	6

Tresorflex 6615C

Security Level



Features



Double Protection



SCMU



Technical Data

- 15 mm overlapping steel shells protect the inner steel cable
- Synthetic coating to prevent damage to the bicycle's paintwork
- Two component moulded digits guarantee life-long visibility
- Special touch protection for higher security against unauthorized access to the code through manipulation of the mechanism
- The special imprinting on the digits makes the operation easier even in the dark
- · Individually settable code



Ref. No.	EAN 4003318	(mm	© cm	Weight g	Carrier	Box Qty
6615C/85/15 black	13659 7	15	85	650		6
6615C/85/15 black SCMU	13657 3	15	85	705	SCMU	6
6615C/120/15 black	13780 8	15	120	820		6
6615C/120/15 black SCMU	13658 0	15	120	875	SCMU	6



Coil cable- and cable locks







Ref. No.	EAN 4003318	(A)	© cm	Weight g	Carrier	Box Qty
8950/180 KF	39685 4	12	180	700	KF	6
8950/180 TexKF	39684 7	12	180	700	TexFL	6
8950/180 TexFL	39802 5	15	180	850	TexFL	6

Coil cable- &

PHANTOM™ 8950



Technology





Technical Data

- 12 or 15 mm strong, high quality and very flexible coil cable
- Synthetic coating in matt black look to prevent damage to the bicycle's paintwork
- ABUS Extra-Classe automatic cylinder with encoded reversible key

Booster 6512K

Security Level



Features





SCMU



Technical Data

- 12 mm strong, high quality and very flexible coil cable
- Synthetic coating to prevent damage of the bicycle's paintwork

Technology



Ref. No.	EAN 4003318	<i>Q</i> mm	Cm	Weight g	Carrier	Box Qty
6512K/180/12 black	13400 5	12	180	620	SCMU	6
6512K/180/12 black SCMU	13399 2	12	180	675	SCMU	6

Tresor 6512C

Security Level



Features



Combo adjust



SCMU



Technical Data

- 12 mm strong, high quality and very flexible coil cable
- Synthetic coating to prevent damage to the bicycle's paintwork
- Two component moulded digits guarantee life-long visibility
- · Individually settable code



Ref. No.	EAN 4003318	<i>Q</i> mm	cm	Weight g	Carrier	Box Qty
6512C/18O/12 black	13415 9	12	180	660	SCMU	6
6512C/180/12 black SCMU	13414 2	12	180	715	SCMU	6

Coil cable- &

Key Combo[™] 1650

Security Level



Technical Data

- 12 mm high quality and very flexible coil cable
- Synthetic coating to prevent damage to the bicycle's paintwork
- $\bullet \ \, \text{Two component moulded digits guarantee life-long visibility}$
- Individually settable code
- Additional ABUS lock cylinder with user-friendly reversible key
- Original code can be reset by using a tool provided

Technology





Ref. No.	EAN 4003318			Weight g	Carrier	Box Qty
		mm	cm			
1650/185 black	51604 7	12	185	742		6

Raydo Pro 1450

Security Level



Features





Combo Light





Technical Data

- 12 mm
- Synth
- Indivi
- Press'n Shine Function LED illuminated dials make setting the code easy even in the dark





m high quality and very flexible coil cable	
netic coating to prevent damage to the bicycle's paintwork	
vidually settable code	

Ref. No.	EAN 4003318	<i>Q</i> mm	Cm	Weight g	Carrier	Box Qty
1450/185 black TexKF	59214 0	12	185	718	TexKF	6
1450/185 black KF	59213 3	12	185	684	KF	6

Security Level



Features





SCMU



Technical Data

- 10 mm strong, high quality and very flexible coil cable
- Synthetic coating to prevent damage to the bicycle's paintwork

Technology



Ref. No.	EAN 4003318	<i>Q</i> mm	Cm	Weight g	Carrier	Box Qty
5510K/180/10 black	14260 4	10	180	310		6
5510K/180/10 black SCMU	14245 1	10	180	365	SCMU	6

Numero 5510C

Security Level



Features



Combo adjust



SCMU



Technical Data

- 10 mm high quality and flexible steel cable
- Synthetic coating to prevent damage to the bicycle's paintwork
- Dark-touch-function facilitates use in the dark thanks to special imprinting
- Two component moulded digits guarantee life-long visibility
- · Individually settable code



Ref. No.	EAN 4003318	<i>Q</i> mm	Cm	Weight g	Carrier	Box Qty
5510C/180/10 black	16524 5	10	180	540		6
5510C/180/10 black SCMU	16523 8	10	180	595	SCMU	6

Primo 5510 Color

Security Level



Features





SCMU

Technical Data

- 10 mm strong, high quality and very flexible coil cable
- Synthetic coating to prevent damage to the bicycle's paintwork

Technology





Ref. No.	pink EAN 4003318	red mm	© cm	lime Weight g	Carrier	Box Qty
5510K/180/10 pink SCMU	15856 8	10	180	365	SCMU	6
5510K/180/10 red SCMU	14473 8	10	180	365	SCMU	6
5510K/180/10 blue SCMU	14297 0	10	180	365	SCMU	6
5510K/180/10 lime SCMU	16482 8	10	180	365	SCMU	6

Numero 5510 Color

Security Level



Features



Combo adjust



SCMU



Technical Data

- 10 mm high quality and flexible steel cable
- Synthetic coating to prevent damage to the bicycle's paintwork
- Dark-touch-function facilitates use in the dark thanks to special imprinting
- Two component moulded digits guarantee life-long visibility
- · Individually settable code





	pink	blue		lime			
Ref. No.	EAN 4003318	<i>Q</i> mm	Cm	Weight g	Carrier	Box Qty	
5510C/180/10 pink SCMU	16560 3	10	180	595	SCMU	6	
5510C/180/10 red SCMU	16526 9	10	180	595	SCMU	6	
5510C/180/10 blue SCMU	16525 2	10	180	595	SCMU	6	
5510C/180/10 lime SCMU	16562 7	10	180	595	SCMU	6	

Winner 885



Technical Data

- 9.5 mm strong, high quality and very flexible coil cable
- Synthetic coating to prevent damage to the bicycle's paintwork



Ref. No.	EAN 4003318	<i>Q</i> mm	© cm	Weight g	Carrier	Box Qty
885/185 black KF	10374 2	9,5	185	572	KF	6
885/185 black RBKF	10454 1	9.5	185	576	RBKF Mini	6

Star 4508K

Security Level



Features





SCMU



Technical Data

- 8 mm strong, high quality and very flexible coil cable
- Synthetic coating to prevent damage to the bicycle's paintwork

Technology







	PIIIK	reu		green		Dide	
Ref. No.	EAN 4003318	<i>Q</i> mm	© cm	Weight g	Carrier	Box Qty	
4508K/150/8 black	20016 8	8	150	250		12	
4508K/150/8 black SCMU	20015 1	8	150	305	SCMU	12	
4508K/150/8 color 3 per colour	20017 5	8	150	250		12	

Star 4508C

Security Level



Features



Combo adjust



SCMU



Technical Data

- 8 mm strong, high quality and flexible steel cable
- Synthetic coating to prevent damage to the bicycle's paintwork
- Dark-touch-function facilitates use in the dark thanks to special imprinting
- Individually settable code
- Two component moulded digits guarantee life-long visibility









	PIIIK	reu		IIIIIe		Dide	
Ref. No.	EAN 4003318	<i>Q</i> mm	Cm	Weight g	Carrier	Box Qty	
4508C/150/8 black	20019 9	8	150	330		12	
4508C/150/8 black SCMU	20018 2	8	150	385	SCMU	12	
4508C/150/8 color 3 per colour	20078 6	8	150	330		12	

Security Level



Features



Technical Data

- \cdot 7.5 mm strong and very flexible coil cable
- Synthetic coating to prevent damage to the bicycle's paintwork

Technology









Ref. No.	EAN 4003318	(mm	Cm	Weight g	Carrier	Box Qty
1950/180 black	07356 4	7,5	120	280		12
1950/120 black	07355 7	7,5	120	219		12
1950/120 colour 4 per colour	05384 9	7,5	120	219		12

1950 Kids

Security Level

Features





Technical Data

- \cdot 7.5 mm strong and very flexible coil cable
- Synthetic coating to prevent damage to the bicycle's paintwork







Ref. No.	EAN 4003318	<i>Q</i> mm	Cm	Weight g	Carrier	Box Qty
1950/120 Kids 3 per colour	43160 9	7,5	120	219		12

Security Level





Technical Data

- 7 mm strong and very flexible coil cable
- Synthetic coating to prevent damage to the bicycle's paintwork

Technology



Ref. No.	EAN 4003318	Q		Weight	Carrier	Box Qty
		mm	cm	8		4-3
1150/120 black	08550 5	7	120	210		12

1150 Kids

Security Level





Technical Data

- 7 mm strong and very flexible coil cable
- Synthetic coating to prevent damage to the bicycle's paintwork









Ref. No.	EAN 4003318	<i>Q</i> mm	cm	Weight g	Carrier	Box Qty
1150/120 Kids 3 per colour	43158 6	7	120	210		12

IVEN 8220



Security Level



Features



Key 9000



UGH 02 Bracket

Technical Data

- 22 mm high quality steel cable
- Functional, long-life and highly-flexible mesh sleeve to prevent damage to the bicycle's paintwork
- The case as well as supporting elements of the locking mechanism are made of special hardened steel
- Ergonomic lock body cover with softcase technology, which offers a very high impact resistance

Technology





Test Seals



Ref. No.	EAN 4003318	<i>Q</i> mm	© cm	Weight g	Carrier	Box Qty
8220/85 black	55157 4	22	85	1176		2
UGH 02	26624 9				for 950, 970, 1000, 1025, 7200, 7220, 8200, 8220	1

IVERA Cable 7220

Security Level



Features



Key Ivera





Technical Data

- 20 mm high quality steel cable
- Functional, long-life and highly-flexible mesh sleeve to prevent damage to the bicycle's paintwork
- The case as well as supporting elements of the locking mechanism are made of special hardened steel

Technology





Test Seals



Ref. No.	EAN 4003318	<i>Q</i> mm	cm	Weight g	Carrier	Box Qty
7220/85 black	55145 1	20	85	750		6
Ivera RBU bracket	58497 8			100	for 7200, 7210, 7220 Ivera	1

Catama 870



Security Level



Features





QuickSnap

Technical Data

- 20 mm high quality steel cable
- Synthetic coating to prevent damage to the bicycle's paintwork
- The case as well as supporting elements of the locking mechanism are made of special hardened steel



Ref. No.	EAN 4003318	03318 mm cm		Carrier	Box Qty	
		1111111	CIII			
870/85 black QuickSnap	31499 5	20	85	672	QuickSnap RBU	6

PHANTOM™ 8940

Security Level



Features







TexKF



TexFL

Technical Data

- 15 or 17 mm high quality steel cable
- Synthetic coating to prevent damage to the bicycle's paintwork
- ${\boldsymbol \cdot}$ ABUS Extra-Classe automatic cylinder with encoded reversible key





Ref. No.	EAN 4003318	<i>Q</i> mm	cm	Weight g	Carrier	Box Qty
8940/85 KF	39687 8	15	85	460	KF	6
8940/85 TexKF	39686 1	15	85	465	KF	6
8940/85 TexFL	39808 7	17	85	505	TexFL	6



Security Level



Features





SCMU



Technical Data

- 15 mm high quality steel cable
- Synthetic coating to prevent damage to the bicycle's paintwork

Technology



Ref. No.	EAN 4003318	<i>Q</i> mm	© cm	Weight g	Carrier	Box Qty
6415K/85/15 black	13406 7	15	85	440		6
6415K/85/15 black SCMU	13402 9	15	85	495	SCMU	6
6415K/120/15 black	13407 4	15	120	540		6
6415K/120/15 black SCMU	13405 0	15	120	595	SCMU	6

Tresor 6415C

Security Level



Features



Combo adjust



SCMU



Technical Data

- 15 mm high quality steel cable
- Synthetic coating to prevent damage to the bicycle's paintwork
- Dark-touch-function facilitates use in the dark thanks to special imprinting
- Two component moulded digits guarantee lifelong-visibility
- · Individually settable code



Ref. No.	EAN 4003318	<i>Q</i> mm	cm	Weight g	Carrier	Box Qty
6415C/85/15 black	13418 0	15	85	490		6
6415C/85/15 black SCMU	13416 6	15	85	545	SCMU	6
6415C/120/15 black	13420 3	15	120	590		6
6415C/120/15 black SCMU	13417 3	15	120	645	SCMU	6

Raydo Pro 1440

Security Level



Features



Combo Light



TexKF



Technical Data

- 15 mm high quality steel cable
- Synthetic coating to prevent damage to the bicycle's paintwork
- · Individually settable code
- Press'n Shine Function LED illuminated dials make setting the code easy even in the dark

Technology



Ref. No.	EAN 4003318			Weight	Carrier	Box Qty
		mm	cm	ŭ		()
1440/85 black KF	59211 9	15	85	470	KF	6
1440/85 black TexKF	59212 6	15	85	520	TexKF	6

Key Combo™ 1640

Security Level



Features





Key-Combo



Technical Data

- 15 mm strong premium steel cable
- Synthetic coating to prevent damage to the bicycle's paintwork
- Two component moulded digits guarantee life-long visibility
- Individually settable code
- Additional ABUS lock cylinder with user-friendly reversible key
- Original code can be reset by using a tool provided



Ref. No.	EAN 4003318	Q		Weight	Carrier	Box Oty
		mm	cm	8		1-3
1640/85 black	51603 0	15	85	587		8

Security Level



Features





SCMU



Technical Data

- 12 mm high quality steel cable
- Synthetic coating to prevent damage of the bicycle's paintwork

Technology



Ref. No.	EAN 4003318	<i>Q</i> mm	© cm	Weight g	Carrier	Box Qty
5412K/85/12 black	16510 8	12	85	460		6
5412K/85/12 black SCMU	16509 2	12	85	515	SCMU	6

Numerino 5412C

Security Level



Features



Combo adjust



SCMU



Technical Data

- 12 mm high quality steel cable
- Synthetic coating to prevent damage of the bicycle's paintwork
- Dark-touch-function facilitates use in the dark thanks to special imprinting
- Two component moulded digits guarantee life-long visibility
- · Individually settable code



Ref. No.	EAN 4003318	<i>Q</i> mm	Cm	Weight g	Carrier	Box Qty
5412C/85/12 black	16564 1	12	85	350		6
5412C/85/12 black SCMU	16563 4	12	85	370	SCMU	6

Primo 5412 Color

Security Level

Features



Technical Data

- 12 mm high quality steel cable
- Synthetic coating to prevent damage to the bicycle's paintwork

Technology





	red	blue		lime		
Ref. No.	EAN 4003318			Weight g	Carrier	Box Qty
		mm	cm			4-3
5412K/85/12 pink	16513 9	12	85	460		6
5412K/85/12 red	16512 2	12	85	460		6
5412K/85/12 blue	16511 5	12	85	460		6
5412K/85/12 lime	16517 7	12	85	460		6

Numerino 5412 Color



Features



Combo adjust



Technical Data

- 12 mm high quality steel cable
- Synthetic coating to prevent damage to the bicycle's paintwork
- Dark-touch-function facilitates use in the dark thanks to special imprinting
- Two component moulded digits guarantee life-long visibility
- · Individually settable code







	pink	red		blue			
Ref. No.	EAN 4003318			Weight g	Carrier	Box Qty	
		mm	cm				
5412C/85/12 pink	20013 7	12	85	350		6	
5412C/85/12 red	20012 0	12	85	350		6	
5412C/85/12 blue	16569 6	12	85	350		6	
5412C/85/12 lime	20014 4	12	85	350		6	

uGrip™ Cable 560

red Features pink grey white

Technical Data

- 8 mm steel cable in modern design
- Innovative, soft elastomer synthetic coating with "soft touch" properties to prevent from damage to the bicycle's paintwork



Ref. No.	EAN 4003318	(mm	© cm	Weight g	Carrier	Box Qty
560/65 lime	58476 3	8	65	320		6
560/65 red	58471 8	8	65	320		6
560/65 blue	58472 5	8	65	320		6
560/65 pink	58473 2	8	65	320		6
560/65 grey	58474 9	8	65	320		6
560/65 white	58475 6	8	65	320		6
560/65 black	58470 1	8	65	320		6

Security Level



Features





Variants





Technical Data

- 8 mm steel cable
- Synthetic coating to prevent damage to the bicycle's paintwork



Ref. No.	EAN 4003318	<i>Q</i> mm	Cm	Weight g	Carrier	Box Qty
650/65 black	28921 7	8	65	280		12
650/65 colour 4 per colour	03619 4	8	65	280		12

Features Technical Data • 6 mm steel cable • Synthetic coating to prevent damage to the bicycle's paintwork Technology Technology Ref. No. BAN 4003318 Technology Features Technology Technology Technology Features Ref. No.


12818 9

02180 0

1900/55 black

1900/55 color 4 per colour

1900 Kids



1100

Security Level





Technical Data

- 6 mm steel cable
- Synthetic coating to prevent damage to the bicycle's paintwork

Technology







Ref. No.	EAN 4003318	<i>Q</i> mm	© cm	Weight g	Carrier	Box Qty
1100/55 black	12817 2	6	55	140		12
1100/55 color 4 per colour	02556 3	6	55	140		12

1100 Kids







Technical Data

- 6 mm steel cable
- Synthetic coating to prevent damage to the bicycle's paintwork





Ref. No.	EAN 4003318	<i>Q</i> mm	© cm	Weight g	Carrier	Box Qty
1100/55 Kids 3 per colour	43157 9	6	55	140		12

My first ABUS 1505

Versions





Features



Technical Data

- 4 mm steel cable, extra softly plaited, to prevent rebounding while
- Playful easy use even for children due to the both-sided turnable automatic cylinder
- $\boldsymbol{\cdot}$ Ergonomics of the key and lock body suitable for children
- · Individually adapted design for children in three colours
- Two keys are supplied with the lock

Ref. No.	EAN 4003318	(mm	Cm	Weight g	Carrier	Box Qty
1505/55 blue	43302 3	4	55	210		12
1505/55 green	43300 9	4	55	210		12
1505/55 pink	43301.6	4	55	210		12

Frame- and battery locks



Product novelties





Ref. No.	EAN 4003318	(C) mm	₩ mm	(T) mm	Weight g	Carrier	Box Qty
5950 R black	77251 1	8,5	59	107	680		6
5950 R black 0E	77253 5	8,5	59	107	680		15
5950 NR black OE	77252 8	8,5	59	107	680		15
5950 NR black	77062 3	8,5	59	107	680		6
5950 NR black + 6KS/85 + ST5950	79230 4	8,5	59	107	680	ST 5950 incl.	1
5950 NR BK+ 6KS/100 + ST 5950	80786 2				1600	ST 5950 incl.	
Bracket SH	37552 1						6
Clutching Strap LH adaptor	56240 2					for 5850, 5650, 565, 4960, 496	6

PRO SHIELD™ Plus 5950



Technology







Test Seals











1) only for R-versions

Technical Data

- 8.5 mm steel shackle
- The case, the shackle as well as supporting elements of the locking mechanism are made of special hardened steel
- Closing mechanism for easy attachment of accessory to the lock body
- · ABUS Plus cylinder for high protection against manipulations, e.g. picking
- $\boldsymbol{\cdot}$ The R (key retaining) version holds the key when the lock is open, the NR (non key retaining) version allows taking the key out of the cylinder



SHIELD™ Plus 5750L

Security Level



Features





SH



Clutching Strap LH



Technical Data

- · 8.5 mm steel shackle
- The case, the shackle as well as supporting elements of the locking mechanism are made of special hardened steel
- Closing mechanism for easy attachment of accessory to the lock body
- The R (key retaining) version holds the key when the lock is open, the NR (non key retaining) version allows taking the key out of the cylinder
- ABUS Plus cylinder for high protection against manipulations, e.g. picking

Technology





Test Seals









Ref. No.	EAN 4003318	(I) mm	⊕ mm	mm	Weight g	Carrier	Box Qty
5750L NR BK 0E	79736 1	8	78	109	600		6
5750L R BK OE	79737 8	8	78	109	600		6

PRO SHIELD™ 5850



Technical Data

- 8.5 mm steel shackle
- The case, the shackle as well as supporting elements of the locking mechanism are made of special hardened steel
- Closing mechanism for easy attachment of accessory to the lock body
- The KR (key retaining) version holds the key when the lock is open, the NKR (non key retaining) version allows taking the key out of the cylinder

Technology



Test Seals









Ref. No.	EAN 4003318	(D) mm	mm	mm	Weight g	Carrier	Box Qty
5850 R black	39697 7	8,5	59	107	680		6
5850 R black 0E	39698 4	8,5	59	107	680		16
5850 NR black	39699 1	8,5	59	107	680		6
5850 NR black OE	39700 4	8,5	59	107	680		16
Bracket SH	37552 1						6
Clutching Strap LH adaptor	56240 2					for 5850, 5650, 565, 4960, 496	6

SHIELD™ 5650

Security Level



Features





۲Р



Clutching Strap LH



Technical Data

- 8.5 mm steel shackle
- The case, the shackle as well as supporting elements of the locking mechanism are made of special hardened steel
- Closing mechanism for easy attachment of accessory to the lock body
- The R (key retaining) version holds the key when the lock is open, the NR (non key retaining) version allows taking the key out of the cylinder

Technology



Test Seals









Ref. No.	EAN 4003318	(mm	mm	mm	Weight g	Carrier	Box Qty
5650 R black 0E	39696 0	8,5	59	109	600		20
5650 R black	39695 3	8,5	59	109	600		6
5650 NR black OE	05184 5	8,5	59	109	600		20
Bracket SH	37552 1						6
Clutching Strap LH adaptor	56240 2					for 5850, 5650, 565, 4960, 496	6
5850/5650/4960 Chain 6KS/85	11271 3	6			880		6

SHIELD™ 5650L



Technical Data

- 8.5 mm steel shackle
- The case, the shackle as well as supporting elements of the locking mechanism are made of special hardened steel
- Closing mechanism for easy attachment of accessory to the lock body
- Extra large aperture (enlarged to standard version 5650)
- The R (key retaining) version holds the key when the lock is open, the NR (non key retaining) version allows taking the key out of the cylinder

Technology





Test Seals









Ref. No.	EAN 4003318	(i) mm	mm	mm	Weight g	Carrier	Box Qty
5650L R black 0E	39701 1	8,5	78	109	600		20
5650L NR black 0E	05185 2	8,5	78	109	600		20
5850/5650/4960 Chain 6KS/85 +	11271 3	6			880		6
ST5850							
Bracket SH	37552 1						6
Clutching Strap LH adaptor	56240 2					for 5850, 5650, 565, 4960, 496	6

SHIELD™ 565

Security Level



Features





СΗ



Clutching Strap LH



Technical Data

- 8.5 mm locking shackle
- The shackle, the case as well as supporting elements of the locking mechanism are made of special hardened steel
- The KR (key retaining) version holds the key when the lock is open, the NKR (non key retaining) version allows taking it out of the cylinder

Technology



Test Seals









Ref. No.	EAN 4003318	(in the second s	₩ mm	mm	Weight g	Carrier	Box Qty
565 R black	39691 5	8,5	59	109	600		6
565 R black OE	39692 2	8,5	59	109	600		20
565 NR black	39693 9	8,5	59	109	600		6
565 NR black OE	39694 6	8,5	59	109	600		20
Bracket SH	37552 1						6
Clutching Strap LH adaptor	56240 2					for 5850, 5650, 565, 4960, 496	6

Security Level



Features







Technical Data

- 8.5 mm steel shackle
- The case, the shackle as well as supporting elements of the locking mechanism are made of special hardened steel
- Locking mechanism in the lock body for easy connection of accessories

Technology





эп						Ciutciiii	g strap ru
Ref. No.	EAN 4003318	(i) mm	mm	(T) mm	Weight g	Carrier	Box Qty
4960 NR black	11260 7	8,5	59	109	520	LH	6
4960 NR black OE	11270 6	8,5	59	109	520	LH	18
4960 NR black + 6KS/85 & ST5850	11263 8	8,5	59	109	520	LH	3
Bracket SH	37552 1						6
Clutching Strap LH adaptor	56240 2					for 5850, 5650, 565, 4960,	6
						496	

TECTIC™ 496

Security Level



Features







Technical Data

- 8.5 mm steel shackle
- The shackle, the case as well as supporting elements of the locking mechanism are made of special hardened steel
- The KR (key retaining) version holds the key when the lock is open, the NKR (non key retaining) version allows taking it out of the cylinder





2	г	1

SH Ref. No.	EAN 4003318	(in the second s	₩ mm	(T) mm	Weight g	Carrier	Box Qty
496 NR black	11258 4	8,5	59	110	490	LH	6
496 NR black OE	11269 0	8,5	59	110	490	LH	24
496 R black OE	19457 3	8,5	59	110	490	LH	24
Bracket SH	37552 1						6
Clutching Strap LH adaptor	56240 2					for 5850, 5650, 565, 4960), 6
						496	

ADAPTOR CHAIN



Technical Data

- 6 & 8 mm square chain made of hardened steel
- ullet No separate closing of the shackle necessary
- $\boldsymbol{\cdot}$ Opens up a lot of opportunities for locking the bicycle on to a fixed object
- Adaptable to all versions of 4960, 5650, 5850 and 5950

Ref. No.	EAN 4003318			Weight	Carrier	Box
	4005516	mm	cm	g		Qty
ACH 6KS/85 BK	11267 6	6	85	803		6
ACH 6KS/100 BK	18618 9	6	100	940		6
ACH 6KS/130 BK	01777 3	6	130	1200		6
ACH 8KS/85 BK	80782 4	8	85	1190		6
ACH 8KS/100 BK	80783 1	8	100	1400		6
ACH 6KS 85 BK + ST5950	82064 9	6	85	880	bag incl.	6
ACH 6KS 100 BK + ST5950	80785 5	6	100	1130	bag incl.	6
ACH 8KS 85 BK + ST5950	80784 8	8	85	1270	bag incl.	6

ADAPTOR CABLE



Technical Data

- 12 mm steel cable
- Opens up a lot of opportunities for locking the bicycle on to a fixed object
- Adaptable to all versions of 4960, 5650, 5850 and 5950

Ref. No.	EAN 4003318	mm cm	Weight g	Carrier Bo Q1	ox ty
ACL 12/100 BK	18243 3	12	416	ϵ	6



Technical Data

- 8 mm locking shackle
- The shackle, the case as well as supporting elements of the locking mechanism are made of special hardened steel



Ref. No.	EAN 4003318	(i) mm	⊕ mm	mm	Weight g	Carrier	Box Qty
52 LH R OE	55471 1	8	65	105	400	SP	28
52 LH NR OE	55323 3	8	65	105	400	LH	28
Clutching Strap LH adaptor	56240 2					for 5850, 5650, 565, 4960, 496	6

Service Pricelist

Battery locks	Ref. No.	EAN 4003318	Frame lock <i>l</i> battery lock Set	Ref. No.	EAN 4003318
BMZ			Bosch		
0 8	BLO BMZ IT1 Plus	76925 2		5950 NR BK lose BLO BOS DT2 Plus	82988 8
Bosch			— D 🌣	5950 NR BK lose BLO BOS IT2.1 Plus	82989 5
9	BLO BOS DT2 T82	06074 8		5950 NR BK lose BLO BOS RT2 Plus	82990 1
5	BLO BOS DT2 T82 KeyType3 (asymetric)	72901 0	_ ^	5950 R BK lose BLO BOS DT2 Plus	82992 5
OF THE	BLO BOS DT2 Plus	33261 6		5950 R BK lose BLO BOS IT2.1 Plus	82993 2
0	BLO BOS IT2.1 T82	71203 6			
	BLO BOS IT2.1 Plus	71204 3		5950 R BK lose BLO BOS RT2 Plus	82994 9
	BLO BOS RT2 T82	06075 5		5850 NR BK 0E BLO BOS DT2 T82	04093 1
	<u> </u>		— () 🗆	5850 R BK 0E BLO BOS DT2 T82	04091 7
0	BLO BOS RT2 Plus	33262 3		5850 NR BK 0E BLO BOS IT2.1 T82	83196 6
Continental	BLO CON DT T82	78059 2	Da	5850 NR BK 0E BLO BOS RT2 T82	04092 4
0	BLO CON IT1 Plus	77161 3		5850 R BK 0E BLO BOS RT2 T82	04090 0
Panasonic				5850 NR BK 0E BLO BOS DT2 + RT2 T82	76485 1
	BLO PAN DT1 T82	58776 4		5750L NR BK lose BLO BOS DT2 Plus	82984 0
0	BLO PAN IT1 Plus	70743 8	0	5750L NR BK lose BLO BOS IT2.1 Plus	82985 7
Shimano				5750L R BK lose	82986 4
0	BLO SHI DT1 T82	37196 7		BLO BOS DT2 Plus	02300 4
0	BLO SHI IT1 T82	76539 1		5750L R BK lose BLO BOS IT2.1 Plus	82987 1
0	BLO SHI RT1 T82	36668 0		5650 NR BK 0E BLO BOS DT2 T82	04080 1
ZEG				5650 R BK 0E BLO BOS DT2 T82	03972 0
011	BLO ZEG IT1 T82	70496 3		5650 NR BK 0E BLO BOS RT2 T82	04079 5
0	BLO ZEG IT2 Plus	79119 2		5650 R BK 0E BLO BOS RT2 T82	03849 5


Frame lock / battery lock Set	Ref. No.	EAN 4003318	Frame lock <i>l</i> battery lock Set	Ref. No.	EAN 4003318
	5650L NR BK 0E BLO BOS DT2 T82	04084 9		5650 NR BK 0E BLO SHI RT1 T82	03848 8
	5650L R BK 0E BL0 B0S DT2 T82	04082 5		5650 R BK 0E BLO SHI RT1 T82	03841 9
	5650L R BK 0E BL0 B0S RT2 T82	04081 8		5650L NR BK 0E BLO SHI DT1 T82	71632 4
03	5650L NR BK OE BLO BOS DT2 + DT2 T82	76804 0		5650L NR BK 0E BLO SHI RT1 T82	03928 7
0	5650L R BK 0E BLO BOS DT2 + DT2 T82	76803 3		5650L R BK 0E BLO SHI RT1 T82	03878 5
0	5650L NR BK 0E BL0 BOS DT2 + RT2 T82	76802 6		4960 NR BK OE BLO SHI DT1 T82	36770 0
	4960 NR BK 0E BLO BOS DT2 T82	39637 3		4960 NR BK 0E BLO SHI RT1 T82	36769 4
	4960 NR BK 0E BLO BOS IT2.1 T82	83178 2		4850 LH NR BK 0E BLO SHI RT1 T82	32850 3
04	▼ 4960 NR BK 0E BLO BOS RT2 T82	39636 6		4850 LH R BK 0E BLO SHI RT1 T82	40815 1
	4850 LH R BK 0E BLO BOS DT2 T82	09590 0			
	4850 LH NR BK 0E BL0 B0S RT2 T82	09598 6	Frame lock / battery lock Set	Ref. No.	EAN 4003318
O	4850 LH R BK 0E BLO BOS RT2 T82	09615 0	Bosch	6405/85 BK lose SH BLO BOS DT2 Plus*	78716 4
Panasonic				DE0 D03 D12 1103	
			-	6405/85 BK lose SH BLO BOS IT2.1 Plus*	83002 0
04	5850 NR BK OE BLO PAN T82	04089 4		6405/85 BK lose SH	83002 0 78717 1
		04089 4 50649 9		6405/85 BK lose SH BLO BOS IT2.1 Plus*	
Shimano	BLO PAN T82 4850 LH4 NR BK OE BLO PAN T82			6405/85 BK lose SH BLO BOS IT2.1 Plus* 6405/85 BK lose SH BLO BOS RT2 Plus*	78717 1
Shimano	BLO PAN T82 4850 LH4 NR BK 0E			6405/85 BK lose SH BLO BOS IT2.1 Plus* 6405/85 BK lose SH BLO BOS RT2 Plus* 6015/90 BK lose SH BLO BOS DT2 Plus*	78717 1 83024 2
Shimano O O O O O O O O O O O O O	BLO PAN T82 4850 LH4 NR BK OE BLO PAN T82 5850 R BK OE	50649 9		6405/85 BK lose SH BLO BOS IT2.1 Plus* 6405/85 BK lose SH BLO BOS RT2 Plus* 6015/90 BK lose SH BLO BOS DT2 Plus* 6015/90 BK lose SH BLO BOS IT2.1 Plus* 6015/90 BK lose SH BLO BOS RT2 Plus*	78717 1 83024 2 83001 3
Shimano O O O O O O O O O O O O O	BLO PAN T82 4850 LH4 NR BK OE BLO PAN T82 5850 R BK OE BLO SHI DT1 T82	50649 9 04595 0		6405/85 BK lose SH BLO BOS IT2.1 Plus* 6405/85 BK lose SH BLO BOS RT2 Plus* 6015/90 BK lose SH BLO BOS DT2 Plus* 6015/90 BK lose SH BLO BOS IT2.1 Plus* 6015/90 BK lose SH BLO BOS RT2 Plus*	78717 1 83024 2 83001 3 83026 6
Shimano Shimano O O O O O O O O O O O O O O O O O O O	BLO PAN T82 4850 LH4 NR BK OE BLO PAN T82 5850 R BK OE BLO SHI DT1 T82 5850 R BK OE BLO SHI RT1 T82	04595 0 03932 4		6405/85 BK lose SH BLO BOS ITZ.1 Plus* 6405/85 BK lose SH BLO BOS RT2 Plus* 6015/90 BK lose SH BLO BOS DT2 Plus* 6015/90 BK lose SH BLO BOS ITZ.1 Plus* 6015/90 BK lose SH BLO BOS RT2 Plus*	78717 1 83024 2 83001 3

These products will be delivered without individual packaging

Component security







Ref. No.	EAN 4003318	diameter mm	Height mm	Version	Weight g	Box Qty
NutFix M5 silver 2x Axle 100/135	72725 2	22	22,6	128/163	31	2
NutFix M5 violet 2x Axle 100/135	72726 9	22	22,6	128/163	31	2
NutFix M5 blue 2x Axle 100/135	72727 6	22	22,6	128/163	31	2
NutFix M5 red 2x Axle 100/135	72728 3	22	22,6	128/163	31	2
NutFix M5 black 2x Axle 100/135	72729 0	22	22,6	128/163	31	2
NutFix M5 orange 2x Axle 100/135	72730 6	22	22,6	128/163	31	2
NutFix M5 black Axle 100	76486 8	22	22,6	128	31	2
NutFix M5 black Axle 135	76492 9	22	22,6	163	31	2
NutFix M5 blue Axle 100	76487 5	22	22,6	128	31	2
NutFix M5 blue Axle 135	76493 6	22	22,6	163	31	2
NutFix M5 orange Axle 100	76488 2	22	22,6	128	31	2
NutFix M5 orange Axle 135	76494 3	22	22,6	163	31	2
NutFix M5 red Axle 100	76489 9	22	22,6	128	31	2
NutFix M5 red Axle 135	76495 0	22	22,6	163	31	2
NutFix M5 silver Axle 100	76490 5	22	22,6	128	31	2
NutFix M5 silver Axle 135	76496 7	22	22,6	163	31	2
NutFix M5 violet Axle 100	76491 2	22	22,6	128	31	2
NutFix M5 violet Axle 135	76497 4	22	22,6	163	31	2


omponent curity

NutFix[™] Axle-Set



orange

- $\boldsymbol{\cdot}$ Prevents wheel theft due to patented gravity technology
- ${\boldsymbol{\cdot}}$ Advanced technology for high picking protection
- ${\bf \cdot}$ Easy mounting with a standard wrench SW 8
- $\boldsymbol{\cdot}$ The anodized surface offers long-lasting protection against corrosion
- Stainless nut



Ref. No.	EAN 4003318	diameter mm	Height mm	Weight g	Box Qty
NutFix M9 silver	72681 1	26,5	25	49	2
NutFix M9 violet	72684 2	26,5	25	49	2
NutFix M9 blue	72685 9	26,5	25	49	2
NutFix M9 red	72686 6	26,5	25	49	2
NutFix M9 black	72687 3	26,5	25	49	2
NutFix M9 orange	72688 0	26,5	25	49	2
NutFix M10 silver	72689 7	26,5	25	49	2
NutFix M10 violet	72690 3	26,5	25	49	2
NutFix M10 blue	72691 0	26,5	25	49	2
NutFix M10 red	72692 7	26,5	25	49	2
NutFix M10 black	72693 4	26,5	25	49	2
NutFix M10 orange	72694 1	26,5	25	49	2
NutFix 3/8" silver	72695 8	26,5	25	49	2
NutFix 3/8" violet	72696 5	26,5	25	49	2
NutFix 3/8" blue	72697 2	26,5	25	49	2
NutFix 3/8" red	72698 9	26,5	25	49	2
NutFix 3/8" black	72699 6	26,5	25	49	2
NutFix 3/8" orange	72700 9	26,5	25	49	2

NutFix™

Versions



silver



violet



red




black



orange



- $\boldsymbol{\cdot}$ Prevents wheel theft due to patented gravity technology
- ${f \cdot}$ Advanced technology for high picking protection
- Easy mounting with a standard wrench SW15
- $\boldsymbol{\cdot}$ The anodized surface offers long-lasting protection against corrosion
- Stainless nut



Ref. No.	EAN 4003318		Height mm	Version	Weight g	Box Qty
NutFix M5 silver SPC 28,6 BK	72701 6	22	22,6	Ø 28,6 mm	31	2
NutFix M5 violet SPC 28,6 BK	72702 3	22	22,6	Ø 28,6 mm	31	2
NutFix M5 blue SPC 28,6 BK	72703 0	22	22,6	Ø 28,6 mm	31	2
NutFix M5 red SPC 28,6 BK	72704 7	22	22,6	Ø 28,6 mm	31	2
NutFix M5 black SPC 28,6 BK	72705 4	22	22,6	Ø 28,6 mm	31	2
NutFix M5 orange SPC 28,6 BK	72706 1	22	22,6	Ø 28,6 mm	31	2
NutFix M5 silver SPC 30,0 BK	72707 8	22	22,6	Ø 30,0 mm	31	2
NutFix M5 violet SPC 30,0 BK	72708 5	22	22,6	Ø 30,0 mm	31	2
NutFix M5 blue SPC 30,0 BK	72709 2	22	22,6	Ø 30,0 mm	31	2
NutFix M5 red SPC 30,0 BK	72712 2	22	22,6	Ø 30,0 mm	31	2
NutFix M5 black SPC 30,0 BK	72710 8	22	22,6	Ø 30,0 mm	31	2
NutFix M5 orange SPC 30,0 BK	72711 5	22	22,6	Ø 30,0 mm	31	2
NutFix M5 silver SPC 31,8 BK	72713 9	22	22,6	Ø 31,8 mm	31	2
NutFix M5 violet SPC 31,8 BK	72714 6	22	22,6	Ø 31,8 mm	31	2
NutFix M5 blue SPC 31,8 BK	72715 3	22	22,6	Ø 31,8 mm	31	2
NutFix M5 red SPC 31,8 BK	72716 0	22	22,6	Ø 31,8 mm	31	2
NutFix M5 black SPC 31,8 BK	72717 7	22	22,6	Ø 31,8 mm	31	2
NutFix M5 orange SPC 31,8 BK	72718 4	22	22,6	Ø 31,8 mm	31	2
NutFix M5 silver SPC 34,9 BK	72719 1	22	22,6	Ø 34,9 mm	31	2
NutFix M5 violet SPC 34,9 BK	72720 7	22	22,6	Ø 34,9 mm	31	2
NutFix M5 blue SPC 34,9 BK	72721 4	22	22,6	Ø 34,9 mm	31	2
NutFix M5 red SPC 34,9 BK	72722 1	22	22,6	Ø 34,9 mm	31	2
NutFix M5 black SPC 34,9 BK	72723 8	22	22,6	Ø 34,9 mm	31	2
NutFix M5 orange SPC 34,9 BK	72724 5	22	22,6	Ø 34,9 mm	31	2

mponent

NutFix[™] SPC

Versions violet blue black

orange

- $\boldsymbol{\cdot}$ Prevents saddle theft due to patented gravity technology
- ${\boldsymbol{\cdot}}$ Advanced technology for high picking protection
- Easy mounting with a standard wrench SW 8
- \bullet The anodized surface offers long-lasting protection against corrosion
- Stainless nut

Special security



Special security

Product novelties



Universal 875

Security Level



Features





- $\,\cdot\,$ 9.5 mm strong, high quality and very flexible coil cable
- Synthetic coating to prevent damage to the bicycle's paintwork

Ref. No.	EAN 4003318	<i>Q</i> mm	© cm	Weight g	Carrier	Box Qty
875/500 black	04311 6	9,5	500	1200		3
875/350 black	04309 3	9,5	350	950		3

Special security

Multiloop 210



Security Level



Features



- 10 mm strong premium steel cable
- Synthetic coating to prevent damage to the bicycle's paintwork
- Integrated adapter in the body for a conversion from one loop to a double-loop cable

Ref. No.	EAN 4003318	Q		Weight	Carrier	Box Qty
	.000010	mm	cm	8		4-5
210/185 black	52524 7	10	185	600		6

Multicombiloop 215

Security Level





Technical Data

- 8 mm strong premium steel cable
- Synthetic coating to prevent damage to the bicycle's paintwork
- Integrated adapter in the body for a conversion from one loop to a double-loop cable
- · Individually settable code

Technology



Ref. No.	EAN 4003318	Q		Weight	Carrier	Box Qty
		mm	cm			1-3
215/185 black	58477 0	8	185	650		6

205

Security Level





Technical Data

- 5 mm strong steel cable
- Synthetic coating to prevent damage to the bicycle's paintwork
- Automatic locking at insertion of the locking bolt
- · Individually settable code

Technology



Ref. No.	EAN 4003318	<i>Q</i> mm	© cm	Weight g	Carrier	Box Qty
205/200 black	52523 0	5	200	230		12

Special security

Combiflex™





Technical Data

- Automatically rolling up cable
- Individually settable code
- $\boldsymbol{\cdot}$ The Combiflex fits perfectly into jersey pockets

Technology







Ref. No.	EAN 4003318	mm	cm	Weight g	Box Qty
2503/120	72501 2	2,5	120	92	3
2502/85	72500 5	2	85	70,5	3
2501/65	72499 2	1,6	65	55,5	3

Cobra™



Technical Data

- High quality steel cable with two loop ends
- Synthetic coating to prevent damage

Ref. No.	EAN	Q		Weight	Carrier	Box
	4003318	mm	cm	g		Qty
Cobra 5/75 black	37106 6	5	75	250		24
Cobra 8/200 black	25718 6	8	200	294		24
Cobra 8/250 black	27390 2	8	250	395		16
Cobra 10/140	37107 3	10	140	300		30
Cobra 10/200 black	11167 9	10	200	430		28
Cobra 10/220	37108 0	10	220	475		24
Cobra 10/300 black	59930 9	10	300	560		21
Cobra 10/500 black	20780 8	10	500	950		15
Cobra 10/1000 black	20781 5	10	1000	1730		9
Cobra 12/120 black	25719 3	12	120	380		15
Cobra 12/180 black	27391 9	12	180	490		15

1850



- High quality steel cable with two loop ends
- Synthetic coating to prevent damage

Ref. No.	EAN 4003318	<i>€</i> mm	Cm	Weight g	Carrier	Box Qty
1850/185	12752 6	8	185	268		18

145

Versions





Operation and use

- 145/30 and /20: To secure valuables/goods of lesser value or at a low risk of theft
- 145/40: To secure valuables/goods of medium value or at an average risk of theft
- E.g. to secure luggage, lockers in schools and sports centres, cash boxes, jewel cases, cupboards, tool boxes, switchboards, etc.

- · Solid aluminium lock body with anodized coating
- 145/20 and 145/30: Individually resettable 3-digit code
- 145/40: Individually resettable 4-digit code
- Handy operation without key, low weight, high value of recognition by intensive colours

4003318 4003318 mm mm mm 145/20 yellow B/DFNLI 46552 9 22,5 5 145/20 orange B/DFNLI 46550 5 22,5 5 145/20 red B/DFNLI 46549 9 22,5 5 145/20 purple B/DFNLI 46553 6 22,5 5 145/20 blue B/DFNLI 46548 2 22,5 5	mm mm 9 22 9 22 9 22 9 22 9 22 9 22 9 22	mm 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	mm 13,5 13,5 13,5 13,5 13,5 13,5 13,5 13,5	mm 52,5 52,5 52,5 52,5 52,5 52,5 52,5	25 25 25 25 25 25 25	6 6 6 6
145/20 orange B/DFNLI 46550 5 22,5 9 145/20 red B/DFNLI 46549 9 22,5 9 145/20 purple B/DFNLI 46553 6 22,5 9 145/20 blue B/DFNLI 46548 2 22,5 9	9 22 9 22 9 22 9 22 9 22 9 22	3 3 3 3 3	13,5 13,5 13,5 13,5 13,5	52,5 52,5 52,5 52,5 52,5	25 25 25 25 25	6 6 6
145/20 red B/DFNLI 46549 9 22,5 9 145/20 purple B/DFNLI 46553 6 22,5 9 145/20 blue B/DFNLI 46548 2 22,5 9 1	9 22 9 22 9 22 9 22 9 22	3 3 3 3	13,5 13,5 13,5 13,5	52,5 52,5 52,5	25 25 25	6 6 6
145/20 purple B/DFNLI 46553 6 22,5 9 145/20 blue B/DFNLI 46548 2 22,5 9	9 22 9 22 9 22 9 22	3 3	13,5 13,5 13,5	52,5 52,5	25 25	6
145/20 blue B/DFNLI 46548 2 22,5 9	9 22 9 22 9 22	3	13,5 13,5	52,5	25	6
	9 22	3	13,5			
145/20 green B/DFNLI 46551 2 22,5 9	9 22			52,5	25	-
		3	125		-	6
145/20 silver B/DFNLI 46554 3 22,5 9	9 22		12,2	52,5	25	6
145/20 titanium B/DFNLI 46556 7 22,5 9		3	13,5	52,5	25	6
145/30 yellow B/DFNLI 46561 1 31,5 1	14 26	5	15,5	65	55	6
145/30 orange B/DFNLI 46559 8 31,5 1	14 26	5	15,5	65	55	6
145/30 red B/DFNLI 46558 1 31,5 1	14 26	5	15,5	65	55	6
145/30 purple B/DFNLI 46562 8 31,5 1	14 26	5	15,5	65	55	6
145/30 blue B/DFNLI 46557 4 31,5 1	4 26	5	15,5	65	55	6
145/30 green B/DFNLI 46560 4 31,5 1	4 26	5	15,5	65	55	6
145/30 silver B/DFNLI 46563 5 31,5 1	4 26	5	15,5	65	55	6
145/30 titanium B/DFNLI 46565 9 31,5 1	4 26	5	15,5	65	55	6
145/30 black B/DFNLI 34610 1 31,5 1	4 26	5	15,5	65	55	6
145/40 yellow B/DFNLI 49534 2 41,5 21	1,5 26	6	17,5	77	110	6
145/40 orange B/DFNLI 49526 7 41,5 21	1,5 26	6	17,5	77	110	6
145/40 red B/DFNLI 48830 6 41,5 21	1,5 26	6	17,5	77	110	6
145/40 blue B/DFNLI 49522 9 41,5 21	1,5 26	6	17,5	77	110	6
145/40 green B/DFNLI 49530 4 41,5 21	1,5 26	6	17,5	77	110	6
145/40 silver B/DFNLI 49542 7 41,5 21	1,5 26	6	17,5	77	110	6
145/40 titanium B/DFNLI 49550 2 41,5 21	1,5 26	6	17,5	77	110	6

70 & 70IB

Versions





Operation and use

- To secure valuables/goods of medium value or at an average risk of theft
- Ideal for use in severe weather conditions (e.g. in coastal regions or ports, to secure goods on vehicles and boats in outdoor use)


- · Lock body made of solid brass
- Sealed lock body with drainage channels and cover to protect the cylinder against water and dirt
- ${\boldsymbol{\cdot}}$ Shock absorbing vinyl casing prevents sensitive surfaces from damage
- Shackle made from hardened steel with vinyl jacket
- Inner components made from rust-free materials
- Double bolted
- Precision pin cylinder
- ${\boldsymbol{\cdot}}$ Self-locking: locking without key by pushing down the shackle
- Paracentric keyway for increased protection against manipulation
- IB Aqua Safe: stainless steel shackle

Ref. No.	EAN 4003318	mm	mm	mm	mm	mm	mm	Weight g	Box Qty
70/45 B/DFNLI	32130 6	49	20	24	8	28	68	164	6
70/45HB63 B/DFNLI	32131 3	49	21	63	8	28	112	210	6
70IB/45 B/DFNLI	32132 0	49	20	24	8	28	68	193	6
70IB/45HB63 B/DFNLI	35834 0	49	20	63	8	28	112	210	6
70IB/50 B/DFNLI	42733 6	55	23,5	26,5	9	31	76	217	6

70AL

Versions





Operation and use


- To secure valuable/goods of medium value or at an average risk of theft
- $\boldsymbol{\cdot}$ Ideal to secure objects in various areas of application:
- Signal Yellow: at construction sites and in the building trade
- Outdoor Green: outdoor use, unobstrusive look for forests, garden and forest work
- Life Vest Orange: eye-catching, to warn or attract attention
- Machine Silver: for use around machines and buildings

- · Solid aluminium body
- Encapsulated lock body with special cover and drainage channels to protect the locking mechanism from water and dirt
- Tough vinyl jacket protects sensitive surfaces
- Shackle made from hardened steel with vinyl jacket
- Inner components made from rustfree material
- Double bolted
- Precision pin cylinder
- ${\boldsymbol{\cdot}}$ Paracentric keyway for increased protection against manipulation
- Self-locking by pushing down the shackle, no key needed

Ref. No.	EAN 4003318	mm	mm	mm	mm	→ mm	mm	Weight g	Box Qty
70AL/45 silver B/DFNLI	50260 6	49	20	24	8	28	73	165	4
70AL/45 orange B/DFNLI	50044 2	49	20	24	8	28	73	165	4
70AL/45 green B/DFNLI	50256 9	49	20	24	8	28	73	165	4
70AL/45 yellow B/DFNLI	50264 4	49	20	24	8	28	73	165	4
70AL/45 Color B/DFNLI	51233 9	49	20	24	8	28	73	165	4

Versions





Operation and use

• To secure valuables/goods of medium value or at an average risk of theft

- Steel laminates, lowest laminated is hardened
- Laminates individually treated for top corrosion protection
- Rivets concentrated in the outer laminates to protect the rivet heads from being chipped off
- ${\boldsymbol \cdot}$ Hardened shackle, double bolted, as of 40 mm made from special alloy
- Precision pin tumbler cylinder
- Self-locking: Locking without key by pushing down the shackle
- Made in Germany

Ref. No.	EAN 4003318	mm	mm	mm	mm	*☐* mm	mm	Weight g	Box Qty
41/45 B/EFSPP	35068 9	49	20	23	8	28	67	280	6
41/40 B/EFSPP	35066 5	44	18	20	7	26	60	214	6
41/50 B/EFSPP	35069 6	53	23	25	9	29	75	363	6
41/40HB50 B/EFSPP	35067 2	44	18	50	7	26	87	230	6

Diskus® 24IB



Operation and use

- To secure valuables I goods of greater value or at a high risk of theft
- $\boldsymbol{\cdot}$ Ideal for use in severe weather conditions (e.g. in coastal regions or ports)
- To secure lorries, doors, gates, cellar doors, cupboards etc.
- Ideally used with ABUS Diskus® hasp No. 140: virtually impossible to attack shackle

- Body, inner parts and shackle made from stainless steel for extreme corrosion resistance
- ${}^{\bullet}$ Cylinder cover maximum protection against dirt and moisture (60 and 70 mm)
- Cylinder nickel plated for enhanced corrosion resistance
- Original Diskus® design: 360° protection
- Diskus $^{\circ}$ Deep-Welding Technology maximum strength
- Precision pin tumbler cylinder with anti-pick pins
- Key retaining: locking only with the key (lock retains key until locked)
- Made in Germany

Ref. No.	EAN 4003318	mm	mm	mm	mm	→ mm	mm	Weight g	Box Qty
24IB/50 B/DFNLI	32123 8	51	13	8	6,5	25,5	50	143	6
24IB/60 B/DFNLI	35042 9	60	17	13	8	26	60	220	6
24IB/70 B/DFNLI	32124 5	70	20	17	10	31	70	320	6

Diskus® 20



Operation and use

- To secure valuables/goods of great value or at a very high risk of theft
- To secure e.g. warehouses, industrial sites, factory gates, containers and lorries
- Ideally used with ABUS Diskus® Hasp 140, virtually impossible to attack shackle


- Stainless steel outside and inside
- $\bullet \ \ \text{Additional protection against sawing}$
- Shackle made from high quality stainless steel
- ABUS-Plus disc cylinder: highest protection against manipulation, extremely high number of key differs
- Sophisticated Diskus® welded seam for highest break resistance
- Original Diskus® design: 360° protection
- Key retaining: key is needed for locking (lock retains key until locked)
- Made in Germany
- 2 keys

Ref. No.	EAN 4003318	mm	mm	mm	mm	*☐* mm	mm	Weight g	Box Qty
20/70	08854 4	70	20	17	10	30	70	337	1
20/80	08798 1	80	25	18	11	35	81	469	3
20/70 B/DFNLI	35023 8	70	20	17	10	30	70	337	6
20/80 B/DFNLI	35024 5	80	25	18	11	35	81	469	3

64 TITALIUM™

Variants





Operation and use

- 20 + 25mm: to secure bags, suitcases, jewel cases, tool boxes, etc.
- From 30mm: to secure valuables/goods of medium value or at a an average risk of theft

- 20 + 25mm: solid lock body made from TITALIUM special aluminium
- 20 + 25mm: hardened steel shackle
- From 30mm: lock body made from TITALIUM special aluminium high security with low weight
- Paracentric keyway for increased protection against manipulation
- From 30mm: to secure valuables/goods of medium value or at a an average risk of theft
- Chrome-plated cylinder plug
- Tulip-shaped key head

Ref. No.	EAN 4003318	mm	mm	mm	mm	+∏+ mm	mm	Weight g	Box Qty
64TI/20 B/DFNLI	56384 3	20	9,5	11,5	3,5	10,5	34	21	6
64TI/30 B/DFNLI	56387 4	30	16	17	5	13	50	53	12
64TI/35 B/DFNLI	56390 4	35	19	20	5,5	14	54	67	6
64TI/40 B/DFNLI	56391 1	40	22	23	6	15	62	87	6
64TI/25 B/DFNLI	56386 7	24,5	13	13,5	4	12	42	31	6
64TI/30HB60 B/DFNLI	56388 1	30	16	60	5	13	93	65	6
64TI/40HB40 B/DFNLI	56392 8	40	22	40	6	15	79	96	3
64TI/50 B/DFNLI	56399 7	50	28	29	8	17	77	159	6
64TI/40HB63 B/DFNLI	56393 5	40	22	63	6	15	102	107	3
64TI/50HB80 B/DFNLI	56400 0	50	28	80	8	17	128	199	6
64TI/45 B/DFNLI	56398 0	45	25	24	7	15	68	109	6
64TI/60 B/DFNLI	56401 7	60	34	35	10	19	91	236	4

Technology











Operation and use

- For wall fixing indoors and in protected outdoor areas
- Protected temporary storage for keys and other valuables
- Storage of a complete bunch of key now possible because of larger space and removable hook

Technical Data

- Very large solid metal housing and extra large storage compartment
- Locking cover made from zinc die-cast
- Flat inner mechanism makes a larger storage space possible
- Easily removable clip-in hooks guarantee consumer's comfort
- Individually resettable code (4-digit)
- Protective cover with sliding mechanism

Ref. No.	EAN 4003318	mm	→ mm	mm	Weight g	Box Qty
KeyGarage™ B for wall mounting	08492 8	83,5	62	120	850	1

787

Technology









Operation and use

- Ideal protected storage of keys and other valuables for authorised persons
- Quick and easy access for frequently changing groups of persons (craftsmen, service, holiday guests, apartment buildings, car rentals)
- Defining access by setting and passing on the code
- For wall mounting indoors and in protected outdoor areas

- Solid metal housing
- Locking cover made of zinc die-cast
- 4-digit individually settable code
- For wall mounting with screws
- Can hold up to 20 keys or 14 code cards

Ref. No.	EAN 4003318	mm	→ mm	mm	Weight g	Box Qty
787	46331 0	80	45	120		1

Technology







Operation and use

- Ideal protected storage of keys and other valuables for authorised persons
- Quick and easy access for frequently changing groups of persons (craftsmen, service, holiday guests, apartment buildings, car rentals)
- Defining access by setting and passing on the code
- Fixing with shackle, e.g. on a door knob of gates and doors

Technical Data

- Solid metal housing
- · Locking cover made of zinc die-cast
- 4-digit individually settable code
- Protective cover with sliding mechanism
- Housing and shackle plastic coated (protects door from scratching)
- Can hold up to 20 keys or 14 code cards

Ref. No.	EAN 4003318	mm	→ mm	mm	Weight g	Box Qty
797 KeyGarage B	46330 3	85	45	180	770	1

767

Technology











Operation and use

- 767: For wall fixing indoors and in protected outdoor areas
- 777: Fixing with shackle, e.g. on a door knob of gates and doors
- Ideal protected storage for keys and other valuables for authorized persons
- Quick and easy access for frequently changing groups of persons (craftsmen, service, holiday guests, apartment buildings, car rentals)

- Solid metal housing
- Locking cover made from zinc die-cast
- Code up to 10 digits individually resettable (the sequence of the code is irrelevant)
- Plastic cover to protect against dust, dirt, etc.
- 767: for wall fixing with screws
- Holds up to 17 cards or 20 keys

Ref. No.	EAN 4003318		+		Weight	Box Oty
		mm	mm	mm		1-5
767 KeyGarage PB2 B	53507 9	80	120	45		1



Operation and use

- To secure valuables/goods of lesser value or at a low risk of theft
- Handy operation without key, e.g. lockers, cupboards, etc. in schools, companies, etc.

Technical Data

- Shackle made from hardened steel
- 78KC: Master key opens more than 2,000 individual combinations (master key function by cylinder on the back of the lock)
- High protection against manipulation
- KTL-coating (black) for better corrosion protection

Ref. No.	EAN 4003318					*		Weight	Box Oty
		mm	mm	mm	mm	mm	mm	ŭ	
78/50 B/DFNLI	33655 3	48	21	21,5	7	33	75		6

147TSA

Technology





Operation and use

- To secure valuables/goods of lower value or at a low risk of theft
- Suitable for example for securing luggage
- Ideal for journeys e.g. to the USA: the luggage can be opened/relocked by the US security authorities without damaging the lock

- Shackle diameter 3 mm
- Individually resettable 3-digit code
- Visible red indicator at shackle: lock was opened by TSA. To reset red indicator open lock and turn shackle by 360°
- To reset red indicator open lock and turn shackle by 360°

Ref. No.	EAN 4003318					+		Weight	Box Qty
	4005510	mm	mm	mm	mm	mm	mm	ь	4-3
147TSA/30 B	53093 7	33	13	20	3	14	60	28	12

Security Level





Operation and use

- The anchor allows the locking of two-wheel vehicles in garages, cellars, at houses and
- $\boldsymbol{\cdot}$ The WBA 100 can be mounted to the ground as well as to the wall. In combination with a high level ABUS lock it builds a very secure unit.

Technical Data

- 16 mm round shackle made of special hardened steel for highest resistance
- Mounting accessories included























Ref. No.	EAN 4003318	mm	mm	mm	mm	mm	Weight g	
WBA 100 GRANIT	27161 8	160	165	16	65	77	2000	

GRANIT™ WBA 75

Box Qty

Security Level





Operation and use

- The anchor allows the locking of two-wheel vehicles in garages, cellars, at houses and carports.
- ullet The WBA 75 can be mounted to the ground as well as to the wall. In combination with a high level ABUS lock it builds a very secure unit.

Technical Data

- 14 mm round shackle made of special hardened steel for highest resistance
- Mounting accessories included

Test Seals













Ref. No.	EAN 4003318	†	←→ mm	mm	(†) mm	mm	Weight g	Box Qty
WBA 75 GRANIT B/SB	78606 8	135	98	14	65	66	850	1

WBA 60

Security Level





Operation and use

- The anchor allows the locking of two-wheel vehicles in garages, cellars, at houses and carports.
- The WBA 60 can be mounted to the ground as well as to the wall. In combination with a high level ABUS lock it builds a very secure unit.

Technical Data

- 10 mm round shackle made of special hardened steel for highest resistance
- Mounting accessories included

Test Seals



1) applied for

Ref. No.	EAN 4003318	mm	₩ mm	mm	mm	mm	Weight g	Box Qty
WBA60 B/SB	82211 7	118	80	10	52	55	450	1

WA 50

Security Level






Operation and use

 The anchor allows the locking of two-wheel vehicles in garages, cellars, at houses and carports. The WA 50 is meant for wall installation. In combination with a high level ABUS lock it builds a very secure unit.

- Strong wall anchor made of special hardened steel
- Mounting accessories included



Ref. No.	EAN 4003318	0 0				Weight g	Box Qty
	1000010	mm	mm	mm	mm	8	4-5
WA 50	04294 2	110	80	38	38	870	1



Brackets and Bags



Fidlock bracket FL





Operation and use

- Exclusively for the transport of the Phantom 8960, 8950 and 8940
- For the effortless magnetic mounting on and handy removal from the bracket
- Mounting on round and non-round frame profiles with a diameter of 21-80 mm
- Flexible textile sleeve for mounting

Ref. No.	EAN 4003318	Version	Weight g	Carrier	Box Qty
Bracket FL	39729 5				1

Fidlock bracket TexFL





Operation and use

- Exclusively for the transport of the Phantom 8960, 8950 and 8940
- For the effortless magnetic mounting on and handy removal from the
- Mounting on round and non-round frame profiles with a diameter of 21-80 mm
- Flexible textile sleeve for mounting

Ref. No.	EAN 4003318	Version	Weight g	Carrier	Box Qty
Bracket TexFL	39730 1				1

EaZy KF™





KLICKfix

- Transport of U-shackle locks
- Mounting on round frames with a diameter of 28 36 mm
- Screws in two lengths included
- Plastic bracket for mounting with rubber inlays for best hold
- Index marks on the bracket to simplify subsequent mountings
- Comfortable one-hand-operation
- Very quick mounting
- Patented design

Ref. No.	EAN 4003318	Version	Weight g	Carrier	Box Qty
EaZy KF	45342 7			for 64/61/54/51/47/540/470	1
Shackle Clamp 11mm	45344 1	Ø 11 mm		for 61/64 EaZy KF	1
Shackle Clamp 12mm	45347 2	Ø 12 mm		for 47 EaZy KF/470	1
Shackle Clamp 13mm	45343 4	Ø 13 mm		for 54 EaZy KF/540	1
Shackle Clamp 13mm	45346 5	Ø 13 mm		for 51 EaZv KF	1





Operation and use

- ${\boldsymbol \cdot}$ Transport mostly cable, coil cable and Steel-O-Flex locks
- Mounting on round and non-round frame profiles with a diameter of 21-80 mm
- Flexible textile sleeve for mounting
- Mounting within the frame or at the side possible
- Simple and time saving mounting

Ref. No.	EAN 4003318	Version	Weight g	Carrier	Box Qty
TexKF Mini	23265 7			for 640, 1460, 8950, 1450, 8940	1

USH 540 / 470 / 460





Operation and use

- Transport of U-shackle locks
- Mounting on round frames with a diameter of 15 35 mm
- Plastic bracket for mounting
- Mounting within the frame or at the side possible

Ref. No.	EAN 4003318	Version Weig g	ht Carrier	Box Qty
USH 540	18576 2		for 460 / 470 / 32	1
USH 460/470/32	18578 6		for 460 / 470 / 32	1

GH 50





- Transport of U-shackle locks
- Mounting on the side of the rack
- Plastic bracket for mounting

Ref. No.	EAN 4003318	Version	Weight g	Carrier	Box Qty
GH50	00904 4			for ABUS No. 64, 51, 47, 46, 470, 460, 32	1

UGH 02





Operation and use

- Transport of Steel-0-Flex and other locks
- Mounting on the rack stays with a diameter of 5-16.5 mm
- Universal solution for all common racks
- Simple and time saving mounting

Ref. No.	EAN 4003318	Version	Weight g	Carrier	Box Qty
UGH 02	26624 9			for 950, 970, 1000, 1025, 7200, 7220, 8200, 8220	1

Shackle Clamp







Operation and use

 Accessory for the transport in a TUBUS LOCC U-shackle lock carrier, TexKF Twin or RBKF Twin

Ref. No.	EAN 4003318	Version	Weight g	Carrier	Box Qty
Shackle Clamp 13mm	27348 3	Ø 13 mm		for 64	1
Shackle Clamp 12mm	25604 2	Ø 12 mm		for 46, 47, 460, 470	1
Shackle Clamp 11mm	25580 9	Ø 11 mm		for 64	1

IVERA RBU



- Transport of chain, cable and Steel-o-flex locks of the Ivera series
- For mounting on round and non-round frame profiles with a diameter of 15-45 mm or for practical mounting on the seat clamp
- Easy mounting with a metal sleeve or LL bracket

Ref. No.	EAN 4003318	Version	Weight g	Carrier	Box Qty
Ivera RBU bracket	58497 8		100	for 7200, 7210, 7220 Ivera	1

QuickSnap RBU



Operation and use

- Transport of cable and Steel-O-Flex locks
- Mounting on round and non-round frame profiles with a diameter of 15-45 mm
- Flexible metal sleeve for mounting
- · Mounting within the frame or at the side possible
- Simple and time saving mounting

Ref. No.	EAN 4003318	Version	Weight g	Carrier	Box Qty
QuickSnap RBU	31487 2			for 860, 870	6

QuickSnap





Operation and use

- Transport of cable and Steel-O-Flex locks
- Mounting on all common seat post bolts (diameter 5-8 mm)
- Simple mounting

Ref. No.	EAN 4003318	Version Weigh g	t Carrier	Box Qty
QuickSnap	31488 9		for 860, 870	1







- ${\boldsymbol \cdot}$ Transport of cable, coil cable and Steel-0-Flex locks
- Mounting on all common seat post bolts (diameter 5-8 mm)
- Simple mounting

Ref. No.	EAN 4003318	Version	Weight g	Carrier	Box Qty
KF	124334			for 896 895 894 885 875 1350 1355 1340 1440 1450 1460	6

URB (universal frame bracket)





Operation and use

- Accessory for transporting locks with the LL carrier
- Enables transporting the lock on the seat post or on the frame (diameter 25-35 mm)

Ref. No.	EAN 4003318	Version	Weight Carrier g	Box Qty
URB	23312 8	Ø 25-35 mm		12

Snap Cage



Operation and use

- Transport of Steel-O-Flex, cable- and coil cable locks
- Enables transporting the lock on the seat post, on the frame and on the rack stays
- With a diameter of 15-55 mm
- Simple mounting without tools

Ref. No.	EAN 4003318	Version	Weight g	Carrier	Box Qty
Snap Cage MU 6K	20079 3			for 6415K, 6512K, 6615K	1
Snap Cage MU 4K/5K	20080 9			for 4508, 5510K, 5412K	1
Snap Cage MU 4C/5C	20111 0			for 4508C, 5412C, 5510C	1
Snap Cage MU 6C	20113 4			for 6415C, 6512C, 6615C	1

Clutching Strap LH adaptor





Operation and use

• Mounting of frame locks to the bike frame

Ref. No.	EAN 4003318	Version	Weight g	Carrier	Box Qty
Clutching Strap LH adaptor	56240 2			for 5850, 5650, 565, 4960, 496	6

Bracket SH 6500 BORDO XPlus™



Operation and use

- Easy transport for BORDO™ 6500, 6500 BIG and 6510
- Simple mounting due to practical clutching straps
- The lock can be easily removed forwards
- Perfect for small framed bikes

Ref. No.	EAN 4003318	Version	Weight g	Carrier	Box Qty
Bracket SH 6500/85	78071 4			replacement bracket	6
Bracket SH 6500/110	78072 1			replacement bracket	6

Bracket SH 6000 BORDO™





Operation and use

- Easy transport for Bordo 6000, 6015 and 6100
- Simple mounting due to practical clutching straps
- The lock can be easily removed forwards
- Perfect for small framed bikes

Ref. No.	EAN 4003318	Version	Weight g	Carrier	Box Qty
Bracket SH 6000/90	72900 3			replacement bracket	1

Bracket SH 6000 BORDO™ Big



- Easy transport for BORDO™ 6000 BIG and BORDO™ Alarm 6000A BIG
- Simple mounting due to practical clutching straps
- The lock can be easily removed forwards
- Perfect for small framed bikes

Ref. No.	EAN 4003318	Version Weig g	ht Carrier	Box Qty
Bracket SH 6000/120	78074 5		replacement bracket	1

Bracket SH 6055 BORDO™ Lite



Operation and use

- Easy transport for BORDO™ 6055 Lite
- Simple mounting due to practical clutching straps
- The lock can be easily removed forwards
- Perfect for small framed bikes

Ref. No.	EAN 4003318	Version Weight g	t Carrier	Box Qty
Bracket SH 6055	78066 0		replacement bracket	6

Bracket SH 6010 BORDO CENTIUM™





Operation and use

- Flexible mounting with non-slip velcro straps
- Mounting on nearly every part of the frame possible, the lock can be easily removed
- Easy transport thanks to practical holder

Ref. No.	EAN 4003318	Version	Weight g	Carrier	Box Qty
Bordo Centium bracket	20155 4				6

Bag BORDO XPlus™



- Flexible mounting with non-slip velcro straps or screws for the bottle holder device
- Easy transport thanks to practical holder

Ref. No.	EAN 4003318	Version We	eight Carrier g	Box Qty
ST 6500/85 black	55325 7		replacement bag	1

Bag ST 6000 BORDO™



Operation and use

- Flexible mounting with non-slip velcro straps or screws for the bottle holder device
- Easy transport thanks to practical holder

Ref. No.	EAN 4003318	Version Weight g	Carrier	Box Qty
Bracket ST 6000/90 black	54297 8		replacement bag	1
ST 6000+6100/75 black	54294 7		replacement bag	1

Bag BORDO™ BIG



Operation and use

- Flexible mounting with non-slip velcro straps or screws for the bottle holder device
- · Easy transport thanks to practical holder

Ref. No.	EAN 4003318	Version	Weight g	Carrier	Box Qty
Bracket ST 6000/120 black	55327 1			replacement bag	1

Bag uGrip BORDO™



- Transport bag with latching mechanism and comfortable one-handoneration
- Flexible mounting with non-slip velcro straps or screws for the bottle holder device
- Easy transport thanks to practical holder

Ref. No.	EAN 4003318	Version	Weight g	Carrier	Box Qty
Bracket ST 5700 uGrip BORDO	11284 3			replacement bag	1

Bag BORDO™ 6050/6150



Operation and use

- Flexible mounting with non-slip velcro straps or screws for the bottle holder device
- Easy transport thanks to practical holder

Ref. No.	EAN 4003318	Version	Weight g	Carrier	Box Qty
Bracket ST 6050/85	52909 2			replacement bag	1

Chain Bag ST 2012





Operation and use

- Bag designed for the protected transport of lock-chain-combinations
- Flexible mounting with non-slip velcro straps or screws at the bottle
- $\,\cdot\,$ 2 mm strong Neoprene to keep the content cool or warm
- Strengthened inner-plate for easy mounting

Ref. No.	EAN 4003318	Version	Weight g	Carrier	Box Qty
ST 2012 Chain Bag	58496 1		200	transportation bag: 0.6 l	1

ST 5850/5650/4960



Ref. No.	EAN 4003318	Version	Weight g	Carrier	Box Qty
ST 5850/5650/4960	48647 0		172	transport bag 160 mm / 250 mm / 50 mm	1

Oryde ST 2250





Operation and use

• Frame bag for every day and leisure use

technical data

- 1.8 litres stowing capacity
- Water-repellent and robust materials 420D and Scotch Rip 58
- Stable shape
- Reflective applications
- · Practical interior design with key hook
- Very ample main compartment

Ref. No.	EAN 4003318	Capacity I	Width mm	Height mm	Depth mm	Version	Box Qty
ST 2250	08469 0	1.8	235	195	50	Velco Straps	1

Oryde ST 2200





Operation and use

 $\boldsymbol{\cdot}$ Frame bag for every day and leisure use

technical data

- 1.2 litres stowing capacity
- Water-repellent and robust materials 420D and Scotch Rip 58
- Stable shape
- Reflective applications
- Practical interior design with key hook
- Very ample main compartment



Ref. No.	EAN 4003318	Capacity I	Width mm	Height mm	Depth mm	Version	Box Qty
ST 2200	08470 6	1.2	255	100	50	Velco Straps	1





Operation and use

• Saddle bag for every day, sport and leisure use

technical data

- 0.7 litre stowing capacity
- Water-repellent and robust materials 420D and Scotch Rip 58
- Stable shape
- Reflective applications
- · Practical interior design with key hook
- Particularly simple to fill due to ABUS Easy Flap System
- Includes rain cover with reflective logo









Ref. No.	EAN 4003318	Capacity I	Width mm	Height mm	Depth mm	Version	Box Qty
ST 2085 KF	08479 9	0.7	75	70	145	KLICKfix® Saddle Bracket	6

Oryde ST 2100





Operation and use

• Saddle bag for every day, sport and leisure use

technical data

- 1.2 litre stowing capacity
- Water-repellent and robust materials 420D and Scotch Rip 58
- Stable shape
- Reflective applications
- Practical interior design with key hook
- Expandable pullout to increase stowing capacity
- Expandable pullout to increase stowing capacity



Ref. No.	EAN 4003318	Capacity I	Width mm	Height mm	Depth mm	Version	Box Qty
ST 2100 KF	08472.0	1 2	80	95	150	KIICKfix®	6

Oryde ST 8130





Operation and use

• Saddle bag for sport use

technical data

- 0.25 litre (size S), 0.4 litre (size M) or 1.0 litre (size L) stowing capacity
- Water-repellent and robust material
- Very narrow shape for a perfect fit under a narrow saddle
- Reflective applications
- Includes rain cover with reflective logo



Ref. No.	EAN 4003318	Capacity I	Width mm	Height mm	Depth mm	Version	Box Qty
ST 8130 M	39642 7	0.4	75	80	145	velcro straps	1
ST 8130 S	39641 0	0.4	75	80	145	velcro straps	1

Basico ST 5200





Operation and use

• Frame bag for every day and leisure use

technical data

- 1.2 litres stowing capacity
- Water repellent and robust material
- Practical interior design
- Very ample main compartment
- Reflective applications



Ref. No.	EAN 4003318	Capacity I	Width mm	Height mm	Depth mm	Version	Box Qty
ST 5200	08482 9	1.2	255	110	65	Velcro straps	1

Basico ST 5130





Operation and use

• Saddle bag for every day, sport and leisure use

technical data

- 0.6 litre stowing capacity
- Water repellent and robust material
- Stable shape
- Reflective applications



Ref. No.	EAN 4003318	Capacity I	Width mm	Height mm	Depth mm	Version	Box Qty
ST 5130	08481 2	0.6	160	85	90	Velcro straps	1

Sales displays and POS



Product novelties



Shop Display











Ref. No.	EAN 4003318	Dimensions	Version	Box Qty
Heavy Duty Set	18496 3	100 cm	5 heavy duty hooks + crossbar 100 cm	1
Heavy Duty Set	18497 0	50 cm	3 heavy duty hooks + crossbar 50 cm	1
220/100 Side Add-On pic. 1	18481 9	220 / 50 / 100 cm		1
220/50 Side Add-On pic. 2	18482 6	220 / 50 / 50 cm		1
220/100 Set for two sided hanging pic. 3	18485 7	220 / 50 / 100 cm		1
220/50 Set for two sided hanging pic. 4	18486 4	220 / 50 / 50 cm		1
220/100 lock kit	18489 5	for 100 cm	30 hooks	1
220/50 lock kit	18490 1	for 50 cm	20 hooks	1
220/100 basic structure	18480 2	220 / 50 / 100 cm		1
220/100 lock kit Slatwell	71739 0	220 / 50 / 100 cm	30 hooks	1

Shop Display



Ref. No.	EAN 4003318	Dimensions	Version	Box Qty
Heavy Duty Set	18496 3	100 cm	5 heavy duty hooks + crossbar 100 cm	1
Heavy Duty Set	18497 0	50 cm	3 heavy duty hooks + crossbar 50 cm	1
Side Add-On pic. 1	18484 0	140 / 50 / 100 cm	22 detachable hooks	1
Set for two-sided hanging pic. 3	18487 1	140 / 50 / 100 cm	22 detachable hooks	1
Shop Display Bicycle	18483 3	140 / 50 / 100 cm	22 detachable hooks	1

Display locks 3-sided



Ref. No.	EAN 4003318	Dimensions	Version	Box Qty
Display locks 3-sided	78449 1	190 / 80 / 80 cm	Stand alone - without products	1

Display locks 2-sided



Ref. No.	EAN 4003318	Dimensions	Version	Box Qty
Display locks 2-sided	78448 4	190 / 70 / 70 cm	Stand alone - without products	1

Display MD10 + Display MD15





Ref. No.	EAN 4003318	Dimensions	Version	Box Qty
Sales Display MD 10	52934 4	70 / 210 / 40 cm	incl. 26 Hooks - without products	1
Display MD 15	20145 5	155 / 68 / 68 cm	incl. 24 Hooks - without products	1

M D10

Display Modular II S



Ref. No.	EAN 4003318	Dimensions	Version	Box Qty
Display Modular II S	49609 7	50 / 50 / 195 cm	Stand alone - without products	1

Demo-Display BORDO™ Alarm



Ref. No.	EAN 4003318	Dimensions	Version	Box Qty
Demo-Display BORDO Alarm	79770 5	31 / 25 / 21 cm		1

Demo-Pillar BORDO™ Alarm



Ref. No.	EAN 4003318	Dimensions	Version	Box Qty
Demo-Pillar BORDO Alarm	79773 6	96 / 42 / 42 cm		1

Demo-Display GRANIT XPlus™ **540**



Ref. No.	EAN 4003318	Dimensions	Version	Box Qty
Demo-Display GRANIT XPlus 540	19148 0	20 / 41 / 21 cm		1

PS 88



Technical Data

- Free from chlorine, fluorine (CKW/FCKW), PCB, lead and other contaminants
- Non-greasy special lubricant spray

Ref. No.	EAN 4003318	Dimensions	Version	Box Qty
VK PS88 Spray 50ml GB	31942 6	15 / 21 / 29 cm	24 x 50 ml	1
VK PS88 GB	00226 7	30 / 18 / 30 cm	8 x 50 ml	1
VK PS88 DK / GB	82931 4	14 / 18 / 31 cm	12 x 125 ml	1
PS88 GB	35421 2		50 ml aerosol can	1

Security Station



Ref. No.	EAN 4003318	Dimensions	Version	Box Qty
Security Station	43821 9	132 x 70 x 131 cm	Without pictured bicycles	1

Notes

Index

Locks	Page
8/10 Cobra	152
20 Diskus	158
24IB Diskus 32 Facilo	157 38
32 Facilo + Cobra™	39
41	156
50 WA	164
52	135
59 GRANIT™ Extreme	26-27
60 WBA 64 TITALIUM™	164 159
70	154
70/45/6 KS Expedition Chain	73
70AL	155
70IB	154
75 WBA GRANIT™	163
78 100 WBA GRANIT™	162 163
145	153
147TSA	162
205 Combiloop	150
210 Multiloop	149
215 Multicombiloop	150
410 Ultra	36
410 Ultra Mini 420 Ultimate	37
440 Alarm	35
460 GRANIT™	34
470 GRANIT™	32
496 TECTIC™	133
540 GRANIT XPIus™	28-29
560 uGrip™ Cable 565 SHIELD™	119
585 uGrip™ Chain	77
640 GRANI™ Plus	30-31
650	120
680 Catena	74
767 KeyGarage™	161
770A SmartX™ 787 KeyGarage™	24-25 160
787 BIG KeyGarage™	160
797 KeyGarage™	161
860 Centuro	92
870 Catama	113
875 Universal	148
885 Winner 950 Steel-0-Flex™	107 89
1010 CityChain™	64-65
1025 GRANIT Steel-0-Flex™	88
1060 GRANIT CityChain XPlus™	60-61
1100	122
1100 Kids	122
1150 Kide	110
1150 Kids 1200 Web	110 83
1360 Steel-0-Flex™ Tresor	95
1385 Tresor	71
1385 Tresor Neon	72
1440 Raydo Pro	116
1450 Raydo Pro	104
1460 Steel-0-Flex™ Raydo Pro 1500 Web	94
1505 My first ABUS	123
1510 My first ABUS Fire Department	85
1510 My first ABUS Security Department	84
1640 Key Combo™	116
1650 Key Combo™	103
1850	152
1900	121
1900 Kids 1950	121 109
1950 Kids	109
2501 Combiflex™	151

2502 Combiflex™	151
2503 Combiflex™	151
4508C	108
4508K	108
4804C	81
4804K	80
4960 PRO TECTIC™	133
5412C	117
5412C Color	118
5412K	117
5412K Color	118
5510C	105
5510C Color	106
5510K	105
5510K Color	106
5650 SHIELD™	130
5650L SHIELD™	131
5700 uGrip BORDO™	54
5750L SHIELD™ Plus	128
5805C	79
5805K	78
5850 PRO SHIELD™	129
5950 PRO SHIELD™ Plus	126-127
6000 BORDO™	50
6000 BORDO™ Big	51
6000A BORDO™ Alarm	42-43
6010 BORDO CENTIUM™	44-45
6015 BORDO™ Bosch	52
6050 BORDO™ Lite	56
6055 BORDO™ Lite	55
6100 BORDO Combo™	53
6150 BORDO Combo™	56
6415C	115
6415K	115
6500 BORDO GRANIT XPIus™	46-47
6512C	102
6512K	102
6615C	96
6615K	96
6806 Catena	75
6806 Catena Neon	76
7200 IVERA Steel-0-Flex™	91
7210 IVERA Chain	69
7220 IVERA Cable	112
8200 IVEN Steel-0-Flex™	90
8210 IVEN Chain	68
8220 IVEN Cable	111
8807 Steel-0-Chain™	70
8940 PHANTOM™	114
8950 PHANTOM™	100-101
8960 PHANTOM™	93
9100 IVY Chain	62-63
9808C	67
9809 Steel-0-Chain™	66
ADAPTOR CABLE	134
ADAPTOR CHAIN	134
Displays und POS	184-192
NutFix™	142-143
NutFix™ Axle-Set	140-141
NutFix™ SPC	144-145
Droduct	

Product Brackets and bags	Page
Shackle Clamp	170
EaZy KF	168
Fidlock bracket	168
GH 50	169
IVERA RBU	170
KF	171
LH-Adaptor	172
Quick Snap	171
Quick Snap RBU	171
SH 6000 BORDO™ Big	173
SH 6000 BORDO™	173
SH 6010 BORDO™ CENTIUM	174

SH 6055 BORDO™ Lite	174
SH 6500 BORDO XPlus™	173
Snap Cage	172
ST 2012 Chain Bag	176
ST 2085	179
ST 2100	179
ST 2200	178
ST 2250	178
ST 5130	181
ST 5200	180
ST 5700	175
ST 5850/5650/4960	176
ST 6000	175
ST 6000 Big	175
ST 6050/6150	176
ST 6500	174
ST 8130	180
TexFL	168
TexKF Mini	169
UGH 02	170
URB	172
USH 540/470/460	169



ABUS I August Bremicker Söhne KG www.abus.com

Altenhofer Weg 25 58300 Wetter Germany mobile@abus.de +49 2335 - 634 0

