

XPG GAMMIX S5 PCIe Gen3x4  
M.2 2280 Solid State Drive

# STAY COOL IN THE HEAT OF BATTLE



## XPG GAMMIX S5 PCIe Gen3x4 M.2 2280 Solid State Drive

Boot, load, and transfer faster with the XPG GAMMIX S5 PCIe Gen3x4 M.2 2280 solid state drive (SSD). With support for NVMe 1.3 and equipped with 3D NAND Flash, it offers up to 4 times faster performance than SATA SSDs and up to 1TB of capacity. What's more, the GAMMIX S5 sports excellent heat dissipation capability with a built-in heatsink that can lower temperatures by up to 10°C.

### Features

- Ultra-fast PCIe Gen3x4 interface:  
R/W speed up to 2100/1500MB/s
- NVMe 1.3 support
- 3D NAND Flash for higher capacity and durability
- Unique heatsink design – makes SSD 10°C cooler
- Advanced LDPC ECC Technology
- HMB (Host Memory Buffer) and SLC Caching
- Compact M.2 2280 form factor – ideal for high-end desktops

### Ordering Information

Capacity	Model Number	EAN Code
<b>256GB</b>	AGAMMIXS5-256GT-C	4713218469250
<b>512GB</b>	AGAMMIXS5-512GT-C	4713218469267
<b>1TB</b>	AGAMMIXS5-1TT-C	4713218469274



## Specifications

- Capacities: 256GB / 512GB / 1TB
- NAND Flash: 3D TLC
- Interface: PCIe Gen3x4
- Form Factor: M.2 2280
- MTBF: 2,000,000 hours
- Dimensions (L x W x T): 22 x 80 x 3.7mm
- Weight: 11.2g
- Power Consumption: 0.33W Active (Typical), 0.14W Slumber (Typical) (\*measured by power meter)
- Operating Temperature: 0°C~70°C
- Storage Temperature: -40°C~85°C
- Shock Resistance: 1500G/0.5ms
- Certifications: RoHS, CE, FCC, BSMI, VCCI, KC
- Warranty: 5 years

## Performance

Capacity	ATTO	ATTO	CDM	CDM	AS SSD	AS SSD	4K	4K	TBW
	Seq. Read (MB/sec)	Seq. Write (MB/sec)	(QD32) Seq. Read (MB/sec)	(QD32) Seq. Write (MB/sec)	Seq. Read (MB/sec)	Seq. Write (MB/sec)	Random Read IOPS	Random Write IOPS	
<b>256GB</b>	2100	1200	2100	1200	1800	1200	190K	180K	150TB
<b>512GB</b>	2100	1400	2100	1500	1800	1300	250K	240K	300TB
<b>1TB</b>	2100	1400	2100	1500	1800	1300	250K	240K	600TB

\*Performance may vary based on SSD capacity, hardware test platform, test software, operating system and other system variables

## Schematics

