



NOTE: This document is only for general reference. Solution Pathways and related PMBs should be used for product availability, pricing, and final solution selection. Zebra does not endorse or specifically recommend any **third-party products, accessories, or hardware**. ZEBRA DISCLAIMS ANY AND ALL LIABILITY, INCLUDING ANY EXPRESS OR IMPLIED WARRANTIES, WHETHER ORAL OR WRITTEN, FOR SUCH THIRD PARTY PRODUCTS, ACCESSORIES, OR HARDWARE. THE CUSTOMER ACKNOWLEDGES THAT NO REPRESENTATION HAS BEEN MADE BY ZEBRA AS TO THE FITNESS OF THE THIRD-PARTY PRODUCTS, ACCESSORIES, OR HARDWARE FOR THE CUSTOMER'S INTENDED PURPOSE.

Cradles

Part Number	Picture	Description	Notes	Required Items
<p>SAC-MPP-1BCHGUS1-01 US SAC-MPP-1BCHGEU1-01 EU SAC-MPP-1BCHGUK1-01 UK SAC-MPP-1BCHGAU1-01 AU SAC-MPP-1BCHGCN1-01 CN</p>		<p>1-Slot Battery Charger Kit</p>	<ul style="list-style-type: none"> ▶ Docks and charges a single PowerPrecision+ Li-Ion printer battery. Integrated power supply. Works with both standard and extended battery packs. ▶ Kit Information: 1-Slot Battery Charger (P1090786**) and region-specific AC Power Cable* ▶ Select the part number with the appropriate line cord for your region. ▶ AC Power Cable Type: IEC320C7 (non-polarized) ▶ Compatible Printers: ZQ610, ZQ620, ZQ610 HC, ZQ620 HC, ZQ630, QLn220, QLn220 HC, QLn320, QLn320 HC, QLn420, ZQ510, ZQ520 	
<p>P1031365-038 (no AC adapter or plug)</p>		<p>Single Ethernet Charging Cradle</p>	<ul style="list-style-type: none"> ▶ Dock and charge a single ZQ610/ZQ620 or a QLn220/QLn320 printer on a tabletop/countertop surface. ▶ Ethernet port allows the printers to be managed remotely. ▶ Kit Information: Cradle (P1027405**) 	
<p>P1031365-084 AR P1031365-036 AU P1031365-037 BR P1031365-030 CN P1031365-035 EU P1031365-086 IL P1081280-007 IN P1031365-098 JP P1031365-097 TW P1031365-034 UK P1031365-033 US</p>		<p>Single Ethernet Charging Cradle Kit</p>	<ul style="list-style-type: none"> ▶ Dock and charge a single printer on a tabletop/countertop surface. ▶ Ethernet port allows the printers to be managed remotely. ▶ Kit Information: Cradle (P1027405**), AC Adapter (P1076006**), and region-specific AC Power Cable* ▶ Compatible Printers: ZQ610, ZQ620, QLn220, QLn320 ▶ NOTE: Printer sold separately and Ethernet Cable NOT INCLUDED 	




* = Please see the Regional AIT Power Cable TAG

** = Non purchasable part number

<p>P1065668-023 US P1065668-024 UK P1065668-025 EU</p>		<p>Single Ethernet Cradle with IEC60601 Adapter Healthcare  Kit</p>	<ul style="list-style-type: none"> ▶ Dock and charge the Healthcare printer on a tabletop/countertop surface ▶ Ethernet port on cradle allows the printer to be managed remotely ▶ Kit Information: Ethernet Cradle (P1027405**), IEC60601 AC Adapter for Healthcare, and region-specific AC Power Cable* ▶ Compatible Printers: ZQ610 HC, ZQ620 HC, QLn220 HC, QLn320 HC ▶ Ethernet Cable NOT INCLUDED 	
<p>P1031365-085 AR P1031365-048 AU P1031365-049 BR P1031365-031 CN P1031365-047 EU P1031365-087 IL P1081280-009 IN P1031365-100 JP P1031365-099 TW P1031365-046 UK P1031365-045 US</p>		<p>4-Slot Ethernet Charging Cradle (EC4) Kit</p>	<ul style="list-style-type: none"> ▶ Docks and charges up to four printers simultaneously. Allows remote unattended management. Provides two Ethernet ports for daisy chaining up to four 4-Slot Ethernet Charging Cradles. ▶ Commonly Bundled with: P1031365-050 (Wall Mount For 4-Slot Ethernet Charging Cradle) ▶ Kit Information: : 4-Slot Cradle (P1027406**), AC Adapter, and region-specific AC Power Cable* ▶ Compatible Printers: ZQ610, ZQ620, QLn220, QLn320 ▶ NOTE: Printers sold separately and ethernet cable NOT INCLUDED 	
<p>SAC-MPP-3BCHGUS1-01 US SAC-MPP-3BCHGEU1-01 EU SAC-MPP-3BCHGUK1-01 UK SAC-MPP-3BCHGAR1-01 AR SAC-MPP-3BCHGBR1-01 BR SAC-MPP-3BCHGAU1-01 AU SAC-MPP-3BCHGCN1-01 CN SAC-MPP-3BCHGIN1-01 IN</p>		<p>3-Slot Battery Charger Kit</p>	<ul style="list-style-type: none"> ▶ Dock and charge up to three PowerPrecision+ Li-Ion printer batteries at a time. Best (most charged) Battery Lights Up Blinking Green. Works with both standard and extended battery packs. ▶ Kit Information: 3-Slot Battery Charger (P1090784**), DC Cable (CBL-DC-388A1-01), 12V Power Supply (PWR-BGA12V50W0WW), and region-specific AC Power Cable* ▶ Compatible Printers: ZQ610, ZQ610 HC, ZQ620, ZQ620 HC, ZQ630, QLn220, QLn220 HC, QLn320, QLn320 HC, QLn420, ZQ510, ZQ520 	
<p>SAC-MPP-6BCHUS1-01 US SAC-MPP-6BCHEU1-01 EU SAC-MPP-6BCHUK1-01 UK SAC-MPP-6BCHAR1-01 AR SAC-MPP-6BCHBR1-01 BR SAC-MPP-6BCHAU1-01 AU SAC-MPP-6BHCN1-01 CN SAC-MPP-6BCHIN1-01 IN</p>		<p>Dual 3-Slot Battery Charger Kit Connected via Y Cable</p>	<ul style="list-style-type: none"> ▶ Dock and charge up to six PowerPrecision+ Li-Ion printer batteries at a time. ▶ Best battery (most charged) lights up blinking green. Works with both standard and extended battery packs. ▶ Kit Information: : Dual 3-slot battery charger (P1090784**), power supply (PWR-BGA12V108W0WW), Y-Cable (P1093160**) and region-specific AC Power Cable* ▶ Compatible Printers: ZQ610, ZQ620, ZQ630, QLn220, QLn220 HC, QLn320, QLn320 HC, QLn420, ZQ510, ZQ520 	

* = Please see the Regional AIT Power Cable TAG

** = Non purchasable part number

<p>P1031365-089 AR P1031365-066 AU P1031365-067 BR P1031365-068 CN P1031365-065 EU / CL P1031365-088 IL P1081280-003 IN P1031365-096 JP P1031365-095 TW P1031365-063 US P1031365-064 UK</p>		<p>Li-ion Smart Battery Charger Kit (SC2)</p>	<ul style="list-style-type: none"> ▶ Docks and charges a single battery. ▶ Monitors and alerts on battery health. ▶ Supports both standard and extended batteries. ▶ Kit Includes: Charger (P1027407**) and region-specific AC Power Cable* ▶ Compatible Printers: P4T, QLn220, QLn320, QLn420, QLn220 HC, QLn320 HC, ZQ510, ZQ520 	
<p>AC18177-8 AR AC18177-3 AU AC18177-9 BR AC18177-4 CN AC18177-2 EU P1081280-004 IN AC18177-7 JP (with PSE power cord)</p> <p>AC18177-6 (MX / Central / South America)</p> <p>AC18177-1 UK AC18177-5 US</p>		<p>Li-ion Quad Battery Charger Kit</p>	<ul style="list-style-type: none"> ▶ Older model BUT Cheaper than other slot chargers ▶ Does not have LED per battery indicating which one is charged the most. (The Dual 3-Slot and 3-Slot charging bays do this. See above) ▶ Docks and charges up to four PowerPrecision Li-Ion printer batteries at a time. Supports both standard and extended batteries. ▶ Kit Information: 4-Slot Li-Ion Charger Battery Charger (AT16305-8**) and region-specific AC Power Cable* ▶ Compatible Printers: ZQ610, ZQ620, ZQ630, QLn220, QLn320, QLn420 	
<p>SKU's, price and lead time to be provided by CAG (Custom Applications Group). Contact CAG team for more information.</p>		<p>Shared Cradle (Custom)</p>	<ul style="list-style-type: none"> ▶ 3-slot battery charger for ZQ600, QLn and ZQ500 Series batteries plus three slots to charge TC70 mobile computers (charging cups). ▶ Can be bundled with TC70 Batteries Chargers or most other types of Zebra device battery charger ▶ Compatible Printers: ZQ610, ZQ620, QLn220 /QLn220 HC, QLn320 / QLn320 HC, QLn420, ZQ510, ZQ520, ZQ630 	

* = Please see the Regional AIT Power Cable TAG

** = Non purchasable part number





Charging Cables				
<p>P1031365-083 AR P1031365-043 AU P1031365-039 BR P1031365-040 CN P1031365-042 EU P1031365-032 IL P1081280-008 IN P1031365-094 JP P1031365-093 TW P1031365-041 UK P1031365-024 US P1031365-142 CL</p>		<p>AC Adapter Kit</p>	<ul style="list-style-type: none"> ▶ Connect the printer (or charging cradle) to AC power to charge the printer's internal battery. ▶ Kit Information: AC Adapter (P1076006), and region-specific AC Power Cable* ▶ Compatible Printers: ZQ610, ZQ620, ZQ630, QLn220, QLn320, QLn420, ZQ510, ZQ520 ▶ NOTE: Printer sold separately. 	
<p>P1065668-011 AU P1065668-012 CN P1065668-010 EU P1065668-013 JP P1065668-009 UK P1065668-008 US</p>		<p>Healthcare  IEC60601 AC Adapter Kit</p>	<ul style="list-style-type: none"> ▶ Connect the printer to AC power to charge the printer's internal battery. ▶ Compliant with Healthcare standard IEC60601 for use in patient rooms. ▶ Kit Information: AC Adapter (P1076007**), and region-specific AC Power Cable* ▶ Compatible Printers: ZQ610 HC, ZQ620 HC, QLn220 HC, QLn320 HC 	
<p>P1058390-1 (with US line cord) P1058390-2 (without line cord)</p>		<p>Replacement Power Supply for Li-ion Quad Battery Charger</p>	<ul style="list-style-type: none"> ▶ Replacement Power Supply for Li-ion Quad Battery Charger is intended as a repair / replacement power supply for already deployed Li-ion Quad Battery Charger. ▶ Compatible Printers: P4T, QLn220, QLn320, QLn420, QLn220 HC, QLn320 HC, ZQ510, ZQ520 	
<p>P1058390-2</p>		<p>Spare Power Supply for Quad Battery Charger without AC Line Cord</p>	<ul style="list-style-type: none"> ▶ Replacement Power Supply for Li-ion Quad Battery Charger is intended as a repair / replacement power supply for already deployed Li-ion Quad Battery Charger. ▶ No AC line cord. ▶ Compatible Printers: QLn220, QLn320, QLn420, QLn220 HC, QLn320 HC, ZQ510, ZQ520, P4T 	

* = Please see the Regional AIT Power Cable TAG

** = Non purchasable part number



For more information on forklift / vehicle mounting options and suggested mounting bundles see link below:

https://zebra.sharepoint.com/:b/r/sites/TAGs/Shared%20Documents/TAGDocs/Zebra_Printer_Mounting_Options.pdf

<p>P1063406-032</p>		<p>Battery Eliminator Dummy Battery Pack</p>	<ul style="list-style-type: none"> ▶ Battery eliminator dummy battery pack allows users to connect printers directly to forklift or vehicle power without using battery as consumable product. ▶ Must be ordered with open-ended or vehicle lighter adapter power supply. ▶ Compatible Printers: ZQ510, ZQ520, ZQ610, ZQ620, QLn220, QLn320 	<p>Battery Eliminator power supply: P1050667-142 (Open Ended) OR P1063406-133 (Cigarette Lighter Adapter)</p>
<p>P1050667-142</p>		<p>Battery Eliminator Power Supply (open ended, 12-48V)</p>	<ul style="list-style-type: none"> ▶ 12-48V DC power supply charges the printer via vehicle open-ended or lighter power adapter. Connects to barrel jack on printer, or on the single slot printer charging cradle. ▶ Designed for vehicles providing 12-48V power ▶ Kit Information: 12-48V DC Adapter open ended (P1058934-01**) ▶ Compatible Printers: ZQ610, ZQ620, ZQ630, QLn220, QLn320, QLn420, ZQ510, ZQ520 	<p>P1050667-041 Dummy Battery</p>
<p>P1063406-133</p>		<p>Battery Eliminator Power Supply (lighter adapter 12-48V)</p>	<ul style="list-style-type: none"> ▶ 12-48V DC power supply charges the printer via vehicle open-ended or lighter power adapter. Connects to barrel jack on printer, or on the single slot printer charging cradle. ▶ Designed for vehicles providing 12-48V power ▶ Kit Information: 12-48V DC Adapter to Cigarette Lighter (P1064241-01**) ▶ Compatible Printers: ZQ610, ZQ620, ZQ630, QLn220, QLn320, QLn420, ZQ510, ZQ520 	<p>P1050667-041 Dummy Battery</p>
<p>AK18913-003</p>		<p>15-60V DC Power Supply (Barrel jack/open ended)</p>	<ul style="list-style-type: none"> ▶ Open ended wires for charging the printer on a forklift. ▶ Kit Information: Vehicle 15-60V DC Adapter (AT18488-1**) ▶ Designed for vehicles providing 15-60V power ▶ Compatible Printers: ZQ610, ZQ610 HC, ZQ620, ZQ620 HC, ZQ630, ZQ510, ZQ520, QLn220, QLn220 HC, QLn320, QLn320 HC, QLn420, P4T 	

* = Please see the Regional AIT Power Cable TAG



** = Non purchasable part number

<p>P1063406-030</p>		<p>12-24V DC Power Supply (open ended, 12-24V, for use with or without cradle)</p>	<ul style="list-style-type: none"> ▶ 12-24V DC power supply charges the printer via vehicle open-ended or vehicle lighter power adapter. Connects to barrel jack on printer, or on the vehicle / single slot printer charging cradle. ▶ Designed for vehicles providing 12-24V power ▶ Kit Information: 12-24V Power Adapter open ended (P1064244**) ▶ Compatible Printers: ZQ610, ZQ620, ZQ630, QLn220, QLn320, QLn420, ZQ510, ZQ520 	
<p>P1063406-031</p>		<p>12-24V DC Power Supply (lighter adapter, 12-24V, for use with or without cradle)</p>	<ul style="list-style-type: none"> ▶ 12-24V DC power supply charges the printer via vehicle open-ended or vehicle lighter power adapter. Connects to barrel jack on printer, or on the vehicle / single slot printer charging cradle. ▶ Kit Information: : 12-24V DC Power Adapter Cigarette Lighter (P1064243) ▶ Designed for vehicles providing 12-24V power ▶ Compatible Printers: ZQ610, ZQ620, ZQ630, QLn220, QLn320, QLn420, ZQ510, ZQ520 	

Mounting Accessories

For more information on forklift / vehicle mounting options and suggested mounting bundles see link below:

https://zebra.sharepoint.com/:b:/r/sites/TAGs/Shared%20Documents/TAGDocs/Zebra_Printer_Mounting_Options.pdf

<p>P1050667-038</p>		<p>Printer Stand</p>	<ul style="list-style-type: none"> ▶ Metal stand for storing the printer in upright orientation. ▶ NOTE: This is not intended for use on mobile carts. ▶ Compatible Printers: ZQ610, ZQ610 HC, ZQ620, ZQ620 HC, ZQ630, QLn220, QLn220 HC, QLn320, QLn320 HC, QLn420 ▶ Note: Printer Not Included 	
<p>P1031365-050</p>		<p>4-Slot Ethernet Charging Cradle Wall Mount Kit</p>	<ul style="list-style-type: none"> ▶ Mounting kit which allows you to secure a 4-Slot Ethernet Charging Cradle to a wall. ▶ Commonly Bundled with the 4-Slot Charging Cradle (see P1031365-045 and related regional part numbers) ▶ Compatible Printers: ZQ610, ZQ620 , QLn220, QLn320 	




* = Please see the Regional AIT Power Cable TAG

** = Non purchasable part number

Third Party Mounting Accessories

For more information on forklift / vehicle mounting options and suggested mounting bundles see link below:

https://zebra.sharepoint.com/:b:/r/sites/TAGs/Shared%20Documents/TAGDocs/Zebra_Printer_Mounting_Options.pdf

<p>202016 (Third Party)</p>		<p>ProClip® Standard Duty Pedestal Mount (5")</p>	<ul style="list-style-type: none"> ▶ AMPS hole pattern on both ends ▶ Dual ball joint style arm ▶ Weight: 0.47 lb / 0.21 kg ▶ Compatible Printers: ZQ630, QLn420, ZQ610, ZQ620, QLn220, QLn320, ZQ510, ZQ511, ZQ520, ZQ521, ZD410 	
<p>www.proclipusa.com</p>				
<p>215863 (Third Party)</p>		<p>ProClip® Solid Core Aluminum Arm</p>	<ul style="list-style-type: none"> ▶ Perfect for high vibration or heavy machinery mounting ▶ This is extremely heavy duty and usually overkill for most implementations ▶ Most implementations would be fine with the standard ProClip 202016 arm. ▶ Weight: 1.1 lb / 0.5 kg ▶ Compatible Printers: ZQ630, QLn420, ZQ610, ZQ620, QLn220, QLn320, ZQ510, ZQ511, ZQ520, ZQ521, ZD410 	
<p>www.proclipusa.com</p>				
<p>100176 (Third Party)</p>		<p>ProClip® Pipe / Handle Mount with Quick Release Dock</p>	<ul style="list-style-type: none"> ▶ Great for mounting printers on mobile carts, hand rails, handles, etc. ▶ No tools required ▶ Fits Pipes and Bars from 1/2 Inch to 1 1/2 Inch ▶ Quick Release Dock with 15mm release tab ▶ Weight: 1.0 lb ▶ Compatible Printers: ZQ630, QLn420, ZQ610, ZQ620, QLn220, QLn320, ZQ510, ZQ511, ZQ520, ZQ521, ZD410 	
<p>www.proclipusa.com</p>				

* = Please see the Regional AIT Power Cable TAG

** = Non purchasable part number

<p>216114 (1.25" - 2" diameter)</p> <p>216107 (1" 3/16 diameter)</p> <p>(Third Party)</p> <p>www.proclipusa.com</p>	  	<p>ProClip® Pipe Mount</p>	<ul style="list-style-type: none"> ▶ Cart with a handlebar (up to 1" 5/8 diameter): ProClip Clamp 216114 OR ▶ Cart with a handlebar (up to 1" 3/16 diameter): ProClip Clamp 216107 ▶ AMPS Pattern mounting surface ▶ You will need a compatible Quick Release Mount for the printer you would like to support: ▶ Commonly Bundled: Quick Release Mounts for ZQ610, ZQ620, QLn220, QLn320: 215843 (Powered kit with an arm) 215842 (Non-Powered with an arm) 215803 (powered kit, no arm) 215806 (non-powered kit, no arm) ▶ 216114 Weight: 0.63 lb / 0.29 kg ▶ 216107 Weight: 0.5 lb / .22 kg ▶ Quick Release Mounts for ZQ630, QLn420: 216004 ▶ Compatible Printers: ZQ630, QLn420, ZQ610, ZQ620, QLn220, QLn320, ZQ510, ZQ511, ZQ520, ZQ521, ZD410 	<p>Quick Release Mount</p>
<p>246634 (Third Party)</p> <p>www.proclipusa.com</p>		<p>ProClip® QLN Power Supply Mount Brand: ProClip</p>	<ul style="list-style-type: none"> ▶ Pre-drilled holes for easy mounting ▶ Power Supply NOT included ▶ Weight: 0.1 lb / 0.04 kg ▶ Compatible Printers: QLn220, QLn320, ZQ610, ZQ620 	
<p>215843 (Third Party)</p> <p>www.proclipusa.com</p>		<p>ProClip® Printer Pedestal Mount Kit</p>	<ul style="list-style-type: none"> ▶ Quick Release Power Dock allows charging of the printer and quick release from mounting location ▶ 2" Heavy-Duty Pedestal ▶ Pre-drilled holes for AMPS hole patterns ▶ Kit Includes: Printer Pedestal Mount Kit, Quick Release Power Dock, 40 mm Release Lever ▶ Commonly Bundled with: 246634 (ProClip's Power Supply Mount) ▶ Weight: 1.05 lb / 0.48 kg ▶ Compatible Printers: ZQ610, ZQ620, QLn220, QLn320 	




* = Please see the Regional AIT Power Cable TAG

** = Non purchasable part number

<p>215842 (Third Party)</p> <p>www.proclipusa.com</p>		<p>ProClip® Printer Pedestal Mount Kit</p>	<ul style="list-style-type: none"> ▶ Provides the perfect mounting platform ▶ Includes Quick Release Dock for easy removal from mounting surface ▶ 2" Heavy-Duty Pedestal with 1 square and 1 round base. ▶ Pre-drilled holes for AMPS hole patterns ▶ Commonly Bundled with: 246634 (ProClip's Power Supply Mount) ▶ Weight: 0.98 lb / 0.44 kg ▶ Compatible Printers: ZQ610, ZQ620, QLn220, QLn320 	
<p>215843 (Third Party)</p> <p>www.proclipusa.com</p>		<p>ProClip® Printer Pedestal Mount Kit, Quick Release Dock, 40 mm Release Lever</p>	<ul style="list-style-type: none"> ▶ Provides the perfect mounting platform ▶ Quick Release Power Dock allows charging of the printer and quick release from mounting location ▶ 2" Heavy-Duty Pedestal with 1 square and 1 round base. ▶ Pre-drilled holes for AMPS hole patterns ▶ Weight: 0.98 lb / 0.44kg ▶ Commonly Bundled with: 246634 (ProClip's Power Supply Mount) ▶ Compatible Printers: ZQ610, ZQ620, QLn220, QLn320 	
<p>215803 (Third Party)</p> <p>www.proclipusa.com</p>		<p>ProClip® Printer Mount Kit with Quick Release Power Dock</p>	<ul style="list-style-type: none"> ▶ Includes Quick Release Power Dock ▶ Quick Release Power Dock allows charging of the printer and quick release from mounting location ▶ Pre-drilled holes for AMPS hole patterns ▶ Commonly Bundled with: 246634 (ProClip Power Supply Mount) ▶ Weight: 0.6 lb / 0.27 kg ▶ Compatible Printers: QLn220, QLn320 	
<p>215806 (Third Party)</p> <p>www.proclipusa.com</p>		<p>ProClip® Zebra Printer Mount Kit with Quick Release Dock</p>	<ul style="list-style-type: none"> ▶ Includes Quick Release Dock for easy removal from mounting surface ▶ Pre-drilled holes for AMPS hole patterns ▶ Weight: 0.52 lb / 0.24 kg ▶ Compatible Printers: ZQ610, ZQ620, QLn220, QLn320 	

* = Please see the Regional AIT Power Cable TAG





** = Non purchasable part number




<p>BKT-QLN-BLK-VERT (Third Party)</p> <p>www.arrowheadphx.com</p>		<p>Arrowhead QLN Vertical Mount</p>	<ul style="list-style-type: none"> ▶ Arrowhead's wall bracket mounting kit gives you the flexibility to securely attach a printer on a wall while still giving you optimal access to the printer. ▶ This kit includes the wall bracket and screws. ▶ Wall printer mount kits provide secure storage for mobile printers and feature: Prime Optical Angle, Convenient Access, and Compatible with Zebra's Ethernet and Charge Cradle ▶ Dimensions: 9.5" (h) x 7" (w) x 5.75" (d) ▶ Includes bracket and mounting screws ▶ Weight: 1 lb / 0.45 kg ▶ Compatible Printers: QLn220, QLn320, ZQ610, ZQ620 	
<p>BKT-QLN-BLK-SHELF (Third Party)</p> <p>www.arrowheadphx.com</p>		<p>Arrowhead QLN Shelf Mount</p> <p>Brand: Arrowhead</p>	<ul style="list-style-type: none"> ▶ Arrowhead's wall bracket mounting kit gives you the flexibility to securely attach a printer on a wall while still giving you optimal access to the printer. ▶ This kit includes the wall bracket and screws. ▶ Wall printer mount kits provide secure storage for mobile printers and feature: Prime Optical Angle, Convenient Access, Compatible with Zebra's Ethernet and Charge Cradle ▶ Dimensions: 8.5"(h) x 6.5"(w) x 7.24"(d) ▶ Includes bracket and mounting screws ▶ Compatible Printers: QLn220, QLn320, ZQ610, ZQ620 	
<p>Carrying / Protection Options, Media Spacers, and Other Accessories</p>				
<p>P1031365-044 (ZQ610, QLn220)</p> <p>P1031365-029 (ZQ620, QLn320)</p> <p>P1050667-017 (ZQ630, QLn420)</p>		<p>Soft Case</p>	<ul style="list-style-type: none"> ▶ Add an extra layer of protection for harsh environments with a soft case. ▶ While in the case, the printer is IP54-rated resistance to windblown water and dust. ▶ Case provides openings for changing the media and batteries and all connectors are accessible. ▶ Shoulder strap length: 61 in / 129 cm ▶ Kit Includes: Soft Case and Shoulder Strap (P1031365-192) ▶ Compatible Printers: ZQ610, ZQ620, ZQ630, QLn220, QLn320, QLn420 ▶ Note: No pockets or holders for media and Does not increase drop spec 	

<p>P1031365-192</p>		<p>Shoulder Strap (61")</p>	<ul style="list-style-type: none"> ▶ Offers over-the-shoulder carrying option. Connects via looping strap. ▶ Length: 61 in / 154 cm ▶ Compatible Printers: ZQ610, ZQ620, ZQ630, QLn220, QLn320, QLn420 	
<p>P1065668-021</p>		<p>Healthcare  Shoulder Strap (61")</p>	<ul style="list-style-type: none"> ▶ Disinfectant ready shoulder strap for healthcare environments; offers over-the-shoulder carrying option. Connects via looping strap. ▶ Length: 61 in / 154 cm ▶ NOTE: Adapter hooks are sold separately. ▶ Compatible Printers: ZQ610 HC, ZQ620 HC, QLn220 HC, QLn320 HC 	<p>P1065668-022 HC Shoulder Strap Hooks</p>
<p>P1065668-022</p>		<p>Healthcare  Series Shoulder Strap Snap Hook Adapter (Quantity 2)</p>	<ul style="list-style-type: none"> ▶ Healthcare Shoulder Strap adapter hooks ▶ Includes two strap hooks ▶ Compatible Printers: ZQ610 HC, ZQ620 HC, QLn220 HC, QLn320 HC 	<p>P1065668-021 HC Shoulder Strap</p>
<p>P1031365-027</p>		<p>Hand Strap</p>	<ul style="list-style-type: none"> ▶ Hand strap which allows the printer to be carried by hand, like a toolbox. ▶ Length: 8 in / 20 cm ▶ Compatible Printers: ZQ610, ZQ620, ZQ630, QLn220, QLn320, QLn420 	
<p>P1065668-017 (QLn Healthcare  White)</p> <p>P1099875-057 (ZQ600 Healthcare  White)</p>		<p>Healthcare  White Belt Clip (Quantity 20)</p>	<ul style="list-style-type: none"> ▶ Replacement belt clips for the ZQ600 and QLn ▶ Contains 20 belt clips ▶ Compatible Printers: ZQ610, ZQ610 HC, ZQ620, ZQ630, ZQ620 HC, QLn220, QLn220 HC, QLn320, QLn320 HC, QLn420 ▶ NOTE: QLn White and ZQ600 White are different shades of white 	
<p>P1031365-028 (Standard Black)</p>		<p>Spare Black Belt Clip (Quantity 20)</p>	<ul style="list-style-type: none"> ▶ Replacement belt clips for the ZQ600 and QLn ▶ Contains 20 belt clips ▶ Compatible Printers: ZQ610, ZQ610 HC, ZQ620, ZQ620 HC, ZQ630, QLn220, QLn220 HC, QLn320, QLn320 HC, QLn420 	

Cables				
AT17010-1		USB Cable (9.5")	<ul style="list-style-type: none"> ▶ USB cable for setup/configuration of the ZQ600 and QLn ▶ USB-A to USB Mini B ▶ NOT for charging ▶ Length: 9.5 inches / 24 cm ▶ Compatible Printers: ZQ610, ZQ620, ZQ630, QLn220, QLn320, QLn420, RW220, RW420 	
P1031365-053		Serial Cable (PC-DB9) 6' Straight AP DTR	<ul style="list-style-type: none"> ▶ Cable connects from a ZQ600 and QLn to PC for serial communications. ▶ Compatible Printers: ZQ610, ZQ620, ZQ630, QLn220, QLn320, QLn420 ▶ Length: 6 ft / 1.8 m ▶ NOTE: Equivalent to discontinued QL Cable BL11757-001 	
P1031365-052		Serial Cable Adapter (12")	<ul style="list-style-type: none"> ▶ Serial Cable adapter which allows legacy QL cables to be used with ZQ600 and QLn. ▶ Length: 12 in / 30 cm ▶ Compatible Printers: ZQ610, ZQ620, ZQ630, QLn220, QLn320, QLn420 	
P1031365-054		MC9000 Serial Cable (9' 5")	<ul style="list-style-type: none"> ▶ Serial cable which connects the ZQ600 and QLn to MC9000 Series Handheld Mobile Computers. ▶ Compatible Printers: ZQ610, ZQ620, ZQ630, QLn220, QLn320, QLn420 ▶ Length: 9 ft 5 in / 2.8 m ▶ NOTE: Equivalent to discontinued QL Cable CL17305-1 	
P1031365-055		USB Cable with Strain Relief (6')	<ul style="list-style-type: none"> ▶ USB cable for connecting the ZQ600 and QLn to PCs / laptops. ▶ Prevents USB cable breakage via hard plastic twist lock. ▶ Length: 6 ft / 1.8 m ▶ Compatible Printers: ZQ610, ZQ620, ZQ630, QLn220, QLn320, QLn420 	
P1031365-056		Serial Cable, RJ-45 to Telxon Adapter, 8' Coiled AP DTR	<ul style="list-style-type: none"> ▶ Serial cable for connecting the ZQ600 and QLn to RJ-45 Telxon adapter. Prevents breakage via a hard-plastic twist lock. ▶ Compatible Printers: ZQ610, ZQ620, ZQ630, QLn220, QLn320, QLn420 ▶ Length: 8 ft / 2.4 m ▶ NOTE: Equivalent to discontinued QL Cable BL11122-1 	

P1031365-057		Serial Cable, RJ-45 to LS2208 Scanner (3' 5")	<ul style="list-style-type: none"> ▶ Serial cable for connecting the ZQ600 and QLn to an LS2208 scanner. ▶ Compatible Printers: ZQ610, ZQ620, ZQ630, QLn220, QLn320, QLn420 ▶ Length: 3 ft 5 in / 1 m ▶ NOTE: Equivalent to discontinued QL cable AK18192-1 	
P1031365-058		Serial Cable, RJ-45 to MC3000 (8' 4")	<ul style="list-style-type: none"> ▶ Serial cable for connecting the ZQ600 and QLn to MC3000 Series Handheld Mobile Computers. ▶ Compatible Printers: ZQ610, ZQ620, ZQ630, QLn220, QLn320, QLn420 ▶ Length: 8 ft 4 in / 2.5 m ▶ NOTE: Equivalent to discontinued QL Cable AK17591-345 	
P1031365-060		Serial Cable, RJ-45 to MC3000 8' Coiled AP DTR	<ul style="list-style-type: none"> ▶ Serial cable for connecting the ZQ600 and QLn to MC3000 Series Handheld Mobile Computers. ▶ Compatible Printers: ZQ610, ZQ620, ZQ630, QLn220, QLn320, QLn420 ▶ NOTE: Equivalent to discontinued QL Cable BL16713-1 	
P1031365-062		Serial Cable, RJ-45 with Strain Relief (9' 4")	<ul style="list-style-type: none"> ▶ Serial cable for connecting the ZQ600 and QLn to RJ-45 serial devices. Prevents breakage via a hard-plastic twist lock. ▶ Length: 9 ft 4 in / 2.84m ▶ NOTE: Equivalent to discontinued QL Cable BL12093-1 ▶ Compatible Printers: ZQ610, ZQ620, ZQ630, QLn220, QLn320, QLn420 	

Batteries				
<p>P1031365-059 (Standard Battery) END OF LIFE BATTERY</p> <p>Use following SKU instead: BTRY-MPP-34MA1-01</p>		<p>PowerPrecision+ 2450 mAh Li-Ion Rechargeable Battery (Standard Printer Battery)</p>	<ul style="list-style-type: none"> ▶ Standard printer battery which can be polled and managed to monitor battery health and recommend replacement. ▶ The battery keeps track of charge history and other critical parameters which can be read by outside entities (i.e.. PPME) ▶ Compatible Printers: ZQ610, ZQ620, QLn220, QLn320, ZQ510, ZQ520 ▶ Battery Capacity: 2450 mAh ▶ Replaced by the BTRY-MPP-34MA1-01 	
<p>BTRY-MPP-34MA1-01 (Standard Battery)</p>		<p>Spare Smart Battery 3250 mAh</p>	<ul style="list-style-type: none"> ▶ Standard printer battery which can be polled and managed to monitor battery health and recommend replacement. ▶ The battery keeps track of charge history and other critical parameters which can be read by outside entities (i.e.. PPME) ▶ Compatible Printers: ZQ610, ZQ620, QLn220, QLn320, ZQ510, ZQ520 ▶ Battery Capacity: 3250 mAh 	
<p>P1031365-069 (Extended Battery)</p>		<p>PowerPrecision+ 4900 mAh Li-Ion Rechargeable Battery (with LED)</p>	<ul style="list-style-type: none"> ▶ Extended Li-Ion battery with LED and twice the capacity. The battery keeps track of charge history and other critical parameters which can be read by outside entities (i.e.. PPME) ▶ LED indicates when the battery is beyond useful life/due for replacement. ▶ Compatible Printers: ZQ610, ZQ620, QLn220, QLn320, ZQ510, ZQ520 ▶ Battery Capacity: 4900 mAh 	
<p>P1065668-018 (Healthcare  Battery)</p>		<p>Healthcare  PowerPrecision+ 2450 mAh Li-Ion Rechargeable Battery White</p>	<ul style="list-style-type: none"> ▶ Healthcare printer battery which can be polled and managed to monitor battery health and recommend replacement. ▶ The battery keeps track of charge history and other critical parameters which can be read by outside entities (i.e.. PPME) ▶ Compatible Printers: ZQ610 HC, ZQ620 HC, QLn220 HC, QLn320 HC ▶ Battery Capacity: 2450 mAh ▶ Status: Not Current Accessory Replaced by BTRY-MPP-34MAHC1-01 	

<p>BTRY-MPP-34MAHC1-01 (Healthcare  Battery)</p>		<p>Healthcare  Spare Smart Battery 3250 mAh</p>	<ul style="list-style-type: none"> ▶ Healthcare printer battery which can be polled and managed to monitor battery health and recommend replacement. ▶ The battery keeps track of charge history and other critical parameters which can be read by outside entities (i.e.. PPME) ▶ Compatible Printers: ZQ610 HC, ZQ620 HC, QLn220 HC, QLn320 HC ▶ Battery Capacity: 3250 mAh ▶ Replaces the P1065668-018 	
--	---	--	---	--