

An annotated list of the genera of *Enicocephalidae* (Heteroptera)

PAVEL ŠTYS

Department of Systematic Zoology, Charles University, Praha

The present list of generic names has been compiled during the work on a Catalogue of the *Enicocephalidae* of the World. Since the Catalogue cannot be published until some major revisions have been completed, in the meantime such a list reflecting the present situation in the classification of the family might be useful for clarification and stabilization of some nomenclatural issues and as a source of references.

For each nominal species there is given reference to the original description, the type species and mode of its fixation. The term "monobasic" is used in all cases where the genus was originally established with a single nominal species, regardless whether its author designated that species as a type or not, since I do not see any reason for distinguishing these cases. The synonymy, history of status and taxonomic structure of all genera are explained in notes where also the type species are discussed if necessary. All references to synonymizations of older genera with *Enicocephalus* (= *Henicocephalus*) are, however, omitted since until recently the broad conception of this genus by numerous authors almost equaled that of the family. No data on distribution of genera and number of species are provided, since they would be meaningful for the recently revised New Zealand (Woodward, 1956), Ethiopian (Villiers, 1969) and Palaearctic (Štys, 1970 b) faunas only. Each reference has been checked against the original publication.

My thanks for help with the bibliographical part of the work are due to my wife, Xandra Štysová. I am also much indebted to Miss Pamela Gilbert, Librarian in the Department of Entomology, British Museum (Nat. Hist.), for her tireless efforts to put at my disposal many papers required for reference.

Family ENICOCEPHALIDAE Stål, 1860

Reference: Kongl. Svensk. Vetenskaps-akad. Handl. (N. F.), 2 (7) : 81.

Original spelling: *Enicocephalidae*.

Type genus: *Enicocephalus* Westwood, 1837.

Alternative ranking: *Enicocephalinae* (in *Reduviidae*): Ashmead, 1892 : 329.

Objective synonym: *Henicocephalidae* Stål, 1866.

Reference: *Hemiptera Africana*, 3 : 165.

Original spelling: *Henicocephalida*.

Type genus: *Henicocephalus* Agassiz, 1846 (unjustified emendation of *Enicocephalus* Westwood, 1837).

Alternative ranking: *Henicocephalinae* (in *Reduviidae*): Kirkaldy, 1901 : 217;

Henicocephalini (in *Reduviidae*): Puton, 1899 : 5.

Valid subfamilies: *Aenictopecheinae*, *Alienatinae*, † *Disphaerocephalinae*, *Enicocephalinae*.

Subfamily AENICTOPECHEINAE Usinger, 1932

Reference: Pan-Pacif. Ent., 8 : 149.

Original spelling: Aenictopechinae (emended by Štys, 1969b : 353).

Type genus: *Aenictopechys* Breddin, 1905.

Variant spellings: Aenictopechinae; Aenictophinae; Usinger, 1945 : 170; Aenictopechyitae; Jeannel, 1947 : 21.

Aenictocoris Woodward, 1956

Reference: Trans. R. Soc. N. Zealand, 80 : 404—405.

Type species: *Aenictocoris powelli* Woodward, 1956 : 405—407.

Fixation: Monobasic.

Aenictopechys Breddin, 1905

Reference: Mitt. Naturhist. Mus. Hamburg, 22 : 139—140.

Type species: *Aenictopechys necopinatus* Breddin, 1905 : 140—141.

Fixation: Monobasic.

Boreostolus Wygodzinsky & Štys, 1970

Reference: Amer. Mus. Novit., 2411 : 2—7.

Type species: *Boreostolus americanus* Wygodzinsky & Štys, 1970 : 7—12.

Fixation: By original designation.

Gamostolus Bergroth, 1927

Reference: Trans. N. Zealand Inst., 57 : 683.

Type species: *Henicocephalus subantarcticus* Berg, 1883 : 116—117.

Fixation: By original designation.

Note: Hudson (1950 : 153) designated *Henicocephalus subantarcticus* Berg, 1883 as type species of *Henicocephalus* — this designation is not valid. See *Henicocephalus*.

Lomagostus Villiers, 1958

Reference: Faune de Madagascar, 7 : 26—27.

Type species: *Lomagostus jeanneli* Villiers, 1958 : 28—29.

Fixation: Monobasic.

Maoristolus Woodward, 1956

Reference: Trans. R. Soc. N. Zealand, 84 : 394—395.

Type species: *Gamostolus tonnoiri* Bergroth, 1927 : 684.

Fixation: By original designation.

Megenicocephalus Usinger, 1945

Reference: Ann. Ent. Soc. Amer., 38 : 325, 328—329.

Type species: *Megenicocephalus chinai* Usinger, 1945 : 329—330.

Fixation: Monobasic.

Nymphocoris Woodward, 1956

Reference: Trans. R. Soc. N. Zealand, 84 : 401—402.

Type species: *Nymphocoris maoricus* Woodward, 1956 : 402—404.

Fixation: Monobasic.

† **Paenicotechys** Štys, 1969

Reference: Acta ent. bohemoslov., 66 : 353.

Type species: *Enicocephalus fossilis* Cockerell, 1916 : 135—136.
Fixation: Monobasic.

Subfamily ALIENATINAE Barber, 1953

Reference: Amer. Mus. Novit., 1614 : 1.

Original spelling: Alienatinae.

Type genus: *Alienates* Barber, 1953.

Alienates Barber, 1953

Reference: Amer. Mus. Novit., 1614 : 2.

Type species: *Alienates insularis* Barber, 1953 : 2—4.

Fixation: Monobasic.

Subfamily † DISPHAEROCEPHALINAE Štys, 1969

Reference: Acta ent. bohemoslov., 66 : 355—356.

Original spelling: Disphaerocephalinae.

Type genus: *Disphaerocephalus* Cockerell, 1917.

† **Disphaerocephalus** Cockerell, 1917

Reference: Amer. J. Sci., (Ser. 4), 44 : 361—362.

Type species: *Disphaerocephalus constrictus* Cockerell, 1917 : 361—362.

Fixation: By original designation.

Subfamily ENICOCEPHALINAE Stål, 1860

See Enicocephalidae.

First usage as subfamily name in Enicocephalidae: Usinger, 1932 : 149—150.

Objective synonyms:

a) Henicocephalinae Stål, 1866

See Henicocephalidae.

First usage as subfamily name in Enicocephalidae: Jeannel, 1942 : 295, 300—301
(as Henicocephalidae).

b)* Henicocephalini Stål, 1866

See Henicocephalidae.

First usage as tribal name in Henicocephalinae: Jeannel, 1942: 301, 322—323.

c)* Enicocephalini Stål, 1860

See Enicocephalidae.

First usage as tribal name in Enicocephalinae: Woodward, 1956: 410.

Subjective synonyms)*:

a) Phthirocorini Jeannel, 1942.

Reference: Ann. Soc. ent. France, 110 : 301, 316—317.

Original spelling: Phthirocorini.

Type genus: *Phthirocoris* Enderlein, 1904.

*) All tribes of Enicocephalinae (= Henicocephalinae) established by Jeannel (1942) were regarded as synonyms by Štys (1970a : 423).

b) Systelloderini Jeannel, 1942

Reference: Ann. Soc. ent. France, 110 : 301—302.

Original spelling: Systelloderini.

Type genus: *Systelloderes* Blanchard in Gay, 1852.

Alternative ranking: Systelloderinae (error): Zool. Rec. (1955), 92 (13): 485.

Aerorchestes Bergroth, 1927 — see **Henschiella** subg. **Aerorchestes**

Ceratotrachelus Usinger, 1945 — see **Embolorrhinus** subg. **Ceratotrachelus**

Chinella Usinger, 1945

Reference: Ann. Ent. Soc. Amer., 38 : 325—327.

Type species: *Henicocephalus emarginatus* Champion, 1898 : 161.

Fixation: By original designation.

Cocles Bergroth in Breddin, 1905

Reference: Mitt. Naturhist. Mus. Hamburg, 22 : 142.

Type species: *Cocles contemplator* Bergroth in Breddin, 1905 : 142.

Fixation: Monobasic.

Note: *Cocles*: Bergroth, 1893: 155 is a nomen nudum.

Compsoderes Jeannel, 1943 — subjective synonym of *Systelloderes*

Reference: Bull. Soc. ent. France, 48 : 114—116.

Type species: *Compsoderes eidmanni* Jeannel, 1943 : 115—116.

Fixation: Monobasic.

Synonymy: Synonymized with *Systelloderes* by Villiers (1963 : 324—325).

Desystellores Villiers, 1958

Reference: Faune Madagascar, 7 : 31, 34—35.

Type species: *Desystellores pauliani* Villiers, 1958 : 35.

Fixation: Monobasic.

Dicephalus Kirby, 1891 — subjective synonym of *Oncylocotis*

Reference: J. Linnean Soc., Zool., London, 24 : 115—117.

Type species: *Dicephalus telescopicus* Kirby, 1891 : 117.

Fixation: Monobasic.

Synonymy: See *Oncylocotis*. Synonymized with *Stenopirates* by Jeannel (1942 : 326), and with *Oncylocotis* by Usinger (1945 : 333), Usinger & Wygodzinsky (1960 : 224) and Štys (1969a : 280).

Didymocephalus Jeanne l, 1942 — subjective synonym of *Oncylocotis*

Reference: Ann. Soc. ent. France, 110 : 323, 335—337.

Type species: *Enicocephalus basalis* Westwood, 1837 : 23.

Fixation: By original designation.

Synonymy: See *Oncylocotis* and *Sphigmocephalus*. Synonymized with *Oncylocotis* by Usinger & Wygodzinsky (1960 : 224), Štys (1969a : 280) and Villiers (1969 : 16—18).

Note: Enderlein (1904 : 785) designated *Enicocephalus basalis* Westwood, 1837 as type species of *Henicocephalus* — this designation is not valid (Štys, 1970b : 227); see *Henicocephalus*. *Enicocephalus basalis* Westw. is not synonymous with *Stenopirates collaris* Walker, 1873 (type species of *Stenopirates*) as erroneously stated by Jeannel (1919 : 146).

Embolorrhinus Jeannel, 1942

Reference: Ann. Soc. ent. France, 110 : 323, 355—357.

Type species: *Henicocephalus tuberculatus* Bergroth, 1905b : 377—378.

Fixation: By original designation.

Valid subgenera: *Ceratotrachelus* and *Embolorrhinus*.**Embolorrhinus** subg. **Ceratotrachelus** Usinger, 1945

Reference: Ann. Ent. Soc. Amer., 38 : 325, 338.

Type species: *Henicocephalus cornifrons* Bergroth in Bergroth & Schouteden, 1905 : 385—386.

Fixation: By original designation.

Note: Founded as a distinct genus. Considered synonymous with *Embolorrhinus* by Usinger (1946 : 170) and Villiers (1969 : 108), as valid subgenus by Štys (1969a : 282).**Embolorrhinus** subg. **Embolorrhinus** Jeannel, 1942See *Embolorrhinus*.

First usage as subgeneric name: Štys (1969a : 282).

Enicocephalus Westwood, 1837

Reference: Trans. Ent. Soc. London, 2 (pt. 1) : 22—23.

Type species: *Enicocephalus flavicollis* Westwood, 1837 : 23.

Fixation: By original designation.

Objective synonym: *Henicocephalus* Agassiz, 1846 (unjustified emendation).For erroneous type designations see under *Henicocephalus*.Note: This is a collective genus of older authors, and it has been gradually restricted by Usinger (1932 : 146—153), Jeannel (1942 : 322—323) and Usinger (1945 : 325—326, 334); almost every generic name in *Enicocephalidae* published before 1932 appeared at some time as synonym of *Enicocephalus* and/or *Henicocephalus*. For the competition between these two generic names see under *Henicocephalus*. Originally described in *Reduviidae*.**Euchelichir** Jeannel, 1942

Reference: Ann. Soc. ent. France, 110 : 326—327.

Type species: *Henicocephalus hymenaeus* Bergroth, 1905b : 376.

Fixation: By original designation.

Note: Founded as a subgenus of *Stenopirates*; raised to generic rank by Villiers (1958 : 48).**Henicocephalus** Agassiz, 1846 — objective synonym (unjustified emendation) of *Enicocephalus*Reference: Nomenclatoris zool. index. univ. . . ., Soloduri, 4^o, p. 178.Type species: *Enicocephalus flavicollis* Westwood, 1837 : 23.Fixation: Isogenotypy, *Henicocephalus* being an unjustified emendation of *Enicocephalus*.Erroneous type designations: a) Enderlein (1904 : 783): *Enicocephalus basalis* Westwood, 1837 (as *Henicocephalus*) = *Oncylocotis basalis* — type species of *Didymostolus*; b) Hudson (1950 : 153): *Henicocephalus subantarcticus* Berg, 1883 = *Gamostolus subantarcticus* — type species of *Gamostolus*.Note: Agassiz (1846 : 178) emended *Enicocephalus* Westw. in *Henicocephalus*. With regard to Articles 32 and 33 of the present International Code of Zoological No-

menclature that was obviously an unjustified emendation, since "incorrect transliteration, improper latinization . . . are not to be considered inadvertent errors" (Art. 32(a)(ii)). *Henicocephalus* is, therefore, a junior objective synonym of *Enicocephalus*, and as such shares with it the same type species (see Štys, 1970b : 227). Numerous authors have, however, regarded Agassiz's action as a justified emendation and wrongly credited the authorship of *Henicocephalus* to Westwood (1837). For the taxonomic history of the genus see under *Enicocephalus*.

Henicocoris Villiers, 1969

Reference: Ann. Mus. R. Afrique Centr. Tervuren, Ser. in-8°, Sci. Zool., 176 : 15, 129.

Type species: *Henicocoris periscopicus* Villiers, 1969 : 129.

Fixation: Monobasic.

Henschiella Horváth, 1888

Reference: Rev. Ent., Caen, 7 : 169—170.

Type species: *Henschiella pellucida* Horváth, 1888 : 170—171.

Fixation: Monobasic.

Valid subgenera: *Aerorchestes*, *Henschiella*, *Trarza*.

Note: Originally described in *Ceratocombidae*. Regarded as synonymous with *Systeloderes* by Bergroth (1915 : 292) and Usinger (1932 : 151). The taxonomic conception of the genus has been clarified by Jeannel (1942 : 309—311), Štys (1968 : 328—330) and Villiers (1969 : 182—183).

Henschiella subg. **Aerorchestes** Bergroth, 1927

Reference: Trans. N. Zealand Inst. 57 : 684.

Type species: *Aenictopechys alluaudi* Jeannel, 1919 : 142—145.

Fixation: Monobasic.

Note: Founded as a distinct genus. Considered synonymous with *Henschiella* by Jeannel (1942 : 309) and Villiers (1969 : 182—183), regarded as subgenus of *Henschiella* by Štys (1968 : 337).

Henschiella subg. **Henschiella** Horváth, 1888

See *Henschiella*.

First usage as subgeneric name: Štys (1968 : 333, 336).

Henschiella subg. **Trarza** Villiers, 1955

Reference: Mém. Soc. R. ent. Belg., 27 : 486.

Type species: *Trarza seguyi* Villiers, 1955 : 487—488.

Fixation: Monobasic.

Note: Founded as a distinct genus. Considered synonymous with *Henschiella* by Villiers (1969 : 182—183), regarded as subgenus of *Henschiella* by Štys (1968 : 333, 339—340).

Hoplitocoris Jeannel, 1942

Reference: Ann. Soc. ent. France, 110 : 302, 313—315.

Type species: *Henicocephalus kenyensis* Jeannel, 1919 : 148—149.

Fixation: By original designation.

Valid subgenera: *Hoplitocoris* and *Pseudenicocephalus*.

Hoplitocoris subg. **Hoplitocoris** Jeannel, 1942

See *Hoplitocoris*.

First usage as subgeneric name: Štys (1970c : 80).

Hoplitocoris subg. **Pseudenicocephalus** Usinger, 1945

Reference: Ann. Soc. ent. Amer., 38 : 325, 336—337.

Type species: *Henicocephalus lewisi* Distant, 1903 : 53.

Fixation: By original designation.

Note: Founded as a distinct genus. Considered synonymous with *Hoplitocoris* by Usinger (1946 : 170) and Villiers (1969 : 130, 132), regarded as subgenus of *Hoplitocoris* by Štys (1970c : 80).**Hymenocoris** Uhler, 1892

Reference: Trans. Maryland Acad. Sci., 1 : 181—182.

Type species: *Hymenocoris formicinus* Uhler, 1892 : 182.

Fixation: Monobasic.

Note: Regarded as subgenus of *Stenopirates* by Jeannel (1942 : 327), but as a distinct genus by Jeannel (1944 : 127—128) and Usinger (1945 : 325, 338).**Hymenodectes** Uhler, 1892 — subjective synonym of *Systelloderes*

Reference: Trans. Maryland Acad. Sci., 1 : 180.

Type species: *Hymenodectes culicis* Uhler, 1892 : 181 = *Reduvius biceps* Say, 1831 : 32 (fide Bergroth, 1913 : 265 et auct.).

Fixation: Monobasic.

Synonymy: Synonymized with *Systelloderes* by Bergroth (1915 : 292); this followed by all subsequent authors. Erroneously synonymized with *Stenopirates* by Cockerell (1917 : 362).Note: The type species misspelled “*culicus*” by Usinger (1932 : 147, 1945 : 339) and Jeannel (1942 : 305).**Lococytionis** Villiers, 1969

Reference: Ann. Mus. R. Afrique Centr. Tervuren, Ser. in 8°, Sci. Zool., 176 : 14, 171.

Type species: *Lococytionis bruneauvi* Villiers, 1969 : 172.

Fixation: Monobasic.

Machadocoris Villiers, 1959

Reference: Publ. Cult. Diam. Angola, 45 : 107, 110.

Type species: *Machadocoris vilthenai* Villiers, 1959 : 110—111.

Fixation: Monobasic.

Mateucoris Villiers, 1958

Reference: Faune de Madagascar, 7 : 31, 36—37.

Type species: *Mateucoris hirsutus* Villiers, 1959 : 38.

Fixation: By original designation.

Nesenicocephalus Usinger, 1939

Reference: Proc. Hawaiian Ent. Soc., 10 : 268.

Type species: *Nesenicocephalus hawaiiensis* Usinger, 1939 : 268—269.

Fixation: By original designation.

Oncylocotis Stål, 1856

Reference: Öfv. Kongl. Vet.-Akad. Förh., 12 : 44.

Type species: *Oncylocotis nasutus* Stål, 1856 : 44.

Fixation: Monobasic.

Subjective synonyms: *Dicephalus* Kirby, 1891, *Didymocephalus* Jeannel, 1942, and *Sphigmocephalus* Enderlein, 1904.

Note: The synonymy of this largest genus of Enicocephalidae has been discussed by Usinger (1945 : 333), Usinger & Wygodzinsky, (1960 : 224—225), and Štys (1969a : 280); the conclusions of the above authors have been accepted by Villiers (1969 : 17—18). Jeannel (1942 : 323, 354—355) considered the South African species *Oncylocotis nasutus* Stål generically distinct from the others for which he proposed the genus *Didymocephalus*. The latter name has been commonly used between 1942—1969 by the European authors. If Jeannel's taxonomical opinion would prove correct, then *Dicephalus* has a priority over *Didymocephalus*. Even if *Dicephalus* based on a species from Ceylon would be regarded as generically distinct from "*Didymocephalus*", then *Sphigmocephalus* takes precedence over *Didymocephalus*; the type species of two latter genera are definitely congeneric (see under *Sphigmocephalus*).

Phthirocoris Enderlein, 1904

Reference: Zool. Anz., 27 : 786—787.

Type species: *Phthirocoris antarcticus* Enderlein, 1904 : 787—788.

Fixation: Monobasic.

Proboscipirates Villiers, 1958

Reference: Faune Madagascar, 7 : 47, 55.

Type species: *Proboscipirates griveaudi* Villiers, 1958 : 56—57.

Fixation: By original designation.

Pseudenicocephalus Usinger, 1945 — see **Hoplitocoris** subg. **Pseudenicocephalus**

Pseudohenschiella Villiers, 1958

Reference: Faune Madagascar, 7 : 31, 41—43.

Type species: *Pseudohenschiella usingeri* Villiers, 1958 : 43—44.

Fixation: By original designation.

Schenchiella Villiers, 1969

Reference: Ann. Mus. R. Afrique Centr. Tervuren, Ser. in-8°, Sci. Zool., 176 : 14—15, 103.

Type species: *Schenchiella pauliani* Villiers, 1969 : 103—104.

Fixation: Monobasic.

Sphigmocephalus Enderlein, 1904 — subjective synonym of *Oncylocotis*

Reference: Zool. Anz., 27 : 785.

Type species: *Henicocephalus curculio* Karsch, 1893 : 485 = *Oncylocotis basalis curculio*: Štys (1969a : 281) — see Note.

Fixation: By original designation.

Synonymy: Synonymized with *Oncylocotis* by Usinger (1945 : 333), Usinger & Wygodzinsky (1960 : 224—225), Štys (1969a : 280) and Villiers (1969 : 16). Erroneously rejected as "nomen nudum" (and regarded as synonym of *Didymocephalus*) by Jeannel (1942 : 335) since Enderlein based the genus on fictitious characters. See also under *Oncylocotis*.

Note: The type species of *Sphigmocephalus* (*Henicocephalus curculio* Karsch, 1893) and *Didymocephalus* (*Enicocephalus basalis* Westwood, 1837) are very closely related. Though treated as distinct species by Jeannel (1942 : 338) and Villiers

(1969 : 32), they were regarded as geographical subspecies by Štys (1969a : 281) or as synonyms (Lethierry & Severin, 1896 : 67, Usinger, 1945 : 333, Usinger & Wygodzinsky, 1960 : 225).

Stenopirates Walker, 1873

Reference: Catal. spec. Hem. Het. coll. Brit. Mus., 7 : 139.

Type species: *Stenopirates collaris* Walker, 1873 : 139.

Fixation: Van Duzee (1917 : 224) by subsequent designation.

Note: Founded in *Reduviidae*. The present conception of the genus has been clarified by Usinger (1945 : 325, 335—336) and Štys (1970b : 229) who also reviewed its history. Cockerell (1917 : 362) erroneously regarded *Hymenodectes* as a junior synonym of *Stenopirates*. Jeannel (1942 : 326—329) included *Euchelichir* and *Hymenocoris* in *Stenopirates* as subgenera; they have been subsequently raised to generic rank (see under these genera). The type species of *Stenopirates* is not synonymous with *Enicocephalus basalis* Westwood, 1837 (type species of *Didyμοcephalus*) as erroneously stated by Jeannel (1919 : 146).

Systelloderes Blanchard in Gay, 1852

Reference: Historia física y política de Chile, 7 : 224.

Type species: *Systelloderes moschatus* Blanchard in Gay, 1852 : 224.

Fixation: Monobasic.

Objective synonym: *Systelloderus* Stål, 1866 (unjustified emendation).

Subjective synonyms: *Compsoderes* Jeannel, 1943 and *Hymenodectes* Uhler, 1892.

Note: *Henschiella* erroneously regarded as synonym of *Systelloderes* by Bergroth (1915 : 292) and Usinger (1932 : 151). For the competition between *Systelloderes* and *Systelloderus* see under the latter.

Systelloderus Stål, 1866 — objective synonym (unjustified emendation) of *Systelloderes*

Reference: Hemiptera Africana, 3 : 166.

Type species: *Systelloderes moschatus* Blanchard in Gay, 1852 : 224.

Fixation: Isogenotypy, *Systelloderus* being an unjustified emendation of *Systelloderes*.

Note: The explanatory notes under *Henicocephalus* are applicable to the problem *Systelloderes* against *Systelloderus* as well. The history of the case is covered by Usinger (1932 : 151), who however still used the emended form and attributed the emendation to Walker (1873b : 22).

Trarza Villiers, 1955 see **Henschiella** subg. **Trarza**

Trichopirates Villiers, 1958

Reference: Faune Madagascar, 7 : 46, 53.

Type species: *Trichopirates robustus* Villiers, 1958 : 54—55.

Fixation: Monobasic.

Usingeriella Wygodzinsky, 1950

Reference: Proc. Linn. Soc. N. S. Wales, 75 : 81—82.

Type species: *Usingeriella boganensis* Wygodzinsky, 1950 : 82—83.

Fixation: Monobasic.

Vinsonicoris Villiers, 1969

Reference: Ann. Mus. R. Afrique Centr. Tervuren, Ser. in-8^o, Sci. Zool., 176 : 14, 180.

Type species: *Vinsonicoris mauricensis* Villiers, 1969 : 180—181.
Fixation: monobasic.

REFERENCES

- Agassiz J. L. R., 1846: Nomenclatoris zoologici index universalis. . . , 4^o. viii + 393 pp., Jent et Gassmann, Soloduri.
- Ashmead W. H., 1892: Notes on the genus *Enicocephalus* Westwood, and definition of a new species from Utah. *Proc. Ent. Soc. Wash.*, **2** : 328—330.
- Barber, H. G., 1953: A new subfamily, genus and species belonging to the family Enicocephalidae (Hemiptera, Heteroptera). *Amer. Mus. Novit.*, **1614** : 1—4.
- Berg C., 1883: Addenda et emendanda ad Hemiptera Argentina. *Continuatio. An. Soc. Cient. Argentina*, **16** : 105—125.
- Bergroth E. E., 1893: Notes Hémipterologiques. *Rev. Ent.*, Caen, **12** : 153—155.
- Bergroth E. E., 1905a: [Diagnosis of *Cocles contemplator* gen. n. sp. n.] in Breddin, 1905 : 142.
- Bergroth E. E., 1905b: Rhynchota Aethiopia. 4. *Ann. Soc. ent. Belg.*, **49** : 368—378.
- Bergroth E. E., 1913: On some North American Hemiptera. *Ent. News*, **24** : 263—267.
- Bergroth E. E., 1915: Ein neuer Ameisengast aus Südafrika (Hem. Heteropt.). *Wien. ent. Zeit.*, **34** : 291—292.
- Bergroth E. E., 1927: Hemiptera Heteroptera from New Zealand. *Trans. New Zealand Inst.*, **57** (1926) : 671—684.
- Bergroth E. E. & Schouteden H., 1905: Note sur les Hémiptères recueillis à Kinchassa par M. Waelbroeck. *Ann. Soc. ent. Belg.*, **49** : 379—389.
- Blanchard E., 1852: Orden 7 Hemipteros. In C. Gay: Historia física y política de Chile. . . Zoología. Vol. 7, pp. 113—320. Paris and Mus. hist. nat., Santiago.
- Breddin G., 1905: Rhynchota Heteroptera aus Java. *Mitt. Naturist. Mus. Hamburg*, **2** : 1092—159.
- Champion C. G., 1898: Insecta. Rhynchota. Hemiptera-Heteroptera. In: Biologia Centrali-Americana. Vol. 2 (1897—1901), 416 pp., 22 pls. Taylor & Francis, London.
- Cockerell T. D. A., 1916: Insects in Burmese Amber. *Amer. J. Sci.*, (4), **42** : 135—138.
- Cockerell T. D. A., 1917: Arthropods in Burmese Amber. *Amer. J. Sci.*, (4), **44** : 360—368.
- Distant W. L., 1903: Contributions to a knowledge of the Rhynchota. *Ann. Soc. ent. Belg.*, **47** : 43—65.
- Enderlein G., 1904: Phthirocoris, eine neue zu den Henicocephaliden gehörige Rhynchoten-Gattung von den Crozet-Inseln und Sphigmocephalus nov. gen. *Zool. Anz.*, **27** : 783—788.
- Horváth G., 1888: Matériaux pour servir à l'étude des Hémiptères de la faune paléarctique. *Ent.*, Caen., **7** : 168—189, pl. I. *Rév.*
- Hudson G. W., 1950: Fragments of New Zealand Entomology. 188 pp., Ferguson & Osborn Ltd., Wellington.
- Jeannel R., 1919: Voyage de Ch. Alluaud et R. Jeannel en Afrique Orientale (1911—1912). Résultats scientifiques. Insectes Hémiptères. 3. Henicocephalidae et Reduviidae. pp. 131—313. Léon Lhomme, Paris.
- Jeannel R., 1942: Les Hénicocephalides. Monographie d'un groupe d'Hémiptères hématophages. *Ann. Soc. ent. France*, **110** (1941) : 273—368.
- Jeannel R., 1943: Les Hénicocephalides de Fernando-Po (Hem.). *Bull. Soc. ent. France*, **48** : 114—117.
- Jeannel R., 1944: Nouveaux Hénicocephalides sudaméricains. *Bull. Soc. ent. France*, **48** (1943) : 125—128.
- Jeannel R., 1947: Croisière du Bougainville aux îles Australes françaises. 13. Hémiptères. *Mém. Mus. nat. Hist. nat.*, Paris (N. S.), **20** : 1—24.
- Karsch, F., 1893: Einige neue Wanzen der aethiopischen Region. *Berliner ent. Zeit.*, **37** (1892) : 481—486.
- Kirby F. W., 1891: Catalogue of the described Hemiptera Heteroptera and Homoptera of Ceylon, based on the collection formed (chiefly at Pundaloya) by Mr. E. Ernest Green. *J. Linnean Soc., Zool., London*, **24** : 72—176, pls. iv—vi.
- Kirkaldy G. W., 1901: An addition to the Rhynchotal fauna of New Zealand (*Henicocephalus Maclachlani*). *Ent. mo. Mag.*, **37** : 217—219.
- Lethierry L. & Severin G., 1896: Catalogue général des Hémiptères. Tome 3. Hétéroptères. 275 pp., Friedländer, Berlin.

- Puton A., 1899: Catalogue des Hémiptères (Hétéroptères, Cicadines et Psyllides) de la faune Paléarctique. Quatrième édition. 121 pp., Bureau Soc. Franç. Ent., Caen.
- Say T., 1831: Descriptions of new species of Heteropterous Hemiptera of North America. 39 pp., New Harmony, Indiana.
- Stål C., 1856: Hemiptera från Kafferlandet. *Öfv. Kongl. Vet.-Akad. Förh.*, **12** (1855) : 27–46.
- Stål C., 1860: Bidrag till Rio Janeiro-traktens Hemipter-fauna. Part. I. *Kongl. Svensk. Vet.-Akad. Handl.*, (N. F.), **2** (7) / 1857–1858 / : 1–84.
- Stål C., 1866: Hemiptera Africana. 3. 200 pp., Off. Norstedtiana, Holmiae.
- Štys P., 1968: A review of the genus *Henschiella* Horv. (Heteroptera: Enicocephalidae). *Acta Univ. Carol. Biol.*, **1967** : 327–347.
- Štys P., 1969a: Notes on the classification and nomenclature of Ethiopian Enicocephalidae (Heteroptera). *Ent. mo. Mag.*, **104** (1968) : 280–284.
- Štys P., 1969b: Revision of fossil and pseudofossil Enicocephalidae (Heteroptera). *Acta ent. bohemoslov.*, **66** : 352–365, 4 pls.
- Štys P., 1970a: Three new aberrant species of Systeloderes Blanch. from the Old World, and notes on the tribal classification of Enicocephalidae (Heteroptera). *Acta Univ. Carol. Biol.*, **1968** : 435–454.
- Štys P., 1970b: A review of the Palaearctic Enicocephalidae (Heteroptera). *Acta ent. bohemoslov.*, **67** : 223–240.
- Štys P., 1970c: A new species of the genus *Hoplitocoris* Jeannel from Ethiopia (Heteroptera: Enicocephalidae). *Acta faun. ent. Mus. nat. Pragae*, **13** (1968) : 75–85.
- Uhler P. R., 1892: Observations on some remarkable Heteroptera of North America. *Trans Maryland Acad. Sci.*, **1** : 179–184.
- Usinger R. L., 1932: Miscellaneous studies in the Hencocephalidae (Hemiptera). *Pan-Pacif. Ent.* **8** : 145–156.
- Usinger R. L., 1939: A new genus of Pacific Island Enicocephalidae with new species from the Hawaiian and Philippine Islands (Hemiptera). *Proc. Haw. ent. Soc.*, **10** : 267–270.
- Usinger R. L., 1945: Classification of the Enicocephalidae (Hemiptera, Reduivoidea). *Ann. Ent. Soc. Amer.*, **38** : 321–342.
- Usinger, R. L., 1946: Notes on the synonymy and classification of the Enicocephalidae. *Ann. Ent. Soc. Amer.*, **39** : 170.
- Usinger R. L. & Wygodzinsky P., 1960: Insects of Micronesia. Heteroptera: Enicocephalidae. *Ins. Micron.*, **7** (5) : 219–230, B. P. Bishop Museum, Honolulu.
- Van Duzee E. P., 1917: Catalogue of the Hemiptera of America North of Mexico excepting the Aphididae, Coccidae and Aleurodidae. *Univ. Calif. Publ., Techn. Bull.*, **2**, pp. xiv + 902.
- Villiers A., 1955: Les Hencocephalidae (Heteroptera) de la collection de l'Institut Français d'Afrique Noire. *Mém. Soc. R. ent. Belg.*, **27** : 484–494.
- Villiers A., 1958: Insectes Hemipteres Enicocephalidae. Faune de Madagascar. 7. 79 pp., Inst. Rech. Sci., Tananarivé – Tsimbazaza.
- Villiers A., 1959: Hémiptères Hénicocephalides du Musé de Dundo. *Publ. cult. Comp. Diam. Angola*, Lisbon, **45** : 105–121.
- Villiers A., 1963: Hemiptera (Heteroptera): Hencocephalidae. *S. Afr. Animal Life*, **9** : 324–336.
- Villiers A., 1969: Révision des Hémiptères Hencocephalidae Africains et Malgaches. *Ann. Mus. R. Afrique Centr. Tervuren, Ser. in-8°, Sci. Zool.*, **176** : 1–232.
- Walker F., 1873a: Catalogue of the specimens of Hemiptera Heteroptera in the collection of the British Museum. 7. iv + 213 pp., Brit. Mus., London.
- Walker F., 1873b: op. cit. 8. 220 pp.
- Westwood J. O., 1837: Descriptions of several new species of exotic Hemipterous insects. *Trans. Ent. Soc. London*, **2** / 1837–1840 / , pt. 1 / 1837 / : 18–24, pl. ii.
- Woodward T. E., 1956: The Heteroptera of New Zealand. Part ii — The Enicocephalidae. With a supplement to Part i (Cydnidae and Pentatomidae). *Trans. R. Soc. New Zealand*, **84** : 391 to 430.
- Wygodzinsky P., 1950: Reduivoidea from New South Wales. Notes and descriptions (Hemiptera). *Proc. Linn. Soc. N. S. Wales*, **75** : 81–88.
- Wygodzinsky P. & Štys P., 1970: A new genus of Aenictopecheine Bugs from the Holarctic (Enicocephalidae, Hemiptera). *Amer. Mus. Nov.*, **2411** : 1–17.

ADDENDUM

While this paper has been in press, two new genera have been described by Kritsky (1977); the paper has not been seen by me but all the necessary information was kindly provided by Mr. Kristky.

Tornocrusus Kristky, 1977

Reference: Ent. News, 88: 161.

Type species: *Tornocrusus stysi* Kritsky, 1977: 161-163.

Fixation: Monobasic.

Note: Aenictopecheine from Costa Rica.

Brevidorsus Kristky, 1977

Reference: Ent. News, 88: 164.

Type species *Brevidorsus arizonensis* Kritsky, 1977: 164-167.

Fixation: Monobasic.

Note: A small enicocephaline close to *Alienates* (Kritsky in litt.).

REFERENCE

Kritsky G., 1977: Two new genera of Enicocephalidae (Hemiptera). *Entomol. News*, 88: 161-168.