

ALPINE

Driving Mobile Media Innovation



PRODUCT LINEUP 2016-2017





ALPINE STYLE

Alpine offers a growing variety of car specific premium infotainment solutions for Mercedes-Benz, Audi and Volkswagen vehicles that perfectly integrate into the car's electronic environment.

Alpine Style brings cutting-edge navigation technology, the latest media compatibility and audiophile sound quality to your vehicle.

Perfect vehicle integration with premium components.

Performance without compromise.

Welcome to Alpine Style.



For Mercedes-Benz

Premium Alpine Style systems are available for Mercedes-Benz models:

- ML (W164)
- GL (X164)
- Vito (V639 & V447)
- Viano (W639)
- Sprinter (W906)

All components and the user interface are designed to perfectly match the vehicle's interior.



For Audi

Designed for the following Audi vehicles without MMI:

- A4, S4, RS4 (8K)
- A5, S5, RS5 (8T / 8F)
- Q5*, SQ5* (8R)

Additional audiophile sound systems are available for all vehicles listed.

* Left-hand drive model only.



For Volkswagen

Our latest Alpine Style system is exclusively designed for the Golf 7, featuring a huge 9" high-resolution touch-screen. The Alpine Style system is designed to work with the original VW reversing camera and parking sensors.

* Left-hand drive model only.



For more information on Alpine Style systems, see your country's Alpine website, dedicated catalogues or the Alpine Europe YouTube channel.

8-inch Monitors: Big Screen Entertainment and Navigation



X801D-U ADVANCED NAVI STATION

8"



Video: 8" (20.3 cm) WVGA touch screen • iPod video playback • Dual Zone Playback (Only HDMI connection) **Audio:** FLAC playback (48kHz) • 4 x 50W High Power Amp • WMA/MP3/AAC Playback • Built-in DAB/DAB+/DMB Tuner with DAB-DAB following • Alpine Tunelt App Ready • BASS ENGINE SQ • 3 PreOuts (4 Volts) • Dual 9-band Parametric EQ • Preset Equaliser (10 modes) • 6-Channel Digital Time Correction • Crossover • MediaXpander • 24-bit DAC **Navigation:** Built-in latest version of iGO PRIMO Navigation System • 48 European Countries covered • Built in TMC Tuner • Voice Guidance • Text to Speech • High resolution maps • 3D landmark icons • 3D City maps • Enhanced POI database • GPS Antenna included **Connectivity:** HDMI input / output • Made for iPhone and iPod • USB connection • CAN Interface Ready • Built-in Bluetooth® Module • Direct camera port • DVB-T Tuner Ready • Steering Wheel Remote Control Ready • Vehicle Display Interface Ready • 2x Rear A/V input, 1x HDMI output **General Features:** Microphone integrated • Menu in 24 languages • Anti-theft security code • USB Cable Included



DVE-5300 EXTERNAL DVD PLAYER

Video: DVD±R/±RW **Audio:** CD-R/-RW/WMA/MP3/AAC Playback **General Features:** 1DIN chassis • Remote control included

Add a DVD Player

The DVE-5300 is the perfect choice for adding DVD capability to the X801D-U and INE-W997D.



X800D-U ADVANCED NAVI STATION

8"



Video: 8" (20.3 cm) WVGA touch screen • iPod video playback (requires KCU-4611V) • DVD±R/±RW/DivX Playback • USB Video Playback • Dual Zone Playback **Audio:** 4 x 50W High Power Amp • CD-R/-RW/WMA/MP3/AAC Playback • Built-in DAB/DAB+/DMB Tuner • Alpine Tunelt App Ready • BASS ENGINE SQ • 3 PreOuts (4 Volts) • 9-band Parametric EQ • Preset Equaliser (10 modes) • 6-Channel Digital Time Correction • Crossover • MediaXpander • 24-bit DAC **Navigation:** Built-in high-performance iGO PRIMO 2 Navigation System • 48 European Countries covered • Built in TMC Tuner • Voice Guidance in 29 Languages • Text to Speech • High resolution maps • 3D landmark icons • 3D City maps • Enhanced POI database • GPS Antenna included **Connectivity:** HDMI input • Digital Optical Output • Made for iPhone and iPod • USB connection • CAN Interface Ready • Built-in Bluetooth® Module • Direct camera port • DVB-T Tuner Ready • Steering Wheel Remote Control Ready • Vehicle Display Interface Ready • 2x Rear A/V input, 1x output **General Features:** Microphone Included • Menu in 24 languages • Anti-theft security code • USB Cable Included

Alpine Tunelt App

Alpine Tunelt App gives you custom sound tuning capabilities right from your smartphone. Share your sound settings with other people, and see their settings, on the Alpine Cloud Server. You can also see and hear Facebook messages.



Built-in DAB Tuner

Built-in DAB, DAB+ and DMB tuners with Digital Audio Broadcasting deliver high digital sound clarity no matter where you're driving. If DAB is not available, the tuner switches to RDS. Includes Service Search function. Antenna sold separately.



INE-W928R ADVANCED NAVI STATION

8"



Video: 8" (20.3 cm) WVGA touch screen • iPod video playback (requires KCU-4611V) • DVD±R/±RW/DivX Playback • USB Video Playback **Audio:** 4 x 50W High Power Amp • CD-R/-RW/WMA/MP3/AAC Playback • 3 PreOuts (4 Volts) • 9-band Parametric EQ • Preset Equaliser (10 modes) • 6-Channel Digital Time Correction • Crossover • MediaXpander • 24-bit DAC **Navigation:** Built-in high-performance iGO PRIMO 2 Navigation System • 46 European Countries covered • Built in TMC Tuner • Voice Guidance in 29 Languages • Text to Speech (TTS) in 15 languages • High resolution maps • 3D landmark icons • 3D City maps • Enhanced POI database • GPS Antenna included **Connectivity:** Made for iPhone and iPod • USB connection • Built-in Bluetooth® Module • Direct camera port • DVB-T Tuner Ready • Steering Wheel Remote Control Ready • Vehicle Display Interface Ready • 2 x Rear A/V input, 1x output **General Features:** My Favourites Customisation • Microphone Included • Menu Language Selection (21 languages) • USB Cable Included

One Look Navi XL with 8" Screen

One Look Navi XL splits the screen so you can view and operate two sources at the same time. No more switching back and forth between navigation and music, for example. The large 8" screen is 43% bigger than 7" types, providing much higher visibility.



Built-in Bluetooth®

Built-in Bluetooth® enables hands-free phone use with Simple Secure Pairing plus audio streaming from your phone. You get auto phonebook updating, ABC search and much more.





Perfect F.I.T. Solutions for 8-inch Monitors



Volkswagen T5 with KIT-801T5

Audi TT with KIT-8TT

Mercedes A-Class with KIT-8MB

Fiat Ducato with KIT-8DUC

Volkswagen / Skoda / Seat

Model	Year	Connector	Kit
VW Amarok (2H)	03/2010 →	Quadlock	KIT-8VWT(D)(D2)(V)(X)
VW Beetle (5C)	11/2011 → 2015	Quadlock	KIT-8VWT(D)(D2)(V)(X)
VW Caddy (2K/2KN)	10/2003 → 2015	Quadlock	KIT-8VWT(D)(D2)(V)(X)
VW CC (3CC)	01/2012 → 2015	Quadlock	KIT-8VWT(D)(D2)(V)(X)
VW EOS (1F)	05/2006 → 05/2015	Quadlock	KIT-8VWT(D)(D2)(V)(X)
VW Golf V (1K/1KM)	10/2003 → 10/2009	Quadlock	KIT-8VWT(D)
VW Golf VI (1K/1KM)	11/2008 → 04/2013	Quadlock	KIT-8VWT(D)(D2)(V)(X)
VW Golf Plus (1KP)	03/2005 → 12/2008	Quadlock	KIT-8VWT(D)
VW Golf Plus FL (1KPF)	01/2009 → 2014	Quadlock	KIT-8VWT(D)(D2)(V)(X)
VW Jetta V (1KM)	08/2005 → 10/2010	Quadlock	KIT-8VWT(D)
VW Jetta VI (16)	01/2011 → 2015	Quadlock	KIT-8VWT(D)(D2)(V)(X)
VW Passat B6 (3C)	03/2005 → 07/2010	Quadlock	KIT-8VWT(D)
VW Passat CC (35)	06/2008 → 2012	Quadlock	KIT-8VWT(D)(D2)(V)(X)
VW Passat B7 (36)	11/2010 → 10/2014	Quadlock	KIT-8VWT(D)(D2)(V)(X)
VW Polo 5 (6R)	03/2009 → 04/2014	Quadlock	KIT-8VWT(D)(D2)(V)(X)
VW Scirocco III (13)	08/2008 →	Quadlock	KIT-8VWT(D)(D2)(V)(X)
VW Sharan II (7N)	09/2010 → 2015	Quadlock	KIT-8VWT(D)(D2)(V)(X)
VW T5 Facelift (7HE/J)	09/2009 → 06/2015	Quadlock	KIT-801T5
VW Tiguan (5N)	04/2007 → 2015	Quadlock	KIT-8VWT(D)(D2)(V)(X)
VW Touran (1T/GP/GP2)	02/2003 → 04/2015	Quadlock	KIT-8VWT(D)(D2)(V)(X)
Skoda Fabia II (5J)	03/2007 → 10/2014	Quadlock	KIT-8VWT(D)(D2)(V)(X)
Skoda Octavia II (1Z)	01/2009 → 2013	Quadlock	KIT-8VWT(D)(D2)(V)(X)
Skoda Rapid (NH)	10/2012 →	Quadlock	KIT-8VWT(D)(D2)(V)(X)
Skoda Roomster (5J)	09/2006 → 04/2015	Quadlock	KIT-8VWT(D)(D2)(V)(X)
Skoda Superb II (3T)	07/2008 → 06/2015	Quadlock	KIT-8VWT(D)(D2)(V)(X)
Skoda Yeti (5L)	08/2009 → 2015	Quadlock	KIT-8VWT(D)(D2)(V)(X)
Seat Alhambra (7N)	10/2010 → 2015	Quadlock	KIT-8VWT(D)(D2)(V)(X)
Seat Leon (1P/1PN)	03/2009 → 10/2012	Quadlock	KIT-8VWT(D)(D2)(V)(X)
Seat Toledo (KG)	03/2013 →	Quadlock	KIT-8VWT(D)(D2)(V)(X)
Seat Exeo (3R/3RN)	04/2009 → 05/2013	Quadlock/Mini-ISO	KIT-8A4
Seat Exeo (3R/3RN)	04/2009 → 05/2013	Quadlock	KIT-8A4D

Audi

Model	Year	Connector	Kit
Audi A3 (8P/8PA)	03/2003 → 2008	Quadlock/Mini-ISO	KIT-8A3
Audi A3 (8P/8PA)	03/2003 → 2008	Quadlock	KIT-8A3D
Audi A3 (8P/8PA)	2008 → 03/2013	Quadlock/Mini-ISO	KIT-8A3F
Audi A3 (8P/8PA)	2008 → 03/2013	Quadlock	KIT-8A3DF
Audi A4 (B6/B7)	2000 → 2008	Quadlock/Mini-ISO	KIT-8A4
Audi A4 (B6/B7)	2000 → 2008	Quadlock	KIT-8A4D
Audi TT (8J)	04/2006 → 07/2014	Quadlock/Mini-ISO	KIT-8TT

KIT-8A3D, KIT-8A3DF and KIT-8A4D support sub-display information.



Mercedes-Benz / Smart

Model	Year	Connector	Kit
MB A-Class (W169)	09/2004 → 04/2012	Quadlock/ISO	KIT-8MB
MB B-Class (T245)	06/2005 → 06/2011	Quadlock/ISO	KIT-8MB
MB V-Class (639)	2006 → 2014	Quadlock/ISO	KIT-8MB
Smart Fortwo (BR451)	09/2010 → 10/2014	Quadlock	KIT-8SMT

KIT-8MB supports sub-display information.



Porsche

Model	Year	Connector	Kit
Cayenne (9PA)	2002 → 2010	Quadlock/ISO	KIT-8CYE



Fiat / Citroen / Peugeot

Model	Year	Connector	Kit
Fiat Ducato III (250)	06/2006 →	Mini-ISO	KIT-8DUC
Citroen Jumper II (250)	06/2006 →	Mini-ISO	KIT-8DUC
Peugeot Boxer II (250)	06/2006 →	Mini-ISO	KIT-8DUC



KIA

Model	Year	Connector	Kit
Sportage III (SL)	2010 → 12/2015	KIA	KIT-8KSG
Sportage III (SL)	2010 → 12/2015	KIA	KIT-8KSB



Toyota

Model	Year	Connector	Kit
Prus III (ZVW30)	05/2009 → 04/2012	-	KTX-PRS8-S



Mitsubishi / Citroen / Peugeot

Model	Year	Connector	Kit
Mitsubishi ASX	06/2010 →	-	KIT-8ASX
Citroen C4 Aircross	04/2012 →	-	KIT-8ASX
Peugeot 4008	04/2012 →	-	KIT-8ASX



Nissan

Model	Year	Connector	Kit
Qashqai	12/2006 → 11/2013	-	KIT-8QQ2



Retain Steering Wheel and Vehicle Display Functions

Most kits include a steering wheel remote control interface, that allows you to retain all the functions of your steering wheel buttons, including volume, skip and even answering or rejecting incoming phone calls. The display in the centre of the instrument cluster will show information about the source that is playing, such as radio station names. If you want to keep the original sound system in the car, the interface allows this also.



KIT-8VWD and KIT-8VWTD support sub-display information.¹
 KIT-8VWD2 and KIT-8VWTD2 support advanced sub-display information.^{1,2}
 KIT-8VWT and KIT-8VWTV support sub-display and HVAC/OPS.³ Visualisation on the Alpine screen.^{1,2}
 KIT-8VWTX and KIT-8VWTX support sub-display and HVAC/OPS.³ Visualisation on the Alpine screen.^{1,2}, includes DAB Antenna (Available for use with X800D-U / X801D-U).
¹: Skoda/Seat with white Multi Function Display
²: VW Model later than 2010 with white Multi Function Display
³: Heating, Ventilation, Air Condition/Optical Parking Sensor

7-inch Monitors: Navigation and Entertainment are Extra Easy and Enjoyable



INE-W997D ADVANCED NAVI STATION

7"



Video: 7" (17,8 cm) WVGA touch screen • iPod video playback • Dual Zone Playback (Only HDMI connection) **Audio:** FLAC playback (48KHz) • 4 x 50W High Power Amp • WMA/MP3/AAC Playback • Built-in DAB/DAB+/DMB Tuner with DAB-DAB following • Alpine Tunelt App Ready • BASS ENGINE SQ • 3 PreOuts (4 Volts) • Dual 9-band Parametric EQ • Preset Equaliser (10 modes) • 6-Channel Digital Time Correction • Crossover • MediaXpander • 24-bit DAC **Navigation:** Built-in latest version of iGO PRIMO Navigation System • 48 European Countries covered • Built in TMC Tuner • Voice Guidance • Text to Speech • High resolution maps • 3D landmark icons • 3D City maps • Enhanced POI database • GPS Antenna included **Connectivity:** HDMI input / output • Made for iPhone and iPod • USB connection • CAN Interface Ready • Built-in Bluetooth® Module • Direct camera port • DVB-T Tuner Ready • Steering Wheel Remote Control Ready • Vehicle Display Interface Ready • 2x Rear A/V input, 1x HDMI output **General Features:** Microphone integrated • Menu in 24 languages • Anti-theft security code • USB Cable Included

iGO Primo Navigation System

The INE-W997D and X801D-U bring you the many benefits of the latest iGO Primo navigation software. This cutting-edge software employs ultra-fast route calculation, so there's less waiting before you start driving. It also features improved map graphics and user interface, as well as very smooth zooming and map rotation. In addition, you get dozens of new navigation options and features, making both short drives and long trips more efficient and pleasurable.



INE-W987D ADVANCED NAVI STATION

7"



Video: 7" (17,8 cm) WVGA detachable touch screen • iPod video playback (requires KCU-461IV) • DVD±R/±RW/DiVX Playback • USB Video Playback • Dual Zone Playback **Audio:** 4 x 50W High Power Amp • CD-R/-RW/WMA/MP3/AAC Playback • Built-in DAB/DAB+/DMB Tuner • Alpine Tunelt App Ready • BASS ENGINE SQ • 3 PreOuts (4 Volts) • 9-band Parametric EQ • Preset Equaliser (10 modes) • 6-Channel Digital Time Correction • Crossover settings • MediaXpander • 24-bit DAC **Navigation:** Built-in high-performance iGO PRIMO 2 Navigation System • 48 European Countries covered • Built in TMC Tuner • Voice Guidance • Text to Speech (TTS) • High resolution maps • 3D landmark icons • 3D City maps • Enhanced POI database • GPS Antenna included **Connectivity:** HDMI input • Digital Optical Output • Made for iPhone and iPod • USB connection • CAN Interface Ready • Built-in Bluetooth® Module • Direct camera port (with adjustable distance guides) • DVB-T Tuner Ready • Steering Wheel Remote Control Ready • Vehicle Display Interface Ready • 2x Rear A/V input, 1x output **General Features:** Microphone Included • Menu Language Selection (24 languages) • Anti-theft fully detachable Display • USB Cable Included

Alpine Tunelt App

Download the Alpine Tunelt app and you'll instantly have powerful sound processing features right on your smartphone. Set various tuning configurations for different genres and moods, then share them with other users on the Alpine Cloud Server. The app also displays Facebook messages, and even reads them to you.



iLX-700 DIGITAL MEDIA RECEIVER

Works with Apple CarPlay

7"



Video: 7" WVGA display with capacitive touch screen • LED backlighting technology **Audio:** 4 x 50W High Power Amp • Works with Apple CarPlay • 3 PreOuts (2 Volts) • 9-band Parametric EQ • Pre-setting Equaliser (10 modes) • 6-Channel Digital Time Correction • Digital Crossover • MediaXpander • Compatible with the Alpine Tunelt App for iPhone (required for most sound setting functions) **Connectivity:** Rear USB connection for iPhone • RCA camera port (with adjustable distance guides) • 1x A/V input (3.5mm mini jack) allows connection of an Alpine DVB-T or DAB tuner with direct touch control • Steering Wheel Remote Control Ready • CAN Interface Ready **General Features:** Shallow chassis for flexible installation • USB extension cable included **Compatibility:** Apple CarPlay requires an iPhone 6 / 6S / 6 Plus / 6S Plus or iPhone 5S / 5C / 5 with the latest iOS version for operation

Full iLX-700 installation kit for Golf 7

iLX-700 installation kit to retain vehicle setup functions. Includes trim plate, wiring harness, CAN interface and all other required parts for perfect integration into the Golf 7. KIT-700G7R is also available for the right-hand drive version.



KIT-700G7

Installation Kit for Volkswagen Golf 7





Perfect F.I.T. Solutions for 7-inch Monitors

Volkswagen / Skoda / Seat

Model *	Year	Connector	Kit
VW Amarok (2H)	03/2010 →	Quadlock	KIT-7VWX
VW Beetle (5C)	11/2011 → 2015	Quadlock	KIT-7VWX
VW Caddy (2K/2KN)	10/2003 → 2015	Quadlock	KIT-7VWX
VW CC (3CC)	01/2012 → 2015	Quadlock	KIT-7VWX
VW EOS (1F)	05/2006 → 05/2015	Quadlock	KIT-7VWX
VW Golf VI (1K/1KM)	11/2008 → 04/2013	Quadlock	KIT-7VWX
VW Golf Plus FL (1KP)	01/2009 → 2014	Quadlock	KIT-7VWX
VW Jetta VI (16)	01/2011 → 2015	Quadlock	KIT-7VWX
VW Passat CC (35)	06/2008 → 2012	Quadlock	KIT-7VWX
VW Passat B7 (36)	11/2010 → 10/2014	Quadlock	KIT-7VWX
VW Polo 5 (6R)	03/2009 → 04/2014	Quadlock	KIT-7VWX
VW Scirocco III (13)	08/2008 →	Quadlock	KIT-7VWX
VW Sharan II (7N)	09/2010 → 2015	Quadlock	KIT-7VWX
VW T5 Facelift (7H)	10/2009 → 06/2015	Quadlock	KIT-7VWX
VW Tiguan (5N)	04/2007 → 2015	Quadlock	KIT-7VWX
VW Touran (1T/GP/GP2)	02/2003 → 04/2015	Quadlock	KIT-7VWX
Skoda Fabia II (5J)	03/2007 → 10/2014	Quadlock	KIT-7VWX
Skoda Octavia II (1Z)	01/2009 → 2013	Quadlock	KIT-7VWX
Skoda Rapid (NH)	10/2012 →	Quadlock	KIT-7VWX
Skoda Roomster (5J)	09/2006 → 04/2015	Quadlock	KIT-7VWX
Skoda Superb II (3T)	07/2008 → 06/2015	Quadlock	KIT-7VWX
Skoda Yeti (5L)	08/2009 → 2015	Quadlock	KIT-7VWX
Seat Alhambra (7N)	10/2010 → 2015	Quadlock	KIT-7VWX
Seat Leon (1P/1PN)	03/2009 → 10/2012	Quadlock	KIT-7VWX
Seat Toledo (KG)	03/2013 →	Quadlock	KIT-7VWX



Volkswagen Passat with KIT-7VWX

KIT-7VWX

BMW



Model	Year	Connector	Kit
1 Series (E81, E82, E87, E88)	2004 → 2013	Quadlock	KIT-7BM1A * / KIT-7BM1M **
3 Series (E90, E91, E92, E93)	2005 → 2013	Quadlock	KIT-7BM3A * / KIT-7BM3M **

* For cars with automatic Air Conditioning. ** For cars with manual Air Conditioning.



KIT-7BM1M

Smart



Smart Fortwo with KIT-6.1SMT

Model	Year	Connector	Kit
Smart Fortwo (451)	09/2010 → 10/2014	ISO	KIT-6.1SMT



Smart Fortwo with KIT-W997SMTW

Model	Year	Connector	Kit
SMART Fortwo/Forfour (453)	11/2014 →	-	KIT-W997SMTB (black)
SMART Fortwo/Forfour (453)	11/2014 →	-	KIT-W997SMTW (white)



KPX-100B

Idle Stop Power Booster

Some cars have an auto stop/start feature that turns the engine off and on at traffic lights, etc. This power booster keeps the voltage supply to the head unit stable, so it does not shut off when the engine stops.

For more information on products, please visit your local Alpine website.

6.1-inch Monitors: Drive with a Clear View of Your Route and Map Details



INE-W990BT ADVANCED NAVI STATION

6.1"



- **Video:** 6.1" (15,5 cm) WVGA touch screen • iPod video playback (requires KCU-461iV) • DVD±R/±RW/DivX/CD-R/-RW Playback • USB Video Playback
- **Audio:** 4 x 50W High Power Amp • WMA/MP3/AAC Playback • Alpine Tunelt App Ready • 3 PreOuts (4 Volts) • 9-band Parametric EQ • 10 EQ Presets Equaliser • 6-Channel Digital Time Correction • Crossover • MediaXpander • 24-bit DAC
- **Navigation:** Built-in high-performance iGO PRIMO 2 Navigation System • 46 European Countries covered • Built in TMC Tuner • Voice Guidance • Text to Speech (TTS) • High resolution maps • Enhanced POI database • GPS Antenna included
- **Connectivity:** Made for iPhone and iPod • USB connection • Built-in Bluetooth® Module • AUX camera port • DVB-T Tuner Ready • Steering Wheel Remote Control Ready • Vehicle Display Interface Ready • 1x Rear A/V input, 1x Video Output
- **General Features:** Microphone Included • Menu Language Selection (24 languages) • Anti-theft security code • USB Cable Included



Free map update within 30 days after first usage

Check out <https://alpine.naviextras.com> to see if there is a map update available. The map update can be downloaded free of charge within a 30-day period after the device's first GPS fix. This ensures that you have the latest map on board after purchase of your device.



INE-W925R ADVANCED NAVI STATION

6.1"



- **Video:** 6.1" (15,5 cm) WVGA touch screen • iPod video playback (requires KCU-461iV) • DVD±R/±RW/DivX/CD-R/-RW Playback • USB Video Playback
- **Audio:** 4 x 50W High Power Amp • WMA/MP3/AAC Playback • Built-in DAB/DAB+/DMB Tuner • 3 PreOuts (4 Volts) • 9-band Parametric EQ • Preset Equaliser (10 modes) • 6-Channel Digital Time Correction • Crossover • MediaXpander • 24-bit DAC
- **Navigation:** Built-in high-performance iGO PRIMO 2 Navigation System • 46 European Countries covered • Built in TMC Tuner • Voice Guidance • Text to Speech (TTS) • High resolution maps • 3D landmark icons • 3D City maps • Enhanced POI database • GPS Antenna included
- **Connectivity:** Made for iPhone and iPod • USB connection • Built-in Bluetooth® Module • RCA and Direct camera port • DVB-T Tuner Ready • Steering Wheel Remote Control Ready • Remote Control Ready • Vehicle Display Interface Ready • 2x Rear A/V input, 1x output
- **General Features:** My Favourites Customisation • Microphone Included • Menu Language Selection (21 languages) • Detachable Faceplate • USB Cable Included

Built-in DAB, DAB+ and DMB Tuners

Radio listening has never been so enjoyable!

The INE-W925R has integrated DAB, DAB+

and DMB tuners that make the most of digital technology to provide excellent reception stability and noise-free audio quality. You also get Service Search, automatic switching between DAB and RDS (depending on regional availability) and a DAB antenna power supply. Optional Alpine DAB antennas are available (see page 15).



IVE-W585BT 2-DIN MOBILE MEDIA STATION

6.1"



- **Video:** 6.1" (15,5 cm) WVGA touch screen • DVD±R/±RW/DivX Playback • iPod video playback (requires KCU-461iV) • Visual EQ • USB Video Playback
- **Audio:** 4 x 50W High Power Amp • CD-R/-RW/WMA/MP3/AAC Playback • Alpine Tunelt App Ready (with iPhone and Android) • BASS ENGINE SQ • 3 PreOuts (4 Volts) • 9-band Parametric EQ • Preset Equaliser (10modes) • 6-Channel Digital Time Correction • Crossover settings • MediaXpander • 24-bit DAC • Sound customisation by car type
- **Connectivity:** Made for iPhone and iPod • USB connection • Built-in Bluetooth® Module • AVRCP Ver. 1.4 compatible • Simple Secure Pairing (SSP) • Camera input (RCA) • 1 x A/V input, 1 x A/V output • DVB-T ready • Steering Wheel Remote Control Ready • Remote Control Ready • Vehicle Display Interface Ready
- **General Features:** Menu Language Selection (24 languages) • Anti-theft Security Code • USB Cable Included • 8 Display colours selectable

Made for iPod iPhone

Made for iPhone, iPod

Use the Navi Station's large display to operate your iPhone or iPod, with the advantage of Quick Search to find songs fast. And thanks to iPod Video Playback, you can also watch videos on the screen (requires KCU-461iV).





IVE-W560BT MOBILE MEDIA STATION

6.2"






Video: 6.2" (15.7cm) WVGA touch screen • DVD±R/±RW/ Playback • iPod video playback • USB Video Playback • JPEG photo viewer
Audio: 4 x 50W High Power Amp • CD-R/-RW/WMA/MP3 Playback • 2 PreOuts (2 Volts) • 3-band Graphic EQ • Preset Equaliser (10modes)
 • Crossover settings • 24-bit DAC **Connectivity:** Made for iPhone and iPod • USB front connection • Built-in Bluetooth® Module • AVRCP Ver. 1.4 compatible • Camera input (RCA) • 1 x A/V input (3.5mm), 1 x A/V output • Steering Wheel Remote control ready (Analogue only) • Remote Control Ready **General Features:** Menu Language Selection (3 languages) • Anti-theft Security Code • Blue Illumination • Rotary Volume Knob

Choice of Two Language Sets

This Mobile Media Station is available in two versions, giving you a choice of two language sets. The IVE-W560BT has an interface that you can access in English, German or French. The IVE-W560BT-R can be operated in English, Russian or Italian. Other features are the same for both models.

User Interface language Variations

IVE-W560BT	  
IVE-W560BT-R	  

Alpine Perfect F.I.T. Installation Solutions

Volkswagen Integration Accessories



Parking Sensor Display



Climate Control Display

A problem encountered in some models when removing the factory head unit is that the parking sensor and climate control displays disappear. By using the APF-D200VW, they both appear in the multi-function display in the instrument cluster. It works with Golf 6 and compatible VWs with white MFD.

APF-D200VW

Steering Wheel Remote Control Interface with Vehicle Display Output



Parking Sensor Display



Climate Control Display

On some models, when the factory head unit is removed and replaced with the Alpine monitor, you lose the parking sensor and climate control displays on the screen. With this interface, you retain this visual information. It also includes a steering wheel remote control and vehicle display interface.

APF-V100VW

CAN to Video converter for VW Platform

Mercedes Integration Accessory



APF-D200MB

Steering Wheel Remote Control Interface with Vehicle Display Output

When you remove the original radio unit, the multi-function display in the instrument cluster goes blank. This accessory allows you to keep the original display and features, including radio RDS information, caller name and music information like song names, album titles and track numbers, included in KIT-8MB.

Truck and Camper Maps

Use Alpine Truck and Camper Maps (available from your dealer) to avoid roads unfit for your vehicle. These maps use the vehicle specifications and allowed speed to set route calculation. You only have to input the parameters once.



Software Compatibility

Software	Available for
TRUCK-G800	X800D-V / X800D-ML / X800D-U / INE-W987D
TRUCK-G500	INE-W977BT / INE-W928R / INE-W925R / INE-W920R
INE-W990BT-TR	INE-W990BT
INE-W970BT-TR	INE-W970BT

Wider, Clearer Views for Greater Safety

HCE-C127D

REVERSING CAMERA



■ **Viewing Angle:** Rear = Horizontal 131°, vertical 103° ■ **Viewing Modes:** 1 = Rear view ■ **Compatibility:** Works with products featuring Direct Camera Input ■ **General Features:** Automatic imaging function: exposure and white balance adjustment • Mirror image (NTSC) • Camera dimensions: W 23,6mm x H 23,6mm x D 24,0mm • Non-blackbox design • Includes 10,5 meter cable

A rear view camera is a great way to make reversing safer. The camera image automatically comes on when you shift into reverse, and distance guides that can be adjusted to match your car size help when parking. The cameras are very small, so they're easy to install and don't change the appearance of the car.



Rear View Camera

HCE-C125

REVERSING CAMERA



■ **Viewing Angle:** Rear = Horizontal 131°, vertical 103° ■ **Viewing Modes:** 1 = Rear view ■ **General Features:** Automatic imaging function: exposure and white balance adjustment • Mirror image (NTSC) • Camera dimensions: W 23,6mm x H 23,6mm x D 24,0mm • Black-box dimensions: W 38,0mm x H 25,0mm x D 15,0mm • Standard RCA connectivity

Wide View Rear Camera

HCE-C157D

REVERSING CAMERA



■ **Viewing Angle:** Rear = Horizontal 190°, vertical 150° ■ **Viewing Modes:** 1 = Rear view ■ **Compatibility:** Works with products featuring conventional RCA input for NTSC Video ■ **General Features:** Ultra wide angle, camera with mounting kit • Automatic imaging function: Exposure and white balance adjustment • Mirror image (NTSC) • Includes direct camera connection

HCE-C155

REVERSING CAMERA



■ **Viewing Angle:** Rear = Horizontal 190°, vertical 150° ■ **Viewing Modes:** 1 = Rear view ■ **Compatibility:** Works with products featuring conventional RCA input for NTSC Video ■ **General Features:** Ultra wide angle, camera with mounting kit • Automatic imaging function: Exposure and white balance adjustment • Mirror image (NTSC) • Black-box dimensions: W 100mm x H 50mm x D 25mm • Standard RCA connectivity

Multi-View Front Camera


HCE-C257FD

MULTI-VIEW FRONT CAMERA SYSTEM



■ **Viewing Angle:** Front = Horizontal 180°, vertical 142° ■ **Viewing Modes:** 3 = Corner view, ground view, panorama view ■ **General Features:** Ultra wide angle camera • Automatic imaging function: exposure and white balance adjustment • Camera dimensions: W 23,6mm x H 23,6mm x D 25,8mm • Works with products featuring Direct Camera Input

Wide viewing range provides better visibility when coming out of 'blind' alleys or around obstructed corners. Especially useful for reducing blind spots with SUVs and minivans.



Multi-View Rear Camera

HCE-C252RD

MULTI-VIEW REAR CAMERA



■ **Viewing Angle:** Rear = Horizontal 180°, vertical 142° ■ **Viewing Modes:** 4 = Corner view, ground view, panorama view, rear view ■ **Compatibility:** Works with products featuring Direct Camera Input ■ **General Features:** Automatic imaging function: exposure and white balance adjustment • Mirror image (NTSC) • Camera dimensions: W 23,6mm x H 23,6mm x D 25,8mm



KCX-C200B

DUAL MULTI-CAMERA INTERFACE

- Camera accessory for direct connection camera kits
- Enables connection of one or two Multi-View cameras to screens with RCA input
- Includes camera mode switch



The Clear Choice in Rear Seat Entertainment



PKG-RSE3HDMI

10.2" WSVGA OVERHEAD MONITOR WITH DVD PLAYER

10.2" **HDMI** **USB** **MP3** **DVD** **VIDEO** **WVGA**

- **Audio & Video:** 10.2" WSVGA High-Definition Flip-Down Monitor (1.84 million pixels) • DVD-R/-RW Compatible • AVI, MPEG, MP4, RMVB, MP3, WMA, AAC, and JPEG Playback • XviD playback
- **Connectivity:** 2 HDMI inputs, 1 USB Port, 1 A/V Input, 1 A/V Output
- **General Features:** Includes 2 Wireless Headphones and Wireless Remote Control • Includes Console Shroud Covers in Three Colours (Black, Grey, Gold)



KCU-315UH

4.5 meter HDMI / USB extension cable with flush mount socket and flip-up dust cover



PKG-2100P

10.2" WVGA OVERHEAD MONITOR WITH DVD AND DivX PLAYER

10.2" **MP3** **DivX**

DVD **VIDEO** **WVGA** **Game** **port**

- **Video:** 10.2" WVGA Screen LCD Colour Monitor (1.15 million pixels) • DVD-R/-RW Compatible • DivX Playback
- **Audio:** MP3 Playback
- **Connectivity:** 1 A/V Output and 3 A/V Inputs (1 S-Video, 1 Game port in Monitor Enclosure)
- **General Features:** Includes Single Source Wireless Headphone, Cable Harness and Installation Kit with Trim Ring



TMX-310U 10.2" WVGA OVERHEAD MONITOR WITH HD USB MEDIA PLAYER

10.2" **USB** **SD** **MP3** **AVC** **AAC** **WVGA** **Game** **port**

- **Video:** 10.2" WVGA Screen LCD Colour Monitor (1.15 million pixels) • MPEG-1/2/4/ H264 (AVC) in HD and SD Compatible • Xvid Playback • Plays all commonly used video formats
- **Audio:** MP3/AAC/WMA Playback • Built-in Analogue/Digital infrared Headphone Transmitter
- **Connectivity:** 2 USB ports • SD card slot • 1 A/V Output and 2 A/V Inputs (incl. 1 Game port in Monitor Enclosure)
- **General Features:** Cable Harness and Installation Kit • Built-in Dome Lights • Wireless Remote Control • Compatible with SHS-D400, SHS-N106 and SHS-N206

SHS-D400 QUAD-SOURCE DIGITAL HEADPHONES

Digital, 4-channel wireless headphones for use with TMX-310U • CD-level sound quality • Folding design to be easily stored in a seat pocket • High comfort, adjustable headband



TUE-T150DV **DVB** **Digital Video Broadcasting**

- **General Features:** Multi Language On Screen Display • Auto Search • EPG/Tele Text • 2 Ch Antenna Diversity System • Remote Control Included • 1 A/V input / output • DVB ID Number 4314 • Remote Out cable



KAE-205DV

ACTIVE DVB-T SCREEN ANTENNA SET **DVB** **Digital Video Broadcasting**

- Full VHF and UHF Reception (40-800MHz) • Amplification +16dB • 5m cable with F-Type Plugs



KAE-210DV

ACTIVE DVB-T ANTENNA SET **DVB** **Digital Video Broadcasting**

- Full VHF and UHF Reception (174-230MHz, 470-863MHz)
- Low Noise Amplifier • 5m cable with F-Type Plugs • LED Power Indicator • GSM Filter



TME-M780 7" WIDE SCREEN MONITOR

- **Video:** 7" WVGA LCD Colour Monitor
- **Connectivity:** 3 A/V Inputs (1 A/V Output Selectable)
- **General Features:** Installation Kit Included • Built-in IR Transmitter for Alpine Headphones • TME-M780EM: Add-on Display without Black box for Dual Monitor Upgrade



TME-M680 5.8" WIDE SCREEN MONITOR

- **Video:** 5.8" QVGA LCD Colour Monitor
- **Connectivity:** 3 A/V Inputs (1 A/V Output Selectable)
- **General Features:** Installation Kit Included • Built-in IR Transmitter for Alpine Headphones • TME-M680EM: Add-on Display without Black box for Dual Monitor Upgrade



DHA-S690 **DVD** **VIDEO** **DivX** **Optical**

- **Video:** DVD±R/±RW/DivX Playback
- **Audio:** CD/MP3/WMA/AAC Playback • 24-Bit DAC • Dolby® Digital and DTS compatible
- **Connectivity:** Ai-NET and stand-alone operation • Optical output
- **General Features:** DVD-Audio 2-channel down-mix • Remote control included • Touch Control Ready

SHS-N206 DUAL SOURCE WIRELESS HEADPHONES

Dual source fold-flat wireless headphones.



SHS-N106 SINGLE SOURCE WIRELESS HEADPHONES

Single channel wireless headphones for use with PKG-RSE3HDMI, PKG-2100P and TMX-310U



Move Up to Superior Sound with Unrivaled Operating Ease



DAB+
Digital Audio Broadcasting



Alpine TuneIt App



Alpine TuneIt App

CDE-196DAB

CD RECEIVER WITH DAB AND BLUETOOTH®



■ **Audio:** 4 x 50W High-Quality Built-In Amplifier for Excellent Sound Quality • Built-in DAB/DAB+/DMB Tuner • CD-R/-RW/MP3/WMA/AAC Playback • FLAC Playback • 3 PreOuts • BASS ENGINE SQ (6-level adjustment) • Preset EQ (10 modes) • 9-band Parametric EQ • MediaXpander • 3-way Crossover • 24-bit DAC ■ **Connectivity:** Alpine TuneIt App Ready with iPhone and Android • Built-in Bluetooth module • BT Audio Streaming • Front USB port with 1000mA charging support • Made for iPhone and iPod • App Direct Mode • Front AUX input (3.5mm mini jack) • Vehicle Display Interface Ready • Steering Wheel Remote Control Ready • Remote Control Ready ■ **General Features:** Variable RGB Illumination with over 150,000 colour variations (separate for display and button illumination) • LCD Display • Non-shutdown design for vehicles with start-stop engine system • Detachable faceplate with carry case • Menu language selectable • Source key with adjustable brightness • Customizable opening message

CDE-178BT

CD RECEIVER WITH BLUETOOTH®



■ **Audio:** 4 x 50W High Power Amp • CD-R/-RW/MP3/WMA/AAC Playback • 3 PreOuts (4 Volts) • BassEngine Pro • 6-Channel Digital Time Correction • 9-band Parametric EQ • MediaXpander • Digital Crossover • Subwoofer Level Control and Phase Selector • 24-bit DAC ■ **Connectivity:** Alpine TuneIt App Ready with iPhone and Android • Built-in Bluetooth module • BT Audio Streaming • Made for iPhone and iPod • App Direct Mode • Rear USB port with 1000mA charging support • Rear AUX input (3.5mm mini jack) • Vehicle Display Interface Ready • Steering Wheel Remote Control Ready • Remote Control Ready ■ **General Features:** High Resolution LCD Display • Non-shutdown design for vehicles with start-stop engine system • 4 Illumination Colours Selectable (blue/red/green/amber) • USB Cable Included • Microphone Included • Menu language selectable



CDE-195BT

CD RECEIVER BLUETOOTH®



■ **Audio:** 4 x 50W High-Quality Built-In Amplifier for Excellent Sound Quality • CD-R/-RW/MP3/WMA/AAC Playback • 3 PreOuts • BASS ENGINE SQ (6-level adjustment) • Preset EQ (10 modes) • 9-band Parametric EQ • MediaXpander • 3-way Crossover • 24-bit DAC ■ **Connectivity:** Alpine TuneIt App Ready with iPhone and Android • Built-in Bluetooth® module with AVRCP 1.4 support • BT Audio Streaming • Front USB port with 1000mA charging support • Made for iPhone and iPod • App Direct Mode • Front AUX input (3.5mm mini jack) • Steering Wheel Remote Control Ready • Remote Control Ready ■ **General Features:** Variable RGB Illumination with over 150,000 colour variations (separate for display and button illumination) • 2-line LCD Display • Non-shutdown design for vehicles with start-stop engine system • Detachable faceplate with carry case • Menu language selectable



CDE-185BT

CD RECEIVER WITH ADVANCED BLUETOOTH®



■ **Audio:** 4 x 50W High-Quality Built-In Amplifier for Excellent Sound Quality • CD-R/-RW/MP3/WMA/AAC Playback • 3 PreOuts • BASS ENGINE SQ (6-level adjustment) • Preset EQ (10 modes) • 9-band Parametric EQ • MediaXpander • High-pass/Low-pass Filter • 24-bit DAC ■ **Connectivity:** Alpine TuneIt App Ready with iPhone and Android • Built-in Bluetooth® module with AVRCP 1.4 support • BT Audio Streaming • Front USB port with 1000mA charging support • Made for iPhone and iPod • App Direct Mode • Voice Control activation key (requires compatible mobile phone) • Front AUX input (3.5mm mini jack) • Steering Wheel Remote Control Ready • Remote Control Ready ■ **General Features:** Multicolour Illumination with over 150,000 colour variations (for display and button illumination) • 2-line LCD Display • Spectrum Analyser • Non-shutdown design for vehicles with start-stop engine system • Quick Search • RDS Tuner with TA and EON Support • Detachable faceplate with carry case • Menu language selectable (German, Spanish, French, English, Dutch, Italian, Russian)



CDA-137BTi

CD RECEIVER WITH ADVANCED BLUETOOTH®



■ **Audio:** 4 x 50W High Power Amp • BT Audio Streaming • CD-R/-RW/MP3/AAC/WMA Playback • BassEngine Pro • 6-Channel Digital Time Correction • 7-band Graphic EQ or 5-band Parametric EQ • High Pass Filter • Digital AM/FM Tuner • Auto Volume • 24-Bit DAC • 3 PreOuts (4 Volts) ■ **Connectivity:** Built-in Parrot® Bluetooth® module • Advanced Bluetooth® Functions (BT Plus) • Rear USB port • Made for iPhone and iPod • IMPRINT Ready with PXA-H800 • Steering Wheel Remote Control Ready • Vehicle Display Interface Ready • AUX Input (requires KCA-121B) ■ **General Features:** BioLite Display • Quick Search • Ai-NET • 4 Illumination Colours Selectable (blue/green/red/amber) • Remote Control Included • 2.0m USB cable and 30-pin iPod / USB adapter Included

What Makes a Great CD Receiver? Alpine Sound Plus Alpine Design



CDE-193BT CD RECEIVER WITH BLUETOOTH®



■ **Audio:** 4 x 50W High-Quality Built-In Amplifier for Excellent Sound Quality • CD-R/-RW/MP3/WMA/AAC Playback • FLAC Playback • 3 PreOuts • BASS ENGINE SQ (6-level adjustment) • Preset EQ (10 modes) • 9-band Parametric EQ • MediaXpander • 3-way Crossover • 24-bit DAC ■ **Connectivity:** Alpine Tunelt App Ready with iPhone and Android • App Direct Mode • Built-in Bluetooth module • BT Audio Streaming • Front USB port with 1000mA charging support • Made for iPhone and iPod • Front AUX input (3.5mm mini jack) • Vehicle Display Interface Ready • Steering Wheel Remote Control Ready • Remote Control Ready ■ **General Features:** Variable RGB Illumination with over 150,000 colour variations (separate for display and button illumination) • LCD Display • Non-shutdown design for vehicles with start-stop engine system • Detachable faceplate with carry case • Menu language selectable • Source key with adjustable brightness • Customizable opening message



CDE-173BT CD RECEIVER WITH BLUETOOTH®



■ **Audio:** 4 x 50W High Power Amp • CD-R/-RW/MP3/WMA/AAC Playback • 2 PreOuts • 3-band Parametric EQ • MediaXpander • High-pass / Low-pass Filter ■ **Connectivity:** Built-in Bluetooth® module • BT Audio Streaming • Made for iPhone and iPod • App Direct Mode • Front USB port with 1000mA charging support • Front AUX input (3.5mm mini jack) • Steering Wheel Remote Control Ready • Remote Control Ready ■ **General Features:** White LCD Display • Quick Search • RDS Tuner with TA and EON Support • 2 Illumination Colours Selectable (red/green)



150,000 Colours!
Talk about colourful! This model lets you freely scan through a range of 150,000 colours to select the one you want for the panel illumination and buttons.

CDE-W296BT 2-DIN CD RECEIVER WITH ADVANCED BLUETOOTH®



■ **Audio:** 4 x 50W High-Quality Built-In Amplifier for Excellent Sound Quality • CD-R/-RW/MP3/WMA/AAC Playback • 3 PreOuts • BASS ENGINE SQ (6-level adjustment) • Preset EQ (10 modes) • 9-band Parametric EQ • MediaXpander • 3-way Crossover • 24-bit DAC ■ **Connectivity:** Alpine Tunelt App Ready with iPhone and Android • Built-in Bluetooth® module with AVRCP 1.4 support • BT Audio Streaming • Front USB port with 1000mA charging support • Made for iPhone and iPod • Front AUX input (3.5mm mini jack) • Steering Wheel Remote Control Ready • Remote Control Ready ■ **General Features:** Variable RGB Illumination with over 150,000 colour variations (separate for display and button illumination) • 2-line LCD Display • Non-shutdown design for vehicles with start-stop engine system • Menu language selectable



CDE-192R CD RECEIVER / USB AND iPod CONTROLLER



■ **Audio:** 4 x 50W High Power Amp • CD-R/-RW/MP3/WMA/AAC Playback • 3 PreOuts • BASS ENGINE SQ (6-level adjustment) • Preset EQ (10 modes) • 3-band Parametric EQ • Low-pass Filter ■ **Connectivity:** Front USB port with 1000mA charging support • Made for iPhone and iPod • App Direct Mode • Front AUX input (3.5mm mini jack) • Steering Wheel Remote Control Ready • Remote Control Ready ■ **General Features:** White LCD Display • Quick Search • RDS Tuner with TA and EON Support • Detachable faceplate with carry case • Dual Illumination (red / green) • Menu language selectable (German, Spanish, French, English, Dutch, Italian, Russian)



Red Illumination



Green Illumination



CDE-190R CD RECEIVER / USB CONTROLLER



■ **Audio:** 4 x 50W High Power Amp • CD-R/-RW/MP3/WMA/AAC Playback • 2 PreOuts • BASS ENGINE SQ (6-level adjustment) • Preset EQ (10 modes) • 3-band Parametric EQ • Low-pass Filter ■ **Connectivity:** Front USB port with 1000mA charging support • Front AUX input (3.5mm mini jack) • Steering Wheel Remote Control Ready • Remote Control Ready ■ **General Features:** White LCD Display • Quick Search • RDS Tuner with TA and EON Support • Detachable faceplate with carry case • Dual Illumination (red / green) • Menu language selectable (German, Spanish, French, English, Dutch, Italian, Russian)



Red Illumination



Green Illumination



CDE-W235BT 2-DIN CD RECEIVER WITH ADVANCED BLUETOOTH®



■ **Audio:** 4 x 50W High Power Amp • BT Audio Streaming • CD-R/-RW/MP3/WMA/AAC Playback • 1 PreOut with Subwoofer Level Control • 3-band Parametric EQ • Factory EQ with 10 presets • High-pass / Low-pass Filter ■ **Connectivity:** Built-in Bluetooth® module • Advanced Bluetooth® Functions (BT Plus) • Made for iPod and iPhone • Front USB Port • USB connection for iPhone and iPod or USB sticks • Front AUX Input (3.5mm mini jack) • Remote Control Ready • Steering Wheel Remote Control Ready ■ **General Features:** 2-line LCD-Display • Quick Search

CDE-W233R

2-DIN CD RECEIVER WITH USB AND iPod CONTROLLER

• Same Features as CDE-W235BT, but without Bluetooth® function, WMA and AAC • Blue Illumination

The Elegant, Easy Way to Enjoy Portable Digital Media



UTE-93DAB

DIGITAL MEDIA RECEIVER WITH DAB AND BLUETOOTH®



■ **Audio:** 4 x 50W High-Quality Built-In Amplifier for Excellent Sound Quality • Built-in DAB/DAB+/DMB Tuner • MP3/WMA/AAC/FLAC Playback • 3 PreOuts • BASS ENGINE SQ (6-level adjustment) • Preset EQ (10 modes) • 9-band Parametric EQ • MediaXpander • 3-way Crossover • 24-bit DAC ■ **Connectivity:** Alpine Tunelt App Ready with iPhone and Android • Built-in Bluetooth module • BT Audio Streaming • Front USB port with 1000mA charging support • Made for iPhone and iPod • App Direct Mode • Front AUX input (3.5mm mini jack) • Vehicle Display Interface Ready • Steering Wheel Remote Control Ready • Remote Control Ready ■ **General Features:** Variable RGB Illumination with over 150,000 colour variations (separate for display and button illumination) • LCD Display • Non-shutdown design for vehicles with start-stop engine system • Detachable faceplate with carry case • Menu language selectable • Source key with adjustable brightness • Customizable opening message

iDE-178BT

DIGITAL MEDIA RECEIVER WITH BLUETOOTH®



■ **Audio:** 4 x 50W High Power Amp • MP3/WMA/AAC Playback • 3 PreOuts (4 Volts) • BassEngine Pro • 6-Channel Digital Time Correction • 9-band Parametric EQ • MediaXpander • Digital Crossover • Subwoofer Level Control and Phase Selector • 24-bit DAC ■ **Connectivity:** Alpine Tunelt App Ready with iPhone and Android • Built-in Bluetooth® module • BT Audio Streaming • Made for iPhone and iPod • App Direct Mode • Rear USB port with 1000mA charging support • Rear AUX input (3.5mm mini jack) • Vehicle Display Interface Ready • Steering Wheel Remote Control Ready • Remote Control Ready ■ **General Features:** High Resolution LCD Display • Non-shutdown design for vehicles with start-stop engine system • Quick Search • RDS Tuner with TA and EON Support • 4 Illumination Colours Selectable (blue/red/green/amber) • USB Cable Included • Microphone Included • CD Mechanism-less design • Menu language selectable (German, Spanish, French, English, Dutch, Italian, Russian)



UTE-92BT

DIGITAL MEDIA RECEIVER WITH BLUETOOTH®



■ **Audio:** 4 x 50W High-Quality Built-In Amplifier for Excellent Sound Quality • MP3/WMA/AAC/FLAC Playback • 3 PreOuts • BASS ENGINE SQ (6-level adjustment) • Preset EQ (10 modes) • 9-band Parametric EQ • MediaXpander • 3-way Crossover • 24-bit DAC ■ **Connectivity:** Alpine Tunelt App Ready with iPhone and Android • Built-in Bluetooth module • BT Audio Streaming • Front USB port with 1000mA charging support • Made for iPhone and iPod • App Direct Mode • Front AUX input (3.5mm mini jack) • Vehicle Display Interface Ready • Steering Wheel Remote Control Ready • Remote Control Ready ■ **General Features:** Variable RGB Illumination with over 150,000 colour variations (separate for display and button illumination) • LCD Display • Non-shutdown design for vehicles with start-stop engine system • Detachable faceplate with carry case • Menu language selectable • Source key with adjustable brightness • Customizable opening message



UTE-72BT

DIGITAL MEDIA RECEIVER WITH BLUETOOTH®



■ **Audio:** 4 x 50W High Power Amp • MP3/WMA/AAC Playback • 2 PreOuts • 3-band Parametric EQ • MediaXpander • High-pass / Low-pass Filter ■ **Connectivity:** Built-in Bluetooth® module • BT Audio Streaming • Made for iPhone and iPod • App Direct Mode • Front USB port with 1000mA charging support • Front AUX input (3.5mm mini jack) • Steering Wheel Remote Control Ready • Remote Control Ready ■ **General Features:** White LCD Display • Quick Search • RDS Tuner with TA and EON Support • Red Illumination Colour • CD Mechanism-less design • Menu language selectable (German, Spanish, French, English, Dutch, Italian, Russian)



UTE-81R

DIGITAL MEDIA RECEIVER / USB CONTROLLER



■ **Audio:** 4 x 50W High Power Amp • MP3/WMA/AAC Playback • BASS ENGINE SQ (6-level adjustment) • Preset EQ (10 modes) • 3-band Parametric EQ ■ **Connectivity:** Front USB port with 1000mA charging support • Front AUX input (3.5mm mini jack) ■ **General Features:** White LCD Display • Quick Search • RDS Tuner with TA and EON Support • Detachable faceplate • Green Illumination Colour • Menu language selectable (German, Spanish, French, English, Dutch, Italian, Russian)



High Quality Sound Solutions for DAB Radio Fans



EZi-DAB-BT

ADD-ON DAB RECEIVER WITH BLUETOOTH®



■ **Connectivity:** Built-in Bluetooth module with hands-free calling (HFP) • Phone book access • BT Audio Streaming (A2DP/ AVRCP) • FM transmitter / wired AUX input ■ **General Features:** Dual DAB/ DAB+ (Band III) Tuner • Wireless control unit with rotary encoder • Dedicated SIRI / OK Google button • Streaming Service Control (Spotify) • Song recognition and tagging (with dedicated App) • Dimmer Function • White OLED Display • Receiver integrated to antenna • Cigarette lighter or direct power supply wiring option



EZi-DAB

ADD-ON DAB RECEIVER



■ **Connectivity:** USB Connection for memory devices • Audio line in / out • Made for iPod and iPhone • FM Modulator ■ **General Features:** Dual DAB/ DAB+/ DMB Tuners • Commander with rotary encoder • Dimmer Function • White OLED Display • Includes Commander Unit, Controller Interface Box, cable sets and mounting cradle • Requires optional DAB Antenna • Illumination Colours selectable by multicolour LEDs



TUE-DAB1U

MOBILE DAB/DAB+ RECEIVER



• Mobile DAB/DAB+ receiver with direct touch control • 6 user interface languages selectable (English, German, French, Italian, Danish, Norwegian) • Automatic channel search • Alphabetic channel sorting • Slide Show display (if supported by station) • 24V compatible • Full Touch Control with iLX-700, ICS-X7, ICS-X8, X800D-U, INE-W987D, IVE-W585BT, INA-W910R, INE-W920R, INE-W925R, INE-W928R, INE-W970BT, INE-W977BT, IVA-D511R/RB, IVA-D800R, IVE-W530BT, IVE-W535BT • DAB antenna sold separately



KAE-232DA

ACTIVE DAB SCREEN ANTENNA

• Structure: Bar Type, self-adhesive • Frequency Ranges: band-III/L: 170-240MHz / 1452-1495MHz • Supply: 5-12V (25mA), receiver (phantom) supplied • Directivity: Omni directive • Impedance: 50Ω • Connection: 5m low-loss cable with angled SMB(f) plug • Color: Black • Dimensions: 13 x 183mm



KAE-242DA

DAB ANTENNA

• Structure: Foil Type, self-adhesive • Frequency Ranges: band-III/L: 170-240MHz / 1452-1495MHz • Supply: 5 - 12V (30mA), receiver (phantom) supplied • Directivity: Omni directive • Impedance: 50Ω • Connection: 3.5m low-loss cable with angled SMB(f) plug • Color: Black / transparent • Dimensions: 40 x 170mm

Professional Sound Processing Is Yours to Control



PXA-H800

SYSTEM INTEGRATION AUDIO PROCESSOR



■ **Audio:** 31-band Graphic EQ per channel (front L/R, rear L/R, centre, subwoofer: 10-band), Gain -12dB to + 12dB • Parametric EQ (front L/R, rear L/R, centre, subwoofer: 5-band), Q 0,5/1/1,5/2/2,5/3/4/5, Gain -12dB to + 12dB • 8 channel auto/manual digital time correction (0 to 20ms, 0,05ms steps) • MediaXpander Plus • X-Over: Digital HPF/LPF (Slope 0/-6/-12/-18/-24/-30/-36, Gain -24dB to 0dB) • RoadEQ • ImprintEQ • Dolby Digital • Dolby Pro Logic II • DTS® • 32-Bit Floating-point SHARC DSP • 4 x Wolfson 24-Bit D/A Converters • Euphony™ Sound Enhancement ■ **Connectivity:** Basic functions Touch Control Ready with IVA-D511R/RB, IVA-D800R, INA-W910R • 6 Channel RCA Input • 2 x Ai-NET Inputs • 2 x Optical Input • 6 Channel Speaker Level Input • 8 Channel configurable RCA output (4 Volts) • Gold-plated RCA Connectors • USB Port for computer setup via included Sound Manager software (requires Windows® XP/Vista®/7) ■ **General Features:** RUX-C800 required for full operation • Included Microphone and USB Cable • Includes 5,5m Ai-NET cable



Customise Your Sound with a Wide Range of Functions

The PXA-H800, Alpine's extremely versatile audio processor, gives you the capabilities to achieve exactly the sound you want, no matter what kind of car you have. You have access to a huge range of sound processing functions that you can use to best match the acoustics of your vehicle, and to customize the sound based on the type of music, your basic preferences and even your mood each day. You get Digital Time Correction for optimum sound staging, extensive Digital Crossover adjustment, Graphic and Parametric Equalisers, MediaXpander+, and much, much more. You can even connect to a PC to make and save detailed sound settings.



RUX-C800

CONTROLLER FOR PXA-H800



■ **General Features:** Includes installation kit • BioLite display • Dual illumination (blue/red)

For more information on products, please visit your local Alpine website.

Incredibly Powerful Performance from Compact Bodies



PDX Amps Deliver Reliable High Power While Saving Space

You won't believe how much power is produced by these small amp wonders. Alpine has achieved new levels of operation efficiency by using the industry's most advanced digital amplification technology. What's more, they generate almost no distortion to maintain highest sound quality, and very little heat so they will operate for long periods without worries about power shutdown. You can stack them vertically to save even more space.



	PDX-M12	PDX-M6	PDX-F6	PDX-F4	PDX-V9
Output Channels	Mono	Mono	4 Channels	4 Channels	5 Channels
Max Power Output	2500W	1200W	1200W	900W	1600W
RMS Power Output (@14.4V 1%THD)	1 x 1200W (2/4Ω)	1 x 600W (2/4Ω)	4 x 150W (2/4Ω) 2 x 300W (4Ω)	4 x 100W (2/4Ω) 2 x 200W (4Ω)	4 x 100W + 1 x 500W (2/4Ω) 2 x 200W + 1 x 500W (4Ω)
Amplification Circuit	Class-D	Class-D	Class-D	Class-D	Class-D

Common Features: Selectable Variable Filters HP & LP • Mono amps provide Variable LP, Selectable Subsonic Filters and compatibility with Remote Control Bass Knob (RUX-KNOB) • Stacking Capability • Thermal and Low Voltage Protection • Ultra Wide Frequency Response Range • Quick Connectors for Speakers and Power Supply • Mono 1 Ω Drive • RMS Output @ 2-4 Ω



	PDR-M65	PDR-F50	PDR-V75
Output Channels	Mono	4 Channels	5 Channels
Power (@14.4V 1%THD)	14.4V 4Ω 14.4V 2Ω	1 x 450W 1 x 650W	4 x 85W 4 x 125W 4 x 100W + 1 x 350W
Max Power Output	1300W	1000W	1300W
Function	Filter: Variable LPF LP: 50Hz - 400Hz -24dB/oct HP: — Subsonic Filter: 8Hz-40Hz -24dB/oct Bass EQ: 0dB to +12dB Variable	Filter: Variable, OFF/LP/HP Selectable LP: 50Hz - 400Hz -12dB/oct HP: 50Hz - 400Hz -12dB/oct Subsonic Filter: — Bass EQ: Ch3-4: 0, +6, 12dB (Selectable)	Filter: CH1-4: Variable Off/HPF Selectable, CH5: Variable LPF LP: 50Hz-400Hz -24dB/oct (5ch only) HP: 50Hz-400Hz -12dB/oct Subsonic Filter: 8Hz-40Hz -24dB/oct Bass EQ: 0dB to +12dB Variable

Common Features: Input Gain adjustment 0,2V-8V (0.1V - 4V for mono) • Bass EQ • Variable Filters HP&LP • Thermal Protection • Remote Bass Knob Ready (PDR-M65 & PDR-V75 only)

Awesome Power Density, Digital Sound Quality

Each PDR amp is unmatched in its class for power density performance (watts per cubic cm) and damping factor. You get tremendous power at all levels, with hard-hitting bass. S/N ratios and frequency response are also outstanding.

switch-mode
DIGITAL

Designed for Convenient Installation

All the terminals are located on one side of the amp, allowing easy installation anywhere in the boot or under a seat. The control panel is on the top for easy access, and the logo can be removed and turned so it always faces in the right direction.



	MRV-V500	MRV-F300	MRV-M1200	MRV-M500	MRV-M250
Output Channels	5 Channels	4 Channels	Mono	Mono	Mono
Max Power Output	1100W	640W	2400W	1100W	550W
RMS Power Output (@14.4V 1%THD)	4x 60W + 1x 250W(2Ω) 4x 40W + 1x 150W(4Ω)	4 x 75W (2Ω) 4 x 50W (4Ω)	1 x 1200W (2Ω) 1 x 600W (4Ω)	1 x 500W (2Ω) 1 x 300W (4Ω)	1 x 250W (2Ω) 1 x 150W (4Ω)
Amplification Circuit	Class-D	Class-D	Class-D	Class-D	Class-D

Common Features: Input Gain adjustment 0,2V-4V, Bass EQ, Selectable Variable Filters HP&LP (Mono amps: LP only), Speaker Level input, Thermal Management Processor



	PMX-T320	PMX-F640
Output Channels	2-channel Power Amplifier	4-channel Power Amplifier
Power (@14.4V 1%THD)	14.4V, 4Ω 14.4V, 2Ω	4 x 50W (4Ω) 4 x 75W (2Ω)
Max Power Output	320W	640W
Function	Filter: OFF/LP/HP Selectable LP: 80Hz 18dB/oct HP: 80Hz 18dB/oct Bass EQ: 0dB/6dB/12dB Selectable	Filter: OFF/LP/HP Selectable LP: 80Hz 18dB/oct HP: 80Hz 18dB/oct Bass EQ: 0dB/6dB/12dB Selectable

Common Features: Input Gain adjustment 0,2V-4V, Bass EQ, Selectable Filters HP&LP, Speaker Level input



	BBX-F1200	BBX-T600
Output Channels	4 Channels	2 Channels
Power (@14.4V 1%THD)	14.4V, 4Ω 14.4V, 2Ω	4 x 50W (4Ω) 4 x 70W (2Ω)
Max Power Output	600W	300W
Function	Filter: Variable, OFF/LP/HP Selectable LP: 50Hz - 500Hz -12dB/oct HP: 50Hz - 500Hz -12dB/oct Bass EQ: 0dB to +12dB Variable (3/4ch only)	Filter: Variable, OFF/LP/HP Selectable LP: 50Hz - 250Hz -12dB/oct HP: 80Hz - 1.2kHz -12dB/oct Bass EQ: 0dB to +12dB Variable

Common Features: Input Gain adjustment 0,2V-8V, Bass EQ, Variable Filters HP&LP, Thermal Protection


Superbly Designed Speakers Deliver Your Music with Flawless Accuracy



Type-R speakers are the best choice for delivering all of the awesome power and beautiful sound clarity that the PDX amps will output...or any good amp! They're built tough to handle high power levels and produce plenty of deep, pounding bass.




	Peak Power Handling	RMS Power Handling	Nominal Impedance	Frequency Response	Dimensions (mm)			
					A	B	C	D
SPR-60C 6-1/2" (16.5cm) COMPONENT 2-WAY SPEAKER	330W	110W	4Ω	65Hz-29kHz	156	12,1	59	136
SPR-50C 5-1/4" (13cm) COMPONENT 2-WAY SPEAKER	300W	100W	4Ω	70Hz-29kHz	139	9,9	57	118
SPR-60 6-1/2" (16.5cm) COAXIAL 2-WAY SPEAKER	300W	100W	4Ω	65Hz-29kHz	156	12,1	59	136
SPR-50 5-1/4" (13cm) COAXIAL 2-WAY SPEAKER	270W	90W	4Ω	70Hz-29kHz	139	9,9	57	118
SPR-69 6x9" (16cm x 24cm) COAXIAL 2-WAY SPEAKER	300W	100W	4Ω	60Hz-29kHz	119 x 167	10,2	75	148 x 223



The Type-G Series of component and coaxial speakers are designed to easily output high levels of power, but you'll also appreciate their excellent sound quality. They have high performance soft dome tweeters and crossover networks, and are extremely easy to install.



	Peak Power Handling	RMS Power Handling	Nominal Impedance	Frequency Response	Dimensions (mm)			
					A	B	C	D
SPG-17CS COMPONENT 2-WAY SPEAKER	280W	70W	4Ω	68Hz-20kHz	155,6	7,6	60,2	140,3
SPG-13CS COMPONENT 2-WAY SPEAKER	250W	65W	4Ω	65Hz-20kHz	139,3	8,2	42,2	109,9
SPG-17C2 COAXIAL 2-WAY SPEAKER	240W	60W	4Ω	68Hz-20kHz	155,6	9,9	60,2	140,3
SPG-13C2 COAXIAL 2-WAY SPEAKER	200W	50W	4Ω	82Hz-20kHz	139,3	16,5	42,2	109,9
SPG-69C3 COAXIAL 3-WAY SPEAKER	350W	90W	4Ω	65Hz-19kHz	167 x 119	12,2	75,6	149,9
SPG-69C2 COAXIAL 2-WAY SPEAKER	300W	75W	4Ω	65Hz-18kHz	167 x 119	12,2	75,6	149,9
SPG-10C2 COAXIAL 2-WAY SPEAKER	180W	45W	4Ω	101Hz-20kHz	117,1	13,5	42,5	90,4




The Type-E Custom Fit speakers allow easy, do-it-yourself installation in a wide range of cars. Offering impressive full-range performance, they can be powered from the head unit, so are a high-value choice for upgrading from factory speakers.



	Peak Power Handling	RMS Power Handling	Nominal Impedance	Frequency Response	Dimensions (mm)		
					A (Tweeter)	B (Tweeter)	C
SXE-1750S COMPONENT 2-WAY SPEAKER	280W	45W	4Ω	60Hz-20kHz	165 (30)	46 (17,5)	139
SXE-1350S COMPONENT 2-WAY SPEAKER	250W	40W	4Ω	60Hz-20kHz	129 (30)	48,5 (17,5)	114
SXE-1006TW COMPONENT TWEETER	280W	115W	4Ω	4kHz - 20kHz	(30)	(17,5)	30

	Peak Power Handling	RMS Power Handling	Nominal Impedance	Frequency Response	Dimensions (mm)		
					A	B	C
SXE-2035S COAXIAL 3-WAY SPEAKER	280W	45W	4Ω	40Hz-20kHz	198,0	74	181,6
SXE-6925S COAXIAL 2-WAY SPEAKER	280W	45W	4Ω	40Hz-20kHz	117,5 x 166,5	79,5	150 x 219
SXE-5725S COAXIAL 2-WAY SPEAKER	200W	35W	4Ω	70Hz-20kHz	102,7 x 125,5	62	126 x 183
SXE-4625S COAXIAL 2-WAY SPEAKER	150W	20W	4Ω	90Hz-20kHz	72 x 129	37	85 x 142
SXE-1725S COAXIAL 2-WAY SPEAKER	220W	40W	4Ω	60Hz-20kHz	165	46	139
SXE-1325S COAXIAL 2-WAY SPEAKER	200W	35W	4Ω	70Hz-20kHz	129	48,5	114
SXE-1025S COAXIAL 2-WAY SPEAKER	180W	25W	4Ω	100Hz-20kHz	100	43	92
SXE-0825S COAXIAL 2-WAY SPEAKER	150W	20W	4Ω	120Hz-16kHz	87	35,5	72



SPS-110TW
COMPONENT TWEETER

- 300W Peak • 100W RMS • Impedance: 4Ω • Cutout diameter: 2" (5.1cm) circle • Mounting depth: 3/4" (1.8 cm) • Frequency Response: 1 kHz to 22 kHz

Tough, Powerful Subwoofers Built for Bass Lovers



Alpine's Type-R subwoofers were an instant success, and they've been getting better each year! For powerfully deep bass extension, fast, accurate transients, and durable power handling, nothing beats the Type-Rs.




New Technologies Improve Bass Sound

A new FEA Optimised Motor Structure together with exclusive High Amplitude Multi Roll (HAMR) suspension results in the highest X-max and SPL output in the category. Alpine's Compound Radius Curve pole geometry provides an ultra symmetrical magnetic field, while optimising flux density for lower distortion with higher power handling. Alpine's Radial Vented VC Heatsink and Airflow Management System helps to minimise power compression and ensures long playing time by actively moving output-robbing heat away from the voice coil.



	Peak Power Handling	RMS Power Handling	Nominal Impedance	Frequency Response	Dimensions (mm)	
					A	B
SWR-8D2*/-8D4** 8" (20cm) SUBWOOFER	1000W	350W	*2Ω+2Ω **4Ω+4Ω	30Hz-200Hz	176	115
SWR-10D2*/-10D4** 10" (25cm) SUBWOOFER	3000W	1000W	*2Ω+2Ω **4Ω+4Ω	26Hz-200Hz	230,5	149
SWR-12D2*/-12D4** 12" (30cm) SUBWOOFER	3000W	1000W	*2Ω+2Ω **4Ω+4Ω	24Hz-200Hz	275	161,8
SWR-1522D*/-1542D** 15" (38cm) SUBWOOFER	2000W	750W	*2Ω+2Ω **4Ω+4Ω	*18Hz-400Hz **20Hz-400Hz	348,6	234



Recommended enclosure sizes for optimum bass output.

Type-R Recommended Enclosure	Sealed Enclosure	Vented Enclosure		
	Recommended	Recommended Volume	Round Port Dia. x L (cm)	Slot Port W x H x L (cm)
SWR-8D2/-8D4	8,5 L	19,8 L	7 x 47	6,2 x 6,2 x 47
SWR-10D2/-10D4	17 L	39,6 L	9 x 25	6 x 12 x 37
SWR-12D2/-12D4	25,5 L	53,8 L	10 x 33	11 x 9 x 51
SWR-1522D/-1542D	49,6 L	82,1 L	2 ports of 10 x 39	10 x 15 x 45

Common Features: Kevlar-Reinforced Carbon Fibre Cone • Aluminium honeycomb • High-efficiency thermal management • High-Amplitude Multi-Roll Surround • Heavy-gauge push terminals



Type-G subwoofers are a perfect match for the Type-G speakers, combining high efficiency with extreme power handling for bass that will make you sit up and take notice.

Recommended enclosure sizes for optimum bass output.

Type-G Recommended Enclosure	Sealed Enclosure	Vented Enclosure		
	Recommended	Recommended Volume	Round Port Dia. x L (cm)	Slot Port W x H x L (cm)
SWG-1244	27,8 L	40 L	8,9 x 20	35 x 1,78 x 20
SWG-1044	16,9 L	26,9 L	7,0 x 24	30 x 1,28 x 24
SWG-844	15,3 L	25 L	7,0 x 20	25 x 1,53 x 20

Find more information at www.alpine-europe.com



The Type-E subwoofers give you the bass boost you're looking for at prices that won't break your budget.

Recommended enclosure sizes for optimum bass output.

Type-E Recommended Enclosure	Sealed Enclosure	Vented Enclosure		
	Recommended	Recommended Volume	Round Port Dia. x L (cm)	Slot Port W x H x L (cm)
SWE-1244E	62 L	77 L	12 x 28	35 x 3,2 x 28
SWE-1044E	37 L	52 L	10 x 22	30 x 2,6 x 22

Find more information at www.alpine-europe.com



	Peak Power Handling	RMS Power Handling	Nominal Impedance	Frequency Response	Dimensions (mm)	
					A	B
SWG-1244 12" (30cm) SUBWOOFER	800W	250W	4Ω	28Hz-1kHz	278	169
SWG-1044 10" (25cm) SUBWOOFER	500W	150W	4Ω	33Hz-1kHz	235	141
SWG-844 8" (20cm) SUBWOOFER	400W	120W	4Ω	34Hz-1,5kHz	183	111



	Peak Power Handling	RMS Power Handling	Nominal Impedance	Frequency Response	Dimensions (mm)	
					A	B
SWE-1244E 12" (30cm) SUBWOOFER	650W	200W	4Ω	30Hz-500Hz	280	131
SWE-1044E 10" (25cm) SUBWOOFER	500W	150W	4Ω	33Hz-800Hz	232	116



Subwoofer Boxes for Awesome Levels of Deep, Resonant Bass

SBG-1224BP*/-1244BP** 800W Power Handling

12" (30cm) READY TO USE BAND PASS SUBWOOFER BOX (*2Ω/**4Ω)

- 250W RMS • 12" Type-G Subwoofer • Frequency Response: 28Hz - 200Hz • Acrylic window with blue illumination



SWD-355 550W Peak Power

12" (30cm) AMPLIFIED SUBWOOFER BOX

- 12" (30cm) SWE-1244E Subwoofer • Built-in MRV-M250 Digital Amplifier
- 550W Max Power Output • 150W RMS (4Ω@14.4V 1%THD) • Frequency Response: 30Hz - 200Hz • High quality Bass Reflex box • Removable Port Plug
- Heavy Duty Subwoofer Grill • Illuminated Alpine Logo • Bass knob Included



SBG-1224BR*/-1244BR** 800W Power Handling

12" (30cm) READY TO USE BASS REFLEX SUBWOOFER BOX (*2Ω/**4Ω)

- 250W RMS • 12" Type-G Subwoofer • Frequency Response: 28Hz - 200Hz • Acrylic window with blue illumination

SWT-12S4 1000W Peak Power

12" (30cm) BASS REFLEX SUBWOOFER TUBE (4Ω)

- 300W RMS • 12" High-Performance Subwoofer • Frequency Response: 28Hz - 200Hz • Stitched Alpine Logo • Including Installation Brackets and Belts • Heavy Duty Subwoofer Grill • Dimensions: W324mm x D660mm



SBG-1044BR 500W Power Handling

10" (25cm) READY TO USE BASS REFLEX SUBWOOFER BOX (4Ω)

- 150W RMS • 10" Type-G Subwoofer • Frequency Response: 30Hz - 200Hz • Acrylic window with blue illumination

SBG-844BR 400W Power Handling

8" (20cm) READY TO USE BASS REFLEX SUBWOOFER BOX (4Ω)

- 120W RMS • 8" Type-G Subwoofer • Frequency Response: 34Hz - 200Hz • Acrylic window with blue illumination



SBE-1244BR 650W Power Handling

12" (30cm) READY TO USE BASS REFLEX SUBWOOFER BOX (4Ω)

- 200W RMS • 12" Type-E Subwoofer • Frequency Response 30Hz - 500Hz • Stitched Alpine Logo • High quality bass reflex box



SBG-30KIT 550W Peak Power

HIGH PERFORMANCE SUBWOOFER PACKAGE

- 12" (30cm) Type-G subwoofer • MRV-M250 Digital Amplifier Included
- 550W Max Power Output • 250W RMS (2Ω) • Frequency Response: 28Hz - 200Hz • High Quality Bass Reflex Box • High Quality Wiring Kit
- Bass Knob Included • Metal Protection Bars • Stitched Alpine Logo



PWE-V80 160W Peak Power

8" (20cm) POWERED SUBWOOFER BOX

- Built-in Amplifier (160W MAX Power) • Low Pass Filter: 50Hz-100Hz (-12dB/oct) • Phase Selector Switch • Sealed Die-Cast Housing for stealth installation • Speaker-level and RCA Inputs • Wired Remote Control • Power Cables and Installation Brackets Included • Dimensions: W342mm x D238mm x H80mm • Weight: 5kg



PWE-S8 240W Peak Power

8" (20cm) POWERED SUBWOOFER BOX

- Built-in Amplifier (240W Peak Power) • Low Pass Filter: 50Hz-150Hz (-12dB/oct) • Phase Selector Switch • Sealed Die-Cast Housing for stealth installation • Speaker-level and RCA Inputs • Remote Sensing • Wired Bass Knob • Power Cables and Installation Brackets Included • Dimensions: W340mm x D230mm x H70mm • Weight: 4.6 kg

SBE-1044BR 500W Power Handling

10" (25cm) READY TO USE BASS REFLEX SUBWOOFER BOX (4Ω)

- 150W RMS • 10" Type-E Subwoofer • Frequency Response 33Hz - 800Hz • Stitched Alpine Logo • High quality bass reflex box



SWE-815 150W Peak Power

8" (20cm) POWERED SUBWOOFER BOX

- Low Pass Filter: 50Hz-125Hz (-12dB/oct) • Phase Selector Switch
- Stitched Alpine Logo • Wired Remote Control • Port Plug included
- High quality bass reflex box

SWE-1200 150W Peak Power

8" (20cm) POWERED SUBWOOFER BOX

- Band Pass Type • Low Pass Filter: 50Hz-125Hz (-12dB/oct) • Phase Selector Switch • Small size bandpass enclosure • For stealth installation • External amplifier unit • Wired Remote Control • Dimensions: W280mm x D226mm x H75mm





www.alpine-europe.com

ALPINE ELECTRONICS (EUROPE) GmbH
Wilhelm-Wagenfeld-Straße 1-3, 80807 München, Germany
Tel : +49 / (0) 89-32 42 64-0 Fax : +49 / (0) 89-32 42 64-241

ALPINE ELECTRONICS, INC.
20-1 Yoshima Kogyo Danchi, Iwaki, Fukushima 970-1192, Japan
Tel : +81-246-36-4111 Fax : +81-246-36-8309

<http://www.alpine.com>



Apple, iPad, iPhone, iPod and iPod nano are trademarks of Apple Inc., registered in the U.S. and other countries. Apple CarPlay is a trademark of Apple Inc. App Store is a service mark of Apple Inc. "Made for iPod" and "Made for iPhone," mean that an electronic accessory has been designed to connect specifically to iPod, or iPhone, respectively and has been certified by the developer to meet Apple performance standard. Apple is not responsible for the operation of this device or its compliance with safety and regulatory standards. Please note that the use of this accessory with iPod, or iPhone may affect wireless performance. Android is a trademark of Google Inc. Unauthorized use is strictly prohibited. DivX, DivX Certified and associated logos are trademarks of DivX, Inc. and are used under license. The Bluetooth® word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Alpine Electronics, Inc. is under license. The Parrot® Trademarks appearing on this document are the sole and exclusive property of Parrot® S.A. The terms HDMI and HDMI High-Definition Multimedia Interface, and the HDMI Logo are trademarks or registered trademarks of HDMI Licensing LLC in the United States and other countries. Windows Media and the Windows logo are trademarks, or registered trademarks of Microsoft Corporation in the United States and/or other countries. The words "Dolby Digital", "Pro Logic", "Dolby", and the "Double-D" symbol are trademarks of Dolby Laboratories. "DTS" and "DTS Digital Surround" are registered trademarks of DTS, Inc. and "DTS 2.0 + DigitalOut" is a trademark of DTS, Inc. Traffic information in the UK provided by Trafficmaster Ltd. V-Traffic information in France provided by Mediamobile company. © 2013 HERE. Audyssey MultEQ is a registered trademark of Audyssey Laboratories Inc. Design, specifications and availability of Alpine products are subject to change without notice. No liability for printing errors is assumed. Alpine catalogues are printed on chlorine-free paper.