



amster
bikes & parts



LIGHTS

Model Year 2023

BBB.cycling
.com



3

Part of
your ride



Neues Gesetz zur Tagfahrlichtpflicht für E-Bikes in der Schweiz

Alle Lichter aus dem BBB-Lights Sortiment sind zur Nachrüstung zulässig

In der Schweiz gilt ab dem 1. April 2022 eine generelle Tagfahrlichtpflicht für alle E-Bikes. Dies gilt ohne Ausnahme für alle E-Bike-Typen einschliesslich E-MTB's und E-Rennräder. Die E-Bikes müssen künftig mit Licht ausgestattet werden, sofern sie auf öffentlichen Verkehrsflächen verwendet werden.

Eine Verkehrsfläche ist dann öffentlich, wenn sie nicht ausschliesslich privatem Gebrauch dient und folglich einem unbestimmten Benutzerkreis zur Nutzung offen steht. Auch ein Waldweg oder ein Bike-Trail ist somit meistens eine öffentliche Strasse, wodurch auch dort die Lichtpflicht gilt.

- Die Tagfahrlichtpflicht gilt ausnahmslos für alle E-Bike-Typen, auch E-MTBs und E-Rennräder.
- Als Tagfahrlicht kann auch die bestehende Beleuchtung eingeschaltet werden, es muss kein spezielles bzw. separates Tagfahrlicht angebracht werden.
- Das Tagfahrlicht an E-Bikes ist in der Schweiz nicht typengenehmigungspflichtig.
- Beim (Tag-) Fahrlicht werden auch Aufsteck-Akkuleuchten akzeptiert, die sich als Diebstahlschutz oder zum Nachladen entfernen lassen.
- Das Tagfahrlicht darf nicht blinken und blenden und sollte auf 100 Meter sichtbar sein. Die Lichtstärke wird nicht näher spezifiziert.

Quelle Bundesamt für Strassen ASTRA, Velosuisse

SPIRIT | BLS-225, BLS-226



SpiritFront | BLS-225



H8279D

NEW

Verfügbar ab / Disponible à partir du: 01.10.2022

Spirit vorne mit USB-Akku, 9 Modi, Schnellverschluss
Spirit avant avec USB-Accu, 9 mode, fermeture rapide

34.90

SpiritFront | BLS-225

Max. Runtime Mode Steady: 8 Hours

Output / Runtime: 30 Lumen (2h), 7 Lumen (8h), Dayflash (40h)
Light Type: 8 LED's
Battery: USB rechargeable Lithium Polymer
Charge time / port: 2 hours (2A) / Micro USB

Modes steady: Low, High (saves last mode)
Modes flash: Flash, Day Flash, Steadyflash (saves last mode)
Modes party loop: Circle, Pulse, Sweep, Round Pulse

Weight: 30 grams
Fixation: Strap mount Ø 5-42mm aero compatible

SpiritRear | BLS-226



Saddle Rail-Mount

H8279E

NEW

Verfügbar ab / Disponible à partir du: 01.10.2022

Spirit hinten mit USB-Akku, 9 Modi, Schnellverschluss und Sattelmontage

34.90

Spirit arrière avec USB-Accu, 9 mode, fermeture rapide et support de selle

SpiritRear | BLS-226

Max. Runtime Mode Steady: 8 Hours

Output / Runtime: 12 Lumen (2h), 3 Lumen (8h), Dayflash (40h)
Light Type: 8 LED
Battery: USB rechargeable Lithium Polymer
Charge time / port: 2 hours (2A) / Micro USB

Modes steady: Low, High (saves last mode)
Modes flash: Flash, Day Flash, Steadyflash (saves last mode)
Modes party loop: Circle, Pulse, Sweep, Round Pulse

Weight: 30 grams
Fixation: Strap mount Ø 5-42mm aero compatible, incl. saddle rail mount

Spirit Combo | BLS-227



H8279F

NEW

Verfügbar ab / Disponible à partir du: 01.10.2022

Set vorne SpiritFront BLS-225, hinten SpiritRear BLS-226
Kit, avant SpiritFront BLS-225, arrière SpiritRear BLS-226

64.90

SpiritFront | BLS-225

Max. Runtime Mode Steady: 8 Hours

Output / Runtime: 30 Lumen (2h), 7 Lumen (8h), Dayflash (40h)
Light Type: 8 LED's
Battery: USB rechargeable Lithium Polymer
Charge time / port: 2 hours (2A) / Micro USB

Modes steady: Low, High (saves last mode)
Modes flash: Flash, Day Flash, Steadyflash (saves last mode)
Modes party loop: Circle, Pulse, Sweep, Round Pulse

Weight: 30 grams
Fixation: Strap mount Ø 5-42mm aero compatible

SpiritRear | BLS-226

Output / Runtime: 12 Lumen (2h), 3 Lumen (8h), Dayflash (40h)
Light Type: 8 LED
Battery: USB rechargeable Lithium Polymer
Charge time / port: 2 hours (2A) / Micro USB

Modes steady: Low, High (saves last mode)
Modes flash: Flash, Day Flash, Steadyflash (saves last mode)
Modes party loop: Circle, Pulse, Sweep, Round Pulse

Weight: 30 grams
Fixation: Strap mount Ø 5-42mm aero compatible, incl. saddle rail mount

ADVENTURE STRIKE | BLS-162

NEW

Einfachste Bedienung dank 3 Modi:

City 50 Lumen
High 350 Lumen
Boost 600 Lumen



Die Helmlampe ist ein absolutes Leichtgewicht und wiegt total nur 115 g.

Die neue Helmhalterung bietet BBB-TightFix und GoPro Befestigungsmöglichkeit.

AdventureStrike, 600 Lumen | BLS-162



H8279B

NEW

Verfügbar ab / Disponible à partir du: 01.10.2022

Frontlicht AdventureStrike 600 Lumen, Helmhalterung, USB-Akku 69.00
Éclairage avant AdventureStrike 600 Lumen, support de casque, accu-USB

AdventureStrike | BLS-162

Max. Runtime Mode Steady: 25 Hours

Output / Runtime: 600 Lumen (1.45h), 50 Lumen (25h)

Light Type: LED with round beam (1:1)

Battery: USB rechargeable Lithium Polymer, 2000mAh

Charge time / port: 3:30 hours (1.5A) / Micro USB

Modes steady: Boost, High, Low, (saves last mode)

Weight: 95 grams, Helmet bracket 20g

Fixation: Helmet bracket with TightFix and GoPro mounting options.

CENTERMOUNT 2.0 | BLS-195



Halterung kompatibel mit BBB-TightFix und GoPro.

Passend zu Lenker-Durchmesser 31.8 und 35 mm



Die Halterung kann links oder rechts, oben oder unten montiert werden.

Centermount 2.0 | BLS-195



H8279C



Verfügbar ab / Disponible à partir du: 01.10.2022

Halterung Centermount 2.0, TightFix / GoPro für Lenker 31.8 und 35mm 16.90
Support Centermount 2.0, TightFix / GoPro pour guidon 31.8 et 35mm

Centermount 2.0 | BLS-195

Compatibility: TightFix / GoPro, fits on all BBB lights with TightFix system
Handlebar: 31.8 and 35mm
Mounting: left, right, up or upside down

STRIKEDUO | BLS-171-172-173



REMOTE CONTROL
Behalte alles unter Kontrolle. Kompatibel mit Remote Control BLS-179.

DREI VERSCHIEDENE VARIANTEN
Scheinwerfer mit Dual-LED, 1200, 1600 oder 2000 Lumen

DAUERHAFT
Das Aluminiumgehäuse gewährleistet eine optimale Haltbarkeit und Leistung unter den verschiedensten Umständen.

OVALER STRAHL
Ovales Strahlmuster für optimale Sicht auf und abseits der Straße. Lange Laufzeiten durch die hochwertigen und leistungsstarken Akkus.

PASST ÜBERALL
Wird mit einer Riemenhalterung geliefert, die auf Lenker oder Rohre mit einem Durchmesser von Ø22-52mm passt und Aerobar-kompatibel ist.

HOCHLEISTUNGSSCHEINWERFER MIT OVALEM STRAHLMUSTER

STRIKEDUO	BLS-171	BLS-172	BLS-173
MODI	Boost, High, Standard, Low, City, High-Low, Flash, Day Flash	Boost, High, Standard, Low, City, High-Low, Flash, Day Flash	Boost, Stadt, Taglicht, Blinklicht, hoch, tief, Standard
LICHTQUELLE	LED	LED	LED
MAX. LEUCHTDAUER	100	160	200
MAX. LUMEN IM DAUERMODUS	1200	1600	2000
LADEDAUER	2:30	4:00	4:30
BATTERIE	Dual Lithium Ion 3200 mAh	Dual Lithium Ion 5200 mAh	Dual Lithium Ion 6700 mAh
INKLUSIVE HALTERUNG	StrapFix StrikeDuo (BLS-194)	StrapFix StrikeDuo (BLS-194)	StrapFix StrikeDuo (BLS-194)
USB TYP	USB-C	USB-C	USB-C
WASSERFESTLEVEL	IPX4	IPX4	IPX4
GEWICHT (G)	185	214	218
GRÖSSE	95 x 43 x 30mm	110 x 43 x 30mm	110 x 43 x 30mm
FARBE	Schwarz	Schwarz	Schwarz

StrikeDuo 2000 | BLS-173



H8274A

Frontlicht StrikeDuo 2000 Lumen, Akku/USB-C, inkl. Remote 139.90
Éclairage avant StrikeDuo 2000 Lumen, accu/USB-C, télécommande incl.

StrikeDuo | BLS-173

Max. Runtime Mode Steady: 80 hours

Output / Runtime: 2000 Lumen / 110 Lux (2h), 50 Lumen / 3 Lux (80h), Dayflash 200h
Light Type: Dual LED with oval beam (1:1.5)
Battery: Dual Lithium Ion 6700 mAh
Charge time / port: 4:30 hours (2A) / USB-C

Modes steady: Boost, High, Standard, Low, City (saves last mode)
Modes flash: Day Flash and Flash » double-click (saves last mode)
Mode secret: High, Low

Size / Weight: 110 x 43 x 30mm / 218 grams
Fixation: HeavyDuty silicon strap Ø 22-52mm (BLS-194)
Diverse: Alu-Case, remote BLS-179 included, On/Off button flashes at 10% accu capacity

StrikeDuo 1600 | BLS-172



H8274B

Frontlicht StrikeDuo 1600 Lumen mit USB-Akku 109.90
Éclairage avant StrikeDuo 1600 Lumen avec accu-USB

StrikeDuo | BLS-172

Max. Runtime Mode Steady: 65 hours

Output / Runtime: 1600 Lumen / 84 Lux (2h), 50 Lumen / 2 Lux (65h), Dayflash 160h
Light Type: Dual LED with oval beam (1:1.5)
Battery: Dual Lithium Ion 5200 mAh
Charge time / port: 4:00 hours (2A) / USB-C

Modes steady: Boost, High, Standard, Low, City (saves last mode)
Modes flash: Day Flash and Flash » double-click (saves last mode)
Mode secret: High, Low

Size / Weight: 110 x 43 x 30mm / 214 grams
Fixation: HeavyDuty silicon strap Ø 22-52mm (BLS-194)
Diverse: Alu-Case, On/Off button flashes at 10% accu capacity

StrikeDuo 1200 | BLS-171



H8274C

Frontlicht StrikeDuo 1200 Lumen mit USB-Akku 94.00
Éclairage avant StrikeDuo 1200 Lumen avec accu-USB

StrikeDuo | BLS-171

Max. Runtime Mode Steady: 40 hours

Output / Runtime: 1200 Lumen (1:45h), 50 Lumen (40h), Dayflash 100h
Light Type: Dual LED with oval beam (1:1.5)
Battery: Dual Lithium Ion 3200 mAh
Charge time / port: 2:30 hours (1.5A) / USB-C

Modes steady: Boost, High, Standard, Low, City (saves last mode)
Modes flash: Day Flash and Flash » double-click (saves last mode)
Mode secret: High, Low

Size / Weight: 95 x 43 x 30mm / 185 grams
Fixation: HeavyDuty silicon strap Ø 22-52mm (BLS-194)
Diverse: Alu-Case, On/Off button flashes at 10% accu capacity

StrikeDuo Remote | BLS-179



H8274F

Kompatibel mit Frontlicht StrikeDuo BLS-171, BLS-172, BLS-173 17.00
Compatible avec l'éclairage StrikeDuo BLS-171, BLS-172, BLS-173

StrikeDuo | BLS-179

length: 30 cm
fixation: Mount your light everywhere on your bike

StrikeDuo 1600, Combo | BLS-175

H8274D

Set, vorne StrikeDuo 1600 Lumen BLS-172, hinten Signal BLS-137 159.00
Kit, avant StrikeDuo 1600 Lumen BLS-172, arrière Signal BLS-137



StrikeDuo | BLS-172

Max. Runtime Mode Steady: 65 hours

Output / Runtime: 1600 Lumen / 84 Lux (2h), 50 Lumen / 2 Lux (65h), Dayflash 160h

Light Type: Dual LED with oval beam (1:1.5)

Battery: Dual Lithium Ion 5200 mAh

Charge time / port: 4:00 hours (2A) / USB-C

Modes steady: Boost, High, Standard, Low, City (saves last mode)

Modes flash: Day Flash and Flash » double-click (saves last mode)

Mode secret: High, Low

Size / Weight: 110 x 43 x 30mm / 214 grams

Fixation: HeavyDuty silicon strap Ø 22-52mm (BLS-194)

Diverse: Alu-Case, On/Off button flashes at 10% accu capacity

Signal | BLS-137

Output / Runtime: 20Lumen / <0.5 Lux (2:30h), 2 Lumen / <0.5 Lux (21h), Flash (42h)

Light Type: COB-LED

Battery: USB rechargeable Lithium Polymer, 300mAh

Charge time / port: 1:45 hours (2A) / USB-C

Modes steady: Low, Standard, High (saves last mode)

Modes flash: Flash, Day Flash (saves last mode)

Weight: 29 grams

Fixation: Ø 5-42mm aero compatible

Diverse: On/Off button flashes at 10% accu capacity

StrikeDuo 1200, Combo | BLS-174

H8274E

Set, vorne StrikeDuo 1200 Lumen BLS-171, hinten Signal BLS-137 129.90
Kit, avant StrikeDuo 1200 Lumen BLS-171, arrière Signal BLS-137



StrikeDuo | BLS-171

Max. Runtime Mode Steady: 40 hours

Output / Runtime: 1200 Lumen (1:45h), 50 Lumen (40h), Dayflash 100h

Light Type: Dual LED with oval beam (1:1.5)

Battery: Dual Lithium Ion 3200 mAh

Charge time / port: 2:30 hours (1.5A) / USB-C

Modes steady: Boost, High, Standard, Low, City (saves last mode)

Modes flash: Day Flash and Flash » double-click (saves last mode)

Mode secret: High, Low

Size / Weight: 95 x 43 x 30mm / 185 grams

Fixation: HeavyDuty silicon strap Ø 22-52mm (BLS-194)

Diverse: Alu-Case, On/Off button flashes at 10% accu capacity

Signal | BLS-137

Output / Runtime: 20Lumen / <0.5 Lux (2:30h), 2 Lumen / <0.5 Lux (21h), Flash (42h)

Light Type: COB-LED

Battery: USB rechargeable Lithium Polymer, 300mAh

Charge time / port: 1:45 hours (2A) / USB-C

Modes steady: Low, Standard, High (saves last mode)

Modes flash: Flash, Day Flash (saves last mode)

Weight: 29 grams

Fixation: Ø 5-42mm aero compatible

Diverse: On/Off button flashes at 10% accu capacity



Strike 1000 Lumen | BLS-132



H8266D**



Frontlicht Strike 1000 Lumen mit USB-Akku
Éclairage avant Strike 1000 Lumen avec accu-USB

64.90

Strike | BLS-132

Max. Runtime Mode Steady: 60 hours

Output / Runtime: 1000 Lumen / 69 Lux (1:30h), 15 Lumen / (60h)

Light Type: LED with round beam (1:1)

Battery: USB rechargeable Lithium Polymer, 300mAh

Charge time / port: 3:45 hours (2A) / Micro USB

Modes steady: City, Low, Standard, High, Boost (saves last mode)

Modes flash: Day Flash and Flash » double-click (saves last mode)

Size / Weight: 112 x 37 x 38mm / 130 grams

Fixation: Ø 5-52mm aero compatible

NanoStrike 600 Lumen | BLS-161



H8265U

Frontlicht Strike 600 Lumen mit USB-Akku
Éclairage avant Strike 600 Lumen avec accu-USB

61.90

NanoStrike | BLS-161

Max. Runtime Mode Steady: 80 hours

Output / Runtime: 600 Lumen / 50 Lux (1:30h), 15 Lumen / (80h) Flash (75h)

Light Type: LED with round beam (1:1)

Battery: USB rechargeable Lithium Polymer, 2000mAh

Charge time / port: 3:30 hours (1.5A) / Micro USB

Modes steady: Boost, High, Standard, Low, City (saves last mode)

Modes flash: Day Flash and Flash » double-click (saves last mode)

Weight: 95 grams

Fixation: BLS-192, for Ø 22-52mm, aerobar compatible

NanoStrike 400 Lumen | BLS-130



H8266C

Frontlicht Strike 400 Lumen mit USB-Akku
Éclairage avant Strike 400 Lumen avec accu-USB

52.00

NanoStrike | BLS-130

Max. Runtime Mode Steady: 48 hours

Output / Runtime: 400 Lumen / 31 Lux (2h), 15 Lumen / 1.5 Lux (48h) Flash (42h)

Light Type: LED with round beam (1:1)

Battery: USB rechargeable Lithium Polymer, 1050mAh

Charge time / port: 3:30 hours (1.5A) / Micro USB

Modes steady: Boost, High, Standard, City (saves last mode)

Modes flash: Day Flash and Flash » double-click (saves last mode)

Weight: 65 grams

Fixation: BLS-192, for Ø 22-52mm, aerobar compatible.



NanoStrike 600 Combo | BLS-165

H8265W

Set vorne NanoStrike 600 Lumen BLS-161, hinten Signal BLS-137 99.00
Kit avant NanoStrike 600 Lumen BLS-161, arrière Signal BLS-137



NanoStrike | BLS-161

Max. Runtime Mode Steady: 80 hours

Output / Runtime: 600 Lumen / 50 Lux (1:30h), 15 Lumen / (80h) Flash (75h)
Light Type: LED with round beam (1:1)
Battery: USB rechargeable Lithium Polymer, 2000mAh
Charge time / port: 3:30 hours (1.5A) / Micro USB

Modes steady: Boost, High, Standard, Low, City (saves last mode)
Modes flash: Day Flash and Flash » double-click (saves last mode)

Weight: 95 grams
Fixation: BLS-192, for Ø 22-52mm, aerobar compatible.

SignalRear | BLS-137

Output / Runtime: 20Lumen / <0.5 Lux (2:30h), 2 Lumen / <0.5 Lux (21h), Flash (32h)
Light Type: COB-LED
Battery: USB rechargeable Lithium Polymer, 300mAh
Charge time / port: 1:45 hours (2A) / Micro USB

Modes steady: Low, Standard, High (saves last mode)
Modes flash: Flash, Day Flash (saves last mode)

Weight: 29 grams
Fixation: Ø 5-42mm aero compatible
Diverse: On/Off button flashes at 10% accu capacity

NanoStrike 400 Combo | BLS-164

H8265V

Set vorne NanoStrike 400 Lumen BLS-130, hinten Signal BLS-152 74.00
Kit avant NanoStrike 400 Lumen BLS-130, arrière Signal BLS-152



NanoStrike | BLS-130

Max. Runtime Mode Steady: 48 hours

Output / Runtime: 400 Lumen / 31 Lux (2h), 15 Lumen / 1.5 Lux (48h) Flash (42h)
Light Type: LED with round beam (1:1)
Battery: USB rechargeable Lithium Polymer, 1050mAh
Charge time / port: 3:30 hours (1.5A) / Micro USB

Modes steady: Boost, High, Standard, City (saves last mode)
Modes flash: Day Flash and Flash » double-click (saves last mode)


Weight: 65 grams
Fixation: BLS-192, for Ø 22-52mm and is aerobar compatible.

SparkRear | 2.0 BLS-152

Output / Runtime: 10 Lumen / 1.4 Lux (3h), 3 Lumen / 0.5 Lux (10h), Flash(28h)
Battery: USB rechargeable Lithium Polymer, 300mAh
Charge time / port: 1:45 hours (2A) / Micro USB

Modes steady: Low, High (saves last mode)
Modes flash: Flash, Day Flash (saves last mode)

Weight: 23 grams
Fixation: Ø 5-42mm aero compatible



SignalFront | BLS-136



H8260R

SIGNAL vorne mit USB-Akku, 5 Modi, mit DayFlash, Schnellverschluss 39.90
 SIGNAL avant avec USB-Accu, 5 mode, avec DayFlash, fermeture rapide

SignalFront | BLS-136

Max. Runtime Mode Steady: 23.30 hours

Output / Runtime: 57 Lumen / (3h), 6 Lumen / (23.30h) 100 Lumen Flash (36h)
 Light Type: COB-LED
 Battery: USB rechargeable Lithium Polymer, 300mAh
 Charge time / port: 1:45 hours (2A) / Micro USB

Modes steady: Low, Standard, High (saves last mode)
 Modes flash: Flash, Day Flash (saves last mode)

Weight: 29 grams
 Fixation: Ø 5-42mm aero compatible

SignalRear | BLS-137



H8260S

SIGNAL hinten mit USB-Akku, 5 Modi, mit DayFlash, Schnellverschluss 39.90
 SIGNAL arrière avec USB-Accu, 5 mode, avec DayFlash, fermeture rapide

SignalRear | BLS-137

Output / Runtime: 20Lumen / <0.5 Lux (2:30h), 2 Lumen / <0.5 Lux (21h), Flash (32h)
 Light Type: COB-LED
 Battery: USB rechargeable Lithium Polymer, 300mAh
 Charge time / port: 1:45 hours (2A) / Micro USB

Modes steady: Low, Standard, High (saves last mode)
 Modes flash: Flash, Day Flash (saves last mode)

Weight: 29 grams
 Fixation: Ø 5-42mm aero compatible

SignalCombo | BLS-138



H8260T

Set SignalFront BLS-136, SignalRear BLS-137 75.00
 Kit SignalFront BLS-136, SignalRear BLS-137

SignalFront | BLS-136

Max. Runtime Mode Steady: 23.30 hours

Output / Runtime: 57 Lumen / (3h), 6 Lumen / (23.30h) 100 Lumen Flash (36h)
 Light Type: COB-LED
 Battery: USB rechargeable Lithium Polymer, 300mAh
 Charge time / port: 1:45 hours (2A) / Micro USB

Modes steady: Low, Standard, High (saves last mode)
 Modes flash: Flash, Day Flash (saves last mode)

Weight: 29 grams
 Fixation: Ø 5-42mm aero compatible

SignalRear | BLS-137

Output / Runtime: 20Lumen / <0.5 Lux (2:30h), 2 Lumen / <0.5 Lux (21h), Flash (32h)
 Light Type: COB-LED
 Battery: USB rechargeable Lithium Polymer, 300mAh
 Charge time / port: 1:45 hours (2A) / Micro USB

Modes steady: Low, Standard, High (saves last mode)
 Modes flash: Flash, Day Flash (saves last mode)

Weight: 29 grams
 Fixation: Ø 5-42mm aero compatible



SparkFront 2.0 | BLS-151



H8265X

Spark 2.0 vorne mit USB-Akku, 4 Modi, **1 Stück**, Schnellverschluss 27.90
 Spark 2.0 avant avec USB-Accu, 4 mode, **1 pièce**, fermeture rapide

SparkFront 2.0 | BLS-151

Max. Runtime Mode Steady: 10 hours

Output / Runtime: 45 Lumen / 1.5 Lux (3h), 14 Lumen / <0.5 Lux (10h), Flash (27h)
 Battery: USB rechargeable Lithium Polymer, 300mAh
 Charge time / port: 1:45 hours (2A) / Micro USB

Modes steady: Low, High (saves last mode)
 Modes flash: Flash, Day Flash (saves last mode)

Weight: 26 grams
 Fixation: Ø 5-42mm aero compatible

H8265Y

Spark 2.0 vorne, USB, 4 Modi, **Box à 12 Stück**, Schnellverschluss 334.80
 Spark 2.0 avant, USB, 4 mode, **box à 12 pièce**, fermeture rapide

SparkRear 2.0 | BLS-152



H8265Z

Spark 2.0 hinten mit USB-Akku, 4 Modi, **1 Stück**, Schnellverschluss 27.90
 Spark 2.0 arrière avec USB-Accu, 4 mode, **1 Pièce**, fermeture rapide

SparkRear 2.0 | BLS-152

Output / Runtime: 10 Lumen / 1.4 Lux (3h), 3 Lumen / 0.5 Lux (10h), Flash(28h)
 Battery: USB rechargeable Lithium Polymer, 300mAh
 Charge time / port: 1:45 hours (2A) / Micro USB

Modes steady: Low, High (saves last mode)
 Modes flash: Flash, Day Flash (saves last mode)

Weight: 23 grams
 Fixation: Ø 5-42mm aero compatible

H8266A

Spark 2.0 hinten, USB, 4 Modi, **Box à 12 Stück**, Schnellverschluss 334.80
 Spark 2.0 arrière, USB, 4 mode, **box à 12 pièce**, fermeture rapide

Spark 2.0 Combo | BLS-153

H8266B

Set SparkFront 2.0 BLS-151, SparkRear 2.0 BLS-152 49,90
 Kit SparkFront 2.0 BLS-151, SparkRear 2.0 BLS-152



SparkFront 2.0 | BLS-151

Max. Runtime Mode Steady: 10 hours

Output / Runtime: 45 Lumen / 1.5 Lux (3h), 14 Lumen / <0.5 Lux (10h), Flash (27h)
 Battery: USB rechargeable Lithium Polymer, 300mAh
 Charge time / port: 1:45 hours (2A) / Micro USB

Modes steady: Low, High (saves last mode)
 Modes flash: Flash, Day Flash (saves last mode)

Weight: 26 grams
 Fixation: Ø 5-42mm aero compatible

SparkRear 2.0 | BLS-152

Output / Runtime: 10 Lumen / 1.4 Lux (3h), 3 Lumen / 0.5 Lux (10h), Flash(28h)
 Battery: USB rechargeable Lithium Polymer, 300mAh
 Charge time / port: 1:45 hours (2A) / Micro USB

Modes steady: Low, High (saves last mode)
 Modes flash: Flash, Day Flash (saves last mode)

Weight: 23 grams
 Fixation: Ø 5-42mm aero compatible

Spot | BLS-146



H8251Q**

SPOT vorne mit USB-Akku, Halterung: Fix und mit Silicon-Strap 8.95
 SPOT avant avec USB-accu, support: Fix et avec silicon-strap



Spot | BLS-146

Max. Runtime Mode Steady: 8 hours

Output / Runtime: 24 Lumen / <0.5 Lux (4h), 12 Lumen / <0.5 Lux (8h), Flash (16h)
 Battery: USB rechargeable Lithium Polymer, 300mAh
 Charge time / port: 0:30 hours (2A) / Micro USB

Modes steady: Low, High (saves last mode)
 Modes flash: Flash

Size / Weight: 2 x 29 x 59mm / 19 grams
 Fixation: TwistBracket: 22-32mm / Silicone-Strap: 12-38mm

Spot | BLS-147



H8251R

SPOT hinten mit USB-Akku, Halterung: Fix und mit Silicon-Strap 19.90
 SPOT arrière avec USB-accu, support: Fix et avec silicon-strap

Spot | BLS-147

Output / Runtime: 4 Lumen / <0.5 Lux (3h), Flash 16h
 Battery: USB rechargeable Lithium Polymer, 300mAh
 Charge time / port: 0:30 hours (2A) / Micro USB

Modes steady: Low, High (saves last mode)
 Modes flash: Flash

Size / Weight: 2 x 29 x 52mm / 19 grams
 Fixation: TwistBracket: 22-32mm / Silicone-Strap: 12-38mm

Spot Combo | BLS-148



H8251S**

Set SPOT mit USB-Akku, Halterung: Fix und mit Silicon-Strap 17.90
 Kit SPOT avec USB-accu, support: fix et avec silicon-strap



Spot | BLS-146

Max. Runtime Mode Steady: 8 hours

Output / Runtime: 24 Lumen / <0.5 Lux (4h), 12 Lumen / <0.5 Lux (8h), Flash (16h)
 Battery: USB rechargeable Lithium Polymer, 300mAh
 Charge time / port: 0:30 hours (2A) / Micro USB

Modes steady: Low, High (saves last mode)
 Modes flash: Flash

Size / Weight: 2 x 29 x 59mm / 19 grams
 Fixation: TwistBracket: 22-32mm / Silicone-Strap: 12-38mm

Spot | BLS-147

Output / Runtime: 4 Lumen / <0.5 Lux (3h), Flash 16h
 Battery: USB rechargeable Lithium Polymer, 300mAh
 Charge time / port: 0:30 hours (2A) / Micro USB

Modes steady: Low, High (saves last mode)
 Modes flash: Flash

Size / Weight: 2 x 29 x 52mm / 19 grams
 Fixation: TwistBracket: 22-32mm / Silicone-Strap: 12-38mm



Stud | BLS-141



H82510

Stud vorne mit USB-Akku, schmales Licht, Seiten Visibilität
Stud avant avec USB-accu, faisceau plat, visibilité latérale

29.00

Stud | BLS-141

Max. Runtime Mode Steady: 5 hours

Output / Runtime: 130 Lumen / 33 Lux (3h), 60 Lumen / 18 Lux (5h) Flash (5h)
Battery: USB rechargeable Lithium Polymer, 1000mAh
Charge time / port: 2:00 hours (2A) / Micro USB

Modes steady: Low, High (saves last mode)
Modes flash: Flash

Size / Weight: 65 x 43 x 35mm / 52 grams
Fixation: Tool free TightFix BLS-191: 22-32mm

StudCombo | BLS-142



H8251P

Set STUD (BLS-141) & SPOT (BLS-147), USB-Akku
Kit STUD (BLS-141) & SPOT (BLS-147), USB-Accu

47.00

Vorne / avant | BLS-141

Max. Runtime Mode Steady: 5 hours

Output / Runtime: 130 Lumen / 33 Lux (3h), 60 Lumen / 18 Lux (5h) Flash (5h)
Battery: USB rechargeable Lithium Polymer, 1000mAh
Charge time / port: 2:00 hours (2A) / Micro USB

Modes steady: Low, High (saves last mode)
Modes flash: Flash

Size / Weight: 65 x 43 x 35mm / 52 grams
Fixation: Tool free TightFix BLS-191: 22-32mm

Hinten / arrière | BLS-147

Output / Runtime: 4 Lumen / <0.5 Lux (3h), Flash 16h
Battery: USB rechargeable Lithium Polymer, 300mAh
Charge time / port: 0:30 hours (2A) / Micro USB

Modes steady: Low, High (saves last mode)
Modes flash: Flash

Size / Weight: 2 x 29 x 52mm / 19 grams
Fixation: TwistBracket: 22-32mm / Silicone-Strap: 12-38mm



EcoBeam | BLS-75



H8169C**

Frontlicht EcoBeam, 1 LED, Silicon Verschluss
Éclairage EcoBeam, 1 LED, support: avec silicon-strap

8.90



EcoBeam | BLS-75

Max. Runtime Mode Steady: 8 hours

Output / Runtime: 32 Lumen (8h), Flash (12h)

Battery: 3x AAA included

Modes steady: Standard

Modes flash: Flash

Weight: 74 grams

RearLaser | BLS-78



H8173K**

Rücklicht RearLaser, 3 LED's, Halter: Ø22-32mm
Éclairage RearLaser, 3 LED's, support: Ø22-32mm

6.90



RearLaser | BLS-78

Max. Runtime Mode Steady: 120 hours

Output / Runtime: 2 Lumen (120h), Flash (240h)

Battery: 2x AAA included

Modes steady: Standard

Modes flash: Flash

Weight: 61 grams

EcoCombo / BLS-76



H8169F*

Set EcoBeam BLS-75 und RearLaser BLS-78, Silicon-Strap
Kit EcoBeam BLS-75 und RearLaser BLS-78, avec silicon-strap

25.00

EcoBeam | BLS-75

Max. Runtime Mode Steady: 8 hours

Output / Runtime: 32 Lumen (8h), Flash (12h)

Battery: 3x AAA included

Modes steady: Standard

Modes flash: Flash

Weight: 74 grams

RearLaser | BLS-78

Output / Runtime: 2 Lumen (120h), Flash (240h)

Battery: 2x AAA included

Modes steady: Standard

Modes flash: Flash

Weight: 61 grams



Centermount 2.0 | BLS-195


H8279C


Verfügbar ab / Disponible à partir du: 01.10.2022

 Halterung TightFix Frontleuchten BBB/GoPro für
 Lenker 31.8 und 35mm
 Support TightFix / GoPro pour lumières BBB avant
 guidon 31.8 et 35mm

16.90

CenterMount | BLS-98


H8218P*

 Halterung TightFix Frontlichter BBB, Ø 25,4-35mm
 Support TightFix, pour lumières BBB avant, Ø 25,4-35mm

12.00

ErgoMount Duo | BCP-96


H8274I

 40 x 55 x 140mm, 62g, für Lenker 25.4/31.8mm
 Passt zu allen Garmin Quartermount-, Mio Cyclo- und
 Wahoo-Computern, inklusive Go-Pro Halterung, kompatibel
 mit BLS-99 für BBB-Lights TightFix

49.00

 40 x 55 x 140mm, 62g, pour guidon 25.4/31.8mm
 Convient à tous Garmin Quartermount, Mio Cyclo et
 Wahoo Support, Go-Pro en dessous, compatible avec BLS-99
 pour BBB-Lights TightFix

GoMount | BLS-99


H8245Q

 BBB Frontlichthalter, Montage an GoPro Adapter, kompatibel mit
 Vorbau BHS-09 oder BHS-37 von BBB, 14g
 Support lumière BBB, montage sur adaptateur GoPro, compatible
 avec potence BHS-09 ou BHS-37 de BBB, 14g

11.00

StrapFix StrikeDuo | BLS-194


H8274H

 Front Siliconbandhalterung StrapFix StrikeDuo TightFix,
 Ø22-52mm für BLS-171/172/173
 Avant support bande silicone StrapFix StrikeDuo TightFix
 Ø22-52mm
 Pour BLS-171/172/173

15.00

StrapFix | BLS-192


H8260V

 Front Siliconbandhalterung StrapFix TightFix, Ø22-52mm
 avant support bande silicone StrapFix TightFix Ø22-52mm

14.00

TightFix | BLS-191



H8260U

Werkzeugfreie Halterung TightFix Frontlichter BBB, Ø22-32mm
Support sans outil TightFix, pour lumières BBB avant, Ø22-32mm

9.00

CrownFix / BLS-193



H8263V

BBB Frontlichthalter, Montage an Gabel, mit GoPro Adapter, Alu
Support lumière BBB, montage sur fourche, avec adaptateur GoPro, alu

25.00

HelmetMount / BLS-70



H8173G
001/0006400

Helmhalter Klettverschluss, BBB Lichter mit TightFix
Support pour casque avec velcro, pour éclairages BBB avec TightFix

12.00

StrikeDuo Remote / BLS-179



H8274F

Kompatibel mit Frontlicht StrikeDuo BLS-171, BLS-172, BLS-173, 30cm
Compatible avec l'éclairage StrikeDuo BLS-171, BLS-172, BLS-173, 30cm

17.00

* so lange Vorrat / selon disponibilité

** Netto Preise, so lange Vorrat / Pris Net, selon disponibilité

TECHNICAL SPECIFICATIONS

ARTIKELNUMMER **MODI** **LICHTABGABE LUMEN (LM)** **LICHTSTÄRKE LUX BEIM 1 METER / CANDELA (CD)** **LICHTSTÄRKE LUX BEIM 10 METER** **STRAHL DISTANZ METERS** **LEUCHTDAUER * STUNDEN** **LADEDAUER STUNDEN** **BATTERIEN MARKE/TYP**

FRONTLEUCHTE

BLS-173 StrikeDuo 2000	Boost	2000	11500	110	210	2:00	4:30 (2A)	LG 18650
	Hell	1300	7400	74	170	3:15	6:30 (1A)	3.7V x 6700mAh
	Standard	800	4800	48	130	5:30		
	Schwach	350	2100	21	90	12:30		
	Standlicht	50	300	3	35	80:00		
	Blinkend	200	950	9		120:00		
	Tagleuchte	400	1800	18		200:00		
	Boost	1600	8000	84	180	2:00	4:00 (2A)	LG 18650
	Hell	1000	5000	50	140	2:30	5:15 (1A)	3.7V x 5200mAh
	Standard	500	2300	24	90	6:30		
BLS-172 Strike Duo 1600	Schwach	250	1200	12	70	14:00		
	Standlicht	50	270	2	30	65:00		
	Blinkend	200	950	9		100:00		
	Tagleuchte	400	1800	18		160:00		
	Boost	1200				1:45	2:30 (1.5A)	18500
	Hell	800				2:20		3.7V x 3200mAh
	Standard	500				4:00		
	Schwach	250				8:30		
	Standlicht	50				40:00		
	Blinkend	200				60:00		
BLS-161 NanoStrike 600	Tagleuchte	400				100:00		
	Boost	600	5050	50	142	1:30	3:45	Lithium polymer
	Hoch	350	3000	30	110	3:30		3.7V x 2000mAh
	Standard	150	1200	10	69	10:00		
	Standlicht	15	120	1.5	22	80:00		
	Blinkend	100	80	9		70:00		
	Tagleuchte	400	3400	31		75:00		
	Boost	600	5050	50	142	1:45	3:30	Lithium Polymer,
	Hell	350	3000	30	110	3:30		2000mAh
	BLS-162 AdventureStrike	Schwach	50				25:00	

TECHNICAL SPECIFICATIONS

ARTIKELNUMMER	MODI	LICHTABGABE LUMEN (LM)	LICHTSTÄRKE LUX BEIM 1 METER / CANDELA (CD)	LICHTSTÄRKE LUX BEIM 10 METER	STRAHL DISTANZ METERS	LEUCHTDAUER * STUNDEN	LADEDAUER STUNDEN	BATTERIEN MARKE/TYP
FRONTLEUCHTE								
BLS-130 NanoStrike 400								
	Boost	400	3120	31	112	2:00	3:30	Lithium polymer
	Hell	250	2030	20	90	4:00		3.7V x 1000mAh
	Standard	130	1020	10	64	8:00		
	Standlicht	15	150	1.5	24	48:00		
	Blinkend	100	900	9		37:00		
	Tagleuchte	400	3120	31		42:00		
BLS-141 Stud								
	Hell	130	2300	33	96	3:00	2:00	Lithium polymer
	Schwach	60	1300	18	72	5:00		
	Blinkend	130	2300	33		5:00		
BLS-136 Signal								
	Hell	57	22.5	<0.50	9	3:00 (+4:00 Blinkend)	1:45	Lithium polymer
	Standard	15	6	<0.50		11:15 (+4:00 Blinkend)		3.7V x 300mAh
	Schwach	6	2.6	<0.50		23:30 (+4:00 Blinkend)		
	Blinkend	8	3.3	<0.50		36:00		
	Tagleuchte	100	40	<0.50		35:00 (+4:00 Blinkend)		
BLS-225 Spirit								
	High	30				2:00	2:00	Lithium Polymer
	Low	7				8:00		
	Steady Flash	7+30				4:00		
	Flash	25				24:00		
	Dayflash	30				40:00		
BLS-151 Spark 2.0								
	Hell	45	78	0.7	18	3:00 (+4:00 Blinkend)	1:45	Lithium polymer
	Schwach	14	25	<0.50		10:00 (+3:00 Blinkend)		3.7V x 300mAh
	Blinkend	12	21	<0.50		27:00		
	Tagleuchte	100	156	1.5		25:00 (+2:00 Blinkend)		
BLS-146 Spot								
	Hell	24	11	<0.50		4:00 (+2:00 Blinkend)	0:30	Lithium polymer
	Schwach	12	5	<0.50		8:00 (+4:00 Blinkend)		4.2V x 300mAh
	Blinkend	24	11	<0.50		16:00		

TECHNICAL SPECIFICATIONS

ARTIKELNUMMER	MODI	LICHTABGABE LUMEN (LM)	LICHTSTÄRKE LUX BEIM 1 METER / CANDELA (CD)	LICHTSTÄRKE LUX BEIM 10 METER	STRAHL DISTANZ METERS	LEUCHTDAUER * STUNDEN	LADEDAUER STUNDEN	BATTERIEN MARKE/TYP
RÜCKLEUCHE								
BLS-137 Signal	Hell	20	9	< 0.50		2:30 (+4:00 Blinkend)	1:45	Lithium polymer 3.7V x 300mAh
	Standard	6	3	< 0.50		9:45 (+4:00 Blinkend)		
	Schwach	2	1	< 0.50		21:00 (+4:00 Blinkend)		
	Blinkend	3	1.5	< 0.50		32:00		
	Tagleuchte	50	24	< 0.50		31:00 (+4:00 Blinkend)		
	Hell	10	4,7	1,4		3:00 (+5:00 Blinkend)	*1:45	Lithium polymer 3.7V x 300mAh
BLS-152 Spark 2.0	Schwach	3	1,8	0,5		10:00 (+4:00 Blinkend)		
	Blinkend	3	1,8	0,5		28:00		
	Tagleuchte	20				20:00 (+2:00 Blinkend)		
	High	12				2:00	2:00	Lithium Polymer
	Low	3				8:00		
	Steady Flash	3+12				4:00		
BLS-147 Spot	Flash	10				24:00		
	Dayflash	12				40:00		
	Hell	4	2	< 0.50		4:00 (+2:00 Blinkend)	0:30	Lithium polymer 4.2V x 300mAh
	Schwach	2	1	< 0.50		8:00 (+4:00 Blinkend)		
	Blinkend	4	2	< 0.50		16:00		



P

3

Part of
your ride

3

Part of
your ride



amster
bikes & parts