

## BIBLIOGRAPHY

- Allen, B.H. (1980), Peristome variations in the genus *Fissidens*: an SEM study, *Bryologist* 83: 314–327.
- Allison, K.W. (1960), Contributions to the knowledge of the New Zealand bryophyte flora, *Trans. Proc. Roy. Soc. New Zealand* 88: 9–12.
- Anon. (2014), *Catalogue of Australian Mosses*. Royal Botanic Gardens, Melbourne. <http://www.rbgt.vic.gov.au/dbpages/cat/index.php/mosscatalogueAUSMOSS>
- Bartram, E.B. (1939), Mosses of the Philippines, *Philipp. J. Sci.* 68: 1–437, pls 1–29.
- Bartram, E.B. (1952), North Queensland mosses collected by L.J.Brass, *Farlowia* 4: 235–247.
- Beever, J.E. (1995), Studies of *Fissidens* (Bryophyta: Musci) in New Zealand: *F. strictus* Hook.f. & Wils., and *F. berteroi* (Mont.) C. Muell., *New Zealand J. Bot.* 33: 291–299.
- Beever, J.E. (1996), Studies of *Fissidens* in New Zealand: *F. blechnoides* sp. nov. and *F. anisophyllus* Dix., *J. Bryol.* 19: 257–266.
- Beever, J.E. & Stone, I.G. (1992), Studies of *Fissidens* (Bryophyta: Musci) in New Zealand: *F. taxifolius* Hedw. and *F. integerrimus* Mitt., *New Zealand J. Bot.* 30: 237–246.
- Beever, J.E. & Stone, I.G. (1998), Studies of *Fissidens* (Bryophyta: Musci) in New Zealand: section *Amblyothallia*, *New Zealand J. Bot.* 36: 71–90.
- Beever, J.E. & Stone, I.G. (1999a), Studies of *Fissidens* (Bryophyta: Musci): new taxa and new records for New Zealand, *New Zealand J. Bot.* 37: 643–657.
- Beever, J.E. & Stone, I.G. (1999b), Studies of *Fissidens* (Bryophyta: Musci) in New Zealand: a synopsis and key to taxa, *New Zealand J. Bot.* 37: 659–670.
- Beever, J., Allison, K.W. & Child, J. (1992), *Mosses of New Zealand*, 2nd edn. University of Otago Press, Dunedin.
- Beever, J.E., Malcolm, W. & Malcolm, N. (2002), *The Moss Genus Fissidens in New Zealand – an illustrated key*. Micro-Optics Press, Nelson.
- Bizot, M. (1963), *Nanobryum gladiolum* (Mitt.) Biz., comb. nov., *Rev. Bryol. Lichénol.* 32: 82–83.
- Brotherus, V.F. (1893) Some new species of Australian mosses. II, *Oefvers. Förh. Finska Vetensk.-Soc.* 35: 34–56.
- Brotherus, V.F. (1901), Fissidentaceae, in H.G.A.Engler & K.A.E.Prantl, *Nat. Pflanzenfam.* 1(3): 351–363.
- Brotherus, V.F. (1924), Fissidentaceae, in H.G.A.Engler & K.A.E.Prantl, *Nat. Pflanzenfam.* 2nd edn, 10: 143–155.
- Brotherus, V.F. & Watts, W.W. (1915), The mosses of Lord Howe Island, *Proc. Linn. Soc. New South Wales* 40: 363–385.
- Brotherus, V.F. & Watts, W.W. (1918), The mosses of North Queensland, *Proc. Linn. Soc. New South Wales* 43: 544–567.
- Brown, R. (1819), Characters and description of *Lyellia*, a new genus of mosses, with observations on the section of the order to which it belongs, and some remarks on *Leptostomum* and *Buxbaumia*, *Trans. Linn. Soc. London* 12: 560–583.
- Bruggeman-Nannenga, M.A. (1997), Notes on *Fissidens*. VI. New synonyms, new combinations and validation of some names, *J. Hattori Bot. Lab.* 81: 155–173.
- Bruggeman-Nannenga, M.A. (1978), Notes on *Fissidens*. I and II, *Proc. Kon. Ned. Akad. Wetensch.*, ser. C, 81: 387–402.

- Bruggeman-Nannenga, M.A. (1979), The section *Pachylomidium* (genus *Fissidens*) II. The species of central America, temperate South America (including the high Andes), Australia, New Zealand and New Guinea, *Proc. Kon. Ned. Akad. Wetensch.*, ser. C, 82: 11–27.
- Bruggeman-Nannenga, M.A. (1990), On the anatomy of the costa in *Fissidens*, *Tropical Bryol.* 3: 37–44.
- Bruggeman-Nannenga, M.A. (1997), Notes on *Fissidens* VI. New synonyms, new combinations and validation of some names, *J. Hattori Bot. Lab.* 81: 155–173.
- Bruggeman-Nannenga, M.A. & Arts, T. (2010), A revision of the Fissidentaceae (Musci) of La Réunion (including all species known from Mauritius and Rodriguez), *J. Bryol.* 32: 170–207.
- Bruggeman-Nannenga, M.A. & Berendsen, W. (1988), *Systematic Studies on Fissidens (Musci)*. Ph.D. Thesis, University of Utrecht.
- Bruggeman-Nannenga, M.A. & Berendsen, W. (1990), On the peristome types found in the Fissidentaceae and their importance for the classification, *J. Hattori Bot. Lab.* 68: 193–234.
- Bruggeman-Nannenga, M.A. & Pursell, R.A. (1995), Notes on *Fissidens* V, *Lindbergia* 20: 49–55.
- Bruggeman-Nannenga, M.A. & Roos, M.C. (1990), Cladistic relationships between the main peristome types of the *Fissidentaceae*, *J. Hattori Bot. Lab.* 68: 235–238.
- Bruggeman-Nannenga, M.A., Pursell, R.A. & Iwatsuki, Z. (1994), A re-evaluation of *Fissidens* subgenus *Serridium* section *Amblyothallia*, *J. Hattori Bot. Lab.* 77: 255–271.
- Buck, W.R. (2003), Guide to the plants of central French Guiana, Part 3, Mosses, *Mem. New York Bot. Gard.* 76: i–vi, 1–167.
- Buck, W.R. & Goffinet, B. (2000), Morphology and classification of mosses. In A.J. Shaw & B. Goffinet (eds), *Bryophyte Biology*, 71–123. Cambridge University Press, Cambridge.
- Catcheside, D.G. (1980), *Mosses of South Australia*. Government Printer, Adelaide.
- Catcheside, D.G. & Stone, I.G. (1988), The mosses of the Northern Territory, Australia, *J. Adelaide Bot. Gard.* 11: 1–17.
- Crosby M.R., Magill, R.E., Allen, B. & He, S. ('2000') [1999], *A Checklist of the Mosses*. (<http://www.mobot.org/MOBOT/tropicos/most/checklist.shtml>). Missouri Botanical Gardens, St. Louis.
- Crum, H.A. & Anderson, L.E. (1981), *Mosses of Eastern North America I*. Columbia University Press, New York.
- de Winton, M.D. & Beever, J.E. (2004), Deep-water bryophyte records from New Zealand lakes, *New Zealand J. Mar. Fresh. Res.* 38: 329–340.
- Dixon, H.N. (1916), On a collection of Bornean mosses made by the Rev. C.H. Binstead, *J. Linn. Soc. Bot.* 43: 291–323.
- Dixon, H.N. (1923), Studies in the bryology of New Zealand. Part III, *Bull. New Zealand Inst.* 3: 75–151.
- Dixon, H.N. (1941), *Sainsburia*, a new genus of Fissidentaceae, *Bryologist* 44: 40–41.
- Dixon, H.N. ('1941') [1942], Additions to the mosses of north Queensland, *Proc. Roy. Soc. Queensland* 53: 23–40.
- Dixon, H.N. & Greenwood, W. (1930), The mosses of Fiji, *Proc. Linn. Soc. New South Wales* 55: 261–302, pl. VII.
- Dozy, F. & Molkenboer, J.H. (1854), *Bryologia Javanica*. 1, fasc. I, II: 1–16, Tab. I–XV. E.J. Brill, Lugduni-Batavorum.
- Eddy, A. (1988), *A Handbook of Malesian Mosses. I. Sphagnales to Dicranales*. British Museum (Natural History), London.

- Edwards, S.R. (1984), Homologies and inter-relationships of moss peristomes. *In*: R.M.Schuster (ed.), *New Manual of Bryology* 2: 658–695. Hattori Botanical Laboratory, Nichinan.
- Fleischer, M. (1904), *Die Musci der Flora von Buitenzorg* 1: 13–57. E.J.Brill, Leiden.
- Florschütz, P. (1964), *The Mosses of Suriname*, Part 1. E.J.Brill, Leiden.
- Gangulee, H.C. (1971), *Mosses of Eastern India and Adjacent Regions* 2: 447–566. Published by the author, Calcutta.
- Goffinet, B. & Cox, C.J. (2000), Phylogenetic relationships among basal-most arthrodontous mosses with special emphasis on the evolutionary significance of the Funariineae, *Bryologist* 103: 212–223.
- Goffinet, B., Buck, W.R. & Shaw, J. (2009), Morphology, anatomy and classification of the Bryophyta. *In*: B.Goffinet & A.J.Shaw (Eds), *Bryophyte Biology*, edn 2, pp. 1–234. Cambridge University Press, Cambridge.
- Hampe, E. (1860), Muscorum frondosorum Florae Australasiae auctore Dr. F. Muller mox edendae species novas, *Linnaea* 30: 623–646.
- Ishihara, M.I. & Iwatsuki, Z. (1992), Some important sporophytic characters for infrageneric classification of the genus *Fissidens*, *Hikobia* 11: 141–146.
- Iwatsuki, Z. (1980), A preliminary study of *Fissidens* in China, *J. Hattori Bot. Lab.* 48: 171–186.
- Iwatsuki, Z. (1982), Speciation of the moss genus *Fissidens* in New Caledonia (preliminary report), *J. Hattori Bot. Lab.* 52: 113–126.
- Iwatsuki, Z. (1985), A new approach to the classification of the Fissidentaceae (Musci). *In* H.Hara (ed.), *Origin and Evolution of Diversity in Plants and Plant Communities*, 132–141. Academia Scientific Books Inc., Tokyo.
- Iwatsuki, Z. & Inoue, S. (1984), Cytotaxonomic studies of the Japanese species of *Fissidens* Hedw. (Musci), *J. Hattori Bot. Lab.* 57: 343–362.
- Iwatsuki, Z. & Haji Mohamed, M.A. (1987), The genus *Fissidens* in Peninsular Malaysia and Singapore (a preliminary study), *J. Hattori Bot. Lab.* 62: 339–360.
- Iwatsuki, Z. & Pursell, R.A. (1980), Axillary hyaline nodules in *Fissidens*, *J. Hattori Bot. Lab.* 51: 329–335.
- Iwatsuki, Z. & Suzuki, T. (1977), *Fissidens* in the Ryuku Islands, Japan, *J. Hattori Bot. Lab.* 43: 379–408.
- Iwatsuki, Z. & Suzuki, T. (1982), A taxonomic revision of the Japanese species of *Fissidens* (Musci), *J. Hattori Bot. Lab.* 51: 329–508.
- Iwatsuki, Z. & Suzuki, T. (1989), New Caledonian Fissidentaceae (Musci), *J. Hattori Bot. Lab.* 67: 267–290.
- Iwatsuki, Z. & Suzuki, T. (1995), *Fissidens* (Musci, Fissidentaceae) in Vanuatu (New Hebrides) collected by Dr. M. Higuchi, *Fragm. Florist. Geobot.* 40: 153–158.
- Iwatsuki, Z. & Suzuki, T. (1996), *Fissidens* in the Fiji Islands, *J. Hattori Bot. Lab.* 79: 139–162.
- La Farge, C., Mischler, B.D., Wheeler, J.A., Wall, D.P., Johannes, K., Schaffer, S. & Shaw, A.J. (2000), Phylogenetic relationships within the haplolepideous mosses, *Bryologist* 103: 257–276.
- Li, Z.-H. (1985), A revision of the Chinese species of *Fissidens* (Musci, Fissidentaceae), *Acta Bot. Fennica* 129: 1–65.
- Li, Z.-H. & Iwatsuki, Z. (2001), Fissidentaceae. *In* X.-J.Li, M.R.Crosby & S.He, *Moss Flora of China. English Version. Vol. 2. Fissidentaceae – Ptychomitriaceae*, 3–67. Science Press, Beijing & New York and Missouri Botanical Garden, St. Louis.

- Magill, R.E. (1981), *Flora of Southern Africa. Bryophyta. Part 1. Mosses. Fasc. 1. Sphagnaceae–Grimmiaceae*. Botanical Research Institute, Department of Agriculture & Fisheries, Pretoria.
- Meagher, D. & Fuhrer, B. (2003), *A Field Guide to the Mosses and Allied Plants of Southern Australia*. Flora of Australia Supplementary Series 20. Australian Biological Resources Study, Canberra & The Field Naturalists Club of Victoria, Blackburn.
- Mitten, W. (1869), Musci Austro-Americanae, *J. Linn. Soc. Bot.* 12: 1–659.
- Mitten, W. ('1882') [1883], Australian mosses, *Trans. Proc. Roy. Soc. Victoria* 19: 49–96.
- Müller, C. (1848), Plantae kegelianae Surinamenses. Musci frondosi, *Linnaea* 21: 181–200.
- Müller, C. (1851), *Synopsis Muscorum Frondosorum omnium hucusque cognitorum. Pars Prima*. A.Foerster, Berlin.
- Müller, C. (1859), Supplementum novum ad Synopsis muscorum, *Bot. Zeitung (Berlin)* 17: 197–198.
- Müller, C. ('1900') [1901], *Genera Muscorum Frondosorum*. E.Kummer, Leipzig.
- Müller, C. & Hampe, E. ('1853') [1856], Musci frondosi Australasiae ab Dre. Ferd. Müller lecti, *Linnaea* 26: 489–505.
- Norkett, A.H. (1969), Some problems in a monographic revision of the genus *Fissidens* with special reference to the Indian species, *Bull. Bot. Soc. Bengal* 23: 75–82.
- Noguchi, A. (1987), *Illustrated Moss Flora of Japan*. Part 1. Hattori Botanical Laboratory, Nichinan.
- Norris, D.H. & Koponen, T. (1987), Bryophyte flora of the Huon Peninsula, Papua New Guinea XX. Fissidentaceae, *Ann. Bot. Fennici* 24: 177–219.
- Pradhan, N. & Joshi, S.P. (2006), A checklist of *Fissidens* species (Musci: Fissidentaceae) of Nepal, *Our Nature* 4: 61–68.
- Pursell, R.A. (1984), A preliminary study of the *Fissidens elegans* complex in the Neotropics, *J. Hattori Bot. Lab.* 55: 235–252.
- Pursell, R.A. (1986a), Typification of Hedwig's species of *Fissidens*, *Bryologist* 89: 35–41.
- Pursell, R.A. (1986b), Additions and deletions to the genus *Fissidens* (Fissidentaceae) in Mexico, including four new species, *Cryptogamie, Bryol. Lichénol.* 7: 37–46.
- Pursell, R.A. (1987), A taxonomic revision of *Fissidens* subgenus *Octodiceras* (Fissidentaceae), *Mem. New York Bot. Gard.* 45: 639–660.
- Pursell, R.A. (1988), *Fissidens amazonicus* sp. nov. from Brazilian Amazonia, with comments on the relationship and taxonomy of Subgenus *Fissidens* Sections *Areofissidens*, *Weberiopsis* and *Reticularia* and Subgenus *Aneurion* (Bryopsida: Fissidentaceae), *Beih. Nova Hedwigia* 90: 345–355.
- Pursell, R.A. (1990), *Fissidens* in the Neotropics, *Tropical Bryol.* 2: 193–200.
- Pursell, R.A. (1994a), Fissidentaceae. In A.J.Sharp, H.Crum & P.M.Eckel (eds), *Moss Flora of Mexico*, Mem. New York Bot. Gard. 69: 31–81.
- Pursell, R.A. (1994b), Fissidentaceae. In B.Allen (ed.), *Moss Flora of Central America*, Monogr. Syst. Bot. 49: 40–80.
- Pursell, R.A. (1997), Taxonomic notes on Neotropical *Fissidens*. II. An addendum, *Bryologist* 100: 193–197.
- Pursell, R.A. (2007), *Fissidentaceae*, Flora Neotropica Monograph 101. Botanical Gardens Press, New York.
- Pursell, R.A. & Bruggeman-Nannenga, M.A. (2004), A revision of the infrageneric taxa of *Fissidens*, *Bryologist* 107: 1–20.

- Pursell, R.A. & Hoe, W.J. (1977), *Fissidens* in Hawaii, *J. Hattori Bot. Lab.* 43: 81–106.
- Pursell, R.A. & Reese, W.D. (1980), The taxonomic status of the Nanobryaceae (Bryopsida), *Bryologist* 83: 559–562.
- Pursell, R.A., Bruggeman-Nannenga M.A. & Iwatsuki, Z. (1992), Species of *Fissidens* (Fissidentaceae, Musci) common to the Neotropics, Asia, and Africa, *Bryobrothera* 1: 49–55.
- Pursell, R.A., Bruggeman-Nannenga M.A. & Iwatsuki, Z. (1993), The identity of *Fissidens gardneri* and *Fissidens minutus*, *Bryologist* 96: 626–628.
- Ramsay, H.P. & Seur, J. (1994), *Register of Type Specimens of Mosses in Australian Herbaria*, Flora of Australia Supplementary Series 2. Australian Biological Resources Study, Canberra.
- Robinson, H. (1970), Observations on the origin of the specialized leaves of *Fissidens* and *Schistostega*, *Rev. Bryol. Lichénol.* 37: 941–947.
- Sainsbury, G.O.K. (1955), A handbook of the New Zealand mosses, *Bull. Roy. Soc. New Zealand* 5: 1–490.
- Salmon, E.S. (1899), On the genus *Fissidens*, *Ann. Bot. (London)* 13: 103–130.
- Schultze-Motel, W. (1969), Nanobryaceae – ein neuer Name für eine Familie der laubmoose, *Willdenowia* 5: 395–387.
- Scott, G.A.M. & Stone, I.G. (1976), *The Mosses of Southern Australia*, Academic Press, London.
- Seppelt, R.D. (2004), *The Moss Flora of Macquarie Island*. Australian Antarctic Division, Kingston.
- Seppelt, R.D. (2014a), A revision of *Fissidens* Hedw. in Australia: *F. dealbatus* and *F. hyalinus*, *Kanunnah* 7: 71–77.
- Seppelt, R.D. (2014b), The moss genus *Fissidens* in Tasmania, *Kanunnah* 7: 78–126.
- Smith, A.J.E. (2004), *The Moss Flora of Britain and Ireland*. 2nd edn. Cambridge University Press, Cambridge.
- Spruce, R. (1881), The morphology of the leaf of *Fissidens*, *J. Bot.* 19: 98–99.
- Stone, I.G. (1982), *Nanobryum thorsbornei*, a remarkable new moss from Australia, *J. Bryol.* 12: 199–208.
- Stone, I.G. (1983a), *Fissidens traversii*, a new species from Queensland, Australia, *J. Bryol.* 12: 359–364.
- Stone, I.G. (1983b), *Fissidens gymnocarpus*, a new species from Queensland, Australia, *J. Bryol.* 12: 553–557.
- Stone, I.G. (1984), *Fissidens henryae*, a new species from Queensland, Australia, *J. Bryol.* 13: 159–162.
- Stone, I.G. (1985a), New records of mosses in Australia. *J. Bryol.* 13: 475–478.
- Stone, I.G. (1985b), A comparison of the species of *Fissidens* subgenus *Aneurion* in Australia, *J. Bryol.* 14: 319–325.
- Stone, I.G. (1986), A comparison of the species of *Fissidens* subgenus *Aneurion* in Australia, *J. Bryol.* 14: 319–325.
- Stone, I.G. (1987), *Fissidens sufflatus* and *Fissidens pseudopallidus* spp. nov. (Fissidentaceae) from Queensland, Australia, *Mem. New York Bot. Gard.* 45: 627–634.
- Stone, I.G. (1988), *Fissidens maceratus* Mitt., (synonym *F. splachnobryoides* Broth.), *J. Bryol.* 15: 117–122.
- Stone, I.G. (1989), *Fissidens cucullatus* and *Fissidens inaequiretis* spp. nov. from New South Wales, Australia, *J. Bryol.* 15: 737–746.

- Stone, I.G. (1990a), *Fissidens aeruginosus* Hook. f. & Wils. and its synonyms, *J. Bryol.* 16: 231–244.
- Stone, I.G. (1990b), *Fissidens*, sections *Crispidium*, *Amblyothallia* and *Serridium* and subgenus *Pachyfissidens* in Australasia: some taxonomic changes and a key to the species, *J. Bryol.* 16: 245–260.
- Stone, I.G. (1990c), Nomenclatural changes and new moss record in Australia: including a description of the protonema of *Calomnion*, *J. Bryol.* 16: 261–273.
- Stone, I.G. (1991), *Fissidens linearis* Brid. and its synonyms, *J. Bryol.* 16: 403–405.
- Stone, I.G. (1994a), Miscellaneous studies on Australian *Fissidens*, *J. Bryol.* 18: 159–167.
- Stone, I.G. (1994b), *Fissidens* section *Crenularia* C. Muell. in Australia, *J. Bryol.* 18: 169–180.
- Stone, I.G. & Beever, J.E. (1996), Studies on the Australasian moss *Fissidens taylorii* C. Muell., *J. Bryol.* 19: 49–64.
- Stone, I.G. & Catcheside, D.G. (1993), Two new species, *Fissidens oblatum* and *F. badyinarus*, from Queensland, *J. Bryol.* 17: 621–626.
- Stone, I.G. & Catcheside, D.G. (2012), *Australian Mosses Online 64. Fissidentaceae*. Australian Biological Resources Study, Canberra. Version 25 October 2012. [http://www.anbg.gov.au/abrs/Mosses\\_online/64\\_Fissidentaceae.html](http://www.anbg.gov.au/abrs/Mosses_online/64_Fissidentaceae.html).
- Stoneburner, A., Wyatt, R., Catcheside, D.G. & Stone, I.G. (1993), Census of the mosses of Western Australia, *Bryologist* 96: 86–101.
- Streimann, H. (2002), *The Mosses of Norfolk Island*. Flora of Australia Supplementary Series 16. Australian Biological Resources Study, Canberra.
- Streimann, H., & Klazenga, N. (2002), *Catalogue of Australian Mosses*. Flora of Australia Supplementary Series 17. Australian Biological Resources Study, Canberra.
- Suzuki, T. & Iwatsuki, Z. (2007), A new approach to the infrageneric classification of the genus *Fissidens* (Fissidentaceae, Bryopsida), *Hikobia* 15: 67–85.
- Tan, B.C. & Iwatsuki, Z. (1989), The bryophytes of Sabah (North Borneo) with special reference to the BRYOTROP transect of Mount Kinabalu, *Willdenowia* 18: 591–602.
- Watts, W.W. (1916), Some cryptogamic notes from the Botanic Gardens, Sydney, *Proc. Linn. Soc. New South Wales* 41: 384–387.
- Whittier, H.A. & Miller, H.A. (1967), Mosses of the Society Islands: *Fissidens*, *Bryologist* 70: 76–93.
- Wijk, R. van der & Margadant, W.D. (1959), New combinations in mosses. III, *Taxon* 8: 106.
- Willis, J.H. (1955), Systematic notes on Victorian mosses. 4, *Victorian Naturalist* 71: 157–163.
- Wilson, W. (1854), Musci. In J.D.Hooker (1854–55). *The Botany of the Antarctic Voyage*. 2nd edn. Flora Novae-Zelandiae 2. Reeve, London.
- Zander, R.H. (1993), Genera of the Pottiaceae: Mosses of harsh environment, *Bull. Buffalo Soc. Nat. Sci.* 32: 1–378.