

A/V CONNECTIVITY CATALOG TruLink

Middle Atlantic Products

2

USB 3.1

The new USB 3.1 standard is faster and more powerful, while maintaining backwards compatibility with previous versions of USB, back to USB 2.0. Transfer rates are twice as fast as version 3.0, and power is used more efficiently.

USB 3.1 AND THE USB TYPE C-CONNECTOR

USB 3.1 is the latest USB specification. This powerful new USB performance level is alternately known as USB SuperSpeed Plus, USB Gen 2, and USB Enhanced SuperSpeed. It's made a number of improvements over the previous versions including:



- A new, symmetrical high bandwidth connector called USB Type-C
- Data transfer rates that are twice the speed of existing USB technology (up to 10Gbit/s)
- Enhanced power delivery of up to 20 volts, 5 amps, and 100 watts for power and charging
- Built-in support for DisplayPort video and four channel audio (speaker and microphone)

What do USB 3.1 and USB Type-C really do?



It Can Charge Fast

Enhanced power delivery capabilities would allow this new technology to support traditional mobile device charging, but would also allow a laptop to power a computer monitor or a computer monitor with a power supply to charge a laptop through its USB-C connector.



Play All Your Digital Content

Native support of DisplayPort™ video and four channel audio will allow your device to connect to a computer monitor, HDTV, surround sound system and headphones—it will even support microphone connections—all over the same small, robust, powerful connection.



Transfer & Control Your Files

Transfer rates up to 10Gbits/s will make USB 3.1 the ideal solution for transferring large amounts of data, such as HD video for editing, Blu-ray $^{\text{TM}}$ authoring, or high resolution photos for editing or storage.



USB FOR TOMORROW... AND TODAY

The introduction of USB 3.1 will revolutionize the way we connect and use devices. Though the advances in power delivery, audio/video support, and data transfer brought by this new technology are not yet available through USB 3.1—C2G offers similar technology in products that you can use today!



USB AUDIO/VIDEO

| SKU | Item Description |
|-------|---|
| 30547 | USB to HDMI® Adapter with Audio |
| 30562 | USB 3.0 to HDMI Audio/Video Adapter |
| 30563 | USB 3.0 to DisplayPort™ Audio/Video Adapter |
| 29351 | Mobile Device USB Micro-B to HDMI Display MHL® Adapter Cable |
| 29192 | Mobile Device USB Micro-B to HDMI Display SlimPort® Adapter Cable |



USB DATA TRANSFER

| SKU | Item Description |
|-------|---|
| 27320 | 6in Mobile Device USB Micro-B to USB Device OTG Adapter Cable |
| 39941 | 6ft USB Windows® File Transfer and Sync Cable |
| 39987 | 6ft USB Mac® File Transfer and Sync Cable |
| 39700 | USB 3.0 to Gigabit Ethernet Network Adapter |
| 30504 | 33in USB 2.0 to IDE or Serial ATA Drive Adapter Cable |



USB EXTENSION

Support USB extension applications that require a cable longer than the 16.4 foot length limitation, or support a device with a fixed USB output such as a USB flip cam—which only requires a short extension from the port. C2G offers USB Extenders and Wall Plates that will boost a USB signal up to 328 feet using standard Cat5 or Cat6 cable. Use our USB extension cables including USB AA extension cables and USB BB extension cables to boost signals shorter distances.



38988

| SKU | Item Description |
|-------|--|
| 38988 | 25ft USB A Male to Female Active Extension Cable |
| 38989 | 25ft USB A to B Active Extension Cable |
| 52119 | 6in Passive USB 2.0 Extension Cable |
| 53877 | USB 2.0 over Cat5 Superbooster Wall Plate Transmitter to Wall Plate Receiver |
| 53878 | USB 2.0 over Cat5 Superbooster Wall Plate Transmitter to Dongle Receiver |
| 53879 | USB 2.0 over Cat5 Superbooster Dongle Transmitter to Wall Plate Receiver |
| 53880 | USB 2.0 over Cat5 Superbooster Dongle Transmitter to Dongle Receiver |

RAPIDRUN REVOLUTION

C2G's award-winning modular cabling solution just got better with several significant enhancements now available.

RAPIDRUN OPTICAL SOLUTION

RapidRun® Optical is a fiber-based cabling solution which is designed to support HDMI® digital audio/video signals. The solution includes a variety of flying leads, runner cables, and wall plates which are the hallmarks of the RapidRun product line. Engineered to be the leanest-longest, fastest-strongest modular cabling solution available on the market, RapidRun Optical supports up to a 4K resolution at up to 1,000 feet, while providing enough available bandwidth to serve the audio/video needs of commercial applications for years to come.



RAPIDRUN OPTICAL RUNNER CABLES

| SKU | Item Description |
|-------|--|
| 60118 | 35ft Optical Runner Cable - Plenum, OFNP-Rated |
| 60119 | 50ft Optical Runner Cable - Plenum, OFNP-Rated |
| 60120 | 65ft Optical Runner Cable - Plenum, OFNP-Rated |
| 60121 | 80ft Optical Runner Cable - Plenum, OFNP-Rated |
| 60122 | 100ft Optical Runner Cable - Plenum, OFNP-Rated |
| 60123 | 125ft Optical Runner Cable - Plenum, OFNP-Rated |
| 60124 | 150ft Optical Runner Cable - Plenum, OFNP-Rated |
| 60125 | 175ft Optical Runner Cable - Plenum, OFNP-Rated |
| 60126 | 200ft Optical Runner Cable - Plenum, OFNP-Rated |
| 60127 | 500ft Optical Runner Cable - Plenum, OFNP-Rated |
| 60128 | 750ft Optical Runner Cable - Plenum, OFNP-Rated |
| 60129 | 1000ft Optical Runner Cable - Plenum, OFNP-Rated |

Please note: RapidRun Optical Runners are directional cables that require the TX to be installed at the source side and the RX to be installed at the display side.

Please note: RapidRun Optical Fiber Pulling Eye sold separately (60155).

RAPIDRUN OPTICAL FLYING LEADS

Use with a RapidRun Optical Runner for any display requiring an HDMI or DVI-D connection for all your audio/video needs.

New for 2015-DVI for RapidRun Optical

DVI for RapidRun supports up to 1080p resolution, is interchangeable with Optical HDMI Leads and can be used with Optical Runners up to 1000 feet.

| SKU | Item Description |
|--------|------------------------------|
| 60130 | HDMI Transmitter Flying Lead |
| 60131* | HDMI Receiver Flying Lead |
| 60132 | DVI Transmitter Flying Lead |
| 60133 | DVI Receiver Flying Lead |

*Please note: USB power adapter included.















60136

60138

RAPIDRUN OPTICAL WALL PLATES

| SKU | Item Description |
|--------|---|
| 60134* | HDMI®, VGA, Stereo Audio, Composite Video and Audio Double Gang Wall Plate with One Keystone - Aluminum |
| 60135* | HDMI, VGA and Stereo Audio Double Gang Wall Plate with One Keystone - Aluminum |
| 60136 | HDMI Double Gang Wall Plate with VGA, Stereo Audio and USB - Aluminum |
| 60137 | HDMI Double Gang Wall Plate with VGA, Stereo Audio, Composite Video and Audio - Aluminum |
| 60138 | HDMI Single Gang Wall Plate with VGA, Stereo Audio and One Keystone - Aluminum |
| 60139 | HDMI Single Gang Wall Plate with VGA, Stereo Audio and USB - White |
| 60140 | HDMI Single Gang Wall Plate with VGA, Stereo Audio and USB - Aluminum |
| 60147 | Dual HDMI, VGA, Stereo Audio, Composite Video + RCA Stereo Audio Double Gang Wall Plate - Aluminum |
| 60148 | Dual HDMI Double Gang Wall Plate with One Decora Compatible Cutout - White |
| 60149 | Dual HDMI Double Gang Wall Plate with One Decora Compatible Cutout - Aluminum |
| 60150 | HDMI Decora Style Wall Plate - White |
| 60151 | HDMI Decora Style Wall Plate with One Keystone - White |
| 60152 | HDMI Single Gang Wall Plate with VGA + Stereo Audio Pass Through - Aluminum |
| 60153 | HDMI, VGA + Stereo Audio Single Gang Wall Plate - Aluminum |
| 60154 | HDMI, VGA + Stereo Audio Single Gang Wall Plate with USB Pass Through - White |

^{*}Please note: RapidRun Optical Wall Plates (60134) and (60135) are integrated with RapidRun Multi-Format.

RAPIDRUN MULTI-FORMAT AND PC UPGRADE KITS


Two new upgrade kits are available to extend the life of existing RapidRun installations of Multi-Format (orange) and PC (yellow) configurations. These kits allow an HDMI® source device, such as a laptop, to connect with the VGA video and stereo audio ports of a projector or TV over an existing runner cable without the need to purchase or pull new cable. Simply swap out the old wall plate and flying lead with the wall plate and flying lead from the kit. This is the ideal solution in environments where new laptops/computers with digital-only connectivity are deployed but existing infrastructure (projectors, cables, etc.) is not being upgraded.

| SKU | Item Description |
|-------|--|
| 41324 | Multi-Format Digital to Analog Upgrade Kit - Aluminum Wall Plate |
| 41325 | Multi-Format Digital to Analog Upgrade Kit - Black Wall Plate |
| 41326 | Multi-Format Digital to Analog Upgrade Kit - White Wall Plate |
| 41327 | Multi-Format Digital to Analog Upgrade Kit - Ivory Wall Plate |
| 41328 | PC Digital to Analog Upgrade Kit - Aluminum Wall Plate |
| 41329 | PC Digital to Analog Upgrade Kit - Black Wall Plate |
| 41330 | PC Digital to Analog Upgrade Kit - White Wall Plate |
| 41331 | PC Digital to Analog Upgrade Kit - Ivory Wall Plate |




APPLICATIONS FOR RAPIDRUN

Optical Classroom Solution



Optical/Multi-Format Conference Room Solution



APPLICATIONS FOR RAPIDRUN

Optical Restaurant & Bar Solution





FREE Certified Training Courses for INFOCOMM, NSCA, AIA and BICSI

Discover industry-certified training on technology hot topics and revolutionary solutions that will help industry professionals such as Integrators, Architects, Consultants, and Contractors who are tasked with meeting the audio/video needs of installations of today and the future. Each one-hour course will arm you with information that can be applied to any phase of the construction project life cycle — from specification to installation.

*All courses are 1 hour and equal to 1 InfoComm CTS-RU, AIA-LU, NSCA-LU and BICSI-CEC credit, unless noted otherwise.

Register: http://www.middleatlantic.com/resources/training.aspx

The analog sunset has changed the landscape of A/V connectivity. The analog ports on source devices and displays are being replaced by their digital counterparts.

HDMI® is now the standard for accessing A/V content from multimedia devices like Blu-ray™ players, while DisplayPort™ is the standard for accessing A/V content from IT devices such as computers. C2G offers the products that will simplify digital solutions—the products which solve problems created during this transition period from analog to digital—and the products that will be used for digital devices today and tomorrow.

HDMI ADAPTER CONVERTERS

These HDMI Adapters provide a solution for the follow situations:

- The output of the source device does not match the input of the display
- Two cables need to be coupled to extend the overall length
- A cable must be installed in a tight spot where flexibility and tight bends are required







41353



| SKU | Item Description |
|-------|---|
| 18400 | Right-Angle HDMI Female to Female Coupler |
| 18401 | DVI-D Male to HDMI Male Adapter |
| 18402 | HDMI Female to DVI-D Female Adapter |
| 18406 | HDMI Micro Female to HDMI Male Adapter |
| 18407 | HDMI Female to HDMI Micro Male Adapter |
| 18408 | HDMI Mini Female to HDMI Male Adapter |
| 18413 | HDMI Male to HDMI Female 90° Up Adapter |
| 30548 | 360° Rotating HDMI Male to Female Adapter |
| 40999 | HDMI Male to HDMI Female 90° Down Adapter |
| 43290 | HDMI Right-Angle Adapter - Right Exit |
| 43291 | HDMI Right-Angle Adapter - Left Exit |
| 41350 | HDMI Male to VGA Female Adapter Converter Dongle |
| 41351 | HDMI Male to VGA and Stereo Audio Female Adapter Converter Dongle |
| 41352 | HDMI Male to Single Link DVI-D Female Adapter Converter Dongle |
| 41353 | HDMI Mini Male to VGA Female Adapter Converter Dongle |
| 41354 | HDMI Mini Male to VGA and Audio Female Adapter Converter Dongle |
| 41355 | HDMI Mini Male to Single Link DVI-D Female Adapter Converter Dongle |
| 41356 | HDMI Mini Male to HDMI Female Adapter Converter Dongle |
| 41357 | HDMI Micro Male to HDMI Female Adapter Converter Dongle |
| 41358 | HDMI Micro Male to DVI Female Adapter Converter Dongle |
| 41359 | HDMI Micro Male to VGA and Stereo Audio Female Adapter Converter Dongle |

DIGITAL AUDIO/VIDEO

HDMI ADAPTERS

HDMI® is now the standard for accessing A/V content from multimedia devices like Blu-ray™ players, while DisplayPort™ is the standard for accessing A/V content from IT devices such as computers. C2G offers the products that will simplify digital solutions—the products which solve problems created during this transition period from analog to digital—and the products that will be used for digital devices today and tomorrow.

HIGH SPEED HDMI TO HDMI MINI CABLE

| SKU | Item Description |
|-------|--|
| 50617 | 1.5ft High Speed HDMI to HDMI Mini Cable with Ethernet |
| 50618 | 3ft High Speed HDMI to HDMI Mini Cable with Ethernet |
| 50619 | 6ft High Speed HDMI to HDMI Mini Cable with Ethernet |
| 50620 | 10ft High Speed HDMI to HDMI Mini Cable with Ethernet |



50617

HIGH SPEED HDMI TO HDMI MICRO CABLE

| SKU | Item Description |
|-------|---|
| 50613 | 1.5ft High Speed HDMI to HDMI Micro Cable with Ethernet |
| 50614 | 3ft High Speed HDMI to HDMI Micro Cable with Ethernet |
| 50615 | 6ft High Speed HDMI to HDMI Micro Cable with Ethernet |
| 50616 | 10ft High Speed HDMI to HDMI Micro Cable with Ethernet |



HDMI ADAPTERS

| SKU | Item Description |
|-------|--|
| 41350 | HDMI to VGA Adapter Converter Dongle |
| 41351 | HDMI to VGA and Audio Adapter Converter Dongle |
| 41352 | HDMI to DVI Adapter Converter Dongle |



HDMI MINI ADAPTERS

| SKU | Item Description |
|-------|---|
| 41353 | HDMI Mini to VGA Adapter Converter Dongle |
| 41354 | HDMI Mini to VGA and Audio Adapter Converter Dongle |
| 41355 | HDMI Mini to DVI Adapter Converter Dongle |
| 41356 | HDMI Mini to HDMI Adapter Converter Dongle |



41355

HDMI MICRO ADAPTERS

| SKU | Item Description |
|-------|--|
| 41357 | HDMI Micro to HDMI Adapter Converter Dongle |
| 41358 | HDMI Micro to DVI Adapter Converter Dongle |
| 41359 | HDMI Micro to VGA and Audio Adapter Converter Dongle |



41358

C2G HDMI CABLES

C2G HDMI® Cables are the perfect solution for home theater and desktop environments. These High Speed HDMI cables are capable of supporting the latest HDMI features including 4K resolution, 3D, Deep Color and more.



| SKU | Item Description |
|-------|---|
| 56781 | 1ft High Speed HDMI Cable with Ethernet |
| 50606 | 1.5ft High Speed HDMI Cable with Ethernet |
| 50607 | 2ft High Speed HDMI Cable with Ethernet |
| 56782 | 3ft High Speed HDMI Cable with Ethernet |
| 50608 | 4ft High Speed HDMI Cable with Ethernet |
| 50609 | 5ft High Speed HDMI Cable with Ethernet |
| 56783 | 6ft High Speed HDMI Cable with Ethernet |
| 50610 | 8ft High Speed HDMI Cable with Ethernet |
| 56784 | 10ft High Speed HDMI Cable with Ethernet |
| 50611 | 12ft High Speed HDMI Cable with Ethernet |
| 50612 | 15ft High Speed HDMI Cable with Ethernet |



| SKU | Item Description |
|-------|--|
| 50617 | 1.5ft High Speed HDMI to HDMI Mini Cable with Ethernet |
| 50618 | 3ft High Speed HDMI to HDMI Mini Cable with Ethernet |
| 50619 | 6ft High Speed HDMI to HDMI Mini Cable with Ethernet |
| 50620 | 10ft High Speed HDMI to HDMI Mini Cable with Ethernet |

HDMI MICRO CABLES

| SKU | Item Description |
|-------|---|
| 50613 | 1.5ft High Speed HDMI to HDMI Micro Cable with Ethernet |
| 50614 | 3ft High Speed HDMI to HDMI Micro Cable with Ethernet |
| 50615 | 6ft High Speed HDMI to HDMI Micro Cable with Ethernet |
| 50616 | 10ft High Speed HDMI to HDMI Micro Cable with Ethernet |

HDMI ADAPTER CABLES

| SKU | Item Description |
|-------|--|
| 42513 | 1.6ft HDMI to DVI-D Digital Video Cable |
| 42514 | 3.2ft HDMI to DVI-D Digital Video Cable |
| 42515 | 4.9ft HDMI to DVI-D Digital Video Cable |
| 42516 | 6.5ft HDMI to DVI-D Digital Video Cable |
| 42517 | 9.8ft HDMI to DVI-D Digital Video Cable |
| 42518 | 16.4ft HDMI to DVI-D Digital Video Cable |











42508



42513

FLEXIBLE COMPACT HDML CABLES

The Ultra Flexible High Speed HDMI® Cable with Low Profile Connectors is perfect for home theater or desktop audio video applications requiring high speed HDMI features and video resolutions up to 1080p. The ultra-flexible cable construction and the low profile, compact connector design make this cable an ideal fit for installations in tight spaces. This fully-functional, high bandwidth cable is tested to perform at industry standards and is backed by a lifetime warranty.



| SKU | Item Description |
|-------|---|
| 41361 | 1ft Ultra Flexible High Speed HDMI Cable with Low Profile Connector |
| 41362 | 2ft Ultra Flexible High Speed HDMI Cable with Low Profile Connector |
| 41363 | 3ft Ultra Flexible High Speed HDMI Cable with Low Profile Connector |
| 41364 | 6ft Ultra Flexible High Speed HDMI Cable with Low Profile Connector |

SELECT HDMI CABLES

Select HDMI® Cables are the perfect solution for home theater, desktop, or commercial environments. The CL2-rated jacket allows these cables to meet the requirements for in-wall installations. These cables offer High Speed HDMI cable length options which are capable of supporting the latest HDMI features including 4K resolution, 3D and Deep Color, as well as Standard Speed HDMI options for longer length connections up to 50 feet.

| SKU | Item Description |
|-------|---|
| 50624 | 1.5ft Select High Speed HDMI with Ethernet Cable |
| 50625 | 3ft Select High Speed HDMI with Ethernet Cable |
| 50626 | 5ft Select High Speed HDMI with Ethernet Cable |
| 50627 | 6ft Select High Speed HDMI with Ethernet Cable |
| 50628 | 10ft Select High Speed HDMI with Ethernet Cable |
| 50629 | 12ft Select High Speed HDMI with Ethernet Cable |
| 50630 | 15ft Select High Speed HDMI with Ethernet Cable |
| 50632 | 20ft Select High Speed HDMI with Ethernet Cable |
| 50633 | 25ft Select High Speed HDMI with Ethernet Cable |
| 50634 | 35ft Select Standard Speed HDMI with Ethernet Cable |
| 50635 | 40ft Select Standard Speed HDMI with Ethernet Cable |
| 50636 | 50ft Select Standard Speed HDMI with Ethernet Cable |



42519



ACTIVE OPTICAL HDMI CABLES

The Active Optical HDMI Cables are the perfect solution for commercial environments. The plenum-rated jacket meets the strictest install requirements, while the 6mm bend radius allows this thin, flexible cable to pass through the tightest of bends. The pull strength specification of C2G's cable is 110 lbs—far surpassing other cables on the market that are only rated for a 20 lb pull! This Active Optical Cable offering has High Speed HDMI cable length options up to 100 feet and is capable of supporting the latest HDMI features including 4k resolution. It is also a bus-powered solution that does not require external power!

| SKU | Item Description |
|-------|--|
| 41370 | 35ft Plenum Active Optical HDMI Cable |
| 41371 | 50ft Plenum Active Optical HDMI Cable |
| 41372 | 75ft Plenum Active Optical HDMI Cable |
| 41373 | 100ft Plenum Active Optical HDMI Cable |

HDBASET EXTENDERS

The HDBaseT extenders are ideal for extending audio/video signals up to 300 feet at a 1080p resolution over a single Cat5/Cat5e/Cat6 unshielded twisted pair network patch cable. C2G's offering is robust with wall plate and box options allowing the solution to be customized to fit the needs of any installation. In addition, the rear cable connections for the category cable and optional serial cable of the wall plate options are set at 90°, making that connection in a wall box easy.



The thin design of the electronics on the back of the wall plate make for a comfortable fit in the wall box. C2G's unique power option, TruChoice™ power, allows power for the entire solution to be supplied over the category cable to both the transmitter and receiver from a single power adapter placed at either the transmitter or the receiver end of the solution.

HDMI HDBASET OVER CAT5

| SKU | Item Description |
|-------|--|
| 29210 | HDMI HDBaseT over Cat5 Box Transmitter to Box Receiver Set |
| 29457 | HDMI HDBaseT Lite over Cat5 Box Transmitter to Box Receiver Set |
| 29224 | HDMI HDBaseT over Cat5 Extender Single Gang Wall Plate Transmitter – White |
| 29241 | HDMI HDbaseT over Cat5 Extender Box Transmitter |
| 29275 | HDMI HDBaseT over Cat5 Extender Four Port Box Transmitter |
| 29269 | HDMI HDBaseT over Cat5 Extender Box Receiver |

HDMI HDBASET AND SERIAL RS232 OVER CAT

| SKU | Item Description |
|-------|---|
| 29211 | HDMI HDBaseT + Serial RS232 over Cat5 Box Transmitter to Box Receiver |
| 29271 | HDMI HDBaseT + RS232 over Cat5 Extender Box Transmitter |
| 29273 | HDMI HDBaseT + RS232 over Cat5 Extender Box Receiver |

HDMI, VGA AND STEREO AUDIO HDBASET OVER CAT5

| SKU | Item Description |
|-------|---|
| 29218 | HDMI and VGA + Stereo Audio over Cat5 Wall Plate Transmitter to HDMI HDBaseT Box Receiver Set |
| 29301 | HDMI and VGA + Stereo Audio HDBaseT over Cat5 Extender Wall Plate Transmitter – White |
| 29269 | HDMI HDBaseT over Cat5 Extender Box Receiver |
| 29372 | HDMI HDBaseT over Cat5 Extender Box Receiver – Scaler/De-embedder |

DISPLAYPORT HDBASET OVER CAT5

| SKU | Item Description |
|-------|--|
| 29303 | DisplayPort HDBaseT over Cat5 Box Transmitter to Box Receiver Set |
| 29304 | DisplayPort over Cat5 Box Transmitter to HDMI HDBaseT Box Receiver Set |
| 29302 | DisplayPort HDBaseT Extender over Cat5 Transmitter |
| 29299 | DisplayPort HDBaseT Extender over Cata5 Receiver |

HDMI PASS THROUGH WALL PLATES

These HDMI® Pass Through Wall Plates provide a transition to in-wall cabling. These wall plates feature flexible cable pigtails that allow for easy installation within an in-wall junction box.



| Item Description |
|---|
| HDMI and USB Pass Through Decora Style Wall Plate - White |
| HDMI, VGA, 3.5mm and USB Pass Through Double Gang Wall Plate - Aluminum |
| HDMI, VGA, 3.5mm, Composite Video and Stereo Audio Pass Through Double Gang Wall Plate - Aluminum |
| HDMI, VGA, 3.5mm and Keystone Pass Through Single Gang Wall Plate - Aluminum |
| HDMI, VGA, 3.5mm Stereo Audio and USB Pass Through Single Gang Wall Plate - White |
| HDMI, VGA, 3.5mm Stereo Audio and USB Pass Through Single Gang Wall Plate - Aluminum |
| HDMI Pass Through Wall Plate - Aluminum |
| HDMI Pass Through Wall Plate - White |
| HDMI Pass Through Wall Plate - Ivory |
| HDMI Pass Through Wall Plate - Black |
| |

HDMI AUDIO DE-EMBEDDER

The HDMI® Audio De-Embedders allow for the separation of HDMI audio and video signals. Some displays are not capable of supporting an audio output when the HDMI input is used. These products allow the user to support an audio system that is separate from the display.

| SKU | Item Description |
|-------|----------------------------|
| 40695 | HDMI Audio De-Embedder |
| 40719 | Pro HDMI Audio De-Embedder |



40719

HDMI SWITCHES & SPLITTERS

The HDMI Switches & Splitters enable multiple HDMI source devices to connect to a single input on a display or connects a single source to multiple displays. The 2 and 3-port switch provides auto-switching functionality which makes user operation easy. The 4 and 6-port switches and 2 and 4-port splitters provide support for new HDMI features, including 3D Video and Deep Color.

| SKU | Item Description |
|-------|-----------------------------|
| 40349 | 2-Port HDMI Auto Switch |
| 40734 | 3-Port HDMI Auto Switch |
| 41500 | 4-Port HDMI Selector Switch |
| 41501 | 6-Port HDMI Selector Switch |
| 40471 | 2-Port HDMI Splitter |
| 40472 | 4-Port HDMI Splitter |



DISPLAYPORT CONNECTIVITY

DisplayPort™ and Mini DisplayPort are quickly becoming the standard for accessing audio/video content from computer to display. A DisplayPort signal can be used to transport audio-only content, video-only content, or both simultaneously. DisplayPort and Mini DisplayPort ports are now appearing on computer monitors, projectors and other displays. Don't get left behind—DisplayPort is expected to grow over 100% in the next year!

DISPLAYPORT ADAPTER CABLES

| Item Description | 3ft | 6ft | 10ft |
|---------------------------------|-------|-------|-------|
| DisplayPort To Mini DisplayPort | 54297 | 54298 | 54299 |
| DisplayPort To VGA | 54331 | 54332 | 54333 |
| DisplayPort To DVI | 54328 | 54329 | 54330 |
| DisplayPort To HDMI® | 54325 | 54326 | 54327 |



DISPLAYPORT AND MINI DISPLAYPORT ADAPTER DONGLES

| Item Description | TO DVI | TO VGA | TO HDMI |
|--------------------------|--------|--------|---------|
| DisplayPort - Black | 54321 | 54323 | 54322 |
| Mini DisplayPort - Black | 54311 | 54315 | 54313 |
| Mini DisplayPort - White | 54312 | 54316 | 54314 |



MINI DISPLAYPORT ADAPTER CABLES

| Item Description | 3ft | 6ft | 10ft |
|---------------------------------|-------|-------|-------|
| Mini DisplayPort To DisplayPort | 54300 | 54301 | 54302 |
| Mini DisplayPort To DVI | 54334 | 54335 | 54336 |



DISPLAYPORT & MINI DISPLAYPORT CABLES

| SKU | Item Description |
|-------|--|
| 54400 | 3ft DisplayPort Cable with Latches Male to Male - Black |
| 54401 | 6ft DisplayPort Cable with Latches Male to Male - Black |
| 54402 | 10ft DisplayPort Cable with Latches Male to Male - Black |
| 54403 | 15ft DisplayPort Cable with Latches Male to Male - Black |
| 54404 | 25ft DisplayPort Cable with Latches Male to Male - Black |
| 54405 | 35ft DisplayPort Cable with Latches Male to Male – Black |
| 54410 | 3ft Mini DisplayPort Cable Male to Male - White |
| 54411 | 6ft Mini DisplayPort Cable Male to Male - White |
| 54412 | 10ft Mini DisplayPort Cable Male to Male - White |
| 54413 | 3ft Mini DisplayPort Extension Cable Male to Female - White |
| 54414 | 6ft Mini DisplayPort Extension Cable Male to Female - White |
| 54415 | 10ft Mini DisplayPort Extension Cable Male to Female - White |





54413

SIGNAL DISTRIBUTION AND CONTROL

SPEAKERS

Provide high quality sound from a speaker that can be mounted easily in classrooms, conference rooms, or other environments that have a dropped ceiling with our Plenum Rated 2x2 or 1x2 Drop-In Ceiling Speaker.

| SKU | Item Description |
|-------|---|
| 41108 | Plenum Rated 2x2 Drop-In Ceiling Speaker - 8 Ohm |
| 41109 | Plenum Rated 2x2 Drop-In Ceiling Speaker - 70/25 Volt |
| 41298 | Plenum Rated 1x2 Drop-In Ceiling Speaker - 8 Ohm |
| 41299 | Plenum Rated 1x2 Drop-In Ceiling Speaker - 70/25 Volt |
| 39903 | 5in Ceiling Speaker - White |
| 39904 | 6in Ceiling Speaker – White |
| 39905 | 5in Wall Mount Speaker – Black |
| 39906 | 4in Wall Mount Speaker – Black |
| 39907 | 5in Ceiling Speaker 70V – White |
| 39908 | 5in Wall Mount Speaker 70V – Black |



41108

AUDIO AMPLFIER

Amplify stereo audio signals and provide 50 watts of power to a sound reinforcement system.

| SKU | Item Description |
|-------|---|
| 40880 | 8 OHM 50W Audio Amplifier - Plenum Rated |
| 40881 | 25/70V 50W Audio Amplifier - Plenum Rated |
| 40100 | 40W Audio Amplifier - Plenum Rated |



40880

A/V CONTROLLER

Control in-room projectors or displays and allow easy switching between source devices with the TruLink® A/V Controller. This controller features dual serial and Infrared (IR) control, as well as a 12V DC trigger for electromechanical devices such as a projector screen. Specifically engineered (built/constructed) for use in classrooms and conference rooms, C2G's controller is innovatively simple to install, program, and operate.

| SKU | Item Description |
|-------|------------------------|
| 40348 | TruLink A/V Controller |

