

# Create the perfect ambience for every space

MASTER LEDspot ExpertColour features a light spectrum similar to halogens, for a true colour experience.

## MASTER LEDspot ExpertColour



# Designed to be seen

Today our work spaces need to fulfil multiple functions. We produce, meet, present, sell and require our lighting to be adaptable to meet every need and mood. There is a growing demand for lighting to be decorative and stylish; it needs to be designed to be seen. The Philips Deco collections are highly stylish giant filament LED lamps, designed to make a statement and accentuate your customer's office or shop interior, or to complement the style in a hotel, bar or restaurant. Complement multiple design preferences with Philips unique filament designs.



## Deco LED **Vintage Giant**

Accentuates a traditional warm & cosy vintage atmosphere.



## Deco LED **Modern Giant**

Modern, a bright and sleek, fresh, forward design.

Easy to upgrade,  
simple to install

Both collections get the most out of classic designs, so you're able to select the perfect shape, from a choice of 'Globe', 'Teardrop' or 'Tubular' shaped lamps. Dimmable and non-dimmable.

# LED lamps and tubes

LED lamps save you up to 69% energy and offer the same light quality as conventional lamps. Philips MASTER LED lamps provide you with constant colours, high performance and maximum dimming compatibility. CorePro lamps are good for energy savings of up to 69% and have a lifespan of 30,000 hours. The complete range of Philips LED lamps is designed as a 1-on-1 replacement for currently installed conventional lighting.

## LEDspot MV GU10

[lighting.philips.co.uk/prof/led-lamps-and-tubes](http://lighting.philips.co.uk/prof/led-lamps-and-tubes)



Product Type	Traditional	LED	Lumen Output	Efficacy	Beam Angle	Dimmable	CRI	Colour Temp	Lifetime	EEL	12 NC	EOC code
	W	W	lm	lm/W	°			K	Hrs.			
<b>1 MASTER LEDspot MV ExpertColor 25D</b>												
MAS LED ExpertColor 3.9-35W GU10 927 25D	35	3.9	265	68	25	●	97	2700	40000	A+	929001346402	96707494
MAS LED ExpertColor 3.9-35W GU10 930 25D		3.9	280	71	25	●	97	3000	40000	A+	929001346502	96707517
MAS LED ExpertColor 3.9-35W GU10 940 25D		3.9	300	76	25	●	97	4000	40000	A+	929001346602	96707531
MAS LED ExpertColor 5.5-50W GU10 927 25D	50	5.5	355	65	25	●	97	2700	40000	A+	929001347002	96707616
MAS LED ExpertColor 5.5-50W GU10 930 25D		5.5	375	68	25	●	97	3000	40000	A+	929001347102	96707630
MAS LED ExpertColor 5.5-50W GU10 940 25D		5.5	400	72	25	●	97	4000	40000	A+	929001347202	96707654
<b>1 MASTER LEDspot MV ExpertColor 36D</b>												
MAS LED ExpertColor 3.9-35W GU10 927 36D	35	3.9	265	68	36	●	97	2700	40000	A+	929001346702	96707555
MAS LED ExpertColor 3.9-35W GU10 930 36D		3.9	280	71	36	●	97	3000	40000	A+	929001346802	96707579
MAS LED ExpertColor 3.9-35W GU10 940 36D		3.9	300	76	36	●	97	4000	40000	A+	929001346902	96707593
MAS LED ExpertColor 5.5-50W GU10 927 36D	50	5.5	355	65	36	●	97	2700	40000	A+	929001347302	96707678
MAS LED ExpertColor 5.5-50W GU10 930 36D		5.5	375	68	36	●	97	3000	40000	A+	929001347402	96707692
MAS LED ExpertColor 5.5-50W GU10 940 36D		5.5	400	72	36	●	97	4000	40000	A+	929001347502	96707715
<b>2 MASTER LEDspot MV Value 36D</b>												
MAS LEDspot VLE DT 3.7-35W GU10 927 36D	35	3.7	260	78	36	●	90	2200-2700	25000	A+	929001350002	96708095
MAS LEDspot VLE D 3.7-35W GU10 927 36D		3.7	260	78	36	●	90	2700	25000	A+	929001348202	96707739
MAS LEDspot VLE D 3.7-35W GU10 930 36D		3.7	270	81	36	●	90	3000	25000	A+	929001348302	96707753
MAS LEDspot VLE D 3.7-35W GU10 940 36D		3.7	285	85	36	●	90	4000	25000	A++	929001348402	96707777
MAS LEDspot VLE DT 4.9-50W GU10 927 36D	50	4.9	355	81	36	●	90	2200-2700	25000	A+	929001350302	96708118
MAS LEDspot VLE D 4.9-50W GU10 927 36D		4.9	355	81	36	●	90	2700	25000	A+	929001348802	96707852
MAS LEDspot VLE D 4.9-50W GU10 930 36D		4.9	365	83	36	●	90	3000	25000	A+	929001348902	96707876
MAS LEDspot VLE D 4.9-50W GU10 940 36D		4.9	380	86	36	●	90	4000	25000	A+	929001349002	96707890
<b>2 MASTER LEDspot MV Value 60D</b>												
MAS LEDspot VLE D 3.7-35W GU10 927 60D	35	3.7	285	78	60	●	90	2700	25000	A+	929001348502	96707791
MAS LEDspot VLE D 3.7-35W GU10 930 60D		3.7	300	81	60	●	90	3000	25000	A+	929001348602	96707814

The current dimmer list for high-voltage LED lamps can be found on our website under Cases & Tools on: [www.philips.com/ledlamps](http://www.philips.com/ledlamps)

## LEDspot MV GU10 – Continued



Product Type	Traditional	LED	Lumen Output	Efficacy	Beam Angle	Dimmable	CRI	Colour Temp	Lifetime	EEL	12 NC	EOC code
	W	W	lm	lm/W	°			K	Hrs.			
<b>2 MASTER LEDspot MV Value 60D</b>												
MAS LEDspot VLE D 3.7-35W GU10 940 60D	35	3.7	315	85	60	●	90	4000	25000	A++	929001348702	96707838
MAS LEDspot VLE D 4.9-50W GU10 927 60D	50	4.9	392	81	60	●	90	2700	25000	A+	929001349102	96707913
MAS LEDspot VLE D 4.9-50W GU10 930 60D		4.9	402	83	60	●	90	3000	25000	A+	929001349202	96707937
MAS LEDspot VLE D 4.9-50W GU10 940 60D		4.9	417	86	60	●	90	4000	25000	A+	929001349302	96707951
<b>3 MASTER LEDspot MV Value High Lumen</b>												
MAS LEDspot VLE D 6.2-80W GU10 927 36D	80	6.2	650	92	36	●	90	2700	25000	A++	929002059502	99675417
MAS LEDspot VLE D 6.2-80W GU10 930 36D		6.2	650	92	36	●	90	3000	25000	A++	929002068402	96707975
MAS LEDspot VLE D 6.2-80W GU10 940 36D		6.2	680	92	36	●	90	4000	25000	A++	929002066002	96707999
MAS LEDspot VLE D 6.2-80W GU10 965 36D		6.2	680	92	36	●	90	6500	25000	A++	929002209902	96708019
<b>3 MASTER LEDspot MV Value High Lumen 120D</b>												
MAS LEDspot VLE D 650lm GU10 930 120D	-	6.2	650	104	120	●	90	3000	25000	A+	929002210002	96724316
MAS LEDspot VLE D 680lm GU10 940 120D	-	6.2	680	109	120	●	90	4000	25000	A+	929002210102	96724330
MAS LEDspot VLE D 680lm GU10 965 120D	-	6.2	680	109	120	●	90	6500	25000	A+	929002210202	96724354
<b>4 CorePro LEDspot MV Dimmable</b>												
CorePro LEDspot 4-35W GU10 827 36D DIM	35	4	250	62	36	●	80	2700	15000	A+	929001218632	96721339
CorePro LEDspot 4-35W GU10 830 36D DIM		4	260	65	36	●	80	3000	15000	A+	929001363902	96721353
CorePro LEDspot 4-35W GU10 840 36D DIM		4	270	67	36	●	80	4000	15000	A+	929001364002	96730225
CorePro LEDspot 5-50W GU10 827 36D DIM	50	5	350	70	36	●	80	2700	15000	A+	929001218832	96721377
CorePro LEDspot 5-50W GU10 830 36D DIM		5	365	73	36	●	80	3000	15000	A+	929001364202	96721391
CorePro LEDspot 5-50W GU10 840 36D DIM		5	380	76	36	●	80	4000	15000	A+	929001364302	96730249
<b>5 CorePro LEDspot MV Non Dimmable</b>												
CorePro LEDspot 3.5-35W GU10 827 36D	35	3.5	255	72	36	⊗	80	2700	15000	A+	929001217862	96752531
CorePro LEDspot 3.5-35W GU10 830 36D		3.5	265	75	36	⊗	80	3000	15000	A++	929001217902	96728338
CorePro LEDspot 3.5-35W GU10 840 36D		3.5	275	78	36	⊗	80	4000	15000	A++	929001218002	96728352
CorePro LEDspot 4.6-50W GU10 827 36D	50	4.6	355	77	36	⊗	80	2700	15000	A+	929001215232	96752517
CorePro LEDspot 4.6-50W GU10 830 36D		4.6	370	80	36	⊗	80	3000	15000	A+	929001218102	96728376
CorePro LEDspot 4.6-50W GU10 840 36D		4.6	390	84	36	⊗	80	4000	15000	A++	929001218202	96728390
CorePro LEDspot 4.6-50W GU10 865 36D		4.6	390	84	36	⊗	80	6500	15000	A++	929001218302	96728413

The current dimmer list for high-voltage LED lamps can be found on our website under Cases & Tools on: [www.philips.com/ledlamps](http://www.philips.com/ledlamps)



# LED lamps and tubes


## LEDspot LV MR16



Product Type	Traditional	LED	Lumen Output	Efficacy	Beam Angle	Dimmable	CRI	Colour Temp	Lifetime	EEL	12 NC	EOC code
	W	W	lm	lm/W	°			K	Hrs.			
<b>1 MASTER LEDspot LV ExpertColor 10D</b>												
MAS LED ExpertColor 6.5-35W MR16 927 10D	35	6.5	410	63	10	●	97	2700	40000	A	929001341702	96738719
MAS LED ExpertColor 6.5-35W MR16 930 10D		6.5	430	66	10	●	97	3000	40000	A	929001341802	96738733
MAS LED ExpertColor 6.5-35W MR16 940 10D		6.5	440	68	10	●	97	4000	40000	A+	929001341902	96738757
<b>1 MASTER LEDspot LV ExpertColor 24D</b>												
MAS LED ExpertColor 6.5-35W MR16 927 24D	35	6.5	420	65	24	●	97	2700	40000	A	929001342002	96738771
MAS LED ExpertColor 6.5-35W MR16 930 24D		6.5	440	68	24	●	97	3000	40000	A+	929001342102	96738795
MAS LED ExpertColor 6.5-35W MR16 940 24D		6.5	460	71	24	●	97	4000	40000	A+	929001342202	96738818
MAS LED ExpertColor 7.5-43W MR16 927 24D	43	7.5	485	65	24	●	92	2700	40000	A	929001386002	96735381
MAS LED ExpertColor 7.5-43W MR16 930 24D		7.5	500	67	24	●	92	3000	40000	A	929001386102	96735404
MAS LED ExpertColor 7.5-43W MR16 940 24D		7.5	520	69	24	●	92	4000	40000	A	929001386202	96735428
<b>1 MASTER LEDspot LV ExpertColor 36D</b>												
MAS LED ExpertColor 6.5-35W MR16 927 36D	35	6.5	420	65	36	●	97	2700	40000	A	929001342302	96738832
MAS LED ExpertColor 6.5-35W MR16 930 36D		6.5	440	68	36	●	97	3000	40000	A+	929001342402	96738856
MAS LED ExpertColor 6.5-35W MR16 940 36D		6.5	460	71	36	●	97	4000	40000	A+	929001342502	96738870
MAS LED ExpertColor 7.5-43W MR16 927 36D	43	7.5	485	65	36	●	92	2700	40000	A	929001386302	96735442
MAS LED ExpertColor 7.5-43W MR16 930 36D		7.5	500	67	36	●	92	3000	40000	A	929001386402	96735466
MAS LED ExpertColor 7.5-43W MR16 940 36D		7.5	520	69	36	●	92	4000	40000	A	929001386502	96735480
<b>1 MASTER LEDspot LV ExpertColor 60D</b>												
MAS LED ExpertColor 6.5-35W MR16 927 60D	35	6.5	400	62	60	●	97	2700	40000	A	929001341402	96757512
MAS LED ExpertColor 6.5-35W MR16 930 60D		6.5	440	68	60	●	97	3000	40000	A+	929001341502	96757536
MAS LED ExpertColor 6.5-35W MR16 940 60D		6.5	440	68	60	●	97	4000	40000	A+	929001341602	96757550
<b>2 MASTER LEDspot LV Value</b>												
MAS LEDspot VLE D 5.5-35W MR16 827 36D	35	5.5	450	82	36	●	80	2700	25000	A+	929001325902	96708231
MAS LEDspot VLE D 5.5-35W MR16 830 36D		5.5	460	84	36	●	80	3000	25000	A+	929001326002	96708255

The current transformer compatibility list and dimmer list for low-voltage LED lamps can be found on our website under Cases & Tools on: [www.philips.com/ledlamps](http://www.philips.com/ledlamps)

## LEDspot LV MR16 – Continued



Product Type	Traditional	LED	Lumen Output	Efficacy	Beam Angle	Dimmable	CRI	Colour Temp	Lifetime	EEL	12 NC	EOC code
	W	W	lm	lm/W	°			K	Hrs.			
<b>2 MASTER LEDspot LV Value</b>												
MAS LEDspot VLE D 5.5-35W MR16 840 36D	35	5.5	490	89	36		80	4000	25000	A+	929001326102	96708279
MAS LEDspot VLE D 7-50W MR16 827 36D		7	621	88	36		80	2700	25000	A+	929001903402	96815540
MAS LEDspot VLE D 7-50W MR16 830 36D	50	7	630	90	36		80	3000	25000	A+	929001903502	96815564
MAS LEDspot VLE D 7-50W MR16 840 36D		7	660	94	36		80	4000	25000	A+	929001903602	96815588
<b>2 MASTER LEDspot LV DimTone</b>												
MAS LEDspotLV DimTone 5-35W MR16 36D	35	5	400	69	36		80	2200-2700	25000	A+	929001904702	96815380
MAS LEDspotLV DimTone 7-50W MR16 36D	50	7	700	88	36		80	2200-2700	25000	A+	929002058902	99658205
<b>3 CorePro LEDspot LV</b>												
CorePro LEDspot ND 5-35W MR16 827 36D	35	5	345	69	36		80	2700	15000	A+	929001344302	96710630
CorePro LEDspot ND 5-35W MR16 840 36D		5	390	78	36		80	4000	15000	A+	929001344502	96710654
CorePro LEDspot ND 7-50W MR16 827 36D	50	7	621	88	36		80	2700	15000	A+	929001904802	96814710
CorePro LEDspot ND 7-50W MR16 830 36D		7	621	88	36		80	3000	15000	A+	929001904902	96814772
CorePro LEDspot ND 7-50W MR16 840 36D		7	630	94	36		80	4000	15000	A+	929001905002	96814796

# LED lamps and tubes


## LEDspot LV AR111



MASTER LEDspot  
LV AR111



= Dimmable



= Non-dimmable



G53



6 PACK

Product Type	Traditional	LED	Lumen Output	Efficacy	Beam Angle	Dimmable	CRI	Colour Temp	Lifetime	EEL	12 NC	EOC code
	W	W	lm	lm/W	°			K	Hrs.			
<b>MASTER LEDspot LV AR111 8D</b>												
MAS LED ExpertColor 11-50W 927 AR111 8D	50	11	680	54	8		97	2700	40000	A	929002238402	99687069
MAS LED ExpertColor 11-50W 930 AR111 8D		11	730	56	8		97	3000	40000	A	929002238502	99691035
<b>MASTER LEDspot LV AR111 24D</b>												
MAS LED ExpertColor 11-50W 927 AR111 24D	50	11	650	54	24		97	2700	40000	A	929002238602	99686925
MAS LED ExpertColor 11-50W 930 AR111 24D		11	680	56	24		97	3000	40000	A	929002238702	99691011
MAS LED ExpertColor 15-75W 927 AR111 24D	75	15	950	55	24		97	2700	40000	A	929002239002	99686987
MAS LED ExpertColor 15-75W 930 AR111 24D		15	1000	56	24		97	3000	40000	A	929002239102	99687007
MAS LED ExpertColor 15-75W 940 AR111 24D		15	1100	63	24		97	4000	40000	A	929002239202	99687083
MAS LEDspotLV D 20-100W 927 AR111 24D	100	20	1300	58	24		91	2700	25000	A	929002050302	96515044
MAS LEDspotLV D 20-100W 930 AR111 24D		20	1300	60	24		91	3000	25000	A	929002050502	96707432
MAS LEDspotLV D 20-100W 940 AR111 24D		20	1400	62	24		91	4000	25000	A	929002050702	96725320
<b>MASTER LEDspot LV AR111 40D</b>												
MAS LED ExpertColor 11-50W 927 AR111 40D	50	11	650	54	40		97	2700	40000	A	929002238802	99686949
MAS LED ExpertColor 11-50W 930 AR111 40D		11	680	56	40		97	3000	40000	A	929002238902	99686963
MAS LED ExpertColor 15-75W 927 AR111 40D	75	15	950	56	40		97	2700	40000	A	929002239302	99687021
MAS LED ExpertColor 15-75W 930 AR111 40D		15	1000	58	40		97	3000	40000	A	929002239402	99687045
MAS LED ExpertColor 15-75W 940 AR111 40D		15	1150	65	40		97	4000	40000	A	929002239502	99687106
MAS LEDspotLV D 20-100W 927 AR111 45D	100	20	1300	58	45		91	2700	25000	A	929002050402	96707456
MAS LEDspotLV D 20-100W 930 AR111 45D		20	1300	60	45		91	3000	25000	A	929002050602	96707470
MAS LEDspotLV D 20-100W 940 AR111 45D		20	1400	62	45		91	4000	25000	A	929002050802	96725344

The current transformer compatibility list and dimmer list for low-voltage LED lamps can be found on our website under Cases & Tools on: [www.philips.com/ledlamps](http://www.philips.com/ledlamps)

## LEDspot LV MR11



1  
CorePro LEDspot  
MR11



2  
MASTER LEDspot LV  
MR11

= Dimmable

= Non-dimmable



MR11



12 PACK

Product Type	Traditional	LED	Lumen Output	Efficacy	Beam Angle	Dimmable	CRI	Colour Temp	Lifetime	EEL	12 NC	EOC code
	W	W	lm	lm/W	°			K	Hrs.			
<b>1 CorePro LEDspot LV MR11</b>												
CorePro LEDspot 2.3-20W 827 MR11 36D	20	2.3	200	80	36		80	2700	25000	A++	929002066402	99659486
<b>2 MASTER LEDspot LV MR11</b>												
MAS LEDspotLV 3.5-20W 827 MR11 24D	20	3.5	200	60	24		80	2700	40000	A+	929001123802	96410196

The current transformer compatibility list and dimmer list for low-voltage LED lamps can be found on our website under Cases & Tools on: [www.philips.com/ledlamps](http://www.philips.com/ledlamps)



# LED lamps and tubes

## LEDspot MV PAR



Product Type	Traditional	LED	Lumen Output	Efficacy	Beam Angle	Dimmable	CRI	Colour Temp	Lifetime	EEL	12 NC	EOC code
	W	W	lm	lm/W	°			K	Hrs.			
<b>1 MASTER LEDspot PAR20 25D</b>												
MAS LEDspot CLA D 6-50W 827 PAR20 25D	50	6	500	87	25	●	80	2700	25000	A+	929001317402	96713563
MAS LEDspot CLA D 6-50W 830 PAR20 25D		6	515	89	25	●	80	3000	25000	A+	929001317502	96713662
MAS LEDspot CLA D 6-50W 840 PAR20 25D		6	540	93	25	●	80	4000	25000	A+	929001317602	96713686
MAS LEDspot CLA D 6-50W 827 PAR20 25D ■		6	500	83	25	●	80	2700	25000	A+	929002338002	99768461
MAS LEDspot CLA D 6-50W 830 PAR20 25D ■		6	515	86	25	●	80	3000	25000	A+	929002338102	99768485
MAS LEDspot CLA D 6-50W 840 PAR20 25D ■		6	540	90	25	●	80	4000	25000	A++	929002338202	99768508
<b>1 MASTER LEDspot PAR20 40D</b>												
MAS LEDspot CLA D 6-50W 827 PAR20 40D	50	6	500	87	40	●	80	2700	25000	A+	929001317702	96713709
MAS LEDspot CLA D 6-50W 830 PAR20 40D		6	515	89	40	●	80	3000	25000	A+	929001317802	96713723
MAS LEDspot CLA D 6-50W 840 PAR20 40D		6	540	93	40	●	80	4000	25000	A+	929001317902	96713747
MAS LEDspot CLA D 6-50W 827 PAR20 40D ■		6	500	83	40	●	80	2700	25000	A+	929002338302	99768522
MAS LEDspot CLA D 6-50W 830 PAR20 40D ■		6	515	83	40	●	80	3000	25000	A+	929002338402	99768546
MAS LEDspot CLA D 6-50W 840 PAR20 40D ■		6	540	83	40	●	80	4000	25000	A++	929002338502	99768560
<b>2 MASTER LEDspot PAR30S</b>												
MAS LEDspot CLA D 9.5-75W 827 PAR30S 25D	75	9.5	740	83	25	●	80	2700	25000	A+	929001322902	96713808
MAS LEDspot CLA D 9.5-75W 830 PAR30S 25D		9.5	760	85	25	●	80	3000	25000	A+	929001342902	96713907
MAS LEDspot CLA D 9.5-75W 840 PAR30S 25D		9.5	820	93	25	●	80	4000	25000	A+	929001323002	96713846
MAS LEDspot CLA D 9.5-75W 827 PAR30S 25D ■		9.5	740	79	25	●	80	2700	25000	A+	929002338602	99768607
MAS LEDspot CLA D 9.5-75W 830 PAR30S 25D ■		9.5	760	79	25	●	80	3000	25000	A+	929002338702	99768621
MAS LEDspot CLA D 9.5-75W 840 PAR30S 25D ■		9.5	820	79	25	●	80	4000	25000	A+	929002338802	99768645
<b>3 MASTER LEDspot PAR38</b>												
MAS LEDspot CLA ND 9-60W 827 PAR38 25D	60	9	750	89	25	✗	80	2700	15000	A+	929001322702	96714560
MAS LEDspot CLA D 13-100W 827 PAR38 25D	100	13	875	77	25	●	80	2700	25000	A+	929001322502	96713761
MAS LEDspot CLA D 13-100W 827 PAR38 25D ■		13	1000	77	25	●	80	2700	25000	A+	929002339002	99768706

The current transformer compatibility list and dimmer list for low-voltage LED lamps can be found on our website under Cases & Tools on: [www.philips.com/ledlamps](http://www.philips.com/ledlamps)

■ Expected September 2020

## CorePro LEDspot MV Reflectors



Product Type	Traditional	LED	Lumen Output	Efficacy	Beam Angle	Dimmable	CRI	Colour Temp	Lifetime	EEL	12 NC	EOC code
	W	W	lm	lm/W	°			K	Hrs.			
1 CoreProLEDspot ND1.4-25W R50 E14 827 36D	25	1.4	125	75	36	⊗	80	2700	15000	A++	929001891002	96811733
2 CoreProLEDspot ND1.8-30W R39 E14 827 36D	30	1.8	190	83	36	⊗	80	2700	15000	A++	929001890902	96811719
1 CoreProLEDspot ND2.8-40W R50 E14 827 36D	40	2.8	255	75	36	⊗	80	2700	15000	A++	929001891102	96811757
3 CoreProLEDspot ND 3-40W R63 E27 827 36D		3	255	70	36	⊗	80	2700	15000	A+	929001891302	96811795
1 CoreProLEDspot D 4.3-60W R50 E14 827 36D	60	4.3	390	74	36	●	80	2700	15000	A+	929001891202	96811771
3 CoreProLEDspot D 4.5-60W R63 E27 827 36D		4.5	410	76	36	●	80	2700	15000	A+	929001891402	96811818
4 CoreProLEDspot ND 4-60W R80 E27 827 36D	100	4	410	86	36	⊗	80	2700	15000	A+	929001891502	96811832
4 CoreProLEDspot ND 8-100W R80 E27 827 36D		8	735	83	36	⊗	80	2700	15000	A+	929001891602	96811856

## CorePro R7S




Product Type	Traditional	LED	Lumen Output	Efficacy	Beam Angle	Dimmable	CRI	Colour Temp	Lifetime	EEL	12 NC	EOC code
	W	W	lm	lm/W	°			K	Hrs.			
1 CorePro R7S 78mm 4-40W 830 G	40	4	475	119	360	⊗	80	3000	10000	A++	929002327002	99735128
2 CorePro LEDlinear ND 7.5-60W R7S 78mm830	60	7.5	950	127	360	⊗	80	3000	15000	A++	929001339002	96713945
2 CorePro LEDlinear ND 7.5-60W R7S 78mm840		7.5	1000	133	360	⊗	80	4000	15000	A++	929001339102	96713969
3 CorePro R7S 118mm 8.1-60W 840 G	100	8.1	970	120	360	⊗	80	4000	10000	A++	929002327302	99735180
3 CorePro R7S 118mm 8.1-60W 830 G		8.1	900	111	360	⊗	80	3000	10000	A++	929002327202	99735166
4 CorePro R7S 118mm 14-100W 830 D	120	14	1600	114	360	●	80	3000	15000	A+	929001243702	96578797
4 CorePro R7S 118mm 14-100W 840 D		14	1800	129	360	●	80	4000	15000	A++	929001243802	96578810
4 CorePro LED linear D 14-120W R7S 118 830	150	14	2000	143	360	●	80	3000	15000	A++	929001353602	96714003
4 CorePro LED linear D 14-120W R7S 118 840		14	2000	143	360	●	80	4000	15000	A++	929001353702	96714065
5 CoreProLED linear D 17.5-150W R7S 118 830	150	17.5	2460	140	360	●	80	3000	15000	A++	929002016602	99646738
5 CoreProLED linear D 17.5-150W R7S 118 840		17.5	2460	140	360	●	80	4000	15000	A++	929002016702	99646752

The current transformer compatibility list and dimmer list for low-voltage LED lamps can be found on our website under Cases & Tools on: [www.philips.com/ledlamps](http://www.philips.com/ledlamps)

■ Expected September 2020

# LED lamps and tubes

## CorePro LEDcapsule LV G4



Product Type	Traditional	LED	Lumen Output	Efficacy	Beam Angle	Dimmable	CRI	Colour Temp	Lifetime	EEL	12 NC	EOC code
	W	W	lm	lm/W	°			K	Hrs.			
1 CorePro LEDcapsuleLV 0.9-10W G4 827	10	0.9	110	122	360	✗	80	2700	15000	A++	929001843902	96793121
2 CorePro LEDcapsuleLV 1-10W G4 827 ■		1	115	100	360	✗	80	2700	15000	A++	929002388802	99767617
3 CorePro LEDcapsuleLV 1.7-20W G4 827	20	1.7	205	120	360	✗	80	2700	15000	A++	929001844102	96793107
4 CorePro LEDcapsuleLV 2-20W G4 827 D		2	200	100	360	●	80	2700	15000	A++	929001235302	96578650
5 CorePro LEDcapsuleLV 1.7-20W GY6.35 827		1.7	210	123	360	✗	80	2700	15000	A++	929001844302	96797679
6 CorePro LEDcapsuleLV 1.8-20W G4 827 ■		1.8	205	105	360	✗	80	2700	15000	A++	929002389002	99767655
7 CorePro LEDcapsuleLV 2.1-20W G4 827 D ■		2.1	210	83	360	●	80	2700	15000	A++	929002389402	99767532
8 CorePro LEDcapsuleLV 1.8-20W GY6.35 827 ■		1.8	205	105	360	✗	80	2700	15000	A++	929002389702	99767792
9 CorePro LEDcapsuleLV 2.5-28W G4 827	28	2.5	300	120	360	✗	80	2700	15000	A++	929001896702	96826942
10 CorePro LEDcapsuleLV 2.7-28W G4 827 ■		2.7	315	117	360	✗	80	2700	15000	A++	929002389202	99767754

The current transformer compatibility list and dimmer list for low-voltage LED lamps can be found on our website under Cases & Tools on: [www.philips.com/ledlamps](http://www.philips.com/ledlamps)

■ Expected September 2020

## CorePro LEDcapsule MV G9



1 CorePro LEDcapsule ND 1.9-25W G9 827



2 CorePro LEDcapsule 2-25W ND G9 827 G



3 CorePro LEDcapsule MV 2.3-25W G9 827 D



4 CorePro LEDcapsule MV 2.6-25W G9 827 D



5 CorePro LEDcapsule MV 4-40W G9 827 D



6 CorePro LEDcapsule ND 3.2-40W G9 827



7 CorePro LEDcapsule 3.5-40W ND G9 827 G



8 CorePro LEDcapsule ND 4.8-60W G9 827

● = Dimmable

⊗ = Non-dimmable



12 PACK

Product Type	Traditional	LED	Lumen Output	Efficacy	Beam Angle	Dimmable	CRI	Colour Temp	Lifetime	EEL	12 NC	EOC code
	W	W	lm	lm/W	°			K	Hrs.			
1 CorePro LEDcapsule ND 1.9-25W G9 827	25	1.9	204	107	360	⊗	80	2700	15000	A++	929001323802	96713921
2 CorePro LEDcapsule 2-25W ND G9 827 G		2	200	100	360	⊗	80	2700	10000	A++	929002326202	99735005
3 CorePro LEDcapsuleMV 2.3-25W G9 827 D		2.3	215	93	360	●	80	2700	15000	A++	929001232002	96578698
4 CorePro LEDcapsuleMV 2.6-25W G9 827 D ■		2.6	215	83	360	●	80	2700	15000	A++	929002389902	99766696
5 CorePro LEDcapsuleMV 4-40W G9 827 D ■	40	4	400	100	360	●	80	2700	15000	A++	929002390002	99766733
6 CorePro LEDcapsule ND 3.2-40W G9 827		3.2	400	125	360	⊗	80	2700	15000	A++	929001902902	96815267
7 CorePro LEDcapsule 3.5-40W ND G9 827 G		3.5	380	109	360	⊗	80	2700	10000	A++	929002326502	99735067
8 CorePro LEDcapsule ND 4.8-60W G9 827	60	4.8	570	118	360	⊗	80	2700	15000	A++	929002055102	99657802



# LED bulbs

## Standard Bulbs



Product Type	Traditional	LED	Lumen Output	Efficacy	Beam Angle	Dimmable	CRI	Colour Temp	Lifetime	EEL	12 NC	EOC code
	W	W	lm	lm/W	°			K	Hrs.			
<b>MASTER LEDbulb DimTone Clear</b>												
1 MAS LEDbulb DT 6-40W B22 A60 CL	40	6	470	78	-		80	2200-2700	-00	A+	929001150602	96481301
2 MAS LEDbulb DT 6-40W E27 A60 CL		6	470	78	-		80	2200-2700	-00	A+	929001150802	96481288
2 MAS LEDbulb DT 8.5-60W E27 A60 CL	60	8.5	806	94	-		80	2200-2700	-00	A+	929001150932	96481325
1 MAS LEDbulb DT 8.5-60W B22 A60 CL		8.5	806	94	-		80	2200-2700	-00	A+	929001150732	96481349
<b>MASTER LEDbulb DimTone Frosted</b>												
6 MAS LEDbulb DT 5.5-40WE27 927-922 A60FR	40	5.5	470	85	-		90	2200-2700	-00	A+	929001351302	96707098
6 MAS LEDbulb DT 9-60W E27 927-922 A60 FR	60	9	806	89	-		90	2200-2700	-00	A+	929001351402	96707111
5 MAS LEDbulb DT 11-75W A67 B22 827 FR	75	11	1055	96	-		80	2200-2700	-00	A+	929001200402	96555538
3 MAS LEDbulb DT 12-75WE27 927-922 A67 FR		12	1055	87	-		90	2200-2700	-00	A+	929001868602	96826188
5 MAS LEDbulb DT 15-100W A67 B22 827 FR	100	15	1521	101	-		80	2200-2700	-00	A+	929001200302	96555576
3 MASLEDbulb DT 14-100W E27 927-922 A67FR		14	1521	108	-		90	2200-2700	-00	A+	929002218602	99695644
<b>CorePro LEDbulb Dimmable</b>												
4 CorePro LEDbulb D 5-40W A60 E27 927	40	5	470	94	-		90	2700	15000	A+	929002068902	99660628
9 CorePro LEDbulb D 5-40W A60 B22 927		5	470	94	-		90	2700	15000	A+	929002069002	99660703
4 CorePro LEDbulb D 8.5-60W A60 E27 927	60	8.5	806	94	-		90	2700	15000	A+	929002069102	99660642
9 CorePro LEDbulb D 8.5-60W A60 B22 927		8.5	806	94	-		90	2700	15000	A+	929002069202	99660727
4 CorePro LEDbulb D 10.5-75W A60 E27 927	75	10.5	1055	100	-		90	2700	15000	A+	929002069302	99660666
9 CorePro LEDbulb D 10.5-75W A60 B22 927		10.5	1055	100	-		90	2700	15000	A+	929002069402	99660741
4 CorePro LEDbulb D 13-100W A60 E27 927	100	13	1521	117	-		90	2700	15000	A+	929002069502	99660680
9 CorePro LEDbulb D 13-100W A60 B22 927		13	1521	117	-		90	2700	15000	A+	929002069602	99660765
<b>CorePro LEDbulb Non dimmable</b>												
4 CorePro LEDbulb ND 5.5-40W A60 E27 827	40	5.5	470	85	-		80	2700	15000	A+	929001234202	96577578
8 CorePro LEDbulb ND 5.5-40W A60 B22 827		5.5	470	85	-		80	2700	15000	A+	929001233802	96577653
4 CorePro LEDbulb ND 5-40W A60 E27 840		5	470	94	-		80	4000	15000	A+	929001234602	96577790

Standard Bulbs – Continued



Product Type	Traditional	LED	Lumen Output	Efficacy	Beam Angle	Dimmable	CRI	Colour Temp	Lifetime	EEL	12 NC	EOC code
	W	W	lm	lm/W	°			K	Hrs.			
<b>CorePro LEDbulb Non dimmable</b>												
10 CorePro LEDbulb ND 8-60W A60 E27 827	60	8	806	100	-	✗	80	2700	15000	A+	929001234302	96577554
8 CorePro LEDbulb ND 8-60W A60 B22 827		8	806	100	-	✗	80	2700	15000	A+	929001233902	96577639
10 CorePro LEDbulb ND 7.5-60W A60 E27 840		7.5	806	107	-	✗	80	4000	15000	A+	929001234702	96577776
10 CorePro LEDbulb ND 11-75W A60 E27 827	75	11	1055	95	-	✗	80	2700	15000	A+	929001234402	96490761
8 CorePro LEDbulb ND 11-75W A60 B22 827		11	1055	95	-	✗	80	2700	15000	A+	929001234002	96510049
10 CorePro LEDbulb ND 10-75W A60 E27 840		10	1055	105	-	✗	80	4000	15000	A+	929001234802	96510322
10 CorePro LEDbulb ND 13-100W A60 E27 827	100	13	1521	117	-	✗	80	2700	15000	A+	929001234502	96490747
8 CorePro LEDbulb ND 13-100W A60 B22 827		13	1521	117	-	✗	80	2700	15000	A+	929001234102	96510025
10 CorePro LEDbulb ND 12.5-100W A60 E27 840		12.5	1521	121	-	✗	80	4000	15000	A+	929001312402	96510308
7 CorePro LEDbulb ND 17-120WA67E27 827FR	120	17	2000	117	-	✗	80	2700	15000	A+	929002047802	99662165
7 CorePro LEDbulb ND 15.5-120WA67E27 840FR		15.5	2000	129	-	✗	80	4000	15000	A++	929002047902	99662189
7 CorePro LEDbulb ND 19-150WA67E27 827FR	150	19	2500	131	-	✗	80	2700	15000	A++	929002048102	99662202
7 CorePro LEDbulb ND 17.5-150WA67E27 840FR		17.5	2500	142	-	✗	80	4000	15000	A++	929002048202	99662226

# LED bulbs

## Filament bulbs



Product Type	Traditio- nal	LED	Lumen Output	Efficacy	Beam Angle	Dimmable	CRI	Colour Temp	Lifetime	EEL	12 NC	EOC code
		W	lm	lm/W	°			K				
<b>Classic LEDbulb DimTone- Clear</b>												
1 CLA LEDbulb DT 6.7-40W E27 CRI90 A60 CL	40	6.7	470	70	-	●	90	2700-2200	15000	A+	929002019602	99646165
1 CLA LEDbulb DT 5-40W E27 CRI90 A60 CL ■		5	470	78	-	●	90	2700-2200	15000	A+	929002391602	99770549
6 CLA LEDbulb DT 5-40W B22 CRI90 A60 CL ■		5	470	78	-	●	90	2700-2200	15000	A+	929002391902	99771201
1 CLA LEDbulb DT 9-60W E27 CRI90 A60 CL	60	9	806	89	-	●	90	2700-2200	15000	A+	929002019002	99646127
1 CLA LEDbulb DT 7-60W E27 CRI90 A60 CL ■		7	806	90	-	●	90	2700-2200	15000	A++	929002391702	99770426
6 CLA LEDbulb DT 7-60W B22 CRI90 A60 CL ■		7	806	90	-	●	90	2700-2200	15000	A++	929002392002	99771225
1 CLA LEDbulb DT 11.5-100W E27 CRI90A60CL ■	100	11.5	1521	117	-	●	90	2700-2200	15000	A++	929002391802	99770969
<b>Classic LEDbulb DimTone- Frosted</b>												
CLA LEDbulb DT 5-40W B22 CRI90 A60 FR ■	40	5	470	78	-	●	90	2700-2200	15000	A+	929002392602	99771249
CLA LEDbulb DT 5-40W E27 CRI90 A60 FR ■		5	470	78	-	●	90	2700-2200	15000	A+	929002392202	99780098
CLA LEDbulb DT 7-60W E27 CRI90 A60 FR ■	60	7	806	90	-	●	90	2700-2200	15000	A++	929002392302	99780135
CLA LEDbulb DT 7-60W B22 CRI90 A60 FR ■		7	806	90	-	●	90	2700-2200	15000	A++	929002392702	99771263
CLA LEDbulb DT 10.5-75W E27 CRI90 A60 FR ■	75	10.5	1055	96	-	●	90	2700-2200	15000	A+	929002392402	99771065
CLA LEDbulb DT 10.5-75W B22 CRI90 A60 FR ■		10.5	1055	96	-	●	90	2700-2200	15000	A+	929002392802	99771089
CLA LEDbulb DT 12-100W E27 CRI90 A60 FR	100	12	1521	117	-	●	90	2700-2200	15000	A++	929002392502	99771027
<b>Classic LEDbulb Dimmable</b>												
4 CLA LEDbulb D 5.5-40W A60 E27 827 CL	40	5.5	470	85	-	●	80	2700	15000	A+	929001331002	96709405
4 CLA LEDbulb D 4.5-40W A60 E27 827 CL ■		4.5	470	78	-	●	80	2700	15000	A++	929002390102	99773250
8 CLA LEDbulb D 5-40W A60 B22 827 CL		5.5	470	85	-	●	80	2700	15000	A+	929001331102	96709429
4 CLA LEDbulb D 8-60W A60 E27 827 CL	60	8	806	100	-	●	80	2700	15000	A+	929001331202	96709443
4 CLA LEDbulb D 7.2-60W A60 E27 827 CL ■		7.2	806	90	-	●	80	2700	15000	A+	929002390202	99773298
8 CLA LEDbulb D 8-60W A60 B22 827 CL ■		8	806	100	-	●	80	2700	15000	A+	929001331302	96709467
<b>Classic LEDbulb Dimmable Gold</b>												
7 CLA LEDbulb D 7.5-48W A60 B22 820 GOLD	48	7.5	610	81	-	●	80	2200	15000	A+	929001333002	96709580

■ Expected September 2020

## Filament bulbs – Continued



Product Type	Traditional	LED	Lumen Output	Efficacy	Beam Angle	Dimmable	CRI	Colour Temp	Lifetime	EEL	12 NC	EOC code
	W	W	lm	lm/W	°			K	Hrs.			
<b>Classic LEDbulb Dimmable Gold</b>												
2 CLA LEDbulb D 8-50W A60 E27 822 GOLD	50	8	630	78	-	●	80	2200	15000	A+	929001921602	96841549
<b>Classic LEDbulb Non dimmable</b>												
5 CLA LEDbulb ND 4.3-40W E27 827 A60 CL	40	4.3	470	109	-	⊗	80	2700	15000	A++	929001890002	96808672
6 CLA LEDbulb ND 4.3-40W B22 827 A60 CL		4.3	470	109	-	⊗	80	2700	15000	A++	929001890102	96808696
6 CLA LEDbulb ND 4-40W B22 827 A60 CL		4	470	118	-	⊗	80	2700	15000	A++	929001237502	96768686
5 CLA LEDbulb ND 7-60W E27 WW A60 CL	60	7	806	115	-	⊗	80	2700	15000	A++	929001387302	96742730
6 CLA LEDbulb ND 7-60W B22 WW A60 CL		7	806	115	-	⊗	80	2700	15000	A++	929001387402	96742778
5 CLA LEDbulb ND 8.5-75W A60 E27 827 CL	75	8.5	1055	124	-	⊗	80	2700	15000	A++	929002025402	99649081
5 CLA LEDbulb ND 10.5-100W A60 E27 827 CL	100	10.5	1521	144	-	⊗	80	2700	15000	A++	929002026102	99649104
3 CLA LEDbulb ND 17-150W A67 E27 827 CL	150	17	2452	144	-	⊗	80	2700	15000	A++	929002055002	99657840

## Classic LEDbulb ST64



Product Type	Traditional	LED	Lumen Output	Efficacy	Beam Angle	Dimmable	CRI	Colour Temp	Lifetime	EEL	12 NC	EOC code
	W	W	lm	lm/W	°			K	Hrs.			
<b>Classic LEDbulb DimTone ST64</b>												
3 CLA LEDbulb DT 9-60W E27 CRI90 ST64 CL	60	9	806	89	-	●	90	2700-2200	15000	A+	929002019202	99646523
3 CLA LEDbulb DT 7-60W E27 CRI90 ST64 CL ■		7	806	90	-	●	90	2700-2200	15000	A++	929002393102	99770464
<b>Classic LEDbulb Dimmable ST64</b>												
1 CLA LEDbulb D 8-60W ST64 E27 827 CL	60	8	806	100	-	●	80	2700	15000	A+	929001895502	96814277
1 CLA LEDbulb D 7.2-60W ST64 E27 827 CL ■		7.2	806	90	-	●	80	2700	15000	A+	929002390802	99773335

■ Expected September 2020



# LED bulbs

Classic LEDbulb ST64

## Classic LEDbulb ST64 – Continued



Product Type	Traditional	LED	Lumen Output	Efficacy	Beam Angle	Dimmable	CRI	Colour Temp	Lifetime	EEL	12 NC	EOC code
	W	W	lm	lm/W	°			K	Hrs.			
<b>Classic LEDbulb Dimmable ST64 Gold</b>												
2 CLA LEDbulb D 8-50W ST64 E27 822 GOLD	50	8	630	78	-	●	80	2200	15000	A+	929001895902	96814352
<b>Classic LEDbulb Non Dimmable ST64</b>												
1 CLA LEDbulb ND 7-60W E27 WW ST64 CL	60	7	806	115	-	⊗	80	2700	15000	A++	929001387602	96742754
4 CLA LEDbulb ND 7-60W B22 WW ST64 CL		7	806	115	-	⊗	80	2700	15000	A++	929001387702	96742792

LED Globes

## LED Globes



Product Type	Traditional	LED	Lumen Output	Efficacy	Beam Angle	Dimmable	CRI	Colour Temp	Lifetime	EEL	12 NC	EOC code
	W	W	lm	lm/W	°			K	Hrs.			
<b>Classic LEDglobe Dimmable Gold</b>												
1 CLA LEDbulb D 8-50W G120 E27 822 GOLD	50	8	630	78	-	●	80	2200	15000	A+	929001896102	96814376
<b>Classic LEDglobe Dimmable</b>												
2 CLA LEDbulb D 8-60W G93 E27 827 CL	60	8	806	100	-	●	80	2700	15000	A+	929001895702	96814314
2 CLA LEDbulb D 7.2-60W G95 E27 827 CL ■		7.2	806	90	-	●	80	2700	15000	A+	929002390702	99773359
<b>Classic LEDglobe Non Dimmable</b>												
2 CLA LEDbulb ND 7-60W E27 WW G93 CL	60	7	806	115	-	⊗	80	2700	15000	A++	929001387902	96742716

■ Expected September 2020

# LED candles & lustres

## MASTER LEDcandle



Product Type	Traditional	LED	Lumen Output	Efficacy	Beam Angle	Dimmable	CRI	Colour Temp	Lifetime	EEL	12 NC	EOC code
	W	W	lm	lm/W	°			K	Hrs.			
<b>MASTER LEDcandle DimTone</b>												
1 MAS LEDcandle DT 4-25W E14 B38 CL	25	4	250	65	-		80	2200-2700	25000	A+	929001139802	96453681
3 MAS LEDcandle DT 4-25W E14 BA38 CL		4	250	65	-		80	2200-2700	25000	A+	929001139902	96453766
4 MAS LEDcandle DT 4-25W B22 B38 CL		4	250	62	-		80	2200-2700	15000	A+	929001140202	96700655
1 MAS LEDcandle DT 6-40W E14 B38 CL	40	6	470	75	-		80	2200-2700	25000	A+	929001140402	96453506
3 MAS LEDcandle DT 6-40W E14 BA38 CL		6	470	75	-		80	2200-2700	25000	A+	929001140502	96453544
2 MAS LEDcandle DT 6-40W E27 B38 CL		6	470	75	-		80	2200-2700	25000	A+	929001157902	96474792
5 MAS LEDcandle DT 6-40W B15 B38 CL		6	470	78	-		80	2200-2700	25000	A+	929001140302	96556016
6 MAS LEDcandle DT 6-40W B22 B38 CL	60	6	470	75	-		80	2200-2700	25000	A+	929001140802	96453629
1 MAS LEDcandle DT 8-60W B40 E14 B27 CL		8	806	100	-		80	2200-2700	25000	A+	929001211702	96555996

# LED candles & lustres

## Classic LEDcandle



Product Type	Traditional	LED	Lumen Output	Efficacy	Beam Angle	Dimmable	CRI	Colour Temp	Lifetime	EEL	12 NC	EOC code
	W	W	lm	lm/W	°			K	Hrs.			
<b>Classic LEDcandle DimTone</b>												
1 CLA LEDcandle DT3.5-25W E14 CRI90 B35 CL	25	3.5	250	71	-		90	2700-2200	15000	A+	929002017902	99646226
1 CLA LEDcandle DT 3.2-25W E14 CRI90 B35 CL ■		3.2	250	63	-		90	2700-2200	15000	A+	929002393202	99770587
1 CLA LEDcandle DT6-40W E14 CRI90 B35 CL	40	6	470	78	-		90	2700-2200	15000	A+	929002018002	99646288
9 CLA LEDcandle DT6-40W E14 CRI90 BA35 CL		6	470	78	-		90	2700-2200	15000	A+	929002018302	99646349
CLA LEDlustre DT4.5-40W E27 CRI90 B35 CL ■		4.5	470	78	-		90	2700-2200	15000	A++	929002393302	99780210
9 CLA LEDcandle DT 4.5-40W E14 CRI90 BA35 CL ■		4.5	470	78	-		90	2700-2200	15000	A++	929002393402	99770624
<b>Classic LEDcandle Dimmable</b>												
11 CLA LEDcandle D 2.7-25W B35 E14 827 CL	25	2.7	250	93	-		80	2700	15000	A++	929001332002	96709801
11 CLA LEDcandle D 5-40W B35 E14 827 CL	40	5	470	94	-		80	2700	15000	A+	929001332102	96709825
11 CLA LEDcandle D 4.5-40W B35 E14 827 CL ■		4.5	470	78	-		80	2700	15000	A++	929002391102	99773373
4 CLA LEDcandle D 5-40W BA35 E14 827 CL		5	470	94	-		80	2700	15000	A+	929001332802	96709962
14 CLA LEDcandle D 5-40W B35 B22 827 CL		5	470	94	-		80	2700	15000	A+	929001332202	96709849
<b>Classic LEDcandle Gold Dimmable</b>												
7 CLA LEDcandle D 5-32W B35 E14 822 GOLD	32	5	350	70	-		80	2200	15000	A+	929001896302	96814390
8 CLA LEDcandle D 5-32W BA35 E14 822 GOLD		5	350	70	-		80	2200	15000	A+	929001896502	96814437
<b>Classic LEDcandle Non dimmable Clear</b>												
2 CLA LEDcandle ND 2-25W B35 E14 827 CL	25	2	250	125	-		80	2700	15000	A++	929001238302	96574072
4 CLA LEDcandle ND 2-25W BA35 E14 827 CL		2	250	125	-		80	2700	15000	A++	929001238402	96574096
6 CLA LEDcandle ND 2-25W ST35 E14 827 CL		2	250	125	-		80	2700	15000	A++	929001238502	96574119
15 CLA LEDcandle ND 2-25W B35 B15 827 CL		2	250	125	-		80	2700	15000	A++	929001815502	96766880
16 CLA LEDcandle ND 2-25W B35 B22 827 CL		2	250	125	-		80	2700	15000	A++	929001815602	96766903
2 CLA LEDcandle ND 4.3-40W E14 827 B35 CL		40	4.3	470	109	-		80	2700	15000	A++	929001889702
15 CLA LEDcandle ND 4.3-40W B15 827 B35 CL	4.3		470	109	-		80	2700	15000	A++	929001889802	96808559
16 CLA LEDcandle ND 4.3-40W B22 827 B35 CL	4.3		470	109	-		80	2700	15000	A++	929001889902	96808573

■ Expected September 2020

Classic LEDcandle – Continued



Product Type	Traditional	LED	Lumen Output	Efficacy	Beam Angle	Dimmable	CRI	Colour Temp	Lifetime	EEL	12 NC	EOC code
	W	W	lm	lm/W	°			K	Hrs.			
<b>Classic LEDcandle Non dimmable Clear</b>												
2 CLA LEDcandle ND 6.5-60W B35 E14 827 CL	60	6.5	806	124	-	✗	80	2700	15000	A++	929002028002	99649128
<b>Classic LEDcandle Non dimmable Frosted</b>												
3 CLA LEDcandle ND 2.2-25W B35 E14 FR	25	2.2	250	113	-	✗	80	2700	15000	A++	929001345202	96706374
5 CLA LEDcandle ND 2.2-25W BA35 E14 FR		2.2	250	113	-	✗	80	2700	15000	A++	929001345802	96706497
3 CLA LEDcandle ND 4.3-40W E14 827 B35 FR		4.3	470	109	-	✗	80	2700	15000	A++	929001345302	96706398
3 CLA LEDcandle ND 6.5-60W B35 E14 827 FR		6.5	806	124	-	✗	80	2700	15000	A++	929002028202	99649227
<b>CorePro LEDcandle Non dimmable Clear</b>												
12 Corepro candle ND 4-25W E14 827 B35 CL	25	4	250	63	-	✗	80	2700	15000	A+	929001142202	96507575
12 Corepro candle ND 5.5-40W E14 827 B35 CL	40	5.5	470	85	-	✗	80	2700	15000	A+	929001142502	96454794
<b>CorePro LEDcandle Non dimmable Frosted</b>												
13 CorePro candle ND 4-25W E14 827 B35 FR	25	4	250	63	-	✗	80	2700	15000	A+	929001157402	91787013
13 CorePro candle ND 5.5-40W E14 827 B35 FR	40	5.5	470	85	-	✗	80	2700	15000	A+	929001157702	91762386
13 CorePro candle ND 7-60W E14 827 B38 FR	60	7	806	115	-	✗	80	2700	15000	A++	929001325102	96702994



# LED candles & lustres

## Classic LEDlustre



Product Type	Traditional	LED	Lumen Output	Efficacy	Beam Angle	Dimmable	CRI	Colour Temp	Lifetime	EEL	12 NC	EOC code
	W	W	lm	lm/W	°			K	Hrs.			
<b>MASTER LEDlustre DimTone</b>												
7 MAS LEDlustre DT 4-25W E14 P48 CL	25	4	250	65	-	●	80	2200-2700	25000	A+	929001140002	96453780
8 MAS LEDlustre DT 4-25W E27 P48 CL		4	250	65	-	●	80	2200-2700	25000	A+	929001140102	96453803
7 MAS LEDlustre DT 6-40W E14 P48 CL	40	6	470	75	-	●	80	2200-2700	25000	A+	929001140602	96453582
8 MAS LEDlustre DT 6-40W E27 P48 CL		6	470	75	-	●	80	2200-2700	25000	A+	929001140702	96453605
9 MAS LEDlustre DT 6-40W B22 P48 CL		6	470	75	-	●	80	2200-2700	25000	A+	929001157302	96474778
7 MAS LEDlustre DT 8-60W P50 E14 827 CL	60	8	806	100	-	●	80	2200-2700	25000	A+	929001211902	96580677
<b>Classic LEDlustre DimTone</b>												
10 CLA LEDlustre DT3.5-25W E27 CRI90 P45 CL	25	3.5	250	71	-	●	90	2700-2200	15000	A+	929002018402	99646363
11 CLA LEDlustre DT3.5-25W E14 CRI90 P45 CL		3.5	250	71	-	●	90	2700-2200	15000	A+	929002018502	99646387
10 CLA LEDlustre DT 3.2-25W E27 CRI90 P45 CL ■		3.2	250	63	-	●	90	2700-2200	15000	A+	929002393702	99770662
11 CLA LEDlustre DT3.2-25W E14 CRI90 P45 CL ■		3.2	250	63	-	●	90	2700-2200	15000	A+	929002393502	99770709
10 CLA LEDlustre DT6-40W E27 CRI90 P45 CL	40	6	470	78	-	●	90	2700-2200	15000	A+	929002018602	99646424
10 CLA LEDlustre DT 4.5-40W E27 CRI90 P45 CL ■		4.5	470	78	-	●	90	2700-2200	15000	A++	929002393802	99770747
11 CLA LEDlustre DT4.5-40W E14 CRI90 P45 CL ■		4.5	470	78	-	●	90	2700-2200	15000	A++	929002393602	99780234
<b>Classic LEDlustre Dimmable</b>												
1 CLA LEDlustre D 2.7-25W P45 E14 827 CL	25	2.7	250	93	-	○	80	2700	15000	A++	929001332302	96709863
3 CLA LEDlustre D 2.7-25W P45 E27 827 CL		2.7	250	93	-	○	80	2700	15000	A++	929001332402	96709887
3 CLA LEDlustre D 4.5-40W P45 E27 827 CL ■		4.5	470	63	-	○	80	2700	15000	A++	929002391402	99773434
1 CLA LEDlustre D 5-40W P45 E14 827 CL	40	5	470	94	-	○	80	2700	15000	A+	929001332502	96709900
1 CLA LEDlustre D 5-40W P45 E27 827 CL		5	470	94	-	○	80	2700	15000	A+	929001332602	96709924
15 CLA LEDlustre D 5-40W P45 B22 827 CL		5	470	94	-	○	80	2700	15000	A+	929001332702	96709948
1 CLA LEDlustre D 4.5-40W P45 E14 827 CL ■		4.5	470	78	-	○	80	2700	15000	A++	929002391302	99773410

■ Expected September 2020

Classic LEDlustre – Continued



Product Type	Traditional	LED	Lumen Output	Efficacy	Beam Angle	Dimmable	CRI	Colour Temp	Lifetime	EEL	12 NC	EOC code
	W	W	lm	lm/W	°			K	Hrs.			
<b>Classic LEDlustre Gold Dimmable</b>												
13 CLA LEDlustre D 5-32W P45 E14 822 GOLD	32	5	350	70	-		80	2200	15000	A+	929001896602	96815670
14 CLA LEDlustre D 5-32W P45 E27 822 GOLD		5	350	70	-		80	2200	15000	A+	929001896402	96814413
<b>Classic LEDlustre Non dimmable Clear</b>												
2 CLA LEDlustre ND 2-25W P45 E14 827 CL	25	2	250	125	-		80	2700	15000	A++	929001238602	96574133
4 CLA LEDlustre ND 2-25W P45 E27 827 CL		2	250	125	-		80	2700	15000	A++	929001238702	96574157
15 CLA LEDlustre ND 2-25W P45 B22 827 CL		2	250	125	-		80	2700	15000	A++	929001815902	96766965
2 CLA LEDlustre ND 4.3-40W E14 827 P45 CL	40	4.3	470	109	-		80	2700	15000	A++	929001890402	96809716
4 CLA LEDlustre ND 4.3-40W E27 827 P45 CL		4.3	470	109	-		80	2700	15000	A++	929001890502	96809730
2 CLA LEDlustre ND 6.5-60W P45 E14 827 CL	60	6.5	806	124	-		80	2700	15000	A++	929002028502	99649166
4 CLA LEDlustre ND 6.5-60W P45 E27 827 CL		6.5	806	124	-		80	2700	15000	A++	929002029002	99649203
<b>Classic LEDlustre Non dimmable Frosted</b>												
5 CLA LEDlustre ND 2.2-25W P45 E14 FR	25	2.2	250	113	-		80	2700	15000	A++	929001345402	96706411
6 CLA LEDlustre ND 2.2-25W P45 E27 FR		2.2	250	113	-		80	2700	15000	A++	929001345602	96706459
5 CLA LEDlustre ND 4.3-40W E14 827 P45 FR	40	4.3	470	109	-		80	2700	15000	A++	929001345502	96706435
6 CLA LEDlustre ND 4.3-40W E27 827 P45 FR		4.3	470	109	-		80	2700	15000	A++	929001345702	96706473
5 CLA LEDlustre ND 6.5-60W P45 E14 827 FR	60	6.5	806	124	-		80	2700	15000	A++	929002028702	99649289
6 CLA LEDlustre ND 6.5-60W P45 E27 827 FR		6.5	806	124	-		80	2700	15000	A++	929002029202	99649340
<b>CorePro LEDlustre Non Dim Clear</b>												
16 CorePro Lustre ND 4-25W E14 827 P45 CL	25	4	250	63	-		80	2700	15000	A+	929001142302	96507599
16 CorePro Lustre ND 5.5-40W E14 827 P45 CL	40	5.5	470	91	-		80	2700	15000	A+	929001142602	96454831
17 CorePro Lustre ND 5.5-40W E27 827 P45 CL		5.5	470	91	-		80	2700	15000	A+	929001175302	96507636
<b>CorePro LEDlustre Non Dim Frosted</b>												
18 CorePro Lustre ND 4-25W E14 827 P45 FR	25	4	250	63	-		80	2700	15000	A+	929001157502	91787037
19 CorePro Lustre ND 4-25W E27 827 P45 FR		4	250	63	-		80	2700	15000	A+	929001157602	91787051
18 CorePro Lustre ND 5.5-40W E14 827 P45 FR	40	5.5	470	85	-		80	2700	15000	A+	929001157802	96474891
19 CorePro Lustre ND 5.5-40W E27 827 P45 FR		5.5	470	91	-		80	2700	15000	A+	929001175402	96507650
18 CorePro Lustre ND 7-60W E14 827 P48 FR	60	7	806	115	-		80	2700	15000	A++	929001325202	96703014
19 CorePro Lustre ND 7-60W E27 827 P48 FR		7	806	115	-		80	2700	15000	A++	929001325302	96703038