

WMSDB - Worldwide Mollusc Species Data Base



Family: CASSIDAE

Author: Claudio Galli - claudio@bagniliggia.it (updated 07/apr/2017)

----- Family: **CASSIDAE** Latreille, 1825 (Sea)

- Alphabetic order - when first name is in bold the species has images

DB counters=697, Genus=16, Subgenus=4, Species=237, Subspecies=47, Synonyms=392, Images=209

- **abbotti**, [Cassis abbotti](#) Bouchet, 1988
- **abbreviata**, [Phalium abbreviata](#) Lamarck, 1822 - syn of: [Semicassis granulata](#) (Born, 1778)
- **abbreviata**, [Cassis abbreviata](#) Monterosato, 1878 - syn of: [Semicassis saburon](#) (Bruguière, 1792)
- **abernethyi**, [Semicassis abernethyi](#) Dell, 1956 - syn of: [Semicassis pyrum](#) (Lamarck, 1822)
- **abnormis**, [Morio abnormis](#) Bayan, 1870 † - syn of: [Loxotaphrus abnormis](#) (Bayan, 1870) † (**FOSSIL**)
- **abyssorum**, [Oocorys abyssorum](#) Verrill & Smith, 1884 - syn of: [Oocorys sulcata](#) Fischer, 1884
- **achatina**, [Semicassis achatina](#) Barattini & Ureta, 1960 - syn of: [Semicassis labiata iheringi](#) (Carcelles, 1953)
- **achatina**, [Semicassis achatina](#) Lamarck, 1816 - syn of: [Semicassis labiata](#) (Perry, 1811)
- **achatina**, [Semicassis achatina](#) Reeve, 1848 - syn of: [Semicassis labiata zeylanica](#) (Lamarck, 1822)
- **adansoni**, [Cassis adansoni](#) Locard, 1886 - syn of: [Semicassis saburon](#) (Bruguière, 1792)
- **adcocki**, [Semicassis adcocki](#) (Sowerby, 1896)
- **adriatica**, [Galeodea echinophora adriatica](#) Linnaeus
- **aequistriata**, [Galeodea aequistriata](#) Coen, 1920 - syn of: [Galeodea echinophora](#) (Linnaeus, 1758)
- **africana**, [Semicassis africana](#) Fulton, 1930 - syn of: [Semicassis craticulata](#) (Euthyme, 1885)
- **agnitum**, [Phalium agnitum](#) Iredale, 1927 - syn of: [Phalium areola](#) (Linnaeus, 1758)
- **alba**, [Cassis alba](#) Perry, 1811 - syn of: [Cassis flammea](#) (Linnaeus, 1758)
- **alba**, [Cassis alba](#) Perry, 1811 - syn of: [Cassis flammea](#) (Linnaeus, 1758)
- **alboranensis**, [Galeodea alboranensis](#) Settepassi, 1970 - syn of: [Galeodea echinophora](#) (Linnaeus, 1758)
- **alcocki**, [Galeodea alcocki](#) (Smith, 1906)
- **alcocki**, [Oocorys alcocki](#) Smith, 1906 - syn of: [Galeodea alcocki](#) (Smith, 1906)
- **aldrichi**, [Semicassis aldrichi](#) Dall, 1890 † (**FOSSIL**)
- **alea**, [Phalium alea](#) Röding, 1798 - syn of: [Phalium areola](#) (Linnaeus, 1758)
- **alexarthuri**, [Sconsia alexarthuri](#) Parth, 1994
- **aligator**, [Phalium aligator](#) Petuch, 1991 † (**FOSSIL**)
- **allani**, [Galeodea allani](#) Finlay & Marwick, 1937 † (**FOSSIL**)
- **alligator**, [Phalium alligator](#) Petuch, 1991 - syn of: [Semicassis granulata](#) (Born, 1778)
- **altispira**, [Cassis altispira](#) Beu, 2010 † (**FOSSIL**)
- **ambigua**, [Cassis ambigua](#) (Solander, 1766) † (**FOSSIL**)
- **amboinensis**, [Cassis amboinensis](#) Petivier in Tryon, 1885 - syn of: [Cassis cornuta](#) (Linnaeus, 1758)
- **amplectens**, [Sconsia amplectens](#) Sacco, 1890 † (**FOSSIL**)
- **ampullacea**, [Semicassis ampullacea](#) Monterosato, 1878 - syn of: [Semicassis granulata undulata](#) (Gmelin, 1791)
- **andersoni**, [Phalium andersoni](#) Abbott, 1968 - syn of: [Echinophoria hadra](#) (Woodring & Olsson, 1957)
- **angasi**, [Semicassis angasi](#) (Iredale, 1927)
- **angasi knighti**, [Semicassis angasi knighti](#) Thomley, 1954 - syn of: [Semicassis angasi](#) (Iredale, 1927)
- **angustata**, [Semicassis sinuosum angustata](#) Cotton & Godfrey
- **anwari**, [Cassis anwari](#) Abbass, 1967 † (**FOSSIL**)
- **apodemetes**, [Galeodea apodemetes](#) Marwick, 1934 † (**FOSSIL**)
- **apta**, [Liracassis apta](#) (Tegland, 1931) † (**FOSSIL**)
- **areola**, [Phalium areola](#) (Linnaeus, 1758)
- **areola**, [Semicassis areola](#) Burrow, 1815 - syn of: [Semicassis bisulcata](#) (Schubert & Wagner, 1829)
- **areolata**, [Phalium areolata](#) Schumacher, 1817 - syn of: [Phalium areola](#) (Linnaeus, 1758)
- **atlantica**, [Casmaria atlantica](#) Clench, 1944
- **aureola**, [Phalium aureola](#) Liénard, 1877 - syn of: [Phalium areola](#) (Linnaeus, 1758)
- **avellana**, [Cassis avellana](#) Brongniart, 1822 † - syn of: [Avellana avellana](#) (Brongniart, 1822) † (**FOSSIL**)
- **bandatum**, [Phalium bandatum](#) Perry, 1811
- **bandatum exaratum**, [Phalium bandatum exaratum](#) (Reeve, 1848) - syn of: [Phalium exaratum](#) (Reeve, 1848)
- **barbouri**, [Eucorys barbouri](#) (Clench & Aguayo, 1939)
- **barbudensis**, [Sconsia barbudensis](#) Higgins & Marrat, 1877 - syn of: [Sconsia grayi](#) Adams, 1855
- **bartschi**, [Eucorys bartschi](#) (Rehder, 1943)
- **bartschi clericus**, [Oocorys bartschi clericus](#) Quinn, 1980 - syn of: [Oocorys clericus](#) Quinn, 1980
- **bellardii**, [Cassis bellardii](#) Michebetti, 1847 † - syn of: [Semicassis jauberti](#) Cossmann & Peyrot, 1923 † (**FOSSIL**)
- **beui**, [Casmaria beui](#) Buijse, Dekker & Verbinnen, 2013
- **beui**, [Galeodea beui](#) Krepl & Alf, 2002 - syn of: [Galeodea alcocki](#) (Smith, 1906)
- **beyrichi**, [Sconsia beyrichi](#) Michebetti, 1861 † (**FOSSIL**)
- **bezoar**, [Phalium bezoar](#) Gray, 1839 - syn of: [Phalium glaucum](#) (Linnaeus, 1758)
- **biarmatum**, [Casmaria biarmatum](#) Dillwyn, 1817 - syn of: [Casmaria ponderosa](#) (Gmelin, 1791)
- **bicarinata**, [Cassis fimbriata bicarinata](#) Jonas
- **bicatenata**, [Galeodea bicatenata](#) Sowerby, 1815 † (**FOSSIL**)
- **bicincta**, [Cypraecassis bicincta](#) Bayer, 1935 - syn of: [Cypraecassis testiculus](#) (Linnaeus, 1758)
- **bicolor**, [Casmaria ponderosa bicolor](#) Dautzenberg
- **bicoronata**, [Semicassis bicoronata](#) (Beyrich, 1854) † (**FOSSIL**)
- **birmanica**, [Cassis birmanica](#) Vredenburg, 1921 † (**FOSSIL**)
- **bistriata**, [Galeodea bistriata](#) Settepassi, 1970 - syn of: [Galeodea echinophora](#) (Linnaeus, 1758)
- **bisulcata**, [Semicassis bisulcata](#) (Schubert & Wagner, 1829)
- **bisulcata booleyi**, [Semicassis bisulcata booleyi](#) Sowerby, 1900
- **bisulcata diuturna**, [Semicassis bisulcata diuturna](#) Iredale, 1927
- **bisulcata japonica**, [Semicassis bisulcata japonica](#) (Reeve, 1848)
- **bisulcata minor**, [Semicassis bisulcata minor](#) Küster, 1857
- **bisulcata persimilis**, [Semicassis bisulcata persimilis](#) Kra, 1959

- bisulcata pila, [Semicassis bisulcata pila](#) (Reeve, 1848)
- bisulcatum, Phalium bisulcatum Schubert & Wagner, 1829 - syn of: [Semicassis bisulcata](#) (Schubert & Wagner, 1829)
- bituberculosa, [Echinophoria bituberculosa](#) Martens, 1904
- bituminata, [Galeodea bituminata](#) (Martin, 1933)
- bivaricosa, Galeodea bivaricosa Coen, 1933 - syn of: [Galeodea echinophora](#) (Linnaeus, 1758)
- boblehmani, [Casmaria boblehmani](#) Fedosov, Olivera & al., 2014
- bocasensis, Sconsia bocasensis Olsson, 1922 - syn of: [Sconsia grayi](#) Adams, 1855
- bonanni, Galeodea bonanni Coen, 1933 - syn of: [Galeodea echinophora](#) (Linnaeus, 1758)
- bondarevi, [Semicassis bondarevi](#) Mühlhäusser & Parth, 1993
- booleyi, [Semicassis bisulcata booleyi](#) Sowerby
- brevidentata, [Mambrinia brevidentata](#) (Aldrich, 1885) † (FOSSIL)
- brevirostrum, Cassis brevirostrum Petvier in Tryon, 1885 - syn of: [Cassis cornuta](#) (Linnaeus, 1758)
- bucquoyi, Galeodea bucquoyi Locard, 1886 - syn of: [Galeodea echinophora](#) (Linnaeus, 1758)
- bulla, [Semicassis bulla](#) Habe, 1961
- bulla fernandesi, [Semicassis bulla fernandesi](#) (Kilburn, 1975)
- bulla obscura, [Semicassis bulla obscura](#) Kuroda, 1962
- caelatum, Mariacassis caelatum Conrad, 1830 † - syn of: [Echinophoria caelatura](#) (Conrad, 1830) † (FOSSIL)
- caelatura, [Echinophoria caelatura](#) (Conrad, 1830) † (FOSSIL)
- calamistrata, Cassis calamistrata Locard, 1892 - syn of: [Semicassis granulata](#) (Born, 1778)
- calantica, [Semicassis calantica](#) (Deshayes, 1835) † (FOSSIL)
- californica, [Galeodea californica](#) Clark, 1942 † (FOSSIL)
- callosa, Cassis callosa Röding, 1798 - syn of: [Nassarius gibbosulus](#) (Linnaeus, 1758)
- callosus, Cassis callosus Röding, 1798 - syn of: [Nassarius gibbosulus](#) (Linnaeus, 1758)
- cameo, Cassis cameo Stimpson, 1860 - syn of: [Cassis madagascariensis](#) Lamarck, 1822
- canaliculata, [Semicassis canaliculata](#) (Bruguère, 1792)
- cancellata, Oocorys cancellata Dautzenberg & Fischer, 1897 - syn of: [Oocorys verrillii](#) (Dall, 1889)
- cancellata, Cassis cancellata Lamarck, 1803 † - syn of: [Morionella verrucosa](#) (Perry, 1810) † (FOSSIL)
- cancellata, Phalium cancellata Röding, 1798 - syn of: [Phalium decussatum](#) (Linnaeus, 1758)
- cantaurana, [Cypraecassis cantaurana](#) Beu, 2010 † (FOSSIL)
- caputequinum, Cassis caputequinum Röding, 1798 - syn of: [Cassis cornuta](#) (Linnaeus, 1758)
- carinata, [Mambrinia nodosa carinata](#) Bruguère (FOSSIL)
- carnosa, [Echinophoria carnosa](#) Kuroda & Habe, 1961
- carolimartini, Galeodea carolimartini Beets, 1943 - syn of: [Galeodea bituminata](#) (Martin, 1933)
- cassidula, Galeodea cassidula Coen, 1920 - syn of: [Galeodea echinophora](#) (Linnaeus, 1758)
- ceibaensis, [Ceiba ceibaensis](#) Clark & Durham, 1946 † (FOSSIL)
- centiquadrata, [Semicassis centiquadrata](#) (Valenciennes, 1832)
- centiquadrata, Cassis centiquadrata Valenciennes, 1832 - syn of: [Semicassis centiquadrata](#) (Valenciennes, 1832)
- cepa, Phalium cepa Röding, 1798 - syn of: [Semicassis granulata](#) (Born, 1778)
- cernica, [Casmaria cernica](#) (Sowerby, 1888)
- cernica, Cassis cernica Sowerby, 1888 - syn of: [Casmaria cernica](#) (Sowerby, 1888)
- cestasensis, [Semicassis grateloupi cestasensis](#) Cossmann & Peyrot
- chartoprates, Cypraecassis chartoprates Meuschen, 1786 - syn of: [Cypraecassis rufa](#) (Linnaeus, 1758)
- cheops, [Galeodea cheops](#) Abbass, 1967 † (FOSSIL)
- chevallieri, [Cassis chevallieri](#) Cossmann, 1889 † (FOSSIL)
- chiantinii, Galeodea chiantinii Coen, 1929 - syn of: [Galeodea echinophora](#) (Linnaeus, 1758)
- chipolana, [Cypraecassis chipolana](#) Duerr, 2001 † (FOSSIL)
- cicatricosa, [Semicassis granulata cicatricosa](#) Gmelin
- cingulae, [Echinophoria cingulae](#) Garvie, 2013 † (FOSSIL)
- cingulata, Galeodea cingulata Lamarck, 1822 - syn of: [Linatella caudata](#) (Gmelin, 1791)
- cingulata, Cassidaria cingulata Lamarck, 1822 - syn of: [Linatella caudata](#) (Gmelin, 1791)
- cingulifera, Galeodea cingulifera Hoernes & Aulinger, 1884 † - syn of: [Eudolium subintermedium](#) (D'Orbigny, 1852) † (FOSSIL)
- clathratum, Phalium clathratum Link, 1807 - syn of: [Phalium areola](#) (Linnaeus, 1758)
- clericus, [Oocorys clericus](#) Quinn, 1980
- coarctata, [Cypraecassis coarctata](#) (Sowerby, 1825)
- cocleana, [Sconsia cocleana](#) Olsson, 1922 † (FOSSIL)
- collactea, [Semicassis labiata collactea](#) Finlay
- corallina, Cassis corallina Quenstedt, 1852 † - syn of: [Columbellaria corallina](#) (Quenstedt, 1852) † (FOSSIL)
- cornuta, [Cassis cornuta](#) (Linnaeus, 1758)
- coronadoi, [Echinophoria coronadoi](#) (Crosse, 1867)
- coronata, [Galeodea coronata](#) Deshayes, 1830 † (FOSSIL)
- coronata, Cassis coronata Röding, 1798 - syn of: [Cassis tessellata](#) (Gmelin, 1791)
- coronulata, Phalium coronulata Sowerby, 1825 - syn of: [Phalium bandatum](#) Perry, 1811
- costulifera, [Cassis costulifera](#) Beu, 2010 † (FOSSIL)
- crassa, Semicassis crassa Monterosato, 1878 - syn of: [Semicassis granulata undulata](#) (Gmelin, 1791)
- craticulata, [Semicassis craticulata](#) (Euthyme, 1885)
- craticulatum, Phalium craticulatum Euthyme, 1885 - syn of: [Semicassis craticulata](#) (Euthyme, 1885)
- crossei, Semicassis crossei Hidalgo, 1896 - syn of: [Semicassis faurotis](#) Jousseau, 1888
- crumena, Cypraecassis crumena Bruguère, 1792 - syn of: [Cypraecassis testiculus senegalica](#) (Gmelin, 1791)
- cypraeiformis, [Cypraecassis cypraeiformis](#) (Borson, 1820) † (FOSSIL)
- dalli, Cassis dalli Anderson, 1929 - syn of: [Echinophoria hadra](#) (Woodring & Olsson, 1957)
- dalli, [Dalium dalli](#) Böse, 1906 † (FOSSIL)
- dalli, [Echinophoria dalli](#) Dickerson, 1917 † (FOSSIL)
- dalrymplei, Semicassis dalrymplei Cox, 1948 - syn of: [Semicassis bisulcata](#) (Schubert & Wagner, 1829)

- *dautzenbergi*, *Galeodea dautzenbergi* Locard, 1886 - syn of: [Galeodea echinophora](#) (Linnaeus, 1758)
- *debiae*, [Semicassis inornata debiae](#) Goodwin
- *decipiens*, [Semicassis decipiens](#) (Kilburn, 1980)
- *decipiens*, *Phalium decipiens* Kilburn, 1980 - syn of: [Semicassis decipiens](#) (Kilburn, 1980)
- *decipiens*, *Casmaria decipiens* Kilburn, 1980 - syn of: [Semicassis decipiens](#) (Kilburn, 1980)
- *decrensensis*, *Cassis decrensensis* Hedley, 1923 - syn of: [Cassis fimbriata](#) Quoy & Gaimard, 1833
- *decussatum*, [Phalium decussatum](#) (Linnaeus, 1758)
- *decussatum flammeolum*, [Phalium decussatum flammeolum](#) (Röding, 1798)
- *delta*, [Cassis delta](#) Parker, 1948 † (FOSSIL)
- *denda*, *Semicassis denda* Cotton, 1945 - syn of: [Semicassis pyrum](#) (Lamarck, 1822)
- *deneseplicata*, [Semicassis deneseplicata](#) Martin, 1916 † (FOSSIL)
- *denisi*, *Semicassis denisi* Salmon, 1948 - syn of: [Semicassis angasi](#) (Iredale, 1927)
- *densetuberculata*, *Galeodea densetuberculata* Settepassi, 1970 - syn of: [Galeodea echinophora](#) (Linnaeus, 1758)
- *denticulata*, *Casmaria denticulata* Röding, 1798 - syn of: [Casmaria erinacea](#) (Linnaeus, 1758)
- *denticulata*, *Cassis denticulata* Röding, 1798 - syn of: [Casmaria erinacea](#) (Linnaeus, 1758)
- *depressa*, [Galeodea depressa](#) Buch, 1831 † (FOSSIL)
- *depressa*, *Galeodea depressa* Philippi, 1844 - syn of: [Galeodea rugosa](#) (Linnaeus, 1771)
- *depressor*, [Cassis depressor](#) Martin, 1879 † (FOSSIL)
- *desori*, [Galeodea desori](#) d'Archiac & Haime, 1854 † (FOSSIL)
- *diadema*, [Galeodea diadema](#) (Deshayes, 1865) † (FOSSIL)
- *diadema*, *Galeodea diadema* Brocchi, 1814 - syn of: [Galeodea echinophora](#) (Linnaeus, 1758)
- *diadema*, *Cassis diadema* Defrance, 1817 † - syn of: [Semicassis grateloupi](#) (Deshayes, 1850) † (FOSSIL)
- *diadema*, [Semicassis grateloupi diadema](#) Grateloup
- *dilatata*, *Galeodea dilatata* Settepassi, 1970 - syn of: [Galeodea echinophora](#) (Linnaeus, 1758)
- *diuturna*, [Semicassis bisulcata diuturna](#) Iredale
- *diuturna persimilis*, *Semicassis diuturna persimilis* Kira, 1959 - syn of: [Semicassis bisulcata persimilis](#) Kira, 1959
- *doliata*, *Phalium doliata* Valenciennes, 1832 - syn of: [Semicassis centiquadrata](#) (Valenciennes, 1832)
- *donghaiensis*, *Oocorys donghaiensis* Xu, 1989 - syn of: [Pisanianura grimaldii](#) (Dautzenberg, 1899)
- *dorae*, [Semicassis dorae](#) (Kreipl & Mühlhäusser, 1996)
- *doughthorni*, [Semicassis doughthorni](#) Dekkers, 2013
- *dumasi*, *Semicassis dumasi* Cossmann & Peyrot, 1824 † - syn of: [Semicassis grateloupi](#) (Deshayes, 1850) † (FOSSIL)
- *echinophora*, [Galeodea echinophora](#) (Linnaeus, 1758)
- *echinophora adriatica*, [Galeodea echinophora adriatica](#) (Linnaeus, 1758)
- *echinophora adriatica*, *Galeodea echinophora adriatica* Mascarin, 1884 - syn of: [Galeodea echinophora](#) (Linnaeus, 1758)
- *echinophora coronata*, *Galeodea echinophora coronata* Settepassi, 1970 - syn of: [Galeodea echinophora](#) (Linnaeus, 1758)
- *echinophora densetuberculata*, *Galeodea echinophora densetuberculata* Settepassi, 1970 - syn of: [Galeodea echinophora](#) (Linnaeus, 1758)
- *echinophora dentata*, *Galeodea echinophora dentata* Settepassi, 1970 - syn of: [Galeodea echinophora](#) (Linnaeus, 1758)
- *echinophora dilatata*, *Galeodea echinophora dilatata* Settepassi, 1970 - syn of: [Galeodea echinophora](#) (Linnaeus, 1758)
- *echinophora dubia*, *Galeodea echinophora dubia* Cerulli-Irelli, 1911 - syn of: [Galeodea rugosa](#) (Linnaeus, 1771)
- *echinophora globosa*, *Galeodea echinophora globosa* Bucquoy, Dautzenberg & Dollfus, 1882 - syn of: [Galeodea echinophora](#) (Linnaeus, 1758)
- *echinophora globosocordonata*, *Galeodea echinophora globosocordonata* Settepassi, 1970 - syn of: [Galeodea echinophora](#) (Linnaeus, 1758)
- *echinophora ingens*, *Galeodea echinophora ingens* Settepassi, 1970 - syn of: [Galeodea echinophora](#) (Linnaeus, 1758)
- *echinophora minima*, *Galeodea echinophora minima* Settepassi, 1970 - syn of: [Galeodea echinophora](#) (Linnaeus, 1758)
- *echinophora multituberculata*, *Galeodea echinophora multituberculata* Settepassi, 1970 - syn of: [Galeodea echinophora](#) (Linnaeus, 1758)
- *echinophora mutica*, *Galeodea echinophora mutica* Tiberi, 1863 - syn of: [Galeodea echinophora](#) (Linnaeus, 1758)
- *echinophora obsoleta*, *Galeodea echinophora obsoleta* Bucquoy, Dautzenberg & Dollfus, 1882 - syn of: [Galeodea echinophora](#) (Linnaeus, 1758)
- *echinophora solida*, [Galeodea echinophora solida](#) Bucquoy & Dautzenberg, 1882
- *echinophora subdiadema*, *Galeodea echinophora subdiadema* Settepassi, 1970 - syn of: [Galeodea echinophora](#) (Linnaeus, 1758)
- *echinophora subnodulosa*, *Galeodea echinophora subnodulosa* Bucquoy, Dautzenberg & Dollfus, 1882 - syn of: [Galeodea echinophora](#) (Linnaeus, 1758)
- *echinophorella*, *Galeodea echinophorella* Habe, 1961 - syn of: [Galeodea bituminata](#) (Martin, 1933)
- *echinophorella suzumai*, *Galeodea echinophorella suzumai* Sakurai, 1984 - syn of: [Galeodea bituminata](#) (Martin, 1933)
- *echinophorus aequistriata*, *Galeodea echinophorus aequistriata* Coen, 1920 - syn of: [Galeodea echinophora](#) (Linnaeus, 1758)
- *echinophorus bivaricosa*, *Galeodea echinophorus bivaricosa* Coen, 1933 - syn of: [Galeodea echinophora](#) (Linnaeus, 1758)
- *echinophorus bonanni*, *Galeodea echinophorus bonanni* Coen, 1920 - syn of: [Galeodea echinophora](#) (Linnaeus, 1758)
- *echinophorus cassidula*, *Galeodea echinophorus cassidula* Coen, 1920 - syn of: [Galeodea echinophora](#) (Linnaeus, 1758)
- *echinophorus intermediata*, *Galeodea echinophorus intermediata* Coen, 1933 - syn of: [Galeodea echinophora](#) (Linnaeus, 1758)
- *echinophorus major*, *Galeodea echinophorus major* Coen, 1920 - syn of: [Galeodea echinophora](#) (Linnaeus, 1758)
- *echinophorus polycingulata*, *Galeodea echinophorus polycingulata* Coen, 1933 - syn of: [Galeodea echinophora](#) (Linnaeus, 1758)
- *echinophorus ruggeri*, *Galeodea echinophorus ruggeri* Coen, 1920 - syn of: [Galeodea echinophora](#) (Linnaeus, 1758)
- *echinophorus tenuis*, *Galeodea echinophorus tenuis* Coen, 1920 - syn of: [Galeodea echinophora](#) (Linnaeus, 1758)
- *echinophorus tuber*, *Galeodea echinophorus tuber* Coen, 1920 - syn of: [Galeodea echinophora](#) (Linnaeus, 1758)
- *echinophorus tufa*, *Galeodea echinophorus tufa* Coen, 1920 - syn of: [Galeodea echinophora](#) (Linnaeus, 1758)
- *ecuadorianum*, [Dalium ecuadorianum](#) Olsson, 1942 † (FOSSIL)
- *edentulum*, *Casmaria edentulum* Link, 1807 - syn of: [Casmaria erinacea](#) (Linnaeus, 1758)
- *elegans*, *Cassis elegans* Grateloup, 1838 - syn of: [Cassis flammea](#) (Linnaeus, 1758)
- *elevata*, [Oocorys elevata](#) Dall, 1908
- *elongata*, *Semicassis elongata* Monterosato, 1878 - syn of: [Semicassis granulata undulata](#) (Gmelin, 1791)
- *elongata*, *Oocorys elongata* Schepman, 1909 - syn of: [Oocorys sulcata](#) Fischer, 1884
- *emilyae*, [Echinophoria emilyae](#) (Laws, 1932) † (FOSSIL)
- *eric anum*, *Semicassis ericanum* Powell, 1928 - syn of: [Semicassis royana](#) (Iredale, 1914)
- *erinacea*, [Casmaria erinacea](#) (Linnaeus, 1758)
- *erinacea kalosmodix*, *Casmaria erinacea kalosmodix* (MeWll, 1883) - syn of: [Casmaria kalosmodix](#) (MeWll, 1883)

- erinacea vibex, [Casmaria erinacea vibex](#) (Linnaeus, 1758)
- erinacea vibexmexicana, [Casmaria erinacea vibexmexicana](#) (Stearns, 1894)
- etchuensis, [Echinophoria etchuensis](#) Hatai & Nisiyama, 1949 † (FOSSIL)
- eurychilus, [Galeodea eurychilus](#) Cossmann, 1889 † (FOSSIL)
- evanescens, [Cassis evanescens](#) (Cossmann, 1923) † (FOSSIL)
- evdoxiae, [Phalium evdoxiae](#) Morrison, 2016
- exaratum, [Phalium exaratum](#) (Reeve, 1848)
- exigua, [Cassis exigua](#) (Tenison-Woods, 1879) † (FOSSIL)
- extinctum, [Phalium extinctum](#) Link, 1807 - syn of: [Phalium areola](#) (Linnaeus, 1758)
- famulans, [Echinophoria famulans](#) Jung, 1971 † (FOSSIL)
- fasciata, [Cassis fasciata](#) Bruguière, 1792 - syn of: [Cassis tessellata](#) (Gmelin, 1791)
- faurotis, [Semicassis faurotis](#) Jousseume, 1888
- felix, [Sconsia felix](#) Maury, 1934 † (FOSSIL)
- fernandesi, [Semicassis bulla fernandesi](#) Kiburn
- ferrarioi, [Galeodea ferrarioi](#) Bozzetti, 1989 - syn of: [Galeodea keyteri](#) (Kiburn, 1975)
- fibrata, [Semicassis fibrata](#) (Marshall & Murdoch, 1920) † (FOSSIL)
- fimbria, [Phalium fimbria](#) (Gmelin, 1791)
- fimbriata, [Phalium fimbriata](#) Gmelin, 1791 - syn of: [Phalium fimbria](#) (Gmelin, 1791)
- fimbriata, [Cassis fimbriata](#) Quoy & Gaimard, 1833
- fimbriata bicarinata, [Cassis fimbriata bicarinata](#) Jonas, 1839
- finlayi, [Semicassis finlayi](#) Iredale, 1927 - syn of: [Semicassis pyrum](#) (Lamarck, 1822)
- fischeri, [Oocorys fischeri](#) Locard, 1897 - syn of: [Oocorys sulcata](#) Fischer, 1884
- fischeri minor, [Oocorys fischeri minor](#) Locard, 1897 - syn of: [Oocorys sulcata](#) Fischer, 1884
- flammea, [Cassis flammea](#) (Linnaeus, 1758)
- flammeolum, [Phalium flammeolum](#) Link, 1807 - syn of: [Phalium flammiferum](#) (Röding, 1798)
- flammeolum, [Phalium decussatum flammeolum](#) Röding
- flammiferum, [Phalium flammiferum](#) (Röding, 1798)
- flammiferum breviculum, [Phalium flammiferum breviculum](#) Tsi & Ma, 1980 - syn of: [Phalium flammiferum](#) (Röding, 1798)
- flemingi, [Galeodea flemingi](#) Beu & Maxwell, 1990 † (FOSSIL)
- flintensis, [Cassis flintensis](#) Mansfield, 1940 † (FOSSIL)
- floridensis, [Cassis floridensis](#) Tucker & Wilson, 1932 † (FOSSIL)
- fortisulcata, [Semicassis fortisulcata](#) Smith, 1904 - syn of: [Semicassis umbilicata](#) (Pease, 1861)
- gallica, [Mambrinia gallica](#) (Wrigley, 1934) † (FOSSIL)
- geniculosa, [Galeodea geniculosa](#) Marwick, 1942 † (FOSSIL)
- gibbum, [Phalium gibbum](#) Gmelin, 1791 - syn of: [Semicassis granulata](#) (Born, 1778)
- gigantea, [Galeodea gigantea](#) Coen, 1920 - syn of: [Galeodea echinophora](#) (Linnaeus, 1758)
- glabra, [Cassis glabra](#) Röding, 1798 - syn of: [Casmaria erinacea](#) (Linnaeus, 1758)
- glabrata, [Semicassis glabrata](#) (Dunker, 1852)
- glabratum bulla, [Phalium glabratum bulla](#) Habe, 1961 - syn of: [Semicassis bulla](#) Habe, 1961
- glabratum fernandesi, [Phalium glabratum fernandesi](#) Kiburn, 1987 - syn of: [Semicassis bulla fernandesi](#) (Kiburn, 1975)
- glans, [Cassis glans](#) Röding, 1798 - syn of: [Demoulia abbreviata](#) (Gmelin, 1791)
- glauca, [Phalium glauca](#) Kiener, 1835 - syn of: [Phalium bandatum](#) Perry, 1811
- glaucoides, [Cassis glaucoides](#) Martin, 1879 † (FOSSIL)
- glaucum, [Phalium glaucum](#) (Linnaeus, 1758)
- globosocordonata, [Galeodea globosocordonata](#) Settepassi, 1970 - syn of: [Galeodea echinophora](#) (Linnaeus, 1758)
- globulus, [Cassis globulus](#) Menke, 1829 - syn of: [Demoulia ventricosa](#) (Lamarck, 1816)
- globulus, [Phalium globulus](#) Röding, 1798 - syn of: [Semicassis granulata](#) (Born, 1778)
- gmelini, [Semicassis gmelini](#) Locard, 1886 - syn of: [Semicassis granulata](#) (Born, 1778)
- gracilenta, [Semicassis gracilenta](#) Yokoyama, 1928 † - syn of: [Cyllene gracilenta](#) (Yokoyama, 1928) † (FOSSIL)
- gradata, [Galeodea gradata](#) Tate, 1888 † (FOSSIL)
- grandis, [Oocorys grandis](#) Beu, 2008
- grangei, [Echinophoria grangei](#) (Marwick, 1926) † (FOSSIL)
- granulata, [Semicassis granulata](#) (Born, 1778)
- granulata centiquadrata, [Semicassis granulata centiquadrata](#) Valenciennes, 1832 - syn of: [Semicassis centiquadrata](#) (Valenciennes, 1832)
- granulata cicatricosa, [Semicassis granulata cicatricosa](#) (Gmelin, 1791)
- granulata loxahatcheensis, [Semicassis granulata loxahatcheensis](#) Petuch, 1994 † (FOSSIL)
- granulata peristephes, [Semicassis granulata peristephes](#) (Pilsbry & McGinty, 1939)
- granulata undulata, [Semicassis granulata undulata](#) (Gmelin, 1791)
- granulatum, [Phalium granulatum](#) Born, 1778 - syn of: [Semicassis granulata](#) (Born, 1778)
- granulosa, [Phalium granulosa](#) Bruguière, 1792 - syn of: [Semicassis granulata](#) (Born, 1778)
- granulosa, [Oocorys granulosa](#) Schepman, 1909 - syn of: [Galeodea leucodoma](#) Dall, 1907
- grateloupi, [Semicassis grateloupi](#) (Deshayes, 1850) † (FOSSIL)
- grateloupi cestasensis, [Semicassis grateloupi cestasensis](#) Cossmann & Peyrot, 1923
- grateloupi diadema, [Semicassis grateloupi diadema](#) (Gratebup, 1833)
- grateloupi varicigera, [Semicassis grateloupi varicigera](#) Cossmann & Peyrot, 1923
- grayi, [Sconsia grayi](#) Adams, 1855
- grayi lindae, [Sconsia grayi lindae](#) Petuch, 1987
- gunneri, [Galeodea gunneri](#) Lovén, 1846 - syn of: [Galeodea echinophora](#) (Linnaeus, 1758)
- guppyana, [Phalium guppyana](#) Maury, 1912 † (FOSSIL)
- hadra, [Echinophoria hadra](#) (Woodring & Olsson, 1957)
- halli, [Semicassis halli](#) Cotton, 1954 - syn of: [Semicassis pyrum](#) (Lamarck, 1822)
- hamata, [Cassis hamata](#) Röding, 1798 - syn of: [Cassis cornuta](#) (Linnaeus, 1758)
- hamiltoni, [Semicassis pyrum hamiltoni](#) Powell

- harpaeformis, [Semicassis harpaeformis](#) (Lamarck, 1803) † (FOSSIL)
- harrisonae, [Semicassis harrisonae](#) Powell, 1928 - syn of: [Semicassis pyrsum](#) (Lamarck, 1822)
- haueri, [Echinophoria haueri](#) (Hoernes & Auinger, 1884) † (FOSSIL)
- hedleyi, [Semicassis royana hedleyi](#) Iredale
- hedleyi, [Semicassis hedleyi](#) Iredale, 1927 - syn of: [Semicassis royana hedleyi](#) Iredale, 1927
- herklotsi, [Cassis herklotsi](#) Martin, 1879 † (FOSSIL)
- hoarai, [Galeodea hoarai](#) Drivas & Jay, 1989
- hodgei, [Sconsia hodgei](#) Conrad, 1841 † - syn of: [Sconsia hodgii](#) (Conrad, 1841) † (FOSSIL)
- hodgii, [Sconsia hodgii](#) (Conrad, 1841) † (FOSSIL)
- hoernesii, [Echinophoria hoernesii](#) Sacco, 1890 † - syn of: [Echinophoria haueri](#) (Hoernes & Auinger, 1884) † (FOSSIL)
- hupeana, [Echinophoria hupeana](#) Nielsen, 2003 † (FOSSIL)
- iheringi, [Semicassis labiata iheringi](#) Carcelles
- incrassata, [Semicassis incrassata](#) (Gratelup, 1833) † (FOSSIL)
- indica, [Oocorys sulcata indica](#) Smith
- inflata, [Semicassis inflata](#) Shaw, 1811 - syn of: [Semicassis granulata](#) (Born, 1778)
- inflata waltonensis, [Semicassis inflata waltonensis](#) Mansfield, 1935 - syn of: [Semicassis granulata](#) (Born, 1778)
- inflatum, [Phalium inflatum](#) Shaw, 1811 - syn of: [Semicassis granulata](#) (Born, 1778)
- ingens, [Galeodea ingens](#) Settepassi, 1970 - syn of: [Galeodea echinophora](#) (Linnaeus, 1758)
- inornata, [Semicassis inornata](#) (Pilsbry, 1895)
- inornata debiae, [Semicassis inornata debiae](#) Goodwin, 2008
- insperata, [Semicassis labiata insperata](#) Iredale
- intercedens, [Semicassis intercedens](#) Von Martens, 1903 - syn of: [Semicassis labiata zeylanica](#) (Lamarck, 1822)
- intermedia, [Echinophoria intermedia](#) (Brocchi, 1814) † (FOSSIL)
- intermediata, [Galeodea intermediata](#) Coen, 1933 - syn of: [Galeodea echinophora](#) (Linnaeus, 1758)
- iredalei, [Semicassis labiata iredalei](#) Bayer
- japonica, [Semicassis bisulcata japonica](#) Reeve
- jauberti, [Semicassis jauberti](#) Cossmann & Peyrot, 1923 † (FOSSIL)
- javana, [Galeodea javana](#) Martin, 1879 - syn of: [Eudolium crosseanum](#) (Monterosato, 1869)
- jogjacartensis, [Cassis jogjacartensis](#) Martin, 1914 † - syn of: [Cassis mamillaris](#) Gratelup, 1847 † (FOSSIL)
- kaawaensis, [Semicassis kaawaensis](#) (Powell & Bartrum, 1928) † (FOSSIL)
- kalosmodix, [Casmaria kalosmodix](#) (Melvill, 1883)
- kalosmodix, [Cassis kalosmodix](#) Melvill, 1883 - syn of: [Casmaria kalosmodix](#) (Melvill, 1883)
- kayae, [Casmaria kayae](#) Buijse, Dekker & Verbinnen, 2013
- ketteri, [Cassis ketteri](#) J.J. Parodiz & Tripp, 1992 † (FOSSIL)
- keyteri, [Galeodea keyteri](#) (Kilburn, 1975)
- keyteri, [Oocorys keyteri](#) Kilburn, 1975 - syn of: [Galeodea keyteri](#) (Kilburn, 1975)
- khaledi, [Galeodea khaledi](#) Abbass, 1967 † (FOSSIL)
- koureos, [Galeodea koureos](#) Gardner, 1939 † (FOSSIL)
- kreipli, [Cassis kreipli](#) Morrison, 2003
- kuesteri, [Phalium kuesteri](#) Bayer, 1935 - syn of: [Phalium flammiferum](#) (Röding, 1798)
- kurodai, [Echinophoria kurodai](#) Abbott, 1968 - syn of: [Echinophoria wyvillei](#) (Watson, 1886)
- kurodai, [Phalium kurodai](#) Abbott, 1968 - syn of: [Echinophoria wyvillei](#) (Watson, 1886)
- labiata, [Semicassis labiata](#) (Perry, 1811)
- labiata, [Cassis labiata](#) Dilwyn, 1817 - syn of: [Cassis cornuta](#) (Linnaeus, 1758)
- labiata collactea, [Semicassis labiata collactea](#) Finlay, 1928
- labiata iheringi, [Semicassis labiata iheringi](#) (Carcelles, 1953)
- labiata insperata, [Semicassis labiata insperata](#) Iredale, 1927
- labiata iredalei, [Semicassis labiata iredalei](#) Bayer, 1935
- labiata zeylanica, [Semicassis labiata zeylanica](#) (Lamarck, 1822)
- labiatum, [Phalium labiatum](#) Perry, 1811 - syn of: [Semicassis labiata](#) (Perry, 1811)
- labrosa, [Cassis labrosa](#) Martini, 1773 - syn of: [Malea pomum](#) (Linnaeus, 1758)
- lactea, [Phalium lactea](#) Kiener, 1835 - syn of: [Semicassis centiquadrata](#) (Valenciennes, 1832)
- laevigata, [Cassis laevigata](#) Defrance, 1817 - syn of: [Semicassis saburon](#) (Bruguière, 1792)
- laevigata, [Sconsia laevigata](#) Guppy, 1850 † (FOSSIL)
- laevigata, [Phalium laevigata](#) Menke, 1828 - syn of: [Semicassis granulata](#) (Born, 1778)
- laevigata, [Sconsia laevigata](#) Sowerby, 1850 † - syn of: [Sconsia laevigata](#) Guppy, 1850 † (FOSSIL)
- lalli, [Semicassis lalli](#) Cotton, 1954 - syn of: [Semicassis pyrsum](#) (Lamarck, 1822)
- leejungi, [Oocorys leejungi](#) Lai, 2013
- leucodoma, [Galeodea leucodoma](#) Dall, 1907
- levilabiata, [Semicassis levilabiata](#) De Gregorio, 1884 - syn of: [Semicassis granulata undulata](#) (Gmelin, 1791)
- lilliei, [Semicassis lilliei](#) (Fleming, 1943) † (FOSSIL)
- limpusi, [Microsconsia limpusi](#) Beu, 2008
- lindae, [Sconsia lindae](#) Adams, 1855 - syn of: [Sconsia grayi](#) Adams, 1855
- lindae, [Sconsia grayi lindae](#) Petuch
- lineata, [Oocorys lineata](#) Schepman, 1909 - syn of: [Eudolium bairdii](#) (Verrill & Smith, 1881)
- lineata, [Galeodea lineata](#) Schepman, 1909 - syn of: [Eudolium bairdii](#) (Verrill & Smith, 1881)
- lineatus, [Galeodea lineatus](#) Schepman, 1909 - syn of: [Eudolium bairdii](#) (Verrill & Smith, 1881)
- lintea, [Sconsia lintea](#) (Conrad, 1848) † (FOSSIL)
- loxahatcheense, [Phalium loxahatcheense](#) Petuch, 1994 - syn of: [Semicassis granulata](#) (Born, 1778)
- loxahatcheensis, [Semicassis granulata loxahatcheensis](#) Petuch (FOSSIL)
- lucrativa, [Phalium lucrativa](#) Iredale, 1927 - syn of: [Semicassis granulata](#) (Born, 1778)
- lussii, [Oocorys lussii](#) Bozzetti, 1990 - syn of: [Oocorys verrillii](#) (Dall, 1889)
- maccamleyi, [Galeodea maccamleyi](#) Ponder, 1983

- maccormacki, [Cassis maccormacki](#) Olsson, 1928 † (FOSSIL)
- maculosa, [Cassis maculosa](#) Gmelin, 1791 - syn of: [Cassis tessellata](#) (Gmelin, 1791)
- madagascariensis, [Cassis madagascariensis](#) Lamarck, 1822
- madagascariensis spinella, [Cassis madagascariensis spinella](#) Clench, 1944
- major, [Cassis major](#) Rigacci, 1866 - syn of: [Cassis madagascariensis](#) Lamarck, 1822
- maleaformis, [Semicassis maleaformis](#) Vokes, 1938 † (FOSSIL)
- malum, [Phalium malum](#) Röding, 1798 - syn of: [Semicassis granulata](#) (Born, 1778)
- mamillaris, [Cassis mamillaris](#) Gratebup, 1847 † (FOSSIL)
- mamillaris bellardii, [Cassis mamillaris bellardii](#) Micheletti, 1847 † - syn of: [Semicassis jauberti](#) Cossmann & Peyrot, 1923 † (FOSSIL)
- mamillaris pedemontana, [Cassis mamillaris pedemontana](#) Sacco, 1890
- mamillata, [Cypraecassis mamillata](#) Salmon, 1948 - syn of: [Cypraecassis testiculus senegalica](#) (Gmelin, 1791)
- mammillaris, [Cassis mammillaris](#) Gratebup, 1847 † - syn of: [Cassis mamillaris](#) Gratebup, 1847 † (FOSSIL)
- marcuri, [Semicassis marcuri](#) Garvie, 2013 † (FOSSIL)
- marginalba, [Galeodea marginalba](#) Yamamoto & Sakurai, 1977 - syn of: [Galeodea bituminata](#) (Martin, 1933)
- marmorata, [Cassis marmorata](#) Röding, 1798 - syn of: [Cassis flammea](#) (Linnaeus, 1758)
- marmorata, [Cassis marmorata](#) Röding, 1798 - syn of: [Cassis flammea](#) (Linnaeus, 1758)
- marwicki, [Semicassis marwicki](#) (Fleming, 1943) † (FOSSIL)
- massenae, [Cypraecassis massenae](#) Kiener, 1835 - syn of: [Cypraecassis tenuis](#) (Wood, 1828)
- matai, [Semicassis matai](#) Powell, 1952 - syn of: [Semicassis pyrum](#) (Lamarck, 1822)
- mausieri, [Cassis mausieri](#) (Cossmann, 1923) † (FOSSIL)
- mawsoni, [Semicassis mawsoni](#) Cotton, 1945 - syn of: [Semicassis pyrum](#) (Lamarck, 1822)
- megacephala, [Galeodea megacephala](#) Philippi, 1843 † (FOSSIL)
- mekranica, [Semicassis mekranica](#) Vredenburg, 1925 † (FOSSIL)
- metae, [Sconsia metae](#) Petuch, 1994 † - syn of: [Sconsia hodgii](#) (Conrad, 1841) † (FOSSIL)
- microstoma, [Semicassis microstoma](#) (Von Martens, 1903)
- microstoma, [Phalium microstoma](#) Von Martens, 1903 - syn of: [Semicassis microstoma](#) (Von Martens, 1903)
- minima, [Cypraecassis minima](#) Bernard, 1984 - syn of: [Cypraecassis testiculus](#) (Linnaeus, 1758)
- minor, [Semicassis bisulcata minor](#) Küster
- minor, [Cassis minor](#) Rigacci, 1866 - syn of: [Cassis madagascariensis](#) Lamarck, 1822
- minuta, [Phalium minuta](#) Menke, 1829 - syn of: [Semicassis granulata](#) (Born, 1778)
- miolaevigata, [Semicassis miolaevigata](#) Sacco, 1890 - syn of: [Semicassis saburon](#) (Bruguère, 1792)
- mississippiensis, [Phalium mississippiensis](#) (Conrad, 1848) † (FOSSIL)
- mitellapolonica, [Cypraecassis mitellapolonica](#) Röding, 1798 - syn of: [Cypraecassis testiculus](#) (Linnaeus, 1758)
- mitissima, [Cassis mitissima](#) De Gregorio, 1880 † (FOSSIL)
- modesta, [Galeodea modesta](#) (Suter, 1917) † (FOSSIL)
- monilifera, [Semicassis monilifera](#) (J. de C. Sowerby, 1846) † (FOSSIL)
- moniliferum, [Phalium moniliferum](#) Guppy, 1866 † - syn of: [Semicassis reclusa](#) Guppy, 1873 † (FOSSIL)
- morrisoni, [Oocorys morrisoni](#) Kreipl & Alf, 2001 - syn of: [Oocorys verrillii](#) (Dal, 1889)
- mozambicana, [Echinophoria mozambicana](#) Bozzetti, Rosado & Cossignani, 2010
- muangmani, [Phalium muangmani](#) Raybaudi Massila & Prati Musetti, 1995
- multituberculata, [Galeodea multituberculata](#) Settepassi, 1970 - syn of: [Galeodea echinophora](#) (Linnaeus, 1758)
- muricata, [Phalium muricata](#) Finlay, 1926 † (FOSSIL)
- muricata, [Phalium muricata](#) Menke, 1829 - syn of: [Phalium bandatum](#) Perry, 1811
- murrayi, [Phalium murrayi](#) Schmelz, 1996 † (FOSSIL)
- nana, [Cassis nana](#) Tenison-Woods, 1879
- nashi, [Semicassis nashi](#) Iredale, 1931 - syn of: [Semicassis bisulcata](#) (Schubert & Wagner, 1829)
- neglecta, [Cypraecassis neglecta](#) Verrill, 1949 - syn of: [Cypraecassis testiculus](#) (Linnaeus, 1758)
- nephele, [Sconsia nephele](#) Bayer, 1971
- neumayri, [Semicassis neumayri](#) (Hoernes, 1875) † (FOSSIL)
- nipponica, [Galeodea nipponica](#) Sakurai & Habe, 1961 - syn of: [Galeodea alcocki](#) (Smith, 1906)
- nivea, [Semicassis pyrum nivea](#) Brazier
- nodosa, [Mambrinia nodosa](#) (Solander, 1766) † (FOSSIL)
- nodosa carinata, [Mambrinia nodosa carinata](#) (Bruguère, 1792) † (FOSSIL)
- nodosa retusa, [Mambrinia nodosa retusa](#) (Deshayes, 1865) † (FOSSIL)
- nodulosa, [Casmaria ponderosa nodulosa](#) Gmelin
- noharai, [Galeodea noharai](#) Noda, 1980 - syn of: [Galeodea bituminata](#) (Martin, 1933)
- norai, [Cassis norai](#) Prati Musetti, 1995
- nucleus, [Cassis nucleus](#) Küster, 1857 - syn of: [Semicassis saburon](#) (Bruguère, 1792)
- nummultiphila, [Cassis nummultiphila](#) Sacco, 1890 † (FOSSIL)
- nupera, [Doliocassis nupera](#) (Conrad, 1833) † (FOSSIL)
- obscura, [Semicassis obscura](#) Habe, 1961 - syn of: [Semicassis bulla](#) Habe, 1961
- obscura, [Semicassis bulla obscura](#) Kuroda
- obsoleta, [Galeodea obsoleta](#) Bucquoy, Dautzenberg & Dollfus, 1882 - syn of: [Galeodea echinophora](#) (Linnaeus, 1758)
- ochroleucum, [Galeodea ochroleucum](#) Gmelin, 1791 - syn of: [Galeodea echinophora](#) (Linnaeus, 1758)
- oconnori, [Echinophoria oconnori](#) (DeL, 1952) † (FOSSIL)
- oishiae, [Echinophoria wyvillei oishiae](#) Watson
- oligocalantica, [Semicassis oligocalantica](#) Vredenburg, 1925 † (FOSSIL)
- oneroaensis, [Echinophoria oneroaensis](#) (Powell, 1938) † (FOSSIL)
- oniscus, [Cassidaria oniscus](#) Lamarck, 1847 † - syn of: [Oniscidia variolosum](#) (Gratebup, 1834) † (FOSSIL)
- ormarensis, [Semicassis ormarensis](#) Vredenburg, 1925 † (FOSSIL)
- oschei, [Echinophoria oschei](#) Mühhäusser, 1992 - syn of: [Echinophoria wyvillei](#) (Watson, 1886)
- ostauri, [Cypraecassis ostauri](#) Humphrey, 1797 - syn of: [Cypraecassis rufa](#) (Linnaeus, 1758)
- otnangensis, [Sconsia otnangensis](#) (Sacco, 1890) † (FOSSIL)

- **ovalis**, *Galeodea ovalis* Coen, 1920 - syn of: [Galeodea echinophora](#) (Linnaeus, 1758)
- **ovoidea**, [Semicassis ovoidea](#) Abbass, 1967 † (FOSSIL)
- **ovulum**, [Semicassis ovulum](#) Ortmann, 1900 † (FOSSIL)
- **pacifica**, *Oocorys pacifica* Dall, 1896 - syn of: [Oocorys verrillii](#) (Dall, 1889)
- **pacificum**, *Benthodolium pacificum* Dall, 1896 - syn of: [Oocorys verrillii](#) (Dall, 1889)
- **pantherina**, *Casmaria pantherina* Dilwyn, 1817 - syn of: [Casmaria ponderosa](#) (Gmelin, 1791)
- **paraensis**, [Phalium paraensis](#) Maury, 1934 † (FOSSIL)
- **paralaevigata**, [Sconsia paralaevigata](#) Gardner, 1947 † (FOSSIL)
- **patamakanthini**, [Cassis patamakanthini](#) Parth, 2000
- **paucirugis**, [Semicassis paucirugis](#) (Menke, 1843)
- **pedemontana**, [Cassis mamillaris pedemontana](#) Sacco
- **pennata**, *Cypraecassis pennata* Bruguière, 1792 - syn of: [Cypraecassis rufa](#) (Linnaeus, 1758)
- **pennatum**, *Cypraecassis pennatum* Gmelin, 1791 - syn of: [Cypraecassis rufa](#) (Linnaeus, 1758)
- **peristephes**, [Semicassis granulata peristephes](#) Pilsbry & McGinty
- **perryi**, [Casmaria perryi](#) (Iredale, 1912)
- **perryi**, *Cassis perryi* Iredale, 1912 - syn of: [Casmaria perryi](#) (Iredale, 1912)
- **persimilis**, [Semicassis bisulcata persimilis](#) Kira
- **petersoni**, [Galeodea petersoni](#) Conrad, 1854 † (FOSSIL)
- **petrosa**, [Liracassis petrosa](#) Conrad † (FOSSIL)
- **pfeifferi**, *Semicassis pfeifferi* Hidalgo, 1871 - syn of: [Semicassis bisulcata](#) (Schubert & Wagner, 1829)
- **pila**, *Semicassis pila* Martin, 1899 - syn of: [Semicassis bisulcata](#) (Schubert & Wagner, 1829)
- **pila**, [Semicassis bisulcata pila](#) Reeve
- **pileolus**, *Cypraecassis pileolus* Röding, 1798 - syn of: [Cypraecassis testiculus](#) (Linnaeus, 1758)
- **pilsbryi**, [Echinophoria pilsbryi](#) Woodring & Olsson, 1957
- **planotecta**, [Galeodea planotecta](#) Meyer & Aldrich, 1886 † (FOSSIL)
- **platystomus**, *Cassis platystomus* Brugnone, 1880 - syn of: [Semicassis saburon](#) (Bruguière, 1792)
- **plauta**, [Galeodea plauta](#) Beu, 2008
- **plicaria**, *Phalium plicaria* Lamarck, 1822 - syn of: [Phalium fimbria](#) (Gmelin, 1791)
- **plicata**, *Phalium plicata* Deshayes, 1844 - syn of: [Phalium fimbria](#) (Gmelin, 1791)
- **plicata**, *Phalium plicata* Scopoli, 1786 - syn of: [Semicassis granulata](#) (Born, 1778)
- **plicatum**, *Cypraecassis plicatum* Gmelin, 1791 - syn of: [Cypraecassis testiculus senegalica](#) (Gmelin, 1791)
- **pliocenica**, *Galeodea pliocenica* Settepassi, 1970 - syn of: [Galeodea echinophora](#) (Linnaeus, 1758)
- **pollens**, [Echinophoria pollens](#) Finlay, 1926 † (FOSSIL)
- **polycingulata**, *Galeodea polycingulata* Coen, 1933 - syn of: [Galeodea echinophora](#) (Linnaeus, 1758)
- **pomum**, *Phalium pomum* Schubert & Wagner, 1829 - syn of: [Semicassis saburon](#) (Bruguière, 1792)
- **ponderosa**, [Casmaria ponderosa](#) (Gmelin, 1791)
- **ponderosa atlantica**, *Casmaria ponderosa atlantica* Clench, 1944 - syn of: [Casmaria atlantica](#) Clench, 1944
- **ponderosa bicolor**, [Casmaria ponderosa bicolor](#) Dautzenberg, 1926
- **ponderosa cernica**, *Casmaria ponderosa cernica* Sowerby, 1888 - syn of: [Casmaria cernica](#) (Sowerby, 1888)
- **ponderosa nipponensis**, *Casmaria ponderosa nipponensis* Abbott, 1968 - syn of: [Casmaria cernica](#) (Sowerby, 1888)
- **ponderosa nodulosa**, [Casmaria ponderosa nodulosa](#) (Gmelin, 1791)
- **ponderosa perryi**, *Casmaria ponderosa perryi* Iredale, 1912 - syn of: [Casmaria perryi](#) (Iredale, 1912)
- **ponderosa quadrata**, *Casmaria ponderosa quadrata* Link, 1807 - syn of: [Casmaria ponderosa](#) (Gmelin, 1791)
- **ponderosa turgida**, *Casmaria ponderosa turgida* Reeve, 1848 - syn of: [Casmaria turgida](#) (Reeve, 1848)
- **ponderosa unicolor**, *Casmaria ponderosa unicolor* Dautzenberg, 1926 - syn of: [Casmaria unicolor](#) (Pallary, 1926)
- **postcoronata**, *Galeodea postcoronata* Sacco, 1890 - syn of: [Galeodea echinophora](#) (Linnaeus, 1758)
- **postmamillaris**, [Cassis postmamillaris](#) Sacco, 1890 † (FOSSIL)
- **powelli**, [Semicassis pyrum powelli](#) Finlay
- **praelaevigata**, [Sconsia praelaevigata](#) Gardner, 1947 † (FOSSIL)
- **prelintea**, [Sconsia prelintea](#) McNeil, 1984 † (FOSSIL)
- **prolongata**, [Sconsia prolongata](#) Petuch, 1994 † (FOSSIL)
- **provincialis**, *Galeodea provincialis* Martin, 1851 - syn of: [Galeodea echinophora](#) (Linnaeus, 1758)
- **pseudobandatum**, [Phalium pseudobandatum](#) Tan, Ng & Nguang, 2013
- **pseudobistriata**, *Galeodea pseudobistriata* Settepassi, 1970 - syn of: [Galeodea echinophora](#) (Linnaeus, 1758)
- **pseudocrumena**, [Cypraecassis pseudocrumena](#) (D'Orbigny, 1852) † (FOSSIL)
- **pullum**, *Cypraecassis pullum* Born, 1778 - syn of: [Cypraecassis rufa](#) (Linnaeus, 1758)
- **pyrum**, [Semicassis pyrum](#) (Lamarck, 1822)
- **pyrum**, *Phalium pyrum* Lamarck, 1822 - syn of: [Semicassis pyrum](#) (Lamarck, 1822)
- **pyrum**, *Cassis pyrum* Lamarck, 1822 - syn of: [Semicassis pyrum](#) (Lamarck, 1822)
- **pyrum hamiltoni**, [Semicassis pyrum hamiltoni](#) (Powell, 1928)
- **pyrum hedleyi**, *Semicassis pyrum hedleyi* Iredale, 1927 - syn of: [Semicassis royana hedleyi](#) Iredale, 1927
- **pyrum nivea**, [Semicassis pyrum nivea](#) Brazier, 1872
- **pyrum powelli**, [Semicassis pyrum powelli](#) (Finlay, 1928)
- **pyrum royanum**, *Xenophalium pyrum royanum* Iredale, 1914 - syn of: [Semicassis royana](#) (Iredale, 1914)
- **pyrum spectabilis**, [Semicassis pyrum spectabilis](#) (Iredale, 1929)
- **pyrum stadiale**, [Semicassis pyrum stadiale](#) (Hedley, 1914)
- **pyshtensis**, [Semicassis pyshtensis](#) Addicott, 1976 † (FOSSIL)
- **quadratum**, *Phalium quadratum* Link, 1807 - syn of: [Casmaria ponderosa](#) (Gmelin, 1791)
- **quadrinodosa**, *Galeodea quadrinodosa* Settepassi, 1970 - syn of: [Galeodea echinophora](#) (Linnaeus, 1758)
- **quenstedti**, [Cassis quenstedti](#) Beyrich † (FOSSIL)
- **quilonensis**, *Semicassis quilonensis* Dey, 1961 - syn of: [Semicassis bisulcata](#) (Schubert & Wagner, 1829)
- **raricrenata**, [Galeodea unicononata raricrenata](#) Cossmann
- **rarituberculata**, *Galeodea rarituberculata* Settepassi, 1970 - syn of: [Galeodea echinophora](#) (Linnaeus, 1758)

- **reclusa**, [Semicassis reclusa](#) Guppy, 1873 † (FOSSIL)
- **recurvirostrum**, [Phalium recurvirostrum](#) Gmelin, 1791 - syn of: [Semicassis granulata](#) (Born, 1778)
- **rembangensis**, [Sconsodolium rembangensis](#) (Pannekoek, 1936) † (FOSSIL)
- **retusa**, [Mambrinia nodosa retusa](#) Deshayes (FOSSIL)
- **retusa**, [Cassis retusa](#) Michelotti, 1861 † (FOSSIL)
- **rondeleti**, [Phalium rondeleti](#) (Basterot, 1825) † (FOSSIL)
- **rotunda**, [Oocorys rotunda](#) Dall, 1908 - syn of: [Oocorys sulcata](#) Fischer, 1884
- **rotundata**, [Cassis rotundata](#) Perry, 1811 - syn of: [Cassis madagascariensis spinella](#) Clench, 1944
- **royana**, [Semicassis royana](#) (Iredale, 1914)
- **royana hedleyi**, [Semicassis royana hedleyi](#) Iredale, 1927
- **rufa**, [Cypraecassis rufa](#) (Linnaeus, 1758)
- **rufescens**, [Cypraecassis rufescens](#) Röding, 1798 - syn of: [Cypraecassis rufa](#) (Linnaeus, 1758)
- **rufum**, [Cypraecassis rufum](#) Linnaeus, 1758 - syn of: [Cypraecassis rufa](#) (Linnaeus, 1758)
- **rugosa**, [Galeodea rugosa](#) (Linnaeus, 1771)
- **rugosa tyrrhena**, [Galeodea rugosa tyrrhena](#) Gmelin, 1791 - syn of: [Galeodea rugosa](#) (Linnaeus, 1771)
- **rugosum**, [Phalium rugosum](#) Gmelin, 1791 - syn of: [Phalium flammiferum](#) (Röding, 1798)
- **rumpfii**, [Cassis rumpfii](#) Gmelin, 1791 - syn of: [Cassis tessellata](#) (Gmelin, 1791)
- **saburon**, [Semicassis saburon](#) (Bruguière, 1792)
- **saburon**, [Phalium saburon](#) Bruguière, 1792 - syn of: [Semicassis saburon](#) (Bruguière, 1792)
- **saburon**, [Cassis saburon](#) Bruguière, 1792 - syn of: [Semicassis saburon](#) (Bruguière, 1792)
- **saburon crassa**, [Cassis saburon crassa](#) Pallary, 1900 - syn of: [Semicassis saburon](#) (Bruguière, 1792)
- **saburon evanescens**, [Semicassis saburon evanescens](#) Settepassi, 1970 - syn of: [Semicassis saburon](#) (Bruguière, 1792)
- **saburon inaequalis**, [Semicassis saburon inaequalis](#) Settepassi, 1970 - syn of: [Semicassis saburon](#) (Bruguière, 1792)
- **saburon minor**, [Cassis saburon minor](#) Pallary, 1900 - syn of: [Semicassis saburon](#) (Bruguière, 1792)
- **saburon multicostata**, [Semicassis saburon multicostata](#) Settepassi, 1970 - syn of: [Semicassis saburon](#) (Bruguière, 1792)
- **saburon senegalensis**, [Semicassis saburon senegalensis](#) Unknown
- **saburon varicosa**, [Semicassis saburon varicosa](#) (Bruguière, 1792)
- **saburoni**, [Cassis saburoni](#) Locard, 1886 - syn of: [Semicassis saburon](#) (Bruguière, 1792)
- **salmonea**, [Semicassis salmonea](#) Beu, Bouchet & Tröndlé, 2012 - syn of: [Semicassis bulla](#) Habe, 1961
- **samanica**, [Doliocassis samanica](#) Olsson, 1928 † (FOSSIL)
- **schepmani**, [Oocorys schepmani](#) Turner, 1948 - syn of: [Oocorys sulcata](#) Fischer, 1884
- **schnireli**, [Cassis schnireli](#) Petuch, 1994 † - syn of: [Cassis floridensis](#) Tucker & Wilson, 1932 † (FOSSIL)
- **scilla**, [Galeodea scilla](#) Risso, 1826 - syn of: [Galeodea echinophora](#) (Linnaeus, 1758)
- **sculpta**, [Semicassis sculpta](#) (J. de C. Sowerby, 1839) † (FOSSIL)
- **semigranosa**, [Semicassis semigranosa](#) (Lamarck, 1822)
- **semigranosa**, [Cassis semigranosa](#) Lamarck, 1822 - syn of: [Semicassis semigranosa](#) (Lamarck, 1822)
- **semigranosum**, [Phalium semigranosum](#) Lamarck, 1822 - syn of: [Semicassis semigranosa](#) (Lamarck, 1822)
- **senegalensis**, [Semicassis saburon senegalensis](#) Unknown
- **senegalica**, [Cypraecassis testiculus senegalica](#) Gmelin
- **senex**, [Galeodea senex](#) (Hutton, 1873) † (FOSSIL)
- **senni**, [Semicassis senni](#) Rustch, 1934 † (FOSSIL)
- **shubutensis**, [Galeodea shubutensis](#) (Aldrich, 1885) † (FOSSIL)
- **singularis**, [Galeodea singularis](#) Deshayes, 1865 † (FOSSIL)
- **sinuosum**, [Semicassis sinuosum](#) Verco, 1904
- **sinuosum angustata**, [Semicassis sinuosum angustata](#) (Cotton & Godfrey, 1931)
- **skinneri**, [Semicassis skinneri](#) Marwick, 1928 † (FOSSIL)
- **solida**, [Galeodea echinophora solida](#) Bucquoy & Dautzenberg
- **solidum**, [Dalium solidum](#) Dall, 1889
- **sophia**, [Semicassis sophia](#) (Brazier, 1872)
- **sowerbyi**, [Doliocassis sowerbyi](#) Lea, 1833 † - syn of: [Doliocassis nupera](#) (Conrad, 1833) † (FOSSIL)
- **spectabilis**, [Semicassis pyrum spectabilis](#) Iredale
- **spinella**, [Cassis madagascariensis spinella](#) Clench
- **spinosa**, [Cassis spinosa](#) (Gronovius, 1781) - syn of: [Cassis tessellata](#) (Gmelin, 1791)
- **spinosa**, [Cassis spinosa](#) Deshayes, 1844 - syn of: [Cassis tessellata](#) (Gmelin, 1791)
- **spinosa**, [Cassis spinosa](#) Iredale, 1927 - syn of: [Cassis tessellata](#) (Gmelin, 1791)
- **stadiale**, [Semicassis pyrum stadiale](#) Hedley
- **striata**, [Cassis striata](#) Gmelin, 1791 - syn of: [Cassis tuberosa](#) (Linnaeus, 1758)
- **striata**, [Sconsia striata](#) Lamarck, 1816 - syn of: [Sconsia grayi](#) Adams, 1855
- **striatula**, [Sconsia striatula](#) (Bellardi & Michelotti, 1840) † (FOSSIL)
- **striatus**, [Cassis striatus](#) Hutton, 1873 - syn of: [Semicassis pyrum](#) (Lamarck, 1822)
- **strigata**, [Phalium strigata](#) Shirley, 1911 - syn of: [Phalium glaucum](#) (Linnaeus, 1758)
- **strigatum**, [Phalium strigatum](#) Gmelin, 1791 - syn of: [Phalium flammiferum](#) (Röding, 1798)
- **subcrumena**, [Cypraecassis subcrumena](#) (D'Orbigny, 1852) † (FOSSIL)
- **subdiadema**, [Galeodea subdiadema](#) Settepassi, 1970 - syn of: [Galeodea echinophora](#) (Linnaeus, 1758)
- **subgranulosa**, [Cassis subgranulosa](#) D'Orbigny, 1852 † (FOSSIL)
- **subintermedia**, [Semicassis subintermedia](#) (Orbigny, 1852) † (FOSSIL)
- **sublaevigata**, [Sconsia sublaevigata](#) Adams, 1855 - syn of: [Sconsia grayi](#) Adams, 1855
- **subnodulosa**, [Galeodea subnodulosa](#) Bucquoy, Dautzenberg & Dollfus, 1882 - syn of: [Galeodea echinophora](#) (Linnaeus, 1758)
- **subsulcosa**, [Semicassis subsulcosa](#) (Hoernes & Auinger, 1884) † (FOSSIL)
- **subtuberosa**, [Cassis subtuberosa](#) Hanna, 1926 † (FOSSIL)
- **sufflatus**, [Antephalium sufflatus](#) (Tenson-Woods, 1877) † (FOSSIL)
- **sulcata**, [Galeodea sulcata](#) (Hutton, 1873) † (FOSSIL)
- **sulcata**, [Oocorys sulcata](#) Fischer, 1884

- *sulcata cancellata*, *Oocorys sulcata cancellata* Dautzenberg & Fischer, 1897 - syn of: [Oocorys verrillii](#) (Dall, 1889)
- *sulcata caribbaea*, *Oocorys sulcata caribbaea* Clench & Aguayo, 1939 - syn of: [Oocorys verrillii](#) (Dall, 1889)
- *sulcata elongata*, *Oocorys sulcata elongata* Locard, 1897 - syn of: [Oocorys sulcata](#) Fischer, 1884
- *sulcata indica*, [Oocorys sulcata indica](#) Smith, 1906
- *sulcata minor*, *Oocorys sulcata minor* Locard, 1897 - syn of: [Oocorys sulcata](#) Fischer, 1884
- *sulcatum*, *Phalium sulcatum* Link, 1807 - syn of: [Phalium areola](#) (Linnaeus, 1758)
- *sulcifera*, [Cassis sulcifera](#) Sowerby, 1850 † (FOSSIL)
- *sulcosa*, *Cassis sulcosa* Bruguière, 1792 - syn of: [Semicassis granulata undulata](#) (Gmelin, 1791)
- *sulcosus elongata*, *Cassis sulcosus elongata* Weinkauff, 1868 - syn of: [Semicassis granulata](#) (Born, 1778)
- *sulcosus varicosa*, *Cassis sulcosus varicosa* Weinkauff, 1868 - syn of: [Semicassis granulata](#) (Born, 1778)
- *tegalensis*, *Semicassis tegalensis* Martin, 1899 - syn of: [Linatella caudata](#) (Gmelin, 1791)
- *tenuilabris*, *Casmaria tenuilabris* Menke, 1828 - syn of: [Casmaria ponderosa](#) (Gmelin, 1791)
- *tenuis*, [Cypraecassis tenuis](#) (Wood, 1828)
- *tenuis*, *Semicassis tenuis* Hirase, 1931 - syn of: [Semicassis bulla](#) Habe, 1961
- *tenuis*, *Cassis tenuis* Wood, 1828 - syn of: [Cypraecassis tenuis](#) (Wood, 1828)
- *tesselatum*, *Semicassis tesselatum* Wood, 1825 - syn of: [Semicassis bisulcata](#) (Schubert & Wagner, 1829)
- *tessellata*, [Cassis tessellata](#) (Gmelin, 1791)
- *tessellata*, *Phalium tessellata* Pfeffer, 1840 - syn of: [Semicassis granulata](#) (Born, 1778)
- *tessellata nana*, *Cassis tessellata nana* Tenison-Woods, 1879 - syn of: [Cassis nana](#) Tenison-Woods, 1879
- *testiculus*, [Cypraecassis testiculus](#) (Linnaeus, 1758)
- *testiculus senegalica*, [Cypraecassis testiculus senegalica](#) (Gmelin, 1791)
- *texta*, *Cassis texta* Bronn, 1827 - syn of: [Semicassis saburon](#) (Bruguière, 1792)
- *texta striata*, *Cassis texta striata* Philippi, 1836 - syn of: [Semicassis saburon](#) (Bruguière, 1792)
- *texta sulcosa*, *Cassis texta sulcosa* Grateloup, 1847 † - syn of: [Semicassis grateloupi](#) (Deshayes, 1850) † (FOSSIL)
- *textiliosa*, [Galeodea textiliosa](#) Deshayes, 1835 † (FOSSIL)
- *textilis*, [Cassis textilis](#) (Tate, 1822) † (FOSSIL)
- *thachi*, [Semicassis thachi](#) Kreipl, AF & Eggeling, 2006
- *thesei*, [Cassis thesei](#) (Brongniart, 1823) † (FOSSIL)
- *thomsoni*, [Semicassis thomsoni](#) (Brazier, 1875)
- *thomsoni palinodia*, *Semicassis thomsoni palinodia* Iredale, 1931 - syn of: [Semicassis thomsoni](#) (Brazier, 1875)
- *togata*, [Cassis togata](#) White, 1887 † (FOSSIL)
- *toreuma*, [Echinophoria toreuma](#) (Powell, 1928) † (FOSSIL)
- *torquata*, *Cassis torquata* Reeve, 1848 - syn of: [Casmaria ponderosa](#) (Gmelin, 1791)
- *tosaensis*, *Oocorys tosaensis* Habe & Azuma, 1959 - syn of: [Oocorys verrillii](#) (Dall, 1889)
- *transenna*, [Antephalium transenna](#) (Tate, 1889) † (FOSSIL)
- *triangularis*, *Cassis triangularis* Coulon, 1936 - syn of: [Cassis tuberosa](#) (Linnaeus, 1758)
- *tricarinata*, [Galeodea tricarinata](#) (Conrad, 1848) † (FOSSIL)
- *trigancaeae*, [Galeodea trigancaeae](#) Dell, 1953
- *triquetra*, *Cassis triquetra* Rigacci, 1866 - syn of: [Cassis tuberosa](#) (Linnaeus, 1758)
- *tuberculata*, *Phalium tuberculata* Fischer von Waldheim, 1807 - syn of: [Phalium fimbria](#) (Gmelin, 1791)
- *tuberculata*, *Galeodea tuberculata* Risso, 1826 - syn of: [Galeodea echinophora](#) (Linnaeus, 1758)
- *tuberculifera*, *Cassidaria tuberculifera* Hupé, 1854 † - syn of: [Semicassis monilifera](#) (J. de C. Sowerby, 1846) † (FOSSIL)
- *tuberculifera*, *Cassis tuberculifera* Philippi, 1887 † - syn of: [Echinophoria hupeana](#) Nielsen, 2003 † (FOSSIL)
- *tuberculosa*, *Galeodea tuberculosa* Schumacher, 1817 - syn of: [Galeodea echinophora](#) (Linnaeus, 1758)
- *tuberosa*, [Cassis tuberosa](#) (Linnaeus, 1758)
- *tuberosa*, *Cypraecassis tuberosa* Röding, 1798 - syn of: [Cypraecassis rufa](#) (Linnaeus, 1758)
- *tuberosa*, *Galeodea tuberosa* Schumacher, 1817 † - syn of: [Galeodea depressa](#) Buch, 1831 † (FOSSIL)
- *tufa*, *Galeodea tufa* Coen, 1920 - syn of: [Galeodea echinophora](#) (Linnaeus, 1758)
- *tumida*, *Cassis tumida* Petterd, 1886 - syn of: [Semicassis pyrum](#) (Lamarck, 1822)
- *turgida*, [Casmaria turgida](#) (Reeve, 1848)
- *turgida unicolor*, *Cassis turgida unicolor* Pallary, 1926 - syn of: [Casmaria unicolor](#) (Pallary, 1926)
- *turneri*, [Galeodea turneri](#) Gardner, 1939 † (FOSSIL)
- *tyrrhena*, *Galeodea tyrrhena* Gmelin, 1791 - syn of: [Galeodea rugosa](#) (Linnaeus, 1771)
- *tyrrhena atlantica*, *Galeodea tyrrhena atlantica* Settepassi, 1970 - syn of: [Galeodea rugosa](#) (Linnaeus, 1771)
- *tyrrhena dentata*, *Galeodea tyrrhena dentata* Settepassi, 1970 - syn of: [Galeodea rugosa](#) (Linnaeus, 1771)
- *tyrrhena elongata*, *Galeodea tyrrhena elongata* Settepassi, 1970 - syn of: [Galeodea rugosa](#) (Linnaeus, 1771)
- *tyrrhena soluta*, *Galeodea tyrrhena soluta* Settepassi, 1970 - syn of: [Galeodea rugosa](#) (Linnaeus, 1771)
- *tyrrhenus globosior*, *Galeodea tyrrhenus globosior* Coen, 1920 - syn of: [Galeodea rugosa](#) (Linnaeus, 1771)
- *umbilicata*, [Semicassis umbilicata](#) (Pease, 1861)
- *umbilicata*, *Oocorys umbilicata* Quinn, 1980 - syn of: [Oocorys sulcata](#) Fischer, 1884
- *undatum*, *Phalium undatum* Deshayes, 1844 - syn of: [Phalium flammiferum](#) (Röding, 1798)
- *undulata*, [Semicassis granulata undulata](#) Gmelin
- *undulata*, *Semicassis undulata* Gmelin, 1791 - syn of: [Semicassis granulata undulata](#) (Gmelin, 1791)
- *undulata bivaricosa*, *Semicassis undulata bivaricosa* Settepassi, 1970 - syn of: [Semicassis granulata](#) (Born, 1778)
- *undulata elegantissima*, *Semicassis undulata elegantissima* Settepassi, 1970 - syn of: [Semicassis granulata](#) (Born, 1778)
- *undulata levilabiata*, *Semicassis undulata levilabiata* Paetel, 1888 - syn of: [Semicassis granulata](#) (Born, 1778)
- *undulata maderensis*, *Semicassis undulata maderensis* Settepassi, 1970 - syn of: [Semicassis granulata](#) (Born, 1778)
- *undulata saburoidea*, *Semicassis undulata saburoidea* Settepassi, 1970 - syn of: [Semicassis granulata](#) (Born, 1778)
- *undulata tenuis*, *Semicassis undulata tenuis* Settepassi, 1970 - syn of: [Semicassis granulata](#) (Born, 1778)
- *undulatus ebla*, *Cassis undulatus ebla* De Gregorio, 1886 - syn of: [Semicassis granulata](#) (Born, 1778)
- *undulatus ghirma*, *Cassis undulatus ghirma* De Gregorio, 1886 - syn of: [Semicassis granulata](#) (Born, 1778)
- *undulatus minima*, *Cassis undulatus minima* Pallary, 1900 - syn of: [Semicassis granulata](#) (Born, 1778)
- *undulatus syriaca*, *Cassis undulatus syriaca* Pallary, 1938 - syn of: [Semicassis granulata](#) (Born, 1778)

- unicolor, [Casmaria unicolor](#) (Pallary, 1926)
 - unicoloronata, [Galeodea unicoloronata](#) (Cossmann, 1923) † (FOSSIL)
 - unicoloronata raricrenata, [Galeodea unicoloronata raricrenata](#) (Cossmann, 1923)
 - uniseriata, *Galeodea uniseriata* Settepassi, 1970 - syn of: [Galeodea echinophora](#) (Linnaeus, 1758)
 - varicigera, [Semicassis grateloupi varicigera](#) Cossmann & Peyrot
 - varicosa, [Semicassis saburon varicosa](#) Bruguière
 - varicosa, *Semicassis varicosa* Monterosato, 1878 - syn of: [Semicassis granulata undulata](#) (Gmelin, 1791)
 - variegatum, *Phalium variegatum* Perry, 1811 - syn of: [Phalium flammiferum](#) (Röding, 1798)
 - vector, *Semicassis vector* Abbott, 1994 - syn of: [Semicassis bondarevi](#) Mühlhäusser & Parth, 1993
 - ventricosa, *Casmaria ventricosa* Rigacci, 1866 - syn of: [Casmaria erinacea](#) (Linnaeus, 1758)
 - ventricosa, *Cassis ventricosa* Tryon, 1885 - syn of: [Semicassis granulata undulata](#) (Gmelin, 1791)
 - ventricosum, *Cypraecassis ventricosum* Gmelin, 1791 - syn of: [Cypraecassis rufa](#) (Linnaeus, 1758)
 - verrillii, [Oocorys verrillii](#) (Dall, 1889)
 - verrucosa, [Morionella verrucosa](#) (Perry, 1810) † (FOSSIL)
 - vialensis, [Cassis vialensis](#) Fuchs, 1870 † (FOSSIL)
 - vibex, [Casmaria erinacea vibex](#) Linnaeus
 - vibexmexicana, [Casmaria erinacea vibexmexicana](#) Stearns
 - vulgaris, *Phalium vulgaris* Schumacher, 1817 - syn of: [Phalium glaucum](#) (Linnaeus, 1758)
 - wanganuiense, *Semicassis wanganuiense* Powell, 1928 - syn of: [Semicassis pyrum](#) (Lamarck, 1822)
 - watsoni, *Oocorys watsoni* Locard, 1897 - syn of: [Oocorys sulcata](#) Fischer, 1884
 - weberi, *Oocorys weberi* Schepman, 1909 - syn of: [Oocorys sulcata](#) Fischer, 1884
 - westralis, [Semicassis westralis](#) Kreipl, 1997
 - whitworthi, [Semicassis whitworthi](#) (Abbott, 1968)
 - whitworthi, *Phalium whitworthi* Abbott, 1968 - syn of: [Semicassis whitworthi](#) (Abbott, 1968)
 - wilmae, [Cypraecassis wilmae](#) Kreipl & Af, 2000
 - wilsoni, [Galeodea wilsoni](#) (Tate, 1889) † (FOSSIL)
 - wilsoni, *Semicassis wilsoni* Cotton, 1954 - syn of: [Semicassis pyrum](#) (Lamarck, 1822)
 - woodringi, [Echinophoria woodringi](#) Olsson, 1964 † (FOSSIL)
 - wylliei, [Galeodea wylliei](#) Marwick, 1931 † (FOSSIL)
 - wyvillei, [Echinophoria wyvillei](#) (Watson, 1886)
 - wyvillei oishiae, [Echinophoria wyvillei oishiae](#) (Watson, 1886)
 - zebra, *Phalium zebra* Lamarck, 1822 - syn of: [Phalium flammiferum](#) (Röding, 1798)
 - zeylanica, [Semicassis labiata zeylanica](#) Lamarck
-

Class: GASTROPODA
Class: GASTROPODA

----- Family: **CASSIDAE** Latreille, 1825

Habitat= Sea, Taxonomic order

Taxa=697, Genus=16, Subgenus=4, Species=237, Subspecies=47, Synonyms=392, Images=209

Genus: **Casmaria** H. Adams & A. Adams, 1853 (syn: Casmeria - 11 SP, 15 IMG)



1690750025
**Casmaria
atlantica**

W.J. Clench, 1944
Bahamas
29 mm



synonyms:

- *Casmaria ponderosa atlantica* W.J. Clench, 1944




5296000083
**Casmaria
beui**

J.A. Buijse, H. Dekker,
& G. Verbinnen, 2013
Zanzibar Island
46 mm




5296000082
**Casmaria
boblehmani**

A.E. Fedosov, B.M. Olivera,
& al., 2014
Philippines, Olango Island
36,3 mm



1690750015
**Casmaria
cernica**

(G.B. III Sowerby, 1888)
China, Zhejiang
37 mm



synonyms:

- *Cassis cernica* G.B. III Sowerby, 1888
- *Casmaria ponderosa cernica* G.B. III Sowerby, 1888
- *Casmaria ponderosa nipponensis* R.T. Abbott, 1968



1690750005
**Casmaria
erinacea**

(C. Linnaeus, 1758)
Philippines, Calubtan Island
37,3 mm



synonyms:

- *Cassis denticulata* P.F. Röding, 1798
- *Casmaria edentulum* J.H.F. Link, 1807
- *Buccinum meles* L.W. Dilwyn, 1817
- *Casmaria denticulata* P.F. Röding, 1798
- *Cassis glabra* P.F. Röding, 1798
- *Casmaria ventricosa* E. Rigacci, 1866





1690750010
**Casmaria
erinacea
vibex**

(C. Linnaeus, 1758)
Philippines, Masbate Island
62 mm




1690854060
**Casmaria
erinacea
vibexmexicana**

(R.E.C. Stearns, 1894)
Panama
70 mm



1690854070
**Casmaria
kalosmodix**

(J.C. Melvil, 1883)
Hawai, Oahu



synonyms:


- *Casmaria erinacea kalosmodix* (J.C. Melvil, 1883)
- *Cassis kalosmodix* J.C. Melvil, 1883



529600071
Casmaria
kayae

J.A. Buijse, H. Dekker,
& G. Verbrinnen, 2013

Hawaiï



1690750030
Casmaria
perryi

(T. Iredale, 1912)

New Zealand, Northland
53 mm



synonyms:

- *Cassid perryi* T. Iredale, 1912



- *Casmaria ponderosa perryi* T. Iredale, 1912



1690750020
Casmaria
ponderosa

(J.F. Gmelin, 1791)

Philippines, Bohol Island
45 mm



synonyms:

- *Casmaria biarmatum* L.W. Dilwyn, 1817
- *Casmaria ponderosa quadrata* J.H.F. Link, 1807
- *Casmaria tenuilabris* K.T. Menke, 1828

- *Casmaria pantherina* L.W. Dilwyn, 1817
- *Phalum quadratum* J.H.F. Link, 1807
- *Cassé torquata* L.A. Reeve, 1848





1690854120
Casmaria
ponderosa
bicolor
P. Dautzenberg, 1926
Tanzania
46,2 mm



1690854110
Casmaria
ponderosa
nodulosa

(J.F. Gmelin, 1791)

Philippines, Bohol Island
41 mm



synonyms:

- *Buccinum nodulosum* J.F. Gmelin, 1791
- *Buccinum ponderosum* J.F. Gmelin, 1791

- *Buccinum pantherina* L.W. Dilwyn, 1817



1690750035
Casmaria
turgida

(L.A. Reeve, 1848)

Philippines, Cebu
82 mm



synonyms:


- *Casmaria ponderosa turgida* L.A. Reeve, 1848



1690854130
Casmaria
unicolor

(P.M. Pallary, 1926)

Israel, Eilat
46 mm



synonyms:

- *Casmaria ponderosa unicolor* P. Dautzenberg, 1926

- *Cassid turgida unicolor* P.M. Pallary, 1926



Genus: Cassis J.A. Scopoli, 1777 (syn: Cassida, Cassidea, Cassinia, Cassisoma, Fimbriola, Galeodocassis, Gonigalea, Hypocassis - 41 SP, 29 IMG)



5246000002
Cassis
abbotti

P. Bouchet, 1988

Coral Sea
42 mm




Fossil
only

5296000259
**Cassis
altispira**
A.G. Beu, 2010 †
(FOSSIL)
Costa Rica, Pueblo Nuevo



6332000004
**Cassis
ambigua**
(D.C. Solander
in G. Brander, 1766 †)
(FOSSIL)
Ukraine





Fossil
only

5296000257
**Cassis
anwari**
Abbass, 1967 †
(FOSSIL)
Egypt, Fayum



Fossil
only


5296000260
**Cassis
birmanica**
E.W. Vredenburg, 1921 †
(FOSSIL)
Myanmar



6332000005
**Cassis
chevalieri**
A.E.M. Cossmann, 1889 †
(FOSSIL)
France, Paris Basin



1690000000
**Cassis
cornuta**
(C. Linnaeus, 1758)
Indonesia, East Java
211 mm



synonyms:

- Cassis amboinensis Petivier in G.W. Tryon, 1885
- Cassis caputequinum P.F. Röding, 1798
- Cassis labiata L.W. Dillwyn, 1817

- Cassis brevisstrum Petivier in G.W. Tryon, 1885
- Cassis hamata P.F. Röding, 1798

Fossil
only

5296000261
**Cassis
costulifera**
A.G. Beu, 2010 †
(FOSSIL)
Costa Rica, Cedar Creek




5296000262
**Cassis
delta**
C.F. Parker, 1948 †
(FOSSIL)
Florida



Fossil
only

5296000263
**Cassis
depressor**
K. Martin, 1879 †
(FOSSIL)
Indonesia, Jungluhn









6422000104
Cassis
evanescens
 (A.E.M. Cossmann, 1923 †)
(FOSSIL)
 France, Aquitaine



6332000026
Cassis
exigua
 (J.E. Tenson-Woods, 1879 †)
(FOSSIL)
 Australia, Victoria
 30 mm



1690000005
Cassis
fimbriata
 J.R.C. Quoy & J.P. Gaimard, 1833
 Australia, Port Lincoln
 83,2 mm





synonyms:



- Cassis decrescens C. Hedley, 1923



1690854926
Cassis
fimbriata
bicarinata
 I.H. Jonas, 1839
 South Australia
 53,7 mm



1690000010
Cassis
flammea
 (C. Linnaeus, 1758)
 Panama
 88 mm




synonyms:

- Cassis alba G. Perry, 1811
- Cassis elegans J.P.S. Grateboup, 1838
- Cassis marmorata P.F. Röding, 1798

- Cassis alba Perry, 1811
- Cassis marmorata P.F. Röding, 1798



5296000264
Cassis
flintensis
 W.C. Mansfield, 1940 †
(FOSSIL)
 USA, Florida, Levy



5296000265
Cassis
floridensis
 H.I. Tucker & D. Wilson, 1932 †
(FOSSIL)
 Florida




synonyms:


- Cassis schirelli E.J. Petuch, 1994 †



5296000266
Cassis
glaucooides
 Martin, 1879 †
(FOSSIL)
 Indonesia, Yogyakarta,
 Kulon Progo




5296000267
Cassis
herklotsi
 Martin, 1879 †
(FOSSIL)
 Indonesia, Yogyakarta,
 Kulon Progo







5296000268
Cassis letteri
 J.J. Parodiz & Tripp, 1992 †
 (FOSSIL)
 USA, Florida, Sarasota




1690854876
Cassis kreipli
 H. Morrison, 2003
 Australia, Fremantle
 25 mm



5296000269
Cassis maccormacki
 A.A. Olsson, 1928 †
 (FOSSIL)
 Peru, Piura, Talara



1690000015
Cassis madagascariensis
 J.B.P.A. Lamarck, 1822
 Madagascar
 288 mm



synonyms:

- Cassis cameo W. Stimpson, 1860
- Cassis minor E. Rigacci, 1866

- Cassis major E. Rigacci, 1866



1690000020
Cassis madagascariensis spinella
 W.J. Clench, 1944
 Florida
 237 mm



synonyms:

- Cassis rotundata G. Perry, 1811



5296000256
Cassis mamillaris
 J.P.S. Gatebup, 1847 †
 (FOSSIL)
 France, Aquitaine



synonyms:

- Cassis jogjacartensis K. Martin, 1914 †

- Cassis mamillaris J.P.S. Gatebup, 1847 †



5296000270
Cassis mamillaris pedemontana
 F. Sacco, 1890

No Georeferenced data available



6332000008
Cassis mausieri
 (A.E.M. Cossmann, 1923 †)
 (FOSSIL)
 France, Aquitaine
 29 mm



6332000009
Cassis mitissima
 A. De Gregorio, 1880 †
 (FOSSIL)
 Italy, Veneto
 32 mm





1690000025
Cassis
nana

J.E. Tenison-Woods, 1879
Guinea Bissau
68 mm





synonyms:

- *Cassis tessellata nana* J.E. Tenison-Woods, 1879




1690000030
Cassis
norai

A. Prati Musetti, 1995
Cape Verde
138 mm




5296000272
Cassis
nummulitiphila
F. Sacco, 1890 †
(FOSSIL)

Somalia, Bari, Bander-Beyla





1690854160
Cassis
patamakanthini

M. Parth, 2000
Australia, Albany
27 mm




6332000010
Cassis
postmamillaris
F. Sacco, 1890 †
(FOSSIL)

Austria
102 mm




6332000011
Cassis
quenstedti

A.H.E. Beyrich †
(FOSSIL)
Ukraine
33 mm



5296000273
Cassis
retusa
O.G. Michelotti, 1861 †
(FOSSIL)

Somalia, Bari, Bander-Beyla




8038001012
Cassis
subgranulosa
A.V.M.D. D'Orbigny, 1852 †
(FOSSIL)

No Georeferenced data available



5296000274
Cassis
subtuberosa
G.D. Hanna, 1926 †
(FOSSIL)
Ecuador, Esmeraldas, Eloy Alfaro





5296000275
Cassis sulcifera
 Sowerby, 1850 †
(FOSSIL)
 Dominican Republic
 70 mm



1690854842
Cassis tessellata
 (J.F. Gmelin, 1791)
 Guinea Bissau
 301 mm



synonyms:

- Cassis coronata P.F. Röding, 1798
- Cassis fasciata J.G. Brugulère, 1792
- Cassis rumpfi J.F. Gmelin, 1791
- Cassis spinosa G.P. Deshayes, 1844


- Cassis maculosa J.F. Gmelin, 1791
- Cassis spinosa (J.F. Gronovius, 1781)
- Cassis spinosa T. Iredale, 1927



6422000100
Cassis textilis
 (R. Tate, 1822 †)
(FOSSIL)
 Tasmania




6332000012
Cassis thesei
 (A. Brongniart, 1823 †)
(FOSSIL)
 Italy, Veneto
 38 mm



Fossil only

5296000276
Cassis togata
 White, 1887 †
(FOSSIL)
 Trinidad and Tobago, Spuria



1690000040
Cassis tuberosa
 (C. Linnaeus, 1758)
 Brazil, Natal
 207 mm



synonyms:

- Cassis striata J.F. Gmelin, 1791
- Cassis triquetra E. Rigacci, 1866

- Cassis triangularis J. Coulon, 1936



Fossil only

5296000277
Cassis vialensis
 A. Fuchs, 1870 †
(FOSSIL)

No Georeferenced data available

Subgenus: Cassis (Morianella) W.H. Dall, 1909 † (1 SP, 1 IMG)



5296000258
Morianella verrucosa
 (Perry, 1810 †)
(FOSSIL)
 France, Paris Basin





synonyms:

- Cassis cancelata J.B.P.A. Lamarck, 1803 †

Genus: Ceiba Clark & Durham, 1946 † (1 SP, 0 IMG)

Fossil
only


5296000295
**Ceiba
ceibaensis**
Clark & J.W. Durham, 1946 †
(FOSSIL)
Colombia, Bolívar



Genus: **Cypraeacassis** S. Stutchbury, 1837 (syn: Cypraeacassis, Cypraeacassis - 10 SP, 9 IMG)

Fossil
only

5296000278
**Cypraeacassis
cantaurana**
A.G. Beu, 2010 †
(FOSSIL)
Venezuela, Falcón



Fossil
only


5296000279
**Cypraeacassis
chipolana**
Duerr, 2001 †
(FOSSIL)
USA, Florida, Cahoun




1690150000
**Cypraeacassis
coarctata**
(Sowerby, 1825)
Mexico, Jalisco
73,3 mm



6332000013
**Cypraeacassis
cypraeiformis**
(S. Borson, 1820 †)
(FOSSIL)
Italy, Siena
43 mm



6332000014
**Cypraeacassis
pseudocrumena**
(A.V.M.D. D'Orbigny, 1852 †)
(FOSSIL)
Italy, Tuscany
45 mm



1690150005
**Cypraeacassis
rufa**
(C. Linnaeus, 1758)
Tanzania
117,7 mm




synonyms:

- *Cypraeacassis chartoprates* F.C. Meuschen, 1786
- *Cypraeacassis pennata* J.G. Bruguière, 1792
- *Cypraeacassis pullum* I. von Born, 1778
- *Cypraeacassis rufum* C. Linnaeus, 1758
- *Cypraeacassis ventricosum* J.F. Gmelin, 1791

- *Cypraeacassis ostauri* G. Humphrey, 1797
- *Cypraeacassis pennatum* J.F. Gmelin, 1791
- *Cypraeacassis rufescens* P.F. Röding, 1798
- *Cypraeacassis tuberosa* P.F. Röding, 1798



6332000015
**Cypraeacassis
subcrumena**
(A.V.M.D. D'Orbigny, 1852 †)
(FOSSIL)
France, Aquitaine
34 mm



1690854170
**Cypraeacassis
tenuis**
(Wood, 1828)
Mexico, Baja California
126 mm



synonyms:

- *Cypræacassis massenae* L.C. Kiener, 1835
- *Cassis tenuis* W. Wood, 1828



1690150010
Cypræacassis testiculus
(C. Linnaeus, 1758)
Gabon, Sao Tomé Island
38 mm




synonyms:

- *Cypræacassis bicincta* F.M. Bayer, 1935
- *Cypræacassis minima* F.R. Bernard, 1984
- *Cypræacassis neglecta* A.H. Verrill, 1949

- *Cypræacassis mitelaplonica* P.F. Röding, 1798
- *Cypræacassis pileolus* P.F. Röding, 1798



1690150015
Cypræacassis senegalica
(J.F. Gmelin, 1791)
Gabon, Sao Tomé Island
52 mm



synonyms:

- *Cypræacassis crumena* J.G. Bruguière, 1792
- *Cypræacassis plicatum* J.F. Gmelin, 1791

- *Cypræacassis mamillata* E.S. Salmon, 1948



5296000280
Cypræacassis wilmae
K. Kreipl & A. Alf, 2000
Panama West
38 mm




Genus: Doliocassis Dal., 1909 † (2 SP, 0 IMG)



Fossil only

5296000296
Doliocassis nupera
(T.A. Conrad, 1833 †)
(FOSSIL)
United States, Alabama, Clarke



synonyms:

- *Doliocassis sowerbyi* Lea, 1833 †



Fossil only


5296000297
Doliocassis samanica
A.A. Olsson, 1928 †
(FOSSIL)
Peru, Piura, Talara




Genus: Echinophoria F. Sacco, 1890 (syn: Bathygalea, Trachydolum, Mariacassis, Mariacassis - 22 SP, 13 IMG)



1690700010
Echinophoria bituberculosa
Martens, 1904
Somalia
68,4 mm



5296000300
Echinophoria caelatura
(T.A. Conrad, 1830 †)
(FOSSIL)
USA, Mississippi




synonyms:

- *Mariacassis caelatum* T.A. Conrad, 1830 †



1690700015
Echinophoria carnosa
Kuroda & T. Habe, 1961
China, Zhejiang
68 mm



Fossil
only

6422000051
**Echinophoria
cingulae**
Garvie, 2013 †
(FOSSIL)
◆ United States

No Georeferenced data available




1690700020
**Echinophoria
coronadoi**
(J.C.H. Crosse, 1867)
Trinidad and Tobago
94,5 mm



Fossil
only

5296000330
**Echinophoria
dalli**
R.E. Dickerson, 1917 †
(FOSSIL)
USA, Washington, Jefferson




Fossil
only

6422000084
**Echinophoria
emilyae**
(C.R. Laws, 1932 †)
(FOSSIL)

No Georeferenced data available

Fossil
only

5296000302
**Echinophoria
etchuensis**
K.M. Hatai & S. Nisijama, 1949 †
(FOSSIL)
Japan, Shimane



Fossil
only

5296000303
**Echinophoria
famulans**
P.O. Jung, 1971 †
(FOSSIL)
Grenadines




Fossil
only

6422000085
**Echinophoria
grangei**
(J. Marwick, 1926 †)
(FOSSIL)

No Georeferenced data available



5246000004
**Echinophoria
hadra**
(W.P. Woodring,
& A.A. Olsson, 1957)
French Guyana
79 mm



synonyms:

- Phalium andersoni R.T. Abbott, 1968
- Cassis dalli F.M. Anderson, 1929




8038001083
**Echinophoria
haueri**
(R. Hoernes & M. Aunger, 1884 †)
(FOSSIL)
Romania



synonyms:

- Echinophoria hoernesii F. Sacco, 1890 †



8038000977
Echinophoria hupeana
 C. Nielsen, 2003 †
 (FOSSIL)
 Chile, Navidad Formation




synonyms:


- *Cassia tuberculifera* R.A. Philippi, 1887 †



5296000304
Echinophoria intermedia
 (G.B. Brocchi, 1814 †)
 (FOSSIL)
 Italy, Emilia
 45 mm



1690854924
Echinophoria mozambicana
 L. Bozzetti, J. Rosado, & T. Cossignani, 2010
 Mozambique
 76 mm



6422000086
Echinophoria oconnori
 (R.K. Dell, 1952 †)
 (FOSSIL)

No Georeferenced data available




6422000087
Echinophoria oneroaensis
 (Powell, 1938 †)
 (FOSSIL)

No Georeferenced data available



1690704035
Echinophoria pilsbryi
 W.P. Woodring & A.A. Olsson, 1957
 Panama
 63 mm



5296000305
Echinophoria pollens
 Finlay, 1926 †
 (FOSSIL)
 New Zealand, North Island




6422000088
Echinophoria toreuma
 (Powell, 1928 †)
 (FOSSIL)

No Georeferenced data available




5296000306
Echinophoria woodringi
 A.A. Olsson, 1964 †
 (FOSSIL)
 Ecuador, Orellana, Loreto





1690700085
Echinophoria wyvillei
 (R.B. Watson, 1886)
 China, Zhejiang
 122,5 mm





synonyms:

- Echinophoria kurodai R.T. Abbott, 1968
- Phalium kurodai R.T. Abbott, 1968

- Echinophoria oschei H. Mühlhäusser, 1992



1690854899
Echinophoria wyvillei oishiae
 (R.B. Watson, 1886)
 Indonesia, Central Sulawesi
 100,8 mm




Genus: Eucorys A.G. Beu, 2008 (2 SP, 2 IMG)



1690500010
Eucorys barbouri
 (W.J. Clench & C.G. Aguayo, 1939)
 Cuba
 63 mm





1690500015
Eucorys bartschi
 (H.A. Rehder, 1943)
 Florida
 73,1 mm



Genus: Galeodea J.H.F. Link, 1807 (syn: Cassidaria, Echinophora, Echinora, Galeoda, Galeodaria, Morio, Galeocorys, Callagaleodea, Gomphopages, Taiera - 39 SP, 25 IMG)



1690500005
Galeodea alcocki
 (E.A. Smith, 1906)
 Philippines, Bohol Island
 114 mm





synonyms:

- Oocorys alcocki E.A. Smith, 1906
- Galeodea nipponica K. Sakurai & T. Habe, 1961

- Galeodea beui K. Kreipl & A. Alf, 2002



5296000281
Galeodea allani
 Finlay & J. Marwick, 1937 †
 (FOSSIL)
 Canada, Quebec, Anticosti Island





6422000089
Galeodea apodemetes
 J. Marwick, 1934 †
 (FOSSIL)

No Georeferenced data available




5296000282
Galeodea bicatenata
 Sowerby, 1815 †
 (FOSSIL)
 Belgium





1690854911
**Galeodea
bituminata**
(K. Martin, 1933)
China, Zhejiang
41,9 mm



synonyms:

- Galeodea carolmartini C. Beets, 1943
- Galeodea echinophorella T. Habe, 1961
- Galeodea marginalba A. Yamamoto & K. Sakurai, 1977

- Galeodea echinophorella suzumai K. Sakurai, 1984
- Galeodea noharai H. Noda, 1980




5296000336
**Galeodea
californica**
Clark, 1942 †
(FOSSIL)

No Georeferenced data available




5296000327
**Galeodea
cheops**
Abbass, 1967 †
(FOSSIL)
Egypt, Fayum



6332000017
**Galeodea
coronata**
G.P. Deshayes, 1830 †
(FOSSIL)
France, Paris Basin



5296000283
**Galeodea
depressa**
Buch, 1831 †
(FOSSIL)
Belgium
37 mm



synonyms:


- Galeodea tuberosa H.C.F. Schumacher, 1817 †




5296000328
**Galeodea
desori**
d'Archiac & Haime, 1854 †
(FOSSIL)
Pakistan, Sind, Karachi



6422000105
**Galeodea
diadema**
(G.P. Deshayes, 1865 †)
(FOSSIL)
France, Aquitaine



1690250000
**Galeodea
echinophora**
(C. Linnaeus, 1758)
Italy, Eba Island
80 mm



synonyms:

- Galeodea aequistriata G.S. Coen, 1920
- Galeodea alboranensis F. Settepassi, 1970
- Galeodea bivaricosa G.S. Coen, 1933
- Galeodea bucquoyi E.A.A. Locard, 1886
- Galeodea chimentii G.S. Coen, 1929
- Galeodea densetuberculata F. Settepassi, 1970
- Buccinum diadema G.B. Brocchi, 1814
- Galeodea echinophora adriatica Mascarin, 1884
- Galeodea echinophora densetuberculata F. Settepassi, 1970
- Galeodea echinophora dilatata F. Settepassi, 1970
- Galeodea echinophora globosocordonata F. Settepassi, 1970
- Galeodea echinophora minima F. Settepassi, 1970
- Galeodea echinophora mutica N. T'ber, 1863
- Galeodea echinophora subdiadema F. Settepassi, 1970
- Buccinum echinophorum C. Linnaeus, 1758

- Galeodea bistrata F. Settepassi, 1970
- Galeodea bonanni G.S. Coen, 1933
- Galeodea cassidula G.S. Coen, 1920
- Galeodea dautzenbergi E.A.A. Locard, 1886
- Galeodea diadema G.B. Brocchi, 1814
- Galeodea dilatata F. Settepassi, 1970
- Galeodea echinophora coronata F. Settepassi, 1970
- Galeodea echinophora dentata F. Settepassi, 1970
- Galeodea echinophora globosa M.E.J. Bucquoy, P. Dautzenberg & G.F. Dolfus, 1882
- Galeodea echinophora ingens F. Settepassi, 1970
- Galeodea echinophora multituberculata F. Settepassi, 1970
- Galeodea echinophora obsoleta M.E.J. Bucquoy, P. Dautzenberg & G.F. Dolfus, 1882
- Galeodea echinophora subnodulosa M.E.J. Bucquoy, P. Dautzenberg & G.F. Dolfus, 1882
- Galeodea echinophorus aequistriata G.S. Coen, 1920

- Galeodea echinophorus bivaricosa G.S. Coen, 1933
- Galeodea echinophorus cassidula G.S. Coen, 1920
- Galeodea echinophorus major G.S. Coen, 1920
- Galeodea echinophorus ruggeri G.S. Coen, 1920
- Galeodea echinophorus tuber G.S. Coen, 1920
- Galeodea gigantea G.S. Coen, 1920
- Galeodea gunneri S.L. Lovén, 1846
- Galeodea intermediata G.S. Coen, 1933
- Buccinum nodosum D.C. Solander in G. Brander, 1766
- Buccinum ochroleucum J.F. Gmelin, 1791
- Galeodea ovalis G.S. Coen, 1920
- Galeodea polycingulata G.S. Coen, 1933
- Galeodea provincialis A. Martin, 1851
- Galeodea pseudobistriata F. Settepassi, 1970
- Galeodea rarituberculata F. Settepassi, 1970
- Galeodea subdiadema F. Settepassi, 1970
- Galeodea tuberculata A. Risso, 1826
- Galeodea tufa G.S. Coen, 1920

- Galeodea echinophorus bonanni G.S. Coen, 1920
- Galeodea echinophorus intermediata G.S. Coen, 1933
- Galeodea echinophorus polycingulata G.S. Coen, 1933
- Galeodea echinophorus tenuis G.S. Coen, 1920
- Galeodea echinophorus tufa G.S. Coen, 1920
- Galeodea globosocordonata F. Settepassi, 1970
- Galeodea ingens F. Settepassi, 1970
- Galeodea multituberculata F. Settepassi, 1970
- Galeodea obsoleta M.E.J. Bucquoy, P. Dautzenberg & G.F. Dollfus, 1882
- Galeodea ochroleucum J.F. Gmelin, 1791
- Galeodea plocenica F. Settepassi, 1970
- Galeodea postcoronata F. Sacco, 1890
- Ficus provincialis A. Martin, 1851
- Galeodea quadrinodosa F. Settepassi, 1970
- Galeodea scilla A. Risso, 1826
- Galeodea subnodulosa M.E.J. Bucquoy, P. Dautzenberg & G.F. Dollfus, 1882
- Galeodea tuberculosa H.C.F. Schumacher, 1817
- Galeodea uniseriata F. Settepassi, 1970




1690250005
**Galeodea
echinophora
adriatica**
(C. Linnaeus, 1758)

Croatia
70 mm



1690854903
**Galeodea
echinophora
solida**
M.E.J. Bucquoy,
& P. Dautzenberg, 1882

Italy, Fiumicino
70,5 mm



6332000018
**Galeodea
eurychilus**
A.E.M. Cossmann, 1889 †
(FOSSIL)

France, Paris Basin
43 mm



6422000091
**Galeodea
flemingi**
A.G. Beu & P.A. Maxwell, 1990 †
(FOSSIL)

No Georeferenced data available




6422000092
**Galeodea
geniculosa**
J. Marwick, 1942 †
(FOSSIL)

No Georeferenced data available





6332000019
**Galeodea
gradata**
R. Tate, 1888 †
(FOSSIL)

Australia, Victoria
32 mm



1690854190
**Galeodea
hoarai**
J. Drivas & M. Jay, 1989

Réunion
63 mm



1690250025
**Galeodea
keyteri**
(R.N. Kilburn, 1975)

Mozambique, Závora
74 mm





synonyms:

- Galeodea ferrarii L. Bozzetti, 1989

- Oocorys keyteri R.N. Kilburn, 1975


Fossil
only

5296000329
Galeodea
khaledi
Abbass, 1967 †
(FOSSIL)
Egypt, Mokattam




Fossil
only

5296000284
Galeodea
koureos
Gardner, 1939 †
(FOSSIL)
Mexico, Nuevo León, Los Aldamas



1690250030
Galeodea
leucodoma
W.H. Dall, 1907
China, Zhejiang
61 mm




synonyms:

- *Oocorys granulosa* M.M. Schepman, 1909




1690250060
Galeodea
maccamleyi
W.F. Ponder, 1983
Australia, Lady Musgrave Island
38 mm



Fossil
only

5296000285
Galeodea
megacephala
R.A. Philippi, 1843 †
(FOSSIL)
Austria, Oberösterreich, Linz



6332000020
Galeodea
modesta
(H.H. Suter, 1917 †)
(FOSSIL)
New Zealand, Canterbury
17 mm




Fossil
only

6422000057
Galeodea
petersoni
T.A. Conrad, 1854 †
(FOSSIL)
South Carolina




Fossil
only

5296000286
Galeodea
planotecta
Meyer & T.H. Aldrich, 1886 †
(FOSSIL)
Mexico, Nuevo León, China




5246000005
Galeodea
plauta
A.G. Beu, 2008
New Zealand, Castlecliff
65 mm





1690250045
Galeodea rugosa
 (C. Linnaeus, 1771)
 Portugal
 111 mm



synonyms:

- Galeodea depressa R.A. Philippi, 1844
- Galeodea echinophora dubia S. Cerulli-Irelli, 1911
- Buccinum rugosum C. Linnaeus, 1771
- Galeodea tyrrhena atlantica F. Settepassi, 1970
- Galeodea tyrrhena elongata F. Settepassi, 1970
- Buccinum tyrrhenum J.F. Gmelin, 1791

- Galeodea rugosa tyrrhena J.F. Gmelin, 1791
- Galeodea tyrrhena J.F. Gmelin, 1791
- Galeodea tyrrhena dentata F. Settepassi, 1970
- Galeodea tyrrhena soluta F. Settepassi, 1970
- Galeodea tyrrhenus globosior G.S. Coen, 1920




6422000093
Galeodea senex
 (F.W. Hutton, 1873 †)
 (FOSSIL)

No Georeferenced data available




6332000021
Galeodea shubutensis
 (T.H. Aldrich, 1885 †)
 (FOSSIL)
 USA, Mississippi
 30 mm



6332000022
Galeodea singularis
 G.P. Deshayes, 1865 †
 (FOSSIL)
 France, Paris Basin
 29 mm




6422000090
Galeodea sulcata
 (F.W. Hutton, 1873 †)
 (FOSSIL)
 New Zealand



6332000023
Galeodea textiliosa
 G.P. Deshayes, 1835 †
 (FOSSIL)
 France, Paris Basin
 38 mm




6332000024
Galeodea tricarinata
 (T.A. Conrad, 1848 †)
 (FOSSIL)
 USA, Mississippi
 26 mm



1690250050
Galeodea triganceae
 R.K. Dell, 1953
 New Zealand
 49 mm





5296000337
Galeodea turneri
 Gardner, 1939 †
 (FOSSIL)
 USA, Texas, Trinity




Fossil
only

642200049
Galeodea
unicoronata
(A.E.M. Cossmann, 1923 †)
(FOSSIL)
France, Aquitaine
42 mm



6332000025
Galeodea
unicoronata
rancrenata
(A.E.M. Cossmann, 1923)
France, Aquitaine
42 mm




6422000106
Galeodea
wilsoni
(R. Tate, 1889 †)
(FOSSIL)
Australia, Victoria



Fossil
only


6422000094
Galeodea
wylliei
J. Marwick, 1931 †
(FOSSIL)
New Zealand



Subgenus: Galeodea (Mambrinia) J.A. Gardner, 1939 † (3 SP, 5 IMG)




6332000028
Mambrinia
brevidentata
(T.H. Aldrich, 1885 †)
(FOSSIL)
USA, Mississippi
55 mm




5296000334
Mambrinia
gallica
(Wrigley, 1934 †)
(FOSSIL)
France, Paris Basin



5296000335
Mambrinia
nodosa
(D.C. Solander in G. Brander
1766 †)
(FOSSIL)
France, Paris Basin
46 mm



6422000101
Mambrinia
nodosa
carinata
(J.G. Bruguière, 1792 †)
(FOSSIL)
France, Paris Basin
46 mm




6422000102
Mambrinia
nodosa
retusa
(G.P. Deshayes, 1865 †)
(FOSSIL)
France, Oise



Genus: Microsconsia A.G. Beu, 2008 (1 SP, 1 IMG)




524600006
Microsconsia
limpui
 A.G. Beu, 2008
 Australia, Swain Reef



Genus: Sconsia J.E. Gray, 1847 (syn: Galeodosconsia, Morionassa - 16 SP, 12 IMG)



1690854270
Sconsia
alexarthuri
 M. Parth, 1994
 Virgin Islands
 46 mm




5296000331
Sconsia
amplectens
 F. Sacco 1890 †
(FOSSIL)

No Georeferenced data available



5296000288
Sconsia
beyrichi
 O.G. Michelotti, 1861 †
(FOSSIL)
 Pakistan, Baluchistan, Kalat



5296000289
Sconsia
cocleana
 A.A. Olsson, 1922 †
(FOSSIL)
 Costa Rica, Limón



5296000290
Sconsia
felix
 C.J. Maury, 1934 †
(FOSSIL)
 Brazil, Rio Pirabas



1690400005
Sconsia
grayi
 A. Adams, 1855
 Venezuela
 54 mm



synonyms:

- Sconsia barbudensis H.C. Higgins & F.P. Marrat, 1877
- Sconsia lindae A. Adams, 1855
- Sconsia subbevigata A. Adams, 1855


- Sconsia bocasensis A.A. Olsson, 1922
- Sconsia striata J.B.P.A. Lamarck, 1816



1690404000
Sconsia
grayi
lindae
 E.J. Petuch, 1987
 Aruba
 54,4 mm



5296000291
Sconsia
hodgii
 (T.A. Conrad, 1841 †)
(FOSSIL)
 Florida



synonyms:

- *Sconsia hodgei* T.A. Conrad, 1841 †
- *Sconsia metae* E.J. Petuch, 1994 †



6332000032
Sconsia laevigata

R.J.L. Guppy, 1850 †
(FOSSIL)
Dominican Republic
57 mm




synonyms:

- *Sconsia laevigata* Sowerby, 1850 †




6332000033
Sconsia lintea

(T.A. Conrad, 1848 †)
(FOSSIL)
USA, Mississippi
29 mm




1690400000
Sconsia nephele

F.M. Bayer, 1971
Antilles
45 mm




8038001086
Sconsia ottangensis

(F. Sacco, 1890 †)
(FOSSIL)
Austria




5296000293
Sconsia paralaevigata

J. Gardner, 1937 †
(FOSSIL)
Florida




6332000034
Sconsia praelaevigata

Gardner, 1947 †
(FOSSIL)
Florida




6332000035
Sconsia prelintea

McNeil, 1984 †
(FOSSIL)
USA, Mississippi
24 mm



5296000294
Sconsia prolongata

E.J. Petuch, 1994 †
(FOSSIL)
Florida, Sarasota County
70 mm



5296000332
Sconsia striatula


(L.M.D. Bellardi,
& O.G. Michelotti 1840 †)
(FOSSIL)

No Georeferenced data available

Genus: **Sconsodolium** Beu, 2005 † (1 SP, 0 IMG)




5296000326
Sconsodolium rembangensis
(A. Pannekoek, 1936 †)
(FOSSIL)
Central Java, Indonesia




Genus: **Liracassis** Moore, 1963 † (2 SP, 2 IMG)



6332000001
Liracassis apta
(Tegland, 1931 †)
(FOSSIL)
USA, Washington




6422000050
Liracassis petrosa
T.A. Conrad †
(FOSSIL)
Washington



SubFamily: OOCORYTHINAE - Genus: **Dalium** W.H. Dall, 1889 (3 SP, 1 IMG)



5296000298
Dalium dalli
Böse, 1906 †
(FOSSIL)
Mexico, Veracruz,
San Juan Evangelista



5296000299
Dalium ecuadorianum
A.A. Olsson, 1942 †
(FOSSIL)
Ecuador, Esmeraldas, Eloy Alfaro




1690600000
Dalium solidum
W.H. Dall, 1889
French Guyana
48 mm



SubFamily: OOCORYTHINAE - Genus: **Oocorys** P. Fischer, 1883 (syn: Oocoris, Benthodolium, Hadroocorys - 6 SP, 7 IMG)



1690854450
Oocorys clericus
J.F. Quinn, 1980
Caribbean
90 mm



synonyms:

- *Oocorys bartschi clericus* J.F. Quinn, 1980





1690500040
Oocorys elevata
W.H. Dall, 1908
Peru
60 mm







524600007
Oocorys grandis
A.G. Beu, 2008
Namibia
103 mm



5296000078
Oocorys leejungi
K.Y. Lai, 2013
Taiwan, Pratas Island
34,3 mm



1690500025
Oocorys sulcata
P. Fischer, 1884
Mozambique, Inhaca Island
55 mm




synonyms:

- Oocorys abyssorum A.E. Verrill & S. Smith, 1884
- Eudolium aulacodes J.R. e B. Tomlin, 1927
- Oocorys fischeri É.A.A. Locard, 1897
- Oocorys rotunda W.H. Dall, 1908
- Oocorys sulcata elongata É.A.A. Locard, 1897
- Oocorys umbilicata J.F. Quinn, 1980
- Oocorys weberi M.M. Schepman, 1909

- Oocorys elongata M.M. Schepman, 1909
- Oocorys fischeri minor É.A.A. Locard, 1897
- Oocorys schepmani H. Turner, 1948
- Oocorys sulcata minor É.A.A. Locard, 1897
- Oocorys watsoni É.A.A. Locard, 1897



1690500030
Oocorys sulcata indica
E.A. Smith, 1906
Mozambique
40 mm



1690500035
Oocorys verrillii
(W.H. Dall, 1889)
Madagascar, Majenga
36 mm



synonyms:


- Oocorys cancellata P. Dautzenberg & H. Fischer, 1897
- Oocorys lussii L. Bozzetti, 1990
- Oocorys pacifica W.H. Dall, 1896
- Oocorys sulcata cancellata P. Dautzenberg & H. Fischer, 1897
- Oocorys tosaensis T. Habe & M. Azuma, 1959

- Oocorys morrisoni K. Kreipl & A. Alf, 2001
- Benthodolium pacificum W.H. Dall, 1896
- Oocorys sulcata caribbaea W.J. Clench & C.G. Aguayo, 1939
- Eudolium verrillii W.H. Dall, 1889

SubFamily: PHALIINAE - **Genus: Phalium** J.H.F. Link, 1807 (syn: Bezoardica, Bezoardicela, Euspincassis - 17 SP, 15 IMG)



6332000029
Phalium aligator
E.J. Petuch, 1991 †
(FOSSIL)
Florida



1690700000
Phalium areola
(C. Linnaeus, 1758)
South Africa
69,1 mm




synonyms:

- Phalium agnatum T. Iredale, 1927
- Phalium areolata H.C.F. Schumacher, 1817
- Phalium cathartum J.H.F. Link, 1807
- Phalium sulcatum J.H.F. Link, 1807

- Phalium alea P.F. Röding, 1798
- Phalium aureola E. Liénard, 1877 ex J.G. Bruguière MS
- Phalium extinctum J.H.F. Link, 1807



1690700005
Phalium bandatum
Perry, 1811
Philippines, Bohol Island
85 mm




synonyms:

- *Phalium coronulata* G.B. I Sowerby, 1825
- *Phalium glauca* L.C. Kiener, 1835 ex J.G. Bruguière MS

- *Phalium muricata* K.T. Menke, 1829



1690700025
**Phalium
decussatum**
(C. Linnaeus, 1758)
China, Zhejiang
66 mm




synonyms:

- *Phalium cancelata* P.F. Röding, 1798



- *Buccinum decussatum* C. Linnaeus, 1758





1690854260
**Phalium
decussatum
flammeolum**
(P.F. Röding, 1798)
Sri Lanka
37 mm



6422000062
**Phalium
evdoxiae**
H. Morrison, 2016
Australia, Bonaparte Gulf
80 mm



1690854250
**Phalium
exaratum**
(L.A. Reeve, 1848)
Seychelles
92 mm




synonyms:

- *Phalium bandatum exaratum* (L.A. Reeve, 1848)



1690700030
**Phalium
fimbria**
(J.F. Gmelin, 1791)
Sri Lanka
84 mm



synonyms:

- *Phalium fimbriata* J.F. Gmelin, 1791
- *Phalium plicaria* J.B.P.A. Lamarck, 1822
- *Phalium tuberculata* G. Fischer von Waldheim, 1807

- *Phalium plicata* G.P. Deshayes, 1844



1690854858
**Phalium
flammiferum**
(P.F. Röding, 1798)
China, Zhejiang
56,6 mm





synonyms:

- *Phalium flammieolum* J.H.F. Link, 1807
- *Phalium flammiferum breviculum* C.Y. Tsi & X.T. Ma, 1980
- *Phalium rugosum* J.F. Gmelin, 1791
- *Phalium undatum* G.P. Deshayes, 1844
- *Phalium zebra* J.B.P.A. Lamarck, 1822

- *Phalium kuesteri* F.M. Bayer, 1935
- *Phalium strigatum* J.F. Gmelin, 1791
- *Phalium variegatum* G. Perry, 1811



1690700040
**Phalium
glaucum**
(C. Linnaeus, 1758)
Andaman Sea of Thailand
114 mm



synonyms:

- *Phalium bezoar* J.E. Gray, 1839
- *Phalium strigata* F. Shirley, 1911

- *Phalium vulgaris* H.C.F. Schumacher, 1817



5296000308
**Phalium
guppyana**
C.J. Maury, 1912 †
(FOSSIL)
Trinidad and Tobago, Sparia




Fossil
only





6332000030
Phalium mississippiensis
(T.A. Conrad, 1848 †)
(FOSSIL)

USA, Mississippi
29 mm




1690700055
Phalium muangmani
L. Raybaudi Massila,
& A. Prati Musetti, 1995

China, Zhejiang
47 mm




Fossil only

5296000338
Phalium muricata
Finlay, 1926 †
(FOSSIL)
New Zealand, Manawatu-Wanganui,
Tararua



6422000048
Phalium murrayi
G. Schmelz, 1996 †
(FOSSIL)


Florida, Walton County
45,9 mm



Fossil only


5296000309
Phalium paraensis
C.J. Maury, 1934 †
(FOSSIL)

Brazil, Rio Pirabas




5296000062
Phalium pseudobandatum
S.K. Tan, H.E. Ng,
& L.H.S. Nguang, 2013

Singapore



6332000031
Phalium rondeleti
(B. de Basterot, 1825 †)
(FOSSIL)

Germany, Mecklenburg
50 mm




SubFamília: PHALIINAE - **Genus: Semicassis** O.A.L. Mörch, 1852 (syn: Faurotis, Kahua, Tybcassis, Xenogalea, Xenophalium - 57 SP, 70 IMG)




1690854280
Semicassis adcocki
(G.B. III Sowerby, 1896)

Australia, Bass Strait
33 mm




5296000316
Semicassis aldrichi
W.H. Dall, 1890 †
(FOSSIL)

Florida





1690850000
**Semicassis
 angasi**
 (T. Iredale, 1927)
 Arafura Sea
 70 mm




synonyms:

- Semicassis angasi knighti G. Thornley, 1954

- Semicassis denisi E.S. Salmon, 1948



6332000036
**Semicassis
 bicoronata**
 (A.H.E. Beyrich, 1854 †)
(FOSSIL)
 Belgium



1690850005
**Semicassis
 bisulcata**
 (G.H. Schubert,
 & J.A. Wagner, 1829)
 Philippines, Alguay Island
 57 mm



synonyms:

- Semicassis areola E.J. Burrow, 1815
- Semicassis dalrymplei Cox, 1948
- Semicassis pfeifferi J.G. Hidalgo, 1871
- Semicassis quilonensis A. Dey, 1961


- Phalum bisulcatum G.H. Schubert & J.A. Wagner, 1829
- Semicassis nashi T. Iredale, 1931
- Semicassis pla Martin, 1899
- Semicassis tessellatum W. Wood, 1825




1690854290
**Semicassis
 bisulcata
 booleyi**
 G.B. III Sowerby, 1900
 Philippines, Negros Island
 57 mm




1690850010
**Semicassis
 bisulcata
 diuturna**
 T. Iredale, 1927
 Philippines, Bohol Island
 61 mm




1690850015
**Semicassis
 bisulcata
 japonica**
 (L.A. Reeve, 1848)
 China, Zhejiang
 81 mm



1690854005
**Semicassis
 bisulcata
 minor**
 H.C. Küster, 1857
 Japan



1690850020
**Semicassis
 bisulcata
 persimilis**
 T. Kira, 1959
 China, Zhejiang
 58 mm



synonyms:

- Semicassis diuturna persimilis T. Kira, 1959





1690854010
**Semicassis
 bisulcata
 pila**
 (L.A. Reeve, 1848)
 South China Sea
 51 mm





1690854020
Semicassis bondarevi
 H. Mühhäusser & M. Parth, 1993
 Mascarenes Islands,
 Saya de Malha Bank
 60 mm




synonyms:

- *Semicassis vector* R.T. Abbott, 1994



1690850030
Semicassis bulla
 T. Habe, 1961
 East China Sea, Zhejiang province
 65,8 mm





synonyms:

- *Phalium glabratum bulla* T. Habe, 1961
- *Semicassis salmonea* A.G. Beu, P. Bouchet & J. Tröndlé, 2012

- *Semicassis obscura* T. Habe, 1961
- *Semicassis tenuis* Y. Hirase in M. Yokoyama, 1931



1690850035
Semicassis bulla fernandesi
 (R.N. Kilbum, 1975)
 Somalia
 71 mm




synonyms:

- *Phalium glabratum fernandesi* R.N. Kilbum, 1987



1690850040
Semicassis bulla obscura
 J.T. Kuroda, 1962
 Philippines, Aliguay Island
 63 mm




5296000311
Semicassis calantica
 (G.P. Deshayes, 1835 †)
(FOSSIL)

No Georeferenced data available



1690850045
Semicassis canaliculata
 (J.G. Bruguière, 1792)
 India, Cuddalore
 41 mm



1690850050
Semicassis centiquadrata
 (A. Valenciennes, 1832)
 Ecuador
 62,1 mm



synonyms:

- *Cassis centiquadrata* A. Valenciennes, 1832
- *Phalium dolata* A. Valenciennes, 1832
- *Phalium lactea* L.C. Kiener, 1835

- *Semicassis granulata centiquadrata* A. Valenciennes, 1832



1690850060
Semicassis craticulata
 (F.M. Euthyme, 1885)
 Madagascar, Majenga
 58 mm




synonyms:

- *Semicassis africana* H.C. Fulton, 1930
- *Phalium craticulatum* F.M. Euthyme, 1885



1690750000
Semicassis decipiens
 (R.N. Kilburn, 1980)
 Madagascar, Tolagnaro
 50 mm



synonyms:

- *Phalium decipiens* R.N. Kilburn, 1980
- *Casmaria decipiens* R.N. Kilburn, 1980




5296000317
Semicassis deneseplcata
 K. Martin, 1916 †
 (FOSSIL)


No Georeferenced data available




1690854210
Semicassis dorae
 (K. Kreipl,
 & H. Mühlhäusser, 1996)
 Sri Lanka
 42 mm



5296000079
Semicassis doughthorni
 A.M. Dekkers, 2013
 Australia, Fraser Island
 68 mm



1690850065
Semicassis faurotis
 F.P. Jousseume, 1888
 Djibouti
 57 mm



synonyms:

- *Semicassis crossi* J.G. Hidalgo, 1896





6422000095
Semicassis fibrata
 (P. Marshall,
 & R. Murdoch, 1920 †)
 (FOSSIL)

No Georeferenced data available



1690854866
Semicassis glabrata
 (R.W. Dunker, 1852)
 China, Zhejiang
 58 mm



1690854834
Semicassis granulata
 (I. von Born, 1778)
 Bahamas
 56 mm




synonyms:

- *Phalium abbreviata* J.B.P.A. Lamarck, 1822
- *Cassis calamistrata* É.A.A. Locard, 1892
- *Phalium gibbum* J.F. Gmelin, 1791
- *Semicassis gmelini* É.A.A. Locard, 1886
- *Phalium granulatum* I. von Born, 1778
- *Semicassis inflata* G. Shaw, 1811
- *Phalium inflatum* G. Shaw, 1811
- *Phalium loxahatcheense* E.J. Petuch, 1994
- *Phalium malum* P.F. Röding, 1798
- *Phalium plicata* G.A. Scopoli, 1786
- *Cassis sulcosus elongata* H.C. Weinkauff, 1868
- *Phalium tessellata* L. Pfeiffer, 1840
- *Semicassis undulata elegantissima* F. Settepassi, 1970
- *Semicassis undulata maderensis* F. Settepassi, 1970
- *Semicassis undulata tenuis* F. Settepassi, 1970
- *Cassis undulatus ghirna* A. De Gregorio, 1886
- *Phalium alligator* E.J. Petuch, 1991
- *Phalium cepa* P.F. Röding, 1798
- *Phalium globulus* P.F. Röding, 1798
- *Buccinum granulatum* I. von Born, 1778
- *Phalium granulosa* J.G. Bruguière, 1792
- *Semicassis inflata waltonensis* W.C. Mansfield, 1935
- *Phalium laevigata* K.T. Menke, 1828
- *Phalium lucrativa* T. Iredale, 1927
- *Phalium minuta* K.T. Menke, 1829
- *Phalium recurvirostrum* J.F. Gmelin, 1791
- *Cassis sulcosus varicosa* H.C. Weinkauff, 1868
- *Semicassis undulata bivaricosa* F. Settepassi, 1970
- *Semicassis undulata levlabiata* F. Paetel, 1888
- *Semicassis undulata saburoidea* F. Settepassi, 1970
- *Cassis undulatus ebla* A. De Gregorio, 1886
- *Cassis undulatus minima* P.M. Palmary, 1900



1690854570
Semicassis granulata cicatricosa
(J.F. Gmelin, 1791)
Brazil, Guarapari
41,7 mm



6422000103
Semicassis granulata loxahatcheensis
E.J. Petuch, 1994 †
(FOSSIL)
Florida



1690854310
Semicassis granulata peristephes
(H.A. Pilsbry, & J.T.L. McGinty, 1939)
Brazil, Guarapari
52,7 mm



5296000044
Semicassis granulata undulata
(J.F. Gmelin, 1791)
Italy, Eba Island



synonyms:

- *Semicassis ampullacea* T.A. de M. Monterosato, 1878
- *Buccinum bilineatum* J.F. Gmelin, 1791
- *Semicassis elongata* T.A. de M. Monterosato, 1878
- *Cassis sukosa* J.G. Bruguière, 1792
- *Semicassis varicosa* T.A. de M. Monterosato, 1878

- *Semicassis crassa* T.A. de M. Monterosato, 1878
- *Semicassis levilabiata* A. De Gregorio, 1884
- *Semicassis undulata* J.F. Gmelin, 1791
- *Casse ventricosa* G.W. Tryon, 1885 ex Martyn MS



6332000037
Semicassis grateloupi
(G.P. Deshayes, 1850 †)
(FOSSIL)
France, Aquitaine
46 mm



synonyms:

- *Cassis diadema* J.L.M. Defrance, 1817 †
- *Cassis texta sulcosa* J.P.S. Grateloup, 1847 †


- *Semicassis dumasi* A.E.M. Cossmann & M.A. Peyrot, 1824 †




6332000038
Semicassis grateloupi castasensis
A.E.M. Cossmann, & M.A. Peyrot, 1923
France, Aquitaine
55 mm



6332000039
Semicassis grateloupi diadema
(J.P.S. Grateloup, 1833)
France, Aquitaine
39 mm



6332000040
Semicassis grateloupi varicigera
A.E.M. Cossmann, & M.A. Peyrot, 1923
France, Aquitaine
51 mm








5296000318
Semicassis harpaeformis
 (J.B.P.A. Lamarck, 1803 †)
(FOSSIL)
 France, Brittany
 22 mm



6332000041
Semicassis incrassata
 (J.P.S. Grateloup, 1833 †)
(FOSSIL)
 France, Aquitaine
 9 mm



1690850075
Semicassis inornata
 (H.A. Pilsbry, 1895)
 Japan, Kanagawa
 79,7 mm



5247000002
Semicassis inornata debiae
 D.R. Goodwin, 2008
 Hawaii



6332000042
Semicassis jauberti
 A.E.M. Cossmann, & M.A. Peyrot, 1923 †
(FOSSIL)
 France, Aquitaine
 140 mm



synonyms:

- Cassis bellardii O.G. Michelotti, 1847 †
- Cassis mamillaris bellardii O.G. Michelotti, 1847 †




6422000096
Semicassis kaawaensis
 (Powell & J.A. Bartrum, 1928 †)
(FOSSIL)

No Georeferenced data available



1690850080
Semicassis labiata
 (G. Perry, 1811)
 Australia, Botany Bay
 60,5 mm




synonyms:

- Semicassis achatina J.B.P.A. Lamarck, 1816
- Phalum labiatum G. Perry, 1811



1690854340
Semicassis labiata collectea
 H.J. Finlay, 1928
 New Zealand
 41 mm



1690850085
Semicassis labiata iheringi
 (A. Carcelles, 1953)
 Brazil, Paranagua
 76 mm




synonyms:


- Semicassis achatina Barattini & E.H. Ureta, 1960



1690854350
Semicassis labiata insperata
 T. Iredale, 1927
 New South Wales, Australia



1690850090
Semicassis labiata iredalei
 F.M. Bayer, 1935
 South Africa, Jeffreys Bay
 51,9 mm



1690850095
Semicassis labiata zeylanica
 (J.B.P.A. Lamarck, 1822)
 Mozambique, Nacala Bay
 56 mm



synonyms:

• *Semicassis achatna* L.A. Reeve, 1848

• *Semicassis intercedens* E.C. Von Martens, 1903



6422000097
Semicassis lilliei
 (C.A. Fleming, 1943 †)
(FOSSIL)

No Georeferenced data available



5296000333
Semicassis maleaformis
 E.H. Vokes, 1938 †
(FOSSIL)
 Trinidad and Tobago



6422000052
Semicassis marcusi
 Garvie, 2013 †
(FOSSIL)
 ♦ United States

No Georeferenced data available




6422000098
Semicassis marwicki
 (C.A. Fleming, 1943 †)
(FOSSIL)

No Georeferenced data available



5296000312
Semicassis mekranica
 E.W. Vredenburg, 1925 †
(FOSSIL)
 India, Meghalaya




1690850100
Semicassis microstoma
 (E.C. Von Martens, 1903)
 Kenya
 86,4 mm





synonyms:

• *Phalium microstoma* E.C. Von Martens, 1903



5296000319
Semicassis monilifera
 (J. de C. Sowerby, 1846 †)
 (FOSSIL)
 Chile, Navidad Formation





synonyms:

- *Cassidaria tuberculifera* L.H. Hupé, 1854 †



8038001084
Semicassis neumayri
 (R. Hoernes, 1875 †)
 (FOSSIL)
 Austria



5296000320
Semicassis oligocalantica
 E.W. Vredenburg, 1925 †
 (FOSSIL)

No Georeferenced data available




5296000313
Semicassis ormarensis
 E.W. Vredenburg, 1925 †
 (FOSSIL)


No Georeferenced data available





5296000315
Semicassis ovoidea
 Abbass, 1967 †
 (FOSSIL)
 Egypt, Mokattam




5296000321
Semicassis ovulum
 A.E. Ortmann, 1900 †
 (FOSSIL)
 Canada, Quebec, Anticosti Island



1690700065
Semicassis paucirugis
 (K.T. Menke, 1843)
 Australia, Port Lincoln
 62,8 mm



1690850110
Semicassis pyrum
 (J.B.P.A. Lamarck, 1822)
 Tasmania
 74 mm



synonyms:

- *Semicassis abernethyi* R.K. Dell, 1956
- *Semicassis finlayi* T. Iredale, 1927
- *Semicassis harrisonae* A.W.B. Powell, 1928
- *Semicassis matai* A.W.B. Powell, 1952
- *Phalium pyrum* J.B.P.A. Lamarck, 1822
- *Cassis striatus* F.W. Hutton, 1873
- *Semicassis wanganuiense* A.W.B. Powell, 1928
- *Semicassis denda* B.C. Cotton, 1945
- *Semicassis halli* B.C. Cotton, 1954
- *Semicassis lalli* B.C. Cotton, 1954
- *Semicassis mawsoni* B.C. Cotton, 1945
- *Cassis pyrum* J.B.P.A. Lamarck, 1822
- *Cassis tumida* W.F. Petterd, 1886
- *Semicassis wilsoni* B.C. Cotton, 1954





1690854370
Semicassis pyrum hamiltoni
 (A.W.B. Powell, 1928)
 New Zealand
 76 mm








1690850115
Semicassis pyrum nivea
 J.W. Brazer, 1872
 South Australia
 55,1 mm




1690854927
Semicassis pyrum powelli
 (H.J. Finlay, 1928)
 New Zealand
 70,8 mm




1690854928
Semicassis pyrum spectabilis
 (T. Iredale, 1929)
 South Australia
 69,8 mm




1690854380
Semicassis pyrum stadiale
 (C. Hedley, 1914)
 New Zealand



5296000322
Semicassis pyshtensis
 W.O. Addicott, 1976 †
 (FOSSIL)
 USA, Washington, Skagit



5296000323
Semicassis reclusa
 R.J.L. Guppy, 1873 †
 (FOSSIL)
 Dominican Republic,
 Santiago Rodríguez




synonyms:

- *Phalium moniferum* R.J.L. Guppy, 1866 †



1690854035
Semicassis royana
 (T. Iredale, 1914)
 New Zealand, Three Kings Islands
 145 mm




synonyms:

- *Semicassis ericanum* A.W.B. Powell, 1928
- *Xenophalum pyrum royana* T. Iredale, 1914



1690854360
Semicassis royana hedleyi
 T. Iredale, 1927
 New South Wales, Australia




synonyms:

- *Semicassis hedleyi* T. Iredale, 1927
- *Semicassis pyrum hedleyi* T. Iredale, 1927



1690700070
Semicassis saburon
 (J.G. Bruguière, 1792)
 Spain, Malaga
 67 mm



synonyms:

- Cassis abbreviata T.A. de M. Monterosato, 1878
- Cassis adansonii É.A.A. Locard, 1886
- Cassis laevigata J.L.M. Defrance, 1817
- Cassis nucleus H.C. Küster, 1857
- Phalium pomum G.H. Schubert & J.A. Wagner, 1829
- Cassis saburon J.G. Bruguière, 1792
- Semicassis saburon evanescens F. Settepassi, 1970
- Cassis saburon minor P.M. Palány, 1900
- Cassis saburonii É.A.A. Locard, 1886
- Cassis texta striata R.A. Philippi, 1836

- Natica globosa J.G. Jeffreys, 1885
- Semicassis miolaevigata F. Sacco, 1890
- Cassis platystomus G.A. Brugnone, 1880
- Phalium saburon J.G. Bruguière, 1792
- Cassis saburon crassa P.M. Palány, 1900
- Semicassis saburon inaequalis F. Settepassi, 1970
- Semicassis saburon multicostata F. Settepassi, 1970
- Cassis texta H.G. Bronn, 1827



1690854886
**Semicassis
saburon
senegalensis**
Unknown

Guinea Bissau
49,3 mm



1690854891
**Semicassis
saburon
varicosa**
(J.G. Bruguière, 1792)

Spain, Almeria
59 mm




5296000324
**Semicassis
sculpta**
(J. de C. Sowerby, 1839 †)
(FOSSIL)

Pakistan



1690850120
**Semicassis
semigranosa**
(J.B.P.A. Lamarck, 1822)

Tasmania
50,3 mm



synonyms:

- Cassis semigranosa J.B.P.A. Lamarck, 1822
- Phalium semigranosum J.B.P.A. Lamarck, 1822



5296000325
**Semicassis
senni**

Rustch, 1934 †
(FOSSIL)
Venezuela, Punta Gavilan



1690854015
**Semicassis
sinuosum**

J.C. Verco, 1904
Australia, Esperance
24 mm



1690854400
**Semicassis
sinuosum
angustata**
(B.C. Cotton,
& F.C. Godfrey, 1931)

Australia, Duke of Orleans Bay
24,8 mm



**Fossil
only**

6422000058
**Semicassis
skinneri**
J. Manwick, 1928 †
(FOSSIL)

No Georeferenced data available





1690850125
**Semicassis
 sophia**
 (J.W. Brazier, 1872)
 New Zealand, Northland
 80 mm




6332000045
**Semicassis
 subintermedia**
 (Orbigny, 1852 †)
(FOSSIL)
 France, Aquitaine
 23 mm




8038001085
**Semicassis
 subsulcosa**
 (R. Hoernes & M. Aunger, 1884 †)
(FOSSIL)
 Austria



1690854895
**Semicassis
 thachi**
 K. Kreipl, A. Alf,
 & T. Egeling, 2006
 Vietnam
 47,8 mm



1690700075
**Semicassis
 thomsoni**
 (J.W. Brazier, 1875)
 Australia, Fraser Island
 77,5 mm



synonyms:

- Semicassis thomsoni palnoda T. Iredale, 1931



1690854040
**Semicassis
 umbilicata**
 (W.H. Pease, 1861)
 Hawaii
 54 mm




synonyms:


- Semicassis fortisulcata E.A. Smith, 1904



1690854045
**Semicassis
 westralis**
 K. Kreipl, 1997
 Australia, Port Hedland
 52 mm



1690854410
**Semicassis
 whitworthi**
 (R.T. Abbott, 1968)
 Australia, Shark Bay
 79,5 mm




synonyms:

- Phalium whitworthi R.T. Abbott, 1968

SubFamily: PHALIIINAE - **Subgenus: Semicassis (Antephalium)** T. Iredale, 1927 † (2 SP, 2 IMG)




6332000002
**Antephalium
 sufflatum**
 (J.E. Tenison-Woods, 1877 †)
(FOSSIL)
 Tasmania
 20 mm






6332000003
Antephalium
transenna
(R. Tate, 1889 †)
(FOSSIL)
Australa, Victoria
30 mm



Family: CASSIDAE



red squares show where each species has been georeferenced

each square has a size of 2 degrees

an interactive version of this image can be accessed at

<http://www.bagniliggia.it/WMSD/FamilyMap/CASSIDAEmap.htm>

please note that this is not the complete coverage of this family

the Data Base is not exhaustive and only one specimen per species has been georeferenced

this map is only the graphic summary of the WMSDB Data Base up to now

the total number of georeferenced species in this map is: 258 from a total of 284