



## Family: GLYCYMERIDIDAE

---

Class: BIVALVIA

--- Clade: PTERIOMORPHIA-ARCOIDEA

----- Family: GLYCYMERIDIDAE Dall, 1908 (1847) (Sea)

- Alphabetic order - when **first name** is in bold the species has images  
Taxa=340, Genus=5, Subgenus=2, Species=113, Subspecies=3, Synonyms=216, Images=85

- adenenesis, [\*\*Glycymeris adenenesis\*\*](#) (F.P. Jousseaume in É. Lamy, 1916)
- aequilatera, Glycymeris aequilatera J.F. Gmelin, 1791 - syn of: [\*\*Glycymeris undata\*\*](#) (C. Linnaeus, 1758)
- albolineata, [\*\*Glycymeris albolineata\*\*](#) (C.E. Lischke, 1872)
- amamiensis, [\*\*Tucetilla amamiensis\*\*](#) J.T. Kuroda, 1930
- amboinensis, Glycymeris amboinensis J.F. Gmelin, 1791 - syn of: [\*\*Tucetona pectunculus\*\*](#) (C. Linnaeus, 1758)
- amboinensis extra, Tucetona amboinensis extra T. Iredale, 1939 - syn of: [\*\*Tucetona pectunculus\*\*](#) (C. Linnaeus, 1758)
- americana, [\*\*Glycymeris americana\*\*](#) (J.L.M. Defrance, 1826)
- angasi, Glycymeris angasi J.C.H. Crosse, 1880 - syn of: [\*\*Melaxinaea vitrea\*\*](#) (J.B.P.A. Lamarck, 1819)
- angulatus, Glycymeris angulatus J.B.P.A. Lamarck, 1819 - syn of: [\*\*Glycymeris decussata\*\*](#) (C. Linnaeus, 1758)
- angulatus, Pectunculus angulatus L.A. Reeve, 1843 - syn of: [\*\*Glycymeris reevei\*\*](#) (C. Mayer, 1868)
- angulosa, Glycymeris angulosa J.F. Gmelin, 1791 - syn of: [\*\*Glycymeris decussata\*\*](#) (C. Linnaeus, 1758)
- angusticosta, [\*\*Tucetona angusticosta\*\*](#) K.L. Lamprell & T. Whitehead, 1990
- arabica, [\*\*Glycymeris arabica\*\*](#) (C.B. Adams, 1871)
- arcidentiens, [\*\*Tucetona arcidentiens\*\*](#) (W.H. Dall, 1895)
- arcidentiens, Glycymeris arcidentiens W.H. Dall, 1895 - syn of: [\*\*Tucetona arcidentiens\*\*](#) (W.H. Dall, 1895)
- argentea, Glycymeris argentea E.M. Da Costa, 1777 - syn of: [\*\*Nucula nucleus\*\*](#) (C. Linnaeus, 1758)
- argentea, Glycymeris argentea E.M. Da Costa, 1778 - syn of: [\*\*Nucula nucleus\*\*](#) (C. Linnaeus, 1758)
- aspersa, [\*\*Glycymeris aspersa\*\*](#) (A. Adams & L.A. Reeve, 1850)
- assimilis, Glycymeris assimilis G.B. Sowerby, 1833 - syn of: [\*\*Axinactis inaequalis\*\*](#) (G.B. Sowerby, 1833)
- audouini, [\*\*Tucetona audouini\*\*](#) A. Matsukuma, 1984
- audouini, Pectunculus audouini F.P. Jousseaume in É. Lamy, 1916 - syn of: [\*\*Tucetona audouini\*\*](#) A. Matsukuma, 1984
- aureomaculata, [\*\*Tucetona aureomaculata\*\*](#) (G.F. Angas, 1879)
- auriflua, [\*\*Tucetona auriflua\*\*](#) (L.A. Reeve, 1843)
- australis, [\*\*Glycymeris australis\*\*](#) J.R.C. Quoy & J.P. Gaimard, 1832
- beddomei, Glycymeris beddomei E.A. Smith, 1885 - syn of: [\*\*Tucetona flabellata\*\*](#) (J.E. Tenison-Woods, 1878)
- beddomei, Tucetona beddomei E.A. Smith, 1885 - syn of: [\*\*Tucetona flabellata\*\*](#) (J.E. Tenison-Woods, 1878)
- bicolor, [\*\*Tucetona bicolor\*\*](#) (L.A. Reeve, 1843)
- bimaculata, [\*\*Glycymeris bimaculata\*\*](#) (G.S. Poli, 1795)
- bimaculata crassa, Glycymeris bimaculata crassa F.C.L. Koch & P.M. Pallary in P.M. Pallary, 1900 - syn of: [\*\*Glycymeris bimaculata\*\*](#) (G.S. Poli, 1795)
- boucheti, [\*\*Glycymeris boucheti\*\*](#) A. Matsukuma, 1984
- broadfooti, [\*\*Tucetona broadfooti\*\*](#) (T. Iredale, 1929)
- caledonica, Glycymeris caledonica J.C.H. Crosse, 1880 - syn of: [\*\*Glycymeris holoserica\*\*](#) (L.A. Reeve, 1843)
- canoa, [\*\*Tucetona strigilata canoa\*\*](#) H.A. Pilsbry & A.A. Olsson, 1941
- capillaceus, Glycymeris capillaceus E.M. Da Costa, 1778 - syn of: [\*\*Dosinia exoleta\*\*](#) (C. Linnaeus, 1758)
- capricornea, Tucetilla capricornea C. Hedley, 1906 - syn of: [\*\*Glycymeris tenuicostata\*\*](#) (L.A. Reeve, 1843)
- capricornea, Tucetona capricornea C. Hedley, 1906 - syn of: [\*\*Glycymeris tenuicostata\*\*](#) (L.A. Reeve, 1843)
- capricornea, Glycymeris capricornea C. Hedley, 1906 - syn of: [\*\*Glycymeris tenuicostata\*\*](#) (L.A. Reeve, 1843)
- capricornea intervenens, Glycymeris capricornea intervenens T. Iredale, 1939 - syn of: [\*\*Glycymeris tenuicostata\*\*](#) (L.A. Reeve, 1843)
- capricornea intervenens, Tucetilla capricornea intervenens T. Iredale, 1939 - syn of: [\*\*Glycymeris tenuicostata\*\*](#) (L.A. Reeve, 1843)
- cardiiformis, Tucetona cardiiformis C. Hedley, 1906 - syn of: [\*\*Tucetona gealei\*\*](#) (G.F. Angas, 1873)
- cardiiformis, Glycymeris cardiiformis G.F. Angas, 1879 - syn of: [\*\*Tucetona multicostata\*\*](#) (G.B. Sowerby, 1833)
- castaneus, Glycymeris castaneus J.B.P.A. Lamarck, 1819 - syn of: [\*\*Glycymeris undata\*\*](#) (C. Linnaeus, 1758)
- chemnitzi, Glycymeris chemnitzi W.H. Dall, 1909 - syn of: [\*\*Tucetona strigilata\*\*](#) (G.B. Sowerby, 1833)
- chemnitzi, Tucetona chemnitzi W.H. Dall, 1909 - syn of: [\*\*Tucetona strigilata\*\*](#) (G.B. Sowerby, 1833)
- clarki, Tucetona clarki D. Nicol, 1951 - syn of: [\*\*Tucetona planata\*\*](#) (G. Nevill & H. Nevill, 1874)
- coalingensis, Glycymeris coalingensis R. Arnold, 1910 - syn of: [\*\*Glycymeris septentrionalis\*\*](#) (A.T. von Middendorff, 1849)
- colorata, Glycymeris colorata K.E.I. von Eichwald, 1829 - syn of: [\*\*Monodacna colorata\*\*](#) (K.E.I. von Eichwald, 1829)
- concentrica, [\*\*Glycymeris concentrica\*\*](#) (R.W. Dunker, 1853)
- connollyi, [\*\*Glycymeris connollyi\*\*](#) J.R. le B. Tomlin, 1926
- conradi, Glycymeris conradi W.H. Dall, 1909 - syn of: [\*\*Glycymeris septentrionalis\*\*](#) (A.T. von Middendorff, 1849)
- cor, Pectunculus cor J.B.P.A. Lamarck, 1805 - syn of: [\*\*Glycymeris nummaria\*\*](#) (C. Linnaeus, 1758)
- corteziana, Glycymeris corteziana W.H. Dall, 1916 - syn of: [\*\*Glycymeris septentrionalis\*\*](#) (A.T. von Middendorff, 1849)
- cotinga, [\*\*Glycymeris cotinga\*\*](#) (T. Iredale, 1939)
- crebreliiratus, Glycymeris crebreliiratus G.B. Sowerby, 1889 - syn of: [\*\*Glycymeris tenuicostata\*\*](#) (L.A. Reeve, 1843)
- crebreliiratus, Tucetona crebreliiratus G.B. Sowerby, 1889 - syn of: [\*\*Glycymeris tenuicostata\*\*](#) (L.A. Reeve, 1843)
- crebrilirata, [\*\*Tucetilla crebrilirata\*\*](#) G.B. Sowerby, 1889
- dampierensis, [\*\*Glycymeris dampierensis\*\*](#) A. Matsukuma, 1984

- **dautzenbergi**, Melaxinaea dautzenbergi B. Prashad, 1932 - syn of: [\*\*Tucetona prashadi\*\*](#) (D. Nicol, 1951)
- **dautzenbergii**, Glycymeris dautzenbergii A. De Gregorio, 1892 - syn of: [\*\*Glycymeris glycymeris\*\*](#) (C. Linnaeus, 1758)
- **decussata**, [\*\*Glycymeris decussata\*\*](#) (C. Linnaeus, 1758)
- **delessertii**, [\*\*Axinactis delessertii\*\*](#) (L.A. Reeve, 1843)
- **diaphorus**, Glycymeris diaphorus W.H. Dall, 1916 - syn of: [\*\*Glycymeris longior\*\*](#) (G.B. I Sowerby, 1833)
- **diomedea**, [\*\*Tucetona diomedea\*\*](#) (W.H. Dall, P. Bartsch & H.A. Rehder, 1938)
- **exoleta**, [\*\*Glycymeris exoleta\*\*](#) C. Linnaeus, 1758
- **fasciata**, Pectunculus fasciata E.M. Da Costa, 1778 - syn of: [\*\*Clausinella fasciata\*\*](#) (E.M. Da Costa, 1778)
- **flabellata**, [\*\*Tucetona flabellata\*\*](#) (J.E. Tenison-Woods, 1878)
- **flabellata**, Glycymeris flabellata J.E. Tenison-Woods, 1878 - syn of: [\*\*Tucetona flabellata\*\*](#) (J.E. Tenison-Woods, 1878)
- **flammea**, [\*\*Glycymeris flammea\*\*](#) (L.A. Reeve, 1843)
- **flammeus**, Glycymeris flammeus T. Iredale, 1931 - syn of: [\*\*Glycymeris grayana\*\*](#) (R.W. Dunker, 1857)
- **formosa**, [\*\*Glycymeris formosa\*\*](#) (L.A. Reeve, 1843)
- **formosa tumida**, [\*\*Glycymeris formosa tumida\*\*](#) (P. Dautzenberg, 1906)
- **fossa**, Glycymeris fossa T. Iredale, 1931 - syn of: [\*\*Glycymeris striatularis\*\*](#) (J.B.P.A. Lamarck, 1819)
- **fringilla**, Glycymeris fringilla G.F. Angas, 1872 - syn of: [\*\*Glycymeris holoserica\*\*](#) (L.A. Reeve, 1843)
- **fringilla howensis**, Glycymeris fringilla howensis T. Iredale, 1939 - syn of: [\*\*Glycymeris holoserica\*\*](#) (L.A. Reeve, 1843)
- **fulgorata**, [\*\*Glycymeris fulgorata\*\*](#) R.W. Dunker, 1877
- **gabbi**, Glycymeris gabbi W.H. Dall, 1909 - syn of: [\*\*Glycymeris septentrionalis\*\*](#) (A.T. von Middendorff, 1849)
- **gealei**, [\*\*Tucetona gealei\*\*](#) (G.F. Angas, 1873)
- **gealei**, Glycymeris gealei G.F. Angas, 1873 - syn of: [\*\*Tucetona gealei\*\*](#) (G.F. Angas, 1873)
- **gigantea**, [\*\*Glycymeris gigantea\*\*](#) (L.A. Reeve, 1843)
- **glaber**, Glycymeris glaber E.M. Da Costa, 1778 - syn of: [\*\*Callista chione\*\*](#) (C. Linnaeus, 1758)
- **glycymeris**, [\*\*Glycymeris glycymeris\*\*](#) (C. Linnaeus, 1758)
- **glycymeris bavayi**, Glycymeris glycymeris bavayi M.E.J. Bucquoy, P. Dautzenberg & G.F. Dolfus, 1891 - syn of: [\*\*Glycymeris glycymeris\*\*](#) (C. Linnaeus, 1758)
- **glycymeris globosa**, Glycymeris glycymeris globosa J.G. Jeffreys, 1869 - syn of: [\*\*Glycymeris glycymeris\*\*](#) (C. Linnaeus, 1758)
- **glycymeris lineolata**, Glycymeris glycymeris lineolata P. Dautzenberg, 1893 - syn of: [\*\*Glycymeris glycymeris\*\*](#) (C. Linnaeus, 1758)
- **glycymeris obscura**, Glycymeris glycymeris obscura M.E.J. Bucquoy, P. Dautzenberg & G.F. Dolfus, 1891 - syn of: [\*\*Glycymeris glycymeris\*\*](#) (C. Linnaeus, 1758)
- **glycymeris typica**, Glycymeris glycymeris typica T.A. de M. Monterosato, 1892 - syn of: [\*\*Glycymeris glycymeris\*\*](#) (C. Linnaeus, 1758)
- **glycymeris zigzag**, Glycymeris glycymeris zigzag P. Dautzenberg, 1893 - syn of: [\*\*Glycymeris glycymeris\*\*](#) (C. Linnaeus, 1758)
- **gordoni**, Glycymeris gordoni G.W. Nowell-Usticke, 1959 - syn of: [\*\*Tucetona sericata\*\*](#) (L.A. Reeve, 1843)
- **grayana**, [\*\*Glycymeris grayana\*\*](#) (R.W. Dunker, 1857)
- **grewingki**, Glycymeris grewingki W.H. Dall, 1909 - syn of: [\*\*Glycymeris septentrionalis\*\*](#) (A.T. von Middendorff, 1849)
- **guadalupensis**, Glycymeris guadalupensis A.M. Strong, 1938 - syn of: [\*\*Glycymeris septentrionalis\*\*](#) (A.T. von Middendorff, 1849)
- **guesi**, [\*\*Tucetona guesi\*\*](#) (F.P. Jousseaume, 1895)
- **guesi**, Glycymeris guesi F.P. Jousseaume, 1895 - syn of: [\*\*Tucetona guesi\*\*](#) (F.P. Jousseaume, 1895)
- **habeai**, [\*\*Glycymeris habeai\*\*](#) Matsukuma, 1984
- **hanleyi**, [\*\*Glycymeris hanleyi\*\*](#) (G.F. Angas, 1879)
- **hanzawai**, [\*\*Tucetona hanzawai\*\*](#) (S. Nomura & N. Zinbo, 1934)
- **hanzawai**, Tucetonella hanzawai S. Nomura & N. Zinbo, 1934 - syn of: [\*\*Tucetona hanzawai\*\*](#) (S. Nomura & N. Zinbo, 1934)
- **hedleyi**, [\*\*Glycymeris hedleyi\*\*](#) (É. Lamy, 1912)
- **heroicus**, Glycymeris heroicus J.C. Melvill & R. Ständen, 1907 - syn of: [\*\*Glycymeris livida\*\*](#) L.A. Reeve, 1843
- **hirtus**, Glycymeris hirtus R.A. Philippi, 1846 - syn of: [\*\*Glycymeris marmorata\*\*](#) (J.F. Gmelin, 1791)
- **holoserica**, [\*\*Glycymeris holoserica\*\*](#) (L.A. Reeve, 1843)
- **hoylei**, [\*\*Tucetona hoylei\*\*](#) (J.C. Melvill & R. Ständen, 1899)
- **hoylei superior**, Tucetona hoylei superior T. Iredale, 1939 - syn of: [\*\*Tucetona gealei\*\*](#) (G.F. Angas, 1873)
- **impasta**, [\*\*Glycymeris impasta\*\*](#) (T. Iredale, 1939)
- **imperialis**, [\*\*Glycymeris imperialis\*\*](#) J.T. Kuroda, 1934
- **inaequalis**, [\*\*Axinactis inaequalis\*\*](#) (G.B. I Sowerby, 1833)
- **inaequalis**, Glycymeris inaequalis C.F.F. von Krauss, 1848 - syn of: [\*\*Glycymeris connollyi\*\*](#) J.R. le B. Tomlin, 1926
- **inaequalis**, Glycymeris inaequalis G.B. I Sowerby, 1833 - syn of: [\*\*Axinactis inaequalis\*\*](#) (G.B. I Sowerby, 1833)
- **insignis**, Tucetona insignis H.A. Pilsbry, 1906 - syn of: [\*\*Tucetona sordida\*\*](#) (R. Tate, 1891)
- **insubrica**, Glycymeris insubrica G.B. Brocchi, 1814 - syn of: [\*\*Glycymeris nummaria\*\*](#) (C. Linnaeus, 1758)
- **intermedia**, [\*\*Glycymeris intermedia\*\*](#) (W.J. Broderip, 1832)
- **isabellae**, [\*\*Tucetona isabellae\*\*](#) P.H. Valentich-Scott & E.A.R. Garfinkle, 2011
- **kaschewarowi**, Glycymeris kaschewarowi Grawinkel, 1850 - syn of: [\*\*Glycymeris septentrionalis\*\*](#) (A.T. von Middendorff, 1849)
- **kauaia**, [\*\*Tucetona kauaia\*\*](#) (W.H. Dall, P. Bartsch & H.A. Rehder, 1938)
- **keenae**, [\*\*Glycymeris keenae\*\*](#) G. Willett, 1944
- **kenyoniana**, Glycymeris kenyoniana J.W. Brazier, 1897 - syn of: [\*\*Glycymeris grayana\*\*](#) (R.W. Dunker, 1857)
- **kilburni**, [\*\*Tucetona kilburni\*\*](#) A. Matsukuma, 1984
- **kona**, Glycymeris kona W.H. Dall, P. Bartsch & H.A. Rehder, 1938 - syn of: [\*\*Tucetona kauaia\*\*](#) (W.H. Dall, P. Bartsch & H.A. Rehder, 1938)
- **kraussi**, Glycymeris kraussi K.H.J. Thiele & S.G.A. Jaeckel, 1931 - syn of: [\*\*Glycymeris connollyi\*\*](#) J.R. le B. Tomlin, 1926
- **labyrinthia**, Melaxinaea labyrinthia T. Iredale, 1930 - syn of: [\*\*Melaxinaea vitrea\*\*](#) (J.B.P.A. Lamarck, 1819)

- laeviuscula, *Glycymeris laeviuscula* K.E.I. von Eichwald, 1829 - syn of: [\*\*\*Adacna laeviuscula\*\*\*](#) (K.E.I. von Eichwald, 1829)
- lamprelli, [\*\*\*Glycymeris lamprelli\*\*\*](#) M. Huber, 2010
- larvata, *Glycymeris larvata* G.D. Hanna, 1924 - syn of: [\*\*\*Glycymeris septentrionalis\*\*\*](#) (A.T. von Middendorff, 1849)
- laticostata, [\*\*\*Tucetona laticostata\*\*\*](#) (J.R.C. Quoy & J.P. Gaimard, 1835)
- laticostata, *Petunculus laticostata* J.R.C. Quoy & J.P. Gaimard, 1835 - syn of: [\*\*\*Tucetona laticostata\*\*\*](#) (J.R.C. Quoy & J.P. Gaimard, 1835)
- lineatus, *Glycymeris lineatus* L.A. Reeve, 1847 - syn of: [\*\*\*Glycymeris undata\*\*\*](#) (C. Linnaeus, 1758)
- lineatus, *Pectunculus lineatus* R.A. Philippi, 1836 - syn of: [\*\*\*Glycymeris bimaculata\*\*\*](#) (G.S. Poli, 1795)
- linnea, [\*\*\*Glycymeris linea\*\*\*](#) A.A. Olsson, 1961
- litoralis, *Melaxinaea litoralis* T. Iredale, 1931 - syn of: [\*\*\*Melaxinaea vitrea\*\*\*](#) (J.B.P.A. Lamarck, 1819)
- litoralis, *Glycymeris litoralis* T. Iredale, 1931 - syn of: [\*\*\*Melaxinaea vitrea\*\*\*](#) (J.B.P.A. Lamarck, 1819)
- livida, [\*\*\*Glycymeris livida\*\*\*](#) L.A. Reeve, 1843
- longior, [\*\*\*Glycymeris longior\*\*\*](#) (G.B. I Sowerby, 1833)
- maculata, [\*\*\*Glycymeris maculata\*\*\*](#) (W.J. Broderip, 1832)
- magnificens, *Glycymeris magnificens* T. Iredale, 1929 - syn of: [\*\*\*Tucetona laticostata\*\*\*](#) (J.R.C. Quoy & J.P. Gaimard, 1835)
- maoriana, *Pectunculus maoriana* W.R.B. Oliver, 1923 - syn of: [\*\*\*Dosinia maoriana\*\*\*](#) W.R.B. Oliver, 1923
- marmorata, [\*\*\*Glycymeris marmorata\*\*\*](#) (J.F. Gmelin, 1791)
- marmoratus, *Pectunculus marmoratus* J.B.P.A. Lamarck, 1819 - syn of: [\*\*\*Glycymeris glycymeris\*\*\*](#) (C. Linnaeus, 1758)
- marmoratus, *Glycymeris marmoratus* L.A. Reeve, 1843 - syn of: [\*\*\*Glycymeris flammea\*\*\*](#) (L.A. Reeve, 1843)
- martini, [\*\*\*Glycymeris martini\*\*\*](#) H.J. Finlay, 1927
- maskatensis, *Glycymeris maskatensis* J.C. Melvill, 1897 - syn of: [\*\*\*Tucetona quesii\*\*\*](#) (F.P. Jousseaume, 1895)
- maskatensis, *Tucetona maskatensis* J.C. Melvill, 1897 - syn of: [\*\*\*Tucetona quesii\*\*\*](#) (F.P. Jousseaume, 1895)
- maudensis, [\*\*\*Tucetilla maudensis\*\*\*](#) (A.C. Chapman & F.A. Singleton, 1925)
- mauia, *Tucetona mauia* W.H. Dall, P. Bartsch & H.A. Rehder, 1938 - syn of: [\*\*\*Tucetona arcudentiens\*\*\*](#) (W.H. Dall, 1895)
- mauia, *Glycymeris mauia* W.H. Dall, P. Bartsch & H.A. Rehder, 1938 - syn of: [\*\*\*Tucetona arcudentiens\*\*\*](#) (W.H. Dall, 1895)
- mayi, [\*\*\*Glycymeris mayi\*\*\*](#) B.C. Cotton, 1947
- membranaceus, *Glycymeris membranaceus* E.M. Da Costa, 1778 - syn of: [\*\*\*Venus casina\*\*\*](#) C. Linnaeus, 1758
- mertoni, *Glycymeris mertoni* C.R. Böttger, 1918 - syn of: [\*\*\*Glycymeris tenuicostata\*\*\*](#) (L.A. Reeve, 1843)
- mertoni, *Tucetona mertoni* C.R. Böttger, 1918 - syn of: [\*\*\*Glycymeris tenuicostata\*\*\*](#) (L.A. Reeve, 1843)
- migueliana, *Glycymeris migueliana* W.H. Dall, 1916 - syn of: [\*\*\*Glycymeris septentrionalis\*\*\*](#) (A.T. von Middendorff, 1849)
- miliaris, *Pectunculus miliaris* R.A. Philippi, 1845 - syn of: [\*\*\*Lissarca miliaris\*\*\*](#) (R.A. Philippi, 1845)
- mindoroensis, [\*\*\*Tucetona mindoroensis\*\*\*](#) (E.A. Smith, 1916)
- minima, *Glycymeris minima* W. Turton, 1819 - syn of: [\*\*\*Glycymeris glycymeris\*\*\*](#) (C. Linnaeus, 1758)
- minor, *Pectunculus minor* D'Orbigny, 1846 - syn of: [\*\*\*Tucetona strigilata\*\*\*](#) (G.B. I Sowerby, 1833)
- minutus, *Pectunculus minutus* R.A. Philippi, 1836 - syn of: [\*\*\*Limopsis minuta\*\*\*](#) (R.A. Philippi, 1836)
- modesta, [\*\*\*Glycymeris modesta\*\*\*](#) (G.F. Angas, 1879)
- molokaia, [\*\*\*Tucetona molokaia\*\*\*](#) (W.H. Dall, P. Bartsch & H.A. Rehder, 1938)
- montrouzieri, [\*\*\*Tucetona montrouzieri\*\*\*](#) (G.F. Angas, 1872)
- morum, [\*\*\*Glycymeris morum\*\*\*](#) (L.A. Reeve, 1843)
- multicostata, [\*\*\*Tucetona multicostata\*\*\*](#) (G.B. I Sowerby, 1833)
- multicostatus, *Glycymeris multicostatus* G.B. I Sowerby, 1833 - syn of: [\*\*\*Tucetona multicostata\*\*\*](#) (G.B. I Sowerby, 1833)
- multistriata, *Glycymeris multistriata* W.H. Turton, 1932 - syn of: [\*\*\*Glycymeris connollyi\*\*\*](#) J.R. le B. Tomlin, 1926
- munda, [\*\*\*Glycymeris munda\*\*\*](#) (G.B. III Sowerby, 1903)
- mundus, *Pectunculus mundus* G.B. III Sowerby, 1903 - syn of: [\*\*\*Glycymeris munda\*\*\*](#) (G.B. III Sowerby, 1903)
- muskatensis, *Glycymeris muskatensis* J.C. Melvill, 1897 - syn of: [\*\*\*Tucetona quesii\*\*\*](#) (F.P. Jousseaume, 1895)
- nipponicus, *Glycymeris nipponicus* M. Yokoyama, 1920 - syn of: [\*\*\*Glycymeris rotunda\*\*\*](#) (R.W. Dunker, 1882)
- nodosa, [\*\*\*Tucetona nodosa\*\*\*](#) (L.A. Reeve, 1843)
- novacaledoniensis, *Glycymeris novacaledoniensis* G.F. Angas, 1879 - syn of: [\*\*\*Glycymeris holoserica\*\*\*](#) (L.A. Reeve, 1843)
- novaguineensis, *Glycymeris novaguineensis* G.F. Angas, 1879 - syn of: [\*\*\*Melaxinaea vitrea\*\*\*](#) (J.B.P.A. Lamarck, 1819)
- nudicardo, *Pectunculus nudicardo* J.B.P.A. Lamarck, 1819 - syn of: [\*\*\*Glycymeris nummaria\*\*\*](#) (C. Linnaeus, 1758)
- nummaria, [\*\*\*Glycymeris nummaria\*\*\*](#) (C. Linnaeus, 1758)
- nux, [\*\*\*Tucetona nux\*\*\*](#) (W.H. Dall, P. Bartsch & H.A. Rehder, 1938)
- oahuia, *Tucetona oahuia* W.H. Dall, P. Bartsch & H.A. Rehder, 1938 - syn of: [\*\*\*Tucetona diomedea\*\*\*](#) (W.H. Dall, P. Bartsch & H.A. Rehder, 1938)
- oahuia, *Glycymeris oahuia* W.H. Dall, P. Bartsch & H.A. Rehder, 1938 - syn of: [\*\*\*Tucetona diomedea\*\*\*](#) (W.H. Dall, P. Bartsch & H.A. Rehder, 1938)
- obliquatus, *Pectunculus obliquatus* A.G. de Rayneval & G. Ponzi, 1854 - syn of: [\*\*\*Glycymeris nummaria\*\*\*](#) (C. Linnaeus, 1758)
- obliquus, *Glycymeris obliquus* L.A. Reeve, 1843 - syn of: [\*\*\*Glycymeris striatularis\*\*\*](#) (J.B.P.A. Lamarck, 1819)
- oculata, [\*\*\*Tucetona oculata\*\*\*](#) (L.A. Reeve, 1843)
- odhneri, [\*\*\*Tucetona odhneri\*\*\*](#) T. Iredale, 1939
- orbicularis, *Glycymeris orbicularis* E.M. Da Costa, 1778 - syn of: [\*\*\*Glycymeris glycymeris\*\*\*](#) (C. Linnaeus, 1758)
- orbicularis, *Glycymeris orbicularis* G.F. Angas, 1879 - syn of: [\*\*\*Tucetona flabellata\*\*\*](#) (J.E. Tenison-Woods, 1878)
- orbicularis, *Glycymeris orbicularis* K. Martin, 1887 - syn of: [\*\*\*Glycymeris martini\*\*\*](#) H.J. Finlay, 1927
- ornatus, *Pectunculus ornatus* J.M.R.M. Viader, 1951 - syn of: [\*\*\*Ribriarca polycymoides ornata\*\*\*](#) (J.M.R.M. Viader, 1951)
- ovata, [\*\*\*Glycymeris ovata\*\*\*](#) (W.J. Broderip, 1832)
- ovatus, *Petunculus ovatus* J.R.C. Quoy & J.P. Gaimard, 1835 - syn of: [\*\*\*Tucetona laticostata\*\*\*](#) (J.R.C. Quoy & J.P. Gaimard, 1835)
- ovatus, *Glycymeris ovatus* J.R.C. Quoy & J.P. Gaimard, 1835 - syn of: [\*\*\*Tucetona laticostata\*\*\*](#) (J.R.C. Quoy & J.P. Gaimard, 1835)
- pallium, [\*\*\*Tucetona pallium\*\*\*](#) (L.A. Reeve, 1843)

- **parcipictus**, *Glycymeris parcipictus* L.A. Reeve, 1843 - syn of: ***Tucetona multicostata*** (G.B. I Sowerby, 1833)
- **pectenoides**, *Pectunculus pectenoides* L.A. Reeve, 1843 - syn of: ***Tucetona strigilata*** (G.B. I Sowerby, 1833)
- **pectinata**, ***Tucetona pectinata*** (J.F. Gmelin, 1791)
- **pectinata**, *Glycymeris pectinata* J.F. Gmelin, 1791 - syn of: ***Tucetona pectinata*** (J.F. Gmelin, 1791)
- **pectinatus**, *Glycymeris pectinatus* J.F. Gmelin, 1791 - syn of: ***Tucetona pectinata*** (J.F. Gmelin, 1791)
- **pectinatus carinatus**, *Glycymeris pectinatus carinatus* W.H. Dall, 1886 - syn of: ***Tucetona pectinata*** (J.F. Gmelin, 1791)
- **pectiniformis**, *Glycymeris pectiniformis* J.B.P.A. Lamarck, 1819 - syn of: ***Tucetona pectunculus*** (C. Linnaeus, 1758)
- **pectinoides**, *Tucetona pectinoides* G.P. Deshayes, 1843 - syn of: ***Tucetona strigilata*** (G.B. I Sowerby, 1833)
- **pectinoides**, *Pectunculus pectinoides* G.P. Deshayes, 1843 - syn of: ***Tucetona strigilata*** (G.B. I Sowerby, 1833)
- **pectinoides**, *Tucetona pectinoides* J.C. Verco, 1907 - syn of: ***Tucetona flabellata*** (J.E. Tenison-Woods, 1878)
- **pectunculus**, ***Tucetona pectunculus*** (C. Linnaeus, 1758)
- **pectunculus**, *Glycymeris pectunculus* C. Linnaeus, 1758 - syn of: ***Tucetona pectunculus*** (C. Linnaeus, 1758)
- **pectunculus audouini**, *Tucetona pectunculus audouini* A. Matsukuma, 1984 - syn of: ***Tucetona audouini*** A. Matsukuma, 1984
- **penelevis**, *Glycymeris penelevis* B.C. Cotton, 1930 - syn of: ***Glycymeris striatularis*** (J.B.P.A. Lamarck, 1819)
- **pennaceus**, *Glycymeris pennaceus* J.B.P.A. Lamarck, 1819 - syn of: ***Glycymeris decussata*** (C. Linnaeus, 1758)
- **perdix**, *Glycymeris perdix* L.A. Reeve, 1843 - syn of: ***Glycymeris queketti*** (G.B. III Sowerby, 1897)
- **persimilis**, ***Glycymeris persimilis*** (T. Iredale, 1939)
- **pertusa**, ***Glycymeris pertusa*** (L.A. Reeve, 1843)
- **philippii**, ***Glycymeris philippii*** P.M. Paláry, 1912
- **pilosa**, *Glycymeris pilosa* C. Linnaeus, 1767 - syn of: ***Glycymeris glycymeris*** (C. Linnaeus, 1758)
- **ilosellus**, *Pectunculus pilosellus* A. Risso, 1826 - syn of: ***Glycymeris nummaria*** (C. Linnaeus, 1758)
- **pilosus tumida**, *Glycymeris pilosus tumida* M.E.J. Bucquoy, P. Dautzenberg & G.F. Dolfus, 1891 - syn of: ***Glycymeris glycymeris*** (C. Linnaeus, 1758)
- **pilsbryi**, ***Glycymeris pilsbryi*** (M. Yokoyama, 1920)
- **planata**, ***Tucetona planata*** (G. Nevill & H. Nevill, 1874)
- **planata**, *Melaxinaea planata* G. Nevill & H. Nevill, 1874 - syn of: ***Tucetona planata*** (G. Nevill & H. Nevill, 1874)
- **planata**, *Glycymeris planata* G. Nevill & H. Nevill, 1874 - syn of: ***Tucetona planata*** (G. Nevill & H. Nevill, 1874)
- **planicostata**, *Tucetona planicostata* T. Habe, 1961 - syn of: ***Glycymeris munda*** (G.B. III Sowerby, 1903)
- **plicata**, *Glycymeris plicata* K.E.I. von Eichwald, 1829 - syn of: ***Hypanis plicatum*** (K.E.I. von Eichwald, 1829)
- **prashadi**, ***Tucetona prashadi*** (D. Nicol, 1951)
- **prashadi**, *Glycymeris prashadi* D. Nicol, 1951 - syn of: ***Tucetona prashadi*** (D. Nicol, 1951)
- **profunda**, *Glycymeris profunda* W.H. Dall, 1878 - syn of: ***Glycymeris septentrionalis*** (A.T. von Middendorff, 1849)
- **pulcherrima**, *Glycymeris pulcherrima* G.F. Angas, 1879 - syn of: ***Glycymeris undata*** (C. Linnaeus, 1758)
- **punctatus**, *Glycymeris punctatus* P. Cakara, 1840 - syn of: ***Glycymeris glycymeris*** (C. Linnaeus, 1758)
- **purpurascens**, *Pectunculus purpurascens* M' Andrew, 1854 - syn of: ***Glycymeris nummaria*** (C. Linnaeus, 1758)
- **pygmaeus**, *Glycymeris pygmaeus* R.A. Philippi, 1836 - syn of: ***Limopsis friedbergi*** M. Gilbert & Poel, 1965
- **queenslandica**, ***Glycymeris queenslandica*** C. Hedley, 1906
- **queketti**, ***Glycymeris queketti*** (G.B. III Sowerby, 1897)
- **radians**, ***Glycymeris radians*** (J.B.P.A. Lamarck, 1819)
- **rafaelmesai**, ***Glycymeris rafaelmesai*** F. Nolf & F. Swinnen, 2013
- **raripictus**, *Glycymeris raripictus* L.A. Reeve, 1843 - syn of: ***Tucetona multicostata*** (G.B. I Sowerby, 1833)
- **reevei**, ***Glycymeris reevei*** (C. Mayer, 1868)
- **reticulatus**, *Pectunculus reticulatus* A. Risso, 1826 - syn of: ***Glycymeris nummaria*** (C. Linnaeus, 1758)
- **robustus**, *Pectunculus robustus* G.B. III Sowerby, 1883 - syn of: ***Tucetona gealei*** (G.F. Angas, 1873)
- **roseus**, *Glycymeris roseus* L.A. Reeve, 1843 - syn of: ***Tucetona laticostata*** (J.R.C. Quoy & J.P. Gaimard, 1835)
- **rotunda**, ***Glycymeris rotunda*** (R.W. Dunker, 1882)
- **rotunda yessoensis**, *Glycymeris rotunda yessoensis* G.B. III Sowerby, 1886 - syn of: ***Glycymeris yessoensis*** G.B. III Sowerby, 1886
- **rubens**, *Glycymeris rubens* J.B.P.A. Lamarck, 1819 - syn of: ***Glycymeris glycymeris*** (C. Linnaeus, 1758)
- **saggiecoheni**, ***Tucetona saggiecoheni***
- **savignyi**, *Glycymeris savignyi* P. Fischer, 1871 - syn of: ***Glycymeris arabica*** (C.B. Adams, 1871)
- **scalarisculpta**, ***Tucetona scalarisculpta*** K.L. Lamprell & T. Whitehead, 1990
- **scripta**, ***Glycymeris scripta*** (I. von Born, 1778)
- **scutulatus**, *Glycymeris scutulatus* R.A. Philippi, 1851 - syn of: ***Glycymeris flammea*** (L.A. Reeve, 1843)
- **septentrionalis**, ***Glycymeris septentrionalis*** (A.T. von Middendorff, 1849)
- **sericata**, ***Tucetona sericata*** (L.A. Reeve, 1843)
- **sericata**, *Glycymeris sericata* L.A. Reeve, 1843 - syn of: ***Tucetona sericata*** (L.A. Reeve, 1843)
- **setiger**, *Glycymeris setiger* N.H. Odhner, 1917 - syn of: ***Glycymeris tenuicostata*** (L.A. Reeve, 1843)
- **setiger**, *Tucetona setiger* N.H. Odhner, 1917 - syn of: ***Glycymeris tenuicostata*** (L.A. Reeve, 1843)
- **shinkurosensis**, ***Tucetona shinkurosensis***
- **shutoi**, ***Glycymeris shutoi*** A. Matsukuma, 1981
- **sibogae**, ***Tucetona sibogae*** A. Matsukuma, 1982
- **siculus**, *Glycymeris siculus* G.S. Poli, 1795 - syn of: ***Glycymeris bimaculata*** (G.S. Poli, 1795)
- **siculus**, *Glycymeris siculus* L.A. Reeve, 1843 - syn of: ***Glycymeris bimaculata*** (G.S. Poli, 1795)
- **sinkurosensis**, *Tucetona sinkurosensis* K.M. Hatai & T. Kotaka, 1952 - syn of: ***Tucetona shinkurosensis***
- **sinuata**, *Glycymeris sinuata* P.F. Röding, 1798 - syn of: ***Glycymeris decussata*** (C. Linnaeus, 1758)
- **sordida**, ***Tucetona sordida*** (R. Tate, 1891)

- **sordida**, Glycymeris sordida R. Tate, 1891 - syn of: [\*\*Tucetona sordida\*\*](#) (R. Tate, 1891)
- **spadiceus**, Glycymeris spadiceus L.A. Reeve, 1843 - syn of: [\*\*Glycymeris decussata\*\*](#) (C. Linnaeus, 1758)
- **spectralis**, [\*\*Glycymeris spectralis\*\*](#) D. Nicol, 1952
- **spurca**, [\*\*Glycymeris spurca\*\*](#) L.A. Reeve, 1843
- **spurca tenuicostata**, Glycymeris spurca tenuicostata L.A. Reeve, 1843 - syn of: [\*\*Glycymeris tenuicostata\*\*](#) (L.A. Reeve, 1843)
- **stellata**, [\*\*Glycymeris stellata\*\*](#) (J.G. Bruguère, 1789)
- **stellata mediterranea**, Glycymeris stellata mediterranea A. De Gregorio, 1892 - syn of: [\*\*Glycymeris bimaculata\*\*](#) (G.S. Poli, 1795)
- **stellata pervalida**, Glycymeris stellata pervalida A. De Gregorio, 1892 - syn of: [\*\*Glycymeris bimaculata\*\*](#) (G.S. Poli, 1795)
- **stellata umbonata**, Glycymeris stellata umbonata A. De Gregorio, 1892 - syn of: [\*\*Glycymeris bimaculata\*\*](#) (G.S. Poli, 1795)
- **stellata vovan**, [\*\*Glycymeris stellata vovan\*\*](#) É. Lamy, 1912
- **stellatus**, Glycymeris stellatus J.G. Bruguère, 1789 - syn of: [\*\*Glycymeris stellata\*\*](#) (J.G. Bruguère, 1789)
- **stellatus mediterranea**, Glycymeris stellatus mediterranea A. De Gregorio, 1892 - syn of: [\*\*Glycymeris bimaculata\*\*](#) (G.S. Poli, 1795)
- **striatoundata**, [\*\*Glycymeris striatoundata\*\*](#) A. Matsukuma, 1984
- **striatularis**, [\*\*Glycymeris striatularis\*\*](#) (J.B.P.A. Lamarck, 1819)
- **striatularis**, Glycymeris striatularis L.A. Reeve, 1843 - syn of: [\*\*Glycymeris modesta\*\*](#) (G.F. Angas, 1879)
- **striatularis suspectus**, Glycymeris striatularis suspectus T. Iredale, 1924 - syn of: [\*\*Glycymeris striatularis\*\*](#) (J.B.P.A. Lamarck, 1819)
- **striatulus**, Glycymeris striatulus E.M. Da Costa, 1778 - syn of: [\*\*Chamelea striatula\*\*](#) E.M. Da Costa, 1778
- **strigatus**, Glycymeris strigatus E.M. Da Costa, 1778 - syn of: [\*\*Venus verrucosa\*\*](#) C. Linnaeus, 1758
- **strigilata**, [\*\*Tucetona strigilata\*\*](#) (G.B. I Sowerby, 1833)
- **strigilata**, Glycymeris strigilata G.B. I Sowerby, 1833 - syn of: [\*\*Tucetona strigilata\*\*](#) (G.B. I Sowerby, 1833)
- **strigilata canoa**, [\*\*Tucetona strigilata canoa\*\*](#) H.A. Pilsbry & A.A. Olsson, 1941
- **strigilatus**, Glycymeris strigilatus G.B. I Sowerby, 1833 - syn of: [\*\*Tucetona strigilata\*\*](#) (G.B. I Sowerby, 1833)
- **subauritus**, Glycymeris subauritus J.B.P.A. Lamarck, 1801 - syn of: [\*\*Tucetona pectunculus\*\*](#) (C. Linnaeus, 1758)
- **subobsoleta**, Axinaea subobsoleta P.P. Carpenter, 1864 - syn of: [\*\*Glycymeris septentrionalis\*\*](#) (A.T. von Middendorff, 1849)
- **subobsoleta**, Glycymeris subobsoleta P.P. Carpenter, 1864 - syn of: [\*\*Glycymeris septentrionalis\*\*](#) (A.T. von Middendorff, 1849)
- **subpectiniformis**, [\*\*Tucetona subpectiniformis\*\*](#) (S. Nomura & N. Zinbo, 1934)
- **subtilis**, [\*\*Tucetona subtilis\*\*](#) D. Nicol, 1952
- **sulcatus**, Glycymeris sulcatus E.M. Da Costa, 1778 - syn of: [\*\*Astarte sulcata\*\*](#) (E.M. Da Costa, 1778)
- **taylori**, [\*\*Glycymeris taylori\*\*](#) (G.F. Angas, 1879)
- **taylorianus**, Glycymeris taylorianus J.C. Melvill & R. Standen, 1907 - syn of: [\*\*Glycymeris taylori\*\*](#) (G.F. Angas, 1879)
- **tegulicia**, [\*\*Tucetona tegulicia\*\*](#) (J.C. Melvill, 1898)
- **tellinaeformis**, [\*\*Glycymeris tellinaeformis\*\*](#) (L.A. Reeve, 1843)
- **tenuicostata**, [\*\*Glycymeris tenuicostata\*\*](#) (L.A. Reeve, 1843)
- **tesselata**, Glycymeris tesselata G.B. I Sowerby, 1833 - syn of: [\*\*Tucetona strigilata\*\*](#) (G.B. I Sowerby, 1833)
- **thackwayi**, Glycymeris thackwayi T. Iredale, 1931 - syn of: [\*\*Glycymeris striatularis\*\*](#) (J.B.P.A. Lamarck, 1819)
- **tomentosus**, Glycymeris tomentosus J.B.G.M. Bory De Saint-Vincent, 1827 - syn of: [\*\*Glycymeris glycymeris\*\*](#) (C. Linnaeus, 1758)
- **transversus**, Pectunculus transversus J.B.P.A. Lamarck, 1819 - syn of: [\*\*Glycymeris nummaria\*\*](#) (C. Linnaeus, 1758)
- **truncatus**, Glycymeris truncatus E.M. Da Costa, 1778 - syn of: [\*\*Irus irus\*\*](#) (C. Linnaeus, 1758)
- **tsugioi**, [\*\*Tucetona tsugioi\*\*](#) A. Matsukuma, 1984
- **tumida**, [\*\*Glycymeris formosa tumida\*\*](#) (P. Dautzenberg, 1906)
- **undata**, [\*\*Glycymeris undata\*\*](#) (C. Linnaeus, 1758)
- **undata**, Glycymeris undata C.O. Van Regteren Altena, 1971 - syn of: [\*\*Glycymeris marmorata\*\*](#) (J.F. Gmelin, 1791)
- **undulatus**, Glycymeris undulatus J.B.P.A. Lamarck, 1819 - syn of: [\*\*Glycymeris undata\*\*](#) (C. Linnaeus, 1758)
- **vanhengstumi**, [\*\*Glycymeris vanhengstumi\*\*](#) J. Goud & G.S. Gulden, 2009
- **variegatus**, Glycymeris variegatus D'Orbigny, 1853 - syn of: [\*\*Glycymeris undata\*\*](#) (C. Linnaeus, 1758)
- **velutina**, Glycymeris velutina H.H. Suter, 1908 - syn of: [\*\*Glycymeris modesta\*\*](#) (G.F. Angas, 1879)
- **vestita**, [\*\*Glycymeris vestita\*\*](#) R.W. Dunker, 1877
- **vetula**, Glycymeris vetula E.M. Da Costa, 1778 - syn of: [\*\*Lirophora paphia\*\*](#) (C. Linnaeus, 1767)
- **violacescens**, Glycymeris violacescens J.B.P.A. Lamarck, 1819 - syn of: [\*\*Glycymeris nummaria\*\*](#) (C. Linnaeus, 1758)
- **violacescens lactea**, Glycymeris violacescens lactea T.A. de M. Monterosato, 1889 - syn of: [\*\*Glycymeris nummaria\*\*](#) (C. Linnaeus, 1758)
- **violacescens pallida**, Glycymeris violacescens pallida M.E.J. Bucquoy, P. Dautzenberg & G.F. Dolffus, 1892 - syn of: [\*\*Glycymeris nummaria\*\*](#) (C. Linnaeus, 1758)
- **violacescens radiata**, Glycymeris violacescens radiata P.M. Pallary, 1900 - syn of: [\*\*Glycymeris nummaria\*\*](#) (C. Linnaeus, 1758)
- **violacescens solida**, Glycymeris violacescens solida M.E.J. Bucquoy, P. Dautzenberg & G.F. Dolffus, 1892 - syn of: [\*\*Glycymeris nummaria\*\*](#) (C. Linnaeus, 1758)
- **violacescens tumida**, Glycymeris violacescens tumida T.A. de M. Monterosato, 1892 - syn of: [\*\*Glycymeris nummaria\*\*](#) (C. Linnaeus, 1758)
- **violacescens typica**, Glycymeris violacescens typica T.A. de M. Monterosato, 1892 - syn of: [\*\*Glycymeris nummaria\*\*](#) (C. Linnaeus, 1758)
- **violascens**, Glycymeris violascens J.B.P.A. Lamarck, 1819 - syn of: [\*\*Glycymeris nummaria\*\*](#) (C. Linnaeus, 1758)
- **vitrea**, [\*\*Melaxinaea vitrea\*\*](#) (J.B.P.A. Lamarck, 1819)
- **vitrea**, Glycymeris vitrea J.B.P.A. Lamarck, 1819 - syn of: [\*\*Melaxinaea vitrea\*\*](#) (J.B.P.A. Lamarck, 1819)
- **vitrea**, Glycimeris vitrea K.E.I. von Eichwald, 1829 - syn of: [\*\*Adacna vitrea\*\*](#) (K.E.I. von Eichwald, 1829)
- **vovan**, [\*\*Glycymeris stellata vovan\*\*](#) É. Lamy, 1912
- **wagenwoorti**, Glycymeris wagenwoorti A. Lacourt, 1977 - syn of: [\*\*Glycymeris glycymeris\*\*](#) (C. Linnaeus, 1758)
- **yamakawai**, Glycymeris yamakawai M. Yokoyama, 1922 - syn of: [\*\*Glycymeris rotunda\*\*](#) (R.W. Dunker, 1882)
- **yessoensis**, [\*\*Glycymeris yessoensis\*\*](#) G.B. III Sowerby, 1886

- **zonalis**, *Pectunculus zonalis* J.B.P.A. Lamarck, 1819 - syn of: [\*\*Glycymeris nummaria\*\*](#) (C. Linnaeus, 1758)
-

Class: BIVALVIA

--- Clade: PTERIOMORPHIA-ARCOIDEA

----- Family: GLYCYMERIDIDAE Dall, 1908 (1847)

Habitat= Sea, Taxonomic order


Taxa=340, Genus=5, Subgenus=2, Species=113, Subspecies=3, Synonyms=216, Images=85

SubFamily: GLYCYMERIDINAE - Genus: **Axinactis** O.A.L. Mörch, 1861 (2 SP, 1 IMG)




5320250093  
**Axinactis**  
delessertii

(L.A. Reeve, 1843)  
Sharm el Sheikh, Egypt  
42 mm



5320250157  
**Axinactis**  
inaequalis

(G.B. I Sowerby, 1833)  
Galápagos



**synonyms:**

● Glycymeris assimilis G.B. I Sowerby, 1833

● Glycymeris inaequalis G.B. I Sowerby, 1833

SubFamily: GLYCYMERIDINAE - Genus: **Glycymeris** A. da Costa, 1778 (syn: Axinaea, Axinaeoderma, Axinia, Axinoderma, Grandaxinæa, Manaia, Pectuncultes, Pectunculopsis, Pectunculus, Pseudaxinæa, Tuceta, Veleutacea, Glycymeris, Axinola, Glycymerella, Petunculus - 66 SP, 49 IMG)



7038000003  
**Glycymeris**  
adenensis



(F.P. Jousseaume in É. Lamy, 1916)

No Georeferenced data available





5320004000  
**Glycymeris**  
albolineata

(C.E. Lischke, 1872)  
Belgium  
46 mm




5320000010  
**Glycymeris**  
americana

(J.L.M. Defrance, 1826)  
Panama  
100 mm



5320000015  
**Glycymeris**  
arabica

(C.B. Adams, 1871)  
Gulf of Aqaba  
14 mm



**synonyms:**

● Glycymeris savignyi P. Fischer, 1871



5320000020  
**Glycymeris**  
aspersa

(A. Adams & L.A. Reeve, 1850)  
East China Sea  
30 mm






5320250053  
**Glycymeris australis**

J.R.C. Quoy & J.P. Gaimard, 1832

New Caledonia  
50 mm



5320000025  
**Glycymeris bimaculata**

(G.S. Poli, 1795)

Almeria, Spain  
86 mm



**synonyms:**

- Arca bimaculata G.S. Poli, 1795
- Glycymeris bimaculata crassa F.C.L. Koch & P.M. Pallary in P.M. Pallary, 1900
- Glycymeris sculus L.A. Reeve, 1843
- Glycymeris stellata mediterranea A. De Gregorio, 1892
- Glycymeris stellata umbonata A. De Gregorio, 1892


- Pectunculus lineatus R.A. Philippi, 1836
- Glycymeris sculus G.S. Poli, 1795
- Glycymeris stellata perivalda A. De Gregorio, 1892
- Glycymeris stellatus mediterranea A. De Gregorio, 1892



5320250061  
**Glycymeris bouchei**

A. Matsukuma, 1984


Japan



5320000030  
**Glycymeris concentrica**

(R.W. Dunker, 1853)


Senegal  
25,5 mm



5320000035  
**Glycymeris connollyi**

J.R. le B. Tomlin, 1926

South Africa  
10 mm



**synonyms:**

- Glycymeris inaequalis C.F.F. von Krauss, 1848
- Glycymeris multistriata W.H. Turton, 1932

- Glycymeris kraussi K.H.J. Thiele & S.G.A. Jaeckel, 1931



7038000004  
**Glycymeris cotinga**

(T. Iredale, 1939)


No Georeferenced data available



5320000045  
**Glycymeris dampierensis**

A. Matsukuma, 1984

Port Hedland, Australia  
38,8 mm



5320000050  
**Glycymeris decussata**

(C. Linnaeus, 1758)

Bahamas  
30 mm




**synonyms:**

- *Glycymeris angulatus* J.B.P.A. Lamarck, 1819
- *Arca angulosa* J.F. Gmelin, 1791
- *Arca decussata* C. Linnaeus, 1758
- *Glycymeris sinuata* P.F. Röding, 1798
- *Glycymeris angulosa* J.F. Gmelin, 1791
- *Glycymeris pennaceus* J.B.P.A. Lamarck, 1819
- *Glycymeris spadiceus* L.A. Reeve, 1843





5320250101  
***Glycymeris exoleta***

C. Linnaeus, 1758  
Japan



5320250109  
***Glycymeris flammea***

(L.A. Reeve, 1843)  
Bass Strait, Australia  
64 mm



**synonyms:**

- *Glycymeris marmoratus* L.A. Reeve, 1843
- *Glycymeris scutulatus* R.A. Philippi, 1851




5320000055  
***Glycymeris formosa***

(L.A. Reeve, 1843)  
Cape Verde  
67 mm



5320250117  
***Glycymeris formosa tumida***

(P. Dautzenberg, 1906)  
Senegal  
35 mm




5320250125  
***Glycymeris fulgurata***

R.W. Dunker, 1877  
South China Sea  
35 mm





5320000060  
***Glycymeris gigantea***

(L.A. Reeve, 1843)  
Mexico, Baja California  
73 mm



5320000065  
***Glycymeris glycymeris***

(C. Linnaeus, 1758)  
Bozcaada Island, Turkey  
82 mm


**synonyms:**

- *Glycymeris dautzenbergi* A. De Gregorio, 1892
- *Glycymeris glycymeris bavayi* M.E.J. Bucquoy, P. Dautzenberg & G.F. Dollfus, 1891
- *Glycymeris glycymeris lineolata* P. Dautzenberg, 1893
- *Glycymeris glycymeris typica* T.A. de M. Monterosato, 1892
- *Pectunculus marmoratus* J.B.P.A. Lamarck, 1819
- *Glycymeris minima* W. Turton, 1819
- *Glycymeris pilosa* C. Linnaeus, 1767
- *Arca pulchella* J.F. Gmelin, 1791
- *Glycymeris rubens* J.B.P.A. Lamarck, 1819
- *Glycymeris wagenwoerti* A. Lacourt, 1977
- *Arca glycymeris* C. Linnaeus, 1758
- *Glycymeris glycymeris globosa* J.G. Jeffreys, 1869
- *Glycymeris glycymeris obscura* M.E.J. Bucquoy, P. Dautzenberg & G.F. Dollfus, 1891
- *Glycymeris glycymeris zigzag* P. Dautzenberg, 1893
- *Arca minima* W. Turton, 1819
- *Glycymeris orbicularis* E.M. Da Costa, 1778
- *Glycymeris pilosus tumida* M.E.J. Bucquoy, P. Dautzenberg & G.F. Dollfus, 1891
- *Glycymeris punctatus* P. Calcaria, 1840
- *Glycymeris tomentosus* J.B.G.M. Bory De Saint-Vincent, 1827



5320004060  
**Glycymeris grayana**

(R.W. Dunker, 1857)  
Lakes Entrance, Australia  
42,5 mm




**synonyms:**

- *Glycymeris flammeus* T. Iredale, 1931
- *Glycymeris kenyoniana* J.W. Brazier, 1897

no  
IMAGES  
available

5320004020  
**Glycymeris habei**

A. Matsukuma, 1984  
Japan



no  
IMAGES  
available

7038000005  
**Glycymeris hanleyi**


(G.F. Angas, 1879)

No Georeferenced data available

**EXTINCT  
SPECIES**


5320250133  
**Glycymeris hedleyi**

(É. Lamy, 1912)  
Australia, Mackay



5320004070  
**Glycymeris holoserica**

(L.A. Reeve, 1843)  
Dampier, West Australia  
34 mm



**synonyms:**


- *Glycymeris caledonica* J.C.H. Crosse, 1880
- *Glycymeris fringilla* G.F. Angas, 1872
- *Glycymeris novacaledoniensis* G.F. Angas, 1879

- *Glycymeris fringilla howensis* T. Iredale, 1939




5320250453  
**Glycymeris impasta**

(T. Iredale, 1939)  
Western Australia  
30 mm



5320250149  
**Glycymeris imperialis**


J.T. Kuroda, 1934  
Yellow Sea  
36 mm



no  
IMAGES  
available

7038000006  
**Glycymeris intermedia**

(W.J. Broderip, 1832)  
Peru



no  
IMAGES  
available

532000075  
**Glycymeris  
keenae**

G. Willett, 1944  
America

No Georeferenced data available

no  
IMAGES  
available

703800007  
**Glycymeris  
lamprelli**

M. Huber, 2010

No Georeferenced data available




5320250165  
**Glycymeris  
lineata**

A.A. Olsson, 1961  
Ecuador  
45 mm



5320250173  
**Glycymeris  
livida**

L.A. Reeve, 1843  
Somalia  
69 mm




**synonyms:**

- Glycymeris heroicus J.C. Melvill & R. Standen, 1907



532000095  
**Glycymeris  
longior**

(G.B. I Sowerby, 1833)  
Uruguay  
32 mm



**synonyms:**

- Glycymeris diaphorus W.H. Dall, 1916



5320250181  
**Glycymeris  
maculata**

(W.J. Broderip, 1832)  
Mexico, Guaymas Sonora



7038000008  
**Glycymeris  
marmorata**

(J.F. Gmelin, 1791)  
Bahamas



**synonyms:**

- Glycymeris hirtus R.A. Philippi, 1846
- Arca marmorata J.F. Gmelin, 1791

- Glycymeris undata C.O. Van Regteren Altena, 1971



5320250441  
**Glycymeris  
martini**

H.J. Finlay, 1927  
Philippines, Pandanan Island  
10 mm




**synonyms:**

- *Glycymeris orbicularis* K. Martin, 1887



5320004055  
***Glycymeris mayi***

B.C. Cotton, 1947  
South Australia  
14 mm




5320000105  
***Glycymeris modesta***

(G.F. Angas, 1879)  
New Zealand, Auckland  
16 mm


**synonyms:**

- *Glycymeris striatularis* L.A. Reeve, 1843
- *Glycymeris velutina* H.H. Suter, 1908




5320250449  
***Glycymeris morum***

(L.A. Reeve, 1843)  
Florida



5320250389  
***Glycymeris munda***

(G.B. III Sowerby, 1903)  
Japan, Nagasaki

**synonyms:**


- *Barbatia munda* G.B. III Sowerby, 1903
- *Pectunculus mundus* G.B. III Sowerby, 1903

- *Tucetona planicostata* T. Habe, 1961



5320000070  
***Glycymeris nummaria***

(C. Linnaeus, 1758)  
Spain, Malaga  
68 mm

**synonyms:**

- *Pectunculus cor* J.B.P.A. Lamarck, 1805
- *Arca insubrica* G.B. Brocchi, 1814
- *Pectunculus nudicardia* J.B.P.A. Lamarck, 1819
- *Pectunculus obliquatus* A.G. de Rayneval & G. Ponzi, 1854
- *Pectunculus purpurascens* M' Andrew, 1854
- *Pectunculus transversus* J.B.P.A. Lamarck, 1819
- *Glycymeris violacezens lactea* T.A. de M. Monterosato, 1889
- *Glycymeris violacezens radiata* P.M. Pallary, 1900
- *Glycymeris violacezens tumida* T.A. de M. Monterosato, 1892
- *Glycymeris violascens* J.B.P.A. Lamarck, 1819

- *Cardium gaditanum* J.F. Gmelin, 1791
- *Glycymeris insubrica* G.B. Brocchi, 1814
- *Arca nummaria* C. Linnaeus, 1758
- *Pectunculus pilosellus* A. Riss, 1826
- *Pectunculus reticulatus* A. Riss, 1826
- *Glycymeris violacezens* J.B.P.A. Lamarck, 1819
- *Glycymeris violacezens pallida* M.E.J. Bucquoy, P. Dautzenberg & G.F. Dolfus, 1892
- *Glycymeris violacezens solidia* M.E.J. Bucquoy, P. Dautzenberg & G.F. Dolfus, 1892
- *Glycymeris violacezens typica* T.A. de M. Monterosato, 1892
- *Pectunculus zonalis* J.B.P.A. Lamarck, 1819





5320250229  
***Glycymeris ovata***

(W.J. Broderip, 1832)  
Peru  
43 mm



5320004035  
***Glycymeris persimilis***

(T. Iredale, 1939)  
Low Point, West Australia  
47,2 mm



no  
IMAGES  
available

5320004040  
**Glycymeris**  
**pertusa**  
(L.A. Reeve, 1843)

No Georeferenced data available



no  
IMAGES  
available  
to be checked

5320250261  
**Glycymeris**  
**philippiae**  
P.M. Pallary, 1912  
Europe

No Georeferenced data available






5320250405  
**Glycymeris**  
**pilsbryi**  
(M. Yokoyama, 1920)  
Japan, Wakayama  
23,4 mm




no  
IMAGES  
available

5320004045  
**Glycymeris**  
**queenslandica**  
C. Hedley, 1906  
Australia, Victoria



5320000130  
**Glycymeris**  
**queketti**  
(G.B. III Sowerby, 1897)  
South Africa  
77,9 mm



5320000135  
**Glycymeris**  
**radians**  
(J.B.P.A. Lamarck, 1819)  
New Caledonia



7184000028  
**Glycymeris**  
**rafaelmesai**  
F. Nolf & F. Swinnen, 2013  
Canary Islands, Lanzarote  
47,2 mm



5320000140  
**Glycymeris**  
**reevei**  
(C. Mayer, 1868)  
Philippines, Cebu  
38 mm



synonyms:

- *Glycymeris perdx* L.A. Reeve, 1843



5320000145  
**Glycymeris rotunda**

(R.W. Dunker, 1882)

East China Sea  
29,1 mm



**synonyms:**

- *Glycymeris nipponicus* M. Yokoyama, 1920

- *Glycymeris yamakawai* M. Yokoyama, 1922



7038000002  
**Glycymeris scripta**

(I. von Born, 1778)

Senegal  
62 mm



**synonyms:**



- *Arca scripta* I. von Born, 1778



5320000150  
**Glycymeris septentrionalis**

(A.T. von Middendorff, 1849)

Puget Sound, Washington



**synonyms:**

- *Glycymeris coalingensis* R. Arnold, 1910
- *Glycymeris conradi* W.H. Dall, 1909
- *Glycymeris gabbi* W.H. Dall, 1909
- *Glycymeris guadalupensis* A.M. Strong, 1938
- *Glycymeris larvata* G.D. Hanna, 1924
- *Glycymeris profunda* W.H. Dall, 1878
- *Axinea subobsoleta* P.P. Carpenter, 1864


- *Glycymeris corteziana* W.H. Dall, 1916
- *Glycymeris grewingki* W.H. Dall, 1909
- *Glycymeris kaschewarowi* Grawingk, 1850
- *Glycymeris miguelana* W.H. Dall, 1916
- *Glycymeris subobsoleta* P.P. Carpenter, 1864



5320250293  
**Glycymeris shutoi**

A. Matsukuma, 1981




Japan  
33 mm



5320000155  
**Glycymeris spectralis**

D. Nicol, 1952


Palm Beach, Florida



5320250301  
**Glycymeris spurca**

L.A. Reeve, 1843


Japan, Okinawa



5320000160  
**Glycymeris stellata**

(J.G. Bruguère, 1789)

Senegal  
54,5 mm



**synonyms:**


- *Arca stellata* J.G. Bruguère, 1789
- *Venus stellata* J.F. Gmelin, 1791

- *Glycymeris stellatus* J.G. Bruguère, 1789



7038000001  
**Glycymeris**  
**stellata**  
vovan  
É. Lamy, 1912

Senegal  
60 mm



5320250309  
**Glycymeris**  
**striatoundata**


A. Matsukuma, 1984  
Australia

No Georeferenced data available



5320000165  
**Glycymeris**  
**striatularis**

(J.B.P.A. Lamarck, 1819)  
Kuwait  
47,8 mm



**synonyms:**

- *Glycymeris fossa* T. Iredale, 1931
- *Glycymeris penilevis* B.C. Cotton, 1930
- *Glycymeris thackwayi* T. Iredale, 1931

- *Glycymeris obliquus* L.A. Reeve, 1843
- *Glycymeris striatularis suspectus* T. Iredale, 1924



5320250451  
**Glycymeris**  
**taylori**

(G.F. Angas, 1879)

No Georeferenced data available



5320250445  
**Glycymeris**  
**tellinaeformis**



(L.A. Reeve, 1843)

No Georeferenced data available



5320250421  
**Glycymeris**  
**tenuicostata**

(L.A. Reeve, 1843)  
South Australia  
36 mm



**synonyms:**

- *Tucetilla capricornae* C. Hedley, 1906
- *Tucetona capricornae* C. Hedley, 1906
- *Glycymeris capricornae intervenens* T. Iredale, 1939
- *Tucetona crebreliatus* G.B. Sowerby, 1889
- *Tucetona mertoni* C.R. Böttger, 1918
- *Tucetona setiger* N.H. Odhner, 1917

- *Glycymeris capricornae* C. Hedley, 1906
- *Tucetilla capricornae intervenens* T. Iredale, 1939
- *Glycymeris crebreliatus* G.B. Sowerby, 1889
- *Glycymeris mertoni* C.R. Böttger, 1918
- *Glycymeris setiger* N.H. Odhner, 1917
- *Glycymeris spurca tenuicostata* L.A. Reeve, 1843



5320000185  
**Glycymeris**  
**undata**

(C. Linnaeus, 1758)  
Bahamas  
25 mm




**synonyms:**

- *Glycymeris aequilatera* J.F. Gmelin, 1791
- *Glycymeris lineatus* L.A. Reeve, 1847
- *Arca undata* C. Linnaeus, 1758
- *Glycymeris variegatus* D'Orbigny, 1853


- *Glycymeris castaneus* J.B.P.A. Lamarck, 1819
- *Glycymeris pulcherrima* G.F. Angas, 1879
- *Glycymeris undulatus* J.B.P.A. Lamarck, 1819



5320250455  
**Glycymeris vanhengstumi**  
J. Goud & G.S. Gulden, 2009  
Canary Islands  
26 mm



5320000190  
**Glycymeris vestita**  
R.W. Dunker, 1877  
South China Sea  
29 mm



5320000200  
**Glycymeris yessoensis**  
G.B. III Sowerby, 1886  
East China Sea  
39 mm





**synonyms:**

- *Glycymeris rotunda yessoensis* G.B. III Sowerby, 1886

SubFamily: GLYCYMERIDINAE - **Genus: Melaxinæa** T. Iredale, 1930 (syn: *Melanaxinæa* - 1 SP, 1 IMG)



532000195  
**Melaxinæa vitrea**  
(J.B.P.A. Lamarck, 1819)  
Australia, Keppel Bay  
42 mm



**synonyms:**


- *Glycymeris angasi* J.C.H. Crosse, 1880
- *Melaxinæa litoralis* T. Iredale, 1931
- *Glycymeris novaguineensis* G.F. Angas, 1879

- *Melaxinæa labyrintha* T. Iredale, 1930
- *Glycymeris litoralis* T. Iredale, 1931
- *Glycymeris vitrea* J.B.P.A. Lamarck, 1819

SubFamily: GLYCYMERIDINAE - **Genus: Tucetilla** T. Iredale, 1939 (3 SP, 2 IMG)



5320000000  
**Tucetilla amamiensis**  
J.T. Kuroda, 1930  
Philippines, Aliguay Island  
14,1 mm



5320250085  
**Tucetilla crebrilirata**  
G.B. Sowerby, 1889  
Broome, Australia  
29,4 mm



5320250442  
**Tucetilla maudensis**  
(A.C. Chapman & F.A. Singleton, 1925)


No Georeferenced data available

SubFamily: GLYCYMERIDINAE - **Genus: Tucetona** T. Iredale, 1931 (syn: *Tucetile*, *Tucetopsis*, *Bellaxinæa* - 41 SP, 32 IMG)




5320250025  
**Tucetona  
angusticosta**

K.L. Lamprell & T. Whitehead, 1990  
West Australia



5320004010  
**Tucetona  
arcudentiens**

(W.H. Dall, 1895)  
Oahu, Hawaii  
24 mm



**synonyms:**


- Glycymeris arcudentiens W.H. Dall, 1895
- Tucetona mauia W.H. Dall, P. Bartsch & H.A. Rehder, 1938

- Glycymeris mauia W.H. Dall, P. Bartsch & H.A. Rehder, 1938



5320250237  
**Tucetona  
audouini**

A. Matsukuma, 1984  
Mozambique, Inhaca Island  
31 mm



**synonyms:**

- Pectunculus audouini F.P. Jousseaume in É. Lamy, 1916
- Tucetona pectunculus audouini A. Matsukuma, 1984



7038000010  
**Tucetona  
aureomaculata**




(G.F. Angas, 1879)

No Georeferenced data available




5320250000  
**Tucetona  
auriflua**

(L.A. Reeve, 1843)  
Philippines, Calituban Island  
42 mm





7038000011  
**Tucetona  
bicolor**

(L.A. Reeve, 1843)  
Ecuador, Guayaquil




5320250357  
**Tucetona  
broadfooti**

(T. Iredale, 1929)  
South Australia  
17 mm



5320004015  
**Tucetona  
diomedea**

(W.H. Dall, P. Bartsch,  
& H.A. Rehder, 1938)  
Hawaii  
32 mm



**synonyms:**


- Glycymeris oahuia W.H. Dall, P. Bartsch & H.A. Rehder, 1938
- Tucetona oahuia W.H. Dall, P. Bartsch & H.A. Rehder, 1938



5320250005  
**Tucetona flabellata**

(J.E. Tenison-Woods, 1878)

South Australia  
42,1 mm



**synonyms:**

- Glycymeris beddomei E.A. Smith, 1885
- Tucetona beddomei E.A. Smith, 1885
- Glycymeris orbicularis G.F. Angas, 1879


- Glycymeris flabellata J.E. Tenison-Woods, 1878
- Tucetona pectinoides J.C. Verco, 1907



5320250030  
**Tucetona gealei**

(G.F. Angas, 1873)

South Australia, Corny Point  
30,3 mm



**synonyms:**

- Tucetona cardiformis C. Hedley, 1906
- Tucetona hoylei superior T. Iredale, 1939



- Glycymeris gealei G.F. Angas, 1873
- Pectunculus robustus G.B. III Sowerby, 1883



5320004005  
**Tucetona guesi**

(F.P. Jousseaume, 1895)

Persian Gulf  
35 mm



**synonyms:**

- Glycymeris guesi F.P. Jousseaume, 1895
- Tucetona maskatensis J.C. Melvill, 1897



- Glycymeris maskatensis J.C. Melvill, 1897
- Glycymeris muskatensis J.C. Melvill, 1897



5320250373  
**Tucetona hanzawai**

(S. Nomura & N. Zinbo, 1934)

Philippines, Balicasag Island  
11,1 mm



**synonyms:**



- Tucetona hanzawai S. Nomura & N. Zinbo, 1934



5320250010  
**Tucetona hoylei**

(J.C. Melvill & R. Standen, 1899)

Philippines, Siquijor  
14,3 mm



7038000014  
**Tucetona isabellae**

P.H. Valentich-Scott,  
& E.A.R. Garfinkle, 2011


Mexico, Baja California  
14,5 mm



5320250446  
**Tucetona kauaiia**

(W.H. Dall, P. Bartsch,  
& H.A. Rehder, 1938)

Hawaii, Kauai




**synonyms:**


- Glycymeris kona W.H. Dall, P. Bartsch & H.A. Rehder, 1938

5320250381  
**Tucetona****kilburni**

A. Matsukuma, 1984

Natal, South Africa  
46 mm5320000085  
**Tucetona****laticostata**

(J.R.C. Quoy &amp; J.P. Gaimard, 1835)

New Zealand, Ruakaka  
70,6 mm**synonyms:**

- Petunculus laticostata J.R.C. Quoy & J.P. Gaimard, 1835
- Petunculus ovatus J.R.C. Quoy & J.P. Gaimard, 1835
- Glycymeris roseus L.A. Reeve, 1843



- Glycymeris magnificens T. Iredale, 1929
- Glycymeris ovatus J.R.C. Quoy & J.P. Gaimard, 1835

5320250448  
**Tucetona****mindorensis**

(E.A. Smith, 1916)

**No Georeferenced data available**5320004025  
**Tucetona****molokaia**(W.H. Dall, P. Bartsch,  
& H.A. Rehder, 1938)

Hawaii, Mokai

5320250325  
**Tucetona****montrouzieri**

(G.F. Angas, 1872)

China

**No Georeferenced data available**5320000110  
**Tucetona****multicostata**

(G.B. I Sowerby, 1833)

Mexico, Baja California  
30,6 mm**synonyms:**


- Glycymeris cardiformis G.F. Angas, 1879
- Glycymeris multicostatus G.B. I Sowerby, 1833
- Glycymeris raripectus L.A. Reeve, 1843

- Glycymeris parcipectus L.A. Reeve, 1843

5320250397  
**Tucetona****nodosa**

(L.A. Reeve, 1843)

Sri Lanka

5320004030  
**Tucetona****nux**(W.H. Dall, P. Bartsch,  
& H.A. Rehder, 1938)

Hawaii



no  
IMAGES  
available

5320250444  
**Tucetona**  
**oculata**


(L.A. Reeve, 1843)

No Georeferenced data available

no  
IMAGES  
available

5320250035  
**Tucetona**  
**odhneri**

T. Iredale, 1939  
Dampier, West Australia



7038000015  
**Tucetona**  
**pallium**

(L.A. Reeve, 1843)  
Tanzania  
11 mm



5320000115  
**Tucetona**  
**pectinata**

(J.F. Gmelin, 1791)  
Bahamas  
18 mm



**synonyms:**



- Glycymeris pectinata J.F. Gmelin, 1791
- Glycymeris pectinatus J.F. Gmelin, 1791

- Glycymeris pectinatus carinatus W.H. Dall, 1886



5320000120  
**Tucetona**  
**pectunculus**

(C. Linnaeus, 1758)  
Papua New Guinea  
46 mm



**synonyms:**


- Glycymeris amboinensis J.F. Gmelin, 1791
- Glycymeris pectiniformis J.B.P.A. Lamarck, 1819
- Arca pectunculus C. Linnaeus, 1758

- Tucetona amboinensis extra T. Iredale, 1939
- Glycymeris pectunculus C. Linnaeus, 1758
- Glycymeris subauritus J.B.P.A. Lamarck, 1801



5320250452  
**Tucetona**  
**planata**

(G. Nevill & H. Nevill, 1874)  
Bantayan Island, Philippines



**synonyms:**



- Tucetona clarki D. Nicol, 1951
- Melaxinaea planata G. Nevill & H. Nevill, 1874

- Glycymeris planata G. Nevill & H. Nevill, 1874



5320250333  
**Tucetona**  
**prashadi**

(D. Nicol, 1951)  
Japan




**synonyms:**


- Melaxinaea dautzenbergi B. Prashad, 1932
- Glycymeris prashadi D. Nicol, 1951





7184000034  
**Tucetona saggiecoheni**  
G.T. Poppe, S.P. Tagaro,  
& P. Stahlschmidt, 2015  
Philippines, Bohol  
35 mm



5320250040  
**Tucetona scalarisculpta**  
K.L. Lamprell & T. Whitehead, 1990  
West Australia



5320250285  
**Tucetona sericata**  
(L.A. Reeve, 1843)  
Florida  
27 mm




**synonyms:**

- Glycymeris gordoni G.W. Nowell-Usticke, 1959
- Glycymeris sericata L.A. Reeve, 1843



5320250413  
**Tucetona shinkurosensis**  
K.M. Hatai, H. Niino,  
& T. Kotaka in H. Niino, 1952  
Philippines, Aligay Island  
21,4 mm



**synonyms:**



- Tucetona sinkurosensis K.M. Hatai & T. Kotaka, 1952



5320250015  
**Tucetona sibogae**  
A. Matsukuma, 1982  
Philippines, Bohol Island  
17,5 mm



5320250045  
**Tucetona sordida**  
(R. Tate, 1891)  
South Australia, Adelaide  
32,7 mm



**synonyms:**

- Tucetona insignis H.A. Pilsby, 1906

- Glycymeris sordida R. Tate, 1891



5320000170  
**Tucetona strigilata**  
(G.B. I Sowerby, 1833)  
Mexico, Manzanillo  
27 mm



**synonyms:**

- Tucetona chemnitzii W.H. Dall, 1909
- Pectunculus minor D'Orbigny, 1846
- Tucetona pectinoides G.P. Deshayes, 1843
- Glycymeris strigilata G.B. I Sowerby, 1833
- Glycymeris tessellata G.B. I Sowerby, 1833


- Glycymeris chemnitzii W.H. Dall, 1909
- Pectunculus pectenoides L.A. Reeve, 1843
- Pectunculus pectinoides G.P. Deshayes, 1843
- Glycymeris strigilatus G.B. I Sowerby, 1833



5320250069  
**Tucetona**  
**strigilata**  
**canoa**

H.A. Pilsby & A.A. Olson, 1941

Panama West  
22,7 mm



5320250341  
**Tucetona**  
**subpectiniformis**

(S. Nomura & N. Zinbo, 1934)

Indo-Pacific


No Georeferenced data available



5320000180  
**Tucetona**  
**subtilis**

D. Nicol, 1956

Bahamas  
10,1 mm



7038000016  
**Tucetona**  
**tegulicia**

(J.C. Melvill, 1898)


No Georeferenced data available




5320250429  
**Tucetona**  
**tsugioi**

A. Matsukuma, 1984

Philippines, Sulu Sea  
42,7 mm



# Family: GLYCYMERIDIDAE



red squares show where each species has been georeferenced

each square has a size of 2 degrees

an interactive version of this image can be accessed at

<http://www.bagniliggia.it/WMSD/FamilyMap/GLYCYMERIDIDAEmap.htm>

please note that this is not the complete coverage of this family  
the Data Base is not exhaustive and only one specimen per species has been georeferenced

this map is only the graphic summary of the WMSDB Data Base up to now

the total number of georeferenced species in this map is: 99 from a total of 116