


# WMSDB - Worldwide Mollusc Species Data Base

---



## Family: NATICIDAE

---

Author: Claudio Galli - [claudio@bagniliggia.it](mailto:claudio@bagniliggia.it) (updated 13/apr/2017)

**Class: GASTROPODA****--- Taxon Tree: CAENOGASTROPODA-LITTORINIMORPHA-NATICOIDEA****----- Family: NATICIDAE** Guiding, 1834 (Sea)- Alphabetic order - when **first name** is in bold the species has images  
DB counters=1835, Genus=58, Subgenus=7, Species=908, Subspecies=39, Synonyms=822, Images=561

- **abducta**, [\*\*Sigatica abducta\*\*](#) (Deshayes, 1864) † (**FOSSIL**)
- **abyssalis**, [\*\*Eunaticina abyssalis\*\*](#) Simone, 2014
- **abyssicola**, [\*\*Euspira abyssicola\*\*](#) (Smith, 1896)
- **abyssicola**, Natica abyssicola Smith, 1896 - syn of: [\*\*Euspira abyssicola\*\*](#) (Smith, 1896)
- **acerva**, [\*\*Tahunacca acerva\*\*](#) (Laws, 1933) † (**FOSSIL**)
- **achatensis**, [\*\*Euspira achatensis\*\*](#) (Récluz, 1838) † (**FOSSIL**)
- **acinonyx**, [\*\*Natica acinonyx\*\*](#) Marche-Marchad, 1957
- **acosmita**, Cryptonatica acosmita Dal, 1919 - syn of: [\*\*Cryptonatica affinis\*\*](#) (Gmelin, 1791)
- **acuminatus**, Sigaretus acuminatus Adams & Reeve, 1850 - syn of: [\*\*Conuber conicum\*\*](#) (Lamarck, 1822)
- **acuta**, Natica acuta Philippi, 1845 - syn of: [\*\*Tectonatica impervia\*\*](#) (Philippi, 1845)
- **acuticallosa**, [\*\*Natica acuticallosa\*\*](#) McNeil, 1984 † (**FOSSIL**)
- **acynonyx**, Natica acynonyx Marche-Marchad, 1957 - syn of: [\*\*Natica acinonyx\*\*](#) Marche-Marchad, 1957
- **adamsiana**, [\*\*Tectonatica adamsiana\*\*](#) (Dunker, 1861)
- **adansonii**, [\*\*Natica adansonii\*\*](#) Blainville, 1825
- **adducta**, [\*\*Natica adducta\*\*](#) Phillips, 1829 † (**FOSSIL**)
- **adducta globata**, [\*\*Natica adducta globata\*\*](#) Hudleston, 1892 † (**FOSSIL**)
- **adorfensis**, [\*\*Natica adorfensis\*\*](#) Holzapfel, 1882 † (**FOSSIL**)
- **adspersa**, Natica adspersa Menke, 1830 - syn of: [\*\*Naticarius hebraeus\*\*](#) (Martyn, 1786)
- **aegyptica**, Polinices aegyptica Pallary, 1913 - syn of: [\*\*Neverita josephinia\*\*](#) (Risso, 1826)
- **affinis**, [\*\*Cryptonatica affinis\*\*](#) (Gmelin, 1791)
- **affinis bathybi**, Cryptonatica affinis bathybi Friese, 1879 - syn of: [\*\*Cryptonatica bathybi\*\*](#) (Friese, 1879)
- **affinis operculata**, Cryptonatica affinis operculata Jeffreys, 1885 - syn of: [\*\*Cryptonatica operculata\*\*](#) (Jeffreys, 1885)
- **affinis vittata**, Natica affinis vittata Jeffreys, 1877 - syn of: [\*\*Cryptonatica affinis\*\*](#) (Gmelin, 1791)
- **africana**, Natica africana Bartsch, 1915 - syn of: [\*\*Natica queketti\*\*](#) Sowerby, 1894
- **africana**, [\*\*Eunaticina africana\*\*](#) Fernandes & Burnay, 1984
- **africanum**, [\*\*Sinum africanum\*\*](#) Newton, 1922 † (**FOSSIL**)
- **agujana**, [\*\*Euspira agujana\*\*](#) (Dal, 1908)
- **agujanus**, Euspira agujanus Dal, 1908 - syn of: [\*\*Euspira agujana\*\*](#) (Dal, 1908)
- **agulhasae**, Choristes agulhasae Clarke, 1961 - syn of: [\*\*Choristella agulhasae\*\*](#) (Clarke, 1961)
- **agulhasae argentinae**, Choristes agulhasae argentinae Clarke, 1961 - syn of: [\*\*Trenchia argentinae\*\*](#) (Clarke, 1961)
- **agulhasensis**, [\*\*Natica agulhasensis\*\*](#) Thiele, 1925
- **aimei**, Natica aimei Jousseaume, 1884 - syn of: [\*\*Natica bouvieri\*\*](#) Jousseaume, 1883
- **alabaster**, Natica alabaster Reeve, 1855 - syn of: [\*\*Polinices intemeratus\*\*](#) Philippi, 1851
- **alacris**, Uberella alacris Del, 1956 - syn of: [\*\*Neverita aulacoglossa\*\*](#) (Pilsbry & Vanatta, 1909)
- **alapapilionis**, [\*\*Naticarius alapapilionis\*\*](#) (Röding, 1798)
- **alapapilionis**, [\*\*Natica alapapilionis\*\*](#) Chemnitz, 1781 † (**FOSSIL**)
- **alapapilionis plicifera**, [\*\*Naticarius alapapilionis plicifera\*\*](#) Philippi, 1850
- **alazana**, [\*\*Natica alazana\*\*](#) Cooke, 1928 † (**FOSSIL**)
- **alba**, Polinices alba Gray, 1827 - syn of: [\*\*Polinices peselephanti\*\*](#) (Link, 1807)
- **albertii**, [\*\*Tectonatica albertii\*\*](#) Robba, Pedriali & Quaggiotto, 2016 † (**FOSSIL**)
- **albifasciata**, [\*\*Natica albifasciata\*\*](#) Liu, 1977
- **albospira**, [\*\*Natica albospira\*\*](#) Smith, 1895
- **albosutura**, [\*\*Eunaticina albosutura\*\*](#) Verco, 1909
- **albosutura**, Eunaticina albosutura Verco, 1909 - syn of: [\*\*Eunaticina albosutura\*\*](#) Verco, 1909
- **albula**, Natica albula Récluz, 1851 - syn of: [\*\*Polinices mammilla\*\*](#) (Linnaeus, 1758)
- **albula**, Natica albula Röding, 1798 - syn of: [\*\*Natica spadicea\*\*](#) (Gmelin, 1791)
- **albumen**, [\*\*Polinices albumen\*\*](#) (Linnaeus, 1758)
- **albus**, [\*\*Polinices albus\*\*](#) Monfort, 1810 † (**FOSSIL**)
- **albus**, Polinices albus Montfort, 1810 - syn of: [\*\*Polinices mammilla\*\*](#) (Linnaeus, 1758)
- **alderi**, Natica alderi Forbes, 1838 - syn of: [\*\*Euspira nitida\*\*](#) (Donovan, 1804)
- **alderi elata**, Natica alderi elata Bucquoy, Dautzenberg & Dollfus, 1883 - syn of: [\*\*Euspira nitida\*\*](#) (Donovan, 1804)
- **alderi globulosa**, Natica alderi globulosa Bucquoy, Dautzenberg & Dollfus, 1883 - syn of: [\*\*Euspira nitida\*\*](#) (Donovan, 1804)
- **alderi lactea**, Natica alderi lactea Jeffreys, 1867 - syn of: [\*\*Euspira nitida\*\*](#) (Donovan, 1804)
- **alderi subovalis**, Natica alderi subovalis Jeffreys, 1867 - syn of: [\*\*Euspira nitida\*\*](#) (Donovan, 1804)
- **alderi ventricosa**, Natica alderi ventricosa Jeffreys, 1867 - syn of: [\*\*Euspira nitida\*\*](#) (Donovan, 1804)
- **aldingensis**, [\*\*Friginatica aldingensis\*\*](#) (Tate, 1893) † (**FOSSIL**)
- **aleutica**, [\*\*Cryptonatica aleutica\*\*](#) (Dal, 1919)
- **alfredensis**, Natica alfredensis Bartsch, 1915 - syn of: [\*\*Tectonatica tecta\*\*](#) (Anton, 1838)
- **algida**, Cryptonatica algida Gould, 1848 - syn of: [\*\*Cryptonatica affinis\*\*](#) (Gmelin, 1791)
- **allani**, [\*\*Carinacca allani\*\*](#) (Marwick, 1924) † (**FOSSIL**)
- **alleryana**, Polinices alleryana Sullootti, 1889 - syn of: [\*\*Euspira intricata\*\*](#) (Donovan, 1804)
- **alleryana**, Payraudeautia alleryana Sullootti, 1889 - syn of: [\*\*Euspira intricata\*\*](#) (Donovan, 1804)
- **altavillensis**, [\*\*Tectonatica burtoni altavillensis\*\*](#) Robba, Pedriali & Quaggiotto (**FOSSIL**)
- **althusii**, Natica althusii Klipstein, 1843 † - syn of: [\*\*Hologrypa cassiana\*\*](#) (Wissmann, 1841) † (**FOSSIL**)
- **alticallosa**, [\*\*Natica alticallosa\*\*](#) Dall, 1892 † (**FOSSIL**)
- **altonensis**, Natica altonensis McChesney, 1865 † - syn of: [\*\*Jedria ventrica\*\*](#) (Norwood & Pratten, 1855) † (**FOSSIL**)
- **altus**, Polinices altus Arnold, 1903 - syn of: [\*\*Neverita reclusiana\*\*](#) (Deshayes, 1839)
- **alveatus**, [\*\*Polinices alveatus\*\*](#) (Troschel, 1852)
- **amabilis**, Natica amabilis Locard, 1897 - syn of: [\*\*Euspira subplicata\*\*](#) (Jeffreys, 1885)

- amamiensis, [\*\*Natica amamiensis\*\*](#) Kuroda, 1928
- ambigua, [\*\*Falsilunatia ambigua\*\*](#) (Suter, 1913)
- americanus, [\*\*Gyrodes americanus\*\*](#) (Wade, 1926) † (**FOSSIL**)
- amiculatus, [\*\*Polinices amiculatus\*\*](#) (Philippi, 1849)
- amini, [\*\*Sigaretopsis amini\*\*](#) Awad & Abed, 1967 † (**FOSSIL**)
- amphiala, [\*\*Falsilunatia amphiala\*\*](#) (Watson, 1881)
- amphiala, Lunatia amphiala Suter, 1909 - syn of: [\*\*Uberella vitrea\*\*](#) (Hutton, 1873)
- ampla, [\*\*Neverita didyma ampla\*\*](#) Philippi
- ampliata, Natica ampliata Phillips, 1836 † - syn of: [\*\*Naticopsis ampliata\*\*](#) (Phillips, 1836) † (**FOSSIL**)
- ampullaria, Natica ampullaria Lamarck, 1822 - syn of: [\*\*Euspira heros\*\*](#) (Say, 1822)
- andersoni, Amauropsis andersoni Streb, 1906 - syn of: [\*\*Amauropsis anderssoni\*\*](#) (Streb, 1906)
- anderssoni, [\*\*Amauropsis anderssoni\*\*](#) (Streb, 1906)
- andoi, [\*\*Cryptonatica andoi\*\*](#) Nomura, 1935
- angolensis, [\*\*Natica fulminea angolensis\*\*](#) Gmelin
- angulata, Euspira angulata Jeffreys, 1885 - syn of: [\*\*Euspira fusca\*\*](#) (Blainville, 1825)
- angusta, Natica angusta Münster, 1841 † - syn of: [\*\*Pachyomphalus angustus\*\*](#) (Münster, 1841) † (**FOSSIL**)
- angyglossa, [\*\*Natica angyglossa\*\*](#) Cossmann & Peyrot, 1921 † (**FOSSIL**)
- anosyensis, [\*\*Natica anosyensis\*\*](#) Bozzetti, 2010
- antarcticus, Sigaretus antarcticus Couthouy, 1852 - syn of: [\*\*Lamellaria perspicua\*\*](#) (Linnaeus, 1758)
- antarctidia, [\*\*Euspira antarctidia\*\*](#) Stiwell & al., 2004 † (**FOSSIL**)
- anteaustrale, [\*\*Proxiuber anteaustrale\*\*](#) Powell, 1938 † (**FOSSIL**)
- antiacca, [\*\*Naticarius antiacca\*\*](#) (Woodring, 1928) † (**FOSSIL**)
- antillarum, Sinum antillarum Récluz, 1851 - syn of: [\*\*Sinum perspectivum\*\*](#) Say, 1831
- antinacca, [\*\*Naticarius canrena antinacca\*\*](#) Cossmann (**FOSSIL**)
- antiqua, [\*\*Neverita antiqua\*\*](#) (Sacco, 1890) † (**FOSSIL**)
- antiqua, Natica antiqua Goldfuss, 1844 † - syn of: [\*\*Paffrathopsis antiqua\*\*](#) (Goldfuss, 1844) † (**FOSSIL**)
- antisensis, [\*\*Natica antisensis\*\*](#) D'Orbigny, 1842 † (**FOSSIL**)
- antonii, Natica antonii Philippi, 1851 - syn of: [\*\*Notocochlis qualteriana\*\*](#) (Récluz, 1844)
- aperta, Natica aperta Lovén, 1846 - syn of: [\*\*Bulbus smithii\*\*](#) Brown in Smith, 1839
- aperta, Natica aperta Lovén, 1847 - syn of: [\*\*Bulbus smithii\*\*](#) Brown in Smith, 1839
- aperta, [\*\*Natica aperta\*\*](#) Whitfield, 1865 † (**FOSSIL**)
- aperta normalis, Natica aperta normalis Middendorff, 1851 - syn of: [\*\*Bulbus normalis\*\*](#) (Middendorff, 1851)
- apertissima, [\*\*Natica apertissima\*\*](#) Smith, 1906
- apiculus, [\*\*Microlinices apiculus\*\*](#) Simone, 2014
- apora, [\*\*Amauropsis apora\*\*](#) (Watson, 1881)
- approximata, [\*\*Magnatica approximata\*\*](#) (Suter, 1917) † (**FOSSIL**)
- aquensis, [\*\*Sinum aquensis\*\*](#) Récluz, 1843 † (**FOSSIL**)
- aquensis longotriangula, Sigaretus aquensis longotriangula Sacco, 1891 † - syn of: [\*\*Sinum patulum\*\*](#) (Grateloup, 1847) † (**FOSSIL**)
- aquensis perinflata, Sigaretus aquensis perinflata Sacco, 1890 † - syn of: [\*\*Sinum perinflatum\*\*](#) (Sacco, 1890) † (**FOSSIL**)
- aquensis praecedens, Sigaretus aquensis praecedens Sacco, 1891 † - syn of: [\*\*Sinum patulum\*\*](#) (Grateloup, 1847) † (**FOSSIL**)
- aquensis taurinensis, Sigaretus aquensis taurinensis Sacco, 1891 † - syn of: [\*\*Sinum patulum\*\*](#) (Grateloup, 1847) † (**FOSSIL**)
- aquitanica, [\*\*Natica aquitanica\*\*](#) Tournouer, 1873 † (**FOSSIL**)
- aquitanica, Natica aquitanica Tournouér, 1873 † - syn of: [\*\*Natica crassiuscula\*\*](#) Grateloup, 1847 † (**FOSSIL**)
- aquitanica lunata, [\*\*Natica aquitanica lunata\*\*](#) Mayer, 1895 † (**FOSSIL**)
- arachnoidea, [\*\*Natica arachnoidea\*\*](#) (Gmelin, 1791)
- arachnoidea, Natica arachnoidea Lamarck, 1822 - syn of: [\*\*Natica fulminea\*\*](#) (Gmelin, 1791)
- arata, Natica arata Tate, 1893 † - syn of: [\*\*Globisinum pritchardi\*\*](#) (Cossmann, 1907) † (**FOSSIL**)
- arenularia, [\*\*Amauropsina arenularia\*\*](#) (Vasseur, 1882) † (**FOSSIL**)
- areolata, [\*\*Tanea areolata\*\*](#) (Récluz, 1844)
- arepa, [\*\*Mammilla arepa\*\*](#) Landau & Marques da Silva, 2010 † (**FOSSIL**)
- argillacea, [\*\*Natica argillacea\*\*](#) Wrigley † (**FOSSIL**)
- argus, [\*\*Natica argus\*\*](#) Kittl, 1892 † (**FOSSIL**)
- arroyoensis, [\*\*Tejonia arroyoensis\*\*](#) Griffin & Pastorino, 2013 † (**FOSSIL**)
- articulata, Natica articulata Philippi, 1852 - syn of: [\*\*Naticarius alapapilionis\*\*](#) (Röding, 1798)
- articulatus, [\*\*Naticarius articulatus\*\*](#) (Philippi, 1852)
- asagaiensis, [\*\*Neverita asagaiensis\*\*](#) Makiyama, 1934 † (**FOSSIL**)
- asellus, Natica asellus Reeve, 1855 - syn of: [\*\*Notocochlis qualteriana\*\*](#) (Récluz, 1844)
- asheri, [\*\*Glossaulax asheri\*\*](#) Petuch, 1988 † (**FOSSIL**)
- ashiyaensis, Euspira ashiyaensis Nagao, 1928 † - syn of: [\*\*Euspira meisensis\*\*](#) Makiyama, 1926 † (**FOSSIL**)
- astensis, [\*\*Tectonatica astensis\*\*](#) (Sacco, 1891) † (**FOSSIL**)
- astrictum, [\*\*Proxiuber astrictum\*\*](#) Marwick, 1965 † (**FOSSIL**)
- atricapilla, [\*\*Pliconacca atricapilla\*\*](#) (Martin, 1884) † (**FOSSIL**)
- atrocyanea, Natica atrocyanea Philippi, 1845 - syn of: [\*\*Natica limbata\*\*](#) D'Orbigny, 1837
- atrocyanea, Natica atrocyanea Philippi, 1845 - syn of: [\*\*Natica limbata\*\*](#) D'Orbigny, 1837
- atypha, [\*\*Natica buriaensis atypha\*\*](#) Watson
- aulacoglossa, [\*\*Neverita aulacoglossa\*\*](#) (Pilsby & Vanatta, 1909)
- aulacoglossa, Polinices aulacoglossa Pilsby & Vanatta, 1909 - syn of: [\*\*Neverita aulacoglossa\*\*](#) (Pilsby & Vanatta, 1909)
- aurantia, Natica aurantia Röding, 1798 - syn of: [\*\*Polinices aurantius\*\*](#) Lamarck, 1822
- aurantius, [\*\*Polinices aurantius\*\*](#) Lamarck, 1822
- aureolutea, [\*\*Amauropsis aureolutea\*\*](#) Streb, 1908
- aureozona, Natica aureozona Tomlin, 1921 - syn of: [\*\*Tectonatica tecta\*\*](#) (Anton, 1838)
- auriformis, [\*\*Eunaticina auriformis\*\*](#) (Marwick, 1924) † (**FOSSIL**)
- auriformis, [\*\*Cochlis epiglottina auriformis\*\*](#) Koenen (**FOSSIL**)

- australis, [\*\*\*Proxiuber australe\*\*\*](#) (Hutton, 1878)
- ayresi, [\*\*\*Polinices ayresi\*\*\*](#) Gabriel, 1962
- bacca, [\*\*\*Taniella bacca\*\*\*](#) (Marwick, 1924) † (**FOSSIL**)
- baconi, Natica baconi Reeve, 1855 - syn of: [\*\*\*Conuber incei\*\*\*](#) (Philippi, 1853)
- bahamensis, Polinices bahamensis Dall, 1925 - syn of: [\*\*\*Sigatica semisulcata\*\*\*](#) (Gray, 1839)
- bahamiensis, Polinices bahamiensis Dall, 1925 - syn of: [\*\*\*Sigatica semisulcata\*\*\*](#) (Gray, 1839)
- bahiensis, Natica bahiensis Récluz, 1850 - syn of: [\*\*\*Polinices hepaticus\*\*\*](#) (Röding, 1798)
- bahiensis, Polinices bahiensis Récluz, 1850 - syn of: [\*\*\*Polinices hepaticus\*\*\*](#) (Röding, 1798)
- balteata, Natica balteata Sowerby, 1914 - syn of: [\*\*\*Notocochlis qualteriana\*\*\*](#) (Récluz, 1844)
- balteatella, [\*\*\*Conuber balteatella\*\*\*](#) (Tate, 1893) † (**FOSSIL**)
- bandongensis, [\*\*\*Natica bandongensis\*\*\*](#) Martin, 1879 † (**FOSSIL**)
- barrierensis, [\*\*\*Uberella barrierensis\*\*\*](#) (Marwick, 1924)
- barroisi, Natica barroisi Philippi, 1887 † - syn of: [\*\*\*Glossaulax pachystoma\*\*\*](#) (Hupé, 1854) † (**FOSSIL**)
- bathybius, [\*\*\*Cryptonatica bathybius\*\*\*](#) (Friele, 1879)
- bathybius, Natica bathybius Friele, 1879 - syn of: [\*\*\*Cryptonatica bathybius\*\*\*](#) (Friele, 1879)
- bathyora, [\*\*\*Sigatica semisulcata bathyora\*\*\*](#) Woodring
- bathyora, Sigatica bathyora Woodring, 1928 - syn of: [\*\*\*Sigatica semisulcata bathyora\*\*\*](#) (Woodring, 1928)
- bathyraphe, [\*\*\*Sigatica bathyraphe\*\*\*](#) (Pilsbry, 1911)
- bayeri, Natica bayeri Rehder, 1986 - syn of: [\*\*\*Natica tedbayeri\*\*\*](#) Rehder, 1986
- beatriceae, [\*\*\*Sinum beatriceae\*\*\*](#) Palmer, 1937 † (**FOSSIL**)
- beaumonti, [\*\*\*Stigmulaux beaumonti\*\*\*](#) Rutsch, 1934 † (**FOSSIL**)
- becksii, [\*\*\*Natica becksii\*\*\*](#) Klipstein, 1843 † (**FOSSIL**)
- beddomei, [\*\*\*Friginatica beddomei\*\*\*](#) Johnston, 1885
- benecki, Natica benecki Koenen, 1882 † - syn of: [\*\*\*Cochlis neglecta\*\*\*](#) (Mayer, 1858) † (**FOSSIL**)
- benoisti, [\*\*\*Natica benoisti\*\*\*](#) Cossmann & Peyrot, 1921 † (**FOSSIL**)
- benthicola, [\*\*\*Falsilunaria benthicola\*\*\*](#) (Dell, 1990)
- benthovus, [\*\*\*Microlinices benthovus\*\*\*](#) Simone, 2014
- bernardii, [\*\*\*Mammilla bernardii\*\*\*](#) (Récluz, 1851)
- berwerthi, [\*\*\*Natica berwerthi\*\*\*](#) Kittl, 1892 † (**FOSSIL**)
- beverlii, Cryptonatica beverlii Leach, 1819 - syn of: [\*\*\*Cryptonatica affinis\*\*\*](#) (Gmelin, 1791)
- bibalteata, [\*\*\*Natica bibalteata\*\*\*](#) Sowerby, 1914
- bicincta, Natica bicincta Récluz, 1850 - syn of: [\*\*\*Mammilla melanostomoides\*\*\*](#) (Quoy & Gaimard, 1832)
- bicincta, Cryptonatica bicincta Schrenck, 1867 - syn of: [\*\*\*Cryptonatica hirasei\*\*\*](#) (Pilsbry, 1905)
- bicolor, Natica bicolor Philippi, 1849 - syn of: [\*\*\*Glossaulax petiveriana\*\*\*](#) (Récluz, 1843)
- bifasciatum, [\*\*\*Sinum bifasciatum\*\*\*](#) (Récluz, 1851)
- bifasciatum, Sinum bifasciatum Récluz, 1851 - syn of: [\*\*\*Sinum bifasciatum\*\*\*](#) (Récluz, 1851)
- bifasciatus, [\*\*\*Polinices bifasciatus\*\*\*](#) (Gray, 1833)
- bilix, [\*\*\*Sinum bilix\*\*\*](#) Conrad, 1833 † (**FOSSIL**)
- bioperculata, Kerguelenatica bioperculata Dell, 1990 - syn of: [\*\*\*Kerguelenatica delicatula\*\*\*](#) (Smith, 1902)
- bituberculata, [\*\*\*Payraudeautia bituberculata\*\*\*](#) Robba, Pedriali & Quaggiotto, 2016 † (**FOSSIL**)
- blaesus, [\*\*\*Polinices blaesus\*\*\*](#) Marwick, 1929 † (**FOSSIL**)
- plainvillei, [\*\*\*Natica plainvillei\*\*\*](#) Deshayes † (**FOSSIL**)
- blaizensis, [\*\*\*Polinices blaizensis\*\*\*](#) Kilburn, 1976
- boettgeri, [\*\*\*Sigatica boettgeri\*\*\*](#) Meyer & Aldrich, 1886 † (**FOSSIL**)
- bolivarensis, [\*\*\*Glossaulax bolivarensis\*\*\*](#) Clark & Durham, 1946 † (**FOSSIL**)
- bolus, [\*\*\*Natica bolus\*\*\*](#) Brown & Pilsbry, 1913 † (**FOSSIL**)
- bonplandi, Natica bonplandi Valenciennes, 1832 - syn of: [\*\*\*Hypteria helicoides\*\*\*](#) (Gray, 1825)
- borealis, Natica borealis Gray, 1839 - syn of: [\*\*\*Euspira pallida\*\*\*](#) (Broderip & Sowerby, 1829)
- borellense, [\*\*\*Sinum borellense\*\*\*](#) Robba, Pedriali & Quaggiotto, 2016 † (**FOSSIL**)
- borrelloii, [\*\*\*Notocochlis borrelloii\*\*\*](#) (Brunet, 1995) † (**FOSSIL**)
- bougei, Natica bougei Prigent, 1985 - syn of: [\*\*\*Tectonatica venustula\*\*\*](#) (Philippi, 1851)
- bougei, Tectonatica bougei Sowerby, 1908 - syn of: [\*\*\*Tectonatica venustula\*\*\*](#) (Philippi, 1851)
- bourguignati, Natica bourguignati Récluz, 1852 - syn of: [\*\*\*Natica fulminea\*\*\*](#) (Gmelin, 1791)
- bouvieri, [\*\*\*Natica bouvieri\*\*\*](#) Jousseaume, 1883
- brachya, Natica brachya Locard, 1897 - syn of: [\*\*\*Amauropsis brassiculina\*\*\*](#) (Locard, 1897)
- bransfieldensis, [\*\*\*Amauropsis bransfieldensis\*\*\*](#) (Preston, 1916)
- brassiculina, [\*\*\*Amauropsis brassiculina\*\*\*](#) (Locard, 1897)
- briarti, [\*\*\*Euspira briarti\*\*\*](#) Koenen, 1885 † (**FOSSIL**)
- brocchiana, Natica brocchiana Philippi, 1851 - syn of: [\*\*\*Euspira fusca\*\*\*](#) (Blainville, 1825)
- broderipi, [\*\*\*Natica broderipi\*\*\*](#) Récluz, 1844
- brunea, Natica brunea Laube, 1868 † - syn of: [\*\*\*Fedaiella neritacea\*\*\*](#) (Münster, 1841) † (**FOSSIL**)
- brunnea, Natica brunnea Link, 1807 - syn of: [\*\*\*Polinices hepaticus\*\*\*](#) (Röding, 1798)
- brunnea, Natica brunnea Link, 1807 - syn of: [\*\*\*Polinices hepaticus\*\*\*](#) (Röding, 1798)
- brunnea, Polinices brunnea Link, 1807 - syn of: [\*\*\*Polinices hepaticus\*\*\*](#) (Röding, 1798)
- brunneolinea, [\*\*\*Natica brunneolinea\*\*\*](#) McLean, 1970
- brunoi, Natica brunoi Bernard, 1983 - syn of: [\*\*\*Natica rubromaculata\*\*\*](#) Smith, 1872
- buccinoides, [\*\*\*Natica buccinoides\*\*\*](#) D'Orbigny, 1842 † (**FOSSIL**)
- bulbulus, [\*\*\*Natica bulbulus\*\*\*](#) White, 1887 † (**FOSSIL**)
- bullula, Natica bullula Locard, 1897 - syn of: [\*\*\*Amauropsis brassiculina\*\*\*](#) (Locard, 1897)
- burdigalensis, [\*\*\*Natica burdigalensis\*\*\*](#) Mayer, 1864 † (**FOSSIL**)
- buriasiensis, [\*\*\*Natica buriasiensis\*\*\*](#) Récluz, 1844
- buriasiensis atypa, [\*\*\*Natica buriasiensis atypa\*\*\*](#) Watson, 1881
- burnupi, Natica burnupi Smith, 1903 - syn of: [\*\*\*Notocochlis qualteriana\*\*\*](#) (Récluz, 1844)

- burtoni, [\*\*Tectonatica burtoni\*\*](#) Robba, Pedriali & Quaggiotto, 2016 † (**FOSSIL**)
- burtoni altavillensis, [\*\*Tectonatica burtoni altavillensis\*\*](#) Robba, Pedriali & Quaggiotto, 2016 † (**FOSSIL**)
- cabrerai, [\*\*Natica cabrerai\*\*](#) Kase & Shigeta, 2000
- caillati, [\*\*Natica caillati\*\*](#) Deshayes, 1864 † (**FOSSIL**)
- cailliaudii, Natica cailliaudii Récluz, 1850 - syn of: [\*\*Naticarius onca\*\*](#) (Röding, 1798)
- cainalli, Natica cainalli Stoppani, 1857 † - syn of: [\*\*Hologrypha fastigiata\*\*](#) (Stoppani, 1857) † (**FOSSIL**)
- californicum, Sinum californicum Oldroyd, 1917 - syn of: [\*\*Sinum scopulosum\*\*](#) Conrad, 1849
- callosa, [\*\*Natica callosa\*\*](#) Scopoli, 1777
- callosior, [\*\*Natica callosior\*\*](#) Martin, 1879 † (**FOSSIL**)
- caloramans, [\*\*Amauropsis caloramans\*\*](#) Maury, 1912 † (**FOSSIL**)
- calvimontana, [\*\*Neverita calvimontana\*\*](#) Deshayes, 1864 † (**FOSSIL**)
- campechiensis, Natica campechiensis Reeve, 1855 - syn of: [\*\*Neverita duplicatus\*\*](#) (Say, 1822)
- campechiensis, Natica campechiensis Récluz, 1843 - syn of: [\*\*Neverita duplicatus\*\*](#) (Say, 1822)
- canadensis, [\*\*Gyrodes canadensis\*\*](#) Whiteaves, 1903 † (**FOSSIL**)
- canaliculata, Amauropsis canaliculata Gould, 1840 - syn of: [\*\*Amauropsis islandica\*\*](#) (Gmelin, 1791)
- canalizonalis, [\*\*Natica canalizonalis\*\*](#) Brown & Pilsbry, 1913 † (**FOSSIL**)
- canariensis, [\*\*Natica canariensis\*\*](#) Odhner, 1932
- cancellata, Naticaria cancellata Swainson, 1840 - syn of: [\*\*Eunatina papilla\*\*](#) (Gmelin, 1791)
- cancellatus, [\*\*Stigmulaux cancellatus\*\*](#) (Hermann, 1781)
- candida, Natica candida Wood, 1825 - syn of: [\*\*Naticarius onca\*\*](#) (Röding, 1798)
- candidissima, Natica candidissima Récluz, 1851 - syn of: [\*\*Polinices lacteus\*\*](#) Gilding, 1834
- candidissimus, [\*\*Polinices candidissimus\*\*](#) (Le Guillou, 1842)
- candidula, [\*\*Natica candidula\*\*](#) Smith, 1895
- caneloensis, [\*\*Natica caneloensis\*\*](#) Hertlein & Strong, 1955
- canonica, Euspira canonica Dall, 1919 - syn of: [\*\*Euspira pallida\*\*](#) (Broderip & Sowerby, 1829)
- canrena, [\*\*Naticarius canrena\*\*](#) (Linnaeus, 1758)
- canrena, Natica canrena Linnaeus, 1758 - syn of: [\*\*Naticarius canrena\*\*](#) (Linnaeus, 1758)
- canrena antinacca, [\*\*Naticarius canrena antinacca\*\*](#) Cossmann, 1924 † (**FOSSIL**)
- canrena verae, [\*\*Naticarius canrena verae\*\*](#) Rehder, 1947
- caparona, Polinices caparona Maury, 1925 † - syn of: [\*\*Polinices stanislasmeunieri\*\*](#) Maury, 1917 † (**FOSSIL**)
- caprae, [\*\*Mammilla caprae\*\*](#) Philippi, 1850
- caprae, Polinices caprae Philippi, 1852 - syn of: [\*\*Mammilla caprae\*\*](#) Philippi, 1850
- caractica, [\*\*Sigatica caractica\*\*](#) Gardner, 1947 † (**FOSSIL**)
- carcellesi, [\*\*Falsilunatia carcellesi\*\*](#) (Dall, 1990)
- caribaea, Natica caribaea Philippi, 1851 - syn of: [\*\*Polinices lacteus\*\*](#) Gilding, 1834
- carinatus, Sinum carinatus Münster, 1841 † - syn of: [\*\*Temnotropis carinata\*\*](#) (Münster, 1841) † (**FOSSIL**)
- carinifera, Natica carinifera Koch, 1852 - syn of: [\*\*Cochlis vittata\*\*](#) (Gmelin, 1791)
- carleyana, Natica carleyana Hall, 1856 † - syn of: [\*\*Naticopsis carleyana\*\*](#) (Hall, 1856) † (**FOSSIL**)
- carolanum, [\*\*Sinum carolanum\*\*](#) Speiker, 1922 † (**FOSSIL**)
- carolinensis, [\*\*Sigatica carolinensis\*\*](#) Dall, 1889
- caroliniana, [\*\*Polinices caroliniana\*\*](#) (Conrad, 1841) † (**FOSSIL**)
- carpenteri, [\*\*Benthobulbus carpenteri\*\*](#) (Dall, 1896)
- carpenteri, Notocochlis carpenteri Dall, 1896 - syn of: [\*\*Benthobulbus carpenteri\*\*](#) (Dall, 1896)
- caseyi, [\*\*Natica caseyi\*\*](#) McNeil, 1984 † (**FOSSIL**)
- castanea, Natica castanea Lamarck, 1822 - syn of: [\*\*Euspira catena\*\*](#) (Da Costa, 1778)
- castrenoides, [\*\*Natica castrenoides\*\*](#) Woordring, 1928 † (**FOSSIL**)
- castrensis, [\*\*Natica castrensis\*\*](#) Dall, 1889
- castrensis perlineata, Natica castrensis perlineata Dall, 1889 - syn of: [\*\*Natica perlineata\*\*](#) Dall, 1889
- catena, [\*\*Euspira catena\*\*](#) (Da Costa, 1778)
- catena ampullinoides, Natica catena ampullinoides Sacco, 1890 † - syn of: [\*\*Pliconacca plicatulaeformis\*\*](#) (Kittl, 1887) † (**FOSSIL**)
- catena conico, Natica catena conico Jeffreys, 1867 - syn of: [\*\*Euspira catena\*\*](#) (Da Costa, 1778)
- catena hemiclausa, [\*\*Euspira catena hemiclausa\*\*](#) (Sowerby, 1824) † (**FOSSIL**)
- catena protracta, [\*\*Euspira catena protracta\*\*](#) (Eichwald, 1830) † (**FOSSIL**)
- catenata, Natica catenata Locard, 1886 - syn of: [\*\*Euspira catena\*\*](#) (Da Costa, 1778)
- catenata, Natica catenata Philippi, 1853 - syn of: [\*\*Natica grayi\*\*](#) Philippi, 1852
- catenata, Natica catenata Philippi, 1853 - syn of: [\*\*Natica grayi\*\*](#) Philippi, 1852
- catenoides, [\*\*Euspira catenoides\*\*](#) (Wood, 1842) † (**FOSSIL**)
- catenoides, [\*\*Polinices catenoides\*\*](#) May, 1919
- catenoides, Natica catenoides Wood, 1842 † - syn of: [\*\*Euspira catenoides\*\*](#) (Wood, 1842) † (**FOSSIL**)
- catulli, [\*\*Natica catulli\*\*](#) Klipstein, 1843 † (**FOSSIL**)
- caurina, Natica caurina Gould, 1847 - syn of: [\*\*Euspira pallida\*\*](#) (Broderip & Sowerby, 1829)
- cayennensis, [\*\*Stigmulaux cayennensis\*\*](#) (Récluz, 1850)
- cepacea, [\*\*Cepatia cepacea\*\*](#) (Lamarck, 1804) † (**FOSSIL**)
- cepaciformis, Natica cepaciformis Oppenheim, 1896 † - syn of: [\*\*Crommium cepaciforme\*\*](#) (Oppenheim, 1896) † (**FOSSIL**)
- cernica, [\*\*Notocochlis cernica\*\*](#) (Jousseaume, 1874)
- cerovaensis, [\*\*Polinices cerovaensis\*\*](#) Harzhauser & al., 2011 † (**FOSSIL**)
- chaperi, Natica chaperi Bayan, 1870 † - Syn of: [\*\*Ampullina acuta\*\*](#) (Lamarck, 1804) † (**FOSSIL**)
- chattonensis, [\*\*Polinices chattonensis\*\*](#) (Marwick, 1924) † (**FOSSIL**)
- checchii, [\*\*Sigaretotrema checchii\*\*](#) Robba, Pedriali & Quaggiotto, 2016 † (**FOSSIL**)
- chemnitzi, [\*\*Notocochlis chemnitzi\*\*](#) (Pfeiffer, 1840)
- chemnitzi, Natica chemnitzi Récluz, 1843 - syn of: [\*\*Neverita didyma\*\*](#) (Röding, 1798)
- chemnitzi, Natica chemnitzi Reeve, 1855 - syn of: [\*\*Neverita aulacoglossa\*\*](#) (Pilsbry & Vanatta, 1909)
- chesapeakensis, [\*\*Sinum chesapeakensis\*\*](#) Campbell, 1993 † (**FOSSIL**)

- **chiloensis**, *Natica chiloensis* Philippi, 1887 † (**FOSSIL**)
- **chinensis**, *Natica chinensis* Lamarck, 1822 - syn of: *Naticarius onca* (Röding, 1798)
- **chipolana**, *Neverita chipolana* Dall, 1892 † (**FOSSIL**)
- **chipolanum**, *Sinum chipolanum* Dall, 1892 † (**FOSSIL**)
- **choshiensis**, *Lunatia choshiensis* Tiba, 1985 - syn of: *Euspira pallida* (Broderip & Sowerby, 1829)
- **chulucana**, *Euspira chulucana* Olsson, 1931 † (**FOSSIL**)
- **cicatricella**, *Pliconacca cicatricella* (Marwick, 1965) † (**FOSSIL**)
- **cicatrix**, *Pliconacca cicatrix* (Marwick, 1931) † (**FOSSIL**)
- **cincta**, *Eunaticina cincta* Hutton, 1885 - Syn of: *Eunaticina papilla* (Gmelin, 1791)
- **cincta**, *Natica cincta* Récluz, 1850
- **cinensis**, *Natica cinensis* Stoppani, 1857 † - syn of: *Neritaria papilio* (Stoppani, 1857) † (**FOSSIL**)
- **cinnamomea**, *Natica cinnamomea* Menke, 1830 - syn of: *Natica fasciata* Röding, 1798
- **cirriformis**, *Euspira cirriformis* (J. de C. Sowerby, 1824) † (**FOSSIL**)
- **citrinus**, *Polinices citrinus* (Philippi, 1851)
- **clarkeana**, *Sigatica clarkeana* Aldrich, 1887 † (**FOSSIL**)
- **clarkensis**, *Sigaticus clarkensis* Aldrich, 1911 † (**FOSSIL**)
- **clarki**, *Natica clarki* Etherington, 1931 † (**FOSSIL**)
- **clathratum**, *Sinum clathratum* (Gmelin, 1790) † (**FOSSIL**)
- **clathratum deshayesi**, *Sinum clathratum deshayesi* (Michelotti, 1847) † (**FOSSIL**)
- **clathratum levesqui**, *Sinum clathratum levesqui* Deshayes, 1864 † (**FOSSIL**)
- **claudiae**, *Darwinices claudiae* Griffin & Pastorino, 2013 † (**FOSSIL**)
- **claudiae**, *Sigatica claudiae* Robba, Pedriali & Quaggiotto, 2016 † (**FOSSIL**)
- **clausa**, *Natica clausa* Broderip & Sowerby, 1829 - syn of: *Cryptonatica affinis* (Gmelin, 1791)
- **clausa**, *Natica clausa* Broderip & Sowerby, 1829 - syn of: *Cryptonatica affinis* (Gmelin, 1791)
- **clausa depressior**, *Natica clausa depressior* Middendorff, 1851 - syn of: *Cryptonatica affinis* (Gmelin, 1791)
- **clausa elatior**, *Natica clausa elatior* Middendorff, 1849 - syn of: *Cryptonatica affinis* (Gmelin, 1791)
- **clausa minor**, *Natica clausa minor* Philippi, 1852 - syn of: *Cryptonatica affinis* (Gmelin, 1791)
- **clausa normalis**, *Natica clausa normalis* Middendorff, 1849 - syn of: *Cryptonatica affinis* (Gmelin, 1791)
- **clausiformis**, *Natica clausiformis* Oyama, 1969 - syn of: *Cryptonatica affinis* (Gmelin, 1791)
- **clausiformis**, *Tectonatica clausiformis* Oyama, 1969 - syn of: *Cryptonatica affinis* (Gmelin, 1791)
- **clavata**, *Natica clavata* Sowerby, 1883 - Syn of: *Polinices peselephantii* (Link, 1807)
- **cleistopsila**, *Polinices cleistopsila* Barnard, 1963
- **clementensis**, *Euspira clementensis* Hanna, 1927 † (**FOSSIL**)
- **clementina**, *Natica clementina* D'Orbigny, 1842 † - syn of: *Ampullospira clementina* (D'Orbigny, 1842) † (**FOSSIL**)
- **clifdenensis**, *Magnatica clifdenensis* Finlay, 1926 † (**FOSSIL**)
- **cliftonensis**, *Natica cliftonensis* Clark, 1895 † (**FOSSIL**)
- **coani**, *Benthobulbus coani* (Marincovich, 1975)
- **coani**, *Amauroopsis coani* Marincovich, 1975 - syn of: *Benthobulbus coani* (Marincovich, 1975)
- **coani**, *Choristes coani* Marincovich, 1975 - syn of: *Benthobulbus coani* (Marincovich, 1975)
- **coarctata**, *Eunaticina coarctata* Reeve, 1864 - syn of: *Eunaticina papilla* (Gmelin, 1791)
- **cocleana**, *Natica youngi cocleana* Olsson
- **coensis**, *Polinices coensis* (Dall, 1903) † (**FOSSIL**)
- **coensis**, *Dallitesta coensis* Dall, 1903 † - syn of: *Polinices coensis* (Dall, 1903) † (**FOSSIL**)
- **coensis**, *Polinices coensis* Mansfield, 1930 † (**FOSSIL**)
- **colima**, *Natica colima* Strong & Hertlein, 1937
- **collaria**, *Natica collaria* Lamarck, 1822 - Syn of: *Natica collaris* Link, 1804
- **collaris**, *Natica collaris* Link, 1804
- **colliei**, *Naticarius colliei* (Récluz, 1844)
- **columnaris**, *Polinices columnaris* Récluz, 1844 - syn of: *Polinices peselephantii* (Link, 1807)
- **columnaris**, *Natica columnaris* Récluz, 1850 - syn of: *Polinices peselephantii* (Link, 1807)
- **compacta**, *Natica compacta* Jeffreys, 1885 - syn of: *Euspira fusca* (Blainville, 1825)
- **complanata**, *Natica complanata* Locard, 1886 - syn of: *Euspira nitida* (Donovan, 1804)
- **compressa**, *Euspira compressa* Waring, 1917 † (**FOSSIL**)
- **concavoperculata**, *Natica concavoperculata* Liu, 1977
- **concavum**, *Sinum concavum* Lamarck, 1822
- **concinnus**, *Naticarius concinnus* Dunker, 1859
- **conicum**, *Conuber conicum* (Lamarck, 1822)
- **conicus**, *Polinices conicus* Lamarck, 1822 - syn of: *Conuber conicum* (Lamarck, 1822)
- **conjuncta**, *Friginatica conjuncta* Del, 1953 - syn of: *Falsilunatia amphiala* (Watson, 1881)
- **conradiana**, *Natica conradiana* Gabb, 1864 † (**FOSSIL**)
- **consimilis**, *Polinices consimilis* Thering, 1907 † (**FOSSIL**)
- **consimilis**, *Tectonatica consimilis* Robba, Pedriali & Quaggiotto, 2016 † (**FOSSIL**)
- **consobrina**, *Euspira consobrina* Deshayes, 1864 † (**FOSSIL**)
- **consolidata**, *Cryptonatica consolidata* Couthouy, 1838 - syn of: *Cryptonatica affinis* (Gmelin, 1791)
- **consortis**, *Tanea consortis* (Finlay, 1924) † (**FOSSIL**)
- **constanti**, *Polinices constanti* Huelsken & Holmann, 2012
- **constricta**, *Euspira constricta* Dall, 1908
- **cora**, *Polinices cora* (D'Orbigny, 1840)
- **corallina**, *Natica corallina* Damon, 1860 † (**FOSSIL**)
- **corimbensis**, *Cochlis vittata corimbensis* Fernández & Rolán
- **cornea**, *Natica cornea* Möller, 1842 - syn of: *Amauroopsis islandica* (Gmelin, 1791)
- **cornea**, *Natica cornea* Röding, 1798 - syn of: *Natica spadicea* (Gmelin, 1791)
- **cornelia**, *Natica cornelia* Laube, 1867 † - syn of: *Naricopsis cornelia* (Laube, 1867) † (**FOSSIL**)

- **coronis**, *Natica coronis* Hanna & Israelsky, 1925 † - syn of: [\*\*\*Polinices stanislasmeunieri\*\*\*](#) Maury, 1917 † (**FOSSIL**)
- **cortezi**, *Sinum cortezi* Burch & Burch, 1964 - syn of: [\*\*\*Sinum grayi\*\*\*](#) Deshayes, 1843
- **costulata**, *Natica costulata* Quoy & Gaimard, 1833 - syn of: [\*\*\*Eunaticina papilla\*\*\*](#) (Gmelin, 1791)
- **cothurnata**, *Tanea cothurnata* Iredale, 1929 - syn of: [\*\*\*Tanea euzona\*\*\*](#) (Rödluz, 1844)
- **cothurnata**, *Notocochlis cothurnata* Iredale, 1936 - syn of: [\*\*\*Tanea sagittata\*\*\*](#) (Menke, 1843)
- **coticazae**, [\*\*\*Neverita didyma coticazae\*\*\*](#) Makiyama
- **couteaudi**, [\*\*\*Natica couteaudi\*\*\*](#) Rochebrune & Mabille, 1885
- **coxi**, [\*\*\*Natica coxi\*\*\*](#) Mukerjee, 1939 † (**FOSSIL**)
- **craccoi**, [\*\*\*Cochlis craccoi\*\*\*](#) Robba, Pedriali & Quaggiotto, 2016 † (**FOSSIL**)
- **crassa**, [\*\*\*Natica crassa\*\*\*](#) Nyst, 1843 † (**FOSSIL**)
- **crassa**, *Natica crassa* Schepman, 1909 - syn of: [\*\*\*Natica arachnoidea\*\*\*](#) (Gmelin, 1791)
- **crassatella**, *Natica crassatella* Locard, 1886 - syn of: [\*\*\*Euspira intricata\*\*\*](#) (Donovan, 1804)
- **crassatella**, *Polinices crassatella* Locard, 1886 - syn of: [\*\*\*Euspira intricata\*\*\*](#) (Donovan, 1804)
- **crassatina**, *Natica crassatina* Lamarck, 1804 † - syn of: [\*\*\*Ampullinopsis crassatina\*\*\*](#) (Lamarck, 1804) † (**FOSSIL**)
- **crassicorda**, [\*\*\*Payraudeautia crassicorda\*\*\*](#) Robba, Pedriali & Quaggiotto, 2016 † (**FOSSIL**)
- **crassiliratum**, [\*\*\*Globisimum crassiliratum\*\*\*](#) Finlay, 1926 † (**FOSSIL**)
- **crassiscula**, [\*\*\*Natica crassiscula\*\*\*](#) Gratebup, 1847 † (**FOSSIL**)
- **crassoperculata**, [\*\*\*Natica crassoperculata\*\*\*](#) Liu, 1977
- **crawfordiana**, [\*\*\*Euspira crawfordiana\*\*\*](#) (Dall, 1908)
- **crawfordianus**, *Euspira crawfordianus* Dall, 1908 - syn of: [\*\*\*Euspira crawfordiana\*\*\*](#) (Dall, 1908)
- **crenata**, *Natica crenata* Récluz, 1853 - syn of: [\*\*\*Naticarius alapapilionis\*\*\*](#) (Röding, 1798)
- **creper**, [\*\*\*Polinella creper\*\*\*](#) (Marwick, 1965) † (**FOSSIL**)
- **crosseana**, *Natica crosseana* Weinkauff, 1868 - syn of: [\*\*\*Megalomphalus azoneus\*\*\*](#) (Brusina, 1865)
- **cruentata**, [\*\*\*Natica fulminea cruentata\*\*\*](#) Lamarck
- **cruentata**, *Natica cruentata* Récluz, 1844 - syn of: [\*\*\*Natica arachnoidea\*\*\*](#) (Gmelin, 1791)
- **cryptostomoides**, [\*\*\*Sinum cryptostomoides\*\*\*](#) (Sacco, 1890) † (**FOSSIL**)
- **cryptostomoides colligens**, *Sinum cryptostomoides colligens* Sacco, 1890 † - syn of: [\*\*\*Sinum cryptostomoides\*\*\*](#) (Sacco, 1890) † (**FOSSIL**)
- **cubana**, *Natica cubana* Dall, 1927 - syn of: [\*\*\*Stigmula sulcata\*\*\*](#) (Born, 1778)
- **cubana**, [\*\*\*Sigatica cubana\*\*\*](#) Espinosa, Ortea & Fernández-Garcés, 2007
- **cumingiana**, *Natica cumingiana* Récluz, 1844 - syn of: [\*\*\*Vanikoro cumingiana\*\*\*](#) (Récluz, 1844)
- **cumingianus**, [\*\*\*Polinices cumingianus\*\*\*](#) (Récluz, 1844)
- **cunninghamensis**, [\*\*\*Polinices cunninghamensis\*\*\*](#) (Harris, 1897) † (**FOSSIL**)
- **cupuliforme**, [\*\*\*Sinum cupuliforme\*\*\*](#) Cossmann, 1902 † (**FOSSIL**)
- **cuspidata**, [\*\*\*Natica cuspidata\*\*\*](#) Guppy, 1910 † (**FOSSIL**)
- **cuvierianus**, *Sigaretus cuvierianus* Récluz, 1844 - syn of: [\*\*\*Nilsia cuvieriana\*\*\*](#) (Suter, 1908)
- **cygnea**, *Natica cygnea* Philippi, 1852 - syn of: [\*\*\*Polinices mammilla\*\*\*](#) (Linnaeus, 1758)
- **cymba**, [\*\*\*Sinum cymba\*\*\*](#) Menke, 1828
- **danvillense**, [\*\*\*Sinum danvillense\*\*\*](#) Harris & Palmer, 1947 † (**FOSSIL**)
- **darwinii**, *Natica darwinii* Hutton, 1885 † - syn of: [\*\*\*Natica subsolda\*\*\*](#) D'Orbigny, 1847 † (**FOSSIL**)
- **debile**, [\*\*\*Sinum debile\*\*\*](#) (Gould, 1853)
- **debilis**, *Sigaretus debilis* Gould, 1853 - syn of: [\*\*\*Sinum debile\*\*\*](#) (Gould, 1853)
- **decipiens**, *Natica decipiens* Smith, 1904 - syn of: [\*\*\*Natica simplex\*\*\*](#) Sowerby, 1897
- **declive**, [\*\*\*Sinum declive\*\*\*](#) Conrad, 1833 † (**FOSSIL**)
- **decora**, *Tanea decora* Philippi, 1853 - syn of: [\*\*\*Tanea euzona\*\*\*](#) (Récluz, 1844)
- **degrangei**, [\*\*\*Cochlis degrangei\*\*\*](#) Cossmann & Peyrot, 1921 † (**FOSSIL**)
- **deiodosa**, *Natica deiodosa* Reeve, 1855 - syn of: [\*\*\*Conuber incei\*\*\*](#) (Philippi, 1853)
- **delbosii**, *Natica delbosii* Hébert, 1849 † - syn of: [\*\*\*Crommium angustatum\*\*\*](#) (Gratebup, 1828) † (**FOSSIL**)
- **delesserti**, [\*\*\*Sinum delesserti\*\*\*](#) (Récluz in Chenu, 1843)
- **delessertiana**, [\*\*\*Neverita delessertiana\*\*\*](#) (Récluz, 1843)
- **delessertiana patriceae**, *Neverita delessertiana patriceae* Petuch & Myers, 2014 - syn of: [\*\*\*Neverita delessertiana\*\*\*](#) (Récluz, 1843)
- **delicatula**, [\*\*\*Kerguelenatica delicatula\*\*\*](#) (Smith, 1902)
- **delicatula**, *Falsilunaria delicatula* Smith, 1902 - syn of: [\*\*\*Kerguelenatica delicatula\*\*\*](#) (Smith, 1902)
- **demicyrptus**, [\*\*\*Polinices demicyrptus\*\*\*](#) Gardner, 1947 † (**FOSSIL**)
- **densata**, [\*\*\*Neverita densata\*\*\*](#) Conrad, 1867 † (**FOSSIL**)
- **denticulifera**, [\*\*\*Uberella denticulifera\*\*\*](#) (Marwick, 1924)
- **depressa**, *Natica depressa* Gray, 1839 - syn of: [\*\*\*Natica grayi\*\*\*](#) Philippi, 1852
- **depressior**, *Cryptonatica depressior* Middendorff, 1851 - syn of: [\*\*\*Cryptonatica affinis\*\*\*](#) (Gmelin, 1791)
- **depresso-funiculata**, [\*\*\*Cochlis depresso-funiculata\*\*\*](#) (Sacco, 1891) † (**FOSSIL**)
- **depressus**, *Gyrodes depressus* Seguenza, 1874 - syn of: [\*\*\*Megalomphalus disciformis\*\*\*](#) (Granata Grilo, 1877)
- **dertoconvexus**, [\*\*\*Polinices redemptus dertoconvexus\*\*\*](#) Sacco (**FOSSIL**)
- **dertomamilla**, [\*\*\*Tectonatica dertomamilla\*\*\*](#) (Sacco, 1891) † (**FOSSIL**)
- **deserti**, [\*\*\*Sinum deserti\*\*\*](#) Awad & Abed, 1967 † (**FOSSIL**)
- **deshayesi**, [\*\*\*Sinum clathratum deshayesi\*\*\*](#) Michelotti (**FOSSIL**)
- **deshayesiana**, [\*\*\*Natica deshayesiana\*\*\*](#) Nyst, 1843 † (**FOSSIL**)
- **deshayesii**, *Natica deshayesii* Klipstein, 1843 † - syn of: [\*\*\*Fedaiella elongata\*\*\*](#) (Münster, 1841) † (**FOSSIL**)
- **desmoulinianus**, *Sigaretus desmoulinianus* Récluz, 1851 † - syn of: [\*\*\*Sigaretotrema striatellus\*\*\*](#) (Gratebup, 1827) † (**FOSSIL**)
- **diauges**, [\*\*\*Sinum diauges\*\*\*](#) Kilburn, 1974
- **didyma**, [\*\*\*Neverita didyma\*\*\*](#) (Röding, 1798)
- **didyma**, *Glossaulax didyma* Röding, 1798 - syn of: [\*\*\*Neverita didyma\*\*\*](#) (Röding, 1798)
- **didyma**, *Polinices didyma* Röding, 1798 - syn of: [\*\*\*Neverita didyma\*\*\*](#) (Röding, 1798)
- **didyma**, *Natica didyma* Röding, 1798 - Syn of: [\*\*\*Neverita didyma\*\*\*](#) (Röding, 1798)
- **didyma**, *Albula didyma* Röding, 1798 - syn of: [\*\*\*Neverita didyma\*\*\*](#) (Röding, 1798)

- **didyma ampla**, *Glossaulax didyma ampla* (Philippi, 1849) - syn of: [\*\*Neverita didyma ampla\*\*](#) (Philippi, 1849)
- **didyma ampla**, [\*\*Neverita didyma ampla\*\*](#) (Philippi, 1849)
- **didyma ampla**, *Neverita didyma ampla* Philippi, 1848 - syn of: [\*\*Neverita didyma ampla\*\*](#) (Philippi, 1849)
- **didyma coticazae**, [\*\*Neverita didyma coticazae\*\*](#) Makiyama, 1926
- **didyma hayashii**, [\*\*Neverita didyma hayashii\*\*](#) (Azuma, 1961)
- **didyma hayashii**, *Glossaulax didyma hayashii* (Azuma, 1961) - syn of: [\*\*Neverita didyma hayashii\*\*](#) (Azuma, 1961)
- **didyma hayashii**, *Neverita didyma hayashii* Azuma, 1961 - syn of: [\*\*Neverita didyma hayashii\*\*](#) (Azuma, 1961)
- **didyma hosoyai**, [\*\*Neverita didyma hosoyai\*\*](#) (Kira, 1959)
- **dilatata**, [\*\*Euspira dilatata\*\*](#) (Philippi, 1843) † (**FOSSIL**)
- **dillwynii**, [\*\*Notocochlis dillwynii\*\*](#) (Payraudeau, 1826)
- **dillwynii efasciata**, *Natica dillwynii* efasciata Pâlary, 1900 - syn of: [\*\*Notocochlis dillwynii\*\*](#) (Payraudeau, 1826)
- **dillwynii koeneni**, [\*\*Notocochlis dillwynii koeneni\*\*](#) (Sacco, 1891) † (**FOSSIL**)
- **dillwynii taurominor**, *Natica dillwynii* taurominor Sacco, 1904 † - syn of: [\*\*Notocochlis dillwynii koeneni\*\*](#) (Sacco, 1891) † (**FOSSIL**)
- **dimidiata**, [\*\*Natica dimidiata\*\*](#) Smith, 1906
- **dingeldeii**, *Eunaticina dingeldeii* Iredale, 1931 - syn of: [\*\*Eunaticina linneana\*\*](#) (Récluz, 1843)
- **dingeldii**, *Eunaticina dingeldii* Iredale, 1931 - syn of: [\*\*Euspira nitida\*\*](#) (Donovan, 1804)
- **discula**, [\*\*Glossaulax discula\*\*](#) Petuch, 1988 † (**FOSSIL**)
- **dixoni**, [\*\*Natica dixoni\*\*](#) Fernandes & Rolán, 1992
- **donghaiensis**, [\*\*Natica donghaiensis\*\*](#) Ma & Zhang, 1994
- **dorothiensis**, [\*\*Natica dorothiensis\*\*](#) Stephenson, 1953 † (**FOSSIL**)
- **draconis**, [\*\*Glossaulax draconis\*\*](#) (Dall, 1903)
- **draconis**, *Polinices draconis* Dall, 1903 - syn of: [\*\*Glossaulax draconis\*\*](#) (Dall, 1903)
- **draconis**, *Lunatia draconis* Dall, 1903 - syn of: [\*\*Glossaulax draconis\*\*](#) (Dall, 1903)
- **draparnaudii**, *Natica draparnaudii* Récluz, 1851 - syn of: [\*\*Polinices powisianus\*\*](#) Récluz, 1844
- **drewi**, [\*\*Globisinum drewi\*\*](#) (Murdoch, 1899)
- **drewi**, *Sinum drewi* Murdoch, 1899 - syn of: [\*\*Globisinum drewi\*\*](#) (Murdoch, 1899)
- **dubia**, [\*\*Natica dubia\*\*](#) Roemer, 1836 † (**FOSSIL**)
- **dubius**, *Polinices dubius* Récluz, 1844 - syn of: [\*\*Polinices constanti\*\*](#) Huelsken & Hollmann, 2012
- **duplicatus**, [\*\*Neverita duplicatus\*\*](#) (Say, 1822)
- **dydmia**, [\*\*Natica dydmia\*\*](#) Bolten, 1798 † (**FOSSIL**)
- **eburnea**, *Natica eburnea* De Cristofori & Jan, 1832 - syn of: [\*\*Naticarius orientalis\*\*](#) (Gmelin, 1791)
- **eburnea**, *Natica eburnea* Deshayes, 1838 - syn of: [\*\*Naticarius orientalis\*\*](#) (Gmelin, 1791)
- **eburnoides**, *Natica eburnoides* Grateoult, 1847 † - syn of: [\*\*Pachycrommium eburnoides\*\*](#) (Grateoult, 1847) † (**FOSSIL**)
- **effosa**, *Natica effosa* Watson, 1886 - syn of: [\*\*Friginatica beddomei\*\*](#) (Johnston, 1885)
- **effusus**, [\*\*Polinices effusus\*\*](#) Swainson, 1821
- **elatior**, *Cryptonatica elatior* Middendorff, 1849 - syn of: [\*\*Cryptonatica affinis\*\*](#) (Gmelin, 1791)
- **elegans**, [\*\*Euspira elegans\*\*](#) (Suter, 1917) † (**FOSSIL**)
- **elegans**, *Amauropsis elegans* Carpenter, 1872 - syn of: [\*\*Amauropsis islandica\*\*](#) (Gmelin, 1791)
- **elegans**, *Sigaretus elegans* Hupé, 1854 † - syn of: [\*\*Sinum subglobosus\*\*](#) Sowerby, 1846 † (**FOSSIL**)
- **elegans**, *Tanea elegans* Récluz, 1850 - syn of: [\*\*Tanea eu zona\*\*](#) (Récluz, 1844)
- **elegantissima**, *Natica elegantissima* Stoppani, 1857 † - syn of: [\*\*Neritaria papilio\*\*](#) (Stoppani, 1857) † (**FOSSIL**)
- **elenae**, [\*\*Stigmulaux elenae\*\*](#) (Récluz, 1844)
- **eleonorae**, [\*\*Sigatica eleonorae\*\*](#) Robba, Pedriali & Quaggiotto, 2016 † (**FOSSIL**)
- **elfari**, [\*\*Amaurospina elfari\*\*](#) Abbass, 1967 † (**FOSSIL**)
- **elkingtoni**, *Teconatica elkingtoni* Hedley & May, 1908 - syn of: [\*\*Tectonatica shorehami\*\*](#) (Pritchard & Gatliff, 1900)
- **ella**, [\*\*Euspira ella\*\*](#) Olsson, 1954 † (**FOSSIL**)
- **elongatus**, *Bulbus elongatus* Habe & Itô, 1965 - syn of: [\*\*Bulbus smithii\*\*](#) Brown in Smith, 1839
- **eltanini**, [\*\*Falsilunatia eltanini\*\*](#) Dell, 1990
- **eminulopsis**, [\*\*Natica eminulopsis\*\*](#) Maury, 1912 † (**FOSSIL**)
- **eminulus**, [\*\*Polinices eminulus\*\*](#) Conrad, 1833 † (**FOSSIL**)
- **emmeles**, [\*\*Eunaticina emmeles\*\*](#) (Melvill, 1910)
- **emmeles**, *Gennaeosinum emmeles* (Melvill, 1910) - syn of: [\*\*Eunaticina emmeles\*\*](#) (Melvill, 1910)
- **emmonsi**, [\*\*Neverita emmonsi\*\*](#) Conrad, 1858 † (**FOSSIL**)
- **engenholyria**, [\*\*Natica engenholyria\*\*](#) Maury, 1936 † (**FOSSIL**)
- **entreriana**, [\*\*Natica entreriana\*\*](#) Borchert, 1901 † (**FOSSIL**)
- **eocenica**, [\*\*Neverita eocenica\*\*](#) Nagao, 1928 † (**FOSSIL**)
- **epheba**, [\*\*Glossaulax epheba\*\*](#) (Hedley, 1915)
- **ephebus**, *Polinices ephebus* Hedley, 1915 - syn of: [\*\*Glossaulax epheba\*\*](#) (Hedley, 1915)
- **epigloafuniculata**, [\*\*Cochlis epigloafuniculata\*\*](#) (Sacco, 1891) † (**FOSSIL**)
- **epiglopardalis**, [\*\*Cochlis epiglopardalis\*\*](#) (Sacco, 1890) † (**FOSSIL**)
- **epiglottina**, [\*\*Cochlis epiglottina\*\*](#) (Lamarck, 1804) † (**FOSSIL**)
- **epiglottina auriformis**, [\*\*Cochlis epiglottina auriformis\*\*](#) (Koenen, 1891) † (**FOSSIL**)
- **epiglottina zonata**, *Natica epiglottina zonata* Sacco, 1890 † - syn of: [\*\*Cochlis epiglopardalis\*\*](#) (Sacco, 1890) † (**FOSSIL**)
- **epiglottinoides**, [\*\*Natica epiglottinoides\*\*](#) Deshayes, 1864 † (**FOSSIL**)
- **esdailei**, [\*\*Polinella esdailei\*\*](#) (Marwick, 1924) † (**FOSSIL**)
- **esterias**, *Payraudeautia esterias* Bernard, 1983 - syn of: [\*\*Payraudeautia gruveli\*\*](#) (Dautzenberg, 1910)
- **eucallosus**, [\*\*Polinices eucallosus\*\*](#) Gardner, 1947 † (**FOSSIL**)
- **eucleista**, [\*\*Natica eucleista\*\*](#) Fontannes, 1879 † (**FOSSIL**)
- **eudora**, [\*\*Natica eudora\*\*](#) D'Orbigny, 1850 † (**FOSSIL**)
- **euglypta**, [\*\*Sigatica euglypta\*\*](#) Gardner, 1947 † (**FOSSIL**)
- **curydice**, [\*\*Natica curydice\*\*](#) White, 1887 † (**FOSSIL**)
- **uryhedra**, [\*\*Sinum uryhedra\*\*](#) Woodring, 1957 † (**FOSSIL**)
- **eu zona**, [\*\*Tanea eu zona\*\*](#) (Récluz, 1844)

- **euzona magnifluctuata**, *Tanea euzona magnifluctuata* (Kuroda, 1961) - syn of: [\*\*Tanea magnifluctuata\*\*](#) (Kuroda, 1961)
- **excavata**, *Natica excavata* Carpenter, 0 - syn of: [\*\*Stigmaulax elenae\*\*](#) (Récluz, 1844)
- **excellens**, [\*\*Naticarius excellens\*\*](#) (Azuma, 1961)
- **excentricum**, [\*\*Sinum excentricum\*\*](#) Guppy, 1876 † (**FOSSIL**)
- **exilis**, [\*\*Natica exilis\*\*](#) Bohm, 1926 † (**FOSSIL**)
- **exilis**, *Natica exilis* Philippi, 1887 † - syn of: [\*\*Natica subsolida\*\*](#) D'Orbigny, 1847 † (**FOSSIL**)
- **eximium**, [\*\*Sinum eximium\*\*](#) Reeve, 1864
- **explanata**, *Natica explanata* Röding, 1798 - syn of: [\*\*Naticarius orientalis\*\*](#) (Gmelin, 1791)
- **extenta**, *Natica extenta* Locard, 1897 - syn of: [\*\*Euspira subuplicata\*\*](#) (Jeffreys, 1885)
- **exulans**, *Amauopsis exulans* Gould, 1841 - syn of: [\*\*Amauopsis islandica\*\*](#) (Gmelin, 1791)
- **faba**, [\*\*Natica faba\*\*](#) Schepman, 1909
- **fabella**, [\*\*Natica fabella\*\*](#) Jousseaume, 1884
- **falklandica**, [\*\*Falsilunatia falklandica\*\*](#) (Preston, 1913)
- **farmula**, [\*\*Polinices famula\*\*](#) (Philippi, 1887) † (**FOSSIL**)
- **fanel**, [\*\*Natica multipunctata fanel\*\*](#) Récluz
- **fanel**, *Natica fanel* Récluz, 1844 - syn of: [\*\*Natica multipunctata fanel\*\*](#) (Récluz, 1844)
- **fanel**, *Naticarius fanel* Röding, 1798 - syn of: [\*\*Naticarius hebraeus\*\*](#) (Martyn, 1786)
- **fanel**, *Natica fanel* Röding, 1798 - syn of: [\*\*Naticarius hebraeus\*\*](#) (Martyn, 1786)
- **fanel rocquignyi**, *Natica fanel rocquignyi* Fischer-Piette, 1942 - syn of: [\*\*Natica rocquignyi\*\*](#) Fischer-Piette, 1942
- **fartilis**, [\*\*Falsilunatia fartilis\*\*](#) (Watson, 1881)
- **fasciata**, [\*\*Natica fasciata\*\*](#) Röding, 1798
- **fasciata**, *Mammilla fasciata* Schumacher, 1817 - syn of: [\*\*Mammilla mammata\*\*](#) (Röding, 1798)
- **fasciolata**, [\*\*Payraudeautia fasciolata\*\*](#) (Sacco, 1890) † (**FOSSIL**)
- **faviai**, [\*\*Sinum favai\*\*](#) Lozouet, Lesport & Renard, 2001 † (**FOSSIL**)
- **felina**, [\*\*Natica felina\*\*](#) J.F. Blake & Hudleston, 1877 † (**FOSSIL**)
- **fetteri**, [\*\*Amauopsis fetteri\*\*](#) Marincovich Jr., 1993 † (**FOSSIL**)
- **fibrosa**, [\*\*Mammilla fibrosa\*\*](#) (Gray, 1850)
- **fibrosa**, *Natica fibrosa* Gray, 1850 - syn of: [\*\*Mammilla fibrosa\*\*](#) (Gray, 1850)
- **fibrosa**, *Polinices fibrosa* Souleyet, 1852 - syn of: [\*\*Mammilla fibrosa\*\*](#) (Gray, 1850)
- **fibrosa**, *Natica fibrosa* Souleyet, 1852 - syn of: [\*\*Mammilla fibrosa\*\*](#) (Gray, 1850)
- **fibula**, *Natica fibula* Reeve, 1855 - syn of: [\*\*Conuber incei\*\*](#) (Philippi, 1853)
- **fibula**, *Polinices fibula* Reeve, 1855 - syn of: [\*\*Conuber incei\*\*](#) (Philippi, 1853)
- **figurata**, [\*\*Tectonatica figurata\*\*](#) Sowerby, 1914
- **filosa**, *Natica filosa* Philippi, 1845 - syn of: [\*\*Tectonatica sagraiana\*\*](#) (D'Orbigny, 1842)
- **filosa**, *Natica filosa* Reeve, 1855 - syn of: [\*\*Mammilla fibrosa\*\*](#) (Gray, 1850)
- **finlayi**, [\*\*Polinella finlayi\*\*](#) (Marwick, 1924) † (**FOSSIL**)
- **firma**, [\*\*Magnatica firma\*\*](#) (Marwick, 1924) † (**FOSSIL**)
- **flamingianus**, *Polinices flamingianus* Récluz, 1844 - syn of: [\*\*Polinices flemingianus\*\*](#) Récluz, 1844
- **flammea**, *Cochlis flammea* Röding, 1798 - syn of: [\*\*Cochlis vittata\*\*](#) (Gmelin, 1791)
- **flammulata**, *Natica flammulata* Réquier, 1848 - syn of: [\*\*Tectonatica sagraiana\*\*](#) (D'Orbigny, 1842)
- **flammulata**, *Tectonatica flammulata* Réquier, 1848 - syn of: [\*\*Tectonatica sagraiana\*\*](#) (D'Orbigny, 1842)
- **flavus**, *Bulbus flavus* Gould, 1839 - syn of: [\*\*Bulbus smithii\*\*](#) Brown in Smith, 1839
- **flavus**, *Bulbus flavus* Gould, 1840 - syn of: [\*\*Bulbus smithii\*\*](#) Brown in Smith, 1839
- **flavus apertus**, *Bulbus flavus apertus* Middendorff, 1843 - syn of: [\*\*Bulbus normalis\*\*](#) (Middendorff, 1851)
- **flavus elongatus**, *Bulbus flavus elongatus* Habe & Itô, 1965 - syn of: [\*\*Bulbus normalis\*\*](#) (Middendorff, 1851)
- **flemingianus**, [\*\*Polinices flemingianus\*\*](#) Récluz, 1844
- **flindersi**, *Eunaticina flindersi* Cotton & Godfrey, 1931 - syn of: [\*\*Eunaticina linneana\*\*](#) (Récluz, 1843)
- **floridana**, [\*\*Neverita floridana\*\*](#) (Tucker & Wilson, 1933) † (**FOSSIL**)
- **fons**, [\*\*Magnatica fons\*\*](#) Finlay, 1930 † (**FOSSIL**)
- **forata**, [\*\*Natica forata\*\*](#) Reeve, 1855
- **forata adjacens**, *Natica forata adjacens* Turton, 1932 - syn of: [\*\*Natica forata\*\*](#) Reeve, 1855
- **fordiana**, *Natica fordiana* Simpson, 1887 - syn of: [\*\*Sigatica semisulcata\*\*](#) (Gray, 1839)
- **fornicata**, [\*\*Eunaticina fornicata\*\*](#) (Suter, 1917) † (**FOSSIL**)
- **forscalii**, *Natica forscalii* Sowerby, 1825 - syn of: [\*\*Natica vitellus\*\*](#) (Linnaeus, 1758)
- **forskalii**, [\*\*Natica forskalii\*\*](#) Sowerby, 1825
- **fortunei**, *Euspira fortunei* Reeve, 1855 - syn of: [\*\*Laguncula pulchella\*\*](#) Benson, 1842
- **fortunei**, *Natica fortunei* Reeve, 1855 - syn of: [\*\*Laguncula pulchella\*\*](#) Benson, 1842
- **fossar**, *Natica fossar* Bucquoy, Dautzenberg & Dolffus, 1884 - syn of: [\*\*Fossarus ambiguus\*\*](#) (Linnaeus, 1758)
- **fossata**, *Natica fossata* Gould, 1847 - syn of: [\*\*Neverita delessertiana\*\*](#) (Récluz, 1843)
- **fragilis**, [\*\*Bulbus fragilis\*\*](#) (Leach, 1819)
- **fragilis**, [\*\*Sinum fragilis\*\*](#) Conrad, 1830 † (**FOSSIL**)
- **francisca**, [\*\*Natica francisca\*\*](#) Reeve, 1855
- **fredianii**, [\*\*Cochlis fredianii\*\*](#) Pedriali & Robba, 2005 † (**FOSSIL**)
- **fringilla**, [\*\*Euspira fringilla\*\*](#) (Dall, 1881)
- **fringilla perla**, *Lunatia fringilla perla* Dall, 1889 - syn of: [\*\*Euspira fringilla\*\*](#) (Dall, 1881)
- **fryei**, [\*\*Polinella fryei\*\*](#) (Laws, 1933) † (**FOSSIL**)
- **fulgurans**, [\*\*Natica fulgurans\*\*](#) Récluz, 1844
- **fulgurata**, [\*\*Cochlis fulgurata\*\*](#) (Meneghini, 1864) † (**FOSSIL**)
- **fulminea**, [\*\*Natica fulminea\*\*](#) (Gmelin, 1791)
- **fulminea**, *Nacca fulminea* Gmelin, 1791 - syn of: [\*\*Natica fulminea\*\*](#) (Gmelin, 1791)
- **fulminea**, *Natica fulminea* Lamarck, 1822 - syn of: [\*\*Natica fulminea\*\*](#) (Gmelin, 1791)
- **fulminea angolensis**, [\*\*Natica fulminea angolensis\*\*](#) (Gmelin, 1791)
- **fulminea cruentata**, *Natica fulminea cruentata* Gmelin, 1791 - syn of: [\*\*Natica fulminea\*\*](#) (Gmelin, 1791)

- fulminea cruentata, [\*\*Natica fulminea cruentata\*\*](#) Lamarck, 1822
- fulminea punctata, [\*\*Natica fulminea punctata\*\*](#) Chemnitz, 1789
- funiculata, Natica funiculata Récluz, 1850 - syn of: [\*\*Polinices peselephantii\*\*](#) (Link, 1807)
- furva, [\*\*Natica furva\*\*](#) Watson, 1897
- fusca, [\*\*Euspira fusca\*\*](#) (Blainville, 1825)
- fuscata, Natica fuscata Link, 1807 - syn of: [\*\*Natica vitellus\*\*](#) (Linnaeus, 1758)
- fuscata, Polinices fuscata Récluz, 1850 - syn of: [\*\*Polinices hepaticus\*\*](#) (Röding, 1798)
- fuscum, Sinum fuscum Röding, 1798 - syn of: [\*\*Sinum haliotoidea\*\*](#) (Linnaeus, 1758)
- futa, [\*\*Falsilunatia futa\*\*](#) Nielsen, 2003 † (**FOSSIL**)
- fyfei, [\*\*Euspira fyfei\*\*](#) (Marwick, 1924) † (**FOSSIL**)
- gabbi, [\*\*Sinum gabbi\*\*](#) Brown & Pilsbry, 1913 † (**FOSSIL**)
- gabrielensis, [\*\*Sinum gabrielensis\*\*](#) Clark & Durham, 1946 † (**FOSSIL**)
- gaidei, Natica gaidei Souverbie, 1874 - syn of: [\*\*Naticarius lineozonus\*\*](#) (Jousseaume, 1874)
- gaiophanis, [\*\*Microlinices gaiophanis\*\*](#) Simone, 2014
- galactites, Natica galactites Philippi, 1851 - syn of: [\*\*Polinices flemingianus\*\*](#) Récluz, 1844
- galapagosus, [\*\*Polinices galapagosus\*\*](#) (Récluz, 1844)
- gallapagosa, Natica gallapagosa Récluz, 1844 - syn of: [\*\*Polinices otis\*\*](#) Broderip & Sowerby, 1829
- gallomeridionalis, [\*\*Natica gallomeridionalis\*\*](#) Cossmann, 1923 † (**FOSSIL**)
- gambiae, Natica gambiae Récluz, 1844 - syn of: [\*\*Natica collaris\*\*](#) Link, 1804
- gatunense, [\*\*Sinum gatunense\*\*](#) Toul, 1909 † (**FOSSIL**)
- genuana, Natica genuana Reeve, 1855 - syn of: [\*\*Tectonatica tecta\*\*](#) (Anton, 1838)
- georgiana, [\*\*Amauropsis georgiana\*\*](#) (Strebel, 1908)
- gesteri, [\*\*Polinices gesteri\*\*](#) Dickerson, 1916 † (**FOSSIL**)
- gianoi, [\*\*Euspira gianoi\*\*](#) Robba, Pedriali & Quaggiotto, 2016 † (**FOSSIL**)
- gibbosa, Natica gibbosa Hutton, 1885 † - syn of: [\*\*Polinices huttoni\*\*](#) Ihering, 1907 † (**FOSSIL**)
- gibbosa, Neverita gibbosa Lea, 1833 † - syn of: [\*\*Neverita limula\*\*](#) Conrad, 1833 † (**FOSSIL**)
- gilva, Lunatia gilva Philippi, 1851 - syn of: [\*\*Laguncula pulchella\*\*](#) Benson, 1842
- gilva, Natica gilva Philippi, 1851 - syn of: [\*\*Laguncula pulchella\*\*](#) Benson, 1842
- giuntellii, [\*\*Euspira giuntellii\*\*](#) Robba, Pedriali & Quaggiotto, 2016 † (**FOSSIL**)
- glabra, Natica glabra Wood, 1828 - syn of: [\*\*Tectonatica violacea\*\*](#) (Sowerby, 1825)
- glacialis, Acrybia glacialis Thorson, 1951 - syn of: [\*\*Bulbus smithii\*\*](#) Brown in Smith, 1839
- glauca, Natica glauca Lesson, 1830 - syn of: [\*\*Hypteria helicoidea\*\*](#) (Gray, 1825)
- glaucina, Glossaulax glaucina Lamarck, 1822 - syn of: [\*\*Neverita didyma\*\*](#) (Röding, 1798)
- glaucinoides, [\*\*Euspira glaucinoides\*\*](#) (Sowerby, 1812) † (**FOSSIL**)
- globata, [\*\*Natica adducta globata\*\*](#) Hudleston (**FOSSIL**)
- globosa, [\*\*Magnatica globosa\*\*](#) Abbass, 1967 † (**FOSSIL**)
- globosa, [\*\*Neverita globosa\*\*](#) Gabb, 1869 † (**FOSSIL**)
- globosa, Natica globosa Jeffreys, 1885 - syn of: [\*\*Semicassis saburon\*\*](#) (Bruguère, 1792)
- globosa, Natica globosa Philippi, 1855 - syn of: [\*\*Natica vitellus\*\*](#) (Linnaeus, 1758)
- globosa, Eunaticina globosa Tenison-Woods, 1876 - syn of: [\*\*Eunaticina umbilicata\*\*](#) (Quoy & Gaimard, 1832)
- globosus, [\*\*Gyrodes globosus\*\*](#) Delpey, 1941 † (**FOSSIL**)
- globulus, Amauropsis globulus Angas, 1880 - syn of: [\*\*Problitora globula\*\*](#) (Angas, 1880)
- godfroyi, [\*\*Amauropsis godfroyi\*\*](#) (Lamy, 1910) † (**FOSSIL**)
- gottschei, [\*\*Euspira gottschei\*\*](#) (Kautsky, 1925) † (**FOSSIL**)
- gouldii, Amauropsis gouldii Adams, 1847 - syn of: [\*\*Amauropsis islandica\*\*](#) (Gmelin, 1791)
- gracilis, Natica gracilis Klipstein, 1843 † - syn of: [\*\*Dentineritaria neritina\*\*](#) (Münster, 1841) † (**FOSSIL**)
- gracilis, [\*\*Natica gracilis\*\*](#) Récluz, 1850 † (**FOSSIL**)
- gradisuturalis, [\*\*Polinella gradisuturalis\*\*](#) (Marwick, 1932) † (**FOSSIL**)
- gratelupianus, Sigaretus gratelupianus Récluz, 1843 † - syn of: [\*\*Sigaretotrema striatellus\*\*](#) (Gratebup, 1827) † (**FOSSIL**)
- grayi, [\*\*Sinum grayi\*\*](#) Deshayes, 1843
- grayi, [\*\*Natica grayi\*\*](#) Philippi, 1852
- greeni, [\*\*Gyrodes greeni\*\*](#) Murphy & Rodda, 1960 † (**FOSSIL**)
- grisea, Natica grisea Réquier, 1848 - syn of: [\*\*Euspira intricata\*\*](#) (Donovan, 1804)
- grisea, Natica grisea Von Martens, 1878 - syn of: [\*\*Kerguelenatica delicatula\*\*](#) (Smith, 1902)
- groenlandica, Natica groenlandica Beck, 1847 - syn of: [\*\*Euspira montagui\*\*](#) (Forbes, 1838)
- groenlandica, Natica groenlandica Möller, 1842 - syn of: [\*\*Euspira pallida\*\*](#) (Broderip & Sowerby, 1829)
- groenlandicus, Polinices groenlandicus Möller, 1842 - syn of: [\*\*Euspira pallida\*\*](#) (Broderip & Sowerby, 1829)
- groenlandicus, Sigaretus groenlandicus Möller, 1842 - syn of: [\*\*Marsenina glabra\*\*](#) (Couthouy, 1838)
- grossularia, [\*\*Euspira grossularia\*\*](#) (Marche-Marchad, 1957)
- grunerianus, [\*\*Polinices grunerianus\*\*](#) (Philippi, 1852)
- gruveli, [\*\*Payraudeautia gruveli\*\*](#) (Dautzenberg, 1910)
- gruveli, Natica gruveli Dautzenberg, 1910 - syn of: [\*\*Payraudeautia gruveli\*\*](#) (Dautzenberg, 1910)
- gruveli paucipunctata, [\*\*Payraudeautia gruveli paucipunctata\*\*](#) Dautzenberg, 1910
- gualteriana, [\*\*Notocochlis gualteriana\*\*](#) (Récluz, 1844)
- gualteriana, Natica gualteriana Couturier, 1907 - syn of: [\*\*Notocochlis gualteriana\*\*](#) (Récluz, 1844)
- gualteriana, Notocochlis gualteriana Récluz, 1844 - Syn of: [\*\*Notocochlis gualteriana\*\*](#) (Récluz, 1844)
- gualteriana burnupi, Natica gualteriana burnupi Smith, 1903 - Syn of: [\*\*Notocochlis gualteriana\*\*](#) (Récluz, 1844)
- gaultieriana, Natica gaultieriana Couturier, 1907 - syn of: [\*\*Notocochlis gualteriana\*\*](#) (Récluz, 1844)
- gaultierianus, Sigaretus gaultierianus Récluz, 1851 - syn of: [\*\*Sinum planulatum\*\*](#) (Récluz, 1843)
- guamblinensis, [\*\*Euspira guamblinensis\*\*](#) Frassineti & Covacevich, 1995 † (**FOSSIL**)
- guesti, [\*\*Notocochlis guesti\*\*](#) (Harasewych & Jensen, 1984)
- guilleminii, [\*\*Euspira guilleminii\*\*](#) (Payraudeau, 1826)
- guppiana, [\*\*Stigmaulax guppiana\*\*](#) Toul, 1909 † (**FOSSIL**)

- *guppiana toulana*, [\*Stigmaulax guppiana toulana\*](#) Gardner, 1947 † (**FOSSIL**)
- *guppyi*, [\*Amauropsis guppyi\*](#) Gabb, 1873 † (**FOSSIL**)
- *haasti*, [\*Tahunacca haasti\*](#) (Marwick, 1924) † (**FOSSIL**)
- *hacketti*, [\*Polinices hacketti\*](#) Marincovich, 1975
- *haidingeri*, *Natica haidingeri* Klipstein, 1843 † - syn of: [\*Abrekopsis depresispirus\*](#) (Batten & Stokes, 1986) † (**FOSSIL**)
- *hainanensis*, [\*Natica hainanensis\*](#) Liu, 1977
- *haliotideus*, *Sigaretus haliotideus* Grateloup, 1847 † - syn of: [\*Sinum patulum\*](#) (Grateloup, 1847) † (**FOSSIL**)
- *haliotideus patula*, *Sigaretus haliotideus patula* Grateloup, 1847 † - syn of: [\*Sinum patulum\*](#) (Grateloup, 1847) † (**FOSSIL**)
- *halioidea*, [\*Sinum haliotoidea\*](#) (Linnaeus, 1758)
- *halioideum*, *Sinum halioideum* Linnaeus, 1758 - Syn of: [\*Sinum haliotoidea\*](#) (Linnaeus, 1758)
- *hamiltonensis*, [\*Tanea hamiltonensis\*](#) (Tenison-Woods, 1879) † (**FOSSIL**)
- *haneti*, *Natica haneti* Récluz, 1850 - syn of: [\*Stigmaulax elenae\*](#) (Récluz, 1844)
- *hannanensis*, [\*Natica hannanensis\*](#) Liu, 1977
- *hantonensis*, *Sigatica hantonensis* Pilkington, 1804 † - syn of: [\*Sigatica hantoniensis\*](#) (Pilkington, 1804) † (**FOSSIL**)
- *hantoniensis*, [\*Sigatica hantoniensis\*](#) (Pilkington, 1804) † (**FOSSIL**)
- *harrisensis*, [\*Magnatica harrisensis\*](#) (Marwick, 1924) † (**FOSSIL**)
- *harrisii*, [\*Sigatica harrisii\*](#) Olson, 1928 † (**FOSSIL**)
- *haudecarinata*, *Natica haudecarinata* Münster, 1841 † - syn of: [\*Laubopsis haudecarinata\*](#) (Münster, 1841) † (**FOSSIL**)
- *haweraensis*, *Natica haweraensis* Marwick, 1924 † - syn of: [\*Taniella planisuturalis\*](#) (Marwick, 1924) † (**FOSSIL**)
- *hayashii*, [\*Neverita didyma hayashii\*](#) Azuma
- *hayashii*, *Naticarius hayashii* Shikama & Horikoshi, 1963 - syn of: [\*Naticarius excellens\*](#) (Azuma, 1961)
- *hayesae*, *Natica hayesae* Nowell-Usticke, 1959 - syn of: [\*Stigmaulax cayennensis\*](#) (Récluz, 1850)
- *heberti*, *Natica heberti* Deshayes, 1864 † - syn of: [\*Ampullina acuta\*](#) (Lamarck, 1804) † (**FOSSIL**)
- *hebraea*, *Natica hebraea* Auct. non Martyn, 1784 - syn of: [\*Natica multipunctata\*](#) Blainville, 1825
- *hebraea rarimaculata*, *Natica hebraea rarimaculata* Bucquoy, Dautzenberg & Dollfus, 1883 - syn of: [\*Naticarius hebraeus\*](#) (Martyn, 1786)
- *hebraeus*, [\*Naticarius hebraeus\*](#) (Martyn, 1786)
- *heimeri*, [\*Eunaticina heimeri\*](#) Jordan & Hertlein, 1934
- *helicina*, [\*Euspira helicina\*](#) (Brocchi, 1814) † (**FOSSIL**)
- *helicina hemimacula*, *Euspira helicina hemimacula* Sowerby, 1824 - syn of: [\*Euspira catena hemimacula\*](#) (Sowerby, 1824) †
- *helicina protracta*, *Euspira helicina protracta* Eichwald, 1830 † - syn of: [\*Euspira catena protracta\*](#) (Eichwald, 1830) † (**FOSSIL**)
- *helicoides*, [\*Hypterita helicoides\*](#) (Gray, 1825)
- *helicoides*, *Polinices helicoides* Gray, 1825 - syn of: [\*Hypterita helicoides\*](#) (Gray, 1825)
- *helicoides*, *Natica helicoides* Gray, 1825 - syn of: [\*Hypterita helicoides\*](#) (Gray, 1825)
- *helicoides*, *Natica helicoides* Johnston, 1835 - syn of: [\*Amauropsis islandica\*](#) (Gmelin, 1791)
- *helicoides*, *Amauropsis helicoides* Johnston, 1835 - syn of: [\*Amauropsis islandica\*](#) (Gmelin, 1791)
- *helvacea*, *Natica helvacea* Lamarck, 1822 - syn of: [\*Natica vitellus\*](#) (Linnaeus, 1758)
- *hemimacula*, [\*Euspira catena hemimacula\*](#) Sowerby (**FOSSIL**)
- *hemicrypta*, [\*Euspira hemicrypta\*](#) Gabb, 1860 † (**FOSSIL**)
- *hemispherica*, [\*Natica hemispherica\*](#) Romer, 1836 † (**FOSSIL**)
- *hendoni*, [\*Tejonia hendoni\*](#) (Turner, 1938) † (**FOSSIL**)
- *hepaticus*, [\*Polinices hepaticus\*](#) (Röding, 1798)
- *hercynica*, *Natica hercynica* Geinitz, 1848 † - syn of: [\*Naticopsis minima\*](#) (Brown, 1841) † (**FOSSIL**)
- *heros*, *Polinices heros* (Say, 1822) - syn of: [\*Euspira heros\*](#) (Say, 1822)
- *heros*, *Natica heros* (Say, 1822) - syn of: [\*Euspira heros\*](#) (Say, 1822)
- *heros*, [\*Euspira heros\*](#) (Say, 1822)
- *heros*, *Lunatia heros* (Say, 1822) - syn of: [\*Euspira heros\*](#) (Say, 1822)
- *herosa*, *Euspira herosa* Say, 1822 - syn of: [\*Euspira heros\*](#) (Say, 1822)
- *hieroglypha*, *Natica hieroglypha* Klipstein, 1843 † - syn of: [\*Abrekopsis depresispirus\*](#) (Batten & Stokes, 1986) † (**FOSSIL**)
- *hilaris*, [\*Tanea hilaris\*](#) (Sowerby, 1914)
- *hilaris*, *Notocochlis hilaris* Sowerby, 1914 - syn of: [\*Tanea hilaris\*](#) (Sowerby, 1914)
- *hirasei*, [\*Cryptonatica hirasei\*](#) (Pilsbry, 1905)
- *hoernesii*, [\*Natica hoernesii\*](#) Fischer & Tournouer, 1873 † (**FOSSIL**)
- *hoernesii praecaula*, [\*Natica hoernesii praecaula\*](#) Kautsky, 1925 † (**FOSSIL**)
- *hollmanni*, [\*Tanea hollmanni\*](#) Poppe, Tagaro & Stahl Schmidt, 2015
- *hornii*, [\*Polinices hornii\*](#) Gabb, 1864 † (**FOSSIL**)
- *hosoyai*, [\*Neverita didyma hosoyai\*](#) Kira
- *hotsoni*, [\*Euspira hotsoni\*](#) Weaver & Palmer, 1922 † (**FOSSIL**)
- *huanghaiensis*, [\*Cryptonatica huanghaiensis\*](#) Zhang, 2008
- *hugardiana*, [\*Natica hugardiana\*](#) D'Orbigny, 1842 † (**FOSSIL**)
- *hulmei*, [\*Proxiuber hulmei\*](#) Powell, 1954
- *hupeana*, *Natica hupeana* Philippi, 1887 † - syn of: [\*Glossaulax pachystoma\*](#) (Hupé, 1854) † (**FOSSIL**)
- *huttoni*, [\*Polinices huttoni\*](#) Ihering, 1907 † (**FOSSIL**)
- *ibitingus*, [\*Microlinices ibitingus\*](#) Simone, 2014
- *idiopoma*, [\*Natica idiopoma\*](#) Pilsbry & Lowe, 1932
- *ilhagwilensis*, [\*Euspira ilhagwilensis\*](#) Pacaud, 2016 † (**FOSSIL**)
- *immaculata*, *Natica immaculata* Totten, 1835 - syn of: [\*Polinices immaculatus\*](#) (Totten, 1835)
- *immaculatus*, [\*Polinices immaculatus\*](#) (Totten, 1835)
- *imperforata*, *Natica imperforata* Gray, 1839 - syn of: [\*Tectonatica tecta\*](#) (Anton, 1838)
- *imperforata*, *Natica imperforata* Jay, 1836 - syn of: [\*Cernina fluctuata\*](#) (Sowerby, 1825)
- *imperforatum*, [\*Sinum imperforatum\*](#) Dall, 1915 † (**FOSSIL**)
- *impervia*, [\*Tectonatica impervia\*](#) (Philippi, 1845)
- *impressa*, [\*Natica impressa\*](#) Perner, 1907 † (**FOSSIL**)
- *incei*, [\*Conuber incei\*](#) (Philippi, 1853)

- *incei*, Natica incei Philippi, 1853 - syn of: [\*\*Conuber incei\*\*](#) (Philippi, 1853)
- *incei*, Polinices incei Philippi, 1853 - syn of: [\*\*Conuber incei\*\*](#) (Philippi, 1853)
- *incerta*, [\*\*Polinella incerta\*\*](#) (Marwick, 1924) † (FOSSIL)
- *incerta*, [\*\*Natica incerta\*\*](#) Röding, 1798
- *incisa*, Natica incisa Philippi, 1852 - syn of: [\*\*Glossaulax vesicalis\*\*](#) (Philippi, 1848)
- *incisa*, Natica incisa Philippi, 1852 - syn of: [\*\*Glossaulax vesicalis\*\*](#) (Philippi, 1848)
- *incisum*, [\*\*Sinum incisum\*\*](#) (Reeve, 1864)
- *incurvus*, Bulbus incurvus Dunker, 1852 - syn of: [\*\*Rapa incurva\*\*](#) (Dunker, 1852)
- *ineptum*, [\*\*Sinum ineptum\*\*](#) Yokoyama, 1924 † (FOSSIL)
- *inexpectans*, [\*\*Natica inexpectans\*\*](#) Olson, 1971
- *inexpectata*, [\*\*Tanea inexpectata\*\*](#) (Finlay, 1924) † (FOSSIL)
- *infelix*, [\*\*Cochlis infelix\*\*](#) (Sacco, 1890) † (FOSSIL)
- *infirmum*, [\*\*Sinum infirmum\*\*](#) Marwick, 1924 † (FOSSIL)
- *inflata*, [\*\*Eunaticina inflata\*\*](#) (Tesch, 1920)
- *infundibulum*, [\*\*Sigatica infundibulum\*\*](#) (Watelet, 1853) † (FOSSIL)
- *insculpta*, [\*\*Eunaticina insculpta\*\*](#) (Carpenter, 1865) † (FOSSIL)
- *insculptus*, Sinum insculptus Adams & Reeve, 1850 - Syn of: [\*\*Sinum javanicum\*\*](#) (Gray, 1834)
- *insecta*, [\*\*Natica insecta\*\*](#) Jousseaume, 1874
- *insularum*, [\*\*Notocochlis insularum\*\*](#) (Watson, 1886)
- *intemeratus*, [\*\*Polinices intemeratus\*\*](#) Philippi, 1851
- *intercicum*, [\*\*Gennaeosinum intercicum\*\*](#) (Iredale, 1931)
- *intercicum*, Eunaticina intercicum Iredale, 1931 - syn of: [\*\*Gennaeosinum intercicum\*\*](#) (Iredale, 1931)
- *intermedia*, Natica intermedia Deshayes, 1832 † - syn of: [\*\*Ampullina lignitarum\*\*](#) Deshayes, 1864 † (FOSSIL)
- *intermedia*, [\*\*Taniella intermedia\*\*](#) Maxwell, 1992 † (FOSSIL)
- *intermedia*, Natica intermedia Philippi, 1836 - syn of: [\*\*Euspira nitida\*\*](#) (Donovan, 1804)
- *intermedia*, Natica intermedia Récluz, 1843 - syn of: [\*\*Polinices mammilla\*\*](#) (Linnaeus, 1758)
- *intermeratus*, [\*\*Polinices intermeratus\*\*](#) Philippi, 1851 † (FOSSIL)
- *interna*, [\*\*Euspira interna\*\*](#) (Say, 1824) † (FOSSIL)
- *intracrassus*, [\*\*Polinices intracrassus\*\*](#) Finlay, 1924 † (FOSSIL)
- *intricata*, [\*\*Euspira intricata\*\*](#) (Donovan, 1804)
- *intricata*, Natica intricata Donovan, 1804 - syn of: [\*\*Euspira intricata\*\*](#) (Donovan, 1804)
- *intricata similis*, [\*\*Euspira intricata similis\*\*](#) (Monterosato, 1884)
- *intricatoides*, Natica intricatoides Hidalgo, 1873 - syn of: [\*\*Cochlis vittata\*\*](#) (Gmelin, 1791)
- *inutilis*, [\*\*Natica inutilis\*\*](#) Röding, 1798
- *iostoma*, Natica iostoma Menke, 0 - syn of: [\*\*Natica broderipiana\*\*](#) Récluz, 1844
- *isabelleana*, [\*\*Notocochlis isabelleana\*\*](#) (D'Orbigny, 1840)
- *isabelleana*, Natica isabelleana D'Orbigny, 1840 - syn of: [\*\*Notocochlis isabelleana\*\*](#) (D'Orbigny, 1840)
- *islandica*, [\*\*Amauropsis islandica\*\*](#) (Gmelin, 1791)
- *jacksonense*, [\*\*Sinum jacksonense\*\*](#), † (FOSSIL)
- *jacksonensis*, [\*\*Euspira jacksonensis\*\*](#), † (FOSSIL)
- *jamaicensis*, Natica jamaicensis Adams, 1850 - syn of: [\*\*Natica livida\*\*](#) Pfeiffer, 1840
- *jamesae*, [\*\*Neverita jamesae\*\*](#) Moore, 1963 † (FOSSIL)
- *janthostoma*, [\*\*Cryptonatica janthostoma\*\*](#) (Deshayes, 1839)
- *janthostoma*, Natica janthostoma Deshayes, 1839 - syn of: [\*\*Cryptonatica janthostoma\*\*](#) (Deshayes, 1839)
- *janthostomoides*, [\*\*Cryptonatica janthostomoides\*\*](#) (Kuroda & Habe, 1949)
- *japonica*, [\*\*Amauropsis japonica\*\*](#) (Adams, 1839)
- *japonicum*, [\*\*Sinum japonicum\*\*](#) (Lischke, 1872)
- *javana*, Tectonica javana Lamarck, 1822 - syn of: [\*\*Notocochlis tigrina\*\*](#) (Röding, 1798)
- *javanicum*, [\*\*Sinum javanicum\*\*](#) (Gray, 1834)
- *javanus*, [\*\*Sinum javanus\*\*](#) Griffith & Pidgeon, 1834 † (FOSSIL)
- *jorgensis*, [\*\*Polinices jorgensis\*\*](#) Ihering, 1907 † (FOSSIL)
- *josephina*, Neverita josephina Risso, 1826 - syn of: [\*\*Neverita josephinia\*\*](#) (Risso, 1826)
- *josephinia*, [\*\*Neverita josephinia\*\*](#) (Risso, 1826)
- *josephinia*, Natica josephinia Risso, 1826 - syn of: [\*\*Neverita josephinia\*\*](#) (Risso, 1826)
- *josephinia aegyptiaca*, Natica josephinia aegyptiaca Palary, 1912 - syn of: [\*\*Neverita josephinia\*\*](#) (Risso, 1826)
- *josephinia caelata*, Natica josephinia caelata Bucquoy, Dautzenberg & Dollfus, 1883 - syn of: [\*\*Neverita josephinia\*\*](#) (Risso, 1826)
- *joubini*, [\*\*Falsilunatia joubini\*\*](#) (Lamy, 1911)
- *jousseamei*, Natica jousseamei Euthyme, 1885 - syn of: [\*\*Notocochlis cernica\*\*](#) (Jousseaume, 1874)
- *juani*, [\*\*Natica juani\*\*](#) Costa & Pastorino, 2012
- *judsoni*, [\*\*Polinices judsoni\*\*](#) (Maury, 1910) † (FOSSIL)
- *jukesii*, [\*\*Polinices jukesii\*\*](#) (Reeve, 1855)
- *jukyriuva*, [\*\*Natica jukyriuva\*\*](#) Simone, 2014
- *jungi*, [\*\*Polinices jungi\*\*](#) Landau, Da Silva & Heitz, 2016 † (FOSSIL)
- *junior*, Sinum junior Récluz, 1851 - syn of: [\*\*Sinum maculatum\*\*](#) Say, 1831
- *kaawaense*, [\*\*Proxiuber kaawaense\*\*](#) (Marwick, 1924) † (FOSSIL)
- *kaitbeyensis*, [\*\*Neverita kaitbeyensis\*\*](#) Abbass, 1967 † (FOSSIL)
- *kassiana*, Natica kassiana Wissmann, 1841 † - syn of: [\*\*Hollandites spivaki\*\*](#) (McLean, 1946) † (FOSSIL)
- *kawamurai*, [\*\*Natica kawamurai\*\*](#) Sakurai, 1983
- *kempi*, Natica kempfi Preston, 1916 - syn of: [\*\*Natica buriasiensis\*\*](#) Récluz, 1844
- *keratium*, [\*\*Sinum keratium\*\*](#) Dall, 1919
- *keyesi*, [\*\*Uberella keyesi\*\*](#) Marwick, 1965 † (FOSSIL)
- *kindelaninus*, Sinum kindelaninus Michaud, 1828 - syn of: [\*\*Lamellaria perspicua\*\*](#) (Linnaeus, 1758)

- **kingensis**, *Natica kingensis* May, 1924 - syn of: [\*\*\*Laevilitorina kingensis\*\*\*](#) (May, 1924)
- kiritaniana, *Neverita kiritaniana* Yokoyama, 1931 - syn of: [\*\*\*Neverita didyma coticazae\*\*\*](#) Makiyama, 1926
- **koeneni**, [\*\*\*Notocochlis dillwynii koeneni\*\*\*](#) Sacco (**FOSSIL**)
- **koeneni**, *Natica koeneni* Sacco, 1891 † - syn of: [\*\*\*Notocochlis dillwynii koeneni\*\*\*](#) (Sacco, 1891) † (**FOSSIL**)
- **koperbergae**, [\*\*\*Natica koperbergae\*\*\*](#) Bijl & Moolenbeek, 2009
- **kowiensis**, *Natica kowiensis* Turton, 1932 - syn of: [\*\*\*Natica simplex\*\*\*](#) Sowerby, 1897
- **kraussi**, [\*\*\*Eunaticina kraussi\*\*\*](#) (Smith, 1902)
- **kummeli**, [\*\*\*Polinices kummeli\*\*\*](#) Sohl, 1960 † (**FOSSIL**)
- **kurodai**, [\*\*\*Mammilla kurodai\*\*\*](#) (Taki, 1944)
- **kurodai**, *Polinices kurodai* Taki, 1944 - syn of: [\*\*\*Mammilla kurodai\*\*\*](#) (Taki, 1944)
- **kushime**, [\*\*\*Aloconatica kushime\*\*\*](#) (Shikama, 1971)
- **kushime**, *Tectonatica kushime* Shikama, 1971 - syn of: [\*\*\*Aloconatica kushime\*\*\*](#) (Shikama, 1971)
- **labellata**, [\*\*\*Euspira labellata\*\*\*](#) (Lamarck, 1804) † (**FOSSIL**)
- **labrella**, *Natica labrella* Lamarck, 1822 - syn of: [\*\*\*Natica collaris\*\*\*](#) Link, 1804
- **labrotincta**, *Natica labrotincta* Sowerby, 1900 - syn of: [\*\*\*Tectonatica suffusa\*\*\*](#) (Reeve, 1855)
- **labyrinthicum**, *Polinices labyrinthicum* Hedley, 1924 - syn of: [\*\*\*Polinices citrinus\*\*\*](#) (Philippi, 1851)
- **labyrinthicum**, *Uber labyrinthicum* Hedley, 1924 - syn of: [\*\*\*Polinices citrinus\*\*\*](#) (Philippi, 1851)
- **lacernula**, *Natica lacernula* D'Orbigny, 1842 - syn of: [\*\*\*Natica livida\*\*\*](#) Pfeiffer, 1840
- **lacondamini**, [\*\*\*Sinum lacondamini\*\*\*](#) Olsson, 1964 † (**FOSSIL**)
- **lacteobasis**, [\*\*\*Natica lacteobasis\*\*\*](#) Kuroda, 1961
- **lacteus**, [\*\*\*Polinices lacteus\*\*\*](#) Guiding, 1834
- **laevicula**, *Euspira laevicula* Verri, 1880 - syn of: [\*\*\*Euspira levicula\*\*\*](#) (Verri, 1880)
- **laevigatum**, [\*\*\*Sinum laevigatum\*\*\*](#) (Lamarck, 1822)
- **laevis**, *Natica laevis* Hutton, 1885 - syn of: [\*\*\*Globisinum drewi\*\*\*](#) (Murdoch, 1899)
- **lamarckiana**, [\*\*\*Eunaticina lamarckiana\*\*\*](#) (Récluz, 1843)
- **lamarckiana**, *Natica lamarckiana* Récluz, 1855 - syn of: [\*\*\*Neverita didyma\*\*\*](#) (Röding, 1798)
- **lamarckianus**, *Sigaretus lamarckianus* Récluz, 1843 - syn of: [\*\*\*Eunaticina lamarckiana\*\*\*](#) (Récluz, 1843)
- **lamarckii**, *Natica lamarckii* Récluz, 1843 - syn of: [\*\*\*Neverita didyma\*\*\*](#) (Röding, 1798)
- **landesiana**, [\*\*\*Stigmaulax landesiana\*\*\*](#) Olsson, 1964 † (**FOSSIL**)
- **landreibii**, *Natica landreibii* Klipstein, 1843 † - syn of: [\*\*\*Neritaria plicatilis\*\*\*](#) (Klipstein, 1843) † (**FOSSIL**)
- **largillierti**, *Natica largillierti* Récluz, 1852 - syn of: [\*\*\*Bulbus fragilis\*\*\*](#) (Leach, 1819)
- **larvaroni**, [\*\*\*Natica larvaroni\*\*\*](#) Bernard, 1983
- **lateaperta**, [\*\*\*Euspira lateaperta\*\*\*](#) (Marwick, 1924) † (**FOSSIL**)
- **latecallosa**, [\*\*\*Euspira latecallosa\*\*\*](#) Robba, Pedriali & Quaggiotto, 2016 † (**FOSSIL**)
- **latifasciatus**, *Sigaretus latifasciatus* Adams & Reeve, 1850 - syn of: [\*\*\*Sinum neritoideum\*\*\*](#) (Linnaeus, 1758)
- **latiusculus**, [\*\*\*Microlinices latiusculus\*\*\*](#) Simone, 2014
- **laurae**, [\*\*\*Notocochlis laurae\*\*\*](#) Costa & Pastorino, 2012
- **lavelana**, [\*\*\*Polinices lavelana\*\*\*](#) Hodson, 1927 † (**FOSSIL**)
- **lavendula**, *Natica lavendula* Woolcott, 1956 - syn of: [\*\*\*Natica buriasiensis\*\*\*](#) Récluz, 1844
- **lavendula**, *Naticarius lavendula* Woolcott, 1956 - syn of: [\*\*\*Natica buriasiensis\*\*\*](#) Récluz, 1844
- **laxus**, [\*\*\*Polinices laxus\*\*\*](#) (Finlay, 1926) † (**FOSSIL**)
- **leberonensis**, [\*\*\*Natica leberonensis\*\*\*](#) Fischer & Tournouer, 1873 † (**FOSSIL**)
- **leibnitziana**, *Natica leibnitziana* King, 1848 † - syn of: [\*\*\*Turbo obtusus\*\*\*](#) Brown, 1841 † (**FOSSIL**)
- **lekalekanum**, *Sinum lekalekanum* Ladd, 1945 † - syn of: [\*\*\*Synaptocochlea lekalekanum\*\*\*](#) (Ladd, 1945) † (**FOSSIL**)
- **lemniscata**, *Natica lemniscata* Philippi, 1852 - syn of: [\*\*\*Natica marochiensis\*\*\*](#) (Gmelin, 1791)
- **leptaleus**, [\*\*\*Polinices leptaleus\*\*\*](#) (Watson, 1881)
- **leucophaea**, *Conuber leucophaea* Reeve, 1855 - syn of: [\*\*\*Conuber sordidum\*\*\*](#) (Swainson, 1821)
- **leucozonias**, *Natica leucozonias* Gmelin, 1791 - syn of: [\*\*\*Natica vitellus\*\*\*](#) (Linnaeus, 1758)
- **levesquei**, [\*\*\*Sinum levesquei\*\*\*](#) Author unknown † (**FOSSIL**)
- **levesqui**, [\*\*\*Sinum clathratum levesqui\*\*\*](#) Deshayes (**FOSSIL**)
- **levicula**, [\*\*\*Euspira levicula\*\*\*](#) (Verri, 1880)
- **levis**, [\*\*\*Euspira levis\*\*\*](#) (Smith, 1896)
- **levistriata**, [\*\*\*Natica levistriata\*\*\*](#) Jukes-Browne, 1877 † (**FOSSIL**)
- **lewisii**, [\*\*\*Neverita lewisii\*\*\*](#) (Gould, 1847)
- **lewisii**, *Lunatia lewisii* Gould, 1847 - syn of: [\*\*\*Neverita lewisii\*\*\*](#) (Gould, 1847)
- **lewisii**, *Polinices lewisii* Gould, 1847 - syn of: [\*\*\*Neverita lewisii\*\*\*](#) (Gould, 1847)
- **lewisii**, *Natica lewisii* Gould, 1847 - syn of: [\*\*\*Neverita lewisii\*\*\*](#) (Gould, 1847)
- **lignitarum**, *Natica lignitarum* Deshayes, 1864 † - syn of: [\*\*\*Ampullina lignitarum\*\*\*](#) Deshayes, 1864 † (**FOSSIL**)
- **limacina**, *Natica limacina* Jousseaume, 1874 - syn of: [\*\*\*Natica marochiensis\*\*\*](#) (Gmelin, 1791)
- **limata**, [\*\*\*Globisinum limata\*\*\*](#) Tate, 1893 † (**FOSSIL**)
- **limbata**, [\*\*\*Natica limbata\*\*\*](#) D'Orbigny, 1837
- **limi**, [\*\*\*Polinices limi\*\*\*](#) Plsby, 1931
- **limpida**, [\*\*\*Natica limpida\*\*\*](#) Smith, 1884
- **limula**, [\*\*\*Neverita limula\*\*\*](#) Conrad, 1833 † (**FOSSIL**)
- **lineata**, [\*\*\*Tanea lineata\*\*\*](#) (Röding, 1798)
- **lineata**, *Notocochlis lineata* Röding, 1798 - syn of: [\*\*\*Tanea lineata\*\*\*](#) (Röding, 1798)
- **lineatus**, *Naticarius lineatus* Röding, 1798 - syn of: [\*\*\*Tanea lineata\*\*\*](#) (Röding, 1798)
- **lineolata**, *Natica lineolata* Philippi, 1844 - syn of: [\*\*\*Tectonatica sagraria\*\*\*](#) (D'Orbigny, 1842)
- **lineozonus**, [\*\*\*Naticarius lineozonus\*\*\*](#) (Jousseaume, 1874)
- **linneana**, [\*\*\*Eunaticina linneana\*\*\*](#) (Récluz, 1843)
- **listeri**, *Natica listeri* Philippi, 1850 - syn of: [\*\*\*Neverita duplicatus\*\*\*](#) (Say, 1822)
- **litorina**, [\*\*\*Euspira litorina\*\*\*](#) (Dal, 1908)
- **litorinus**, *Euspira litorinus* Dal, 1908 - syn of: [\*\*\*Euspira litorina\*\*\*](#) (Dal, 1908)

- **litterata**, Natica litterata Link, 1806 - syn of: [\*\*Naticarius onca\*\*](#) (Röding, 1798)
- **littonana**, [\*\*Natica littonana\*\*](#) Hall, 1856 † (**FOSSIL**)
- **livida**, Natica livida Nowell-Usticke, 1959 - syn of: [\*\*Natica livida\*\*](#) Pfeiffer, 1840
- **livida**, [\*\*Natica livida\*\*](#) Pfeiffer, 1840
- **lobatus**, [\*\*Polinices lobatus\*\*](#) Marwick, 1924 † (**FOSSIL**)
- **locellus**, Natica locellus Reeve, 1855 - syn of: [\*\*Notocochlis qualteriana\*\*](#) (Récluz, 1844)
- **lorierei**, Natica lorierei D'Orbigny, 1850 † - syn of: [\*\*Ampullina lorierei\*\*](#) (D'Orbigny, 1850) † (**FOSSIL**)
- **lorieri canina**, Natica lorieri canina Hudleston, 1882 † - syn of: [\*\*Ampullina lorierei canina\*\*](#) (Hudleston, 1882) † (**FOSSIL**)
- **lorioli**, [\*\*Euspira lorioli\*\*](#) Deshayes, 1864 † (**FOSSIL**)
- **luculenta**, [\*\*Natica luculenta\*\*](#) (Récluz, 1843)
- **luculenta**, [\*\*Natica luculenta\*\*](#) Iredale, 1929 † (**FOSSIL**)
- **luculenta**, Tanea luculenta Récluz, 1843 - syn of: [\*\*Natica luculenta\*\*](#) (Récluz, 1843)
- **lugubris**, Natica lugubris Stoppini, 1857 † - syn of: [\*\*Neritaria comensis\*\*](#) (Hoernes, 1856) † (**FOSSIL**)
- **lunaia**, [\*\*Natica lunaia\*\*](#) Berry, 1964 † (**FOSSIL**)
- **lunaris**, [\*\*Natica lunaris\*\*](#) (Berry, 1964)
- **lunata**, [\*\*Natica aquitanica lunata\*\*](#) Mayer (**FOSSIL**)
- **lupinus**, Natica lupinus Deshayes in Lamarck, 1838 - syn of: [\*\*Natica fasciata\*\*](#) Röding, 1798
- **lurida**, Natica lurida Philippi, 1852 - syn of: [\*\*Notocochlis qualteriana\*\*](#) (Récluz, 1844)
- **macilenta**, [\*\*Euspira macilenta\*\*](#) (Philippi, 1844)
- **mackayi**, [\*\*Polinices mackayi\*\*](#) Marwick, 1931 † (**FOSSIL**)
- **macra**, [\*\*Amauropsis macra\*\*](#) Böhm, 1895 † (**FOSSIL**)
- **macrochiensis**, [\*\*Natica macrochiensis\*\*](#) Gmelin, 1791
- **macrostoma**, Natica macrostoma Philippi, 1852 - syn of: [\*\*Mammilla kurodai\*\*](#) (Taki, 1944)
- **macrotremis**, Natica macrotremis Adams & Reeve, 1850 - syn of: [\*\*Eunaticina umbilicata\*\*](#) (Quoy & Gaimard, 1832)
- **maculata**, Natica maculata Deshayes, 1838 - syn of: [\*\*Naticarius hebraeus\*\*](#) (Martyn, 1786)
- **maculata**, Tectonatica maculata Perry, 1811 - syn of: [\*\*Notocochlis tigrina\*\*](#) (Röding, 1798)
- **maculata**, Natica maculata Salis-Marschlins, 1793 - syn of: [\*\*Naticarius hebraeus\*\*](#) (Martyn, 1786)
- **maculatum**, [\*\*Sinum maculatum\*\*](#) Say, 1831
- **maculosa**, Natica maculosa Klipstein, 1843 † - syn of: [\*\*Fedaiella neritacea\*\*](#) (Münster, 1841) † (**FOSSIL**)
- **maculosa**, Tectonatica maculosa Lamarck, 1822 - syn of: [\*\*Notocochlis tigrina\*\*](#) (Röding, 1798)
- **maesta**, [\*\*Uberella maesta\*\*](#) (Marwick, 1924) † (**FOSSIL**)
- **maga**, [\*\*Neverita maga\*\*](#) (Gregorio, 1880) † (**FOSSIL**)
- **magellanica**, Euspira magellanica Hombron & Jacquinot, 1852 - syn of: [\*\*Falsilunatia patagonica\*\*](#) (Philippi, 1845)
- **magnifluctuata**, [\*\*Tanea magnifluctuata\*\*](#) (Kuroda, 1961)
- **maheense**, Natica maheense Reeve, 1855 - syn of: [\*\*Naticarius sertatus\*\*](#) (Menke, 1843)
- **major**, [\*\*Amauropsona major\*\*](#) (Marshall, 1917) † (**FOSSIL**)
- **major**, Natica major Mörch, 1877 - syn of: [\*\*Natica marochiensis\*\*](#) (Gmelin, 1791)
- **major**, Natica major Strebel, 1908 - syn of: [\*\*Tectonatica impervia\*\*](#) (Philippi, 1845)
- **major**, [\*\*Gyrodes major\*\*](#) Wade, 1926 † (**FOSSIL**)
- **malabarica**, [\*\*Natica malabarica\*\*](#) Récluz, 1850
- **mamilla**, Natica mamilla Lamarck, 1822 - syn of: [\*\*Polinices mammilla\*\*](#) (Linnaeus, 1758)
- **mamilla**, Natica mamilla Linnaeus, 1758 - syn of: [\*\*Polinices mammilla\*\*](#) (Linnaeus, 1758)
- **mamilla**, Natica mamilla Simsona, 0 † - syn of: [\*\*Polinices submammilla\*\*](#) (Sacco, 1891) † (**FOSSIL**)
- **mammata**, [\*\*Mammilla mammata\*\*](#) (Röding, 1798)
- **mammatus**, Polinices mammatus Röding, 1798 - syn of: [\*\*Mammilla mammata\*\*](#) (Röding, 1798)
- **mammilla**, [\*\*Polinices mammilla\*\*](#) (Linnaeus, 1758)
- **mammilla ponderosa**, [\*\*Polinices mammilla ponderosa\*\*](#) Philippi, 1849
- **mammilla pyriformis**, [\*\*Polinices mammilla pyriformis\*\*](#) Récluz, 1844
- **manceli**, [\*\*Naticarius manceli\*\*](#) (Jousseaume, 1874)
- **manceli**, Natica manceli Jousseaume, 1874 - syn of: [\*\*Naticarius manceli\*\*](#) (Jousseaume, 1874)
- **mandelslohi**, Natica mandelslohi Klipstein, 1843 † - syn of: [\*\*Neritaria mandelslohi\*\*](#) (Klipstein, 1843) † (**FOSSIL**)
- **manipurensis**, [\*\*Natica manipurensis\*\*](#) Sijagurumayum, Singh & Kachhara, 2014 † (**FOSSIL**)
- **marchadi**, [\*\*Natica marchadi\*\*](#) Pn, 1992
- **marchamensis**, [\*\*Natica marchamensis\*\*](#) J.F. Blake & Hudleston, 1877 † (**FOSSIL**)
- **margaritaformis**, [\*\*Eunaticina margaritaformis\*\*](#) Dal, 1924
- **marginata**, Natica marginata Römer, 1843 † - syn of: [\*\*Naticopsis marginata\*\*](#) (Römer, 1843) † (**FOSSIL**)
- **marmorata**, Natica marmorata Adams, 1869 - syn of: [\*\*Natica prietoii\*\*](#) Hidalgo, 1873
- **marmorata**, Natica marmorata Risso, 1826 - syn of: [\*\*Euspira guilleminii\*\*](#) (Payraudeau, 1826)
- **maroccana**, Natica maroccana Chemnitz, 1781 - syn of: [\*\*Notocochlis chemnitzii\*\*](#) (Pfeiffer, 1840)
- **marochiensis**, [\*\*Natica marochiensis\*\*](#) (Gmelin, 1791)
- **marochiensis**, Notocochlis marochiensis Gmelin, 1791 - syn of: [\*\*Natica marochiensis\*\*](#) (Gmelin, 1791)
- **marochiensis**, Natica marochiensis Quoy & Gaimard, 1833 - syn of: [\*\*Notocochlis qualteriana\*\*](#) (Récluz, 1844)
- **marshalli**, [\*\*Friginatica marshalli\*\*](#) Marwick, 1931 † (**FOSSIL**)
- **martinezensis**, [\*\*Amauropsis martinezensis\*\*](#) Dickerson, 1914 † (**FOSSIL**)
- **marwicki**, [\*\*Friginatica marwicki\*\*](#) Beu, 1970 † (**FOSSIL**)
- **marwicki**, [\*\*Sinum marwicki\*\*](#) Laws, 1930 † (**FOSSIL**)
- **marwicki**, [\*\*Uberella marwicki\*\*](#) Powell, 1935 † (**FOSSIL**)
- **marylandica**, [\*\*Euspira marylandica\*\*](#) Conrad, 1865 † (**FOSSIL**)
- **marylandica**, [\*\*Poliniciella marylandica\*\*](#) Petuch, 1988 † (**FOSSIL**)
- **maura**, [\*\*Mammilla maura\*\*](#) (Lamarck, 1816)
- **maurus**, Polinices maurus Lamarck, 1816 - syn of: [\*\*Mammilla maura\*\*](#) (Lamarck, 1816)
- **maxima**, Natica maxima Risso, 1826 - Syn of: [\*\*Naticarius hebraeus\*\*](#) (Martyn, 1786)
- **maximus**, Sigaretus maximus Philippi, 1844 - syn of: [\*\*Sinum cymba\*\*](#) Menke, 1828

- **medinae**, ***Polinices medinae*** (Philippi, 1887) † (**FOSSIL**)
- **mediopacificus**, ***Polinices mediopacificus*** Kosuge, 1979
- **meisensis**, ***Euspira meisensis*** Makiyama, 1926 † (**FOSSIL**)
- **melanochila**, *Natica melanochila* Philippi, 1852 - syn of: ***Mammilla melanostoma*** (Gmelin, 1791)
- **melanoperculata**, ***Natica melanoperculata*** Liu, 1977
- **melanostoma**, ***Mammilla melanostoma*** (Gmelin, 1791)
- **melanostoma**, *Natica melanostoma* Gmelin, 1791 - syn of: ***Mammilla melanostoma*** (Gmelin, 1791)
- **melanostoma**, *Polinices melanostoma* Gmelin, 1791 - syn of: ***Mammilla melanostoma*** (Gmelin, 1791)
- **melanostoma maculata**, *Natica melanostoma maculata* Philippi, 1852 - syn of: ***Mammilla melanostomoides*** (Quoy & Gaimard, 1832)
- **melanostoma subfasciata**, *Natica melanostoma subfasciata* Philippi, 1852 - syn of: ***Mammilla melanostomoides*** (Quoy & Gaimard, 1832)
- **melanostoma subpicta**, *Natica melanostoma subpicta* Philippi, 1852 - syn of: ***Mammilla melanostomoides*** (Quoy & Gaimard, 1832)
- **melanostomoides**, ***Mammilla melanostomoides*** (Quoy & Gaimard, 1832)
- **melanostomoides**, *Natica melanostomoides* Quoy & Gaimard, 1832 - syn of: ***Mammilla melanostomoides*** (Quoy & Gaimard, 1832)
- **melastoma**, ***Conuber melastoma*** (Swainson, 1821)
- **melastomus**, *Polinices melastomus* Gmelin, 1791 - syn of: ***Mammilla melanostoma*** (Gmelin, 1791)
- **mellosa**, *Natica mellosa* Hedley, 1924 - syn of: ***Polinices aurantius*** Lamarck, 1822
- **melloso**, ***Polinices melloso*** (Hedley, 1924)
- **menkeana**, ***Natica menkeana*** Philippi, 1851
- **menkeanum**, *Sinum menkeanum* Dunker, 1855 - syn of: ***Sinum bifasciatum*** (Récluz, 1851)
- **merciniensis**, *Natica merciniensis* Deshayes, 1864 † - syn of: ***Ampullina lignitarum*** Deshayes, 1864 † (**FOSSIL**)
- **meridionalis**, ***Natica varians meridionalis*** Cossmann & Peyrot (**FOSSIL**)
- **meridionalis**, *Natica meridionalis* Phillips, 1841 † - syn of: ***Macrochilina meridionalis*** (Phillips, 1841) † (**FOSSIL**)
- **mexicanus**, ***Sinum mexicanus*** Bose, 1906 † (**FOSSIL**)
- **michaelis**, ***Natica michaelis*** Fischer-Piette, 1942
- **michaudi**, ***Sigaretotrema michaudi*** (Michelotti, 1847) † (**FOSSIL**)
- **michaudi clausula**, *Sigaretotrema michaudi clausula* Sacco, 1890 † - syn of: ***Sigaretotrema michaudi*** (Michelotti, 1847) † (**FOSSIL**)
- **michaudi eunaticinoides**, *Sigaretotrema michaudi eunaticinoides* Sacco, 1890 † - syn of: ***Sigaretotrema michaudi*** (Michelotti, 1847) † (**FOSSIL**)
- **michaudi pseudoaqueensis**, *Sigaretotrema michaudi pseudoaqueensis* Sacco, 1890 † - syn of: ***Sigaretotrema michaudi*** (Michelotti, 1847) † (**FOSSIL**)
- **micerca**, ***Tectonatica micra*** (Haas, 1953)
- **microglossa**, ***Natica microglossa*** Deshayes, 1864 † (**FOSSIL**)
- **microstira**, ***Sinum microstira*** Tate, 1893 † (**FOSSIL**)
- **microstoma**, *Conuber microstoma* Quoy & Gaimard, 1833 - syn of: ***Conuber sordidum*** (Swainson, 1821)
- **microstoma**, *Natica microstoma* Quoy & Gaimard, 1833 - syn of: ***Conuber sordidum*** (Swainson, 1821)
- **microstriatum**, ***Sinuber microstriatum*** Dell, 1990
- **mienisi**, ***Eunaticina mienisi*** (Kiburn, 1988)
- **mienisi**, *Gennaeosinum mienisi* Kiburn, 1988 - syn of: ***Eunaticina mienisi*** (Kiburn, 1988)
- **migratoria**, *Cochlis migratoria* Powell, 1927 - syn of: ***Notocochlis gualteriana*** (Récluz, 1844)
- **mikawaensis**, ***Mammilla mikawaensis*** Azuma, 1961
- **millepunctata**, *Natica millepunctata* Lamarck, 1822 - syn of: ***Naticarius stercusmuscarum*** (Gmelin, 1791)
- **millepunctata pardalis**, *Natica millepunctata pardalis* Coppi, 1876 † - syn of: ***Cochlis epiglopardalis*** (Sacco, 1890) † (**FOSSIL**)
- **mima**, ***Taniella mima*** Maxwell, 1988 † (**FOSSIL**)
- **mina**, ***Polinices mina*** Griffin & Pastorino, 2013 † (**FOSSIL**)
- **minima**, ***Natica minima*** Henry, 1876 † (**FOSSIL**)
- **mino**, ***Natica mino*** Gardner, 1947 † (**FOSSIL**)
- **minor**, *Sinum minor* Dall, 1889 - syn of: ***Sinum minus*** (Dall, 1889)
- **minus**, ***Sinum minus*** (Dall, 1889)
- **miocaenicum**, ***Globisinum miocaenicum*** (Suter, 1917) † (**FOSSIL**)
- **miocolligens**, ***Tectonatica miocolligens*** (Sacco, 1891) † (**FOSSIL**)
- **miocolligens pseudomamilla**, *Natica miocolligens pseudomamilla* Sacco, 1891 † - syn of: ***Tectonatica miocolligens*** (Sacco, 1891) † (**FOSSIL**)
- **miopusilla**, ***Tectonatica miopusilla*** (Kautsky, 1925) † (**FOSSIL**)
- **mississippiensis**, ***Natica mississippiensis*** (Conrad, 1848) † (**FOSSIL**)
- **mittrei**, *Natica mittrei* Hombron & Jacquinot, 1853 - syn of: ***Polinices citrinus*** (Philippi, 1851)
- **modesta**, ***Polinella modesta*** (Marwick, 1924) † (**FOSSIL**)
- **moerchi**, *Amaurospis moerchi* Adams & Angas, 1864 - syn of: ***Alexania moerchi*** (Adams & Angas, 1864)
- **molarensis**, ***Euspira molarensis*** Robba, Pedriali & Quaggiotto, 2016 † (**FOSSIL**)
- **mollis**, *Choristes mollis* Okutani, 1964 - syn of: ***Choristella mollis*** (Okutani, 1964)
- **monilifera**, *Lunatia monilifera* Lamarck, 1822 - syn of: ***Euspira catena*** (Da Costa, 1778)
- **monodi**, ***Natica monodi*** Marche-Marchad, 1957
- **montacuti**, *Natica montacuti* Jeffreys, 1867 - syn of: ***Euspira montagui*** (Forbes, 1838)
- **montacuti albula**, *Natica montacuti albula* Jeffreys, 1867 - syn of: ***Euspira montagui*** (Forbes, 1838)
- **montacuti conica**, *Natica montacuti conica* Jeffreys, 1867 - syn of: ***Euspira montagui*** (Forbes, 1838)
- **montagui**, ***Euspira montagui*** (Forbes, 1838)
- **monterona**, *Euspira monterona* Dall, 1919 - syn of: ***Euspira pallida*** (Broderip & Sowerby, 1829)
- **montrouzieri**, ***Haliotinella montrouzieri*** Souverbie, 1875
- **moquiniana**, ***Natica moquiniana*** Récluz, 1853
- **moragai**, ***Tejonia moragai*** (Stewart, 1927) † (**FOSSIL**)
- **morelli**, *Sigaretus morelli* Delle Chaje, 1841 - syn of: ***Lamellaria perspicua*** (Linnaeus, 1758)
- **morisi**, ***Euspira morisi*** Awad & Abed, 1967 † (**FOSSIL**)
- **morraboolensis**, ***Natica morraboolensis*** Tate, 1893 † (**FOSSIL**)
- **mortoni**, ***Cochlis mortoni*** Robba, Pedriali & Quaggiotto, 2016 † (**FOSSIL**)
- **motutaraensis**, ***Taniella motutaraensis*** (Powell, 1935) † (**FOSSIL**)
- **mozaica**, ***Tanea mozaica*** (Sowerby, 1883)

- **mucronatus**, [\*\*\*Polinices mucronatus\*\*\*](#) Marwick, 1931 † (**FOSSIL**)
- **multipunctata**, [\*\*\*Natica multipunctata\*\*\*](#) Blainvile, 1825
- **multipunctata fanel**, [\*\*\*Natica multipunctata fanel\*\*\*](#) (Récluz, 1844)
- **multoties punctata**, *Natica multoties punctata* Mörch, 1852 - syn of: [\*\*\*Natica multipunctata\*\*\*](#) Blainville, 1825
- **nagibi**, [\*\*\*Sinum nagibi\*\*\*](#) Abbass, 1967 † (**FOSSIL**)
- **nana**, *Natica nana* Möller, 1842 - syn of: [\*\*\*Pseudopolinices manus\*\*\*](#) (Möller, 1842)
- **nana**, *Lunatia nana* Möller, 1842 - syn of: [\*\*\*Pseudopolinices manus\*\*\*](#) (Möller, 1842)
- **nana**, *Neverita nana* Möller, 1842 - syn of: [\*\*\*Pseudopolinices manus\*\*\*](#) (Möller, 1842)
- **manus**, [\*\*\*Pseudopolinices manus\*\*\*](#) (Möller, 1842)
- **manus**, *Polinices manus* Möller, 1842 - syn of: [\*\*\*Pseudopolinices manus\*\*\*](#) (Möller, 1842)
- **napus**, [\*\*\*Euspira napus\*\*\*](#) Smith, 1904
- **naticoidalis**, [\*\*\*Sinum naticoidalis\*\*\*](#) Vokes, 1938 † (**FOSSIL**)
- **nebulosa**, *Natica nebulosa* Schepman, 1909 - syn of: [\*\*\*Notocochlis cernica\*\*\*](#) (Jousseaume, 1874)
- **neglecta**, [\*\*\*Cochlis neglecta\*\*\*](#) (Mayer, 1858) † (**FOSSIL**)
- **nelsoni**, [\*\*\*Polinices nelsoni\*\*\*](#) Olson, 1932 † (**FOSSIL**)
- **nemo**, *Natica nemo* Bartsch, 1915 - syn of: [\*\*\*Notocochlis qualteriana\*\*\*](#) (Récluz, 1844)
- **neptuni**, [\*\*\*Natica neptuni\*\*\*](#) D'Orbigny, 1850 † (**FOSSIL**)
- **nereidis**, [\*\*\*Neverita nereidis\*\*\*](#) Maury, 1917 † (**FOSSIL**)
- **neritacea**, *Natica neritacea* Münster, 1841 † - syn of: [\*\*\*Fedaiella neritacea\*\*\*](#) (Münster, 1841) † (**FOSSIL**)
- **neritina**, *Natica neritina* Münster, 1841 † - syn of: [\*\*\*Dentineritaria neritina\*\*\*](#) (Münster, 1841) † (**FOSSIL**)
- **neritoideum**, [\*\*\*Sinum neritoideum\*\*\*](#) (Linnaeus, 1758)
- **neustriaca**, *Natica neustriaca* Locard, 1886 - syn of: [\*\*\*Euspira nitida\*\*\*](#) (Donovan, 1804)
- **nexicosta**, *Natica nexicosta* Phillips, 1841 † - syn of: [\*\*\*Naticopsis nexicosta\*\*\*](#) (Phillips, 1841) † (**FOSSIL**)
- **niasensis**, [\*\*\*Stigmaulax niasensis\*\*\*](#) Wissemann, 1947
- **nigrescens**, *Natica nigrescens* Adams, 1850 - syn of: [\*\*\*Natica livida\*\*\*](#) Pfeiffer, 1840
- **nigromaculata**, [\*\*\*Falsilunatia nigromaculata\*\*\*](#) (Lamy, 1911)
- **nipponensis**, [\*\*\*Natica nipponensis\*\*\*](#) Kuroda, 1961
- **nipponica**, *Choristes nipponica* Okutani, 1964 - syn of: [\*\*\*Moelleriopsis nipponica\*\*\*](#) (Okutani, 1964)
- **nitida**, [\*\*\*Euspira nitida\*\*\*](#) (Donovan, 1804)
- **nitidus**, *Sigaretus nitidus* Reeve, 1864 - syn of: [\*\*\*Euspira nitida\*\*\*](#) (Donovan, 1804)
- **noe**, [\*\*\*Cryptonatica noe\*\*\*](#) (D'Orbigny, 1850) † (**FOSSIL**)
- **nolani**, [\*\*\*Sinum nolani\*\*\*](#) Maury, 1917 † (**FOSSIL**)
- **nomii**, [\*\*\*Pliconacca nomii\*\*\*](#) Nagao, 1928 † (**FOSSIL**)
- **normalis**, [\*\*\*Bulbus normalis\*\*\*](#) (Middendorff, 1851)
- **notabilis**, [\*\*\*Euspira notabilis\*\*\*](#) (Jeffreys, 1885)
- **notata**, *Natica notata* Sowerby, 1883 - syn of: [\*\*\*Naticarius lineozonus\*\*\*](#) (Jousseaume, 1874)
- **notocenica**, [\*\*\*Taniella notocenica\*\*\*](#) (Finlay, 1924) † (**FOSSIL**)
- **notoleptos**, [\*\*\*Amauropsis notoleptos\*\*\*](#) Stilwell & al., 2004 † (**FOSSIL**)
- **motorcadensis**, [\*\*\*Falsilunatia motorcadensis\*\*\*](#) Dell, 1990
- **noyesii**, [\*\*\*Sinum noyesii\*\*\*](#) Dal, 1903
- **nubila**, [\*\*\*Payraudeautia nubila\*\*\*](#) (Dal, 1889)
- **nubilus**, *Polinices nubilus* Dal, 1889 - syn of: [\*\*\*Payraudeautia nubila\*\*\*](#) (Dal, 1889)
- **nuciformis**, [\*\*\*Euspira nuciformis\*\*\*](#) Gabb, 1864 † (**FOSSIL**)
- **nucula**, *Natica nucula* Reeve, 1855 - syn of: [\*\*\*Tectonatica suffusa\*\*\*](#) (Reeve, 1855)
- **nuda**, [\*\*\*Magnatica nuda\*\*\*](#) (Marwick, 1924) † (**FOSSIL**)
- **nukahivensis**, *Natica nukahivensis* Jardin, 1859 - syn of: [\*\*\*Naticarius zonalis\*\*\*](#) (Récluz, 1850)
- **nux**, [\*\*\*Euspira nux\*\*\*](#) (Okutani, 1964)
- **nuxcastanea**, *Mammilla nuxcastanea* Hedley, 1913 - syn of: [\*\*\*Mammilla maura\*\*\*](#) (Lamarck, 1816)
- **nysti**, [\*\*\*Euspira nysti\*\*\*](#) (D'Orbigny, 1852) † (**FOSSIL**)
- **obliqua**, [\*\*\*Natica obliqua\*\*\*](#) Price, 1874 † (**FOSSIL**)
- **obliquistriata**, [\*\*\*Natica obliquistriata\*\*\*](#) Forbes, 1846
- **obliquocallosa**, [\*\*\*Cochlis raropunctata obliquocallosa\*\*\*](#) Pedriali & Robba (**FOSSIL**)
- **obliquum**, [\*\*\*Sinum obliquum\*\*\*](#) Gabb, 1864 † (**FOSSIL**)
- **oblongus**, *Eunaticina oblongus* Reeve, 1864 - syn of: [\*\*\*Euspira nitida\*\*\*](#) (Donovan, 1804)
- **oblongus**, *Natica oblongus* Yokoyama, 1922 - syn of: [\*\*\*Mammilla kurodai\*\*\*](#) (Taki, 1944)
- **obscura**, [\*\*\*Natica obscura\*\*\*](#) Sowerby, 1840 † (**FOSSIL**)
- **obstructus**, [\*\*\*Polinices obstructus\*\*\*](#) (Marwick, 1924) † (**FOSSIL**)
- **obtecta**, *Natica obtecta* Philippi, 1887 † - syn of: [\*\*\*Glossaulax pachystoma\*\*\*](#) (Hupé, 1854) † (**FOSSIL**)
- **obturata**, *Natica obturata* Philippi, 1855 - syn of: [\*\*\*Tectonatica impervia\*\*\*](#) (Philippi, 1845)
- **obturata**, *Natica obturata* Philippi, 1855 - syn of: [\*\*\*Tectonatica impervia\*\*\*](#) (Philippi, 1845)
- **obtusa**, [\*\*\*Euspira obtusa\*\*\*](#) (Jeffreys, 1885)
- **occlusa**, [\*\*\*Natica occlusa\*\*\*](#) Wood † (**FOSSIL**)
- **ochrostigmata**, *Natica ochrostigmata* Rehder, 1980 - syn of: [\*\*\*Notocochlis cernica\*\*\*](#) (Jousseaume, 1874)
- **ochrostoma**, *Natica ochrostoma* Récluz, 1850 - syn of: [\*\*\*Polinices lacteus\*\*\*](#) Goulding, 1834
- **odhneri**, [\*\*\*Amauropsis odhneri\*\*\*](#) Harmer † (**FOSSIL**)
- **oeyenhausii**, [\*\*\*Natica oeyenhausii\*\*\*](#) Klipstein, 1843 † (**FOSSIL**)
- **oldroydii**, [\*\*\*Calinaticina oldroydii\*\*\*](#) (Dall, 1897)
- **oligopolitum**, [\*\*\*Sinum oligopolitum\*\*\*](#) (Sacco, 1890) † (**FOSSIL**)
- **olivella**, *Natica olivella* Locard, 1897 - syn of: [\*\*\*Amauropsis brassiculina\*\*\*](#) (Locard, 1897)
- **olivella major**, *Natica olivella major* Locard, 1897 - syn of: [\*\*\*Amauropsis brassiculina\*\*\*](#) (Locard, 1897)
- **olivella minor**, *Natica olivella minor* Locard, 1897 - syn of: [\*\*\*Euspira subuplicata\*\*\*](#) (Jeffreys, 1885)
- **olla**, [\*\*\*Neverita olla\*\*\*](#) de Serres, 1829 † (**FOSSIL**)
- **olla**, *Natica olla* Serres, 1829 - syn of: [\*\*\*Neverita josephinia\*\*\*](#) (Risso, 1826)

- *olla subglaucinoides*, [Neverita olla subglaucinoides](#) D'Orbigny, 1852 † (**FOSSIL**)
- *ombratus*, [Microlinices ombratus](#) Smone, 2014
- *omoia*, [Natica omoia](#) Mabille & Rochebrune, 1885
- *onca*, [Naticarius onca](#) (Röding, 1798)
- *onca*, Natica onca Röding, 1798 - syn of: [Naticarius onca](#) (Röding, 1798)
- *oneroaensis*, [Polinices oneroaensis](#) Powell & Bartrum, 1929 † (**FOSSIL**)
- *onustus*, [Polinices onustus](#) (Whitfield, 1865) † (**FOSSIL**)
- *opaca*, Natica opaca Récluz, 1851 - syn of: [Mammilla melanostoma](#) (Gmelin, 1791)
- *opacus*, Polinices opacus Récluz, 1851 - Syn of: [Mammilla melanostoma](#) (Gmelin, 1791)
- *operculata*, [Cryptonatica operculata](#) (Jeffreys, 1885)
- *operculata*, Natica operculata Nordsieck, 1973 - syn of: [Notocochlis dillwynii](#) (Payraudeau, 1826)
- *operculata farolita*, Tectonatica operculata farolita Nordsieck, 1973 - syn of: [Notocochlis dillwynii](#) (Payraudeau, 1826)
- *orbignyi*, Natica orbignyi Hupé, 1854 † - syn of: [Natica subsolida](#) D'Orbigny, 1847 † (**FOSSIL**)
- *orientalis*, [Naticarius orientalis](#) (Gmelin, 1791)
- *orientalis*, Natica orientalis Gmelin, 1791 - syn of: [Naticarius orientalis](#) (Gmelin, 1791)
- *ortmanni*, [Polinices ortmanni](#) Ihering, 1907 † (**FOSSIL**)
- *otaioensis*, [Polinices otaioensis](#) Marwick, 1960 † (**FOSSIL**)
- *oteroi*, [Natica otroi](#) (Fernandes & Rolán, 1991)
- *othello*, [Natica othello](#) Dal, 1908
- *otis*, Natica otis Broderip & Sowerby, 1829 - Syn of: [Polinices otis](#) Broderip & Sowerby, 1829
- *otis*, [Polinices otis](#) Broderip & Sowerby, 1829
- *otukai*, Euspira otukai Masuda, 1956 † - syn of: [Euspira meisensis](#) Makiyama, 1926 † (**FOSSIL**)
- *ovata*, [Natica ovata](#) Klipstein, 1843 † (**FOSSIL**)
- *ovata*, [Euspira pila ovata](#) Sowerby
- *ovoidea*, [Polinices ovoidea](#) (Philippi, 1887) † (**FOSSIL**)
- *ovum*, Natica ovum Menke, 1850 - syn of: [Polinices uber](#) (Valenciennes, 1832)
- *ovum*, Natica ovum Menke, 1850 - syn of: [Polinices uber](#) (Valenciennes, 1832)
- *oyni*, [Amauroopsis oyni](#) Hamer † (**FOSSIL**)
- *pabloensis*, [Neverita pabloensis](#) Clark, 1915 † (**FOSSIL**)
- *pachyope*, [Natica pachyope](#) Cossmann & Peyrot, 1921 † (**FOSSIL**)
- *pachystoma*, [Glossaulax pachystoma](#) (Hupé, 1854) † (**FOSSIL**)
- *paciae*, [Polinices paciae](#) Bozzetti, 1997
- *pacificum*, [Gyrodes pacificum](#) Popenoë, 1987 † (**FOSSIL**)
- *pacificum*, [Sinum pacificum](#) Rivera, 1957 † (**FOSSIL**)
- *pagoda*, [Natica pagoda](#) Forbes, 1846 † (**FOSSIL**)
- *pallens*, Natica pallens Philippi, 1848 - syn of: [Natica vitellus](#) (Linnaeus, 1758)
- *pallida*, [Euspira pallida](#) (Broderip & Sowerby, 1829)
- *pallium*, Natica pallium Récluz, 1850 - syn of: [Vanikoro cumingiana](#) (Récluz, 1844)
- *panamaensis*, [Polinices panamaensis](#) Récluz, 1844
- *panamensis*, Polinices panamensis Récluz, 1844 - syn of: [Polinices panamaensis](#) Récluz, 1844
- *papilla*, [Funaticina papilla](#) (Gmelin, 1791)
- *papilla*, Sinum papilla Gmelin, 1791 - syn of: [Funaticina papilla](#) (Gmelin, 1791)
- *papilla madoerensis*, Sinum papilla madoerensis Van Regteren Altena, 1941 - syn of: [Funaticina papilla](#) (Gmelin, 1791)
- *papyracea*, Natica papyracea Busch, 1845 - syn of: [Neverita didyma](#) (Röding, 1798)
- *paraguanensis*, [Neverita paraguanensis](#) Hodson, 1927 † (**FOSSIL**)
- *parahybensis*, [Natica parahybensis](#) Maury, 1930 † (**FOSSIL**)
- *pardalis*, Natica pardalis Doderlein, 1864 † - syn of: [Cochlis epiglopardalis](#) (Sacco, 1890) † (**FOSSIL**)
- *pardoana*, [Euspira pardoana](#) (Dall, 1908)
- *pardoanus*, Euspira pardoanus Dall, 1908 - syn of: [Euspira pardoana](#) (Dall, 1908)
- *parilis*, [Spelaenacca parilis](#) Finlay, 1930 † (**FOSSIL**)
- *parkinsoni*, [Forator parkinsoni](#) Morris † (**FOSSIL**)
- *parva*, Euspira parva Lea, 1833 † - syn of: [Polinices eminulus](#) Conrad, 1833 † (**FOSSIL**)
- *parvula*, Natica parvula Tapparone-Carelli, 1869 - syn of: [Euspira nitida](#) (Donovan, 1804)
- *parvuloides*, [Natica parvuloides](#) Cossmann & Peyrot, 1921 † (**FOSSIL**)
- *parvulus*, [Polinices parvulus](#) Bozzetti, 2010
- *parvus*, Sigaretus parvus Smith, 1895 - Syn of: [Sinum neritoideum](#) (Linnaeus, 1758)
- *pasinii*, [Tectonatica pasinii](#) (Bayan, 1870) † (**FOSSIL**)
- *patagonica*, [Falsilunatia patagonica](#) (Philippi, 1845)
- *patagonica*, Natica patagonica Philippi, 1845 - syn of: [Falsilunatia patagonica](#) (Philippi, 1845)
- *patagonica soluta*, [Falsilunatia patagonica soluta](#) (Gould, 1848)
- *patagonicus*, Polinices patagonicus Philippi, 1845 - syn of: [Falsilunatia patagonica](#) (Philippi, 1845)
- *patinaria*, [Haliotinella patinaria](#) Guppy, 1876
- *patula*, Natica patula Sowerby, 1841 - syn of: [Hypterita helicoides](#) (Gray, 1825)
- *patulum*, [Sinum patulum](#) (Grateloup, 1847) † (**FOSSIL**)
- *paucimaculata*, Natica paucimaculata Sowerby, 1914 - syn of: [Naticarius onca](#) (Röding, 1798)
- *paucipunctata*, [Payraudeautia gruveli paucipunctata](#) Dautzenberg
- *paucipunctata*, Natica paucipunctata Dautzenberg, 1910 - syn of: [Payraudeautia gruveli paucipunctata](#) Dautzenberg, 1910
- *pauloconvexum*, Ectosinum pauloconvexum Iredale, 1931 - syn of: [Sinum planulatum](#) (Récluz, 1843)
- *paviai*, [Sinum paviai](#) Robba, Pedriali & Quaggiotto, 2016 † (**FOSSIL**)
- *pavimentum*, [Tanea pavimentum](#) (Récluz, 1844)
- *pavimentum*, Natica pavimentum Röding, 1798 - syn of: [Naticarius onca](#) (Röding, 1798)
- *payeni*, Natica payeni Rochebrune & Mabille, 1885 - syn of: [Tectonatica impervia](#) (Philippi, 1845)
- *payeni*, Natica payeni Rochebrune & Mabille, 1885 - syn of: [Tectonatica impervia](#) (Philippi, 1845)

- paytensis, [\*Natica paytensis\*](#) Olsson, 1930 † (**FOSSIL**)
- [\*pazianum\*](#), Sinum pazianum Dall, 1919 - syn of: [\*Sinum debile\*](#) (Gould, 1853)
- [\*pedernalis\*](#), Euspira pedernalis Gabb, 1869 † - syn of: [\*Prisconatica pedernalis\*](#) (Gabb, 1869) † (**FOSSIL**)
- [\*peleum\*](#), [\*Gennaeosinum peleum\*](#) (Iredale, 1929)
- [\*peleum\*](#), Eunaticina peleum Iredale, 1929 - syn of: [\*Gennaeosinum peleum\*](#) (Iredale, 1929)
- [\*pellistigrina\*](#), Tectonatica pellistigrina Dunker, 1882 - syn of: [\*Notocochlis tigrina\*](#) (Röding, 1798)
- [\*peloritana\*](#), Polinices peloritana Sullotti, 1889 - syn of: [\*Euspira intricata\*](#) (Donovan, 1804)
- [\*peloritana\*](#), Payraudeautia peloritana Sullotti, 1889 - syn of: [\*Euspira intricata\*](#) (Donovan, 1804)
- [\*perforata\*](#), [\*Euspira perforata\*](#) (Deshayes, 1864) † (**FOSSIL**)
- [\*perinflatum\*](#), [\*Sinum perinflatum\*](#) (Sacco, 1890) † (**FOSSIL**)
- [\*perla\*](#), Euspira perla Dall, 1889 - syn of: [\*Euspira fringilla\*](#) (Dall, 1881)
- [\*perlineata\*](#), [\*Natica perlineata\*](#) Dall, 1889
- [\*permunda\*](#), [\*Natica permunda\*](#) Conrad, 1854 † (**FOSSIL**)
- [\*perobliquum\*](#), [\*Gennaeosinum perobliquum\*](#) (Dautzenberg & Fischer, 1906)
- [\*perovato\*](#), [\*Sinum perovato\*](#) Conrad, 1866 † (**FOSSIL**)
- [\*perrini\*](#), [\*Sinum perrini\*](#) Arnold, 1907 † (**FOSSIL**)
- [\*perspecta\*](#), [\*Euspira perspecta\*](#) Whitfield, 1935 † (**FOSSIL**)
- [\*perspecta texana\*](#), [\*Euspira perspecta texana\*](#) Garvie, 2013 † (**FOSSIL**)
- [\*perspectiva\*](#), [\*Globisinum perspectiva\*](#) (Tate, 1893) † (**FOSSIL**)
- [\*perspectiva\*](#), [\*Natica perspectiva\*](#) Rogers, 1839 † (**FOSSIL**)
- [\*perspectivum\*](#), [\*Sinum perspectivum\*](#) Say, 1831
- [\*perspicuus\*](#), [\*Polinices perspicuus\*](#) (Récluz, 1850)
- [\*pertusa\*](#), Natica pertusa Stoliczka, 1867 † - syn of: [\*Globularia pertusa\*](#) (Stoliczka, 1867) † (**FOSSIL**)
- [\*peruviana\*](#), [\*Natica peruviana\*](#) Olson, 1928 † (**FOSSIL**)
- [\*peselephant\*](#), [\*Polinices peselephant\*](#) (Link, 1807)
- [\*peselephant\*](#), Natica peselephant Link, 1807 - syn of: [\*Polinices peselephant\*](#) (Link, 1807)
- [\*peselephant\*](#), Neverita peselephant Link, 1807 - syn of: [\*Polinices peselephant\*](#) (Link, 1807)
- [\*petitianus\*](#), [\*Gennaeosinum petitianus\*](#) (Récluz in Chenu, 1843)
- [\*petiveriana\*](#), [\*Glossaulax petiveriana\*](#) (Récluz, 1843)
- [\*pfeifferi\*](#), Natica pfeifferi Philippi, 1851 - Syn of: [\*Polinices lacteus\*](#) Goulding, 1834
- [\*phaeocephala\*](#), [\*Euspira phaeocephala\*](#) (Dautzenberg & Fischer, 1896)
- [\*philippiana\*](#), Natica philippiana Nyström, 1845 - syn of: [\*Tectonatica impervia\*](#) (Philippi, 1845)
- [\*philippiana\*](#), Natica philippiana Récluz, 1843 - syn of: [\*Neverita josephinia\*](#) (Risso, 1826)
- [\*philippiana\*](#), Natica philippiana Reeve, 1855 - syn of: [\*Neverita josephinia\*](#) (Risso, 1826)
- [\*philippii\*](#), Sigaretus philippii Weinkauff, 1883 - syn of: [\*Sinum bifasciatum\*](#) (Récluz, 1851)
- [\*philippinensis\*](#), [\*Naticarius philippinensis\*](#) (Watson, 1881)
- [\*phillipi\*](#), [\*Maxwellinatica phillipi\*](#) Beu & Marshall, 2011 † (**FOSSIL**)
- [\*phytelephas\*](#), Natica phytelephas Reeve, 1855 - syn of: [\*Polinices candidissimus\*](#) (Le Guibou, 1842)
- [\*piccolii\*](#), [\*Euspira piccolii\*](#) Robba, Pedriali & Quaggiotto, 2016 † (**FOSSIL**)
- [\*picta\*](#), [\*Tanea picta\*](#) (Récluz, 1844)
- [\*pidanceti\*](#), [\*Natica pidanceti\*](#) Coquand † (**FOSSIL**)
- [\*pijiguayensis\*](#), [\*Polinices pijiguayensis\*](#) Clark & Durham, 1946 † (**FOSSIL**)
- [\*pila\*](#), [\*Euspira pila\*](#) (Pilsbry, 1911)
- [\*pila\*](#), Polinices pila Pilsbry, 1911 - syn of: [\*Euspira pila\*](#) (Pilsbry, 1911)
- [\*pila\*](#), [\*Euspira pila ovata\*](#) (Sowerby, 1914)
- [\*pilula\*](#), Neverita pilula Locard, 1897 - syn of: [\*Euspira obtusa\*](#) (Jeffreys, 1885)
- [\*pipoca\*](#), [\*Natica pipoca\*](#) Simone, 2014
- [\*pisum\*](#), [\*Friginatica pisum\*](#) Hedley, 1916
- [\*pisum\*](#), Natica pisum Philippi, 1887 † - syn of: [\*Natica subsolida\*](#) D'Orbigny, 1847 † (**FOSSIL**)
- [\*pittensis\*](#), [\*Tanea pittensis\*](#) (Marwick, 1928) † (**FOSSIL**)
- [\*pittsburgensis\*](#), [\*Cryptonatica pittsburgensis\*](#) Moore, 1976 † (**FOSSIL**)
- [\*planatum\*](#), Sinum planatum Récluz, 1843 - syn of: [\*Sinum planulatum\*](#) (Récluz, 1843)
- [\*planispira\*](#), [\*Magnatica planispira\*](#) (Suter, 1917) † (**FOSSIL**)
- [\*planisuturalis\*](#), [\*Taniella planisuturalis\*](#) (Marwick, 1924) † (**FOSSIL**)
- [\*planulatum\*](#), [\*Sinum planulatum\*](#) (Récluz, 1843)
- [\*platabasis\*](#), [\*Natica platabasis\*](#) Gardner, 1947 † (**FOSSIL**)
- [\*platamodes\*](#), [\*Proxiuber platamodes\*](#) Finlay & Marwick, 1937 † (**FOSSIL**)
- [\*plicatella\*](#), [\*Naticarius plicatella\*](#) Conrad, 1863 † (**FOSSIL**)
- [\*plicatella\*](#), Natica plicatella Koenen, 1882 † - syn of: [\*Notocochlis dillwynii koeneni\*](#) (Sacco, 1891) † (**FOSSIL**)
- [\*plicatilis\*](#), Natica plicatilis Klipstein, 1843 † - syn of: [\*Neritaria plicatilis\*](#) (Klipstein, 1843) † (**FOSSIL**)
- [\*plicatula\*](#), [\*Cochlis plicatula\*](#) (Bonn, 1831) † (**FOSSIL**)
- [\*plicatula\*](#), Natica plicatula Reeve, 1855 - syn of: [\*Euspira fusca\*](#) (Blainvile, 1825)
- [\*plicatulaeformis\*](#), [\*Pliconacca plicatulaeformis\*](#) (Kittl, 1887) † (**FOSSIL**)
- [\*plicifera\*](#), [\*Naticarius alapapilionis plicifera\*](#) Philippi
- [\*plicispira\*](#), Euspira plicispira Kuroda, 1961 † - syn of: [\*Pliconacca atricapilla\*](#) (Martin, 1884) † (**FOSSIL**)
- [\*plicistria\*](#), Natica plicistria Phillips, 1836 † - syn of: [\*Jedria plicistria\*](#) (Phillips, 1836) † (**FOSSIL**)
- [\*pliculosa\*](#), [\*Natica pliculosa\*](#) Von Martens, 1904
- [\*plumatilis\*](#), Mammilla plumatilis Iredale, 1936 - syn of: [\*Mammilla simiae\*](#) (Deshayes, 1838)
- [\*plumbea\*](#), Natica plumbea Lamarck, 1822 - syn of: [\*Conuber sordidum\*](#) (Swainson, 1821)
- [\*plumbea\*](#), Conuber plumbea Lamarck, 1822 - syn of: [\*Conuber sordidum\*](#) (Swainson, 1821)
- [\*pluvialis\*](#), [\*Natica pluvialis\*](#) Kurono, 1999
- [\*pluviatilis\*](#), Natica pluviatilis Kurono, 1999 - syn of: [\*Natica pluvialis\*](#) (Kurono, 1999)

- *polandi*, [\*Sinum polandi\*](#) Olsson & Harbison, 1953 † (**FOSSIL**)
- *poliana*, Lunatia poliana Delle Chiaje, 1830 - syn of: [\*Euspira nitida\*](#) (Donovan, 1804)
- *poliniciformis*, [\*Taniella poliniciformis\*](#) Beu, 1970 † (**FOSSIL**)
- *politata*, [\*Friginatica polita\*](#) (Tenison-Woods, 1876) † (**FOSSIL**)
- *politiana*, Euspira politiana Dall, 1919 - syn of: [\*Euspira pallida\*](#) (Broderip & Sowerby, 1829)
- *polymita*, Natica polymita Stoppani, 1858 † - syn of: [\*Fedaiella monstrum\*](#) (Stoppani, 1857) † (**FOSSIL**)
- *polypum*, [\*Stigmaulax polypum\*](#) Olson & Harbison, 1953 † (**FOSSIL**)
- *pomatiella*, [\*Sigatica pomatiella\*](#) (Meißl, 1893)
- *pomum*, Natica pomum Philippi, 1851 - syn of: [\*Euspira heros\*](#) (Say, 1822)
- *ponderosa*, [\*Polinices mammilla ponderosa\*](#) Philippi
- *ponderosa*, Natica ponderosa Philippi, 1849 - syn of: [\*Polinices mammilla ponderosa\*](#) Philippi, 1849
- *ponsonbyi*, Natica ponsonbyi Meißl, 1899 - syn of: [\*Natica vitellus\*](#) (Linnaeus, 1758)
- *pontis*, [\*Neverita pontis\*](#) (Marwick, 1924) † (**FOSSIL**)
- *porcana*, [\*Polinices porcana\*](#) Spieker, 1922 † (**FOSSIL**)
- *porcellanus*, Polinices porcellanus D'Orbigny, 1839 - Syn of: [\*Polinices lacteus\*](#) Gmelin, 1834
- *possagnensis*, Euspira possagnensis Oppenheim, 1901 † - syn of: [\*Pachycrommium possagnense\*](#) (Oppenheim, 1901) † (**FOSSIL**)
- *powelli*, [\*Amauropsis powelli\*](#) Dell, 1990
- *powisianus*, [\*Polinices powisianus\*](#) Récluz, 1844
- *praeclausa*, [\*Natica hoernesii praeclausa\*](#) Kautsky (**FOSSIL**)
- *praeconsors*, [\*Tanea praeconsors\*](#) (Finlay, 1924) † (**FOSSIL**)
- *praetenuis*, Sigaretus praetenuis Gould, 1852 - syn of: [\*Lamellaria perspicua\*](#) (Linnaeus, 1758)
- *prasina*, [\*Amauropsis prasina\*](#) (Watson, 1881)
- *precursor*, [\*Naticarius precursor\*](#) Gardner, 1947 † (**FOSSIL**)
- *presubplicata*, [\*Euspira presubplicata\*](#) (Bouchet & Warén, 1993)
- *priamus*, [\*Mammilla priamus\*](#) (Récluz, 1844)
- *priamus*, Polinices priamus Récluz, 1844 - syn of: [\*Mammilla priamus\*](#) (Récluz, 1844)
- *prietoi*, [\*Natica prietoi\*](#) Hidalgo, 1873
- *prisca*, [\*Friginatica prisca\*](#) (Marwick, 1924) † (**FOSSIL**)
- *pritchardi*, [\*Globisimum pritchardi\*](#) (Cossmann, 1907) † (**FOSSIL**)
- *pritchardi*, Natica pritchardi Forbes, 1850 - syn of: [\*Notocochlis chemnitzii\*](#) (Pfeiffer, 1840)
- *problematica*, Natica problematica Reeve, 1855 - syn of: [\*Glossaulax vesicalis\*](#) (Philippi, 1848)
- *procera*, [\*Magnatica procura\*](#) Finlay & Marwick, 1937 † (**FOSSIL**)
- *prolactea*, [\*Polinices prolactea\*](#) Anderson, 1929 † (**FOSSIL**)
- *propeinternus*, [\*Euspira propeinternus\*](#) Mansfield, 1935 † (**FOSSIL**)
- *propeovatus*, [\*Polinices propeovatus\*](#) (Marwick, 1924) † (**FOSSIL**)
- *propesimiae*, Mammilla propesimiae Iredale, 1929 - syn of: [\*Mammilla simiae\*](#) (Deshayes, 1838)
- *propinquia*, [\*Cochlis propinquia\*](#) (Peccioni, 1864) † (**FOSSIL**)
- *proredempta scalariformis*, Natica proredempta scalariformis Sacco, 1891 † - syn of: [\*Polinices proredemptus\*](#) (Sacco, 1891) † (**FOSSIL**)
- *proredempta subnaticoides*, Natica proredempta subnaticoides Sacco, 1891 † - syn of: [\*Polinices proredemptus\*](#) (Sacco, 1891) † (**FOSSIL**)
- *proredempta tauromamilla*, Natica proredempta tauromamilla Sacco, 1891 † - syn of: [\*Polinices proredemptus\*](#) (Sacco, 1891) † (**FOSSIL**)
- *proredemptus*, [\*Polinices proredemptus\*](#) (Sacco, 1891) † (**FOSSIL**)
- *prosistens*, Natica prosistens Locard, 1897 - syn of: [\*Euspira subplicata\*](#) (Jeffreys, 1885)
- *protoneroitoideus*, [\*Sinum protoneritoideus\*](#) Vredenburg, 1928 † (**FOSSIL**)
- *protracta*, [\*Euspira catena protracta\*](#) Eichwald (**FOSSIL**)
- *protractus*, [\*Polinices protractus\*](#) (Eichwald, 1853) † (**FOSSIL**)
- *proxima*, Natica proxima Adams, 1852 - syn of: [\*Natica marochiensis\*](#) (Gmelin, 1791)
- *pseudoclimax*, [\*Euspira pseudoclimax\*](#) Cossmann, 1888 † (**FOSSIL**)
- *pseudoepiglottina*, [\*Cochlis pseudoepiglottina\*](#) (Sismonda, 1847) † (**FOSSIL**)
- *pseudopsila*, [\*Falsilunatia pseudopsila\*](#) Barnard, 1963
- *pseudoredemptus*, [\*Polinices pseudoredemptus\*](#) Friedberg, 1923 † (**FOSSIL**)
- *pseudospirata*, [\*Natica pseudospirata\*](#) D'Orbigny, 1849 † (**FOSSIL**)
- *pseudovitrea*, [\*Uberella pseudovitrea\*](#) (Finlay, 1924) † (**FOSSIL**)
- *pseudovittata*, [\*Cochlis pseudovittata\*](#) Robba, Pedriali & Quaggiotto, 2016 † (**FOSSIL**)
- *pseustes*, [\*Natica pseustes\*](#) Watson, 1887
- *psilus*, [\*Polinices psilus\*](#) (Watson, 1886)
- *puella*, Natica puella Philippi, 1852 - syn of: [\*Polinices lacteus\*](#) Gmelin, 1834
- *pukeuriensis*, [\*Uberella pukeuriensis\*](#) (Marwick, 1924) † (**FOSSIL**)
- *pulchella*, [\*Laguncula pulchella\*](#) Benson, 1842
- *pulchella*, Natica pulchella Pfeiffer, 1840 - syn of: [\*Natica livida\*](#) Pfeiffer, 1840
- *pulchella*, Natica pulchella Riso, 1826 - syn of: [\*Euspira nitida\*](#) (Donovan, 1804)
- *pulchella*, Natica pulchella Stoppani, 1858 † - syn of: [\*Marmolatella complanata\*](#) (Stoppani, 1857) † (**FOSSIL**)
- *pulicaris*, Natica pulicaris Philippi, 1852 - syn of: [\*Natica cincta\*](#) Récluz, 1850
- *pullum*, [\*Sinum pullum\*](#) Philippi, 1887 † (**FOSSIL**)
- *pumilus*, [\*Naticarius pumilus\*](#) Kubo, 1997
- *punctata*, [\*Natica fulminea punctata\*](#) Chemnitz
- *punctata*, Natica punctata Swainson, 1822 - syn of: [\*Natica fulminea\*](#) (Gmelin, 1791)
- *puncticulata*, [\*Natica puncticulata\*](#) Récluz, 1850
- *punctulata*, [\*Natica punctulata\*](#) J.F. Blake, 1875 † (**FOSSIL**)
- *punjabensis*, [\*Euspira punjabensis\*](#) Eames, 1952 † (**FOSSIL**)
- *puntarenasensis*, [\*Polinices puntarenasensis\*](#) Ihering, 1907 † (**FOSSIL**)
- *purpurea*, Amauropsis purpurea Dall, 1871 - syn of: [\*Amauropsis islandica\*](#) (Gmelin, 1791)
- *purpurfunda*, [\*Cryptonatica purpurfunda\*](#) Zhang & Wei, 2010
- *pusilla*, [\*Tectonatica pusilla\*](#) (Say, 1822)

- **pusilla**, Natica pusilla Gould, 1841 - syn of: [\*\*Euspira pallida\*\*](#) (Broderip & Sowerby, 1829)
- **putamen**, Polinices putamen Mörch, 1852 - syn of: [\*\*Mammilla melanostoma\*\*](#) (Gmelin, 1791)
- **putealis**, [\*\*Polinices putealis\*\*](#) Garrard, 1961
- pygmaea, Natica pygmaea Ma & Zhang, 1993 - syn of: [\*\*Natica donghaiensis\*\*](#) Ma & Zhang, 1994
- pygmaea, [\*\*Natica pygmaea\*\*](#) Philippi, 1842
- pylensis, [\*\*Natica pylensis\*\*](#) Tawney, 1866 † (**FOSSIL**)
- pyramis, Natica pyramis Reeve, 1855 - Syn of: [\*\*Conuber conicum\*\*](#) (Lamarck, 1822)
- pyriformis, [\*\*Polinices mammilla pyriformis\*\*](#) Récluz
- pyriformis, Natica pyriformis Récluz, 1844 - syn of: [\*\*Polinices mammilla\*\*](#) (Linnaeus, 1758)
- pyriformis, Polinices pyriformis Récluz, 1844 - syn of: [\*\*Polinices mammilla pyriformis\*\*](#) Récluz, 1844
- pyrrhosticta, Natica pyrrhosticta Dautzenberg & Fischer, 1896 - syn of: [\*\*Tectonatica rizzae\*\*](#) (Philippi, 1844)
- pysiformis, Natica pysiformis Récluz, 1844 - syn of: [\*\*Polinices mammilla\*\*](#) (Linnaeus, 1758)
- qizhongyani, [\*\*Natica qizhongyani\*\*](#) Ma & Zhang, 1994
- quasimodooides, [\*\*Sinum quasimodooides\*\*](#) Kilburn, 1976
- queketti, [\*\*Natica queketti\*\*](#) Sowerby, 1894
- quirosanum, [\*\*Sinum quirosanum\*\*](#) Hodson, 1927 † (**FOSSIL**)
- radiata, [\*\*Euspira radiata\*\*](#) (Watson, 1881)
- rangii, Sigaretus rangii Mörch, 1877 - syn of: [\*\*Lamellaria perspicua\*\*](#) (Linnaeus, 1758)
- ranzii, Natica ranzii Kuroda, 1961 - syn of: [\*\*Cryptonatica hirasei\*\*](#) (Pilsbry, 1905)
- rapulum, Natica rapulum Reeve, 1855 - syn of: [\*\*Polinices intemeratus\*\*](#) Philippi, 1851
- rapulum, Natica rapulum Reeve, 1855 - syn of: [\*\*Polinices intemeratus\*\*](#) Philippi, 1851
- rapulum, Polinices rapulum Reeve, 1855 - syn of: [\*\*Polinices intemeratus\*\*](#) Philippi, 1851
- rapulum limi, Polinices rapulum limi Pilsbry, 1931 - syn of: [\*\*Polinices limi\*\*](#) Pilsbry, 1931
- raropunctata, [\*\*Cochlis raropunctata\*\*](#) (Sasso, 1827) † (**FOSSIL**)
- raropunctata obliquocallosa, [\*\*Cochlis raropunctata obliquocallosa\*\*](#) Pedriali & Robba, 2005 † (**FOSSIL**)
- ravida, Natica ravida Souleyet, 1852 - syn of: [\*\*Polinices amiculatus\*\*](#) (Philippi, 1849)
- ravidus, Polinices ravidus Souleyet, 1852 - syn of: [\*\*Polinices amiculatus\*\*](#) (Philippi, 1849)
- raynaudiana, Natica raynaudiana Récluz, 1843 - syn of: [\*\*Natica arachnoidea\*\*](#) (Gmelin, 1791)
- raynoldiana, Natica raynoldiana Récluz, 1843 - syn of: [\*\*Natica arachnoidea\*\*](#) (Gmelin, 1791)
- reclusiana, [\*\*Neverita reclusiana\*\*](#) (Deshayes, 1839)
- reclusiana, Natica reclusiana Deshayes, 1839 - syn of: [\*\*Neverita reclusiana\*\*](#) (Deshayes, 1839)
- reclusiana imperforata, Neverita reclusiana imperforata Dall, 1909 - syn of: [\*\*Neverita reclusiana\*\*](#) (Deshayes, 1839)
- reclusianus, Polinices reclusianus Deshayes, 1839 - syn of: [\*\*Neverita reclusiana\*\*](#) (Deshayes, 1839)
- recluzianus, Polinices recluzianus Deshayes, 1839 - syn of: [\*\*Neverita reclusiana\*\*](#) (Deshayes, 1839)
- recluzianus alta, Polinices recluzianus alta Arnold, 1903 - syn of: [\*\*Neverita reclusiana\*\*](#) (Deshayes, 1839)
- recognita, Polinices recognita Mabille & Rochebrune, 1889 - syn of: [\*\*Falsilunatia patagonica\*\*](#) (Philippi, 1845)
- recognita, Natica recognita Mabille & Rochebrune, 1889 - syn of: [\*\*Falsilunatia patagonica\*\*](#) (Philippi, 1845)
- rectilabrum, [\*\*Euspira rectilabrum\*\*](#) Conrad, 1858 † (**FOSSIL**)
- rectilatera, [\*\*Magnatica rectilatera\*\*](#) Finlay, 1926 † (**FOSSIL**)
- redemptus, [\*\*Polinices redemptus\*\*](#) Michelotti, 1847) † (**FOSSIL**)
- redemptus dertoconvexus, [\*\*Polinices redemptus dertoconvexus\*\*](#) (Sacco, 1891) † (**FOSSIL**)
- regia, [\*\*Sigatica regia\*\*](#) (Guppy, 1873) † (**FOSSIL**)
- regia, Eunaticina regia Guppy, 1873 † - syn of: [\*\*Sigatica regia\*\*](#) (Guppy, 1873) † (**FOSSIL**)
- reiniana, [\*\*Glossaulax reiniana\*\*](#) (Dunker, 1877)
- ren, Tectonatica ren Preston, 1914 - syn of: [\*\*Tectonatica robillardii\*\*](#) (Sowerby, 1894)
- reneae, Natica reneae Saunders, 1978 - syn of: [\*\*Natica canariensis\*\*](#) Odhner, 1932
- repanda, [\*\*Sigatica repanda\*\*](#) (Deshayes, 1864) † (**FOSSIL**)
- repenningi, [\*\*Polinices repenningi\*\*](#) Marinovich Jr., 1993 † (**FOSSIL**)
- reticulata, Natica reticulata Stoppani, 1857 † - syn of: [\*\*Neritaria papilio\*\*](#) (Stoppani, 1857) † (**FOSSIL**)
- rhodostoma, Natica rhodostoma Philippi, 1842 - syn of: [\*\*Tectonatica violacea\*\*](#) (Sowerby, 1825)
- rikuzenensis, [\*\*Cryptonatica rikuzenensis\*\*](#) (Tiba, 1985)
- rizzae, [\*\*Tectonatica rizzae\*\*](#) (Philippi, 1844)
- robillardi, [\*\*Tectonatica robillardii\*\*](#) (Sowerby, 1894)
- robusta, Neverita robusta Dunker, 1860 - syn of: [\*\*Neverita didyma ampla\*\*](#) (Philippi, 1849)
- robustus, [\*\*Polinices robustus\*\*](#) Gardner, 1947 † (**FOSSIL**)
- robustus, [\*\*Gyrodes robustus\*\*](#) Waring, 1917 † (**FOSSIL**)
- rocquignyi, [\*\*Natica rocquignyi\*\*](#) Fischer-Piette, 1942
- rodatzi, Polinices rodatzi Schepman, 1901 - syn of: [\*\*Polinices lacteus\*\*](#) Guiding, 1834
- rodatzii, Polinices rodatzii Philippi, 1852 - syn of: [\*\*Polinices lacteus\*\*](#) Guiding, 1834
- roei, [\*\*Euspira roei\*\*](#) Cox, 1930 † (**FOSSIL**)
- roscoei, Natica roscoei Kilburn, 1976 - syn of: [\*\*Natica pseustes\*\*](#) Watson, 1887
- rossiana, [\*\*Amauroopsis rossiana\*\*](#) Smith, 1907
- rossii, [\*\*Cochlis rossii\*\*](#) (Oppenheim, , 1901) † (**FOSSIL**)
- rostalina, [\*\*Natica rostalina\*\*](#) Jenkins, 1864 † (**FOSSIL**)
- rouxi, [\*\*Natica rouxi\*\*](#) (Nicklés, 1952)
- rouxi, Euspira rouxi (Nicklés, 1952) - syn of: [\*\*Natica rouxi\*\*](#) (Nicklés, 1952)
- royi, [\*\*Natica royi\*\*](#) Piñ, 1992
- rubromaculata, [\*\*Natica rubromaculata\*\*](#) Smith, 1872
- rufa, Natica rufa Born, 1778 - syn of: [\*\*Natica vitellus\*\*](#) (Linnaeus, 1758)
- rufescens, Natica rufescens Röding, 1798 - syn of: [\*\*Natica vitellus\*\*](#) (Linnaeus, 1758)
- ruffa, Natica ruffa Born, 1778 - syn of: [\*\*Natica vitellus\*\*](#) (Linnaeus, 1758)
- rufilabris, Natica rufilabris Reeve, 1855 - syn of: [\*\*Natica livida\*\*](#) Pfeiffer, 1840
- rufomarginata, [\*\*Polinices rufomarginata\*\*](#) Kuroda

- *rugosa*, *Stigmaulax rugosa* Gmelin, 1791 - syn of: [\*\*\*Stigmaulax sulcata\*\*\*](#) (Born, 1778)
- *rugosissima*, [\*\*\*Natica rugosissima\*\*\*](#) Forbes, 1846
- *rukuzenensis*, [\*\*\*Tectonatica rukuzenensis\*\*\*](#) Tiba, 1985
- *rupeliana*, [\*\*\*Tectonatica rupeliana\*\*\*](#) Robba, Pedriali & Quaggiotto, 2016 † (**FOSSIL**)
- *russa*, [\*\*\*Cryptonatica russa\*\*\*](#) (Gould, 1859)
- *russa*, *Natica russa* Dal, 1874 - syn of: [\*\*\*Cryptonatica affinis\*\*\*](#) (Gmelin, 1791)
- *rutila*, *Natica rutila* Macgillivray, 1843 - syn of: [\*\*\*Euspira montagui\*\*\*](#) (Forbes, 1838)
- *ryalli*, [\*\*\*Natica ryalli\*\*\*](#) Fernandes & Rolán, 1992
- *sacyi*, [\*\*\*Natica sacyi\*\*\*](#) Cossmann & Peyrot, 1921 † (**FOSSIL**)
- *sagamiensis*, [\*\*\*Euspira sagamiensis\*\*\*](#) Kuroda & Habe, 1971
- *sagamiensis*, [\*\*\*Polinices sagamiensis\*\*\*](#) Pilsbry, 1904
- *saginata*, [\*\*\*Euspira saginata\*\*\*](#) Böhm, 1895 † (**FOSSIL**)
- *sagittata*, [\*\*\*Tanea sagittata\*\*\*](#) (Menke, 1843)
- *sagittata*, *Natica sagittata* Powell, 1971 - syn of: [\*\*\*Notocochlis cernica\*\*\*](#) (Jousseaume, 1874)
- *sagittata hancockae*, *Notocochlis sagittata hancockae* Powell, 1971 - syn of: [\*\*\*Notocochlis cernica\*\*\*](#) (Jousseaume, 1874)
- *sagittifera*, *Natica sagittifera* Récluz, 1852 - syn of: [\*\*\*Naticarius alapapilionis\*\*\*](#) (Röding, 1798)
- *sagraiana*, [\*\*\*Tectonatica sagraiana\*\*\*](#) (D'Orbigny, 1842)
- *saitoi*, [\*\*\*Natica saitoi\*\*\*](#) Kuroda & Habe, 1971
- *salangonensis*, *Natica salangonensis* Récluz, 1844 - syn of: [\*\*\*Polinices otis\*\*\*](#) Broderip & Sowerby, 1829
- *saldontiana*, *Natica saldontiana* Bartsch, 1915 - syn of: [\*\*\*Natica simplex\*\*\*](#) Sowerby, 1897
- *salimba*, *Cryptonatica salimba* Dal, 1919 - syn of: [\*\*\*Cryptonatica affinis\*\*\*](#) (Gmelin, 1791)
- *sallomacensis*, [\*\*\*Cochlis sallomacensis\*\*\*](#) (Tournouer, 1873) † (**FOSSIL**)
- *samanensis*, [\*\*\*Neverita samanensis\*\*\*](#) Olsson, 1928 † (**FOSSIL**)
- *samarensis*, *Natica samarensis* Récluz, 1844 - syn of: [\*\*\*Mammilla simiae\*\*\*](#) (Deshayes, 1838)
- *sanctaerucris*, [\*\*\*Amauropsis sanctaerucris\*\*\*](#) Laube, 1868 † (**FOSSIL**)
- *sanctaehelena*, [\*\*\*Natica sanctaehelena\*\*\*](#) Smith, 1890
- *sanctijohannis*, [\*\*\*Sinum sanctijohannis\*\*\*](#) Pilsbry & Lowe, 1932
- *sanctivicentii*, *Natica sanctivicentii* Brooks, 1933 - syn of: [\*\*\*Polinices lacteus\*\*\*](#) Goulding, 1834
- *sanctivicentii*, *Natica sanctivicentii* Brooks, 1933 - syn of: [\*\*\*Polinices lacteus\*\*\*](#) Goulding, 1834
- *sandwichensis*, *Euspira sandwichensis* (Dal, 1895) - syn of: [\*\*\*Natica sandwichensis\*\*\*](#) (Dal, 1895)
- *sandwichensis*, [\*\*\*Natica sandwichensis\*\*\*](#) (Dal, 1895)
- *sanguinolenta*, *Natica sanguinolenta* Brusina, 1865 - syn of: [\*\*\*Naticarius hebraeus\*\*\*](#) (Martyn, 1786)
- *sanguinolenta*, *Natica sanguinolenta* Deshayes, 1839 - syn of: [\*\*\*Conuber melastoma\*\*\*](#) (Swainson, 1821)
- *santacrucensis*, [\*\*\*Polinices santacrucensis\*\*\*](#) Ihering, 1907 † (**FOSSIL**)
- *saucatsensis* *avitensis*, *Natica saucatsensis* *avitensis* Cossmann & Peyrot, 1919 † - syn of: [\*\*\*Cochlis neglecta\*\*\*](#) (Mayer, 1858) † (**FOSSIL**)
- *saulae*, [\*\*\*Polinices saulae\*\*\*](#) Perrillat, 2013 † (**FOSSIL**)
- *sayana*, [\*\*\*Euspira sayana\*\*\*](#) Campbell, 1993
- *scalata*, [\*\*\*Natica scalata\*\*\*](#) Leymerie, 1878 † (**FOSSIL**)
- *scaligera*, *Natica scaligera* Bayan, 1873 † - syn of: [\*\*\*Amaurellina barremensis\*\*\*](#) (Tournouer, 1872) † (**FOSSIL**)
- *scalpta*, [\*\*\*Pliconacca scalpta\*\*\*](#) (Marwick, 1924) † (**FOSSIL**)
- *scethra*, [\*\*\*Natica scethra\*\*\*](#) Dal, 1908
- *schepmani*, *Polinices schepmani* Iredale, 1927 - syn of: [\*\*\*Natica arachnoidea\*\*\*](#) (Gmelin, 1791)
- *schepmani*, *Uber schepmani* Iredale, 1927 - syn of: [\*\*\*Natica arachnoidea\*\*\*](#) (Gmelin, 1791)
- *schepmani*, *Natica schepmani* Koperberg, 1931 - syn of: [\*\*\*Natica koperbergae\*\*\*](#) Bijl & Moolenbeek, 2009
- *schepmani*, [\*\*\*Natica schepmani\*\*\*](#) Thiele, 1925
- *schombergki*, *Polinices schombergki* Rutsch, 1934 † - syn of: [\*\*\*Polinices stanislasmeynieri\*\*\*](#) Maury, 1917 † (**FOSSIL**)
- *schoutanica*, [\*\*\*Tasmatica schoutanica\*\*\*](#) (May, 1913)
- *schoutanica*, *Notocochlis schoutanica* May, 1913 - Syn of: [\*\*\*Tasmatica schoutanica\*\*\*](#) (May, 1913)
- *schoutanica diatheca*, *Notocochlis schoutanica diatheca* Iredale, 1936 - syn of: [\*\*\*Tasmatica schoutanica\*\*\*](#) (May, 1913)
- *schwarzenbergi*, [\*\*\*Natica schwarzenbergi\*\*\*](#) Klipstein, 1843 † (**FOSSIL**)
- *scopaeضا*, [\*\*\*Natica scopaeضا\*\*\*](#) Liu, 1977
- *scopulosum*, [\*\*\*Sinum scopulosum\*\*\*](#) Conrad, 1849
- *scotiana*, [\*\*\*Falsilunaria scotiana\*\*\*](#) (Dell, 1990)
- *scotianum*, [\*\*\*Sinuber sculptum scotianum\*\*\*](#) Powell
- *sculptum*, [\*\*\*Sinuber sculptum\*\*\*](#) (Von Martens, 1878)
- *sculptum scotianum*, [\*\*\*Sinuber sculptum scotianum\*\*\*](#) Powell, 1951
- *scutulata*, [\*\*\*Natica scutulata\*\*\*](#) Philippi, 1852
- *sebae*, [\*\*\*Mammilla sebae\*\*\*](#) (Récluz, 1844)
- *sebae*, *Polinices sebae* Récluz, 1844 - syn of: [\*\*\*Mammilla sebae\*\*\*](#) (Récluz, 1844)
- *secta*, *Neverita secta* Gabb, 1864 - syn of: [\*\*\*Neverita reclusiana\*\*\*](#) (Deshayes, 1839)
- *secundum*, [\*\*\*Glossaulax secundum\*\*\*](#) (Rochebrune & Mabille, 1885) † (**FOSSIL**)
- *seguinensis*, [\*\*\*Carinacca seguinensis\*\*\*](#) Garvie, 2013 † (**FOSSIL**)
- *semiclausa*, [\*\*\*Neverita semiclausa\*\*\*](#) Deshayes, 1864 † (**FOSSIL**)
- *semiglobosa*, [\*\*\*Neverita semiglobosa\*\*\*](#) Gratebup, 1847 † (**FOSSIL**)
- *semilunata*, [\*\*\*Naticarius semilunata\*\*\*](#) Lea, 1833 † (**FOSSIL**)
- *semistriata*, *Natica semistriata* Münster, 1840 † - syn of: [\*\*\*Naticopsis semistriata\*\*\*](#) (Münster, 1840) † (**FOSSIL**)
- *semisulcata*, [\*\*\*Sigatica semisulcata\*\*\*](#) (Gray, 1839)
- *semisulcata bathyora*, [\*\*\*Sigatica semisulcata bathyora\*\*\*](#) (Woodring, 1928)
- *semisulcata holographa*, *Sigatica semisulcata holographa* McGinty, 1940 - syn of: [\*\*\*Sigatica carolinensis\*\*\*](#) Dall, 1889
- *senegalensis*, *Natica senegalensis* Récluz, 1850 - syn of: [\*\*\*Natica fulminea\*\*\*](#) (Gmelin, 1791)
- *senisculus*, [\*\*\*Taniella senisculus\*\*\*](#) (Finlay & Marwick, 1937) † (**FOSSIL**)
- *separata*, [\*\*\*Cochlis separata\*\*\*](#) (Deshayes, 1864) † (**FOSSIL**)
- *septentrionalis*, *Cryptonatica septentrionalis* Möller, 1842 - syn of: [\*\*\*Cryptonatica affinis\*\*\*](#) (Gmelin, 1791)

- **septentrionalis**, *Natica septentrionalis* Møller, 1842 - syn of: [\*\*Cryptonatica affinis\*\*](#) (Gmelin, 1791)
- **sergipensis**, [\*\*Euspira sergipensis\*\*](#) Maury, 1936 † (**FOSSIL**)
- **sertatus**, [\*\*Naticarius sertatus\*\*](#) (Menke, 1843)
- **settepassi**, *Tectonatica settepassi* Gaglini in Settepassi, 1985 - syn of: [\*\*Tectonatica rizzae\*\*](#) (Philippi, 1844)
- **severa**, [\*\*Natica severa\*\*](#) Gould, 1859
- **seychellium**, *Natica seychellium* Watson, 1886 - syn of: [\*\*Naticarius sertatus\*\*](#) (Menke, 1843)
- **shazlii**, [\*\*Cepatia shazlii\*\*](#) Abbass, 1967 † (**FOSSIL**)
- **shoichiroi**, [\*\*Natica shoichiroi\*\*](#) Kuroda, 1961
- **shorehami**, [\*\*Tectonatica shorehami\*\*](#) (Pritchard & Gatliff, 1900)
- **shorehami**, *Natica shorehami* Pritchard & Gatliff, 1900 - syn of: [\*\*Tectonatica shorehami\*\*](#) (Pritchard & Gatliff, 1900)
- **sigaretina**, *Mammilla sigaretina* Menke, 1828 - syn of: [\*\*Mammilla simiae\*\*](#) (Deshayes, 1838)
- **sigaretina**, *Natica sigaretina* Menke, 1828 - syn of: [\*\*Mammilla simiae\*\*](#) (Deshayes, 1838)
- **sigillata**, [\*\*Natica sigillata\*\*](#) McLean, 1970
- **simiae**, [\*\*Mammilla simiae\*\*](#) (Deshayes, 1838)
- **simiae**, *Natica simiae* Deshayes, 1838 - syn of: [\*\*Mammilla simiae\*\*](#) (Deshayes, 1838)
- **simiae**, *Polinices simiae* Deshayes, 1838 - syn of: [\*\*Mammilla simiae\*\*](#) (Deshayes, 1838)
- **similis**, [\*\*Euspira intricata similis\*\*](#) Monterosato
- **similis**, *Natica similis* Monterosato, 1884 - syn of: [\*\*Euspira intricata similis\*\*](#) (Monterosato, 1884)
- **similis major**, *Natica similis major* Monterosato, 1884 - syn of: [\*\*Euspira intricata similis\*\*](#) (Monterosato, 1884)
- **simplex**, *Natica simplex* Schepman, 1909 - syn of: [\*\*Natica schepmani\*\*](#) Thiele, 1925
- **simplex**, [\*\*Natica simplex\*\*](#) Sowerby, 1897
- **simplex saldantiana**, *Natica simplex saldantiana* Bartsch, 1915 - syn of: [\*\*Natica simplex\*\*](#) Sowerby, 1897
- **simulans**, [\*\*Uberella simulans\*\*](#) (Smith, 1906)
- **sinensis**, [\*\*Natica sinensis\*\*](#) Ma & Zhang, 1993
- **siniformis**, [\*\*Banis siniformis\*\*](#) Stephenson, 1941 † (**FOSSIL**)
- **sinuatus**, [\*\*Gennaeosinum sinuatus\*\*](#) (Récluz, 1851)
- **smithiana**, [\*\*Amauropsis smithiana\*\*](#) Maury, 1912 † (**FOSSIL**)
- **smithii**, [\*\*Bulbus smithii\*\*](#) Brown in Smith, 1839
- **solida**, *Natica solida* Blainville, 1825 - syn of: [\*\*Natica fasciata\*\*](#) Röding, 1798
- **solida**, *Natica solida* Sowerby, 1846 † - syn of: [\*\*Natica subsolida\*\*](#) D'Orbigny, 1847 † (**FOSSIL**)
- **soluta**, [\*\*Falsilunatia patagonica soluta\*\*](#) Gould
- **soluta**, *Natica soluta* Gould, 1848 - syn of: [\*\*Falsilunatia patagonica soluta\*\*](#) (Gould, 1848)
- **sookensis**, [\*\*Polinices sookensis\*\*](#) Clark & Arnott, 1923 † (**FOSSIL**)
- **sordida**, *Lunatia sordida* Philippi, 1844 - syn of: [\*\*Euspira fusca\*\*](#) (Blainville, 1825)
- **sordida**, *Natica sordida* Swainson, 1821 - syn of: [\*\*Conuber sordidum\*\*](#) (Swainson, 1821)
- **sordidum**, [\*\*Conuber sordidum\*\*](#) (Swainson, 1821)
- **sordidus**, *Polinices sordidus* Swainson, 1821 - syn of: [\*\*Conuber sordidum\*\*](#) (Swainson, 1821)
- **souleyetiana**, *Natica souleyetiana* Récluz, 1850 - syn of: [\*\*Tanea zelandica\*\*](#) (Quoy & Gaimard, 1832)
- **spadicea**, [\*\*Natica spadicea\*\*](#) (Gmelin, 1791)
- **spadicea**, *Natica spadicea* Gmelin, 1791 - syn of: [\*\*Natica spadicea\*\*](#) (Gmelin, 1791)
- **spadiceoides**, [\*\*Natica spadiceoides\*\*](#) Liu, 1977
- **specialis**, [\*\*Natica specialis\*\*](#) Deshayes, 1864 † (**FOSSIL**)
- **sphaera**, [\*\*Cryptonatica sphaera\*\*](#) Zhang & Wei, 2010
- **sphaeroidalalis**, [\*\*Natica sphaeroidalalis\*\*](#) Stoppani, 1857 † (**FOSSIL**)
- **sphaerooides**, [\*\*Amauropsis sphaerooides\*\*](#) (Jeffreys, 1877)
- **spillmani**, [\*\*Gyrodes spillmani\*\*](#) Gabb, 1861 † (**FOSSIL**)
- **spirale**, [\*\*Globisimum spirale\*\*](#) (Marshall, 1917) † (**FOSSIL**)
- **spirata**, *Natica spirata* Lamarck, 1804 † - syn of: [\*\*Amaurellina spirata\*\*](#) (Lamarck, 1804) † (**FOSSIL**)
- **spirata barremensis**, *Natica spirata barremensis* Tournouer, 1872 † - syn of: [\*\*Amaurellina barremensis\*\*](#) (Tournouer, 1872) † (**FOSSIL**)
- **springvalensis**, *Polinices springvalensis* Maury, 1925 † - syn of: [\*\*Polinices stanislasmeunieri\*\*](#) Maury, 1917 † (**FOSSIL**)
- **squalida**, *Natica squalida* Macgillivray, 1843 - syn of: [\*\*Euspira montagui\*\*](#) (Forbes, 1838)
- **stanislasmeunieri**, [\*\*Polinices stanislasmeunieri\*\*](#) Maury, 1917 † (**FOSSIL**)
- **staringi**, [\*\*Euspira staringi\*\*](#) (Janssen, 1969) † (**FOSSIL**)
- **staszici**, *Natica staszici* Friedberg, 0 † - syn of: [\*\*Polinices proredemptus\*\*](#) (Sacco, 1891) † (**FOSSIL**)
- **stellata**, [\*\*Natica stellata\*\*](#) Hedley, 1913
- **stenopa**, [\*\*Natica stenopa\*\*](#) Woodring, 1957
- **stercusmuscarum**, [\*\*Naticarius stercusmuscarum\*\*](#) (Gmelin, 1791)
- **sticta**, [\*\*Natica sticta\*\*](#) Verco, 1909
- **stimpsoni**, [\*\*Tectonatica tecta stimpsoni\*\*](#) Bartsch
- **stimpsoni**, *Natica stimpsoni* Bartsch, 1915 - syn of: [\*\*Tectonatica tecta stimpsoni\*\*](#) Bartsch, 1915
- **stoddardi**, [\*\*Natica stoddardi\*\*](#) Hislop, 1859 † (**FOSSIL**)
- **stomatella**, *Sinum stomatella* Auct. non Risso, 1826 - syn of: [\*\*Lamellaria perspicua\*\*](#) (Linnaeus, 1758)
- **straminea**, *Natica straminea* Récluz, 1844 - syn of: [\*\*Polinices aurantius\*\*](#) Lamarck, 1822
- **stramineus**, [\*\*Polinices stramineus\*\*](#) (Röding, 1798)
- **strangei**, *Conuber strangei* Reeve, 1855 - syn of: [\*\*Conuber sordidum\*\*](#) (Swainson, 1821)
- **strangei**, *Natica strangei* Reeve, 1855 - Syn of: [\*\*Conuber sordidum\*\*](#) (Swainson, 1821)
- **strebeli**, [\*\*Euspira strebeli\*\*](#) Dall, 1908
- **striatellus**, [\*\*Sigaretotrema striatellus\*\*](#) (Grateboup, 1827) † (**FOSSIL**)
- **striatica**, [\*\*Cryptonatica striatica\*\*](#) Zhang & Wei, 2010
- **striatus**, *Bulbus striatus* Golkov & Sirenko, 1983 - syn of: [\*\*Bulbus fragilis\*\*](#) (Leach, 1819)
- **striatus**, *Sinum striatus* Lea, 1833 † - syn of: [\*\*Sinum bilix\*\*](#) Conrad, 1833 † (**FOSSIL**)
- **strictumbilicata**, [\*\*Cochlis strictumbilicata\*\*](#) (Sacco, 1891) † (**FOSSIL**)
- **striolata**, [\*\*Natica striolata\*\*](#) Sowerby, 1846 † (**FOSSIL**)

- **strongyla**, *Natica strongyla* Melvill, 1897 - syn of: [\*\*Naticarius manceli\*\*](#) (Jousseaume, 1874)
- **strongyla andamanica**, *Natica strongyla andamanica* Melvill & Sykes, 1899 - syn of: [\*\*Naticarius manceli\*\*](#) (Jousseaume, 1874)
- **subantarcticus**, *Polinices subantarcticus* Preston, 1913 - syn of: [\*\*Falsilunatia patagonica\*\*](#) (Philippi, 1845)
- **subcanaliculatus**, *Sigaretus subcanaliculatus* d'Orbigny, 1852 † - syn of: [\*\*Sinum patulum\*\*](#) (Gratebup, 1847) † (**FOSSIL**)
- **subclausa**, *Polinices subclausa* Sowerby, 1850 - syn of: [\*\*Polinices hepaticus\*\*](#) (Röding, 1798)
- **subcostata**, [\*\*Natica subcostata\*\*](#) (Tenison-Woods, 1878)
- **subcrassatina**, *Natica subcrassatina* D'Orbigny, 1852 † - syn of: [\*\*Ampullinopsis crassatina\*\*](#) (Lamarck, 1804) † (**FOSSIL**)
- **subelegans**, [\*\*Sinum subelegans\*\*](#) (D'Orbigny, 1852) † (**FOSSIL**)
- **subelegans**, [\*\*Natica subelegans\*\*](#) Hudleston, 1892 † (**FOSSIL**)
- **subfusca**, *Ruma subfusca* Dall, 1919 - syn of: [\*\*Polinices otis\*\*](#) Broderip & Sowerby, 1829
- **subfusca**, *Mammilla subfuscata* Dall, 1919 - syn of: [\*\*Polinices otis\*\*](#) Broderip & Sowerby, 1829
- **subglaucoidea**, [\*\*Neverita olla subglaucoidea\*\*](#) D'Orbigny (**FOSSIL**)
- **subglobosus**, [\*\*Sinum subglobosus\*\*](#) Sowerby, 1846 † (**FOSSIL**)
- **subhumerosa**, *Euspira subhumerosa* White, 1887 † - syn of: [\*\*Ampullina subhumerosa\*\*](#) (White, 1887) † (**FOSSIL**)
- **subhybrida**, [\*\*Amauropsis subhybrida\*\*](#) (D'Orbigny, 1849) † (**FOSSIL**)
- **subinfundibulum**, [\*\*Sigaretotrema subinfundibulum\*\*](#) Tate, 1893 † (**FOSSIL**)
- **sublabellata**, [\*\*Natica sublabellata\*\*](#) D'Orbigny, 1847 † (**FOSSIL**)
- **sublineata**, *Natica sublineata* Münster, 1841 † - syn of: [\*\*Ampezzonaticopsis sublineata\*\*](#) (Münster, 1841) † (**FOSSIL**)
- **submamilla**, [\*\*Polinices submamilla\*\*](#) (Sacco, 1891) † (**FOSSIL**)
- **submamilla**, *Natica submamilla* d'Orbigny, 0 † - syn of: [\*\*Polinices submamilla\*\*](#) (Sacco, 1891) † (**FOSSIL**)
- **submamillaris**, [\*\*Euspira submamillaris\*\*](#) (Sacco, 1890) † (**FOSSIL**)
- **subnoae**, [\*\*Taniella subnoae\*\*](#) (Tate, 1893) † (**FOSSIL**)
- **subnoae**, *Natica subnoae* Tate, 1893 † - syn of: [\*\*Taniella subnoae\*\*](#) (Tate, 1893) † (**FOSSIL**)
- **subobturata**, [\*\*Euspira subobturata\*\*](#) (Sacco, 1891) † (**FOSSIL**)
- **subovata**, *Natica subovata* Münster, 1841 † - syn of: [\*\*Ruganeritaria subovata\*\*](#) (Münster, 1841) † (**FOSSIL**)
- **subpallescens**, [\*\*Amauropsis subpallescens\*\*](#) (Strebel, 1908)
- **subpatula**, *Natica subpatula* D'Orbigny, 1852 † - syn of: [\*\*Globularia subdepressa\*\*](#) (Gratebup, 1828) † (**FOSSIL**)
- **subperforata**, [\*\*Falsilunatia subperforata\*\*](#) (Del, 1956)
- **subperforata**, *Amauropsis subperforata* (Del, 1956) - syn of: [\*\*Falsilunatia subperforata\*\*](#) (Del, 1956)
- **subplicata**, [\*\*Euspira subplicata\*\*](#) (Jeffreys, 1885)
- **subreclusiana**, [\*\*Neverita subreclusiana\*\*](#) Olson, 1931 † (**FOSSIL**)
- **subsolida**, [\*\*Natica subsolida\*\*](#) D'Orbigny, 1847 † (**FOSSIL**)
- **subspirata**, [\*\*Natica subspirata\*\*](#) Münster, 1841 † (**FOSSIL**)
- **substolida**, [\*\*Austrocochlis substolida\*\*](#) (Tate, 1893) † (**FOSSIL**)
- **substriata**, *Natica substriata* Münster, 1841 † - syn of: [\*\*Abrekopsis depresispirus\*\*](#) (Batten & Stokes, 1986) † (**FOSSIL**)
- **subtenuis**, [\*\*Polinices subtenuis\*\*](#) Ihering, 1907 † (**FOSSIL**)
- **subturrata**, *Natica subturrata* Schaueroth, 1865 † - syn of: [\*\*Cromium angustatum\*\*](#) (Gratebup, 1828) † (**FOSSIL**)
- **subvarians**, [\*\*Natica subvarians\*\*](#) Tate, 1893 † (**FOSSIL**)
- **succineoides**, *Polinices succineoides* Reeve, 1855 - syn of: [\*\*Mammilla melanostoma\*\*](#) (Gmelin, 1791)
- **succineoides**, *Natica succineoides* Reeve, 1855 - syn of: [\*\*Mammilla melanostoma\*\*](#) (Gmelin, 1791)
- **suffusa**, [\*\*Tectonatica suffusa\*\*](#) (Reeve, 1855)
- **suffusa**, *Natica suffusa* Reeve, 1855 - syn of: [\*\*Tectonatica suffusa\*\*](#) (Reeve, 1855)
- **sulcata**, [\*\*Stigmaulax sulcata\*\*](#) (Born, 1778)
- **sulcata**, *Natica sulcata* Born, 1778 - syn of: [\*\*Stigmaulax sulcata\*\*](#) (Born, 1778)
- **sulcata**, *Natica sulcata* Gratebup, 1828 † - syn of: [\*\*Sigaretotrema striatellus\*\*](#) (Gratebup, 1827) † (**FOSSIL**)
- **sulcatala**, [\*\*Natica sulcatala\*\*](#) Bose, 1906 † (**FOSSIL**)
- **sulcatus**, [\*\*Sinum sulcatus\*\*](#) (Gratebup, 1825) † (**FOSSIL**)
- **sulcatus**, *Sigaretus sulcatus* Récluz, 1843 † - syn of: [\*\*Sigaretotrema striatellus\*\*](#) (Gratebup, 1827) † (**FOSSIL**)
- **sulcogradata**, [\*\*Cochlis sulcogradata\*\*](#) Pedriali & Robba, 2005 † (**FOSSIL**)
- **sulphurea**, *Natica sulphurea* Récluz, 1844 - syn of: [\*\*Polinices aurantius\*\*](#) Lamarck, 1822
- **superperforata**, [\*\*Falsilunatia superperforata\*\*](#) Del, 1956 † (**FOSSIL**)
- **supracretacea**, *Natica supracretacea* D'Orbigny, 1850 † - syn of: [\*\*Ampullina supracretacea\*\*](#) (D'Orbigny, 1850) † (**FOSSIL**)
- **supraornata**, *Natica supraornata* Schepman, 1909 - syn of: [\*\*Natica buriasiensis\*\*](#) Récluz, 1844
- **supraplicatus**, [\*\*Gyrodes supraplicatus\*\*](#) (Conrad, 1858) † (**FOSSIL**)
- **sutherlandi**, [\*\*Spelaenacca sutherlandi\*\*](#) Marwick, 1924 † (**FOSSIL**)
- **suturalis**, [\*\*Friginatica suturalis\*\*](#) (Hutton, 1877) † (**FOSSIL**)
- **suturalis**, [\*\*Natica suturalis\*\*](#) Forbes, 1846
- **suturalis**, *Sigaretus suturalis* Mayer, 1864 † - syn of: [\*\*Sigaretotrema striatellus\*\*](#) (Gratebup, 1827) † (**FOSSIL**)
- **syrphetodes**, [\*\*Mammilla syrphetodes\*\*](#) Kilburn, 1976
- **tabularis**, [\*\*Tanea tabularis\*\*](#) (Kuroda, 1961)
- **taeniata**, *Natica taeniata* Menke, 1828 - syn of: [\*\*Naticarius alapapilionis\*\*](#) (Röding, 1798)
- **talismanni**, [\*\*Euspira talismanni\*\*](#) Bouchet & Warén, 1993
- **tantilla**, [\*\*Taniella tantilla\*\*](#) Marwick, 1960 † (**FOSSIL**)
- **tapia**, [\*\*Tejonia tapia\*\*](#) (Feruglio, 1935) † (**FOSSIL**)
- **taslei**, *Natica taslei* Récluz, 1853 - syn of: [\*\*Natica broderipiana\*\*](#) Récluz, 1844
- **tasmanica**, *Natica tasmanica* Tenison-Woods, 1876 - syn of: [\*\*Conuber conicum\*\*](#) (Lamarck, 1822)
- **tawhitirahia**, [\*\*Polinices tawhitirahia\*\*](#) Powell, 1965
- **tecta**, [\*\*Tectonatica tecta\*\*](#) (Anton, 1838)
- **tecta**, *Natica tecta* Anton, 1838 - syn of: [\*\*Tectonatica tecta\*\*](#) (Anton, 1838)
- **tecta stimpsoni**, [\*\*Tectonatica tecta stimpsoni\*\*](#) Bartsch, 1915
- **tectula**, [\*\*Tectonatica tectula\*\*](#) Sacco, 1890 † (**FOSSIL**)
- **tedbayeri**, [\*\*Natica tedbayeri\*\*](#) Rehder, 1986
- **telaaraneae**, *Natica telaaraneae* Melvill, 1901 - syn of: [\*\*Natica pseustes\*\*](#) Watson, 1887

- **tener**, *Sigaretus tener* Smith, 1894 - syn of: [\*\*Eunaticina papilla\*\*](#) (Gmelin, 1791)
- **tenuicinctus**, *Sinum tenuicinctus* Klopstein, 1843 † - syn of: [\*\*Temnrotropis carinata\*\*](#) (Münster, 1841) † (**FOSSIL**)
- **tenuicula**, [\*\*Euspira tenuicula\*\*](#) Deshayes, 1864 † (**FOSSIL**)
- **tenuiculus**, [\*\*Bulbus tenuiculus\*\*](#) (Sowerby, 1915)
- **tenuipicta**, [\*\*Tanea tenuipicta\*\*](#) (Kuroda, 1961)
- **tenuipicta**, *Natica tenuipicta* Kuroda, 1961 - syn of: [\*\*Tanea tenuipicta\*\*](#) (Kuroda, 1961)
- **tenuis**, [\*\*Euspira tenuis\*\*](#) (Récluz, 1851)
- **tenuis**, *Natica tenuis* Philippi, 1852 - syn of: [\*\*Laguncula pulchella\*\*](#) Benson, 1842
- **tenuis**, *Lunatia tenuis* Récluz, 1851 - syn of: [\*\*Euspira tenuis\*\*](#) (Récluz, 1851)
- **tenuis**, *Natica tenuis* Récluz, 1851 - syn of: [\*\*Euspira tenuis\*\*](#) (Récluz, 1851)
- **tenuistriata**, [\*\*Euspira tenuistriata\*\*](#) (Dautzenberg & Fischer, 1911)
- **tenuistriata**, *Natica tenuistriata* Dautzenberg & Fischer, 1911 - syn of: [\*\*Euspira tenuistriata\*\*](#) (Dautzenberg & Fischer, 1911)
- **teres**, [\*\*Amauropsona teres\*\*](#) (Marwick, 1924) † (**FOSSIL**)
- **tessellata**, *Natica tessellata* Philippi, 1849 - syn of: [\*\*Notocochlis qualteriana\*\*](#) (Récluz, 1844)
- **texana**, [\*\*Euspira perspecta texana\*\*](#) Garvie (**FOSSIL**)
- **texasiana**, *Natica texasiana* Philippi, 1849 - syn of: [\*\*Neverita delessertiana\*\*](#) (Récluz, 1843)
- **textilis**, *Natica textilis* Reeve, 1855 - syn of: [\*\*Cochlis vittata\*\*](#) (Gmelin, 1791)
- **thomsonae**, [\*\*Glossaulax thomsonae\*\*](#) Hickman, 1969 † (**FOSSIL**)
- **tigrina**, [\*\*Cochlis tigrina\*\*](#) (Defrance, 1825) † (**FOSSIL**)
- **tigrina**, [\*\*Notocochlis tigrina\*\*](#) (Röding, 1798)
- **tigrina**, *Natica tigrina* Defrance, 1825 † - syn of: [\*\*Natica crassiuscula\*\*](#) Grateloup, 1847 † (**FOSSIL**)
- **tigrinus**, *Naticarius tigrinus* Nordsieck, 1972 † - syn of: [\*\*Cochlis neglecta\*\*](#) (Mayer, 1858) † (**FOSSIL**)
- **tincturata**, *Natica tincturata* Reeve, 1855 - syn of: [\*\*Natica cincta\*\*](#) Récluz, 1850
- **tonganus**, *Sinum tonganus* Quoy & Gaimard, 1832 - syn of: [\*\*Coriocella tongana\*\*](#) (Quoy & Gaimard, 1832)
- **torata**, *Natica torata* Reeve, 1855 - syn of: [\*\*Natica forata\*\*](#) Reeve, 1855
- **tortonensis**, [\*\*Pliconacca tortonensis\*\*](#) Robba, Pedriali & Quaggiotto, 2016 † (**FOSSIL**)
- **tosaensis**, [\*\*Tanea tosaensis\*\*](#) (Kuroda, 1961)
- **tosaensis**, *Notocochlis tosaensis* (Kuroda, 1961) - syn of: [\*\*Tanea tosaensis\*\*](#) (Kuroda, 1961)
- **toulana**, [\*\*Stigmaulax guppiana toulana\*\*](#) Gardner (**FOSSIL**)
- **tournoueri**, *Natica tournoueri* Cossmann, 1919 † - syn of: [\*\*Euspira ilhagwilensis\*\*](#) Pacaud, 2016 † (**FOSSIL**)
- **tournoueri**, [\*\*Natica tournoueri\*\*](#) Leymerie, 1878 † (**FOSSIL**)
- **trailli**, *Natica trailli* Reeve, 1855 - syn of: [\*\*Natica buriasiensis\*\*](#) Récluz, 1844
- **tranquebarica**, *Albula tranquebarica* Röding, 1798 - syn of: [\*\*Eunaticina papilla\*\*](#) (Gmelin, 1791)
- **tranquilla**, [\*\*Notocochlis tranquilla\*\*](#) (Melvill & Standen, 1901)
- **tranquilla**, *Natica tranquilla* (Melvill & Standen, 1901) - syn of: [\*\*Notocochlis tranquilla\*\*](#) (Melvill & Standen, 1901)
- **transiens**, [\*\*Natica transiens\*\*](#) Kittl, 1892 † (**FOSSIL**)
- **tremarieri**, [\*\*Natica tremarieri\*\*](#) Tate, 1900 † (**FOSSIL**)
- **trinitatensis**, [\*\*Amauropsis trinitatensis\*\*](#) Mansfield, 1925 † (**FOSSIL**)
- **triseriata**, [\*\*Euspira triseriata\*\*](#) (Say, 1826)
- **triseriata**, *Natica triseriata* Say, 1826 - syn of: [\*\*Euspira triseriata\*\*](#) (Say, 1826)
- **triseriatus**, *Polinices triseriatus* Say, 1826 - syn of: [\*\*Euspira triseriata\*\*](#) (Say, 1826)
- **trisulcata**, [\*\*Pliconacca trisulcata\*\*](#) Martin, 1914 † (**FOSSIL**)
- **tumescens**, *Eunaticina tumescens* Reeve, 1864 - syn of: [\*\*Eunaticina linneana\*\*](#) (Récluz, 1843)
- **tumescens**, *Sigaretus tumescens* Reeve, 1864 - syn of: [\*\*Eunaticina papilla\*\*](#) (Gmelin, 1791)
- **tumida**, *Natica tumida* Récluz, 1840 - syn of: [\*\*Polinices mammilla\*\*](#) (Linnaeus, 1758)
- **tumidula**, [\*\*Natica tumidula\*\*](#) Wood, 1879 † (**FOSSIL**)
- **tumidus**, *Polinices tumidus* Swainson, 1840 - syn of: [\*\*Polinices mammilla\*\*](#) (Linnaeus, 1758)
- **tuomeyi**, [\*\*Euspira tuomeyi\*\*](#) (Whitfield, 1894) † (**FOSSIL**)
- **turbilina**, [\*\*Natica turbilina\*\*](#) Münster, 1841 † (**FOSSIL**)
- **turbanata**, [\*\*Euspira turbinata\*\*](#) Deshayes, 1864 † (**FOSSIL**)
- **turbinoides**, [\*\*Natica turbinoides\*\*](#) Grateloup, 1827 † (**FOSSIL**)
- **turtoni**, [\*\*Natica turtoni\*\*](#) Smith, 1890
- **tyrolensis**, [\*\*Amauropsis tyrolensis\*\*](#) Laube, 1868 † (**FOSSIL**)
- **uber**, [\*\*Polinices uber\*\*](#) (Valenciennes, 1832)
- **uber**, *Natica uber* Valenciennes, 1832 - syn of: [\*\*Polinices uber\*\*](#) (Valenciennes, 1832)
- **uberinus**, [\*\*Polinices uberinus\*\*](#) (D'Orbigny, 1842)
- **umbilicata**, [\*\*Eunaticina umbilicata\*\*](#) (Quoy & Gaimard, 1832)
- **umbilicata**, *Natica umbilicata* Quoy & Gaimard, 1832 - syn of: [\*\*Eunaticina umbilicata\*\*](#) (Quoy & Gaimard, 1832)
- **umbilicatum mimicum**, *Propesimum umbilicatum mimicum* Iredale, 1924 - Syn of: [\*\*Eunaticina umbilicata\*\*](#) (Quoy & Gaimard, 1832)
- **umbilicatum minusculum**, *Propesimum umbilicatum minusculum* Iredale, 1924 - syn of: [\*\*Eunaticina umbilicata\*\*](#) (Quoy & Gaimard, 1832)
- **umbilicocarinata**, [\*\*Euspira umbilicocarinata\*\*](#) Robba, Pedriali & Quaggiotto, 2016 † (**FOSSIL**)
- **umbilicolunata**, [\*\*Euspira umbilicolunata\*\*](#) Robba, Pedriali & Quaggiotto, 2016 † (**FOSSIL**)
- **undata**, [\*\*Cochlis undata\*\*](#) (Sasso, 1827) † (**FOSSIL**)
- **undata**, *Natica undata* Philippi, 1852 - syn of: [\*\*Notocochlis chemnitzi\*\*](#) (Pfeiffer, 1840)
- **undulata**, [\*\*Tanea undulata\*\*](#) (Röding, 1798)
- **undulatus**, *Sigaretus undulatus* Hutton, 1885 - syn of: [\*\*Globisinum drewi\*\*](#) (Murdoch, 1899)
- **undulatus**, *Sigaretus undulatus* Lischke, 1872 - syn of: [\*\*Sinum incisum\*\*](#) (Reeve, 1864)
- **unibalteata**, [\*\*Natica unibalteata\*\*](#) Liu, 1977
- **unicolor**, *Cryptonatica unicolor* Middendorff, 1849 - syn of: [\*\*Cryptonatica affinis\*\*](#) (Gmelin, 1791)
- **unifasciata**, [\*\*Natica unifasciata\*\*](#) Lamarck, 1822
- **unifasciatus**, [\*\*Sinum unifasciatus\*\*](#) Récluz, 1843
- **unimaculata**, *Natica unimaculata* Reeve, 1855 - syn of: [\*\*Polinices otis\*\*](#) Broderip & Sowerby, 1829
- **unimaculatus**, *Polinices unimaculatus* Reeve, 1855 - syn of: [\*\*Polinices otis\*\*](#) Broderip & Sowerby, 1829

- unisulcatus, [\*\*Polinices unisulcatus\*\*](#) (Marwick, 1924) † (**FOSSIL**)
- ustulata, Polinices ustulata Sowerby, 1883 - syn of: [\*\*Conuber conicum\*\*](#) (Lamarck, 1822)
- ustulata, Natica ustulata Sowerby, 1883 - syn of: [\*\*Conuber conicum\*\*](#) (Lamarck, 1822)
- vafer, Natica vafer Finlay, 1930 - syn of: [\*\*Notocochlis qualteriana\*\*](#) (Récluz, 1844)
- vaginatus, Polinices vaginatus Dall, 1908 - syn of: [\*\*Falsilunatia patagonica\*\*](#) (Philippi, 1845)
- valenciennesi, Polinices valenciennesi Payraudeau, 1826 - syn of: [\*\*Euspira intricata\*\*](#) (Donovan, 1804)
- valenciennesii, Natica valenciennesii Payraudeau, 1826 - syn of: [\*\*Euspira intricata\*\*](#) (Donovan, 1804)
- variabilis, Natica variabilis Récluz, 1855 - syn of: [\*\*Natica adansonii\*\*](#) Blainville, 1825
- varians, [\*\*Natica varians\*\*](#) Tate, 1893 † (**FOSSIL**)
- varians meridionalis, [\*\*Natica varians meridionalis\*\*](#) Cossmann & Peyrot, 1921 † (**FOSSIL**)
- variolaria, Natica variolaria Récluz, 1844 - syn of: [\*\*Natica multipunctata faneli\*\*](#) (Récluz, 1844)
- vaughani, [\*\*Friginatica vaughani\*\*](#) (Marwick, 1924) † (**FOSSIL**)
- vavaosi, [\*\*Polinices vavaosi\*\*](#) (Reeve, 1855)
- velledae, [\*\*Natica velledae\*\*](#) Bayan, 1870 † (**FOSSIL**)
- venusta, [\*\*Natica venusta\*\*](#) Deshayes, 1864 † (**FOSSIL**)
- venustula, [\*\*Tectonatica venustula\*\*](#) (Philippi, 1851)
- venustula, Natica venustula Philippi, 1851 - syn of: [\*\*Tectonatica venustula\*\*](#) (Philippi, 1851)
- venustum, [\*\*Globisimum venustum\*\*](#) (Suter, 1907)
- verae, [\*\*Naticarius canrena verae\*\*](#) Rehder
- vererugosum, [\*\*Stigmulaux vererugosum\*\*](#) Cossmann, 1924 † (**FOSSIL**)
- vesicalis, [\*\*Glossaulax vesicalis\*\*](#) (Philippi, 1848)
- vesicalis, Natica vesicalis Philippi, 1849 - syn of: [\*\*Glossaulax vesicalis\*\*](#) (Philippi, 1848)
- vestalis, Natica vestalis Philippi, 1851 - syn of: [\*\*Polinices flemingianus\*\*](#) Récluz, 1844
- vestitus, [\*\*Polinices vestitus\*\*](#) Kuroda, 1961
- vicanus, [\*\*Euspira vicanus\*\*](#) Olson, 1928 † (**FOSSIL**)
- vicinalis, [\*\*Natica vicinalis\*\*](#) Thurmann & Etallon, 1861 † (**FOSSIL**)
- vicksburgensis, [\*\*Euspira vicksburgensis\*\*](#) (Conrad, 1848) † (**FOSSIL**)
- victorianus, [\*\*Polinices victorianus\*\*](#) Clark & Arnold, 1923 † (**FOSSIL**)
- vientoensis, [\*\*Euspira vientoensis\*\*](#) Clark & Durham, 1946 † (**FOSSIL**)
- violacea, [\*\*Tectonatica violacea\*\*](#) (Sowerby, 1825)
- violacea, Natica violacea Sowerby, 1825 - syn of: [\*\*Tectonatica violacea\*\*](#) (Sowerby, 1825)
- virginea, Natica virginea Philippi, 1852 - Syn of: [\*\*Polinices flemingianus\*\*](#) Récluz, 1844
- virginea, Natica virginea Récluz, 1850 - Syn of: [\*\*Polinices uber\*\*](#) (Valenciennes, 1832)
- virginea, Natica virginea Récluz, 1850 - Syn of: [\*\*Polinices uber\*\*](#) (Valenciennes, 1832)
- vitellus, [\*\*Natica vitellus\*\*](#) (Linnaeus, 1758)
- vitellus spadicea, Natica vitellus spadicea (Gmelin, 1791) - syn of: [\*\*Natica spadicea\*\*](#) (Gmelin, 1791)
- vitrea, [\*\*Uberella vitrea\*\*](#) (Hutton, 1873)
- vittata, [\*\*Cochlis vittata\*\*](#) (Gmelin, 1791)
- vittata corimbensis, [\*\*Cochlis vittata corimbensis\*\*](#) Fernández & Rolán, 1991
- vittata fusca, Natica vittata fusca Pallas, 1920 - syn of: [\*\*Cochlis vittata\*\*](#) (Gmelin, 1791)
- vittata textilis, Cochlis vittata textilis Reeve, 1855 - syn of: [\*\*Cochlis vittata\*\*](#) (Gmelin, 1791)
- vittatum, [\*\*Sinum vittatum\*\*](#) Zhang, 2008
- viviparoides, [\*\*Euspira viviparoides\*\*](#) Cossmann, 1888 † (**FOSSIL**)
- vixumbilicata, [\*\*Conuber vixumbilicata\*\*](#) (Tenison-Woods, 1877) † (**FOSSIL**)
- vokesi, [\*\*Natica vokesi\*\*](#) Addicott, 1966 † (**FOSSIL**)
- volckmanni, Natica volckmanni Philippi, 1887 † - syn of: [\*\*Glossaulax pachystoma\*\*](#) (Hupé, 1854) † (**FOSSIL**)
- vulcani, Natica vulcani Brongniart, 1909 † - syn of: [\*\*Ampullina perusta\*\*](#) Defrance, 1823 † (**FOSSIL**)
- waihaoensis, [\*\*Carinacca waihaoensis\*\*](#) (Suter, 1917) † (**FOSSIL**)
- waipaensis, [\*\*Polinices waipaensis\*\*](#) Marwick, 1924 † (**FOSSIL**)
- waipiapiensis, [\*\*Polinices waipiapiensis\*\*](#) (Marwick, 1924) † (**FOSSIL**)
- waitemataensis, [\*\*Magnatica waitemataensis\*\*](#) Powell, 1938 † (**FOSSIL**)
- wakkaniensis, [\*\*Cryptonatica wakkaniensis\*\*](#) Habe & Itô, 1976
- waltonense, [\*\*Sinum waltonense\*\*](#) Gardner, 1937 † (**FOSSIL**)
- waltonensis, [\*\*Euspira waltonensis\*\*](#) Mansfield, 1935 † (**FOSSIL**)
- washingtonensis, [\*\*Polinices washingtonensis\*\*](#) Weaver, 1916 † (**FOSSIL**)
- wateleti, [\*\*Natica wateleti\*\*](#) Briart & Comet, 1887 † (**FOSSIL**)
- weaveri, [\*\*Natica weaveri\*\*](#) Tegland, 1933 † (**FOSSIL**)
- weberi, Sinum weberi Bartsch, 1918 - syn of: [\*\*Sinum incisum\*\*](#) (Reeve, 1864)
- weberi, Sigaretus weberi Bartsch, 1918 - syn of: [\*\*Sinum incisum\*\*](#) (Reeve, 1864)
- weisbordi, [\*\*Polinices weisbordi\*\*](#), † (**FOSSIL**)
- weispordi, Polinices weispordi Alabama, 0 † - syn of: [\*\*Polinices weisbordi\*\*](#), † (**FOSSIL**)
- whitechurchi, Natica whitechurchi Turton, 1932 - syn of: [\*\*Natica simplex\*\*](#) Sowerby, 1897
- wintlei, [\*\*Friginatica wintlei\*\*](#) (Tenison-Woods, 1876) † (**FOSSIL**)
- wollastoni, Globisimum wollastoni Finlay, 1927 - syn of: [\*\*Globisimum drewi\*\*](#) (Murdoch, 1899)
- woodsi, [\*\*Polinices woodsi\*\*](#) Olson, 1928 † (**FOSSIL**)
- xantha, [\*\*Falsilunatia xantha\*\*](#) (Watson, 1881)
- xantha, Natica xantha Watson, 1881 - syn of: [\*\*Falsilunatia xantha\*\*](#) (Watson, 1881)
- yabei, Sinum yabei Otuka, 1934 † - syn of: [\*\*Sinum ineptum\*\*](#) Yokoyama, 1924 † (**FOSSIL**)
- yokoyamai, [\*\*Euspira yokoyamai\*\*](#) (Kuroda & Habe, 1952)
- yokoyamai, Polinices yokoyamai Kuroda & Habe, 1952 - syn of: [\*\*Euspira yokoyamai\*\*](#) (Kuroda & Habe, 1952)
- youngi, [\*\*Natica youngi\*\*](#) Maury, 1917 † (**FOSSIL**)
- youngi coeleana, [\*\*Natica youngi coeleana\*\*](#) Olson, 1922
- zanzebarica, Natica zanzebarica Récluz, 1844 - syn of: [\*\*Mammilla sebae\*\*](#) (Récluz, 1844)

- **zanzibarica**, Polinices zanzibarica Récluz, 1844 - syn of: [\*\*Mammilla sebae\*\*](#) (Récluz, 1844)
  - **zarantonelloi**, [\*\*Payraudeautia zarantonelloi\*\*](#) Robba, Pedriali & Quaggiotto, 2016 † (**FOSSIL**)
  - **zebra**, Natica zebra Lamarck, 1822 - syn of: [\*\*Tanea undulata\*\*](#) (Röding, 1798)
  - **zebra**, Natica zebra Lamarck, 1822 - syn of: [\*\*Tanea undulata\*\*](#) (Röding, 1798)
  - **zelandica**, [\*\*Tanea zelandica\*\*](#) (Quoy & Gaimard, 1832)
  - **zelandica**, Natica zelandica Quoy & Gaimard, 1832 - syn of: [\*\*Tanea zelandica\*\*](#) (Quoy & Gaimard, 1832)
  - **zenryumaruae**, [\*\*Cryptonatica zenryumaruae\*\*](#) Habe & Itô, 1976
  - **ziczac**, Natica ziczac Röding, 1798 - syn of: [\*\*Natica fulminea\*\*](#) (Gmelin, 1791)
  - **zonale**, [\*\*Sinum zonale\*\*](#) (Quoy & Gaimard, 1832)
  - **zonalis**, [\*\*Naticarius zonalis\*\*](#) (Récluz, 1850)
  - **zonalis**, Natica zonalis Récluz, 1850 - syn of: [\*\*Naticarius zonalis\*\*](#) (Récluz, 1850)
  - **zonaria**, Natica zonaria Lamarck, 1816 - Syn of: [\*\*Naticarius alapapilionis\*\*](#) (Röding, 1798)
  - **zonata**, Natica zonata Doderlein, 1864 † - Syn of: [\*\*Cochlis epiglopardalis\*\*](#) (Sacco, 1890) † (**FOSSIL**)
  - **zonata**, Cryptonatica zonata Middendorff, 1849 - syn of: [\*\*Cryptonatica affinis\*\*](#) (Gmelin, 1791)
  - **zonata**, Polinices zonata Philippi, 1852 - Syn of: [\*\*Mammilla melanostoma\*\*](#) (Gmelin, 1791)
  - **zonulata**, [\*\*Tectonatica zonulata\*\*](#) (Thiele, 1925)
  - **zoologica**, [\*\*Polinices zoologica\*\*](#) Jousseaume, 1876
  - **zoologica**, Mamma zoologica Jousseaume, 1876 - syn of: [\*\*Polinices zoologica\*\*](#) (Jousseaume, 1876)
-

Class: GASTROPODA  
Class: GASTROPODA

----- Family: NATICIDAE Guiding, 1834

Habitat= Sea, Taxonomic order  
Taxa=1835, Genus=58, Subgenus=7, Species=908, Subspecies=39, Synonyms=822, Images=561


Genus: Amauropsona Finlay & Marwick, 1937 † (2 SP, 0 IMG)






Genus: Amaurospina Abbass, 1967 † (1 SP, 0 IMG)



Genus: Austrocochlis Finlay, 1937 † (1 SP, 0 IMG)



Genus: Carinacca Marwick, 1924 † (3 SP, 3 IMG)




**synonyms:**

- Ampullina waihaoensis H.H. Suter, 1917 †

Genus: Haliotinella S.M. Souverbie, 1875 (2 SP, 1 IMG)



1661900540  
**Haliotinella  
montrouzieri**  
S.M. Souverbie, 1875  
Japan



1661900000  
**Haliotinella  
patinaria**  
R.J.L. Guppy, 1876  
Saint Kitts and Nevis  
18 mm



**Genus: Magnatica** Marwick, 1924 † (11 SP, 1 IMG)

**Fossil  
only**

8032000057  
**Magnatica  
approximata**  
(H.H. Suter, 1917 †)  
**(FOSSIL)**

No Georeferenced data available

**Fossil  
only**

8032000058  
**Magnatica  
clifdenensis**  
Finlay, 1926 †  
**(FOSSIL)**

No Georeferenced data available

**Fossil  
only**

8032000059  
**Magnatica  
firma**  
(J. Marwick, 1924 †)  
**(FOSSIL)**

No Georeferenced data available



**Fossil  
only**

8032000060  
**Magnatica  
fons**  
Finlay, 1930 †  
**(FOSSIL)**

No Georeferenced data available

**Fossil  
only**

5184000739  
**Magnatica  
globosa**  
Abbas, 1967 †  
**(FOSSIL)**  
Egypt, Mokattam



**Fossil  
only**

8032000061  
**Magnatica  
harrisensis**  
(J. Marwick, 1924 †)  
**(FOSSIL)**

No Georeferenced data available



**Fossil  
only**

8032000062  
**Magnatica  
nuda**  
(J. Marwick, 1924 †)  
**(FOSSIL)**

No Georeferenced data available



5184000742  
**Magnatica**  
**planispira**  
(H.H. Suter, 1917 †)  
**(FOSSIL)**  
New Zealand, South Island



Fossil  
only

8032000063  
**Magnatica**  
**procera**  
Finlay & J. Marwick, 1937 †  
**(FOSSIL)**

No Georeferenced data available

Fossil  
only

8032000064  
**Magnatica**  
**rectilatera**  
Finlay, 1926 †  
**(FOSSIL)**

No Georeferenced data available

Fossil  
only

8032000065  
**Magnatica**  
**waitemataensis**  
Powell, 1938 †  
**(FOSSIL)**

No Georeferenced data available

**Subgenus: Magnatica (Spelaenacca) Marwick, 1924 † (2 SP, 1 IMG)**

Fossil  
only


5184000741  
**Spelaenacca**  
**parilis**

Finlay, 1930 †  
**(FOSSIL)**  
New Zealand, Canterbury, Waimate



5184000740  
**Spelaenacca**  
**sutherlandi**

J. Marwick, 1924 †  
**(FOSSIL)**  
New Zealand, Southland, Gore



**Genus: Maxwellinatica** Beu & Marshall, 2011 † (1 SP, 0 IMG)

Fossil  
only

8032000010  
**Maxwellinatica**  
**phillipi**

A.G. Beu & Marshall, 2011 †  
**(FOSSIL)**

No Georeferenced data available

**Genus: Microlinices** L.R.L. Simone, 2014 (6 SP, 6 IMG)



5184000058  
**Microlinices**  
**apiculus**

L.R.L. Simone, 2014  
Brazil, Espírito Santo  
5,6 mm



5184000059  
**Microlinices**  
**benthoicus**


L.R.L. Simone, 2014  
Brazil, Espírito Santo  
4 mm





5184000060  
**Microlinices**  
**gaiophanis**

L.R.L. Simone, 2014  
Brazil, Rio de Janeiro  
6,1 mm



5184000061  
**Microlinices**  
**ibitingus**

L.R.L. Simone, 2014  
Brazil, Espírito Santo  
12,3 mm



5184000062  
**Microlinices**  
**latiusculus**

L.R.L. Simone, 2014  
Brazil, Rio de Janeiro



5184000063  
**Microlinices**  
**ombratus**

L.R.L. Simone, 2014  
Brazil, São Mateus  
3,2 mm



**Genus: Polinella** Marwick, 1931 † (7 SP, 0 IMG)

Fossil  
only

8032000071  
**Polinella**  
**creper**

(J. Marwick, 1965 †)  
**(FOSSIL)**


No Georeferenced data available

Fossil  
only

5184000904  
**Polinella**  
**esdalei**

(J. Marwick, 1924 †)  
**(FOSSIL)**

New Zealand, Otago, Waitaki



Fossil  
only

8032000072  
**Polinella**  
**finlayi**

(J. Marwick, 1924 †)  
**(FOSSIL)**

No Georeferenced data available

Fossil  
only

8032000073  
**Polinella**  
**fryei**

(C.R. Laws, 1933 †)  
**(FOSSIL)**

No Georeferenced data available

Fossil  
only

8032000074  
**Polinella**  
**gradisuturalis**

(J. Marwick, 1932 †)  
**(FOSSIL)**

No Georeferenced data available

**Fossil  
only**

8032000108  
***Polinella  
incerta***

(J. Marwick, 1924 †)  
**(FOSSIL)**

No Georeferenced data available

**Fossil  
only**

8032000075  
***Polinella  
modesta***

(J. Marwick, 1924 †)  
**(FOSSIL)**

No Georeferenced data available

**Genus: Tahunacca** Maxwell, 1992 † (2 SP, 0 IMG)

**Fossil  
only**

8032000090  
***Tahunacca  
acerva***

(C.R. Laws, 1933 †)  
**(FOSSIL)**

No Georeferenced data available

**Fossil  
only**

8032000091  
***Tahunacca  
haasti***

(J. Marwick, 1924 †)  
**(FOSSIL)**

No Georeferenced data available

**Genus: Taniella** Finlay & Marwick, 1937 † (10 SP, 2 IMG)



6298000111  
***Taniella  
bacca***

(J. Marwick, 1924 †)  
**(FOSSIL)**

New Zealand, South Island  
13 mm



**Fossil  
only**

8032000095  
***Taniella  
intermedia***

P.A. Maxwell, 1992 †  
**(FOSSIL)**

No Georeferenced data available

**Fossil  
only**

8032000096  
***Taniella  
mima***

P.A. Maxwell, 1988 †  
**(FOSSIL)**

No Georeferenced data available

**Fossil  
only**

8032000097  
***Taniella  
motutaraensis***

(Powell, 1935 †)  
**(FOSSIL)**

No Georeferenced data available

**Fossil  
only**

8032000098  
***Taniella  
notocenica***

(Finlay, 1924 †)  
**(FOSSIL)**

No Georeferenced data available

**Fossil  
only**

8032000099  
**Taniella  
planisuturalis**  
(J. Marwick, 1924 †)  
**(FOSSIL)**

No Georeferenced data available

**Fossil  
only**

8032000100  
**Taniella  
poliniciformis**  
A.G. Beu, 1970 †  
**(FOSSIL)**

No Georeferenced data available

**Fossil  
only**


8032000101  
**Taniella  
senisculus**  
(Finlay & J. Marwick, 1937 †)  
**(FOSSIL)**

No Georeferenced data available



5184000840  
**Taniella  
subnoae**  
(R. Tate, 1893 †)  
**(FOSSIL)**

Australia, Victoria



**synonyms:**

- Natica subnoae R. Tate, 1893 †

**Fossil  
only**

8032000102  
**Taniella  
tantilla**  
J. Marwick, 1960 †  
**(FOSSIL)**



No Georeferenced data available

**Genus: Darwinices** Griffin & Pastorino, 2013 † (1 SP, 1 IMG)



8032000163  
**Darwinices  
claudiae**  
Griffin & G. Pastorino, 2013 †  
**(FOSSIL)**

Patagonia



**Genus: Gyrodes** T.A. Conrad, 1860 † (9 SP, 3 IMG)



8032000136  
**Gyrodes  
americanus**  
(B. Wade, 1926 †)  
**(FOSSIL)**


USA, Mississippi



**Fossil  
only**

5184000722  
**Gyrodes  
canadensis**  
J.J.F. Whiteaves, 1903 †  
**(FOSSIL)**



USA, California, Santa Barbara




**Fossil  
only**

5184000723  
**Gyrodes  
globosus**  
Delpey, 1941 †  
**(FOSSIL)**


No Georeferenced data available




SubFamily: AMPULLOSPIRINAE - Genus: **Banis** Stephenson , 1941 † (1 SP, 0 IMG)



SubFamily: AMPULLOSPIRINAE - Genus: **Forator** Taylor & al., 1983 † (1 SP, 0 IMG)





SubFamily: AMPULLOSPIRINAE - Genus: **Tejonia** Hanna & L. G., 1943 † (4 SP, 0 IMG)




## Fossil only

5184000728  
**Tejonia hendoni**  
(H. Turner, 1938 †)  
(FOSSIL)  
Colombia, Bolívar



## Fossil only

5184000729  
**Tejonia moragai**  
(C.C. Stewart, 1927 †)  
(FOSSIL)  
USA, Oregon, Douglas



## Fossil only

8032000164  
**Tejonia tapia**  
(Feruglio, 1935 †)  
(FOSSIL)

No Georeferenced data available

SubFamily: GLOBISININAE - Genus: **Falsilunatia** A. Powell, 1951 (17 SP, 17 IMG)



1661900260  
**Falsilunatia ambiguua**

(H.H. Suter, 1913)  
New Zealand  
17 mm





1661900270  
**Falsilunatia amphiala**

(R.B. Watson, 1881)  
New Zealand





1661900030  
**Falsilunatia benthicola**

(R.K. Dell, 1990)  
Drake Passage  
24 mm





1660450015  
**Falsilunatia carcellesi**

(R.K. Dell, 1990)  
Falkland Islands  
34 mm





1661900290  
**Falsilunatia eltanini**

R.K. Dell, 1990  
Canada, Quebec, Cap-des-Rosiers  
20 mm



1661900300  
**Falsilunatia falklandica**

(H.B. Preston, 1913)  
Falkland Islands  
11,4 mm





1661900310  
**Falsilunatia furtiva**  
(R.B. Watson, 1881)

Ross Sea  
40 mm



8032000202  
**Falsilunatia futa**  
(C. Nielsen, 2003 †  
**(FOSSIL)**)

Chile, Navidad Formation  
22,7 mm



1661903232  
**Falsilunatia joubini**

(É. Lamy, 1911)  
Hawaii




1661903233  
**Falsilunatia nigromaculata**  
(É. Lamy, 1911)

South Georgia Island  
7 mm




1661903240  
**Falsilunatia notorcadensis**

R.K. Dell, 1990  
South Orkney Islands  
33 mm



1661901520  
**Falsilunatia patagonica**

(R.A. Philippi, 1845)  
Argentina, Tierra del Fuego



**synonyms:**



- *Euspira magellanica* J.B. Hombron & C.H. Jacquinot, 1852
- *Polinices patagonicus* R.A. Philippi, 1845
- *Polinices recognita* J.F. Mabille & A. de Rochebrune, 1889
- *Polinices vaginatus* W.H. Dall, 1908

- *Natica patagonica* R.A. Philippi, 1845
- *Natica recognita* J.F. Mabille & A. de Rochebrune, 1889
- *Polinices subantarcticus* H.B. Preston, 1913



1661900350  
**Falsilunatia patagonica soluta**  
(A.A. Gould, 1848)

Argentina, Tierra del Fuego  
16 mm




**synonyms:**

- *Natica soluta* A.A. Gould, 1848




1661902600  
**Falsilunatia pseudopsila**

K.H. Barnard, 1963  
South Africa



1661900050  
**Falsilunatia scotiana**

(R.K. Dell, 1990)  
Shetland Islands  
31 mm





1661900360  
**Falsilunatia**

**subperforata**

(R.K. Dell, 1956)

New Zealand



**synonyms:**

- *Amauopsis subperforata* (R.K. Dell, 1956)




6298000022  
**Falsilunatia**

**superperforata**

R.K. Dell, 1956 †

**(FOSSIL)**

New Zealand, South Island  
21 mm




1661900370  
**Falsilunatia**

**xantha**

(R.B. Watson, 1881)

Kerguelen Islands

10,3 mm



**synonyms:**

- *Natica xantha* R.B. Watson, 1881

SubFamily: GLOBISININAE - **Genus: Globisimum** J. Marwick, 1924 (8 SP, 2 IMG)

**Fossil  
only**


8032000054  
**Globisimum**

**crassiliratum**

Finlay, 1926 †

**(FOSSIL)**

No Georeferenced data available




1661900410  
**Globisimum**

**drewi**

(R. Murdoch, 1899)

New Zealand



**synonyms:**

- *Sinum drewi* R. Murdoch, 1899
- *Sigaretus undulatus* F.W. Hutton, 1885

- *Natica laevis* F.W. Hutton, 1885
- *Globisimum wollastonii* H.J. Finlay, 1927

**Fossil  
only**


5184000734  
**Globisimum**

**limata**

(R. Tate, 1893 †)

**(FOSSIL)**

Australia, Mount Martha



**Fossil  
only**

8032000055  
**Globisimum**

**mioaenicum**

(H.H. Suter, 1917 †)

**(FOSSIL)**

No Georeferenced data available

**Fossil  
only**

5184000735  
**Globisimum**


**perspectiva**

(R. Tate, 1893 †)

**(FOSSIL)**

Australia, Victoria,

Colac-Otway - South



**Fossil  
only**

5184000736  
**Globisimum**

**pritchardi**

(A.E.M. Cossmann, 1907 †)

**(FOSSIL)**

No Georeferenced data available


**synonyms:**

- *Natica arata* R. Tate, 1893 †

**Fossil  
only**

8032000056  
**Globisimum  
spirale**  
(P. Marshall, 1917 †)  
**(FOSSIL)**

No Georeferenced data available



5184000007  
**Globisimum  
venustum**  
(H.H. Suter, 1907)  
New Zealand



SubFamily: NATICINAE - Genus: **Amauropsina** C.É. Bayle in Chebot, 1885 † (1 SP, 1 IMG)



6298000001  
**Amauropsina  
arenularia**  
(Vasseur, 1882 †)  
**(FOSSIL)**

France, Paris Basin



SubFamily: NATICINAE - Genus: **Benthobulbus** J.H. McLean, 1995 (2 SP, 1 IMG)




1661903188  
**Benthobulbus  
carpenteri**  
(W.H. Dall, 1896)  
Gulf of Mexico

**synonyms:**

- *Notocochlis carpenteri* W.H. Dall, 1896
- *Choristella carpenteri* W.H. Dall, 1896



5184000048  
**Benthobulbus  
coani**  
(L.N. Marinovich, 1975)  
Oregon

**synonyms:**

- *Amauropsis coani* L.N. Marinovich, 1975
- *Choristes coani* L.N. Marinovich, 1975

SubFamily: NATICINAE - Genus: **Calinaticina** J.Q. Burch & G.B. Campbell, 1963 (1 SP, 1 IMG)



1660500000  
**Calinaticina  
oldroydii**  
(W.H. Dall, 1897)  
California, San Pedro  
54 mm




SubFamily: NATICINAE - Genus: **Cepatia** J.E. Gray, 1842 † (2 SP, 1 IMG)



5184000731  
**Cepatia  
cepacea**  
(J.B.P.A. Lamarck, 1804 †)  
**(FOSSIL)**


France, Aquitaine



**Fossil  
only**

5184000732  
**Cepatia  
shazlii**  
(Abbas, 1967 †)  
**(FOSSIL)**

Egypt, Fayum





8032000020  
***Cochlis***  
***craccol***


E. Robba, Pedriali,  
& E. Quaggiotto, 2016 †  
**(FOSSIL)**

No Georeferenced data available



6298000039  
***Cochlis***  
***degrangei***

A.E.M. Cossmann,  
& M.A. Peyrot, 1921 †  
**(FOSSIL)**  
Italy, Torino  
8 mm



Fossil  
only

8032000211  
***Cochlis***  
***depresso-funiculata***

(F. Sacco, 1891 †)  
**(FOSSIL)**



No Georeferenced data available



8032000214  
***Cochlis***  
***epigloafuniculata***


(F. Sacco, 1890 †)  
**(FOSSIL)**

Italy, Alessandria  
17,9 mm



8032000244  
***Cochlis***  
***epiglopardalis***


(F. Sacco, 1890 †)  
**(FOSSIL)**  
Italy, Emilia-Romagna, Modena



5184000781  
***Cochlis***  
***epiglottina***

(J.B.P.A. Lamarck, 1804 †)  
**(FOSSIL)**

France, Paris Basin  
19 mm



8032000245  
***Cochlis***  
***epiglottina auriformis***

(A. von Koenen, 1891 †)  
**(FOSSIL)**

13 mm

No Georeferenced data available

Fossil  
only

8032000215  
***Cochlis***  
***fredianii***

Pedriali & E. Robba, 2005 †  
**(FOSSIL)**


No Georeferenced data available




8032000113  
***Cochlis***  
***fulgurata***


(Meneghini in V. Pecchioli  
1864 †)  
**(FOSSIL)**

Italy, Piemonte





8032000246

**Cochlis  
infelix**(F. Sacco, 1890 †)  
**(FOSSIL)****No Georeferenced data available**

8032000021

**Cochlis  
mortoni**E. Robba, Pedrai,  
& E. Quaggiotto, 2016 †  
**(FOSSIL)**

23 mm



**No Georeferenced data available**

6298000054

**Cochlis  
neglecta**(C. Mayer, 1858 †)  
**(FOSSIL)**

Belgium

26 mm

**synonyms:**

- Natica benecki A. von Koenen, 1882 †
- Natica saucatsensis avitensis A.E.M. Cossmann & M.A. Peyrot, 1919 †

- Naticarius tigrinus Nordsieck, 1972 †

**Fossil  
only**


8032000216

**Cochlis  
plicatula**(H.G. Bronn, 1831 †)  
**(FOSSIL)****No Georeferenced data available****Fossil  
only**

8032000217

**Cochlis  
propinqua**(V. Pecchioli, 1864 †)  
**(FOSSIL)****No Georeferenced data available**

6298000065

**Cochlis  
pseudepilottina**(E. Sismonda, 1847 †)  
**(FOSSIL)**France, Aquitaine  
22 mm

8032000022

**Cochlis  
pseudovittata**E. Robba, Pedrai,  
& E. Quaggiotto, 2016 †  
**(FOSSIL)****No Georeferenced data available**

8032000218

**Cochlis  
raropunctata**(A. Sasso, 1827 †)  
**(FOSSIL)**

14 mm

**No Georeferenced data available****Fossil  
only**

8032000219

**Cochlis  
raropunctata**Pedrai & E. Robba, 2005 †  
**(FOSSIL)****No Georeferenced data available**



8032000247  
**Cochlis**  
**rossii**

(P. Oppenheim, 1901 †)  
**(FOSSIL)**

15 mm


No Georeferenced data available



6298000067  
**Cochlis**  
**sallomagensis**

(R. Tournouer, 1873 †)  
**(FOSSIL)**


France, Aquitaine  
43 mm



6298000068  
**Cochlis**  
**separata**

(G.P. Deshayes, 1864 †)  
**(FOSSIL)**

France, Aquitaine  
12,4 mm



Fossil  
only

8032000220  
**Cochlis**  
**strictumbilicata**

(F. Sacco, 1891 †)  
**(FOSSIL)**

No Georeferenced data available

Fossil  
only

8032000221  
**Cochlis**  
**sulcogradata**

Pedrial & E. Robba, 2005 †  
**(FOSSIL)**

No Georeferenced data available



8032000248  
**Cochlis**  
**tigrina**

(J.L.M. Defrance, 1825 †)  
**(FOSSIL)**

24,6 mm

No Georeferenced data available

Fossil  
only

8032000222  
**Cochlis**  
**undata**

(A. Sasso, 1827 †)  
**(FOSSIL)**

No Georeferenced data available



1661100420  
**Cochlis**  
**vittata**

(J.F. Gmelin, 1791)

Spain, Malaga  
22 mm



**synonyms:**

- Natica carinifera F.C.L. Koch in R.A. Philippi, 1852
- Natica intricatoides J.G. Hidalgo, 1873
- Nerita vittata J.F. Gmelin, 1791
- Cochlis vittata textilis L.A. Reeve, 1855
- Cochlis vittata fusca P.M. Palary, 1920



1661903244  
**Cochlis**  
**vittata**


C. Fernández & E. Roñan, 1991

Angola  
6,2 mm





1661600000  
**Cryptonatica affinis**  
(J.F. Gmelin, 1791)  
Norway, Lofoten Islands  
26 mm



**synonyms:**

- Cryptonatica acosmita W.H. Dall, 1919
- Natica affinis vittata J.G. Jeffreys, 1877
- Cryptonatica beverli W.E. Leach, 1819
- Natica clausa W.J. Broderip & Sowerby, 1829
- Natica elatior A.T. von Middendorff, 1849
- Natica clausa normalis A.T. von Middendorff, 1849
- Tectonatica clausiformis K. Oyama, 1969
- Cryptonatica depressior A.T. von Middendorff, 1851
- Natica russa W.H. Dall, 1874
- Cryptonatica septentrionalis H.P.C. Möller, 1842
- Cryptonatica unicolor A.T. von Middendorff, 1849



- Cryptonatica algida A.A. Gould, 1848
- Natica clausa W.J. Broderip & G.B. Sowerby, 1829
- Natica clausa depressior A.T. von Middendorff, 1851
- Natica clausa minor R.A. Philippi, 1852
- Natica clausiformis K. Oyama, 1969
- Cryptonatica consolida J.P.Y. Couthouy, 1838
- Cryptonatica elatior A.T. von Middendorff, 1849
- Cryptonatica salimba W.H. Dall, 1919
- Natica septentrionalis H.P.C. Möller, 1842
- Cryptonatica zonata A.T. von Middendorff, 1849



1661903235  
**Cryptonatica aleutica**  
(W.H. Dall, 1919)  
Southeast Alaska





1661903172  
**Cryptonatica andoi**  
S. Nomura, 1935  
Yellow Sea  
55 mm



**no  
IMAGES  
available**

1661902630  
**Cryptonatica bathybi**  
(H.B.S. Freile, 1879)  
Greenland



**synonyms:**

- Cryptonatica affinis bathybi H.B.S. Freile, 1879

- Natica bathybi H.B.S. Freile, 1879



1661404005  
**Cryptonatica hirasei**  
(H.A. Pilsbry, 1905)  
Taiwan Strait  
21,5 mm





**synonyms:**

- Cryptonatica bicincta L. von Schrenck, 1867



- Natica ranzii J.T. Kuroda, 1961



1661903229  
**Cryptonatica huanghaiensis**  
S.P. Zhang, 2008  
Yellow Sea  
30 mm



1661400005  
**Cryptonatica janthostoma**  
(G.P. Deshayes, 1839)  
Hokkaido, Abashiri  
25 mm




**synonyms:**

- Tectonatica janthostoma G.P. Deshayes, 1839

- Natica janthostoma G.P. Deshayes, 1839




1661404010  
**Cryptonatica janthostomoides**  
(J.T. Kuroda & T. Habe, 1949)  
Japan, Mikawa  
47 mm






629800055  
**Cryptonatica noe**  
(A.V.M.D. D'Orbigny, 1850 †)  
**(FOSSIL)**  
France, Paris Basin  
18 mm



166140010  
**Cryptonatica operculata**  
(J.G. Jeffreys, 1885)  
Italy, Capraia Island  
12,9 mm



**synonyms:**

- *Cryptonatica affinis operculata* J.G. Jeffreys, 1885

Fossil  
only


5184000745  
**Cryptonatica pittsburghensis**

Moore, 1976 †  
**(FOSSIL)**  
USA, Oregon, Clatsop




1661903230  
**Cryptonatica purpurfunda**

S.P. Zhang & P. Wei, 2010  
Yellow Sea  
17,3 mm





1661900080  
**Cryptonatica rikuzenensis**

(R. Tiba, 1985)  
Japan





1661400015  
**Cryptonatica russa**

(A.A. Gould, 1859)  
Japan, Hokkaido  
28,3 mm





1661903240  
**Cryptonatica sphaera**

S.P. Zhang & P. Wei, 2010  
Yellow Sea  
12 mm




1661903241  
**Cryptonatica striatica**

S.P. Zhang & P. Wei, 2010  
Yellow Sea  
25 mm



1661404015  
**Cryptonatica wakkanaiensis**

T. Habe & K. Itô, 1976  
Russia, Sakhalin Island  
70 mm






1661404020  
**Cryptonatica**  
**zenryumaruae**

T. Habe & K. Itô, 1976

Hokkaido  
40 mm




SubFamily: NATICINAE - **Genus: Natica** J.A. Scopoli, 1777 (syn: Naticus, Neritoides, Glyphephithema, Nacca, Lunaia - 226 SP, 130 IMG)



1661100000  
**Natica**  
**acynonyx**

I. Marche-Marchad, 1957

Senegal, Dakar  
40 mm



**synonyms:**


- Natica acynonyx I. Marche-Marchad, 1957



6298000025  
**Natica**  
**acuticallosa**

McNeil, 1984 †  
(FOSSIL)


USA, Mississippi  
9 mm



1661100005  
**Natica**  
**adansonii**

H.M.D. de Blainville, 1825

Guinea Bissau  
32 mm



**synonyms:**

- Natica variabilis C.A. Récluz in L.A. Reeve, 1855

Fossil  
only

8032000174  
**Natica**  
**adducta**

B. Phillips, 1829 †  
(FOSSIL)


No Georeferenced data available



8032000177  
**Natica**  
**adducta**  
**globata**

W.H. Hudleston, 1892 †  
(FOSSIL)

UK, Dorset



Fossil  
only

5184000756  
**Natica**  
**adorfensis**

Holzapfel, 1882 †  
(FOSSIL)


No Georeferenced data available



8032000226  
**Natica**  
**agulhasensis**

K.H.J. Thiele, 1925

South Africa, Cape Agulhas




Fossil  
only

5184000757  
**Natica**  
**alapapilionis**

J.H. Chemnitz, 1781 †  
(FOSSIL)

Taiwan



**Fossil  
only**

5184000758  
**Natica  
alazana**


Cooke, 1928 †  
**(FOSSIL)**  
Mexico, Zacatecas, Rio Grande



**no  
IMAGES  
available**

5184000008  
**Natica  
albifasciata**

J.Y. Liu, 1977  
South China Sea



**no  
IMAGES  
available**


1661104060  
**Natica  
albospira**

E.A. Smith, 1895  
Sri Lanka



6298000026  
**Natica  
altilcallosa**

W.H. Dall, 1892 †  
**(FOSSIL)**  
Florida  
24 mm




**no  
IMAGES  
available**

**to be checked**

1661902650  
**Natica  
amamiensis**

J.T. Kuroda, 1928  
Japan




6298000027  
**Natica  
angyglossa**

A.E.M. Cossmann,  
& M.A. Peyrot, 1921 †  
**(FOSSIL)**  
France, Aquitaine  
17 mm



1661903243  
**Natica  
anosyensis**


L. Bozzetti, 2010  
Madagascar, Tolagnaro  
13 mm



**Fossil  
only**

5184000759  
**Natica  
antisensis**

d'Orbigny, 1842 †  
**(FOSSIL)**  
Bolivia, La Paz, Omasuyos



**Fossil  
only**


8032000227  
**Natica  
aperta**

R.P. Whitfield, 1865 †  
**(FOSSIL)**


No Georeferenced data available




1661104065  
**Natica  
apertissima**  
E.A. Smith, 1906  
Gulf of Oman




6298000029  
**Natica  
aquitonica**  
R. Tournouer, 1873 †  
**(FOSSIL)**  
France, Aquitaine  
16 mm



6298000028  
**Natica  
lunata**  
C. Mayer, 1895 †  
**(FOSSIL)**  
France, Aquitaine  
13 mm



1661100020  
**Natica  
arachnoidea**  
(J.F. Gmelin, 1791)  
Mozambique, Bazaruto Island  
20,4 mm



**synonyms:**


- Nerita arachnoidea J.F. Gmelin, 1791
- Natica crassa M.M. Schepman, 1909
- Natica raynaudiana C.A. Récluz, 1843
- Über schepmani T. Iredale, 1927

- Natica cruentata C.A. Récluz, 1844
- Natica raynoldiana C.A. Récluz, 1843
- Polinices schepmani T. Iredale, 1927




8032000180  
**Natica  
argillacea**

Wright †  
**(FOSSIL)**  
UK, England, Hampshire



5184000760  
**Natica  
argus**

E.A.L. Kittl, 1892 †  
**(FOSSIL)**  
Italy, Trentino-Alto Adige,  
Bolzano



5184000761  
**Natica  
bandongensis**

Martin, 1879 †  
**(FOSSIL)**

No Georeferenced data available





5184000762  
**Natica  
beckssii**

Klipstein, 1843 †  
**(FOSSIL)**

No Georeferenced data available




6298000032  
**Natica  
benoisti**  
A.E.M. Cossmann,  
& M.A. Peyrot, 1921 †  
**(FOSSIL)**  
France, Aquitaine  
17 mm



## Fossil only



5184000763  
**Natica  
berwerthi**

E.A.L. Kittl, 1892 †  
**(FOSSIL)**  
Italy, Trentino-Alto Adige,  
Bolzano




1661100025  
**Natica  
bibalteata**

G.B. III Sowerby, 1914  
Philippines, Olongo Island  
26 mm



6298000033  
**Natica  
blainvilliei**

G.P. Deshayes †  
**(FOSSIL)**  
France, Aquitaine  
11 mm





5184000764  
**Natica  
bolus**

J. Brown & H.A. Plisby, 1913 †  
**(FOSSIL)**  
Costa Rica  
6 mm



16611903200  
**Natica  
bouvieri**

F.P. Jousseaume, 1883  
Cape Verde  
28,8 mm



### synonyms:

- Natica aimei F.P. Jousseaume, 1884



1661100035  
**Natica  
broderipiana**

C.A. Récluz, 1844  
West Panama  
20,8 mm




### synonyms:

- Natica iostoma K.T. Menke
- Natica taslei C.A. Récluz, 1853

no  
IMAGES  
available

16611900430  
**Natica  
brunneolinea**


J.H. McLean, 1970  
Galapagos



## Fossil only

5184000765  
**Natica  
buccinoides**

d'Orbigny, 1842 †  
**(FOSSIL)**  
Bolivia, La Paz, Omasuyos



## Fossil only

5184000766  
**Natica  
bulbulus**

White, 1887 †  
**(FOSSIL)**

No Georeferenced data available



6298000034

**Natica****burdigalensis**


C. Mayer, 1864 †

**(FOSSIL)**France, Aquitaine  
30 mm

1661100040

**Natica****burriasiensis**

C.A. Récluz, 1844

South Africa, Natal, Durban Bay  
13 mm**synonyms:**

- Natica kempfi H.B. Preston, 1916
- Naticarius lavendula L.H. Woolcott, 1956
- Natica supraornata M.M. Schepman, 1909



- Natica lavendula L.H. Woolcott, 1956
- Natica tralli L.A. Reeve, 1855



1661900600

**Natica****atypha**



R.B. Watson, 1881

Mozambique  
27 mm

1661900620

**Natica****cabrerai**


T. Kase &amp; Y. Shigeta, 2000

Philippines, Bohol Island  
40 mm

8032000015

**Natica****caillati**

G.P. Deshayes, 1864 †

**(FOSSIL)**UK, England, Hampshire  
10 mm

51840000767

**Natica****callosa**

G.A. Scopoli, 1777

**No Georeferenced data available****Fossil  
only**


51840000768

**Natica****callosior**

Martin, 1879 †

**(FOSSIL)**

Indonesia, Niki Niki



51840000769

**Natica****canalizans**



J. Brown &amp; H.A. Plisby, 1913 †

**(FOSSIL)**Panama, Colón  
17 mm

1661100045

**Natica****canariensis**


N.H. Odhner, 1932

Canary Islands  
35 mm**synonyms:**

- Natica reneae F.L. Saunders, 1978



1661104075  
**Natica  
candidula**  
E.A. Smith, 1895  
Sri Lanka




1661900440  
**Natica  
caneloensis**  
L.G. Hertlein & A.M. Strong, 1955  
Ecuador  
29 mm




6298000035  
**Natica  
caseyi**  
McNeil, 1984 †  
**(FOSSIL)**  
USA, Mississippi  
8 mm



5184000750  
**Natica  
castrenoides**  
W.P. Woodring, 1928 †  
**(FOSSIL)**  
Florida



1661100060  
**Natica  
castrensis**  
W.H. Dall, 1889  
Bahamas  
15 mm




5184000770  
**Natica  
catulli**  
Klipstein, 1843 †  
**(FOSSIL)**


No Georeferenced data available





5184000888  
**Natica  
chiloensis**  
R.A. Philippi, 1887 †  
**(FOSSIL)**  
Chile, Navidad Formation  
23 mm



1661902860  
**Natica  
cincta**  
C.A. Récluz, 1850  
Sri Lanka  
6 mm



5184000771  
**Natica  
clarkii**  
Etherington, 1931 †  
**(FOSSIL)**  
USA, Washington, Skagit



## Fossil only

5184000772  
**Natica**  
**cliftonensis**

Clark, 1895 †  
(FOSSIL)

No Georeferenced data available



1661100080  
**Natica**  
**colima**

A.M. Strong & L.G. Hertlein, 1937  
Mexico, Salina Cruz  
16,4 mm



1661100085  
**Natica**  
**collaris**

J.H.F. Link, 1804  
Guinea Bissau  
30 mm



### synonyms:


- Natica collaris J.B.P.A. Lamarck, 1822
- Natica gambiae C.A. Récluz, 1844

- Natica labrella J.B.P.A. Lamarck, 1822

## no IMAGES available


5184000010  
**Natica**  
**concavoperculata**

J.Y. Liu, 1977  
China, Zhejiang



8032000145  
**Natica**  
**conradiana**

W.M. Gabb, 1864 †  
(FOSSIL)  
USA, Mississippi



## Fossil only

5184000774  
**Natica**  
**corallina**


Damon, 1860 †  
(FOSSIL)

No Georeferenced data available



1661900650  
**Natica**  
**couteaudi**


A. de Rochebrune,  
& J.F. Mabille, 1885  
Argentina, Santa Cruz  
22,8 mm



## Fossil only


5184000775  
**Natica**  
**coxi**

Mukerjee, 1939 †  
(FOSSIL)  
India, Meghalaya



6298000038  
**Natica**  
**crassa**

P. Nystr., 1843 †  
(FOSSIL)  
Belgium  
37 mm





8032000208  
**Natica**  
**crassiuscula**  
J.P.S. Gratebup, 1847 †  
**(FOSSIL)**  
France, Aquitaine  
22 mm



**synonyms:**

- *Natica aquitanica* J.R. Tournouér, 1873 †

- *Natica tigrina* J.L.M. Defrance, 1825 †




8032000230  
**Natica**  
**crassoperculata**  
H.X. Liu, 1977


No Georeferenced data available

Fossil only


5184000751  
**Natica**  
**cuspidata**  
R.J.L. Guppy, 1910 †  
**(FOSSIL)**  
Colombia, La Chorrera




6298000041  
**Natica**  
**deshayesiana**  
P. Nystr., 1843 †  
**(FOSSIL)**  
France, Paris Basin  
24 mm





1661104080  
**Natica**  
**dimidiata**  
E.A. Smith, 1906  
Sri Lanka



1661903204  
**Natica**  
**dixoni**  
F. Fernandes & E. Roán, 1992  
Angola  
17 mm



5184000011  
**Natica**  
**donghaiensis**  
X.T. Ma & S.P. Zhang, 1994  
China, Zhejiang




**synonyms:**

- *Natica pygmaea* X.T. Ma & S.P. Zhang, 1993


Fossil only

518400076  
**Natica**  
**dorothiensis**  
L.W. Stephenson, 1953 †  
**(FOSSIL)**  
United States, Texas, Grayson




Fossil only

518400077  
**Natica**  
**dubia**  
F.A. Roemer, 1836 †  
**(FOSSIL)**  
Papua New Guinea, Yule Island



Fossil  
only

5184000778  
**Natica**  
*dydmia*  
J.F. Bolten, 1798 †  
(FOSSIL)  
India, Meghalaya



Fossil  
only

5184000779  
**Natica**  
*eminulopsis*  
C.J. Maury, 1912 †  
(FOSSIL)

No Georeferenced data available


Fossil  
only

5184000780  
**Natica**  
*engenholylria*  
C.J. Maury, 1936 †  
(FOSSIL)


No Georeferenced data available

Fossil  
only

8032000166  
**Natica**  
*entreriana*  
A. Borchert, 1901 †  
(FOSSIL)  
Patagonia



6298000042  
**Natica**  
*epiglottinoidea*  
G.P. Deshayes, 1864 †  
(FOSSIL)  
France, Brittany  
14 mm



6298000043  
**Natica**  
*eucleista*  
C.F. Fontanney, 1879 †  
(FOSSIL)  
Spain, Malaga  
27 mm




Fossil  
only

5184000782  
**Natica**  
*eudora*  
D'Orbigny, 1850 †  
(FOSSIL)  
Ethiopia, Oromia, North Shewa




Fossil  
only

5184000783  
**Natica**  
*eurydice*  
White, 1887 †  
(FOSSIL)  
Brazil, Rio Píraras





Fossil  
only

5184000784  
**Natica**  
*exilis*  
Bohm, 1926 †  
(FOSSIL)  
Namibia, !Karas, Luderitz







1661900680  
**Natica  
faba**  
M.M. Schepman, 1909  
Indonesia, Sulawesi



5184000036  
**Natica  
fabiella**  
F.P. Jousseaume, 1884  
Mauritania  
12,3 mm



1661100125  
**Natica  
fasciata**  
P.F. Röding, 1798  
South China Sea  
30 mm




**synonyms:**

- Natica cinnamomea K.T. Menke, 1830
- Natica lupinus G.P. Deshayes in J.B.P.A. Lamarck, 1838


- Natica solida H.M.D. de Blainville, 1825



8032000181  
**Natica  
felina**  
J.F. Blake,  
& W.H. Hudleston 1877 †  
**(FOSSIL)**  
UK, England, Wiltshire



1661100140  
**Natica  
forata**  
L.A. Reeve, 1855  
South Africa, Cape Agulhas  
11,6 mm



**synonyms:**

- Natica forata adjacens W.H. Turton, 1932

- Natica torata L.A. Reeve, 1855



1661900690  
**Natica  
forskali**  
G.B. I Sowerby, 1825  
Red Sea  
29,5 mm



*to be checked*

8032000231  
**Natica  
francisca**

L.A. Reeve, 1855

No Georeferenced data available




1661900700  
**Natica  
fulgurans**

C.A. Récluz, 1844  
Gabon, Cap Esterias



1661100150  
**Natica  
fulminea**

(J.F. Gmelin, 1791)  
Senegal, Dakar  
34 mm



**synonyms:**

- Natica arachnoidea J.B.P.A. Lamarck, 1822
- Nerita crenulata J.F. Gmelin, 1791
- Nerita fulminea J.F. Gmelin, 1791
- Natica fulminea crenulata J.F. Gmelin, 1791

- Natica bourguignati C.A. Récluz, 1852
- Natica fulminea J.F. Gmelin, 1791
- Natica fulminea J.B.P.A. Lamarck, 1822
- Natica punctata W.J. Swanson, 1822

• *Natica senegalensis* C.A. Récluz, 1850



1661901210  
***Natica fulminea angolensis***  
(J.F. Gmelin, 1791)

Angola  
33,16 mm

• *Natica ziczac* P.F. Röding, 1798




5184000005  
***Natica fulminea cruentata***  
J.B.P.A. Lamarck, 1822

Senegal, Dakar  
33,1 mm




1661100290  
***Natica fulminea punctata***  
J.H. Chemnitz, 1789

Spain, San Carlos de la Rapita  
38 mm



1661902740  
***Natica furva***



R.B. Watson, 1897  
Canary Islands  
11 mm



6298000044  
***Natica gallomeridionalis***

A.E.M. Cossmann, 1923 †  
(FOSSIL)



France, Aquitaine  
18 mm



8032000233  
***Natica gracilis***

C.A. Récluz, 1850 †  
(FOSSIL)



Philippines  
9,7 mm



1661100160  
***Natica grayi***

R.A. Philippi, 1852



Mexico, Salina Cruz  
44 mm



8032000234  
***Natica hainanensis***

J.Y. Liu, 1977



China, HaNan







5184000014  
***Natica hannanensis***

J.Y. Liu, 1977


Japan



<b>Fossil only</b>	<p>5184000788 <b><i>Natica hemispherica</i></b> Romer, 1836 † <b>(FOSSIL)</b> Mexico, Chiapas, Ocozocoautla de Espinosa</p>  
	<p>6298000046 <b><i>Natica hoerensis</i></b> Fischer &amp; R. Tournouer, 1873 † <b>(FOSSIL)</b> Netherlands 30 mm</p>  
	<p>6298000047 <b><i>Natica hoernesii praeclausus</i></b> F. Kautsky, 1925 † <b>(FOSSIL)</b> Netherlands 26 mm</p>  
<b>Fossil only</b>	<p>5184000789 <b><i>Natica hugardiana</i></b> d'Orbigny, 1842 † <b>(FOSSIL)</b> Mexico, Coahuila, Cuatrocienegas</p>  
	<p>1661900460 <b><i>Natica idiopoma</i></b> H.A. Plsby &amp; H.N. Lowe, 1932 Mexico, Salina Cruz 20 mm</p>  
<b>Fossil only</b>	<p>5184000790 <b><i>Natica impressa</i></b> J. Perner, 1907 † <b>(FOSSIL)</b></p> <p>No Georeferenced data available</p>
	<p>1661100180 <b><i>Natica incerta</i></b> P.F. Röding, 1798 Mozambique 25 mm</p>  
	<p>1661900470 <b><i>Natica inexpectans</i></b> A.A. Olson, 1971 Ecuador 7,8 mm</p>  
	<p>1661100185 <b><i>Natica insecta</i></b> F.P. Jousseaume, 1874 Philippines, Caubian Island 8,7 mm</p>  



1661104085  
***Natica  
inutilis***  
P.F. Röding, 1798  
Kerguelen Islands



5184000055  
***Natica  
juani***  
P.M.S. Costa & G. Pastorino, 2012  
Brazil  
10,3 mm

No Georeferenced data available




5184000064  
***Natica  
jukyriuva***  
L.R.L. Simone, 2014


No Georeferenced data available





1661900760  
***Natica  
kawamurai***  
K. Sakurai, 1983  
Philippines, Aliguay Island  
11,1 mm



5184000056  
***Natica  
koperbergae***  
A.N. van der Bijl,  
& R.G. Moolenbeek, 2009  
Indonesia, Timor




1661900480  
***Natica  
lacteobasis***  
J.T. Kurda, 1961  
China, Zhejiang  
26 mm




1661900780  
***Natica  
larvaroni***  
P.A. Bernard, 1983  
Gabon  
23 mm



6298000050  
***Natica  
leberonensis***  
Fischer & R. Tournouer, 1873 †  
(FOSSIL)  
France, Aquitaine  
20 mm




8032000184  
***Natica  
levistriata***  
A.J. Jukes-Browne, 1877 †  
(FOSSIL)  
UK, Cambridgeshire





1661900590  
**Natica**  
**limbata**  
d'Orbigny, 1837  
Argentina, Buenos Aires  
31 mm





**synonyms:**

- *Natica atrocyanea* R.A. Philippi, 1845

no  
IMAGES  
available


to be checked

1661900810  
**Natica**  
**limpida**  
E.A. Smith, 1884  
Torres Strait



Fossil  
only

5184000791  
**Natica**  
**littonana**  
J.W. Hall, 1856 †  
(FOSSIL)  
USA, Indiana, Monroe



1661100215  
**Natica**  
**livida**  
L. Pfeiffer, 1840  
Brazil, Pernambuco  
21 mm



**synonyms:**

- *Natica jamaicensis* C.B. Adams, 1850
- *Natica livida* G.W. Nowell-Usticke, 1959
- *Natica pulchella* L. Pfeiffer, 1840

- *Natica lacernula* D'Orbigny, 1842
- *Natica nigrescens* C.B. Adams, 1850
- *Natica rufilabris* L.A. Reeve, 1855


Fossil  
only

8032000235  
**Natica**  
**luculenta**  
T. Iredale, 1929 †  
(FOSSIL)

No Georeferenced data available



1661550025  
**Natica**  
**luculenta**  
(C.A. Récluz, 1843)  
Australia, Victoria  
24 mm



**synonyms:**

- *Tanea luculenta* C.A. Récluz, 1843


Fossil  
only

5184000749  
**Natica**  
**lunaria**  
S.S. Berry, 1964 †  
(FOSSIL)

No Georeferenced data available



1661900490  
**Natica**  
**lunaris**  
(S.S. Berry, 1964)  
Mexico, Sonora



5184000792  
**Natica**  
**macrochiensis**  
J.F. Gmelin, 1791

No Georeferenced data available

**no  
IMAGES  
available**

to be checked

8032000236  
**Natica  
malabarica**

C.A. Récluz, 1850

No Georeferenced data available

**Fossil  
only**

8032000162  
**Natica  
manipurensis**

Sjagurumayum, Singh,  
& Kachhara, 2014 †  
**(FOSSIL)**

India

No Georeferenced data available



1661104120  
**Natica  
marchadi**

M. Pin, 1992


Guinea Bissau  
31 mm



8032000186  
**Natica  
marchamensis**

J.F. Blake,  
& W.H. Huston 1877 †  
**(FOSSIL)**


UK, England, Oxfordshire



1661100225  
**Natica  
marochiensis**

(J.F. Gmelin, 1791)

Kenya, Kikambala  
22 mm



**synonyms:**

- Natica lemniscata R.A. Philippi, 1852
- Natica limacina F.P. Jousseaume, 1874
- Nerita maroccana L.W. Dillwyn, 1817
- Notocochlis marochiensis J.F. Gmelin, 1791
- Natica proxima C.B. Adams, 1852



- Natica major O.A.L. Mörcz, 1877
- Nerita marochiensis (J.F. Gmelin, 1791)
- Nerita marochiensis J.F. Gmelin, 1791



5184000017  
**Natica  
melanoperculata**

J.Y. Liu, 1977


South China Sea, Hainan



1661100230  
**Natica  
menkeana**

R.A. Philippi, 1851

Brazil, Rio de Janeiro  
12 mm




1661104115  
**Natica  
michaelis**

E. Fischer-Piette, 1942

Angola

26 mm




6298000052  
**Natica  
microglossa**

G.P. Deshayes, 1864 †

**(FOSSIL)**

France, Brittany

13 mm



**Fossil  
only**


5184000793  
**Natica  
minima**  
Henry, 1876 †  
(FOSSIL)

No Georeferenced data available




8032000144  
**Natica  
mino**  
J. Gardner, 1937 †  
(FOSSIL)

Florida



5184000794  
**Natica  
mississippiensis**  
(T.A. Conrad, 1848 †)  
(FOSSIL)

USA, Mississippi  
24 mm




**synonyms:**

- Ampullinopsis mississippiensis T.A. Conrad, 1848 †



1661100240  
**Natica  
monodi**  
I. Marche-Marchad, 1957

Senegal, Dakar  
37 mm



5184000018  
**Natica  
moquiniana**

C.A. Récluz, 1853  
West America  
15,3 mm

No Georeferenced data available

**Fossil  
only**

5184000795  
**Natica  
morraboolensis**


R. Tate, 1893 †  
(FOSSIL)

No Georeferenced data available



1661900850  
**Natica  
multipunctata**

H.M.D. de Blainville, 1825  
West Sahara  
15 mm



**synonyms:**


- Natica hebraea Auct. non T. Martyn, 1784

- Natica multies punctata O.A.L. Mörch, 1852



1661100120  
**Natica  
multipunctata  
fanel**

(C.A. Récluz, 1844)  
Guinea Bissau  
33 mm



**synonyms:**

- Natica fanel C.A. Récluz, 1844

- Natica variolaria C.A. Récluz, 1844

**Fossil  
only**

5184000796  
**Natica  
neptuni**


d'Orbigny, 1850 †  
(FOSSIL)

Mexico, Coahuila, Cuatrocienegas





1661100250  
**Natica**  
**nipponeensis**  
J.T. Kuroda, 1961  
Philippines, Aiguay Island  
14 mm



8032000188  
**Natica**  
**obliqua**  
J. Price, 1874 †  
**(FOSSIL)**  
England, Kent





5184000797  
**Natica**  
**obliquistriata**  
E. Forbes, 1846

No Georeferenced data available



5184000798  
**Natica**  
**obscura**  
Sowerby, 1840 †  
**(FOSSIL)**  
India, Meghalaya



8032000189  
**Natica**  
**occlusa**  
S.V. Wood †  
**(FOSSIL)**  
UK, Yorkshire



5184000799  
**Natica**  
**oejenhausii**  
Klipstein, 1843 †  
**(FOSSIL)**



No Georeferenced data available





5184000041  
**Natica**  
**omoia**  
J.F. Mabille,  
& A. de Rochebrune, 1885  
Magellan Strait



1661900870  
**Natica**  
**oteroi**  
(F. Fernandes & E. Roán, 1991)  
Cape Verde  
7,4 mm



1661901240  
**Natica**  
**othello**  
W.H. Dall, 1908  
El Salvador  
17 mm



**Fossil  
only**

5184000800

**Natica  
ovata**

Klipstein, 1843 †  
**(FOSSIL)**

No Georeferenced data available



6298000058  
**Natica  
pachyope**

A.E.M. Cossmann,  
& M.A. Peyrot, 1921 †  
**(FOSSIL)**

France, Aquitaine  
10 mm





**Fossil  
only**

5184000801  
**Natica  
pagoda**

E. Forbes, 1846 †  
**(FOSSIL)**

Austria, Niederösterreich,  
Korneuburg



**Fossil  
only**

5184000802  
**Natica  
parahybensis**

C.J. Maury, 1930 †  
**(FOSSIL)**


Brazil, Parába, Conde



6298000059  
**Natica  
parvulooides**

A.E.M. Cossmann,  
& M.A. Peyrot, 1921 †  
**(FOSSIL)**

France, Aquitaine  
8 mm



**Fossil  
only**

5184000803  
**Natica  
paytensis**

A.A. Olsson, 1930 †  
**(FOSSIL)**

Peru, Paita



1661100265  
**Natica  
perlineata**

W.H. Dall, 1889


Cuba



5184000804  
**Natica  
permunda**

T.A. Conrad, 1854 †  
**(FOSSIL)**



USA, Mississippi  
22 mm



6298000061  
**Natica  
perspectiva**

B. Rogers, 1839 †  
**(FOSSIL)**

Australia, Victoria  
15 mm




**synonyms:**

- *Natica castrensis* perlineata W.H. Dall, 1889





## Fossil only

5184000753  
**Natica**  
**peruviana**  
A.A. Olson, 1928 †  
(FOSSIL)  
Peru, Piura, Talara



## Fossil only



8032000172  
**Natica**  
**pidancei**  
Coquand †  
(FOSSIL)  
Iraq, Amadiya





5184000065  
**Natica**  
**pipoca**  
L.R.L. Simone, 2014  
Brazil, Espírito Santo





6298000062  
**Natica**  
**platabasis**  
Gardner, 1947 †  
(FOSSIL)  
Florida  
13 mm





1661903168  
**Natica**  
**pliculosa**  
E.C. Von Martens, 1904  
Mozambique  
28,11 mm



1661100270  
**Natica**  
**pluvialis**  
(Kurono, 1999)  
China, Zhejiang  
15 mm





1661100280  
**Natica**  
**prietoi**  
J.G. Hidalgo, 1873  
Spain, Málaga  
26 mm





## Fossil only

5184000805  
**Natica**  
**pseudospirata**  
d'Orbigny, 1849 †  
(FOSSIL)  
Italy, Trentino-Alto Adige,  
Bolzano



1661902850  
**Natica**  
**puseutes**  
Watson, 1887  
New Caledonia  
21 mm



**synonyms:**  
• Natica roscoei R.N. Kibum, 1976  
• Natica telaraneae J.C. Melvill, 1901

**no  
IMAGES  
available**

to be checked

8032000237  
**Natica  
puncticulata**

C.A. Récluz, 1850


No Georeferenced data available



8032000192  
**Natica  
puncticulata**

J.F. Blake 1875 †  
**(FOSSIL)**

UK, Lincolnshire




**no  
IMAGES  
available**

1661900950  
**Natica  
pygmaea**

R.A. Philippi, 1842



India, Cuddalore



8032000193  
**Natica  
pylensis**

Tawney, 1866 †  
**(FOSSIL)**

UK, Wales



**no  
IMAGES  
available**

8032000225  
**Natica  
qizhongyani**

X.T. Ma & S.P. Zhang, 1994

No Georeferenced data available



1661100295  
**Natica  
queketti**

G.B. III Sowerby, 1894

Somalia

17,4 mm



**synonyms:**

- *Natica africana* P. Bartsch, 1915




1661902890  
**Natica  
rocquignyi**

E. Fischer-Piette, 1942

Senegal, Dakar

32 mm



**synonyms:**

- *Natica fanel rocquignyi* E. Fischer-Piette, 1942

**Fossil  
only**

5184000807  
**Natica  
rostalina**

B.W. Jenkins, 1864 †  
**(FOSSIL)**

India, Karikal




1661100305  
**Natica  
rouxi**

(M. Nicklés, 1952)

Gabon, Cap Esterias

20 mm




**synonyms:**

- *Euspira rouxi* (M. Nicklés, 1952)



1661900960  
**Natica**  
**royi**  
M. Pin, 1992  
Senegal, Casamance



1661900970  
**Natica**  
**rubromaculata**  
E.A. Smith, 1872  
Gabon  
20 mm



**synonyms:**

- *Natica brunoi* P.A. Bernard, 1983




5184000808  
**Natica**  
**rugosissima**  
E. Forbes, 1846

No Georeferenced data available




1661900980  
**Natica**  
**ryalli**  
F. Fernandes & E. Roñan, 1992  
Ghana  
5,8 mm




6298000066  
**Natica**  
**sacyi**  
A.E.M. Cossmann,  
& M.A. Peyrot, 1921 †  
**(FOSSIL)**  
France, Aquitaine  
36 mm





1661900990  
**Natica**  
**saitoi**  
J.T. Kuroda & T. Habe, 1971  
Japan



1661901010  
**Natica**  
**sanctaehelenae**  
E.A. Smith, 1890  
Saint Helena



1661902510  
**Natica**  
**sandwichensis**  
(W.H. Dall, 1895)  
Hawaii



**synonyms:**

- *Euspira sandwichensis* (W.H. Dall, 1895)



8032000238  
**Natica**  
**scalata**  
Leymerie, 1878 †  
**(FOSSIL)**


No Georeferenced data available



1661900520  
**Natica**  
**scethra**  
W.H. Dall, 1908  
Ecuador  
8,7 mm



1661901020  
**Natica**  
**schepmani**  
K.H.J. Thiele, 1925  
South Africa  
7,3 mm



**synonyms:**

- *Natica simplex* M.M. Schepman, 1909


Fossil  
only

5184000809  
**Natica**  
**schwarzenbergi**  
Klipstein, 1843 †  
(FOSSIL)

No Georeferenced data available



5184000021  
**Natica**  
**scoaespira**  
J.Y. Liu, 1977  
South China Sea




1661901030  
**Natica**  
**scutulata**  
R.A. Philippi, 1852



No Georeferenced data available





1661902930  
**Natica**  
**severa**  
A.A. Gould, 1859  
Korea




1661100330  
**Natica**  
**shoichiroi**  
J.T. Kuroda, 1961  
China, Zhejiang  
13 mm



1661901050  
**Natica**  
**sigillata**  
J.H. McLean, 1970  
Galapagos



1661100335  
**Natica**  
**simplex**  
G.B. III Sowerby, 1897  
South Africa, Algoa Bay  
19 mm





**synonyms:**

- *Natica decipiens* E.A. Smith, 1904
- *Natica kowensis* W.H. Turton, 1932
- *Natica simplex saldontiana* P. Bartsch, 1915


- *Natica saldontiana* P. Bartsch, 1915
- *Natica whitechurchi* W.H. Turton, 1932




5184000022  
**Natica**  
**sinensis**  
X.T. Ma & J.L. Zhang, 1993  
China, Zhejiang




1661901140  
**Natica**  
**spadicea**  
(J.F. Gmelin, 1791)  
China, Zhejiang  
45 mm



5184000023  
**Natica**  
**spadiceoides**  
J.Y. Liu, 1977  
South China Sea



6298000069  
**Natica**  
**specialis**  
G.P. Deshayes, 1864 †  
**(FOSSIL)**  
France, Paris Basin  
21 mm




5184000811  
**Natica**  
**sphaeroidalis**  
Stoppani, 1857 †  
**(FOSSIL)**


No Georeferenced data available





1661100340  
**Natica**  
**stellata**  
C. Hedley, 1913  
Philippines, Masbate Island  
43 mm



1661901070  
**Natica**  
**stenopa**  
W.P. Woodring, 1957  
Venezuela




1661901080  
**Natica**  
**sticta**  
J.C. Verco, 1909  
South Australia  
9 mm




5184000812  
**Natica**  
**stoddardi**  
Hislop, 1859 †  
**(FOSSIL)**

No Georeferenced data available




5184000813  
**Natica**  
**striolata**  
J. de C. Sowerby, 1846 †  
**(FOSSIL)**  
Chile, Navidad Formation  
25 mm




1661901280  
**Natica**  
**subcostata**  
(J.E. Tenison-Woods, 1878)  
Australia, Twofold Bay  
14 mm




8032000196  
**Natica**  
**subelegans**  
W.H. Huston, 1892 †  
**(FOSSIL)**  
UK, Dorset



6298000070  
**Natica**  
**sublabellata**  
A.V.M.D. D'Orbigny, 1847 †  
**(FOSSIL)**  
France, Aquitaine  
12 mm



8032000066  
**Natica**  
**subsolida**  
A.V.M.D. D'Orbigny, 1847 †  
**(FOSSIL)**  
Chile, Navidad Formation  
52 mm





**synonyms:**

- *Natica darwini* F.W. Hutton, 1885 †
- *Natica exilis* R.A. Philippi, 1887 †
- *Natica pisum* R.A. Philippi, 1887 †
- *Natica orbignyi* L.H. Hupé, 1854 †
- *Natica solida* J. de C. Sowerby, 1846 †



5184000814  
**Natica**  
**subspirata**

Münster, 1841 †  
**(FOSSIL)**  
Italy, Trentino-Alto Adige,  
Bolzano



5184000815  
**Natica**  
**subvarians**

R. Tate, 1893 †  
**(FOSSIL)**

No Georeferenced data available



5184000816  
**Natica**  
**sulcatula**

Bose, 1906 †  
**(FOSSIL)**

No Georeferenced data available



5184000817  
**Natica**  
**suturalis**

E. Forbes, 1846

No Georeferenced data available



1661100365  
**Natica**  
**tedbayeri**

H.A. Rehder, 1986

Bahamas  
28 mm



**synonyms:**

- *Natica bayeri* H.A. Rehder, 1986

**Fossil  
only**

8032000242  
**Natica**  
**tournoueri**

Leymerie, 1878 †  
(FOSSIL)


No Georeferenced data available

**Fossil  
only**

5184000819  
**Natica**  
**transiens**

E.A.L. Kittl, 1892 †  
(FOSSIL)

Italy, Trentino-Alto Adige,  
Bolzano



**Fossil  
only**

5184000754  
**Natica**  
**tremarieri**

R. Tate, 1900 †  
(FOSSIL)

Heard Island



**Fossil  
only**

8032000199  
**Natica**  
**tumidula**

Wood, 1879 †  
(FOSSIL)

UK, England, North Yorkshire




**Fossil  
only**

5184000820  
**Natica**  
**turbilina**

Münster, 1841 †  
(FOSSIL)

Italy, Trentino-Alto Adige,  
Bolzano



6298000071  
**Natica**  
**turbanoides**

J.P.S. Gratebup, 1827 †  
(FOSSIL)

France, Aquitaine  
7 mm



1661100385  
**Natica**  
**turtoni**

E.A. Smith, 1890

Senegal, Dakar  
41 mm



5184000024  
**Natica**  
**unibalteata**

J.Y. Liu, 1977

South China Sea





1661100390  
**Natica**  
**unifasciata**

J.B.P.A. Lamarck, 1822  
Panama, Gobernadora Island  
39 mm



## Fossil only


5184000821  
**Natica**  
**varians**

R. Tate, 1893 †  
**(FOSSIL)**  
France, Aquitaine




8032000138  
**Natica**  
**varians**  
**meridionalis**  
A.E.M. Cossmann,  
& M.A. Peyrot, 1921 †  
**(FOSSIL)**

France, Aquitaine



6298000072  
**Natica**  
**vellellae**

J.F. Bayan, 1870 †  
**(FOSSIL)**  
France, Paris Basin  
18 mm



6298000073  
**Natica**  
**venusta**  
G.P. Deshayes, 1864 †  
**(FOSSIL)**


France, Brittany  
35 mm



## Fossil only


5184000822  
**Natica**  
**vicinalis**

Thurmann & Fallon, 1861 †  
**(FOSSIL)**  
Ethiopia, Oromia, North Shewa



1661100415  
**Natica**  
**vitellus**

(C. Linnaeus, 1758)  
Philippines, Masbate Island  
32 mm



### synonyms:



- *Natica forscali* G.B. Sowerby, 1825
- *Natica fuscata* J.H.F. Link, 1807
- *Natica helvacea* J.B.P.A. Lamarck, 1822
- *Natica leucozonias* J.F. Gmelin, 1791
- *Natica ponsonbyi* J.C. Melvill, 1899
- *Natica rufa* I. von Born, 1778
- *Natica ruffa* I. von Born, 1778

- *Natica globosa* R.A. Philippi, 1855
- *Nerita leucozonias* J.F. Gmelin, 1791
- *Natica pallens* R.A. Philippi, 1848
- *Nerita rufa* I. von Born, 1778
- *Natica rufescens* P.F. Röding, 1798
- *Nerita vitellus* C. Linnaeus, 1758

## Fossil only


5184000823  
**Natica**  
**vokesi**

W.O. Addicott, 1966 †  
**(FOSSIL)**  
USA, Washington, Snohomish




6298000074  
**Natica**  
**wateleti**

Briat & Comet, 1887 †  
**(FOSSIL)**  
Ukraine  
10 mm






5184000755  
**Natica**  
**weaveri**  
Tegland, 1933 †  
**(FOSSIL)**  
USA, Washington, Lewis



5184000824  
**Natica**  
**youngi**  
C.J. Maury, 1917 †  
**(FOSSIL)**  
Dominican Republic  
20 mm



5184000825  
**Natica**  
**youngi**  
**cocleana**  
A.A. Olsson, 1922


No Georeferenced data available

SubFamily: NATICINAE - Genus: **Naticarius** A.M.C. Duméril, 1806 (syn: Naticarius - 20 SP, 20 IMG)



1661100010  
**Naticarius**  
**alapapilionis**

(P.F. Röding, 1798)  
Australia, Dingo Beach  
32,2 mm



**synonyms:**


- *Natica articulata* R.A. Philippi, 1852
- *Natica sagittifera* C.A. Récluz, 1852
- *Natica zonaria* J.B.P.A. Lamarck, 1816

- *Natica crenata* C.A. Récluz, 1853
- *Natica taeniata* K.T. Menke, 1828





1661100015  
**Naticarius**  
**alapapilionis**  
**pilicera**

R.A. Philippi, 1850  
South Africa, Natal, Durban Bay  
16,1 mm



6298000075  
**Naticarius**  
**antiacca**


(W.P. Woodring, 1928 †)  
**(FOSSIL)**  
Florida  
21 mm



1661901190  
**Naticarius**  
**articulatus**


(R.A. Philippi, 1852)

Japan



1661100050  
**Naticarius**  
**canrena**

(C. Linnaeus, 1758)  
Florida, Marco Island  
38 mm




**synonyms:**

- *Natica canrena* C. Linnaeus, 1758



5184000826  
**Naticarius**  
**canrena**  
**antinacca**


A.E.M. Cossmann, 1924 †  
**(FOSSIL)**  
Venezuela, Paraguana Peninsula  
21 mm





1661100055  
**Naticarius**  
**canrena**  
**verae**


H.A. Rehder, 1947  
Florida  
22 mm



1661100090  
**Naticarius**  
**colliei**  
(C.A. Récluz, 1844)  
Philippines, Masbate Island  
20,2 mm



1661100095  
**Naticarius**  
**concinnus**  
R.W. Dunker, 1859  
China, Zhejiang  
19 mm



1661104000  
**Naticarius**  
**excellens**  
(M. Azuma, 1961)  
Okinawa



**synonyms:**

- Naticarius hayashii T. Shikama & M. Horikoshi, 1963



166110175  
**Naticarius**  
**hebraeus**  
(T. Martyn, 1786)  
Italy, Elba Island  
44 mm





**synonyms:**

- Natica adspersa K.T. Menke, 1830
- Naticarius fanel P.F. Röding, 1798
- Nerita hebraea T. Martyn, 1786
- Nerita maculata C.U.A. von Sals-Marschins, 1793
- Natica maculata C.U.A. von Sals-Marschins, 1793
- Natica sanguinolenta ♀. Brusina, 1865

- Natica fanel P.F. Röding, 1798
- Natica hebraea rammaculata M.E.J. Bucquoy, P. Dautzenberg & G.F. Dolfus, 1883
- Natica maculata G.P. Deshayes, 1838
- Natica maxima A. Risso, 1826



1661901230  
**Naticarius**  
**lineozonus**  
(F.P. Jousseaume, 1874)  
Philippines, Cebu  
9,4 mm




**synonyms:**

- Natica gaidei S.M. Souverbie, 1874
- Natica notata G.B. Sowerby, 1883



1661100220  
**Naticarius**  
**manceli**  
(F.P. Jousseaume, 1874)  
Philippines, Aliguay Island  
14,5 mm




**synonyms:**

- Natica manceli F.P. Jousseaume, 1874
- Natica strongyla J.C. Melvill, 1897

- Natica strongyla andamanica J.C. Melvill & E.R. Sykes, 1899



1661100255  
**Naticarius**  
**onca**  
(P.F. Röding, 1798)  
Philippines, Palawan Island  
21,4 mm





**synonyms:**

- Natica calliaudi C.A. Récluz, 1850
- Natica candida W. Wood, 1825
- Natica literata J.H.F. Link, 1806
- Natica paucimaculata G.B. III Sowerby, 1914

- Nerita candida W. Wood, 1825
- Natica chinensis J.B.P.A. Lamarck, 1822
- Natica onca P.F. Röding, 1798
- Natica pavimentum P.F. Röding, 1798



1661100260  
**Naticarius  
orientalis**  
(J.F. Gmelin, 1791)  
Malaysia  
27,7 mm



**synonyms:**

- *Natica eburnea* G.J. De Cristofori & G. Jan, 1832
- *Natica explanata* P.F. Röding, 1798
- *Nerita orientalis* J.F. Gmelin, 1791

- *Natica eburnea* G.P. Deshayes, 1838
- *Natica orientalis* J.F. Gmelin, 1791




1661901250  
**Naticarius  
philippinensis**  
(R.B. Watson, 1881)  
Philippines




5184000829  
**Naticarius  
plicatella**  
T.A. Conrad, 1863 †  
**(FOSSIL)**  
Florida, Sarasota County




5184000830  
**Naticarius  
precursor**  
Gardner, 1947 †  
**(FOSSIL)**  
Florida  
22 mm





1661100285  
**Naticarius  
pumilus**  
H. Kubo, 1997  
China, Zhejiang  
5,3 mm



5184000827  
**Naticarius  
semilunata**  
Lea, 1833 †  
**(FOSSIL)**  
Trinidad and Tobago, Spuria



1661100320  
**Naticarius  
sertatus**  
(K.T. Menke, 1843)  
Philippines, Masbate Island  
24 mm




**synonyms:**

- *Natica maheense* L.A. Reeve, 1855
- *Natica seychellum* R.B. Watson, 1886



1661100345  
**Naticarius  
sterckmuscarum**  
(J.F. Gmelin, 1791)  
Italy, Gulf of Naples  
32 mm




**synonyms:**

- *Natica millepunctata* J.B.P.A. Lamarck, 1822
- *Nerita punctata* D.G. Karsten, 1789

- *Nerita sterckmuscarum* J.F. Gmelin, 1791



1661104015  
**Naticarius  
zonalis**  
(C.A. Récluz, 1850)  
Australia, Broome  
19 mm



**synonyms:**

- *Natica nukahivensis* D. Å. Å.S.A Jardin, 1859

- *Natica zonalis* C.A. Récluz, 1850

SubFamily: NATICINAE - Genus: **Notocochlis** A. Powell, 1933 (11 SP, 8 IMG)


8032000167

**Notocochlis  
borrelioii**

(Brunet, 1995 †)

**(FOSSIL)**

Patagonia



1661100070

**Notocochlis  
cernica**

(F.P. Jousseaume, 1874)

Philippines, Palawan Island

12,3 mm

**synonyms:**

- *Natica jousseamei* F.M. Euthyme, 1885
- *Natica ochrostigmata* H.A. Rehder, 1980
- *Notocochlis sagittata hancockae* A.W.B. Powell, 1971

- *Natica nebubosa* M.M. Schepman, 1909
- *Natica sagittata* A.W.B. Powell, 1971





1661100075

**Notocochlis  
chemnitzii**

(L. Pfeiffer, 1840)

Panama, Las Perlas Islands

26 mm

**synonyms:**

- *Natica maroccana* J.H. Chemnitz, 1781
- *Natica pritchardi* E. Forbes, 1850

- *Natica undata* R.A. Philippi, 1852




1661100110

**Notocochlis  
dilwynii**

(B.C.M. Payraudeau, 1826)

Greece, Saronikos

6 mm

**synonyms:**

- *Natica dilwynii efasciata* P.M. Pallary, 1900
- *Tectonatica operculata farolita* F. Nordsieck, 1973

- *Natica operculata* F. Nordsieck, 1973



8032000249



**Notocochlis  
dilwynii  
koeneni**

(F. Sacco, 1891 †)

**(FOSSIL)**

Italy, Torino

8,8 mm

**synonyms:**

- *Natica dilwynii taurominor* F. Sacco, 1904 †
- *Natica koeneni* F. Sacco, 1891 †

- *Natica plicatella* A. von Koenen, 1882 †




1661104005

**Notocochlis  
gualteriana**

(C.A. Récluz, 1844)

Taiwan

18 mm

**synonyms:**

- *Natica antoni* R.A. Philippi, 1851
- *Natica balteata* G.B. III Sowerby, 1914
- *Notocochlis gualteriana* C.A. Récluz, 1844
- *Natica gualteriana* burnupi E.A. Smith, 1903
- *Natica loculus* L.A. Reeve, 1855
- *Natica marociensis* J.R.C. Quoy & J.P. Gaimard, 1833
- *Natica nemo* P. Bartsch, 1915
- *Natica vafer* H.J. Finlay, 1930

- *Natica asellus* L.A. Reeve, 1855
- *Natica burupi* E.A. Smith, 1903
- *Natica gualteriana* M. Couturier, 1907
- *Natica gualteriana* M. Couturier, 1907
- *Natica lurida* R.A. Philippi, 1852
- *Cochlis migratoria* A.W.B. Powell, 1927
- *Natica tessellata* R.A. Philippi, 1849



1661900740

**Notocochlis  
guesti**(M.G. Harasewych,  
& K.R. Jensen, 1984)


East Colombia

20 mm





1661902770  
***Notocochlis insularum***  
(R.B. Watson, 1886)  
Strait of Malacca



1661100190  
***Notocochlis isabelleana***  
(A.V.M.D. D'Orbigny, 1840)  
Argentina, San Antonio Este  
21 mm



**synonyms:**  
• *Natica isabelleana* D'Orbigny, 1840




5184000052  
***Notocochlis laurae***  
P.M.S. Costa & G. Pastorino, 2012

No Georeferenced data available



1661100370  
***Notocochlis tigrina***

(P.F. Röding, 1798)  
Thailand, Phuket  
38 mm




**synonyms:**

- *Tectonatica javana* J.B.P.A. Lamarck, 1822
- *Tectonatica maculosa* J.B.P.A. Lamarck, 1822

- *Tectonatica maculata* G. Perry, 1811
- *Tectonatica pelligrina* R.W. Dunker, 1882



1661901290  
***Notocochlis tranquilla***  
(J.C. Melvill & R. Standen, 1901)  
India, Cape Comorin





**synonyms:**

- *Natica tranquilla* (J.C. Melvill & R. Standen, 1901)



SubFamily: NATICINAE - Genus: ***Payraudeautia*** M.E.J. Bucquoy, P. Dautzenberg & G.F. Dollfus, 1883 (6 SP, 6 IMG)





8032000030  
***Payraudeautia bituberculata***  
E. Robba, Pedriali,  
& E. Quaggiotto, 2016 †  
**(FOSSIL)**  
Italy, Torino




8032000031  
***Payraudeautia crassicorda***  
E. Robba, Pedriali,  
& E. Quaggiotto, 2016 †  
**(FOSSIL)**  
Italy, Vicenza  
8,5 mm



80320000258  
***Payraudeautia fasciolata***  
(F. Sacco, 1890 †)  
**(FOSSIL)**  
Italy, Torino  
3,7 mm



1661900730  
***Payraudeautia gruelli***  
(P. Dautzenberg, 1910)  
Angola  
21,2 mm




**synonyms:**

- *Patraudeautia esterias* P.A. Bernard, 1983
- *Natica gruelli* P. Dautzenberg, 1910



1661902830  
***Payraudeautia  
gruelli  
paucipunctata***  
P. Dautzenberg, 1910

Mauritania


**synonyms:**

- *Natica paucipunctata* P. Dautzenberg, 1910




1660000140  
***Payraudeautia  
nubila***

(W.H. Dall, 1889)  
Florida

**synonyms:**



- *Polinices nubilus* W.H. Dall, 1889



8032000032  
***Payraudeautia  
zarantonelloi***

E. Robba, Pedrali,  
& E. Quaggiotto, 2016 †  
**(FOSSIL)**

Italy, Vicenza  
15,2 mm



SubFamily: NATICINAE - Genus: **Proxiuber** A. Powell, 1933 (6 SP, 0 IMG)



8032000084  
***Proxiuber  
anteaustrale***

Powell, 1938 †  
**(FOSSIL)**

No Georeferenced data available



8032000085  
***Proxiuber  
astrictum***


J. Marwick, 1965 †  
**(FOSSIL)**

No Georeferenced data available




1661901680  
***Proxiuber  
australe***

(F.W. Hutton, 1878)  
New Zealand, Auckland



1661901690  
***Proxiuber  
hulmei***

A.W.B. Powell, 1954  
New Zealand



8032000086  
***Proxiuber  
kaawaense***

(J. Marwick, 1924 †)  
**(FOSSIL)**

No Georeferenced data available

## Fossil only

8032000087  
**Proxiuber**  
**platamodes**

Finlay & J. Marwick, 1937 †  
(FOSSIL)

No Georeferenced data available

SubFamily: NATICINAE - Genus: **Stigmaulax** O.A.L. Mörch, 1852 (syn: Aloconatica - 10 SP, 7 IMG)

## Fossil only

5184000834  
**Stigmaulax**  
**beaumonti**

R.F. Rutsch, 1934 †  
(FOSSIL)


Venezuela, Nueva Esparta



1661901940  
**Stigmaulax**  
**cancellatus**

(J. Hermann, 1781)

Florida  
24 mm



1661100065  
**Stigmaulax**  
**cayennensis**

(C.A. Récluz, 1850)

Brazil, Guarapari  
30 mm



### synonyms:


- *Natica hayesae* G.W. Nowell-Usticke, 1959



1661100115  
**Stigmaulax**  
**elenae**

(C.A. Récluz, 1844)

Panama  
23 mm



### synonyms:

- *Natica excavata* P.P. Carpenter

- *Natica haneti* C.A. Récluz, 1850



5184000836  
**Stigmaulax**  
**guppiana**

F. Toul, 1909 †



(FOSSIL)  
Panama, Colón  
18 mm



8032000140  
**Stigmaulax**  
**guppiana**  
**toulaniana**

J. Gardner, 1937 †

(FOSSIL)  
Florida  
18 mm



## Fossil only

5184000837  
**Stigmaulax**  
**landesiana**

A.A. Olsson, 1964 †

(FOSSIL)  
Ecuador, Esmeraldas, Eloy Alfaro




5184000744  
**Stigmaulax**  
**niassensis**

G.G. Wissema, 1947

No Georeferenced data available



723400039  
**Stigmaulax**  
**polypum**  
A.A. Olson & A. Harbison, 1953 †  
**(FOSSIL)**  
Florida



1661350000  
**Stigmaulax**  
**sulcata**  
(I. von Born, 1778)  
Guadeloupe  
22 mm




**synonyms:**

- Natica cubana W.H. Dal, 1927
- Stigmaulax rugosa J.F. Gmelin, 1791
- Natica sulcata I. von Born, 1778

- Nertia rugosa J.F. Gmelin, 1791
- Natica sulcata I. von Born, 1778




5184000838  
**Stigmaulax**  
**vererugosum**  
A.E.M. Cossmann, 1924 †  
**(FOSSIL)**  
Dominican Republic,  
Santiago Rodríguez



SubFamily: NATICINAE - Genus: **Tanea** J. Marwick, 1931 (20 SP, 16 IMG)



1661550000  
**Tanea**  
**areolata**  
(C.A. Récluz, 1844)  
Fiji Islands  
13 mm




8032000092  
**Tanea**  
**consortis**  
(Finlay, 1924 †)  
**(FOSSIL)**

No Georeferenced data available



1661550005  
**Tanea**  
**euzona**  
(C.A. Récluz, 1844)  
Philippines, Aliguay Island  
30 mm





**synonyms:**

- Tanea cothurnata T. Iredale, 1929
- Tanea decora R.A. Philippi, 1853


- Tanea elegans C.A. Récluz, 1850



5184000839  
**Tanea**  
**hamiltonensis**  
(J.E. Tenison-Woods, 1879 †)  
**(FOSSIL)**  
Australia, South Australia,  
Adelaide



1661550010  
**Tanea**  
**hilaris**  
(G.B. III Sowerby, 1914)  
Taiwan  
14 mm




**synonyms:**

- Notocochlis hilaris G.B. III Sowerby, 1914



5184000066  
**Tanea**  
**hollmanni**

G.T. Poppe, S.P. Tagaro,  
& P. Stahlschmidt, 2015  
Philippines, Balabac Island  
17 mm



**Fossil  
only**

8032000107  
**Tanea**  
**inexpectata**


(Finlay, 1924 †)  
**(FOSSIL)**

No Georeferenced data available



1661100210  
**Tanea**  
**lineata**

(P.F. Röding, 1798)  
Taiwan  
25 mm





**synonyms:**

- *Notocochlis lineata* P.F. Röding, 1798
- *Naticarius lineatus* P.F. Röding, 1798



1661901950  
**Tanea**  
**magnifluctuata**

(J.T. Kuroda, 1961)  
Japan, Tosa Bay



**synonyms:**

- *Tanea euzona magnifluctuata* (J.T. Kuroda, 1961)



1661901960  
**Tanea**  
**mozaica**

(G.B. I Sowerby, 1883)  
Philippines, Palawan Island  
10,9 mm




1661900880  
**Tanea**  
**pavimentum**

(C.A. Récluz, 1844)  
Philippines, Palawan Island  
18,5 mm



1660000160  
**Tanea**  
**picta**

(C.A. Récluz, 1844)  
Australia, Edithburgh  
17,1 mm



**Fossil  
only**

8032000093  
**Tanea**  
**pittensis**

(J. Marwick, 1928 †)  
**(FOSSIL)**

No Georeferenced data available

**Fossil  
only**

8032000094  
**Tanea**  
**praeconsors**

(Finlay, 1924 †)  
**(FOSSIL)**

No Georeferenced data available



1661100310  
**Tanea sagittata**  
(K.T. Menke, 1843)  
South Australia, Edithburgh  
10 mm



**synonyms:**


- *Notocochlis cothurnata* T. Iredale, 1936



1661104045  
**Tanea tabularis**  
(J.T. Kuroda, 1961)  
China, Zhejiang  
32 mm



1661901970  
**Tanea tenuipicta**  
(J.T. Kuroda, 1961)  
China, Zhejiang  
21 mm




**synonyms:**

- *Natica tenuipicta* J.T. Kuroda, 1961



1661100375  
**Tanea tosaensis**  
(J.T. Kuroda, 1961)  
China, Zhejiang  
27 mm



**synonyms:**

- *Notocochlis tosaensis* (J.T. Kuroda, 1961)



1661550015  
**Tanea undulata**  
(P.F. Röding, 1798)  
Philippines, Palawan Island  
32 mm





**synonyms:**

- *Natica zebra* J.B.P.A. Lamarck, 1822
- *Natica zebra* J.B.P.A. Lamarck, 1822



1661550020  
**Tanea zelandica**  
(J.R.C. Quoy,  
& J.P. Gaimard, 1832)  
New Zealand, Chatham Islands  
30 mm





**synonyms:**

- *Natica souleyetiana* C.A. Récluz, 1850
- *Natica zelandica* J.R.C. Quoy & J.P. Gaimard, 1832

SubFamily: NATICINAE - Genus: **Tectonatica** F. Sacco, 1890 (25 SP, 24 IMG)



1661404000  
**Tectonatica adamsiana**  
(R.W. Dunker, 1861)  
Japan, Mikawa bay



8032000039  
**Tectonatica albertii**  
E. Robba, Pedriali,  
& E. Quaggiotto, 2016 †  
**(FOSSIL)**

10 mm



No Georeferenced data available



6298000031  
**Tectonatica  
astensis**

(F. Sacco, 1891 †)  
**(FOSSIL)**

Italy, Piemonte  
17 mm




**Fossil  
only**

8032000040  
**Tectonatica  
burtoni**

E. Robba, Pedrali,  
& E. Quaggiotto, 2016 †  
**(FOSSIL)**

No Georeferenced data available



80320000250  
**Tectonatica  
burtoni  
altavillensis**

E. Robba, Pedrali,  
& E. Quaggiotto, 2016 †  
**(FOSSIL)**

12 mm



No Georeferenced data available



8032000040  
**Tectonatica  
consimilis**

E. Robba, Pedrali,  
& E. Quaggiotto, 2016 †  
**(FOSSIL)**


Italy  
6,6 mm



6298000040  
**Tectonatica  
dertomamilla**

(F. Sacco, 1891 †)  
**(FOSSIL)**


Italy, Alessandria  
19 mm



1661902000  
**Tectonatica  
figurata**

G.B. III Sowerby, 1914



Japan, Iwate  
23,5 mm



1661902010  
**Tectonatica  
impervia**

(R.A. Philippi, 1845)


Argentina, Tierra del Fuego  
11 mm



1661902020  
**Tectonatica  
micta**

(F. Haas, 1953)


Brazil, Rio de Janeiro  
5 mm



6298000090  
**Tectonatica  
miocolligens**

(F. Sacco, 1891 †)  
**(FOSSIL)**

Italy, Torino  
23 mm





**synonyms:**

- *Natica acuta* R.A. Philippi, 1845
- *Natica major* H. Strebler, 1908
- *Natica obturata* R.A. Philippi, 1855
- *Natica payeni* A. de Rochebrune & J.F. Mabille, 1885


- *Natica obturata* R.A. Philippi, 1855
- *Natica payeni* A. de Rochebrune & J.F. Mabille, 1885
- *Natica philippiana* P. Nyst, 1845



6298000112  
**Tectonatica  
miopusilla**  
(F. Kautsky, 1925 †)  
**(FOSSIL)**  
Belgium  
7 mm



8032000251  
**Tectonatica  
pasinii**  
(J.F. Bayan, 1870 †)  
**(FOSSIL)**  
Italy, Verona  
11 mm



1661600015  
**Tectonatica  
pusilla**  
(T. Say, 1822)  
Uruguay  
3 mm



1661600020  
**Tectonatica  
rizziae**  
(R.A. Philippi, 1844)  
Spain, Almeria  
11 mm





**synonyms:**

- *Natica pyrrhosticta* P. Dautzenberg & H. Fischer, 1896
- *Tectonatica settepassi* A. Gagliani in F. Settepassi, 1985



1661600025  
**Tectonatica  
robillardii**  
(G.B. III Sowerby, 1894)  
Cook Islands  
11 mm





**synonyms:**


- *Tectonatica ren* H.B. Preston, 1914



1661600030  
**Tectonatica  
rukuzenensis**  
R. Tiba, 1985  
Japan



8032000041  
**Tectonatica  
rupeliana**  
E. Robba, Pedraja,  
& E. Quaglio, 2016 †  
**(FOSSIL)**  
Italy, Vicenza  
17,4 mm



1661100315  
**Tectonatica  
sagraria**  
(A.V.M.D. D'Orbigny, 1842)  
Spain, Malaga  
20 mm



**synonyms:**

- *Natica filosa* R.A. Philippi, 1845
- *Natica flammulata* E. Réquier, 1848

- *Tectonatica flammulata* E. Réquier, 1848
- *Natica lineolata* R.A. Philippi, 1844



1661902030  
**Tectonatica  
shorehami**  
(G.B. Pritchard,  
& J.H. Gatliff, 1900)  
Australia, Two fold Bay  
7 mm




**synonyms:**

- *Tectonatica elongata* C. Hedley & W.L. May, 1908

- *Natica shorehami* G.B. Pritchard & J.H. Gatliff, 1900



1661100350  
***Tectonatica suffusa***  
(L.A. Reeve, 1855)  
Okinawa  
10 mm


**synonyms:**

- *Natica labrotincta* G.B. Sowerby, 1900
- *Natica suffusa* L.A. Reeve, 1855

- *Natica nucula* L.A. Reeve, 1855



1661100355  
***Tectonatica tecta***  
(H.E. Anton, 1838)  
South Africa, False Bay  
30 mm


**synonyms:**

- *Natica affredensis* P. Bartsch, 1915
- *Natica aureozona* J.R. le B. Tomlin, 1921
- *Natica imperforata* J.E. Gray, 1839


- *Natica genuana* L.A. Reeve, 1855
- *Natica tecta* H.E. Anton, 1838





1661100360  
***Tectonatica tecta stimpsoni***  
P. Bartsch, 1915  
South Africa, Cape  
41,2 mm

**synonyms:**



- *Natica stimpsoni* P. Bartsch, 1915



5184000841  
***Tectonatica tectula***  
F. Sacco, 1890 †  
**(FOSSIL)**  
Italy, Torino  
4,7 mm



1661100030  
***Tectonatica venustula***  
(R.A. Philippi, 1851)  
Cook Islands  
24 mm



**synonyms:**

- *Tectonatica bougei* G.B. Sowerby, 1908
- *Natica bougei* Prigent, 1985

- *Natica venustula* R.A. Philippi, 1851



1661100410  
***Tectonatica violacea***  
(G.B. I Sowerby, 1825)  
Philippines, Cebu  
19 mm


**synonyms:**

- *Natica glabra* W. Wood, 1828
- *Natica violacea* G.B. I Sowerby, 1825

- *Natica rhodostoma* R.A. Philippi, 1842




1661901300  
***Tectonatica zonulata***  
(K.H.J. Thiele, 1925)  
Western Australia



SubFamily: POLINICINAE - Genus: **Amauropis** O.A.L. Mörch, 1857 (syn: Choristes - 27 SP, 9 IMG)



1650400183  
***Amauropis anderssoni***  
(H. Strehel, 1906)  
South Georgia Island  
11,5 mm




**synonyms:**



- *Amauopsis andersoni* H. Strelbel, 1906



1661104070  
***Amauopsis apora***  
(R.B. Watson, 1881)  
Papua New Guinea




1650400020  
***Amauopsis aureolutea***  
H. Strelbel, 1908  
Bristol Island



5184000045  
***Amauopsis brasfieldensis***  
(H.B. Preston, 1916)  
Shetland Islands



5154000001  
***Amauopsis brassiculina***  
(É.A.A. Locard, 1897)  
West Sahara  
13,8 mm

**synonyms:**

- *Natica brachya* É.A.A. Locard, 1897
- *Natica olivella* É.A.A. Locard, 1897

- *Natica bullula* É.A.A. Locard, 1897
- *Natica olivella major* É.A.A. Locard, 1897





5184000709  
***Amauopsis calorimans***  
C.J. Maury, 1912 †  
(FOSSIL)

Trinidad and Tobago





5184000710  
***Amauopsis fetteri***  
Marincovich Jr., 1993 †  
(FOSSIL)

Alaska





1650400050  
***Amauopsis georgiana***  
(H. Strelbel, 1908)

Canada, Quebec, Cap-des-Rosiers




8032000232  
***Amauopsis godfroyi***  
(É. Lamy, 1910 †)  
(FOSSIL)

Antarctica, King George Island  
11,5 mm



803200011  
***Amauopsis guppyi***  
W.M. Gabb, 1873 †  
(FOSSIL)


Dominican Republic





165000000  
**Amauropis islandica**

(J.F. Gmelin, 1791)  
Faroe islands  
22,1 mm



**synonyms:**

- *Amauropis canaliculata* A.A. Gould, 1840
- *Amauropis elegans* P.P. Carpenter, 1872
- *Amauropis gouldi* C.B. Adams, 1847
- *Amauropis helicoides* G. Johnston, 1835
- *Amauropis purpurea* W.H. Dall, 1871



- *Natica cornea* H.P.C. Möller, 1842
- *Amauropis exulans* A.A. Gould, 1841
- *Natica helicoides* G. Johnston, 1835
- *Nerita islandica* J.F. Gmelin, 1791



5184000719  
**Amauropis japonica**

(Adams, 1839)


No Georeferenced data available



**Fossil  
only**

5184000711  
**Amauropis macra**

Böhm, 1895 †  
**(FOSSIL)**  
Italy, Veneto, Belluno



**Fossil  
only**

5184000712  
**Amauropis martinezensis**

R.E. Dickerson, 1914 †  
**(FOSSIL)**  
Mexico




**Fossil  
only**

5184000713  
**Amauropis notoleptos**

J.D. Stiwell & al., 2004 †  
**(FOSSIL)**


No Georeferenced data available



**Fossil  
only**

8032000190  
**Amauropis odhneri**


Harmer †  
**(FOSSIL)**  
UK, England, Suffolk



**Fossil  
only**


8032000191  
**Amauropis oyeni**

Harmer †  
**(FOSSIL)**  
UK, Essex



5154000002  
**Amauropis powelli**

R.K. Dell, 1990  
Canada, Quebec, Cap-des-Rosiers  
23 mm



5154000003  
**Amauropis prasina**


(R.B. Watson, 1881)  
Ross Sea  
14 mm





1650400090  
**Amauropis**  
**rossiana**



E.A. Smith, 1907  
Ross Sea  
15 mm



**Fossil  
only**

5184000714  
**Amauropis**  
**sanctaecrucis**


Laube, 1868 †  
**(FOSSIL)**  
Italy, Trentino-Alto Adige,  
Bolzano



**Fossil  
only**

5184000715  
**Amauropis**  
**smithiana**

C.J. Maury, 1912 †  
**(FOSSIL)**  
Trinidad and Tobago



**no  
IMAGES  
available**

1650400100  
**Amauropis**  
**sphaeroides**



(J.G. Jeffreys, 1877)  
Ross Sea



**Fossil  
only**

5184000716  
**Amauropis**  
**subhybrida**


(A.V.M.D. D'Orbigny, 1849 †)  
**(FOSSIL)**  
Italy, Trentino-Alto Adige,  
Bolzano



**no  
IMAGES  
available**

1650400110  
**Amauropis**  
**subpallescens**


(H. Strehel, 1908)  
Weddel Sea



**Fossil  
only**

5184000717  
**Amauropis**  
**trinitatensis**

W.C. Mansfield, 1925 †  
**(FOSSIL)**  
Trinidad and Tobago



**Fossil  
only**

5184000718  
**Amauropis**  
**tyrolensis**

Laube, 1868 †  
**(FOSSIL)**



No Georeferenced data available

SubFamily: POLINICINAE - Genus: **Bulbus** T. Brown, 1827 (syn: Acrybia - 4 SP, 3 IMG)



1660450000  
**Bulbus**  
**fragilis**

(W.E. Leach, 1819)  
Canada, Glover Island  
42,2 mm



**synonyms:**


- Natica largillieri C.A. Récluz, 1852
- Bulbus striatus A.N. Golikov & B.I. Sirenko, 1983



1661903239  
**Bulbus**  
**normalis**

(A.T. von Middendorff, 1851)

Japan



**synonyms:**

- Natica aperta normalis A.T. von Middendorff, 1851
- Bulbus flavus apertus A.T. von Middendorff, 1843
- Rapa normalis A.T. von Middendorff, 1851

- Bulbus flavus elongatus T. Habe & K. Itô, 1965



1660450005  
**Bulbus**  
**smithii**

J. Brown in Smith, 1839

Svalbard



**synonyms:**

- Natica aperta S.L. Lovén, 1846
- Natica aperta S.L. Lovén, 1847
- Bulbus flavus A.A. Gould, 1839
- Acrybia glacialis G.A.W. Thorson, 1951



- Bulbus elongatus T. Habe & K. Itô, 1965
- Bulbus flavus A.A. Gould, 1840



1660450010  
**Bulbus**  
**tenuiculus**

(G.B. III Sowerby, 1915)

Japan, Wakayama  
28,5 mm





SubFamily: POLINICINAE - Genus: **Conuber** H.J. Finlay & J. Marwick, 1937 (6 SP, 5 IMG)



5873000065  
**Conuber**  
**balteatella**

(R. Tate, 1893 †)  
**(FOSSIL)**


Australia, Western Australia,  
Canning



1660000045  
**Conuber**  
**conicum**

(J.B.P.A. Lamarck, 1822)

West Australia, Busselton  
30 mm



**synonyms:**

- Sigaretus acuminatus A. Adams & L.A. Reeve, 1850
- Polinices conicus J.B.P.A. Lamarck, 1822
- Natica tasmanica J.E. Tenison-Woods, 1876
- Polinices ustulata G.B. II Sowerby, 1883



- Natica pyramis L.A. Reeve, 1855
- Natica ustulata G.B. II Sowerby, 1883



1660000090  
**Conuber**  
**incei**

(R.A. Philippi, 1853)

South Australia  
34,5 mm



**synonyms:**

- Natica baconi L.A. Reeve, 1855
- Natica deiodosa L.A. Reeve, 1855
- Polinices fibula L.A. Reeve, 1855
- Natica incei R.A. Philippi, 1853

- Natica fibula L.A. Reeve, 1855
- Polinices incei R.A. Philippi, 1853



1661902110  
**Conuber**  
**melastoma**

(W.J. Swainson, 1821)

Philippines, Masbate Island  
29 mm





**synonyms:**

- Natica sanguinolenta G.P. Deshayes, 1839



1661901600  
**Conuber**  
**sordidum**

(W.J. Swainson, 1821)  
Australia, Dingo Beach  
35 mm



**synonyms:**


- *Conuber leucophaea* L.A. Reeve, 1855
- *Natica microstoma* J.R.C. Quoy & J.P. Gaimard, 1833
- *Natica plumbea* J.B.P.A. Lamarck, 1822
- *Polinices sordidus* W.J. Swainson, 1821
- *Natica strangei* L.A. Reeve, 1855

- *Conuber microstoma* J.R.C. Quoy & J.P. Gaimard, 1833
- *Conuber plumbea* J.B.P.A. Lamarck, 1822
- *Natica sordida* W.J. Swainson, 1821
- *Conuber strangei* L.A. Reeve, 1855



5873000066  
**Conuber**  
**vixumbilicata**

(J.E. Tenison-Woods, 1877 †)  
**(FOSSIL)**  
Tasmania  
35 mm



SubFamily: POLINICINAE - **Genus: Euspira** A.E.R. Agassiz, 1839 (syn: *Labelinacea*, *Labelinacca*, *Lunaria* - 93 SP, 62 IMG)



1661104055  
**Euspira**  
**abyssicola**

(E.A. Smith, 1896)  
Arabian Sea





**synonyms:**

- *Natica abyssicola* E.A. Smith, 1896



6298000005  
**Euspira**  
**achatensis**

(C.A. Récluz in Koninck, 1838 †)  
**(FOSSIL)**  
Ukraine  
25 mm



1661901330  
**Euspira**  
**agujana**

(W.H. Dall, 1908)  
Peru, Aguja Point



**synonyms:**

- *Euspira agujanus* W.H. Dall, 1908




5184000845  
**Euspira**  
**antarctica**

J.D. Stilwell & al., 2004 †  
**(FOSSIL)**  
Antarctica, Seymour Island




6298000006  
**Euspira**  
**briarti**

A. von Koenen, 1885 †  
**(FOSSIL)**  
Ukraine  
17 mm



1660600000  
**Euspira**  
**catena**

(E.M. Da Costa, 1778)  
Portugal  
38 mm



**synonyms:**


- *Natica castanea* J.B.P.A. Lamarck, 1822
- *Natica catena conico* J.G. Jeffreys, 1867
- *Lunaria monilifera* J.B.P.A. Lamarck, 1822

- *Natica catenata* É.A.A. Locard, 1886



5184000854  
**Euspira**  
**catena**  
**hemiclausa**  
(Sowerby, 1824 †)  
**(FOSSIL)**

Great Britain, Suffolk





**synonyms:**

- *Euspira helicina hemiclausa* Sowerby, 1824



8032000141  
**Euspira**  
**catena**  
**protracta**  
(K.E.I. von Eichwald, 1830 †)  
**(FOSSIL)**

Romania, Deva





**synonyms:**

- *Euspira helicina protracta* K.E.I. von Eichwald, 1830 †



5184000846  
**Euspira**  
**catenoides**  
(Wood, 1842 †)  
**(FOSSIL)**

Belgium  
60 mm



**synonyms:**

- *Natica catenoides* Wood, 1842 †

**Fossil  
only**



5184000737  
**Euspira**  
**chulucana**  
A.A. Olsson, 1931 †  
**(FOSSIL)**

Peru, Chira Valley



629800007  
**Euspira**  
**cirriformis**  
(J. de C. Sowerby, 1824 †)  
**(FOSSIL)**



Belgium  
41 mm



**Fossil  
only**

5184000870  
**Euspira**  
**clementensis**  
G.D. Hanna, 1927 †  
**(FOSSIL)**



USA, Oregon, Columbia



**Fossil  
only**


5184000847  
**Euspira**  
**compressa**  
Waring, 1917 †  
**(FOSSIL)**

USA, California, San Mateo



629800008  
**Euspira**  
**consobrina**  
G.P. Deshayes, 1864 †  
**(FOSSIL)**

France, Paris Basin  
14 mm



5184000848  
**Euspira**  
**constricta**  
W.H. Dal, 1908

No Georeferenced data available




1661900160  
**Euspira**

**crawfordiana**

(W.H. Dall, 1908)

Galápagos



**synonyms:**

- *Euspira crawfordianus* W.H. Dall, 1908





6298000099  
**Euspira**

**dilatata**

(R.A. Philippi, 1843 †)  
**(FOSSIL)**

Germany, Mecklenburg  
17 mm



**Fossil only**

8032000049  
**Euspira**

**elegans**

(H.H. Suter, 1917 †)  
**(FOSSIL)**

No Georeferenced data available




5184000849  
**Euspira**

**ella**

A.A. Olson, 1954 †  
**(FOSSIL)**

Costa Rica  
26 mm



1661903254  
**Euspira**

**fringilla**

(W.H. Dall, 1881)

Brazil, Pernambuco  
3 mm



**synonyms:**

- *Lunatia fringilla perlæ* W.H. Dall, 1889
- *Euspira perlæ* W.H. Dall, 1889



1660600020  
**Euspira**

**fusca**

(H.M.D. de Blainville, 1825)

Italy, Savona

37,3 mm



**synonyms:**

- *Euspira angulata* J.G. Jeffreys, 1885
- *Natica brocchiana* R.A. Philippi, 1851
- *Natica plicatula* L.A. Reeve, 1855

- *Natica compacta* J.G. Jeffreys, 1885
- *Lunatia sordida* R.A. Philippi, 1844

**Fossil only**

8032000047  
**Euspira**

**tyfei**

(J. Marwick, 1924 †)  
**(FOSSIL)**

No Georeferenced data available




8032000023  
**Euspira**

**gianoi**

E. Robba, Pedriali,  
& E. Quaggiotto, 2016 †  
**(FOSSIL)**

Italy, Alessandria

7,5 mm




8032000024  
**Euspira**

**giuntellii**

E. Robba, Pedriali,  
& E. Quaggiotto, 2016 †  
**(FOSSIL)**

Italy, Torino

4,3 mm





## Fossil only

5184000851  
**Euspira**  
**glaucoinoides**

(Sowerby, 1812 †)  
**(FOSSIL)**

United Kingdom, England,  
Wiltshire



6298000010  
**Euspira**  
**gottschaei**

(F. Kautsky, 1925 †)  
**(FOSSIL)**


Netherlands  
19 mm



1660600025  
**Euspira**  
**grossularia**

(I. Marche-Marchad, 1957)

Spain, Málaga  
26 mm




## Fossil only

5184000852  
**Euspira**  
**guamblinensis**

D. Frassineti,  
& Covacevich, 1995 †  
**(FOSSIL)**


Chile, Arauco



1660600030  
**Euspira**  
**guilleminii**

(B.C.M. Payraudeau, 1826)

Spain, Málaga  
21,3 mm



### synonyms:


- Natica marmorata A. Riso, 1826



8032000253  
**Euspira**  
**helicina**

(G.B. Brocchi, 1814 †)  
**(FOSSIL)**

Italy, Emilia-Romagna, Modena  
14,7 mm



### synonyms:


- Nerita helicina G.B. Brocchi, 1814 †

## Fossil only

5184000738  
**Euspira**  
**hemicrypta**

W.M. Gabb, 1860 †  
**(FOSSIL)**



USA, Delaware



1660000085  
**Euspira**  
**heros**

(T. Say, 1822)

New York, Long Island  
100,2 mm



### synonyms:

- Natica ampularia J.B.P.A. Lamarck, 1822
- Natica heros (T. Say, 1822)
- Euspira herosa T. Say, 1822



- Polices heros (T. Say, 1822)
- Lunatia heros (T. Say, 1822)
- Natica pomum R.A. Philippi, 1851



5184000871  
**Euspira**  
**hotsoni**

C.S. Weaver,  
& K.V.W. Palmer, 1922 †  
**(FOSSIL)**

USA, Washington  
22 mm



**Fossil  
only**

8032000243  
**Euspira  
ilhagwilensis**

J.M. Pautaud, 2016 †  
**(FOSSIL)**

No Georeferenced data available

**synonyms:**



- Natica tournoueri A.E.M. Cossmann, 1919 †



5184000855  
**Euspira  
interna**

(T. Say, 1824 †)  
**(FOSSIL)**

Maryland, St. Marys County  
43 mm



1660850000  
**Euspira  
intricata**

(E. Donovan, 1804)  
Spain, Almeria  
18 mm



**synonyms:**

- Payraudeauia alleryana G.R. Sullotti, 1889
- Polinices alleryana G.R. Sullotti, 1889
- Polinices crassatella É.A.A. Locard, 1886
- Natica intricata E. Donovan, 1804
- Payraudeauia pebriniana G.R. Sullotti, 1889
- Polinices valenciennesi B.C.M. Payraudeau, 1826

- Natica crassatela É.A.A. Locard, 1886
- Natica grisea E. Réquien, 1848
- Nerita intricata E. Donovan, 1804
- Polinices peloritana G.R. Sullotti, 1889
- Natica valenciennesi B.C.M. Payraudeau, 1826



1661902310  
**Euspira  
similis**

(T.A. de M. Monterosato, 1884)  
Tunisia



**synonyms:**

- Natica similis T.A. de M. Monterosato, 1884


- Natica similis major T.A. de M. Monterosato, 1884

**Fossil  
only**

5184000856  
**Euspira  
jacksonensis**

†  
**(FOSSIL)**

USA, Louisiana, Caldwell



6298000011  
**Euspira  
labellata**

(J.B.P.A. Lamarck, 1804 †)  
**(FOSSIL)**

France, Paris Basin  
20 mm



**Fossil  
only**

8032000048  
**Euspira  
lateaperta**

(J. Marwick, 1924 †)  
**(FOSSIL)**

No Georeferenced data available



8032000025  
**Euspira  
latecallosa**


E. Robba, Pedriali,  
& E. Quaggiotto, 2016 †  
**(FOSSIL)**

5 mm

No Georeferenced data available




1660600040  
**Euspira levicula**  
(A.E. Verrill, 1880)  
USA, Maine




**synonyms:**  
• *Euspira laevicula* A.E. Verrill, 1880



1661104090  
**Euspira levis**  
(E.A. Smith, 1896)  
India, Cuddalore



5184000051  
**Euspira litorina**  
(W.H. Dall, 1908)  
Galapagos




**synonyms:**  
• *Euspira litorinus* W.H. Dall, 1908




6298000012  
**Euspira lorioli**  
G.P. Deshayes, 1864 †  
**(FOSSIL)**  
France, Paris Basin  
13 mm




1660600055  
**Euspira macilenta**  
(R.A. Philippi, 1844)  
Italy, Grado  
12 mm



5184000857  
**Euspira marylandica**  
T.A. Conrad, 1865 †  
**(FOSSIL)**  
USA, Alabama, Choctaw




5184000858  
**Euspira meisensis**  
J. Makiyama, 1926 †  
**(FOSSIL)**  
Japan, Shimane, Masuda



**synonyms:**

- *Euspira ashiyensis* T. Nagao, 1928 †

- *Euspira otukai* O. Masuda, 1956 †





8032000026  
**Euspira molorensis**  
E. Robba, Pedrali,  
& E. Quaggiotto, 2016 †  
**(FOSSIL)**  
12,7 mm

No Georeferenced data available





1660000125  
**Euspira montagui**  
(E. Forbes, 1838)  
Iceland  
10,2 mm







**synonyms:**

- *Natica groenlandica* H.H. Beck, 1847
- *Natica montacuti* albus J.G. Jeffreys, 1867
- *Nerita rufa* G. Montagu, 1808
- *Natica squalida* W. Macgillivray, 1843
- *Natica montacuti* J.G. Jeffreys, 1867
- *Natica montacuti conica* J.G. Jeffreys, 1867
- *Natica rutilla* W. Macgillivray, 1843





- synonyms:**
- *Natica alderi* E. Forbes, 1838
  - *Natica alderi elata* M.E.J. Bucquoy, P. Dautzenberg & G.F. Dolfus, 1883
  - *Natica alderi lactea* J.G. Jeffreys, 1867
  - *Natica alderi ventricosa* J.G. Jeffreys, 1867
  - *Eunaticina dingdli* T. Iredale, 1931
  - *Natica neustrida* É.A.A. Locard, 1886
  - *Turbo nitida* E. Donovan, 1804
  - *Eunaticina oblongus* L.A. Reeve, 1864
  - *Nerita polana* S. Delle Chiaje, 1830
  - *Natica pulchella* A. Riss, 1826
  - *Natica alderi globulosa* M.E.J. Bucquoy, P. Dautzenberg & G.F. Dolfus, 1883
  - *Natica alderi subovalis* J.G. Jeffreys, 1867
  - *Natica complanata* É.A.A. Locard, 1886
  - *Natica intermedia* R.A. Philippi, 1836
  - *Nerita nitida* E. Donovan, 1804
  - *Sigaretus nitidus* L.A. Reeve, 1864
  - *Natica parvula* C.M. Tapparone-Canevari, 1869
  - *Lunatia polana* S. Delle Chiaje, 1830



- synonyms:**
- *Neverita pilula* É.A.A. Locard, 1897



1660600070  
**Euspira pallida**  
(W.J. Broderip,  
& G.B. Sowerby, 1829)  
China, Zhejiang  
22 mm



**synonyms:**

- *Natica borealis* J.E. Gray, 1839
- *Natica caurina* A.A. Gould, 1847
- *Natica groenlandica* H.P.C. Möller, 1842
- *Euspira monteronae* W.H. Dall, 1919
- *Natica pusilla* A.A. Gould, 1841

- *Euspira canonica* W.H. Dall, 1919
- *Lunatia choshiensis* R. Tibé, 1985
- *Polinices groenlandicus* H.P.C. Möller, 1842
- *Euspira politana* W.H. Dall, 1919



5184000049  
**Euspira pardoana**  
(W.H. Dall, 1908)  
Galapagos



**synonyms:**

- *Euspira pardoanus* W.H. Dall, 1908



6298000060  
**Euspira perforata**  
(G.P. Deshayes, 1864 †)  
**(FOSSIL)**  
Italy, Vicenza  
12 mm





8032000154  
**Euspira perspecta**  
R.P. Whitfield, 1935 †  
**(FOSSIL)**



No Georeferenced data available





8032000155  
**Euspira perspecta texana**  
Garvie, 2013 †  
**(FOSSIL)**  
Texas, Miami County  
10,3 mm





1661902430  
**Euspira phaeocephala**  
(P. Dautzenberg,  
& H. Fischer, 1896)  
Azores



8032000027  
**Euspira piccolii**  
E. Robba, Pedrial,  
& E. Quagliootto, 2016 †  
**(FOSSIL)**  
Italy, Vicenza  
13,3 mm



1660604005  
**Euspira pila**  
(H.A. Pilsbry, 1911)  
Shimane, Japan  
30 mm




**synonyms:**

- *Polinices pila* H.A. Pilsbry, 1911



1661902440  
**Euspira pila ovata**  
(G.B. III Sowerby, 1914)  
Japan



**no  
IMAGES  
available**

1661900200  
***Euspira  
presubuplicata***

(P. Bouchet & A. Warén, 1993)  
Galápagos



**Fossil  
only**

5184000862  
***Euspira  
propeinternus***

W.C. Mansfield, 1935 †  
**(FOSSIL)**


No Georeferenced data available



6298000015  
***Euspira  
pseudoclimax***

A.E.M. Cossmann, 1888 †  
**(FOSSIL)**


France, Paris Basin  
16 mm



**Fossil  
only**

5184000863  
***Euspira  
punjabensis***



F.E. Farnes, 1952 †  
**(FOSSIL)**  
Pakistan, Punjab, Dera Ghazi Khan



**no  
IMAGES  
available**



1661900210  
***Euspira  
radiata***

(R.B. Watson, 1881)  
Bermuda



5184000864  
***Euspira  
rectilabrum***


T.A. Conrad, 1858 †  
**(FOSSIL)**  
Tennessee  
27 mm



**Fossil  
only**


5184000865  
***Euspira  
roei***

Cox, 1930 †  
**(FOSSIL)**  
Pakistan, N.W.F.P., Kohat



1660000180  
***Euspira  
sagamiensis***



J.T. Kuroda & T. Habe, 1971  
Taiwan Strait  
49 mm



**Fossil  
only**

5184000866  
***Euspira  
saginata***

Böhm, 1895 †  
**(FOSSIL)**  
Italy, Veneto, Belluno







7234000029  
**Euspira**  
**sayana**  
G.B. Campbell, 1993  
South Carolina





5184000867  
**Euspira**  
**sergipensis**  
C.J. Maury, 1936 †  
**(FOSSIL)**  
Brazil, Sergipe





6298000016  
**Euspira**  
**stearnsi**  
(A.W. Janssen, 1969 †)  
**(FOSSIL)**  
Belgium  
8 mm




1661900220  
**Euspira**  
**strebeli**  
W.H. Dall, 1908  
Falkland Islands  
14 mm




8032000254  
**Euspira**  
**submammilaris**  
(F. Sacco, 1890 †)  
**(FOSSIL)**  
Italy, Torino  
16,4 mm



8032000255  
**Euspira**  
**subobturatoria**  
(F. Sacco, 1891 †)  
**(FOSSIL)**  
Italy, Savona  
14 mm





1661900230  
**Euspira**  
**subplicata**  
(J.G. Jeffreys, 1885)  
Mauritania  
5,3 mm



1661900240  
**Euspira**  
**talismani**  
P. Bouchet & A. Warén, 1993  
Mauritania  
11,2 mm



8032000143  
**Euspira**  
**tenuicula**  
G.P. Deshayes, 1864 †  
**(FOSSIL)**  
France, Paris Basin



**synonyms:**

- Natica amabilis É.A.A. Locard, 1897
- Natica extenta É.A.A. Locard, 1897
- Natica prositens É.A.A. Locard, 1897

- Natica olivella minor É.A.A. Locard, 1897

**no  
IMAGES  
available**

5184000046  
**Euspira  
tenuis**

(C.A. Récluz, 1851)

No Georeferenced data available

**synonyms:**

- Lunatia tenuis C.A. Récluz, 1851
- Natica tenuis C.A. Récluz, 1851



1661900250  
**Euspira  
tenuistrigata**

(P. Dautzenberg,  
& H. Fischer, 1911)  
New Zealand




**synonyms:**

- Natica tenuistrigata P. Dautzenberg & H. Fischer, 1911



1660600085  
**Euspira  
triseriata**

(T. Say, 1826)  
New York, Long Island  
12,1 mm



**synonyms:**


- Natica triseriata T. Say, 1826

- Polinices triseriatus T. Say, 1826




6298000017  
**Euspira  
tuomeyi**

(R.P. Whitfield, 1894 †)  
**(FOSSIL)**  
USA, Maryland  
67 mm





6298000018  
**Euspira  
turbinata**

G.P. Deshayes, 1864 †  
**(FOSSIL)**  
France, Paris Basin  
21 mm





8032000028  
**Euspira  
umbilicocarinata**

E. Robba, Pedriali,  
& E. Quaggiotto, 2016 †  
**(FOSSIL)**  
Italy, Torino  
5,6 mm



8032000029  
**Euspira  
umbilicolunata**


E. Robba, Pedriali,  
& E. Quaggiotto, 2016 †  
**(FOSSIL)**  
Italy, Torino  
16 mm



**Fossil  
only**


5184000868  
**Euspira  
vicanus**

A.A. Olson, 1928 †  
**(FOSSIL)**  
Peru, Piura, Talara




6298000020  
**Euspira  
vicksburgensis**

(T.A. Conrad, 1848 †)  
**(FOSSIL)**  
USA, Mississippi  
11 mm






5184000873  
**Euspira**  
**vientoensis**  
Clark & J.W. Durham, 1946 †  
**(FOSSIL)**  
Colombia, Bolívar



6298000021  
**Euspira**  
**viviparoidea**  
A.E.M. Cossmann, 1888 †  
**(FOSSIL)**  
France, Paris Basin  
18 mm



5184000869  
**Euspira**  
**waltonensis**  
W.C. Mansfield, 1935 †  
**(FOSSIL)**  
Florida



1660604020  
**Euspira**  
**yokoyamai**  
(J.T. Kuroda & T. Habe, 1952)  
Japan, Sagami Bay  
15 mm




**synonyms:**

- *Polinices yokoyamai* J.T. Kuroda & T. Habe, 1952


SubFamily: POLINICINAE - **Genus: Friginatica** C. Hedley, 1916 (syn: Sulconacca - 10 SP, 4 IMG)



518400746  
**Friginatica**  
**aldingensis**  
(R. Tate, 1893 †)  
**(FOSSIL)**  
Australia, Victoria,  
Colac-Otway - South



1660700000  
**Friginatica**  
**beddomei**  
(G. Johnston, 1885)  
South Australia  
12 mm



**synonyms:**

- *Natica effosa* R.B. Watson, 1886



8032000050  
**Friginatica**  
**marshalli**  
J. Marwick, 1931 †  
**(FOSSIL)**

No Georeferenced data available





8032000051  
**Friginatica**  
**marwicki**  
A.G. Beu, 1970 †  
**(FOSSIL)**

No Georeferenced data available




1661900340  
**Friginatica**  
**pisum**  
C. Hedley, 1916  
New Zealand, Macquarie Island





5184000747  
**Friginatica**  
**polita**  
(J.E. Tenison-Woods, 1876 †)  
**(FOSSIL)**

Tasmania  
7 mm



Fossil  
only

8032000052  
**Friginatica**  
**prisca**  
(J. Marwick, 1924 †)  
**(FOSSIL)**

No Georeferenced data available

Fossil  
only

8032000109  
**Friginatica**  
**suturalis**  
(F.W. Hutton, 1877 †)  
**(FOSSIL)**

No Georeferenced data available

Fossil  
only


8032000053  
**Friginatica**  
**vaughani**  
(J. Marwick, 1924 †)  
**(FOSSIL)**

No Georeferenced data available




5184000748  
**Friginatica**  
**wintleai**  
(J.E. Tenison-Woods, 1876 †)  
**(FOSSIL)**

Australia, Victoria  
31 mm





SubFamily: POLINICINAE - Genus: **Glossaulax** H.A. Pilsby, 1929 (11 SP, 7 IMG)



5184000881  
**Glossaulax**  
**asheri**  
E.J. Petuch, 1988 †  
**(FOSSIL)**



USA, Maryland, Saint Mary's  
42 mm



Fossil  
only



5184000882  
**Glossaulax**  
**bolivarensis**  
Clark & J.W. Durham, 1946 †  
**(FOSSIL)**

Colombia, Bolívar





5184000883  
**Glossaulax**  
**discula**  
E.J. Petuch, 1988 †  
**(FOSSIL)**

USA, Maryland  
23 mm



1660000060  
**Glossaulax**  
**draconis**  
(W.H. Dall, 1903)

USA, California  
67 mm



**Synonyms:**

- *Polinices draconis* W.H. Dall, 1903

- *Lunatia draconis* W.H. Dall, 1903

**no  
IMAGES  
available**

5184000070  
**Glossaulax  
epheba**

(C. Hedley, 1915)

No Georeferenced data available

**synonyms:**


- *Polinices ephesus* C. Hedley, 1915



8032000206  
**Glossaulax  
pachystoma**

(L.H. Hipé, 1854 †)  
**(FOSSIL)**

Chile, Navidad Formation  
32 mm



**synonyms:**

- *Natica barrosi* R.A. Philippi, 1887 †
- *Natica hupeana* R.A. Philippi, 1887 †
- *Natica volckmanni* R.A. Philippi, 1887 †



- *Natica obtecta* R.A. Philippi, 1887 †



1660104000  
**Glossaulax  
petiveriana**

(C.A. Récluz, 1843)

Japan, Tosa  
48 mm



**synonyms:**

- *Natica bicolor* R.A. Philippi, 1849



1661901580  
**Glossaulax  
reiniana**

(R.W. Dunker, 1877)

Korea  
53 mm





**Fossil  
only**

8032000169  
**Glossaulax  
secundum**

(A. de Rochebrune,  
& J.F. Mabille, 1885 †)  
**(FOSSIL)**

Patagonia




**Fossil  
only**

5184000884  
**Glossaulax  
thomsonae**

C.J.S. Hickman, 1969 †  
**(FOSSIL)**


USA, Oregon, Columbia



1660104005  
**Glossaulax  
vesicalis**

(R.A. Philippi, 1848)

Japan, Mikawa bay  
53 mm



**synonyms:**

- *Natica incisa* R.A. Philippi, 1852
- *Natica problematica* L.A. Reeve, 1855

- *Natica incisa* R.A. Philippi, 1852
- *Natica vesicalis* R.A. Philippi, 1849


SubFamily: POLINICINAE - Genus: **Hypteria** W.P. Woodring, 1957 (1 SP, 1 IMG)



166000075  
**Hypteria  
helicoides**

(J.E. Gray, 1825)

Mexico, Manzanillo  
51 mm



**synonyms:**



- *Natica bonplandi* A. Valenciennes, 1832
- *Polinices helicoides* J.E. Gray, 1825
- *Natica patula* G.B. Sowerby, 1841

- *Natica glauca* R.P. Lesson, 1830
- *Natica helicoides* J.E. Gray, 1825



1661900280  
**Kerguelenatica  
delicatula**

(E.A. Smith, 1902)  
Falkland Islands  
10,3 mm




**synonyms:**

- *Kerguelenatica biopercula* R.K. Dell, 1990
- *Natica delicatula* E.A. Smith, 1902
- *Natica grisea* E.C. Von Martens, 1878
- *Falsilunatia delicatula* E.A. Smith, 1902



1660600005  
**Laguncula  
pulchella**

W.H. Benson, 1842  
Korea  
66 mm




**synonyms:**

- *Natica fortunei* L.A. Reeve, 1855
- *Euspira fortunei* L.A. Reeve, 1855
- *Natica gilva* R.A. Philippi, 1851
- *Lunatia gilva* R.A. Philippi, 1851
- *Natica tenuis* R.A. Philippi, 1852



5184000876  
**Mammilla  
arepa**

B.M. Landau & F. Da Silva, 2010 †  
**(FOSSIL)**  
Venezuela, Nueva Esparta



8032000228  
**Mammilla  
bernardii**


(C.A. Récluz, 1851)

No Georeferenced data available



1661901370  
**Mammilla  
caprae**

R.A. Philippi, 1850  
China, Zhejiang  
26 mm




**synonyms:**

- *Polinices caprae* R.A. Philippi, 1852



1660250000  
**Mammilla  
fibrosa**

(J.E. Gray, 1850)  
Philippines, Negros Island  
31 mm





**synonyms:**

- *Polinices fibrosa* L.F.A. Souleyet, 1852
- *Natica fibrosa* L.F.A. Souleyet, 1852
- *Natica filosa* L.A. Reeve, 1855
- *Natica fibrosa* J.E. Gray, 1850



1661900770  
**Mammilla  
kurodai**

(Is. Taki, 1944)  
South China Sea  
35 mm





**synonyms:**

- *Polinices kurodai* Is. Taki, 1944
- *Natica macrostoma* R.A. Philippi, 1852
- *Natica oblongus* M. Yokoyama, 1922



1660250005  
**Mammilla  
mammata**  
(P.F. Röding, 1798)  
China, Zhejiang  
33 mm





**synonyms:**

- *Mammilla fasciata* H.C.F. Schumacher, 1817



1660250010  
**Mammilla  
maura**  
(J.B.P.A. Lamarck, 1816)  
Philippines, Olongo Island  
43 mm



**synonyms:**

- *Polinices maurus* J.B.P.A. Lamarck, 1816



1660000120  
**Mammilla  
melanostoma**  
(J.F. Gmelin, 1791)  
Taiwan  
50,3 mm





**synonyms:**

- *Natica melanochila* R.A. Philippi, 1852
- *Natica melanostoma* J.F. Gmelin, 1791
- *Polinices melanostomus* J.F. Gmelin, 1791
- *Polinices opacus* C.A. Récluz, 1851
- *Natica succineoides* L.A. Reeve, 1855
- *Polinices zonata* R.A. Philippi, 1852



1660250015  
**Mammilla  
melanostomoides**  
(J.R.C. Quoy,  
& J.P. Gaimard, 1832)  
Philippines, Cebu  
22,6 mm



**synonyms:**

- *Natica bicincta* C.A. Récluz, 1850
- *Natica melanostoma maculata* R.A. Philippi, 1852
- *Natica melanostoma subpicta* R.A. Philippi, 1852



- *Natica melanostoma subfasciata* R.A. Philippi, 1852
- *Natica melanostomoides* J.R.C. Quoy & J.P. Gaimard, 1832



1661901490  
**Mammilla  
mikawaensis**  
M. Azuma, 1961  
Taiwan Strait  
39 mm



1660250020  
**Mammilla  
priamus**  
(C.A. Récluz, 1844)  
Philippines, Cebu  
22 mm




**synonyms:**

- *Polinices priamus* C.A. Récluz, 1844



1660250025  
**Mammilla  
sebae**  
(C.A. Récluz, 1844)  
Mozambique, Nacala Bay  
41 mm



**synonyms:**

- *Polinices sebae* C.A. Récluz, 1844
- *Natica zanzibarica* C.A. Récluz, 1844

- *Polinices zanzibarica* C.A. Récluz, 1844



1660250030  
**Mammilla  
simiae**  
(G.P. Deshayes, 1838)  
Taiwan  
28 mm




**synonyms:**

- *Mammilla plumatilis* T. Iredale, 1936
- *Natica samarensis* C.A. Récluz, 1844
- *Mammilla sigaretina* K.T. Menke, 1828
- *Natica simiae* G.P. Deshayes, 1838
- *Mammilla propesimiae* T. Iredale, 1929
- *Natica sigaretina* K.T. Menke, 1828
- *Polinices simiae* G.P. Deshayes, 1838



1661901620  
**Mammilla**  
**syphetedes**

R.N. Kiburn, 1976  
South China Sea  
41 mm





SubFamily: POLINICINAE - **Genus: Neverita** A. Riso, 1826 (syn: *Mammillaria* - 29 SP, 22 IMG)





8032000256  
**Neverita**  
**antiqua**

(F. Sacco, 1890 †)  
**(FOSSIL)**  
Italy, Alessandria  
17,2 mm




5184000886  
**Neverita**  
**asagaiensis**

J. Makiyama, 1934 †  
**(FOSSIL)**  
Japan, Hokkaido, Kushiro City



1661902060  
**Neverita**  
**aulacoglossa**

(H.A. Pilsbry,  
& E.G. Vanatta, 1909)  
New Zealand, South Island



**synonyms:**

- *Uberella alacris* R.K. Dell, 1956
- *Polinices aulacoglossa* H.A. Pilsbry & E.G. Vanatta, 1909
- *Natica chemnitzii* L.A. Reeve, 1855





5184000887  
**Neverita**  
**calvimontana**

G.P. Deshayes, 1864 †  
**(FOSSIL)**  
France, Picardie  
23 mm




5184000889  
**Neverita**  
**chipolana**

W.H. Dall, 1892 †  
**(FOSSIL)**  
Florida  
34 mm



5184000002  
**Neverita**  
**delessertiana**

(C.A. Récluz, 1843)  
USA, Texas  
33 mm


**synonyms:**

- *Neverita delessertiana patriceae* E.J. Petuch & R.F. Myers, 2014
- *Natica texaniana* R.A. Philippi, 1849
- *Natica fossata* A.A. Gould, 1847




6298000076  
**Neverita**  
**densata**

T.A. Conrad, 1867 †  
**(FOSSIL)**  
Florida  
49 mm





1660000055  
**Neverita**  
**didyma**  
(P.F. Röding, 1798)  
South Africa, Natal  
45 mm





**synonyms:**

- Natica chemnitzi C.A. Récluz in J.C. Chenu, 1843
- Glossaulax didyma P.F. Röding, 1798
- Natica didyma P.F. Röding, 1798
- Glossaulax glauca J.B.P.A. Lamark, 1822
- Natica lamarckii C.A. Récluz in J.C. Chenu, 1843

- Polinices didyma P.F. Röding, 1798
- Albula didyma P.F. Röding, 1798
- Natica lamarckiana C.A. Récluz in L.A. Reeve, 1855
- Natica papyracea G. von dem Busch in R.A. Philippi, 1845



1661902240  
**Neverita**  
**didyma**  
**ampla**  
(R.A. Philippi, 1849)  
Mabysia  
38 mm



**synonyms:**

- Glossaulax didyma ampla (R.A. Philippi, 1849)
- Neverita robusta R.W. Dunker, 1860

- Neverita didyma ampla R.A. Philippi, 1848



5184000879  
**Neverita**  
**didyma**  
**coticazae**  
J. Makiyama, 1926


No Georeferenced data available

**synonyms:**

- Neverita kirkianana Yokoyama, 1931



1661902250  
**Neverita**  
**didyma**  
**hayashii**  
(M. Azuma, 1961)  
Japan




**synonyms:**

- Glossaulax didyma hayashii (M. Azuma, 1961)

- Neverita didyma hayashii M. Azuma, 1961



1661902260  
**Neverita**  
**didyma**  
**hosoyai**  
(T. Kira, 1959)  
Japan



1660000065  
**Neverita**  
**duplicatus**  
(T. Say, 1822)  
Florida, Marco Island  
42 mm




**synonyms:**

- Natica campechiensis L.A. Reeve, 1855
- Natica listeri R.A. Philippi, 1850



- Natica campechiensis C.A. Récluz in J.C. Chenu, 1843



6298000077  
**Neverita**  
**emmonsii**  
T.A. Conrad, 1858 †  
**(FOSSIL)**  
Florida  
33 mm




5184000890  
**Neverita**  
**eocenica**  
T. Nagao, 1928 †  
**(FOSSIL)**  
Japan, Oshima Island





629800078  
**Neverita floridana**  
(H.I. Tucker,  
& R.B. Wilson, 1933 †)  
**(FOSSIL)**  
Florida  
61 mm



Fossil  
only

5184000885  
**Neverita globosa**  
W.M. Gabb, 1869 †  
**(FOSSIL)**  
USA, California, Contra Costa




Fossil  
only

5184000891  
**Neverita jamesae**  
Moore, 1963 †  
**(FOSSIL)**  
USA, Washington, Clallam



1660000095  
**Neverita josephina**  
(A. Risso, 1826)  
Italy, Viareggio  
33 mm



**synonyms:**

- Polinices aegyptica P.M. Pillary, 1913
- Neverita josephina A. Risso, 1826
- Natica josephina aegyptiaca P.M. Pillary, 1912
- Natica ola P.M.T. de Serres, 1829
- Natica philippiana C.A. Récluz in J.C. Chenu, 1843

- Natica josephina A. Risso, 1826
- Natica josephina caelata M.E.J. Bucquoy, P. Dautzenberg & G.F. Dolfus, 1883
- Natica philippiana L.A. Reeve, 1855


Fossil  
only

5184000892  
**Neverita kaitbeyensis**  
Abbas, 1967 †  
**(FOSSIL)**

No Georeferenced data available



1660600050  
**Neverita lewisi**  
(A.A. Gould, 1847)  
Washington  
89 mm




**synonyms:**

- Polinices lewisi A.A. Gould, 1847
- Natica lewisi A.A. Gould, 1847

- Lunatia lewisi A.A. Gould, 1847




5184000893  
**Neverita limula**  
T.A. Conrad, 1833 †  
**(FOSSIL)**  
Australia, Victoria  
16 mm





**synonyms:**

- Neverita gibbosa Lea, 1833 †



8032000257  
**Neverita maga**  
(A. De Gregorio, 1880 †)  
**(FOSSIL)**  
Italy, Vicenza  
22,8 mm







5184000894  
**Neverita**  
**nereidis**  
C.J. Maury, 1917 †  
**(FOSSIL)**  
Costa Rica, Cedar Creek




5184000895  
**Neverita**  
**olla**  
M. de Serres, 1829 †  
**(FOSSIL)**  
Spain, Bonares  
24 mm




6298000057  
**Neverita**  
**olla**  
**subglaucoinoides**  
A.V.M.D. D'Orbigny, 1852 †  
**(FOSSIL)**  
France, Aquitaine  
18 mm



5184000896  
**Neverita**  
**pabloensis**  
Clark, 1915 †  
**(FOSSIL)**  
Ecuador, Esmeraldas, Muisne



5184000897  
**Neverita**  
**paraguanensis**  
F. Hodson, 1927 †  
**(FOSSIL)**  
Venezuela, Paraguaña Peninsula  
36 mm



8032000067  
**Neverita**  
**pontis**  
(J. Marwick, 1924 †)  
**(FOSSIL)**

No Georeferenced data available



1660000175  
**Neverita**  
**reclusiana**  
(G.P. Deshayes, 1839)  
USA, California  
61 mm



**synonyms:**

- Polinices altus R. Arnold, 1903
- Natica reclusiana G.P. Deshayes, 1839
- Polinices reclusianus G.P. Deshayes, 1839
- Polinices reclusianus alta R. Arnold, 1903

- Neverita reclusiana imperforata W.H. Dall, 1909
- Polinices reclusianus G.P. Deshayes, 1839
- Neverita secta W.M. Gabb, 1864




5184000898  
**Neverita**  
**samanensis**  
A.A. Olsson, 1928 †  
**(FOSSIL)**  
Peru, Piura, Sulana





6298000079  
**Neverita**  
**semiclausa**  
G.P. Deshayes, 1864 †  
**(FOSSIL)**  
France, Paris Basin  
8 mm





5184000899  
**Neverita**  
**semiglobosa**  
J.P.S. Gratecup, 1847 †  
**(FOSSIL)**  
France, Aquitaine, Gironde  
22 mm



Fossil  
only


5184000900  
**Neverita**  
**subreclusiana**  
A.A. Olsson, 1931 †  
**(FOSSIL)**  
Peru, Chira Valley



SubFamily: POLINICINAE - Genus: **Pliconacca** Cossmann & Martin, 1914 † (8 SP, 2 IMG)

Fossil  
only

5184000901  
**Pliconacca**  
**atricapilla**  
(Martin, 1884 †)  
**(FOSSIL)**  
Indonesia, Jawa Tengah,  
Kota Semarang



**synonyms:**

- Euspira plicospira Kuroda, 1961 †

Fossil  
only

8032000068  
**Pliconacca**  
**cicatricella**  
(J. Marwick, 1965 †)  
**(FOSSIL)**

No Georeferenced data available


Fossil  
only

8032000069  
**Pliconacca**  
**cicatrix**  
(J. Marwick, 1931 †)  
**(FOSSIL)**



No Georeferenced data available

Fossil  
only

5184000902  
**Pliconacca**  
**nomii**  
T. Nagao, 1928 †  
**(FOSSIL)**  
Ajiro, Ehime, Japan



8032000259  
**Pliconacca**  
**plicatulaeformis**  
(E.A.L. Kittl, 1887 †)  
**(FOSSIL)**  
Czech Republic  
17 mm



**synonyms:**

- Natica catena ampullinoides F. Sacco, 1890 †



Fossil  
only

8032000070  
**Pliconacca**  
**scalpta**  
(J. Marwick, 1924 †)  
**(FOSSIL)**

No Georeferenced data available




8032000033  
**Pliconacca**  
**tortonensis**  
E. Robba, Pedriali,  
& E. Quaggiotto, 2016 †  
**(FOSSIL)**  
Italy, Piemonte



**Fossil  
only**


5184000903  
**Pliconacca**  
**trisulcata**  
Martin, 1914 †  
(FOSSIL)  
Indonesia, Yogyakarta



SubFamily: POLINICINAE - **Genus: Polinices** P.D. Montfort, 1810 (syn: Albula, Mamma, Naticella, Polinices, Polynices, UberHumphrey, Mamillaria, Daltesta - 107 SP, 62 IMG)





1660000005  
**Polinices**  
**albumen**  
(C. Linnaeus, 1758)  
Taiwan  
56 mm



**Fossil  
only**

5184000909  
**Polinices**  
**albus**  
Monfort, 1810 †  
(FOSSIL)  
Philippines, Bulacan



**no  
IMAGES  
available**

1661901350  
**Polinices**  
**alveatus**  
(F.H. Troschel, 1852)  
Peru



1661901570  
**Polinices**  
**amiculatus**  
(R.A. Philippi, 1849)  
Ecuador  
28,5 mm





**synonyms:**

- Natica ravidia L.F.A. Souleyet, 1852

- Polinices ravidus L.F.A. Souleyet, 1852




1660000015  
**Polinices**  
**aurantius**  
J.B.P.A. Lamarck, 1822  
Philippines, Olongo Island  
35 mm




**synonyms:**

- Natica aurantia P.F. Röding, 1798
- Natica straminea C.A. Récluz, 1844


- Natica mellosa C. Hedley, 1924
- Natica sulphurea C.A. Récluz, 1844



1661901360  
**Polinices**  
**ayresi**  
C.J. Gabriel, 1962  
Tasmania



1660000025  
**Polinices**  
**bifasciatus**  
(Gray in E. Griffith,  
& E. Pidgeon, 1833)  
California, Point Conception  
37 mm




**Fossil  
only**

5184000910  
**Polinices**  
**blaesus**  
J. Marwick, 1929 †  
(FOSSIL)


No Georeferenced data available



1660000030  
**Polinices**  
**blaiensis**  
R.N. Kilburn, 1976  
South Africa, Agulhas Bank  
13,7 mm



1660000035  
**Polinices**  
**candidissimus**  
(E.J. Le Guillou, 1842)  
Philippines, Aliguay Island  
22,8 mm




**synonyms:**


- Natica phytelephas L.A. Reeve, 1855





6298000081  
**Polinices**  
**caroliniana**  
(T.A. Conrad, 1841 †)  
**(FOSSIL)**  
Florida  
36 mm



1661901380  
**Polinices**  
**catenoides**  
W.L. May, 1919  
Tasmania



5184000911  
**Polinices**  
**cerovaensis**  
M. Harzhauser & al., 2011 †  
**(FOSSIL)**  
Slovakia, Trnavské Č. /  
2



8032000076  
**Polinices**  
**chattonensis**  
(J. Marwick, 1924 †)  
**(FOSSIL)**

No Georeferenced data available




1660000040  
**Polinices**  
**citrinus**  
(R.A. Philippi, 1851)  
Philippines, Palawan Island  
44,3 mm




**synonyms:**

- Über labyrinthum C. Hedley, 1924
- Polinices labyrinthum C. Hedley, 1924



- Natica mitrei J.B. Hombron & C.H. Jacquinot, 1853



1661902210  
**Polinices**  
**cleistopsila**  
K.H. Barnard, 1963  
South Africa



5184000912  
**Polinices**  
**coensis**  
W.C. Mansfield, 1930 †  
**(FOSSIL)**  
Florida






629800003  
**Polinices**  
**coensis**

(W.H. Dall, 1903 †)  
**(FOSSIL)**

Florida, Leon County



**synonyms:**

- *Dalitesta coensis* W.H. Dall, 1903 †

**Fossil  
only**

5184000591  
**Polinices**  
**consimilis**

H.F.A. von Ihering, 1907 †  
**(FOSSIL)**

Argentina, Chubut, Biedma



5184000047  
**Polinices**  
**constanti**

Huelsken & R. Holmann, 2012

Galápagos



**synonyms:**



- *Polinices dubius* C.A. Récluz, 1844



1661901390  
**Polinices**  
**cora**

(A.V.M.D. D'Orbigny, 1840)

Galápagos





1660000050  
**Polinices**  
**cumingianus**

(C.A. Récluz, 1844)

Philippines, Samar Island

62 mm




6298000084  
**Polinices**  
**cunninghamensis**

(G.F. Harris, 1897 †)

**(FOSSIL)**

West Australia, Northampton

41 mm





6298000085  
**Polinices**  
**demicryptus**

Gardner, 1947 †

**(FOSSIL)**

Florida



13 mm



1661901410  
**Polinices**  
**effusus**

W.J. Swainson, 1821

Japan




5184000915  
**Polinices**  
**eminulus**

T.A. Conrad, 1833 †

**(FOSSIL)**

Texas, Bastrop County

13 mm



**synonyms:**



- *Euspira parva* Lea, 1833 †



6298000086  
**Polinices**  
**eucallosus**

Gardner, 1947 †  
**(FOSSIL)**


Florida  
14 mm



8032000203  
**Polinices**  
**famula**

(R.A. Philippi, 1887 †)  
**(FOSSIL)**


Chile, Navidad Formation  
14 mm



1660000070  
**Polinices**  
**flemingianus**

C.A. Récluz, 1844

Philippines, Palawan Island  
32 mm



**synonyms:**

- *Polinices flamingianus* C.A. Récluz, 1844
- *Natica galactites* R.A. Philippi, 1851
- *Natica virginaea* R.A. Philippi, 1852

- *Natica vestalis* R.A. Philippi, 1851



5184000050  
**Polinices**  
**galapagosis**

(C.A. Récluz, 1844)


Galápagos



5184000905  
**Polinices**  
**gesteri**

R.E. Dickerson, 1916 †  
**(FOSSIL)**

USA, California, Contra Costa



5184000053  
**Polinices**  
**grunerianus**

(R.A. Philippi, 1852)


No Georeferenced data available



1661901450  
**Polinices**  
**hacketti**

L.N. Marincovich, 1975

Galápagos



1660000080  
**Polinices**  
**hepaticus**

(P.F. Röding, 1798)

Brazil, Pernambuco  
39 mm



**synonyms:**

- *Natica bahiensis* C.A. Récluz, 1850
- *Polinices bahiensis* C.A. Récluz, 1850
- *Natica brunnea* J.H.F. Link, 1807
- *Polinices fuscata* C.A. Récluz, 1850


- *Polinices brunnea* J.H.F. Link, 1807
- *Natica brunnea* J.H.F. Link, 1807
- *Polinices subclausa* Sowerby, 1850



5184000906  
**Polinices**  
**hornii**

W.M. Gabb, 1864 †  
**(FOSSIL)**

USA, California, Contra Costa






6298000087  
***Polinices***  
***huttoni***


H.F.A. von Ihering, 1907 †  
**(FOSSIL)**

New Zealand, South Island  
45 mm




**synonyms:**

- *Natica gibbosa* F.W. Hutton, 1885 †



1660600035  
***Polinices***  
***immaculatus***

(J.G. Totten, 1835)  
USA, Maine





**synonyms:**

- *Natica immaculata* J.G. Totten, 1835



1661901460  
***Polinices***  
***intemeratus***

R.A. Philippi, 1851  
Costa Rica, Cocos Island  
23 mm



**synonyms:**

- *Natica alabaster* L.A. Reeve, 1855
- *Polinices rapulum* L.A. Reeve, 1855

- *Natica rapulum* L.A. Reeve, 1855
- *Natica rapulum* L.A. Reeve, 1855

Fossil  
only

5184000917  
***Polinices***  
***intermeratus***

R.A. Philippi, 1851 †  
**(FOSSIL)**

No Georeferenced data available

Fossil  
only

8032000077  
***Polinices***  
***intracrassus***


Finlay, 1924 †  
**(FOSSIL)**

No Georeferenced data available

Fossil  
only


5184000940  
***Polinices***  
***jorgensis***

H.F.A. von Ihering, 1907 †  
**(FOSSIL)**  
Argentina





6298000088  
***Polinices***  
***judsoni***

(C.J. Maury, 1910 †)  
**(FOSSIL)**  
Florida  
17 mm



5873000067  
***Polinices***  
***jukesii***

(L.A. Reeve, 1855)  
Australia, Lizard Island



Fossil  
only

8032000161  
***Polinices***  
***jungi***


B.M. Landau, F. Da Silva,  
& S.M. Heitz, 2016 †  
**(FOSSIL)**  
Venezuela



## Fossil only


5184000918  
**Polinices kummeli**

N.F. Sohl, 1960 †  
**(FOSSIL)**  
USA, Alabama, Pike



1660000100  
**Polinices lacteus**

L. Guldin, 1834  
Canary Islands  
35 mm



**synonyms:**

- Natica candidissima C.A. Récluz, 1851
- Natica ochrostoma C.A. Récluz, 1850
- Polinices porcellanus A.V.M.D. D'Orbigny, 1839
- Polinices rodatzi M.M. Schepman, 1901
- Natica sanctivincentii S.T. Brooks, 1933

- Natica caribaea R.A. Philippi, 1851
- Natica pfeifferi R.A. Philippi, 1851
- Natica puella R.A. Philippi, 1852
- Polinices rodatzi R.A. Philippi, 1852
- Natica sanctivincentii S.T. Brooks, 1933

## Fossil only

5184000919  
**Polinices lavelana**

F. Hodson, 1927 †  
**(FOSSIL)**  
Ecuador, Esmeraldas, Eloy Alfaro



## Fossil only

8032000078  
**Polinices laxus**

(Finlay, 1926 †)  
**(FOSSIL)**

No Georeferenced data available



1660000105  
**Polinices leptaleus**

(R.B. Watson, 1881)  
Mexico, Yucatan  
14,5 mm



1661901480  
**Polinices limi**

H.A. Pilsbry, 1931  
Costa Rica  
19,7 mm



**synonyms:**

- Polinices rapulum limi H.A. Pilsbry, 1931

## Fossil only

5184000920  
**Polinices lobatus**

J. Marwick, 1924 †  
**(FOSSIL)**

No Georeferenced data available



8032000079  
**Polinices mackayi**


J. Marwick, 1931 †  
**(FOSSIL)**

No Georeferenced data available



1660000110  
**Polinices mammilla**

(C. Linnaeus, 1758)  
Philippines, Masbate Island  
30 mm




**synonyms:**

- *Natica albula* C.A. Récluz, 1851
- *Polinices albus* P.D. Montfort, 1810
- *Natica intermedia* C.A. Récluz, 1843
- *Natica mammilla* C. Linnaeus, 1758
- *Natica pyriformis* C.A. Récluz, 1844
- *Natica tumida* C.A. Récluz, 1840



1660000115  
***Polinices***  
***mammilla***  
***ponderosa***  
R.A. Philippi, 1849

South Africa  
35,5 mm


**synonyms:**

- *Natica ponderosa* R.A. Philippi, 1849



1661903253  
***Polinices***  
***mammilla***  
***pyriformis***  
C.A. Récluz, 1844

Philippines  
26 mm

**synonyms:**

- *Polinices pyriformis* C.A. Récluz, 1844




8032000205  
***Polinices***  
***medinae***  
(R.A. Philippi, 1887 †)  
**(FOSSIL)**

Chile, Navidad Formation  
10 mm




1660004035  
***Polinices***  
***mediopacificus***

S. Kosuge, 1979  
Philippines, Mactan Island  
15,4 mm





1661902360  
***Polinices***  
***melloso***

(C. Hedley, 1924)  
Japan, Kochi  
25 mm




7234000041  
***Polinices***  
***mina***  
Griffin & G. Pastorino, 2013 †  
**(FOSSIL)**

Patagonia





629800091  
***Polinices***  
***mucronatus***

J. Marwick, 1931 †  
**(FOSSIL)**  
New Zealand, North Island  
32 mm




629800092  
***Polinices***  
***nelsoni***

A.A. Olson, 1932 †  
**(FOSSIL)**  
Venezuela, Paraguana Peninsula  
19 mm





6298000093  
**Polinices**  
**obstrictus**  
(J. Marwick, 1924 †)  
**(FOSSIL)**  
New Zealand, South Island  
28 mm




Fossil  
only

8032000080  
**Polinices**  
**oneroensis**  
Powell & J.A. Bartram, 1929 †  
**(FOSSIL)**

No Georeferenced data available




8032000153  
**Polinices**  
**onustus**  
(R.P. Whitfield, 1865 †)  
**(FOSSIL)**  
Texas, Bastrop County  
14,6 mm



Fossil  
only

5184000941  
**Polinices**  
**ortmanni**  
H.F.A. von Ihering, 1907 †  
**(FOSSIL)**  
Argentina, Chubut, Biedma




Fossil  
only

8032000081  
**Polinices**  
**otaiensis**  
J. Marwick, 1960 †  
**(FOSSIL)**

No Georeferenced data available




1660000145  
**Polinices**  
**otis**  
W.J. Broderip & Sowerby, 1829  
Panama  
42 mm




**synonyms:**

- Natica galapagosa C.A. Récluz, 1844
- Natica salangonis C.A. Récluz, 1844
- Mammilla subfuscata W.H. Dall, 1919
- Polinices unimaculatus L.A. Reeve, 1855



- Natica otis W.J. Broderip & G.B. Sowerby, 1829
- Ruma subfuscata W.H. Dall, 1919
- Natica unimaculata L.A. Reeve, 1855




8032000204  
**Polinices**  
**ovoidea**  
(R.A. Philippi, 1887 †)  
**(FOSSIL)**  
Chile, Navidad Formation  
28 mm



1661903212  
**Polinices**  
**paciæ**  
L. Bozzetti, 1997  
Somalia  
25 mm



1660000150  
**Polinices**  
**panamaensis**  
C.A. Récluz, 1844  
Ecuador  
60 mm




**synonyms:**


- Polinices panamensis C.A. Récluz, 1844



1661903242  
**Polinices**  
**parvulus**  
L. Bozzetti, 2010  
Madagascar, Tolagnaro  
13,8 mm



1661900900  
**Polinices**  
**perspicuus**  
(C.A. Récluz, 1850)  
Philippines, Mactan Island  
62,3 mm



1660000155  
**Polinices**  
**peselephantii**  
(J.H.F. Link, 1807)  
Taiwan  
61 mm




**synonyms:**

- *Polinices alba* J.E. Gray, 1827
- *Natica columnaris* C.A. Récluz, 1850
- *Natica funiculata* C.A. Récluz, 1850
- *Natica peselephantii* J.H.F. Link, 1807
- *Natica clavata* G.B. II Sowerby, 1883
- *Polinices columnaris* C.A. Récluz, 1844
- *Neverita peselephantii* J.H.F. Link, 1807



5184000907  
**Polinices**  
**pijiguaicensis**  
Clark & J.W. Durham, 1946 †  
(FOSSIL)  
Colombia, Bolívar



5184000923  
**Polinices**  
**porcana**  
E.M. Spieler, 1922 †  
(FOSSIL)  
Peru, Payta



1660000165  
**Polinices**  
**powisianus**  
C.A. Récluz, 1844  
Philippines, Palawan Island  
48 mm




**synonyms:**

- *Natica draparnaudi* C.A. Récluz, 1851



5184000925  
**Polinices**  
**prolactea**  
Anderson, 1929 †  
(FOSSIL)  
Colombia, Tuberá Mtn




8032000082  
**Polinices**  
**propeovatus**  
(J. Marwick, 1924 †)  
(FOSSIL)

No Georeferenced data available







6298000063  
**Polinices**  
**proredemptus**  
(F. Sacco, 1891 †)  
(FOSSIL)  
Italy, Torino  
45 mm




**synonyms:**

- *Natica proredempta scalariformis* F. Sacco, 1891 †
- *Natica proredempta tauromamilla* F. Sacco, 1891 †



- *Natica proredempta subnaticoides* F. Sacco, 1891 †
- *Natica staszici* Friedberg †

6298000094  
**Polinices**  
**protractus**(K.E.I. von Eichwald, 1853 †)  
**(FOSSIL)**Poland  
22 mm5184000926  
**Polinices**  
**pseudoredemptus**Friedberg, 1923 †  
**(FOSSIL)**Poland  
14 mm1660000170  
**Polinices**  
**psilus**

(R.B. Watson, 1886)



South Africa, Agulhas Bank  
17,6 mm8032000168  
**Polinices**  
**puntarenasensis**H.F.A. von Ihering, 1907 †  
**(FOSSIL)**

Chile, Punta Arenas



1660004020  
**Polinices**  
**putalis**

T.A. Garrard, 1961

Australia, Port Hedland

5184000927  
**Polinices**  
**redemptus**(O.G. Micheliotti, 1847 †)  
**(FOSSIL)**



Italy, Piemonte

8032000142  
**Polinices**  
**redemptus**



dertoconvexus

(F. Sacco, 1891 †)  
**(FOSSIL)**

Turkey, Karaman



5184000928  
**Polinices**  
**repennigi**Marinovich Jr., 1993 †  
**(FOSSIL)**

Alaska, North Slope County

6298000095  
**Polinices**  
**robustus**Gardner, 1947 †  
**(FOSSIL)**

Florida

25 mm






1660004025  
**Polinices**

**rufomarginata**

J.T. Kuroda

Okinawa

18 mm



5184000054  
**Polinices**

**sagamiensis**

H.A. Pilsby, 1904

South China Sea



5184000942  
**Polinices**

**santacruzensis**

H.F.A. von Ihering, 1907 †

(FOSSIL)

Argentina, Santa Cruz, Deseado



7234000042  
**Polinices**

**saulae**

Perrillat, 2013 †

(FOSSIL)

◆ Mexico

No Georeferenced data available





5184000931  
**Polinices**

**sookensis**

Clark & R. Arnold, 1923 †

(FOSSIL)

Canada, British Columbia



5184000933  
**Polinices**


**stanislasmeynieri**

C.J. Maury, 1917 †

(FOSSIL)

Panama, Colón

33 mm



- Natica coronis G.D. Hanna & Israelsky, 1925 †
- Polinices springvalensis C.J. Maury, 1925 †




1661901610  
**Polinices**

**stramineus**

(P.F. Röding, 1798)

Japan

27 mm




8032000147  
**Polinices**

**submamilla**

(F. Sacco, 1891 †

(FOSSIL)

Italy, Torino



- Natica submamilla d'Orbigny †





5184000934  
**Polinices**

**subtenuis**

H.F.A. von Ihering, 1907 †

(FOSSIL)

Antarctica, King George Island



**no  
IMAGES  
available**

1661901630  
***Polinices  
tawhitirahia***

A.W.B. Powell, 1965  
New Zealand



1660000205  
***Polinices  
über***

(A. Valenciennes, 1832)  
Panama, Venado Island  
35 mm



**synonyms:**



- *Natica ovum* K.T. Menke, 1850
- *Natica über* A. Valenciennes, 1832
- *Natica virginaea* C.A. Récluz, 1850

- *Natica ovum* K.T. Menke, 1850
- *Natica virginaea* C.A. Récluz, 1850



1660000210  
***Polinices  
überinus***

(A.V.M.D. D'Orbigny, 1842)  
Panama  
20 mm



**Fossil  
only**

8032000083  
***Polinices  
unisulcatus***

(J. Marwick, 1924 †)  
**(FOSSIL)**

No Georeferenced data available




1661901670  
***Polinices  
vavaosi***

(L.A. Reeve, 1855)  
Taiwan Strait  
27,1 mm



1660004030  
***Polinices  
vestitus***



J.T. Kuroda, 1961  
China, Zhejiang  
41 mm



**Fossil  
only**

5184000935  
***Polinices  
victorianus***


Clark & R. Arnold, 1923 †  
**(FOSSIL)**  
USA, Washington, Skagit



**Fossil  
only**



5184000936  
***Polinices  
waipaensis***

J. Marwick, 1924 †  
**(FOSSIL)**  
New Zealand, Waikato



6298000096  
***Polinices  
waipiensis***

(J. Marwick, 1924 †)  
**(FOSSIL)**  
New Zealand, South Island  
52 mm




## Fossil only

5184000937  
**Polinices**

**washingtonensis**

C.S. Weaver, 1916 †  
**(FOSSIL)**

USA, Oregon, Columbia




## Fossil only

5184000938  
**Polinices**

**weisbordi**

†  
**(FOSSIL)**

USA, Alabama, Choctaw



**synonyms:**

- *Polinices weisbordi* Alabama †

## Fossil only

5184000908  
**Polinices**

**woodsii**

A.A. Olson, 1928 †  
**(FOSSIL)**

Peru, Piura, Talara



5184000071  
**Polinices**

**zoologica**

(F.P. Jousseaume, 1876)

56,2 mm

No Georeferenced data available

**synonyms:**

- *Mamma zoologica* F.P. Jousseaume, 1876

SubFamily: POLINICINAE - Genus: **Poliniciella** Petuch, 1988 † (1 SP, 1 IMG)





5873000077  
**Poliniciella**

**marylandica**

E.J. Petuch, 1988 †  
**(FOSSIL)**

USA, Maryland, Saint Mary's  
20 mm



SubFamily: POLINICINAE - Genus: **Pseudopolinices** A.N. Golikov & B.I. Sirenko, 1983 (1 SP, 1 IMG)




1650400130  
**Pseudopolinices**

**nanus**

(H.P.C. Möller, 1842)

Svalbard  
17 mm



**synonyms:**

- *Neverita nana* H.P.C. Möller, 1842
- *Natica nana* H.P.C. Möller, 1842
- *Polinices nanus* H.P.C. Möller, 1842

- *Lunatia nana* H.P.C. Möller, 1842

SubFamily: POLINICINAE - Genus: **Sinuber** A. Powell, 1951 (2 SP, 2 IMG)




1661901770  
**Sinuber**

**microstriatum**

R.K. Dell, 1990

Elephant Island  
18 mm





1661901780  
**Sinuber**

**sculptum**



(E.C. Von Martens, 1878)

Falkland Islands  
6 mm



**no  
IMAGES  
available**

1661902920  
***Sinuber***  
***sculptum***  
***scotianum***  
A.W.B. Powell, 1951  
South Orkney Islands



SubFamily: POLINICINAE - **Genus: Uberella** H.J. Finlay, 1928 (9 SP, 3 IMG)

**no  
IMAGES  
available**

1661902070  
***Uberella***  
***barrierensis***  
(J. Marwick, 1924)  
New Zealand



**no  
IMAGES  
available**

1661902080  
***Uberella***  
***denticulifera***  
(J. Marwick, 1924)  
New Zealand



**Fossil  
only**

8032000103  
***Uberella***  
***keyesi***  
(J. Marwick, 1965 †)  
(FOSSIL)

No Georeferenced data available

**Fossil  
only**

8032000104  
***Uberella***  
***maesta***  
(J. Marwick, 1924 †)  
(FOSSIL)

No Georeferenced data available

**Fossil  
only**

8032000105  
***Uberella***  
***marwicki***  
Powell, 1935 †  
(FOSSIL)

No Georeferenced data available


**Fossil  
only**

8032000106  
***Uberella***  
***pseudovitrea***  
(Finlay, 1924 †)  
(FOSSIL)


No Georeferenced data available



6298000113  
***Uberella***  
***pukeuriensis***  
(J. Marwick, 1924)  
(FOSSIL)  
New Zealand, South Island  
27 mm



1660000190  
***Uberella***  
***simulans***  
(E.A. Smith, 1906)  
Mozambique Channel  
29,6 mm





1661000000  
**Uberella vitrea**  
(F.W. Hutton, 1873)  
New Zealand, South Island  
4,2 mm



**synonyms:**

- Lunatia amphiala H.H. Suter, 1909


SubFamily: SININAE - Genus: **Eunaticina** P. Fischer, 1885 (syn: Naticina, Pervisnum, Eunatica, Helconatica, Propesinum - 16 SP, 10 IMG)





5184000057  
**Eunaticina abyssalis**  
L.R.L. Simone, 2014  
Brazil, Itaúnas  
26,6 mm



1661900090  
**Eunaticina africana**  
F. Fernandes & L.P. Burnay, 1984  
Angola  
17 mm



1661903236  
**Eunaticina albosutura**  
J.C. Verco, 1909  
Australia, Yorke Peninsula  
22,5 mm



**synonyms:**

- Eunaticina albosutura J.C. Verco, 1909



Fossil  
only

8032000045  
**Eunaticina auriformis**  
(J. Marwick, 1924 †)  
(FOSSIL)

No Georeferenced data available



1661901750  
**Eunaticina emmeles**  
(J.C. Melvill, 1910)  
Réunion  
3 mm



**synonyms:**

- Gennaeosignum emmeles (J.C. Melvill, 1910)
- Teinostoma emmeles J.C. Melvill, 1910

Fossil  
only

8032000046  
**Eunaticina fornicata**  
(H.H. Suter, 1917 †)  
(FOSSIL)


No Georeferenced data available



1661900110  
**Eunaticina heimi**  
H.K. Jordan & L.G. Hertlein, 1934  
Ecuador  
8 mm



1661902300  
**Eunaticina inflata**  
(J.J. Tesch, 1920)  
China, Zhejiang  
21,4 mm



## Fossil only

1661900120  
**Eunaticina  
insculpta**


(Carpenter, 1865 †)  
**(FOSSIL)**

No Georeferenced data available



1661800000  
**Eunaticina  
kraussi**

(E.A. Smith, 1902)  
South Africa, Natal, Durban Bay  
15 mm



## no IMAGES available

5184000069  
**Eunaticina  
lamarckiana**


(C.A. Récluz, 1843)

No Georeferenced data available



1661800005  
**Eunaticina  
linneana**

(C.A. Récluz, 1843)  
South Africa, Natal  
25 mm



### synonyms:

- Sigaretus lamarckianus C.A. Récluz, 1843

- Eunaticina flindersi B.C. Cotton & F.C. Godfrey, 1931



1661903070  
**Eunaticina  
margaritaeformis**

W.H. Dall, 1924  
Hawaii



## no IMAGES available

1661901760  
**Eunaticina  
mienisi**

(R.N. Kiburn, 1988)  
Red Sea



### synonyms:

- Gennaeosinum mienisi R.N. Kiburn, 1988



5184000067  
**Eunaticina  
papilla**

(J.F. Gmelin, 1791)  
Turkey, Iskenderun



### synonyms:



- Naticaria cancellata W.J. Swainson, 1840
- Eunaticina coarctata L.A. Reeve, 1864
- Sinum papilla J.F. Gmelin, 1791
- Sinum papilla madoerensis C.O. Van Regteren Altena, 1941
- Abula tranquebarica P.F. Röding, 1798

- Eunaticina cincta F.W. Hutton, 1885
- Natica costulata J.R.C. Quoy & J.P. Gaimard, 1833
- Nerita papilla J.F. Gmelin, 1791
- Sigaretus tener E.A. Smith, 1894
- Sigaretus tumescens L.A. Reeve, 1864



1661800020  
**Eunaticina  
umbilicata**

(J.R.C. Quoy,  
& J.P. Gaimard, 1832)  
Australia, Port Macdonnell  
18 mm




### synonyms:

- Eunaticina globosa J.E. Tenison-Woods, 1876
- Natica umbilicata J.R.C. Quoy & J.P. Gaimard, 1832
- Propesinum umbilicatum minusculum T. Iredale, 1924

- Natica macrotremis A. Adams & L.A. Reeve, 1850
- Propesinum umbilicatum mimicum T. Iredale, 1924



1661900390  
**Gennaeosinum intercicum**  
(T. Iredale, 1931)  
Australia, Sydney





**synonyms:**

- *Eunaticina intercicum* T. Iredale, 1931



1661900400  
**Gennaeosinum peleum**  
(T. Iredale, 1929)  
Queensland




**synonyms:**

- *Sigatica peleum* T. Iredale, 1929




1661800015  
**Gennaeosinum perobliquum**  
(P. Dautzenberg & H. Fischer, 1906)  
South Africa, Natal, Durban Bay  
21 mm




1661901900  
**Gennaeosinum petitianus**  
(C.A. Récluz in J.C. Chenu, 1843)  
Ecuador





1661901930  
**Gennaeosinum sinuatus**  
(C.A. Récluz, 1851)  
Costa Rica, Cocos Island




6298000098  
**Sigatica abducta**  
(G.P. Deshayes, 1864 †)  
**(FOSSIL)**  
France, Paris Basin  
18 mm




1661902180  
**Sigatica bathyraphe**  
(H.A. Pilsby, 1911)  
Japan, Wakayama



5184000943  
**Sigatica boettgeri**  
Meyer & T.H. Aldrich, 1886 †  
**(FOSSIL)**  
USA, Alabama, Monroe



5873000084  
**Sigatica caractica**  
(J. Gardner, 1937 †)  
**(FOSSIL)**  
Florida






1660900000  
**Sigatica**

**carolinensis**

W.H. Dall, 1889

Florida  
16 mm



**synonyms:**

- *Sigatica semisulcata* holographa J.T.L. McGinty, 1940




**Fossil  
only**

5184000944  
**Sigatica**

**clarkeana**

T.H. Aldrich, 1887 †  
**(FOSSIL)**

USA, Alabama, Choctaw




8032000035  
**Sigatica**

**claudiae**

E. Robba, Pedriali,  
& E. Quaggiotto, 2016 †  
**(FOSSIL)**

Italy, Piemonte



1661902720  
**Sigatica**

**cubana**

J. Espinosa, J.A. Ortega,  
& R. Fernández-Garcés, 2007

Cuba




8032000036  
**Sigatica**

**eleonorae**

E. Robba, Pedriali,  
& E. Quaggiotto, 2016 †  
**(FOSSIL)**

Italy, Piemonte

23,6 mm



**Fossil  
only**

5873000085  
**Sigatica**

**euglypta**

Gardner, 1947 †  
**(FOSSIL)**

USA, Florida, Washington




6298000100  
**Sigatica**

**hantonensis**

(Pilkington, 1804 †)  
**(FOSSIL)**

France, Paris Basin

29 mm



**synonyms:**

- *Sigatica hantonensis* Pilkington, 1804 †


**Fossil  
only**

5184000945  
**Sigatica**

**harrisi**

A.A. Olson, 1928 †  
**(FOSSIL)**

Peru, Piura, Talara




6298000101  
**Sigatica**

**infundibulum**

(A. Watelet, 1853 †)  
**(FOSSIL)**



France, Paris Basin

18 mm





1661900150  
**Sigatica**  
**pomatiella**  
(J.C. Melvill, 1893)  
Arab Emirates  
8,2 mm



**Fossil  
only**

5184000946  
**Sigatica**  
**regia**  
(R.J.L. Guppy, 1873 †)  
**(FOSSIL)**  
Jamaica




**synonyms:**


- Eunaticina regia R.J.L. Guppy, 1873 †



6298000102  
**Sigatica**  
**repanda**  
(G.P. Deshayes, 1864 †)  
**(FOSSIL)**  
France, Paris Basin  
36 mm



1660900005  
**Sigatica**  
**semisulcata**  
(Gray, 1839)  
Puerto Rico  
7,4 mm




**synonyms:**

- Polinices bahamensis W.H. Dall, 1925
- Polinices bahamensis W.H. Dall, 1925

- Natica fordiana C.T. Simpson, 1887



5184000947  
**Sigatica**  
**semisulcata**  
**bathyora**  
(W.P. Woodring, 1928 )  
Florida





**synonyms:**

- Sigatica bathyora W.P. Woodring, 1928

SubFamily: SININAE - Subgenus: **Sigatica (Sigaretopsis)** A.E.M. Cossmann, 1888 † (1 SP, 0 IMG)

**Fossil  
only**

5184000721  
**Sigaretopsis**  
**amini**  
Awad & Abed, 1967 †  
**(FOSSIL)**  
Egypt, Al Wadi al Jadd,  
Al-Wahat a-Kharjajah





SubFamily: SININAE - Genus: **Sinum** P.F. Röding, 1798 (syn: Catinus, Cryptostoma, Cryptostomus, Lupia, Sigaretus, Ectosinum, Sigaretus - 76 SP, 48 IMG)

**Fossil  
only**

5184000950  
**Sinum**  
**africanum**  
R.B. Newton, 1922 †  
**(FOSSIL)**  
Nigeria, Enugu, Uzo-Uwani





5184000951  
**Sinum**  
**aquensis**  
C.A. Récluz, 1843 †  
**(FOSSIL)**  
Belgium  
25 mm





5184000953  
**Sinum  
beatrice**  
K.V.W. Palmer, 1937 †  
**(FOSSIL)**  
USA, Mississippi, Warren



1661901810  
**Sinum  
bifasciatum**  
(C.A. Récluz, 1851)  
Spain, Málaga  
32 mm




**synonyms:**

- *Sinum bifasciatum* C.A. Récluz, 1851
- *Sinum menkeanum* R.W. Dunker, 1855

- *Sigaretus philippi* H.C. Weinkauff, 1883



5184000954  
**Sinum  
bilix**  
T.A. Conrad, 1833 †  
**(FOSSIL)**  
France, Aquitaine  
32 mm




**synonyms:**

- *Sinum striatum* Lea, 1833 †



8032000037  
**Sinum  
borellense**  
E. Robba, Pedrial,  
& E. Quaggiotto, 2016 †  
**(FOSSIL)**  
Italy, Piemonte  
6 mm



**Fossil  
only**

5184000955  
**Sinum  
carolanum**  
E.M. Spieler, 1922 †  
**(FOSSIL)**  
Peru, Payta





**Fossil  
only**

5184000956  
**Sinum  
chesapeakensis**  
G.B. Campbell, 1993 †  
**(FOSSIL)**  
USA, South Carolina, Berkeley




5184000957  
**Sinum  
chipolanum**  
W.H. Dall, 1892 †  
**(FOSSIL)**  
Florida  
23 mm



5184000958  
**Sinum  
clathratum**  
(J.F. Gmelin, 1790 †)  
**(FOSSIL)**  
France, Paris Basin  
12 mm




8032000260  
**Sinum  
clathratum  
deshayesi**  
(O.G. Micheliotti, 1847 †)  
**(FOSSIL)**  
Italy, Torino






8032000139  
**Sinum**  
**clathratum**  
**levesqui** †  
(FOSSIL)  
G.P. Deshayes, 1864 †  
France, Paris Basin



1661650000  
**Sinum**  
**concavum**  
J.B.P.A. Lamarck, 1822  
Senegal, Dakar  
42 mm



8032000261  
**Sinum**  
**cryptostomoides**  
(F. Sacco, 1890 †)  
(FOSSIL)  
Italy, Torino



**synonyms:**


- *Sinum cryptostomoides colligens* F. Sacco, 1890 †



6298000103  
**Sinum**  
**cupuliforme**  
A.E.M. Cossmann, 1902 †  
(FOSSIL)  
France, Paris Basin  
20 mm



1661650005  
**Sinum**  
**cymba**  
K.T. Menke, 1828  
Chile, Caldera  
60 mm




**synonyms:**

- *Sigaretus maximus* R.A. Philippi, 1844




6298000105  
**Sinum**  
**danvilleense**  
G.F. Harris,  
& K.V.W. Palmer, 1947 †  
(FOSSIL)  
USA, Mississippi  
12 mm



1661650010  
**Sinum**  
**debile**

(Gould, 1853)  
Panama West  
17 mm




**synonyms:**


- *Sigaretus debilis* Gould, 1853
- *Sinum paizanum* W.H. Dal, 1919



5184000960  
**Sinum**  
**declive**  
T.A. Conrad, 1833 †  
(FOSSIL)  
USA, Alabama, Clarke



1661650015  
**Sinum**  
**delesserti**  
(C.A. Récluz in J.C. Chenu, 1843)  
South Africa, Natal  
37,1 mm





**Fossil  
only**

5184000948  
**Sinum  
deserti**

Awad & Abed, 1967 †  
**(FOSSIL)**

Egypt, Al Wadi al Jadd, Al-Wahat al-Kharjah




**no  
IMAGES  
available**

5184000031  
**Sinum  
diauges**

R.N. Kilburn, 1974

South Africa



5184000961  
**Sinum  
euryhedra**

W.P. Woodring, 1957 †  
**(FOSSIL)**

Panama, Colón  
11 mm



**Fossil  
only**

5184000962  
**Sinum  
excentricum**

R.J.L. Guppy, 1876 †  
**(FOSSIL)**


No Georeferenced data available



1661901830  
**Sinum  
eximium**

L.A. Reeve, 1864


Australia, Gloucester Island  
17,2 mm



8032000209  
**Sinum  
favai**

P. Lozouet, Lespert,  
& Renard, 2001 †  
**(FOSSIL)**


France, Aquitaine  
14 mm



5184000963  
**Sinum  
fragilis**

T.A. Conrad, 1830 †  
**(FOSSIL)**


USA, Maryland  
36 mm



5184000964  
**Sinum  
gabbi**

J. Brown & H.A. Plsby, 1913 †  
**(FOSSIL)**

Venezuela, Paraguana Peninsula  
17 mm




**Fossil  
only**

5184000965  
**Sinum  
gabrieliensis**

Clark & J.W. Durham, 1946 †  
**(FOSSIL)**

Colombia, Bolívar





5184000966  
**Sinum**  
**gatunense**  
F. Toula, 1909 †  
**(FOSSIL)**  
Dominican Republic  
20 mm



1661903237  
**Sinum**  
**grayi**  
G.P. Deshayes, 1843  
Baja California  
34 mm




**synonyms:**

- *Sinum cortezi* J.Q. Burch & R.L. Burch, 1964



1661650020  
**Sinum**  
**halitoidea**  
(C. Linnaeus, 1758)  
Philippines, Aliguay Island  
28 mm



**synonyms:**

- *Sinum fuscum* P.F. Röding, 1798


- *Sinum halitoideum* C. Linnaeus, 1758



5184000967  
**Sinum**  
**imperforatum**  
W.H. Dall, 1915 †  
**(FOSSIL)**  
USA, North Carolina, Onslow



1661650025  
**Sinum**  
**incisum**  
(L.A. Reeve, 1864)  
Malaysia  
35 mm



**synonyms:**


- *Sigaretus undulatus* C.E. Lischke, 1872
- *Sigaretus weberi* P. Bartsch, 1918

- *Sinum weberi* P. Bartsch, 1918



5184000968  
**Sinum**  
**ineptum**  
Yokoyama, 1924 †  
**(FOSSIL)**

No Georeferenced data available



8032000088  
**Sinum**  
**infirmum**  
J. Marwick, 1924 †  
**(FOSSIL)**



No Georeferenced data available



5184000969  
**Sinum**  
**jacksonense**  
†  
**(FOSSIL)**  
USA, Mississippi, Hinds





1661901850  
**Sinum**  
**japonicum**  
(C.E. Lischke, 1872)  
Philippines, Olongo Island  
23,3 mm





1661901860  
**Sinum**  
**javanicum**  
(J.E. Gray, 1834)  
South China Sea  
54 mm



**synonyms:**

- *Sinum insculptus* A. Adams & L.A. Reeve, 1850

**Fossil  
only**

5184000970  
**Sinum**  
**javanus**  
E. Griffith & E. Pidgeon, 1834 †  
**(FOSSIL)**

No Georeferenced data available




1661903030  
**Sinum**  
**keratum**  
W.H. Dall, 1919  
USA, California



**Fossil  
only**

5184000971  
**Sinum**  
**lacondamini**  
A.A. Olson, 1964 †  
**(FOSSIL)**  
Ecuador, Esmeraldas, Eloy Alfaro




1661650030  
**Sinum**  
**laevigatum**  
(J.B.P.A. Lamarck, 1822)  
South Africa, Natal, Durban Bay  
28,7 mm



6298000106  
**Sinum**  
**levesquei**  
Author unknown †  
**(FOSSIL)**  
France, Aquitaine  
12 mm



1661650035  
**Sinum**  
**maculatum**  
T. Say, 1831  
Brazil, Guarapari  
29 mm



**synonyms:**

- *Sinum junior* C.A. Récluz, 1851


**Fossil  
only**

8032000089  
**Sinum**  
**marwicki**  
C.R. Laws, 1930 †  
**(FOSSIL)**

No Georeferenced data available





5873000072  
**Sinum**  
**mexicanus**  
Bose, 1906 †  
**(FOSSIL)**  
Mexico, Veracruz,  
Ixhuatlán del Sureste



## Fossil only

5873000068  
**Sinum**  
**microstria**

R. Tate, 1893 †  
**(FOSSIL)**  
Australia, Victoria,  
Surf Coast - East



1661903040  
**Sinum**  
**minus**

(W.H. Dall, 1889)  
Ecuador  
8,5 mm





**synonyms:**

- *Sinum minor* W.H. Dall, 1889

## Fossil only

5184000949  
**Sinum**  
**nagibi**

Abbass, 1967 †  
**(FOSSIL)**  
Egypt, Mokattam



## Fossil only

5184000972  
**Sinum**  
**naticoidalis**

E.H. Vokes, 1938 †  
**(FOSSIL)**  
Trinidad and Tobago



1661654000  
**Sinum**  
**neritoideum**

(C. Linnaeus, 1758)  
India, Tunicorin  
23 mm



**synonyms:**

- *Sigaretus latifasciatus* A. Adams & L.A. Reeve, 1850
- *Sigaretus parvus* E.A. Smith, 1895

## Fossil only


5184000973  
**Sinum**  
**nolani**

C.J. Maury, 1917 †  
**(FOSSIL)**  
Dominican Republic



1661901880  
**Sinum**  
**noyesii**

W.H. Dall, 1903  
Ecuador  
32 mm



## Fossil only


5184000974  
**Sinum**  
**obliquum**

W.M. Gabb, 1864 †  
**(FOSSIL)**  
Oregon, Tillamook Bay




8032000150  
**Sinum**  
**oligopolitum**

(F. Sacco, 1890 †)  
**(FOSSIL)**  
Italy, Emilia-Romagna, Modena







5184000975  
**Sinum pacificum**  
Rivera, 1957 †  
(FOSSIL)  
Peru, Ica



8032000151  
**Sinum patulum**  
(J.P.S. Gratebup, 1847 †)  
(FOSSIL)  
Italy, Piemonte




**synonyms:**

- *Sigaretus aquensis longotriangula* F. Sacco, 1891 †
- *Sigaretus aquensis praecedens* F. Sacco, 1891 †
- *Sigaretus halotideus* J.P.S. Gratebup, 1847 †
- *Sigaretus subcanaliculatus* d'Orbigny, 1852 †



- *Sigaretus aquensis taurinensis* F. Sacco, 1891 †
- *Sigaretus halotideus patula* J.P.S. Gratebup, 1847 †



8032000038  
**Sinum pavai**  
E. Robba, Pedriali,  
& E. Quaggiotto, 2016 †  
(FOSSIL)  
Italy, Piemonte  
9,3 mm



8032000152  
**Sinum perinflata**  
(F. Sacco, 1890 †)  
(FOSSIL)  
Italy, Piemonte



**synonyms:**

- *Sigaretus aquensis perinflata* F. Sacco, 1890 †



5873000070  
**Sinum perovato**  
T.A. Conrad, 1866 †  
(FOSSIL)

No Georeferenced data available



5184000976  
**Sinum perrini**  
R. Arnold, 1907 †  
(FOSSIL)

No Georeferenced data available



1661650045  
**Sinum perspectivum**  
T. Say, 1831  
Florida, Marco Island  
20 mm




**synonyms:**

- *Sinum antillarum* C.A. Récluz, 1851



1661903164  
**Sinum planulatum**  
(C.A. Récluz, 1843)  
Madagascar, Fort Dauphin  
28,6 mm




**synonyms:**

- *Sigaretus gualtierianus* C.A. Récluz, 1851
- *Ectosinum pauloconvexum* T. Iredale, 1931

- *Sinum planatum* C.A. Récluz, 1843



6298000107  
**Sinum**  
**polandi**  
A.A. Olson & A. Harbison, 1953 †  
**(FOSSIL)**  
Florida  
44 mm




Fossil  
only

5184000977  
**Sinum**  
**protoneritoideus**  
E.W. Vredenburg, 1928 †  
**(FOSSIL)**


No Georeferenced data available



8032000207  
**Sinum**  
**pullum**  
R.A. Philippi, 1887 †  
**(FOSSIL)**  
Chile, Navidad Formation  
8 mm




1661650060  
**Sinum**  
**quasimodooides**  
R.N. Kiburn, 1976  
South Africa, Natal, Durban Bay  
13,3 mm




Fossil  
only

5184000978  
**Sinum**  
**quirosanum**  
F. Hodson, 1927 †  
**(FOSSIL)**  
Venezuela, Zulia, Miranda



1661901920  
**Sinum**  
**sanctijohannis**  
H.A. Pilsby & H.N. Lowe, 1932  
Costa Rica, Cocos Island  
7 mm





**synonyms:**  
• *Sinum californicum* I.M. Oldroyd, 1917



1661650065  
**Sinum**  
**scopulosum**  
T.A. Conrad, 1849  
USA, California



6298000109  
**Sinum**  
**subelegans**  
(A.V.M.D. D'Orbigny, 1852 †)  
**(FOSSIL)**  
Germany, Mecklenburg  
3 mm




5184000979  
**Sinum**  
**subglobosus**  
J. de C. Sowerby, 1846 †  
**(FOSSIL)**  
Chile, Navidad Formation  
21 mm



**synonyms:**  
• *Sigaretus elegans* L.H. Hupé, 1854 †



6298000110  
**Sinum**  
**sulcatum**  
(J.P.S. Grateloup, 1825 †)  
**(FOSSIL)**  
France, Aquitaine  
4 mm



1661903238  
**Sinum**  
**unifasciatus**  
C.A. Récluz, 1843


No Georeferenced data available





5184000004  
**Sinum**  
**vittatum**  
S.P. Zhang, 2008  
South China Sea



8032000146  
**Sinum**  
**waltonense**  
J. Gardner, 1937 †  
**(FOSSIL)**  
Florida





1661650075  
**Sinum**  
**zonale**  
(J.R.C. Quoy,  
& J.P. Gaimard, 1832)  
South Australia  
34 mm



SubFamily: SININAE - Subgenus: **Sinum (Sigaretotrema)** F. Sacco, 1831 † (4 SP, 4 IMG)



8032000034  
**Sigaretotrema**  
**chechii**  
E. Robba, Pedriali,  
& E. Quaggiotto, 2016 †  
**(FOSSIL)**  
Italy, Piemonte  
18,1 mm



8032000148  
**Sigaretotrema**  
**michaudi**  
(O.G. Michelotti, 1847 †)  
**(FOSSIL)**  
Italy, Torino




**synonyms:**

- *Sigaretotrema michaudi clausa* F. Sacco, 1890 †
- *Sigaretotrema michaudi pseudoaqueensis* F. Sacco, 1890 †

- *Sigaretotrema michaudi eunicatinoides* F. Sacco, 1890 †



6298000108  
**Sigaretotrema**  
**striatulus**  
(J.P.S. Grateloup, 1827 †)  
**(FOSSIL)**  
France, Aquitaine  
11 mm




**synonyms:**

- *Sigaretus desmoulinianus* C.A. Récluz, 1851 †
- *Sigaretus grateloupianus* C.A. Récluz, 1843 †
- *Sigaretus sulcatus* C.A. Récluz, 1843 †

- *Natica sulcata* J.P.S. Grateloup, 1828 †
- *Sigaretus suturalis* C. Mayer, 1864 †



5873000071  
**Sigaretotrema**  
**subinfundibulum**  
R. Tate, 1893 †  
**(FOSSIL)**  
Australia, Victoria





5873000082  
**Sigaticus**  
**clarkensis**


T.H. Aldrich, 1911 †  
**(FOSSIL)**

No Georeferenced data available



1661901980  
**Tasmatica**  
**schoutanica**

(W.L. May, 1913)  
Australia, Yorke Peninsula  
8,1 mm




**synonyms:**

- Notocochlis schoutanica W.L. May, 1913

- Notocochlis schoutanica diatheca T. Iredale, 1936

## Family: NATICIDAE

---



red squares show where each species has been georeferenced

each square has a size of 2 degrees

an interactive version of this image can be accessed at  
<http://www.bagniliggia.it/WMSD/FamilyMap/NATICIDAEmap.htm>

please note that this is not the complete coverage of this family  
the Data Base is not exhaustive and only one specimen per species has been georeferenced

this map is only the graphic summary of the WMSDB Data Base up to now

the total number of georeferenced species in this map is: 783 from a total of 947