

# WMSDB - Worldwide Mollusc Species Data Base

---



## Family: RANELLIDAE

---

**Class: GASTROPODA****--- Clade: CAENOGASTROPODA-HYPSOGASTROPODA-LITTORINIMORPHA-TONNOIDEA****----- Family: RANELLIDAE** Gray, 1854 (Sea)

- Alphabetic order - when **first name** is in bold the species has images  
Taxa=753, Genus=21, Subgenus=1, Species=141, Subspecies=29, Synonyms=560, Images=168

---

- **abbreviatum**, Monoplex abbreviatum L.M.D. Bellardi, 1873 - syn of: [Monoplex parthenopeus](#) (C.U.A. von Sals-Marschins, 1793)
- **acclivis**, Monoplex acclivis F.W. Hutton, 1873 - syn of: [Monoplex parthenopeus](#) (C.U.A. von Sals-Marschins, 1793)
- **acclivis**, Septa acclivis F.W. Hutton, 1873 - syn of: [Monoplex parthenopeus](#) (C.U.A. von Sals-Marschins, 1793)
- **aculeata**, [Biplex aculeata](#) (M.M. Schepman, 1909)
- **acuminatus**, Triton acuminatus L.A. Reeve, 1881 - syn of: [Nassaria acuminata](#) (L.A. Reeve, 1844)
- **acuticostata**, Ranella acuticostata W.H. Turton, 1932 - syn of: [Aspella acuticostata](#) (W.H. Turton, 1932)
- **adairense**, [Turritriton gibbosum adairense](#) W.H. Dall, 1910
- **adairense**, Turritriton adairense W.H. Dall, 1910 - syn of: [Turritriton gibbosum adairense](#) W.H. Dall, 1910
- **aegrotum**, Cymatium aegrotum L.A. Reeve, 1844 - syn of: [Ranularia gallinago](#) (L.A. Reeve, 1844)
- **affinis**, Charonia affinis G.P. Deshayes, 1835 - syn of: [Monoplex corrugatus](#) (J.B.P.A. Lamarck, 1816)
- **affinis**, Ranella affinis W.J. Broderip, 1833 - syn of: [Bursa granularis](#) (P.F. Röding, 1798)
- **africana**, [Cabestana africana](#) (A. Adams, 1855)
- **albivaricosa**, Ranella albivaricosa L.A. Reeve, 1844 - syn of: [Bufonaria rana](#) (C. Linnaeus, 1758)
- **albocingulatus**, Triton albocingulatus G.P. Deshayes, 1863 - syn of: [Gutturnium muricinum](#) (P.F. Röding, 1798)
- **albofasciata**, Ranella albofasciata G.B. I Sowerby, 1841 - syn of: [Marsupina nana](#) (W.J. Broderip & G.B. I Sowerby, 1829)
- **alfredensis**, Charonia alfredensis P. Bartsch, 1915 - syn of: [Charonia lampas](#) (C. Linnaeus, 1758)
- **algoensis**, Fusitriton algoensis J.R. le B. Tomlin, 1947 - syn of: [Fusitriton murrayi](#) E.A. Smith, 1891
- **americanum**, Monoplex americanum D'Orbigny, 1847 - syn of: [Monoplex parthenopeus](#) (C.U.A. von Sals-Marschins, 1793)
- **amictoideum**, [Monoplex amictus amictoideum](#) A.M. Keen, 1970
- **amictoideum**, Monoplex amictoideum A.M. Keen, 1970 - syn of: [Monoplex amictus amictoideum](#) A.M. Keen, 1970
- **amictus**, [Monoplex amictus](#) (L.A. Reeve, 1844)
- **amictus amictoideum**, [Monoplex amictus amictoideum](#) A.M. Keen, 1970
- **amphytridis**, Cymatium amphytridis R.P. Lesson, 1842 - syn of: [Cymatium tigrinum](#) (W.J. Broderip, 1833)
- **ampullacea**, Ranella ampullacea A. Valenciennes, 1858 - syn of: [Argobuccinum ranelliforme](#) (P.P. King, 1832)
- **anceps**, Ranella anceps J.B.P.A. Lamarck, 1822 - syn of: [Aspella anceps](#) (J.B.P.A. Lamarck, 1822)
- **andamanensis**, [Ranularia andamanensis](#) (A.G. Beu, 1987)
- **andoi**, Cymatium andoi S. Nomura, 1935 - syn of: [Monoplex pilearis](#) (C. Linnaeus, 1758)
- **angulatus**, Triton angulatus L.A. Reeve, 1844 - syn of: [Maculotriton serriale](#) (G.P. Deshayes, 1834)
- **ansonae**, [Cymatiella ansonae](#) (A.G. Beu, 1988)
- **antarcticus**, Fusitriton antarcticus A.W.B. Powell, 1958 - syn of: [Antarctoneptuna aurora](#) (C. Hedley, 1916)
- **antillarum**, [Gutturnium muricinum antillarum](#) (P.F. Röding, 1798)
- **antillarum**, Triton antillarum D'Orbigny, 1842 - syn of: [Gutturnium muricinum](#) (P.F. Röding, 1798)
- **antillarum**, Cymatium antillarum P.F. Röding, 1798 - syn of: [Gutturnium muricinum antillarum](#) (P.F. Röding, 1798)
- **antiquatus**, Charonia antiquatus R.B. Hinds in L.A. Reeve, 1844 - syn of: [Tritonoharpa antiquata](#) (R.B. Hinds in L.A. Reeve, 1844)
- **apenninica nassariformis**, Sussia apenninica nassariformis G.B. III Sowerby, 1902 - syn of: [Sassia nassariformis](#) (G.B. III Sowerby, 1902)
- **apenninica nassariformis semitorta**, Sussia apenninica nassariformis semitorta J.T. Kuroda & T. Habe, 1961 - syn of: [Sassia semitorta](#) J.T. Kuroda & T. Habe, 1961
- **appenninica remensa**, Sussia appenninica remensa T. Iredale, 1936 - syn of: [Sassia remensa](#) (T. Iredale, 1936)
- **aquatalis**, [Monoplex aquatalis](#) (L.A. Reeve, 1844)
- **aquatalis**, Monoplex aquatalis L.A. Reeve, 1844 - syn of: [Monoplex aquatalis](#) (L.A. Reeve, 1844)
- **argo**, Argobuccinum argo P.F. Röding, 1798 - syn of: [Argobuccinum pustulosum](#) (J. Lightfoot, 1786)
- **argus**, Argobuccinum argus J.F. Gmelin, 1791 - syn of: [Argobuccinum pustulosum](#) (J. Lightfoot, 1786)
- **armata**, [Lotoria armata](#) (G.B. III Sowerby, 1897)
- **armatum**, Cymatium armatum G.B. III Sowerby, 1897 - syn of: [Lotoria armata](#) (G.B. III Sowerby, 1897)
- **arthuri**, [Ranularia arthuri](#) (A.G. Beu, 1987)
- **atlantica**, [Ranella olearia atlantica](#) T.A. de M. Monterosato, 1890
- **atlantica**, Charonia atlantica T.E. Bowdich, 1822 - syn of: [Charonia variegata](#) (J.B.P.A. Lamarck, 1816)
- **atlanticum**, Halgyrineum atlanticum R. Fechter, 1975 - syn of: [Halgyrineum louisae](#) (H. Lewis, 1974)
- **aurora**, Fusitriton aurora C. Hedley, 1916 - syn of: [Antarctoneptuna aurora](#) (C. Hedley, 1916)
- **australasia**, [Ranella australasia](#) (G. Perry, 1811)
- **australasia benthicola**, [Ranella australasia benthicola](#) T. Iredale, 1929
- **australasia blacki**, Ranella australasia blacki A.W.B. Powell, 1954 - syn of: [Ranella australasia](#) (G. Perry, 1811)
- **australasia gemmifera**, Ranella australasia gemmifera (F.M. Euthyme, 1889) - syn of: [Ranella gemmifera](#) (F.M. Euthyme, 1889)
- **australasia vossi**, Ranella australasia vossi A.W.B. Powell, 1924 - syn of: [Ranella australasia](#) (G. Perry, 1811)
- **australasiae**, Monoplex australasiae G. Perry, 1811 - syn of: [Monoplex parthenopeus](#) (C.U.A. von Sals-Marschins, 1793)
- **australe**, Charonia australe J.B.P.A. Lamarck, 1822 - syn of: [Charonia lampas](#) (C. Linnaeus, 1758)
- **bacillum**, Triton bacillum L.A. Reeve, 1844 - syn of: [Maculotriton digitale](#) (L.A. Reeve, 1844)

- **bantamensis**, Linatella bantamensis K. Martin, 1895 - syn of: [\*\*\*Linatella caudata\*\*\*](#) (J.F. Gmelin, 1791)
- **barcellosi**, [\*\*\*Ranella olearia barcellosi\*\*\*](#)
- **barcellosi**, Ranella barcellosi H.R. Matthews, E. de C. Rios & A.C. dos Santos Coelho, 1973 - syn of: [\*\*\*Ranella olearia barcellosi\*\*\*](#)
- **barthelemyi**, Cabestana barthelemyi A.C. Bernardi, 1857 - Syn of: [\*\*\*Cabestana spengleri\*\*\*](#) (G. Perry, 1811)
- **bassi**, [\*\*\*Sassia bassi\*\*\*](#) (G.F. Angas, 1869)
- **beccarii**, Septa beccarii C.M. Tapparone-Caneffri, 1875 - syn of: [\*\*\*Monoplex pilearis\*\*\*](#) (C. Linnaeus, 1758)
- **beccarii**, Triton beccarii C.M. Tapparone-Caneffri, 1875 - syn of: [\*\*\*Monoplex pilearis\*\*\*](#) (C. Linnaeus, 1758)
- **beckii**, Ranella beckii L.C. Kiener, 1841 - syn of: [\*\*\*Bufonaria rana\*\*\*](#) (C. Linnaeus, 1758)
- **benthicola**, [\*\*\*Ranella australasia benthicola\*\*\*](#) T. Iredale, 1929
- **bergeri**, Ranella bergeri C.M. Tapparone-Caneffri, 1881 - syn of: [\*\*\*Bursa rhodostoma\*\*\*](#) (G.B. II Sowerby, 1835)
- **beui**, Septa beui F. García-Talavera, 1985 - syn of: [\*\*\*Septa occidentale beui\*\*\*](#) F. García-Talavera, 1985
- **beui**, [\*\*\*Septa occidentale beui\*\*\*](#) F. García-Talavera, 1985
- **bibbeyi**, [\*\*\*Septa bibbeyi\*\*\*](#) (A.G. Beu, 1987)
- **bituberculare**, [\*\*\*Gyrineum bituberculare\*\*\*](#) (J.B.P.A. Lamarck, 1816)
- **bituberculare fuscocostata**, [\*\*\*Gyrineum bituberculare fuscocostata\*\*\*](#) (R.W. Dunker, 1862)
- **blacketi**, Septa blacketi T. Iredale, 1936 - syn of: [\*\*\*Septa occidentalis\*\*\*](#) O.A.L. Mörch, 1877
- **blacki**, Ranella blacki A.W.B. Powell, 1954 - syn of: [\*\*\*Ranella australasia\*\*\*](#) (G. Perry, 1811)
- **boltenianus**, Cabestana boltenianus A. Adams, 1855 - syn of: [\*\*\*Cabestana spengleri\*\*\*](#) (G. Perry, 1811)
- **boschi**, [\*\*\*Ranularia boschi\*\*\*](#) (R.T. Abbott & H. Lewis, 1970)
- **boveus**, Ranella boveus A. Rizzo, 1826 - syn of: [\*\*\*Ranella olearium\*\*\*](#) C. Linnaeus, 1758
- **bozzettii**, [\*\*\*Biplex bozzettii\*\*\*](#) A.G. Beu, 1998
- **bozzettii**, Biplex bozzettii A.G. Beu, 1998 - syn of: [\*\*\*Biplex bozzettii\*\*\*](#) A.G. Beu, 1998
- **bracteatus**, Triton bracteatus R.B. Hinds, 1844 - syn of: [\*\*\*Maculotriton seriale\*\*\*](#) (G.P. Deshayes, 1834)
- **bracteatus longus**, Triton bracteatus longus H.A. Pilsbry & E.G. Vanatta, 1904 - syn of: [\*\*\*Maculotriton seriale\*\*\*](#) (G.P. Deshayes, 1834)
- **brasiliandum**, Monoplex brasiliandum A.A. Gould, 1849 - syn of: [\*\*\*Monoplex parthenopeus\*\*\*](#) (C.U.A. von Salis-Marschlins, 1793)
- **brasiliensis**, [\*\*\*Fusitriton brasiliensis\*\*\*](#) T. Cossignani & V. Cossignani, 2003
- **brocchii**, Ranella brocchii H.G. Bronn, 1828 - syn of: [\*\*\*Aspa marginata\*\*\*](#) (J.F. Gmelin, 1791)
- **bronni**, Ranella bronni O.G. Michelotti, 1847 - syn of: [\*\*\*Ranella olearium\*\*\*](#) C. Linnaeus, 1758
- **budensis**, Ranella budensis J. Noszky, 1940 - syn of: [\*\*\*Ranella olearium\*\*\*](#) C. Linnaeus, 1758
- **bufonia**, Ranella bufonia J.F. Gmelin, 1790 - syn of: [\*\*\*Bursa bufonia\*\*\*](#) (J.F. Gmelin, 1791)
- **bufonium**, Gyrineum bufonium J.H.F. Link, 1807 - syn of: [\*\*\*Bursa bufonia\*\*\*](#) (J.F. Gmelin, 1791)
- **caelata**, Ranella caelata W.J. Broderip, 1833 - syn of: [\*\*\*Bursa corrugata\*\*\*](#) (G. Perry, 1811)
- **californica**, Gelagna californica A. Adams, 1853 - syn of: [\*\*\*Leucozonia nassa\*\*\*](#) (J.F. Gmelin, 1791)
- **canaliculatum**, Lotoria canaliculatum P.F. Röding, 1798 - syn of: [\*\*\*Ranularia pyrum\*\*\*](#) (C. Linnaeus, 1758)
- **canaliferum**, Triton canaliferum J.B.P.A. Lamarck, 1816 - syn of: [\*\*\*Ranularia caudata\*\*\*](#) (J.F. Gmelin, 1791)
- **cancellatus**, Fusitriton cancellatus A. Valenciennes, 1832 - syn of: [\*\*\*Fusitriton oregonensis\*\*\*](#) (J.H. Redfield, 1846)
- **cancellatus**, Triton cancellatus J.B.P.A. Lamarck, 1816 - syn of: [\*\*\*Fusitriton magellanicus\*\*\*](#) (P.F. Röding, 1798)
- **cancellatus**, Fusitriton cancellatus Y. Hirase, 1907 - syn of: [\*\*\*Fusitriton oregonensis\*\*\*](#) (J.H. Redfield, 1846)
- **candisata**, Ranella candisata J.B.P.A. Lamarck, 1822 - syn of: [\*\*\*Bursa condita\*\*\*](#) (J.F. Gmelin, 1791)
- **cantraini**, Charonia cantraini C.A. Récluz, 1853 - syn of: [\*\*\*Dermomurex pauperculus\*\*\*](#) (C.B. Adams, 1850)
- **capax**, [\*\*\*Charonia lampas capax\*\*\*](#) H.J. Finlay, 1926
- **capax euclioides**, Charonia capax euclioides H.J. Finlay, 1926 - syn of: [\*\*\*Charonia lampas\*\*\*](#) (C. Linnaeus, 1758)
- **carduus**, Triton carduus L.A. Reeve, 1844 - syn of: [\*\*\*Engina farinosa\*\*\*](#) (A.A. Gould, 1850)
- **caribaeum**, Triton caribaeum D'Orbigny, 1847 - syn of: [\*\*\*Gemophos auritulus\*\*\*](#) (J.H.F. Link, 1807)
- **caribbaeum**, [\*\*\*Ranularia cynocephalum caribbaeum\*\*\*](#) W.J. Clench & H. Turner, 1957
- **caudata**, [\*\*\*Ranularia caudata\*\*\*](#) (J.F. Gmelin, 1791)
- **caudata**, [\*\*\*Linatella caudata\*\*\*](#) (J.F. Gmelin, 1791)
- **caudata**, Ranella caudata T. Say, 1822 - syn of: [\*\*\*Eupleura caudata etterae\*\*\*](#) (T. Say, 1822)
- **caudata vulticula**, Tritonocauda caudata vulticula T. Iredale, 1936 - syn of: [\*\*\*Ranularia caudata\*\*\*](#) (J.F. Gmelin, 1791)
- **caudatum**, Cymatium caudatum J.F. Gmelin, 1791 - syn of: [\*\*\*Ranularia caudata\*\*\*](#) (J.F. Gmelin, 1791)
- **caudatus**, Triton caudatus L.C. Kiener, 1842 - syn of: [\*\*\*Monoplex trigonus\*\*\*](#) (J.F. Gmelin, 1791)
- **chemnitzi**, Gyrineum chemnitzi H.C. Küster & W. Kobelt, 1871 - syn of: [\*\*\*Gyrineum lacunatum\*\*\*](#) (J.W. Mighels, 1845)
- **chemnitzi**, Ranella chemnitzi H.C. Küster in H.C. Küster & W. Kobelt, 1871 - syn of: [\*\*\*Gyrineum lacunatum\*\*\*](#) (J.W. Mighels, 1845)
- **chemnitzi**, Triton chemnitzi J.E. Gray, 1839 - syn of: [\*\*\*Monoplex tranquebaricus\*\*\*](#) (J.B.P.A. Lamarck, 1816)
- **chlorostomum**, Monoplex chlorostomum J.B.P.A. Lamarck, 1822 - syn of: [\*\*\*Monoplex nicobaricus\*\*\*](#) (P.F. Röding, 1798)
- **cingulata**, Linatella cingulata J.B.P.A. Lamarck, 1822 - syn of: [\*\*\*Linatella caudata\*\*\*](#) (J.F. Gmelin, 1791)
- **cingulatum**, [\*\*\*Linatella cingulatum\*\*\*](#) (J.F. Gmelin, 1791)
- **cingulatum**, Cymatium cingulatum J.B.P.A. Lamarck, 1822 - syn of: [\*\*\*Linatella caudata\*\*\*](#) (J.F. Gmelin, 1791)
- **cingulatum peninsula**, Cymatium cingulatum peninsula M. Smith, 1937 - syn of: [\*\*\*Linatella caudata\*\*\*](#) (J.F. Gmelin, 1791)
- **cingulifera**, Gelagna cingulifera J.B.P.A. Lamarck, 1816 - syn of: [\*\*\*Leucozonia nassa\*\*\*](#) (J.F. Gmelin, 1791)
- **clandestina pallida**, Linatella clandestina pallida H. Barth, 1996 - syn of: [\*\*\*Gelagna pallida\*\*\*](#) (M. Parth, 1996)
- **clandestinum**, Cymatium clandestinum J.B.P.A. Lamarck, 1816 - syn of: [\*\*\*Gelagna succincta\*\*\*](#) (C. Linnaeus, 1771)
- **clathrata**, Charonia clathrata J.B.P.A. Lamarck, 1816 - syn of: [\*\*\*Distorsio clathrata\*\*\*](#) (J.B.P.A. Lamarck, 1816)
- **clavator**, Ranularia clavator L.W. Dillwyn, 1817 - syn of: [\*\*\*Ranularia gutturnia\*\*\*](#) (P.F. Röding, 1798)
- **clavator**, Cymatium clavator L.W. Dillwyn, 1817 - syn of: [\*\*\*Ranularia gutturnia\*\*\*](#) (P.F. Röding, 1798)

- **clavatum**, Lotoria clavatum P.F. Röding, 1798 - syn of: [\*\*Ranularia pyrum\*\*](#) (C. Linnaeus, 1758)
- **closeli**, [\*\*Septa closeli\*\*](#) (A.G. Beu, 1987)
- **closeli**, Cymatium closeli A.G. Beu, 1987 - syn of: [\*\*Septa closeli\*\*](#) (A.G. Beu, 1987)
- **columnaria**, [\*\*Cymatiella columnaria\*\*](#) (C. Hedley & W.L. May, 1908)
- **comptum**, Cymatium comptum A. Adams, 1854 - syn of: [\*\*Monoplex comptus\*\*](#) (A. Adams, 1855)
- **comptum amphiatlanticum**, Monoplex comptum amphiatlanticum F. García-Talávera & J.B. Vera, 2003 - syn of: [\*\*Monoplex comptus\*\*](#) (A. Adams, 1855)
- **comptus**, [\*\*Monoplex comptus\*\*](#) (A. Adams, 1855)
- **comptus**, Cymatium comptus A. Adams, 1855 - syn of: [\*\*Monoplex comptus\*\*](#) (A. Adams, 1855)
- **comptus amphiatlanticus**, Cymatium comptus amphiatlanticus F. García-Talávera & J.B. Vera, 2002 - syn of: [\*\*Monoplex comptus\*\*](#) (A. Adams, 1855)
- **concinna**, Gyreneum concinna R.W. Dunker, 1862 - syn of: [\*\*Gyreneum concinnum\*\*](#) (R.W. Dunker, 1862)
- **concinnum**, [\*\*Gyreneum concinnum\*\*](#) (R.W. Dunker, 1862)
- **confinis**, Gelagna confinis K. Brancsik, 1896 - syn of: [\*\*Gelagna succincta\*\*](#) (C. Linnaeus, 1771)
- **convolutus**, Charonia convolutus W.J. Broderip, 1833 - syn of: [\*\*Phyllocoma convoluta\*\*](#) (W.J. Broderip, 1833)
- **coosense**, Fusitriton coosense W.H. Dall, 1909 - syn of: [\*\*Fusitriton oregonensis\*\*](#) (J.H. Redfield, 1846)
- **corbiculatum**, Fusitriton corbiculatum W.H. Dall, 1909 - syn of: [\*\*Fusitriton oregonensis\*\*](#) (J.H. Redfield, 1846)
- **coriacea**, Ranella coriacea L.A. Reeve, 1844 - syn of: [\*\*Bursa scrobilator\*\*](#) (C. Linnaeus, 1758)
- **cornutus**, Monoplex cornutus G. Perry, 1811 - syn of: [\*\*Monoplex exaratus\*\*](#) (L.A. Reeve, 1844)
- **corrugata**, Biplex corrugata G. Perry, 1811 - syn of: [\*\*Bursa corrugata\*\*](#) (G. Perry, 1811)
- **corrugatum**, Cymatium corrugatum J.B.P.A. Lamarck, 1816 - syn of: [\*\*Monoplex corrugatus\*\*](#) (J.B.P.A. Lamarck, 1816)
- **corrugatum**, Septa corrugatum J.B.P.A. Lamarck, 1816 - syn of: [\*\*Monoplex corrugatus\*\*](#) (J.B.P.A. Lamarck, 1816)
- **corrugatum amictum**, Cymatium corrugatum amictum L.A. Reeve, 1844 - syn of: [\*\*Monoplex amictus\*\*](#) (L.A. Reeve, 1844)
- **corrugatum minima**, Septa corrugatum minima P.M. Palary, 1900 - syn of: [\*\*Monoplex corrugatus\*\*](#) (J.B.P.A. Lamarck, 1816)
- **corrugatum minor**, Septa corrugatum minor P.M. Palary, 1900 - syn of: [\*\*Monoplex corrugatus\*\*](#) (J.B.P.A. Lamarck, 1816)
- **corrugatum tremperi**, Cymatium corrugatum tremperi W.H. Dall, 1907 - syn of: [\*\*Monoplex amictus\*\*](#) (L.A. Reeve, 1844)
- **corrugatus**, [\*\*Monoplex corrugatus\*\*](#) (J.B.P.A. Lamarck, 1816)
- **costata**, Cabestana costata P.F. Röding, 1798 - syn of: [\*\*Cabestana cutacea\*\*](#) (C. Linnaeus, 1767)
- **costatum**, Triton costatum F.C. Meuschen, 1787 - syn of: [\*\*Ranularia caudata\*\*](#) (J.F. Gmelin, 1791)
- **costatum**, Monoplex costatum I. von Born, 1778 - syn of: [\*\*Monoplex parthenopeus\*\*](#) (C.U.A. von Salis-Marschins, 1793)
- **costatus**, Monoplex costatus I. von Born, 1778 - syn of: [\*\*Monoplex parthenopeus\*\*](#) (C.U.A. von Salis-Marschins, 1793)
- **costulatus**, Monoplex costulatus A. Röss, 1826 - syn of: [\*\*Monoplex parthenopeus\*\*](#) (C.U.A. von Salis-Marschins, 1793)
- **coxi**, Triton coxi J.W. Brazier, 1872 - syn of: [\*\*Tritonoharpa coxi\*\*](#) (J.W. Brazier, 1872)
- **crassa**, Lagena crassa H.C.F. Schumacher, 1817 - syn of: [\*\*Latirolagena smaragdulus\*\*](#) (C. Linnaeus, 1758)
- **crebristriatus**, Triton crebristriatus H.F. Carpenter, 1856 - syn of: [\*\*Monostilium crebristriatus\*\*](#) (H.F. Carpenter, 1856)
- **crispus**, Triton crispus L.A. Reeve, 1844 - syn of: [\*\*Gutturnium muricinum\*\*](#) (P.F. Röding, 1798)
- **cruentata**, Ranella cruentata G.B. II Sowerby, 1835 - syn of: [\*\*Bursa cruentata\*\*](#) (G.B. II Sowerby, 1835)
- **crumenaria**, Ranella crumenaria J.B.P.A. Lamarck, 1816 - syn of: [\*\*Bufonaria crumenaria\*\*](#) (J.B.P.A. Lamarck, 1816)
- **crumenoides**, Ranella crumenoides H.M.D. de Blainville in A. Valenciennes, 1832 - syn of: [\*\*Bufonaria crumenaria\*\*](#) (J.B.P.A. Lamarck, 1816)
- **cruzana**, Monoplex cruzana G.W. Nowell-Usticke, 1959 - syn of: [\*\*Monoplex aquatilis\*\*](#) (L.A. Reeve, 1844)
- **cubaniana**, Ranella cubaniana D'Orbigny, 1841 - syn of: [\*\*Bursa granularis\*\*](#) (P.F. Röding, 1798)
- **cuspidatum**, [\*\*Gyreneum cuspidatum\*\*](#) (L.A. Reeve, 1844)
- **cutacea**, [\*\*Cabestana cutacea\*\*](#) (C. Linnaeus, 1767)
- **cutacea africana**, Cabestana cutacea africana A. Adams, 1855 - syn of: [\*\*Cabestana africana\*\*](#) (A. Adams, 1855)
- **cutacea curta**, Cabestana cutacea curta M.E.J. Bucquoy, P. Dautzenberg & G.F. Dolfus, 1882 - syn of: [\*\*Cabestana cutacea\*\*](#) (C. Linnaeus, 1767)
- **cutacea dolaria**, [\*\*Cabestana cutacea dolaria\*\*](#) C. Linnaeus, 1767
- **cutaceum**, Cymatium cutaceum J.B.P.A. Lamarck, 1816 - syn of: [\*\*Linatella caudata\*\*](#) (J.F. Gmelin, 1791)
- **cutaceus major**, Cabestana cutaceus major P.M. Palary, 1920 - syn of: [\*\*Cabestana cutacea\*\*](#) (C. Linnaeus, 1767)
- **cynocephala**, [\*\*Ranularia cynocephala\*\*](#) (J.B.P.A. Lamarck, 1816)
- **cynocephalum**, Monoplex cynocephalum W.J. Clench & H. Turner, 1957 - syn of: [\*\*Monoplex wiegmanni\*\*](#) (H.E. Anton, 1838)
- **cynocephalum caribbaeum**, [\*\*Ranularia cynocephalum caribbaeum\*\*](#) W.J. Clench & H. Turner, 1957
- **cynophalus**, Cymatium cynophalus J.B.P.A. Lamarck, 1816 - syn of: [\*\*Cymatium lotorium\*\*](#) (C. Linnaeus, 1758)
- **danieli**, Cabestana danieli É.A.A. Locard, 1886 - syn of: [\*\*Cabestana cutacea\*\*](#) (C. Linnaeus, 1767)
- **defrenata**, Ranularia defrenata T. Iredale, 1936 - syn of: [\*\*Ranularia sinensis\*\*](#) (L.A. Reeve, 1844)
- **delecta**, Sassia delecta B.C. Cotton, 1945 - syn of: [\*\*Sassia subdistorta\*\*](#) (J.B.P.A. Lamarck, 1822)
- **deliberatus**, Gyreneum deliberatus T. Iredale, 1936 - syn of: [\*\*Gyreneum lacunatum\*\*](#) (J.W. Mighels, 1845)
- **digitale**, Charonia digitale L.A. Reeve, 1844 - syn of: [\*\*Maculotriton seriale\*\*](#) (G.P. Deshayes, 1834)
- **digitalis**, Charonia digitalis L.A. Reeve, 1844 - syn of: [\*\*Maculotriton seriale\*\*](#) (G.P. Deshayes, 1834)
- **digitalis seurati**, Charonia digitalis seurati M. Couturier, 1907 - syn of: [\*\*Maculotriton seriale\*\*](#) (G.P. Deshayes, 1834)
- **dilleri**, Ranella dilleri F.M. Anderson & K. Martin, 1914 - syn of: [\*\*Ranella olearium\*\*](#) C. Linnaeus, 1758
- **dimidiata**, Liohindsia dimidiata G.S. Coen, 1947 - syn of: [\*\*Priene scabrum\*\*](#) (P.P. King, 1832)
- **distortum**, Cymatium distortum J.B.P.A. Lamarck, 1816 - syn of: [\*\*Cymatium lotorium\*\*](#) (C. Linnaeus, 1758)
- **dolaria**, [\*\*Cabestana cutacea dolaria\*\*](#) C. Linnaeus, 1767
- **dolarium**, Septa dolarium C. Linnaeus, 1767 - syn of: [\*\*Cabestana cutacea\*\*](#) (C. Linnaeus, 1767)
- **dolarium attenuata**, Cabestana dolarium attenuata P.M. Palary, 1920 - syn of: [\*\*Cabestana cutacea\*\*](#) (C. Linnaeus, 1767)
- **dolarium elongata**, Septa dolarium elongata P.M. Palary, 1903 - syn of: [\*\*Cabestana cutacea\*\*](#) (C. Linnaeus, 1767)

- **dolarium major**, Cabestana dolarium major P.M. Pällary, 1920 - syn of: [\*\*Cabestana cutacea\*\*](#) (C. Linnaeus, 1767)
- **dolarius**, Cabestana dolarius P.M. Pällary, 1920 - syn of: [\*\*Cabestana cutacea dolaria\*\*](#) C. Linnaeus, 1767
- **doliaria**, Cabestana doliaria P.M. Pällary, 1920 - syn of: [\*\*Cabestana cutacea dolaria\*\*](#) C. Linnaeus, 1767
- **doliata**, Cabestana doliata P.F. Röding, 1798 - syn of: [\*\*Cabestana cutacea\*\*](#) (C. Linnaeus, 1767)
- **dunkeri**, [\*\*Ranularia dunkeri\*\*](#) (C.E. Lischke, 1868)
- **dunkeri iredalei**, [\*\*Ranularia dunkeri iredalei\*\*](#) (C.E. Lischke, 1868)
- **durbanensis**, Cabestana durbanensis (E.A. Smith, 1899) - syn of: [\*\*Monoplex durbanensis\*\*](#) (E.A. Smith, 1899)
- **durbanensis**, [\*\*Monoplex durbanensis\*\*](#) (E.A. Smith, 1899)
- **eburnea**, [\*\*Cymatiella eburnea\*\*](#) (L.A. Reeve, 1844)
- **eburnea lesueuri**, [\*\*Cymatiella eburnea lesueuri\*\*](#) T. Iredale, 1929
- **echinatum**, Gyrineum echinatum J.H.F. Link, 1807 - syn of: [\*\*Bufonaria echinata\*\*](#) (J.H.F. Link, 1807)
- **echo**, Cymatium echo J.T. Kuroda & T. Habe in T. Kira, 1961 - syn of: [\*\*Monoplex parthenopeus\*\*](#) (C.U.A. von Sals-Marschlin, 1793)
- **echo**, Monoplex echo J.T. Kuroda & T. Habe, 1961 - syn of: [\*\*Monoplex parthenopeus echo\*\*](#) J.T. Kuroda & T. Habe, 1961
- **echo**, [\*\*Monoplex parthenopeus echo\*\*](#) J.T. Kuroda & T. Habe, 1961
- **echo iwakawanum**, Monoplex echo iwakawanum T. Shikama, 1964 - syn of: [\*\*Monoplex parthenopeus\*\*](#) (C.U.A. von Sals-Marschlin, 1793)
- **effusa**, Cymatium effusa C.B. Adams, 1850 - syn of: [\*\*Monoplex pilearis\*\*](#) (C. Linnaeus, 1758)
- **elegans**, Gyrineum elegans G. Perry, 1811 - syn of: [\*\*Gyrineum natator\*\*](#) (P.F. Röding, 1798)
- **elongatum**, [\*\*Monoplex vespaceum elongatum\*\*](#) L.A. Reeve, 1844
- **elongatus**, Charonia elongatus L.A. Reeve, 1844 - syn of: [\*\*Monoplex vespaceus\*\*](#) J.B.P.A. Lamarck, 1822
- **encaustica**, [\*\*Ranularia encaustica\*\*](#) (L.A. Reeve, 1844)
- **epitrema**, [\*\*Sassia epitrema\*\*](#) (J.E. Tenison-Woods, 1877)
- **etcheversi**, Cymatium etcheversi O. Macsotay & B. Campos, 1993 - syn of: [\*\*Cymatium raderi\*\*](#) A. D'Attilio & B.W. Myers, 1984
- **euclia**, Monoplex euclia B.C. Cotton, 1945 - syn of: [\*\*Monoplex exaratus\*\*](#) (L.A. Reeve, 1844)
- **euclia**, Charonia euclia T. Iredale, 1929 - syn of: [\*\*Charonia lampas\*\*](#) (C. Linnaeus, 1758)
- **euclia instructa**, Charonia euclia instructa T. Iredale, 1929 - syn of: [\*\*Charonia lampas\*\*](#) (C. Linnaeus, 1758)
- **exaratum**, Cymatium exaratum L.A. Reeve, 1844 - syn of: [\*\*Monoplex exaratus\*\*](#) (L.A. Reeve, 1844)
- **exaratum kiiensis**, [\*\*Monoplex exaratum kiiensis\*\*](#) (G.B. III Sowerby, 1915)
- **exaratus**, [\*\*Monoplex exaratus\*\*](#) (L.A. Reeve, 1844)
- **exilis**, [\*\*Ranularia exilis\*\*](#) (L.A. Reeve, 1844)
- **eximia**, Triton eximia L.A. Reeve, 1846 - syn of: [\*\*Cantharus eximius\*\*](#) L.A. Reeve, 1846
- **facetus**, Gyrineum facetus T. Iredale, 1936 - syn of: [\*\*Gyrineum lacunatum\*\*](#) (J.W. Michels, 1845)
- **felipponei**, [\*\*Cabestana felipponei\*\*](#) (H.F.A. von Ihering, 1907)
- **femorale**, [\*\*Cymatium femorale\*\*](#) (C. Linnaeus, 1758)
- **ficoides**, Triton ficoides L.A. Reeve, 1844 - syn of: [\*\*Monoplex trigonus\*\*](#) (J.F. Gmelin, 1791)
- **fictilis**, Charonia fictilis R.B. Hinds, 1844 - syn of: [\*\*Africotriton fictilis\*\*](#) (R.B. Hinds, 1844)
- **fijiensis**, Ranella fijiensis R.B. Watson, 1881 - syn of: [\*\*Bursina fijiensis\*\*](#) (R.B. Watson, 1881)
- **fittkaui**, Turritriton fittkaui M. Parth, 1991 - syn of: [\*\*Turritriton tenuiliratus fittkaui\*\*](#) M. Parth, 1991
- **fittkaui**, [\*\*Turritriton tenuiliratus fittkaui\*\*](#) M. Parth, 1991
- **flaveola**, [\*\*Septa flaveola\*\*](#) (P.F. Röding, 1798)
- **flaveola**, Septa flaveola P.F. Röding, 1798 - syn of: [\*\*Septa flaveola\*\*](#) (P.F. Röding, 1798)
- **flexuosum**, Lotoria flexuosum P.F. Röding, 1798 - syn of: [\*\*Ranularia pyrum\*\*](#) (C. Linnaeus, 1758)
- **foliata**, Ranella foliata W.J. Broderip, 1826 - syn of: [\*\*Bufonaria foliata\*\*](#) (W.J. Broderip, 1826)
- **formosus**, Monoplex formosus G. Perry, 1811 - syn of: [\*\*Ranularia gutturnia\*\*](#) (P.F. Röding, 1798)
- **fortespirale**, Ranularia fortesspirale M. Parth, 1993 - syn of: [\*\*Ranularia pyrulum\*\*](#) (A. Adams & L.A. Reeve, 1850)
- **fossatum**, Monoplex fossatum A.A. Gould, 1860 - syn of: [\*\*Monoplex parthenopeus\*\*](#) (C.U.A. von Sals-Marschlin, 1793)
- **fuscocostata**, [\*\*Gyrineum bituberculare fuscocostata\*\*](#) (R.W. Dunker, 1862)
- **fuscocostata**, Gyrineum fuscocostata R.W. Dunker, 1862 - syn of: [\*\*Gyrineum bituberculare fuscocostata\*\*](#) (R.W. Dunker, 1862)
- **fusiformis**, Sassia fusiformis L.C. Kiener, 1842 - syn of: [\*\*Sassia parkinsonia\*\*](#) (G. Perry, 1811)
- **futuristi**, Fusitriton futuristi M.K. Mestayer, 1927 - syn of: [\*\*Fusitriton retiolus\*\*](#) (C. Hedley, 1914)
- **gaimardi**, Cymatiella gaimardi T. Iredale, 1929 - syn of: [\*\*Cymatiella sexcostata\*\*](#) (R. Tate, 1888)
- **galea**, [\*\*Fusitriton galea\*\*](#) J.T. Kuroda & T. Habe, 1961
- **gallianago**, Charonia gallianago L.A. Reeve, 1844 - syn of: [\*\*Ranularia gallinago\*\*](#) (L.A. Reeve, 1844)
- **gallinago**, [\*\*Ranularia gallinago\*\*](#) (L.A. Reeve, 1844)
- **gallinago**, Cymatium gallinago L.A. Reeve, 1844 - syn of: [\*\*Ranularia gallinago\*\*](#) (L.A. Reeve, 1844)
- **garrardi**, [\*\*Sassia garrardi\*\*](#) (A.G. Beu, 1970)
- **gemma**, Gutturnium gemma M. Connolly, 1929 - syn of: [\*\*Gutturnium muricinum\*\*](#) (P.F. Röding, 1798)
- **gemmata**, Septa gemmata L.A. Reeve, 1844 - syn of: [\*\*Monoplex gemmatus\*\*](#) (L.A. Reeve, 1844)
- **geminatum**, Monoplex gemmatum Auct. non L.A. Reeve, 1844 - syn of: [\*\*Monoplex mundus\*\*](#) (A.A. Gould, 1849)
- **gemmatus**, [\*\*Monoplex gemmatus\*\*](#) (L.A. Reeve, 1844)
- **gemmifera**, [\*\*Ranella gemmifera\*\*](#) (F.M. Euthyme, 1889)
- **gemmifera lepta**, Ranella gemmifera lepta P. Bartsch, 1915 - syn of: [\*\*Ranella gemmifera\*\*](#) (F.M. Euthyme, 1889)
- **gemmifera minor**, Ranella gemmifera minor F.M. Euthyme, 1889 - syn of: [\*\*Ranella gemmifera\*\*](#) (F.M. Euthyme, 1889)
- **gemmiferum**, Ranella gemmiferum F.M. Euthyme, 1889 - syn of: [\*\*Ranella gemmifera\*\*](#) (F.M. Euthyme, 1889)
- **gibbosum**, Cymatium gibbosum W.J. Broderip, 1833 - syn of: [\*\*Turritriton gibbosus\*\*](#) (W.J. Broderip, 1833)
- **gibbosum adairense**, [\*\*Turritriton gibbosum adairense\*\*](#) W.H. Dall, 1910

- **gibbosum gomezi**, Cymatium gibbosum gomezi F. Nordsieck & F.F. Talavera, 1979 - syn of: [\*\*Turritriton gibbosus\*\*](#) (W.J. Broderip, 1833)
- **gibbosum kobelti**, Turritriton gibbosum kobelti (H. von Maltzan, 1884) - syn of: [\*\*Turritriton kobelti\*\*](#) (H. von Maltzan, 1884)
- **gibbosus**, [\*\*Turritriton gibbosus\*\*](#) (W.J. Broderip, 1833)
- **gigantea atlantica**, Ranella gigantea atlantica T.A. de M. Monterosato, 1890 - syn of: [\*\*Ranella olearium\*\*](#) C. Linnaeus, 1758
- **giganteum**, Ranella giganteum J.B.P.A. Lamarck, 1816 - syn of: [\*\*Ranella olearium\*\*](#) C. Linnaeus, 1758
- **giganteum curvicauda**, Ranella giganteum curvicauda G.S. Coen, 1941 - syn of: [\*\*Ranella olearium\*\*](#) C. Linnaeus, 1758
- **giganteum dilatata**, Ranella giganteum dilatata G.S. Coen, 1941 - syn of: [\*\*Ranella olearium\*\*](#) C. Linnaeus, 1758
- **giganteum duplonodosum**, Ranella giganteum duplonodosum F. Settepassi, 1970 - syn of: [\*\*Ranella olearium\*\*](#) C. Linnaeus, 1758
- **giganteum exile**, Ranella giganteum exile F. Settepassi, 1970 - syn of: [\*\*Ranella olearium\*\*](#) C. Linnaeus, 1758
- **giganteum inflatum**, Ranella giganteum inflatum F. Settepassi, 1970 - syn of: [\*\*Ranella olearium\*\*](#) C. Linnaeus, 1758
- **giganteum intusdentata**, Ranella giganteum intusdentata G.S. Coen, 1941 - syn of: [\*\*Ranella olearium\*\*](#) C. Linnaeus, 1758
- **giganteum magnifica**, Ranella giganteum magnifica G.S. Coen, 1941 - syn of: [\*\*Ranella olearium\*\*](#) C. Linnaeus, 1758
- **giganteum nodosecarinata**, Ranella giganteum nodosecarinata G.S. Coen, 1941 - syn of: [\*\*Ranella olearium\*\*](#) C. Linnaeus, 1758
- **giganteum nodosum**, Ranella giganteum nodosum F. Settepassi, 1970 - syn of: [\*\*Ranella olearium\*\*](#) C. Linnaeus, 1758
- **giganteum oceanica**, Ranella giganteum oceanica G.S. Coen, 1941 - syn of: [\*\*Ranella olearium\*\*](#) C. Linnaeus, 1758
- **giganteum rarituberculatum**, Ranella giganteum rarituberculatum F. Settepassi, 1970 - syn of: [\*\*Ranella olearium\*\*](#) C. Linnaeus, 1758
- **giganteum tenuis**, Ranella giganteum tenuis G.S. Coen, 1941 - syn of: [\*\*Ranella olearium\*\*](#) C. Linnaeus, 1758
- **glabrum**, Charonia glabrum É.A.A. Locard, 1886 - syn of: [\*\*Charonia lampas\*\*](#) (C. Linnaeus, 1758)
- **gracilis**, Charonia gracilis L.A. Reeve, 1844 - syn of: [\*\*Reticutriton pfeifferianus\*\*](#) L.A. Reeve, 1844
- **gracilis**, Reticutriton gracilis L.A. Reeve, 1844 - syn of: [\*\*Reticutriton pfeifferianus\*\*](#) L.A. Reeve, 1844
- **gracilis**, Monoplex gracilis W.H. Dall, 1889 - syn of: [\*\*Monoplex comptus\*\*](#) (A. Adams, 1855)
- **grandimaculata**, [\*\*Lotoria grandimaculata\*\*](#) (L.A. Reeve, 1844)
- **grandimaculatum**, Cymatium grandimaculatum L.A. Reeve, 1844 - syn of: [\*\*Lotoria grandimaculata\*\*](#) (L.A. Reeve, 1844)
- **granifera**, Ranella granifera J.B.P.A. Lamarck, 1816 - syn of: [\*\*Bursa granularis\*\*](#) (P.F. Röding, 1798)
- **granulata**, Ranella granulata J.B.P.A. Lamarck, 1816 - syn of: [\*\*Marsupina bufo\*\*](#) (J.G. Bruguière, 1792)
- **granulatum**, Sassia granulatum R.W. Dunker, 1871 - syn of: [\*\*Sassia subdistorta\*\*](#) (J.B.P.A. Lamarck, 1822)
- **grasi**, Triton grasi L.M.D. Bellardi in C. d'Ancona, 1872 - syn of: [\*\*Personopsis grasi\*\*](#) (L.M.D. Bellardi in C. d'Ancona, 1872)
- **gutturnia**, [\*\*Ranularia gutturnia\*\*](#) (P.F. Röding, 1798)
- **gyrinata**, Ranularia gyrinata A. Riso, 1826 - syn of: [\*\*Gutturnium muricinum\*\*](#) (P.F. Röding, 1798)
- **gyrinoides**, Charonia gyrinoides A. De Gregorio, 1883 - syn of: [\*\*Charonia lampas\*\*](#) (C. Linnaeus, 1758)
- **gyrinoides**, Charonia gyrinoides G.B. Brocchi, 1814 - syn of: [\*\*Charonia lampas\*\*](#) (C. Linnaeus, 1758)
- **gyrinoides**, Charonia gyrinoides P.M. Pallary, 1900 - syn of: [\*\*Charonia lampas\*\*](#) (C. Linnaeus, 1758)
- **gyrinum**, [\*\*Gyrineum gyrinum\*\*](#) (C. Linnaeus, 1758)
- **gyrinum wilmerianum**, Gyrineum gyrinum wilmerianum H.B. Preston, 1908 - syn of: [\*\*Gyrineum wilmerianum\*\*](#) H.B. Preston, 1908
- **haemastoma**, Triton haemastoma A. Valenciennes, 1832 - syn of: [\*\*Monoplex pilearis\*\*](#) (C. Linnaeus, 1758)
- **hastula**, Ranella hastula L.A. Reeve, 1844 - syn of: [\*\*Aspella hastula\*\*](#) (L.A. Reeve, 1844)
- **hepatica**, [\*\*Septa hepatica\*\*](#) (P.F. Röding, 1798)
- **hepatica**, Cymatium hepatica P.F. Röding, 1798 - syn of: [\*\*Septa hepatica\*\*](#) (P.F. Röding, 1798)
- **hillae**, Linatella hillae F. Nordsieck, 1968 - syn of: [\*\*Linatella caudata\*\*](#) (J.F. Gmelin, 1791)
- **hirasei**, [\*\*Gyrineum hirasei\*\*](#) (J.T. Kuroda & T. Habe in T. Habe, 1961)
- **imbricata**, Charonia imbricata A. Adams, 1868 - syn of: [\*\*Charonia tritonis\*\*](#) (C. Linnaeus, 1758)
- **incerta**, Ranella incerta O.G. Michelotti, 1847 - syn of: [\*\*Ranella olearium\*\*](#) C. Linnaeus, 1758
- **indomelanicum**, Monoplex indomelanicum F. García-Talavera, 1997 - syn of: [\*\*Monoplex vespaeceus\*\*](#) J.B.P.A. Lamarck, 1822
- **intermedius**, [\*\*Monoplex intermedius\*\*](#) W.H. Pease, 1869
- **iostoma**, Charonia iostoma J.E. Gray, 1834 - syn of: [\*\*Prodotia iostoma\*\*](#) (J.E. Gray, 1834)
- **iredalei**, [\*\*Ranularia dunkeri iredalei\*\*](#) (C.E. Lischke, 1868)
- **jacundum**, Biplex jacundum E. Forbes, 1852 - syn of: [\*\*Biplex pulchella\*\*](#) (G.B. I Sowerby, 1825)
- **junguhuhni**, Gyrineum junguhuhni K. Martin, 1879 - syn of: [\*\*Gyrineum cuspidatum\*\*](#) (L.A. Reeve, 1844)
- **kampyla**, [\*\*Sassia kampyla\*\*](#) (R.B. Watson, 1885)
- **keenae**, [\*\*Monoplex keenae\*\*](#) (A.G. Beu, 1970)
- **kiense**, Monoplex kiense G.B. III Sowerby, 1915 - syn of: [\*\*Monoplex exaratum kiiensis\*\*](#) (G.B. III Sowerby, 1915)
- **kiensis**, [\*\*Monoplex exaratum kiiensis\*\*](#) (G.B. III Sowerby, 1915)
- **kikaiensis**, Monoplex kikaiensis T. Shkama, 1970 - syn of: [\*\*Monoplex intermedius\*\*](#) W.H. Pease, 1869
- **kingii**, Ranella kingii D'Orbigny, 1841? - syn of: [\*\*Argobuccinum ranelliforme\*\*](#) (P.P. King, 1832)
- **klenei**, [\*\*Monoplex klenei\*\*](#) (G.B. III Sowerby, 1889)
- **klenei**, Cymatium klenei G.B. III Sowerby, 1889 - syn of: [\*\*Monoplex klenei\*\*](#) (G.B. III Sowerby, 1889)
- **kobelti**, [\*\*Turritriton kobelti\*\*](#) (H. von Maltzan, 1884)
- **kobelti**, Cymatium kobelti H. von Maltzan, 1884 - syn of: [\*\*Turritriton kobelti\*\*](#) (H. von Maltzan, 1884)
- **krebsi**, Cymatium krebsi (O.A.L. Mörcz, 1877) - syn of: [\*\*Monoplex krebsii\*\*](#) (O.A.L. Mörcz, 1877)
- **krebsii**, [\*\*Monoplex krebsii\*\*](#) (O.A.L. Mörcz, 1877)
- **kurtzei**, Ranella kurtzei B.C. Cotton, 1957 - syn of: [\*\*Ranella australasia\*\*](#) (G. Perry, 1811)
- **labiata**, Ranularia labiata H.C.F. Schumacher, 1817 - syn of: [\*\*Ranularia gutturnia\*\*](#) (P.F. Röding, 1798)
- **labiosus**, [\*\*Turritriton labiosus\*\*](#) (W. Wood, 1828)
- **lacunatum**, [\*\*Gyrineum lacunatum\*\*](#) (J.W. Michels, 1845)
- **laevigata**, Ranella laevigata J.B.P.A. Lamarck, 1822 - syn of: [\*\*Aspa marginata\*\*](#) (J.F. Gmelin, 1791)

- lampas, [Charonia lampas](#) (C. Linnaeus, 1758)
- lampas capax, [Charonia lampas capax](#) H.J. Finlay, 1926
- lampas macilenta, [Charonia lampas macilenta](#) J.T. Kuroda & T. Habe, 1961
- lampas mirabilis, Charonia lampas mirabilis P. Parenzan, 1970 - syn of: [Charonia lampas nodifera](#) J.B.P.A. Lamarck, 1822
- lampas nodifera, [Charonia lampas nodifera](#) J.B.P.A. Lamarck, 1822
- lampas pustulata, [Charonia lampas pustulata](#) (F.M. Euthyme, 1889)
- lampas rubicunda, [Charonia lampas rubicunda](#) G. Perry, 1811
- lampas rubicunda powelli, [Charonia lampas rubicunda powelli](#) B.C. Cotton, 1956
- lampas sauliae, [Charonia lampas sauliae](#) L.A. Reeve, 1844
- lampas weisbordi, [Charonia lampas weisbordi](#) J. Gibson-Smith, 1976
- lanceolata, Ranella lanceolata K.T. Menke, 1828 - syn of: [Tritonoharpa lanceolata](#) (K.T. Menke, 1828)
- lativaricosus, Triton lativaricosus L.A. Reeve, 1844 - syn of: [Maculotriton serriale](#) (G.P. Deshayes, 1834)
- laudandus, [Fusitriton laudandus](#) H.J. Finlay, 1927
- lemania, Cabestana lemania A. Rissø, 1826 - syn of: [Cabestana cutacea](#) (C. Linnaeus, 1767)
- lesueuri, [Cymatiella eburnea lesueuri](#) T. Iredale, 1929
- leucostoma, Ranella leucostoma J.B.P.A. Lamarck, 1822 - syn of: [Ranella australasia](#) (G. Perry, 1811)
- leucostoma poecilostoma, Ranella leucostoma poecilostoma E.C. Von Martens, 1904 - syn of: [Ranella gemmifera](#) (F.M. Euthyme, 1889)
- lewisi, [Sassia lewisi](#) M.G. Harasewych & E.J. Petuch, 1980
- lignarius, [Monoplex lignarius](#) (W.J. Broderip, 1833)
- limbatum, Cymatium limbatum P.F. Röding, 1798 - syn of: [Septa flaveola](#) (P.F. Röding, 1798)
- liberta, Septa liberta P.F. Röding, 1798 - syn of: [Septa flaveola](#) (P.F. Röding, 1798)
- lindneri, Sassia lindneri M. Parth, 1992 - syn of: [Sassia parkinsonia](#) (G. Perry, 1811)
- lineatus, [Reticutriton lineatus](#) (W.J. Broderip, 1833)
- livida, Ranella livida L.A. Reeve, 1844 - syn of: [Bursa granularis](#) (P.F. Röding, 1798)
- loebbeckei, Cymatium loebbeckei C.E. Lischke, 1870 - syn of: [Turritriton labiosus](#) (W. Wood, 1828)
- longicaudatum, [Gyreneum longicaudatum](#) A.G. Beu, 1998
- longirostra, Ranularia longirostra H.C.F. Schumacher, 1817 - syn of: [Ranularia gutturnia](#) (P.F. Röding, 1798)
- loroisii, Cymatium loroisii S.A.A. Petit De La Saussaye, 1852 - syn of: [Turritriton labiosus](#) (W. Wood, 1828)
- lotor, Cymatium lotor P.D. Montfort, 1810 - syn of: [Cymatium femorale](#) (C. Linnaeus, 1758)
- lotorium, [Cymatium lotorium](#) (C. Linnaeus, 1758)
- lotorium, Lotoria lotorium C. Linnaeus, 1758 - syn of: [Cymatium lotorium](#) (C. Linnaeus, 1758)
- lotorium, Charonia lotorium J.B.P.A. Lamarck, 1816 - syn of: [Cymatium femorale](#) (C. Linnaeus, 1758)
- lotorium, Monoplex lotorium J.H.F. Link, 1807 - syn of: [Monoplex nicobaricus](#) (P.F. Röding, 1798)
- louisae, [Halgyrineum louisae](#) (H. Lewis, 1974)
- luteostoma, Ranella luteostoma W.H. Pease, 1861 - syn of: [Bursa luteostoma](#) (W.H. Pease, 1861)
- macilenta, [Charonia lampas macilenta](#) J.T. Kuroda & T. Habe, 1961
- macrodon, [Monoplex macrodon](#) (A. Valenciennes, 1832)
- maculata, Ranella maculata H.C.F. Schumacher, 1817 - syn of: [Ranella olearium](#) C. Linnaeus, 1758
- magellanicus, [Fusitriton magellanicus](#) (P.F. Röding, 1798)
- magellanicus laudandus, Fusitriton magellanicus laudandus H.J. Finlay, 1927 - syn of: [Fusitriton laudandus](#) H.J. Finlay, 1927
- magellanicus murrayi, Fusitriton magellanicus murrayi E.A. Smith, 1891 - syn of: [Fusitriton murrayi](#) E.A. Smith, 1891
- magellanicus retiolus, Fusitriton magellanicus retiolus (C. Hedley, 1914) - syn of: [Fusitriton retiolus](#) (C. Hedley, 1914)
- marerubrum, [Septa marerubrum](#) (F. García-Talavera, 1985)
- margaritula, Ranella margaritula G.P. Deshayes, 1832 - syn of: [Bufonaria margaritula](#) (G.P. Deshayes, 1832)
- marmoratum, Charonia marmoratum J.H.F. Link, 1807 - syn of: [Charonia tritonis](#) (C. Linnaeus, 1758)
- marshalli, Sassia marshalli A.G. Beu, 1978 - syn of: [Sassia remensa](#) (T. Iredale, 1936)
- martinianum, [Monoplex pilearis martinianum](#) D'Orbigny, 1846
- martinianum, Cymatium martinianum D'Orbigny, 1847 - syn of: [Monoplex pilearis martinianum](#) D'Orbigny, 1846
- mauritianum, Triton mauritianum C.M. Tapparone-Carelli, 1876 - syn of: [Monoplex mundus](#) (A.A. Gould, 1849)
- mediterraneum, Charonia mediterraneum A. Rissø, 1826 - syn of: [Charonia lampas](#) (C. Linnaeus, 1758)
- mediterraneum, Triton mediterraneum G.B. II Sowerby, 1833 - syn of: [Cumia reticulata](#) (H.M.D. de Blainville, 1829)
- mediterraneum, Charonia mediterraneum G.B. II Sowerby, 1833 - syn of: [Cumia reticulata](#) (H.M.D. de Blainville, 1829)
- melpangi, [Sassia melpangi](#) M.G. Harasewych & A.G. Beu, 2007
- microstoma, Biplex microstoma H.C. Fulton, 1930 - syn of: [Biplex aculeata](#) (M.M. Schepman, 1909)
- midwayensis, [Sassia midwayensis](#) (T. Habe & T.A. Okutani, 1968)
- mimetica, [Sassia mimetica](#) (R. Tate, 1893)
- miocenica, Ranella miocenica O.G. Michelotti, 1847 - syn of: [Ranella olearium](#) C. Linnaeus, 1758
- mirabilis, Charonia mirabilis P. Parenzan, 1970 - syn of: [Charonia lampas nodifera](#) J.B.P.A. Lamarck, 1822
- mixta, [Septa mixta](#) (A. Arthur & F. García-Talavera, 1990)
- mohorterae, Cymatium mohorterae A.H. Verri, 1952 - syn of: [Ranularia gallinago](#) (L.A. Reeve, 1844)
- monilifera, [Ranularia monilifera](#) (A. Adams & L.A. Reeve, 1850)
- moricinctum, Ranularia moricinctum L.A. Reeve, 1844 - syn of: [Ranularia cynocephala](#) (J.B.P.A. Lamarck, 1816)
- moritinctum, Ranularia moritinctum L.A. Reeve, 1844 - syn of: [Ranularia cynocephala](#) (J.B.P.A. Lamarck, 1816)
- moritinctum, Cymatium moritinctum L.A. Reeve, 1844 - syn of: [Ranularia cynocephala](#) (J.B.P.A. Lamarck, 1816)
- moritinctus, Ranularia moritinctus L.A. Reeve, 1844 - syn of: [Ranularia cynocephala](#) (J.B.P.A. Lamarck, 1816)

- **multinodosa**, *Ranella multinodosa* C.E.R. Bucknill, 1927 - syn of: [\*\*\*Ranella olearium\*\*\*](#) C. Linnaeus, 1758
- **mundus**, [\*\*\*Monoplex mundus\*\*\*](#) (A.A. Gould, 1849)
- **muricatum**, *Lotoria muricatum* P.F. Röding, 1798 - syn of: [\*\*\*Ranularia pyrum\*\*\*](#) (C. Linnaeus, 1758)
- **muriciformis**, *Ranella muriciformis* W.J. Broderip, 1833 - syn of: [\*\*\*Eupleura muriciformis\*\*\*](#) (W.J. Broderip, 1833)
- **muricina**, *Ranularia muricina* P.F. Röding, 1798 - syn of: [\*\*\*Gutturnium muricinum\*\*\*](#) (P.F. Röding, 1798)
- **muricinum**, [\*\*\*Gutturnium muricinum\*\*\*](#) (P.F. Röding, 1798)
- **muricinum**, *Cymatium muricinum* P.F. Röding, 1798 - syn of: [\*\*\*Gutturnium muricinum\*\*\*](#) (P.F. Röding, 1798)
- **muricinum antillarum**, [\*\*\*Gutturnium muricinum antillarum\*\*\*](#) (P.F. Röding, 1798)
- **murrayi**, *Argobuccinum murrayi* E.A. Smith, 1891 - syn of: [\*\*\*Fusitriton murrayi\*\*\*](#) E.A. Smith, 1891
- **murrayi**, *Priene murrayi* E.A. Smith, 1891 - syn of: [\*\*\*Fusitriton murrayi\*\*\*](#) E.A. Smith, 1891
- **murrayi**, [\*\*\*Fusitriton murrayi\*\*\*](#) E.A. Smith, 1891
- **nana**, *Ranella nana* W.J. Broderip & G.B. I Sowerby, 1829 - syn of: [\*\*\*Marsupina nana\*\*\*](#) (W.J. Broderip & G.B. I Sowerby, 1829)
- **nanshaensis**, *Gyrineum nanshaensis* S. Zhang, 2004 - syn of: [\*\*\*Gyrineum lacunatum\*\*\*](#) (J.W. Michels, 1845)
- **nassariformis**, [\*\*\*Sassia nassariformis\*\*\*](#) (G.B. III Sowerby, 1902)
- **nassoides**, *Triton nassoides* L.A. Reeve, 1844 - syn of: [\*\*\*Trajana perideris\*\*\*](#) (W.H. Dall, 1910)
- **natator**, [\*\*\*Gyrineum natator\*\*\*](#) (P.F. Röding, 1798)
- **natator robusta**, *Gyrineum natator robusta* H.C. Fulton, 1936 - syn of: [\*\*\*Gyrineum natator\*\*\*](#) (P.F. Röding, 1798)
- **natator tuberculatus**, [\*\*\*Gyrineum natator tuberculatus\*\*\*](#) W.J. Broderip, 1833
- **neglecta**, *Ranella neglecta* G.B. II Sowerby, 1836 - syn of: [\*\*\*Bufonaria margaritula\*\*\*](#) (G.P. Deshayes, 1832)
- **neptunia**, *Linatella neptunia* T.A. Garrard, 1963 - syn of: [\*\*\*Linatella caudata\*\*\*](#) (J.F. Gmelin, 1791)
- **nerei**, *Charonia nerei* L.W. Dilwyn, 1817 - syn of: [\*\*\*Charonia lampas\*\*\*](#) (C. Linnaeus, 1758)
- **nicobaricum**, *Cymatium nicobaricum* P.F. Röding, 1798 - syn of: [\*\*\*Monoplex nicobaricus\*\*\*](#) (P.F. Röding, 1798)
- **nicobaricus**, [\*\*\*Monoplex nicobaricus\*\*\*](#) (P.F. Röding, 1798)
- **nicobarius**, *Monoplex nicobarius* P.F. Röding, 1798 - syn of: [\*\*\*Monoplex nicobaricus\*\*\*](#) (P.F. Röding, 1798)
- **nitida**, *Ranella nitida* W.J. Broderip, 1833 - syn of: [\*\*\*Eupleura nitida\*\*\*](#) (W.J. Broderip, 1833)
- **nobilis**, *Ranella nobilis* L.A. Reeve, 1844 - syn of: [\*\*\*Bursina nobilis\*\*\*](#) (L.A. Reeve, 1844)
- **nobilis**, *Charonia nobilis* T.A. Conrad, 1849 - syn of: [\*\*\*Charonia variegata\*\*\*](#) (J.B.P.A. Lamarck, 1816)
- **nodifera**, [\*\*\*Charonia lampas nodifera\*\*\*](#) J.B.P.A. Lamarck, 1822
- **nodifera**, *Charonia nodifera* J.B.P.A. Lamarck, 1822 - syn of: [\*\*\*Charonia lampas nodifera\*\*\*](#) J.B.P.A. Lamarck, 1822
- **nodifera euclia**, *Charonia nodifera euclia* C. Hedley, 1914 - syn of: [\*\*\*Charonia lampas\*\*\*](#) (C. Linnaeus, 1758)
- **nodiferum major**, *Septa nodiferum major* P.M. Pallary, 1900 - syn of: [\*\*\*Charonia lampas\*\*\*](#) (C. Linnaeus, 1758)
- **nodiferum minor**, *Septa nodiferum minor* P.M. Pallary, 1900 - syn of: [\*\*\*Charonia lampas\*\*\*](#) (C. Linnaeus, 1758)
- **nodocostata**, *Lampusia nodocostata* R. Tate & W.L. May, 1901 - syn of: [\*\*\*Sassia kampyla\*\*\*](#) (R.B. Watson, 1885)
- **nodosum**, *Triton nodosum* K.T. Menke, 1851 - syn of: [\*\*\*Monoplex wiegmanni\*\*\*](#) (H.E. Anton, 1838)
- **nodulus**, *Ranularia nodulus* C.M. Tapparone-Caneffri, 1881 - syn of: [\*\*\*Gutturnium muricinum\*\*\*](#) (P.F. Röding, 1798)
- **norai**, [\*\*\*Monoplex norai\*\*\*](#) (F. García-Talavera & J.B. Vera, 2004)
- **oblita**, [\*\*\*Ranularia oblita\*\*\*](#) H. Lewis & A.G. Beu, 1976
- **oboesa**, [\*\*\*Ranularia oboesa\*\*\*](#) (G. Perry, 1811)
- **oboesa retusa**, [\*\*\*Ranularia oboesa retusa\*\*\*](#) J.B.P.A. Lamarck, 1822
- **obscurus**, *Monoplex obscurus* A. Adams, 1855 - syn of: [\*\*\*Monoplex exaratus\*\*\*](#) (L.A. Reeve, 1844)
- **obtectus**, *Obscuranella obtectus* K.H.J. Thiele, 1912 - syn of: [\*\*\*Obscuranella papyrodes\*\*\*](#) Y.I. Kantor & M.G. Harasewych, 2000
- **occidentale**, *Cymatium occidentale* O.A.L. Mörch, 1877 - syn of: [\*\*\*Septa occidentalis\*\*\*](#) O.A.L. Mörch, 1877
- **occidentale beui**, [\*\*\*Septa occidentale beui\*\*\*](#) F. García-Talavera, 1985
- **occidentalis**, [\*\*\*Septa occidentalis\*\*\*](#) O.A.L. Mörch, 1877
- **olearia atlantica**, [\*\*\*Ranella olearia atlantica\*\*\*](#) T.A. de M. Monterosato, 1890
- **olearia barcellosi**, [\*\*\*Ranella olearia barcellosi\*\*\*](#)
- **olearium**, [\*\*\*Ranella olearium\*\*\*](#) C. Linnaeus, 1758
- **olearium**, *Ranella olearium* C. Linnaeus, 1758 - syn of: [\*\*\*Ranella olearium\*\*\*](#) C. Linnaeus, 1758
- **olearium**, *Monoplex olearium* P.F. Röding, 1798 - syn of: [\*\*\*Monoplex pilearis\*\*\*](#) (C. Linnaeus, 1758)
- **olivator**, *Gyrineum olivator* O.A.L. Mörch, 1853 - syn of: [\*\*\*Gyrineum natator\*\*\*](#) (P.F. Röding, 1798)
- **opis**, *Charonia opis* P.F. Röding, 1798 - syn of: [\*\*\*Charonia lampas\*\*\*](#) (C. Linnaeus, 1758)
- **oregonensis**, [\*\*\*Fusitriton oregonensis\*\*\*](#) (J.H. Redfield, 1846)
- **oregonensis**, *Triton oregonensis* R. Arnold, 1907 - syn of: [\*\*\*Fusitriton oregonensis\*\*\*](#) (J.H. Redfield, 1846)
- **oregonensis galea**, *Fusitriton oregonensis galea* J.T. Kuroda & T. Habe, 1961 - syn of: [\*\*\*Fusitriton galea\*\*\*](#) J.T. Kuroda & T. Habe, 1961
- **orientale**, *Cymatium orientale* G. Nevill & H. Nevill, 1874 - syn of: [\*\*\*Turritriton labiosus\*\*\*](#) (W. Wood, 1828)
- **orientalis**, *Cymatium orientalis* G. Nevill & H. Nevill, 1874 - syn of: [\*\*\*Turritriton labiosus\*\*\*](#) (W. Wood, 1828)
- **ostenfeldi**, *Ranella ostenfeldi* T. Iredale, 1937 - syn of: [\*\*\*Ranella olearium\*\*\*](#) C. Linnaeus, 1758
- **otagoensis**, *Cabestana otagoensis* A.W.B. Powell, 1954 - syn of: [\*\*\*Cabestana tabulata\*\*\*](#) (K.T. Menke, 1843)
- **pacator**, *Gyrineum pacator* T. Iredale, 1931 - syn of: [\*\*\*Bufonaria margaritula\*\*\*](#) (G.P. Deshayes, 1832)
- **pachycheulos**, *Ranularia pachycheulos* C.M. Tapparone-Caneffri, 1876 - syn of: [\*\*\*Ranularia monilifera\*\*\*](#) (A. Adams & L.A. Reeve, 1850)
- **pacifica**, *Fusitriton pacifica* W.H. Dall, 1909 - syn of: [\*\*\*Fusitriton oregonensis\*\*\*](#) (J.H. Redfield, 1846)
- **pagodus**, *Charonia pagodus* L.A. Reeve, 1844 - syn of: [\*\*\*Nassarius pagodus\*\*\*](#) (L.A. Reeve, 1844)
- **pallida**, [\*\*\*Gelagna pallida\*\*\*](#) (M. Parth, 1996)
- **palmeri**, [\*\*\*Sassia palmeri\*\*\*](#) (A.W.B. Powell, 1967)
- **papillosum**, *Septa papillosum* A. Adams, 1870 - syn of: [\*\*\*Bursa ranelloides\*\*\*](#) (L.A. Reeve, 1844)

- **papyrodes**, [\*\*\*Obscuranella papyrodes\*\*\*](#) Y.I. Kantor & M.G. Harasewych, 2000
- **parkinsonia**, [\*\*\*Sassia parkinsonia\*\*\*](#) (G. Perry, 1811)
- **parkinsonia**, Septa parkinsonia G. Perry, 1811 - syn of: [\*\*\*Sassia parkinsonia\*\*\*](#) (G. Perry, 1811)
- **parkinsonia basilicus**, *Sassia parkinsonia basilicus* T. Iredale, 1924 - syn of: [\*\*\*Sassia parkinsonia\*\*\*](#) (G. Perry, 1811)
- **parmense**, *Ranella parmense* E. Sismonda, 1842 - syn of: [\*\*\*Ranella olearium\*\*\*](#) C. Linnaeus, 1758
- **parthenopaeum**, *Ranella parthenopaeum* C.U.A. von Salis-Marschins, 1793 - syn of: [\*\*\*Monoplex parthenopeus\*\*\*](#) (C.U.A. von Salis-Marschins, 1793)
- **parthenopeum**, *Monoplex parthenopeum* A.M. Keen, 1958 - syn of: [\*\*\*Monoplex keenae\*\*\*](#) (A.G. Beu, 1970)
- **parthenopeum**, *Cymatium parthenopeum* C.U.A. von Salis-Marschins, 1793 - syn of: [\*\*\*Monoplex parthenopeus\*\*\*](#) (C.U.A. von Salis-Marschins, 1793)
- **parthenopeum**, *Septa parthenopeum* C.U.A. von Salis-Marschins, 1793 - syn of: [\*\*\*Monoplex parthenopeus\*\*\*](#) (C.U.A. von Salis-Marschins, 1793)
- **parthenopeum keenae**, *Cymatium parthenopeum keenae* A.G. Beu, 1970 - syn of: [\*\*\*Monoplex keenae\*\*\*](#) (A.G. Beu, 1970)
- **parthenopeus**, [\*\*\*Monoplex parthenopeus\*\*\*](#) (C.U.A. von Salis-Marschins, 1793)
- **parthenopeus echo**, [\*\*\*Monoplex parthenopeus echo\*\*\*](#) J.T. Kuroda & T. Habe, 1961
- **parthenopus**, *Monoplex parthenopus* C.U.A. von Salis-Marschins, 1793 - syn of: [\*\*\*Monoplex parthenopeus\*\*\*](#) (C.U.A. von Salis-Marschins, 1793)
- **parthi**, [\*\*\*Ranularia parthi\*\*\*](#) (A. Arthur, 1991)
- **paulucciana**, *Ranella paulucciana* C.M. Tapparone-Caneffri, 1876 - syn of: [\*\*\*Bursa rhodostoma\*\*\*](#) (G.B. II Sowerby, 1835)
- **peasei**, [\*\*\*Septa peasei\*\*\*](#) (A.G. Beu, 1987)
- **pectinata**, *Ranella pectinata* R.B. Hinds, 1844 - syn of: [\*\*\*Eupleura pectinata\*\*\*](#) (R.B. Hinds, 1844)
- **penniketi**, [\*\*\*Monoplex penniketi\*\*\*](#) (A.G. Beu, 1998)
- **penniketi**, *Cymatium penniketi* A.G. Beu, 1998 - syn of: [\*\*\*Monoplex penniketi\*\*\*](#) (A.G. Beu, 1998)
- **perca**, *Gyrineum perca* G. Perry, 1811 - syn of: [\*\*\*Biplex perca\*\*\*](#) G. Perry, 1811
- **perca**, [\*\*\*Biplex perca\*\*\*](#) G. Perry, 1811
- **perca**, *Biplex perca* H.G. Richards, 1933 - syn of: [\*\*\*Biplex perca\*\*\*](#) G. Perry, 1811
- **perca aculeata**, *Biplex perca aculeata* M.M. Schepman, 1909 - syn of: [\*\*\*Biplex aculeata\*\*\*](#) (M.M. Schepman, 1909)
- **perca bozzettii**, *Biplex perca bozzettii* A.G. Beu, 1998 - syn of: [\*\*\*Biplex bozzettii\*\*\*](#) A.G. Beu, 1998
- **perca edgerleyi**, *Gyrineum perca edgerleyi* H.G. Richards, 1933 - syn of: [\*\*\*Biplex perca\*\*\*](#) G. Perry, 1811
- **perca edgerleyi**, *Biplex perca edgerleyi* H.G. Richards, 1933 - syn of: [\*\*\*Biplex perca\*\*\*](#) G. Perry, 1811
- **perforatus**, *Linatella perforatus* T.A. Conrad, 1849 - syn of: [\*\*\*Monoplex wiegmanni\*\*\*](#) (H.E. Anton, 1838)
- **peroniana**, *Cymatiella peroniana* T. Iredale, 1929 - syn of: [\*\*\*Cymatiella verrucosa\*\*\*](#) (L.A. Reeve, 1844)
- **perryi**, [\*\*\*Lotoria perryi\*\*\*](#) W.K. Emerson & W.E. Old, 1963
- **pertuberculiferum**, *Ranella pertuberculiferum* L.M.D. Bellardi in F. Sacco, 1872 - syn of: [\*\*\*Ranella olearium\*\*\*](#) C. Linnaeus, 1758
- **petulans**, [\*\*\*Sassia petulans\*\*\*](#) (C. Hedley & W.L. May, 1908)
- **pfeifferianus**, [\*\*\*Reticutriton pfeifferianus\*\*\*](#) L.A. Reeve, 1844
- **pharcidum**, *Turritriton pharcidum* W.H. Dall, 1889 - syn of: [\*\*\*Turritriton tenuiliratus\*\*\*](#) (C.E. Lischke, 1873)
- **pharcidum**, *Cymatium pharcidum* W.H. Dall, 1889 - syn of: [\*\*\*Turritriton tenuiliratus\*\*\*](#) (C.E. Lischke, 1873)
- **philomelae**, [\*\*\*Sassia philomelae\*\*\*](#) (R.B. Watson, 1881)
- **pileare**, *Cymatium pileare* C. Linnaeus, 1758 - syn of: [\*\*\*Monoplex pilearis\*\*\*](#) (C. Linnaeus, 1758)
- **pileare**, *Charonia pileare* C. Linnaeus, 1758 - syn of: [\*\*\*Monoplex pilearis\*\*\*](#) (C. Linnaeus, 1758)
- **pileare**, *Septa pileare* C. Linnaeus, 1758 - syn of: [\*\*\*Monoplex pilearis\*\*\*](#) (C. Linnaeus, 1758)
- **pileare**, *Monoplex pileare* L.A. Reeve, 1844 - syn of: [\*\*\*Monoplex aquatilis\*\*\*](#) (L.A. Reeve, 1844)
- **pileare**, *Monoplex pileare* W.H. Dall, 1909 - syn of: [\*\*\*Monoplex macrodon\*\*\*](#) (A. Valenciennes, 1832)
- **pileare**, *Monoplex pileare* W.H. Pease, 1869 - syn of: [\*\*\*Monoplex intermedius\*\*\*](#) W.H. Pease, 1869
- **pileare cruzana**, *Cymatium pileare cruzana* G.W. Nowell-Usticke, 1959 - syn of: [\*\*\*Monoplex aquatilis\*\*\*](#) (L.A. Reeve, 1844)
- **pileare cruzana**, *Monoplex pileare cruzana* G.W. Nowell-Usticke, 1959 - syn of: [\*\*\*Monoplex aquatilis\*\*\*](#) (L.A. Reeve, 1844)
- **pileare macrodon**, *Cymatium pileare macrodon* A. Valenciennes, 1832 - syn of: [\*\*\*Monoplex macrodon\*\*\*](#) (A. Valenciennes, 1832)
- **pileare martinianum**, *Septa pileare martinianum* D'Orbigny, 1847 - syn of: [\*\*\*Monoplex pilearis\*\*\*](#) (C. Linnaeus, 1758)
- **pilearis**, [\*\*\*Monoplex pilearis\*\*\*](#) (C. Linnaeus, 1758)
- **pilearis martinianum**, [\*\*\*Monoplex pilearis martinianum\*\*\*](#) D'Orbigny, 1846
- **plicata**, *Ranella plicata* L.A. Reeve, 1844 - syn of: [\*\*\*Eupleura plicata\*\*\*](#) (L.A. Reeve, 1844)
- **poecilostoma**, *Ranella poecilostoma* E.A. Smith, 1915 - syn of: [\*\*\*Ranella gemmifera\*\*\*](#) (F.M. Euthyme, 1889)
- **polychloros**, *Gyrineum polychloros* C.M. Tapparone-Caneffri, 1875 - syn of: [\*\*\*Gyrineum lacunatum\*\*\*](#) (J.W. Michels, 1845)
- **polychloros**, *Ranella polychloros* C.M. Tapparone-Caneffri, 1875 - syn of: [\*\*\*Gyrineum lacunatum\*\*\*](#) (J.W. Michels, 1845)
- **polyzonalis**, *Argobuccinum polyzonalis* J.B.P.A. Lamarck, 1816 - syn of: [\*\*\*Argobuccinum pustulosum\*\*\*](#) (J. Lightfoot, 1786)
- **ponderi**, [\*\*\*Sassia ponderi\*\*\*](#) (A.G. Beu, 1987)
- **ponderosa**, *Ranella ponderosa* L.A. Reeve, 1844 - syn of: [\*\*\*Bursa corrugata\*\*\*](#) (G. Perry, 1811)
- **poulsenii**, *Linatella poulsenii* O.A.L. Mörch, 1877 - syn of: [\*\*\*Linatella caudata\*\*\*](#) (J.F. Gmelin, 1791)
- **powelli**, *Charonia powelli* B.C. Cotton, 1957 - syn of: [\*\*\*Charonia lampas\*\*\*](#) (C. Linnaeus, 1758)
- **prima**, *Monoplex prima* H.A. Pilsbry, 1945 - syn of: [\*\*\*Monoplex parthenopeus\*\*\*](#) (C.U.A. von Salis-Marschins, 1793)
- **problematicum**, *Triton problematicum* P. Dautzenberg & H. Fischer, 1906 - syn of: [\*\*\*Monoplex tranquebaricus\*\*\*](#) (J.B.P.A. Lamarck, 1816)
- **problematicum**, *Septa problematicum* P. Dautzenberg & H. Fischer, 1906 - syn of: [\*\*\*Monoplex tranquebaricus\*\*\*](#) (J.B.P.A. Lamarck, 1816)
- **problematicum**, *Cymatium problematicum* P. Dautzenberg & H. Fischer, 1906 - syn of: [\*\*\*Monoplex tranquebaricus\*\*\*](#) (J.B.P.A. Lamarck, 1816)
- **proditor**, [\*\*\*Argobuccinum proditor\*\*\*](#) (G.R. von Frauenfeld, 1865)
- **proditor**, *Gyrineum proditor* G.R. von Frauenfeld, 1865 - syn of: [\*\*\*Argobuccinum proditor\*\*\*](#) (G.R. von Frauenfeld, 1865)
- **proditor tristanense**, [\*\*\*Argobuccinum proditor tristanense\*\*\*](#) R.K. Dell, 1963
- **producta**, *Ranella producta* W.H. Pease, 1861 - syn of: [\*\*\*Aspella producta\*\*\*](#) (W.H. Pease, 1861)
- **productum**, *Triton productum* A.A. Gould, 1852 - syn of: [\*\*\*Gutturnium muricinum\*\*\*](#) (P.F. Röding, 1798)

- **pulchella**, [\*\*Biplex pulchella\*\*](#) (G.B. I Sowerby, 1825)
- **pulchella**, Biplex pulchella A. Adams, 1853 - syn of: [\*\*Biplex pulchella\*\*](#) (G.B. I Sowerby, 1825)
- **pulchella**, Ranella pulchella E. Forbes, 1852 - syn of: [\*\*Biplex pulchella\*\*](#) (G.B. I Sowerby, 1825)
- **pulchella**, Ranella pulchella G.B. I Sowerby, 1825 - syn of: [\*\*Biplex pulchella\*\*](#) (G.B. I Sowerby, 1825)
- **pulchellus**, Monoplex pulchellus C.B. Adams, 1850 - syn of: [\*\*Monoplex nicobaricus\*\*](#) (P.F. Röding, 1798)
- **pulchellus**, Charonia pulchellus C.B. Adams, 1850 - syn of: [\*\*Monoplex nicobaricus\*\*](#) (P.F. Röding, 1798)
- **pulchra**, Ranella pulchra G.B. I Sowerby, 1835 - syn of: [\*\*Marsupina nana\*\*](#) (W.J. Broderip & G.B. I Sowerby, 1829)
- **pulchra**, Biplex pulchra L.A. Reeve, 1844 - syn of: [\*\*Biplex perca\*\*](#) (G. Perry, 1811)
- **pumilio**, [\*\*Cymatiella pumilio\*\*](#) (C. Hedley, 1903)
- **pusillum**, [\*\*Gyrineum pusillum\*\*](#) (W.J. Broderip, 1833)
- **pusillum**, Gyrineum pusillum T. Kira, 1956 - syn of: [\*\*Gyrineum cuspidatum\*\*](#) (L.A. Reeve, 1844)
- **pusillus cuspidataeformis**, Gyrineum pusillus cuspidataeformis T. Kira, 1956 - syn of: [\*\*Gyrineum lacunatum\*\*](#) (J.W. Mighels, 1845)
- **pustulata**, [\*\*Charonia lampas pustulata\*\*](#) (F.M. Euthyme, 1889)
- **pustulata**, Charonia pustulata F.M. Euthyme, 1889 - syn of: [\*\*Charonia lampas pustulata\*\*](#) (F.M. Euthyme, 1889)
- **pustulosa**, Ranella pustulosa L.A. Reeve, 1844 - syn of: [\*\*Bursa corrugata\*\*](#) (G. Perry, 1811)
- **pustulosa jabik**, Ranella pustulosa jabik E. Fischer-Piette, 1942 - syn of: [\*\*Bursa corrugata\*\*](#) (G. Perry, 1811)
- **pustulosum**, [\*\*Argobuccinum pustulosum\*\*](#) (J. Lightfoot, 1786)
- **pustulosum ranelliforme**, Argobuccinum pustulosum ranelliforme P.P. King, 1832 - syn of: [\*\*Argobuccinum ranelliforme\*\*](#) (P.P. King, 1832)
- **pustulosum tumidum**, Argobuccinum pustulosum tumidum R.W. Dunker, 1862 - syn of: [\*\*Argobuccinum tumidum\*\*](#) (R.W. Dunker, 1862)
- **pygmaea**, Ranella pygmaea J.B.P.A. Lamarck, 1822 - syn of: [\*\*Nassarius pygmaeus\*\*](#) (J.B.P.A. Lamarck, 1822)
- **pyramidalis**, Ranella pyramidalis W.J. Broderip, 1833 - syn of: [\*\*Aspella pyramidalis\*\*](#) (W.J. Broderip, 1833)
- **pyramidata**, Monoplex pyramidata A. Riso, 1826 - syn of: [\*\*Monoplex parthenopeus\*\*](#) (C.U.A. von Sals-Marschins, 1793)
- **pyramidata**, Ranella pyramidata A. Riso, 1826 - syn of: [\*\*Monoplex parthenopeus\*\*](#) (C.U.A. von Sals-Marschins, 1793)
- **pyriformis**, Cymatium pyriformis C.B. Adams, 1851 - syn of: [\*\*Ranularia encaustica\*\*](#) (L.A. Reeve, 1844)
- **pyriformis**, Triton pyriformis T.A. Conrad, 1849 - syn of: [\*\*Gutturnium muricinum\*\*](#) (P.F. Röding, 1798)
- **pyrulum**, [\*\*Ranularia pyrulum\*\*](#) (A. Adams & L.A. Reeve, 1850)
- **pyrum**, [\*\*Ranularia pyrum\*\*](#) (C. Linnaeus, 1758)
- **quoyi**, Cymatiella quoyi L.A. Reeve, 1844 - syn of: [\*\*Cymatiella verrucosa\*\*](#) (L.A. Reeve, 1844)
- **raderi**, [\*\*Cymatium raderi\*\*](#) A. D'Attilio & B.W. Myers, 1984
- **ranelliforme**, [\*\*Argobuccinum ranelliforme\*\*](#) (P.P. King, 1832)
- **ranelloides**, Ranella ranelloides L.A. Reeve, 1844 - syn of: [\*\*Bursa ranelloides\*\*](#) (L.A. Reeve, 1844)
- **ranelloides**, Charonia ranelloides L.A. Reeve, 1844 - syn of: [\*\*Bursa ranelloides\*\*](#) (L.A. Reeve, 1844)
- **ranina**, Gyrineum ranina J.B.P.A. Lamarck, 1816 - syn of: [\*\*Gyrineum gyrinum\*\*](#) (C. Linnaeus, 1758)
- **ranula**, Cymatium ranula O.A.L. Mörch, 1852 - syn of: [\*\*Gutturnium muricinum\*\*](#) (P.F. Röding, 1798)
- **ranzanii**, [\*\*Cymatium ranzanii\*\*](#) (J.J. Bianconi, 1850)
- **rarinodosa**, Ranella rarinodosa J. Noszky, 1940 - syn of: [\*\*Ranella olearium\*\*](#) C. Linnaeus, 1758
- **rehderi**, [\*\*Ranularia rehderi\*\*](#) (A.H. Verriil, 1950)
- **rembangense**, Cymatium rembangense J. Wanner & M.J. Hahn, 1935 - syn of: [\*\*Monoplex vespaeus\*\*](#) J.B.P.A. Lamarck, 1822
- **remensa**, [\*\*Sassia remensa\*\*](#) (T. Iredale, 1936)
- **remensa semitorta**, Sassia remensa semitorta J.T. Kuroda & T. Habe, 1961 - syn of: [\*\*Sassia semitorta\*\*](#) J.T. Kuroda & T. Habe, 1961
- **reticularis**, Ranella reticularis I. von Born, 1780 - syn of: [\*\*Ranella olearium\*\*](#) C. Linnaeus, 1758
- **reticularis altavillensis**, Ranella reticularis altavillensis A. De Gregorio, 1884 - syn of: [\*\*Ranella olearium\*\*](#) C. Linnaeus, 1758
- **reticularis bicanalata**, Ranella reticularis bicanalata A. De Gregorio, 1884 - syn of: [\*\*Ranella olearium\*\*](#) C. Linnaeus, 1758
- **reticularis borniana**, Ranella reticularis borniana A. De Gregorio, 1884 - syn of: [\*\*Ranella olearium\*\*](#) C. Linnaeus, 1758
- **reticularis frigida**, Ranella reticularis frigida A. De Gregorio, 1884 - syn of: [\*\*Ranella olearium\*\*](#) C. Linnaeus, 1758
- **reticularis isba**, Ranella reticularis isba A. De Gregorio, 1885 - syn of: [\*\*Ranella olearium\*\*](#) C. Linnaeus, 1758
- **reticularis mediterranea**, Ranella reticularis mediterranea A. De Gregorio, 1884 - syn of: [\*\*Ranella olearium\*\*](#) C. Linnaeus, 1758
- **reticularis meneghini**, Ranella reticularis meneghini A. De Gregorio, 1884 - syn of: [\*\*Ranella olearium\*\*](#) C. Linnaeus, 1758
- **reticularis parivaricata**, Ranella reticularis parivaricata A. De Gregorio, 1884 - syn of: [\*\*Ranella olearium\*\*](#) C. Linnaeus, 1758
- **reticulatum**, Triton reticulatum H.M.D. de Blainville, 1829 - syn of: [\*\*Cumia reticulata\*\*](#) (H.M.D. de Blainville, 1829)
- **retiolus**, [\*\*Fusitriton retiolus\*\*](#) (C. Hedley, 1914)
- **retusa**, [\*\*Ranularia oboesa retusa\*\*](#) J.B.P.A. Lamarck, 1822
- **retusum**, Ranularia retusum J.B.P.A. Lamarck, 1822 - syn of: [\*\*Ranularia oboesa retusa\*\*](#) J.B.P.A. Lamarck, 1822
- **rhinoceros**, Cymatium rhinoceros P.F. Röding, 1798 - syn of: [\*\*Cymatium lotorium\*\*](#) (C. Linnaeus, 1758)
- **rhodostoma**, Ranella rhodostoma G.B. II Sowerby, 1835 - syn of: [\*\*Bursa rhodostoma\*\*](#) (G.B. II Sowerby, 1835)
- **rhodostoma xantostoma**, Ranella rhodostoma xantostoma C.M. Tapparone-Carelli, 1878 - syn of: [\*\*Bursa rhodostoma\*\*](#) (G.B. II Sowerby, 1835)
- **rickardi**, Cymatium rickardi H.S. Ladd, 1977 - syn of: [\*\*Nassaria acuminata\*\*](#) (L.A. Reeve, 1844)
- **ridens**, Charonia ridens L.A. Reeve, 1844 - syn of: [\*\*Distorsio clathrata\*\*](#) (J.B.P.A. Lamarck, 1816)
- **ridleyi**, Monoplex ridleyi E.A. Smith, 1890 - syn of: [\*\*Monoplex comptus\*\*](#) (A. Adams, 1855)
- **roseum**, [\*\*Gyrineum roseum\*\*](#) (L.A. Reeve, 1844)
- **rostrata**, Linatella rostrata O.A.L. Mörch, 1852 - syn of: [\*\*Linatella caudata\*\*](#) (J.F. Gmelin, 1791)
- **rubecula**, [\*\*Septa rubecula\*\*](#) (C. Linnaeus, 1758)
- **rubecula**, Septa rubecula C. Linnaeus, 1758 - syn of: [\*\*Septa rubecula\*\*](#) (C. Linnaeus, 1758)
- **rubecula occidentale**, Septa rubecula occidentale O.A.L. Mörch, 1877 - syn of: [\*\*Septa occidentalis\*\*](#) O.A.L. Mörch, 1877
- **rubeculatum**, Septa rubeculatum E. Liénard, 1877 - syn of: [\*\*Septa rubecula\*\*](#) (C. Linnaeus, 1758)

- **rubicunda**, [\*\*Charonia lampas rubicunda\*\*](#) G. Perry, 1811
- **rubicunda powelli**, [\*\*Charonia lampas rubicunda powelli\*\*](#) B.C. Cotton, 1956
- **rudis**, Triton rudis W.J. Broderip, 1833 - syn of: [\*\*Priene scabrum\*\*](#) (P.P. King, 1832)
- **rugosa**, Ranella rugosa G.B. II Sowerby, 1835 - syn of: [\*\*Bursa rugosa\*\*](#) (G.B. II Sowerby, 1835)
- **rutilum**, Cymatium rutilum K.T. Menke, 1843 - syn of: [\*\*Turritriton labiosus\*\*](#) (W. Wood, 1828)
- **saggita**, Gyreneum saggita H.C. Küster in H.C. Küster & W. Kobelt, 1871 - syn of: [\*\*Gyreneum lacunatum\*\*](#) (J.W. Mighels, 1845)
- **saggita**, Ranella saggita H.C. Küster in H.C. Küster & W. Kobelt, 1871 - syn of: [\*\*Gyreneum lacunatum\*\*](#) (J.W. Mighels, 1845)
- **sagitta**, Gyreneum sagitta H.C. Küster, 1871 - syn of: [\*\*Gyreneum cuspidatum\*\*](#) (L.A. Reeve, 1844)
- **sakuraii**, Sassia sakuraii J.T. Kuroda & T. Habe in T. Habe, 1961 - syn of: [\*\*Sassia semitorta\*\*](#) J.T. Kuroda & T. Habe, 1961
- **samier**, Triton samier S.A.A. Petit De La Saussaye, 1852 - syn of: [\*\*Monoplex trigonus\*\*](#) (J.F. Gmelin, 1791)
- **sarcostoma**, [\*\*Ranularia sarcostoma\*\*](#) (L.A. Reeve, 1844)
- **sarcostumum**, Cymatium sarcostumum W.J. Clench & H. Turner, 1957 - syn of: [\*\*Ranularia cynocephala\*\*](#) (J.B.P.A. Lamarck, 1816)
- **sarcostumum**, Ranularia sarcostumum W.J. Clench & H. Turner, 1957 - syn of: [\*\*Ranularia cynocephala\*\*](#) (J.B.P.A. Lamarck, 1816)
- **sauliae**, [\*\*Charonia lampas sauliae\*\*](#) L.A. Reeve, 1844
- **sauliae**, Charonia sauliae L.A. Reeve, 1844 - syn of: [\*\*Charonia lampas sauliae\*\*](#) L.A. Reeve, 1844
- **sauliae macilenta**, Charonia sauliae macilenta J.T. Kuroda & T. Habe, 1961 - syn of: [\*\*Charonia lampas macilenta\*\*](#) J.T. Kuroda & T. Habe, 1961
- **scabrum**, [\*\*Priene scabrum\*\*](#) (P.P. King, 1832)
- **scabrum**, Argobuccinum scabrum P.P. King, 1832 - syn of: [\*\*Priene scabrum\*\*](#) (P.P. King, 1832)
- **scalariformis**, Charonia scalariformis W.J. Broderip, 1833 - syn of: [\*\*Phyllocoma scalariformis\*\*](#) (W.J. Broderip, 1833)
- **scarlatina**, Septa scarlatina G. Perry, 1811 - syn of: [\*\*Septa rubecula\*\*](#) (C. Linnaeus, 1758)
- **sculptilis**, Charonia sculptilis L.A. Reeve, 1844 - syn of: [\*\*Phrygiomurex sculptilis\*\*](#) (L.A. Reeve, 1844)
- **seguenae**, [\*\*Charonia variegata seguenzae\*\*](#) A. Aradas & L. Benoit, 1874
- **semigranosa**, Ranella semigranosa J.B.P.A. Lamarck, 1822 - syn of: [\*\*Bursa corrugata\*\*](#) (G. Perry, 1811)
- **semilaevis**, Ranella semilaevis J. Noszky, 1940 - syn of: [\*\*Ranella olearium\*\*](#) C. Linnaeus, 1758
- **semitorta**, Sassia semitorta J.T. Kuroda & T. Habe, 1961 - syn of: [\*\*Sassia semitorta\*\*](#) J.T. Kuroda & T. Habe, 1961
- **semitorta**, [\*\*Sassia semitorta\*\*](#) J.T. Kuroda & T. Habe, 1961
- **sexcostata**, [\*\*Cymatiella sexcostata\*\*](#) (R. Tate, 1888)
- **simplex**, Ranella simplex J. Noszky, 1940 - syn of: [\*\*Ranella olearium\*\*](#) C. Linnaeus, 1758
- **sinense arthuri**, Ranularia sinense arthuri A.G. Beu, 1987 - syn of: [\*\*Ranularia arthuri\*\*](#) (A.G. Beu, 1987)
- **sinensis**, [\*\*Ranularia sinensis\*\*](#) (L.A. Reeve, 1844)
- **sinensis defranata**, Ranularia sinensis defranata T. Iredale, 1936 - syn of: [\*\*Ranularia sinensis\*\*](#) (L.A. Reeve, 1844)
- **siphonata**, Ranella siphonata L.A. Reeve, 1844 - syn of: [\*\*Bursa rosa\*\*](#) (G. Perry, 1811)
- **siphonatus**, Charonia siphonatus L.A. Reeve, 1844 - syn of: [\*\*Tritonoharpa siphonata\*\*](#) (L.A. Reeve, 1844)
- **smaragdula**, Paralagena smaragdula C. Linnaeus, 1758 - syn of: [\*\*Latirolagena smaragdulus\*\*](#) (C. Linnaeus, 1758)
- **spengleri**, [\*\*Cabestana spengleri\*\*](#) (G. Perry, 1811)
- **spengleri**, Septa spengleri G. Perry, 1811 - syn of: [\*\*Cabestana spengleri\*\*](#) (G. Perry, 1811)
- **spengleri procerum**, Cabestana spengleri procerum T. Iredale, 1929 - syn of: [\*\*Cabestana spengleri\*\*](#) (G. Perry, 1811)
- **spinosa**, Ranella spinosa J.B.P.A. Lamarck, 1816 - syn of: [\*\*Bufonaria echinata\*\*](#) (J.H.F. Link, 1807)
- **spinosa granosa**, Ranella spinosa granosa K. Martin, 1884 - syn of: [\*\*Bufonaria granosa\*\*](#) (K. Martin, 1884)
- **springsteeni**, [\*\*Ranularia springsteeni\*\*](#) (A.G. Beu, 1987)
- **strangei**, Cymatium strangei A. Adams & G.F. Angas, 1864 - syn of: [\*\*Turritriton labiosus\*\*](#) (W. Wood, 1828)
- **subdistorta**, [\*\*Sassia subdistorta\*\*](#) (J.B.P.A. Lamarck, 1822)
- **subdistortum**, Sassia subdistortum J.B.P.A. Lamarck, 1822 - syn of: [\*\*Sassia subdistorta\*\*](#) (J.B.P.A. Lamarck, 1822)
- **subgranosa**, Ranella subgranosa G.B. II Sowerby, 1836 - syn of: [\*\*Bufonaria rana\*\*](#) (C. Linnaeus, 1758)
- **succincta**, [\*\*Gelagna succincta\*\*](#) (C. Linnaeus, 1771)
- **succincta**, Cabestana succincta A. Risso, 1826 - syn of: [\*\*Cabestana cutacea\*\*](#) (C. Linnaeus, 1767)
- **succincta**, Linatella succincta C. Linnaeus, 1771 - syn of: [\*\*Gelagna succincta\*\*](#) (C. Linnaeus, 1771)
- **succinctum**, Monoplex succinctum J.B.P.A. Lamarck, 1816 - syn of: [\*\*Monoplex parthenopeus\*\*](#) (C.U.A. von Sals-Marschins, 1793)
- **succinctum**, Charonia succinctum J.B.P.A. Lamarck, 1816 - syn of: [\*\*Monoplex parthenopeus\*\*](#) (C.U.A. von Sals-Marschins, 1793)
- **suteri**, Cymatium suteri W.B. Marshall & R. Murdoch, 1921 - syn of: [\*\*Xymenella pusilla\*\*](#) (H.H. Suter, 1907)
- **swifti**, Triton swifti G.W. Tryon, 1881 - syn of: [\*\*Monostiolum tessellatum\*\*](#) (L.A. Reeve, 1844)
- **sylviaensis**, Fusitriton sylviaensis C.S. Weaver, 1912 - syn of: [\*\*Fusitriton oregonensis\*\*](#) (J.H. Redfield, 1846)
- **tabulata**, [\*\*Cabestana tabulata\*\*](#) (K.T. Menke, 1843)
- **takedai**, [\*\*Fusitriton takedai\*\*](#) T. Habe, 1979
- **tenera**, Charonia tenera J.E. Gray, 1839 - syn of: [\*\*Colubraria tenera\*\*](#) (J.E. Gray, 1839)
- **tenuiliratus**, [\*\*Turritriton tenuiliratus\*\*](#) (C.E. Lischke, 1873)
- **tenuiliratus fittkaui**, [\*\*Turritriton tenuiliratus fittkaui\*\*](#) M. Parth, 1991
- **tessellatus**, Charonia tessellatus L.A. Reeve, 1844 - syn of: [\*\*Monostiolum tessellatum\*\*](#) (L.A. Reeve, 1844)
- **testudinaria**, [\*\*Ranularia testudinaria\*\*](#) (A. Adams & L.A. Reeve, 1850)
- **thersites**, [\*\*Monoplex thersites\*\*](#) (L.A. Reeve, 1844)
- **thersites**, Ranella thersites J.H. Redfield, 1846 - syn of: [\*\*Bufonaria thersites\*\*](#) (J.H. Redfield, 1846)
- **thomae**, Ranella thomae D'Orbigny, 1842 - syn of: [\*\*Bursa rhodostoma\*\*](#) (G.B. II Sowerby, 1835)
- **tigrinum**, [\*\*Cymatium tigrinum\*\*](#) (W.J. Broderip, 1833)
- **tomlini**, Sassia tomlinii A.W.B. Powell, 1955 - syn of: [\*\*Sassia kampyla\*\*](#) (R.B. Watson, 1885)
- **tranquebaricum**, Cymatium tranquebaricum J.B.P.A. Lamarck, 1816 - syn of: [\*\*Monoplex tranquebaricus\*\*](#) (J.B.P.A. Lamarck, 1816)

- **tranquebaricus**, [\*\*Monoplex tranquebaricus\*\*](#) (J.B.P.A. Lamarck, 1816)
- **tranqueribacus**, Charonia tranqueribacus J.B.P.A. Lamarck, 1816 - syn of: [\*\*Monoplex tranquebaricus\*\*](#) (J.B.P.A. Lamarck, 1816)
- **triangularis**, Lotoria triangularis G. Perry, 1811 - syn of: [\*\*Lotoria perryi\*\*](#) W.K. Emerson & W.E. Old, 1963
- **trigonum**, Cymatium trigonum J.F. Gmelin, 1791 - syn of: [\*\*Monoplex trigonus\*\*](#) (J.F. Gmelin, 1791)
- **trigonus**, [\*\*Monoplex trigonus\*\*](#) (J.F. Gmelin, 1791)
- **trilineata**, [\*\*Ranularia trilineata\*\*](#) (L.A. Reeve, 1844)
- **tripa**, [\*\*Ranularia tripa\*\*](#) (J.B.P.A. Lamarck, 1822)
- **tripus**, Cymatium tripus J.B.P.A. Lamarck, 1822 - syn of: [\*\*Ranularia tripa\*\*](#) (J.B.P.A. Lamarck, 1822)
- **triquetra**, Ranella triquetra L.A. Reeve, 1844 - syn of: [\*\*Eupleura triquetra\*\*](#) (L.A. Reeve, 1844)
- **tristanense**, [\*\*Argobuccinum proditor tristanense\*\*](#) R.K. Dell, 1963
- **tritonia**, Septa tritonia G. Perry, 1810 - syn of: [\*\*Charonia tritonis\*\*](#) (C. Linnaeus, 1758)
- **tritonis**, [\*\*Charonia tritonis\*\*](#) (C. Linnaeus, 1758)
- **tritonis seguenzae**, Charonia tritonis seguenzae A. Aradas & L. Benoit, 1874 - syn of: [\*\*Charonia variegata seguenzae\*\*](#) A. Aradas & L. Benoit, 1874
- **tritonis variegata**, Charonia tritonis variegata J.B.P.A. Lamarck, 1816 - syn of: [\*\*Charonia variegata\*\*](#) (J.B.P.A. Lamarck, 1816)
- **truncatus**, Triton truncatus R.B. Hinds, 1844 - syn of: [\*\*Caducifer truncatus\*\*](#) (R.B. Hinds, 1844)
- **tuberculata**, Cabestana tuberculata A. Risso, 1826 - syn of: [\*\*Cabestana cutacea\*\*](#) (C. Linnaeus, 1767)
- **tuberculata**, Ranella tuberculata W.J. Broderip, 1833 - syn of: [\*\*Gyrineum natator\*\*](#) (P.F. Röding, 1798)
- **tuberculatus**, [\*\*Gyrineum natator tuberculatus\*\*](#) W.J. Broderip, 1833
- **tuberculus**, Biplex tuberculus G. Perry, 1811 - syn of: [\*\*Tutufella rubeta\*\*](#) (C. Linnaeus, 1758)
- **tuberossima**, Ranella tuberosissima L.A. Reeve, 1844 - syn of: [\*\*Bursa tuberosissima\*\*](#) (L.A. Reeve, 1844)
- **tuberosum**, Eutritonium tuberosum J.B.P.A. Lamarck, 1822 - syn of: [\*\*Gutturnium muricinum\*\*](#) (P.F. Röding, 1798)
- **tuberosum**, Charonia tuberosum J.B.P.A. Lamarck, 1822 - syn of: [\*\*Gutturnium muricinum\*\*](#) (P.F. Röding, 1798)
- **tuberosum**, Tritoniu tuberosum P.F. Röding, 1798 - syn of: [\*\*Tutufella rubeta\*\*](#) (C. Linnaeus, 1758)
- **tugaruensis**, Fusitriton tugaruensis S. Nomura & K.M. Hatai, 1935 - syn of: [\*\*Fusitriton oregonensis\*\*](#) (J.H. Redfield, 1846)
- **tumidum**, [\*\*Argobuccinum tumidum\*\*](#) (R.W. Dunker, 1862)
- **turricolatum**, Triton turricolatum G.P. Deshayes, 1835 - syn of: [\*\*Cumia reticulata\*\*](#) (H.M.D. de Blainville, 1829)
- **turtoni**, Cymatium turtoni E.A. Smith, 1890 - syn of: [\*\*Monoplex parthenopeus\*\*](#) (C.U.A. von Salis-Marschins, 1793)
- **turtoni**, Monoplex turtoni E.A. Smith, 1890 - syn of: [\*\*Monoplex parthenopeus\*\*](#) (C.U.A. von Salis-Marschins, 1793)
- **umbricata**, Charonia umbricata A. Adams, 1868 - syn of: [\*\*Charonia tritonis\*\*](#) (C. Linnaeus, 1758)
- **undosum**, Triton undosum L.C. Kiener, 1842 - syn of: [\*\*Linatella caudata\*\*](#) (J.F. Gmelin, 1791)
- **valentinei**, Monoplex valentinei A.A. Olsson & R.E. Petit, 1964 - syn of: [\*\*Monoplex parthenopeus\*\*](#) (C.U.A. von Salis-Marschins, 1793)
- **varicosum**, Triton varicosum J.H.F. Link, 1807 - syn of: [\*\*Ranularia caudata\*\*](#) (J.F. Gmelin, 1791)
- **variegata**, [\*\*Charonia variegata\*\*](#) (J.B.P.A. Lamarck, 1816)
- **variegata**, Gyrineum variegata G. Perry, 1811 - syn of: [\*\*Gyrineum gyrum\*\*](#) (C. Linnaeus, 1758)
- **variegata seguenzae**, [\*\*Charonia variegata seguenzae\*\*](#) A. Aradas & L. Benoit, 1874
- **veliei**, Triton veliei W.W. Calkins, 1878 - syn of: [\*\*Monoplex pilearis\*\*](#) (C. Linnaeus, 1758)
- **ventricosa**, Ranella ventricosa W.J. Broderip, 1833 - syn of: [\*\*Crossata ventricosa\*\*](#) (W.J. Broderip, 1833)
- **venustula**, Ranella venustula L.A. Reeve, 1844 - syn of: [\*\*Bursa rhodostoma\*\*](#) (G.B. II Sowerby, 1835)
- **verrucosa**, [\*\*Cymatiella verrucosa\*\*](#) (L.A. Reeve, 1844)
- **verrucosum**, Gyrineum verrucosum J.H.F. Link, 1807 - syn of: [\*\*Gyrineum gyrum\*\*](#) (C. Linnaeus, 1758)
- **verucosa**, Ranella verucosa G.B. I Sowerby, 1825 - syn of: [\*\*Bursa verrucosa\*\*](#) (G.B. I Sowerby, 1825)
- **vespaceum**, Cymatium vespaceum J.B.P.A. Lamarck, 1822 - syn of: [\*\*Monoplex vespaceus\*\*](#) J.B.P.A. Lamarck, 1822
- **vespaceum elongatum**, [\*\*Monoplex vespaceum elongatum\*\*](#) L.A. Reeve, 1844
- **vespaceus**, [\*\*Monoplex vespaceus\*\*](#) J.B.P.A. Lamarck, 1822
- **vestitum**, Cymatium vestitum H.A. Pilsbry, 1920, 1921 - syn of: [\*\*Monoplex pilearis\*\*](#) (C. Linnaeus, 1758)
- **vestitum insulare**, Monoplex vestitum insulare H.A. Pilsbry, 1921 - syn of: [\*\*Monoplex pilearis\*\*](#) (C. Linnaeus, 1758)
- **vestitum insulare**, Cymatium vestitum insulare H.A. Pilsbry, 1921 - syn of: [\*\*Monoplex pilearis\*\*](#) (C. Linnaeus, 1758)
- **vestitus**, [\*\*Monoplex vestitus\*\*](#) (R.B. Hinds, 1844)
- **vestitus**, Monoplex vestitus R.B. Hinds, 1844 - syn of: [\*\*Monoplex vestitus\*\*](#) (R.B. Hinds, 1844)
- **vestitus senior**, Monoplex vestitus senior C.B. Adams, 1852 - syn of: [\*\*Monoplex vestitus\*\*](#) (R.B. Hinds, 1844)
- **vexillum**, Ranella vexillum G.B. II Sowerby, 1841 - syn of: [\*\*Argobuccinum ranelliforme\*\*](#) (P.P. King, 1832)
- **vossi**, Ranella vossi A.W.B. Powell, 1924 - syn of: [\*\*Ranella australasia\*\*](#) (G. Perry, 1811)
- **waterhousei**, [\*\*Cymatilesta waterhousei\*\*](#) (A. Adams & G.F. Angas, 1864)
- **waterhousei**, Cabestana waterhousei (A. Adams & G.F. Angas, 1864) - syn of: [\*\*Cymatilesta waterhousei\*\*](#) (A. Adams & G.F. Angas, 1864)
- **waterhousei frigidulum**, Cabestana waterhousei frigidulum T. Iredale, 1929 - syn of: [\*\*Cabestana tabulata\*\*](#) (K.T. Menke, 1843)
- **waterhousei segregata**, Cabestana waterhousei segregata A.W.B. Powell, 1933 - syn of: [\*\*Cabestana tabulata\*\*](#) (K.T. Menke, 1843)
- **waterhousei tepida**, Cabestana waterhousei tepida T. Iredale, 1936 - syn of: [\*\*Cabestana tabulata\*\*](#) (K.T. Menke, 1843)
- **weigmanni**, Linatella weigmanni H.E. Anton, 1839 - syn of: [\*\*Monoplex weigmanni\*\*](#) (H.E. Anton, 1838)
- **weisbordi**, [\*\*Charonia lampas weisbordi\*\*](#) J. Gibson-Smith, 1976
- **wiegmanni**, [\*\*Monoplex wiegmanni\*\*](#) (H.E. Anton, 1838)
- **wilmerianum**, [\*\*Gyrineum wilmerianum\*\*](#) H.B. Preston, 1908
- **zelandica**, Ranella zelandica H.J. Finlay, 1926 - syn of: [\*\*Ranella australasia\*\*](#) (G. Perry, 1811)
- **zelebori**, Argobuccinum zelebori R.W. Dunker, 1863 - syn of: [\*\*Argobuccinum proditor\*\*](#) (G.R. von Frauenfeld, 1865)
- **zimara**, Cymatium zimara T. Iredale, 1929 - syn of: [\*\*Monoplex exaratus\*\*](#) (L.A. Reeve, 1844)



Class: GASTROPODA

--- Clade: CAENOGASTROPODA-HYPSOGASTROPODA-LITTORINIMORPHA-TONNOIDEA

----- Family: RANELLIDAE Gray, 1854

Habitat= Sea, Taxonomic order


Taxa=753, Genus=21, Subgenus=1, Species=141, Subspecies=29, Synonyms=560, Images=168

SubFamily: CYMATIINAE - Genus: **Cabestana** P.F. Röding, 1798 (syn: Aquilus, Aquilus, Cabestana, Cymatista, Dolarium, Dolarium, Neptunella - 6 SP, 7 IMG)



1710905688  
**Cabestana africana**

(A. Adams, 1855)  
South Africa, Park Rynie  
90 mm




**synonyms:**

- Cabestana cutacea africana A. Adams, 1855



1710904175  
**Cabestana cutacea**

(C. Linnaeus, 1767)  
Italy, Siracusa  
66,4 mm




**synonyms:**

- Cabestana costata P.F. Röding, 1798
- Buccinum curtum É.A.A. Locard, 1886
- Murex cutaceus C. Linnaeus, 1767
- Buccinum danieli É.A.A. Locard, 1886
- Septa dolarium C. Linnaeus, 1767
- Cabestana dolarium attenuata P.M. Pallary, 1920
- Cabestana dolarium major P.M. Pallary, 1920
- Cabestana lemania A. Risso, 1826
- Murex succinctus A. Risso, 1826
- Cabestana cutacea curta M.E.J. Bucquoy, P. Dautzenberg & G.F. Dollfus, 1882
- Cabestana cutaceus major P.M. Pallary, 1920
- Cabestana danieli É.A.A. Locard, 1886
- Murex dolarium C. Linnaeus, 1767
- Septa dolarium elongata P.M. Pallary, 1903
- Cabestana dolata P.F. Röding, 1798
- Cabestana succincta A. Risso, 1826
- Cabestana tuberculata A. Risso, 1826



1710300075  
**Cabestana cutacea dolaria**

C. Linnaeus, 1767  
Transkei, South Africa  
53,9 mm



**synonyms:**

- Cabestana dolarius P.M. Pallary, 1920

- Cabestana dolaria P.M. Pallary, 1920




1710700015  
**Cabestana felipponei**

(H.F.A. von Ihering, 1907)  
Uruguay  
43 mm



1710700010  
**Cabestana spengleri**

(G. Perry, 1811)  
South Australia  
153 mm



**synonyms:**

- Cabestana barthelemyi A.C. Bernardi, 1857
- Septa spengleri G. Perry, 1811

- Cabestana boltenianus A. Adams, 1855
- Cabestana spengleri procerum T. Iredale, 1929



1710300325  
**Cabestana tabulata**

(K.T. Menke, 1843)  
Albany, West Australia



**synonyms:**

- Cabestana otagoensis A.W.B. Powell, 1954
- Cabestana waterhousei segregata A.W.B. Powell, 1933


- Cabestana waterhousei frigidulum T. Iredale, 1929
- Cabestana waterhousei tepida T. Iredale, 1936



1710905708  
**Cabestana**  
**waterhousei**

(A. Adams & G.F. Angas, 1864)

Victoria, Australia  
87 mm



**synonyms:**

- *Cabestana waterhousei* (A. Adams & G.F. Angas, 1864)

SubFamily: CYMATIINAE - **Genus: Charonia** J. von Gistel, 1848 (syn: Buccinatorium, Charonis, Eutriton, Eutritonium, Lampusia, Triton, Tritonellum - 3 SP, 12 IMG)



1710904235  
**Charonia**  
**lampas**

(C. Linnaeus, 1758)

Morocco  
256 mm



**synonyms:**


- *Charonia alfredensis* P. Bartsch, 1915
- *Charonia australis* J.B.P.A. Lamarck, 1822
- *Charonia eucla* T. Iredale, 1929
- *Charonia glabrum* É.A.A. Locard, 1886
- *Charonia gyrioides* P.M. Pillary, 1900
- *Charonia gyrioides* A. De Gregorio, 1883
- *Buccinum mediterraneum* A. Riso, 1826
- *Murex nerei* L.W. Dilwyn, 1817
- *Charonia nodifera eucla* C. Hedley, 1914
- *Septa nodiferum minor* P.M. Pillary, 1900
- *Charonia opis* P.F. Röding, 1798
- *Buccinum pustulatum* F.M. Euthyme, 1889
- *Buccinum pustulatum varicosum* F.M. Euthyme, 1889
- *Charonia capax euclioidea* H.J. Finlay, 1926
- *Charonia eucla instructa* T. Iredale, 1929
- *Murex gyrioides* G.B. Brocchi, 1814
- *Charonia gyrioides* G.B. Brocchi, 1814
- *Murex lampas* C. Linnaeus, 1758
- *Charonia mediterraneum* A. Riso, 1826
- *Charonia nerei* L.W. Dilwyn, 1817
- *Septa nodiferum major* P.M. Pillary, 1900
- *Buccinum opis* P.F. Röding, 1798
- *Charonia powelli* B.C. Cotton, 1957
- *Buccinum pustulatum minor* F.M. Euthyme, 1889



1710905395  
**Charonia**  
**lampas**  
**capax**

H.J. Finlay, 1926


New Zealand  
173 mm



1710750005  
**Charonia**  
**lampas**  
**macilenta**

J.T. Kuroda & T. Habe, 1961

East China Sea  
199 mm



**synonyms:**


- *Charonia saulae macilenta* J.T. Kuroda & T. Habe, 1961



1710904225  
**Charonia**  
**lampas**  
**nodifera**

J.B.P.A. Lamarck, 1822

Elba Island, Italy  
260 mm



**synonyms:**


- *Charonia lampas mirabilis* P. Parenzan, 1970
- *Charonia nodifera* J.B.P.A. Lamarck, 1822
- *Charonia mirabilis* P. Parenzan, 1970



1710750010  
**Charonia**  
**lampas**  
**pustulata**

(F.M. Euthyme, 1889)

South Africa, Mossel Bay  
227 mm



**synonyms:**

- *Charonia pustulata* F.M. Euthyme, 1889





1710754005  
**Charonia**  
**lampas**  
**rubicunda**  
G. Perry, 1811

Albany, West Australia  
136 mm




1710905405  
**Charonia**  
**lampas**  
**rubicunda powelli**  
B.C. Cotton, 1956

Great Australian Bight  
136,2 mm



1710750015  
**Charonia**  
**lampas**  
**sauliae**  
L.A. Reeve, 1844

East China Sea  
255 mm



**synonyms:**

- *Charonia sauliae* L.A. Reeve, 1844




1710904255  
**Charonia**  
**lampas**  
**weisbordi**  
J. Gibson-Smith, 1976

Venezuela  
196 mm



1710750035  
**Charonia**  
**tritonis**

(C. Linnaeus, 1758)  
Society Islands  
452 mm



**synonyms:**

- *Charonia imbricata* A. Adams, 1868
- *Charonia marmoratum* J.H.F. Link, 1807
- *Murex tritonis* C. Linnaeus, 1758

- *Septa tritonis* G. Perry, 1810
- *Charonia umbricula* A. Adams, 1868



1710750040  
**Charonia**  
**variegata**  
(J.B.P.A. Lamarck, 1816)

Fortaleza, Brasil  
354 mm



**synonyms:**


- *Charonia atlantica* T.E. Bowdich, 1822
- *Buccinum sulcatum* A. Riso, 1826

- *Charonia nobilis* T.A. Conrad, 1849
- *Charonia tritonis variegata* J.B.P.A. Lamarck, 1816



1710905415  
**Charonia**  
**variegata**  
**seguenzae**  
A. Aradas & L. Benoit, 1874

Rodos, Greece  
287 mm



**synonyms:**



- *Charonia tritonis seguenzae* A. Aradas & L. Benoit, 1874



1710904735  
**Cymatiella**  
**ansonae**

(A.G. Beu, 1988)


Western Australia  
13,5 mm



1710904745  
**Cymatiella**  
**columnaria**

(C. Hedley & W.L. May, 1908)


Tasmania  
21 mm



1710900020  
**Cymatiella**  
**eburnea**

(L.A. Reeve, 1844)



South Australia, Port McDonnell  
23 mm



1710904755  
**Cymatiella**  
**eburnea**  
**lesueuri**

T. Iredale, 1929


Bass Strait, Tasmania  
17,2 mm



1710904855  
**Cymatiella**  
**pumilio**

(C. Hedley, 1903)


Iluka, New South Wales  
16 mm



1710900055  
**Cymatiella**  
**sexcostata**

(R. Tate, 1888)

South Australia  
21 mm



**synonyms:**


- *Cymatiella gaimardi* T. Iredale, 1929



1710900065  
**Cymatiella**  
**verrucosa**

(L.A. Reeve, 1844)

South Australia, Edithburgh  
24 mm



**synonyms:**

- *Cymatiella peroniana* T. Iredale, 1929

- *Cymatiella quoyi* L.A. Reeve, 1844

SubFamily: CYMATINAE - Genus: **Cymatium** P.F. Röding, 1798 (syn: Lotorium, Luterium, Nyctilochus, Tritocurris - 5 SP, 5 IMG)



1710300100  
**Cymatium**  
**femorale**

(C. Linnaeus, 1758)

Dominican Republic  
143,2 mm



**synonyms:**

- *Murex femorale* C. Linnaeus, 1758
- *Charonia lotorum* J.B.P.A. Lamarck, 1816

- *Cymatium lotorum* P.D. Montfort, 1810



1710300165  
***Cymatium lotorum***  
(C. Linnaeus, 1758)  
Philippines, Bohol Island  
134,1 mm

**synonyms:**

- *Cymatium cynophalus* J.B.P.A. Lamarck, 1816
- *Cymatium distortum* J.B.P.A. Lamarck, 1816
- *Cymatium rhinoceros* P.F. Röding, 1798

- *Lotoria lotorum* C. Linnaeus, 1758




1710300275  
***Cymatium raderi***  
A. D'Attilio & B.W. Myers, 1984  
Brasil, Natal  
195 mm

**synonyms:**



- *Cymatium etcheversi* O. Macsotay & B. Campos, 1993



1710300280  
***Cymatium ranzani***  
(J.J. Bianconi, 1850)  
Nacala Bay, Mozambique  
172 mm



1710300350  
***Cymatium tigrinum***  
(W.J. Broderip, 1833)  
Panama, Casaya Island


**synonyms:**

- *Cymatium amphyrdis* R.P. Lesson, 1842

SubFamily: CYMATIINAE - Genus: **Gelagna** L.W. Schaufuss, 1869 (syn: Paralagena, Lagena - 2 SP, 2 IMG)




1710300230  
***Gelagna pallida***  
(M. Parth, 1996)  
Madagascar, Tulear  
36 mm

**synonyms:**

- *Linatella clandestina pallida* H. Barth, 1996



1710300320  
***Gelagna succincta***  
(C. Linnaeus, 1771)  
Philippines, Cebu  
84 mm

**synonyms:**

- *Cymatium clandestinum* J.B.P.A. Lamarck, 1816
- *Neptunea dolata* P.F. Röding, 1798
- *Linatella succincta* C. Linnaeus, 1771

- *Gelagna confinis* K. Brancsik, 1896
- *Murex succincta* C. Linnaeus, 1758


SubFamily: CYMATIINAE - Genus: **Gutturnium** O.A.L. Mörch, 1852 (syn: Gutturnum - 1 SP, 2 IMG)



1710300210  
**Guttturnium  
muricinum**

(P.F. Röding, 1798)

Bahamas  
50,2 mm



**synonyms:**

- Triton abocingulatus G.P. Deshayes, 1863
- Triton antillarum D'Orbigny, 1842
- Guttturnium gemma M. Connolly, 1929
- Distorsio muricina P.F. Röding, 1798
- Cymatium muricinum P.F. Röding, 1798
- Ranularia nodulus C.M. Tapparone-Caneffri, 1881
- Litopha obesa C.B. Adams, 1850
- Triton pyriformis T.A. Conrad, 1849
- Charonia tuberosum J.B.P.A. Lamarck, 1822


- Triton crispus L.A. Reeve, 1844
- Ranularia gyrina A. Rissi, 1826
- Ranularia muricina P.F. Röding, 1798
- Distorsio muricum P.F. Röding, 1798
- Tritonium nodulus J.H.F. Link, 1807
- Triton productum A.A. Gould, 1852
- Cymatium ranula O.A.L. Mörch, 1852
- Eutritonium tuberosum J.B.P.A. Lamarck, 1822



1710904465  
**Guttturnium  
muricinum  
antillarum**

(P.F. Röding, 1798)

Florida



**synonyms:**

- Cymatium antillarum P.F. Röding, 1798


SubFamily: CYMATIINAE - **Genus: Linatella** J.E. Gray, 1857 (syn: caudatum, Zinatella - 2 SP, 1 IMG)



1710905631  
**Linatella  
caudata**

(J.F. Gmelin, 1791)

Venezuela  
78 mm



**synonyms:**

- Linatella bantamensis K. Martin, 1895
- Cassidaria cingulata J.B.P.A. Lamarck, 1822
- Cymatium cingulatum J.B.P.A. Lamarck, 1822
- Cymatium cutaceum J.B.P.A. Lamarck, 1816
- Linatella hilae F. Nordsieck, 1968
- Linatella poulsoni O.A.L. Mörch, 1877
- Triton undosum L.C. Kiener, 1842

- Linatella cingulata J.B.P.A. Lamarck, 1822
- Cymatium cingulatum peninsulm M. Smith, 1937
- Fusus cutaceus J.B.P.A. Lamarck, 1816
- Linatella neptunia T.A. Garrard, 1963
- Linatella rostrata O.A.L. Mörch, 1852
- Fusus voigtii H.E. Anton, 1838



5256000003  
**Linatella  
cingulatum**

(Gmelin, 1791)

No Georeferenced data available


SubFamily: CYMATIINAE - **Genus: Lotoria** W.K. Emerson & W.E. Old, 1963 (3 SP, 3 IMG)



1710904285  
**Lotoria  
armata**

(G.B. III Sowerby, 1897)

Vanuatu



**synonyms:**


- Cymatium armatum G.B. III Sowerby, 1897



1710400000  
**Lotoria  
grandimaculata**

(L.A. Reeve, 1844)

Philippines, Camotes Sea  
114,1 mm




**synonyms:**

- Cymatium grandimaculatum L.A. Reeve, 1844



1710300245  
**Lotoria**  
**perryi**

W.K. Emerson & W.E. Old, 1963  
Tuticorin, India  
138 mm



**synonyms:**


- *Lotoria triangularis* G. Perry, 1811

SubFamily: CYMATIINAE - Genus: **Monoplex** G. Perry, 1811 (syn: *Cymatriton*, *Lampusia*, *Dissentoma* - 25 SP, 29 IMG)



1710300055  
**Monoplex**  
**amictus**

(L.A. Reeve, 1844)  
Panama West  
48,1 mm



**synonyms:**

- *Cymatum corrugatum amictum* L.A. Reeve, 1844
- *Cymatum corrugatum tremperi* W.H. Dall, 1907



1710905668  
**Monoplex**  
**amictus**  
**amictoideum**  
A.M. Keen, 1970

West Panama  
48,5 mm




**synonyms:**

- *Monoplex amictoideum* A.M. Keen, 1970



1710300010  
**Monoplex**  
**aquatilis**

(L.A. Reeve, 1844)  
Mozambique, Nacala Bay  
81 mm



**synonyms:**


- *Monoplex aquatilis* L.A. Reeve, 1844
- *Monoplex pileare* L.A. Reeve, 1844
- *Monoplex pileare cruzana* G.W. Nowell-Usticke, 1959

- *Monoplex cruzana* G.W. Nowell-Usticke, 1959
- *Cymatum pileare cruzana* G.W. Nowell-Usticke, 1959



1710300045  
**Monoplex**  
**comptus**

(A. Adams, 1855)  
Philippines, Cebu  
41,6 mm



**synonyms:**

- *Cymatum comptum* A. Adams, 1854
- *Monoplex comptum amphiatlanticum* F. García-Talavera & J.B. Vera, 2003
- *Cymatum comptum amphiatlanticum* F. García-Talavera & J.B. Vera, 2002
- *Monoplex ridleyi* E.A. Smith, 1890

- *Cymatum comptus* A. Adams, 1855
- *Monoplex gracilis* W.H. Dall, 1889



1710300050  
**Monoplex**  
**corrugatus**

(J.B.P.A. Lamarck, 1816)  
Elba Island, Italy  
103 mm




**synonyms:**

- *Charonia affinis* G.P. Deshayes, 1835
- *Septa corrugatum* J.B.P.A. Lamarck, 1816
- *Septa corrugatum minima* P.M. Palary, 1900
- *Murex pairodoa* A. Risso, 1826

- *Cymatum corrugatum* J.B.P.A. Lamarck, 1816
- *Septa corrugatum minor* P.M. Palary, 1900



1710300330  
**Monoplex**  
**durbanensis**  
(E.A. Smith, 1899)  
Port Elizabeth, South Africa  
34 mm



**synonyms:**

- Cabestana durbanensis (E.A. Smith, 1899)



1710904355  
**Monoplex**  
**exaratum**  
**kiensis**  
(G.B. III Sowerby, 1915)  
Japan, Kochi  
34 mm




**synonyms:**

- Monoplex kiense G.B. III Sowerby, 1915



1710904345  
**Monoplex**  
**exaratus**  
(L.A. Reeve, 1844)  
Australia, Port Hedland  
53.3 mm



**synonyms:**

- Monoplex cornutus G. Perry, 1811
- Monoplex eucia B.C. Cotton, 1945
- Buccinum granulatum R.W. Dunker, 1871
- Cymatium zimara T. Iredale, 1929

- Cymatium exaratum L.A. Reeve, 1844
- Monoplex obscurus A. Adams, 1855



1710450000  
**Monoplex**  
**gemma**  
(L.A. Reeve, 1844)  
Hawaii  
33 mm




**synonyms:**

- Septa gemmata L.A. Reeve, 1844



1710300140  
**Monoplex**  
**intermedius**  
W.H. Pease, 1869  
Oahu, Hawaii  
63 mm



**synonyms:**

- Monoplex ikkaiensis T. Shikama, 1970

- Monoplex pileare W.H. Pease, 1869



1710904505  
**Monoplex**  
**keenae**  
(A.G. Beu, 1970)  
Galápagos Islands  
112 mm



**synonyms:**

- Monoplex parthenopeum A.M. Keen, 1958

- Cymatium parthenopeum keenae A.G. Beu, 1970



1710300145  
**Monoplex**  
**klenei**  
(G.B. III Sowerby, 1889)  
South Africa, Port Elizabeth  
52 mm




**synonyms:**

- Cymatium klenei G.B. III Sowerby, 1889



1710300150  
**Monoplex**  
**krebssii**

(O.A.L. Mörch, 1877)  
Canary Islands  
49 mm




**synonyms:**

- *Cymatium krebssi* (O.A.L. Mörch, 1877)




1710300160  
**Monoplex**  
**lignarius**

(W.J. Broderip, 1833)  
Costa Rica  
47 mm



1710300170  
**Monoplex**  
**macrodon**

(A. Valenciennes, 1832)  
Galápagos Islands  
61 mm



**synonyms:**


- *Monoplex pileare* W.H. Dall, 1909

- *Cymatium pileare macrodon* A. Valenciennes, 1832



1710450005  
**Monoplex**  
**mundus**

(A.A. Gould, 1849)  
Oahu, Hawaii  
38 mm



**synonyms:**



- *Monoplex gemmatum* Auct. non L.A. Reeve, 1844
- *Tritonium mauritanum* C.M. Tapparone-Caneffri, 1876

- *Triton mauritanum* C.M. Tapparone-Caneffri, 1876



1710450010  
**Monoplex**  
**nicobaricus**

(P.F. Röding, 1798)  
Cape Verde  
64,8 mm



**synonyms:**

- *Monoplex chlorostomum* J.B.P.A. Lamarck, 1822
- *Monoplex lotonium* J.H.F. Link, 1807
- *Cymatium nicobaricum* P.F. Röding, 1798
- *Charonia pulchellus* C.B. Adams, 1850
- *Murex tautianus* A. Curtiss, 1938

- *Buccinum nicobaricum* P.F. Röding, 1798
- *Monoplex nicobaricus* P.F. Röding, 1798
- *Monoplex pulchellus* C.B. Adams, 1850



5256000001  
**Monoplex**  
**norai**


(F. García-Talavera & J.B. Vera, 2004)

No Georeferenced data available



1710450025  
**Monoplex**  
**parthenopeus**

(C.U.A. von Sals-Marschins, 1793)  
Angola  
104,1 mm



**synonyms:**

- *Monoplex abbreviatum* L.M.D. Bellardi, 1873
- *Monoplex acclivis* F.W. Hutton, 1873
- *Monoplex americanum* D'Orbigny, 1847
- *Monoplex brasiliense* A.A. Gould, 1849
- *Monoplex costatus* I. von Born, 1778
- *Murex costatus* I. von Born, 1778
- *Monoplex costulatus* A. Risso, 1826
- *Cymatium echo* J.T. Kuroda & T. Habe in T. Kira, 1961
- *Monoplex fossatum* A.A. Gould, 1860

- *Septa acclivis* F.W. Hutton, 1873
- *Monoplex australasiae* G. Perry, 1811
- *Monoplex costatum* I. von Born, 1778
- *Murex costatus* I. von Born, 1778
- *Monoplex costulatus* A. Risso, 1826
- *Monoplex echo iwakawanum* T. Shikama, 1964
- *Ranella parthenopaeum* C.U.A. von Sals-Marschins, 1793

- Septa parthenopeum C.U.A. von Salis-Marschins, 1793
- Murex parthenopeus C.U.A. von Salis-Marschins, 1793
- Monoplex prima H.A. Pilsby, 1945
- Ranella pyramidata A. Risso, 1826
- Monoplex succinctum J.B.P.A. Lamarck, 1816
- Cymatium turtoni E.A. Smith, 1890

- Cymatium parthenopeum C.U.A. von Salis-Marschins, 1793
- Monoplex parthenopus C.U.A. von Salis-Marschins, 1793
- Monoplex pyramidata A. Risso, 1826
- Charonia succinctum J.B.P.A. Lamarck, 1816
- Monoplex turtoni E.A. Smith, 1890
- Monoplex valentinei A.A. Olsson & R.E. Petit, 1964



1710450020  
**Monoplex  
parthenopeus  
echo**

J.T. Kuroda & T. Habe, 1961

East China Sea  
78 mm




#### **synonyms:**

- Monoplex echo J.T. Kuroda & T. Habe, 1961



1710300240  
**Monoplex  
penniketi**

(A.G. Beu, 1998)  
India, Tuticorin  
31,6 mm



#### **synonyms:**

- Cymatium penniketi A.G. Beu, 1998



1710300260  
**Monoplex  
pilearis**

(C. Linnaeus, 1758)  
Mozambique, Nacala Bay  
78,1 mm



#### **synonyms:**


- Cymatium andoi S. Nomura, 1935
- Triton beccarii C.M. Tapparone-Caneffri, 1875
- Cymatium effusa C.B. Adams, 1850
- Monoplex olearium P.F. Röding, 1798
- Septa pileare C. Linnaeus, 1758
- Charonia pileare C. Linnaeus, 1758
- Murex pilearis C. Linnaeus, 1758
- Cymatium vestitum H.A. Pilsby, 1920, 1921
- Monoplex vestitum insulare H.A. Pilsby, 1921

- Septa beccarii C.M. Tapparone-Caneffri, 1875
- Litopha effusa C.B. Adams, 1850
- Triton haemastoma A. Valenciennes, 1832
- Buccinum olearium P.F. Röding, 1798
- Cymatium pileare C. Linnaeus, 1758
- Septa pileare martinianum D'Orbigny, 1847
- Triton veliei W.W. Calkins, 1878
- Cymatium vestitum insulare H.A. Pilsby, 1921



1710300180  
**Monoplex  
pilearis  
martinianum**  
D'Orbigny, 1846

Canary Islands  
59,8 mm




#### **synonyms:**

- Cymatium martinianum D'Orbigny, 1847



1710905655  
**Monoplex  
thersites**

(L.A. Reeve, 1844)  
Philippines, Sulu Sea  
43,2 mm



1710300355  
**Monoplex  
tranquebaricus**

(J.B.P.A. Lamarck, 1816)  
Senegal  
58,9 mm



#### **synonyms:**

- Tritonium adansonii R.W. Dunker, 1853
- Cymatium problematicum P. Dautzenberg & H. Fischer, 1906
- Triton problematicum P. Dautzenberg & H. Fischer, 1906
- Charonia tranqueribacus J.B.P.A. Lamarck, 1816

- Triton chemnitzi J.E. Gray, 1839
- Septa problematicum P. Dautzenberg & H. Fischer, 1906
- Cymatium tranqueribacus J.B.P.A. Lamarck, 1816



1710300360  
**Monoplex trigonus**  
(J.F. Gmelin, 1791)

Angola  
47,7 mm



**synonyms:**


- Triton caudatus L.C. Kiener, 1842
- Triton ficoides L.A. Reeve, 1844
- Cymatium trigonum J.F. Gmelin, 1791

- Triton samier S.A.A. Petit De La Saussaye, 1852
- Murex trigonus J.F. Gmelin, 1791




1710300380  
**Monoplex vespaceum elongatum**  
L.A. Reeve, 1844

Madagascar, Fort Dauphin  
46,1 mm



1710300375  
**Monoplex vespaceus**  
J.B.P.A. Lamarck, 1822

Philippines, Cebu  
52,5 mm



**synonyms:**


- Charonia elongatus L.A. Reeve, 1844
- Cymatium rembangense J. Wanner & M.J. Hahn, 1935

- Monoplex indomelanicum F. García-Talavera, 1997
- Cymatium vespaceum J.B.P.A. Lamarck, 1822



1710300385  
**Monoplex vestitus**  
(R.B. Hinds, 1844)

Ecuador  
60 mm



**synonyms:**



- Monoplex vestitus R.B. Hinds, 1844

- Monoplex vestitus senior C.B. Adams, 1852



1710300390  
**Monoplex wiegmanni**  
(H.E. Anton, 1838)

Panama  
80,9 mm



**synonyms:**

- Monoplex cynocephalus W.J. Clench & H. Turner, 1957
- Linatella perforatus T.A. Conrad, 1849
- Fusus wiegmanni H.E. Anton, 1838


- Triton nodosum K.T. Menke, 1851
- Linatella wiegmanni H.E. Anton, 1839

SubFamily: CYMATIINAE - Genus: **Ranularia** H.C.F. Schumacher, 1817 (syn: Ranula, Retusum, Tritonocauda - 23 SP, 26 IMG)





1710904275  
**Ranularia andamanensis**  
(A.G. Beu, 1987)

Thailand, Phuket



1710904545  
**Ranularia arthuri**  
(A.G. Beu, 1987)

Philippines, Aliguay Island  
43 mm




**synonyms:**

- Ranularia sinense arthuri A.G. Beu, 1987



1710300020  
**Ranularia  
boschi**

(R.T. Abbott & H. Lewis, 1970)  
Oman, Masirah Island  
73,5 mm



1710300030  
**Ranularia  
caudata**

(J.F. Gmelin, 1791)  
Philippines, Zamboanga  
73 mm



**synonyms:**


- Triton canaliferum J.B.P.A. Lamarck, 1816
- Cymatium caudatum J.F. Gmelin, 1791
- Triton costatum F.C. Meuschen, 1787

- Tritonocauda caudata vulturina T. Iredale, 1936
- Murex caudatus J.F. Gmelin, 1791
- Triton varicosum J.H.F. Link, 1807



1710300070  
**Ranularia  
cynocephala**

(J.B.P.A. Lamarck, 1816)  
Bahamas  
69 mm



**synonyms:**

- Ranularia moricinctum L.A. Reeve, 1844
- Ranularia mortinctum L.A. Reeve, 1844
- Ranularia sarcostatum W.J. Clench & H. Turner, 1957

- Cymatium moritinctum L.A. Reeve, 1844
- Ranularia mortinctus L.A. Reeve, 1844
- Cymatium sarcostatum W.J. Clench & H. Turner, 1957




1710300025  
**Ranularia  
cynocephalum  
caribbaeum**  
W.J. Clench & H. Turner, 1957

Brasil, Salvador  
70,2 mm



1710300080  
**Ranularia  
dunkeri**

(C.E. Lischke, 1868)  
Wakayama, Japan  
72,7 mm



1710904325  
**Ranularia  
dunkeri  
iredalei**  
(C.E. Lischke, 1868)

New Caledonia



1710300085  
**Ranularia  
encaustica**

(L.A. Reeve, 1844)  
Philippines, Masbate Island  
91 mm




**synonyms:**

- Cymatium pyriformis C.B. Adams, 1851



1710300095  
**Ranularia  
exilis**


(L.A. Reeve, 1844)  
Philippines, Olongo Island  
62 mm





1710300115  
**Ranularia gallinago**

(L.A. Reeve, 1844)  
Madagascar, Tuléar  
54,2 mm



**synonyms:**



- Cymatium aegrotum L.A. Reeve, 1844
- Charonia gallinago L.A. Reeve, 1844
- Cymatium mohorherae A.H. Verri, 1952

- Cymatium gallinago L.A. Reeve, 1844



1710300130  
**Ranularia gutturnia**

(P.F. Röding, 1798)  
Philippines, Sulu Sea  
89 mm



**synonyms:**


- Ranularia clavator L.W. Dilwyn, 1817
- Murex clavator L.W. Dilwyn, 1817
- Monoplex formosus G. Perry, 1811
- Ranularia labiata H.C.F. Schumacher, 1817
- Tritonium macrourum J.H.F. Link, 1807

- Cymatium clavator L.W. Dilwyn, 1817
- Tudicla gutturnia P.F. Röding, 1798
- Ranularia longirostra H.C.F. Schumacher, 1817



1710300185  
**Ranularia monilifera**

(A. Adams & L.A. Reeve, 1850)  
Mozambique  
73 mm



**synonyms:**

- Ranularia pachycheilos C.M. Tapparone-Caneffri, 1876



1710300215  
**Ranularia obliterata**

H. Lewis & A.G. Beu, 1976  
Philippines, Cebu  
57 mm





1710300220  
**Ranularia oboesa**

(G. Perry, 1811)  
India, Tuticorin  
41 mm



1710904475  
**Ranularia oboesa retusa**

J.B.P.A. Lamarck, 1822  
India, Cuddalore  
45 mm




**synonyms:**

- Ranularia retusum J.B.P.A. Lamarck, 1822





1710300235  
**Ranularia partita**

(A. Arthur, 1991)  
Philippines, Olongo Island  
64,5 mm





1710300270  
**Ranularia**  
**pyrulum**  
(A. Adams & L.A. Reeve, 1850)  
Philippines, Bohol Island  
66 mm




**synonyms:**

- *Ranularia fortspirale* M. Parth, 1993



1710400005  
**Ranularia**  
**pyrum**  
(C. Linnaeus, 1758)  
Philippines, Zamboanga  
124 mm



**synonyms:**

- *Lotoria canaliculatum* P.F. Röding, 1798
- *Lotoria flexuosum* P.F. Röding, 1798
- *Murex pyrum* C. Linnaeus, 1758



- *Lotoria clavatum* P.F. Röding, 1798
- *Lotoria muricatum* P.F. Röding, 1798




1710300285  
**Ranularia**  
**rehderi**  
(A.H. Verriil, 1950)  
Martinique  
56,6 mm



1710400010  
**Ranularia**  
**sarcostoma**  
(L.A. Reeve, 1844)  
Philippines, Samar Island  
97 mm




1710300310  
**Ranularia**  
**sinensis**  
(L.A. Reeve, 1844)  
Balut Island, Philippines  
78 mm




1710300315  
**Ranularia**  
**springsteeni**  
(A.G. Beu, 1987)  
Philippines, Zamboanga  
76 mm



1710400015  
**Ranularia**  
**testudinaria**  
(A. Adams & L.A. Reeve, 1850)  
Philippines, Camotes Island  
77 mm



1710300365  
**Ranularia**  
**trilineata**  
(L.A. Reeve, 1844)  
Sinai Peninsula  
83 mm






1710300370  
**Ranularia**  
**tripa**

(J.B.P.A. Lamarck, 1822)

India, Madras  
73,1 mm



**synonyms:**

- *Cymatium triptus* J.B.P.A. Lamarck, 1822

SubFamily: CYMATIINAE - Genus: **Reticutriton** T. Habe & S. Kosuge, 1966 (2 SP, 2 IMG)



1710904425  
**Reticutriton**  
**lineatus**

(W.J. Broderip, 1833)

Galápagos Islands  
48 mm



1710300250  
**Reticutriton**  
**pfeifferianus**

L.A. Reeve, 1844

Mozambique, Nacala Bay  
54 mm



**synonyms:**

- *Charonia gracilis* L.A. Reeve, 1844

- *Reticutriton gracilis* L.A. Reeve, 1844



SubFamily: CYMATIINAE - Genus: **Sassia** L.M.D. Bellardi, 1873 (syn: *Austrosassia*, *Charoniella*, *Cymatona*, *Monocirsus*, *Phanozesta*, *Proxicharonia*, *Semiranella*, *Astrotriton* - 17 SP, 17 IMG)



1710900015  
**Sassia**  
**bassi**

(G.F. Angas, 1869)

Australia, Victoria  
40,5 mm



**synonyms:**



- *Buccinum fraterculus* R.W. Dunker, 1871



1710904765  
**Sassia**  
**epitrema**

(J.E. Tenison-Woods, 1877)



Bass Strait, Tasmania  
22 mm



1710904775  
**Sassia**  
**garrardi**

(A.G. Beu, 1970)


Australia, Botany Bay



1710904795  
**Sassia**  
**kampyla**

(R.B. Watson, 1885)

Kiama, Australia  
47 mm



**synonyms:**

- *Nassaria kampyla* R.B. Watson, 1885

- *Lampusia nodocostata* R. Tate & W.L. May, 1901

- *Sassia tomlini* A.W.B. Powell, 1955




1710904805  
**Sassia**  
**lewisi**

M.G. Harasewych & E.J. Petuch, 1980  
Taiwan  
34 mm





1710905704  
**Sassia**  
**melpangi**

M.G. Harasewych & A.G. Beu, 2007  
Oahu, Hawaii  
41,1 mm




1710904015  
**Sassia**  
**midwayensis**

(T. Habe & T.A. Okutani, 1968)  
Midway Islands  
54 mm



1710904815  
**Sassia**  
**mimetica**

(R. Tate, 1893)  
Edithburgh, South Australia  
20 mm





**synonyms:**

- Colus mimetica R. Tate, 1893



1710900005  
**Sassia**  
**nassariformis**

(G.B. III Sowerby, 1902)  
Japan, Wakayama  
53 mm




**synonyms:**

- Sassia apenninica nassariformis G.B. III Sowerby, 1902




1710900035  
**Sassia**  
**palmeri**

(A.W.B. Powell, 1967)  
New Zealand, Northland  
62 mm



1710904835  
**Sassia**  
**parkinsonia**

(G. Perry, 1811)  
Sydney Harbour  
50 mm



**synonyms:**


- Sassia fusiformis L.C. Kiener, 1842
- Septa parkinsonia G. Perry, 1811

- Sassia lindneri M. Parth, 1992
- Sassia parkinsonia basilicus T. Iredale, 1924



1710904845  
**Sassia**  
**petulans**

(C. Hedley & W.L. May, 1908)  
Tasmania  
35 mm






1710900045  
**Sassia**  
**philomelae**

(R.B. Watson, 1881)  
Madagascar, Majenga  
43,5 mm




1710904025  
**Sassia**  
**ponderi**

A.G. Beu, 1987  
Moreton Bay, Australia  
16 mm



1710900050  
**Sassia**  
**remensa**

(T. Iredale, 1936)  
New Caledonia, Norfolk Ridge  
53 mm



**synonyms:**


- *Sassia appenninica remensa* T. Iredale, 1936

- *Sassia marshalli* A.G. Beu, 1978



1710904865  
**Sassia**  
**semitorta**

J.T. Kuroda & T. Habe, 1961  
Mozambique  
54 mm



**synonyms:**


- *Sassia apenninica nassariformis semitorta* J.T. Kuroda & T. Habe, 1961
- *Sassia sakuraii* J.T. Kuroda & T. Habe in T. Habe, 1961

- *Sassia remensa semitorta* J.T. Kuroda & T. Habe, 1961
- *Sassia semitorta* J.T. Kuroda & T. Habe, 1961



1710900060  
**Sassia**  
**subdistorta**

(J.B.P.A. Lamarck, 1822)  
Australia, Victoria  
53 mm



**synonyms:**

- *Sassia delecta* B.C. Cotton, 1945
- *Sassia subdistortum* J.B.P.A. Lamarck, 1822



- *Sassia granulatum* R.W. Dunker, 1871

SubFamily: CYMATIINAE - **Genus: Septa** G. Perry, 1810 (syn: Simplum, Simpulum - 9 SP, 10 IMG)





1710300015  
**Septa**  
**bibbeyi**

(A.G. Beu, 1987)  
Philippines, Bohol Island  
39,5 mm



1710300040  
**Septa**  
**closeli**

(A.G. Beu, 1987)  
Mozambique  
52 mm




**synonyms:**

- *Cymatium closeli* A.G. Beu, 1987



1710300110  
**Septa flaveola**  
(P.F. Röding, 1798)  
Philippines, Cebu  
50 mm





**synonyms:**

- *Septa flaveola* P.F. Röding, 1798
- *Cymatium limbatum* P.F. Röding, 1798

- *Buccinum limbatum* P.F. Röding, 1798
- *Septa limbata* P.F. Röding, 1798



1710300135  
**Septa hepatica**  
(P.F. Röding, 1798)  
Philippines, Olongo Island  
31 mm




**synonyms:**

- *Buccinum hepatica* P.F. Röding, 1798



- *Cymatium hepatica* P.F. Röding, 1798



1710300175  
**Septa marerubrum**  
(F. García-Talavera, 1985)  
Sinai Peninsula  
40 mm



1710904445  
**Septa mixta**  
(A. Arthur & F. García-Talavera, 1990)  
Philippines, Caltuban Island  
45 mm



1710904495  
**Septa occidentale beui**  
(F. García-Talavera, 1985)  
Hawaii  
31 mm




**synonyms:**

- *Septa beui* F. García-Talavera, 1985



1710300225  
**Septa occidentalis**  
O.A.L. Mörch, 1877  
Florida, Boca Raton  
35 mm





**synonyms:**

- *Septa blacketi* T. Iredale, 1936
- *Cymatium occidentale* O.A.L. Mörch, 1877



- *Septa rubecula occidentale* O.A.L. Mörch, 1877



1710904525  
**Septa peasei**  
(A.G. Beu, 1987)  
Nuku Hiva, Marquesas  
34 mm



1710300300  
**Septa rubecula**  
(C. Linnaeus, 1758)  
Philippines, Cebu  
51 mm



**synonyms:**

- *Murex rubecula* C. Linnaeus, 1758
- *Septa rubeculatum* E. Liénard, 1877

- *Septa rubecula* C. Linnaeus, 1758
- *Septa scarlatina* G. Perry, 1811

SubFamily: CYMATIINAE - Genus: **Turritriton** W.H. Dall, 1904 (syn: Cabestanomorpha, Parlycymatium, Partycymatium, Tritonisca - 4 SP, 6 IMG)

1710904385  
**Turritriton gibbosum adairense**  
W.H. Dall, 1910

Sea of Cortéz, Mexico  
50 mm


**synonyms:**

- *Turritriton adairense* W.H. Dall, 1910



1710904375  
**Turritriton gibbosus**  
(W.J. Broderip, 1833)

Panama  
38 mm

**synonyms:**

- *Cymatium gibbosum* W.J. Broderip, 1833
- *Cymatium gibbosum* gomezi F. Nordsieck & F.F. Talavera, 1979



1710904395  
**Turritriton kobelti**  
(H. von Maltzan, 1884)

Senegal  
9 mm


**synonyms:**

- *Turritriton gibbosum kobelti* (H. von Maltzan, 1884)
- *Cymatium kobelti* H. von Maltzan, 1884



1710300155  
**Turritriton labiosus**  
(W. Wood, 1828)

Philippines, Olongo Island  
21 mm

**synonyms:**



- *Cymatium lobbeckei* C.E. Lischke, 1870
- *Cymatium liroosi* S.A.A. Petit De La Saussaye, 1852
- *Cymatium orientalis* G. Nevill & H. Nevill, 1874
- *Cymatium strangei* A. Adams & G.F. Angas, 1864

- *Cymatium orientale* G. Nevill & H. Nevill, 1874
- *Cymatium rutileum* K.T. Menke, 1843



1710300335  
**Turritriton tenuiliratus**  
(C.E. Lischke, 1873)

Philippines, Samar Island  
48,6 mm

**synonyms:**


- *Buccinum pharcida* W.H. Dall, 1889
- *Cymatium pharcidum* W.H. Dall, 1889

- *Turritriton pharcidum* W.H. Dall, 1889



1710300105  
**Turritriton tenuiliratus fittkau**  
M. Parth, 1991

Philippines, Palawan Island  
45 mm

**synonyms:**


- *Turritriton fittkau* M. Parth, 1991

SubFamily: RANELLINAE - Genus: **Argobuccinum** Hermannsen, 1846 (syn: Gondwanula, Mediargo - 4 SP, 5 IMG)



1710050005  
**Argobuccinum**  
**proditor**

(G.R. von Frauenfeld, 1865)  
South Africa, Cape  
64,5 mm



**synonyms:**



- Gyreneum proditor G.R. von Frauenfeld, 1865
- Argobuccinum zelabori R.W. Dunker, 1863



1710904115  
**Argobuccinum**  
**proditor**  
**tristanense**

R.K. Dell, 1963

Tristan da Cunha




1710905535  
**Argobuccinum**  
**pustulosum**

(J. Lightfoot, 1786)

South Africa, Cape

93 mm



**synonyms:**

- Buccinum argo P.F. Röding, 1798
- Argobuccinum argo P.F. Röding, 1798
- Argobuccinum argus J.F. Gmelin, 1791
- Buccinum pustulosum J. Lightfoot, 1786

- Murex argus J.F. Gmelin, 1791
- Argobuccinum polygonalis J.B.P.A. Lamarck, 1816




1710904125  
**Argobuccinum**  
**ranelliforme**

(P.P. King, 1832)

Chile, San Antonio

89,1 mm



**synonyms:**

- Ranella ampullacea A. Valenciennes, 1858
- Ranella kingii D'Orbigny, 1841?
- Ranella vexillum G.B. II Sowerby, 1841

- Argobuccinum pustulosum ranelliforme P.P. King, 1832



1710050010  
**Argobuccinum**  
**tumidum**

(R.W. Dunker, 1862)

New Zealand, Auckland

115 mm



**synonyms:**

- Argobuccinum pustulosum tumidum R.W. Dunker, 1862

SubFamily: RANELLINAE - Genus: **Fusitriton** A.E.M. Cossmann, 1903 (syn: Cryotritonium - 8 SP, 8 IMG)




1710904605  
**Fusitriton**  
**brasiliensis**

T. Cossignani & V. Cossignani, 2003

Uruguay

113 mm




1710154005  
**Fusitriton**  
**galea**

J.T. Kuroda & T. Habe, 1961

East China Sea

106 mm




**synonyms:**

- Fusitriton oregonensis galea J.T. Kuroda & T. Habe, 1961



1710150005  
**Fusitriton laudandus**

H.J. Finlay, 1927  
New Zealand, South Island  
107 mm



**synonyms:**

- *Fusitriton magellanicus laudandus* H.J. Finlay, 1927



1710150000  
**Fusitriton magellanicus**

(P.F. Röding, 1798)  
Uruguay  
94 mm



**synonyms:**


- *Triton cancellatus* J.B.P.A. Lamarck, 1816

- *Neptunea magellanica* P.F. Röding, 1798



1710150010  
**Fusitriton murrayi**

E.A. Smith, 1891  
South Africa, Agulhas Bank  
112,9 mm



**synonyms:**


- *Fusitriton algensis* J.R. le B. Tomlin, 1947
- *Priene murrayi* E.A. Smith, 1891

- *Fusitriton magellanicus murrayi* E.A. Smith, 1891
- *Argobuccinum murrayi* E.A. Smith, 1891



1710150015  
**Fusitriton oregonensis**

(J.H. Redfield, 1846)  
Russia, Okhotsk Sea  
108,5 mm



**synonyms:**



- *Fusitriton cancellatus* A. Valenciennes, 1832
- *Fusitriton coense* W.H. Dall, 1909
- *Contrada minuta* A.N. Golikov & Y.I. Starobogatov, 1976
- *Fusitriton pacifica* W.H. Dall, 1909
- *Fusitriton tugaruensis* S. Nomura & K.M. Hatai, 1935

- *Fusitriton cancellatus* Y. Hirase, 1907
- *Fusitriton corbiculatum* W.H. Dall, 1909
- *Triton oregonensis* R. Arnold, 1907
- *Fusitriton sylviae* C.S. Weaver, 1912



1710904625  
**Fusitriton retiolus**

(C. Hedley, 1914)  
New Zealand, Chatham Rise  
100,2 mm





**synonyms:**

- *Fusitriton futuristi* M.K. Mestayer, 1927
- *Fusitriton magellanicus retiolus* (C. Hedley, 1914)




1710904635  
**Fusitriton takiedai**

T. Habe, 1979  
Japan





SubFamily: RANELLINAE - Genus: **Gyrineum** J.H.F. Link, 1807 (syn: Apollon, Gyrinella - 11 SP, 13 IMG)



1710200000  
**Gyrineum bituberculare**


(J.B.P.A. Lamarck, 1816)  
Philippines, Aliguay island  
34 mm





1710904645  
**Gyreneum  
bituberculare  
fusco-costata**  
(R.W. Dunker, 1862)

Philippines, Aliguay Island  
33,7 mm




**synonyms:**

- *Gyreneum fuscocostata* R.W. Dunker, 1862



1710204000  
**Gyreneum  
concinnum**  
(R.W. Dunker, 1862)

Dahlaq Archipelago  
23 mm




**synonyms:**

- *Gyreneum concinna* R.W. Dunker, 1862



1710200005  
**Gyreneum  
cuspidatum**  
(L.A. Reeve, 1844)

Philippines, Aliguay island  
31 mm



**synonyms:**


- *Gyreneum junghuhni* K. Martin, 1879
- *Gyreneum pusillum* T. Kira, 1956

- *Gyreneum sagitta* H.C. Küster, 1871



1710200010  
**Gyreneum  
gyrum**  
(C. Linnaeus, 1758)

Philippines, Olongo Island  
32 mm



**synonyms:**

- *Murex gyrumus* C. Linnaeus, 1758
- *Gyreneum variegata* G. Perry, 1811

- *Gyreneum ranina* J.B.P.A. Lamarck, 1816
- *Gyreneum verrucosum* J.H.F. Link, 1807





1710905639  
**Gyreneum  
hirasei**

(J.T. Kuroda & T. Habe in T. Habe, 1961)  
Philippines, Aliguay Island  
25,6 mm



1710200020  
**Gyreneum  
lacunatum**

(J.W. Mighels, 1845)  
Philippines, Bohol Island  
15,1 mm



**synonyms:**


- *Ranella chemnitzi* H.C. Küster in H.C. Küster & W. Kobelt, 1871
- *Gyreneum deliberatus* T. Iredale, 1936
- *Gyreneum nanshaensis* S. Zhang, 2004
- *Gyreneum polychloros* C.M. Tapparone-Caneffri, 1875
- *Ranella saggita* H.C. Küster in H.C. Küster & W. Kobelt, 1871

- *Gyreneum chemnitzi* H.C. Küster & W. Kobelt, 1871
- *Gyreneum facetus* T. Iredale, 1936
- *Ranella polychloros* C.M. Tapparone-Caneffri, 1875
- *Gyreneum pusillus cuspidateformis* T. Kira, 1956
- *Gyreneum saggita* H.C. Küster in H.C. Küster & W. Kobelt, 1871




1710200030  
**Gyreneum  
longicaudatum**

A.G. Beu, 1998  
Philippines, Aliguay Island  
18 mm





1710200040  
**Gyreneum  
natator**  
(P.F. Röding, 1798)  
Taiwan Strait  
39 mm




**synonyms:**

- *Gyreneum elegans* G. Perry, 1811
- *Gyreneum natator robusta* H.C. Fulton, 1936
- *Ranella tuberculata* W.J. Broderip, 1833


- *Buccinum natator* P.F. Röding, 1798
- *Gyreneum olivator* O.A.L. Mörcz, 1853
- *Bursa tuberculata* W.J. Broderip, 1833





1710905035  
**Gyreneum  
natator  
tuberculatus**  
W.J. Broderip, 1833  
Philippines, Aliguay Island  
38 mm




1710204005  
**Gyreneum  
pusillum**  
(W.J. Broderip, 1833)  
Philippines, Cebu  
19 mm



1710200045  
**Gyreneum  
roseum**  
(L.A. Reeve, 1844)  
Philippines, Bohol Island  
20 mm



1710904655  
**Gyreneum  
wilmerianum**  
H.B. Preston, 1908  
Sri Lanka





**synonyms:**

- *Gyreneum gyrum wilmerianum* H.B. Preston, 1908

SubFamily: RANELLINAE - Subgenus: **Gyreneum (Biplex)** G. Perry, 1811 (4 SP, 4 IMG)



1710250010  
**Biplex  
aculeata**  
(M.M. Schepman, 1909)  
Philippines, Bohol Island  
36,5 mm




**synonyms:**

- *Biplex microstoma* H.C. Fulton, 1930
- *Biplex perca aculeata* M.M. Schepman, 1909



1710254000  
**Biplex  
bozzettii**  
A.G. Beu, 1998  
India, Tuticorin



**synonyms:**


- *Biplex bozzettii* A.G. Beu, 1998
- *Biplex perca bozzettii* A.G. Beu, 1998



1710250005

**Biplex  
perca**

G. Perry, 1811

Taiwan  
69,8 mm**synonyms:**

- Gyreneum perca G. Perry, 1811
- Biplex perca H.G. Richards, 1933
- Biplex perca edgerleyi H.G. Richards, 1933



- Gyreneum perca edgerleyi H.G. Richards, 1933
- Biplex pulchra L.A. Reeve, 1844



1710904155

**Biplex  
pulchella**

(G.B. I Sowerby, 1825)



Australia, Torres Strait  
40 mm**synonyms:**

- Biplex jacundum E. Forbes, 1852
- Ranella pulchella E. Forbes, 1852

- Ranella pulchella G.B. I Sowerby, 1825
- Biplex pulchella A. Adams, 1853

SubFamily: RANELLINAE - Genus: **Halgyrineum** A.G. Beu, 1998 (1 SP, 1 IMG)1710200035  
**Halgyrineum  
louisae**


(H. Lewis, 1974)

Canary Islands  
30,7 mm**synonyms:**

- Halgyrineum atlanticum R. Fechter, 1975

SubFamily: RANELLINAE - Genus: **Obscuranella** Y.I. Kantor & M.G. Harasewych, 2000 (1 SP, 1 IMG)1927850650  
**Obscuranella  
papyrodes**


Y.I. Kantor &amp; M.G. Harasewych, 2000

Baleny Islands, Sturge Island  
29,4 mm**synonyms:**

- Obscuranella obtectus K.H.J. Thiele, 1912

SubFamily: RANELLINAE - Genus: **Priene** H. Adams & A. Adams, 1858 (syn: Lohindsia - 1 SP, 1 IMG)1710050025  
**Priene  
scabrum**

(P.P. King, 1832)


Antofagasta, Chile  
52 mm**synonyms:**

- Lohindsia dimidiata G.S. Coen, 1947
- Argobuccinum scabrum P.P. King, 1832

- Triton rufus W.J. Broderip, 1833

SubFamily: RANELLINAE - Genus: **Ranella** J.B.P.A. Lamarck, 1816 (syn: Eugyrina, Gyrinopsis, Mayena - 3 SP, 6 IMG)1710000000  
**Ranella  
australasia**

(G. Perry, 1811)


West Australia, Fremantle  
108,5 mm**synonyms:**

- Ranella australasia blacki A.W.B. Powell, 1954
- Ranella australasia vossi A.W.B. Powell, 1924
- Ranella kurtzei B.C. Cotton, 1957
- Ranella vossi A.W.B. Powell, 1924

- Ranella blacki A.W.B. Powell, 1954
- Ranella leucostoma J.B.P.A. Lamarck, 1822
- Ranella zelandica H.J. Finlay, 1926



1710904705  
**Ranella australasia benthicola**  
T. Iredale, 1929  
Australia, Port Stephens  
75 mm



1710905583  
**Ranella gemmifera**  
(F.M. Euthyme, 1889)  
Richards Bay, Natal  
135 mm



**synonyms:**


- *Ranella australasia gemmifera* (F.M. Euthyme, 1889)
- *Ranella gemmifera minor* F.M. Euthyme, 1889
- *Ranella gemmiferum* F.M. Euthyme, 1889
- *Ranella poecilostoma* E.A. Smith, 1915
- *Ranella gemmifera lepta* P. Bartsch, 1915
- *Buccinum gemmiferum* F.M. Euthyme, 1889
- *Ranella leucostoma poecilostoma* E.C. Von Martens, 1904



1710904725  
**Ranella olearia atlantica**  
T.A. de M. Monterosato, 1890  
Morocco



1710000015  
**Ranella olearia barcellosi**  
H.R. Matthews, E. de C. Rios, & A.C. dos Santos Coelho, 1973  
Panama, off Palenque  
186 mm



**synonyms:**

- *Ranella barcellosi* H.R. Matthews, E. de C. Rios & A.C. dos Santos Coelho, 1973




1710000010  
**Ranella olearium**  
C. Linnaeus, 1758  
Italy, Elba Island  
198 mm



**synonyms:**

- *Ranella boveus* A. Riso, 1826
- *Ranella bronni* O.G. Michelotti, 1847
- *Ranella dilleri* F.M. Anderson & K. Martin, 1914
- *Ranella giganteum* J.B.P.A. Lamarck, 1816
- *Ranella giganteum dilatata* G.S. Coen, 1941
- *Ranella giganteum exile* F. Settepassi, 1970
- *Ranella giganteum intusdentata* G.S. Coen, 1941
- *Ranella giganteum nodosecarinata* G.S. Coen, 1941
- *Ranella giganteum oceanica* G.S. Coen, 1941
- *Ranella giganteum tenuis* G.S. Coen, 1941
- *Gyrina maculata* H.C.F. Schumacher, 1817
- *Ranella miocenica* O.G. Michelotti, 1847
- *Murex olearium* C. Linnaeus, 1758
- *Ranella ostenfeldi* T. Iredale, 1937
- *Ranella pertuberculiferum* L.M.D. Bellardi in F. Sacco, 1872
- *Ranella reticularis* I. von Born, 1780
- *Ranella reticularis bicanalata* A. De Gregorio, 1884
- *Ranella reticularis frigida* A. De Gregorio, 1884
- *Ranella reticularis mediterranea* A. De Gregorio, 1884
- *Ranella reticularis parivaricata* A. De Gregorio, 1884
- *Ranella simplex* J. Noszky, 1940
- *Murex boveus* A. Riso, 1826
- *Ranella budensis* J. Noszky, 1940
- *Ranella gigantea atlantica* T.A. de M. Monterosato, 1890
- *Ranella giganteum curvicauda* G.S. Coen, 1941
- *Ranella giganteum duplonodosum* F. Settepassi, 1970
- *Ranella giganteum inflatum* F. Settepassi, 1970
- *Ranella giganteum magnifica* G.S. Coen, 1941
- *Ranella giganteum nodosum* F. Settepassi, 1970
- *Ranella giganteum rarituberculatum* F. Settepassi, 1970
- *Ranella incerta* O.G. Michelotti, 1847
- *Ranella maculata* H.C.F. Schumacher, 1817
- *Ranella multihodos* C.E.R. Bucknill, 1927
- *Ranella olearium* C. Linnaeus, 1758
- *Ranella parmense* E. Sismonda, 1842
- *Ranella rarinodosa* J. Noszky, 1940
- *Ranella reticularis atlavilensis* A. De Gregorio, 1884
- *Ranella reticularis borniana* A. De Gregorio, 1884
- *Ranella reticularis isba* A. De Gregorio, 1885
- *Ranella reticularis meneghini* A. De Gregorio, 1884
- *Ranella semiaevis* J. Noszky, 1940

# Family: RANELLIDAE



red squares show where each species has been georeferenced

each square has a size of 2 degrees

an interactive version of this image can be accessed at  
<http://www.bagniliggia.it/WMSD/FamilyMap/RANELLIDAEmap.htm>

please note that this is not the complete coverage of this family  
the Data Base is not exhaustive and only one specimen per species has been georeferenced

this map is only the graphic summary of the WMSDB Data Base up to now

the total number of georeferenced species in this map is: 168 from a total of 170