


# WMSDB - Worldwide Mollusc Species Data Base

---



## Family: VENERIDAE

---

**Class: BIVALVIA****--- Clade: HETERODONTA-EUHETERODONTA-VENEROIDEA****----- Family: VENERIDAE** Rafinesque, 1815 (Sea)

- Alphabetic order - when **first name** is in bold the species has images  
Taxa=2630, Genus=88, Subgenus=54, Species=824, Subspecies=53, Synonyms=1610, Images=575

---

- **abaconis**, Tivela abaconis W.H. Dall, 1902 - syn of: [Tivela trigonella](#) (J.B.P.A. Lamarck, 1818)
- **abbreviatus**, Pitar abbreviatus C.F.F. von Krauss, 1848 - syn of: [Pitar hebraeus](#) (J.B.P.A. Lamarck, 1818)
- **abducta**, Venus abducta A. Römer, 1858 - syn of: [Circe scripta](#) (C. Linnaeus, 1758)
- **abyssicola**, [Dosinia abyssicola](#) T. Habe, 1961
- **accincta**, [Callista accincta](#) A. Römer, 1864
- **acuminata**, Tapes acuminata G.B. II Sowerby, 1854 - syn of: [Polititapes aureus](#) (J.F. Gmelin, 1791)
- **acuminatus**, [Costellipitar acuminatus](#) (G.B. II Sowerby, 1851)
- **adami**, [Dosinia adami](#) M. Nicklés, 1955
- **adamsi**, [Callithaca adamsi](#) (L.A. Reeve, 1863)
- **adelinae**, [Sunetta adelinae](#) G.F. Angas, 1868
- **adspersa**, [Tapes conspersus adspersa](#) A. Römer, 1870
- **adspersa**, Venus adspersa J.B.P.A. Lamarck, 1818 - syn of: [Tapes literatus](#) (C. Linnaeus, 1758)
- **adunca**, Gafrarium adunca A. Römer, 1869 - syn of: [Gafrarium savignyi](#) (I.H. Jonas, 1846)
- **aegrota**, Venus aegrota L.A. Reeve, 1863 - syn of: [Antigona lacerata](#) (S.C.T. Hanley, 1845)
- **aenea**, Venus aenea W. Turton, 1819 - syn of: [Polititapes aureus](#) (J.F. Gmelin, 1791)
- **aequilatera**, [Macridiscus aequare](#) (G.B. I Sowerby, 1825)
- **aequilatera**, Gomphina aequare G.B. I Sowerby, 1825 - syn of: [Macridiscus aequare](#) (G.B. I Sowerby, 1825)
- **aequinoctiale**, [Agriopoma aequare](#) E. Fischer-Piette, 1969
- **aequistriata**, [Petricola aequistriata](#) G.B. II Sowerby, 1874
- **aequivocum**, [Gafrarium aequivocum](#) (H.S. Holton, 1802)
- **aerea**, Venus aerea L.H. Hupé, 1854 - syn of: [Eurhomalea exalbida](#) (L.W. Dillwyn, 1817)
- **aetha**, Dosinia aetha T. Iredale, 1930 - syn of: [Dosinia mira](#) E.A. Smith, 1885
- **affinis**, [Pitar affinis](#) (J.F. Gmelin, 1791)
- **affinis**, Venus affinis G.B. II Sowerby, 1853 - syn of: [Venus subrosalina](#) J.R. le B. Tomlin, 1923
- **affinis**, Dosinia affinis G.P. Deshayes, 1853 - syn of: [Dosinia concentrica](#) (I. von Born, 1778)
- **afra**, [Dosinia afra](#) (J.F. Gmelin, 1791)
- **afra**, Venus afra J.F. Gmelin, 1791 - syn of: [Dosinia afra](#) (J.F. Gmelin, 1791)
- **afra**, Dosinia afra J.F. Gmelin, 1791 - syn of: [Dosinia afra](#) (J.F. Gmelin, 1791)
- **africana**, Arthemis africana J.E. Gray, 1838 - syn of: [Dosinia afra](#) (J.F. Gmelin, 1791)
- **africana**, [Lepidocardia floridella africana](#)
- **agrestis**, Venus agrestis R.A. Philippi, 1845 - syn of: [Globivenus fordii](#) (L.G. Yates, 1890)
- **alaavis**, Paphia alaavis P.F. Röding, 1798 - syn of: [Macrocallista nimbosa](#) (J. Lightfoot, 1786)
- **alabastrum**, [Pitar alabastrum](#) (L.A. Reeve, 1863)
- **alapapilionis**, Paphia alapapilionis P.F. Röding, 1798 - syn of: [Paphia rotundata](#) (C. Linnaeus, 1758)
- **alata**, Dosinia alata L.A. Reeve, 1850 - syn of: [Dosinia discus](#) (L.A. Reeve, 1850)
- **alatus**, Venus alatus L.A. Reeve, 1863 - syn of: [Bassina pachyphilla](#) (I.H. Jonas, 1839)
- **alba**, Tapes alba G.P. Deshayes, 1853 - syn of: [Polititapes durus](#) (J.F. Gmelin, 1791)
- **albanyana**, Petricola albanyana W.H. Turton, 1932 - syn of: [Petricola bicolor](#) G.B. II Sowerby, 1854
- **albida**, Callocardia albida W.H. Dall, 1890 - syn of: [Vesicomya albida](#) (W.H. Dall, 1890)
- **albidus**, [Pitar albidus](#) (J.F. Gmelin, 1791)
- **albina**, [Venus albina](#) G.B. II Sowerby, 1853
- **albinus**, [Pitar albinus](#) (J.B.P.A. Lamarck, 1818)
- **albocancellata**, [Periglypta albocancellata](#) (M. Huber, 2010)
- **alboradiata**, Venus alboradiata G.B. II Sowerby, 1853 - syn of: [Mercenaria campechiensis](#) (J.F. Gmelin, 1791)
- **aletes**, [Hyphantosoma aletes](#) (L.G. Hertlein & A.M. Strong, 1948)
- **aletes**, Pitar aletes L.G. Hertlein & A.M. Strong, 1948 - syn of: [Hyphantosoma aletes](#) (L.G. Hertlein & A.M. Strong, 1948)
- **alfredense**, [Gafrarium alfredense](#) (P. Bartsch, 1915)
- **alfredensis**, Circe alfredensis P. Bartsch, 1915 - syn of: [Gafrarium alfredense](#) (P. Bartsch, 1915)
- **alfredensis**, Anomalocardia alfredensis P. Bartsch, 1915 - syn of: [Eumarcia paupercula](#) (H.S. Holton, 1802)
- **aliciae**, Sunetta aliciae A. Adams & G.F. Angas, 1864 - syn of: [Sunetta vaginalis](#) (K.T. Menke, 1843)
- **allisoni**, Chione allisoni L.G. Hertlein & J. Grant, 1972 - syn of: [Chione californiensis](#) (W.J. Broderip, 1835)
- **alma**, Dosinia alma T. Iredale, 1929 - syn of: [Dosinia histrio](#) (J.F. Gmelin, 1791)
- **alma extranea**, Pardsinia alma extranea T. Iredale, 1937 - syn of: [Dosinia extranea](#) (T. Iredale, 1937)
- **alopis**, Venus alopis ♀. Brusina, 1870 - syn of: [Timoclea ovata](#) (T. Pennant, 1777)
- **alopsis**, Venus alopsis ♀. Brusina, 1870 - syn of: [Timoclea ovata](#) (T. Pennant, 1777)
- **alta**, [Dosinia alta](#) (R.W. Dunker, 1849)
- **altenai**, Dosinia altenai E. Fischer-Piette & D. Delmas, 1967 - syn of: [Dosinia circularis](#) A. Römer, 1862

- **altenai**, *Gouldia altenai* E. Fischer-Piette, M. Kempf & A.M. Testud, 1970 - syn of: [\*\*\*Gouldia cerina\*\*\*](#) (C.B. Adams, 1845)
- **alternata**, [\*\*\*Lamelliconcha alternata\*\*\*](#) (W.J. Broderip, 1835)
- **altior**, [\*\*\*Dosinia altior\*\*\*](#) G.P. Deshayes, 1853
- **altum**, [\*\*\*Placamen altum\*\*\*](#) (G.B. II Sowerby, 1853)
- **alucinans**, *Periglypta alucinans* G.B. Sowerby, 1897 - syn of: [\*\*\*Tivela natalensis\*\*\*](#) R.W. Dunker, 1858
- **alvarezii**, *Venus alvarezii* D'Orbigny, 1842 - syn of: [\*\*\*Leukoma antiqua\*\*\*](#) (P.P. King, 1832)
- **amabilis**, [\*\*\*Paphia amabilis\*\*\*](#) (R.A. Philippi, 1847)
- **amamiensis**, [\*\*\*Dosinia amamiensis\*\*\*](#) (T.A. Okutani, 2005)
- **amathusia**, [\*\*\*Chionopsis amathusia\*\*\*](#) (R.A. Philippi, 1844)
- **amathusia**, *Venus amathusia* R.A. Philippi, 1844 - syn of: [\*\*\*Chionopsis amathusia\*\*\*](#) (R.A. Philippi, 1844)
- **amaniana**, [\*\*\*Chionopsis amathusia jamaniana\*\*\*](#) H.A. Pilsbry & A.A. Olsson, 1941
- **amathusina**, *Venus amathusina* G.B. I Sowerby, 1853 - syn of: [\*\*\*Chionopsis gnidia\*\*\*](#) (W.J. Broderip & G.B. I Sowerby, 1829)
- **ambigua**, [\*\*\*Pitar ambigua\*\*\*](#) (G.P. Deshayes, 1853)
- **americana**, [\*\*\*Transenpitamericana\*\*\*](#) (M. Doelb-Jurado in A. Carcelles, 1951)
- **amethystina**, *Dosinia amethystina* A. Römer, 1860 - syn of: [\*\*\*Dosinia lucinalis\*\*\*](#) (J.B.P.A. Lamarck, 1818)
- **amica**, [\*\*\*Dorisca amica\*\*\*](#) (E.A. Smith, 1885)
- **amica nana**, [\*\*\*Dorisca amica nana\*\*\*](#) J.C. Melville, 1898
- **amina**, *Dosinia amina* T. Iredale, 1930 - syn of: [\*\*\*Dosinia conglobata\*\*\*](#) A. Römer, 1862
- **amirantium**, *Callista amirantium* J.C. Melville, 1909 - syn of: [\*\*\*Lioconcha philippinarum\*\*\*](#) (S.C.T. Hanley, 1844)
- **amphidesmoides**, [\*\*\*Dosinia amphidesmoides\*\*\*](#) (L.A. Reeve, 1850)
- **amphidesmoides**, *Tapes amphidesmoides* L.A. Reeve, 1864 - syn of: [\*\*\*Circenita callipyga\*\*\*](#) (I. von Born, 1778)
- **amplectens**, *Petricola amplectens* C.M. Tapparone-Canevari, 1875 - syn of: [\*\*\*Petricola quadrasi\*\*\*](#) (J.G. Hidalgo, 1886)
- **ampliata**, *Venus ampliata* P.P. Carpenter, 1857 - syn of: [\*\*\*Leukoma staminea\*\*\*](#) (T.A. Conrad, 1837)
- **amygdala**, *Tapes amygdala* A. Römer, 1864 - syn of: [\*\*\*Polititapes aureus\*\*\*](#) (J.F. Gmelin, 1791)
- **amygdalina**, [\*\*\*Petricola amygdalina\*\*\*](#) G.B. I Sowerby, 1834
- **anachoreta**, *Petricola anachoreta* L. de Folin, 1867 - syn of: [\*\*\*Choristodon robustus\*\*\*](#) (G.B. I Sowerby, 1834)
- **anatina**, *Tapes anatina* G.B. II Sowerby, 1854 - syn of: [\*\*\*Polititapes aureus\*\*\*](#) (J.F. Gmelin, 1791)
- **angasi**, *Circe angasi* E.A. Smith, 1885 - syn of: [\*\*\*Gouliopaaustralis\*\*\*](#) (G.F. Angas, 1865)
- **angolensis**, [\*\*\*Petricola angolensis\*\*\*](#) R. von Cosel, 1995
- **angulatum**, *Gafrarium angulatum* P.F. Röding, 1798 - syn of: [\*\*\*Gafrarium pectinatum\*\*\*](#) (C. Linnaeus, 1758)
- **angulifera**, [\*\*\*Transennella angulifera\*\*\*](#) (G.B. II Sowerby, 1851)
- **angulosa**, [\*\*\*Dosinia angulosa\*\*\*](#) (R.A. Philippi, 1847)
- **aniwana**, *Liocyma aniwana* W.H. Dall, 1907 - syn of: [\*\*\*Liocyma fluctuosa\*\*\*](#) (A.A. Gould, 1841)
- **annae**, *Dosinia annae* P.P. Carpenter, 1857 - syn of: [\*\*\*Dosinia semiobliterata\*\*\*](#) G.P. Deshayes, 1853
- **annandalei**, *Clementia annandalei* H.B. Preston, 1914 - syn of: [\*\*\*Clementia papyracea\*\*\*](#) (J.F. Gmelin, 1791)
- **annetiae**, [\*\*\*Lioconcha annetiae\*\*\*](#) K.L. Lamprell & T. Whitehead, 1990
- **anomala**, [\*\*\*Venerupis anomala\*\*\*](#) (J.B.P.A. Lamarck, 1818)
- **anomala**, *Venus anomala* J.B.P.A. Lamarck, 1818 - syn of: [\*\*\*Venerupis anomala\*\*\*](#) (J.B.P.A. Lamarck, 1818)
- **anthemodus**, *Tapes anthemodus* É.A.A. Locard, 1886 - syn of: [\*\*\*Polititapes aureus\*\*\*](#) (J.F. Gmelin, 1791)
- **antillarum**, *Venus antillarum* D'Orbigny in R. de la Sagra, 1853 - syn of: [\*\*\*Semele bellastriata\*\*\*](#) (T.A. Conrad, 1837)
- **antiqua**, [\*\*\*Leukoma antiqua\*\*\*](#) (P.P. King, 1832)
- **antiqua madryna**, *Venus antiqua madryna* G. Rovereto, 1914 - syn of: [\*\*\*Leukoma antiqua\*\*\*](#) (P.P. King, 1832)
- **anus**, [\*\*\*Dosinia anus\*\*\*](#) (R.A. Philippi, 1848)
- **apaturia**, [\*\*\*Marcia apaturia\*\*\*](#) (A. Römer, 1864)
- **aphrodina**, [\*\*\*Katelysia scalarina aphrodina\*\*\*](#) J.B.P.A. Lamarck, 1818
- **aphrodinooides**, *Venus aphrodinooides* J.B.P.A. Lamarck, 1818 - syn of: [\*\*\*Katelysia scalarina\*\*\*](#) (J.B.P.A. Lamarck, 1818)
- **apicalis**, *Chione apicalis* J.E. Gray, 1838 - syn of: [\*\*\*Callista kingii\*\*\*](#) (J.E. Gray in P.P. King, 1827)
- **apicalis**, *Periglypta apicalis* R.A. Philippi, 1836 - syn of: [\*\*\*Gouldia minima\*\*\*](#) (G. Montagu, 1803)
- **apodema**, *Venus apodema* W.H. Dall, 1902 - syn of: [\*\*\*Mercenaria campechiensis\*\*\*](#) (J.F. Gmelin, 1791)
- **arabaya**, [\*\*\*Lioconcha arabaya\*\*\*](#)
- **arabica**, *Periglypta arabica* J.H. Chemnitz, 1795 - syn of: [\*\*\*Circenita varia\*\*\*](#) (P. Forsskål in C. Niebuhr, 1775)
- **arabica**, *Venus arabica* J.H. Chemnitz, 1795 - syn of: [\*\*\*Circenita varia\*\*\*](#) (P. Forsskål in C. Niebuhr, 1775)
- **arabica**, *Venus arabica* L.W. Dilwyn, 1817 - syn of: [\*\*\*Circenita varia\*\*\*](#) (P. Forsskål in C. Niebuhr, 1775)
- **arabicum**, [\*\*\*Gafrarium arabicum\*\*\*](#) (J.B.P.A. Lamarck, 1818)
- **aradasii**, [\*\*\*Venus casina aradasii\*\*\*](#)
- **arakana**, [\*\*\*Timoclea arakana\*\*\*](#) (G. Nevill & H. Nevill, 1871)
- **arakana lavrani**, [\*\*\*Timoclea arakana lavrani\*\*\*](#) E. Fischer-Piette, 1974
- **araneosus**, [\*\*\*Tapes araneosus\*\*\*](#) (R.A. Philippi, 1847)
- **araneosus**, *Venus araneosus* R.A. Philippi, 1847 - syn of: [\*\*\*Tapes araneosus\*\*\*](#) (R.A. Philippi, 1847)
- **aratus**, *Saxidomus aratus* A.A. Gould, 1861 - syn of: [\*\*\*Saxidomus nuttalli\*\*\*](#) T.A. Conrad, 1837
- **arctica**, *Tapes arctica* L.A. Reeve, 1864 - syn of: [\*\*\*Liocyma fluctuosa\*\*\*](#) (A.A. Gould, 1841)
- **arcuata**, *Petricola arcuata* G.P. Deshayes, 1839 - syn of: [\*\*\*Petricola carditoides\*\*\*](#) (T.A. Conrad, 1837)
- **areolata**, [\*\*\*Dosinia areolata\*\*\*](#) A. Römer, 1870
- **arestum**, [\*\*\*Agriopoma arestum\*\*\*](#) (W.H. Dall & C.T. Simpson, 1901)
- **arestum**, *Meretrix arestum* W.H. Dall & C.T. Simpson, 1901 - syn of: [\*\*\*Agriopoma arestum\*\*\*](#) (W.H. Dall & C.T. Simpson, 1901)

- **arestus**, [\*\*Pitar arestus\*\*](#) (W.H. Dall & C.T. Simpson, 1901)
- **argentina**, [\*\*Tivela argentina\*\*](#) (G.B. I Sowerby, 1835)
- **argentina**, Periglypta argentina G.B. I Sowerby, 1835 - syn of: [\*\*Tivela argentina\*\*](#) (G.B. I Sowerby, 1835)
- **artemis**, Circe artemis G.P. Deshayes, 1853 - syn of: [\*\*Redicirce sulcata\*\*](#) (J.E. Gray, 1838)
- **asiatica**, [\*\*Clementia asiatica\*\*](#) (J.C. Melvill, 1899)
- **aspera**, [\*\*Venerupis aspera\*\*](#) (J.R.C. Quoy & J.P. Gaimard, 1835)
- **aspera**, [\*\*Dosinia aspera\*\*](#) (L.A. Reeve, 1850)
- **aspera**, Venus aspera J.R.C. Quoy & J.P. Gaimard, 1835 - syn of: [\*\*Venerupis aspera\*\*](#) (J.R.C. Quoy & J.P. Gaimard, 1835)
- **aspera**, kioroshiensis, [\*\*Venerupis aspera kioroshiensis\*\*](#) K. Hirayama & Y. Ando, 1954
- **asperrima**, [\*\*Leukoma asperrima\*\*](#) (G.B. I Sowerby, 1835)
- **asperrima**, Venus asperrima G.B. I Sowerby, 1835 - syn of: [\*\*Leukoma asperrima\*\*](#) (G.B. I Sowerby, 1835)
- **aspersa**, Tapes aspersa G.B. II Sowerby, 1852 - syn of: [\*\*Tapes literatus\*\*](#) (C. Linnaeus, 1758)
- **astartoides**, Venus astartoides H.H. Beck in A.T. von Middendorff, 1849 - syn of: [\*\*Liocyma fluctuosa\*\*](#) (A.A. Gould, 1841)
- **astricta**, [\*\*Meretrix astricta\*\*](#) (L.A. Reeve, 1864)
- **athleta**, Lirophora athleta T.A. Conrad, 1863 † - syn of: [\*\*Lirophora latilirata\*\*](#) (T.A. Conrad, 1841)
- **atlantica**, Callocardia atlantica E.A. Smith, 1885 - syn of: [\*\*Vesicomya atlantica\*\*](#) (E.A. Smith, 1885)
- **atlantica**, [\*\*Cooperella atlantica\*\*](#) H.A. Rehder, 1943
- **attenuata**, Venerupis attenuata G.B. II Sowerby, 1854 - syn of: [\*\*Irus irus\*\*](#) (C. Linnaeus, 1758)
- **attenuata**, [\*\*Meretrix attenuata\*\*](#) R.W. Dunker, 1863
- **attenuata** flava, Meretrix attenuata flava J. Hornell, 1917 - syn of: [\*\*Meretrix attenuata\*\*](#) R.W. Dunker, 1863
- **attonitum**, Granicorium attonitum T. Iredale, 1936 - syn of: [\*\*Granicorium indutum\*\*](#) C. Hedley, 1906
- **auberiana**, Anomalocardia auberiana D'Orbigny, 1842 - syn of: [\*\*Anomalocardia puella\*\*](#) (L. Pfeiffer in R.A. Philippi, 1846)
- **auberiana**, Venus auberiana D'Orbigny, 1853 - syn of: [\*\*Anomalocardia puella\*\*](#) (L. Pfeiffer in R.A. Philippi, 1846)
- **auberti**, [\*\*Dosinia auberti\*\*](#) E. Fischer-Piette & D. Delmas, 1967
- **aucklandica**, Chione aucklandica A.W.B. Powell, 1932 - syn of: [\*\*Austrovenus stutchburyi\*\*](#) (W. Wood, 1828)
- **aurantia**, Chione aurantia J.E. Gray, 1838 - syn of: [\*\*Megapitaria aurantiaca\*\*](#) (G.B. I Sowerby, 1831)
- **aurantiaca**, [\*\*Megapitaria aurantiaca\*\*](#) (G.B. I Sowerby, 1831)
- **aurantiaca**, Periglypta aurantiaca G.B. I Sowerby, 1831 - syn of: [\*\*Megapitaria aurantiaca\*\*](#) (G.B. I Sowerby, 1831)
- **aurea**, Venerupis aurea J.F. Gmelin, 1791 - syn of: [\*\*Polititapes aureus\*\*](#) (J.F. Gmelin, 1791)
- **aureus**, [\*\*Polititapes aureus\*\*](#) (J.F. Gmelin, 1791)
- **aureus elongata**, [\*\*Polititapes aureus elongata\*\*](#) P. Dautzenberg, 1883
- **aureus laetus**, Pitar aureus laetus G.S. Poli, 1791 - syn of: [\*\*Pitar laetus\*\*](#) G.S. Poli, 1791
- **aureus lucens**, [\*\*Polititapes aureus lucens\*\*](#) É.A.A. Locard, 1886
- **aureus oenea**, [\*\*Polititapes aureus oenea\*\*](#) W. Turton, 1819
- **aureus ovata**, Tapes aureus ovata J.G. Jeffreys, 1864 - syn of: [\*\*Polititapes aureus\*\*](#) (J.F. Gmelin, 1791)
- **aureus partita**, Tapes aureus partita M.E.J. Bucquoy, P. Dautzenberg & G.F. Dolfus, 1893 - syn of: [\*\*Polititapes aureus\*\*](#) (J.F. Gmelin, 1791)
- **aureus quadrata**, Tapes aureus quadrata J.G. Jeffreys, 1864 - syn of: [\*\*Polititapes aureus\*\*](#) (J.F. Gmelin, 1791)
- **aureus radiata**, Tapes aureus radiata M.E.J. Bucquoy, P. Dautzenberg & G.F. Dolfus, 1893 - syn of: [\*\*Polititapes aureus\*\*](#) (J.F. Gmelin, 1791)
- **aureus rugata**, Tapes aureus rugata M.E.J. Bucquoy, P. Dautzenberg & G.F. Dolfus, 1893 - syn of: [\*\*Polititapes aureus\*\*](#) (J.F. Gmelin, 1791)
- **aurisiaca**, Venus aurisiaca J.E. Gray, 1825 - syn of: [\*\*Marcia japonica\*\*](#) (J.F. Gmelin, 1791)
- **aurora**, Sunetta aurora F.P. Jousseaume, 1872 - syn of: [\*\*Sunetta donacina\*\*](#) (J.F. Gmelin, 1791)
- **aurora**, [\*\*Meretrix aurora\*\*](#) J. Hornell, 1917
- **australe**, [\*\*Gafrarium australe\*\*](#) (G.B. II Sowerby, 1851)
- **australiana**, [\*\*Tawera australiana\*\*](#) M. Huber, 2010
- **australica**, Hysteroconcha australica L.A. Reeve, 1863 - syn of: [\*\*Pitar pellucidus\*\*](#) (J.B.P.A. Lamarck, 1818)
- **australis**, [\*\*Gouliopia australis\*\*](#) (G.F. Angas, 1865)
- **australis**, Venus australis G.B. I Sowerby, 1835 - syn of: [\*\*Tawera lagopus\*\*](#) (J.B.P.A. Lamarck, 1818)
- **australis**, Circe australis G.B. II Sowerby, 1851 - syn of: [\*\*Gafrarium australe\*\*](#) (G.B. II Sowerby, 1851)
- **australis**, Gouldia australis G.F. Angas, 1865 - syn of: [\*\*Gouliopia australis\*\*](#) (G.F. Angas, 1865)
- **australis**, Venus australis J.R.C. Quoy & J.P. Gaimard, 1835 - syn of: [\*\*Dosinia histrio\*\*](#) (J.F. Gmelin, 1791)
- **awana**, Petricola awana M. Yokoyama, 1924 - syn of: [\*\*Hiatella arctica awana\*\*](#) (M. Yokoyama, 1924)
- **badia**, Venus badia H.S. Holton, 1802 - syn of: [\*\*Lamelliconcha unicolor\*\*](#) (G.B. I Sowerby, 1835)
- **badia**, Venus badia J.E. Gray, 1838 - syn of: [\*\*Lamelliconcha unicolor\*\*](#) (G.B. I Sowerby, 1835)
- **barandae**, [\*\*Gafrarium barandae\*\*](#) (J.G. Hidalgo, 1885)
- **barashi**, Timoclea barashi E. Fischer-Piette, 1974 - syn of: [\*\*Timoclea hypopta\*\*](#) (R. Sturany, 1899)
- **bardwelli**, Macrocallista bardwelli W.J. Clench & R.A. McLean, 1936 - syn of: [\*\*Callista planatella\*\*](#) (J.B.P.A. Lamarck, 1818)
- **beauii**, Venus beauii C.A. Récluz, 1852 - syn of: [\*\*Leukoma subrostrata\*\*](#) (J.B.P.A. Lamarck, 1818)
- **becki**, Dosinia becki W.H. Turton, 1932 - syn of: [\*\*Dosinia hepatica\*\*](#) (J.B.P.A. Lamarck, 1818)
- **beckii**, Liocyma beckii W.H. Dall, 1870 - syn of: [\*\*Liocyma fluctuosa\*\*](#) (A.A. Gould, 1841)
- **beili**, [\*\*Leukoma beili\*\*](#) (A.A. Olsson, 1961)
- **beili**, Leukoma beili A.A. Olsson, 1961 - syn of: [\*\*Leukoma beili\*\*](#) (A.A. Olsson, 1961)
- **belcheri**, [\*\*Pitar belcheri\*\*](#) (G.B. II Sowerby, 1851)
- **belcheri**, [\*\*Tapes belcheri\*\*](#) G.B. II Sowerby, 1852
- **bella**, Venus bella I.H. Jonas, 1844 - syn of: [\*\*Timoclea decorata\*\*](#) (W.J. Broderip & G.B. I Sowerby, 1829)
- **bermudensis**, Circe bermudensis E.A. Smith, 1885 - syn of: [\*\*Gouldia cerina\*\*](#) (C.B. Adams, 1845)

- **bermudezi**, [\*\*Pitar bermudezi\*\*](#) O. Macsotay & B. Campos, 2001
- **berrii**, [\*\*Placamen berrii\*\*](#) (W. Wood, 1828)
- **berryi**, [\*\*Pitar berryi\*\*](#) A.M. Keen, 1971
- **berryi**, Venus berryi G.B. II Sowerby, 1853 - syn of: [\*\*Placamen berrii\*\*](#) (W. Wood, 1828)
- **berryi**, Placamen berryi J.E. Gray in W. Wood, 1828 - syn of: [\*\*Placamen berrii\*\*](#) (W. Wood, 1828)
- **berthaulti**, [\*\*Lioconcha berthaulti\*\*](#) K.L. Lamprell & J.M. Healy, 2002
- **bertini**, Dosinia bertini E. Fischer-Piette & D. Delmas, 1967 - syn of: [\*\*Dosinia nedigna\*\*](#) (T. Iredale, 1930)
- **beudanti**, Venus beudanti B.C.M. Payraudeau, 1826 - syn of: [\*\*Polititapes aureus\*\*](#) (J.F. Gmelin, 1791)
- **bhimilensis**, Conchyliurus bhimilensis Devi, 1976 - syn of: [\*\*Meretrix casta\*\*](#) (J.F. Gmelin, 1791)
- **bicolor**, [\*\*Petricola bicolor\*\*](#) G.B. II Sowerby, 1854
- **bicolor**, Venus bicolor J.B.P.A. Lamarck, 1818 - syn of: [\*\*Polititapes aureus\*\*](#) (J.F. Gmelin, 1791)
- **bicolor**, [\*\*Tivela bicolor\*\*](#) J.E. Gray, 1838
- **bicolorata**, Tapes bicolorata L.A. Reeve, 1864 - syn of: [\*\*Marcia recens\*\*](#) (H.S. Holton, 1802)
- **bicolorata**, Venus bicolorata L.W. Dillwyn, 1817 - syn of: [\*\*Circenita varia\*\*](#) (P. Forsskål in C. Niebuhr, 1775)
- **bifurcata**, Paphia bifurcata D.B. Quayle, 1938 - syn of: [\*\*Venerupis philippinarum\*\*](#) (A. Adams & L.A. Reeve, 1850)
- **bilineata**, Venus bilineata L.A. Reeve, 1863 - syn of: [\*\*Chione tumens\*\*](#) A.E. Verrill, 1870
- **bilunulata**, [\*\*Dosinia bilunulata\*\*](#) (J.E. Gray, 1838)
- **bipartita**, Petricola bipartita G.P. Deshayes, 1853 - syn of: [\*\*Petricola fabagella\*\*](#) J.B.P.A. Lamarck, 1818
- **biradiata**, [\*\*Megapitaria squalida biradiata\*\*](#) (J.E. Gray, 1838)
- **biradiata**, Venus biradiata A. Riso, 1826 - syn of: [\*\*Clausinella fasciata\*\*](#) (E.M. Da Costa, 1778)
- **biradiata**, Periglypta biradiata G.B. I Sowerby, 1839 - syn of: [\*\*Megapitaria squalida\*\*](#) (G.B. I Sowerby, 1835)
- **birtsi**, [\*\*Aphrodora birtsi\*\*](#) (H.B. Preston, 1905)
- **biscocta**, [\*\*Dosinia biscocta\*\*](#) (L.A. Reeve, 1850)
- **bisecta**, Venus bisecta T.A. Conrad, 1849 - syn of: [\*\*Conchocele bisecta\*\*](#) (T.A. Conrad, 1849)
- **bollonsi**, Tawera bollonsi A.W.B. Powell, 1932 - syn of: [\*\*Tawera sphaericula\*\*](#) (G.P. Deshayes, 1853)
- **bombasticus**, Conchyliurus bombasticus Reddah, 1961 - syn of: [\*\*Meretrix casta\*\*](#) (J.F. Gmelin, 1791)
- **bombycina**, Cyclina bombycina A. Römer, 1860 - syn of: [\*\*Cyclina sinensis\*\*](#) (J.F. Gmelin, 1791)
- **borealis**, Venus borealis C. Linnaeus, 1767 - syn of: [\*\*Lucinoma borealis\*\*](#) (C. Linnaeus, 1767)
- **botula**, [\*\*Petricola botula\*\*](#) A.A. Olsson, 1961
- **bourguignati**, Tapes bourguignati É.A.A. Locard, 1886 - syn of: [\*\*Polititapes aureus\*\*](#) (J.F. Gmelin, 1791)
- **brasiliiana**, [\*\*Anomalocardia brasiliiana\*\*](#) (J.F. Gmelin, 1791)
- **brasiliensis**, Dosinia brasiliensis C.A. White, 1887 - syn of: [\*\*Dosinia concentrica\*\*](#) (I. von Born, 1778)
- **brevilunulata**, Dosinia brevilunulata E. Fischer-Piette & D. Delmas, 1967 - syn of: [\*\*Dosinia glauca\*\*](#) (L.A. Reeve, 1850)
- **brevisiphonata**, [\*\*Ezocallista brevisiphonata\*\*](#) (P.P. Carpenter, 1864)
- **brevisiphonata**, Saxidomus brevisiphonata P.P. Carpenter, 1864 - syn of: [\*\*Ezocallista brevisiphonata\*\*](#) (P.P. Carpenter, 1864)
- **brevispinata**, Hysteroconcha brevispinata G.P. Deshayes, 1853 - syn of: [\*\*Hysteroconcha brevispinosa\*\*](#) (G.B. II Sowerby, 1851)
- **brevispinosa**, [\*\*Hysteroconcha brevispinosa\*\*](#) (G.B. II Sowerby, 1851)
- **broggi**, Anomalocardia broggi H.A. Pilsbry & A.A. Olsson, 1943 - syn of: [\*\*Iliochione subrugosa\*\*](#) (W. Wood, 1828)
- **brogniarti**, Clausinella brogniarti B.C.M. Payraudeau, 1826 - syn of: [\*\*Clausinella fasciata\*\*](#) (E.M. Da Costa, 1778)
- **brongniartii**, Clausinella brongniartii B.C.M. Payraudeau, 1826 - syn of: [\*\*Clausinella fasciata\*\*](#) (E.M. Da Costa, 1778)
- **bronguiartii**, Clausinella bronguiartii B.C.M. Payraudeau, 1826 - syn of: [\*\*Clausinella fasciata\*\*](#) (E.M. Da Costa, 1778)
- **brownianus**, [\*\*Protapes brownianus\*\*](#) (H.B. Preston, 1906)
- **bruggeni**, [\*\*Sunetta bruggeni\*\*](#) E. Fischer-Piette, 1974
- **brugieri**, Petricola brugieri S.C.T. Hanley, 1845 - syn of: [\*\*Venerupis bruguieri\*\*](#) (S.C.T. Hanley, 1845)
- **bruguieri**, [\*\*Venerupis bruguieri\*\*](#) (S.C.T. Hanley, 1845)
- **bruguieri**, Arthemis bruguieri J.E. Gray, 1838 - syn of: [\*\*Dosinia prostrata\*\*](#) (C. Linnaeus, 1758)
- **bruguieri**, Dosinia bruguieri K.L. Lamprell & T. Whitehead, 1992 - syn of: [\*\*Dosinia areolata\*\*](#) A. Römer, 1870
- **bruguieri**, Venus bruguieri S.C.T. Hanley, 1845 - syn of: [\*\*Venerupis bruguieri\*\*](#) (S.C.T. Hanley, 1845)
- **bruguieri**, Tapes bruguieri S.C.T. Hanley, 1845 - syn of: [\*\*Venerupis bruguieri\*\*](#) (S.C.T. Hanley, 1845)
- **bruguieri**, Ruditapes bruguieri S.C.T. Hanley, 1845 - syn of: [\*\*Venerupis bruguieri\*\*](#) (S.C.T. Hanley, 1845)
- **brunnea**, Psephidia brunnea W.H. Dall, 1916 - syn of: [\*\*Neolepton salmoneum\*\*](#) (P.P. Carpenter, 1864)
- **buccardium**, Venus buccardium I. von Born, 1778 - syn of: [\*\*Arctica islandica\*\*](#) (C. Linnaeus, 1767)
- **bucculentus**, [\*\*Pitar bucculentus\*\*](#) (A. Römer, 1867)
- **bulbosa**, Petricola bulbosa A.A. Gould, 1851 - syn of: [\*\*Choristodon robustus\*\*](#) (G.B. I Sowerby, 1834)
- **bullata**, [\*\*Pelecyora bullata\*\*](#) (G.B. II Sowerby, 1851)
- **busschaerdi**, Venus busschaerdi E. Réquier, 1848 - syn of: [\*\*Clausinella fasciata\*\*](#) (E.M. Da Costa, 1778)
- **buwaldi**, Petricola buwaldi B.L. Clark, 1915 - syn of: [\*\*Choristodon robustus\*\*](#) (G.B. I Sowerby, 1834)
- **byronensis**, [\*\*Tivela byronensis\*\*](#) (J.E. Gray, 1838)
- **byronensis hindsii**, [\*\*Tivela byronensis hindsii\*\*](#) S.C.T. Hanley, 1844
- **caboblanquensis**, [\*\*Transennella caboblanquensis\*\*](#) N.E. Weisbord, 1964
- **caelata**, [\*\*Dosinia caelata\*\*](#) (L.A. Reeve, 1850)
- **caelatum**, Gafrarium caelatum A. Adams, 1854 - syn of: [\*\*Herouvalia caelata\*\*](#) (A. Adams, 1854)
- **caerulea**, [\*\*Dosinia caerulea\*\*](#) (L.A. Reeve, 1850)
- **calcarea**, Venus calcarea A.A. Gould, 1850 - syn of: [\*\*Bassina yatei\*\*](#) (J.E. Gray, 1835)
- **calcarea**, Venus calcarea R.A. Philippi, 1844 - syn of: [\*\*Mercenaria campechiensis\*\*](#) (J.F. Gmelin, 1791)

- caledonensis, [\*\*Lioconcha caledonensis\*\*](#) M.E. Harte & K.L. Lamprell, 1999
- caledonica, Tapes caledonica A.C. Bernardi, 1856 - syn of: [\*\*Marcia japonica\*\*](#) (J.F. Gmelin, 1791)
- californica, Transenella californica R. Arnold, 1910 - syn of: [\*\*Nutricula tantilla\*\*](#) (A.A. Gould, 1853)
- californica, [\*\*Gouldia californica\*\*](#) W.H. Dall, 1917
- californiensis, [\*\*Chione californiensis\*\*](#) (W.J. Broderip, 1835)
- californiensis, [\*\*Petricola californiensis\*\*](#) H.A. Pilsbry & H.N. Lowe, 1932
- californiensis, Gafrarium californiensis W.H. Dall, 1917 - syn of: [\*\*Gouldia californica\*\*](#) W.H. Dall, 1917
- californiensis, Venus californiensis W.J. Broderip, 1835 - syn of: [\*\*Chione californiensis\*\*](#) (W.J. Broderip, 1835)
- californiensis durhami, Chione californiensis durhami C.F. Parker, 1949 - syn of: [\*\*Chione californiensis\*\*](#) (W.J. Broderip, 1835)
- californiensis gealeyi, Chione californiensis gealeyi C.F. Parker, 1949 - syn of: [\*\*Chione californiensis\*\*](#) (W.J. Broderip, 1835)
- californiensis peabodyi, Chione californiensis peabodyi C.F. Parker, 1949 - syn of: [\*\*Chione californiensis\*\*](#) (W.J. Broderip, 1835)
- caliste, Venus caliste J.F. Gmelin, 1791 - syn of: [\*\*Circenita varia\*\*](#) (P. Forsskål in C. Niebuhr, 1775)
- callicomata, [\*\*Lamelliconcha callicomata\*\*](#) (W.H. Dall, 1902)
- callicomata, Pitar callicomata W.H. Dall, 1902 - syn of: [\*\*Lamelliconcha callicomata\*\*](#) (W.H. Dall, 1902)
- callimorpha, [\*\*Globivenus callimorpha\*\*](#) (W.H. Dall, 1902)
- callipyga, [\*\*Circenita callipyga\*\*](#) (I. von Born, 1778)
- callipygum, [\*\*Gafrarium callipygum\*\*](#) (I. von Born, 1778)
- callosa, [\*\*Amiantis callosa\*\*](#) (T.A. Conrad, 1837)
- callosa, Periglypta callosa T.A. Conrad, 1837 - syn of: [\*\*Amiantis callosa\*\*](#) (T.A. Conrad, 1837)
- calophylla, Clausinella calophylla R.A. Philippi, 1836 - syn of: [\*\*Placamen lamellatum\*\*](#) (P.F. Röding, 1798)
- calophylla, Venus calophylla R.A. Philippi, 1836 - syn of: [\*\*Placamen lamellatum\*\*](#) (P.F. Röding, 1798)
- calophylla, Periglypta calophylla R.A. Philippi, 1836 - syn of: [\*\*Placamen lamellatum\*\*](#) (P.F. Röding, 1798)
- calophylla, Bassina calophylla R.A. Philippi, 1836 - syn of: [\*\*Placamen lamellatum\*\*](#) (P.F. Röding, 1798)
- calophylla, Chione calophylla R.A. Philippi, 1836 - syn of: [\*\*Placamen lamellatum\*\*](#) (P.F. Röding, 1798)
- calophyllum, [\*\*Placamen lamellatum calophyllum\*\*](#) R.A. Philippi, 1846
- calophyllus, Circomphalus calophyllus R.A. Philippi, 1836 - syn of: [\*\*Placamen lamellatum\*\*](#) (P.F. Röding, 1798)
- campechiensis, [\*\*Mercenaria campechiensis\*\*](#) (J.F. Gmelin, 1791)
- campechiensis, Venus campechiensis J.F. Gmelin, 1791 - syn of: [\*\*Mercenaria campechiensis\*\*](#) (J.F. Gmelin, 1791)
- campechiensis quadrata, Venus campechiensis quadrata W.H. Dall, 1902 - syn of: [\*\*Mercenaria campechiensis\*\*](#) (J.F. Gmelin, 1791)
- campechiensis texana, Mercenaria campechiensis texana (W.H. Dall, 1902) - syn of: [\*\*Mercenaria texana\*\*](#) (W.H. Dall, 1902)
- canaliculata, Dosinia canaliculata G.B. Sowerby, 1852 - syn of: [\*\*Dosinia cretacea\*\*](#) (L.A. Reeve, 1850)
- cancellata, [\*\*Chione cancellata\*\*](#) (C. Linnaeus, 1767)
- cancellata, [\*\*Lajonkairia cancellata\*\*](#) (J.F. Gmelin, 1791)
- cancellata, Venus cancellata I. von Born, 1778 - syn of: [\*\*Placamen lamellatum\*\*](#) (P.F. Röding, 1798)
- cancellata, Mercenaria cancellata W.M. Gabb, 1860 - syn of: [\*\*Mercenaria mercenaria\*\*](#) (C. Linnaeus, 1758)
- cancellata mazyckii, Chione cancellata mazyckii W.H. Dall, 1902 - syn of: [\*\*Chione mazyckii\*\*](#) W.H. Dall, 1902
- cancellatus, [\*\*Choristodon cancellatus\*\*](#) A.E. Verrill, 1885
- candida, Hysteroconcha candida G.P. Deshayes, 1853 - syn of: [\*\*Callista diemenensis\*\*](#) (S.C.T. Hanley, 1844)
- capax, Venus capax T.A. Conrad, 1844 - syn of: [\*\*Mercenaria campechiensis\*\*](#) (J.F. Gmelin, 1791)
- caperi, [\*\*Hyphantosoma caperi\*\*](#) (K.L. Lamprell & J.M. Healy, 1997)
- capricornea, [\*\*Globivenus capricornea\*\*](#) (C. Hedley, 1908)
- cardiodeum, Gafrarium cardiodeum P.F. Röding, 1798 - syn of: [\*\*Gafrarium pectinatum\*\*](#) (C. Linnaeus, 1758)
- cardioides, [\*\*Chioneryx cardiooides\*\*](#) (J.B.P.A. Lamarck, 1818)
- carditoides, [\*\*Irus carditoides\*\*](#) (J.B.P.A. Lamarck, 1818)
- carditoides, [\*\*Petricola carditoides\*\*](#) (T.A. Conrad, 1837)
- carneola, [\*\*Marcia carneola\*\*](#) (J.B.P.A. Lamarck, 1818)
- carneola, Venus carneola J.B.P.A. Lamarck, 1818 - syn of: [\*\*Marcia carneola\*\*](#) (J.B.P.A. Lamarck, 1818)
- carolinensis, Petricola carolinensis T.A. Conrad, 1863 - syn of: [\*\*Petricola pholadiformis\*\*](#) J.B.P.A. Lamarck, 1818
- carolinensis, Mysia carolinensis T.A. Conrad, 1875 - syn of: [\*\*Diplodonta nucleiformis\*\*](#) (W. Wagner, 1840)
- carolinensis, Mercenaria carolinensis T.A. Conrad, 1875 - syn of: [\*\*Mercenaria campechiensis\*\*](#) (J.F. Gmelin, 1791)
- carpentariana, [\*\*Dosinia carpentariana\*\*](#) K.L. Lamprell & J.M. Healy, 1997
- carpenteri, Tapes carpenteri A. Römer, 1861 - Syn of: [\*\*Polititapes durus\*\*](#) (J.F. Gmelin, 1791)
- carpenteri, Anomalocardia carpenteri R.W. Dunker, 1866 - syn of: [\*\*Mosambicarca hians\*\*](#) (L.A. Reeve, 1844)
- caryonautes, [\*\*Transennella caryonautes\*\*](#) S.S. Berry, 1963
- casina, [\*\*Venus casina\*\*](#) C. Linnaeus, 1758
- casina albina, Venus casina albina P. Dautzenberg & H. Fischer, 1906 - syn of: [\*\*Venus casina\*\*](#) C. Linnaeus, 1758
- casina aradasii, [\*\*Venus casina aradasii\*\*](#)
- casina corsicanus, [\*\*Venus casina corsicanus\*\*](#) A. Aradas & L. Benoit, 1870
- casina globosa, Venus casina globosa L. Benoit & A. Aradas, 1878 - syn of: [\*\*Venus casina\*\*](#) C. Linnaeus, 1758
- casina picta, Venus casina picta M.E.J. Bucquoy, P. Dautzenberg & G.F. Dollfus, 1893 - syn of: [\*\*Venus casina\*\*](#) C. Linnaeus, 1758
- casina sicilianus, [\*\*Venus casina sicilianus\*\*](#) A. Aradas & L. Benoit, 1870
- casinaeformis, Venus casinaeformis M. Yokoyama, 1926 - syn of: [\*\*Venus cassinaeformis\*\*](#) (M. Yokoyama, 1926)
- casinula, Venus casinula G.P. Deshayes in J.B.G.M. Bory De Saint-Vincent, 1833 - syn of: [\*\*Venus casina\*\*](#) C. Linnaeus, 1758
- casinus, Circomphalus casinus C. Linnaeus, 1758 - syn of: [\*\*Venus casina\*\*](#) C. Linnaeus, 1758
- cassinaeformis, [\*\*Venus cassinaeformis\*\*](#) (M. Yokoyama, 1926)

- **casta**, [\*\*\*Meretrix casta\*\*\*](#) (J.F. Gmelin, 1791)
- **casta**, Venus casta J.F. Gmelin, 1791 - syn of: [\*\*\*Meretrix casta\*\*\*](#) (J.F. Gmelin, 1791)
- **castanea**, Periglypta castanea J.B.P.A. Lamarck, 1818 - syn of: [\*\*\*Meretrix meretrix\*\*\*](#) (C. Linnaeus, 1758)
- **castanea**, Venus castanea T. Say, 1822 - syn of: [\*\*\*Astarte castanea\*\*\*](#) (T. Say, 1822)
- **castrensis**, [\*\*\*Lioconcha castrensis\*\*\*](#) (C. Linnaeus, 1758)
- **castrensis**, Tapes castrensis G.P. Deshayes, 1848 - syn of: [\*\*\*Polititapes aureus\*\*\*](#) (J.F. Gmelin, 1791)
- **castrensis texturoides**, Tapes castrensis texturoides P.M. Pallary, 1912 - syn of: [\*\*\*Polititapes aureus\*\*\*](#) (J.F. Gmelin, 1791)
- **catenifera**, Venus catenifera J.B.P.A. Lamarck, 1818 - syn of: [\*\*\*Polititapes aureus\*\*\*](#) (J.F. Gmelin, 1791)
- **catharia**, Callocardia catharia W.H. Dall, 1902 - syn of: [\*\*\*Agriopoma catharium\*\*\*](#) (W.H. Dall, 1902)
- **catharium**, Agriopoma catharium W.H. Dall, 1902 - syn of: [\*\*\*Agriopoma catharium\*\*\*](#) (W.H. Dall, 1902)
- **catharium**, [\*\*\*Agriopoma catharium\*\*\*](#) (W.H. Dall, 1902)
- **catillum**, [\*\*\*Gafrarium catillum\*\*\*](#) C. Hedley, 1909
- **cerina**, [\*\*\*Gouldia cerina\*\*\*](#) (C.B. Adams, 1845)
- **ceylonensis**, Tapes ceylonensis G.B. II Sowerby, 1852 - syn of: [\*\*\*Marcia opima\*\*\*](#) (J.F. Gmelin, 1791)
- **ceylonica**, [\*\*\*Pelecyora ceylonica\*\*\*](#) (R.W. Dunker, 1865)
- **ceylonica**, Venus ceylonica W. Martini & J.H. Chemnitz, 1782 - syn of: [\*\*\*Geloina erosa\*\*\*](#) (J. Lightfoot, 1786)
- **charapota**, Petricola charapota A.A. Olson, 1961 - syn of: [\*\*\*Petricola insignis\*\*\*](#) (G.P. Deshayes, 1854)
- **chemnitzii**, [\*\*\*Antigona chemnitzii\*\*\*](#) (S.C.T. Hanley, 1845)
- **chemnitzii**, Venus chemnitzii S.C.T. Hanley, 1845 - syn of: [\*\*\*Antigona chemnitzii\*\*\*](#) (S.C.T. Hanley, 1845)
- **chemnitzii**, Periglypta chemnitzii S.C.T. Hanley, 1845 - syn of: [\*\*\*Antigona chemnitzii\*\*\*](#) (S.C.T. Hanley, 1845)
- **chemnitzii laqueata**, Antigona chemnitzii laqueata G.B. Sowerby, 1853 - syn of: [\*\*\*Antigona laqueata\*\*\*](#) (G.B. II Sowerby, 1853)
- **chevreuxi**, Venus chevreuxi P. Dautzenberg, 1891 - syn of: [\*\*\*Venus chevreuxi\*\*\*](#) P. Dautzenberg, 1891
- **chevreuxi**, [\*\*\*Venus chevreuxi\*\*\*](#) P. Dautzenberg, 1891
- **chilensis**, Venus chilensis W.J. Broderip & G.B. I Sowerby, 1835 - syn of: [\*\*\*Leukoma thaca\*\*\*](#) (J.I. Molina, 1782)
- **chilkaensis**, Sunetta chilkaensis H.B. Preston, 1914 - syn of: [\*\*\*Sunetta meroe\*\*\*](#) (C. Linnaeus, 1758)
- **chiloensis**, Petricola chiloensis R.A. Philippi, 1845 - syn of: [\*\*\*Petricola dactylus\*\*\*](#) G.B. I Sowerby, 1823
- **chinensis**, [\*\*\*Callista chinensis\*\*\*](#) (H.S. Holton, 1802)
- **chinensis**, Petricola chinensis G.P. Deshayes, 1853 - syn of: [\*\*\*Petricola fabagella\*\*\*](#) J.B.P.A. Lamarck, 1818
- **chinensis**, Venus chinensis L.W. Dilwyn, 1817 - syn of: [\*\*\*Cyclina sinensis\*\*\*](#) (J.F. Gmelin, 1791)
- **chinensis**, [\*\*\*Liocyma chinensis\*\*\*](#) S. Zhang, F.S. Xu & Leng, 2010
- **chionacea**, [\*\*\*Megapitaria squalida chionacea\*\*\*](#) (K.T. Menke, 1847)
- **chionaea**, Periglypta chionaea K.T. Menke, 1847 - syn of: [\*\*\*Megapitaria squalida\*\*\*](#) (G.B. I Sowerby, 1835)
- **chione**, [\*\*\*Callista chione\*\*\*](#) (C. Linnaeus, 1758)
- **chione brevior**, Meretrix chione brevior M.E.J. Bucquoy, P. Dautzenberg & G.F. Dolfus, 1893 - syn of: [\*\*\*Callista chione\*\*\*](#) (C. Linnaeus, 1758)
- **chione elongata**, Meretrix chione elongata M.E.J. Bucquoy, P. Dautzenberg & G.F. Dolfus, 1893 - syn of: [\*\*\*Callista chione\*\*\*](#) (C. Linnaeus, 1758)
- **chione major**, Meretrix chione major M.E.J. Bucquoy, P. Dautzenberg & G.F. Dolfus, 1893 - syn of: [\*\*\*Callista chione\*\*\*](#) (C. Linnaeus, 1758)
- **chishimana**, Macrocallista chishimana H.A. Plsby, 1905 - syn of: [\*\*\*Ezocallista brevisiphonata\*\*\*](#) (P.P. Carpenter, 1864)
- **chloroticum**, [\*\*\*Placamen chloroticum\*\*\*](#) (R.A. Philippi, 1849)
- **chordatus**, [\*\*\*Costellipitar chordatus\*\*\*](#) (A. Römer, 1867)
- **chuangi**, [\*\*\*Timoclea chuangi\*\*\*](#) E. Fischer-Piette & D. Vukadinovic, 1977
- **cineracea**, Venus cineracea L.H. Hupé in C. Gay, 1854 - syn of: [\*\*\*Leukoma antiqua\*\*\*](#) (P.P. King, 1832)
- **cinerea**, Tapes cinerea G.P. Deshayes, 1853 - syn of: [\*\*\*Venerupis aspera\*\*\*](#) (J.R.C. Quoy & J.P. Gaimard, 1835)
- **cingenda**, Venus cingenda L.W. Dilwyn, 1817 - syn of: [\*\*\*Chione cancellata\*\*\*](#) (C. Linnaeus, 1767)
- **cingulata**, Venus cingulata G.B. Sowerby, 1853 - syn of: [\*\*\*Chionopsis pulicaria\*\*\*](#) (W.J. Broderip, 1835)
- **cingulifera**, [\*\*\*Dosinia cingulifera\*\*\*](#) A. Römer, 1862
- **cingulina**, Venus cingulina É. Lamy & E. Fischer-Piette, 1938 - syn of: [\*\*\*Placamen berrii\*\*\*](#) (W. Wood, 1828)
- **circinaria**, Dosinia circinaria G.P. Deshayes, 1853 - syn of: [\*\*\*Dosinia crocea\*\*\*](#) G.P. Deshayes, 1853
- **circinata**, [\*\*\*Lamelliconcha circinata\*\*\*](#) (I. von Born, 1778)
- **circinata**, Venus circinata I. von Born, 1778 - syn of: [\*\*\*Lamelliconcha circinata\*\*\*](#) (I. von Born, 1778)
- **circinata vinacea**, Lamelliconcha circinata vinacea A.A. Olson, 1961 - syn of: [\*\*\*Lamelliconcha vinacea\*\*\*](#) A.A. Olson, 1961
- **circinatus**, Pitar circinatus I. von Born, 1778 - syn of: [\*\*\*Lamelliconcha circinata\*\*\*](#) (I. von Born, 1778)
- **circularis**, [\*\*\*Dosinia circularis\*\*\*](#) A. Römer, 1862
- **citrina**, Meretrix citrina J.B.P.A. Lamarck, 1818 - syn of: [\*\*\*Pitar citrinus\*\*\*](#) (J.B.P.A. Lamarck, 1818)
- **citrinum**, [\*\*\*Granicorium citrinum\*\*\*](#) K.L. Lamprell & J.M. Healy, 1999
- **citrinus**, [\*\*\*Pitar citrinus\*\*\*](#) (J.B.P.A. Lamarck, 1818)
- **clathrata**, Venus clathrata G.P. Deshayes, 1853 - syn of: [\*\*\*Periglypta albocancellata\*\*\*](#) (M. Huber, 2010)
- **clathrata**, Antigona clathrata G.P. Deshayes, 1853 - syn of: [\*\*\*Periglypta albocancellata\*\*\*](#) (M. Huber, 2010)
- **clathrata**, Periglypta clathrata G.P. Deshayes, 1854 - syn of: [\*\*\*Periglypta albocancellata\*\*\*](#) (M. Huber, 2010)
- **clathrata**, Venus clathrata P.F. Röding, 1798 - syn of: [\*\*\*Chione dysera\*\*\*](#) (C. Linnaeus, 1758)
- **clenchi**, [\*\*\*Lirophora clenchi\*\*\*](#) (T.E. Puley, 1952)
- **clessini**, Sunetta clessini C.M.F. Ancey, 1880 - syn of: [\*\*\*Sunetta solanderii\*\*\*](#) (J.E. Gray, 1825)
- **coaxans**, Venus coaxans J.F. Gmelin, 1791 - syn of: [\*\*\*Geloina erosa\*\*\*](#) (J. Lightfoot, 1786)
- **coccinea**, Callista coccinea G.S. Poli, 1795 - syn of: [\*\*\*Callista chione\*\*\*](#) (C. Linnaeus, 1758)
- **cochinensis**, [\*\*\*Timoclea cochinensis\*\*\*](#) (G.B. II Sowerby, 1853)
- **cochinensis**, Venus cochinensis G.B. II Sowerby, 1853 - syn of: [\*\*\*Timoclea cochinensis\*\*\*](#) (G.B. II Sowerby, 1853)

- coelata, [\*\*Tawera coelata\*\*](#) (K.T. Menke, 1843)
- coelata, Paphia coelata J.R. le B. Tomlin, 1923 - syn of: [\*\*Paphia rotundata\*\*](#) (C. Linnaeus, 1758)
- coelata, Venus coelata K.T. Menke, 1843 - syn of: [\*\*Tawera coelata\*\*](#) (K.T. Menke, 1843)
- coerulea, Dosinia coerulea L.A. Reeve, 1850 - syn of: [\*\*Dosinia caerulea\*\*](#) (L.A. Reeve, 1850)
- coerulescens, Sunetta coerulescens J.H.F. Link, 1807 - syn of: [\*\*Circe scripta\*\*](#) (C. Linnaeus, 1758)
- cognata, [\*\*Petricolaria cognata\*\*](#) (C.B. Adams, 1852)
- colorata, Dosinia colorata T. Iredale, 1929 - syn of: [\*\*Dosinia amphidesmoides\*\*](#) (L.A. Reeve, 1850)
- columbiensis, [\*\*Leukoma columbiensis\*\*](#) (G.B. II Sowerby, 1835)
- complanata, Arthemis complanata É.A.A. Locard, 1892 - syn of: [\*\*Dosinia exoleta\*\*](#) (C. Linnaeus, 1758)
- compressa, [\*\*Tivela compressa\*\*](#) (G.B. II Sowerby, 1851)
- compressa, Meretrix compressa A. Römer, 1866 - syn of: [\*\*Meretrix lamarckii\*\*](#) G.P. Deshayes, 1853
- compressa, Venus compressa G. Montagu, 1808 - syn of: [\*\*Astarte montagui\*\*](#) (L.W. Dillwyn, 1817)
- compressa, Periglypta compressa Z. Zhuang, 1964 - syn of: [\*\*Periglypta corbis\*\*](#) (J.B.P.A. Lamarck, 1818)
- compta, [\*\*Chione compta\*\*](#) (W.J. Broderip, 1835)
- compta, Dosinia compta S.L. Lovén, 1846 - syn of: [\*\*Dosinia lupinus\*\*](#) (C. Linnaeus, 1758)
- compta, Venus compta W.J. Broderip, 1835 - syn of: [\*\*Chione compta\*\*](#) (W.J. Broderip, 1835)
- compunctata, Venus compunctata J.H.F. Link, 1807 - syn of: [\*\*Tapes literatus\*\*](#) (C. Linnaeus, 1758)
- comta, Dosinia comta G.B. Sowerby, 1846 - syn of: [\*\*Dosinia glauca\*\*](#) (L.A. Reeve, 1850)
- comta, Dosinia comta S.L. Lovén, 1846 - syn of: [\*\*Dosinia lupinus\*\*](#) (C. Linnaeus, 1758)
- concentrica, [\*\*Dosinia concentrica\*\*](#) (I. von Born, 1778)
- concentrica, Venus concentrica I. von Born, 1778 - syn of: [\*\*Dosinia concentrica\*\*](#) (I. von Born, 1778)
- concentrica, Parastarte concentrica W.H. Dall, 1889 - syn of: [\*\*Gemma gemma\*\*](#) (J.G. Totten, 1834)
- concentrica prosapia, Dosinia concentrica prosapia N.E. Weisbord, 1964 - syn of: [\*\*Dosinia concentrica\*\*](#) (I. von Born, 1778)
- concinna, [\*\*Lamelliconcha concinna\*\*](#) (G.B. I Sowerby, 1835)
- concinna, [\*\*Timoclea concinna\*\*](#) (J.M.R.M. Viader, 1951)
- concinna, [\*\*Petricola concinna\*\*](#) G.B. I Sowerby, 1834
- concinna, Hysteroconcha concinna G.B. I Sowerby, 1835 - syn of: [\*\*Lamelliconcha concinna\*\*](#) (G.B. I Sowerby, 1835)
- concinna, [\*\*Sunetta concinna\*\*](#) R.W. Dunker, 1865
- confusa, [\*\*Nutricola confusa\*\*](#) (S. Gray, 1982)
- congregata, [\*\*Dosinia congregata\*\*](#) A. Römer, 1862
- congoensis, Venus congoensis K.H.J. Thiele & S.G.A. Jaeckel, 1931 - syn of: [\*\*Timoclea ovata\*\*](#) (T. Pennant, 1777)
- conradi, Venus conradi A. Römer, 1867 - syn of: [\*\*Leukoma staminea\*\*](#) (T.A. Conrad, 1837)
- conradina, [\*\*Transennella conradina\*\*](#) (W.H. Dall, 1884)
- consanguinea, Periglypta consanguinea C.B. Adams, 1852 - syn of: [\*\*Pitar consanguineus\*\*](#) (C.B. Adams, 1852)
- consanguineus, [\*\*Pitar consanguineus\*\*](#) (C.B. Adams, 1852)
- consanguineus elenensis, [\*\*Pitar consanguineus elenensis\*\*](#) A.A. Olsson, 1961
- consobrina, Venus consobrina G.P. Deshayes, 1853 - syn of: [\*\*Venus casina\*\*](#) C. Linnaeus, 1758
- consobrina, Dosinia consobrina G.P. Deshayes, 1853 - syn of: [\*\*Dosinia hepatica\*\*](#) (J.B.P.A. Lamarck, 1818)
- consola, Redicirce consola T. Iredale, 1936 - syn of: [\*\*Radicirce sulcata\*\*](#) (J.E. Gray, 1838)
- conspersus, [\*\*Tapes conspersus\*\*](#) (J.F. Gmelin, 1791)
- conspersus adspersa, [\*\*Tapes conspersus adspersa\*\*](#) A. Römer, 1870
- consternans, [\*\*Gouliopha consternans\*\*](#) (P.G. Oliver & M. Zuschin, 2001)
- consternans, Microcirce consternans P.G. Oliver & M. Zuschin, 2001 - syn of: [\*\*Gouliopha consternans\*\*](#) (P.G. Oliver & M. Zuschin, 2001)
- contempta, Cyclosunetta contempta E.A. Smith, 1891 - syn of: [\*\*Sunetta sunettina\*\*](#) (F.P. Jousseaume, 1891)
- contempta, Sunettina contempta E.A. Smith, 1891 - syn of: [\*\*Sunetta sunettina\*\*](#) (F.P. Jousseaume, 1891)
- contempta bruggeni, Sunetta contempta bruggeni E. Fischer-Piette, 1974 - syn of: [\*\*Sunetta bruggeni\*\*](#) E. Fischer-Piette, 1974
- contracta, [\*\*Dosinia contracta\*\*](#) (R.A. Philippi, 1844)
- contraria, Venus contraria J.F. Gmelin, 1791 - syn of: [\*\*Crassatina contraria\*\*](#) (J.F. Gmelin, 1791)
- contusa, [\*\*Dosinia contusa\*\*](#) (L.A. Reeve, 1850)
- conularis, Venus conularis J.B.P.A. Lamarck, 1818 - syn of: [\*\*Katelysia scalarina\*\*](#) (J.B.P.A. Lamarck, 1818)
- cookei, Dorisca cookei W.H. Dall, P. Bartsch & H.A. Rehder, 1938 - syn of: [\*\*Dorisca jucunda\*\*](#) (E.A. Smith, 1885)
- cor, [\*\*Protapes cor\*\*](#) (G.B. II Sowerby, 1853)
- cor, [\*\*Costellipitar cor\*\*](#) (S.C.T. Hanley, 1844)
- cor, Caryatis cor A. Römer, 1867 - syn of: [\*\*Pitar elatus\*\*](#) G.B. III Sowerby, 1908
- cor, Tapes cor G.B. II Sowerby, 1853 - syn of: [\*\*Protapes cor\*\*](#) (G.B. II Sowerby, 1853)
- cor, Paphia cor G.B. II Sowerby, 1853 - syn of: [\*\*Protapes cor\*\*](#) (G.B. II Sowerby, 1853)
- cor, Venus cor G.B. II Sowerby, 1853 - syn of: [\*\*Protapes cor\*\*](#) (G.B. II Sowerby, 1853)
- cora, [\*\*Tivela cora\*\*](#) A. Römer, 1864
- corbicula, Venus corbicula J.F. Gmelin, 1791 - syn of: [\*\*Tivela mactroides\*\*](#) (I. von Born, 1778)
- corbis, [\*\*Periglypta corbis\*\*](#) (J.B.P.A. Lamarck, 1818)
- corbis, Venus corbis J.B.P.A. Lamarck, 1818 - syn of: [\*\*Periglypta corbis\*\*](#) (J.B.P.A. Lamarck, 1818)
- corculum, [\*\*Pelecyora corculum\*\*](#) (A. Römer, 1870)
- cordata, [\*\*Marcia cordata\*\*](#) (P. Forsskål in C. Niebuhr, 1775)
- cordata, Pitar cordata J.S. Schwengel, 1951 - syn of: [\*\*Pitarenus cordatus\*\*](#) (J.S. Schwengel, 1951)
- cordata, Venus cordata P. Forsskål in C. Niebuhr, 1775 - syn of: [\*\*Marcia cordata\*\*](#) (P. Forsskål in C. Niebuhr, 1775)

- **cordatus**, [\*\*Pitarenus cordatus\*\*](#) (J.S. Schwengel, 1951)
- cordieri, Petricola cordieri G.P. Deshayes, 1839 - syn of: [\*\*Irusella lamellifera\*\*](#) (T.A. Conrad, 1837)
- cordieri notabilis, Venerupis cordieri notabilis G.P. Deshayes, 1853 - syn of: [\*\*Irusella lamellifera\*\*](#) (T.A. Conrad, 1837)
- **cordiformis**, Periglypta cordiformis R.W. Dunker, 1849 - syn of: [\*\*Pitar affinis\*\*](#) (J.F. Gmelin, 1791)
- **corpulenta**, Periglypta corpulenta J.E. Gray, 1838 - syn of: [\*\*Meretrix meretrix\*\*](#) (C. Linnaeus, 1758)
- **corrugata**, [\*\*Venerupis corrugata\*\*](#) (J.F. Gmelin, 1791)
- **corrugata**, [\*\*Dosinia corrugata\*\*](#) (L.A. Reeve, 1850)
- **corrugata**, [\*\*Circe corrugata\*\*](#) (L.W. Dillwyn, 1817)
- **corrugata**, Venus corrugata J.B.P.A. Lamarck, 1818 - syn of: [\*\*Katelysia victoriae\*\*](#) (J.E. Tenison-Woods, 1878)
- **corrugata**, Dosinella corrugata L.A. Reeve, 1850 - syn of: [\*\*Dosinia corrugata\*\*](#) (L.A. Reeve, 1850)
- **corrugata**, Venus corrugata L.W. Dillwyn, 1817 - syn of: [\*\*Circe rugifera\*\*](#) (J.B.P.A. Lamarck, 1818)
- **corrugata**, Lucinopsis corrugata ♂ Brusina, 1866 - syn of: [\*\*Mysia undata\*\*](#) (T. Pennant, 1777)
- **corrugata geographica**, Venerupis corrugata geographica J.F. Gmelin, 1791 - syn of: [\*\*Venerupis geographica\*\*](#) (J.F. Gmelin, 1791)
- **corrugata saxatilis**, [\*\*Venerupis corrugata saxatilis\*\*](#) (L.B. Fleurieu de Bellevue, 1802)
- **corrugata senegalensis**, [\*\*Venerupis corrugata senegalensis\*\*](#) (J.F. Gmelin, 1791)
- **corrugatula**, Venus corrugatula I. Krynicki, 1837 - syn of: [\*\*Chamelea gallina\*\*](#) (C. Linnaeus, 1758)
- corsicanus, [\*\*Venus casina corsicanus\*\*](#) A. Aradas & L. Benot, 1870
- **cortezi**, Chione cortezi P.P. Carpenter, 1864 - syn of: [\*\*Chionista fluctifraga cortezi\*\*](#) P.P. Carpenter, 1864
- **cortezi**, [\*\*Chionista fluctifraga cortezi\*\*](#) P.P. Carpenter, 1864
- **coryne**, Dosinia coryne A. Adams, 1856 - syn of: [\*\*Dosinia caerulea\*\*](#) (L.A. Reeve, 1850)
- **costata**, Petricola costata J.B.P.A. Lamarck, 1801 - syn of: [\*\*Petricola lapicida\*\*](#) (J.F. Gmelin, 1791)
- **costata**, Venus costata J.R.C. Quoy & J.P. Gaimard, 1835 - syn of: [\*\*Leukoma crassicosta\*\*](#) (G.P. Deshayes, 1835)
- **costata**, Venus costata L.W. Dillwyn, 1817 - syn of: [\*\*Callista erycinella\*\*](#) (J.B.P.A. Lamarck, 1818)
- **costata**, Petricola costata R.A. Philippi, 1849 - syn of: [\*\*Petricola rugosa\*\*](#) G.B. I Sowerby, 1834
- **costata**, Chamelea costata T. Brown, 1827 - syn of: [\*\*Clausinella fasciata\*\*](#) (E.M. Da Costa, 1778)
- **costatum**, Gafrarium costatum P.F. Röding, 1798 - syn of: [\*\*Gafrarium pectinatum\*\*](#) (C. Linnaeus, 1758)
- **costatus**, Cuneus costatus J.K. Megerle Von Mühlfeld, 1811 - syn of: [\*\*Sunetta meroe\*\*](#) (C. Linnaeus, 1758)
- **costellata**, Petricola costellata J.B.P.A. Lamarck, 1818 - syn of: [\*\*Petricola lithophaga\*\*](#) (A. Retzius, 1788)
- **costellata**, Venus costellata W.J. Broderip & G.B. I Sowerby, 1835 - syn of: [\*\*Leukoma antiqua\*\*](#) (P.P. King, 1832)
- **costellifera**, [\*\*Timoclea costellifera\*\*](#) (A. Adams & L.A. Reeve, 1850)
- **costulata**, Venus costulata W. Wood, 1828 - syn of: [\*\*Tawera gallinula\*\*](#) (J.B.P.A. Lamarck, 1818)
- **coxeni**, [\*\*Pitar coxeni\*\*](#) (E.A. Smith, 1884)
- **crachrodii**, Circe crachrodii J.E. Gray, 1838 - syn of: [\*\*Circenita callipyga\*\*](#) (I. von Born, 1778)
- **crassa**, Periglypta crassa J.E. Gray, 1825 - syn of: [\*\*Meretrix casta\*\*](#) (J.F. Gmelin, 1791)
- **crassa**, Venus crassa J.R.C. Quoy & J.P. Gaimard, 1835 - syn of: [\*\*Tawera spissa\*\*](#) (G.P. Deshayes, 1835)
- **crassicosta**, [\*\*Leukoma crassicosta\*\*](#) (G.P. Deshayes, 1835)
- **crassicosta**, Venus crassicosta G.P. Deshayes, 1835 - syn of: [\*\*Leukoma crassicosta\*\*](#) (G.P. Deshayes, 1835)
- **crassicostata**, Leukoma crassicostata G.P. Deshayes, 1835 - syn of: [\*\*Leukoma crassicosta\*\*](#) (G.P. Deshayes, 1835)
- **crassicostata**, Anomalocardia crassicostata H. Adams, 1873 - syn of: [\*\*Anadara crassicostata\*\*](#) (H. Adams, 1873)
- **crassiscula**, Paphia crassiscula J.B.P.A. Lamarck, 1818 - syn of: [\*\*Paphia crassisulca\*\*](#) (J.B.P.A. Lamarck, 1818)
- **crassisquamata**, [\*\*Timoclea crassisquamata\*\*](#) (B. Prashad, 1932)
- **crassisulca**, [\*\*Paphia crassisulca\*\*](#) (J.B.P.A. Lamarck, 1818)
- **crassisulca**, Venus crassisulca J.B.P.A. Lamarck, 1818 - syn of: [\*\*Paphia crassisulca\*\*](#) (J.B.P.A. Lamarck, 1818)
- **crassisulca**, Paphia crassisulca K.L. Lamprell & T. Whitehead, 1992 - syn of: [\*\*Paphia inflata\*\*](#) (G.P. Deshayes, 1853)
- **crassitesta**, Chione crassitesta H.J. Finlay, 1924 - syn of: [\*\*Austrovenus stutchburyi\*\*](#) (W. Wood, 1828)
- **crassum**, [\*\*Hyphantosoma crassum\*\*](#) B.K. Raines & M. Huber, 2012
- **crebra**, Dosina crebra F.W. Hutton, 1873 - syn of: [\*\*Dosina mactracea\*\*](#) (W.J. Broderip, 1835)
- **crebrelamellata**, Venerupis crebrelamellata R. Tate, 1887 - syn of: [\*\*Irus cumingii\*\*](#) (G.P. Deshayes, 1854)
- **crebrilamellata**, Venerupis crebrilamellata R. Tate, 1887 - syn of: [\*\*Irus cumingii\*\*](#) (G.P. Deshayes, 1854)
- **crebrisulca**, Venus crebrisulca G.B. II Sowerby, 1853 - syn of: [\*\*Globivenus toreuma\*\*](#) (A.A. Gould, 1850)
- **crebrisulca**, [\*\*Venus crebrisulca\*\*](#) J.B.P.A. Lamarck, 1818
- **crenata**, [\*\*Puberella crenata\*\*](#) (J.F. Gmelin, 1791)
- **crenata**, Venus crenata J.F. Gmelin, 1791 - syn of: [\*\*Puberella crenata\*\*](#) (J.F. Gmelin, 1791)
- **crenatus**, [\*\*Irus crenatus\*\*](#) (J.B.P.A. Lamarck, 1818)
- **crenatus**, Venerupis crenatus J.B.P.A. Lamarck, 1818 - syn of: [\*\*Irus crenatus\*\*](#) (J.B.P.A. Lamarck, 1818)
- **crenifera**, [\*\*Chionopsis crenifera\*\*](#) (G.B. I Sowerby, 1835)
- **crenifera**, Venus crenifera G.B. I Sowerby, 1835 - syn of: [\*\*Chionopsis crenifera\*\*](#) (G.B. I Sowerby, 1835)
- **crenulata**, Venus crenulata A. Riso, 1826 - syn of: [\*\*Astarte fusca\*\*](#) (G.S. Poli, 1791)
- **crenulata**, Venus crenulata G.B. II Sowerby, 1853 - syn of: [\*\*Puberella crenata\*\*](#) (J.F. Gmelin, 1791)
- **crenulata**, Venus crenulata L.W. Dillwyn, 1817 - syn of: [\*\*Puberella crenata\*\*](#) (J.F. Gmelin, 1791)
- **crenulata lilacina**, Venus crenulata lilacina P.P. Carpenter, 1864 - syn of: [\*\*Chionopsis lilacina\*\*](#) (P.P. Carpenter, 1864)
- **creplini**, Venus creplini R.W. Dunker, 1852 - syn of: [\*\*Meretrix casta\*\*](#) (J.F. Gmelin, 1791)
- **cretacea**, [\*\*Dosinia cretacea\*\*](#) (L.A. Reeve, 1850)
- **cribraria**, Venus cribraria T.A. Conrad, 1843 - syn of: [\*\*Puberella crenata\*\*](#) (J.F. Gmelin, 1791)
- **crispata**, [\*\*Periglypta crispata\*\*](#) (G.P. Deshayes, 1853)

- **crispata**, Venus crispata W.H. Dall, 1889 - syn of: [Periglypta listeri](#) (J.E. Gray, 1838)
- crocea, [Aphrodora crocea](#) (G.P. Deshayes, 1853)
- crocea, [Circe crocea](#) (J.E. Gray, 1838)
- crocea, [Dosinia crocea](#) G.P. Deshayes, 1853
- crocea, Dione crocea G.P. Deshayes, 1853 - syn of: [Aphrodora crocea](#) (G.P. Deshayes, 1853)
- croceus, Pitar croceus G.P. Deshayes, 1853 - syn of: [Aphrodora crocea](#) (G.P. Deshayes, 1853)
- cruda, Dosinia cruda E. Fischer-Piette & D. Delmas, 1967 - syn of: [Dosinia queenslandica](#) J.M. Healy & K.L. Lamprell, 1992
- **cubaniana**, [Transennella cubaniana](#) (D'Orbigny, 1853)
- **culebrana**, [Transennella culebrana](#) (W.H. Dall & C.T. Simpson, 1901)
- cultellus, [Petricolaria cultellus](#) (G.P. Deshayes, 1853)
- **cumingi**, [Claudiconcha cumingi](#) G.P. Deshayes, 1853
- cumingii, [Venerupis cumingii](#) (G.B. II Sowerby, 1852)
- **cumingii**, [Irus cumingii](#) (G.P. Deshayes, 1854)
- **cumingii**, [Dosinia cumingii](#) (L.A. Reeve, 1850)
- cumingii, Venus cumingii D'Orbigny, 1845 - syn of: [Transennella modesta](#) (W.J. Broderip & G.B. I Sowerby, 1835)
- cumingii, [Sunetta cumingii](#) E.A. Smith, 1891
- **cumingii**, Venerupis cumingii G.P. Deshayes, 1854 - syn of: [Irus cumingii](#) (G.P. Deshayes, 1854)
- cumingii, Clementia cumingii G.P. Deshayes, 1855 - syn of: [Clementia papyracea](#) (J.F. Gmelin, 1791)
- **cuneata**, Mercenaria cuneata T.A. Conrad, 1868 - syn of: [Mercenaria campechiensis](#) (J.F. Gmelin, 1791)
- **cuneiformis**, Venus cuneiformis L.A. Reeve, 1864 - syn of: [Katelysia scalarina](#) (J.B.P.A. Lamarck, 1818)
- **cuneimeris**, [Anomalocardia cuneimeris](#) (T.A. Conrad, 1846)
- **cuneimeris**, Venus cuneimeris T.A. Conrad, 1846 - syn of: [Anomalocardia cuneimeris](#) (T.A. Conrad, 1846)
- **cunninghami**, Bonartemis cunninghami M. Huber, 2010 - syn of: [Dosinia cunninghami](#) M. Huber, 2010
- **cunninghami**, [Dosinia cunninghami](#) M. Huber, 2010
- **curnowae**, [Pitar curnowae](#) K.L. Lamprell & J.M. Healy, 1999
- **cycloides**, Venus cycloides D'Orbigny, 1845 - syn of: [Dosinia ponderosa](#) (J.E. Gray, 1838)
- **cyclolites**, Venus cyclolites J.B.G.M. Bory De Saint-Vincent, 1827 - syn of: [Lajonkairia lajonkairii](#) (B.C.M. Payraudeau, 1826)
- **cyclus**, Petricola cyclus H.A. Plsby, 1901 - syn of: [Petricola fabagella](#) J.B.P.A. Lamarck, 1818
- **cyclus sculpturata**, Petricola cyclus sculpturata H.A. Plsby, 1901 - syn of: [Petricola fabagella](#) J.B.P.A. Lamarck, 1818
- **cydippe**, Dosinia cydippe A. Adams, 1856 - syn of: [Dosinia caerulea](#) (L.A. Reeve, 1850)
- **cygnus**, Periglypta cygnus A. Aradas & L. Benoit, 1872 - syn of: [Venus casina](#) C. Linnaeus, 1758
- **cylindracea**, Petricola cylindracea G.P. Deshayes, 1839 - syn of: [Petricola carditoides](#) (T.A. Conrad, 1837)
- **cymata**, [Nutricula cymata](#) (W.H. Dall, 1913)
- **cymata**, Psephidia cymata auct. non W.H. Dall, 1913 - syn of: [Nutricula tantilla](#) (A.A. Gould, 1853)
- **cymata**, Psephidia cymata W.H. Dall, 1913 - syn of: [Nutricula cymata](#) (W.H. Dall, 1913)
- **cypria**, Venus cypria W.J. Broderip & G.B. I Sowerby, 1835 - syn of: [Lirophora mariae](#) (D'Orbigny, 1846)
- **cyprinoides**, Venus cyprinoides H.E. Anton, 1838 - syn of: [Mercenaria mercenaria](#) (C. Linnaeus, 1758)
- **cyrilli**, Venus cyrilli A. Scacchi, 1832 - syn of: [Gouldia minima](#) (G. Montagu, 1803)
- **dactyloides**, Tapes dactyloides G.B. II Sowerby, 1852 - syn of: [Venerupis corrugata](#) (J.F. Gmelin, 1791)
- **dactylus**, [Petricola dactylus](#) G.B. I Sowerby, 1823
- **damaoides**, [Tivela damaoides](#) (W. Wood, 1828)
- **damaoides**, Venus damaoides W. Wood, 1828 - syn of: [Tivela damaoides](#) (W. Wood, 1828)
- **danmonia**, Venus danmonia G. Montagu, 1808 - syn of: [Astarte sulcata](#) (E.M. Da Costa, 1778)
- **darwinii**, Venus darwinii A. Römer, 1858 - syn of: [Chionopsis gnidia](#) (W.J. Broderip & G.B. I Sowerby, 1829)
- dashamii, Venerupis dashamii H.C. Ray, 1948 - syn of: [Irus vertumnalium](#) (J.C. Melvill, 1918)
- **dautzenbergi**, Lamelliconcha dautzenbergi B. Prashad, 1932 - syn of: [Lioconcha philippinarum dautzenbergi](#) B. Prashad, 1932
- **dautzenbergi**, [Lioconcha philippinarum dautzenbergi](#) B. Prashad, 1932
- dautzenbergi, [Dosinia dautzenbergi](#) E. Fischer-Piette & D. Delmas, 1967
- **dealbata**, Venus dealbata J.F. Gmelin, 1791 - syn of: [Scrobicularia plana](#) (E.M. Da Costa, 1778)
- **decipiens**, Venus decipiens S.C.T. Hanley, 1845 - syn of: [Clausinella fasciata](#) (E.M. Da Costa, 1778)
- **declivis**, [Paphia declivis](#) (G.B. II Sowerby, 1852)
- **declivis**, Tapes declivis G.B. II Sowerby, 1852 - syn of: [Paphia declivis](#) (G.B. II Sowerby, 1852)
- **declivis**, [Venus declivis](#) G.B. II Sowerby, 1852
- **declivis**, Venus declivis P.H. Boshoff, 1965 - syn of: [Venus thomassini](#) E. Fischer-Piette & D. Vukadinovic, 1977
- **decorata**, [Timoclea decorata](#) (W.J. Broderip & G.B. I Sowerby, 1829)
- **decorata**, Venus decorata W.J. Broderip & G.B. I Sowerby, 1829 - syn of: [Timoclea decorata](#) (W.J. Broderip & G.B. I Sowerby, 1829)
- **decussata**, [Venerupis decussata](#) (C. Linnaeus, 1758)
- **decussata**, [Leukoma decussata](#) (G.P. Deshayes, 1853)
- **decussata**, Saxidomus decussata G.P. Deshayes, 1853 - syn of: [Leukoma decussata](#) (G.P. Deshayes, 1853)
- **decussata**, Venerupis decussata R.A. Philippi, 1836 - syn of: [Lajonkairia lajonkairii](#) (B.C.M. Payraudeau, 1826)
- **decussatus**, Tapes decussatus c. Linnaeus, 1758 - syn of: [Venerupis decussata](#) (C. Linnaeus, 1758)
- **deflorata**, Venus deflorata I. von Born, 1778 - syn of: [Venerupis decussata](#) (C. Linnaeus, 1758)
- **delessertii**, [Tivela delessertii](#) (G.B. II Sowerby, 1854)
- **denisi**, Dosinia denisi E. Fischer-Piette & D. Delmas, 1967 - syn of: [Dosinia nedigna](#) (T. Iredale, 1930)
- **dentaria**, [Tivela dentaria](#) (J.B.P.A. Lamarck, 1818)

- **dentaria isabelleana**, [\*\*Tivela dentaria isabelleana\*\*](#) (D'Orbigny, 1846)
- **denticulata**, [\*\*Petricola denticulata\*\*](#) G.B. I Sowerby, 1834
- **denticulata**, Tapes denticulata G.B. II Sowerby, 1852 - syn of: [\*\*Venerupis philippinarum\*\*](#) (A. Adams & L.A. Reeve, 1850)
- **denticulata**, Venus denticulata J.R.C. Quoy & J.P. Gaimard, 1835 - syn of: [\*\*Tawera spissa\*\*](#) (G.P. Deshayes, 1835)
- **denticulata abbreviata**, Petricola denticulata abbreviata G.B. I Sowerby, 1834 - syn of: [\*\*Petricola denticulata\*\*](#) G.B. I Sowerby, 1834
- **depressum**, Gafrarium depressum P.F. Röding, 1798 - syn of: [\*\*Gafrarium pectinatum\*\*](#) (C. Linnaeus, 1758)
- **derelicta**, Venerupis derelicta G.P. Deshayes, 1854 - syn of: [\*\*Irus irus\*\*](#) (C. Linnaeus, 1758)
- **derupta**, Dosinia derupta A. Römer, 1860 - syn of: [\*\*Pelecyora nana\*\*](#) (L.A. Reeve, 1850)
- **deshayesiana**, Venus deshayesiana J.J. Bianconi, 1856 - syn of: [\*\*Tapes sulcarius\*\*](#) (J.B.P.A. Lamarck, 1818)
- **deshayesii**, [\*\*Tapes sulcarius deshayesii\*\*](#) (S.C.T. Hanley, 1844)
- **deshayesii**, [\*\*Dosinia deshayesii\*\*](#) A. Adams, 1856
- **deshayesii**, Tapes deshayesii S.C.T. Hanley, 1844 - syn of: [\*\*Tapes sulcarius deshayesii\*\*](#) (S.C.T. Hanley, 1844)
- **deshayesii sulphurea**, Venus deshayesii sulphurea R.A. Philippi, 1848 - syn of: [\*\*Tapes literatus\*\*](#) (C. Linnaeus, 1758)
- **diana**, Dosinia diana A. Adams & G.F. Angas, 1864 - syn of: [\*\*Dosinia caerulea\*\*](#) (L.A. Reeve, 1850)
- **diaphana**, Venus diaphana J.F. Gmelin, 1791 - syn of: [\*\*Felania diaphana\*\*](#) (J.F. Gmelin, 1791)
- **diaphana**, [\*\*Gemma diaphana\*\*](#) L. Pfeiffer, 1852
- **dieffenbachii**, Venus dieffenbachii J.E. Gray in J.K.E. Dieffenbach, 1843 - syn of: [\*\*Astrovenus stutchburyi\*\*](#) (W. Wood, 1828)
- **diemenensis**, [\*\*Callista diemenensis\*\*](#) (S.C.T. Hanley, 1844)
- **digitale**, Petricola digitale E.A. Smith, 1916 - syn of: [\*\*Lajonkairia digitalis\*\*](#) (E.A. Smith, 1916)
- **digitalis**, [\*\*Lajonkairia digitalis\*\*](#) (E.A. Smith, 1916)
- **digona**, Venerupis digona G.P. Deshayes, 1854 - syn of: [\*\*Irus irus\*\*](#) (C. Linnaeus, 1758)
- **dilatata**, Dosinia dilatata G.P. Deshayes, 1853 - syn of: [\*\*Dosinia amphidesmoides\*\*](#) (L.A. Reeve, 1850)
- **dilecta**, [\*\*Gouliopha dilecta\*\*](#) (A.A. Gould, 1861)
- **dilecta**, [\*\*Dosinia dilecta\*\*](#) A. Adams, 1856
- **dillwyni**, [\*\*Tivela dillwyni\*\*](#) (G.P. Deshayes, 1853)
- **dione**, [\*\*Hysteroconcha dione\*\*](#) (C. Linnaeus, 1758)
- **dione**, Pitar dione C. Linnaeus, 1758 - syn of: [\*\*Hysteroconcha dione\*\*](#) (C. Linnaeus, 1758)
- **dione**, Venus dione C. Linnaeus, 1758 - syn of: [\*\*Hysteroconcha dione\*\*](#) (C. Linnaeus, 1758)
- **discina**, Venus discina J.B.P.A. Lamarck, 1818 - syn of: [\*\*Venus casina\*\*](#) C. Linnaeus, 1758
- **discors**, [\*\*Gafrarium discors\*\*](#) (J.F. Gmelin, 1791)
- **discors**, Venus discors W.J. Broderip & G.B. I Sowerby, 1835 - syn of: [\*\*Leukoma grata\*\*](#) (T. Say, 1831)
- **discrepans**, [\*\*Lirophora discrepans\*\*](#) (G.B. I Sowerby, 1835)
- **discrepans**, Venus discrepans R.A. Philippi, 1844 - syn of: [\*\*Leukoma antiqua\*\*](#) (P.P. King, 1832)
- **discus**, [\*\*Dosinia discus\*\*](#) (L.A. Reeve, 1850)
- **disjecta**, Circomphalus disjecta (G. Perry, 1811) - syn of: [\*\*Bassina disjecta\*\*](#) (G. Perry, 1811)
- **disjecta**, [\*\*Bassina disjecta\*\*](#) (G. Perry, 1811)
- **disjecta**, Venus disjecta G. Perry, 1811 - syn of: [\*\*Bassina disjecta\*\*](#) (G. Perry, 1811)
- **dispar**, [\*\*Gafrarium dispar\*\*](#) (H.S. Holton, 1802)
- **dispar**, Venus dispar L.W. Dillwyn, 1817 - syn of: [\*\*Gafrarium dispar\*\*](#) (H.S. Holton, 1802)
- **disrupta**, [\*\*Callista disrupta\*\*](#) (G.B. II Sowerby, 1853)
- **distans**, Artemis distans G.B. II Sowerby, 1851 - syn of: [\*\*Dosinia concentrica\*\*](#) (I. von Born, 1778)
- **distans**, Venerupis distans J.B.P.A. Lamarck, 1818 - syn of: [\*\*Irus carditoides\*\*](#) (J.B.P.A. Lamarck, 1818)
- **distans**, Venus distans R.A. Philippi, 1851 - syn of: [\*\*Lirophora mariae\*\*](#) (D'Orbigny, 1846)
- **distinguenda**, Tapes distinguenda E. Fischer-Piette & É. Lamy, 1939 - syn of: [\*\*Tapes literatus\*\*](#) (C. Linnaeus, 1758)
- **divaricata**, [\*\*Lajonkairia divaricata\*\*](#) (C.E. Lischke, 1872)
- **divaricata**, [\*\*Circe divaricata\*\*](#) (J.F. Gmelin, 1791)
- **divaricata**, Petricola divaricata D'Orbigny, 1853 - syn of: [\*\*Petricola lapicida\*\*](#) (J.F. Gmelin, 1791)
- **divaricatum**, [\*\*Gafrarium divaricatum\*\*](#) (J.F. Gmelin, 1791)
- **divergens**, Venus divergens J.F. Gmelin, 1791 - syn of: [\*\*Petricola lapicida divergens\*\*](#) J.F. Gmelin, 1791
- **divergens**, [\*\*Petricola lapicida divergens\*\*](#) J.F. Gmelin, 1791
- **diversa**, Tapes diversa G.B. II Sowerby, 1852 - syn of: [\*\*Leukoma staminea\*\*](#) (T.A. Conrad, 1837)
- **djiboutiensis**, Venus djiboutiensis F.P. Jousseaume, 1894 - syn of: [\*\*Timoclea marica\*\*](#) (C. Linnaeus, 1758)
- **dohrni**, [\*\*Pitar dohrni\*\*](#) (A. Römer, 1867)
- **dolabella**, Cytheraea dolabella G.B. II Sowerby, 1851 - syn of: [\*\*Tivela damaoides\*\*](#) (W. Wood, 1828)
- **dolabella**, Tivela dolabella G.B. II Sowerby, 1851 - syn of: [\*\*Tivela damaoides\*\*](#) (W. Wood, 1828)
- **dombeii**, Venus dombeii J.B.P.A. Lamarck, 1818 - syn of: [\*\*Leukoma thaca\*\*](#) (J.I. Molina, 1782)
- **donacina**, [\*\*Sunetta donacina\*\*](#) (J.F. Gmelin, 1791)
- **donacina**, Venus donacina J.F. Gmelin, 1791 - syn of: [\*\*Sunetta donacina\*\*](#) (J.F. Gmelin, 1791)
- **donacina**, Venus donacina J.H. Chemnitz, 1795 - syn of: [\*\*Macridiscus donacinus\*\*](#) (J.K. Megerle Von Mühlfeld, 1811)
- **donacina**, [\*\*Parvicirce donacina\*\*](#) R. von Cosel, 1995
- **donacina nuda**, Sunetta donacina nuda E. Fischer-Piette & H. Fischer, 1939 - syn of: [\*\*Sunetta donacina\*\*](#) (J.F. Gmelin, 1791)
- **donacinus**, [\*\*Macridiscus donacinus\*\*](#) (J.K. Megerle Von Mühlfeld, 1811)
- **donacinus semicancellatus**, [\*\*Macridiscus donacinus semicancellatus\*\*](#) (F.C.L. Koch in R.A. Philippi, 1843)
- **donnae**, [\*\*Petricolaria donnae\*\*](#) (E.J. Petuch, 1998)
- **dorsata**, Venus dorsata J.B.P.A. Lamarck, 1818 - syn of: [\*\*Tapes conspersus\*\*](#) (J.F. Gmelin, 1791)

- **dorsatus**, *Tapes dorsatus* J.B.P.A. Lamarck, 1818 - syn of: [\*\*\*Tapes conspersus\*\*\*](#) (J.F. Gmelin, 1791)
- **dubia**, *Periglypta dubia* G.B. Sowerby, 1851 - syn of: [\*\*\*Tivela stultorum\*\*\*](#) (J. Mawe, 1823)
- **ducalis**, *Tapes ducalis* A. Römer, 1870 - syn of: [\*\*\*Venerupis philippinarum\*\*\*](#) (A. Adams & L.A. Reeve, 1850)
- **duminiyi**, *Venus duminiyi* E. Réquier, 1848 - syn of: [\*\*\*Clausinella fasciata\*\*\*](#) (E.M. Da Costa, 1778)
- **dunkeri**, [\*\*\*Dosinia dunkeri\*\*\*](#) (R.A. Philippi, 1844)
- **dunkeri**, [\*\*\*Tivela dunkeri\*\*\*](#) A. Römer, 1864
- **dunkeri**, *Periglypta dunkeri* R.A. Philippi, 1844 - syn of: [\*\*\*Dosinia dunkeri\*\*\*](#) (R.A. Philippi, 1844)
- **dunkeri**, *Anomalocardia dunkeri* W. Kobelt, 1891 - syn of: [\*\*\*Mosambicarca hians\*\*\*](#) (L.A. Reeve, 1844)
- **duplicata**, *Dosinia duplicata* L.A. Reeve, 1850 - syn of: [\*\*\*Dosinia tumida\*\*\*](#) (J.E. Gray, 1838)
- **dura**, *Venus dura* J.F. Gmelin, 1791 - syn of: [\*\*\*Polititapes durus\*\*\*](#) (J.F. Gmelin, 1791)
- **dura**, *Venerupis dura* J.F. Gmelin, 1791 - syn of: [\*\*\*Polititapes durus\*\*\*](#) (J.F. Gmelin, 1791)
- **durus**, [\*\*\*Polititapes durus\*\*\*](#) (J.F. Gmelin, 1791)
- **durus**, *Venus durus* J.F. Gmelin, 1791 - syn of: [\*\*\*Polititapes durus\*\*\*](#) (J.F. Gmelin, 1791)
- **dysera**, [\*\*\*Chione dysera\*\*\*](#) (C. Linnaeus, 1758)
- **dysera**, *Venus dysera* C. Linnaeus, 1758 - syn of: [\*\*\*Chione dysera\*\*\*](#) (C. Linnaeus, 1758)
- **dysera**, *Venus dysera* J.F. Gmelin, 1791 - syn of: [\*\*\*Chione cancellata\*\*\*](#) (C. Linnaeus, 1767)
- **eburnea**, *Dosinia eburnea* A. Römer, 1860 - syn of: [\*\*\*Dosinia juvenilis\*\*\*](#) (J.F. Gmelin, 1791)
- **eburnea**, *Venus eburnea* L.A. Reeve, 1863 - syn of: [\*\*\*Dosina mactracea\*\*\*](#) (W.J. Broderip, 1835)
- **ecuadoriana**, [\*\*\*Leukoma ecuadoriana\*\*\*](#) (A.A. Olsson, 1961)
- **edmonsoni**, *Periglypta edmonsoni* W.H. Dall, P. Bartsch & H.A. Rehder, 1938 - syn of: [\*\*\*Periglypta reticulata\*\*\*](#) (C. Linnaeus, 1758)
- **eduardi**, [\*\*\*Dosinia eduardi\*\*\*](#) E. Fischer-Piette & D. Delmas, 1967
- **edulis**, *Tapes edulis* A. Römer, 1864 - syn of: [\*\*\*Polititapes rhombooides\*\*\*](#) (T. Pennant, 1777)
- **effeminata**, *Venus effeminata* R.E.C. Stearns, 1890 - syn of: [\*\*\*Chioneryx cardiodies\*\*\*](#) (J.B.P.A. Lamarck, 1818)
- **effosa**, *Globivenus effosa* R.A. Philippi, 1836 ex Bivona-Bernardi MS - syn of: [\*\*\*Globivenus effossa\*\*\*](#) (R.A. Philippi, 1836)
- **effossa**, [\*\*\*Globivenus effossa\*\*\*](#) (R.A. Philippi, 1836)
- **effossa**, [\*\*\*Sunetta effossa\*\*\*](#) (S.C.T. Hanley, 1843)
- **effossa semisulcata**, *Sunetta effossa semisulcata* E. Fischer-Piette & H. Fischer, 1939 - syn of: [\*\*\*Sunetta effossa\*\*\*](#) (S.C.T. Hanley, 1843)
- **elata**, [\*\*\*Gemma fragilis elata\*\*\*](#) R.J. Shuttleworth, 1852
- **elatus**, [\*\*\*Pitar elatus\*\*\*](#) G.B. III Sowerby, 1908
- **elegans**, [\*\*\*Notopaphia elegans\*\*\*](#) (G.P. Deshayes, 1854)
- **elegans**, [\*\*\*Lajonkairia elegans\*\*\*](#) (H. Adams, 1870)
- **elegans**, [\*\*\*Dosinia elegans\*\*\*](#) (T.A. Conrad, 1843)
- **elegans**, *Tivela elegans* A.E. Verrill, 1870 - syn of: [\*\*\*Tivela byronensis\*\*\*](#) (J.E. Gray, 1838)
- **elegans**, *Mysia elegans* H. Adams, 1870 - syn of: [\*\*\*Lajonkairia elegans\*\*\*](#) (H. Adams, 1870)
- **elegans**, [\*\*\*Gafrarium elegans\*\*\*](#) R.A. Philippi, 1844
- **elegans**, *Callocardia elegans* T.A. Conrad, 1843 - syn of: [\*\*\*Dosinia elegans\*\*\*](#) (T.A. Conrad, 1843)
- **elegans**, *Venus elegans* W. Wood, 1828 - syn of: [\*\*\*Leukoma pectorina\*\*\*](#) (J.B.P.A. Lamarck, 1818)
- **elegantina**, *Venus elegantina* J.B.P.A. Lamarck, 1818 - syn of: [\*\*\*Marcia japonica\*\*\*](#) (J.F. Gmelin, 1791)
- **elenensis**, [\*\*\*Pitar consanguineus elenensis\*\*\*](#) A.A. Olsson, 1961
- **elevata**, [\*\*\*Chione elevata\*\*\*](#) (T. Say, 1822)
- **elimatula**, [\*\*\*Proxichione elimatula\*\*\*](#) T.A. Darragh, 2010
- **elliptica**, [\*\*\*Paphontia elliptica\*\*\*](#) (G.B. I Sowerby, 1834)
- **elliptica**, [\*\*\*Tawera elliptica\*\*\*](#) (J.B.P.A. Lamarck, 1818)
- **elliptica**, *Venus elliptica* J.B.P.A. Lamarck, 1818 - syn of: [\*\*\*Tawera elliptica\*\*\*](#) (J.B.P.A. Lamarck, 1818)
- **elongata**, [\*\*\*Polititapes aureus elongata\*\*\*](#) P. Dautzenberg, 1883
- **embrithes**, [\*\*\*Globivenus embrithes\*\*\*](#) (J.C. McMill & R. Standen, 1899)
- **enigma**, *Katelysia enigma* T. Iredale, 1936 - syn of: [\*\*\*Katelysia victoriae\*\*\*](#) (J.E. Tenison-Woods, 1878)
- **entobapta**, *Venus entobapta* I.H. Jonas, 1845 - syn of: [\*\*\*Chione undatella\*\*\*](#) (G.B. I Sowerby, 1835)
- **equivoca**, *Venus equivoca* L.W. Dillwyn, 1817 - syn of: [\*\*\*Gafrarium aequivocum\*\*\*](#) (H.S. Holton, 1802)
- **equivocum**, *Gafrarium equivocum* H.S. Holton, 1802 - syn of: [\*\*\*Gafrarium aequivocum\*\*\*](#) (H.S. Holton, 1802)
- **erosa**, *Venus erosa* J. Lightfoot, 1786 - syn of: [\*\*\*Geloina erosa\*\*\*](#) (J. Lightfoot, 1786)
- **erronea**, *Venus erronea* E. Fischer-Piette, 1975 - syn of: [\*\*\*Venus subrosalina\*\*\*](#) J.R. le B. Tomlin, 1923
- **erubescens**, [\*\*\*Pitar erubescens\*\*\*](#) (R.W. Dunker, 1853)
- **erubescens**, *Dione erubescens* L.A. Reeve, 1863 - syn of: [\*\*\*Aphrodora yerburyi\*\*\*](#) (E.A. Smith, 1891)
- **erycina**, [\*\*\*Callista erycina\*\*\*](#) (C. Linnaeus, 1758)
- **erycina lilacina**, [\*\*\*Callista erycina lilacina\*\*\*](#) J.B.P.A. Lamarck, 1818
- **erycinella**, [\*\*\*Callista erycinella\*\*\*](#) (J.B.P.A. Lamarck, 1818)
- **erythraea**, [\*\*\*Dosinia erythraea\*\*\*](#) A. Römer, 1860
- **esculpturata**, *Petricola esculpturata* H.B. Preston, 1915 - syn of: [\*\*\*Neotrapezium sublaevigatum\*\*\*](#) (J.B.P.A. Lamarck, 1819)
- **ethica**, *Veremolpa ethica* T. Iredale, 1930 - syn of: [\*\*\*Timoclea scabra\*\*\*](#) (S.C.T. Hanley, 1845)
- **euclia**, *Dosinia euclia* B.C. Cotton & F.C. Godfrey, 1938 - syn of: [\*\*\*Dosinia victoriae\*\*\*](#) J.H. Gatliff & C.J. Gabriel, 1914
- **eucymata**, [\*\*\*Callpita eucymata\*\*\*](#) (W.H. Dall, 1890)
- **eucymata**, *Periglypta eucymata* W.H. Dall, 1890 - syn of: [\*\*\*Callpita eucymata\*\*\*](#) (W.H. Dall, 1890)
- **eudeli**, [\*\*\*Pelecyvora eudeli\*\*\*](#) (E. Fischer-Piette & D. Delmas, 1967)
- **eugibba**, *Katelysia eugibba* Z. Zhuang, 1964 - syn of: [\*\*\*Marcia hiantina\*\*\*](#) (J.B.P.A. Lamarck, 1818)

- **euglypta**, [\*\*\*Leukoma euglypta\*\*\*](#) (G.B. III Sowerby, 1914)
- **euglypta**, [\*\*\*Paphia euglypta\*\*\*](#) (R.A. Philippi, 1847)
- **eunice**, *Dosinia eunice* A. Adams, 1856 - syn of: [\*\*\*Dosinia pubescens\*\*\*](#) (R.A. Philippi, 1847)
- **exalbida**, [\*\*\*Eurhomalea exalbida\*\*\*](#) (L.W. Dilwyn, 1817)
- **exalbida**, *Venus exalbida* J.G. Brugière, 1797 - syn of: [\*\*\*Eurhomalea exalbida\*\*\*](#) (L.W. Dilwyn, 1817)
- **exalbida**, *Venus exalbida* L.W. Dilwyn, 1817 - syn of: [\*\*\*Eurhomalea exalbida\*\*\*](#) (L.W. Dilwyn, 1817)
- **exarata**, [\*\*\*Petricola exarata\*\*\*](#) (P.P. Carpenter, 1857)
- **exarata**, [\*\*\*Paphia philippiana exarata\*\*\*](#) (R.A. Philippi, 1846)
- **exarata**, *Venus exarata* R.A. Philippi, 1846 - syn of: [\*\*\*Paphia philippiana exarata\*\*\*](#) (R.A. Philippi, 1846)
- **exasperata**, [\*\*\*Dosinia exasperata\*\*\*](#) (R.A. Philippi, 1847)
- **excavata**, *Venus excavata* J.F. Gmelin, 1791 - syn of: [\*\*\*Dosinia juvenilis\*\*\*](#) (J.F. Gmelin, 1791)
- **excavata**, *Venus excavata* P.P. Carpenter, 1857 - syn of: [\*\*\*Chione undatella\*\*\*](#) (G.B. I Sowerby, 1835)
- **excavata**, *Cytherea excavata* S.C.T. Hanley, 1843 - syn of: [\*\*\*Sunetta menstrualis\*\*\*](#) (K.T. Menke, 1843)
- **excisa**, [\*\*\*Pelecyora excisa\*\*\*](#) (P.F. Röding, 1798)
- **excisa**, *Venus excisa* J.H. Chemnitz, 1784 - syn of: [\*\*\*Pelecyora excisa\*\*\*](#) (P.F. Röding, 1798)
- **excisa**, *Venus excisa* J.S. Schröter, 1788 - syn of: [\*\*\*Pelecyora excisa\*\*\*](#) (P.F. Röding, 1798)
- **excisa**, *Dosinia excisa* P.F. Röding, 1798 - syn of: [\*\*\*Pelecyora excisa\*\*\*](#) (P.F. Röding, 1798)
- **excisa**, *Pelecyora excisa* P.F. Röding, 1798 - syn of: [\*\*\*Pelecyora excisa\*\*\*](#) (P.F. Röding, 1798)
- **excisa**, *Periglypta excisa* P.F. Röding, 1798 - syn of: [\*\*\*Pelecyora excisa\*\*\*](#) (P.F. Röding, 1798)
- **exilis**, *Meretrix exilis* A. Römer, 1865 - syn of: [\*\*\*Meretrix casta\*\*\*](#) (J.F. Gmelin, 1791)
- **exilium**, [\*\*\*Pelecyora exilium\*\*\*](#) (G.B. III Sowerby, 1909)
- **eximia**, *Venus eximia* R.A. Philippi, 1847 - syn of: [\*\*\*Puberella crenata\*\*\*](#) (J.F. Gmelin, 1791)
- **exoleta**, [\*\*\*Dosinia exoleta\*\*\*](#) (C. Linnaeus, 1758)
- **exoleta castanea**, *Dosinia exoleta castanea* M.E.J. Bucquoy, P. Dautzenberg & G.F. Dollfus, 1893 - syn of: [\*\*\*Dosinia exoleta\*\*\*](#) (C. Linnaeus, 1758)
- **exoleta interrupta**, *Dosinia exoleta interrupta* M.E.J. Bucquoy, P. Dautzenberg & G.F. Dollfus, 1893 - syn of: [\*\*\*Dosinia exoleta\*\*\*](#) (C. Linnaeus, 1758)
- **exoleta major**, *Dosinia exoleta major* M.E.J. Bucquoy, P. Dautzenberg & G.F. Dollfus, 1893 - syn of: [\*\*\*Dosinia exoleta\*\*\*](#) (C. Linnaeus, 1758)
- **exoleta parcipicta**, *Dosinia exoleta parcipicta* M.E.J. Bucquoy, P. Dautzenberg & G.F. Dollfus, 1893 - syn of: [\*\*\*Dosinia exoleta\*\*\*](#) (C. Linnaeus, 1758)
- **exoleta ponderosa**, *Dosinia exoleta ponderosa* M.E.J. Bucquoy, P. Dautzenberg & G.F. Dollfus, 1893 - syn of: [\*\*\*Dosinia exoleta\*\*\*](#) (C. Linnaeus, 1758)
- **exoleta radians**, *Dosinia exoleta radians* M.E.J. Bucquoy, P. Dautzenberg & G.F. Dollfus, 1893 - syn of: [\*\*\*Dosinia exoleta\*\*\*](#) (C. Linnaeus, 1758)
- **exoleta zonata**, *Dosinia exoleta zonata* M.E.J. Bucquoy, P. Dautzenberg & G.F. Dollfus, 1893 - syn of: [\*\*\*Dosinia exoleta\*\*\*](#) (C. Linnaeus, 1758)
- **exotica**, *Venerupis exotica* S.C.T. Hanley, 1854 - syn of: [\*\*\*Irus carditoides\*\*\*](#) (J.B.P.A. Lamarck, 1818)
- **exoticus**, [\*\*\*Irus exoticus\*\*\*](#) (J.B.P.A. Lamarck, 1818)
- **expallescens**, *Venus expallescens* R.A. Philippi, 1844 - syn of: [\*\*\*Eurhomalea rufa\*\*\*](#) (J.B.P.A. Lamarck, 1818)
- **exserta**, *Tapes exserta* A. Römer, 1872 - syn of: [\*\*\*Marcia recens\*\*\*](#) (H.S. Holton, 1802)
- **exspinata**, *Hysteroconcha exspinata* L.A. Reeve, 1863 - syn of: [\*\*\*Hysteroconcha luponaria\*\*\*](#) (R.P. Lesson, 1831)
- **extensus**, *Tapes extensus* É.A.A. Locard, 1886 - syn of: [\*\*\*Venerupis decussata\*\*\*](#) (C. Linnaeus, 1758)
- **extranea**, [\*\*\*Dosinia extranea\*\*\*](#) (T. Iredale, 1937)
- **faba**, *Tapes faba* L.A. Reeve, 1864 - syn of: [\*\*\*Eumarcia fumigata\*\*\*](#) (G.B. II Sowerby, 1853)
- **fabagella**, *Venerupis fabagella* G.P. Deshayes, 1853 - syn of: [\*\*\*Venerupis anomala\*\*\*](#) (J.B.P.A. Lamarck, 1818)
- **fabagella**, [\*\*\*Petricola fabagella\*\*\*](#) J.B.P.A. Lamarck, 1818
- **farsiana**, *Timoclea farsiana* H.E.J. Biggs, 1973 - syn of: [\*\*\*Timoclea arakana\*\*\*](#) (G. Nevill & H. Nevill, 1871)
- **fasciata**, [\*\*\*Clausinella fasciata\*\*\*](#) (E.M. Da Costa, 1778)
- **fasciata lilacina**, *Venus fasciata lilacina* M.E.J. Bucquoy, P. Dautzenberg & G.F. Dollfus, 1893 - syn of: [\*\*\*Clausinella fasciata\*\*\*](#) (E.M. Da Costa, 1778)
- **fasciata raricostata**, *Venus fasciata raricostata* J.G. Jeffreys, 1864 - syn of: [\*\*\*Clausinella fasciata\*\*\*](#) (E.M. Da Costa, 1778)
- **fasciata rudis**, *Venus fasciata rudis* M.E.J. Bucquoy, P. Dautzenberg & G.F. Dollfus, 1893 - syn of: [\*\*\*Clausinella fasciata\*\*\*](#) (E.M. Da Costa, 1778)
- **fasciata scalaris**, [\*\*\*Clausinella fasciata scalaris\*\*\*](#) H.G. Bronn, 1830
- **fasciata zigzag**, *Venus fasciata zigzag* M.E.J. Bucquoy, P. Dautzenberg & G.F. Dollfus, 1893 - syn of: [\*\*\*Clausinella fasciata\*\*\*](#) (E.M. Da Costa, 1778)
- **fasciatus**, *Cuneus fasciatus* E.M. Da Costa, 1778 - syn of: [\*\*\*Polititapes rhomboides\*\*\*](#) (T. Pennant, 1777)
- **fastigiata**, [\*\*\*Lioconcha fastigiata\*\*\*](#) (G.B. II Sowerby, 1851)
- **fastigiata**, *Gouldia fastigiata* A.A. Gould, 1862 - syn of: [\*\*\*Crassinella lunulata\*\*\*](#) (T.A. Conrad, 1834)
- **fastigiata pseudofastigiata**, [\*\*\*Lioconcha fastigiata pseudofastigiata\*\*\*](#) K.L. Lamprell & J.M. Healy, 2002
- **felipponei**, *Callocardia felipponei* W.H. Dall, 1916 - syn of: [\*\*\*Pitar patagonicus\*\*\*](#) (D'Orbigny, 1842)
- **fernandesiana**, [\*\*\*Paphontia fernandesiana\*\*\*](#) (W. Stempell, 1899)
- **ferroensis**, *Venus ferroensis* P.F. Röding, 1798 - syn of: [\*\*\*Arctica islandica\*\*\*](#) (C. Linnaeus, 1767)
- **ferruginea**, [\*\*\*Katelysia ferruginea\*\*\*](#) L.A. Reeve, 1864
- **ferruginea**, *Tapes ferruginea* L.A. Reeve, 1864 - syn of: [\*\*\*Marcia recens\*\*\*](#) (H.S. Holton, 1802)
- **festiva**, [\*\*\*Callista festiva\*\*\*](#) (G.B. II Sowerby, 1851)
- **festoui**, [\*\*\*Hyphantosoma festoui\*\*\*](#) (M.E. Harte, 1993)
- **fibula**, [\*\*\*Dosinia fibula\*\*\*](#) (L.A. Reeve, 1850)
- **fimbriata**, *Venus fimbriata* C. Linnaeus, 1758 - syn of: [\*\*\*Fimbria fimbriata\*\*\*](#) (C. Linnaeus, 1758)
- **fimbriata**, *Venerupis fimbriata* G.B. I Sowerby, 1854 - syn of: [\*\*\*Paphontia elliptica\*\*\*](#) (G.B. I Sowerby, 1834)
- **fischeri**, *Periglypta fischeri* C.A. Récluz, 1852 - syn of: [\*\*\*Antigona chemnitzi\*\*\*](#) (S.C.T. Hanley, 1845)
- **flagellata**, *Petricola flagellata* T. Say, 1834 - syn of: [\*\*\*Petricola pholadiformis\*\*\*](#) J.B.P.A. Lamarck, 1818
- **flammea**, *Venus flammea* J.F. Gmelin, 1791 - syn of: [\*\*\*Pitarenus cordatus\*\*\*](#) (J.S. Schwengel, 1951)
- **flammiculata**, *Venus flammiculata* J.B.P.A. Lamarck, 1818 - syn of: [\*\*\*Marcia hiantina\*\*\*](#) (J.B.P.A. Lamarck, 1818)

- **flavida**, [\*\*Cyclina flavida\*\*](#) G.P. Deshayes, 1853
- **flexuosa**, [\*\*Anomalocardia flexuosa\*\*](#) (C. Linnaeus, 1767)
- **flindersi**, [\*\*Placamen flindersi\*\*](#) B.C. Cotton & F.C. Godfrey, 1938
- **florida**, [\*\*Callista florida\*\*](#) (J.B.P.A. Lamarck, 1818)
- **floridana**, Tivela floridana H.A. Rehder, 1939 - syn of: [\*\*Tivela trigonella\*\*](#) (J.B.P.A. Lamarck, 1818)
- **floridana**, Dosinia floridana T.A. Conrad, 1866 - syn of: [\*\*Dosinia concentrica\*\*](#) (I. von Born, 1778)
- **floridana**, Anomalocardia floridana T.A. Conrad, 1869 - syn of: [\*\*Anadara floridana\*\*](#) (T.A. Conrad, 1869)
- **floridella**, [\*\*Lepidocardia floridella\*\*](#) (J.E. Gray, 1838)
- **floridella**, Venus floridella J.B.P.A. Lamarck, 1818 - syn of: [\*\*Polititapes aureus\*\*](#) (J.F. Gmelin, 1791)
- **floridella**, Pitar floridella J.E. Gray, 1838 - syn of: [\*\*Lepidocardia floridella\*\*](#) (J.E. Gray, 1838)
- **floridella africana**, [\*\*Lepidocardia floridella africana\*\*](#)
- **fluctifraga**, [\*\*Chionista fluctifraga\*\*](#) (G.B. II Sowerby, 1853)
- **fluctifraga**, Venus fluctifraga G.B. II Sowerby, 1853 - syn of: [\*\*Chionista fluctifraga\*\*](#) (G.B. II Sowerby, 1853)
- **fluctifraga cortezi**, [\*\*Chionista fluctifraga cortezi\*\*](#) P.P. Carpenter, 1864
- **fluctuatus**, [\*\*Pitar fluctuatus\*\*](#) (G.B. II Sowerby, 1851)
- **fluctuosa**, [\*\*Liocyma fluctuosa\*\*](#) (A.A. Gould, 1841)
- **fluctuosa brunnea**, Liocyma fluctuosa brunnea W.H. Dal, 1902 - syn of: [\*\*Liocyma fluctuosa\*\*](#) (A.A. Gould, 1841)
- **fluminea**, Venus fluminea P.F. Röding, 1798 - syn of: [\*\*Galatea paradoxa\*\*](#) (I. von Born, 1780)
- **foliacea**, Venerupis foliacea G.P. Deshayes, 1853 - syn of: [\*\*Paphonotia elliptica\*\*](#) (G.B. I Sowerby, 1834)
- **foliacea**, Bassina foliacea R.A. Philippi, 1846 - syn of: [\*\*Placamen foliaceum\*\*](#) (R.A. Philippi, 1846)
- **foliacea**, Clausinella foliacea R.A. Philippi, 1846 - syn of: [\*\*Placamen foliaceum\*\*](#) (R.A. Philippi, 1846)
- **foliacea**, Venus foliacea R.A. Philippi, 1846 - syn of: [\*\*Placamen foliaceum\*\*](#) (R.A. Philippi, 1846)
- **foliacea**, Chione foliacea R.A. Philippi, 1846 - syn of: [\*\*Placamen foliaceum\*\*](#) (R.A. Philippi, 1846)
- **foliaceolamellosus**, [\*\*Circomphalus foliaceolamellosus\*\*](#) (L.W. Dilwyn, 1817)
- **foliaceum**, [\*\*Placamen foliaceum\*\*](#) (R.A. Philippi, 1846)
- **fordii**, [\*\*Globivenus fordii\*\*](#) (L.G. Yates, 1890)
- **fordii**, Venus fordii L.G. Yates, 1890 - syn of: [\*\*Globivenus fordii\*\*](#) (L.G. Yates, 1890)
- **foresti**, [\*\*Globivenus foresti\*\*](#) (E. Fischer-Piette & A.M. Testud, 1967)
- **foresti**, Gouldia foresti E. Fischer-Piette & A.M. Testud, 1967 - syn of: [\*\*Gouldia cerina\*\*](#) (C.B. Adams, 1845)
- **foresti**, Tivela foresti E. Fischer-Piette & A.M. Testud, 1967 - syn of: [\*\*Tivela fulminata\*\*](#) (J.B.G.M. Bory De Saint-Vincent, 1827)
- **formosa**, Cytherea formosa G.B. II Sowerby, 1851 - syn of: [\*\*Meretrix lusoria\*\*](#) (P.F. Röding, 1798)
- **fornicata**, Petricola fornicata T. Say, 1822 - syn of: [\*\*Petricola pholadiformis\*\*](#) J.B.P.A. Lamarck, 1818
- **foveolata**, [\*\*Jukesena foveolata\*\*](#) (J.E. Cooper & H.B. Preston, 1910)
- **foveolata**, [\*\*Venus foveolata\*\*](#) G.B. Sowerby, 1853
- **foveolata rotundata**, Venus foveolata rotundata É.A.A. Locard, 1898 - syn of: [\*\*Venus chevreuxi\*\*](#) P. Dautzenberg, 1891
- **fragilis**, Cyclina fragilis A. Römer, 1861 - syn of: [\*\*Cyclinella tenuis\*\*](#) (C.A. Récluz, 1852)
- **fragilis**, Venus fragilis O. Fabricius, 1780 - syn of: [\*\*Macoma balthica\*\*](#) (C. Linnaeus, 1758)
- **fragilis**, Venus fragilis P. Nyst & G.D. Westendorp, 1839 - syn of: [\*\*Diploponta brocchii\*\*](#) (G.P. Deshayes, 1850)
- **fragilis**, [\*\*Gemma fragilis\*\*](#) P.M.A. Morelet, 1851
- **fragilis**, Conchyliurus fragilis Reddah, 1961 - syn of: [\*\*Meretrix casta\*\*](#) (J.F. Gmelin, 1791)
- **fragilis elata**, [\*\*Gemma fragilis elata\*\*](#) R.J. Shuttleworth, 1852
- **francisensis**, Gouldiopa francisensis B.C. Cotton & F.C. Godfrey, 1938 - syn of: [\*\*Gouldiopa australis\*\*](#) (G.F. Angas, 1865)
- **fretensis**, Venus fretensis H.A. Rehder, 1939 - syn of: [\*\*Gemma gemma\*\*](#) (J.G. Totten, 1834)
- **frizzelli**, [\*\*Callpita frizzelli\*\*](#) (L.G. Hertlein & A.M. Strong, 1948)
- **frizzelli**, Pitar frizzelli L.G. Hertlein & A.M. Strong, 1948 - syn of: [\*\*Callpita frizzelli\*\*](#) (L.G. Hertlein & A.M. Strong, 1948)
- **fructifraga**, [\*\*Chione fructifraga\*\*](#) (G.B. Sowerby, 1853)
- **fulgida**, Gomphina fulgida C. Hedley, 1918 - syn of: [\*\*Gomphina undulosa\*\*](#) (J.B.P.A. Lamarck, 1818)
- **fulgorans**, Mercenaria fulgorans G.W. Tryon, 1865 - syn of: [\*\*Mercenaria mercenaria\*\*](#) (C. Linnaeus, 1758)
- **fulgorata**, Circe fulgorata L.A. Reeve, 1863 - syn of: [\*\*Circe scripta\*\*](#) (C. Linnaeus, 1758)
- **fulminata**, [\*\*Tivela fulminata\*\*](#) (J.B.G.M. Bory De Saint-Vincent, 1827)
- **fulminata**, Venus fulminata J.B.G.M. Bory De Saint-Vincent, 1827 - syn of: [\*\*Tivela fulminata\*\*](#) (J.B.G.M. Bory De Saint-Vincent, 1827)
- **fulminatus**, [\*\*Pitar fulminatus\*\*](#) (K.T. Menke, 1828)
- **fulminea**, Venus fulminea P.F. Röding, 1798 - syn of: [\*\*Lioconcha castrensis\*\*](#) (C. Linnaeus, 1758)
- **fulva**, Dosinia fulva A. Riso, 1826 - syn of: [\*\*Dosinia exoleta\*\*](#) (C. Linnaeus, 1758)
- **fumata**, Circe fumata L.A. Reeve, 1863 - syn of: [\*\*Circenita callipyga\*\*](#) (I. von Born, 1778)
- **fumigata**, [\*\*Eumarcia fumigata\*\*](#) (G.B. II Sowerby, 1853)
- **fumigata**, Venus fumigata G.B. II Sowerby, 1853 - syn of: [\*\*Eumarcia fumigata\*\*](#) (G.B. II Sowerby, 1853)
- **funiculata**, [\*\*Dosinia funiculata\*\*](#) A. Römer, 1862
- **fusca**, Periglypta fusca F.C.L. Koch in R.A. Philippi, 1845 - syn of: [\*\*Meretrix lamarckii\*\*](#) G.P. Deshayes, 1853
- **fusca**, Venus fusca J.F. Gmelin, 1791 - syn of: [\*\*Venerupis decussata\*\*](#) (C. Linnaeus, 1758)
- **fuscolineata**, [\*\*Leukoma grata fuscolineata\*\*](#) (G.B. I Sowerby, 1835)
- **fuscolineata**, Venus fuscolineata G.B. I Sowerby, 1835 - syn of: [\*\*Leukoma grata fuscolineata\*\*](#) (G.B. I Sowerby, 1835)
- **gabonensis**, [\*\*Dosinia gabonensis\*\*](#) R. von Cosel, 1989
- **gailliardi**, [\*\*Dosinia gailliardi\*\*](#) E. Fischer-Piette & D. Delmas, 1967
- **galactites**, [\*\*Venerupis galactites\*\*](#) (J.B.P.A. Lamarck, 1818)

- galapagana, [\*\*\*Transennella galapagana\*\*\*](#) L.G. Hertlein & A.M. Strong, 1939
- galera, *Cyclinella galera* H.A. Pilsbry & A.A. Olsson, 1941 † - syn of: [\*\*\*Cyclinella subquadrata\*\*\*](#) (S.C.T. Hanley, 1844)
- gallina, [\*\*\*Chamelea gallina\*\*\*](#) (C. Linnaeus, 1758)
- gallina, Chamelea gallina T. Brown, 1827 - syn of: [\*\*\*Chamelea gallina\*\*\*](#) (C. Linnaeus, 1758)
- gallina alba, Venus gallina alba M.E.J. Bucquoy, P. Dautzenberg & G.F. Dolfus, 1893 - syn of: [\*\*\*Chamelea gallina\*\*\*](#) (C. Linnaeus, 1758)
- gallina articulata, Venus gallina articulata P.M. Pallary, 1900 - syn of: [\*\*\*Chamelea gallina\*\*\*](#) (C. Linnaeus, 1758)
- gallina flava, Venus gallina flava M.E.J. Bucquoy, P. Dautzenberg & G.F. Dolfus, 1893 - syn of: [\*\*\*Chamelea gallina\*\*\*](#) (C. Linnaeus, 1758)
- gallina gibba, Venus gallina gibba J.G. Jeffreys, 1864 - syn of: [\*\*\*Chamelea striatula\*\*\*](#) E.M. Da Costa, 1778
- gallina major, Venus gallina major M.E.J. Bucquoy, P. Dautzenberg & G.F. Dolfus, 1893 - syn of: [\*\*\*Chamelea gallina\*\*\*](#) (C. Linnaeus, 1758)
- gallina minima, Venus gallina minima M.E.J. Bucquoy, P. Dautzenberg & G.F. Dolfus, 1893 - syn of: [\*\*\*Chamelea gallina\*\*\*](#) (C. Linnaeus, 1758)
- gallina striatula, Chamelea gallina striatula E.M. Da Costa, 1778 - syn of: [\*\*\*Chamelea striatula\*\*\*](#) E.M. Da Costa, 1778
- gallina triangularis, Venus gallina triangularis J.G. Jeffreys, 1864 - syn of: [\*\*\*Chamelea striatula\*\*\*](#) E.M. Da Costa, 1778
- gallinula, [\*\*\*Tawera gallinula\*\*\*](#) (J.B.P.A. Lamarck, 1818)
- gallinula, Venus gallinula J.B.P.A. Lamarck, 1818 - syn of: [\*\*\*Tawera gallinula\*\*\*](#) (J.B.P.A. Lamarck, 1818)
- gallus, [\*\*\*Protapes gallus\*\*\*](#) (J.F. Gmelin, 1791)
- gallus, Venus gallus J.F. Gmelin, 1791 - syn of: [\*\*\*Protapes gallus\*\*\*](#) (J.F. Gmelin, 1791)
- gallus bombayana, Paphia gallus bombayana P.G. Oliver & E.A. Glover, 1996 - syn of: [\*\*\*Protapes monstrosus\*\*\*](#) (A. Römer, 1870)
- gallus lentiginosa, [\*\*\*Protapes gallus lentiginosa\*\*\*](#) L.A. Reeve, 1864
- gayi, Venus gayi L.H. Hupé in C. Gay, 1854 - syn of: [\*\*\*Tawera elliptica\*\*\*](#) (J.B.P.A. Lamarck, 1818)
- gayi, Tawera gayi L.H. Hupé, 1854 - syn of: [\*\*\*Tawera elliptica\*\*\*](#) (J.B.P.A. Lamarck, 1818)
- gayi, Clausinella gayi L.H. Hupé, 1854 - syn of: [\*\*\*Tawera elliptica\*\*\*](#) (J.B.P.A. Lamarck, 1818)
- geijskesi, [\*\*\*Tivela geijskesi\*\*\*](#) C.O. Van Regteren Altena, 1968
- gemma, [\*\*\*Gemma gemma\*\*\*](#) (J.G. Totten, 1834)
- gemma, [\*\*\*Gemma gemma\*\*\*](#) H.B. Preston, 1903
- genei, Dosinia genei C.M. Tapparone-Carelli, 1874 - syn of: [\*\*\*Dosinia concentrica\*\*\*](#) (I. von Born, 1778)
- geographica, [\*\*\*Venerupis geographica\*\*\*](#) (J.F. Gmelin, 1791)
- geographicus, [\*\*\*Tapes geographicus\*\*\*](#) (J.H. Chemnitz, 1784)
- gerrardi, [\*\*\*Transennella gerrardi\*\*\*](#) R.T. Abbott, 1958
- gibba, Dosinia gibba A. Adams, 1869 - syn of: [\*\*\*Pelecyora nana\*\*\*](#) (L.A. Reeve, 1850)
- gibba, Petricola gibba A.T. von Middendorff, 1849 - syn of: [\*\*\*Petricola carditoides\*\*\*](#) (T.A. Conrad, 1837)
- gibbum, Gafrarium gibbum J.B.P.A. Lamarck - syn of: [\*\*\*Gafrarium pectinatum tumidum\*\*\*](#) P.F. Röding, 1798
- gibbosa, Chione gibbosa F.W. Hutton, 1873 - syn of: [\*\*\*Tawera spissa\*\*\*](#) (G.P. Deshayes, 1835)
- gibbosula, Chione gibbosula G.P. Deshayes, 1853 - syn of: [\*\*\*Chionista fluctifraga\*\*\*](#) (G.B. II Sowerby, 1853)
- gibbosus, Saxidomus gibbosus W.M. Gabb, 1869 - syn of: [\*\*\*Compsomyax subdiaphana\*\*\*](#) (P.P. Carpenter, 1864)
- gibbula, Venus gibbula J.F. Gmelin, 1791 - syn of: [\*\*\*Scrobicularia plana\*\*\*](#) (E.M. Da Costa, 1778)
- gigantea, [\*\*\*Saxidomus gigantea\*\*\*](#) (G.P. Deshayes, 1839)
- gigantea, Venerupis gigantea G.P. Deshayes, 1839 - syn of: [\*\*\*Saxidomus gigantea\*\*\*](#) (G.P. Deshayes, 1839)
- gigantea, Venus gigantea J.F. Gmelin, 1791 - syn of: [\*\*\*Macrocallista nimbosa\*\*\*](#) (J. Lightfoot, 1786)
- gigantea, Periglypta gigantea R.A. Philippi, 1844 - syn of: [\*\*\*Dosinia ponderosa\*\*\*](#) (J.E. Gray, 1838)
- gilvum, [\*\*\*Placamen gilvum\*\*\*](#) (R.A. Philippi, 1849)
- giraudi, Venus giraudi C. Gay, 1858 - syn of: [\*\*\*Venus casina\*\*\*](#) C. Linnaeus, 1758
- gladstonensis, [\*\*\*Antigona gladstonensis\*\*\*](#) (G.F. Angas, 1872)
- glandina, [\*\*\*Venerupis glandina\*\*\*](#) (J.B.P.A. Lamarck, 1818)
- glandina, Tapes glandina A. Römer, 1871 - syn of: [\*\*\*Venerupis glandina\*\*\*](#) (J.B.P.A. Lamarck, 1818)
- glandina, Venus glandina J.B.P.A. Lamarck, 1818 - syn of: [\*\*\*Venerupis glandina\*\*\*](#) (J.B.P.A. Lamarck, 1818)
- glandula, Callista glandula A.A. Gould, 1861 - syn of: [\*\*\*Marcia hiantina\*\*\*](#) (J.B.P.A. Lamarck, 1818)
- glauca, [\*\*\*Dosinia glauca\*\*\*](#) (L.A. Reeve, 1850)
- globa, Dosinia globa J.C. Melvil, 1897 - syn of: [\*\*\*Pelecyora ceylonica\*\*\*](#) (R.W. Dunker, 1865)
- globosa, Venus globosa G.B. Brocchi, 1814 - syn of: [\*\*\*Diplodonta brocchii\*\*\*](#) (G.P. Deshayes, 1850)
- gnidea, Chione gnidea W.J. Broderip & G.B. I Sowerby, 1829 - syn of: [\*\*\*Chionopsis gnidia\*\*\*](#) (W.J. Broderip & G.B. I Sowerby, 1829)
- gnidia, [\*\*\*Chionopsis gnidia\*\*\*](#) (W.J. Broderip & G.B. I Sowerby, 1829)
- gnidia, Venus gnidia W.J. Broderip & G.B. I Sowerby, 1829 - syn of: [\*\*\*Chionopsis gnidia\*\*\*](#) (W.J. Broderip & G.B. I Sowerby, 1829)
- gordoni, [\*\*\*Lioconcha gordoni\*\*\*](#) (E.A. Smith, 1885)
- gordonis, Meretrix gordonis M. Yokoyama, 1927 - syn of: [\*\*\*Gouliopa dilecta\*\*\*](#) (A.A. Gould, 1861)
- gothhardi, [\*\*\*Callista gothhardi\*\*\*](#) R.W. Dunker, 1865
- gracilenta, Periglypta gracilenta É.A.A. Locard, 1892 - syn of: [\*\*\*Pitar rudis\*\*\*](#) (G.S. Poli, 1795)
- gracilentum, [\*\*\*Pitar rudis gracilentum\*\*\*](#) É.A.A. Locard, 1892
- gracilior, Periglypta gracilior G.B. Sowerby, 1851 - syn of: [\*\*\*Tivela byronensis\*\*\*](#) (J.E. Gray, 1838)
- gracilis, [\*\*\*Petricolaria gracilis\*\*\*](#) (G.P. Deshayes, 1853)
- gracilis, Tapes gracilis A.A. Gould in C.H. Blake, 1855 - syn of: [\*\*\*Saxidomus nuttalli\*\*\*](#) T.A. Conrad, 1837
- gracilis parallela, Petricola gracilis parallela H.A. Pilsbry & H.N. Lowe, 1932 - syn of: [\*\*\*Petricolaria cognata\*\*\*](#) (C.B. Adams, 1852)
- gracillima, [\*\*\*Clementia gracillima\*\*\*](#) P.P. Carpenter, 1857
- grandis, Dosinia grandis R.N. Nelson, 1870 - syn of: [\*\*\*Dosinia ponderosa\*\*\*](#) (J.E. Gray, 1838)
- grangeri, Tapes grangeri É.A.A. Locard, 1886 - syn of: [\*\*\*Polittapes aureus\*\*\*](#) (J.F. Gmelin, 1791)
- granulata, [\*\*\*Leukoma granulata\*\*\*](#) (J.F. Gmelin, 1791)

- **granulata**, Venus granulata J.F. Gmelin, 1791 - syn of: [\*\*Leukoma granulata\*\*](#) (J.F. Gmelin, 1791)
- granulifera, [\*\*Kyrina granulifera\*\*](#) (G.B. II Sowerby, 1852)
- **graphica**, Cytherea graphica J.B.P.A. Lamarck, 1818 - syn of: [\*\*Meretrix lusoria\*\*](#) (P.F. Röding, 1798)
- **grata**, [\*\*Callista grata\*\*](#) (G.P. Deshayes, 1853)
- **grata**, [\*\*Leukoma grata\*\*](#) (T. Say, 1831)
- **grata**, Tapes grata G.P. Deshayes, 1853 - syn of: [\*\*Tapes belcheri\*\*](#) G.B. II Sowerby, 1852
- **grata**, [\*\*Dosinia grata\*\*](#) G.P. Deshayes, 1853
- **grata**, Meretrix grata G.P. Deshayes, 1853 - syn of: [\*\*Callista grata\*\*](#) (G.P. Deshayes, 1853)
- **grata**, Venus grata T. Say, 1831 - syn of: [\*\*Leukoma grata\*\*](#) (T. Say, 1831)
- **grata fuscolineata**, [\*\*Leukoma grata fuscolineata\*\*](#) (G.B. I Sowerby, 1835)
- **gratoides**, Dosinia gratoides E. Fischer-Piette & D. Delmas, 1967 - syn of: [\*\*Dosinia grata\*\*](#) G.P. Deshayes, 1853
- **gravescens**, [\*\*Placamen gravescens\*\*](#) (K.T. Menke, 1843)
- **gravida**, Venus gravida P.F. Röding, 1798 - syn of: [\*\*Marcia opima\*\*](#) (J.F. Gmelin, 1791)
- **grayi**, Hysteroconcha grayi G.P. Deshayes, 1853 - syn of: [\*\*Callista kingii\*\*](#) (J.E. Gray in P.P. King, 1827)
- **greeffei**, Tapes greeffei R.W. Dunker, 1877 - syn of: [\*\*Paphia vernicosa\*\*](#) (A.A. Gould, 1861)
- **grewingkii**, Protothaca grewingkii W.H. Dall, 1904 - syn of: [\*\*Leukoma staminea\*\*](#) (T.A. Conrad, 1837)
- **greyi**, [\*\*Dosinia greyi\*\*](#) C.A. von Zittel, 1864
- **grisea**, [\*\*Notopaphia grisea\*\*](#) (J.B.P.A. Lamarck, 1818)
- **grisea**, Venus grisea J.B.P.A. Lamarck, 1818 - syn of: [\*\*Notopaphia grisea\*\*](#) (J.B.P.A. Lamarck, 1818)
- **gruneri**, [\*\*Dosinia grunerii\*\*](#) (R.A. Philippi, 1847)
- **grus**, [\*\*Chioneryx grus\*\*](#) (F.S. Holmes, 1858)
- **grus**, Timoclea grus F.S. Holmes, 1858 - syn of: [\*\*Chioneryx grus\*\*](#) (F.S. Holmes, 1858)
- **guatulcoensis**, [\*\*Chione guatulcoensis\*\*](#) L.G. Hertlein & A.M. Strong, 1948
- **guineensis**, Venus guineensis J.F. Gmelin, 1791 - syn of: [\*\*Lamelliconcha circinata\*\*](#) (I. von Born, 1778)
- **guttata**, [\*\*Callocardia guttata\*\*](#) A. Adams, 1864
- **guttata thorae**, [\*\*Callocardia guttata thorae\*\*](#) E.H. Vokes, 1985
- **guttulata**, Paphia guttulata P.F. Röding, 1798 - syn of: [\*\*Tapes conspersus\*\*](#) (J.F. Gmelin, 1791)
- **guttulatus**, [\*\*Tapes literatus guttulatus\*\*](#) P.F. Röding, 1798
- **habei**, [\*\*Gomphina habei\*\*](#) (M. Huber, 2010)
- **habei**, [\*\*Timoclea habei\*\*](#) E. Fischer-Piette & D. Vukadinovic, 1977
- **habei**, [\*\*Petricola habei\*\*](#) M. Huber, 2010
- **hagenowi**, [\*\*Callista hagenowi\*\*](#) (R.W. Dunker, 1849)
- **hanleyana**, Dosinia hanleyana H. Adams & A. Adams, 1857 - syn of: [\*\*Dosinia angulosa\*\*](#) (R.A. Philippi, 1847)
- **hanleyi**, Venerupis hanleyi É. Lamy, 1922 - syn of: [\*\*Irus carditoides\*\*](#) (J.B.P.A. Lamarck, 1818)
- **hanleyi**, Tapes hanleyi G.B. II Sowerby, 1852 - syn of: [\*\*Transennella angulifera\*\*](#) (G.B. II Sowerby, 1851)
- **hanzawai**, Gafrarium hanzawai S. Nomura & Jinbo, 1936 - syn of: [\*\*Dorisca amica\*\*](#) (E.A. Smith, 1885)
- **hartae**, [\*\*Mercenaria hartae\*\*](#) E.J. Petuch, 2013
- **harteae**, [\*\*Gafrarium harteae\*\*](#) M. Huber, 2010
- **harteae**, [\*\*Lioconcha harteae\*\*](#) M. Huber, 2010
- **hartei**, Gafrarium hartei M. Huber, 2010 - syn of: [\*\*Gafrarium harteae\*\*](#) M. Huber, 2010
- **hartei**, Lioconcha hartei M. Huber, 2010 - syn of: [\*\*Lioconcha harteae\*\*](#) M. Huber, 2010
- **hartvigii**, Tivela hartvigii R.W. Dunker, 1879 - syn of: [\*\*Tivela compressa\*\*](#) (G.B. II Sowerby, 1851)
- **hawaiensis**, Venus hawaiensis W.H. Dall, P. Bartsch & H.A. Rehder, 1938 - syn of: [\*\*Globivenus toreuma\*\*](#) (A.A. Gould, 1850)
- **hayasakai**, Bassina hayasakai T. Kotaka, 1977 - syn of: [\*\*Placamen lamellatum\*\*](#) (P.F. Röding, 1798)
- **hayashii**, [\*\*Dosinia hayashii\*\*](#) (T. Habe, 1976)
- **healyi**, [\*\*Hyphantosoma healyi\*\*](#) (K.L. Lamprell & J. Stanisic, 1996)
- **hebraeus**, [\*\*Pitar hebraeus\*\*](#) (J.B.P.A. Lamarck, 1818)
- **helena**, [\*\*Globivenus helena\*\*](#) (E. Fischer-Piette, 1975)
- **helena**, [\*\*Pitar helena\*\*](#) A.A. Olson, 1961
- **helena**, Venus helena E. Fischer-Piette, 1975 - syn of: [\*\*Globivenus helena\*\*](#) (E. Fischer-Piette, 1975)
- **hemprichi**, Petricola hemprichi A. Issel, 1869 - syn of: [\*\*Petricola fabagella\*\*](#) J.B.P.A. Lamarck, 1818
- **hepatica**, [\*\*Dosinia hepatica\*\*](#) (J.B.P.A. Lamarck, 1818)
- **hepatica subquadrata**, [\*\*Dosinia hepatica subquadrata\*\*](#) C.F.F. von Krauss, 1848
- **herbariorum**, [\*\*Dosinia herbariorum\*\*](#) E. Fischer-Piette & D. Delmas, 1967
- **hermaphrodita**, Venus hermaphrodita J.F. Gmelin, 1791 - syn of: [\*\*Galatea paradoxa\*\*](#) (I. von Born, 1780)
- **hertleini**, Pitar hertleini A.A. Olson, 1961 - syn of: [\*\*Hyphantosoma pollicaris\*\*](#) (P.P. Carpenter, 1864)
- **hertziana**, [\*\*Petricola hertziana\*\*](#) E.V. Coan, 1997
- **hesperia**, Hysteroconcha hesperia S.S. Berry, 1960 - syn of: [\*\*Lamelliconcha alternata\*\*](#) (W.J. Broderip, 1835)
- **hesperia**, Pitar hesperia S.S. Berry, 1960 - syn of: [\*\*Lamelliconcha alternata\*\*](#) (W.J. Broderip, 1835)
- **hians**, Sunetta hians L.A. Reeve, 1864 - syn of: [\*\*Sunetta solanderii\*\*](#) (J.E. Gray, 1825)
- **hians**, [\*\*Tivela hians\*\*](#) R.A. Philippi, 1851
- **hians**, Venus hians W. Wood, 1828 - syn of: [\*\*Sunetta solanderii\*\*](#) (J.E. Gray, 1825)
- **hiantina**, [\*\*Marcia hiantina\*\*](#) (J.B.P.A. Lamarck, 1818)
- **hieroglyphica**, [\*\*Lioconcha hieroglyphica\*\*](#) (T.A. Conrad, 1837)
- **hindsii**, [\*\*Tivela byronensis hindsii\*\*](#) S.C.T. Hanley, 1844

- **hiraseanus**, [\*\*\*Circomphalus hiraseanus\*\*\*](#) (J.T. Kuroda, 1930)
- **hirasei**, Venus hirasei H.A. Pilsbry, 1901 - syn of: [\*\*\*Leukoma jedoensis\*\*\*](#) (C.E. Lischke, 1874)
- **histrio**, [\*\*\*Dosinia histrio\*\*\*](#) (J.F. Gmelin, 1791)
- **histrio iwakawai**, Dosinia histrio iwakawai K. Oyama & T. Habe, 1971 - syn of: [\*\*\*Dosinia iwakawai\*\*\*](#) K. Oyama & T. Habe, 1971
- **histrionica**, Venus histrionica W.J. Broderip & G.B. I Sowerby, 1835 - syn of: [\*\*\*Leukoma asperrima\*\*\*](#) (G.B. I Sowerby, 1835)
- **hoeberti**, Tapes hoeberti ♀ Brusina, 1865 - syn of: [\*\*\*Polititapes aureus\*\*\*](#) (J.F. Gmelin, 1791)
- **hoffstetteri**, [\*\*\*Pitar hoffstetteri\*\*\*](#) E. Fischer-Piette, 1969
- **hokkaidoensis**, Liocyma hokkaidoensis T. Habe, 1951 - syn of: [\*\*\*Liocyma fluctuosa\*\*\*](#) (A.A. Gould, 1841)
- **holosericea**, Venus holosericea J.F. Gmelin, 1791 - syn of: [\*\*\*Pitar fulminatus\*\*\*](#) (K.T. Menke, 1828)
- **hongkongensis**, [\*\*\*Laevicirce hongkongensis\*\*\*](#) (L.Y. Jiang & F.S. Xu, 1992)
- **hoonsooi**, Herrmannella hoonsooi B.K. Kim, 1992 - syn of: [\*\*\*Saxidomus purpurata\*\*\*](#) (G.B. II Sowerby, 1852)
- **horrida**, Dosinia horrida J. Marwick, 1927 - syn of: [\*\*\*Dosinia anus\*\*\*](#) (R.A. Philippi, 1848)
- **humilis**, [\*\*\*Nutricola humilis\*\*\*](#) (P.P. Carpenter, 1857)
- **humphreyi**, Venus humphreyi E. Donovan, 1824 - syn of: [\*\*\*Tawera gallinula\*\*\*](#) (J.B.P.A. Lamarck, 1818)
- **hungerfordi**, [\*\*\*Aphrodora hungerfordi\*\*\*](#) (G.B. III Sowerby, 1888)
- **hyalina**, Thetis hyalina H. Adams & A. Adams, 1856 - syn of: [\*\*\*Cetoconcha hyalina\*\*\*](#) (R.B. Hinds, 1843)
- **hyalina**, Venus hyalina R.A. Philippi, 1849 - syn of: [\*\*\*Clementia papyracea\*\*\*](#) (J.F. Gmelin, 1791)
- **hyeroglyphica**, Lioconcha hyeroglyphica T.A. Conrad, 1837 - syn of: [\*\*\*Lioconcha hieroglyphica\*\*\*](#) (T.A. Conrad, 1837)
- **hypopta**, [\*\*\*Timoclea hypopta\*\*\*](#) (R. Sturany, 1899)
- **ida**, Katherinella ida Tegland, 1928 - syn of: [\*\*\*Agriopoma morrhuanum\*\*\*](#) (W.H. Dall, 1902)
- **ignobilis**, Venus ignobilis H.E. Anton in R.A. Philippi, 1847 - syn of: [\*\*\*Marcia hiantina\*\*\*](#) (J.B.P.A. Lamarck, 1818)
- **iheringi**, Meretrix iheringi W.H. Dall, 1891 - syn of: [\*\*\*Tivela dentaria\*\*\*](#) (J.B.P.A. Lamarck, 1818)
- **iizukai**, Meretrix iizukai M. Yokoyama, 1925 - syn of: [\*\*\*Compsomyax subdiaphana\*\*\*](#) (P.P. Carpenter, 1864)
- **imbricata**, [\*\*\*Timoclea imbricata\*\*\*](#) (G.B. II Sowerby, 1853)
- **immaculata**, Dosinia immaculata J.E. Tenison-Woods, 1876 - syn of: [\*\*\*Dosinia caerulea\*\*\*](#) (L.A. Reeve, 1850)
- **impar**, [\*\*\*Callista impar\*\*\*](#) (J.B.P.A. Lamarck, 1818)
- **impar**, Periglypta impar J.B.P.A. Lamarck, 1818 - syn of: [\*\*\*Callista impar\*\*\*](#) (J.B.P.A. Lamarck, 1818)
- **impressa**, Venus impressa H.E. Anton, 1837 - syn of: [\*\*\*Cryptonemella producta\*\*\*](#) (J.T. Kuroda & T. Habe, 1951)
- **impudica**, Periglypta impudica J.B.P.A. Lamarck, 1818 - syn of: [\*\*\*Meretrix casta\*\*\*](#) (J.F. Gmelin, 1791)
- **inaequivalvis**, Venus inaequivalvis D'Orbigny in R. de la Sagra, 1853 - syn of: [\*\*\*Chioneryx pygmaea\*\*\*](#) (J.B.P.A. Lamarck, 1818)
- **inchonensis**, Conchyliurus inchonensis B.K. Kim, 1997 - syn of: [\*\*\*Dosinia penicillata\*\*\*](#) (L.A. Reeve, 1850)
- **incisa**, [\*\*\*Dosinia incisa\*\*\*](#) (L.A. Reeve, 1850)
- **incompta**, Venus incompta R.A. Philippi, 1836 - syn of: [\*\*\*Mysia undata\*\*\*](#) (T. Pennant, 1777)
- **inconspicua**, Periglypta inconspicua W.J. Broderip & G.B. I Sowerby, 1835 - syn of: [\*\*\*Pitar inconspicuus\*\*\*](#) (W.J. Broderip & G.B. I Sowerby, 1835)
- **inconspicuus**, [\*\*\*Pitar inconspicuus\*\*\*](#) (W.J. Broderip & G.B. I Sowerby, 1835)
- **inconstans**, [\*\*\*Costellipitar inconstans\*\*\*](#) (C. Hedley, 1923)
- **inconstans**, Pitar inconstans C. Hedley, 1923 - syn of: [\*\*\*Costellipitar inconstans\*\*\*](#) (C. Hedley, 1923)
- **incrassata**, Venus incrassata G.B. Brocchi, 1814 - syn of: [\*\*\*Astarte fusca\*\*\*](#) (G.S. Poli, 1791)
- **indecoroides**, [\*\*\*Costellipitar indecoroides\*\*\*](#) (M. Yokoyama, 1928)
- **indecorus**, [\*\*\*Pitar indecorus\*\*\*](#) (R.A. Philippi, 1848)
- **indica**, [\*\*\*Dosinia indica\*\*\*](#) E. Fischer-Piette & B. Métivier, 1971
- **indica**, Tapes indica G.B. II Sowerby, 1852 - syn of: [\*\*\*Venerupis philippinarum\*\*\*](#) (A. Adams & L.A. Reeve, 1850)
- **indutum**, [\*\*\*Granicorium indutum\*\*\*](#) C. Hedley, 1906
- **infans**, [\*\*\*Timoclea infans\*\*\*](#) (E.A. Smith, 1885)
- **inflata**, [\*\*\*Paphia inflata\*\*\*](#) (G.P. Deshayes, 1853)
- **inflata**, [\*\*\*Chione inflata\*\*\*](#) (P.P. King & W.J. Broderip, 1832)
- **inflata**, Tapes inflata A. Römer, 1870 - syn of: [\*\*\*Protapes ziczac\*\*\*](#) (C. Linnaeus, 1758)
- **inflata**, Dosinia inflata É.A.A. Locard, 1886 - syn of: [\*\*\*Dosinia lupinus\*\*\*](#) (C. Linnaeus, 1758)
- **inflatus**, [\*\*\*Pitar inflatus\*\*\*](#) (G.B. II Sowerby, 1851)
- **inflatus**, Periglypta inflatus G.B. II Sowerby, 1851 - syn of: [\*\*\*Pitar inflatus\*\*\*](#) (G.B. II Sowerby, 1851)
- **innominata**, Venus innominata F. Danilo & G.B. Sandri, 1856 - syn of: [\*\*\*Polititapes rhomboides\*\*\*](#) (T. Pennant, 1777)
- **inquinata**, Venus inquinata J.B.P.A. Lamarck, 1818 - syn of: [\*\*\*Gouldia minima\*\*\*](#) (G. Montagu, 1803)
- **insignis**, [\*\*\*Petricola insignis\*\*\*](#) (G.P. Deshayes, 1854)
- **insignis**, Venerupis insignis G.P. Deshayes, 1854 - syn of: [\*\*\*Petricola insignis\*\*\*](#) (G.P. Deshayes, 1854)
- **insularis**, [\*\*\*Gouldia insularis\*\*\*](#) (W.H. Dall & C.T. Simpson, 1901)
- **insularum**, [\*\*\*Pelecyora insularum\*\*\*](#) (E. Fischer-Piette & D. Delmas, 1967)
- **intapurpurea**, [\*\*\*Puberella intapurpurea\*\*\*](#) (T.A. Conrad, 1849)
- **interjecta**, Venerupis interjecta G.P. Deshayes, 1853 - syn of: [\*\*\*Irus exoticus\*\*\*](#) (J.B.P.A. Lamarck, 1818)
- **intermedia**, Periglypta intermedia G.B. Sowerby, 1851 - syn of: [\*\*\*Tivela stultorum\*\*\*](#) (J. Mawe, 1823)
- **intermedia**, [\*\*\*Circe intermedia\*\*\*](#) L.A. Reeve, 1863
- **interrupta**, Venus interrupta F.C.L. Koch in R.A. Philippi, 1849 - syn of: [\*\*\*Marcia recens\*\*\*](#) (H.S. Holton, 1802)
- **intersculpta**, Venus intersculpta G.B. III Sowerby, 1904 - syn of: [\*\*\*Venus verrucosa\*\*\*](#) C. Linnaeus, 1758
- **intersecta**, Venus intersecta G.B. II Sowerby, 1853 - syn of: [\*\*\*Leukoma pectorina\*\*\*](#) (J.B.P.A. Lamarck, 1818)
- **interstriatus**, [\*\*\*Irus interstriatus\*\*\*](#) (G.B. II Sowerby, 1854)
- **intricata**, Pitar intricata P. Dautzenberg, 1907 - syn of: [\*\*\*Hyphantosoma intricatum\*\*\*](#) (P. Dautzenberg, 1907)

- intricata, Meretrix intricata P. Dautzenberg, 1907 - syn of: [\*\*Hyphantosoma intricatum\*\*](#) (P. Dautzenberg, 1907)
- intricatum, [\*\*Hyphantosoma intricatum\*\*](#) (P. Dautzenberg, 1907)
- intricatus, Pitar intricatus P. Dautzenberg, 1907 - syn of: [\*\*Hyphantosoma intricatum\*\*](#) (P. Dautzenberg, 1907)
- **intumescens**, Cyclina intumescens A. Römer, 1861 - syn of: [\*\*Cyclina sinensis\*\*](#) (J.F. Gmelin, 1791)
- **intumidus**, Myicola intumidus B.K. Kim, 1997 - syn of: [\*\*Dosinia penicillata\*\*](#) (L.A. Reeve, 1850)
- **intuspunctata**, Venus intuspunctata H.E. Anton, 1838 - syn of: [\*\*Polititapes aureus\*\*](#) (J.F. Gmelin, 1791)
- **inversa**, [\*\*Petricola inversa\*\*](#) O. Macsotay & B. Campos, 2001
- **iridescens**, Venerupis iridescens R. Tate, 1889 - syn of: [\*\*Irus interstriatus\*\*](#) (G.B. II Sowerby, 1854)
- **irregularis**, Venus irregularis L.A. Reeve, 1864 - syn of: [\*\*Venus declivis\*\*](#) G.B. II Sowerby, 1853
- **irus**, [\*\*Irus irus\*\*](#) (C. Linnaeus, 1758)
- **irus**, Venerupis irus M. Yokoyama, 1920 - syn of: [\*\*Irus ishibashianus\*\*](#) J.T. Kuroda & T. Habe, 1952
- **irus barrens**, Venerupis irus barrens A. De Gregorio, 1889 - syn of: [\*\*Irus irus\*\*](#) (C. Linnaeus, 1758)
- **irus bicolor**, Venerupis irus bicolor M.E.J. Bucquoy, P. Dautzenberg & G.F. Dolfus, 1893 - Syn of: [\*\*Irus irus\*\*](#) (C. Linnaeus, 1758)
- **irus crebrilamellata**, Venerupis irus crebrilamellata M.E.J. Bucquoy, P. Dautzenberg & G.F. Dolfus, 1893 - syn of: [\*\*Irus irus\*\*](#) (C. Linnaeus, 1758)
- **irus flava**, Venerupis irus flava M.E.J. Bucquoy, P. Dautzenberg & G.F. Dolfus, 1893 - syn of: [\*\*Irus irus\*\*](#) (C. Linnaeus, 1758)
- **irus geographica**, Venerupis irus geographica T.A. de M. Monterosato, 1917 - syn of: [\*\*Irus irus\*\*](#) (C. Linnaeus, 1758)
- **irus rosea**, Venerupis irus rosea M.E.J. Bucquoy, P. Dautzenberg & G.F. Dolfus, 1893 - syn of: [\*\*Irus irus\*\*](#) (C. Linnaeus, 1758)
- **irus tricolor**, Venerupis irus tricolor M.E.J. Bucquoy, P. Dautzenberg & G.F. Dolfus, 1893 - syn of: [\*\*Irus irus\*\*](#) (C. Linnaeus, 1758)
- **irusianus**, Venerupis irusianus É.A.A. Locard, 1892 - syn of: [\*\*Irus irus\*\*](#) (C. Linnaeus, 1758)
- **isabella**, Gouldia isabella F.W. Hutton, 1873 - syn of: [\*\*Talabrida bellula\*\*](#) (A. Adams, 1854)
- **isabelleana**, [\*\*Tivela dentaria isabelleana\*\*](#) (D'Orbigny, 1846)
- **isabelleana**, Venus isabelleana D'Orbigny, 1846 - syn of: [\*\*Tivela dentaria isabelleana\*\*](#) (D'Orbigny, 1846)
- **isabellina**, [\*\*Placamen isabellina\*\*](#) (R.A. Philippi, 1849)
- **isabillnia**, Venus isabillnia R.A. Philippi, 1849 - syn of: [\*\*Placamen isabellina\*\*](#) (R.A. Philippi, 1849)
- **ishibashianus**, [\*\*Irus ishibashianus\*\*](#) J.T. Kuroda & T. Habe, 1952
- **islandica**, Venus islandica O. Fabricius, 1780 - Syn of: [\*\*Serripes groenlandicus\*\*](#) (N.P. Mohr, 1786)
- **isocardia**, [\*\*Globivenus isocardia\*\*](#) (A.E. Verrill, 1870)
- **isocardia**, [\*\*Pelecyora isocardia\*\*](#) (R.W. Dunker, 1845)
- **isocardia**, Dosinia isocardia R.W. Dunker, 1845 - syn of: [\*\*Pelecyora isocardia\*\*](#) (R.W. Dunker, 1845)
- **iwakawai**, [\*\*Dosinia iwakawai\*\*](#) K. Oyama & T. Habe, 1971
- **jacksonii**, [\*\*Bassina jacksonii\*\*](#) (E.A. Smith, 1885)
- **jadisi**, [\*\*Cyclinella jadisi\*\*](#) A.A. Olson, 1961
- **jamaniana**, [\*\*Chionopsis amathusia jamaniana\*\*](#) H.A. Pilsbry & A.A. Olsson, 1941
- **japonica**, [\*\*Venerupis philippinarum japonica\*\*](#) (G.P. Deshayes, 1853)
- **japonica**, [\*\*Marcia japonica\*\*](#) (J.F. Gmelin, 1791)
- **japonica**, [\*\*Dosinia japonica\*\*](#) (L.A. Reeve, 1850)
- **japonica**, Venus japonica J.F. Gmelin, 1791 - syn of: [\*\*Marcia japonica\*\*](#) (J.F. Gmelin, 1791)
- **japonica**, [\*\*Petricola japonica\*\*](#) R.W. Dunker, 1882
- **japonica**, Leukoma japonica T. Kira, 1954 - syn of: [\*\*Timoclea marica\*\*](#) (C. Linnaeus, 1758)
- **japonicum**, Pitar japonicum J.T. Kuroda & T. Kawamoto, 1971 - syn of: [\*\*Aphrodora kurodai\*\*](#) (T. Matsubara, 2007)
- **javana**, Bassina javana T. Kotaka, 1977 - syn of: [\*\*Placamen lamellatum\*\*](#) (P.F. Röding, 1798)
- **jedoensis**, [\*\*Leukoma jedoensis\*\*](#) (C.E. Lischke, 1874)
- **jedoensis**, Protothaca jedoensis C.E. Lischke, 1874 - syn of: [\*\*Leukoma jedoensis\*\*](#) (C.E. Lischke, 1874)
- **jidoensis**, Venus jidoensis C.E. Lischke, 1874 - syn of: [\*\*Leukoma jedoensis\*\*](#) (C.E. Lischke, 1874)
- **jidoensis alta**, Venus jidoensis alta A.W. Grabau & S.G. King, 1928 - syn of: [\*\*Leukoma jedoensis\*\*](#) (C.E. Lischke, 1874)
- **joenia**, Venus joenia L. Benoit & J. Granata Grillo, 1878 - syn of: [\*\*Venus casina\*\*](#) C. Linnaeus, 1758
- **jousseauimiana**, [\*\*Pelecyora jousseauimiana\*\*](#) (E. Fischer-Piette & D. Delmas, 1967)
- **jucunda**, [\*\*Dorisca jucunda\*\*](#) (E.A. Smith, 1885)
- **jukesbrowniana**, [\*\*Pelecyora jukesbrowniana\*\*](#) (H.B. Preston, 1915)
- **jukesi**, Venus jukesi G.P. Deshayes, 1853 - syn of: [\*\*Globivenus toreuma\*\*](#) (A.A. Gould, 1850)
- **juvenilis**, [\*\*Dosinia juvenilis\*\*](#) (J.F. Gmelin, 1791)
- **juvenilis**, Dosinia juvenilis K.L. Lamprell & T. Whitehead, 1992 - syn of: [\*\*Dosinia stabilis\*\*](#) (T. Iredale, 1929)
- **juvenis**, Venus juvenis L.W. Dilwyn, 1817 - syn of: [\*\*Dosinia juvenilis\*\*](#) (J.F. Gmelin, 1791)
- **kaneharai**, Cryptogramma kaneharai M. Yokoyama, 1928 - syn of: [\*\*Crenocrassatella yagurai\*\*](#) (J. Makiyama, 1927)
- **kaspiewi**, [\*\*Dosinia kaspiewi\*\*](#) E. Fischer-Piette & D. Delmas, 1967
- **katherinae**, [\*\*Bassina katherinae\*\*](#) J. Marwick, 1948
- **kathiewaya**, [\*\*Pitar kathiewaya\*\*](#) K.L. Lamprell & R.N. Kilburn, 1999
- **katiawarensis**, [\*\*Pelecyora katiawarensis\*\*](#) (E. Fischer-Piette & B. Métivier, 1971)
- **keegani**, [\*\*Timoclea keegani\*\*](#) B.K. Raines & M. Huber, 2012
- **keenae**, Transenpitlar keenae E. Fischer-Piette & A.M. Testud, 1967 - syn of: [\*\*Transenpitlar americana\*\*](#) (M. Doello-Jurado in A. Carcelles, 1951)
- **kelletii**, [\*\*Lirophora kelletii\*\*](#) (R.B. Hinds, 1845)
- **kelletii**, Venus kelletii R.B. Hinds, 1845 - syn of: [\*\*Lirophora kelletii\*\*](#) (R.B. Hinds, 1845)
- **kempfi**, [\*\*Globivenus kempfi\*\*](#) (E. Fischer-Piette & A.M. Testud, 1970)
- **kennerleyi**, [\*\*Humilaria kennerleyi\*\*](#) (L.A. Reeve, 1863)

- **kennicottii**, *Mercenaria kennicottii* W.H. Dal, 1871 - syn of: [\*\*\*Mercenaria campechiensis\*\*\*](#) (J.F. Gmelin, 1791)
- **keppeliana**, *Venus keppeliana* G.B. III Sowerby, 1905 - syn of: [\*\*\*Leukoma metodon\*\*\*](#) (H.A. Pilsbry & H.N. Lowe, 1932)
- **kilburni**, [\*\*\*Dorisca kilburni\*\*\*](#) (J. Drivas & M. Jay, 1990)
- **kingii**, [\*\*\*Callista kingii\*\*\*](#) (J.E. Gray in P.P. King, 1827)
- **kingii**, *Caryatis kingii* A. Römer, 1862 - syn of: [\*\*\*Pitar inflatus\*\*\*](#) (G.B. II Sowerby, 1851)
- **kingii**, *Periglypta kingii* J.E. Gray in P.P. King, 1827 - syn of: [\*\*\*Callista kingii\*\*\*](#) (J.E. Gray in P.P. King, 1827)
- **kioroshiensis**, [\*\*\*Venerupis aspera kioroshiensis\*\*\*](#) K. Hirayama & Y. Ando, 1954
- **kirai**, [\*\*\*Sunetta kirai\*\*\*](#) M. Huber, 2010
- **knudseni**, *Costellipitar knudseni* J. Poutiers, 1981 - syn of: [\*\*\*Costellipitar manillae\*\*\*](#) (G.B. II Sowerby, 1851)
- **knudseni**, *Pitar knudseni* J. Poutiers, 1981 - syn of: [\*\*\*Costellipitar manillae\*\*\*](#) (G.B. II Sowerby, 1851)
- **kochi**, *Tapes kochi* R.A. Philippi, 1843 - syn of: [\*\*\*Eumarcia paupercula\*\*\*](#) (H.S. Holton, 1802)
- **kovalisi**, [\*\*\*Lioconcha kovalisi\*\*\*](#) R. De Prins, 2013
- **kraussi**, *Tapes kraussi* L.A. Reeve, 1864 - syn of: [\*\*\*Pitarenus cordatus\*\*\*](#) (J.S. Schwengel, 1951)
- **kraussii**, *Dosinia kraussii* A. Römer, 1862 - syn of: [\*\*\*Dosinia subrosea\*\*\*](#) (J.E. Gray, 1835)
- **kreipli**, [\*\*\*Paphia kreipli\*\*\*](#) M. Huber, 2010
- **kroeyeri**, [\*\*\*Cyclinella kroeyeri\*\*\*](#) (R.A. Philippi, 1847)
- **kroeyeri ulloana**, *Cyclinella kroeyeri ulloana* L.G. Hertlein & A.M. Strong, 1948 - syn of: [\*\*\*Cyclinella subquadrata\*\*\*](#) (S.C.T. Hanley, 1844)
- **kroyeri ulloana**, *Cyclinella kroyeri ulloana* L.G. Hertlein & A.M. Strong, 1948 - syn of: [\*\*\*Cyclinella subquadrata\*\*\*](#) (S.C.T. Hanley, 1844)
- **kuiperi**, [\*\*\*Dosinia kuiperi\*\*\*](#) E. Fischer-Piette & D. Delmas, 1967
- **kurachensis**, *Sunetta kurachensis* G.B. III Sowerby, 1895 - syn of: [\*\*\*Sunetta donacina\*\*\*](#) (J.F. Gmelin, 1791)
- **kurodai**, [\*\*\*Aphrodora kurodai\*\*\*](#) (T. Matsubara, 2007)
- **kurodai**, *Pitar kurodai* T. Matsubara, 2007 - syn of: [\*\*\*Aphrodora kurodai\*\*\*](#) (T. Matsubara, 2007)
- **kyrina**, [\*\*\*Kyrina kyrina\*\*\*](#) F.P. Jousseaume, 1894
- **labiosa**, [\*\*\*Dosinia labiosa\*\*\*](#) A. Römer, 1862
- **labiosa**, *Meretrix labiosa* J.B.P.A. Lamarck, 1801 - syn of: [\*\*\*Meretrix meretrix\*\*\*](#) (C. Linnaeus, 1758)
- **labuana**, *Venus labuana* A. Adams & L.A. Reeve, 1850 - syn of: [\*\*\*Marcia japonica\*\*\*](#) (J.F. Gmelin, 1791)
- **lacerata**, [\*\*\*Antigona lacerata\*\*\*](#) (S.C.T. Hanley, 1845)
- **lacerata**, *Venus lacerata* S.C.T. Hanley, 1845 - syn of: [\*\*\*Antigona lacerata\*\*\*](#) (S.C.T. Hanley, 1845)
- **laciniata**, [\*\*\*Leukoma laciniata\*\*\*](#) (P.P. Carpenter, 1864)
- **laciniata**, *Tapes laciniata* P.P. Carpenter, 1864 - syn of: [\*\*\*Leukoma laciniata\*\*\*](#) (P.P. Carpenter, 1864)
- **lactea**, *Venus lactea* E. Donovan, 1803 - syn of: [\*\*\*Venus casina\*\*\*](#) C. Linnaeus, 1758
- **lactea**, *Periglypta lactea* J.B.P.A. Lamarck, 1818 - syn of: [\*\*\*Pitar hebreus\*\*\*](#) (J.B.P.A. Lamarck, 1818)
- **lacunaritis**, *Tapes lacunaritis* G.S. Coen, 1914 - syn of: [\*\*\*Polititapes aureus\*\*\*](#) (J.F. Gmelin, 1791)
- **lacunatus**, *Venus lacunatus* L.A. Reeve, 1863 - syn of: [\*\*\*Puberella intapurpurea\*\*\*](#) (T.A. Conrad, 1849)
- **laeta**, *Venus laeta* C. Linnaeus, 1758 - syn of: [\*\*\*Pitar laetus\*\*\*](#) G.S. Poli, 1791
- **laeta**, *Venus laeta* G.S. Poli, 1795 - syn of: [\*\*\*Polititapes aureus\*\*\*](#) (J.F. Gmelin, 1791)
- **laeta**, *Cytherea laeta* J.B.P.A. Lamarck, 1818 - syn of: [\*\*\*Pitar affinis\*\*\*](#) (J.F. Gmelin, 1791)
- **laetus**, [\*\*\*Pitar laetus\*\*\*](#) G.S. Poli, 1791
- **laevicostata**, [\*\*\*Timoclea laevicostata\*\*\*](#) J.T. Kuroda, 1960
- **laevigata**, [\*\*\*Tivela laevigata\*\*\*](#) (J.E. Gray, 1838)
- **laevigata**, *Venus laevigata* G.B. II Sowerby, 1853 - syn of: [\*\*\*Eumarcia fumigata\*\*\*](#) (G.B. II Sowerby, 1853)
- **laevis**, [\*\*\*Callocardia laevis\*\*\*](#) J.P.L. Pelseneer, 1903
- **lagopus**, [\*\*\*Tawera lagopus\*\*\*](#) (J.B.P.A. Lamarck, 1818)
- **lagopus**, *Venus lagopus* J.B.P.A. Lamarck, 1818 - syn of: [\*\*\*Tawera lagopus\*\*\*](#) (J.B.P.A. Lamarck, 1818)
- **lahillei**, *Pitar lahillei* H.F.A. von Ihering, 1907 - syn of: [\*\*\*Pitar patagonicus\*\*\*](#) (D'Orbigny, 1842)
- **lajonkairii**, [\*\*\*Lajonkairia lajonkairii\*\*\*](#) (B.C.M. Payraudeau, 1826)
- **lajonkairii fragilis**, *Lajonkairia lajonkairii fragilis* F. Nordsieck, 1969 - syn of: [\*\*\*Lajonkairia lajonkairii\*\*\*](#) (B.C.M. Payraudeau, 1826)
- **lamarckii**, [\*\*\*Meretrix lamarckii\*\*\*](#) G.P. Deshayes, 1853
- **lamarckii**, *Dosinia lamarckii* J.E. Gray, 1838 - syn of: [\*\*\*Antigona lamellaris\*\*\*](#) H.C.F. Schumacher, 1817
- **lamarckii**, *Chione lamarckii* J.E. Gray, 1838 - syn of: [\*\*\*Callista kingii\*\*\*](#) (J.E. Gray in P.P. King, 1827)
- **lambata**, [\*\*\*Dosinia lambata\*\*\*](#) (A.A. Gould, 1850)
- **lamellaris**, [\*\*\*Antigona lamellaris\*\*\*](#) H.C.F. Schumacher, 1817
- **lamellata**, *Venus lamellata* J.B.P.A. Lamarck, 1818 - syn of: [\*\*\*Bassina disjecta\*\*\*](#) (G. Perry, 1811)
- **lamellata**, *Dosinia lamellata* L.A. Reeve, 1850 - syn of: [\*\*\*Dosinia tumida\*\*\*](#) (J.E. Gray, 1838)
- **lamellata**, *Venus lamellata* P.F. Röding, 1798 - syn of: [\*\*\*Placamen lamellatum\*\*\*](#) (P.F. Röding, 1798)
- **lamellatum**, [\*\*\*Placamen lamellatum\*\*\*](#) (P.F. Röding, 1798)
- **lamellatum calophyllum**, [\*\*\*Placamen lamellatum calophyllum\*\*\*](#) R.A. Philippi, 1846
- **lamellifera**, [\*\*\*Irusella lamellifera\*\*\*](#) (T.A. Conrad, 1837)
- **lamellifera**, *Venus lamellifera* T.A. Conrad, 1837 - syn of: [\*\*\*Irusella lamellifera\*\*\*](#) (T.A. Conrad, 1837)
- **lamellifera prelamellifer**, *Irus lamellifera prelamellifer* J. Grant & H.R. Gale, 1931 - syn of: [\*\*\*Irusella lamellifera\*\*\*](#) (T.A. Conrad, 1837)
- **lamellosa**, *Venus lamellosa* G.B. I Sowerby, 1825 - syn of: [\*\*\*Placamen lamellosum\*\*\*](#) (G.B. I Sowerby, 1825)
- **lamellosa**, *Venerupis lamellosa* H.M.D. de Blainville, 1824 - syn of: [\*\*\*Petricola lithophaga\*\*\*](#) (A. Retzius, 1788)
- **lamellosum**, [\*\*\*Placamen lamellosum\*\*\*](#) (G.B. I Sowerby, 1825)
- **laminata**, [\*\*\*Dosinia laminata\*\*\*](#) (L.A. Reeve, 1850)
- **laminata**, *Dosinia laminata* Z. Zhuang, 1964 - syn of: [\*\*\*Dosinia corrugata\*\*\*](#) (L.A. Reeve, 1850)

- **laminosa**, Venus laminosa J.C. Laskey, 1811 - syn of: [\*\*Chamelea striatula\*\*](#) E.M. Da Costa, 1778
- **lamprelli**, [\*\*Lioconcha lamprelli\*\*](#)
- **lamyi**, [\*\*Dosinia lamyi\*\*](#) E. Fischer-Piette & D. Delmas, 1967
- **lamyi**, [\*\*Tivela lamyi\*\*](#) P. Dautzenberg, 1929
- **langfordi**, [\*\*Timoclea langfordi\*\*](#) (J.T. Kuroda, 1945)
- **langfordi**, [\*\*Sunetta langfordi\*\*](#) (T. Habe, 1953)
- **lapicida**, [\*\*Petricola lapicida\*\*](#) (J.F. Gmelin, 1791)
- **lapicida divergens**, [\*\*Petricola lapicida divergens\*\*](#) J.F. Gmelin, 1791
- **laqueata**, [\*\*Antigona laqueata\*\*](#) (G.B. II Sowerby, 1853)
- **largillierti**, [\*\*Venerupis largillierti\*\*](#) (R.A. Philippi, 1847)
- **laterisulca**, Tapes laterisulca G.B. II Sowerby, 1852 - syn of: [\*\*Marcia recens\*\*](#) (H.S. Holton, 1802)
- **laticostata**, [\*\*Tawera laticostata\*\*](#) (N.H. Odhner, 1917)
- **latilirata**, [\*\*Lirophora latilirata\*\*](#) (T.A. Conrad, 1841)
- **latilirata**, Venus latilirata G.B. III Sowerby, 1897 - syn of: [\*\*Comus platyaulax\*\*](#) (J.R. le B. Tomlin, 1924)
- **latilirata**, Venus latilirata T.A. Conrad, 1841 - syn of: [\*\*Lirophora latilirata\*\*](#) (T.A. Conrad, 1841)
- **lavezziarii**, Venus lavezziarii E. Fischer-Piette, 1975 - syn of: [\*\*Venus declivis\*\*](#) G.B. II Sowerby, 1853
- **lavrani**, [\*\*Timoclea arakana lavrani\*\*](#) E. Fischer-Piette, 1974
- **lavrani**, Timoclea lavrani E. Fischer-Piette, 1974 - syn of: [\*\*Timoclea arakana lavrani\*\*](#) E. Fischer-Piette, 1974
- **lawksi**, [\*\*Bassina lawksi\*\*](#) C.A. Fleming, 1971
- **layardi**, [\*\*Timoclea layardi\*\*](#) (L.A. Reeve, 1864)
- **lemanii**, Venus lemanii B.C.M. Payraudeau, 1826 - syn of: [\*\*Venus verrucosa\*\*](#) C. Linnaeus, 1758
- **lenis**, Pitar lenis H.A. Pilsbry & H.N. Lowe, 1932 - syn of: [\*\*Agriopoma mexicanum\*\*](#) (L.G. Hertlein & A.M. Strong, 1948)
- **lenticularis**, [\*\*Eurhomalea lenticularis\*\*](#) (W.J. Broderip & G.B. I Sowerby, 1835)
- **lenticularis**, [\*\*Circe tumefacta lenticularis\*\*](#) G.P. Deshayes, 1853
- **lentiformis**, Circe lentiformis K.H.J. Thiele, 1930 - syn of: [\*\*Redicirce sulcata\*\*](#) (J.E. Gray, 1838)
- **lentiginosa**, [\*\*Meretrix lentiginosa\*\*](#) (J.H. Chemnitz, 1795)
- **lentiginosa**, Tapes lentiginosa L.A. Reeve, 1864 - syn of: [\*\*Protapes gallus lentiginosa\*\*](#) L.A. Reeve, 1864
- **lentiginosa**, [\*\*Protapes gallus lentiginosa\*\*](#) L.A. Reeve, 1864
- **lentiginosa**, [\*\*Circe lentiginosa\*\*](#) O.A.L. Mörch, 1853
- **lepidoglypta**, [\*\*Globivenus lepidoglypta\*\*](#) (W.H. Dall, 1902)
- **lepidulus**, Tapes lepidulus É.A.A. Locard, 1886 - syn of: [\*\*Polititapes rhomboides\*\*](#) (T. Pennant, 1777)
- **leptalea**, Venus leptalea W.H. Dall, 1894 - syn of: [\*\*Anomalocardia puello\*\*](#) (L. Pfeiffer in R.A. Philippi, 1846)
- **leptalea**, Anomalocardia leptalea W.H. Dall, 1894 - syn of: [\*\*Anomalocardia puello\*\*](#) (L. Pfeiffer in R.A. Philippi, 1846)
- **lessonii**, [\*\*Tivela lessonii\*\*](#) (G.P. Deshayes, 1830)
- **leucodon**, Venus leucodon W.J. Broderip & G.B. I Sowerby, 1835 - syn of: [\*\*Chione californiensis\*\*](#) (W.J. Broderip, 1835)
- **levicosta**, Dosinia levicosta E. Fischer-Piette & D. Delmas, 1967 - syn of: [\*\*Dosinia queenslandica\*\*](#) J.M. Healy & K.L. Lamprell, 1992
- **levis**, Pitar levis I.P. Zorina, 1978 - syn of: [\*\*Aphrodora hungerfordi\*\*](#) (G.B. III Sowerby, 1888)
- **levissima**, [\*\*Dosinia levissima\*\*](#) E. Fischer-Piette & D. Delmas, 1967
- **levukensis**, [\*\*Timoclea levukensis\*\*](#) (E.A. Smith, 1885)
- **lewinsohni**, [\*\*Samarangia lewinsohni\*\*](#) H.K. Mienis, 2011
- **ligula**, Venus ligula H.E. Anton, 1838 - syn of: [\*\*Lamelliconcha unicolor\*\*](#) (G.B. I Sowerby, 1835)
- **lilacina**, [\*\*Chionopsis lilacina\*\*](#) (P.P. Carpenter, 1864)
- **lilacina**, [\*\*Callista erycina lilacina\*\*](#) J.B.P.A. Lamarck, 1818
- **lilacina**, Callista lilacina J.B.P.A. Lamarck, 1818 - syn of: [\*\*Callista erycina lilacina\*\*](#) J.B.P.A. Lamarck, 1818
- **lima**, [\*\*Leukoma lima\*\*](#) (G.B. II Sowerby, 1852)
- **lima**, Tapes lima G.B. II Sowerby, 1852 - syn of: [\*\*Leukoma lima\*\*](#) (G.B. II Sowerby, 1852)
- **limatulum**, [\*\*Hyphantosoma limatulum\*\*](#) (G.B. II Sowerby, 1851)
- **limatulum**, Pitar limatulum G.B. II Sowerby, 1851 - syn of: [\*\*Hyphantosoma limatulum\*\*](#) (G.B. II Sowerby, 1851)
- **lincta**, [\*\*Dosinia lupinus lincta\*\*](#) (R. Pulteney, 1799)
- **lincta**, Venus lincta R. Pulteney, 1799 - syn of: [\*\*Dosinia lupinus lincta\*\*](#) (R. Pulteney, 1799)
- **lineata**, [\*\*Tivela lineata\*\*](#) (G.B. II Sowerby, 1851)
- **lineolata**, Dosinia lineolata A. Adams, 1856 - syn of: [\*\*Dosinia fibula\*\*](#) (L.A. Reeve, 1850)
- **lineolata**, Dosinia lineolata A. Risso, 1826 - syn of: [\*\*Loripes lucinalis\*\*](#) (J.B.P.A. Lamarck, 1818)
- **lineolata**, Meretrix lineolata G.B. II Sowerby, 1854 - syn of: [\*\*Pitar lineolatus\*\*](#) (G.B. II Sowerby, 1854)
- **lineolatus**, [\*\*Pitar lineolatus\*\*](#) (G.B. II Sowerby, 1854)
- **linguafelis**, [\*\*Petricola linguafelis\*\*](#) (P.P. Carpenter, 1857)
- **linguafelis**, Rupellaria linguafelis P.P. Carpenter, 1857 - syn of: [\*\*Petricola linguafelis\*\*](#) (P.P. Carpenter, 1857)
- **linguatula**, Petricola linguatula J.B.P.A. Lamarck, 1818 - syn of: [\*\*Hiatella arctica\*\*](#) (C. Linnaeus, 1767)
- **lionota**, [\*\*Timoclea lionota\*\*](#) (E.A. Smith, 1885)
- **lirata**, [\*\*Circe lirata\*\*](#) (A. Römer, 1869)
- **lirata**, [\*\*Paphia lirata\*\*](#) (R.A. Philippi, 1848)
- **lirata**, Dosinia lirata G.B. Sowerby, 1852 - syn of: [\*\*Dosinia histrio\*\*](#) (J.F. Gmelin, 1791)
- **lischkei**, Paphia lischkei E. Fischer-Piette & B. Métivier, 1971 - syn of: [\*\*Paphia euglypta\*\*](#) (R.A. Philippi, 1847)
- **lischkei**, Anomalocardia lischkei R.W. Dunker, 1868 - syn of: [\*\*Anadara trapezia\*\*](#) (G.P. Deshayes, 1839)
- **listeri**, [\*\*Periglypta listeri\*\*](#) (J.E. Gray, 1838)

- **listeri**, Dosinia listeri J.E. Gray, 1838 - syn of: [\*\*Periglypta listeri\*\*](#) (J.E. Gray, 1838)
- **listeri**, Chione listeri J.E. Gray, 1838 - syn of: [\*\*Periglypta listeri\*\*](#) (J.E. Gray, 1838)
- **listeri**, Dosina listeri J.E. Gray, 1838 - syn of: [\*\*Periglypta listeri\*\*](#) (J.E. Gray, 1838)
- **listeroides**, [\*\*Globivenus listeroides\*\*](#) (E. Fischer-Piette & A.M. Testud, 1967)
- **literatus**, [\*\*Tapes literatus\*\*](#) (C. Linnaeus, 1758)
- **literatus guttulatus**, [\*\*Tapes literatus guttulatus\*\*](#) P.F. Röding, 1798
- **lithoida**, Venus lithoida I.H. Jonas, 1844 - syn of: [\*\*Eurhomalea rufa\*\*](#) (J.B.P.A. Lamarck, 1818)
- **lithophaga**, [\*\*Petricola lithophaga\*\*](#) (A. Retzius, 1788)
- **lithophaga**, Venus lithophaga F. Danilo & G.B. Sandri, 1856 - syn of: [\*\*Venerupis corrugata\*\*](#) (J.F. Gmelin, 1791)
- **litterata maculosa**, Venus litterata maculosa K. Schreibers, 1793 - syn of: [\*\*Tapes literatus\*\*](#) (C. Linnaeus, 1758)
- **litterata nebulosa**, Venus litterata nebulosa J.F. Gmelin, 1791 - syn of: [\*\*Tapes literatus\*\*](#) (C. Linnaeus, 1758)
- **litterata punctata**, Venus litterata punctata J.F. Gmelin, 1791 - syn of: [\*\*Tapes literatus\*\*](#) (C. Linnaeus, 1758)
- **litteratus**, Tapes litteratus C. Linnaeus, 1758 - syn of: [\*\*Tapes literatus\*\*](#) (C. Linnaeus, 1758)
- **litturata**, Circe litturata J.E. Gray, 1838 - syn of: [\*\*Circenita varia\*\*](#) (P. Forsskål in C. Niebuhr, 1775)
- **lochi**, [\*\*Dosinia lochi\*\*](#) J.M. Healy & K.L. Lamprell, 1992
- **longilunata**, Dosinia longilunata L.A. Reeve, 1850 - syn of: [\*\*Dosinia angulosa\*\*](#) (R.A. Philippi, 1847)
- **longispina**, Callista longispina O.A.L. Mörch, 1861 - syn of: [\*\*Hysteroconcha multispinosa\*\*](#) (G.B. II Sowerby, 1851)
- **longone**, Venus longone A.G. Olivi, 1792 - syn of: [\*\*Polititapes rhomboides\*\*](#) (T. Pennant, 1777)
- **lordi**, [\*\*Nutricola lordi\*\*](#) (W. Baird, 1863)
- **lorenziana**, Venus lorenziana L.W. Dillwyn, 1817 - syn of: [\*\*Lioconcha castrensis\*\*](#) (C. Linnaeus, 1758)
- **lucasana**, Petricola lucasana L.G. Hertlein & A.M. Strong, 1948 - syn of: [\*\*Petricola insignis\*\*](#) (G.P. Deshayes, 1854)
- **lucasii**, Venus lucasii C. Rousseau in J.B. Hombron & C.H. Jacquinot, 1854 - syn of: [\*\*Bassina yatei\*\*](#) (J.E. Gray, 1835)
- **lucens**, Venerupis lucens É.A.A. Locard, 1886 - syn of: [\*\*Polititapes aureus lucens\*\*](#) É.A.A. Locard, 1886
- **lucens**, [\*\*Polititapes aureus lucens\*\*](#) É.A.A. Locard, 1886
- **lucinalis**, [\*\*Dosinia lucinalis\*\*](#) (J.B.P.A. Lamarck, 1818)
- **lucinalis**, Petricola lucinalis J.B.P.A. Lamarck, 1818 - syn of: [\*\*Petricola lapicida\*\*](#) (J.F. Gmelin, 1791)
- **lucinoides**, Dosinia lucinoides L.A. Reeve, 1850 - syn of: [\*\*Dosinia cretacea\*\*](#) (L.A. Reeve, 1850)
- **luedersii**, [\*\*Dosinia luedersii\*\*](#) A. Römer, 1862
- **lunaris**, Periglypta lunaris J.B.P.A. Lamarck, 1818 - syn of: [\*\*Dosinia lupinus\*\*](#) (C. Linnaeus, 1758)
- **lupanaria**, [\*\*Hysteroconcha lupanaria\*\*](#) (R.P. Lesson, 1831)
- **lupanaria**, Pitar lupanaria R.P. Lesson, 1831 - syn of: [\*\*Hysteroconcha lupanaria\*\*](#) (R.P. Lesson, 1831)
- **lupanaria**, Venus lupanaria R.P. Lesson, 1831 - syn of: [\*\*Hysteroconcha lupanaria\*\*](#) (R.P. Lesson, 1831)
- **lupinaria**, Pitar lupinaria R.P. Lesson, 1830 - syn of: [\*\*Hysteroconcha lupanaria\*\*](#) (R.P. Lesson, 1831)
- **lupinina**, Dosinia lupinina É.A.A. Locard, 1886 - syn of: [\*\*Dosinia lupinus\*\*](#) (C. Linnaeus, 1758)
- **lupinus**, [\*\*Dosinia lupinus\*\*](#) (C. Linnaeus, 1758)
- **lupinus**, Venus lupinus G.B. Brocchi, 1814 - syn of: [\*\*Diplodonta rotundata\*\*](#) (G. Montagu, 1803)
- **lupinus afra**, Dosinia lupinus afra (J.F. Gmelin, 1791) - syn of: [\*\*Dosinia afra\*\*](#) (J.F. Gmelin, 1791)
- **lupinus lincta**, [\*\*Dosinia lupinus lincta\*\*](#) (R. Pulteney, 1799)
- **lupinus orbignyi**, Dosinia lupinus orbignyi R.W. Dunker, 1845 - syn of: [\*\*Dosinia orbignyi\*\*](#) R.W. Dunker, 1845
- **lupinus rufescens**, Dosinia lupinus rufescens M.E.J. Bucquoy, P. Dautzenberg & G.F. Dollfus, 1893 - syn of: [\*\*Dosinia lupinus\*\*](#) (C. Linnaeus, 1758)
- **lusitanica**, Venus lusitanica J.F. Gmelin, 1791 - syn of: [\*\*Chamelea striatula\*\*](#) E.M. Da Costa, 1778
- **lusoria**, [\*\*Meretrix lusoria\*\*](#) (P.F. Röding, 1798)
- **lusoria**, Venus lusoria P.F. Röding, 1798 - syn of: [\*\*Meretrix lusoria\*\*](#) (P.F. Röding, 1798)
- **luzonica**, Tapes luzonica G.B. II Sowerby, 1852 - syn of: [\*\*Marcia hiantina\*\*](#) (J.B.P.A. Lamarck, 1818)
- **lyra**, Petricola lyra J.C. Melvill, 1898 - syn of: [\*\*Eastonia solanderi\*\*](#) (J.E. Gray, 1837)
- **lyra**, [\*\*Venus lyra\*\*](#) S.C.T. Hanley, 1845
- **lyrata**, [\*\*Meretrix lyrata\*\*](#) (G.B. II Sowerby, 1851)
- **mabillei**, Tapes mabillei É.A.A. Locard, 1886 - syn of: [\*\*Polititapes aureus\*\*](#) (J.F. Gmelin, 1791)
- **macaulayi**, [\*\*Lioconcha macaulayi\*\*](#) K.L. Lamprell & J.M. Healy, 2002
- **macclurgi**, Bassinaria macclurgi J. Marwick, 1928 - syn of: [\*\*Bassina yatei\*\*](#) (J.E. Gray, 1835)
- **macilenta**, Artemis macilenta L.A. Reeve, 1850 - syn of: [\*\*Cyclinella subquadrata\*\*](#) (S.C.T. Hanley, 1844)
- **macleayana**, Venus macleayana J.E. Tenison-Woods, 1878 - syn of: [\*\*Austrovenus stutchburyi\*\*](#) (W. Wood, 1828)
- **macrophyllus**, [\*\*Irus macrophyllus\*\*](#) (G.P. Deshayes, 1853)
- **mactracea**, [\*\*Dosina mactracea\*\*](#) (W.J. Broderip, 1835)
- **mactracea**, Venus mactracea W.J. Broderip, 1835 - syn of: [\*\*Dosina mactracea\*\*](#) (W.J. Broderip, 1835)
- **mactroides**, [\*\*Tivela mactroides\*\*](#) (I. von Born, 1778)
- **mactroides**, Venus mactroides I. von Born, 1778 - syn of: [\*\*Tivela mactroides\*\*](#) (I. von Born, 1778)
- **mactroides nasuta**, Tivela mactroides nasuta W.H. Dall, 1902 - syn of: [\*\*Tivela mactroides\*\*](#) (I. von Born, 1778)
- **mactropsis**, [\*\*Panchione mactropsis\*\*](#) (T.A. Conrad, 1865)
- **maculata**, [\*\*Callista maculata\*\*](#) (C. Linnaeus, 1758)
- **maculata**, Venus maculata C. Linnaeus, 1758 - syn of: [\*\*Callista maculata\*\*](#) (C. Linnaeus, 1758)
- **madecassinus**, [\*\*Costellipitar madecassinus\*\*](#) (E. Fischer-Piette & D. Delmas, 1967)
- **madecassinus**, Pitar madecassinus E. Fischer-Piette & D. Delmas, 1967 - syn of: [\*\*Costellipitar madecassinus\*\*](#) (E. Fischer-Piette & D. Delmas, 1967)
- **madreporica**, Claudiconcha madreporica F.P. Jousseaume, 1895 - syn of: [\*\*Asaphinoides madreporicus\*\*](#) (F.P. Jousseaume, 1895)

- madreporica, Petricola madreporica F.P. Jousseaume, 1895 - syn of: [\*\*Asaphinoides madreporicus\*\*](#) (F.P. Jousseaume, 1895)
- madreporicus, [\*\*Asaphinoides madreporicus\*\*](#) (F.P. Jousseaume, 1895)
- **magdalena**, [\*\*Globivenus magdalena\*\*](#) (W.H. Dall, 1902)
- **magnifica**, Periglypta magnifica (G.B. I Sowerby, 1825) - syn of: [\*\*Antigona magnifica\*\*](#) (S.C.T. Hanley, 1845)
- **magnifica**, [\*\*Antigona magnifica\*\*](#) (S.C.T. Hanley, 1845)
- **magnifica**, Venus magnifica G.B. I Sowerby, 1853 - syn of: [\*\*Antigona magnifica\*\*](#) (S.C.T. Hanley, 1845)
- **magnifica**, Meroe magnifica L.A. Reeve, 1864 - syn of: [\*\*Sunetta menstrualis\*\*](#) (K.T. Menke, 1843)
- **malabarica**, Paphia malabarica L.W. Dillwyn, 1817 - syn of: [\*\*Protapes gallus\*\*](#) (J.F. Gmelin, 1791)
- **malabarica**, Tapes malabarica L.W. Dillwyn, 1817 - syn of: [\*\*Protapes gallus\*\*](#) (J.F. Gmelin, 1791)
- **malabarica**, Venus malabarica L.W. Dillwyn, 1817 - syn of: [\*\*Protapes gallus\*\*](#) (J.F. Gmelin, 1791)
- malabarica monstrosa, Tapes malabarica monstrosa A. Römer, 1870 - syn of: [\*\*Protapes monstrosus\*\*](#) (A. Römer, 1870)
- malecocta, [\*\*Dosinia malecocta\*\*](#) E. Fischer-Piette & D. Delmas, 1967
- malonei, Anomalocardia malonei E. Fischer-Piette, 1968 - syn of: [\*\*Timoclea peresi\*\*](#) E. Fischer-Piette & D. Vukadinovic, 1977
- **malonei**, Venus malonei E.G. Vanatta, 1901 - syn of: [\*\*Timoclea arakana\*\*](#) (G. Nevill & H. Nevill, 1871)
- malzinii, Dosinia malzinii E. Fischer-Piette & D. Delmas, 1967 - syn of: [\*\*Dosinia turgida\*\*](#) (L.A. Reeve, 1850)
- manhattensis, Venus manhattensis T. Prime, 1862 - syn of: [\*\*Gemma gemma\*\*](#) (J.G. Totten, 1834)
- manillae, [\*\*Costellipitar manillae\*\*](#) (G.B. II Sowerby, 1851)
- manillae, Pitar manillae G.B. II Sowerby, 1851 - syn of: [\*\*Costellipitar manillae\*\*](#) (G.B. II Sowerby, 1851)
- manillae, Pitar manillae K.H. Barnard, 1964 - syn of: [\*\*Costellipitar madecassinus\*\*](#) (E. Fischer-Piette & D. Delmas, 1967)
- maoriana, [\*\*Dosinia maoriana\*\*](#) W.R.B. Oliver, 1923
- maorum, Gomphina maorum E. Fischer-Piette & B. Métivier, 1971 - syn of: [\*\*Gomphina moerchi\*\*](#) (G.F. Angas, 1872)
- maorum, [\*\*Gomphina maorum\*\*](#) E.A. Smith, 1902
- marchali, [\*\*Mysia marchali\*\*](#) R. von Cosel, 1995
- mariae, [\*\*Lirophora mariae\*\*](#) (D'Orbigny, 1846)
- mariae, Venus mariae D'Orbigny, 1846 - syn of: [\*\*Lirophora mariae\*\*](#) (D'Orbigny, 1846)
- marica, [\*\*Timoclea marica\*\*](#) (C. Linnaeus, 1758)
- marionae, [\*\*Tawera marionae\*\*](#) H.J. Finlay, 1928
- marmorata, [\*\*Marcia recens marmorata\*\*](#) (J.B.P.A. Lamarck, 1818)
- marmorata, Marcia marmorata J.B.P.A. Lamarck, 1818 - syn of: [\*\*Marcia recens marmorata\*\*](#) (J.B.P.A. Lamarck, 1818)
- marmorata, Paphia marmorata J.B.P.A. Lamarck, 1818 - syn of: [\*\*Marcia recens\*\*](#) (H.S. Holton, 1802)
- marmorata, Katelysia marmorata J.B.P.A. Lamarck, 1818 - syn of: [\*\*Marcia recens\*\*](#) (H.S. Holton, 1802)
- marmorata, Circe marmorata L.A. Reeve, 1863 - syn of: [\*\*Gafrarium divaricatum\*\*](#) (J.F. Gmelin, 1791)
- marrowae, Pitar marrowae J.M. Healy & K.L. Lamprell, 1992 - syn of: [\*\*Pitar laetus\*\*](#) G.S. Poli, 1791
- materna, [\*\*Proxichione materna\*\*](#) T. Iredale, 1929
- mawsoni, [\*\*Tawera mawsoni\*\*](#) (C. Hedley, 1916)
- maxima, Venus maxima H.E. Anton in R.A. Philippi, 1846 - syn of: [\*\*Saxidomus gigantea\*\*](#) (G.P. Deshayes, 1839)
- mazyckii, [\*\*Chione mazyckii\*\*](#) W.H. Dall, 1902
- mcclellandi, Clementia mcclellandi J.R. le B. Tomlin, 1921 - syn of: [\*\*Clementia papyracea\*\*](#) (J.F. Gmelin, 1791)
- mcgintyi, [\*\*Leukoma metodon mcgintyi\*\*](#) (A.A. Olsson, 1961)
- medipictus, [\*\*Pitar medipictus\*\*](#) K.L. Lamprell & R.N. Kilburn, 1999
- mediterranea, Venus mediterranea N. Tiberi, 1855 - syn of: [\*\*Pitar mediterraneus\*\*](#) (A. Aradas & L. Benoit, 1872)
- mediterranea, Meretrix mediterranea P. Dautzenberg, 1891 - syn of: [\*\*Pitar mediterraneus\*\*](#) (A. Aradas & L. Benoit, 1872)
- mediterraneum, [\*\*Pitar rudis mediterraneum\*\*](#) N. Tiberi, 1885
- mediterraneus, [\*\*Pitar mediterraneus\*\*](#) (A. Aradas & L. Benoit, 1872)
- melanaegis, [\*\*Macridiscus melanaegis\*\*](#) (A. Römer, 1861)
- melanaegis, Venus melanaegis A. Römer, 1861 - syn of: [\*\*Macridiscus melanaegis\*\*](#) (A. Römer, 1861)
- melanegis, Gomphina melanegis A. Römer, 1861 - syn of: [\*\*Macridiscus melanaegis\*\*](#) (A. Römer, 1861)
- meleagrina, Venus meleagrina J.B.G.M. Bory De Saint-Vincent, 1827 - syn of: [\*\*Lirophora paphia\*\*](#) (C. Linnaeus, 1767)
- melharteae, [\*\*Lioconcha melharteae\*\*](#) K.L. Lamprell & J. Stanisic, 1996
- melvilli, [\*\*Dorisca melvilli\*\*](#) (H. Lyng, 1909)
- membranula, Murcia membranula A. Römer, 1861 - syn of: [\*\*Anomalocardia puella\*\*](#) (L. Pfeiffer in R.A. Philippi, 1846)
- membranula, Anomalocardia membranula A. Römer, 1861 - syn of: [\*\*Anomalocardia puella\*\*](#) (L. Pfeiffer in R.A. Philippi, 1846)
- menkei, [\*\*Gafrarium menkei\*\*](#) (I.H. Jonas, 1846)
- menstrualis, [\*\*Sunetta menstrualis\*\*](#) (K.T. Menke, 1843)
- menstrualis, Sunetta menstrualis L.A. Reeve, 1864 - syn of: [\*\*Sunetta sunettina\*\*](#) (F.P. Jousseaume, 1891)
- menstrualis, Meroe menstrualis L.A. Reeve, 1864 - syn of: [\*\*Sunetta sunettina\*\*](#) (F.P. Jousseaume, 1891)
- mercenaria, [\*\*Mercenaria mercenaria\*\*](#) (C. Linnaeus, 1758)
- mercenaria alba, Venus mercenaria alba W.H. Dall, 1902 - syn of: [\*\*Mercenaria mercenaria\*\*](#) (C. Linnaeus, 1758)
- mercenaria antiqua, Venus mercenaria antiqua A.E. Verrill, 1875 - syn of: [\*\*Mercenaria mercenaria\*\*](#) (C. Linnaeus, 1758)
- mercenaria notata, [\*\*Mercenaria mercenaria notata\*\*](#) T. Say, 1822
- mercenaria radiata, Venus mercenaria radiata W.H. Dall, 1902 - syn of: [\*\*Mercenaria mercenaria\*\*](#) (C. Linnaeus, 1758)
- mercenaria subradiata, Venus mercenaria subradiata K.V.W. Palmer, 1927 - syn of: [\*\*Mercenaria mercenaria\*\*](#) (C. Linnaeus, 1758)
- merdigera, [\*\*Gemma merdigera\*\*](#) (L. Pfeiffer, 1855)
- meretrix, [\*\*Meretrix meretrix\*\*](#) (C. Linnaeus, 1758)
- meretrix aurora, Meretrix meretrix aurora J. Hornell, 1917 - syn of: [\*\*Meretrix aurora\*\*](#) J. Hornell, 1917

- *meretrix bourdasi*, *Meretrix meretrix bourdasi* E. Fischer-Piette & H. Fischer, 1941 - syn of: [\*\*\*Meretrix attenuata\*\*\*](#) R.W. Dunker, 1863
- *meretrix reevei*, *Meretrix meretrix reevei* E. Fischer-Piette & H. Fischer, 1941 - syn of: [\*\*\*Meretrix lamarckii\*\*\*](#) G.P. Deshayes, 1853
- *meridionalis*, *Chione meridionalis* I.M. Oldroyd, 1921 - syn of: [\*\*\*Chione compta\*\*\*](#) (W.J. Broderip, 1835)
- *meroaeformis*, *Tapes meroaeformis* G.B. II Sowerby, 1853 - syn of: [\*\*\*Paphia crassisulca\*\*\*](#) (J.B.P.A. Lamarck, 1818)
- *meroe*, [\*\*\*Sunetta meroe\*\*\*](#) (C. Linnaeus, 1758)
- *meroe*, *Venus meroe* C. Linnaeus, 1758 - syn of: [\*\*\*Sunetta meroe\*\*\*](#) (C. Linnaeus, 1758)
- *mesodesma*, *Venus mesodesma* E.A. Smith, 1885 - syn of: [\*\*\*Tawera philomela\*\*\*](#) (E.A. Smith, 1885)
- *mesodesma*, *Venus mesodesma* J.R.C. Quoy & J.P. Gaimard, 1835 - syn of: [\*\*\*Tawera spissa\*\*\*](#) (G.P. Deshayes, 1835)
- *metcalfei*, *Circe metcalfei* G.P. Deshayes, 1854 - syn of: [\*\*\*Redicirce sulcata\*\*\*](#) (J.E. Gray, 1838)
- *metodon*, [\*\*\*Leukoma metodon\*\*\*](#) (H.A. Pilsbry & H.N. Lowe, 1932)
- *metodon mcgintyi*, [\*\*\*Leukoma metodon mcgintyi\*\*\*](#) (A.A. Olson, 1961)
- *mexicanum*, [\*\*\*Agriopoma mexicanum\*\*\*](#) (L.G. Hertlein & A.M. Strong, 1948)
- *mexicanus*, *Pitar mexicanus* L.G. Hertlein & A.M. Strong, 1948 - syn of: [\*\*\*Agriopoma catharium\*\*\*](#) (W.H. Dall, 1902)
- *micra*, *Veremolpa micra* H.A. Pilsbry, 1904 - syn of: [\*\*\*Timoclea scabra\*\*\*](#) (S.C.T. Hanley, 1845)
- *micronodulosa*, *Gouldia micronodulosa* Z. Zhuang, 1964 - syn of: [\*\*\*Dorisca jucunda\*\*\*](#) (E.A. Smith, 1885)
- *miliaris*, *Venus miliaris* R.A. Philippi, 1844 - syn of: [\*\*\*Kelliella miliaris\*\*\*](#) (R.A. Philippi, 1844)
- *mindanensis*, [\*\*\*Timoclea mindanensis\*\*\*](#) (E.A. Smith, 1885)
- *mindorensis*, [\*\*\*Globivenus mindorensis\*\*\*](#) (E.A. Smith, 1916)
- *minima*, [\*\*\*Gouldia minima\*\*\*](#) (G. Montagu, 1803)
- *minima citrina*, *Gouldia minima citrina* M.E.J. Bucquoy, P. Dautzenberg & G.F. Dollfus, 1893 - syn of: [\*\*\*Gouldia minima\*\*\*](#) (G. Montagu, 1803)
- *minima minor*, *Circe minima minor* A. Marion, 1883 - syn of: [\*\*\*Gouldia minima\*\*\*](#) (G. Montagu, 1803)
- *minima mirabilis*, *Gouldia minima mirabilis* M.E.J. Bucquoy, P. Dautzenberg & G.F. Dollfus, 1893 - syn of: [\*\*\*Gouldia minima\*\*\*](#) (G. Montagu, 1803)
- *minima penicillata*, *Gouldia minima penicillata* M.E.J. Bucquoy, P. Dautzenberg & G.F. Dollfus, 1893 - syn of: [\*\*\*Gouldia minima\*\*\*](#) (G. Montagu, 1803)
- *minima rubicunda*, *Gouldia minima rubicunda* M.E.J. Bucquoy, P. Dautzenberg & G.F. Dollfus, 1893 - syn of: [\*\*\*Gouldia minima\*\*\*](#) (G. Montagu, 1803)
- *minima triangularis*, *Gouldia minima triangularis* G.P. Moazzo, 1939 - syn of: [\*\*\*Gouidiopa consternans\*\*\*](#) (P.G. Oliver & M. Zuschin, 2001)
- *minimum*, *Gastrarium minimum* G. Montagu, 1803 - syn of: [\*\*\*Gouldia minima\*\*\*](#) (G. Montagu, 1803)
- *minor*, [\*\*\*Dosinia minor\*\*\*](#) G.P. Deshayes in L. Maillard, 1863
- *minor*, [\*\*\*Chione minor\*\*\*](#) G.W. Nowell-Usticke, 1969
- *minuta*, [\*\*\*Turtonia minuta\*\*\*](#) (O. Fabricius, 1780)
- *minuta*, [\*\*\*Veremolpa minuta\*\*\*](#) M. Yokoyama, 1922
- *minuta*, *Periglypta minuta* T. Brown, 1827 - syn of: [\*\*\*Gouldia minima\*\*\*](#) (G. Montagu, 1803)
- *minutus*, [\*\*\*Costellipitar minutus\*\*\*](#) (F.C.L. Koch in R.A. Philippi, 1845)
- *mira*, [\*\*\*Dosinia mira\*\*\*](#) E.A. Smith, 1885
- *mirabilis*, *Petricola mirabilis* G.P. Deshayes, 1853 - syn of: [\*\*\*Petricola carditoides\*\*\*](#) (T.A. Conrad, 1837)
- *mistura*, *Redicirce mistura* T. Iredale, 1936 - syn of: [\*\*\*Redicirce sulcata\*\*\*](#) (J.E. Gray, 1838)
- *miticula*, *Dosinia miticula* J.M.R.M. Viader, 1951 - syn of: [\*\*\*Dosinia amphidesmoides\*\*\*](#) (L.A. Reeve, 1850)
- *mitis*, [\*\*\*Irus mitis\*\*\*](#) (G.P. Deshayes, 1854)
- *mitis*, *Venerupis mitis* G.P. Deshayes, 1854 - syn of: [\*\*\*Irus mitis\*\*\*](#) (G.P. Deshayes, 1854)
- *modesta*, [\*\*\*Transennella modesta\*\*\*](#) (W.J. Broderip & G.B. II Sowerby, 1835)
- *modesta*, *Gouldia modesta* H. Adams, 1869 - syn of: [\*\*\*Salaputium modestum\*\*\*](#) (H. Adams, 1869)
- *modesta*, *Dosinia modesta* L.A. Reeve, 1850 - syn of: [\*\*\*Dosinia lupinus\*\*\*](#) (C. Linnaeus, 1758)
- *modesta*, *Cytherea modesta* R.A. Philippi, 1845 - syn of: [\*\*\*Pitar inflatus\*\*\*](#) (G.B. II Sowerby, 1851)
- *moerchi*, [\*\*\*Gomphina moerchi\*\*\*](#) (G.F. Angas, 1872)
- *mohriana*, [\*\*\*Gemma mohriana\*\*\*](#) L. Pfeiffer, 1861
- *monilifera*, *Venus monilifera* G.B. II Sowerby, 1853 - syn of: [\*\*\*Periglypta corbis\*\*\*](#) (J.B.P.A. Lamarck, 1818)
- *monstrosa*, [\*\*\*Petricola monstrosa\*\*\*](#) (J.F. Gmelin, 1791)
- *monstrosus*, [\*\*\*Protapes monstrosus\*\*\*](#) (A. Römer, 1870)
- *montacuti*, *Venus montacuti* W. Turton, 1819 - syn of: [\*\*\*Astarte montagui\*\*\*](#) (L.W. Dillwyn, 1817)
- *montagui*, *Venus montagui* L.W. Dillwyn, 1817 - syn of: [\*\*\*Astarte montagui\*\*\*](#) (L.W. Dillwyn, 1817)
- *montezuma*, *Puberella montezuma* H.A. Pilsbry & H.N. Lowe, 1932 - syn of: [\*\*\*Chionopsis pulicaria\*\*\*](#) (W.J. Broderip, 1835)
- *morchi*, *Dosinia morchi* A. Römer, 1862 - syn of: [\*\*\*Dosinia alta\*\*\*](#) (R.W. Dunker, 1849)
- *moretonensis*, *Clementia moretonensis* G.P. Deshayes, 1854 - syn of: [\*\*\*Clementia papyracea\*\*\*](#) (J.F. Gmelin, 1791)
- *morphina*, [\*\*\*Meretrix morphina\*\*\*](#) (J.B.P.A. Lamarck, 1818)
- *morphina*, *Periglypta morphina* G.B. Sowerby, 1851 - syn of: [\*\*\*Meretrix lamarckii\*\*\*](#) G.P. Deshayes, 1853
- *morrhuana*, *Callocardia morrhuana* W.H. Dall, 1902 - syn of: [\*\*\*Agriopoma morrhuanum\*\*\*](#) (W.H. Dall, 1902)
- *morrhuanum*, [\*\*\*Agriopoma morrhuanum\*\*\*](#) (W.H. Dall, 1902)
- *morrhuanus*, [\*\*\*Pitar morrhuanus\*\*\*](#) (W.H. Dall, 1902)
- *mortoni*, *Venus mortoni* T.A. Conrad, 1837 - syn of: [\*\*\*Mercenaria campechiensis\*\*\*](#) (J.F. Gmelin, 1791)
- *motsei*, [\*\*\*Protapes motsei\*\*\*](#) J. Chen, S.P. Zhang & L.F. Kong, 2014
- *mulawana*, [\*\*\*Tivela mulawana\*\*\*](#) H.E.J. Biggs, 1969
- *multicostata*, [\*\*\*Periglypta multicostata\*\*\*](#) (G.B. II Sowerby, 1835)
- *multicostata*, *Venerupis multicostata* G.B. II Sowerby, 1835 - syn of: [\*\*\*Periglypta multicostata\*\*\*](#) (G.B. II Sowerby, 1835)
- *multicostata*, *Venerupis multicostata* W.H. Turton, 1932 - syn of: [\*\*\*Irus irus\*\*\*](#) (C. Linnaeus, 1758)
- *multifarius*, [\*\*\*Macridiscus multifarius\*\*\*](#) Kong, A. Matsukuma & K.A. Lutaenko, 2012
- *multilamellata*, *Bassina multilamellata* T. Kotaka, 1977 - syn of: [\*\*\*Placamen isabellina\*\*\*](#) (R.A. Philippi, 1849)

- **multiradiata**, [\*\*\*Callista multiradiata\*\*\*](#) (G.B. II Sowerby, 1851)
- **multiradiata**, Venus multiradiata K.T. Menke, 1829 - syn of: [\*\*\*Macrocallista nimbosa\*\*\*](#) (J. Lightfoot, 1786)
- **multispinosa**, [\*\*\*Hysteroconcha multispinosa\*\*\*](#) (G.B. II Sowerby, 1851)
- **multispinosa**, Periglypta multispinosa G.B. II Sowerby, 1851 - syn of: [\*\*\*Hysteroconcha multispinosa\*\*\*](#) (G.B. II Sowerby, 1851)
- **multistriata**, [\*\*\*Notocallista multistriata\*\*\*](#) (G.B. II Sowerby, 1851)
- **multistriata**, Callista multistriata (G.B. II Sowerby, 1851) - Syn of: [\*\*\*Notocallista multistriata\*\*\*](#) (G.B. II Sowerby, 1851)
- **multistriata**, Striacallista multistriata G.B. II Sowerby, 1851 - syn of: [\*\*\*Notocallista multistriata\*\*\*](#) (G.B. II Sowerby, 1851)
- **multistriata**, Cytheraea multistriata G.B. II Sowerby, 1851 - syn of: [\*\*\*Notocallista multistriata\*\*\*](#) (G.B. II Sowerby, 1851)
- **mundulus**, Venus mundulus L.A. Reeve, 1863 - syn of: [\*\*\*Leukoma staminea\*\*\*](#) (T.A. Conrad, 1837)
- **mundus**, [\*\*\*Pitar mundus\*\*\*](#) (A. Römer, 1861)
- **muscaria**, Venus muscaria L.A. Reeve, 1863 - syn of: [\*\*\*Leukoma asperrima\*\*\*](#) (G.B. I Sowerby, 1835)
- **myrrha**, Venus myrrha ♀. Brusina, 1870 - syn of: [\*\*\*Timoclea ovata\*\*\*](#) (T. Pennant, 1777)
- **myrrhae**, Venus myrrhae ♀. Brusina, 1870 - syn of: [\*\*\*Timoclea ovata\*\*\*](#) (T. Pennant, 1777)
- **nana**, [\*\*\*Pelecyora nana\*\*\*](#) (L.A. Reeve, 1850)
- **nana**, [\*\*\*Dorisca amica nana\*\*\*](#) J.C. Melvill, 1898
- **nancyae**, [\*\*\*Hyphantosoma nancyae\*\*\*](#) (K.L. Lamprell & T. Whitehead, 1990)
- **nancyae**, Pitar nancyae K.L. Lamprell & T. Whitehead, 1990 - syn of: [\*\*\*Hyphantosoma nancyae\*\*\*](#) (K.L. Lamprell & T. Whitehead, 1990)
- **nasuta**, Tapes nasuta G.S. Coen, 1914 - syn of: [\*\*\*Polititapes aureus\*\*\*](#) (J.F. Gmelin, 1791)
- **natalensis**, [\*\*\*Tivela natalensis\*\*\*](#) R.W. Dunker, 1858
- **neastartoides**, [\*\*\*Gomphina neastartoides\*\*\*](#) (M. Yokoyama, 1922)
- **neastartoides**, Venus neastartoides M. Yokoyama, 1922 - syn of: [\*\*\*Gomphina neastartoides\*\*\*](#) (M. Yokoyama, 1922)
- **nebulosa**, Venus nebulosa J.F. Gmelin, 1791 - syn of: [\*\*\*Marcia opima\*\*\*](#) (J.F. Gmelin, 1791)
- **nedigna**, [\*\*\*Dosinia nedigna\*\*\*](#) (T. Iredale, 1930)
- **neglecta**, [\*\*\*Chione undatella neglecta\*\*\*](#) (G.B. I Sowerby, 1835)
- **neglecta**, Venus neglecta G.B. I Sowerby, 1835 - syn of: [\*\*\*Chione undatella neglecta\*\*\*](#) (G.B. I Sowerby, 1835)
- **neglecta**, Venus neglecta R.A. Philippi, 1844 - syn of: [\*\*\*Leukoma grata\*\*\*](#) (T. Say, 1831)
- **neroni**, [\*\*\*Katelysia neroni\*\*\*](#) J.B.P.A. Lamarck, 1818
- **nesiotica**, [\*\*\*Anomalocardia nesiatica\*\*\*](#) H.A. Plsby, 1930
- **newcombianus**, [\*\*\*Pitar newcombianus\*\*\*](#) (W.M. Gabb, 1865)
- **nimbosa**, [\*\*\*Macrocallista nimbosa\*\*\*](#) (J. Lightfoot, 1786)
- **nimbosa**, Venus nimbosa J. Lightfoot, 1786 - syn of: [\*\*\*Macrocallista nimbosa\*\*\*](#) (J. Lightfoot, 1786)
- **nioba**, Macrocallista nioba W.J. Clench & R.A. McLean, 1936 - syn of: [\*\*\*Callista erycinella\*\*\*](#) (J.B.P.A. Lamarck, 1818)
- **nipponica**, [\*\*\*Aphrodora nipponica\*\*\*](#)
- **nipponica**, [\*\*\*Veneriglossa nipponica\*\*\*](#) (T.A. Okutani, 1972)
- **nipponica**, [\*\*\*Dosinia nipponica\*\*\*](#) (T.A. Okutani, M. Tagawa & H. Horikawa, 1989)
- **nipponicum**, Pitar nipponicum J.T. Kuroda & T. Habe, 1971 - syn of: [\*\*\*Aphrodora nipponica\*\*\*](#)
- **nitens**, Venus nitens A. Scacchi & R.A. Philippi in R.A. Philippi, 1844 - syn of: [\*\*\*Polititapes aureus\*\*\*](#) (J.F. Gmelin, 1791)
- **nitens**, Artemis nitens L.A. Reeve, 1850 - syn of: [\*\*\*Dosinia concentrica\*\*\*](#) (I. von Born, 1778)
- **nitens**, Venus nitens W. Turton, 1819 - syn of: [\*\*\*Polititapes aureus\*\*\*](#) (J.F. Gmelin, 1791)
- **nitida**, Turtonia nitida A.E. Verrill, 1872 - syn of: [\*\*\*Turtonia minuta\*\*\*](#) (O. Fabricius, 1780)
- **nitida**, Venus nitida J.R.C. Quoy & J.P. Gaimard, 1835 - syn of: [\*\*\*Eumarcia fumigata\*\*\*](#) (G.B. II Sowerby, 1853)
- **nitidissima**, Dosinia nitidissima A. Riso, 1826 - syn of: [\*\*\*Dosinia lupinus\*\*\*](#) (C. Linnaeus, 1758)
- **nitidosus**, Tapes nitidosus É.A.A. Locard, 1886 - syn of: [\*\*\*Polititapes aureus\*\*\*](#) (J.F. Gmelin, 1791)
- **nitidulum**, [\*\*\*Pitar rudis nitidulum\*\*\*](#) J.B.P.A. Lamarck, 1818
- **nivea**, Venus nivea J.F. Gmelin, 1791 - syn of: [\*\*\*Leptospisula nivea\*\*\*](#) (J.F. Gmelin, 1791)
- **nivea**, [\*\*\*Callista umbonella nivea\*\*\*](#) S.C.T. Hanley, 1843
- **nobilis**, [\*\*\*Pitar nobilis\*\*\*](#) (L.A. Reeve, 1849)
- **nobilis**, Dosinia nobilis G.P. Deshayes, 1853 - syn of: [\*\*\*Dosinia incisa\*\*\*](#) (L.A. Reeve, 1850)
- **nobilis**, Periglypta nobilis L.A. Reeve, 1850 - syn of: [\*\*\*Amiantis callosa\*\*\*](#) (T.A. Conrad, 1837)
- **nocturna**, Paphia nocturna P.F. Röding, 1798 - syn of: [\*\*\*Tapes literatus\*\*\*](#) (C. Linnaeus, 1758)
- **nodosa**, Venus nodosa R.W. Dunker, 1853 - syn of: [\*\*\*Venus verrucosa\*\*\*](#) C. Linnaeus, 1758
- **nodulosa**, Venus nodulosa G.B. II Sowerby, 1853 - syn of: [\*\*\*Antigona lamellaris\*\*\*](#) H.C.F. Schumacher, 1817
- **noguchii**, [\*\*\*Aphrodora noguchii\*\*\*](#) (T. Habe, 1958)
- **notata**, [\*\*\*Mercenaria mercenaria notata\*\*\*](#) T. Say, 1822
- **nuciformis**, Venus nuciformis É.A.A. Locard, 1886 - syn of: [\*\*\*Venus nux\*\*\*](#) J.F. Gmelin, 1791
- **nucleiformis**, Mysia nucleiformis W. Wagner, 1840 - syn of: [\*\*\*Diplodonta nucleiformis\*\*\*](#) (W. Wagner, 1840)
- **nucleus**, Venus nucleus A. Statuti, 1880 - syn of: [\*\*\*Chamelea gallina\*\*\*](#) (C. Linnaeus, 1758)
- **nucleus**, Venerupis nucleus J.B.P.A. Lamarck, 1819 - syn of: [\*\*\*Venerupis corrugata\*\*\*](#) (J.F. Gmelin, 1791)
- **nuculata**, Venus nuculata É.A.A. Locard, 1892 - syn of: [\*\*\*Chamelea gallina\*\*\*](#) (C. Linnaeus, 1758)
- **nuculoides**, Dosinia nuculoides A. Römer, 1870 - syn of: [\*\*\*Pelecyora jukesbrowniana\*\*\*](#) (H.B. Preston, 1915)
- **nuculoides**, Tapes nuculoides G.S. Coen, 1914 - syn of: [\*\*\*Polititapes aureus\*\*\*](#) (J.F. Gmelin, 1791)
- **nummulina**, Circe nummulina J.B.P.A. Lamarck, 1818 - syn of: [\*\*\*Gafrarium numulinum\*\*\*](#) (J.B.P.A. Lamarck, 1818)
- **numulinum**, [\*\*\*Gafrarium numulinum\*\*\*](#) (J.B.P.A. Lamarck, 1818)
- **nuttalli**, Venus nuttalli T.A. Conrad, 1837 - syn of: [\*\*\*Chione californiensis\*\*\*](#) (W.J. Broderip, 1835)
- **nuttalli**, [\*\*\*Saxidomus nuttalli\*\*\*](#) T.A. Conrad, 1837

- **nuttalli latus**, *Saxidomus nuttalli latus* C.C. Stewart in W.P. Woodring & al., 1941 - syn of: [\*\*\*Saxidomus nuttalli\*\*\*](#) T.A. Conrad, 1837
- **nuttalli purpuratus**, *Saxidomus nuttalli purpuratus* G.B. II Sowerby, 1852 - syn of: [\*\*\*Saxidomus purpurata\*\*\*](#) (G.B. II Sowerby, 1852)
- **nux**, [\*\*\*Venus nux\*\*\*](#) J.F. Gmelin, 1791
- **obesa**, *Venerupis obesa* G.P. Deshayes, 1854 - syn of: [\*\*\*Irus cumingii\*\*\*](#) (G.P. Deshayes, 1854)
- **obliqua**, *Clementia obliqua* A.J. Jukes-Browne, 1913 - syn of: [\*\*\*Compsomyax subdiaphana\*\*\*](#) (P.P. Carpenter, 1864)
- **obliqua**, *Venus obliqua* H.E. Anton, 1837 - syn of: [\*\*\*Mercenaria mercenaria\*\*\*](#) (C. Linnaeus, 1758)
- **obliquata**, *Dosinia obliquata* A. Römer, 1862 - syn of: [\*\*\*Dosinia orbignyi\*\*\*](#) R.W. Dunker, 1845
- **obliquata**, *Pitar obliquata* P.G. Oliver & al., 2004 - syn of: [\*\*\*Pitar affinis\*\*\*](#) (J.F. Gmelin, 1791)
- **obliquatus**, [\*\*\*Pitar obliquatus\*\*\*](#) (S.C.T. Hanley, 1844)
- **obliquissimum**, [\*\*\*Gafrarium obliquissimum\*\*\*](#) (E.A. Smith, 1885)
- **obliterata**, [\*\*\*Lirophora oblitterata\*\*\*](#) (W.H. Dall, 1902)
- **oblitterata**, *Sunetta oblitterata* J.H.F. Link, 1807 - syn of: [\*\*\*Circe scripta\*\*\*](#) (C. Linnaeus, 1758)
- **oblonga**, *Petricola oblonga* G.B. I Sowerby, 1834 - syn of: [\*\*\*Paphonotia elliptica\*\*\*](#) (G.B. I Sowerby, 1834)
- **oblonga**, *Circe oblonga* G.P. Deshayes, 1853 - syn of: [\*\*\*Circe scripta\*\*\*](#) (C. Linnaeus, 1758)
- **oblonga**, *Dosinia oblonga* J.E. Gray in J.K.E. Dieffenbach, 1843 - syn of: [\*\*\*Dosina mactracea\*\*\*](#) (W.J. Broderip, 1835)
- **oblonga**, *Dosina oblonga* J.E. Gray, 1843 - syn of: [\*\*\*Dosina mactacea\*\*\*](#) (W.J. Broderip, 1835)
- **obscura**, *Venus obscura* J.F. Gmelin, 1791 - syn of: [\*\*\*Venerupis decussata\*\*\*](#) (C. Linnaeus, 1758)
- **obscurata**, *Tapes obscurata* G.P. Deshayes, 1853 - syn of: [\*\*\*Tapes belcheri\*\*\*](#) G.B. II Sowerby, 1852
- **obsoleta**, *Venus obsoleta* L.W. Dillwyn, 1817 - syn of: [\*\*\*Venerupis corrugata\*\*\*](#) (J.F. Gmelin, 1791)
- **obtusa**, *Mercenaria obtusa* T.A. Conrad, 1866 - syn of: [\*\*\*Mercenaria campechiensis\*\*\*](#) (J.F. Gmelin, 1791)
- **occidentalis**, *Tapes occidentalis* L.A. Reeve, 1864 - syn of: [\*\*\*Marcia recens\*\*\*](#) (H.S. Holton, 1802)
- **occidentalis**, *Turtonia occidentalis* W.H. Dall, 1871 - syn of: [\*\*\*Turtonia minuta\*\*\*](#) (O. Fabricius, 1780)
- **occulta**, *Dosinia occulta* E. Fischer-Piette & D. Delmas, 1967 - syn of: [\*\*\*Dosinia hepatica\*\*\*](#) (J.B.P.A. Lamarck, 1818)
- **ochroleuca**, *Petricola ochroleuca* J.B.P.A. Lamarck, 1818 - syn of: [\*\*\*Gastrana fragilis\*\*\*](#) (C. Linnaeus, 1758)
- **ochropicta**, *Venus ochropicta* I. Krynicki, 1837 - syn of: [\*\*\*Pitar rudis\*\*\*](#) (G.S. Poli, 1795)
- **oenea**, [\*\*\*Politapes aureus oenea\*\*\*](#) W. Turton, 1819
- **olssoni**, *Chionopsis olssoni* E. Fischer-Piette, 1969 - syn of: [\*\*\*Chionopsis lilacina\*\*\*](#) (P.P. Carpenter, 1864)
- **olssoni**, [\*\*\*Petricola olssoni\*\*\*](#) F.R. Bernard, 1983
- **omissa**, [\*\*\*Pitar omissa\*\*\*](#) (H.A. Pilsbry & H.N. Lowe, 1932)
- **omissa**, *Transennella omissa* (H.A. Pilsbry & H.N. Lowe, 1932) - syn of: [\*\*\*Pitar omissa\*\*\*](#) (H.A. Pilsbry & H.N. Lowe, 1932)
- **opaca**, *Venus opaca* W.J. Broderip & G.B. I Sowerby, 1835 - syn of: [\*\*\*Eurhomalea rufa\*\*\*](#) (J.B.P.A. Lamarck, 1818)
- **opima**, [\*\*\*Marcia opima\*\*\*](#) (J.F. Gmelin, 1791)
- **opima**, *Venus opima* J.F. Gmelin, 1791 - syn of: [\*\*\*Marcia opima\*\*\*](#) (J.F. Gmelin, 1791)
- **orbica**, *Circe orbica* L.A. Reeve, 1863 - syn of: [\*\*\*Circe tumefacta\*\*\*](#) G.B. II Sowerby, 1851
- **orbicularis**, *Venus orbicularis* auct. non C. Linnaeus, 1758 - syn of: [\*\*\*Codakia distinguenda\*\*\*](#) (G.W. Tryon, 1872)
- **orbicularis**, *Venus orbicularis* C. Linnaeus, 1758 - syn of: [\*\*\*Codakia orbicularis\*\*\*](#) (C. Linnaeus, 1758)
- **orbiculata**, *Venus orbiculata* G. Montagu, 1808 - syn of: [\*\*\*Ctena orbiculata\*\*\*](#) (G. Montagu, 1808)
- **orbiculata**, [\*\*\*Dosinia orbiculata\*\*\*](#) R.W. Dunker, 1877
- **orbiculata**, *Dosinia orbiculata* T. Brown, 1827 - syn of: [\*\*\*Dosinia exoleta\*\*\*](#) (C. Linnaeus, 1758)
- **orbignyi**, [\*\*\*Dosinia orbignyi\*\*\*](#) R.W. Dunker, 1845
- **orcuttii**, *Macrocallista orcutti* W.H. Dall, 1918 † - syn of: [\*\*\*Megapitaria squalida\*\*\*](#) (G.B. I Sowerby, 1835)
- **orientalis**, [\*\*\*Cyclina orientalis\*\*\*](#) (G.B. II Sowerby, 1852)
- **orientalis**, [\*\*\*Globivenus orientalis\*\*\*](#) (L.R. Cox, 1930)
- **orientalis**, *Tapes orientalis* L.A. Reeve, 1864 - syn of: [\*\*\*Marcia recens\*\*\*](#) (H.S. Holton, 1802)
- **ornata**, [\*\*\*Lioconcha ornata\*\*\*](#) (L.W. Dillwyn, 1817)
- **ornatissima**, [\*\*\*Chionopsis ornatissima\*\*\*](#) (W.J. Broderip, 1835)
- **ornatissima**, *Venus ornatissima* W.J. Broderip, 1835 - syn of: [\*\*\*Chionopsis ornatissima\*\*\*](#) (W.J. Broderip, 1835)
- **ortmanni**, *Pitar ortmanni* H.F.A. von Ihering, 1907 - syn of: [\*\*\*Pitar patagonicus\*\*\*](#) (D'Orbigny, 1842)
- **osmunda**, [\*\*\*Pitar osmunda\*\*\*](#) (T. Iredale, 1936)
- **ovalis**, *Dosinia ovalis* A. Römer, 1860 - syn of: [\*\*\*Dosinia pubescens\*\*\*](#) (R.A. Philippi, 1847)
- **ovalis**, *Meroe ovalis* G.B. III Sowerby, 1892 - syn of: [\*\*\*Sunetta bruggeni\*\*\*](#) E. Fischer-Piette, 1974
- **ovalis**, *Sunetta ovalis* G.B. III Sowerby, 1892 - syn of: [\*\*\*Sunetta bruggeni\*\*\*](#) E. Fischer-Piette, 1974
- **ovalis**, *Nutricola ovalis* W.H. Dall, 1902 - syn of: [\*\*\*Nutricola tantilla\*\*\*](#) (A.A. Gould, 1853)
- **ovata**, [\*\*\*Timoclea ovata\*\*\*](#) (T. Pennant, 1777)
- **ovata**, *Petricola ovata* F.H. Troschel, 1852 - syn of: [\*\*\*Petricola rugosa\*\*\*](#) G.B. I Sowerby, 1834
- **ovata lutea**, *Venus ovata lutea* J.G. Jeffreys, 1864 - syn of: [\*\*\*Timoclea ovata\*\*\*](#) (T. Pennant, 1777)
- **ovata marmorata**, *Venus ovata marmorata* M.E.J. Bucquoy, P. Dautzenberg & G.F. Dollfus, 1893 - syn of: [\*\*\*Timoclea ovata\*\*\*](#) (T. Pennant, 1777)
- **ovata paucicostata**, *Venus ovata paucicostata* M.E.J. Bucquoy, P. Dautzenberg & G.F. Dollfus, 1893 - syn of: [\*\*\*Timoclea ovata\*\*\*](#) (T. Pennant, 1777)
- **ovata transversa**, *Venus ovata transversa* M.E.J. Bucquoy, P. Dautzenberg & G.F. Dollfus, 1893 - syn of: [\*\*\*Timoclea ovata\*\*\*](#) (T. Pennant, 1777)
- **ovata trigona**, *Venus ovata trigona* J.G. Jeffreys, 1864 - syn of: [\*\*\*Timoclea ovata\*\*\*](#) (T. Pennant, 1777)
- **ovulaea**, *Venus ovulaea* J.B.P.A. Lamarck, 1818 - syn of: [\*\*\*Tapes conspersus\*\*\*](#) (J.F. Gmelin, 1791)
- **ovum**, *Periglypta ovum* S.C.T. Hanley, 1845 - syn of: [\*\*\*Meretrix casta\*\*\*](#) (J.F. Gmelin, 1791)
- **pachyphylla**, [\*\*\*Bassina pachyphylla\*\*\*](#) (I.H. Jonas, 1839)
- **pachyphylla**, *Venus pachyphylla* I.H. Jonas, 1839 - syn of: [\*\*\*Bassina pachyphylla\*\*\*](#) (I.H. Jonas, 1839)
- **pacifica**, *Gouldia pacifica* C.B. Adams, 1852 - syn of: [\*\*\*Crassinella pacifica\*\*\*](#) (C.B. Adams, 1852)

- **pacifica**, *Callocardia pacifica* E.A. Smith, 1885 - syn of: [\*\*Vesicomya pacifica\*\*](#) (E.A. Smith, 1885)
- **pacifica**, *Venus pacifica* L.W. Dillwyn, 1817 - syn of: [\*\*Callista chinensis\*\*](#) (H.S. Holton, 1802)
- **pacifica**, *Venus pacifica* P.F. Röding, 1798 - syn of: [\*\*Circomphalus foliaceolamellosus\*\*](#) (L.W. Dillwyn, 1817)
- *pailasana constricta*, *Chione pailasana constricta* O. Macsotay, 1968 - syn of: [\*\*Chione dysera\*\*](#) (C. Linnaeus, 1758)
- **pallei**, *Venus pallei* E. Réquien, 1848 - syn of: [\*\*Polititapes aureus\*\*](#) (J.F. Gmelin, 1791)
- *pallescens*, [\*\*Pitar pallescens\*\*](#) (W.J. Broderip & G.B. I Sowerby, 1835)
- **pallida**, *Venus pallida* W. Turton, 1822 - syn of: [\*\*Chamelea striatula\*\*](#) E.M. Da Costa, 1778
- **palmeri**, [\*\*Pitar palmeri\*\*](#) E. Fischer-Piette & A.M. Testud, 1967
- **panamensis**, *Cooperella panamensis* A.A. Olsson, 1961 - syn of: [\*\*Cooperella subdiaphana\*\*](#) (P.P. Carpenter, 1864)
- **pannosa**, [\*\*Transennella pannosa\*\*](#) (G.B. I Sowerby, 1835)
- **pannosa puella**, *Callista pannosa puella* P.P. Carpenter, 1864 - syn of: [\*\*Transennella puella\*\*](#) (P.P. Carpenter, 1864)
- **paphia**, [\*\*Lirophora paphia\*\*](#) (C. Linnaeus, 1767)
- **paphia**, *Venus paphia* C. Linnaeus, 1767 - syn of: [\*\*Lirophora paphia\*\*](#) (C. Linnaeus, 1767)
- **paphia**, *Venus paphia* G. Montagu, 1803 - syn of: [\*\*Clausinella fasciata\*\*](#) (E.M. Da Costa, 1778)
- **papilionacea**, *Venus papilionacea* J.B.P.A. Lamarck, 1818 - syn of: [\*\*Paphia rotundata\*\*](#) (C. Linnaeus, 1758)
- **papilionaceus**, *Tapes papilionaceus* J.B.P.A. Lamarck, 1818 - syn of: [\*\*Paphia rotundata\*\*](#) (C. Linnaeus, 1758)
- **papyracea**, [\*\*Clementia papyracea\*\*](#) (J.F. Gmelin, 1791)
- **papyracea**, *Venus papyracea* J.E. Gray, 1825 - syn of: [\*\*Clementia papyracea\*\*](#) (J.F. Gmelin, 1791)
- **papyracea vatheleti**, [\*\*Clementia papyracea vatheleti\*\*](#) J.F. Mabille, 1901
- **paradoxa**, *Venus paradoxa* I. von Born, 1778 - Syn of: [\*\*Galatea paradoxa\*\*](#) (I. von Born, 1780)
- **parallela**, [\*\*Petricola parallela\*\*](#) H.A. Pilsbry & H.N. Lowe, 1932
- **paralytica**, [\*\*Circenita paralytica\*\*](#) (A. Römer, 1861)
- **paralytica**, [\*\*Circe paralytica\*\*](#) A. Römer, 1869
- **parckinsonia**, *Dosinia parckinsonia* A. Risso, 1826 - syn of: [\*\*Dosinia lupinus\*\*](#) (C. Linnaeus, 1758)
- **parva**, *Gouldia parva* C.B. Adams, 1845 - syn of: [\*\*Crassinella lunulata\*\*](#) (T.A. Conrad, 1834)
- **parva**, *Venus parva* G.B. II Sowerby, 1854 - syn of: [\*\*Chioneryx grus\*\*](#) (F.S. Holmes, 1858)
- **parva**, *Dosinia parva* G.B. III Sowerby, 1894 - syn of: [\*\*Dosinia minor\*\*](#) G.P. Deshayes in L. Maillard, 1863
- **parva**, [\*\*Bassina parva\*\*](#) J. Marwick, 1927
- **parvita**, *Petricola parvita* B.C. Cotton & F.C. Godfrey, 1938 - syn of: [\*\*Kyrina rubiginosa\*\*](#) (A. Adams & G.F. Angas, 1864)
- **patagonica**, *Petricola patagonica* D'Orbigny, 1846 - syn of: [\*\*Petricola dactylus\*\*](#) G.B. I Sowerby, 1823
- **patagonicus**, [\*\*Pitar patagonicus\*\*](#) (D'Orbigny, 1842)
- **patagonicus**, *Venus patagonicus* D'Orbigny, 1842 - syn of: [\*\*Pitar patagonicus\*\*](#) (D'Orbigny, 1842)
- **paucigranosa**, *Anomalocardia paucigranosa* R.W. Dunker, 1866 - syn of: [\*\*Tegillarca nodifera\*\*](#) (E.C. Von Martens, 1860)
- **paucilamellata**, *Bassina paucilamellata* G.B. Sowerby, 1839 - syn of: [\*\*Bassina pachyphylla\*\*](#) (I.H. Jonas, 1839)
- **paucilamellata**, *Mercenaria paucilamellata* R.W. Dunker, 1863 - syn of: [\*\*Bassina pachyphylla\*\*](#) (I.H. Jonas, 1839)
- **paupercula**, [\*\*Eumarcia paupercula\*\*](#) (H.S. Holton, 1802)
- **paupercula**, *Venerupis paupercula* G.P. Deshayes, 1854 - syn of: [\*\*Paphonotia elliptica\*\*](#) (G.B. I Sowerby, 1834)
- **paupercula**, *Marcia paupercula* J.H. Chemnitz, 1795 - syn of: [\*\*Eumarcia paupercula\*\*](#) (H.S. Holton, 1802)
- **paupercula abbreviata**, *Venus paupercula abbreviata* C.F.F. von Krauss, 1848 - syn of: [\*\*Pitar hebraeus\*\*](#) (J.B.P.A. Lamarck, 1818)
- **paytensis**, [\*\*Lamelliconcha paytensis\*\*](#) (D'Orbigny, 1845)
- **paytensis**, *Venus paytensis* D'Orbigny, 1845 - syn of: [\*\*Lamelliconcha paytensis\*\*](#) (D'Orbigny, 1845)
- **paziana**, *Anomalocardia paziana* P. Fischer, 1858 - syn of: [\*\*Anomalocardia cuneimeris\*\*](#) (T.A. Conrad, 1846)
- **pechiliensis**, *Petricola pechiliensis* A.W. Grabau & S.G. King, 1928 - syn of: [\*\*Irus mitis\*\*](#) (G.P. Deshayes, 1854)
- **pectechialis**, *Meretrix pectechialis* J.B.P.A. Lamarck, 1822 - syn of: [\*\*Meretrix petechialis\*\*](#) (J.B.P.A. Lamarck, 1818)
- **pectinata**, [\*\*Circe pectinata\*\*](#) (C. Linnaeus, 1758)
- **pectinatum**, [\*\*Gafrarium pectinatum\*\*](#) (C. Linnaeus, 1758)
- **pectinatum alfredense**, *Gafrarium pectinatum alfredense* P. Bartsch, 1915 - syn of: [\*\*Gafrarium alfredense\*\*](#) (P. Bartsch, 1915)
- **pectinatum tumidum**, [\*\*Gafrarium pectinatum tumidum\*\*](#) P.F. Röding, 1798
- **pectinula**, *Venus pectinula* J.B.P.A. Lamarck, 1818 - syn of: [\*\*Timoclea ovata\*\*](#) (T. Pennant, 1777)
- **pectorina**, [\*\*Leukoma pectorina\*\*](#) (J.B.P.A. Lamarck, 1818)
- **pectorina**, *Venus pectorina* J.B.P.A. Lamarck, 1818 - syn of: [\*\*Leukoma pectorina\*\*](#) (J.B.P.A. Lamarck, 1818)
- **pectunculoides**, *Venus pectunculoides* A. Valenciennes, 1846 - syn of: [\*\*Leukoma staminea\*\*](#) (T.A. Conrad, 1837)
- **pectunculus**, *Cyclina pectunculus* A. Römer, 1860 - syn of: [\*\*Cyclina sinensis\*\*](#) (J.F. Gmelin, 1791)
- **pectunculus**, *Venus pectunculus* G.B. Brocchi, 1814 - syn of: [\*\*Pitar rudis\*\*](#) (G.S. Poli, 1795)
- **pedroana**, *Petricola pedroana* T.A. Conrad, 1855 - syn of: [\*\*Petricola carditoides\*\*](#) (T.A. Conrad, 1837)
- **peliferus**, [\*\*Costellipitar peliferus\*\*](#) (R. von Cosel, 1995)
- **pellucida**, [\*\*Mysia pellucida\*\*](#) (R. Tate, 1891)
- **pellucidus**, [\*\*Pitar pellucidus\*\*](#) (J.B.P.A. Lamarck, 1818)
- **penicillata**, [\*\*Dosinia penicillata\*\*](#) (L.A. Reeve, 1850)
- **penistoni**, *Periglypta penistoni* A. Heiprin, 1890 - syn of: [\*\*Pitar fulminatus\*\*](#) (K.T. Menke, 1828)
- **pennantia**, *Timoclea pennantia* W.E. Leach in J.E. Gray, 1852 - syn of: [\*\*Timoclea ovata\*\*](#) (T. Pennant, 1777)
- **pennantii**, *Venus pennantii* E. Forbes, 1838 - syn of: [\*\*Chamelea striatula\*\*](#) E.M. Da Costa, 1778
- **perdix**, *Venus perdix* A. Valenciennes, 1846 - syn of: [\*\*Chione undatella\*\*](#) (G.B. I Sowerby, 1835)
- **perdix**, *Venus perdix* J.B.G.M. Bory De Saint-Vincent, 1827 - syn of: [\*\*Chione undatella\*\*](#) (G.B. I Sowerby, 1835)
- **pereffossa**, [\*\*Globivenus pereffossa\*\*](#) (P. Dautzenberg & H. Fischer, 1906)

- peresi, [\*\*Timoclea peresi\*\*](#) E. Fischer-Piette & D. Vukadinovic, 1977
- perexcavata, Sunetta perexcavata H.C. Fulton, 1930 - syn of: [\*\*Sunetta subquadrata\*\*](#) (G.B. II Sowerby, 1851)
- perforans, Venus perforans G. Montagu, 1803 - syn of: [\*\*Venerupis corrugata saxatilis\*\*](#) (L.B. Fleuriau de Bellevue, 1802)
- perfragilis, Pitar perfragilis H.A. Pilsbry & H.N. Lowe, 1932 - syn of: [\*\*Pitar pura\*\*](#) (G.P. Deshayes, 1853)
- permagna, Venus permagna T.A. Conrad, 1838 - syn of: [\*\*Mercenaria campechiensis\*\*](#) (J.F. Gmelin, 1791)
- peronii, [\*\*Katelysia peronii\*\*](#) (J.B.P.A. Lamarck, 1818)
- perplexa, Meretrix perplexa W.H. Dall, 1891 - Syn of: [\*\*Tivela dentaria\*\*](#) (J.B.P.A. Lamarck, 1818)
- persimilis, [\*\*Antigona persimilis\*\*](#) (T. Iredale, 1930)
- personata, [\*\*Circe scripta personata\*\*](#) G.P. Deshayes, 1854
- pertincta, [\*\*Leukoma pertincta\*\*](#) (W.H. Dall, 1902)
- peruviana, [\*\*Lirophora peruviana\*\*](#) (G.B. I Sowerby, 1835)
- peruviana, Petricola peruviana A.A. Olsson, 1961 - syn of: [\*\*Petricola olsoni\*\*](#) F.R. Bernard, 1983
- peruviana, Venerupis peruviana J.C. Jay, 1839 - syn of: [\*\*Petricola denticulata\*\*](#) G.B. I Sowerby, 1834
- petagnae, Venus petagnae A. da Costa, 1829 - syn of: [\*\*Astarte fusca\*\*](#) (G.S. Poli, 1791)
- petalina, Venus petalina J.B.P.A. Lamarck, 1818 - syn of: [\*\*Polititapes aureus\*\*](#) (J.F. Gmelin, 1791)
- petechialis, [\*\*Meretrix petechialis\*\*](#) (J.B.P.A. Lamarck, 1818)
- petitii, Venerupis petitii G.P. Deshayes, 1839 - syn of: [\*\*Leukoma staminea\*\*](#) (T.A. Conrad, 1837)
- petitii, Tivela petitii P. Dautzenberg, 1929 - syn of: [\*\*Tivela transversa\*\*](#) (G.B. III Sowerby, 1897)
- petulca, [\*\*Venus petulca\*\*](#) C. Linnaeus, 1758
- phaseolina, Venus phaseolina J.B.P.A. Lamarck, 1818 - syn of: [\*\*Polititapes aureus\*\*](#) (J.F. Gmelin, 1791)
- phasianella, [\*\*Callista phasianella\*\*](#) (G.P. Deshayes, 1853)
- phenax, [\*\*Tawera phenax\*\*](#) (H.J. Finlay, 1930)
- phenax, Tapes phenax H.A. Pilsbry, 1901 - syn of: [\*\*Tapes belcheri\*\*](#) G.B. II Sowerby, 1852
- phenax, Chamelea phenax H.J. Finlay, 1930 - syn of: [\*\*Tawera phenax\*\*](#) (H.J. Finlay, 1930)
- philippiana, [\*\*Paphia philippiana\*\*](#) M. Huber, 2010
- philippiana exarata, [\*\*Paphia philippiana exarata\*\*](#) (R.A. Philippi, 1846)
- philippii, Venus philippii A.V.M.D. D'Orbigny, 1845 - syn of: [\*\*Dosinia concentrica\*\*](#) (I. von Born, 1778)
- philippii, Dione philippii G.P. Deshayes, 1853 - syn of: [\*\*Pitar inflatus\*\*](#) (G.B. II Sowerby, 1851)
- philippinarum, [\*\*Venerupis philippinarum\*\*](#) (A. Adams & L.A. Reeve, 1850)
- philippinarum, [\*\*Lioconcha philippinarum\*\*](#) (S.C.T. Hanley, 1844)
- philippinarum dautzenbergi, [\*\*Lioconcha philippinarum dautzenbergi\*\*](#) B. Prashad, 1932
- philippinarum japonica, [\*\*Venerupis philippinarum japonica\*\*](#) (G.P. Deshayes, 1853)
- philomela, [\*\*Tawera philomela\*\*](#) (E.A. Smith, 1885)
- philomela, Venus philomela E.A. Smith, 1885 - Syn of: [\*\*Tawera philomela\*\*](#) (E.A. Smith, 1885)
- phliippiae, Venus phliippiae E. Réquier, 1848 - syn of: [\*\*Clausinella fasciata\*\*](#) (E.M. Da Costa, 1778)
- phoenicopterus, [\*\*Pitar phoenicopterus\*\*](#) (A. Römer, 1867)
- pholadiformis, [\*\*Petricola pholadiformis\*\*](#) J.B.P.A. Lamarck, 1818
- physema, [\*\*Dosinia physema\*\*](#) A. Römer, 1870
- picta, [\*\*Lioconcha picta\*\*](#) (J.B.P.A. Lamarck, 1818)
- picta, Sunetta picta H.C.F. Schumacher, 1817 - syn of: [\*\*Sunetta meroe\*\*](#) (C. Linnaeus, 1758)
- picta, Dorisca picta T. Habe, 1960 - syn of: [\*\*Dorisca jucunda\*\*](#) (E.A. Smith, 1885)
- picturata, Venus picturata E. Réquier, 1848 - syn of: [\*\*Polititapes aureus\*\*](#) (J.F. Gmelin, 1791)
- pigmaea, [\*\*Chione pigmaea\*\*](#) J.B.P.A. Lamarck, 1818
- pilsbryi, [\*\*Callista pilsbryi\*\*](#) T. Habe, 1960
- pilsbryi, [\*\*Privigna pilsbryi\*\*](#) W.H. Dall, P. Bartsch & H.A. Rehder, 1938
- pilula, [\*\*Pitar pilula\*\*](#) H.A. Rehder, 1943
- pinacatensis, Venus pinacatensis P.P. Carpenter, 1864 - syn of: [\*\*Chionopsis pulicaria\*\*](#) (W.J. Broderip, 1835)
- pinchoti, [\*\*Chionopsis pinchoti\*\*](#) (H.A. Pilsbry & A.A. Olsson, 1951)
- pinguis, [\*\*Marcia pinguis\*\*](#) (J.S. Schröter, 1788)
- pinguis, Marcia pinguis J.H. Chemnitz - syn of: [\*\*Marcia opima\*\*](#) (J.F. Gmelin, 1791)
- pinguis, Venus pinguis J.H. Chemnitz, 1782 - syn of: [\*\*Marcia opima\*\*](#) (J.F. Gmelin, 1791)
- piperita, [\*\*Callista piperita\*\*](#) (G.B. II Sowerby, 1851)
- pitar, Venus pitar P.F. Röding, 1798 - syn of: [\*\*Arctica islandica\*\*](#) (C. Linnaeus, 1767)
- placidum, [\*\*Placamen placidum\*\*](#) (R.A. Philippi, 1844)
- placidum, Venus placidum R.A. Philippi, 1844 - syn of: [\*\*Placamen placidum\*\*](#) (R.A. Philippi, 1844)
- plagia, Venus plagia J.G. Jeffreys, 1847 - syn of: [\*\*Venerupis corrugata\*\*](#) (J.F. Gmelin, 1791)
- plana, Dosinia plana L.A. Reeve, 1850 - syn of: [\*\*Dosinia discus\*\*](#) (L.A. Reeve, 1850)
- plana, Circe plana Ohdner, 1917 - syn of: [\*\*Circe quoyi\*\*](#) (S.C.T. Hanley, 1844)
- planata, Gouldia planata P. Cakara, 1840 - syn of: [\*\*Crassatina modesta\*\*](#) (C.B. Adams, 1869)
- planata distantelamellata, Gouldia planata distantelamellata F. Nordsieck, 1969 - syn of: [\*\*Gouldia minima\*\*](#) (G. Montagu, 1803)
- planatella, [\*\*Callista planatella\*\*](#) (J.B.P.A. Lamarck, 1818)
- planicosta, Venerupis planicosta G.P. Deshayes, 1854 - syn of: [\*\*Irus carditoides\*\*](#) (J.B.P.A. Lamarck, 1818)
- planisulcata, [\*\*Meretrix planisulcata\*\*](#) (G.B. II Sowerby, 1854)
- planulata, [\*\*Tivela planulata\*\*](#) (W.J. Broderip & G.B. I Sowerby, 1830)
- planulata suffusa, Periglypta planulata suffusa G.B. I Sowerby, 1835 - syn of: [\*\*Tivela planulata\*\*](#) (W.J. Broderip & G.B. I Sowerby, 1830)

- **platyaulax**, [\*\*Comus platyaulax\*\*](#) (J.R. le B. Tomlin, 1924)
- **platyaulax**, Transennella platyaulax J.R. le B. Tomlin, 1924 - syn of: [\*\*Comus platyaulax\*\*](#) (J.R. le B. Tomlin, 1924)
- **platyaulax**, Venus platyaulax J.R. le B. Tomlin, 1924 - syn of: [\*\*Comus platyaulax\*\*](#) (J.R. le B. Tomlin, 1924)
- **platyptycha**, [\*\*Tapes platyptycha\*\*](#) H.A. Pilsbry, 1901
- **platyptycha**, Tapes platyptycha K.L. Lamprell & T. Whitehead, 1992 - syn of: [\*\*Tapes sericeus\*\*](#) A. Matsukuma, 1986
- **plicatina**, [\*\*Circe plicatina\*\*](#) (J.B.P.A. Lamarck, 1818)
- **plicatus**, Circomphalus plicatus J.F. Gmelin, 1791 - syn of: [\*\*Circomphalus foliaceolamellosus\*\*](#) (L.W. Dilwyn, 1817)
- **plumbea**, Venus plumbea L.A. Reeve, 1863 - syn of: [\*\*Leukoma granulata\*\*](#) (J.F. Gmelin, 1791)
- **politা**, [\*\*Tivela polita\*\*](#) (G.B. II Sowerby, 1851)
- **politа**, [\*\*Paphia polita\*\*](#) (G.B. II Sowerby, 1852)
- **politа**, [\*\*Lioconcha polita\*\*](#) (P.F. Röding, 1798)
- **politа**, Cytheraea polita G.B. II Sowerby, 1851 - syn of: [\*\*Tivela damaoides\*\*](#) (W. Wood, 1828)
- **politа**, Tapes polita G.B. II Sowerby, 1852 - syn of: [\*\*Paphia polita\*\*](#) (G.B. II Sowerby, 1852)
- **politа**, Venus polita G.B. II Sowerby, 1853 - syn of: [\*\*Eumarcia fumigata\*\*](#) (G.B. II Sowerby, 1853)
- **politа**, Dosinia polita G.P. Deshayes, 1853 - syn of: [\*\*Dosinia afra\*\*](#) (J.F. Gmelin, 1791)
- **politа**, Venus polita P.F. Röding, 1798 - syn of: [\*\*Lioconcha polita\*\*](#) (P.F. Röding, 1798)
- **politissima**, [\*\*Callista politissima\*\*](#) J.T. Kuroda, 1945
- **pollicaris**, [\*\*Hyphantosoma pollicaris\*\*](#) (P.P. Carpenter, 1864)
- **ponderosa**, [\*\*Tivela ponderosa\*\*](#) (F.C.L. Koch in R.A. Philippi, 1844)
- **ponderosa**, [\*\*Dosinia ponderosa\*\*](#) (J.E. Gray, 1838)
- **ponderosa**, Periglypta ponderosa H.C.F. Schumacher, 1817 - syn of: [\*\*Meretrix meretrix\*\*](#) (C. Linnaeus, 1758)
- **ponsonbyi**, [\*\*Kyrina ponsonbyi\*\*](#) (G.B. III Sowerby, 1892)
- **ponsonbyi**, Petricola ponsonbyi G.B. III Sowerby, 1892 - syn of: [\*\*Kyrina ponsonbyi\*\*](#) (G.B. III Sowerby, 1892)
- **porcata**, Venus porcata P.F. Röding, 1798 - syn of: [\*\*Marcia japonica\*\*](#) (J.F. Gmelin, 1791)
- **portesiana**, Venus portesiana D'Orbigny, 1842 - syn of: [\*\*Leukoma subrostrata\*\*](#) (J.B.P.A. Lamarck, 1818)
- **portunoviensis**, Ostrincola portonoviensis Reddah, 1962 - syn of: [\*\*Meretrix casta\*\*](#) (J.F. Gmelin, 1791)
- **potteri**, [\*\*Pitar potteri\*\*](#) J.M. Healy & K.L. Lamprell, 1992
- **praeparca**, Venus praeparca T. Say, 1822 - syn of: [\*\*Mercenaria mercenaria\*\*](#) (C. Linnaeus, 1758)
- **prideauxiana**, Venus prideauxiana J.A. Couch, 1841 - syn of: [\*\*Chamelea striatula\*\*](#) E.M. Da Costa, 1778
- **primigenia**, Chione primigenia H.A. Pilsbry & C.W. Johnson, 1917 - syn of: [\*\*Chione cancellata\*\*](#) (C. Linnaeus, 1767)
- **producta**, [\*\*Cryptonemella producta\*\*](#) (J.T. Kuroda & T. Habe, 1951)
- **producta**, [\*\*Cyclinella producta\*\*](#) (P.P. Carpenter, 1856)
- **prora**, [\*\*Pitar prora\*\*](#) (T.A. Conrad, 1837)
- **prora**, Pitar prora K.L. Lamprell & R.N. Kiburn, 1999 - syn of: [\*\*Pitar affinis\*\*](#) (J.F. Gmelin, 1791)
- **prostrata**, [\*\*Dosinia prostrata\*\*](#) (C. Linnaeus, 1758)
- **prostrata**, Venus prostrata C. Linnaeus, 1758 - syn of: [\*\*Dosinia prostrata\*\*](#) (C. Linnaeus, 1758)
- **prostrata**, Venus prostrata I. von Born, 1780 - syn of: [\*\*Dosinia prostrata\*\*](#) (C. Linnaeus, 1758)
- **pseudofastigiata**, [\*\*Lioconcha fastigiata pseudofastigiata\*\*](#) K.L. Lamprell & J.M. Healy, 2002
- **pseudolima**, [\*\*Kyrina pseudolima\*\*](#) (S.M. Souverbie & R.P. Montrouzier, 1862)
- **pubera**, Puberella pubera J.B.G.M. Bory De Saint-Vincent, 1827 - syn of: [\*\*Puberella crenata\*\*](#) (J.F. Gmelin, 1791)
- **pubera**, Venus pubera J.B.G.M. Bory De Saint-Vincent, 1827 - syn of: [\*\*Puberella crenata\*\*](#) (J.F. Gmelin, 1791)
- **pubescens**, [\*\*Dosinia pubescens\*\*](#) (R.A. Philippi, 1847)
- **pudica**, [\*\*Pitar pudica\*\*](#) (K.T. Menke, 1850)
- **pudica**, Arthemis pudica G.S. Pol, 1795 - syn of: [\*\*Dosinia exoleta\*\*](#) (C. Linnaeus, 1758)
- **pudicissima**, [\*\*Aphrodora pudicissima\*\*](#) (E.A. Smith, 1894)
- **puella**, [\*\*Anomalocardia puella\*\*](#) (L. Pfeiffer in R.A. Philippi, 1846)
- **puella**, [\*\*Transennella puella\*\*](#) (P.P. Carpenter, 1864)
- **puella**, Venus puella L. Pfeiffer in R.A. Philippi, 1846 - syn of: [\*\*Anomalocardia puella\*\*](#) (L. Pfeiffer in R.A. Philippi, 1846)
- **puellula**, [\*\*Timoclea venus puellula\*\*](#) A.A. Gould, 1861
- **puerpera**, [\*\*Periglypta puerpera\*\*](#) (C. Linnaeus, 1771)
- **puerpera**, Venus puerpera C. Linnaeus, 1771 - syn of: [\*\*Periglypta puerpera\*\*](#) (C. Linnaeus, 1771)
- **puerpera**, Chione puerpera C. Linnaeus, 1771 - syn of: [\*\*Periglypta puerpera\*\*](#) (C. Linnaeus, 1771)
- **pulchella**, Chione pulchella H. Adams, 1870 - syn of: [\*\*Herouvalia pulchella\*\*](#) (H. Adams, 1870)
- **pulchella**, Venus pulchella J.B.P.A. Lamarck, 1818 - syn of: [\*\*Polititapes aureus\*\*](#) (J.F. Gmelin, 1791)
- **pulchella**, Anomalocardia pulchella R.W. Dunker, 1868 - syn of: [\*\*Tegillarca granosa\*\*](#) (C. Linnaeus, 1758)
- **pulchella lucens**, Venerupis pulchella lucens É.A.A. Locard, 1886 - syn of: [\*\*Polititapes aureus lucens\*\*](#) É.A.A. Locard, 1886
- **pulchellus bicolor**, Tapes pulchellus bicolor P.M. Palary, 1900 - syn of: [\*\*Polititapes aureus\*\*](#) (J.F. Gmelin, 1791)
- **pulcherrima**, Venerupis pulcherrima G.P. Deshayes, 1854 - syn of: [\*\*Irus irus\*\*](#) (C. Linnaeus, 1758)
- **pulchra**, Circe pulchra G.P. Deshayes, 1853 - syn of: [\*\*Circenita callipyga\*\*](#) (I. von Born, 1778)
- **pulchra**, Venus pulchra W. Wood, 1828 - syn of: [\*\*Callista florida\*\*](#) (J.B.P.A. Lamarck, 1818)
- **pulicaria**, [\*\*Chionopsis pulicaria\*\*](#) (W.J. Broderip, 1835)
- **pulicaria**, Venus pulicaria W.J. Broderip, 1835 - syn of: [\*\*Chionopsis pulicaria\*\*](#) (W.J. Broderip, 1835)
- **pulla**, Periglypta pulla R.A. Philippi, 1851 - syn of: [\*\*Tivela byronensis\*\*](#) (J.E. Gray, 1838)
- **pullastrা**, Venus pullastrা G. Montagu, 1803 - syn of: [\*\*Venerupis corrugata saxatilis\*\*](#) (L.B. Fleurieu de Bellevue, 1802)
- **pumila**, Venus pumila J.B.P.A. Lamarck, 1818 - syn of: [\*\*Gouldia minima\*\*](#) (G. Montagu, 1803)

- **punctata**, Venus punctata C. Linnaeus, 1758 - syn of: [\*\*Codakia punctata\*\*](#) (C. Linnaeus, 1758)
- **punctifera**, Venus punctifera G.B. II Sowerby, 1853 - syn of: [\*\*Anomalocardia flexuosa\*\*](#) (C. Linnaeus, 1767)
- **punctifera**, Venus punctifera J.B.P.A. Lamarck, 1818 - syn of: [\*\*Tapes literatus\*\*](#) (C. Linnaeus, 1758)
- **punctigera**, [\*\*Clausinella punctigera\*\*](#) (P. Dautzenberg & H. Fischer, 1906)
- **punctigera**, Venus punctigera P. Dautzenberg & H. Fischer, 1906 - syn of: [\*\*Clausinella punctigera\*\*](#) (P. Dautzenberg & H. Fischer, 1906)
- **punctigera**, Chione punctigera P. Dautzenberg & H. Fischer, 1906 - syn of: [\*\*Clausinella punctigera\*\*](#) (P. Dautzenberg & H. Fischer, 1906)
- **punctulata**, Venus punctulata J.F. Gmelin, 1791 - syn of: [\*\*Venerupis corrugata\*\*](#) (J.F. Gmelin, 1791)
- **punicea**, Tapes punicea G.P. Deshayes, 1853 - syn of: [\*\*Venerupis aspera\*\*](#) (J.R.C. Quoy & J.P. Gaimard, 1835)
- **pura**, [\*\*Pitar pura\*\*](#) (G.P. Deshayes, 1853)
- **purpurascens**, Venus purpurascens J.F. Gmelin, 1791 - syn of: [\*\*Semele purpurascens\*\*](#) (J.F. Gmelin, 1791)
- **purpurata**, [\*\*Saxidomus purpurata\*\*](#) (G.B. II Sowerby, 1852)
- **purpurata**, [\*\*Amiantis purpurata\*\*](#) (J.B.P.A. Lamarck, 1818)
- **purpurata**, Tapes purpurata G.B. II Sowerby, 1852 - syn of: [\*\*Saxidomus purpurata\*\*](#) (G.B. II Sowerby, 1852)
- **purpurata**, Periglypta purpurata J.B.P.A. Lamarck, 1818 - syn of: [\*\*Amiantis purpurata\*\*](#) (J.B.P.A. Lamarck, 1818)
- **purpurata**, Venus purpurata J.F. Gmelin, 1791 - syn of: [\*\*Asaphis violascens\*\*](#) (P. Forsskål in C. Niebuhr, 1775)
- **purpurissata**, Chione purpurissata W.H. Dall, 1902 - syn of: [\*\*Chionopsis lilacina\*\*](#) (P.P. Carpenter, 1864)
- **pygmaea**, [\*\*Aphrodora pygmaea\*\*](#) (G.B. III Sowerby, 1914)
- **pygmaea**, [\*\*Chioneryx pygmaea\*\*](#) (J.B.P.A. Lamarck, 1818)
- **pygmaea**, Venus pygmaea J.B.P.A. Lamarck, 1818 - syn of: [\*\*Chioneryx pygmaea\*\*](#) (J.B.P.A. Lamarck, 1818)
- **pygmaea**, Timoclea pygmaea J.B.P.A. Lamarck, 1818 - syn of: [\*\*Chioneryx pygmaea\*\*](#) (J.B.P.A. Lamarck, 1818)
- **pythinoides**, Circe pythinoides J.E. Tenison-Woods, 1878 - syn of: [\*\*Gastrarium pectinatum\*\*](#) (C. Linnaeus, 1758)
- **quadrangularis**, [\*\*Samarangia quadrangularis\*\*](#) (A. Adams & L.A. Reeve, 1850)
- **quadrasi**, [\*\*Petricola quadrasi\*\*](#) (J.G. Hidalgo, 1886)
- **quadrasi**, Venerupis quadrasi J.G. Hidalgo, 1886 - syn of: [\*\*Petricola quadrasi\*\*](#) (J.G. Hidalgo, 1886)
- **quadriradiata**, Tapes quadriradiata G.P. Deshayes, 1853 - Syn of: [\*\*Tapes belcheri\*\*](#) G.B. II Sowerby, 1852
- **quebradillensis**, Chione quebradillensis C.J. Maury, 1920 - syn of: [\*\*Chione cancellata\*\*](#) (C. Linnaeus, 1767)
- **queenslandica**, [\*\*Gomphina queenslandica\*\*](#) (M. Huber, 2010)
- **queenslandica**, [\*\*Dosinia queenslandica\*\*](#) J.M. Healy & K.L. Lamprell, 1992
- **queenslandicus**, [\*\*Pitar queenslandicus\*\*](#) K.L. Lamprell & J.M. Healy, 1997
- **quoyi**, [\*\*Circe quoyi\*\*](#) (S.C.T. Hanley, 1844)
- **radiata**, Periglypta radiata G.B. Sowerby, 1835 - syn of: [\*\*Tivela byronensis\*\*](#) (J.E. Gray, 1838)
- **radiata**, Tapes radiata H.C.F. Schumacher, 1817 - syn of: [\*\*Paphia rotundata\*\*](#) (C. Linnaeus, 1758)
- **radiata**, Naranio radiata J.E. Gray, 1853 - syn of: [\*\*Petricola fabagella\*\*](#) J.B.P.A. Lamarck, 1818
- **radiata**, Venus radiata J.F. Gmelin, 1791 - syn of: [\*\*Tapes literatus\*\*](#) (C. Linnaeus, 1758)
- **radiata**, Arthemis radiata L.A. Reeve, 1850 - syn of: [\*\*Dosinia exoleta\*\*](#) (C. Linnaeus, 1758)
- **radula**, Exoleta radula T. Brown, 1827 - syn of: [\*\*Dosinia exoleta\*\*](#) (C. Linnaeus, 1758)
- **rajagopali**, Dosinia rajagopali E. Fischer-Piette, 1976 - syn of: [\*\*Pelecyora jukesbrowniana\*\*](#) (H.B. Preston, 1915)
- **rariflamma**, Petricola rariflamma G.P. Deshayes, 1834 - syn of: [\*\*Petricola lithophaga\*\*](#) (A. Retzius, 1788)
- **rariflamma**, Venus rariflamma J.B.P.A. Lamarck, 1818 - syn of: [\*\*Polititapes durus\*\*](#) (J.F. Gmelin, 1791)
- **recens**, [\*\*Marcia recens\*\*](#) (H.S. Holton, 1802)
- **recens**, Venus recens H.S. Holton, 1802 - syn of: [\*\*Marcia recens\*\*](#) (H.S. Holton, 1802)
- **recens marmorata**, [\*\*Marcia recens marmorata\*\*](#) (J.B.P.A. Lamarck, 1818)
- **reclusa**, Venus reclusa Favanne, 1780 - syn of: [\*\*Galatea paradoxa\*\*](#) (I. von Born, 1780)
- **recognita**, Chione recognita E.A. Smith, 1886 - syn of: [\*\*Timoclea subnodulosa\*\*](#) (S.C.T. Hanley, 1845)
- **rectodorsalis**, [\*\*Pitar rectodorsalis\*\*](#) K.L. Lamprell & R.N. Kilburn, 1999
- **reeveana**, [\*\*Meretrix reeveana\*\*](#) (J.G. Hidalgo, 1903)
- **reeveanum**, [\*\*Pitar reeveanum\*\*](#) J.G. Hidalgo, 1903
- **reflexa**, Venus reflexa G. Montagu, 1808 - syn of: [\*\*Venus casina\*\*](#) C. Linnaeus, 1758
- **reflexus**, [\*\*Irus reflexus\*\*](#) (J.E. Gray, 1843)
- **regularis**, [\*\*Pitar regularis\*\*](#) (E.A. Smith, 1885)
- **rejecta**, [\*\*Tivela rejecta\*\*](#) E.A. Smith, 1914
- **rejecta**, Tivela rejecta P.G. Oliver, 1995 - syn of: [\*\*Tivela damaooides\*\*](#) (W. Wood, 1828)
- **resticulata**, [\*\*Antigona resticulata\*\*](#) (G.B. II Sowerby, 1853)
- **restorationensis**, [\*\*Leukoma restorationensis\*\*](#) (D.L. Frizzell, 1930)
- **restorationensis**, Protothaca restorationensis D.L. Frizzell, 1930 - syn of: [\*\*Leukoma restorationensis\*\*](#) (D.L. Frizzell, 1930)
- **reticulata**, [\*\*Periglypta reticulata\*\*](#) (C. Linnaeus, 1758)
- **reticulata**, Petricola reticulata Bellevue, 1802 - syn of: [\*\*Petricola lithophaga\*\*](#) (A. Retzius, 1788)
- **reticulata**, Venus reticulata C. Linnaeus, 1758 - syn of: [\*\*Periglypta reticulata\*\*](#) (C. Linnaeus, 1758)
- **reticulata**, Chione reticulata C. Linnaeus, 1758 - syn of: [\*\*Periglypta reticulata\*\*](#) (C. Linnaeus, 1758)
- **reticulata**, Arthemis reticulata C.A. Récluz, 1844 - syn of: [\*\*Dosinia lucinalis\*\*](#) (J.B.P.A. Lamarck, 1818)
- **reticulata**, Tapes reticulata J.E. Tenison-Woods, 1878 - syn of: [\*\*Venerupis anomala\*\*](#) (J.B.P.A. Lamarck, 1818)
- **reticulina**, Venus reticulina J.B.G.M. Bory De Saint-Vincent, 1827 - syn of: [\*\*Paphia textilis\*\*](#) (J.F. Gmelin, 1791)
- **retortus**, Tapes retortus É.A.A. Locard, 1886 - syn of: [\*\*Polititapes aureus\*\*](#) (J.F. Gmelin, 1791)
- **retroversum**, [\*\*Placamen retroversum\*\*](#) (G.P. Deshayes, 1853)
- **rhamphodes**, [\*\*Protapes rhamphodes\*\*](#) (P.G. Oliver & E.A. Glover, 1996)

- rhamphodes, Paphia rhamphodes P.G. Oliver & E.A. Glover, 1996 - syn of: [\*\*Protapes rhamphodes\*\*](#) (P.G. Oliver & E.A. Glover, 1996)
- rhombifera, Venus rhombifera J.B.G.M. Bory De Saint-Vincent, 1827 - syn of: [\*\*Protapes gallus\*\*](#) (J.F. Gmelin, 1791)
- rhomboides, [\*\*Polititapes rhomboides\*\*](#) (T. Pennant, 1777)
- rhomboides, Venus rhomboides T. Pennant, 1777 - syn of: [\*\*Polititapes rhomboides\*\*](#) (T. Pennant, 1777)
- rhomboides, Venerupis rhomboides T. Pennant, 1777 - syn of: [\*\*Polititapes rhomboides\*\*](#) (T. Pennant, 1777)
- rhomboides, Paphia rhomboides T. Pennant, 1777 - syn of: [\*\*Polititapes rhomboides\*\*](#) (T. Pennant, 1777)
- rhomboides, Tapes rhomboides T. Pennant, 1777 - syn of: [\*\*Polititapes rhomboides\*\*](#) (T. Pennant, 1777)
- rhomboides major, Tapes rhomboides major M.E.J. Bucquoy, P. Dautzenberg & G.F. Dolfus, 1893 - syn of: [\*\*Polititapes rhomboides\*\*](#) (T. Pennant, 1777)
- rhyssomia, Venus rhyssomia W.M. Gabb, 1861 - syn of: [\*\*Nutricola tantilla\*\*](#) (A.A. Gould, 1853)
- rhyssodes, Petricola rhyssodes R.A. Philippi, 1887 - syn of: [\*\*Petricola rugosa\*\*](#) G.B. I Sowerby, 1834
- rhytiphora, Marcia rhytiphora É. Lamy, 1935 - syn of: [\*\*Katelysia victoriae\*\*](#) (J.E. Tenison-Woods, 1878)
- rhytiphora, Katelysia rhytiphora É. Lamy, 1937 - syn of: [\*\*Katelysia victoriae\*\*](#) (J.E. Tenison-Woods, 1878)
- richerdeforgersi, [\*\*Lioconcha richerdeforgersi\*\*](#) K.L. Lamprell & J. Stanisic, 1996
- rigida, [\*\*Globivenus rigida\*\*](#) (L.W. Dillwyn, 1817)
- rigida, Venus rigida A.A. Gould, 1850 - syn of: [\*\*Leukoma staminea\*\*](#) (T.A. Conrad, 1837)
- rigida, Venus rigida L.W. Dillwyn, 1817 - syn of: [\*\*Globivenus rigida\*\*](#) (L.W. Dillwyn, 1817)
- rigida isocardia, Globivenus rigida isocardia A.E. Verril, 1870 - syn of: [\*\*Globivenus isocardia\*\*](#) (A.E. Verril, 1870)
- rimosa, Venus rimosa R.A. Philippi, 1847 - syn of: [\*\*Paphia undulata\*\*](#) (I. von Born, 1778)
- rimularis, Venus rimularis J.B.P.A. Lamarck, 1818 - syn of: [\*\*Marcia hiantina\*\*](#) (J.B.P.A. Lamarck, 1818)
- riocanensis, Petricola riocanensis C.J. Maury, 1917 - syn of: [\*\*Choristodon robustus\*\*](#) (G.B. I Sowerby, 1834)
- riomaturensis, [\*\*Lirophora riomaturensis\*\*](#) (C.J. Maury, 1925)
- riosi, [\*\*Cooperella riosi\*\*](#) M. Huber, 2010
- rissoiana, Dosinia rissoiana É.A.A. Locard, 1886 - syn of: [\*\*Dosinia lupinus\*\*](#) (C. Linnaeus, 1758)
- rivularis, [\*\*Circe rivularis\*\*](#) (I. von Born, 1778)
- robillardii, Circe robillardii A. Römer, 1869 - syn of: [\*\*Circe scripta\*\*](#) (C. Linnaeus, 1758)
- roborata, Venus roborata S.C.T. Hanley, 1845 - syn of: [\*\*Placamen placidum\*\*](#) (R.A. Philippi, 1844)
- robusta, Petricola robusta G.B. I Sowerby, 1834 - syn of: [\*\*Choristodon robustus\*\*](#) (G.B. I Sowerby, 1834)
- robusta, Petricola robusta R.A. Philippi, 1849 - syn of: [\*\*Choristodon robustus\*\*](#) (G.B. I Sowerby, 1834)
- robustus, [\*\*Choristodon robustus\*\*](#) (G.B. I Sowerby, 1834)
- rocellaria, Petricola rocellaria J.B.P.A. Lamarck, 1818 - syn of: [\*\*Petricola lithophaga\*\*](#) (A. Retzius, 1788)
- rochebrunei, Tapes rochebrunei É.A.A. Locard, 1886 - syn of: [\*\*Polititapes aureus\*\*](#) (J.F. Gmelin, 1791)
- rodatzii, Tapes rodatzii R.W. Dunker, 1848 - syn of: [\*\*Tapes sulcarius\*\*](#) (J.B.P.A. Lamarck, 1818)
- rodriguezi, Venus rodriguezi R.A. Philippi, 1887 - syn of: [\*\*Leukoma thaca\*\*](#) (J.I. Molina, 1782)
- roemerii, [\*\*Protapes roemerii\*\*](#) M. Huber, 2010
- roemerii, Venus roemerii R.W. Dunker, 1860 - syn of: [\*\*Anomalodiscus squamosus\*\*](#) (C. Linnaeus, 1758)
- roemerii, Dosinia roemerii R.W. Dunker, 1863 - syn of: [\*\*Dosinia cumingii\*\*](#) (L.A. Reeve, 1850)
- roemeriana, [\*\*Timoclea roemeriana\*\*](#) (A. Issel, 1869)
- roetersiana, Meroe roetersiana J.C.H. Crosse, 1874 - syn of: [\*\*Sunetta donacina\*\*](#) (J.F. Gmelin, 1791)
- rogersii, Petricola rogersii McGavock, 1944 - syn of: [\*\*Petricola pholadiformis\*\*](#) J.B.P.A. Lamarck, 1818
- romani, Venerupis romani P. Cakara, 1845 - syn of: [\*\*Coralliphaga lithophagella\*\*](#) (J.B.P.A. Lamarck, 1819)
- romeri, Pitar romeri J.R. le B. Tomlin & L.J. Shackleford, 1913 - syn of: [\*\*Pitar virgo\*\*](#) (J.E. Gray, 1838)
- rosa, [\*\*Tawera rosa\*\*](#) A.W.B. Powell, 1955
- rosalina, Venus rosalina P.C.A.S.L. Rang, 1835 - syn of: [\*\*Venus crebrisulca\*\*](#) J.B.P.A. Lamarck, 1818
- rosalina, Venus rosalina R.A. Philippi, 1849 - syn of: [\*\*Venus subrosalina\*\*](#) J.R. le B. Tomlin, 1923
- roscida, Callista roscida A.A. Gould, 1861 - syn of: [\*\*Callista chinensis\*\*](#) (H.S. Holton, 1802)
- rosea, [\*\*Hysteroconcha rosea\*\*](#) (W.J. Broderip & G.B. I Sowerby, 1829)
- rosea, Perilypta rosea W.J. Broderip & G.B. I Sowerby, 1829 - syn of: [\*\*Hysteroconcha rosea\*\*](#) (W.J. Broderip & G.B. I Sowerby, 1829)
- roseoprodissococonchus, Pitar roseoprodissococonchus J. Drivas & M. Jay, 1990 - syn of: [\*\*Hyphantosoma nancyae\*\*](#) (K.L. Lamprell & T. Whitehead, 1990)
- roseotincta, [\*\*Callista roseotincta\*\*](#) (E.A. Smith, 1885)
- roseotinctum, [\*\*Placamen roseotinctum\*\*](#) (W. Baird in G.A. Brenchley, 1873)
- rostrata, Cytherea rostrata F.C.L. Koch in R.A. Philippi, 1844 - syn of: [\*\*Pitar patagonicus\*\*](#) (D'Orbigny, 1842)
- rostrata, Venus rostrata G.B. II Sowerby, 1853 - syn of: [\*\*Anomalocardia cuneimeris\*\*](#) (T.A. Conrad, 1846)
- rostratus, [\*\*Pitar rostratus\*\*](#) (R.A. Philippi, 1844)
- rostratus, Tapes rostratus É.A.A. Locard, 1886 - syn of: [\*\*Polititapes aureus\*\*](#) (J.F. Gmelin, 1791)
- rotundata, [\*\*Paphia rotundata\*\*](#) (C. Linnaeus, 1758)
- rubiginosa, [\*\*Kyrina rubiginosa\*\*](#) (A. Adams & G.F. Angas, 1864)
- rubiginosa, Petricola rubiginosa A. Adams & G.F. Angas, 1864 - syn of: [\*\*Kyrina rubiginosa\*\*](#) (A. Adams & G.F. Angas, 1864)
- rubiginosa, Perilypta rubiginosa R.A. Philippi, 1845 - syn of: [\*\*Pitar fulminatus\*\*](#) (K.T. Menke, 1828)
- rubra, Venus rubra J.F. Gmelin, 1791 - syn of: [\*\*Lamelliconcha circinata\*\*](#) (I. von Born, 1778)
- ruderata, Chione ruderata G.P. Deshayes, 1853 - syn of: [\*\*Leukoma staminea\*\*](#) (T.A. Conrad, 1837)
- rudis, [\*\*Pitar rudis\*\*](#) (G.S. Poli, 1795)
- rudis gracilentum, [\*\*Pitar rudis gracilentum\*\*](#) É.A.A. Locard, 1892
- rudis mediterranea, Venus rudis mediterranea T.A. de M. Monterosato, 1874 - syn of: [\*\*Pitar mediterraneus\*\*](#) (A. Aradas & L. Benoit, 1872)
- rudis mediterraneum, [\*\*Pitar rudis mediterraneum\*\*](#) N. Tiberi, 1885
- rudis nitidulum, [\*\*Pitar rudis nitidulum\*\*](#) J.B.P.A. Lamarck, 1818

- **rudis radiata**, Meretrix rudis radiata M.E.J. Bucquoy, P. Dautzenberg & G.F. Dolfus, 1893 - syn of: [\*\*Pitar rudis\*\*](#) (G.S. Poli, 1795)
- **rudis rugatum**, [\*\*Pitar rudis rugatum\*\*](#) É.A.A. Locard, 1892
- **rufa**, [\*\*Eurhomalea rufa\*\*](#) (J.B.P.A. Lamarck, 1818)
- **rufa**, Venus rufa J.B.P.A. Lamarck, 1818 - syn of: [\*\*Eurhomalea rufa\*\*](#) (J.B.P.A. Lamarck, 1818)
- **rufescens**, [\*\*Pitar rufescens\*\*](#) (G.P. Deshayes, 1853)
- **rufiscescens**, Venerupis rufiscescens E. Fischer-Piette & B. Métivier, 1971 - syn of: [\*\*Polititapes durus\*\*](#) (J.F. Gmelin, 1791)
- **rugata**, Periglypta rugata É.A.A. Locard, 1892 - syn of: [\*\*Pitar rudis\*\*](#) (G.S. Poli, 1795)
- **rugatina**, [\*\*Globivenus rugatina\*\*](#) (A. Heilprin, 1887)
- **rugatum**, [\*\*Pitar rudis rugatum\*\*](#) É.A.A. Locard, 1892
- **rugifera**, [\*\*Circe rugifera\*\*](#) (J.B.P.A. Lamarck, 1818)
- **rugosa**, [\*\*Venerupis rugosa\*\*](#) (G.B. II Sowerby, 1854)
- **rugosa**, [\*\*Petricola rugosa\*\*](#) G.B. I Sowerby, 1834
- **rugosa**, Anomalocardia rugosa H.C.F. Schumacher, 1817 - syn of: [\*\*Anomalocardia flexuosa\*\*](#) (C. Linnaeus, 1767)
- **rumphii**, [\*\*Lioconcha rumphii\*\*](#)
- **ruperella**, Petricola ruperella J.B.P.A. Lamarck, 1818 - syn of: [\*\*Petricola lithophaga\*\*](#) (A. Retzius, 1788)
- **ruscuriana**, [\*\*Venerupis ruscuriana\*\*](#) T.A. de M. Monterosato, 1884
- **rusterucii**, Venus rusterucii B.C.M. Payraudeau, 1826 - syn of: [\*\*Venus casina\*\*](#) C. Linnaeus, 1758
- **rustica**, Caryatis rustica A. Römer, 1867 - syn of: [\*\*Pitar patagonicus\*\*](#) (D'Orbigny, 1842)
- **rutila**, Mercenaria rutila Sternheimer, 1957 - syn of: [\*\*Mercenaria mercenaria\*\*](#) (C. Linnaeus, 1758)
- **rutila rarilineata**, Mercenaria rutila rarilineata Sternheimer, 1957 - syn of: [\*\*Mercenaria mercenaria\*\*](#) (C. Linnaeus, 1758)
- **saccata**, Arthemis saccata A.A. Gould, 1851 - syn of: [\*\*Cyclinella subquadrata\*\*](#) (S.C.T. Hanley, 1844)
- **salamensis**, Circe salamensis K.H.J. Thiele & S.G.A. Jaekel, 1931 - syn of: [\*\*Dorisca amica\*\*](#) (E.A. Smith, 1885)
- **salamensis**, Dorisca salamensis K.H.J. Thiele & S.G.A. Jaekel, 1931 - syn of: [\*\*Dorisca amica\*\*](#) (E.A. Smith, 1885)
- **salanga**, Pitar salanga H.A. Plsby & A.A. Olsson, 1941 - syn of: [\*\*Lamelliconcha concinna\*\*](#) (G.B. I Sowerby, 1835)
- **salebrosa**, Dosinia salebrosa A. Römer, 1860 - syn of: [\*\*Dosinia altior\*\*](#) G.P. Deshayes, 1853
- **salinensis**, [\*\*Eurhomalea salinensis\*\*](#) L. Ramorino, 1968
- **sallei**, Venus sallei L.A. Reeve, 1864 - syn of: [\*\*Sunetta donacina\*\*](#) (J.F. Gmelin, 1791)
- **salmonea**, Psephis salmonaea P.P. Carpenter, 1864 - syn of: [\*\*Neolepton salmonicum\*\*](#) (P.P. Carpenter, 1864)
- **sanata**, [\*\*Dosinia sanata\*\*](#) E. Fischer-Piette & D. Delmas, 1967
- **sanguinolenta**, Venus sanguinolenta J.F. Gmelin, 1791 - syn of: [\*\*Polititapes rhombooides\*\*](#) (T. Pennant, 1777)
- **santodomingensis**, Chione santodomingensis H.A. Plsby & C.W. Johnson, 1917 - syn of: [\*\*Chione cancellata\*\*](#) (C. Linnaeus, 1767)
- **sarniensis**, Venus sarniensis W. Turton, 1822 - syn of: [\*\*Polititapes rhombooides\*\*](#) (T. Pennant, 1777)
- **satparaensis**, Sunetta satparaensis H.B. Preston, 1914 - syn of: [\*\*Circe scripta\*\*](#) (C. Linnaeus, 1758)
- **savignyi**, [\*\*Gafrarium savignyi\*\*](#) (I.H. Jonas, 1846)
- **savignyi**, Lioconcha savignyi P.M. Palary, 1926 - syn of: [\*\*Circenita varia\*\*](#) (P. Forsskål in C. Niebuhr, 1775)
- **saxatilis**, [\*\*Venerupis corrugata saxatilis\*\*](#) (L.B. Fleuriau de Bellevue, 1802)
- **saxicola**, Venus saxicola F. Danilo & G.B. Sandri, 1856 - syn of: [\*\*Venerupis corrugata\*\*](#) (J.F. Gmelin, 1791)
- **scabra**, [\*\*Timoclea scabra\*\*](#) (S.C.T. Hanley, 1845)
- **scabra**, Dosinia scabra R.A. Philippi, 1849 - syn of: [\*\*Dosinia histrio\*\*](#) (J.F. Gmelin, 1791)
- **scabriuscula**, [\*\*Dosinia scabriuscula\*\*](#) (R.A. Philippi, 1847)
- **scalarina**, [\*\*Katelysia scalarina\*\*](#) (J.B.P.A. Lamarck, 1818)
- **scalarina**, Venus scalarina J.B.P.A. Lamarck, 1818 - syn of: [\*\*Katelysia scalarina\*\*](#) (J.B.P.A. Lamarck, 1818)
- **scalarina aphrodina**, [\*\*Katelysia scalarina aphrodina\*\*](#) J.B.P.A. Lamarck, 1818
- **scalaris**, [\*\*Dosinia scalaris\*\*](#) (K.T. Menke, 1843)
- **scalaris**, [\*\*Clausinella fasciata scalaris\*\*](#) H.G. Bronn, 1830
- **scammoni**, Liocyma scammoni W.H. Dall, 1871 - syn of: [\*\*Liocyma fluctuosa\*\*](#) (A.A. Gould, 1841)
- **scandularis**, [\*\*Timoclea scandularis\*\*](#) (C. Hedley, 1909)
- **scansilis**, Anomalocardia scansilis A. Römer, 1861 - syn of: [\*\*Tawera spissa\*\*](#) (G.P. Deshayes, 1835)
- **scarificata**, Tivela scarificata S.S. Berry, 1940 - syn of: [\*\*Tivela stultorum\*\*](#) (J. Mawe, 1823)
- **schefferi**, Liocyma schefferi P. Bartsch & H.A. Rehder, 1939 - Syn of: [\*\*Liocyma fluctuosa\*\*](#) (A.A. Gould, 1841)
- **schencki**, Protothaca schencki S. Nomura, 1937 - syn of: [\*\*Venerupis decussata\*\*](#) (C. Linnaeus, 1758)
- **schioettei**, [\*\*Lioconcha schioettei\*\*](#) K.L. Lamprell & J.M. Healy, 2002
- **schiottei**, [\*\*Lioconcha schiottei\*\*](#) K.L. Lamprell & J.M. Healy, 2002
- **schnelliana**, [\*\*Paphia schnelliana\*\*](#) (R.W. Dunker, 1865)
- **schnelliana**, Paphia schnelliana F.J. Springsteen & C.B. Leobrera, 1986 - syn of: [\*\*Paphia declivis\*\*](#) (G.B. II Sowerby, 1852)
- **schottii**, Chione schottii W.H. Dall, 1902 - syn of: [\*\*Chamelea gallina\*\*](#) (C. Linnaeus, 1758)
- **scintillaeformis**, Cooperella scintillaeformis P.P. Carpenter, 1864 - syn of: [\*\*Cooperella subdiaphana\*\*](#) (P.P. Carpenter, 1864)
- **scobina**, Petricola scobina P.P. Carpenter, 1857 - syn of: [\*\*Petricola linguafelis\*\*](#) (P.P. Carpenter, 1857)
- **scordalus**, Paphia scordalus T. Iredale, 1936 - syn of: [\*\*Paphia undulata\*\*](#) (I. von Born, 1778)
- **scotti**, [\*\*Petricola scotti\*\*](#) E.V. Coan, 1997
- **scripta**, [\*\*Circe scripta\*\*](#) (C. Linnaeus, 1758)
- **scripta**, Circe scripta F.E. Wels & C.W. Bryce, 1988 - syn of: [\*\*Circe quoyi\*\*](#) (S.C.T. Hanley, 1844)
- **scripta personata**, [\*\*Circe scripta personata\*\*](#) G.P. Deshayes, 1854
- **scripta tumefacta**, Circe scripta tumefacta G.B. II Sowerby, 1851 - syn of: [\*\*Circe tumefacta\*\*](#) G.B. II Sowerby, 1851
- **sculpta**, [\*\*Dosinia sculpta\*\*](#) (S.C.T. Hanley, 1845)

- **sculpta**, Venus sculpta G.P. Deshayes, 1853 - syn of: [\*\*Globivenus toreuma\*\*](#) (A.A. Gould, 1850)
- **semicancellata**, Venus semicancellata F.C.L. Koch in R.A. Philippi, 1843 - syn of: [\*\*Macridiscus donacinus\*\*](#)
- semicancellatus** (F.C.L. Koch in R.A. Philippi, 1843)
- **semicancellatus**, [\*\*Macridiscus donacinus semicancellatus\*\*](#) (F.C.L. Koch in R.A. Philippi, 1843)
- **semidecussata**, Tapes semidecussata L.A. Reeve, 1864 - syn of: [\*\*Venerupis philippinarum\*\*](#) (A. Adams & L.A. Reeve, 1850)
- **semifulva**, Periglypta semifulva K.T. Menke, 1847 - syn of: [\*\*Tivela byronensis\*\*](#) (J.E. Gray, 1838)
- **semilamellata**, Petricola semilamellata J.B.P.A. Lamarck, 1818 - syn of: [\*\*Petricola lithophaga\*\*](#) (A. Retzius, 1788)
- **semilamellosa**, Periglypta semilamellosa F.M. Delessert, 1841 - syn of: [\*\*Hysteroconcha lupanaria\*\*](#) (R.P. Lesson, 1831)
- **semilicentrifugata**, Timoclea semilicentrifugata J.M.R.M. Viader, 1951 - syn of: [\*\*Tawera similicentrifuga\*\*](#) (J.M.R.M. Viader, 1951)
- **semiobliterata**, [\*\*Dosinia semiobliterata\*\*](#) G.P. Deshayes, 1853
- **semipurpurea**, Rupellaria semipurpurea R.W. Dunker, 1882 - syn of: [\*\*Irus mitis\*\*](#) (G.P. Deshayes, 1854)
- **semipurpurea**, Petricola semipurpurea R.W. Dunker, 1882 - syn of: [\*\*Irus mitis\*\*](#) (G.P. Deshayes, 1854)
- **semirugata**, [\*\*Paphia semirugata\*\*](#) (R.A. Philippi, 1847)
- **semirugata**, Venus semirugata R.A. Philippi, 1847 - syn of: [\*\*Paphia semirugata\*\*](#) (R.A. Philippi, 1847)
- **semisulcata**, [\*\*Callista semisulcata\*\*](#) (G.B. Sowerby, 1851)
- **semerpi**, [\*\*Costacallista semperi\*\*](#) J.B.P.A. Lamarck, 1818
- **senegalensis**, [\*\*Venerupis corrugata senegalensis\*\*](#) (J.F. Gmelin, 1791)
- **senegalensis**, Venus senegalensis J.F. Gmelin, 1791 - syn of: [\*\*Venerupis corrugata senegalensis\*\*](#) (J.F. Gmelin, 1791)
- **sericea**, [\*\*Dosinia sericea\*\*](#) (L.A. Reeve, 1850)
- **sericeus**, [\*\*Tapes sericeus\*\*](#) A. Matsukuma, 1986
- **serrata**, [\*\*Petricolaria serrata\*\*](#) (G.P. Deshayes, 1853)
- **serricula**, Petricola serricula A. de Rochebrune, 1881 - syn of: [\*\*Petricola lapicida\*\*](#) (J.F. Gmelin, 1791)
- **servaini**, Tapes servaini É.A.A. Locard, 1886 - syn of: [\*\*Polititapes aureus\*\*](#) (J.F. Gmelin, 1791)
- **sewelli**, [\*\*Aphrodora sewelli\*\*](#) (J. Knudsen, 1967)
- **siamensis**, [\*\*Timoclea siamensis\*\*](#) (H. Lynge, 1909)
- **sicilianus**, [\*\*Venus casina sicilianus\*\*](#) A. Aradas & L. Benoit, 1870
- **sidneyensis**, Venus sidneyensis K.T. Menke, 1858 - syn of: [\*\*Placamen chloroticum\*\*](#) (R.A. Philippi, 1849)
- **sieboldi**, Dosinia sieboldi A. Römer, 1862 - syn of: [\*\*Dosinia eduardi\*\*](#) E. Fischer-Piette & D. Delmas, 1967
- **sieboldii**, Dosinia sieboldii L.A. Reeve, 1850 - syn of: [\*\*Dosinia exasperata\*\*](#) (R.A. Philippi, 1847)
- **siliqua**, Venerupis siliqua G.P. Deshayes, 1854 - syn of: [\*\*Irus reflexus\*\*](#) (J.E. Gray, 1843)
- **similicentrifuga**, [\*\*Tawera similicentrifuga\*\*](#) (J.M.R.M. Viader, 1951)
- **similis**, Clementia similis G.B. II Sowerby, 1852 - syn of: [\*\*Clementia papyracea\*\*](#) (J.F. Gmelin, 1791)
- **similis**, Tapes similis G.P. Deshayes, 1853 - syn of: [\*\*Polititapes durus\*\*](#) (J.F. Gmelin, 1791)
- **similis**, Clementia similis G.P. Deshayes, 1853 - syn of: [\*\*Kyrina granulifera\*\*](#) (G.B. II Sowerby, 1852)
- **similis**, Venus similis W. Wood, 1828 - syn of: [\*\*Corbicula similis\*\*](#) (W. Wood, 1828)
- **simillima**, Venus simillima G.B. I Sowerby, 1853 - syn of: [\*\*Chione undatella\*\*](#) (G.B. I Sowerby, 1835)
- **simils**, Clementia simils G.P. Deshayes, 1853 - syn of: [\*\*Kyrina granulifera\*\*](#) (G.B. II Sowerby, 1852)
- **simplex**, Dosinia simplex A. Adams, 1856 - syn of: [\*\*Dosinia angulosa\*\*](#) (R.A. Philippi, 1847)
- **simplex**, Dosinia simplex S.C.T. Hanley, 1845 - syn of: [\*\*Dosinia dunkeri\*\*](#) (R.A. Philippi, 1844)
- **simpsoni**, [\*\*Pitar simpsoni\*\*](#) (W.H. Dall, 1895)
- **simulans**, Venus simulans G.B. III Sowerby in C.R. Darwin, 1844 - syn of: [\*\*Venus verrucosa\*\*](#) C. Linnaeus, 1758
- **sinensis**, [\*\*Cyclina sinensis\*\*](#) (J.F. Gmelin, 1791)
- **sinensis**, Venus sinensis H.S. Holton, 1802 - syn of: [\*\*Callista chinensis\*\*](#) (H.S. Holton, 1802)
- **sinensis**, Tapes sinensis L.A. Reeve, 1864 - syn of: [\*\*Marcia recens\*\*](#) (H.S. Holton, 1802)
- **singleyi**, Cyclinella singleyi W.H. Dall, 1902 - syn of: [\*\*Cyclinella producta\*\*](#) (P.P. Carpenter, 1856)
- **sinuata**, Venus sinuata I. von Born, 1778 - syn of: [\*\*Chamelea gallina\*\*](#) (C. Linnaeus, 1758)
- **sinuata**, Venus sinuata J.F. Gmelin, 1791 - syn of: [\*\*Pelecyora excisa\*\*](#) (P.F. Röding, 1798)
- **sinuosa**, Protapes sinuosa J.B.P.A. Lamarck, 1818 - syn of: [\*\*Venus sinuosa\*\*](#) J.B.P.A. Lamarck, 1818
- **sinuosa**, Tapes sinuosa J.B.P.A. Lamarck, 1818 - syn of: [\*\*Venus sinuosa\*\*](#) J.B.P.A. Lamarck, 1818
- **sinuosa**, [\*\*Venus sinuosa\*\*](#) J.B.P.A. Lamarck, 1818
- **sinuosa**, Venus sinuosa T. Pennant, 1777 - syn of: [\*\*Mysia undata\*\*](#) (T. Pennant, 1777)
- **sinuosa**, Petricola sinuosa T.A. Conrad, 1849 - syn of: [\*\*Choristodon robustus\*\*](#) (G.B. I Sowerby, 1834)
- **sismondae**, Periglypta sismondae P. Calcaro, 1845 - syn of: [\*\*Gouldia minima\*\*](#) (G. Montagu, 1803)
- **smithiana**, [\*\*Timoclea smithiana\*\*](#) M. Huber, 2010
- **smithii**, Callocardia smithii W.H. Dall, 1889 - syn of: [\*\*Isorropodon smithii\*\*](#) (W.H. Dall, 1889)
- **snellii**, [\*\*Globivenus snellii\*\*](#) (E. Fischer-Piette, 1975)
- **solanderii**, [\*\*Sunetta solanderii\*\*](#) (J.E. Gray, 1825)
- **solandri**, Sunetta solandri J.E. Gray, 1838 - syn of: [\*\*Sunetta solanderii\*\*](#) (J.E. Gray, 1825)
- **solangensis**, Venus solangensis D'Orbigny, 1845 - syn of: [\*\*Tivela byronensis\*\*](#) (J.E. Gray, 1838)
- **solida**, [\*\*Egesta solida\*\*](#) (W.H. Dall, 1902)
- **solida**, Petricola solida G.B. I Sowerby, 1834 - syn of: [\*\*Paphonotia elliptica\*\*](#) (G.B. I Sowerby, 1834)
- **solida**, Clementia solida W.H. Dall, 1902 - syn of: [\*\*Egesta solida\*\*](#) (W.H. Dall, 1902)
- **solidissima**, Periglypta solidissima R.A. Philippi, 1851 - syn of: [\*\*Tivela stultorum\*\*](#) (J. Mawe, 1823)
- **solidula**, Petricola solidula G.B. I Sowerby, 1855 - syn of: [\*\*Paphonotia elliptica\*\*](#) (G.B. I Sowerby, 1834)
- **solidula**, Dosinia solidula G.B. II Sowerby, 1852 - syn of: [\*\*Dosinia orbignyi\*\*](#) R.W. Dunker, 1845

- soligena, [\*\*Pitar soligena\*\*](#) (A. Römer, 1867)
- somwangi, [\*\*Antigona somwangi\*\*](#) M. Huber, 2010
- sophiae, [\*\*Pitar sophiae\*\*](#) (G.F. Angas, 1877)
- sororcula, Transennella sororcula H.A. Plisby & H.N. Lowe, 1932 - syn of: [\*\*Transennella modesta\*\*](#) (W.J. Broderip & G.B. I Sowerby, 1835)
- southlandica, [\*\*Bassina southlandica\*\*](#) C.A. Fleming, 1962
- sowerbyi, [\*\*Lioconcha sowerbyi\*\*](#) (G.P. Deshayes, 1853)
- sowerbyi, [\*\*Antigona sowerbyi\*\*](#) (G.P. Deshayes, 1853)
- sowerbyi, Venus sowerbyi G.P. Deshayes, 1853 - syn of: [\*\*Antigona sowerbyi\*\*](#) (G.P. Deshayes, 1853)
- soyoeae, [\*\*Laevicirce soyoeae\*\*](#) T. Habe, 1951
- spaldingi, Dosinia spaldingi F.P. Jousseaume, 1894 - syn of: [\*\*Meretrix meretrix\*\*](#) (C. Linnaeus, 1758)
- speciosa, Clementia speciosa M. Yokoyama, 1923 - syn of: [\*\*Clementia papyracea\*\*](#) (J.F. Gmelin, 1791)
- speciosum, [\*\*Gastrarium speciosum\*\*](#) (A. Römer, 1869)
- specularis, Dosinia specularis A. Römer, 1860 - syn of: [\*\*Dosinia scabriuscula\*\*](#) (R.A. Philippi, 1847)
- speighti, [\*\*Bassina speighti\*\*](#) (H.H. Suter, 1913)
- sphaericula, [\*\*Pelecyora sphaericula\*\*](#) (A. Römer, 1862)
- sphaericula, [\*\*Tawera sphaericula\*\*](#) (G.P. Deshayes, 1853)
- sphaericula, Chamelea sphaericula G.P. Deshayes, 1853 - syn of: [\*\*Tawera sphaericula\*\*](#) (G.P. Deshayes, 1853)
- sphaericula, Hysteroconcha sphaericula G.P. Deshayes, 1853 - syn of: [\*\*Tawera sphaericula\*\*](#) (G.P. Deshayes, 1853)
- sphaerisulca, Venus sphaerisulca L.A. Reeve, 1863 - syn of: [\*\*Tawera sphaericula\*\*](#) (G.P. Deshayes, 1853)
- sphragitis, Lioconcha sphragitis A. Römer, 1864 - syn of: [\*\*Lioconcha trimaculata\*\*](#) (J.B.P.A. Lamarck, 1818)
- spinifera, Venus spinifera G. Montagu, 1803 - syn of: [\*\*Myrtea spinifera\*\*](#) (G. Montagu, 1803)
- spinifera, Chamelea spinifera T. Brown, 1827 - syn of: [\*\*Myrtea spinifera\*\*](#) (G. Montagu, 1803)
- spissa, [\*\*Tawera spissa\*\*](#) (G.P. Deshayes, 1835)
- spissa, Venus spissa G.P. Deshayes, 1835 - syn of: [\*\*Tawera spissa\*\*](#) (G.P. Deshayes, 1835)
- splendida, Cyclina splendida A. Römer, 1860 - syn of: [\*\*Cyclina flavidia\*\*](#) G.P. Deshayes, 1853
- spoori, [\*\*Hyphantosoma spoori\*\*](#) (K.L. Lamprell & T. Whitehead, 1990)
- spoori, Pitar spoori K.L. Lamprell & T. Whitehead, 1990 - syn of: [\*\*Hyphantosoma spoori\*\*](#) (K.L. Lamprell & T. Whitehead, 1990)
- spuma, [\*\*Callista spuma\*\*](#) (P.F. Röding, 1798)
- spurca, Venus spurca G.B. I Sowerby, 1835 - syn of: [\*\*Tawera spissa\*\*](#) (G.P. Deshayes, 1835)
- squalida, [\*\*Megapitaria squalida\*\*](#) (G.B. I Sowerby, 1835)
- squalida, Callista squalida G.B. I Sowerby, 1835 - syn of: [\*\*Megapitaria squalida\*\*](#) (G.B. I Sowerby, 1835)
- squalida, Periglypta squalida G.B. I Sowerby, 1835 - syn of: [\*\*Megapitaria squalida\*\*](#) (G.B. I Sowerby, 1835)
- squalida, Macrocallista squalida G.B. I Sowerby, 1835 - syn of: [\*\*Megapitaria squalida\*\*](#) (G.B. I Sowerby, 1835)
- squalida biradiata, [\*\*Megapitaria squalida biradiata\*\*](#) (J.E. Gray, 1838)
- squalida chionacea, [\*\*Megapitaria squalida chionacea\*\*](#) (K.T. Menke, 1847)
- squalidus, Saxidomus squalidus G.P. Deshayes, 1853 - syn of: [\*\*Saxidomus nuttalli\*\*](#) T.A. Conrad, 1837
- squamosa, [\*\*Chioneryx squamosa\*\*](#) (P.P. Carpenter, 1857)
- squamosa, Venus squamosa C. Linnaeus, 1758 - syn of: [\*\*Anomalodiscus squamosus\*\*](#) (C. Linnaeus, 1758)
- squamosa, Tapes squamosa P.P. Carpenter, 1857 - syn of: [\*\*Chioneryx squamosa\*\*](#) (P.P. Carpenter, 1857)
- squamosus, [\*\*Anomalodiscus squamosus\*\*](#) (C. Linnaeus, 1758)
- staadti, Timoclea staadti E. Fischer-Piette & D. Vukadinović, 1977 - syn of: [\*\*Timoclea cochinensis\*\*](#) (G.B. II Sowerby, 1853)
- stabilis, [\*\*Dosinia stabilis\*\*](#) (T. Iredale, 1929)
- stalderi, Pitar stalderi B.L. Clark, 1915 - syn of: [\*\*Amiantis callosa\*\*](#) (T.A. Conrad, 1837)
- staminea, [\*\*Leukoma staminea\*\*](#) (T.A. Conrad, 1837)
- staminea, Paphia staminea T.A. Conrad, 1837 - syn of: [\*\*Leukoma staminea\*\*](#) (T.A. Conrad, 1837)
- staminea, Venus staminea T.A. Conrad, 1837 - syn of: [\*\*Leukoma staminea\*\*](#) (T.A. Conrad, 1837)
- staminea, Protothaca staminea T.A. Conrad, 1837 - syn of: [\*\*Leukoma staminea\*\*](#) (T.A. Conrad, 1837)
- staminea orbella, Paphia staminea orbella P.P. Carpenter, 1864 - syn of: [\*\*Leukoma staminea\*\*](#) (T.A. Conrad, 1837)
- staminea spatiosa, Protothaca staminea spatiosa W.H. Dall, 1916 - syn of: [\*\*Leukoma laciniata\*\*](#) (P.P. Carpenter, 1864)
- staminea sulculosa, Paphia staminea sulculosa W.H. Dall, 1902 - syn of: [\*\*Leukoma staminea\*\*](#) (T.A. Conrad, 1837)
- stefaninii, [\*\*Tivela stefaninii\*\*](#) (S. Nardini, 1933)
- stefaninii, Gratelupia stefaninii S. Nardini, 1933 - syn of: [\*\*Tivela stefaninii\*\*](#) (S. Nardini, 1933)
- stellae, Petricola stellae W. Nardi, 1975 - syn of: [\*\*Petricolaria serrata\*\*](#) (G.P. Deshayes, 1853)
- stellata, Venus stellata J.F. Gmelin, 1791 - syn of: [\*\*Glycymeris stellata\*\*](#) (J.G. Bruguère, 1789)
- stephensae, Gafrarium stephensae H.K. Jordan, 1936 - syn of: [\*\*Gouldia californica\*\*](#) W.H. Dall, 1917
- stephensae, Psephidia stephensae L.G. Hertlein & J. Grant, 1972 - syn of: [\*\*Nutricula cymata\*\*](#) (W.H. Dall, 1913)
- stimpsoni, [\*\*Mercenaria stimpsoni\*\*](#) (A.A. Gould, 1861)
- stimpsoni, [\*\*Transennella stimpsoni\*\*](#) (W.H. Dall, 1902)
- stimpsoni, Pitar stimpsoni W.H. Dall, 1895 - syn of: [\*\*Pitar simpsoni\*\*](#) (W.H. Dall, 1895)
- strangei, Clementia strangei G.P. Deshayes, 1854 - syn of: [\*\*Clementia papyracea\*\*](#) (J.F. Gmelin, 1791)
- striata, Petricola striata Bellevue, 1802 - syn of: [\*\*Petricola lithophaga\*\*](#) (A. Retzius, 1788)
- striata, Circe striata É.A.A. Locard, 1892 - syn of: [\*\*Gouldia minima\*\*](#) (G. Montagu, 1803)
- striata, [\*\*Meretrix striata\*\*](#) J.E. Gray
- striata, Venus striata J.F. Gmelin, 1791 - syn of: [\*\*Marcia japonica\*\*](#) (J.F. Gmelin, 1791)
- striatissima, Chione striatissima G.B. II Sowerby, 1852 - syn of: [\*\*Dosinia lucinalis\*\*](#) (J.B.P.A. Lamarck, 1818)

- **striatissima**, Artemis striatissima G.B. II Sowerby, 1852 - syn of: [\*\*Dosinia lucinalis\*\*](#) (J.B.P.A. Lamarck, 1818)
- **striatissima**, Venus striatissima G.B. II Sowerby, 1853 - syn of: [\*\*Chioneryx cardiooides\*\*](#) (J.B.P.A. Lamarck, 1818)
- **striatula**, Chamelea striatula E.M. Da Costa, 1778 - syn of: [\*\*Chamelea striatula\*\*](#) E.M. Da Costa, 1778
- **striatula, Chamelea striatula** E.M. Da Costa, 1778
- **striatus**, [\*\*Pitar striatus\*\*](#) (J.E. Gray, 1838)
- **strigillina**, [\*\*Globivenus strigillina\*\*](#) (W.H. Dall, 1902)
- **strigosa**, Venus strigosa J.B.P.A. Lamarck, 1818 - syn of: [\*\*Katelysia scalarina\*\*](#) (J.B.P.A. Lamarck, 1818)
- **stultorum**, [\*\*Tivela stultorum\*\*](#) (J. Mawe, 1823)
- **stutchburii**, Venus stutchburii W. Wood, 1828 - syn of: [\*\*Austrovenus stutchburyi\*\*](#) (W. Wood, 1828)
- **stutchburyi**, [\*\*Austrovenus stutchburyi\*\*](#) (W. Wood, 1828)
- **stutzeri**, Venus stutzeri E. Donovan, 1824 - syn of: [\*\*Circe scripta\*\*](#) (C. Linnaeus, 1758)
- **subaequilateralis**, Leukoma subaequilateralis E. Fischer-Piette, 1969 - syn of: [\*\*Leukoma metodon\*\*](#) (H.A. Pilsbry & H.N. Lowe, 1932)
- **subalata**, [\*\*Dosinia subalata\*\*](#) E.A. Smith, 1916
- **subaniwana**, Liocyma subaniwana Khomenko, 1931 - syn of: [\*\*Liocyma fluctuosa\*\*](#) (A.A. Gould, 1841)
- **subarestus**, [\*\*Pitar subarestus\*\*](#) W.H. Dall, 1912
- **subcordata**, Venus subcordata G. Montagu, 1803 - syn of: [\*\*Venus verrucosa\*\*](#) C. Linnaeus, 1758
- **subcordata**, Chamelea subcordata T. Brown, 1827 - syn of: [\*\*Chamelea striatula\*\*](#) E.M. Da Costa, 1778
- **subdecussata**, Venerupis subdecussata G.P. Deshayes, 1853 - syn of: [\*\*Notopaphia grisea\*\*](#) (J.B.P.A. Lamarck, 1818)
- **subdiaphana**, [\*\*Compsomyax subdiaphana\*\*](#) (P.P. Carpenter, 1864)
- **subdiaphana**, [\*\*Cooperella subdiaphana\*\*](#) (P.P. Carpenter, 1864)
- **subdiaphana**, Clementia subdiaphana P.P. Carpenter, 1864 - syn of: [\*\*Compsomyax subdiaphana\*\*](#) (P.P. Carpenter, 1864)
- **subdiaphana pedroana**, Callista subdiaphana pedroana R. Arnold, 1903 - syn of: [\*\*Compsomyax subdiaphana\*\*](#) (P.P. Carpenter, 1864)
- **subdichotoma**, Dosinia subdichotoma R.W. Dunker, 1865 - syn of: [\*\*Dosinia fibula\*\*](#) (L.A. Reeve, 1850)
- **subglobosa**, Tivela subglobosa R.W. Dunker, 1864 - syn of: [\*\*Tivela mactroides\*\*](#) (I. von Born, 1778)
- **subimbricata**, [\*\*Chione subimbricata\*\*](#) (G.B. I Sowerby, 1835)
- **subimbricata**, Venus subimbricata G.B. I Sowerby, 1835 - syn of: [\*\*Chione subimbricata\*\*](#) (G.B. I Sowerby, 1835)
- **subinflata**, Periglypta subinflata G.B. Sowerby, 1851 - syn of: [\*\*Pitar laetus\*\*](#) G.S. Pol, 1791
- **submercenaria**, Venus submercenaria K.V.W. Palmer, 1927 - syn of: [\*\*Mercenaria mercenaria\*\*](#) (C. Linnaeus, 1758)
- **submortoni**, Venus submortoni D'Orbigny, 1852 - syn of: [\*\*Mercenaria campechiensis\*\*](#) (J.F. Gmelin, 1791)
- **subnodulosa**, [\*\*Timoclea subnodulosa\*\*](#) (S.C.T. Hanley, 1845)
- **subpellucidus**, [\*\*Pitar subpellucidus\*\*](#) (G.B. II Sowerby, 1851)
- **subquadrata**, [\*\*Sunetta subquadrata\*\*](#) (G.B. II Sowerby, 1851)
- **subquadrata**, [\*\*Cyclinella subquadrata\*\*](#) (S.C.T. Hanley, 1844)
- **subquadrata**, [\*\*Dosinia hepatica subquadrata\*\*](#) C.F.F. von Krauss, 1848
- **subquadrata**, Meroe subquadrata G.B. II Sowerby, 1851 - syn of: [\*\*Sunetta subquadrata\*\*](#) (G.B. II Sowerby, 1851)
- **subquadrata**, Tapes subquadrata G.B. II Sowerby, 1852 - syn of: [\*\*Lajonkairia lajonkairii\*\*](#) (B.C.M. Payraudeau, 1826)
- **subquadrata**, Mysia subquadrata W.M. Gabb, 1873 - syn of: [\*\*Phlyctiderma puncturella\*\*](#) (W.H. Dall, 1899)
- **subrosalina**, [\*\*Venus subrosalina\*\*](#) J.R. le B. Tomlin, 1923
- **subrosea**, [\*\*Dosinia subrosea\*\*](#) (J.E. Gray, 1835)
- **subrostrata**, [\*\*Leukoma subrostrata\*\*](#) (J.B.P.A. Lamarck, 1818)
- **subrostrata**, Venus subrostrata J.B.G.M. Bory De Saint-Vincent, 1827 - syn of: [\*\*Antigona lamellaris\*\*](#) H.C.F. Schumacher, 1817
- **subrostrata**, Venus subrostrata J.B.P.A. Lamarck, 1818 - syn of: [\*\*Leukoma subrostrata\*\*](#) (J.B.P.A. Lamarck, 1818)
- **subrugosa**, [\*\*Iliochione subrugosa\*\*](#) (W. Wood, 1828)
- **subrugosa**, Anomalocardia subrugosa (W. Wood, 1828) - syn of: [\*\*Iliochione subrugosa\*\*](#) (W. Wood, 1828)
- **subrugosa**, Anomalocardia subrugosa G.E. Manger, 1934 - syn of: [\*\*Globivenus fordii\*\*](#) (L.G. Yates, 1890)
- **substriata**, [\*\*Lajonkairia substriata\*\*](#) (G. Montagu, 1808)
- **subtrigona**, [\*\*Meretrix subtrigona\*\*](#) (R.W. Dunker, 1857)
- **subtrigona**, [\*\*Dorisca subtrigona\*\*](#) (Z. Zhuang, 1964)
- **subtrigona**, Circe subtrigona P.P. Carpenter, 1857 - syn of: [\*\*Neolepton subtrigonum\*\*](#) (P.P. Carpenter, 1857)
- **subtrigona**, Gouldia subtrigona Z. Zhuang, 1964 - syn of: [\*\*Dorisca subtrigona\*\*](#) (Z. Zhuang, 1964)
- **subulata**, Dosinia subulata E.A. Smith, 1916 - syn of: [\*\*Dosinia subalata\*\*](#) E.A. Smith, 1916
- **subviridis**, Venus subviridis J.F. Gmelin, 1791 - syn of: [\*\*Galatea paradoxa\*\*](#) (I. von Born, 1780)
- **succincta**, Venus succincta A. Valenciennes in A.von Humboldt, 1821 - syn of: [\*\*Chione californiensis\*\*](#) (W.J. Broderip, 1835)
- **succincta**, [\*\*Chione succincta\*\*](#) C. Linnaeus, 1767
- **sugillata**, Venus sugillata L.A. Reeve, 1863 - syn of: [\*\*Chione undatella\*\*](#) (G.B. I Sowerby, 1835)
- **sulcarius**, [\*\*Tapes sulcarius\*\*](#) (J.B.P.A. Lamarck, 1818)
- **sulcarius deshayesii**, [\*\*Tapes sulcarius deshayesii\*\*](#) (S.C.T. Hanley, 1844)
- **sulcata**, [\*\*Aphrodora sulcata\*\*](#) (I.P. Zorina, 1978)
- **sulcata**, [\*\*Redicirce sulcata\*\*](#) (J.E. Gray, 1838)
- **sulcata**, Petricola sulcata J.B.P.A. Lamarck, 1801 - syn of: [\*\*Petricola lithophaga\*\*](#) (A. Retzius, 1788)
- **sulcata**, Circe sulcata J.E. Gray, 1838 - syn of: [\*\*Redicirce sulcata\*\*](#) (J.E. Gray, 1838)
- **sulcata**, Chamelea sulcata T. Brown, 1827 - syn of: [\*\*Chamelea striatula\*\*](#) E.M. Da Costa, 1778
- **sulcatina**, [\*\*Lioconcha sulcatina\*\*](#) J.B.P.A. Lamarck, 1818
- **sulcosa**, [\*\*Paphia sulcosa\*\*](#) (R.A. Philippi, 1847)
- **sulcosa**, Venus sulcosa R.A. Philippi, 1847 - syn of: [\*\*Paphia sulcosa\*\*](#) (R.A. Philippi, 1847)

- **sulcosa inflata**, *Tapes sulcosa inflata* G.B. Sowerby, 1853 - syn of: [\*\*Paphia inflata\*\*](#) (G.P. Deshayes, 1853)
- **sulfureus**, [\*\*Pitar sulfureus\*\*](#) H.A. Pilsbry, 1904
- **sumatranus**, *Tapes sumatranus* K.H.J. Thiele & S.G.A. Jaeckel, 1931 - syn of: [\*\*Paphia textilis\*\*](#) (J.F. Gmelin, 1791)
- **sunettina**, [\*\*Sunetta sunettina\*\*](#) (F.P. Jousseaume, 1891)
- **sunettina**, *Sunettina sunettina* F.P. Jousseaume, 1891 - syn of: [\*\*Sunetta sunettina\*\*](#) (F.P. Jousseaume, 1891)
- **superba**, *Venus superba* R.J.L. Guppy, 1875 - syn of: [\*\*Irus crenatus\*\*](#) (J.B.P.A. Lamarck, 1818)
- **suppositrix**, *Cytherea suppositrix* K.T. Menke, 1850 - syn of: [\*\*Lamelliconcha concinna\*\*](#) (G.B. I Sowerby, 1835)
- **swennenii**, [\*\*Protapes swennenii\*\*](#) M. Huber, 2010
- **taberi**, [\*\*Chione undatella taberi\*\*](#) C.F. Parker, 1949
- **tahitensis**, [\*\*Pitar tahitensis\*\*](#) (R.A. Philippi, 1851)
- **tahitensis**, *Periglypta tahitensis* R.A. Philippi, 1851 - syn of: [\*\*Pitar tahitensis\*\*](#) (R.A. Philippi, 1851)
- **tantilla**, [\*\*Nutricola tantilla\*\*](#) (A.A. Gould, 1853)
- **tantillus**, *Venus tantillus* A.A. Gould, 1853 - syn of: [\*\*Nutricola tantilla\*\*](#) (A.A. Gould, 1853)
- **tasmanica**, *Gouldia tasmanica* J.E. Tenison-Woods, 1876 - syn of: [\*\*Myochama tasmanica\*\*](#) (J.E. Tenison-Woods, 1876)
- **tasmanica**, *Venus tasmanica* L.A. Reeve, 1864 - syn of: [\*\*Tawera gallinula\*\*](#) (J.B.P.A. Lamarck, 1818)
- **tasmanica**, *Clementia tasmanica* W.F. Petterd, 1884 - syn of: [\*\*Kyrina rubiginosa\*\*](#) (A. Adams & G.F. Angas, 1864)
- **tebblei**, [\*\*Dosinia tebblei\*\*](#) E. Fischer-Piette & D. Delmas, 1967
- **tehuelcha**, *Venus tehuelcha* D'Orbigny, 1846 - syn of: [\*\*Pitar patagonicus\*\*](#) (D'Orbigny, 1842)
- **tellimyalis**, [\*\*Rupellaria tellimyalis\*\*](#) (P.P. Carpenter, 1864)
- **tellimyalis**, *Psephis tellimyalis* P.P. Carpenter, 1864 - syn of: [\*\*Neolepton subtrigonum\*\*](#) (P.P. Carpenter, 1857)
- **tellinaeformis**, *Venus tellinaeformis* R.A. Philippi, 1847 - syn of: [\*\*Costellipitar cor\*\*](#) (S.C.T. Hanley, 1844)
- **tellinoidea**, *Pitar tellinoidea* G.B. Sowerby, 1851 - syn of: [\*\*Costellipitar cor\*\*](#) (S.C.T. Hanley, 1844)
- **tenella**, [\*\*Dosinia tenella\*\*](#) A. Römer, 1860
- **tenerrima**, [\*\*Callithaca tenerrima\*\*](#) (P.P. Carpenter, 1857)
- **tenerrima**, *Tapes tenerrima* P.P. Carpenter, 1857 - syn of: [\*\*Callithaca tenerrima\*\*](#) (P.P. Carpenter, 1857)
- **tenerrima**, *Protothaca tenerrima* P.P. Carpenter, 1857 - syn of: [\*\*Callithaca tenerrima\*\*](#) (P.P. Carpenter, 1857)
- **tenerrima alta**, *Paphia tenerrima alta* U.T. Waterfall, 1929 - syn of: [\*\*Callithaca tenerrima\*\*](#) (P.P. Carpenter, 1857)
- **tenorii**, *Venus tenorii* A. da Costa, 1829 - syn of: [\*\*Venerupis corrugata\*\*](#) (J.F. Gmelin, 1791)
- **tenue**, [\*\*Hyphantosoma tenue\*\*](#) B.K. Raines & M. Huber, 2012
- **tenuilamellata**, *Venus tenuilamellata* G.B. II Sowerby, 1853 - syn of: [\*\*Mercenaria campechiensis\*\*](#) (J.F. Gmelin, 1791)
- **tenuilamellata**, *Dosinia tenuilamellata* G.B. Sowerby, 1852 - syn of: [\*\*Dosinia tumida\*\*](#) (J.E. Gray, 1838)
- **tenuilirata**, [\*\*Dosinia tenuilirata\*\*](#) R.W. Dunker, 1865
- **tenuis**, [\*\*Cyclinella tenuis\*\*](#) (C.A. Récluz, 1852)
- **tenuis**, *Dosinia tenuis* C.A. Récluz, 1852 - syn of: [\*\*Cyclinella tenuis\*\*](#) (C.A. Récluz, 1852)
- **tenuis**, *Petricola tenuis* G.B. I Sowerby, 1834 - syn of: [\*\*Petricola rugosa\*\*](#) G.B. I Sowerby, 1834
- **tenuistriata**, *Tapes tenuistriata* G.B. II Sowerby, 1852 - syn of: [\*\*Marcia carneola\*\*](#) (J.B.P.A. Lamarck, 1818)
- **terryae**, [\*\*Gemma terryae\*\*](#) H.A. Rehder, 1940
- **tessellata**, *Venus tessellata* A. Adams & L.A. Reeve, 1850 - syn of: [\*\*Venerupis philippinarum\*\*](#) (A. Adams & L.A. Reeve, 1850)
- **tetrica**, *Venus tetrica* T.A. Conrad, 1838 - syn of: [\*\*Mercenaria campechiensis\*\*](#) (J.F. Gmelin, 1791)
- **texana**, [\*\*Mercenaria texana\*\*](#) (W.H. Dall, 1902)
- **texicana**, *Periglypta texicana* W.H. Dall, 1892 - syn of: [\*\*Agriopoma texasanum\*\*](#) (W.H. Dall, 1892)
- **texicana**, *Callocardia texicana* W.H. Dall, 1892 - syn of: [\*\*Agriopoma texasanum\*\*](#) (W.H. Dall, 1892)
- **texanianum**, [\*\*Agriopoma texasanum\*\*](#) (W.H. Dall, 1892)
- **texta**, [\*\*Kyrina texta\*\*](#) (G.P. Deshayes, 1853)
- **textilis**, [\*\*Paphia textilis\*\*](#) (J.F. Gmelin, 1791)
- **textrix**, *Venus textrix* G.P. Deshayes, 1853 - syn of: [\*\*Paphia textilis\*\*](#) (J.F. Gmelin, 1791)
- **textrix**, *Tapes textrix* L.A. Reeve, 1864 - syn of: [\*\*Paphia textilis\*\*](#) (J.F. Gmelin, 1791)
- **texturata**, *Venus texturata* J.B.P.A. Lamarck, 1818 - syn of: [\*\*Polititapes aureus\*\*](#) (J.F. Gmelin, 1791)
- **thaanumi**, *Samarangia thaanumi* J.T. Kuroda, 1945 - syn of: [\*\*Samarangia quadrangularis\*\*](#) (A. Adams & L.A. Reeve, 1850)
- **thaca**, [\*\*Leukoma thaca\*\*](#) (J.I. Molina, 1782)
- **thaca**, *Protothaca thaca* J.I. Molina, 1782 - syn of: [\*\*Leukoma thaca\*\*](#) (J.I. Molina, 1782)
- **thiara**, *Venus thiara* G.B. I Sowerby, 1834 - syn of: [\*\*Placamen lamellatum\*\*](#) (P.F. Röding, 1798)
- **thomassini**, [\*\*Venus thomassini\*\*](#) E. Fischer-Piette & D. Vukadinovic, 1977
- **thorae**, [\*\*Callocardia guttata thorae\*\*](#) E.H. Vokes, 1985
- **thornleyae**, [\*\*Pitar thornleyae\*\*](#) K.L. Lamprell & J.M. Healy, 1997
- **thouarsii**, *Venus thouarsii* A. Valenciennes in A. Dupetit-Thouars, 1846 - syn of: [\*\*Periglypta multicostata\*\*](#) (G.B. I Sowerby, 1835)
- **tiara**, *Placamen tiara* L.W. Dilwyn, 1817 - syn of: [\*\*Placamen lamellatum\*\*](#) (P.F. Röding, 1798)
- **tiara**, *Venus tiara* L.W. Dilwyn, 1817 - syn of: [\*\*Placamen lamellatum\*\*](#) (P.F. Röding, 1798)
- **tigerina**, *Venus tigerina* auct. non C. Linnaeus, 1758 - syn of: [\*\*Codakia distinguenda\*\*](#) (G.W. Tryon, 1872)
- **tigrina**, [\*\*Lioconcha tigrina\*\*](#) (J.B.P.A. Lamarck, 1818)
- **tigris**, [\*\*Meretrix tigris\*\*](#) K.Y. Lai & Nien, 2008
- **titan**, *Dosinia titan* C.J. Maury, 1925 - syn of: [\*\*Dosinia ponderosa\*\*](#) (J.E. Gray, 1838)
- **tomeana**, *Pitar tomeana* W.H. Dall, 1902 - syn of: [\*\*Agriopoma tomeanum\*\*](#) (W.H. Dall, 1902)
- **tomeanum**, [\*\*Agriopoma tomeanum\*\*](#) (W.H. Dall, 1902)
- **tomlini**, *Tivela tomlini* S.H. Haughton, 1932 - syn of: [\*\*Tivela compressa\*\*](#) (G.B. II Sowerby, 1851)

- **toreuma**, [\*\*Globivenus toreuma\*\*](#) (A.A. Gould, 1850)
- **toreuma**, Venus toreuma A.A. Gould, 1850 - syn of: [\*\*Globivenus toreuma\*\*](#) (A.A. Gould, 1850)
- toreuma, Globivenus toreuma B.S. Singer & H.K. Mienis, 1995 - syn of: [\*\*Globivenus orientalis\*\*](#) (L.R. Cox, 1930)
- **torresiana**, [\*\*Tawera torresiana\*\*](#) (E.A. Smith, 1884)
- torresiana, Venus torresiana E.A. Smith, 1884 - syn of: [\*\*Tawera torresiana\*\*](#) (E.A. Smith, 1884)
- **torresica**, Hysteroconcha torresica L.A. Reeve, 1863 - syn of: [\*\*Pitar subpellucidus\*\*](#) (G.B. II Sowerby, 1851)
- **torrida**, Dosinia torrida L.A. Reeve, 1850 - syn of: [\*\*Dosinia orbignyi\*\*](#) R.W. Dunker, 1845
- **tortuosa**, [\*\*Lamelliconcha tortuosa\*\*](#) (W.J. Broderip, 1835)
- **tottenii**, Venus tottenii W. Stimpson, 1860 - syn of: [\*\*Gemma gemma\*\*](#) (J.G. Totten, 1834)
- **trailli**, [\*\*Dosinia trailli\*\*](#) A. Adams, 1856
- **tranquebarica**, [\*\*Dosinia tranquebarica\*\*](#) E. Fischer-Piette, 1977
- **transfusa**, Acritopaphia transfusa T. Iredale, 1936 - syn of: [\*\*Paphia inflata\*\*](#) (G.P. Deshayes, 1853)
- **transversa**, [\*\*Tivela transversa\*\*](#) (G.B. III Sowerby, 1897)
- **transversalis**, Anomalocardia transversalis H. Adams, 1872 - syn of: [\*\*Anadara antiquata\*\*](#) (C. Linnaeus, 1758)
- **transversarium**, Gafrarium transversarium G.P. Deshayes, 1854 - syn of: [\*\*Gafrarium divaricatum\*\*](#) (J.F. Gmelin, 1791)
- **trapezoidalis**, Venus trapezoidalis J.D. Kurtz, 1860 - syn of: [\*\*Chioneryx grus\*\*](#) (F.S. Holmes, 1858)
- **trevori**, [\*\*Pitar trevori\*\*](#) K.L. Lamprell & T. Whitehead, 1990
- **triangularis**, Venus triangularis G. Montagu, 1803 - syn of: [\*\*Gouldia minima\*\*](#) (G. Montagu, 1803)
- **tricolor**, Venus tricolor W.J. Broderip & G.B. I Sowerby, 1835 - syn of: [\*\*Leukoma grata\*\*](#) (T. Say, 1831)
- **trigona**, [\*\*Pelecyora trigona\*\*](#) (L.A. Reeve, 1850)
- **trigona**, Tivela trigona A. Borchert, 1901 - syn of: [\*\*Tivela dentaria\*\*](#) (J.B.P.A. Lamarck, 1818)
- **trigona**, Dosinia trigona L.A. Reeve, 1850 - syn of: [\*\*Pelecyora trigona\*\*](#) (L.A. Reeve, 1850)
- **trigona**, Cytherea trigona L.A. Reeve, 1864 - syn of: [\*\*Meretrix attenuata\*\*](#) R.W. Dunker, 1863
- **trigona**, Dosinia trigona P. Dautzenberg, 1923 - syn of: [\*\*Costellipitar madecassinus\*\*](#) (E. Fischer-Piette & D. Delmas, 1967)
- **trigonella**, [\*\*Tivela trigonella\*\*](#) (J.B.P.A. Lamarck, 1818)
- **trigonoovata**, Callista trigonoovata O.A. Scarlato in Volva & O.A. Scarlato, 1980 - syn of: [\*\*Ezocallista brevisiphonata\*\*](#) (P.P. Carpenter, 1864)
- **trimaculata**, [\*\*Lioconcha trimaculata\*\*](#) (J.B.P.A. Lamarck, 1818)
- **tripla**, [\*\*Pelecyora tripla\*\*](#) (A. Römer, 1860)
- **tripla**, [\*\*Tivela tripla\*\*](#) (C. Linnaeus, 1771)
- **triquetra**, [\*\*Parastarte triquetra\*\*](#) (T.A. Conrad, 1846)
- **triradiata**, Venus triradiata H.E. Anton, 1838 - syn of: [\*\*Iliochione subrugosa\*\*](#) (W. Wood, 1828)
- **triradiata**, Venus triradiata J.F. Gmelin, 1791 - syn of: [\*\*Marcia opima\*\*](#) (J.F. Gmelin, 1791)
- **tristis**, Venus tristis J.B.P.A. Lamarck, 1818 - syn of: [\*\*Marcia japonica\*\*](#) (J.F. Gmelin, 1791)
- **troglodytes**, Venus troglodytes O.A.L. Mörch, 1861 - syn of: [\*\*Chioneryx squamosa\*\*](#) (P.P. Carpenter, 1857)
- **troscheli**, [\*\*Dosinia troscheli\*\*](#) C.E. Lischke, 1873
- **truncata**, [\*\*Sunetta truncata\*\*](#) (G.P. Deshayes, 1853)
- **truncata**, Venus truncata J.B.P.A. Lamarck, 1818 - syn of: [\*\*Venerupis decussata\*\*](#) (C. Linnaeus, 1758)
- **truncata**, [\*\*Dosinia truncata\*\*](#) Z. Zhuang, 1964
- **tuberosa**, Venus tuberosa G.P. Deshayes, 1853 - syn of: [\*\*Venus verrucosa\*\*](#) C. Linnaeus, 1758
- **tumefacta**, [\*\*Circe tumefacta\*\*](#) G.B. II Sowerby, 1851
- **tumefacta lenticularis**, [\*\*Circe tumefacta lenticularis\*\*](#) G.P. Deshayes, 1853
- **tumens**, [\*\*Pitar tumens\*\*](#) (J.F. Gmelin, 1791)
- **tumens**, [\*\*Chione tumens\*\*](#) A.E. Verrill, 1870
- **tumida**, [\*\*Dosinia tumida\*\*](#) (J.E. Gray, 1838)
- **tumida**, Petricola tumida A.E. Verrill, 1872 - syn of: [\*\*Petricola pholadiformis\*\*](#) J.B.P.A. Lamarck, 1818
- **tumida**, Tapes tumida G.B. II Sowerby, 1852 - syn of: [\*\*Leukoma staminea\*\*](#) (T.A. Conrad, 1837)
- **tumida**, Venerupis tumida G.B. II Sowerby, 1854 - syn of: [\*\*Irus reflexus\*\*](#) (J.E. Gray, 1843)
- **tumida**, Mysia tumida H. Adams, 1871 - syn of: [\*\*Lajonkairia elegans\*\*](#) (H. Adams, 1870)
- **tumida**, Tapes tumida P.P. Carpenter, 1857 - syn of: [\*\*Leukoma staminea\*\*](#) (T.A. Conrad, 1837)
- **tumidissima**, Sunetta tumidissima J.R. le B. Tomlin, 1922 - syn of: [\*\*Sunetta solanderii\*\*](#) (J.E. Gray, 1825)
- **tumidum**, Gafrarium tumidum P.F. Röding, 1798 - syn of: [\*\*Gafrarium pectinatum tumidum\*\*](#) P.F. Röding, 1798
- **tumidum**, [\*\*Gafrarium pectinatum tumidum\*\*](#) P.F. Röding, 1798
- **tumidus**, [\*\*Costellipitar tumidus\*\*](#) (G.B. III Sowerby, 1895)
- **tumidus**, Pitar tumidus G.B. III Sowerby, 1895 - syn of: [\*\*Costellipitar tumidus\*\*](#) (G.B. III Sowerby, 1895)
- **turgens**, Venus turgens L.W. Dillwyn, 1817 - syn of: [\*\*Tivela mactroides\*\*](#) (I. von Born, 1778)
- **turgida**, [\*\*Dosinia turgida\*\*](#) (L.A. Reeve, 1850)
- **turgida**, Venus turgida J.B.P.A. Lamarck, 1818 - syn of: [\*\*Tapes conspersus\*\*](#) (J.F. Gmelin, 1791)
- **turgidula**, Tapes turgidula G.P. Deshayes, 1853 - syn of: [\*\*Tapes conspersus\*\*](#) (J.F. Gmelin, 1791)
- **turgidula**, Tapes turgidula L.A. Reeve, 1864 - syn of: [\*\*Protapes monstrosus\*\*](#) (A. Römer, 1870)
- **typica**, Petricola typica G.B. III Sowerby, 1892 - syn of: [\*\*Petricola bicolor\*\*](#) G.B. II Sowerby, 1854
- **typica**, Petricola typica I.H. Jonas, 1844 - syn of: [\*\*Choristodon robustus\*\*](#) (G.B. I Sowerby, 1834)
- **typicum**, Choristodon typicum I.H. Jonas, 1844 - syn of: [\*\*Choristodon robustus\*\*](#) (G.B. I Sowerby, 1834)
- **ulloana**, [\*\*Cyclinella ulloana\*\*](#) L.G. Hertlein & A.M. Strong, 1948
- **umbonella**, [\*\*Callista umbonella\*\*](#) (J.B.P.A. Lamarck, 1818)
- **umbonella**, Periglypta umbonella J.B.P.A. Lamarck, 1818 - syn of: [\*\*Callista umbonella\*\*](#) (J.B.P.A. Lamarck, 1818)

- **umbonella**, Meretrix umbonella J.B.P.A. Lamarck, 1818 - syn of: [\*\*Callista umbonella\*\*](#) (J.B.P.A. Lamarck, 1818)
- umbonella nivea, [\*\*Callista umbonella nivea\*\*](#) S.C.T. Hanley, 1843
- **undata**, [\*\*Mysia undata\*\*](#) (T. Pennant, 1777)
- **undata aequalis**, Mysia undata aequalis J.G. Jeffreys, 1864 - syn of: [\*\*Mysia undata\*\*](#) (T. Pennant, 1777)
- **undata ventrosa**, Mysia undata ventrosa J.G. Jeffreys, 1864 - syn of: [\*\*Mysia undata\*\*](#) (T. Pennant, 1777)
- **undatella**, [\*\*Chione undatella\*\*](#) (G.B. I Sowerby, 1835)
- **undatella**, Venus undatella G.B. I Sowerby, 1835 - syn of: [\*\*Chione undatella\*\*](#) (G.B. I Sowerby, 1835)
- **undatella neglecta**, [\*\*Chione undatella neglecta\*\*](#) (G.B. I Sowerby, 1835)
- **undatella taberi**, [\*\*Chione undatella taberi\*\*](#) C.F. Parker, 1949
- **undatina**, [\*\*Circe undatina\*\*](#) (J.B.P.A. Lamarck, 1818)
- **undatostriata**, Periglypta undatostriata C.R. Orcutt, 1885 - syn of: [\*\*Chione californiensis\*\*](#) (W.J. Broderip, 1835)
- **undulata**, [\*\*Paphia undulata\*\*](#) (I. von Born, 1778)
- **undulata**, Circe undulata É.A.A. Locard, 1892 - Syn of: [\*\*Gouldia minima\*\*](#) (G. Montagu, 1803)
- **undulata**, Periglypta undulata G.B. I Sowerby, 1851 - syn of: [\*\*Tivela planulata\*\*](#) (W.J. Broderip & G.B. I Sowerby, 1830)
- **undulata**, Venus undulata L.W. Dilwyn, 1817 - syn of: [\*\*Paphia textilis\*\*](#) (J.F. Gmelin, 1791)
- **undulosa**, [\*\*Gomphina undulosa\*\*](#) (J.B.P.A. Lamarck, 1818)
- **undulosa**, Venus undulosa J.B.P.A. Lamarck, 1818 - syn of: [\*\*Gomphina undulosa\*\*](#) (J.B.P.A. Lamarck, 1818)
- **unicolor**, [\*\*Lamelliconcha unicolor\*\*](#) (G.B. I Sowerby, 1835)
- **ustulata**, Hysteroconcha ustulata L.A. Reeve, 1863 - syn of: [\*\*Pitar citrinus\*\*](#) (J.B.P.A. Lamarck, 1818)
- **vaginalis**, [\*\*Sunetta vaginalis\*\*](#) (K.T. Menke, 1843)
- **valae**, [\*\*Tivela valae\*\*](#) M. Lussi, 1996
- **valdiviae**, Venus valdiviae K.H.J. Thiele & S.G.A. Jaeckel, 1931 - syn of: [\*\*Timoclea lionota\*\*](#) (E.A. Smith, 1885)
- **varia**, [\*\*Circenita varia\*\*](#) (P. Forsskål in C. Niebuhr, 1775)
- **varia**, Venus varia P. Forsskål in C. Niebuhr, 1775 - Syn of: [\*\*Circenita varia\*\*](#) (P. Forsskål in C. Niebuhr, 1775)
- **variabilis**, Venus variabilis R.A. Philippi, 1844 - Syn of: [\*\*Marcia recens\*\*](#) (H.S. Holton, 1802)
- **variabilis**, Venus variabilis W.J. Broderip & G.B. I Sowerby, 1835 - syn of: [\*\*Gomphina undulosa\*\*](#) (J.B.P.A. Lamarck, 1818)
- **varians**, Gouldia varians P.P. Carpenter, 1857 - Syn of: [\*\*Crassinella varians\*\*](#) (P.P. Carpenter, 1857)
- **varians**, Periglypta varians S.C.T. Hanley, 1844 - syn of: [\*\*Pitar fulminatus\*\*](#) (K.T. Menke, 1828)
- **varicosa**, Venus varicosa G.B. II Sowerby, 1853 - syn of: [\*\*Lirophora latilirata\*\*](#) (T.A. Conrad, 1841)
- **variegata**, [\*\*Dosinia variegata\*\*](#) (J.E. Gray, 1838)
- **variegata**, Paphia variegata G.B. II Sowerby, 1852 - syn of: [\*\*Venerupis aspera\*\*](#) (J.R.C. Quoy & J.P. Gaimard, 1835)
- **variegata**, Venerupis variegata G.B. II Sowerby, 1852 - syn of: [\*\*Venerupis aspera\*\*](#) (J.R.C. Quoy & J.P. Gaimard, 1835)
- **variegatum**, Pitar variegatum J.T. Kuroda, T. Habe & K. Oyama, 1971 - syn of: [\*\*Pitar inflatus\*\*](#) (G.B. II Sowerby, 1851)
- **variegatus**, Ruditapes variegatus G.B. II Sowerby, 1852 - syn of: [\*\*Venerupis aspera\*\*](#) (J.R.C. Quoy & J.P. Gaimard, 1835)
- **variegatus**, Tapes variegatus G.B. II Sowerby, 1852 - syn of: [\*\*Venerupis aspera\*\*](#) (J.R.C. Quoy & J.P. Gaimard, 1835)
- **variopicta**, Venus variopicta J.J. Bianconi, 1856 - syn of: [\*\*Tapes sulcarius\*\*](#) (J.B.P.A. Lamarck, 1818)
- **vatheleti**, [\*\*Clementia papyracea vatheleti\*\*](#) J.F. Mabille, 1901
- **vatheliti**, Clementia vatheliti J.F. Mabille, 1901 - syn of: [\*\*Clementia papyracea\*\*](#) (J.F. Gmelin, 1791)
- **veneris**, Hysteroconcha veneris G.P. Deshayes, 1853 - syn of: [\*\*Hysteroconcha dione\*\*](#) (C. Linnaeus, 1758)
- **venetiana**, Periglypta venetiana J.B.P.A. Lamarck, 1818 - syn of: [\*\*Pitar rudis\*\*](#) (G.S. Poli, 1795)
- **ventricosa**, [\*\*Tivela ventricosa\*\*](#) (J.E. Gray, 1838)
- **ventricosa**, Petricola ventricosa C.F.F. von Krauss, 1848 - syn of: [\*\*Gastrana ventricosa\*\*](#) (C.F.F. von Krauss, 1848)
- **ventricosa**, Petricola ventricosa G.P. Deshayes, 1853 - syn of: [\*\*Petricola denticulata\*\*](#) G.B. I Sowerby, 1834
- **venus**, [\*\*Timoclea venus\*\*](#) A.A. Gould, 1861
- **venus puellula**, [\*\*Timoclea venus puellula\*\*](#) A.A. Gould, 1861
- **venusta**, Petricola venusta L. de Folin, 1867 - syn of: [\*\*Choristodon robustus\*\*](#) (G.B. I Sowerby, 1834)
- **verdensis**, [\*\*Venus verdensis\*\*](#) P. Dautzenberg & H. Fischer, 1906
- **vermiculosa**, Venus vermiculosa J.B.P.A. Lamarck, 1818 - syn of: [\*\*Marcia hiantina\*\*](#) (J.B.P.A. Lamarck, 1818)
- **verncosa**, [\*\*Paphia vernicosa\*\*](#) (A.A. Gould, 1861)
- **verncosa**, Tapes vernicosa A.A. Gould, 1861 - syn of: [\*\*Paphia vernicosa\*\*](#) (A.A. Gould, 1861)
- **verrucosa**, [\*\*Venus verrucosa\*\*](#) C. Linnaeus, 1758
- **verrucosa aegyptiaca**, Venus verrucosa aegyptiaca P.M. Pallary, 1912 - syn of: [\*\*Venus verrucosa\*\*](#) C. Linnaeus, 1758
- **verrucosa albolimbata**, Venus verrucosa albolimbata ♀. Brusina, 1891 - syn of: [\*\*Venus verrucosa\*\*](#) C. Linnaeus, 1758
- **verrucosa capensis**, Venus verrucosa capensis G.B. III Sowerby, 1889 - syn of: [\*\*Venus verrucosa\*\*](#) C. Linnaeus, 1758
- **verrucosa inaequivivalvis**, Venus verrucosa inaequivivalvis M.E.J. Bucquoy, P. Dautzenberg & G.F. Dollfus, 1893 - syn of: [\*\*Venus verrucosa\*\*](#) C. Linnaeus, 1758
- **verrucosa major**, Venus verrucosa major M.E.J. Bucquoy, P. Dautzenberg & G.F. Dollfus, 1893 - syn of: [\*\*Venus verrucosa\*\*](#) C. Linnaeus, 1758
- **verrucosa mitzopoulosi**, Venus verrucosa mitzopoulosi Sakellarou, 1958 - syn of: [\*\*Venus verrucosa\*\*](#) C. Linnaeus, 1758
- **verrucosa ornata**, Venus verrucosa ornata M.E.J. Bucquoy, P. Dautzenberg & G.F. Dollfus, 1893 - syn of: [\*\*Venus verrucosa\*\*](#) C. Linnaeus, 1758
- **verrucosa rosea**, Venus verrucosa rosea P.M. Pallary, 1900 - syn of: [\*\*Venus verrucosa\*\*](#) C. Linnaeus, 1758
- **verrucosa transversa**, Venus verrucosa transversa M.E.J. Bucquoy, P. Dautzenberg & G.F. Dollfus, 1893 - syn of: [\*\*Venus verrucosa\*\*](#) C. Linnaeus, 1758
- **verrucosa tumida**, Venus verrucosa tumida M.E.J. Bucquoy, P. Dautzenberg & G.F. Dollfus, 1893 - syn of: [\*\*Venus verrucosa\*\*](#) C. Linnaeus, 1758
- **versicolor**, Venus versicolor J.F. Gmelin, 1791 - syn of: [\*\*Asaphis violascens\*\*](#) (P. Forsskål in C. Niebuhr, 1775)
- **vertumnalium**, [\*\*Irus vertumnalium\*\*](#) (J.C. Mevill, 1918)
- **vesica**, [\*\*Veneriglossa vesica\*\*](#) (W.H. Dall, 1886)
- **vesta**, Venus vesta ♀. Brusina, 1870 - syn of: [\*\*Venerupis decussata\*\*](#) (C. Linnaeus, 1758)

- **vestita**, [\*\*Meretrix vestita\*\*](#) (L.A. Reeve, 1864)
- **victoriae**, [\*\*Katelysia victoriae\*\*](#) (J.E. Tenison-Woods, 1878)
- **victoriae**, Tapes victoriae J.E. Tenison-Woods, 1878 - syn of: [\*\*Katelysia victoriae\*\*](#) (J.E. Tenison-Woods, 1878)
- **victoriae**, [\*\*Dosinia victoriae\*\*](#) J.H. Gatliff & C.J. Gabriel, 1914
- **vinacea**, [\*\*Lamelliconcha vinacea\*\*](#) A.A. Olson, 1961
- **violacea**, Circe violacea H.C.F. Schumacher, 1817 - syn of: [\*\*Circe scripta\*\*](#) (C. Linnaeus, 1758)
- **violacea**, Mercenaria violacea H.C.F. Schumacher, 1817 - syn of: [\*\*Mercenaria mercenaria\*\*](#) (C. Linnaeus, 1758)
- **violacea**, Venus violacea J.F. Gmelin, 1791 - syn of: [\*\*Leukoma granulata\*\*](#) (J.F. Gmelin, 1791)
- **violacea**, Venus violacea J.R.C. Quoy & J.P. Gaimard, 1835 - syn of: [\*\*Tawera spissa\*\*](#) (G.P. Deshayes, 1835)
- **violascens**, Tapes violascens G.P. Deshayes, 1853 - syn of: [\*\*Venerupis philippinarum\*\*](#) (A. Adams & L.A. Reeve, 1850)
- **violascens**, Venus violascens P. Forsskål, 1775 - syn of: [\*\*Asaphis violascens\*\*](#) (P. Forsskål in C. Niebuhr, 1775)
- **virago**, Venus virago S.L. Lovén, 1846 - syn of: [\*\*Polititapes rhomboides\*\*](#) (T. Pennant, 1777)
- **virgatula**, Meretrix virgatula J.R. le B. Tomlin, 1923 - syn of: [\*\*Meretrix lusoria\*\*](#) (P.F. Röding, 1798)
- **virginea**, Periglypta virginea A. Adams & L.A. Reeve, 1850 - syn of: [\*\*Tivela stultorum\*\*](#) (J. Mawe, 1823)
- **virgineus**, Tapes virgineus C. Linnaeus, 1767 - syn of: [\*\*Polititapes rhomboides\*\*](#) (T. Pennant, 1777)
- **virgineus elongata**, Tapes virgineus elongata J.G. Jeffreys, 1864 - syn of: [\*\*Polititapes rhomboides\*\*](#) (T. Pennant, 1777)
- **virgo**, [\*\*Pitar virgo\*\*](#) (J.E. Gray, 1838)
- **viridis**, Liocyma viridis W.H. Dal, 1871 - syn of: [\*\*Liocyma fluctuosa\*\*](#) (A.A. Gould, 1841)
- **vittatus**, Sunetta vittatus E.M. Da Costa, 1778 - syn of: [\*\*Donax vittatus\*\*](#) (E.M. Da Costa, 1778)
- **vulgaris**, Venerupis vulgaris G.B. II Sowerby, 1826 - syn of: [\*\*Venerupis corrugata\*\*](#) (J.F. Gmelin, 1791)
- **vulgaris**, Chione vulgaris J.E. Gray, 1838 - syn of: [\*\*Callista chione\*\*](#) (C. Linnaeus, 1758)
- **vulgaris**, Tivela vulgaris J.H.F. Link, 1807 - syn of: [\*\*Tivela mactroides\*\*](#) (I. von Born, 1778)
- **vulnerata**, [\*\*Transennella vulnerata\*\*](#) (W.J. Broderip, 1835)
- **vulvina**, Venus vulvina J.B.P.A. Lamarck, 1818 - Syn of: [\*\*Marcia japonica\*\*](#) (J.F. Gmelin, 1791)
- **watlingi**, Tapes watlingi T. Iredale, 1958 - syn of: [\*\*Tapes conspersus\*\*](#) (J.F. Gmelin, 1791)
- **weedingi**, Circe weedingi B.C. Cotton, 1934 - syn of: [\*\*Circe quoyi\*\*](#) (S.C.T. Hanley, 1844)
- **wellsi**, Paphia wellsi T. Iredale, 1958 - syn of: [\*\*Tivela polita\*\*](#) (G.B. II Sowerby, 1851)
- **willisi**, Antigona willisi P.D. Trask, 1922 - syn of: [\*\*Amiantis callosa\*\*](#) (T.A. Conrad, 1837)
- **yatei**, Circomphalus yatei (J.E. Gray, 1835) - syn of: [\*\*Bassina yatei\*\*](#) (J.E. Gray, 1835)
- **yatei**, [\*\*Bassina yatei\*\*](#) (J.E. Gray, 1835)
- **yatei**, Venus yatei J.E. Gray, 1835 - syn of: [\*\*Bassina yatei\*\*](#) (J.E. Gray, 1835)
- **yerburyi**, [\*\*Aphrodora yerburyi\*\*](#) (E.A. Smith, 1891)
- **yerburyi**, Pitar yerburyi E.A. Smith, 1891 - syn of: [\*\*Aphrodora yerburyi\*\*](#) (E.A. Smith, 1891)
- **yokoyamai**, [\*\*Timoclea yokoyamai\*\*](#) T. Habe, 1947
- **yukitai**, Gafrarium yukitai T. Habe, 1977 - syn of: [\*\*Gafrarium barandae\*\*](#) (J.G. Hidalgo, 1885)
- **zelandica**, Dosina zelandica J.E. Gray, 1835 - syn of: [\*\*Dosina mactracea\*\*](#) (W.J. Broderip, 1835)
- **zelandica**, Dosinia zelandica J.E. Gray, 1835 - syn of: [\*\*Dosina mactracea\*\*](#) (W.J. Broderip, 1835)
- **zelandica**, Venus zelandica J.R.C. Quoy & J.P. Gaimard, 1835 - syn of: [\*\*Austrovenus stutchburyi\*\*](#) (W. Wood, 1828)
- **ziczac**, [\*\*Protapes ziczac\*\*](#) (C. Linnaeus, 1758)
- **ziczac**, Venus ziczac C. Linnaeus, 1758 - syn of: [\*\*Protapes ziczac\*\*](#) (C. Linnaeus, 1758)
- **ziczac**, Venus ziczac J.S. Pearse, 1936 - syn of: [\*\*Mercenaria mercenaria\*\*](#) (C. Linnaeus, 1758)
- **zilchi**, Dosinia zilchi E. Fischer-Piette & D. Delmas, 1967 - syn of: [\*\*Dosinia physema\*\*](#) A. Römer, 1870
- **zonaria**, [\*\*Tivela zonaria\*\*](#) (J.B.P.A. Lamarck, 1818)
- **zonaria**, Periglypta zonaria J.B.P.A. Lamarck, 1818 - syn of: [\*\*Meretrix meretrix\*\*](#) (C. Linnaeus, 1758)
- **zonaria**, Cytherea zonaria L.A. Reeve, 1864 - syn of: [\*\*Meretrix petechialis\*\*](#) (J.B.P.A. Lamarck, 1818)
- **zonata**, Agriopoma zonata W.H. Dall, 1902 - syn of: [\*\*Pitar zonatus\*\*](#) (W.H. Dall, 1902)
- **zonatus**, [\*\*Pitar zonatus\*\*](#) (W.H. Dall, 1902)
- **zorritensis**, Leukoma zorritensis A.A. Olson, 1961 - syn of: [\*\*Leukoma metodon\*\*](#) (H.A. Pilsbry & H.N. Lowe, 1932)

Class: BIVALVIA

--- Clade: HETERODONTA-EUHETERODONTA-VENEROIDEA

----- Family: VENERIDAE Rafinesque, 1815


Habitat= Sea, Taxonomic order

Taxa=2630, Genus=88, Subgenus=54, Species=824, Subspecies=53, Synonyms=1610, Images=575

Genus: Asaphinoidea F. Hodson, 1931 (1 SP, 0 IMG)



6140300104  
**Asaphinoidea**  
**madreporicus**  
(F.P. Jousseaume, 1895)  
Red Sea



**synonyms:**

● *Petricola madreporica* F.P. Jousseaume, 1895

● *Claudiconcha madreporica* F.P. Jousseaume, 1895



Genus: Circe H.C.F. Schumacher, 1817 (syn: Parmulophora - 15 SP, 12 IMG)





7202000026  
**Circe**  
**corrugata**  
(L.W. Dillwyn, 1817)  
Red Sea





6100650000  
**Circe**  
**crocea**  
(J.E. Gray, 1838)  
Israel  
52,2 mm





7202000022  
**Circe**  
**divaricata**  
(J.F. Gmelin, 1791)  
Florida




6100650005  
**Circe**  
**intermedia**  
L.A. Reeve, 1863  
Kuwait  
51,1 mm



6107500232  
**Circe**  
**lentiginosa**  
O.A.L. Mörch, 1853  
Red Sea



7202000018  
**Circe**  
**lirata**  
(A. Römer, 1869)  
Japan



no  
IMAGES  
available

7194000019  
**Circe**  
**paralytica**

A. Römer, 1869


No Georeferenced data available

no  
IMAGES  
available

7202000019  
**Circe**  
**pectinata**

(C. Linnaeus, 1758)

Japan




no  
IMAGES  
available

6100650055  
**Circe**  
**plicatina**

(J.B.P.A. Lamarck, 1818)

Northern Territory



6100650050  
**Circe**  
**quoyi**

(S.C.T. Hanley, 1844)

Solomon Islands  
20,3 mm



**synonyms:**

- Circe plana Ohdner, 1917
- Circe weedingi B.C. Cotton, 1934



- Circe scripta F.E. Wells & C.W. Bryce, 1988



6100650020  
**Circe**  
**rivularis**

(I. von Born, 1778)


Port Hedland, Australia  
48 mm



6107502673  
**Circe**  
**rugifera**

(J.B.P.A. Lamarck, 1818)

Malaysia  
54 mm



**synonyms:**

- Venus corrugata L.W. Dillwyn, 1817



6100650025  
**Circe**  
**scripta**

(C. Linnaeus, 1758)

South China Sea  
48 mm



**synonyms:**

- Venus abducta A. Römer, 1858
- Circe fulgorata L.A. Reeve, 1863
- Circe oblonga G.P. Deshayes, 1853
- Sunetta satparaensis H.B. Preston, 1914
- Circe violacea H.C.F. Schumacher, 1817


- Sunetta coerulescens J.H.F. Link, 1807
- Sunetta oblitterata J.H.F. Link, 1807
- Circe robillardi A. Römer, 1869
- Venus stutzeri E. Donovan, 1824



61007500256  
**Circe**  
**scripta**  
**personata**  
G.P. Deshayes, 1854  
Oman  
48 mm



6100650040  
**Circe**  
**tumefacta**  
G.B. II Sowerby, 1851  
South China Sea  
47 mm




**synonyms:**


- *Circe orbica* L.A. Reeve, 1863
- *Circe scripta tumefacta* G.B. II Sowerby, 1851




6100650010  
**Circe**  
**tumefacta**  
**lenticularis**  
G.P. Deshayes, 1853  
Port Hedland, Australia  
59 mm



6107502481  
**Circe**  
**undatina**  
(J.B.P.A. Lamarck, 1818)  
Philippines  
43,5 mm




**Subgenus: Circe (Laevicirce) T. Habe, 1951 (2 SP, 1 IMG)**



6100650045  
**Laevicirce**  
**hongkongensis**  
(L.Y. Jiang & F.S. Xu, 1992)  
China  
**No Georeferenced data available**




6100754000  
**Laevicirce**  
**soyoae**  
T. Habe, 1951  
Japan, Amami-Oshima



**Subgenus: Circe (Privigna) W.H. Dall, P. Bartsch & H.A. Rehder, 1938 (1 SP, 1 IMG)**




7202000090  
**Privigna**  
**pilsbryi**  
W.H. Dall, P. Bartsch,  
& H.A. Rehder, 1938  
Hawaii, Oahu



**Subgenus: Circe (Redicirce) T. Iredale, 1924 (1 SP, 1 IMG)**



6100650030  
**Redicirce**  
**sulcata**  
(J.E. Gray, 1838)  
Philippines, Balicasag Island  
11 mm



**synonyms:**


- Circe artemis G.P. Deshayes, 1853
- Redicirce consola T. Iredale, 1936
- Circe metcalfei G.P. Deshayes, 1854
- Circe sulcata J.E. Gray, 1838

- Circe lentiformis K.H.J. Thiele, 1930
- Redicirce mistura T. Iredale, 1936

**Genus: Gafrarium** P.F. Röding, 1798 (syn: Crista - 18 SP, 8 IMG)



6101000000  
**Gafrarium**  
**aequivocum**  
(H.S. Holton, 1802)  
Philippines, Olongo Island  
32 mm




**synonyms:**

- Venus equivoca L.W. Dillwyn, 1817
- Gafrarium equivocum H.S. Holton, 1802



6101000020  
**Gafrarium**  
**alfredense**  
(P. Bartsch, 1915)  
South Africa, Natal, Durban Bay  
21 mm



**synonyms:**

- Circe alfredensis P. Bartsch, 1915
- Gafrarium pectinatum alfredense P. Bartsch, 1915





6107500280  
**Gafrarium**  
**arabicum**  
(J.B.P.A. Lamarck, 1818)  
Indian Ocean

No Georeferenced data available



6101004005  
**Gafrarium**  
**australe**  
(G.B. II Sowerby, 1851)  
Tasmania



**synonyms:**

- Circe australis G.B. II Sowerby, 1851





6101004010  
**Gafrarium**  
**barandae**  
(J.G. Hidalgo, 1885)  
China

No Georeferenced data available




6107501032  
**Gafrarium**  
**callipygum**  
(I. von Born, 1778)  
Red Sea



no  
IMAGES  
available

6101004015  
**Gafrarium**  
**catillum**

C. Hedley, 1909  
Queensland



no  
IMAGES  
available

7194000137  
**Gafrarium**  
**discors**


(J.F. Gmelin, 1791)

No Georeferenced data available



6101004000  
**Gafrarium**  
**dispar**

(H.S. Holton, 1802)  
Japan, Tanegashima Island  
29 mm




**synonyms:**

- Venus dispar L.W. Dillwyn, 1817



6101000010  
**Gafrarium**  
**divaricatum**

(J.F. Gmelin, 1791)  
South Africa, Natal, Durban Bay  
41 mm



**synonyms:**

- Circe marmorata L.A. Reeve, 1863

- Gafrarium transversarium G.P. Deshayes, 1854

no  
IMAGES  
available

6107502676  
**Gafrarium**  
**elegans**

R.A. Philippi, 1844

No Georeferenced data available



7194000049  
**Gafrarium**  
**harteae**

M. Huber, 2010

No Georeferenced data available


**synonyms:**

- Gafrarium harteai M. Huber, 2010




6101004035  
**Gafrarium**  
**menkei**

(I.H. Jonas, 1846)  
Samoa  
37,6 mm



6100650015  
**Gafrarium**  
**nummulinum**

(J.B.P.A. Lamarck, 1818)  
Australia, Shark Bay  
29,2 mm



**synonyms:**

- Circe nummulina J.B.P.A. Lamarck, 1818

no  
IMAGES  
available

6101004040  
**Gafrarium**  
**obliquissimum**



(E.A. Smith, 1885)

No Georeferenced data available



6101000015  
**Gafrarium**  
**pectinatum**

(C. Linnaeus, 1758)  
Egypt, Port Said  
40,3 mm



**synonyms:**


- *Gafrarium angulatum* P.F. Röding, 1798
- *Gafrarium costatum* P.F. Röding, 1798
- *Circe pythinoides* J.E. Tenison-Woods, 1878

- *Gafrarium cardiodeum* P.F. Röding, 1798
- *Gafrarium depresso* P.F. Röding, 1798



6101000030  
**Gafrarium**  
**pectinatum**  
P.F. Röding, 1798

Bahamas  
40 mm



**synonyms:**

- *Gafrarium gibbum* J.B.P.A. Lamarck
- *Gafrarium tumidum* P.F. Röding, 1798

no  
IMAGES  
available

7194000052  
**Gafrarium**  
**savignyi**

(I.H. Jonas, 1846)

No Georeferenced data available

**synonyms:**

- *Gafrarium adunca* A. Römer, 1869

no  
IMAGES  
available

7202000038  
**Gafrarium**  
**speciosum**

(A. Römer, 1869)

No Georeferenced data available

**Genus: Parvicirce** R. von Cosel, 1995 (1 SP, 0 IMG)

no  
IMAGES  
available

7202000074  
**Parvicirce**  
**donacina**

R. von Cosel, 1995

No Georeferenced data available

**Genus: Veneriglossa** W.H. Dall, 1886 (2 SP, 1 IMG)

no  
IMAGES  
available

7188000035  
**Veneriglossa**  
**nipponica**


(T.A. Okutani, 1972)

No Georeferenced data available



6070000065  
**Veneriglossa vesica**

(W.H. Dall, 1886)  
Barbados  
28 mm




**Genus: Callpita** M. Huber, 2010 (2 SP, 2 IMG)



6104000015  
**Callpita eucymata**

(W.H. Dall, 1890)  
Brasil, Guarapari  
33,2 mm




**synonyms:**

- Periglypta eucymata W.H. Dall, 1890



6107501088  
**Callpita frizzelli**

(L.G. Hertlein & A.M. Strong, 1948)  
Mexico  
34,3 mm



**synonyms:**


- Pitar frizzelli L.G. Hertlein & A.M. Strong, 1948

**Genus: Circomphalus** O.A.L. Mörch, 1853 (syn: Callanaitis - 2 SP, 2 IMG)



6100000020  
**Circomphalus foliaceolamellosus**

(L.W. Dillwyn, 1817)  
Western Sahara  
75 mm



**synonyms:**


- Venus pacifica P.F. Röding, 1798

- Circomphalus plicatus J.F. Gmelin, 1791



6101800000  
**Circomphalus hiraseanus**

(J.T. Kuroda, 1930)  
East China Sea  
17 mm




**Genus: Cryptonemella** J.T. Kuroda & T. Habe, 1951 (syn: Cryptonema - 1 SP, 1 IMG)



610750052  
**Cryptonemella producta**

(J.T. Kuroda & T. Habe, 1951)  
Taiwan Strait  
34 mm



**synonyms:**



- Venus impressa H.E. Anton, 1837

**Genus: Ezocallista** T. Kira, 1959 (1 SP, 1 IMG)



6107501360  
**Ezocallista brevisiphonata**

(P.P. Carpenter, 1864)  
Yellow Sea  
109 mm



**synonyms:**

- *Saxidomus brevisiphonata* P.P. Carpenter, 1864
- *Macrocallista chishimana* H.A. Plsby, 1905

- *Callista trigonoovata* O.A. Scarlato in Volova & O.A. Scarlato, 1980

**Genus: *Kyrina*** F.P. Jousseaume, 1894 (syn: *Velargilla*, *Terentia* - 6 SP, 1 IMG)

7194000061  
***Kyrina***  
***granulifera***  
 (G.B. II Sowerby, 1852)

No Georeferenced data available

**synonyms:**

- *Clementia similis* G.P. Deshayes, 1853

- *Clementia similis* G.P. Deshayes, 1853




6107502624  
***Kyrina***  
***kyrina***  
 F.P. Jousseaume, 1894

No Georeferenced data available



6140000065  
***Kyrina***  
***ponsonbyi***  
 (G.B. III Sowerby, 1892)  
 South Africa, Cape  
 27,1 mm

**synonyms:**

- *Petricola ponsonbyi* G.B. III Sowerby, 1892



7194000063  
***Kyrina***  
***pseudolima***  
 (S.M. Souverbie,  
 & R.P. Montrouzier, 1862)

No Georeferenced data available



7202000040  
***Kyrina***  
***rubiginosa***  
 (A. Adams & G.F. Angas, 1864)

No Georeferenced data available

**synonyms:**

- *Petricola parvita* B.C. Cotton & F.C. Godfrey, 1938
- *Petricola rubiginosa* A. Adams & G.F. Angas, 1864

- *Clementia tasmanica* W.F. Petterd, 1884



7194000064  
***Kyrina***  
***texta***  
 (G.P. Deshayes, 1853)

No Georeferenced data available

**Genus: *Panchione*** A.A. Olsson, 1964 (1 SP, 0 IMG)

7194000079  
***Panchione***  
***mactropsis***  
 (T.A. Conrad, 1865)

No Georeferenced data available

**Genus: *Polititapes*** Chiamenti, 1900 (3 SP, 4 IMG)



6106000010  
**Polititapes aureus**

(J.F. Gmelin, 1791)  
Greece  
46 mm



**synonyms:**

- *Tapes acuminata* G.B. II Sowerby, 1854
- *Tapes amygdala* A. Römer, 1864
- *Tapes anthemodus* É.A.A. Locard, 1886
- *Tapes aureus ovata* J.G. Jeffreys, 1864
- *Tapes aureus quadrata* J.G. Jeffreys, 1864
- *Tapes aureus rugata* M.E.J. Bucquoy, P. Dautzenberg & G.F. Dolfus, 1893
- *Venus bicolor* J.B.P.A. Lamarck, 1818
- *Tapes castrensis* G.P. Deshayes, 1848
- *Venus catenifera* J.B.P.A. Lamarck, 1818
- *Tapes grangeri* É.A.A. Locard, 1886
- *Venus intuspunctata* H.E. Anton, 1838
- *Venus laeta* G.S. Pol, 1795
- *Tapes nasuta* G.S. Coen, 1914
- *Venus nitens* A. Scacchi & R.A. Philippi in R.A. Philippi, 1844
- *Tapes nucuboides* G.S. Coen, 1914
- *Venus petalina* J.B.P.A. Lamarck, 1818
- *Venus picturata* E. Réquier, 1848
- *Tapes pulchellus bicolor* P.M. Pallary, 1900
- *Tapes rochebrunei* É.A.A. Locard, 1886
- *Tapes servani* É.A.A. Locard, 1886

- *Venus aenea* W. Turton, 1819
- *Tapes anatina* G.B. II Sowerby, 1854
- *Venerupis aurea* J.F. Gmelin, 1791
- *Tapes aureus partita* M.E.J. Bucquoy, P. Dautzenberg & G.F. Dolfus, 1893
- *Tapes aureus radiata* M.E.J. Bucquoy, P. Dautzenberg & G.F. Dolfus, 1893
- *Venus beudantii* B.C.M. Payraudeau, 1826
- *Tapes bourguignati* É.A.A. Locard, 1886
- *Tapes castrensis texturoides* P.M. Pallary, 1912
- *Venus floridella* J.B.P.A. Lamarck, 1818
- *Tapes hoeberti* Brusina, 1865
- *Tapes lacunaris* G.S. Coen, 1914
- *Tapes mabilei* É.A.A. Locard, 1886
- *Venus nitens* W. Turton, 1819
- *Tapes nitidus* É.A.A. Locard, 1886
- *Venus pallei* E. Réquier, 1848
- *Venus phaseolina* J.B.P.A. Lamarck, 1818
- *Venus pulchella* J.B.P.A. Lamarck, 1818
- *Tapes retortus* É.A.A. Locard, 1886
- *Tapes rotstratus* É.A.A. Locard, 1886
- *Venus texturata* J.B.P.A. Lamarck, 1818



6107501864  
**Polititapes aureus elongata**



P. Dautzenberg, 1883  
North Africa

No Georeferenced data available



6107501896  
**Polititapes aureus lucens**

É.A.A. Locard, 1886  
Bozcaada Island, Turkey  
30 mm



**synonyms:**

- *Venerupis lucens* É.A.A. Locard, 1886

- *Venerupis pulchella lucens* É.A.A. Locard, 1886



6107501880  
**Polititapes aureus oenea**


W. Turton, 1819  
Europe

No Georeferenced data available



6106000020  
**Polititapes durus**

(J.F. Gmelin, 1791)  
Senegal  
48,1 mm



**synonyms:**


- *Tapes alba* G.P. Deshayes, 1853
- *Tapes carpenteri* A. Römer, 1861
- *Venerupis dura* J.F. Gmelin, 1791
- *Venus rariflamma* J.B.P.A. Lamarck, 1818
- *Tapes similis* G.P. Deshayes, 1853

- *Tellina cancellata* W. Wood, 1828
- *Venus dura* J.F. Gmelin, 1791
- *Venus durus* J.F. Gmelin, 1791
- *Venerupis rufescens* E. Fischer-Piette & B. Métivier, 1971



6106000035  
**Polititapes rhombooides**

(T. Pennant, 1777)  
Spain  
47,2 mm



**synonyms:**

- *Tapes edulis* A. Römer, 1864
- *Cuneus fasciatus* E.M. Da Costa, 1778
- *Tapes lepidulus* É.A.A. Locard, 1886
- *Venus rhombooides* T. Pennant, 1777
- *Tapes rhombooides* T. Pennant, 1777

- *Venus innominata* F. Danilo & G.B. Sandri, 1856
- *Venus longone* A.G. Olivi, 1792
- *Venerupis rhombooides* T. Pennant, 1777
- *Paphia rhombooides* T. Pennant, 1777

- *Tapes rhomboides* major M.E.J. Bucquoy, P. Dautzenberg & G.F. Dollfus, 1893
- *Venus sarsiensis* W. Turton, 1822
- *Tapes virginicus* C. Linnaeus, 1767

- *Venus sanguinolenta* J.F. Gmelin, 1791
- *Venus virago* S.L. Lovén, 1846
- *Tapes virginicus elongata* J.G. Jeffreys, 1864

## Genus: **Proxichione** T. Iredale, 1929 (2 SP, 1 IMG)



7194000103  
**Proxichione**  
*elimatula*



T.A. Darragh, 2010

No Georeferenced data available



6100054005  
**Proxichione**  
*materna*

T. Iredale, 1929  
 Ballina, Australia  
 68 mm



## SubFamily: CHIONINAE - Genus: **Anomalocardia** H.C.F. Schumacher, 1817 (syn: Cryptogramma, Murcia, Triquetra, Ilochione - 6 SP, 5 IMG)





6101600005  
**Anomalocardia**  
*brasiliana*

(J.F. Gmelin, 1791)  
 Brasil, Santa Catarina  
 30,7 mm



6107502501  
**Anomalocardia**  
*cuneimeris*

(T.A. Conrad, 1846)  
 Florida  
 15 mm



### synonyms:


- *Venus cuneimeris* T.A. Conrad, 1846
- *Venus rostrata* G.B. II Sowerby, 1853

- *Anomalocardia paziana* P. Fischer, 1858



6101600010  
**Anomalocardia**  
*flexuosa*

(C. Linnaeus, 1767)  
 Puerto Rico  
 25 mm





### synonyms:

- *Venus punctifera* G.B. II Sowerby, 1853
- *Anomalocardia rugosa* H.C.F. Schumacher, 1817




6107502594  
**Anomalocardia**  
*nesiotica*

H.A. Plisby, 1930  
 Bahamas



6101600000  
**Anomalocardia**  
*puella*

(L. Pfeiffer in R.A. Philippi, 1846)  
 Marco Island, Florida  
 24 mm



### synonyms:

- *Venus auberiana* D'Orbigny, 1853
- *Anomalocardia auberiana* D'Orbigny, 1842
- *Venus leptalea* W.H. Dall, 1894
- *Murcia membranula* A. Römer, 1861

- *Anomalocardia leptalea* W.H. Dall, 1894
- *Anomalocardia membranula* A. Römer, 1861
- *Venus puella* L. Pfeiffer in R.A. Philippi, 1846



6101300095  
**Anomalocardia**  
**subrugosa**

(W. Wood, 1828)

Mexico, Guaymas  
43,6 mm



**synonyms:**

- Anomalocardia broggi H.A. Pilsbry & A.A. Olsson, 1943
- Venus triradiata H.E. Antor, 1838

- Anomalocardia subrugosa (W. Wood, 1828)

SubFamily: CHIONINAE - **Subgenus: Anomalocardia (Anomalodiscus)** W.H. Dall, 1902 (1 SP, 1 IMG)



6101600020  
**Anomalodiscus**  
**squamosus**

(C. Linnaeus, 1758)

Taiwan Strait  
31 mm



**synonyms:**

- Venus roemerii R.W. Dunker, 1860
- Venus squamosa C. Linnaeus, 1758

- Anomalocardia subrugosa (W. Wood, 1828)


SubFamily: CHIONINAE - **Genus: Bassina** A.J. Jukes-Browne, 1914 (9 SP, 4 IMG)



6101750000  
**Bassina**  
**disjecta**

(G. Perry, 1811)

Tasmania  
56 mm



**synonyms:**

- Circomphalus disjecta (G. Perry, 1811)
- Venus disjecta G. Perry, 1811

- Venus lamellata J.B.P.A. Lamarck, 1818



6101750010  
**Bassina**  
**jacksonii**

(E.A. Smith, 1885)

Australia, Brunswick Heads  
28,6 mm



7242000081  
**Bassina**  
**katherinae**

Marwick, 1948


No Georeferenced data available



7242000082  
**Bassina**  
**lawsi**

C.A. Fleming, 1971



No Georeferenced data available



6101750020  
**Bassina**  
**pachyphylla**

(I.H. Jonas, 1839)

Australia, Victoria  
52 mm



**synonyms:**

- Venus alatus L.A. Reeve, 1863
- Bassina paucihamelata G.B. Sowerby, 1839

- Venus pachyphylla I.H. Jonas, 1839
- Mercenaria paucihamelata R.W. Dunker, 1863

no  
IMAGES  
available

7242000090  
**Bassina  
parva**

Marwick, 1927

No Georeferenced data available

no  
IMAGES  
available

7242000083  
**Bassina  
southlandica**

C.A. Fleming, 1962

No Georeferenced data available

no  
IMAGES  
available


7242000084  
**Bassina  
speighti**

(Suter, 1913)

No Georeferenced data available



6101750005  
**Bassina  
yatei**  
(J.E. Gray, 1835)  
Foxton, New Zealand  
57,1 mm



**synonyms:**


- Venus calcarea A.A. Gould, 1850
- Bassinaria maccurgi J. Marwick, 1928
- Venus yatei J.E. Gray, 1835

- Venus lucasi C. Rousseau in J.B. Hombron & C.H. Jacquinot, 1854
- Circomphalus yatei (J.E. Gray, 1835)

SubFamily: CHIONINAE - Genus: **Chamelea** O.A.L. Mörch, 1853 (syn: Hermione, Ortygia, Plurigens - 2 SP, 2 IMG)



6101850000  
**Chamelea  
gallina**  
(C. Linnaeus, 1758)  
Tunisia  
21 mm



**synonyms:**

- Venus corrugatula I. Krynicki, 1837
- Chamelea gallina T. Brown, 1827
- Venus gallina articulata P.M. Pallas, 1900
- Venus gallina major M.E.J. Bucquoy, P. Dautzenberg & G.F. Dollfus, 1893
- Venus nucleus A. Statuji, 1880
- Chione schottii W.H. Dall, 1902

- Venus galina alba M.E.J. Bucquoy, P. Dautzenberg & G.F. Dollfus, 1893
- Venus galina flava M.E.J. Bucquoy, P. Dautzenberg & G.F. Dollfus, 1893
- Venus galina minima M.E.J. Bucquoy, P. Dautzenberg & G.F. Dollfus, 1893
- Venus nuculata É.A.A. Locard, 1892
- Venus sinuata I. von Born, 1778



6101850005  
**Chamelea  
striatula**  
E.M. Da Costa, 1778  
Spain, Málaga  
23 mm



**synonyms:**

- Venus gallina gibba J.G. Jeffreys, 1864
- Venus gallina triangularis J.G. Jeffreys, 1864
- Venus lusitanica J.F. Gmelin, 1791
- Venus pennanti E. Forbes, 1838
- Chamelea striatula E.M. Da Costa, 1778
- Chamelea subcordata T. Brown, 1827

- Chamelea gallina striatula E.M. Da Costa, 1778
- Venus laminosa J.C. Laskey, 1811
- Venus pallida W. Turton, 1822
- Venus prideauxiana J.A. Couch, 1841
- Glycymeris striatulus E.M. Da Costa, 1778
- Chamelea sulcata T. Brown, 1827

SubFamily: CHIONINAE - Genus: **Chione** J.K. Megerle Von Mühlfeld, 1811 (15 SP, 13 IMG)



610130005  
**Chione**  
**californiensis**

(W.J. Broderip, 1835)

Mexico, Baja California  
34,1 mm



**synonyms:**

- *Chione allisoni* L.G. Hertlein & J. Grant, 1972
- *Chione californiensis durhami* C.F. Parker, 1949
- *Chione californiensis peabodyi* C.F. Parker, 1949
- *Venus nuttalli* T.A. Conrad, 1837
- *Periglypta undatostrigata* C.R. Orcutt, 1885

- *Venus californiensis* W.J. Broderip, 1835
- *Chione californiensis gealeyi* C.F. Parker, 1949
- *Venus leucodon* W.J. Broderip & G.B. Sowerby, 1835
- *Venus succincta* A. Valenciennes in A.von Humboldt, 1821



6101300010  
**Chione**  
**cancellata**

(C. Linnaeus, 1767)

Venezuela, Margarita Island  
36,5 mm



**synonyms:**

- *Venus cingenda* L.W. Dillwyn, 1817
- *Venus dysera* J.F. Gmelin, 1791
- *Chione quebradillensis* C.J. Maury, 1920

- *Chione primigenia* H.A. Pilsbry & C.W. Johnson, 1917
- *Chione santodomingensis* H.A. Pilsbry & C.W. Johnson, 1917



6107500408  
**Chione**  
**compta**

(W.J. Broderip, 1835)

Mexico, Sonora  
43 mm



**synonyms:**

- *Venus compta* W.J. Broderip, 1835

- *Chione meridionalis* I.M. Oldroyd, 1921



7202000024  
**Chione**  
**dysera**

(C. Linnaeus, 1758)


No Georeferenced data available



6101300025  
**Chione**  
**elevata**

(T. Say, 1822)


Florida  
33 mm



6107502679  
**Chione**  
**fructifraga**

(G.B. Sowerby, 1853)


Mexico, Baja California  
49,5 mm



6107500464  
**Chione**  
**guatulcoensis**

L.G. Hertlein & A.M. Strong, 1948


Galápagos Islands  
15,3 mm






6107502595  
***Chione inflata***

(P.P. King & W.J. Broderip, 1832)  
Magellan Strait



6101300015  
***Chione mazyckii***

W.H. Dall, 1902  
Florida  
25 mm



**synonyms:**

- *Chione cancellata mazyckii* W.H. Dall, 1902



6107502596  
***Chione minor***


G.W. Nowell-Usticke, 1969

No Georeferenced data available





6107502352  
***Chione pigmaea***

J.B.P.A. Lamarck, 1818  
Aruba  
15,5 mm



6101300085  
***Chione subimbricata***

(G.B. I Sowerby, 1835)  
Panama  
25 mm



**synonyms:**

- *Venus subimbricata* G.B. I Sowerby, 1835



6101300100  
***Chione succincta***


C. Linnaeus, 1767

No Georeferenced data available



6101300105  
***Chione tumens***

A.E. Verrill, 1870  
Mexico, Baja California  
26 mm




**synonyms:**

- *Venus bilineata* L.A. Reeve, 1863



6101300110  
***Chione undatella***

(G.B. I Sowerby, 1835)  
Baja California  
49 mm



**synonyms:**

- Venus entobapta I.H. Jonas, 1845
- Venus perdix A. Valenciennes, 1846
- Venus similina G.B. Sowerby, 1853
- Venus undatella G.B. Sowerby, 1835

- Venus excavata P.P. Carpenter, 1857
- Venus perdix J.B.G.M. Bory De Saint-Vincent, 1827
- Venus sugillata L.A. Reeve, 1863



6107502682  
***Chione undatella neglecta***  
(G.B. Sowerby, 1835)

Mexico, Baja California  
38.4 mm

**synonyms:**

- Venus neglecta G.B. Sowerby, 1835



6107502557  
***Chione undatella taberi***  
C.F. Parker, 1949

Ecuador  
39 mm

SubFamily: CHIONINAE - **Subgenus: Chione (Austrovenus)** H.J. Finlay, 1926 (1 SP, 1 IMG)

6101300080  
***Austrovenus stutchburyi***

(W. Wood, 1828)  
New Zealand, Auckland  
40 mm

**synonyms:**

- Chione aucklandica A.W.B. Powell, 1932
- Venus dieffenbachii J.E. Gray in J.K.E. Dieffenbach, 1843
- Venus stutchburyi W. Wood, 1828
- Venericardia zelandica V.L.V. Potiez & A. Michaud, 1844

- Chione crassitesta H.J. Finlay, 1924
- Venus macleayana J.E. Tenison-Woods, 1878
- Venus zelandica J.R.C. Quoy & J.P. Gaimard, 1835

SubFamily: CHIONINAE - **Subgenus: Chione (Chionista)** A.M. Keen, 1958 (1 SP, 2 IMG)

6101400000  
***Chionista fluctifraga***  
(G.B. Sowerby, 1853)

Mexico, Guaymas Sonora  
53 mm

**synonyms:**

- Venus fluctifraga G.B. Sowerby, 1853
- Chione gibbosula G.P. Deshayes, 1853



6107500416  
***Chionista fluctifraga cortezi***  
P.P. Carpenter, 1864

Mexico, Sonora  
50 mm



**synonyms:**

- Chione cortezi P.P. Carpenter, 1864

SubFamily: CHIONINAE - **Subgenus: Chione (Chionopsis)** A.A. Olsson, 1932 (syn: Gnidiella - 7 SP, 6 IMG)

6101300000  
***Chionopsis amathusia***  
(R.A. Philippi, 1844)



Panama  
56 mm

**synonyms:**

- Venus amathusia R.A. Philippi, 1844



6107500472  
**Chionopsis amathusia jamaniana**  
H.A. Pilsbry & A.A. Olsson, 1941  
Venado Island, Panama  
41,6 mm



6107500432  
**Chionopsis crenifera**  
(G.B. I Sowerby, 1835)  
Galápagos




**synonyms:**

- Venus crenifera G.B. I Sowerby, 1835



6101300030  
**Chionopsis gnidia**  
(W.J. Broderip & G.B. I Sowerby, 1829)  
Panama, Venado Island  
62 mm



**synonyms:**

- Venus amathusina G.B. I Sowerby, 1853
- Chione gnidea W.J. Broderip & G.B. I Sowerby, 1829

- Venus darwini A. Römer, 1858
- Venus gridia W.J. Broderip & G.B. I Sowerby, 1829



6101300070  
**Chionopsis lilacina**  
(P.P. Carpenter, 1864)  
Mazatlan, Mexico  
54 mm



**synonyms:**

- Venus crenulata lilacina P.P. Carpenter, 1864
- Chione purpurissata W.H. Dall, 1902

- Chionopsis olsoni E. Fischer-Piette, 1969




6107500512  
**Chionopsis ornatissima**  
(W.J. Broderip, 1835)  
Ecuador  
55,7 mm



**synonyms:**

- Venus ornatissima W.J. Broderip, 1835




6107502597  
**Chionopsis pinchoti**  
(H.A. Pilsbry & A.A. Olsson, 1951)

No Georeferenced data available



6101300065  
**Chionopsis pulicaria**  
(W.J. Broderip, 1835)  
Ecuador  
42 mm



**synonyms:**

- Venus cingulata G.B. Sowerby, 1853
- Venus pinacatensis P.P. Carpenter, 1864

- Puberella montezuma H.A. Pilsbry & H.N. Lowe, 1932
- Venus pulicaria W.J. Broderip, 1835



610155000  
**Lirophora  
clenchii**  
(T.E. Pulley, 1952)  
USA, Texas  
29,7 mm




7202000101  
**Lirophora  
discrepans**  
(G.B. I Sowerby, 1835)

No Georeferenced data available



6101300040  
**Lirophora  
kelletii**  
(R.B. Hinds, 1845)  
Panama, Chiriqui Bay  
49 mm




**synonyms:**

- Venus kelletii R.B. Hinds, 1845



610155005  
**Lirophora  
latilirata**  
(T.A. Conrad, 1841)  
Florida  
31 mm




**synonyms:**

- Lirophora athleta T.A. Conrad, 1863 †
- Venus latilirata T.A. Conrad, 1841

- Venus varicosa G.B. II Sowerby, 1853



6101300045  
**Lirophora  
mariae**  
(D'Orbigny, 1846)  
Panama  
19 mm





**synonyms:**

- Venus cypria W.J. Broderip & G.B. I Sowerby, 1835
- Venus mariae D'Orbigny, 1846


- Venus distans R.A. Philippi, 1851



6107500496  
**Lirophora  
obliterata**  
(W.H. Dall, 1902)  
California, Humboldt Bay



6101300050  
**Lirophora  
paphia**  
(C. Linnaeus, 1767)  
Sao Paulo, Brasil  
23,7 mm



**synonyms:**

- Venus meleagrina J.B.G.M. Bory De Saint-Vincent, 1827
- Venus paphia C. Linnaeus, 1767

- Glycymeris vetula E.M. Da Costa, 1778



6107500520  
**Lirophora peruviana**  
(G.B. I Sowerby, 1835)

Peru  
35 mm



**no  
IMAGES  
available**

7194000073  
**Lirophora riomaturensis**  
(C.J. Maury, 1925)



No Georeferenced data available

SubFamily: CHIONINAE - Genus: **Clausinella** J.E. Gray, 1851 (syn: Anaitis, Zucleica - 2 SP, 3 IMG)



6101900010  
**Clausinella fasciata**  
(E.M. Da Costa, 1778)

Strait of Gibraltar  
28 mm





**synonyms:**

- Venus biradiata A. Riss, 1826
- Clausinella bronniarti B.C.M. Payraudeau, 1826
- Venus busschaerdi E. Réquien, 1848
- Venus decipiens S.C.T. Hanley, 1845
- Pectunculus fasciata E.M. Da Costa, 1778
- Venus fasciata raricostata J.G. Jeffreys, 1864
- Venus fasciata zigzag M.E.J. Bucquoy, P. Dautzenberg & G.F. Dolfus, 1893
- Venus philippiae E. Réquien, 1848
- Clausinella brogniarti B.C.M. Payraudeau, 1826
- Clausinella bronniartii B.C.M. Payraudeau, 1826
- Chamelea costata T. Brown, 1827
- Venus duminyi E. Réquien, 1848
- Venus fasciata ilicina M.E.J. Bucquoy, P. Dautzenberg & G.F. Dolfus, 1893
- Venus fasciata rufus M.E.J. Bucquoy, P. Dautzenberg & G.F. Dolfus, 1893
- Venus paphia G. Montagu, 1803



6107500576  
**Clausinella scalaris**  
H.G. Bronn, 1830

Bozcaada Island, Turkey  
8 mm



6100000045  
**Clausinella punctigera**  
(P. Dautzenberg & H. Fischer, 1906)

Senegal  
18 mm



**synonyms:**


- Venus punctigera P. Dautzenberg & H. Fischer, 1906
- Chione punctigera P. Dautzenberg & H. Fischer, 1906

SubFamily: CHIONINAE - Genus: **Humilaria** U.S. Grant & H.R. Gale, 1931 (1 SP, 1 IMG)



6101950000  
**Humilaria kennerleyi**  
(L.A. Reeve, 1863)

Washington  
70 mm



SubFamily: CHIONINAE - Genus: **Mercenaria** H.C.F. Schumacher, 1817 (syn: Crassivenus - 5 SP, 6 IMG)



6102000000  
**Mercenaria campechiensis**  
(J.F. Gmelin, 1791)

Texas, USA  
62,8 mm



**synonyms:**


- *Venus aboradita* G.B. II Sowerby, 1853
- *Venus apodema* W.H. Dall, 1902
- *Venus campechiensis* J.F. Gmelin, 1791
- *Venus capax* T.A. Conrad, 1844
- *Mercenaria cuneata* T.A. Conrad, 1868
- *Venus mortoni* T.A. Conrad, 1837
- *Venus permagna* T.A. Conrad, 1838
- *Venus tenuilamella* G.B. II Sowerby, 1853

- *Venus calcarea* R.A. Philippi, 1844
- *Venus campechiensis quadrata* W.H. Dall, 1902
- *Mercenaria carolinensis* T.A. Conrad, 1875
- *Mercenaria kennicotti* W.H. Dall, 1871
- *Mercenaria obtusa* T.A. Conrad, 1866
- *Venus submortoni* D'Orbigny, 1852
- *Venus tetrica* T.A. Conrad, 1838




7242000052  
**Mercenaria**  
**hartae**

E.J. Petuch, 2013  
Florida



610200005  
**Mercenaria**  
**mercenaria**

(C. Linnaeus, 1758)  
France, Brittany  
95 mm

**synonyms:**

- *Mercenaria cancellata* W.M. Gabb, 1860
- *Mercenaria fulgorans* G.W. Tryon, 1865
- *Venus mercenaria antiqua* A.E. Verrill, 1875
- *Venus mercenaria subradiata* K.V.W. Palmer, 1927
- *Venus praeparca* T. Say, 1822
- *Mercenaria rutilla rari linea* Sternheimer, 1957
- *Mercenaria violacea* H.C.F. Schumacher, 1817

- *Venus cyprinoides* H.E. Anton, 1838
- *Venus mercenaria alba* W.H. Dall, 1902
- *Venus mercenaria radiata* W.H. Dall, 1902
- *Venus obliqua* H.E. Anton, 1837
- *Mercenaria rutilla* Sternheimer, 1957
- *Venus submercenaria* K.V.W. Palmer, 1927
- *Venus ziczac* J.S. Pearse, 1936



6107500608  
**Mercenaria**  
**mercenaria**

**nota**  
T. Say, 1822

USA. Virginia  
55 mm



6102000015  
**Mercenaria**  
**stimpsoni**

(A.A. Gould, 1861)  
Hokkaido  
86,4 mm



6102000010  
**Mercenaria**  
**texana**

(W.H. Dall, 1902)  
Texas, USA  
78,8 mm

**synonyms:**


- *Mercenaria campechiensis texana* (W.H. Dall, 1902)

SubFamily: CHIONINAE - Genus: **Placamen** T. Iredale, 1925 (13 SP, 11 IMG)




6102050000  
**Placamen**  
**altum**

(G.B. II Sowerby, 1853)  
Philippines  
23 mm





6102050035  
**Placamen berrii**  
(W. Wood, 1828)  
Coral Bay, Australia  
33 mm




**synonyms:**

- Venus berryi G.B. II Sowerby, 1853
- Placamen berryi J.E. Gray in W. Wood, 1828

- Venus cingulina É. Lamy & E. Fischer-Piette, 1938



6107500624  
**Placamen chloroticum**  
(R.A. Philippi, 1849)  
South China Sea  
25 mm




**synonyms:**


- Venus sidneyensis K.T. Menke, 1858



6102050010  
**Placamen flindersi**  
B.C. Cotton & F.C. Godfrey, 1938  
South Australia  
18 mm



6102050015  
**Placamen foliaceum**  
(R.A. Philippi, 1846)  
East China Sea  
18 mm




**synonyms:**

- Venus foliacea R.A. Philippi, 1846
- Clausinella foliacea R.A. Philippi, 1846
- Bassina foliacea R.A. Philippi, 1846


- Chione foliacea R.A. Philippi, 1846




6102050045  
**Placamen gilvum**  
(R.A. Philippi, 1849)  
Northern Territory



6102050020  
**Placamen gravescens**  
(K.T. Menke, 1843)  
Australia, Shark Bay  
31 mm



6107500584  
**Placamen isabellina**  
(R.A. Philippi, 1849)  
South China Sea  
35 mm



**synonyms:**


- Venus isabellina R.A. Philippi, 1849
- Bassina multilamellata T. Kotaka, 1977



6107500632  
**Placamen**  
**lamellatum**

(P.F. Röding, 1798)

Bahamas  
27,8 mm



**synonyms:**

- Venus calophylla R.A. Philippi, 1836
- Periglypta calophylla R.A. Philippi, 1836
- Chione calophylla R.A. Philippi, 1836
- Circomphalus calophylus R.A. Philippi, 1836
- Bassina hayasakai T. Kotaka, 1977
- Venus lamellata P.F. Röding, 1798
- Placamen tiara L.W. Dillwyn, 1817

- Clausinella calophylla R.A. Philippi, 1836
- Bassina calophylla R.A. Philippi, 1836
- Venus cancellata I. von Born, 1778
- Bassina javana T. Kotaka, 1977
- Venus thira G.B. I Sowerby, 1834
- Venus tiara L.W. Dillwyn, 1817




6102050040  
**Placamen**  
**lamellatum**  
**calophyllum**  
R.A. Philippi, 1846

Philippines, Masbate Island  
29 mm



6107502469  
**Placamen**  
**lamellosum**

(G.B. I Sowerby, 1825)  
Philippines, Bohol Island  
31 mm




**synonyms:**

- Venus lamellosa G.B. I Sowerby, 1825



6102050025  
**Placamen**  
**placidum**

(R.A. Philippi, 1844)  
Tasmania  
25 mm



**synonyms:**

- Venus placidum R.A. Philippi, 1844
- Venus roborata S.C.T. Hanley, 1845



6107502592  
**Placamen**  
**retroversum**

(G.P. Deshayes, 1853)

No Georeferenced data available



6107502655  
**Placamen**  
**roseotinctum**

(W. Baird in G.A. Brenchley, 1873)


No Georeferenced data available

SubFamily: CHIONINAE - Subgenus: **Protothaca (Callithaca)** W.H. Dall, 1902 (syn: Galithaca, Protocalithaca - 2 SP, 2 IMG)



6102204000  
**Callithaca**  
**adamsi**

(L.A. Reeve, 1863)  
Hokkaido  
86 mm





6102100065  
**Callithaca tenerima**  
(P.P. Carpenter, 1857)  
Washington, USA  
100 mm



**synonyms:**



- *Tapes tenerima* P.P. Carpenter, 1857
- *Protothaca tenerima* P.P. Carpenter, 1857

- *Paphia tenerima alta* U.T. Waterfall, 1929

SubFamily: CHIONINAE - **Subgenus: Protothaca (Leukoma)** A. Römer, 1857 (syn: Granithaca, Leucoma, Nioche, Colonche, Notochione, Tropithaca, Tuangia, Novathaca - 20 SP, 20 IMG)



6102100000  
**Leukoma antiqua**  
(P.P. King, 1832)  
Falkland Islands  
74 mm





**synonyms:**

- *Venus alvarezii* D'Orbigny, 1842
- *Venus cineracea* L.H. Hupé in C. Gay, 1854
- *Venus discrepans* R.A. Philippi, 1844

- *Venus antiqua madryna* G. Rovereto, 1914
- *Venus costellata* W.J. Broderip & G.B. Sowerby, 1835



6102100005  
**Leukoma asperrima**  
(G.B. Sowerby, 1835)  
Panama  
32 mm





**synonyms:**

- *Venus asperrima* G.B. Sowerby, 1835
- *Venus histrionica* W.J. Broderip & G.B. Sowerby, 1835

- *Venus muscaria* L.A. Reeve, 1863



6102100010  
**Leukoma beili**  
(A.A. Olsson, 1961)  
Panama  
40 mm





**synonyms:**



- *Leukoma beili* A.A. Olsson, 1961



6102100015  
**Leukoma columbiensis**  
(G.B. Sowerby, 1835)  
Panama  
37 mm




6102100020  
**Leukoma crassicosta**  
(G.P. Deshayes, 1835)  
New Zealand, Coromandel  
27,4 mm



**synonyms:**

- *Venus costata* J.R.C. Quoy & J.P. Gaimard, 1835
- *Venus crassicosta* G.P. Deshayes, 1835

- *Leukoma crassicostata* G.P. Deshayes, 1835



7202000062  
**Leukoma decussata**  
(G.P. Deshayes, 1853)

No Georeferenced data available

**synonyms:**


- *Saxidomus decussata* G.P. Deshayes, 1853




6102100025  
**Leukoma  
ecuadoriana**  
(A.A. Olsson, 1961)  
Mexico, Baja California  
61 mm



6107502670  
**Leukoma  
euglypta**  
(G.B. III Sowerby, 1914)  
Russia, Sakhalin



6102100030  
**Leukoma  
granulata**  
(J.F. Gmelin, 1791)  
Venezuela  
26 mm

**synonyms:**

- *Venus granulata* J.F. Gmelin, 1791
- *Venus plumbea* L.A. Reeve, 1863

- *Venus violacea* J.F. Gmelin, 1791



6102100035  
**Leukoma  
grata**  
(T. Say, 1831)  
Baja California  
33 mm


**synonyms:**

- *Venus discors* W.J. Broderip & G.B. I Sowerby, 1835
- *Venus neglecta* R.A. Philippi, 1844

- *Venus grata* T. Say, 1831
- *Venus tricolor* W.J. Broderip & G.B. I Sowerby, 1835




6107502416  
**Leukoma  
grata  
fuscolineata**  
(G.B. I Sowerby, 1835)  
Panama West  
24,6 mm

**synonyms:**

- *Venus fuscolineata* G.B. I Sowerby, 1835



6102104010  
**Leukoma  
jedoensis**  
(C.E. Lischke, 1874)  
Singapore  
56 mm


**synonyms:**

- *Venus hirasei* H.A. Pilsbry, 1901
- *Venus jedoensis* C.E. Lischke, 1874
- *Venus jidoensis* C.E. Lischke, 1874

- *Protothaca jedoensis* C.E. Lischke, 1874
- *Venus jidoensis alta* A.W. Grabau & S.G. King, 1928



6107500672  
**Leukoma  
laciniata**  
(P.P. Carpenter, 1864)  
Long Beach, California  
61,6 mm

**synonyms:**

- *Tapes laciniata* P.P. Carpenter, 1864

- *Protothaca staminea spatiosa* W.H. Dall, 1916

**no  
IMAGES  
available**

7194000134  
**Leukoma  
lima**

(G.B. II Sowerby, 1852)

No Georeferenced data available

**synonyms:**


- *Tapes lima* G.B. II Sowerby, 1852



6102100050  
**Leukoma  
metodon**

(H.A. Pilsbry & H.N. Lowe, 1932)

Panama  
35 mm



**synonyms:**

- *Venus keppeliana* G.B. III Sowerby, 1905
- *Leukoma subaequilateralis* E. Fischer-Piette, 1969


- *Leukoma zorritensis* A.A. Olsson, 1961



6102100045  
**Leukoma  
metodon  
mcgintyi**

(A.A. Olsson, 1961)

West Panama  
32 mm



6102100055  
**Leukoma  
pectorina**

(J.B.P.A. Lamarck, 1818)

Santa Catarina, Brasil  
36 mm



**synonyms:**

- *Venus elegans* W. Wood, 1828
- *Venus pectorina* J.B.P.A. Lamarck, 1818


- *Venus intersecta* G.B. II Sowerby, 1853



6107500648  
**Leukoma  
pertincta**

(W.H. Dall, 1902)


Galápagos Islands  
17 mm



6107502680  
**Leukoma  
restorationensis**

(D.L. Frizzell, 1930)

Washington, USA  
75 mm



**synonyms:**


- *Protothaca restorationensis* D.L. Frizzell, 1930



6102100060  
**Leukoma  
staminea**

(T.A. Conrad, 1837)

Washington  
57,2 mm




**synonyms:**

- *Venus amplata* P.P. Carpenter, 1857
- *Tapes diversa* G.B. II Sowerby, 1852
- *Venus mundulus* L.A. Reeve, 1863
- *Venus petti* G.P. Deshayes, 1839
- *Chione ruderata* G.P. Deshayes, 1853
- *Paphia staminea* T.A. Conrad, 1837
- *Paphia staminea orbella* P.P. Carpenter, 1864
- *Tapes tumida* G.B. II Sowerby, 1852

- *Venus conradi* A. Römer, 1867
- *Protothaca grawingkii* W.H. Dall, 1904
- *Venus pectunculoides* A. Valenciennes, 1846
- *Venus rigida* A.A. Gould, 1850
- *Venus staminea* T.A. Conrad, 1837
- *Protothaca staminea* T.A. Conrad, 1837
- *Paphia staminea sulclosa* W.H. Dall, 1902
- *Tapes tumida* P.P. Carpenter, 1857



6101300090  
**Leukoma subrostrata**  
(J.B.P.A. Lamarck, 1818)  
Guam  
37,6 mm




**synonyms:**

- Venus beauvi C.A. Récluz, 1852
- Venus subrostrata J.B.P.A. Lamarck, 1818

- Venus portesiana D'Orbigny, 1842



6102100070  
**Leukoma thaca**  
(J.I. Molina, 1782)  
Chile, Arauco  
60 mm



**synonyms:**

- Venus chilensis W.J. Broderip & G.B. I Sowerby, 1835
- Venus dombeyi J.B.P.A. Lamarck, 1818
- Protothaca thaca J.I. Molina, 1782

- Venus rodriguezi R.A. Philippi, 1887
- Chama thaca J.I. Molina, 1782

SubFamily: CHIONINAE - Genus: **Puberella** E. Fischer-Piette & D. Vukadinovic, 1977 (2 SP, 2 IMG)



6101300060  
**Puberella crenata**  
(J.F. Gmelin, 1791)  
Brasil, São Paulo  
50 mm



**synonyms:**

- Venus crenata J.F. Gmelin, 1791
- Venus crenulata L.W. Dilwyn, 1817
- Venus eximia R.A. Philippi, 1847
- Puberella pubera J.B.G.M. Bory De Saint-Vincent, 1827

- Venus crenulata G.B. II Sowerby, 1853
- Venus cribaria T.A. Conrad, 1843
- Venus pubera J.B.G.M. Bory De Saint-Vincent, 1827




6101300035  
**Puberella intapurpurea**  
(T.A. Conrad, 1849)  
Brasil, Rio de Janeiro  
27 mm



**synonyms:**


- Venus lacunatus L.A. Reeve, 1863

SubFamily: CHIONINAE - Genus: **Tawera** J. Marwick, 1927 (15 SP, 7 IMG)




7194000107  
**Tawera australiana**  
M. Huber, 2010

No Georeferenced data available



6102650025  
**Tawera coelata**  
(K.T. Menke, 1843)  
Western Australia




**synonyms:**

- Venus coelata K.T. Menke, 1843



6101900015  
**Tawera elliptica**  
(J.B.P.A. Lamarck, 1818)  
Argentina, Tierra del Fuego  
34 mm



**synonyms:**

- *Venus elliptica* J.B.P.A. Lamarck, 1818
- *Venus gayi* L.H. Hupé in C. Gay, 1854
- *Clausinella gayi* L.H. Hupé, 1854


- *Tawera gayi* L.H. Hupé, 1854



6102650000  
**Tawera gallinula**

(J.B.P.A. Lamarck, 1818)

South Australia  
31,4 mm

**synonyms:**

- *Venus costulata* W. Wood, 1828
- *Venus gallinula* J.B.P.A. Lamarck, 1818
- *Venus tasmanica* L.A. Reeve, 1864


- *Venus humphreyi* E. Donovan, 1824



6102650005  
**Tawera lagopus**

(J.B.P.A. Lamarck, 1818)

South Australia  
34 mm

**synonyms:**



- *Venus australis* G.B. Sowerby, 1835
- *Venus lagopus* J.B.P.A. Lamarck, 1818



6102650030  
**Tawera laticostata**

(N.H. Odhner, 1917)


Northern Territory



6102650010  
**Tawera marionae**

H.J. Finlay, 1928



New Zealand, Plenty Bay  
27,4 mm



6107500720  
**Tawera mawsoni**

(C. Hedley, 1916)

Macquarie Island, New Zealand




6107502104  
**Tawera phenax**

(H.J. Finlay, 1930)

New Zealand, Otago Heads

**synonyms:**

- *Chamelea phenax* H.J. Finlay, 1930



7194000108  
**Tawera philomela**

(E.A. Smith, 1885)

No Georeferenced data available


**synonyms:**

- *Venus mesodesma* E.A. Smith, 1885

- *Venus philomela* E.A. Smith, 1885

**no  
IMAGES  
available**

6107500728  
**Tawera  
rosa**  
A.W.B. Powell, 1955  
New Zealand



**no  
IMAGES  
available**

7194000109  
**Tawera  
similicentrifuga**  
(J.M.R.M. Viader, 1951)

No Georeferenced data available

**synonyms:**

- *Timoclea semicentrifugata* J.M.R.M. Viader, 1951

**no  
IMAGES  
available**

7194000110  
**Tawera  
sphaericula**  
(G.P. Deshayes, 1853)  
New Zealand



**synonyms:**

- *Tawera boltoni* A.W.B. Powell, 1932
- *Hysteroconcha sphaericula* G.P. Deshayes, 1853
- *Venus sphaerulca* L.A. Reeve, 1863
- *Chamelea sphaericula* G.P. Deshayes, 1853



6102650015  
**Tawera  
spissa**  
(G.P. Deshayes, 1835)  
New Zealand, Auckland  
63 mm




**synonyms:**

- *Venus crassa* J.R.C. Quoy & J.P. Gaimard, 1835
- *Venus denticulata* J.R.C. Quoy & J.P. Gaimard, 1835
- *Venus mesodesma* J.R.C. Quoy & J.P. Gaimard, 1835
- *Venus spissa* G.P. Deshayes, 1835
- *Venus violacea* J.R.C. Quoy & J.P. Gaimard, 1835
- *Chione gibbosa* F.W. Hutton, 1873
- *Anomalocardia scandens* A. Römer, 1861
- *Venus spurca* G.B. Sowerby, 1835

**no  
IMAGES  
available**

6102650035  
**Tawera  
torresiana**  
(E.A. Smith, 1884)  
Australia, Torres Strait




**synonyms:**

- *Venus torresiana* E.A. Smith, 1884

SubFamily: CHIONINAE - **Genus: Timoclea** T. Brown, 1827 (syn: *Parvivenus*, *Pasiphae*, *Timoclea*, *Timodea*, *Vermolpa* - 29 SP, 14 IMG)



6102700000  
**Timoclea  
arakana**  
(G. Nevill & H. Nevill, 1871)  
East London, South Africa  
14,2 mm




**synonyms:**

- *Timoclea farsiana* H.E.J. Biggs, 1973
- *Venus malonei* E.G. Vanatta, 1901



6102700015  
**Timoclea  
arakana  
lavrani**  
E. Fischer-Piette, 1974  
South Africa, Natal  
24 mm




**synonyms:**

- *Timoclea lavrani* E. Fischer-Piette, 1974



6107502640  
***Timoclea chuangi***

E. Fischer-Piette & D. Vukadinovic, 1977  
Singapore



6107502641  
***Timoclea cochinchensis***

(G.B. II Sowerby, 1853)  
Oman  
13,37 mm




**synonyms:**

- *Venus cochinchensis* G.B. II Sowerby, 1853
- *Timoclea staadtii* E. Fischer-Piette & D. Vukadinovic, 1977




6107502659  
***Timoclea concinna***

(J.M.R.M. Viader, 1951)  
Mauritius



6102700005  
***Timoclea costellifera***

(A. Adams & L.A. Reeve, 1850)  
Philippines, Balicasag Island  
11,9 mm



6102700065  
***Timoclea crassisquamata***

(B. Prashad, 1932)

No Georeferenced data available



6107502650  
***Timoclea decorata***

(W.J. Broderip & G.B. I Sowerby, 1829)  
West Indies




**synonyms:**

- *Venus bella* I.H. Jonas, 1844
- *Venus decorata* W.J. Broderip & G.B. I Sowerby, 1829





6102700060  
***Timoclea habei***

E. Fischer-Piette & D. Vukadinovic, 1977  
Japan  
18,6 mm



6107502656  
***Timoclea hypopta***

(R. Sturany, 1899)  
Sinai, Egypt  
25 mm




**synonyms:**

- *Timoclea barashi* E. Fischer-Piette, 1974





6102700070  
***Timoclea imbricata***

(G.B. II Sowerby, 1853)  
Solomon Islands



6102700045  
***Timoclea infans***

(E.A. Smith, 1885)  
Western Australia



7202000050  
***Timoclea keegani***


B.K. Raines & M. Huber, 2012

No Georeferenced data available




6107500744  
***Timoclea laevicostata***

J.T. Kuroda, 1960  
Japan



6107500128  
***Timoclea langfordi***

(J.T. Kuroda, 1945)  
Japan



719400012  
***Timoclea layardi***



(L.A. Reeve, 1864)

No Georeferenced data available



6102700050  
***Timoclea levukensis***

(E.A. Smith, 1885)  
Queensland



6102700055  
***Timoclea lionota***

(E.A. Smith, 1885)


No Georeferenced data available

**synonyms:**

- *Venus valdiviae* K.H.J. Thiele & S.G.A. Jaeckel, 1931



610280000  
**Timoclea marica**  
(C. Linnaeus, 1758)  
Indonesia, Aru  
28 mm




**synonyms:**


- *Venus djiboutiensis* F.P. Jousseaume, 1894
- *Leukoma japonica* T. Kira, 1954



6102700020  
**Timoclea mindanensis**  
(E.A. Smith, 1885)  
South Africa, Natal, Richards Bay  
5,3 mm




6102700025  
**Timoclea ovata**  
(T. Pennant, 1777)  
Italy, Cannizzaro  
12,7 mm



**synonyms:**

- *Venus alopis* ♀. Brusina, 1870
- *Venus alopsis* ♀. Brusina, 1870
- *Venus myrrha* ♀. Brusina, 1870
- *Venus ovata lutea* J.G. Jeffreys, 1864
- *Venus ovata paucicostata* M.E.J. Bucquoy, P. Dautzenberg & G.F. Dolfus, 1893
- *Venus ovata trigona* J.G. Jeffreys, 1864
- *Timoclea pennata* W.E. Leach in J.E. Gray, 1852

- *Venus congoensis* K.H.J. Thiele & S.G.A. Jaeckel, 1931
- *Venus myrrhae* ♀. Brusina, 1870
- *Venus ovata marmorata* M.E.J. Bucquoy, P. Dautzenberg & G.F. Dolfus, 1893
- *Venus ovata transversa* M.E.J. Bucquoy, P. Dautzenberg & G.F. Dolfus, 1893
- *Venus pectinula* J.B.P.A. Lamarck, 1818



7194000113  
**Timoclea peresi**  
E. Fischer-Piette & D. Vukadinovic, 1977

No Georeferenced data available

**synonyms:**


- *Anomalocardia malonei* E. Fischer-Piette, 1968



6107500776  
**Timoclea roemeriana**  
(A. Issel, 1869)  
Red Sea



6102700035  
**Timoclea scabra**  
(S.C.T. Hanley, 1845)  
Australia, Dingo Beach  
15,2 mm





**synonyms:**

- *Veremolpa ethica* T. Iredale, 1930

- *Veremolpa micra* H.A. Pilsbry, 1904




6102700040  
**Timoclea scandularis**  
(C. Hedley, 1909)  
Queensland  
15 mm



no  
IMAGES  
available

6107500784  
**Timoclea siamensis**  
(H. Lyngé, 1909)  
Japan



no  
IMAGES  
available

7194000114  
**Timoclea smithiana**  
M. Huber, 2010

No Georeferenced data available



6102650020  
**Timoclea subnodososa**  
(S.C.T. Hanley, 1845)  
Port Hedland, Australia  
20,3 mm





**synonyms:**

- Chione recognita E.A. Smith, 1886



no  
IMAGES  
available

6107502336  
**Timoclea venus**  
A.A. Gould, 1861  
Japan




no  
IMAGES  
available

6107500792  
**Timoclea venus puellula**  
A.A. Gould, 1861  
Japan



no  
IMAGES  
available



6107500800  
**Timoclea yokoyamai**  
T. Habe, 1947  
Japan



SubFamily: CHIONINAE - Subgenus: Timoclea (Chioneryx) T. Iredale, 1924 (4 SP, 3 IMG)



6107502513  
**Chioneryx cardiodes**  
(J.B.P.A. Lamarck, 1818)  
South Australia  
8,8 mm




**synonyms:**

- Eryna cardiodes J.B.P.A. Lamarck, 1818
- Venus effeminata R.E.C. Steams, 1890

- Venus striatissima G.B. II Sowerby, 1853



6102700010  
**Chioneryx grus**  
(F.S. Holmes, 1858)  
Florida  
12 mm




**synonyms:**

- *Timoclea grus* F.S. Holmes, 1858
- *Venus trapezoidalis* J.D. Kurtz, 1860

- *Venus parva* G.B. II Sowerby, 1854




6102700030  
***Chioneryx pygmaea***  
(J.B.P.A. Lamarck, 1818)  
Puerto Rico  
6 mm


**synonyms:**

- *Venus inaequivalvis* D'Orbigny in R. de la Sagra, 1853
- *Cardita ovata* C.B. Adams, 1845
- *Timoclea pygmaea* J.B.P.A. Lamarck, 1818

- *Venus pygmaea* J.B.P.A. Lamarck, 1818



6101300075  
***Chioneryx squamosa***  
(P.P. Carpenter, 1857)  
Colombia  
29 mm


**synonyms:**

- *Tapes squamosa* P.P. Carpenter, 1857
- *Venus troglodytes* O.A.L. Mörch, 1861


SubFamily: CHIONINAE - Subgenus: **Timoclea (Veremolpa)** T. Iredale, 1930 (1 SP, 1 IMG)



6102804000  
***Veremolpa minuta***  
M. Yokoyama, 1922  
Japan, Kotoga beach



SubFamily: CLEMENTIINAE - Genus: **Clementia** J.E. Gray, 1842 (syn: *Blainvilia* - 3 SP, 2 IMG)



7194000022  
***Clementia asiatica***  
(J.C. Melvill, 1899)

No Georeferenced data available




6107502208  
***Clementia gracillima***  
P.P. Carpenter, 1857  
West America

No Georeferenced data available



6106850000  
***Clementia papyracea***  
(J.F. Gmelin, 1791)  
Iskenderun gulf, Turkey  
48 mm

**synonyms:**



- *Clementia annandalei* H.B. Preston, 1914
- *Lutraria crassiplicata* J.B.P.A. Lamarck, 1818
- *Venus hyalina* R.A. Philippi, 1849
- *Clementia moretonensis* G.P. Deshayes, 1854
- *Venus papyracea* J.E. Gray, 1825
- *Clementia speciosa* M. Yokoyama, 1923
- *Clementia vathelti* J.F. Mabille, 1901
- *Mactra vitrea* L.W. Dillwyn, 1817

- *Clementia cumingii* G.P. Deshayes, 1855
- *Clementia mcclellandii* J.R. le B. Tomlin, 1921
- *Mactra papyracea* J.F. Gmelin, 1791
- *Clementia similis* G.B. II Sowerby, 1852
- *Clementia strangei* G.P. Deshayes, 1854
- *Mactra vitrea* L. Spengler, 1802



6106854000  
**Clementia**  
**papyracea**  
**vatheleti**  
J.F. Mabille, 1901

Yellow Sea  
81 mm



SubFamily: CLEMENTIINAE - Genus: **Compsomyax** C.C. Stewart, 1930 (1 SP, 1 IMG)



6106900000  
**Compsomyax**  
**subdiaphana**

(P.P. Carpenter, 1864)  
San Juan Island, Washington  
85 mm



**synonyms:**

- *Saxidomus gibbosus* W.M. Gabb, 1869
- *Meretrix izukai* M. Yokoyama, 1925
- *Clementia subdiaphana* P.P. Carpenter, 1864

- *Clementia obliqua* A.J. Jukes-Browne, 1913
- *Calista subdiaphana* pedroana R. Arnold, 1903

SubFamily: CLEMENTIINAE - Genus: **Egesta** T.A. Conrad, 1845 (1 SP, 1 IMG)



6107502232  
**Egesta**  
**solida**

(W.H. Dall, 1902)  
Sinaloa, Mexico



**synonyms:**



- *Clementia solida* W.H. Dall, 1902

SubFamily: CYCLINAE - Genus: **Cyclina** G.P. Deshayes, 1850 (syn: *Eocyclina* - 3 SP, 3 IMG)



7194000024  
**Cyclina**  
**flava**

G.P. Deshayes, 1853  
South China Sea  
56,6 mm




**synonyms:**

- *Cyclina splendida* A. Römer, 1860




6107502505  
**Cyclina**  
**orientalis**

(G.B. II Sowerby, 1852)  
Philippines  
74,9 mm



6107100000  
**Cyclina**  
**sinensis**

(J.F. Gmelin, 1791)  
Taiwan  
32 mm



**synonyms:**

- *Cyclina bombycinia* A. Römer, 1860
- *Cyclina intumescens* A. Römer, 1861
- *Arctica tenuistria* J.B.P.A. Lamarck, 1818

- *Venus chinensis* L.W. Dillwyn, 1817
- *Cyclina pectunculus* A. Römer, 1860

SubFamily: CYCLINAE - Genus: **Cyclinella** W.H. Dall, 1902 (6 SP, 5 IMG)



6107502248

**Cyclinella  
jadisi**

A.A. Olsson, 1961

Ecuador  
38 mm

7242000086

**Cyclinella  
kroeyeri**


(R.A. Philippi, 1847)

**No Georeferenced data available**

6107502272

**Cyclinella  
producta**

(P.P. Carpenter, 1856)

Panama West  
40,7 mm**synonyms:**


- *Cyclinella singleyi* W.H. Dall, 1902



6107502264

**Cyclinella  
subquadrata**

(S.C.T. Hanley, 1844)

Panama West  
45,8 mm**synonyms:**

- *Cyclinella galera* H.A. Pilsbry & A.A. Olsson, 1941 †
- *Cyclinella kroyeri ulloana* L.G. Hertlein & A.M. Strong, 1948
- *Arthemis saccata* A.A. Gould, 1851

- *Cyclinella kroeyeri ulloana* L.G. Hertlein & A.M. Strong, 1948


- *Artemis macilenta* L.A. Reeve, 1850



6107150000

**Cyclinella  
tenuis**

(C.A. Récluz, 1852)

Florida  
33 mm**synonyms:**

- *Cyclina fragilis* A. Römer, 1861
- *Dosinia tenuis* C.A. Récluz, 1852



6107154000

**Cyclinella  
ulloana**

L.G. Hertlein &amp; A.M. Strong, 1948

Gulf of Chiriquí, Panama  
48 mm


SubFamily: DOSINIINAE - **Genus: Dosinia** J.A. Scopoli, 1777 (syn: Amphithaea, Arctoa, Arctoe, Artemis, Artemiderma, Artemis, Artimis, Bonartemis, Cerena, Circompholos, Dosiniida, Exoleta, Fallartemis, Meridosinia, Orbicularis, Pardosinia, Pectonculus, Pectunculus, Pectuncumus, Semelartemis, Phacosoma, Dosiniscia, Dosinobia, Kereia, Asa - 101 SP, 64 IMG)



6107501920

**Dosinia  
abyssicola**

T. Habe, 1961

East China Sea  
43,1 mm

no  
IMAGES  
available

7194000026  
**Dosinia  
adami**


M. Nicklés, 1955

No Georeferenced data available



6107502360  
**Dosinia  
afra**

(J.F. Gmelin, 1791)  
Gabon, São Tomé Island  
46 mm



**synonyms:**


- *Venus afra* J.F. Gmelin, 1791
- *Dosinia afra* J.F. Gmelin, 1791
- *Dosinia lupinus afra* (J.F. Gmelin, 1791)

- *Arthemis africana* J.E. Gray, 1838
- *Dosinia polita* G.P. Deshayes, 1853



6107502668  
**Dosinia  
alta**

(R.W. Dunker, 1849)  
Oman  
20 mm





**synonyms:**

- *Dosinia morchii* A. Römer, 1862



7194000027  
**Dosinia  
altior**

G.P. Deshayes, 1853  
Yellow Sea  
29,8 mm



**synonyms:**

- *Dosinia salebrosa* A. Römer, 1860

no  
IMAGES  
available

7194000028  
**Dosinia  
amamiensis**



(T.A. Okutani, 2005)

No Georeferenced data available



6106404035  
**Dosinia  
amphidesmoides**

(L.A. Reeve, 1850)  
Japan, Wakayama  
38 mm



**synonyms:**



- *Dosinia colorata* T. Iredale, 1929
- *Dosinia miticula* J.M.R.M. Viader, 1951

- *Dosinia dilatata* G.P. Deshayes, 1853



6107501928  
**Dosinia  
angulosa**

(R.A. Philippi, 1847)  
Yellow Sea  
58,4 mm




**synonyms:**

- *Dosinia hanleyana* H. Adams & A. Adams, 1857
- *Dosinia longilunata* L.A. Reeve, 1850

- *Dosinia simplex* A. Adams, 1856



610640000  
**Dosinia**  
**anus**  
(R.A. Philippi, 1848)  
South Korea  
47 mm




**synonyms:**

- *Dosinia horrida* J. Marwick, 1927



6107501528  
**Dosinia**  
**areolata**  
A. Römer, 1870  
Dampier, West Australia  
49 mm




**synonyms:**

- *Dosinia bruguieri* K.L. Lamprell & T. Whitehead, 1992



6107501936  
**Dosinia**  
**aspera**  
(L.A. Reeve, 1850)  
South China Sea  
73,4 mm



6107502677  
**Dosinia**  
**auberti**  
E. Fischer-Piette & D. Delmas, 1967


No Georeferenced data available



6106404005  
**Dosinia**  
**bilunulata**  
(J.E. Gray, 1838)  
South China Sea  
60 mm




6107501944  
**Dosinia**  
**biscocta**  
(L.A. Reeve, 1850)  
South China sea  
44 mm



6107501952  
**Dosinia**  
**caelata**  
(L.A. Reeve, 1850)  
Philippines, Leyte  
10,9 mm



6106400005  
**Dosinia**  
**caerulea**  
(L.A. Reeve, 1850)  
Tasmania  
55,6 mm



**synonyms:**


- *Dosinia coerulea* L.A. Reeve, 1850
- *Dosinia cydipe* A. Adams, 1856
- *Dosinia immaculata* J.E. Tenison-Woods, 1876

- *Dosinia coryne* A. Adams, 1856
- *Dosinia diana* A. Adams & G.F. Angas, 1864



7194000030  
**Dosinia  
carpentariae**

K.L. Lamprell & J.M. Healy, 1997  
Arafura Sea  
25 mm



7194000031  
**Dosinia  
cingulifera**


A. Römer, 1862

No Georeferenced data available



7194000032  
**Dosinia  
circularis**

A. Römer, 1862  
Northern Territory



**synonyms:**

- *Dosinia altenai* E. Fischer-Piette & D. Delmas, 1967



6106400010  
**Dosinia  
concentrica**

(I. von Born, 1778)  
Santa Catarina, Brasil  
49 mm



**synonyms:**

- *Dosinia affinis* G.P. Deshayes, 1853
- *Venus concentrica* I. von Born, 1778
- *Artemis distans* G.B. II Sowerby, 1851
- *Dosinia floridana* T.A. Conrad, 1866
- *Artemis nitens* L.A. Reeve, 1850

- *Dosinia brasiliensis* C.A. White, 1887
- *Dosinia concentrica prosapia* N.E. Weisbord, 1964
- *Chama dosinii* G.A. Scopoli, 1777
- *Dosinia genei* C.M. Tapparone-Caneffri, 1874
- *Venus philippii* A.V.M.D. D'Orbigny, 1845



6106404030  
**Dosinia  
conglobata**

A. Römer, 1862  
Australia, Gulf of Carpentaria  
33,4 mm



**synonyms:**

- *Dosinia amina* T. Iredale, 1930



6107502605  
**Dosinia  
contracta**

(R.A. Philippi, 1844)

No Georeferenced data available



6106404010  
**Dosinia  
contusa**

(L.A. Reeve, 1850)  
Australia, Gulf of Carpentaria  
29 mm



7194000130  
**Dosinia  
corrugata**

(L.A. Reeve, 1850)



No Georeferenced data available

**synonyms:**

- *Dosinella corrugata* L.A. Reeve, 1850
- *Dosinia laminata* Z. Zhuang, 1964



6107502485  
***Dosinia cretacea***  
(L.A. Reeve, 1850)  
Philippines, Leyte Island  
23,4 mm

**synonyms:**

- *Dosinia canaliculata* G.B. Sowerby, 1852
- *Dosinia lucinoides* L.A. Reeve, 1850




6107502662  
***Dosinia crocea***  
G.P. Deshayes, 1853  
Kenya  
38 mm

**synonyms:**

- *Dosinia circinaria* G.P. Deshayes, 1853




6107501976  
***Dosinia cumingii***  
(L.A. Reeve, 1850)  
South China Sea  
57 mm

**synonyms:**

- *Dosinia roemerii* R.W. Dunker, 1863



7194000034  
***Dosinia cunninghami***  
M. Huber, 2010  
Australia, Melville Island  
20 mm

**synonyms:**

- *Bonartemis cunninghami* M. Huber, 2010




7202000031  
***Dosinia dautzenbergi***  
E. Fischer-Piette & D. Delmas, 1967

No Georeferenced data available



6107502671  
***Dosinia deshayesii***  
A. Adams, 1856  
Australia, Port Hedland  
35 mm



7202000020  
***Dosinia dilecta***  
A. Adams, 1856

No Georeferenced data available



6106400015  
**Dosinia discus**  
(L.A. Reeve, 1850)

Haiti  
71 mm



**synonyms:**



- *Dosinia alata* L.A. Reeve, 1850

- *Dosinia plana* L.A. Reeve, 1850



6106400020  
**Dosinia dunkeri**  
(R.A. Philippi, 1844)

Panama  
33 mm



**synonyms:**

- *Periglypta dunkeri* R.A. Philippi, 1844

- *Dosinia simplex* S.C.T. Hanley, 1845



7194000035  
**Dosinia eduardi**  
E. Fischer-Piette & D. Delmas, 1967

No Georeferenced data available



**synonyms:**

- *Dosinia sieboldii* A. Römer, 1862



6106400025  
**Dosinia elegans**  
(T.A. Conrad, 1843)

Florida  
68,3 mm



**synonyms:**

- *Calocardia elegans* T.A. Conrad, 1843




6107501984  
**Dosinia erythraea**  
A. Römer, 1860

Sinai, Egypt  
53 mm



6106404065  
**Dosinia exasperata**  
(R.A. Philippi, 1847)

South China Sea  
30 mm




**synonyms:**

- *Dosinia sieboldii* L.A. Reeve, 1850



6106400030  
**Dosinia exoleta**  
(C. Linnaeus, 1758)

Algarve, Portugal  
46 mm



**synonyms:**

- *Glycymeris capillaceus* E.M. Da Costa, 1778
- *Arthemis complanata* É.A.A. Locard, 1892
- *Dosinia exoleta interrupta* M.E.J. Bucquoy, P. Dautzenberg & G.F. Dollfus, 1893
- *Dosinia exoleta paricipita* M.E.J. Bucquoy, P. Dautzenberg & G.F. Dollfus, 1893
- *Dosinia exoleta radians* M.E.J. Bucquoy, P. Dautzenberg & G.F. Dollfus, 1893
- *Dosinia fulva* A. Riso, 1826
- *Arthemis pudica* G.S. Pol, 1795
- *Exoleta radula* T. Brown, 1827

- *Dosinia exoleta castanea* M.E.J. Bucquoy, P. Dautzenberg & G.F. Dollfus, 1893
- *Dosinia exoleta major* M.E.J. Bucquoy, P. Dautzenberg & G.F. Dollfus, 1893
- *Dosinia exoleta ponderosa* M.E.J. Bucquoy, P. Dautzenberg & G.F. Dollfus, 1893
- *Dosinia exoleta zonata* M.E.J. Bucquoy, P. Dautzenberg & G.F. Dollfus, 1893
- *Dosinia orbiculata* T. Brown, 1827
- *Arthemis radiata* L.A. Reeve, 1850



6107501992  
**Dosinia  
extranea**  
(T. Iredale, 1937)  
Great Barrier Reef  
19 mm





**synonyms:**

- Pardsinia alma extranea T. Iredale, 1937



6107502590  
**Dosinia  
fibula**  
(L.A. Reeve, 1850)  
South China Sea  
36 mm



**synonyms:**

- Dosinia lineolata A. Adams, 1856

- Dosinia subdichotoma R.W. Dunker, 1865




7194000036  
**Dosinia  
funiculata**  
A. Römer, 1862

No Georeferenced data available



7194000037  
**Dosinia  
gabonensis**  
R. von Cosei, 1989

No Georeferenced data available




7194000038  
**Dosinia  
gaillardi**  
E. Fischer-Piette & D. Delmas, 1967

No Georeferenced data available



6107502000  
**Dosinia  
glauca**  
(L.A. Reeve, 1850)  
Japan





**synonyms:**

- Dosinia brevilunulata E. Fischer-Piette & D. Delmas, 1967

- Dosinia comta G.B. Sowerby, 1846




6107502529  
**Dosinia  
grata**  
G.P. Deshayes, 1853  
Australia, Victoria  
58 mm





**synonyms:**

- Dosinia gratooides E. Fischer-Piette & D. Delmas, 1967




6107502008  
**Dosinia  
greyi**  
C.A. von Zittel, 1864  
New Zealand, Wellington




**no  
IMAGES  
available**

6107502016  
**Dosinia  
grunerii**  
(R.A. Philippi, 1847)  
Taiwan




**no  
IMAGES  
available**

6107502024  
**Dosinia  
hayashii**  
(T. Habe, 1976)  
Japan



6106400035  
**Dosinia  
hepatica**  
(J.B.P.A. Lamarck, 1818)  
South Africa, Natal, Richards Bay  
30,5 mm




**synonyms:**

- Dosinia becki W.H. Turton, 1932
- Dosinia consobrina G.P. Deshayes, 1853

- Dosinia occulta E. Fischer-Piette & D. Delmas, 1967



6106400040  
**Dosinia  
hepatica  
subquadrata**  
C.F.F. von Krauss, 1848  
South Africa, Natal, Durban Bay  
31,7 mm



**no  
IMAGES  
available**

6107502608  
**Dosinia  
herbariorum**  
E. Fischer-Piette & D. Delmas, 1967

No Georeferenced data available



6106400045  
**Dosinia  
histrio**  
(J.F. Gmelin, 1791)  
Philippines, Olongo Island  
45 mm




**synonyms:**

- Dosinia alma T. Iredale, 1929
- Dosinia lirata G.B. Sowerby, 1852

- Venus australis J.R.C. Quoy & J.P. Gaimard, 1835
- Dosinia scabra R.A. Philippi, 1849



6106400050  
**Dosinia  
incisa**  
(L.A. Reeve, 1850)  
Australia, Broome  
65 mm



**synonyms:**

- Dosinia nobilis G.P. Deshayes, 1853

6107502609  
**Dosinia  
indica**  
E. Fischer-Piette & B. Métivier, 1971



No Georeferenced data available

**no  
IMAGES  
available**



6107502048  
**Dosinia  
iwakawai**

K. Oyama & T. Habe, 1971  
Philippines, Marinduque Island  
38 mm




**synonyms:**

- *Dosinia histrio iwakawai* K. Oyama & T. Habe, 1971





6106800000  
**Dosinia  
japonica**

(L.A. Reeve, 1850)  
Korea  
76 mm



6106400055  
**Dosinia  
juvenilis**

(J.F. Gmelin, 1791)  
Australia, Port Lincoln  
34 mm



**synonyms:**


- *Dosinia eburnea* A. Römer, 1860
- *Venus juvenilis* L.W. Dillwyn, 1817

- *Venus excavata* J.F. Gmelin, 1791



6106404070  
**Dosinia  
kaspiewi**


E. Fischer-Piette & D. Delmas, 1967  
Malaysia  
24,2 mm



6107502611  
**Dosinia  
kuiperi**

E. Fischer-Piette & D. Delmas, 1967

No Georeferenced data available



7202000032  
**Dosinia  
labiosa**

A. Römer, 1862

No Georeferenced data available




6106400060  
**Dosinia  
lambata**

(A.A. Gould, 1850)  
Oman  
21,8 mm



6106400065  
**Dosinia  
laminata**

(L.A. Reeve, 1850)  
Australia, Melville Island  
23,3 mm



no  
IMAGES  
available

7202000033  
**Dosinia**  
**lamyi**

E. Fischer-Piette & D. Delmas, 1967

No Georeferenced data available

no  
IMAGES  
available

6107502613  
**Dosinia**  
**levissima**

E. Fischer-Piette & D. Delmas, 1967


No Georeferenced data available

no  
IMAGES  
available

7194000039  
**Dosinia**  
**lochi**

J.M. Healy & K.L. Lamprell, 1992


Northern Territory



6106404075  
**Dosinia**  
**lucinalis**

(J.B.P.A. Lamarck, 1818)

Western Australia  
17,8 mm



**synonyms:**

- *Dosinia amethystina* A. Römer, 1860
- *Arthemis reticulata* C.A. Récluz, 1844
- *Artemis striatissima* G.B. II Sowerby, 1852


- *Chione striatissima* G.B. II Sowerby, 1852



6107502688  
**Dosinia**  
**luedersii**

A. Römer, 1862



Singapore  
30,2 mm



6106400070  
**Dosinia**  
**lupinus**

(C. Linnaeus, 1758)

Italy, Viareggio  
31 mm



**synonyms:**


- *Dosinia compta* S.L. Lovén, 1846
- *Dosinia compta* S.L. Lovén, 1846
- *Periglypta lunaris* J.B.P.A. Lamarck, 1818
- *Dosinia lupinus rufescens* M.E.J. Bucquoy, P. Dautzenberg & G.F. Dolfus, 1893
- *Dosinia nitidissima* A. Risso, 1826
- *Dosinia rissoiana* É.A.A. Locard, 1886

- *Dosinia inflata* É.A.A. Locard, 1886
- *Dosinia lupinina* É.A.A. Locard, 1886
- *Dosinia modesta* L.A. Reeve, 1850
- *Dosinia parkinsonia* A. Risso, 1826



6106400075  
**Dosinia**  
**lupinus**  
**lintca**  
(R. Pulteney, 1799)

North Sea  
27 mm



**synonyms:**

- *Venus lincta* R. Pulteney, 1799

**no  
IMAGES  
available**

7194000041  
**Dosinia  
malecocta**

E. Fischer-Piette & D. Delmas, 1967


No Georeferenced data available



6106400080  
**Dosinia  
maoriana**

W.R.B. Oliver, 1923

New Zealand, Auckland  
23 mm



**synonyms:**



- Pectunculus maoriana W.R.B. Oliver, 1923



6107502663  
**Dosinia  
minor**

G.P. Deshayes in L. Mallard, 1863

Réunion  
9 mm



**synonyms:**


- Dosinia parva G.B. III Sowerby, 1894

**no  
IMAGES  
available**

6106404080  
**Dosinia  
mira**

E.A. Smith, 1885

Northern Territory



**synonyms:**


- Dosinia aetha T. Iredale, 1930



6106404085  
**Dosinia  
nedigna**

(T. Iredale, 1930)

Australia, Gladstone  
20 mm



**synonyms:**


- Dosinia bertini E. Fischer-Piette & D. Delmas, 1967
- Dosinia denisi E. Fischer-Piette & D. Delmas, 1967

**no  
IMAGES  
available**

7202000034  
**Dosinia  
nipponica**

(T.A. Okutani, M. Tagawa,  
& H. Horikawa, 1989)


Japan



6107502080  
**Dosinia  
orbiculata**

R.W. Dunker, 1877


South China Sea  
44 mm



6100150000  
**Dosinia  
orbignyi**

R.W. Dunker, 1845

South Africa, Cape  
47,9 mm



**synonyms:**



- *Dosinia lupinus* orbignyi R.W. Dunker, 1845
- *Dosinia obliquata* A. Römer, 1862
- *Dosinia torrida* L.A. Reeve, 1850

- *Dosinia solidula* G.B. II Sowerby, 1852




6107502096  
***Dosinia penicillata***

(L.A. Reeve, 1850)  
South China Sea  
54 mm


**synonyms:**

- *Conchyliurus inchonensis* B.K. Kim, 1997
- *Mycola intumidus* B.K. Kim, 1997



6107502112  
***Dosinia phystema***

A. Römer, 1870  
Japan

**synonyms:**

- *Dosinia zilchi* E. Fischer-Piette & D. Delmas, 1967



6106400085  
***Dosinia ponderosa***

(J.E. Gray, 1838)  
Mexico, Baja California  
108,1 mm

**synonyms:**



- *Venus cycloides* D'Orbigny, 1845
- *Dosinia grandis* R.N. Nelson, 1870

- *Periglypta gigantea* R.A. Philippi, 1844
- *Dosinia titan* C.J. Maury, 1925




7194000042  
***Dosinia prostrata***

(C. Linnaeus, 1758)  
Rameshwaram, India  
50 mm

**synonyms:**


- *Arthemis bruguieri* J.E. Gray, 1838
- *Venus prostrata* I. von Born, 1780

- *Venus prostrata* C. Linnaeus, 1758



6107502120  
***Dosinia pubescens***

(R.A. Philippi, 1847)  
Japan


**synonyms:**

- *Dosinia eunice* A. Adams, 1856
- *Dosinia ovalis* A. Römer, 1860



6106404090  
***Dosinia queenslandica***

J.M. Healy & K.L. Lamprell, 1992  
Queensland

**synonyms:**

- *Dosinia cruda* E. Fischer-Piette & D. Delmas, 1967
- *Dosinia levicosta* E. Fischer-Piette & D. Delmas, 1967

**no  
IMAGES  
available**

6107502617  
**Dosinia  
sanata**


E. Fischer-Piette & D. Delmas, 1967

No Georeferenced data available

**no  
IMAGES  
available**

6107502144  
**Dosinia  
scabriuscula**

(R.A. Philippi, 1847)  
Australia, Bowen





**synonyms:**

- *Dosinia specularis* A. Römer, 1860



6106400090  
**Dosinia  
scalaris**

(K.T. Menke, 1843)  
Port Hedland, Australia  
52,4 mm



6106404100  
**Dosinia  
sculpta**

(S.C.T. Hanley, 1845)  
Tasmania  
25,4 mm



6107502152  
**Dosinia  
semiobliterata**

G.P. Deshayes, 1853  
Galápagos Islands  
49,5 mm




**synonyms:**

- *Dosinia annae* P.P. Carpenter, 1857

**no  
IMAGES  
available**



7202000035  
**Dosinia  
sericea**

(L.A. Reeve, 1850)  
Japan



6106400095  
**Dosinia  
stabilis**

(T. Iredale, 1929)  
Australia, Queensland  
25,1 mm




**synonyms:**

- *Dosinia juvenilis* K.L. Lamprell & T. Whitehead, 1992



6107502176  
**Dosinia  
subalata**

E.A. Smith, 1916  
Japan  
22 mm



**synonyms:**

- *Dosinia sublata* E.A. Smith, 1916



6106400100  
**Dosinia  
subrosea**

(J.E. Gray, 1835)

New Zealand  
55,1 mm



**synonyms:**

- *Dosinia kraussii* A. Römer, 1862



7194000043  
**Dosinia  
tebblei**


E. Fischer-Piette & D. Delmas, 1967

No Georeferenced data available



6106404105  
**Dosinia  
tenella**


A. Römer, 1860  
Queensland



7194000044  
**Dosinia  
tenuilirata**

R.W. Dunker, 1865

No Georeferenced data available



7194000045  
**Dosinia  
trailii**

A. Adams, 1856

No Georeferenced data available



7194000046  
**Dosinia  
tranquebarica**


E. Fischer-Piette, 1977

No Georeferenced data available




6106400105  
**Dosinia  
troscheli**

C.E. Lischke, 1873  
Bahamas  
59 mm




6107502184  
**Dosinia  
truncata**

Z. Zhuang, 1964  
South China Sea, HaNan





6106400110  
**Dosinia tumida**  
(J.E. Gray, 1838)  
South Africa, Natal, Durban Bay  
55,2 mm



**synonyms:**

- *Dosinia duplicata* L.A. Reeve, 1850
- *Dosinia tenuilamellata* G.B. Sowerby, 1852

- *Dosinia lamellata* L.A. Reeve, 1850



7202000036  
**Dosinia turgida**  
(L.A. Reeve, 1850)


No Georeferenced data available

**synonyms:**



- *Dosinia malzini* E. Fischer-Piette & D. Delmas, 1967



6107502497  
**Dosinia variegata**  
(J.E. Gray, 1838)  
Philippines, Negros Island  
26,9 mm



6106400115  
**Dosinia victoriae**  
J.H. Gatliff & C.J. Gabriel, 1914  
Australia, Edithburgh  
40,9 mm




**synonyms:**

- *Dosinia eucla* B.C. Cotton & F.C. Godfrey, 1938

SubFamily: GAFRARINAE - Genus: **Gouldia** C.B. Adams, 1847 (syn: *Thetis* - 4 SP, 3 IMG)



6107500168  
**Gouldia californica**  
W.H. Dall, 1917  
Ecuador  
21 mm



**synonyms:**

- *Gafrarium californiensis* W.H. Dall, 1917
- *Gafrarium stephensae* H.K. Jordan, 1936



6100400000  
**Gouldia cerina**  
(C.B. Adams, 1845)  
Brasil, Pernambuco  
10 mm



**synonyms:**

- *Gouldia altenai* E. Fischer-Piette, M. Kempf & A.M. Testud, 1970
- *Circe bermudensis* E.A. Smith, 1885

- *Gouldia foresti* E. Fischer-Piette & A.M. Testud, 1967



7194000135  
**Gouldia insularis**  
(W.H. Dall & C.T. Simpson, 1901)

No Georeferenced data available



610040005  
**Gouldia minima**  
(G. Montagu, 1803)  
Italy, Naples  
12 mm



**synonyms:**

- Periglypta apicalis R.A. Philippi, 1836
- Venus inquinata J.B.P.A. Lamarck, 1818
- Circe minima minor A. Marion, 1883
- Gouldia minima penicillata M.E.J. Bucquoy, P. Dautzenberg & G.F. Dolfus, 1893
- Gafrarium minimum G. Montagu, 1803
- Gouldia planata distantelamellata F. Nordsieck, 1969
- Periglypta sismondae P. Calcara, 1845
- Venus triangulär G. Montagu, 1803

- Venus cyrilli A. Scacchi, 1832
- Gouldia minima citrina M.E.J. Bucquoy, P. Dautzenberg & G.F. Dolfus, 1893
- Gouldia minima mirabilis M.E.J. Bucquoy, P. Dautzenberg & G.F. Dolfus, 1893
- Gouldia minima rubicunda M.E.J. Bucquoy, P. Dautzenberg & G.F. Dolfus, 1893
- Periglypta minuta T. Brown, 1827
- Venus pumila J.B.P.A. Lamarck, 1818
- Circe striata É.A.A. Locard, 1892
- Circe undulata É.A.A. Locard, 1892

SubFamily: GAFRARINAE - **Subgenus: Gouldia (Circenita)** F.P. Jousseaume, 1888 (syn: Circenita - 3 SP, 3 IMG)



610100005  
**Circenita callipyga**  
(I. von Born, 1778)  
Oman, Muscat  
37,5 mm




**synonyms:**

- Tapes amphidesmoides L.A. Reeve, 1864
- Circe fumata L.A. Reeve, 1863


- Circe crachrodi J.E. Gray, 1838
- Circe pulchra G.P. Deshayes, 1853



7194000021  
**Circenita paralytica**  
(A. Römer, 1861)  
Oman  
42,2 mm



7194000131  
**Circenita varia**  
(P. Forsskål in C. Niebuhr, 1775)  
Vietnam  
46,3 mm



**synonyms:**


- Venus arabica J.H. Chemnitz, 1795
- Periglypta arabica J.H. Chemnitz, 1795
- Venus caliste J.F. Gmelin, 1791
- Lioconcha savignyi P.M. Pillary, 1926

- Venus arabica L.W. Dillwyn, 1817
- Venus bicolorata L.W. Dillwyn, 1817
- Circe litturata J.E. Gray, 1838
- Venus varia P. Forsskål in C. Niebuhr, 1775

SubFamily: GAFRARINAE - **Subgenus: Gouldia (Dorisca)** W.H. Dall, P. Bartsch & H.A. Rehder, 1938 (syn: Crenocirce - 5 SP, 3 IMG)



6107502678  
**Dorisca amica**  
(E.A. Smith, 1885)  
East China Sea  
9,2 mm




**synonyms:**

- Gafrarium hanzawai S. Nomura & Jinbo, 1936
- Circe salamensis K.H.J. Thiele & S.G.A. Jaeckel, 1931

- Dorisca salamensis K.H.J. Thiele & S.G.A. Jaeckel, 1931





6100550000  
**Dorisca amica nana**  
J.C. Melvill, 1898  
East China Sea  
46 mm





7202000030  
**Dorisca juncunda**  
(E.A. Smith, 1885)  
Hawaii, Oahu



**synonyms:**

- Dorisca cookei W.H. Dall, P. Bartsch & H.A. Rehder, 1938
- Gouldia micronodulosa Z. Zhuang, 1964

- Dorisca picta T. Habe, 1960



7194000025  
**Dorisca kilburni**  
(J. Drivas & M. Jay, 1990)

No Georeferenced data available




6107502620  
**Dorisca melvilli**  
(H. Lynge, 1909)

No Georeferenced data available



6100400015  
**Dorisca subtrigona**  
(Z. Zhuang, 1964)  
China Sea




**synonyms:**

- Gouldia subtrigona Z. Zhuang, 1964

SubFamily: GAFRARINAE - **Subgenus: Gouldia (Gouldiopa)** T. Iredale, 1924 (syn: Microcirce - 3 SP, 2 IMG)



6107502658  
**Gouldiopa australis**  
(G.F. Angas, 1865)  
Singapore





**synonyms:**

- Circe angasi E.A. Smith, 1885
- Gouldia australis G.F. Angas, 1865

- Gouldiopa francisensis B.C. Cotton & F.C. Godfrey, 1938



7194000056  
**Gouldiopa consternans**  
(P.G. Olver & M. Zuschin, 2001)  
Tasucu, Turkey





**synonyms:**

- Microcirce consternans P.G. Olver & M. Zuschin, 2001

- Gouldia minima triangularis G.P. Moazzo, 1939



6107500224  
**Gouldiopa dilecta**  
(A.A. Gould, 1861)  
Tasucu, Turkey  
2,1 mm




**synonyms:**

- Meretrix gordoni M. Yokoyama, 1927

SubFamily: GEMMINAE - **Genus: Gemma** G.P. Deshayes, 1853 (syn: Totteniana - 7 SP, 1 IMG)


**no  
IMAGES  
available**

5078000202  
**Gemma  
diaphana**  
L. Pfeiffer, 1852  
Honduras




**no  
IMAGES  
available**

5078000199  
**Gemma  
fragilis**  
P.M.A. Morelet, 1851  
Guatemala



**no  
IMAGES  
available**

5078000200  
**Gemma  
fragilis  
elata**  
R.J. Shuttleworth, 1852  
Veracruz, Mexico



**synonyms:**

- *Helicina elata* R.J. Shuttleworth, 1852

**no  
IMAGES  
available**

5078000198  
**Gemma  
gemma**  
H.B. Preston, 1903  
Costa Rica



6107400000  
**Gemma  
gemma**  
(J.G. Totten, 1834)  
New York, Long Island  
5 mm




**synonyms:**

- *Parastarte concentrica* W.H. Dall, 1889
- *Venus manhattensis* T. Prime, 1862
- *Venus tottenii* W. Stimpson, 1860

- *Venus fretensis* H.A. Rehder, 1939
- *Corbicula purpurea* I. Lea, 1842

**no  
IMAGES  
available**

5078000197  
**Gemma  
merdigera**  
(L. Pfeiffer, 1855)  
Veracruz, Mexico




**synonyms:**

- *Succincta fragilis merdigera* L. Pfeiffer, 1855

**no  
IMAGES  
available**


5078000196  
**Gemma  
mohriana**  
L. Pfeiffer, 1861  
Veracruz, Mexico





**no  
IMAGES  
available**

5078000193  
**Gemma  
terryae**  
H.A. Rehder, 1940  
Panama, Gulf of Chiriquí





6107450000  
***Nutricola confusa***  
(S. Gray, 1882)  
California, San Francisco



6107450005  
***Nutricola cymata***  
(W.H. Dall, 1913)  
Mexico, San Bartolome Bay




**synonyms:**

- *Psephidia cymata* W.H. Dall, 1913



- *Psephidia stephensae* L.G. Hertlein & J. Grant, 1972




6107500928  
***Nutricola humilis***  
(P.P. Carpenter, 1857)  
Mazatlán, Mexico



6107450010  
***Nutricola lordi***  
(W. Baird, 1863)  
Washington, USA  
6 mm



6107450020  
***Nutricola tantilla***  
(A.A. Gould, 1853)  
California  
6 mm




**synonyms:**

- *Transenella californica* R. Arnold, 1910
- *Nutricola ovalis* W.H. Dall, 1902
- *Venus tantillus* A.A. Gould, 1853

- *Psephidia cymata* auct. non W.H. Dall, 1913
- *Venus rhyssomia* W.M. Gabb, 1861




6107500000  
***Parastarte triquetra***  
(T.A. Conrad, 1846)  
Bahamas



**synonyms:**

- *Astarte triquetra* T.A. Conrad, 1846



7194000076  
***Meretrix astricula***  
(L.A. Reeve, 1864)

No Georeferenced data available

no  
IMAGES  
available

7202000064  
**Meretrix**  
**attenuata**

R.W. Dunker, 1863

No Georeferenced data available

**synonyms:**

- Meretrix attenuata flava J. Hornell, 1917
- Cytherea trigona L.A. Reeve, 1864

- Meretrix meretrix bourdasi E. Fischer-Piette & H. Fischer, 1941

no  
IMAGES  
available

6107502637  
**Meretrix**  
**aurora**

J. Hornell, 1917

No Georeferenced data available

**synonyms:**

- Meretrix meretrix aurora J. Hornell, 1917



6102850000  
**Meretrix**  
**casta**

(J.F. Gmelin, 1791)  
East China Sea  
61 mm



**synonyms:**



- Conchyliurus bhimensis Devi, 1976
- Venus casta J.F. Gmelin, 1791
- Venus creplini R.W. Dunker, 1852
- Conchyliurus fragilis Reddiah, 1961
- Periglypta ovum S.C.T. Hanley, 1845
- Corbicula satparaensis H.B. Preston, 1914

- Conchyliurus bombasticus Reddiah, 1961
- Periglypta crassa J.E. Gray, 1825
- Meretrix exilis A. Römer, 1865
- Periglypta impudica J.B.P.A. Lamarck, 1818
- Ostrincola portonoviensis Reddiah, 1962



6107500808  
**Meretrix**  
**lamarckii**

G.P. Deshayes, 1853  
South China Sea  
78 mm



**synonyms:**

- Meretrix compressa A. Römer, 1866
- Periglypta fusca F.C.L. Koch in R.A. Philippi, 1845
- Periglypta morphina G.B. Sowerby, 1851

- Meretrix meretrix reevei E. Fischer-Piette & H. Fischer, 1941

no  
IMAGES  
available

7202000065  
**Meretrix**  
**lentiginosa**

(J.H. Chemnitz, 1795)

No Georeferenced data available



6102850005  
**Meretrix**  
**lusoria**

(P.F. Röding, 1798)  
Taiwan Strait  
106 mm



**synonyms:**

- Cytherea formosa G.B. Sowerby, 1851
- Cytherea graphica J.B.P.A. Lamarck, 1818
- Meretrix virgatula J.R. le B. Tomlin, 1923

- Venus lusoria P.F. Röding, 1798



6107500816  
**Meretrix**  
**lyrata**


(G.B. II Sowerby, 1851)  
Taiwan Strait  
41 mm





6102850010  
**Meretrix**  
**meretrix**  
(C. Linnaeus, 1758)

Vietnam  
82 mm



**synonyms:**


- Periglypta castanea J.B.P.A. Lamarck, 1818
- Periglypta corpulenta J.E. Gray, 1838
- Periglypta ponderosa H.C.F. Schumacher, 1817
- Periglypta zonaria J.B.P.A. Lamarck, 1818

- Meretrix labiosa J.B.P.A. Lamarck, 1801
- Dosinia spaldingi F.P. Jousseaume, 1894




7202000103  
**Meretrix**  
**morphina**  
(J.B.P.A. Lamarck, 1818)

Japan



6102850015  
**Meretrix**  
**petechialis**  
(J.B.P.A. Lamarck, 1818)

Bo Sea, China  
77 mm




**synonyms:**

- Meretrix pectechialis J.B.P.A. Lamarck, 1822
- Cytherea zonaria L.A. Reeve, 1864



6107502585  
**Meretrix**  
**planisulcata**  
(G.B. II Sowerby, 1854)

South China Sea  
24,7 mm




7202000067  
**Meretrix**  
**reeveana**  
(J.G. Hidalgo, 1903)

No Georeferenced data available




6103250120  
**Meretrix**  
**striata**

J.E. Gray  
Singapore  
39 mm



7202000068  
**Meretrix**  
**subtrigona**  
(R.W. Dunker, 1857)

No Georeferenced data available





7194000077  
**Meretrix**  
**tigris**  
K.Y. Lai & Nien, 2008

No Georeferenced data available



7194000078  
**Meretrix**  
**vestita**  
(L.A. Reeve, 1864)  
Indonesia  
75 mm



SubFamily: MERETRICINAE - Genus: **Tivela** J.H.F. Link, 1807 (syn: Trigona, Planitivela, Pachydesma, Eutivela - 32 SP, 28 IMG)



6107500840  
**Tivela**  
**argentina**  
(G.B. I Sowerby, 1835)  
Bay of Panama  
17 mm




**synonyms:**


- Periglypta argentina G.B. I Sowerby, 1835



6102900005  
**Tivela**  
**bicolor**  
J.E. Gray, 1838  
Ivory Coast  
30,5 mm



6102900010  
**Tivela**  
**byronensis**  
(J.E. Gray, 1838)  
Panama  
44,2 mm




**synonyms:**

- Tivela elegans A.E. Verrill, 1870
- Periglypta pulla R.A. Philippi, 1851
- Periglypta semifulva K.T. Menke, 1847


- Periglypta gracilior G.B. Sowerby, 1851
- Periglypta radiata G.B. Sowerby, 1835
- Venus solangensis D'Orbigny, 1845



6107500864  
**Tivela**  
**byronensis**  
**hindsii**  
S.C.T. Hanley, 1844  
Panama West  
13 mm



6102900015  
**Tivela**  
**compressa**  
(G.B. II Sowerby, 1851)  
Algoa Bay, South Africa  
60,2 mm



**synonyms:**

- Trigonostoma ambigua G.P. Deshayes, 1853
- Tivela tomlinii S.H. Haughton, 1932

- Tivela hartvigi R.W. Dunker, 1879




7194000115  
**Tivela**  
**cora**  
A. Römer, 1864

No Georeferenced data available



6102904000  
**Tivela**  
**damaoides**  
(W. Wood, 1828)  
Masirah Island, Oman



**synonyms:**

- Venus damaoides W. Wood, 1828
- Tivela dolabellae G.B. II Sowerby, 1851
- Trigonostoma donacoides J.E. Gray, 1838
- Trigonostoma polta G.B. II Sowerby, 1851

- Cytheraea dolabella G.B. II Sowerby, 1851
- Cytheraea polita G.B. II Sowerby, 1851
- Tivela rejecta P.G. Oliver, 1995



6107500848  
**Tivela**  
**delesserti**  
(G.B. II Sowerby, 1854)  
Ecuador  
17 mm



7194000116  
**Tivela**  
**dentaria**  
(J.B.P.A. Lamarck, 1818)  
Santa Catarina, Brasil



**synonyms:**

- Meretrix iheringi W.H. Dall, 1891
- Tivela trigona A. Borchert, 1901

- Meretrix perplexa W.H. Dall, 1891



6102900025  
**Tivela**  
**dentaria**  
**isabelleana**  
(D'Orbigny, 1846)  
Uruguay  
61,8 mm



**synonyms:**

- Venus isabelleana D'Orbigny, 1846



7194000117  
**Tivela**  
**dillwyni**  
(G.P. Deshayes, 1853)

No Georeferenced data available

**synonyms:**

- Trigonostoma dillwyni G.P. Deshayes, 1853



6107502521  
**Tivela**  
**dunkeri**  
A. Römer, 1864  
South Africa, Natal, Durban Bay  
14,1 mm



6107502686  
**Tivela**  
**fulminata**  
(J.B.G.M. Bory De Saint-Vincent, 1827)  
Brasil, Cabo Frio  
58 mm



**synonyms:**

- Tivela foresti E. Fischer-Piette & A.M. Testud, 1967
- Venus fulminata J.B.G.M. Bory De Saint-Vincent, 1827



6107502432  
**Tivela  
geijkseki**  
C.O. Van Regteren Altena, 1968

Aruba  
14 mm



6107500856  
**Tivela  
hians**  
R.A. Philippi, 1851  
Mexico, Baja California  
56 mm




7202000098  
**Tivela  
laevigata**  
(J.E. Gray, 1838)

No Georeferenced data available



6102900030  
**Tivela  
lamyi**  
P. Dautzenberg, 1929  
South Africa, Natal, Durban Bay  
40,9 mm



7194000118  
**Tivela  
lessonii**  
(G.P. Deshayes, 1830)


No Georeferenced data available

**synonyms:**

- *Donax lessonii* G.P. Deshayes, 1830



6107500872  
**Tivela  
lineata**  
(G.B. II Sowerby, 1851)  
Romania



6102900035  
**Tivela  
mactroides**  
(I. von Born, 1778)  
Venezuela, Margarita Island  
33 mm




**synonyms:**

- *Venus corbicula* J.F. Gmelin, 1791
- *Tivela mactroides nasuta* W.H. Dall, 1902
- *Tivela subglobosa* R.W. Dunker, 1864
- *Tivela vulgaris* J.H.F. Link, 1807

- *Venus mactroides* I. von Born, 1778
- *Trigonostoma radiata* J.K. Megerle Von Mühlfeld, 1811
- *Venus turgens* L.W. Dillwyn, 1817




6107500888  
**Tivela  
mulawana**  
H.E.J. Biggs, 1969  
Oman  
23,77 mm





6102900040  
**Tivela  
natalensis**

R.W. Dunker, 1858  
South Africa, Natal, Durban Bay  
65,2 mm



**synonyms:**

- Periglypta alucinans G.B. Sowerby, 1897



6102900045  
**Tivela  
planulata**

(W.J. Broderip & G.B. I Sowerby, 1830)  
Ecuador  
54 mm




**synonyms:**

- Periglypta planulata suffusa G.B. I Sowerby, 1835



6102900050  
**Tivela  
polita**

(G.B. II Sowerby, 1851)  
Durban, Natal, South Africa





**synonyms:**

- Paphia welsi T. Iredale, 1958




6107502667  
**Tivela  
ponderosa**

(F.C.L. Koch in R.A. Philippi, 1844)  
Oman  
72 mm




6102900055  
**Tivela  
rejecta**

E.A. Smith, 1914  
South Africa, Natal, Durban Bay  
14,7 mm



7194000119  
**Tivela  
stefaninii**

(S. Nardini, 1933)  
Oman  
67 mm




**synonyms:**

- Gratelupia stefanini S. Nardini, 1933



6102900060  
**Tivela  
stultorum**

(J. Mawe, 1823)  
Baja California  
46,7 mm




**synonyms:**

- Periglypta dubia G.B. Sowerby, 1851
- Tivela scarificata S.S. Berry, 1940
- Donax stultorum J. Mawe, 1823

- Periglypta intermedia G.B. Sowerby, 1851
- Periglypta soldissima R.A. Philippi, 1851
- Periglypta virginea A. Adams & L.A. Reeve, 1850



6102900065  
**Tivela transversa**  
(G.B. III Sowerby, 1897)  
South Africa, Natal, Durban Bay  
52,7 mm



**synonyms:**

- *Tivela petitii* P. Dautzenberg, 1929



6102900000  
**Tivela trigonella**  
(J.B.P.A. Lamarck, 1818)  
Bahamas  
9 mm




**synonyms:**

- *Tivela abaconis* W.H. Dall, 1902
- *Trigonostoma angulifera* J.E. Gray, 1838


- *Tivela floridana* H.A. Rehder, 1939



6102900070  
**Tivela tripla**  
(C. Linnaeus, 1771)  
Gambia  
27 mm





6107502549  
**Tivela valae**  
M. Lussi, 1996  
South Africa, Zululand



7242000074  
**Tivela ventricosa**  
(J.E. Gray, 1838)  
Uruguay



6107502509  
**Tivela zonaria**  
(J.B.P.A. Lamarck, 1818)  
Central Java, Indonesia  
66 mm




**synonyms:**

- *Trigonostoma ventricosa* J.E. Gray, 1838

SubFamily: MERETRICINAE - **Subgenus: Tivela (Comus)** L.R. Cox, 1930 (1 SP, 1 IMG)



6102950000  
**Comus platyaulax**  
(J.R. le B. Tomlin, 1924)  
South Africa, Natal  
30,1 mm



**synonyms:**

- *Venus latilirata* G.B. III Sowerby, 1897
- *Venus platyaulax* J.R. le B. Tomlin, 1924

- *Transennella platyaulax* J.R. le B. Tomlin, 1924

SubFamily: MERETRICINAE - **Genus: Transennella** W.H. Dall, 1883 (syn: Transenella - 13 SP, 8 IMG)

**no  
IMAGES  
available**

7194000121  
**Transennella  
angulifera**

(G.B. II Sowerby, 1851)

No Georeferenced data available

**synonyms:**

- *Tapes hanleyi* G.B. II Sowerby, 1852

**no  
IMAGES  
available**

6107502600  
**Transennella  
caboblanquensis**

N.E. Weisbord, 1964

No Georeferenced data available

**no  
IMAGES  
available**

6107500896  
**Transennella  
caryonautes**

S.S. Berry, 1963

West America

No Georeferenced data available



6103200000  
**Transennella  
conradina**

(W.H. Dall, 1884)

Bahamas

5 mm



6103200005  
**Transennella  
cubaniana**

(D'Orbigny, 1853)

Venezuela


7 mm



6107500904  
**Transennella  
culebrana**

(W.H. Dall & C.T. Simpson, 1901)

Brasil, Rio de Janeiro



**no  
IMAGES  
available**

6107500912  
**Transennella  
galapagana**

L.G. Hertlein & A.M. Strong, 1939

Galapagos



6107500920  
**Transennella  
gerrardi**

R.T. Abbott, 1958

Bahamas



9 mm



**no  
IMAGES  
available**

6107500936  
**Transennella  
modesta**

(W.J. Broderip & G.B. I Sowerby, 1835)  
Malaysia



**synonyms:**

- *Venus cumingii* D'Orbigny, 1845
- *Transennella sororcula* H.A. Pilsbry & H.N. Lowe, 1932




6107500952  
**Transennella  
pannosa**

(G.B. I Sowerby, 1835)  
Chile, Antofagasta  
30 mm



6107500960  
**Transennella  
puelloa**

(P.P. Carpenter, 1864)  
Costa Rica  
17,6 mm




**synonyms:**

- *Calista pannosa puelloa* P.P. Carpenter, 1864



6103200010  
**Transennella  
stimpsoni**

(W.H. Dall, 1902)  
Florida  
15 mm



6107501328  
**Transennella  
vulnerata**

(W.J. Broderip, 1835)  
Mazatlan, Mexico  
41 mm





SubFamily: PETRICOLINAE - **Genus: Choristodon** I.H. Jonas, 1844 (2 SP, 2 IMG)




6140000010  
**Choristodon  
cancellatus**

A.E. Verrill, 1885  
Chesapeake Bay  
7 mm



6140000070  
**Choristodon  
robustus**

(G.B. I Sowerby, 1834)  
Brasil, Cabo Frio  
22 mm



**synonyms:**

- *Petricola anachoreta* L. de Folin, 1867
- *Petricola buwaldi* B.L. Clark, 1915
- *Petricola robusta* R.A. Philippi, 1849
- *Petricola sinuosa* T.A. Conrad, 1849
- *Choristodon typicum* I.H. Jonas, 1844


- *Petricola bulbosa* A.A. Gould, 1851
- *Petricola riccanensis* C.J. Maury, 1917
- *Petricola robusta* G.B. I Sowerby, 1834
- *Petricola typica* I.H. Jonas, 1844
- *Petricola venusta* L. de Folin, 1867

SubFamily: PETRICOLINAE - **Genus: Cooperella** P.P. Carpenter, 1864 (syn: Oedalia, Oedalina - 3 SP, 2 IMG)



613000000  
**[Cooperella atlantica](#)**

H.A. Rehder, 1943  
Bahamas  
11 mm



720000001  
**[Cooperella riosi](#)**

M. Huber, 2010

No Georeferenced data available



613000005  
**[Cooperella subdiaphana](#)**

(P.P. Carpenter, 1864)  
Alamitos Bay, California  
9 mm



**synonyms:**

- [Cooperella panamensis](#) A.A. Olsson, 1961

- [Cooperella scintillaeformis](#) P.P. Carpenter, 1864

SubFamily: PETRICOLINAE - Genus: **Lajonkairia** G.P. Deshayes, 1854 (syn: Lajonkairea, Lajonkaireira - 6 SP, 2 IMG)



7202000106  
**[Lajonkairia cancellata](#)**

(J.F. Gmelin, 1791)

No Georeferenced data available

**synonyms:**

- [Tellina cancellata](#) J.F. Gmelin, 1791



6140300145  
**[Lajonkairia digitalis](#)**

(E.A. Smith, 1916)

No Georeferenced data available

**synonyms:**

- [Petricola digitale](#) E.A. Smith, 1916



6140300064  
**[Lajonkairia divaricata](#)**

(C.E. Lischke, 1872)  
Indo-Pacific

No Georeferenced data available



6140300142  
**[Lajonkairia elegans](#)**

(H. Adams, 1870)

No Georeferenced data available


**synonyms:**

- [Mysia elegans](#) H. Adams, 1870
- [Mysia tumida](#) H. Adams, 1871

- [Phlyctiderma tumida](#) H. Adams, 1871



614025000  
**Lajonkairia**  
lajonkairii  
(B.C.M. Payerdeau, 1826)  
Italy, Cannizzaro  
16 mm





**synonyms:**

- *Venus cycloites* J.B.G.M. Bory De Saint-Vincent, 1827
- *Venerupis decussata* R.A. Philippi, 1836
- *Tapes subquadrata* G.B. II Sowerby, 1852

- *Lajonkairia lajonkairii fragilis* F. Nordsieck, 1969



6140250005  
**Lajonkairia**  
substrriata  
(G. Montagu, 1808)  
Bozcaada Island, Turkey  
16 mm



SubFamily: PETRICOLINAE - **Genus: Mysia** J.B.P.A. Lamarck, 1818 (syn: *Lucinopsis*, *Myxia* - 3 SP, 1 IMG)



7202000006  
**Mysia**  
marchali  
R. von Cosei, 1995

No Georeferenced data available




6140300143  
**Mysia**  
pellucida  
(R. Tate, 1891)

No Georeferenced data available



6140300000  
**Mysia**  
undata  
(T. Pennant, 1777)  
Saronikos, Greece  
26 mm



**synonyms:**



- *Tellina caduca* A. Scacchi, 1835
- *Lucinopsis corrugata* ♂. Brusina, 1866
- *Venus sinuosa* T. Pennant, 1777
- *Mysia undata ventrosa* J.G. Jeffreys, 1864

- *Venus incompta* R.A. Philippi, 1836
- *Mysia undata aequalis* J.G. Jeffreys, 1864

SubFamily: PETRICOLINAE - **Genus: Petricola** J.B.P.A. Lamarck, 1801 (syn: *Gastranella*, *Naranio*, *Ropellaria*, *Roxelaria*, *Rupellarigenus*, *Ruperella*, *Pseudoiris* - 27 SP, 17 IMG)



6140104000  
**Petricola**  
aquistriata  
G.B. II Sowerby, 1874  
Japan, Kotoga beach



6140300008  
**Petricola**  
amygdalina  
G.B. I Sowerby, 1834  
Galápagos Islands



no  
IMAGES  
available

7202000007  
**Petricola  
angolensis**

R. von Cosei, 1995


No Georeferenced data available



6140000000  
**Petricola  
bicolor**

G.B. II Sowerby, 1854

South Africa  
13,5 mm



**synonyms:**

- Petricola albanyana W.H. Turton, 1932
- Petricola typica G.B. III Sowerby, 1892

no  
IMAGES  
available

7202000008  
**Petricola  
botula**

A.A. Olsson, 1961

No Georeferenced data available



6140000005  
**Petricola  
californiensis**

H.A. Pilsbry & H.N. Lowe, 1932


California  
30 mm



6140000015  
**Petricola  
carditoides**

(T.A. Conrad, 1837)

Oregon  
32,7 mm



**synonyms:**

- Sacticava abrupta T.A. Conrad, 1855
- Petricola arcuata G.P. Deshayes, 1839
- Hiatella carditoides T.A. Conrad, 1837
- Petricola gibba A.T. von Middendorff, 1849
- Petricola mirabilis G.P. Deshayes, 1853

- Hiatella californica T.A. Conrad, 1837
- Petricola cylindracea G.P. Deshayes, 1839
- Hiatella legumen G.P. Deshayes, 1839
- Petricola pedroana T.A. Conrad, 1855



6140300040  
**Petricola  
concinna**

G.B. I Sowerby, 1834


Ecuador



6140000055  
**Petricola  
dactylus**

G.B. I Sowerby, 1823

Argentina, Chubut Province  
38 mm




**synonyms:**

- Petricola chilensis R.A. Philippi, 1845

- Petricola patagonica D'Orbigny, 1846



6140000020  
**Petricola**  
**denticulata**  
G.B. I Sowerby, 1834  
Ecuador  
17 mm



**synonyms:**

- *Petricola denticulata abbreviata* G.B. I Sowerby, 1834
- *Petricola ventricosa* G.P. Deshayes, 1853



- *Venerupis peruviana* J.C. Jay, 1839



6140300072  
**Petricola**  
**exarata**  
(P.P. Carpenter, 1857)  
Peru, Lima




6140300096  
**Petricola**  
**fabagella**  
J.B.P.A. Lamarck, 1818  
Iskenderun Gulf, Turkey  
2,2 mm



**synonyms:**


- *Petricola bipartita* G.P. Deshayes, 1853
- *Petricola chinensis* G.P. Deshayes, 1853
- *Petricola cyclus sculpturata* H.A. Plsby, 1901
- *Naranio radiata* J.E. Gray, 1853

- *Petricola cyclus* H.A. Plsby, 1901
- *Petricola hemprichi* A. Issel, 1869




7202000011  
**Petricola**  
**habei**  
M. Huber, 2010

No Georeferenced data available



6140000030  
**Petricola**  
**hertzana**  
E.V. Coan, 1997

No Georeferenced data available



7202000012  
**Petricola**  
**insignis**  
(G.P. Deshayes, 1854)  
Ecuador



**synonyms:**

- *Petricola charapota* A.A. Olsson, 1961
- *Venerupis insignis* G.P. Deshayes, 1854

- *Petricola lucasana* L.G. Hertlein & A.M. Strong, 1948




6140300141  
**Petricola**  
**inversa**  
O. Macsotay & B. Campos, 2001  
Venezuela, Margarita Island





614005400  
**Petricola**  
**japonica**  
R.W. Dunker, 1882  
Japan, Hyogo



614000035  
**Petricola**  
**lamicida**  
(J.F. Gmelin, 1791)  
Bahamas  
23,5 mm




**synonyms:**

- Petricola costata J.B.P.A. Lamarck, 1801
- Petricola lucinalis J.B.P.A. Lamarck, 1818

- Petricola divaricata D'Orbigny, 1853
- Petricola sericea A. de Rochebrune, 1881



614000025  
**Petricola**  
**lamicida**  
**divergens**  
(J.F. Gmelin, 1791)  
South Africa, Park Rynie  
13,9 mm



**synonyms:**

- Venus divergens J.F. Gmelin, 1791



7202000013  
**Petricola**  
**linguaefelis**  
(P.P. Carpenter, 1857)  
California, Channel Islands




**synonyms:**

- Rupellaria linguaefelis P.P. Carpenter, 1857
- Trapezium noemi L. de Folin in L. de Folin & J.P.L. Périer, 1867

- Petricola scobia P.P. Carpenter, 1857



614000040  
**Petricola**  
**lithophaga**  
(A. Retzius, 1788)  
Spain  
25 mm




**synonyms:**

- Petricola costellata J.B.P.A. Lamarck, 1818
- Venerupis lamellosa H.M.D. de Blainville, 1824
- Petricola reticulata Bellevue, 1802
- Petricola ruprella J.B.P.A. Lamarck, 1818
- Petricola striata Bellevue, 1802

- Mya decussata G. Montagu, 1808
- Petricola raniflamma G.P. Deshayes, 1834
- Petricola rocellaria J.B.P.A. Lamarck, 1818
- Petricola semilamelata J.B.P.A. Lamarck, 1818
- Petricola sulcata J.B.P.A. Lamarck, 1801



614000400  
**Petricola**  
**monstrosa**  
(J.F. Gmelin, 1791)  
Okinawa



6140300120  
**Petricola**  
**olsoni**  
F.R. Bernard, 1983  
Ecuador  
22,7 mm



**synonyms:**

- Petricola peruviana A.A. Olsson, 1961



6140000050  
**Petricola  
parallela**

H.A. Pilsbry & H.N. Lowe, 1932



Nicaragua  
140 mm



6140000060  
**Petricola  
pholadiformis**

J.B.P.A. Lamarck, 1818

Belgium  
44 mm



**synonyms:**

- Petricola carolinensis T.A. Conrad, 1863
- Petricola flagellata T. Say, 1834
- Petricola rogersi McGavock, 1944

- Petricola fornicata T. Say, 1822
- Petricola tumida A.E. Verrill, 1872



7202000015  
**Petricola  
quadrasi**

(J.G. Hidalgo, 1886)

No Georeferenced data available

**synonyms:**

- Petricola amplexens C.M. Tapparone-Canevari, 1875


- Venerupis quadrasi J.G. Hidalgo, 1886



7202000002  
**Petricola  
rugosa**

G.B. I Sowerby, 1834

Chile, Atacama  
28 mm



**synonyms:**

- Hiatella calderensis T.A. Conrad, 1855
- Petricola ovata F.H. Troschel, 1852
- Petricola tenuis G.B. I Sowerby, 1834


- Petricola costata R.A. Philippi, 1849
- Petricola rhyssodes R.A. Philippi, 1887



7202000001  
**Petricola  
scotti**

E.V. Coan, 1997

Japan





SubFamily: PETRICOLINAE - Subgenus: **Petricola (Claudiconcha)** P. Fischer, 1887 (syn: Claudioconcha - 1 SP, 1 IMG)




6140300140  
**Claudiconcha  
cumingi**

G.P. Deshayes, 1853

Bay of Panama  
17,6 mm



SubFamily: PETRICOLINAE - Genus: **Petricolaria** F. Stoliczka, 1870 (5 SP, 1 IMG)



6140300032  
**Petricolaria  
cognata**

(C.B. Adams, 1852)

West America

No Georeferenced data available

**synonyms:**

- Petricola gracilis parallela H.A. Pilsbry & H.N. Lowe, 1932

no  
IMAGES  
available

6140300144  
**Petricolaria**  
*cultellus*

(G.P. Deshayes, 1853)

No Georeferenced data available

no  
IMAGES  
available

7202000003  
**Petricolaria**  
*donnae*

(E.J. Petuch, 1998)

No Georeferenced data available

no  
IMAGES  
available

6140300088  
**Petricolaria**  
*gracilis*

(G.P. Deshayes, 1853)


Red Sea



6140300128  
**Petricolaria**  
*serrata*

(G.P. Deshayes, 1853)

Argentina  
16 mm



**synonyms:**

- *Petricola stellae* W. Nardi, 1975

SubFamily: PETRICOLINAE - Genus: **Rupellaria** L.B. Fleurieu de Bellevue, 1802 (1 SP, 1 IMG)



7242000017  
**Rupellaria**  
*tellimialis*

(P.P. Carpenter, 1864)

California, USA





SubFamily: PITARINAE - Genus: **Amiantis** P.P. Carpenter, 1884 (syn: Eucalista - 2 SP, 2 IMG)



6103900000  
**Amiantis**  
*callosa*

(T.A. Conrad, 1837)

California  
80 mm



**synonyms:**

- *Periglypta callosa* T.A. Conrad, 1837
- *Periglypta nobilis* L.A. Reeve, 1850
- *Antigona willisi* P.D. Trask, 1922

- *Pitar stalderi* B.L. Clark, 1915



6103900005  
**Amiantis**  
*purpurata*

(J.B.P.A. Lamarck, 1818)

Bahamas  
60 mm



**synonyms:**

- *Periglypta purpurata* J.B.P.A. Lamarck, 1818

SubFamily: PITARINAE - Genus: **Callista** G.S. Poli, 1791 (syn: Callistoderma, Notocalista - 26 SP, 20 IMG)

**no  
IMAGES  
available**

6107502603  
**Callista  
accincta**

A. Römer, 1864


No Georeferenced data available



6104000000  
**Callista  
chinensis**

(H.S. Holton, 1802)

Taiwan Strait  
74 mm



**synonyms:**

- Venus pacifica L.W. Dillwyn, 1817
- Venus sinensis H.S. Holton, 1802

- Calista roscida A.A. Gould, 1861



6104000005  
**Callista  
chione**

(C. Linnaeus, 1758)

Spain  
56 mm



**synonyms:**

- Meretrix chione brevior M.E.J. Bucquoy, P. Dautzenberg & G.F. Dolfus, 1893
- Meretrix chione elongata M.E.J. Bucquoy, P. Dautzenberg & G.F. Dolfus, 1893
- Callista coccinea G.S. Poli, 1795
- Chione vulgaris J.E. Gray, 1838


- Meretrix chione major M.E.J. Bucquoy, P. Dautzenberg & G.F. Dolfus, 1893
- Glycymeris glaber E.M. Da Costa, 1778



6104750000  
**Callista  
diemenensis**

(S.C.T. Hanley, 1844)

Victoria, Australia  
25 mm



**synonyms:**


- Hysteroconcha candida G.P. Deshayes, 1853



6104750005  
**Callista  
disrupta**

(G.B. II Sowerby, 1853)

South Australia  
41 mm



6104000010  
**Callista  
erycina**

(C. Linnaeus, 1758)


Oman  
80 mm



6104000030  
**Callista  
erycina  
lilacina**

J.B.P.A. Lamarck, 1818

Philippines, Cebu  
66 mm




**synonyms:**

- Callista lilacina J.B.P.A. Lamarck, 1818



7194000013  
**Callista erycinella**  
(J.B.P.A. Lamarck, 1818)  
Reunion  
72 mm



**synonyms:**

- *Venus costata* L.W. Dillwyn, 1817
- *Macrocallista nioba* W.J. Clench & R.A. McLean, 1936




7194000014  
**Callista festiva**

(G.B. II Sowerby, 1851)

No Georeferenced data available



6104000020  
**Callista florida**  
(J.B.P.A. Lamarck, 1818)  
South Africa, Natal, Durban Bay  
41,1 mm



**synonyms:**

- *Venus pulchra* W. Wood, 1828



7194000015  
**Callista gotthardi**

R.W. Dunker, 1865

No Georeferenced data available




7194000138  
**Callista grata**  
(G.P. Deshayes, 1853)  
Darwin, Australia  
66,5 mm



**synonyms:**

- *Meretrix grata* G.P. Deshayes, 1853




7194000016  
**Callista hagenowi**

(R.W. Dunker, 1849)

No Georeferenced data available



6104000025  
**Callista impar**  
(J.B.P.A. Lamarck, 1818)  
Australia, Shark Bay  
49 mm





**synonyms:**

- *Periglypta impar* J.B.P.A. Lamarck, 1818



6104750010  
**Callista kingii**  
(J.E. Gray in P.P. King, 1827)  
South Australia  
53,6 mm



**synonyms:**

- *Chione apicalis* J.E. Gray, 1838
- *Periglypta kingii* J.E. Gray in P.P. King, 1827

- *Hysteroconcha grayi* G.P. Deshayes, 1853
- *Chione lamarckii* J.E. Gray, 1838



610405000  
***Callista maculata***

(C. Linnaeus, 1758)  
Martinique


**synonyms:**

- *Venus maculata* C. Linnaeus, 1758




6104004005  
***Callista multiradiata***

(G.B. II Sowerby, 1851)  
Fort Dauphin, Madagascar



6107501480  
***Callista multistriata***

(G.B. II Sowerby, 1851)  
New Zealand  
22 mm

**synonyms:**

- *Calista multistriata* (G.B. II Sowerby, 1851)
- *Striocalista multistriata* G.B. II Sowerby, 1851

- *Cytherea multistriata* G.B. II Sowerby, 1851




7194000002  
***Callista phasianella***

(G.P. Deshayes, 1853)  
Solomon Islands  
17,4 mm



6107501384  
***Callista pilosrypi***

T. Habe, 1960  
Philippines, Bohol  
30 mm



7194000017  
***Callista piperita***


(G.B. II Sowerby, 1851)

No Georeferenced data available



6104000035  
***Callista planatella***


(J.B.P.A. Lamarck, 1818)  
Port Hedland, Australia  
71 mm

**synonyms:**

- *Macrocallista bardwelli* W.J. Clench & R.A. McLean, 1936


no  
IMAGES  
available

6107501392  
**Callista politissima**  
J.T. Kuroda, 1945  
Japan




no  
IMAGES  
available


7194000001  
**Callista roseotincta**  
(E.A. Smith, 1885)  
Queensland




6104600020  
**Callista semisulcata**  
(G.B. Sowerby, 1851)  
Queensland  
36,1 mm



7194000018  
**Callista spuma**  
(P.F. Röding, 1798)  
Philippines, Leyte  
32 mm



6107501352  
**Callista umborella**  
(J.B.P.A. Lamarck, 1818)  
Vietnam  
47 mm




**synonyms:**

- *Meretrix umborella* J.B.P.A. Lamarck, 1818
- *Periglypta umborella* J.B.P.A. Lamarck, 1818

no  
IMAGES  
available

to be checked


6107501344  
**Callista nivea**  
S.C.T. Hanley, 1843  
Persian Gulf



SubFamily: PITARINAE - **Subgenus: Callista (Macrocallista)** F.B. Meek, 1876 (1 SP, 1 IMG)



6104050005  
**Macrocallista nimbosa**  
(J. Lightfoot, 1786)  
Florida  
135 mm



**synonyms:**

- *Paphia alaavis* P.F. Röding, 1798
- *Venus gigantea* J.F. Gmelin, 1791
- *Venus nimbosa* J. Lightfoot, 1786
- *Venus multiradiata* K.T. Menke, 1829


SubFamily: PITARINAE - **Genus: Callocardia** A. Adams, 1864 (syn: Callocallista - 2 SP, 2 IMG)



6107501432  
***Callocardia guttata***



A. Adams, 1864

Japan  
20,9 mm



6104150000  
***Callocardia guttata thorae***

E.H. Vokes, 1985  
Philippines, Camotes Island  
24 mm



7184000025  
***Callocardia laevis***

J.P.L. Pelseneer, 1903

Antarctica

No Georeferenced data available

**synonyms:**

- *Kelliella laevis* J.P.L. Pelseneer, 1903

SubFamily: PITARINAE - Subgenus: **Callocardia (Agriopoma)** W.H. Dall, 1902 (syn: Pitarella - 7 SP, 7 IMG)



6107500968  
***Agriopoma aquinoctiale***

E. Fischer-Piette, 1969

Panama West  
33,2 mm



6103250015  
***Agriopoma areustum***

(W.H. Dall & C.T. Simpson, 1901)

Suriname  
43 mm



**synonyms:**

- *Meretrix areustum* W.H. Dall & C.T. Simpson, 1901



6107501416  
***Agriopoma catharium***

(W.H. Dall, 1902)

Gulf of California  
83,2 mm



**synonyms:**

- *Callocardia catharia* W.H. Dall, 1902
- *Agriopoma catharium* W.H. Dall, 1902


- *Pitar mexicanus* L.G. Hertlein & A.M. Strong, 1948



6107501440  
***Agriopoma mexicanum***

(L.G. Hertlein & A.M. Strong, 1948)

Ecuador  
47,3 mm




**synonyms:**

- *Pitar lenis* H.A. Pilsby & H.N. Lowe, 1932



6103250055  
**Agriopoma  
morrhuatum**

(W.H. Dall, 1902)  
New York, Long Island  
43,1 mm



**synonyms:**

- *Katherinella ida* Tegland, 1928
- *Calocardia morrhuana* W.H. Dall, 1902



6104200000  
**Agriopoma  
texanum**

(W.H. Dall, 1892)  
USA, Texas  
39,9 mm




**synonyms:**

- *Calocardia texaniana* W.H. Dall, 1892
- *Periglypta texaniana* W.H. Dall, 1892



7194000004  
**Agriopoma  
tomeanum**


(W.H. Dall, 1902)  
Tome, Chile



**synonyms:**

- *Pitar tomeana* W.H. Dall, 1902

SubFamily: PITARINAE - Subgenus: **Calocardia (Aphrodora)** A.J. Jukes-Browne, 1914 (syn: Leucothea - 11 SP, 3 IMG)



7194000008  
**Aphrodora  
birtsii**


(H.B. Preston, 1905)

No Georeferenced data available



7202000105  
**Aphrodora  
crocea**

(G.P. Deshayes, 1853)  
Singapore



**synonyms:**

- *Dione crocea* G.P. Deshayes, 1853

- *Pitar croceus* G.P. Deshayes, 1853



7194000009  
**Aphrodora  
hungerfordi**

(G.B. III Sowerby, 1888)

No Georeferenced data available


**synonyms:**

- *Pitar levis* I.P. Zarina, 1978



6103250040  
**Aphrodora  
kurodai**

(T. Matsubara, 2007)  
East China Sea  
29,9 mm




**synonyms:**

- *Pitar japonicum* J.T. Kuroda & T. Kawamoto, 1971
- *Pitar kurodai* T. Matsubara, 2007



6103250070  
**Aphrodora nipponica**

(J.T. Kuroda,  
& T. Habe in J.T. Kuroda & al., 1971)  
Wakayama, Japan  
36,3 mm



**synonyms:**

- *Pitar nipponicum* J.T. Kuroda & T. Habe, 1971



6103250075  
**Aphrodora noguchii**

(T. Habe, 1958)  
Taiwan Strait  
31 mm



6107502634  
**Aphrodora pudicissima**


(E.A. Smith, 1894)

No Georeferenced data available



7202000023  
**Aphrodora pygmaea**

(G.B. III Sowerby, 1914)  
Florida



7194000011  
**Aphrodora sewelli**

(J. Knudsen, 1967)

No Georeferenced data available



6107502657  
**Aphrodora sulcata**


(I.P. Zorina, 1978)

No Georeferenced data available



6107501336  
**Aphrodora yerburi**

(E.A. Smith, 1891)  
Red Sea



**synonyms:**

- *Dione erubescens* L.A. Reeve, 1863


- *Pitar yerburi* E.A. Smith, 1891

SubFamily: PITARINAE - Genus: **Costacallista** K.V.W. Palmer, 1927 (1 SP, 1 IMG)



6104400000  
**Costacallista semperi**

J.B.P.A. Lamarck, 1818  
Australia, Dingo Beach  
60,2 mm



SubFamily: PITARINAE - Genus: **Lepidocardia** W.H. Dall, 1902 (1 SP, 2 IMG)




6107501072

**Lepidocardia  
floridella**

(J.E. Gray, 1838)

Senegal  
22 mm



**synonyms:**

- Pitar floridella J.E. Gray, 1838




6107502533

**Lepidocardia  
floridella  
africana**

J.K. Megerle Von Mühlfeld in R.A. Philippi  
1843

South Africa, Durban  
9,6 mm



SubFamily: PITARINAE - Genus: **Lioconcha** O.A.L. Möhrch, 1853 (syn: Sulcilioconcha - 25 SP, 16 IMG)




6104604010

**Lioconcha  
annettae**

K.L. Lamprell & T. Whitehead, 1990

New Caledonia  
35 mm





7194000065

**Lioconcha  
arabaya**

S.E.T. Van der Meij, R.G. Moolenbeek,  
& H. Dekker, 2010

Persian Gulf




6104600000

**Lioconcha  
berthaulti**

K.L. Lamprell & J.M. Healy, 2002

Philippines, Olongo Island  
25,8 mm



6107502635

**Lioconcha  
caledonensis**

M.E. Harte & K.L. Lamprell, 1999

No Georeferenced data available





6104600005

**Lioconcha  
castrensis**

(C. Linnaeus, 1758)

Philippines, Calituban Island  
50 mm



**synonyms:**

- Venus fulminea P.F. Röding, 1798
- Venus lorenziana L.W. Dillwyn, 1817



6104600010  
**Lioconcha**  
**fastigiata**

(G.B. II Sowerby, 1851)  
Philippines, Palawan Island  
20 mm



6107502625  
**Lioconcha**  
**fastigiata**

**pseudofastigiata**  
K.L. Lamprell & J.M. Healy, 2002  
Philippines  
30,4 mm



6107502591  
**Lioconcha**  
**gordoni**

(E.A. Smith, 1885)

No Georeferenced data available



7194000066  
**Lioconcha**  
**harteae**



M. Huber, 2010

No Georeferenced data available



6104604015  
**Lioconcha**  
**hieroglyphica**

(T.A. Conrad, 1837)  
Philippines, Bantayan Island  
40,2 mm



7242000039  
**Lioconcha**  
**kovalisi**

R. De Prins, 2013

No Georeferenced data available



7194000068  
**Lioconcha**  
**lamprelli**


R.G. Moolenbeek, H. Dekker,  
& S.E.T. Van der Meij, 2008

No Georeferenced data available



6104604020  
**Lioconcha**  
**macaulayi**

K.L. Lamprell & J.M. Healy, 2002  
New Caledonia



no  
IMAGES  
available

719400069  
**Lioconcha**  
**melharteae**

K.L. Lamprell & J. Stanisic, 1996


No Georeferenced data available



610460405  
**Lioconcha**  
**ornata**

(L.W. Dilwyn, 1817)



South China Sea  
41 mm



6107502525  
**Lioconcha**  
**philippinarum**

(S.C.T. Hanley, 1844)

Philippines, Leyte Island  
66 mm





**synonyms:**

- Callista amirantium J.C. Melville, 1909



6107502392  
**Lioconcha**  
**philippinarum**  
**dautzenbergi**  
B. Prashad, 1932

Japan  
9 mm



**synonyms:**


- Lamelliconcha dautzenbergi B. Prashad, 1932

no  
IMAGES  
available

6101300055  
**Lioconcha**  
**picta**

(J.B.P.A. Lamarck, 1818)

Mauritius



6104600015  
**Lioconcha**  
**polita**

(P.F. Röding, 1798)

Philippines, Masbate Island  
30 mm



**synonyms:**

- Venus polita P.F. Röding, 1798

no  
IMAGES  
available

719400070  
**Lioconcha**  
**richerdeforgersi**

K.L. Lamprell & J. Stanisic, 1996

No Georeferenced data available



719400071  
**Lioconcha**  
**rumphii**


S.E.T. Van der Meij, R.G. Moolenbeek,  
& H. Dekker, 2010

No Georeferenced data available



6104604025  
**Lioconcha  
schioettei**

K.L. Lamprell & J.M. Healy, 2002  
Fiji Islands  
23,8 mm



7242000066  
**Lioconcha  
schiottei**



K.L. Lamprell & J.M. Healy, 2002

No Georeferenced data available



6104600025  
**Lioconcha  
sowerbyi**

(G.P. Deshayes, 1853)  
Cook Islands  
37 mm




6107501464  
**Lioconcha  
sulcatina**

J.B.P.A. Lamarck, 1818  
Tanzania  
21 mm



6104600030  
**Lioconcha  
tigrina**

(J.B.P.A. Lamarck, 1818)  
Australia, Cairns  
35,5 mm



6107501472  
**Lioconcha  
trimaculata**

(J.B.P.A. Lamarck, 1818)  
Philippines, Masbate Island  
35 mm



**synonyms:**

- *Lioconcha sphragitis* A. Römer, 1864

SubFamily: PITARINAE - Genus: **Megapitaria** U.S. Grant & H.R. Gale, 1931 (2 SP, 4 IMG)



6104700000  
**Megapitaria  
aurantiaca**

(G.B. I Sowerby, 1831)  
Costa Rica  
94 mm



**synonyms:**

- *Chione aurantia* J.E. Gray, 1838
- *Periglypta aurantiaca* G.B. I Sowerby, 1831



6104700005  
**Megapitaria  
squalida**

(G.B. I Sowerby, 1835)  
Mexico, Baja California  
76 mm



**synonyms:**


- *Periglypta biradiata* G.B. I Sowerby, 1839
- *Periglypta chionaea* K.T. Menke, 1847
- *Macrocallista squalida* G.B. I Sowerby, 1835
- *Callista squalida* G.B. I Sowerby, 1835

- *Macrocallista orcutti* W.H. Dall, 1918 †
- *Periglypta squalida* G.B. I Sowerby, 1835





6107502683  
**Megapitaria**  
**squalida**  
**biradiata**  
(J.E. Gray, 1838)

Ecuador  
26 mm



6107502400  
**Megapitaria**  
**squalida**  
**chilonacea**  
(K.T. Menke, 1847)

Panama  
32 mm





SubFamily: PITARINAE - Genus: **Pelecyora** W.H. Dall, 1902 (syn: *Sinodia*, *Sinodiella* - 15 SP, 7 IMG)




6107501000  
**Pelecyora**  
**bullata**  
(G.B. II Sowerby, 1851)

Queensland  
27,5 mm



6107502589  
**Pelecyora**  
**ceylonica**  
(R.W. Dunker, 1865)

Masirah Island, Oman  
24,7 mm


**synonyms:**

- *Dosinia globa* J.C. Melvill, 1897



6106800005  
**Pelecyora**  
**corculum**  
(A. Römer, 1870)

Taiwan  
17,5 mm



6106800015  
**Pelecyora**  
**eudeli**  
(E. Fischer-Piette & D. Delmas, 1967)

China

No Georeferenced data available



6107501488  
**Pelecyora**  
**excisa**  
(P.F. Röding, 1798)

Indo-Pacific

No Georeferenced data available

**synonyms:**

- *Venus excisa* J.H. Chemnitz, 1784
- *Dosinia excisa* P.F. Röding, 1798
- *Periglypta excisa* P.F. Röding, 1798

- *Venus excisa* J.S. Schröter, 1788
- *Pelecyora excisa* P.F. Röding, 1798
- *Venus sinuata* J.F. Gmelin, 1791

no  
IMAGES  
available

7202000042  
**Pelecyora**  
**exilium**

(G.B. III Sowerby, 1909)



No Georeferenced data available

no  
IMAGES  
available

6107502032  
**Pelecyora**  
**insularum**

(E. Fischer-Piette & D. Delmas, 1967)

Indonesia



6107502040  
**Pelecyora**  
**isocardia**

(R.W. Dunker, 1845)

Mauritania

111 mm



**synonyms:**

- *Dosinia isocardia* R.W. Dunker, 1845

no  
IMAGES  
available

6107502610  
**Pelecyora**  
**jousseumiana**

(E. Fischer-Piette & D. Delmas, 1967)

No Georeferenced data available

no  
IMAGES  
available

7194000084  
**Pelecyora**  
**jukesbrowniana**

(H.B. Preston, 1915)

No Georeferenced data available

**synonyms:**

- *Dosinia nuculoides* A. Römer, 1870
- *Dosinia rajagopalii* E. Fischer-Piette, 1976

no  
IMAGES  
available

7194000085  
**Pelecyora**  
**katiawarensis**

(E. Fischer-Piette & B. Métivier, 1971)

No Georeferenced data available




6107502661  
**Pelecyora**  
**nana**

(L.A. Reeve, 1850)

Japan Sea

23,55 mm



**synonyms:**

- *Dosinia derupta* A. Römer, 1860
- *Dosinia gibba* A. Adams, 1869

no  
IMAGES  
available

7194000086  
**Pelecyora**  
**sphaericula**


(A. Römer, 1862)

No Georeferenced data available



6100650035  
**Pelecyora**  
**trigona**

(L.A. Reeve, 1850)  
New Caledonia  
49,1 mm




**synonyms:**

- Dosinia trigona L.A. Reeve, 1850



6107502689  
**Pelecyora**  
**tripla**

(A. Römer, 1860)  
Singapore  
20,8 mm



SubFamily: PITARINAE - Genus: **Pitar** A. Römer, 1857 (syn: Caryatis, Caryates, Caryathis, Caryatis, Pilar, Pitara, Pitaria, Pitarina, Nanopitar - 67 SP, 39 IMG)



6103250005  
**Pitar**  
**affinis**

(J.F. Gmelin, 1791)  
Senegal  
59 mm



**synonyms:**

- Periglypta cordiformis R.W. Dunker, 1849
- Pitar obliquata P.G. Oliver & al., 2004

- Cytherea laeta J.B.P.A. Lamarck, 1818
- Pitar prora K.L. Lamprell & R.N. Kilburn, 1999



6107502631  
**Pitar**  
**alabastrum**


(L.A. Reeve, 1863)

No Georeferenced data available





6103250010  
**Pitar**  
**albidus**

(J.F. Gmelin, 1791)  
Venezuela, Margarita Island  
42 mm



7202000079  
**Pitar**  
**albinus**

(J.B.P.A. Lamarck, 1818)  
Senegal



7202000080  
**Pitar**  
**ambigua**



(G.P. Deshayes, 1853)

No Georeferenced data available



7202000081  
**Pitar**  
**arestus**

(W.H. Dal & C.T. Simpson, 1901)  
Panama  
44 mm



**no  
IMAGES  
available**

7202000082  
**Pitar  
belcheri**

(G.B. II Sowerby, 1851)

No Georeferenced data available



7194000003  
**Pitar  
bermudezi**

O. Macsotay & B. Campos, 2001  
Margarita Island, Venezuela



6107502669  
**Pitar  
berryi**


A.M. Keen, 1971  
Costa Rica  
47 mm



**no  
IMAGES  
available**


6103254015  
**Pitar  
bucculentus**

(A. Römer, 1867)  
Florida



6103250020  
**Pitar  
citrinus**

(J.B.P.A. Lamarck, 1818)  
Philippines, Bohol  
48,2 mm



**synonyms:**

● Meretrix citrina J.B.P.A. Lamarck, 1818

● Hysteroconcha ustulata L.A. Reeve, 1863



6107501048  
**Pitar  
consanguineus**

(C.B. Adams, 1852)  
Panama West  
40,3 mm




**synonyms:**

● Periglypta consanguinea C.B. Adams, 1852




6107501064  
**Pitar  
consanguineus  
elenensis**

A.A. Olsson, 1961  
Panama West  
24 mm



6107501056  
**Pitar  
coxeni**

(E.A. Smith, 1884)  
Fiji Islands  
7,4 mm



**no  
IMAGES  
available**

7194000088  
**Pitar  
curnowae**  
K.L. Lamprell & J.M. Healy, 1997  
Madang, Papua New Guinea



**no  
IMAGES  
available**

6107502626  
**Pitar  
dohrni**  
(A. Römer, 1867)

**No Georeferenced data available**

**no  
IMAGES  
available**

7194000089  
**Pitar  
elatus**  
G.B. III Sowerby, 1908

**No Georeferenced data available**

**synonyms:**

- Caryatis cor A. Römer, 1867


**no  
IMAGES  
available**

7202000083  
**Pitar  
erubescens**  
(R.W. Dunker, 1853)



**No Georeferenced data available**



6107501080  
**Pitar  
fluctuatus**  
(G.B. II Sowerby, 1851)  
Panama  
15 mm



6103250035  
**Pitar  
fulminatus**  
(K.T. Menke, 1828)  
Panama  
42,7 mm




**synonyms:**

- Venus holosericea J.F. Gmelin, 1791
- Periglypta rubiginosa R.A. Philippi, 1845

- Periglypta penistoni A. Heilprin, 1890
- Periglypta varians S.C.T. Hanley, 1844



6107501096  
**Pitar  
hebraeus**  
(J.B.P.A. Lamarck, 1818)  
South Africa, Agulhas Bank  
24 mm





**synonyms:**

- Pitar abbreviatus C.F.F. von Krauss, 1848
- Venus paupercula abbreviata C.F.F. von Krauss, 1848

- Periglypta lactea J.B.P.A. Lamarck, 1818



6107501104  
**Pitar  
heleneae**  
A.A. Olsson, 1961  
Panama  
17 mm



**no  
IMAGES  
available**

6107501128  
**Pitar  
hoffstetteri**  
E. Fischer-Piette, 1969  
Galapagos



**no  
IMAGES  
available**

7194000090  
**Pitar  
inconspicuus**  
(W.J. Broderip & G.B. I Sowerby, 1835)  
Peru

**No Georeferenced data available**

**no  
IMAGES  
available**

7194000133  
**Pitar  
indecorus**  
(R.A. Philippi, 1848)

**No Georeferenced data available**



6105100045  
**Pitar  
inflatus**  
(G.B. II Sowerby, 1851)  
Philippines, Samar Island  
50 mm



**synonyms:**

- Periglypta inflatus G.B. II Sowerby, 1851
- Cytherea modesta R.A. Philippi, 1845
- Pitar variegatum J.T. Kuroda, T. Habe & K. Oyama, 1971

- Caryatis kingii A. Römer, 1862
- Dione philippii G.P. Deshayes, 1853


**no  
IMAGES  
available**

6107502537  
**Pitar  
kathiewayae**  
K.L. Lamprell & R.N. Kilburn, 1999

**No Georeferenced data available**



6107501872  
**Pitar  
laetus**  
G.S. Poli, 1791  
Italy, Messina  
23 mm




**synonyms:**

- Pitar aureus laetus G.S. Poli, 1791
- Venus laeta C. Linnaeus, 1758
- Periglypta subinflata G.B. Sowerby, 1851

- Pitar marrowae J.M. Healy & K.L. Lamprell, 1992

**no  
IMAGES  
available**

6107501160  
**Pitar  
lineolatus**  
(G.B. II Sowerby, 1854)  
Japan, Kagoshima



**synonyms:**

- Meretrix lineolata G.B. II Sowerby, 1854

**no  
IMAGES  
available**

6107502541  
**Pitar  
medipictus**

K.L. Lamprell & R.N. Kilburn, 1999

No Georeferenced data available



6107502586  
**Pitar  
mediterraneus**

(A. Aradas & L. Benoit, 1872)

Spain, Malaga  
20 mm



**synonyms:**

- Meretrix mediterranea P. Dautzenberg, 1891
- Venus rufa mediterranea T.A. de M. Monterosato, 1874


- Venus mediterranea N. Tiberi, 1855



7202000086  
**Pitar  
morrhuanus**

(W.H. Dall, 1902)

New York, Long Island  
37,8 mm



**no  
IMAGES  
available**

7194000091  
**Pitar  
mundus**

(A. Römer, 1861)

No Georeferenced data available



6103250065  
**Pitar  
newcombianus**

(W.M. Gabb, 1865)

Mexico, Baja California  
30 mm



**no  
IMAGES  
available**

6107502632  
**Pitar  
nobilis**

(L.A. Reeve, 1849)


No Georeferenced data available



6107501144  
**Pitar  
obliquatus**

(S.C.T. Hanley, 1844)

Kenya, Mombasa  
38 mm



6107500944  
**Pitar  
omissa**

(H.A. Pilsby & H.N. Lowe, 1932)

Ecuador  
12,5 mm



**synonyms:**


- Transennella omissa (H.A. Pilsby & H.N. Lowe, 1932)



6107501192  
**Pitar  
olsmunda**  
(T. Iredale, 1936)  
Australia, Gulf of Carpentaria




7194000092  
**Pitar  
pallescens**  
(W.J. Broderip & G.B. Sowerby, 1835)  
Senegal



6107501200  
**Pitar  
palmeri**  
E. Fischer-Piette & A.M. Testud, 1967  
Brasil, Sao Paulo  
27 mm



7194000093  
**Pitar  
patagonicus**  
(D'Orbigny, 1842)  
Uruguay, Maldonado




**synonyms:**

- Calocardia felipponei W.H. Dall, 1916
- Pitar ortmanni H.F.A. von Ihering, 1907
- Cytherea rostrata F.C.L. Koch in R.A. Philippi, 1844
- Venus tehuelcha D'Orbigny, 1846
- Pitar lahillei H.F.A. von Ihering, 1907
- Venus patagonicus D'Orbigny, 1842
- Caryatis rustica A. Römer, 1867



6107501216  
**Pitar  
pellucidus**  
(J.B.P.A. Lamarck, 1818)  
Japan, Nagasaki  
25 mm



**synonyms:**

- Hysteroconcha australica L.A. Reeve, 1863




6107502633  
**Pitar  
phoenicopterus**  
(A. Römer, 1867)



No Georeferenced data available



6103250085  
**Pitar  
pilula**  
H.A. Rehder, 1943  
Panama East  
6 mm




6107502653  
**Pitar  
potteri**  
J.M. Healy & K.L. Lamprell, 1992  
Queensland





6103250090  
**Pitar  
prora**

(T.A. Conrad, 1837)  
Philippines, Aliguay Island  
51,3 mm



7202000087  
**Pitar  
pudica**



(K.T. Menke, 1850)

No Georeferenced data available



6103250080  
**Pitar  
pura**

(G.P. Deshayes, 1853)  
Panama  
20 mm





**synonyms:**

- *Pitar perfragilis* H.A. Pilsbry & H.N. Lowe, 1932



7202000088  
**Pitar  
queenslandicus**

K.L. Lamprell & J.M. Healy, 1997  
Mackay, Australia



6107502545  
**Pitar  
rectodorsalis**



K.L. Lamprell & R.N. Kilburn, 1999

No Georeferenced data available




6107501232  
**Pitar  
reeveanum**

J.G. Hidalgo, 1903  
Taiwan  
44 mm




6107501240  
**Pitar  
regularis**

(E.A. Smith, 1885)  
Northern Territory



6103250100  
**Pitar  
rostratus**

(R.A. Philippi, 1844)  
Argentina, Rio Negro Province  
38 mm






6103250105

**Pitar  
rufus**

(G.S. Poli, 1795)

Italy, Grado  
20 mm**synonyms:**

- Periglypta gracilenta É.A.A. Locard, 1892
- Venus ochropicta I. Krynicki, 1837
- Meretrix rufus radiata M.E.J. Bucquoy, P. Dautzenberg & G.F. Dolfus, 1893
- Periglypta venetana J.B.P.A. Lamarck, 1818

- Venus pectunculus G.B. Brocchi, 1814
- Periglypta rugata É.A.A. Locard, 1892




6107501256

**Pitar  
rufus  
gracilentum**

É.A.A. Locard, 1892


Mediterranean Sea



6103250110

**Pitar  
rufus  
mediterraneum**

N. Tiberi, 1885


Spain, Malaga  
15,9 mm

6107501272

**Pitar  
rufus  
nitidulum**

J.B.P.A. Lamarck, 1818

Mediterranean Sea




6107501280

**Pitar  
rufus  
rugatum**

É.A.A. Locard, 1892

Mediterranean Sea




7194000094

**Pitar  
rufescens**

(G.P. Deshayes, 1853)


Moluccas



6103250115

**Pitar  
simpsoni**

(W.H. Dall, 1895)

Florida Keys  
14,9 mm**synonyms:**

- Pitar stimpsoni W.H. Dall, 1895



7194000095


**Pitar  
soligena**

(A. Römer, 1867)


No Georeferenced data available

no  
IMAGES  
available

6107501288  
**Pitar sophiae**  
(G.F. Angas, 1877)  
New South Wales



7202000089  
**Pitar striatus**  
(J.E. Gray, 1838)  
Thailand, Phuket  
44 mm




no  
IMAGES  
available

6107502599  
**Pitar subarestus**  
W.H. Dall, 1912

No Georeferenced data available



6103250125  
**Pitar subpellucidus**  
(G.B. II Sowerby, 1851)  
Solomon Islands  
32,6 mm




**synonyms:**

- *Hysteroconcha torresica* L.A. Reeve, 1863



6103250130  
**Pitar sulfureus**  
H.A. Plsby, 1904  
Taiwan  
41 mm



no  
IMAGES  
available

7194000096  
**Pitar tahitensis**  
(R.A. Philippi, 1851)

No Georeferenced data available

**synonyms:**



- *Periglypta tahitensis* R.A. Philippi, 1851



7194000097  
**Pitar thornleyae**  
K.L. Lamprell & J.M. Healy, 1997  
Queensland



6107501312  
**Pitar trevori**  
K.L. Lamprell & T. Whitehead, 1990  
Cook Island  
26,2 mm






6103250140  
**Pitar tumens**  
(J.F. Gmelin, 1791)  
Senegal  
30 mm



6107502477  
**Pitar virgo**  
(J.E. Gray, 1838)  
Western Sahara  
43 mm



**synonyms:**

- *Pitar romeri* J.R. le B. Tomlin & L.J. Shackleford, 1913




6103250150  
**Pitar zonatus**  
(W.H. Dall, 1902)  
USA, North Carolina



**synonyms:**

- *Agriopoma zonata* W.H. Dall, 1902

SubFamily: PITARINAE - Subgenus: **Pitar (Costellipitar)** T. Habe, 1951 (10 SP, 4 IMG)



7202000027  
**Costellipitar acuminatus**  
(G.B. II Sowerby, 1851)

No Georeferenced data available





6107501016  
**Costellipitar chordatus**  
(A. Römer, 1867)  
Indo-Pacific

No Georeferenced data available




6107501784  
**Costellipitar cor**  
(S.C.T. Hanley, 1844)  
Arab Emirates  
29 mm




**synonyms:**

- *Venus tellinaeformis* R.A. Philippi, 1847

- *Pitar tellinoidea* G.B. Sowerby, 1851



6107501136  
**Costellipitar inconstans**  
(C. Hedley, 1923)  
Northern Territory



**synonyms:**

- *Pitar inconstans* C. Hedley, 1923

no  
IMAGES  
available

6107501144  
**Costellipitar**  
**indecoroides**

(M. Yokoyama, 1928)  
Indo-Pacific

No Georeferenced data available



6103250050  
**Costellipitar**  
**madecassinus**

(E. Fischer-Piette & D. Delmas, 1967)  
South Africa, Natal, Durban Bay  
16,3 mm



**synonyms:**

- Pitar madecassinus E. Fischer-Piette & D. Delmas, 1967
- Pitar manillae K.H. Barnard, 1964
- Dosinia trigona P. Dautzenberg, 1923



6103254005  
**Costellipitar**  
**manillae**

(G.B. II Sowerby, 1851)  
Thailand, Samui Island




**synonyms:**

- Costellipitar knudseni J. Poutiers, 1981
- Pitar manillae G.B. II Sowerby, 1851
- Pitar knudseni J. Poutiers, 1981



7202000028  
**Costellipitar**  
**minutus**

(F.C.L. Koch in R.A. Philippi, 1845)  
Virgin Islands



6107502588  
**Costellipitar**  
**peliferus**

(R. von Cosel, 1995)  
Senegal  
4,5 mm



7194000132  
**Costellipitar**  
**tumidus**

(G.B. III Sowerby, 1895)

No Georeferenced data available

**synonyms:**

- Pitar tumidus G.B. III Sowerby, 1895

SubFamily: PITARINAE - Subgenus: **Pitar (Hyphantosoma)** W.H. Dall, 1902 (11 SP, 3 IMG)



6107500966  
**Hyphantosoma**  
**aletes**

(L.G. Hertlein & A.M. Strong, 1948)  
West America

No Georeferenced data available



**synonyms:**

- Pitar aletes L.G. Hertlein & A.M. Strong, 1948

no  
IMAGES  
available

7194000057  
[Hyphantosoma caperi](#)

(K.L. Lamprell & J.M. Healy, 1997)  
Queensland



no  
IMAGES  
available

7202000057  
[Hyphantosoma crassum](#)

B.K. Raines & M. Huber, 2012

No Georeferenced data available

no  
IMAGES  
available

6107502593  
[Hyphantosoma festoui](#)

(M.E. Harte, 1993)

No Georeferenced data available

no  
IMAGES  
available

7194000059  
[Hyphantosoma healyi](#)


(K.L. Lamprell & J. Stanisic, 1996)

No Georeferenced data available

no  
IMAGES  
available

6107502651  
[Hyphantosoma intricatum](#)

(P. Dautzenberg, 1907)  
Queensland



**synonyms:**



- Meretrix intricata P. Dautzenberg, 1907
- Pitar intricata P. Dautzenberg, 1907
- Callogonia philippinensis T. Habe & T.A. Okutani, 1983

- Pitar intricatus P. Dautzenberg, 1907

no  
IMAGES  
available

6107501152  
[Hyphantosoma limatulum](#)

(G.B. II Sowerby, 1851)  
Queensland




**synonyms:**

- Pitar limatulum G.B. II Sowerby, 1851



6103250060  
[Hyphantosoma nancyae](#)

(K.L. Lamprell & T. Whitehead, 1990)  
Philippines, Masbate Island  
22 mm



**synonyms:**

- Pitar nancyae K.L. Lamprell & T. Whitehead, 1990

- Pitar roseoprodissococonchus J. Drivas & M. Jay, 1990



6107501112  
[Hyphantosoma pollicaris](#)

(P.P. Carpenter, 1864)  
Ecuador  
41 mm



**synonyms:**


- *Pitar hertleini* A.A. Olsson, 1961



6107501296  
**Hyphantosoma**  
**spoori**

(K.L. Lamprell & T. Whitehead, 1990)

Majuro  
24 mm

**synonyms:**

- *Pitar spoori* K.L. Lamprell & T. Whitehead, 1990




7202000058  
**Hyphantosoma**  
**tenue**

B.K. Raines & M. Huber, 2012

No Georeferenced data available

SubFamily: PITARINAE - **Subgenus: Pitar (Hysteroconcha)** W.H. Dall, 1902 (syn: *Dione* - 5 SP, 4 IMG)



6107500992  
**Hysteroconcha**  
**brevispinosa**

(G.B. II Sowerby, 1851)

Ecuador

**synonyms:**

- *Hysteroconcha brevispinata* G.P. Deshayes, 1853



6103250030  
**Hysteroconcha**  
**dione**

(C. Linnaeus, 1758)

Margarita Island, Venezuela  
46 mm

**synonyms:**

- *Venus dione* C. Linnaeus, 1758
- *Pitar dione* C. Linnaeus, 1758


- *Hysteroconcha veneris* G.P. Deshayes, 1853



6103250045  
**Hysteroconcha**  
**lupanaria**

(R.P. Lesson, 1831)

Mexico, Nayarit  
51,3 mm

**synonyms:**

- *Hysteroconcha exspinata* L.A. Reeve, 1863
- *Pitar lupanaria* R.P. Lesson, 1831
- *Periglypta semilamelosa* F.M. Delessert, 1841

- *Venus lupanaria* R.P. Lesson, 1831
- *Pitar lupinaria* R.P. Lesson, 1830



6107501176  
**Hysteroconcha**  
**multispinosa**

(G.B. II Sowerby, 1851)

Ecuador  
34,3 mm

**synonyms:**


- *Callista longispina* O.A.L. Mörcch, 1861
- *Periglypta multispinosa* G.B. II Sowerby, 1851



6107501248  
**Hysteroconcha**  
**rosea**

(W.J. Broderip & G.B. I Sowerby, 1829)

Mexico, Nayarit  
52 mm



**synonyms:**

- *Periglypta rosea* W.J. Broderip & G.B. Sowerby, 1829

SubFamily: PITARINAE - Subgenus: **Pitar (Lamelliconcha)** W.H. Dall, 1902 (8 SP, 8 IMG)

6107500984  
**Lamelliconcha alternata**

(W.J. Broderip, 1835)

Ecuador  
61,3 mm**synonyms:**


- *Pitar hesperia* S.S. Berry, 1960

- *Hysterconcha hesperia* S.S. Berry, 1960



6107501008  
**Lamelliconcha callicomata**

(W.H. Dall, 1902)

Japan  
38,8 mm**synonyms:**

- *Pitar callicomata* W.H. Dall, 1902



6107501040  
**Lamelliconcha circinata**

(I. von Born, 1778)

Brasil, Alagoas  
45 mm**synonyms:**


- *Venus circinata* I. von Born, 1778
- *Pitar circinatus* I. von Born, 1778
- *Venus rubra* J.F. Gmelin, 1791

- *Venus guineensis* J.F. Gmelin, 1791



6103254000  
**Lamelliconcha concinna**

(G.B. Sowerby, 1835)

Cebaco Island, Panama  
33 mm**synonyms:**


- *Hysterconcha concinna* G.B. Sowerby, 1835
- *Pitar salanga* H.A. Pilsbry & A.A. Olsson, 1941

- *Cytherea suppositrix* K.T. Menke, 1850



6107501208  
**Lamelliconcha paytensis**

(D'Orbigny, 1845)



Panama West  
33,8 mm**synonyms:**

- *Venus paytensis* D'Orbigny, 1845




6103250135  
**Lamelliconcha tortuosa**

(W.J. Broderip, 1835)

Panama  
21 mm

6103250145  
**Lamelliconcha unicolor**

(G.B. Sowerby, 1835)

West Panama  
40 mm

**synonyms:**


- *Venus badia* J.E. Gray, 1838
- *Venus badia* H.S. Holton, 1892

- *Venus ligula* H.E. Anton, 1838



6107501320  
**Lamelliconcha  
vinacea**

A.A. Olsson, 1961  
Acapulco, Mexico  
12,4 mm

**synonyms:**

- *Lamelliconcha circinata vinacea* A.A. Olsson, 1961

SubFamily: PITARINAE - **Subgenus: Pitar (Pitarenus)** H.A. Rehder & R.T. Abbott, 1951 (1 SP, 1 IMG)

6103250025  
**Pitarenus  
cordatus**

(J.S. Schwengel, 1951)  
USA, Texas  
33,9 mm

**synonyms:**


- *Pitar cordata* J.S. Schwengel, 1951
- *Venus flammea* J.F. Gmelin, 1791

- *Tapes kraussi* L.A. Reeve, 1864

SubFamily: PITARINAE - **Genus: Saxidomus** T.A. Conrad, 1837 (3 SP, 3 IMG)

6104900000  
**Saxidomus  
gigantea**

(G.P. Deshayes, 1839)  
Washington  
83,2 mm

**synonyms:**


- *Venerupis gigantea* G.P. Deshayes, 1839

- *Venus maxima* H.E. Anton in R.A. Philippi, 1846



6104900005  
**Saxidomus  
nuttalli**

T.A. Conrad, 1837  
Alaska  
81 mm

**synonyms:**


- *Saxidomus aratus* A.A. Gould, 1861
- *Saxidomus nuttalli latus* C.C. Stewart in W.P. Woodring & al., 1941

- *Tapes gracilis* A.A. Gould in C.H. Blake, 1855
- *Saxidomus squallidus* G.P. Deshayes, 1853



6104900010  
**Saxidomus  
purpurata**

(G.B. II Sowerby, 1852)  
Alaska  
122 mm

**synonyms:**


- *Hermannella hoonsooi* B.K. Kim, 1992
- *Tapes purpurata* G.B. II Sowerby, 1852

- *Saxidomus nuttalli purpuratus* G.B. II Sowerby, 1852

SubFamily: PITARINAE - **Genus: Transenpitar** E. Fischer-Piette & A.M. Testud, 1967 (1 SP, 1 IMG)

6105000000  
**Transenpitar  
americana**

(M. Doello-Jurado in A. Carcelles, 1951)  
Uruguay  
20 mm

**synonyms:**

- *Transenpitar keenae* E. Fischer-Piette & A.M. Testud, 1967

SubFamily: SAMARANGINAE - **Genus: Samarangia** W.H. Dall, 1902 (syn: Petroderma, Smarangia - 2 SP, 1 IMG)

no  
IMAGES  
available

7202000049  
**Samarangia**  
**lewinsohni**

H.K. Mienis, 2011



No Georeferenced data available



6105050005  
**Samarangia**  
**quadrangularis**

(A. Adams & L.A. Reeve, 1850)

Philippines, Olongo Island  
77,5 mm



**synonyms:**

- Samarangia thaanumi J.T. Kuroda, 1945

SubFamily: SUNETTINAE - **Genus: Sunetta** J.H.F. Link, 1807 (syn: Cuneus, Meroe, Sunemeroe, Cyclosunetta - 15 SP, 10 IMG)

no  
IMAGES  
available

6107502654  
**Sunetta**  
**adelinae**

G.F. Angas, 1868


No Georeferenced data available



6101100005  
**Sunetta**  
**bruggeni**

E. Fischer-Piette, 1974

South Africa, Natal, Durban Bay  
21 mm



**synonyms:**

- Sunetta contempta bruggeni E. Fischer-Piette, 1974

- Meroe ovalis G.B. III Sowerby, 1892


- Sunetta ovalis G.B. III Sowerby, 1892

no  
IMAGES  
available

7194000128  
**Sunetta**  
**concinna**

R.W. Dunker, 1865

Japan



no  
IMAGES  
available

6107500344  
**Sunetta**  
**cumingii**

E.A. Smith, 1891

Indo-Pacific


No Georeferenced data available



6107502638  
**Sunetta**  
**donacina**

(J.F. Gmelin, 1791)

Rameshwaram, India  
59 mm



**synonyms:**

- Sunetta aurora F.P. Jousseaume, 1872
- Sunetta donacina nuda E. Fischer-Piette & H. Fischer, 1939

- Meroe roetersiana J.C.H. Crosse, 1874

- Venus donacina J.F. Gmelin, 1791
- Sunetta kurachensis G.B. III Sowerby, 1895
- Venus sallaei L.A. Reeve, 1864



6107502675  
**Sunetta effossa**

(S.C.T. Hanley, 1843)  
Al Madinah, Saudi Arabia  
40 mm



**synonyms:**

- Sunetta effossa semisulcata E. Fischer-Piette & H. Fischer, 1939



7194000105  
**Sunetta kirai**

M. Huber, 2010

No Georeferenced data available



6107500368  
**Sunetta langfordi**



(T. Habe, 1953)  
Indo-Pacific

No Georeferenced data available



6101104000  
**Sunetta menstrualis**

(K.T. Menke, 1843)  
Japan, Wakayama  
55 mm



**synonyms:**


- Cytherea excavata S.C.T. Hanley, 1843
- Meroe magnifica L.A. Reeve, 1864



6101104010  
**Sunetta meroe**

(C. Linnaeus, 1758)  
India  
42 mm

- Venus meroe C. Linnaeus, 1758



**synonyms:**


- Sunetta chilkaensis H.B. Preston, 1914
- Cuneus costatus J.K. Megerle Von Mühlfeld, 1811
- Sunetta picta H.C.F. Schumacher, 1817



6101104005  
**Sunetta solanderii**

(J.E. Gray, 1825)  
India  
34 mm

- Sunetta hans L.A. Reeve, 1864
- Sunetta tumidissima J.R. le B. Tomlin, 1922



**synonyms:**


- Sunetta clessini C.M.F. Ancey, 1880
- Venus hans W. Wood, 1828
- Sunetta solandri J.E. Gray, 1838



6101100010  
**Sunetta subquadrata**

(G.B. II Sowerby, 1851)  
West Australia, Dampier  
45 mm

- Meroe subquadrata G.B. II Sowerby, 1851




**synonyms:**

- Sunetta pereexcavata H.C. Fulton, 1930



6101104015  
**Sunetta sunettina**  
(F.P. Jousseaume, 1891)  
Queensland




**synonyms:**

- Cyclosunetta contempta E.A. Smith, 1891
- Meroe menstrualis L.A. Reeve, 1864
- Sunettina sunettina F.P. Jousseaume, 1891


- Sunettina contempta E.A. Smith, 1891
- Sunetta menstrualis L.A. Reeve, 1864



6107500392  
**Sunetta truncata**  
(G.P. Deshayes, 1853)  
Cuddalore, India  
27,8 mm



6101100020  
**Sunetta vaginalis**  
(K.T. Menke, 1843)  
South Australia  
30,5 mm





**synonyms:**

- Sunetta aliciae A. Adams & G.F. Angas, 1864

SubFamily: TAPETINAE - Genus: **Eumarcia** T. Iredale, 1924 (2 SP, 2 IMG)



6105200000  
**Eumarcia fumigata**  
(G.B. II Sowerby, 1853)  
South Australia  
30 mm




**synonyms:**

- Tapes faba L.A. Reeve, 1864
- Venus laevigata G.B. II Sowerby, 1853
- Venus polita G.B. II Sowerby, 1853

- Venus fumigata G.B. II Sowerby, 1853
- Venus nitida J.R.C. Quoy & J.P. Gaimard, 1835



6105200005  
**Eumarcia paupercula**  
(H.S. Holton, 1802)  
South Africa  
37,6 mm



**synonyms:**



- Anomalocardia alfredensis P. Bartsch, 1915
- Tapes kochi R.A. Philippi, 1843

- Marcia paupercula J.H. Chemnitz, 1795

SubFamily: TAPETINAE - Genus: **Eurhomalea** A.E.M. Cossmann, 1920 (syn: Rhomalea, Retrotapes - 4 SP, 3 IMG)



6105050000  
**Eurhomalea exalbida**  
(L.W. Dillwyn, 1817)  
Argentina, Puerto Madryn  
71 mm



**synonyms:**

- Venus aerea L.H. Hupé, 1854
- Venus exalbida L.W. Dillwyn, 1817

- Venus exalbida J.G. Bruguière, 1797




7202000021  
**Eurhomalea lenticularis**  
(W.J. Broderip & G.B. I Sowerby, 1835)  
Chile  
59 mm

No Georeferenced data available



6107501600  
***Eurhomalea rufa***  
(J.B.P.A. Lamarck, 1818)  
Chile, Talcahuano  
64 mm



**synonyms:**

- *Venus expalescens* R.A. Philippi, 1844
  - *Venus lithoidea* I.H. Jonas, 1844
  - *Venus rufa* J.B.P.A. Lamarck, 1818
- *Venus opaca* W.J. Broderip & G.B. Sowerby, 1835




7194000047  
***Eurhomalea salinensis***  
L. Ramorino, 1968

No Georeferenced data available

SubFamily: TAPETINAE - Genus: **Gomphina** O.A.L. Mörch, 1853 (6 SP, 3 IMG)





6105300005  
***Gomphina habei***  
(M. Huber, 2010)  
Australia, Shark Bay  
28 mm



6107501608  
***Gomphina maorum***  
E.A. Smith, 1902  
New Zealand, Cape Maria van Diemen



7202000054  
***Gomphina moerchi***  
(G.F. Angas, 1872)  
Queensland





**synonyms:**

- *Gomphina maorum* E. Fischer-Piette & B. Métivier, 1971



6105304010  
***Gomphina neastartoides***  
(M. Yokoyama, 1922)  
Japan, Fukuoka



**synonyms:**

- *Venus neastartoides* M. Yokoyama, 1922




7202000055  
***Gomphina queenslandica***  
(M. Huber, 2010)

No Georeferenced data available



6105300010  
**Gomphina**  
**undulosa**

(J.B.P.A. Lamarck, 1818)  
Australia, Shark Bay  
34 mm



**synonyms:**

- *Gomphina fulgida* C. Hedley, 1918
- *Venus undulosa* J.B.P.A. Lamarck, 1818

- *Venus variabilis* W.J. Broderip & G.B. Sowerby, 1835

SubFamily: TAPETINAE - **Subgenus: Gomphina (Jukesena)** T. Iredale, 1915 (syn: Acolus - 1 SP, 0 IMG)




7202000059  
**Jukesena**  
**foveolata**

(J.E. Cooper & H.B. Preston, 1910)


No Georeferenced data available

SubFamily: TAPETINAE - **Genus: Irus** A. Schmidt, 1818 (syn: IrusSchmidt, Notirus - 11 SP, 10 IMG)



6106300045  
**Irus**  
**carditoides**

(J.B.P.A. Lamarck, 1818)  
South Australia  
12,1 mm



**synonyms:**


- *Venerupis distans* J.B.P.A. Lamarck, 1818
- *Venerupis hanleyi* É. Lamy, 1922

- *Venerupis exotica* S.C.T. Hanley, 1854
- *Venerupis planicosta* G.P. Deshayes, 1854



6105500000  
**Irus**  
**crenatus**

(J.B.P.A. Lamarck, 1818)  
Tasmania  
37,4 mm



**synonyms:**


- *Venerupis crenatus* J.B.P.A. Lamarck, 1818
- *Venus superba* R.J.L. Guppy, 1875

- *Trapezium serrata* L.A. Reeve, 1843



6106300005  
**Irus**  
**cumingii**

(G.P. Deshayes, 1854)  
South Australia  
38 mm



**synonyms:**


- *Venerupis crebrilamellata* R. Tate, 1887
- *Venerupis crebrilamellata* R. Tate, 1887
- *Venerupis obesa* G.P. Deshayes, 1854

- *Venerupis cumingii* G.P. Deshayes, 1854



6105504015  
**Irus**  
**exoticus**

(J.B.P.A. Lamarck, 1818)  
South Australia  
34 mm




**synonyms:**

- *Venerupis interjecta* G.P. Deshayes, 1853



6106300030  
**Irus**  
**interstriatus**

(G.B. Sowerby, 1854)  
South Australia  
19 mm




**synonyms:**

- *Venerupis iridescentis* R. Tate, 1889



6105500015  
***Irus***  
***irus***

(C. Linnaeus, 1758)  
Canary Islands  
15 mm

**synonyms:**


- *Venerupis attenuata* G.B. II Sowerby, 1854
- *Tellina cornubiensis* T. Pennant, 1777
- *Venerupis digona* G.P. Deshayes, 1854
- *Donax irus* C. Linnaeus, 1758
- *Venerupis irus bicolor* M.E.J. Bucquoy, P. Dautzenberg & G.F. Dollfus, 1893
- *Venerupis irus flava* M.E.J. Bucquoy, P. Dautzenberg & G.F. Dollfus, 1893
- *Venerupis irus rosea* M.E.J. Bucquoy, P. Dautzenberg & G.F. Dollfus, 1893
- *Venerupis irusianus* É.A.A. Locard, 1892
- *Venerupis pulcherrima* G.P. Deshayes, 1854

- *Venerupis derelicta* G.P. Deshayes, 1854
- *Donax foliatus* E.M. Da Costa, 1778
- *Venerupis irus barrenensis* A. De Gregorio, 1889
- *Venerupis irus crebrimaculata* M.E.J. Bucquoy, P. Dautzenberg & G.F. Dollfus, 1893
- *Venerupis irus geographicus* T.A. de M. Monterosato, 1917
- *Venerupis irus tricolor* M.E.J. Bucquoy, P. Dautzenberg & G.F. Dollfus, 1893
- *Venerupis multicostata* W.H. Turton, 1932
- *Glycimeris truncata* E.M. Da Costa, 1778



6105504000  
***Irus***  
***ishibashianus***

J.T. Kuroda & T. Habe, 1952  
Japan, Kotoga beach

**synonyms:**



- *Venerupis irus* M. Yokoyama, 1920

- *Asaphis kussakini* I.N.V. Ivanova, 1985





6105500020  
***Irus***  
***macrophyllus***

(G.P. Deshayes, 1853)  
Philippines, Calituban Island  
16,2 mm



6105504005  
***Irus***  
***mitis***

(G.P. Deshayes, 1854)  
Japan, Kotoga beach  
25 mm

**synonyms:**



- *Venerupis mitis* G.P. Deshayes, 1854
- *Rupellaria semipurpurea* R.W. Dunker, 1882

- *Petricola pechiliensis* A.W. Grabau & S.G. King, 1928
- *Petricola semipurpurea* R.W. Dunker, 1882




6105500025  
***Irus***  
***reflexus***

(J.E. Gray, 1843)  
Japan  
31 mm

**synonyms:**

- *Venerupis silqua* G.P. Deshayes, 1854

- *Venerupis tumida* G.B. II Sowerby, 1854



6107502623  
***Irus***  
***vertumnalium***

(J.C. Melvill, 1918)

No Georeferenced data available

**synonyms:**

- *Venerupis dashami* H.C. Ray, 1948


- *Trapezium vertumnalium* J.C. Melvill, 1918

SubFamily: TAPETINAE - Subgenus: ***Irus*** (*Irusella*) L.G. Hertlein & U.S. Grant, 1972 (1 SP, 0 IMG)

**no  
IMAGES  
available**

6105550000  
**Irusella  
lamellifera**

(T.A. Conrad, 1837)  
California, Monterey Bay



**synonyms:**

- Petricola cordieri G.P. Deshayes, 1839
- Venus lamellifera T.A. Conrad, 1837


- Venerupis cordieri notabilis G.P. Deshayes, 1853
- Irus lamellifera prelamellifer J. Grant & H.R. Gale, 1931

SubFamily: TAPETINAE - **Subgenus: Irus (Notopaphia)** W.R.B. Oliver, 1923 (2 SP, 2 IMG)




6105650000  
**Notopaphia  
elegans**

(G.P. Deshayes, 1854)  
South Australia  
32,4 mm



6105500010  
**Notopaphia  
grisea**

(J.B.P.A. Lamarck, 1818)  
Tasmania  
24,2 mm



**synonyms:**

- Venus grisea J.B.P.A. Lamarck, 1818



- Venerupis subdecussata G.P. Deshayes, 1853

SubFamily: TAPETINAE - **Subgenus: Irus (Paphonotia)** L.G. Hertlein & A. Strong, 1948 (2 SP, 1 IMG)



6107501640  
**Paphonotia  
elliptica**

(G.B. I Sowerby, 1834)  
Ecuador  
18,2 mm



**synonyms:**

- Venerupis fimbriata G.B. I Sowerby, 1854
- Petricola oblonga G.B. I Sowerby, 1834
- Petricola solida G.B. I Sowerby, 1834

- Venerupis folacea G.P. Deshayes, 1853
- Venerupis paupercula G.P. Deshayes, 1854
- Petricola solidula G.B. I Sowerby, 1855

**no  
IMAGES  
available**

7194000083  
**Paphonotia  
fernandesiana**

(W. Stimpell, 1899)


No Georeferenced data available

SubFamily: TAPETINAE - **Genus: Katelysia** A. Römer, 1857 (5 SP, 5 IMG)




6107501664  
**Katelysia  
ferruginea**

L.A. Reeve, 1864  
Thailand  
55 mm





6105750005  
**Katelysia  
neroni**

J.B.P.A. Lamarck, 1818  
Australia, Edithburgh  
37,3 mm






6105750025  
**Katelysia peronii**  
(J.B.P.A. Lamarck, 1818)  
Australia, Edithburgh  
40,4 mm



6105750015  
**Katelysia scalarina**  
(J.B.P.A. Lamarck, 1818)  
South Australia  
37 mm



**synonyms:**

- Venus aphrodisoides J.B.P.A. Lamarck, 1818
- Venus cuneiformis L.A. Reeve, 1864
- Venus strigosa J.B.P.A. Lamarck, 1818

- Venus conularis J.B.P.A. Lamarck, 1818
- Venus scalarina J.B.P.A. Lamarck, 1818




6107501672  
**Katelysia scalarina aphrodina**  
(J.B.P.A. Lamarck, 1818)  
Australia

No Georeferenced data available



6105750010  
**Katelysia victoriae**  
(J.E. Tenison-Woods, 1878)  
Australia, Port Hedland  
49 mm



**synonyms:**

- Venus corrugata J.B.P.A. Lamarck, 1818
- Katelysia enigma T. Iredale, 1936
- Katelysia rhytiphora É. Lamy, 1937

- Marcia rhytiphora É. Lamy, 1935
- Tapes victoriae J.E. Tenison-Woods, 1878

SubFamily: TAPETINAE - Genus: **Liocyma** W.H. Dall, 1870 (syn: Lyozymia - 2 SP, 1 IMG)




7242000068  
**Liocyma chinensis**  
S. Zhang, F.S. Xu & Leng, 2010

No Georeferenced data available



6105850000  
**Liocyma fluctuosa**  
(A.A. Gould, 1841)  
Hokkaido  
10,2 mm



**synonyms:**


- Liocyma aniwana W.H. Dall, 1907
- Venus astartoides H.H. Beck in A.T. von Middendorff, 1849
- Liocyma fluctuosa brunnea W.H. Dall, 1902
- Liocyma scammoni W.H. Dall, 1871
- Liocyma subaniwana Khomenko, 1931

- Tapes arctica L.A. Reeve, 1864
- Liocyma beckii W.H. Dall, 1870
- Liocyma hokkaidensis T. Habe, 1951
- Liocyma schefferi P. Bartsch & H.A. Rehder, 1939
- Liocyma viridis W.H. Dall, 1871

SubFamily: TAPETINAE - Genus: **Macridiscus** W.H. Dall, 1902 (4 SP, 4 IMG)



6105304000  
**Macridiscus aequilatera**  
(G.B. I Sowerby, 1825)  
South China Sea  
45 mm




**synonyms:**

- *Gomphina aequilatera* G.B. I Sowerby, 1825





7202000053  
***Macridiscus donacinus***  
(J.K. Megerle Von Mühlfeld, 1811)  
South China Sea

**synonyms:**

- *Venus donacina* J.H. Chemnitz, 1795




6105300000  
***Macridiscus donacinus semicancellatus***  
(F.C.L. Koch in R.A. Philippi, 1843)  
Wakayama, Japan  
40,8 mm

**synonyms:**

- *Venus semicancellata* F.C.L. Koch in R.A. Philippi, 1843



6107502368  
***Macridiscus melanaegis***  
(A. Römer, 1861)  
North Japan Sea  
48 mm

**synonyms:**

- *Venus melanaegis* A. Römer, 1861

- *Gomphina melanegis* A. Römer, 1861



7202000048  
***Macridiscus multifarius***

Kong, A. Matsukuma & K.A. Lutaenko, 2012

No Georeferenced data available

SubFamily: TAPETINAE - **Genus: Marcia** H. Adams & A. Adams, 1857 (syn: *Hemitapes*, *Levimarcia*, *Nipponomarcia*, *Nipponomarucia* - 8 SP, 7 IMG)



7194000074  
***Marcia apaturia***

(A. Römer, 1864)

No Georeferenced data available



7194000075  
***Marcia carneola***

(J.B.P.A. Lamarck, 1818)

No Georeferenced data available



**synonyms:**

- *Venus carneola* J.B.P.A. Lamarck, 1818

- *Tapes tenuistriata* G.B. II Sowerby, 1852



7202000063  
***Marcia cordata***  
(P. Forsskål in C. Niebuhr, 1775)  
Egypt, Port Safaga  
36 mm

**synonyms:**


- *Venus cordata* P. Forsskål in C. Niebuhr, 1775



610590000  
**Marcia hiantina**

(J.B.P.A. Lamarck, 1818)

Singapore  
30 mm



**synonyms:**

- *Katelysia eugibba* Z. Zhuang, 1964
- *Venus flammiculata* J.B.P.A. Lamarck, 1818
- *Venus ignobilis* H.E. Anton in R.A. Philippi, 1847
- *Venus rimularis* J.B.P.A. Lamarck, 1818


- *Callista glandula* A.A. Gould, 1861
- *Tapes luzonica* G.B. II Sowerby, 1852
- *Venus vermiculosa* J.B.P.A. Lamarck, 1818



6105750000  
**Marcia japonica**

(J.F. Gmelin, 1791)

Taiwan Strait  
44 mm



**synonyms:**

- *Venus aurisiaca* J.E. Gray, 1825
- *Venus eleganitina* J.B.P.A. Lamarck, 1818
- *Venus labuana* A. Adams & L.A. Reeve, 1850
- *Venus striata* J.F. Gmelin, 1791
- *Venus vulvina* J.B.P.A. Lamarck, 1818


- *Tapes caledonica* A.C. Bernardi, 1856
- *Venus japonica* J.F. Gmelin, 1791
- *Venus porcata* P.F. Röding, 1798
- *Venus tristis* J.B.P.A. Lamarck, 1818



6105900010  
**Marcia opima**

(J.F. Gmelin, 1791)

Kuwait  
34 mm



**synonyms:**

- *Tapes ceylonensis* G.B. II Sowerby, 1852
- *Venus gravida* P.F. Röding, 1798
- *Venus opima* J.F. Gmelin, 1791
- *Venus pinguis* J.H. Chemnitz, 1782



- *Venus nebulosa* J.F. Gmelin, 1791
- *Marcia pinguis* J.H. Chemnitz
- *Venus triradiata* J.F. Gmelin, 1791



6107500056  
**Marcia pinguis**

(J.S. Schröter, 1788)


Bangladesh



6107501776  
**Marcia recens**

(H.S. Holton, 1802)

Singapore  
35,1 mm



**synonyms:**

- *Tapes bicolorata* L.A. Reeve, 1864
- *Tapes ferruginea* L.A. Reeve, 1864
- *Tapes laterisulca* G.B. II Sowerby, 1852
- *Katelysia marmorata* J.B.P.A. Lamarck, 1818
- *Tapes orientalis* L.A. Reeve, 1864
- *Tapes siensis* L.A. Reeve, 1864

- *Tapes exserta* A. Römer, 1872
- *Venus interrupta* F.C.L. Koch in R.A. Philippi, 1849
- *Paphia marmorata* J.B.P.A. Lamarck, 1818
- *Tapes occidentalis* L.A. Reeve, 1864
- *Venus recens* H.S. Holton, 1802
- *Venus variabilis* R.A. Philippi, 1844



6105900005  
**Marcia recens marmorata**  
(J.B.P.A. Lamarck, 1818)

Taiwan  
45 mm




**synonyms:**

- *Marcia marmorata* J.B.P.A. Lamarck, 1818

**no  
IMAGES  
available**


7202000056  
**Granicorium  
citrinum**

K.L. Lamprell & J.M. Healy, 1999  
Queensland



6107501752  
**Granicorium  
indutum**

C. Hedley, 1906  
New South Wales  
44 mm



**synonyms:**


- *Granicorium attonitum* T. Iredale, 1936

SubFamily: TAPETINAE - Genus: **Paphia** P.F. Röding, 1798 (syn: Arcitopaphia, Eutapes, Paratapes, Politapes, Textrix, Neotapes - 16 SP, 14 IMG)





6106000005  
**Paphia  
amabilis**

(R.A. Philippi, 1847)  
Taiwan Strait  
47 mm



6106000015  
**Paphia  
crassisulca**

(J.B.P.A. Lamarck, 1818)  
South China Sea  
52 mm



**synonyms:**



- *Paphia crassisulca* J.B.P.A. Lamarck, 1818
- *Tapes meroaeformis* G.B. II Sowerby, 1853

- *Venus crassisulca* J.B.P.A. Lamarck, 1818



7202000069  
**Paphia  
declivis**

(G.B. II Sowerby, 1852)  
Philippines, Mactan Island  
57,6 mm



**synonyms:**

- *Tapes declivis* G.B. II Sowerby, 1852
- *Paphia schnelliana* F.J. Springsteen & C.B. Leobrera, 1986



6102104005  
**Paphia  
euglypta**

(R.A. Philippi, 1847)  
South China Sea  
35 mm



**synonyms:**

- *Paphia lischkei* E. Fischer-Piette & B. Métivier, 1971

**no  
IMAGES  
available**

7202000070  
**Paphia  
inflata**

(G.P. Deshayes, 1853)

No Georeferenced data available

**synonyms:**

- *Paphia crassisulca* K.L. Lamprell & T. Whitehead, 1992
- *Acritopaphia transfusa* T. Iredale, 1936

- *Tapes sulcosa inflata* G.B. Sowerby, 1853

no  
IMAGES  
available

7194000080  
**Paphia  
kreipli**

M. Huber, 2010

No Georeferenced data available



6101004030  
**Paphia  
lirata**

(R.A. Philippi, 1848)


Vietnam  
66 mm



7194000081  
**Paphia  
philippiana**

M. Huber, 2010

Philippines, Quezon Province  
50 mm



6106004000  
**Paphia  
philippiana  
exarata**

(R.A. Philippi, 1846)

Japan, Fukushima



**synonyms:**

- Venus exarata R.A. Philippi, 1846

no  
IMAGES  
available

7202000072  
**Paphia  
polita**

(G.B. II Sowerby, 1852)

Oman



**synonyms:**


- Tapes polita G.B. II Sowerby, 1852



6106000000  
**Paphia  
rotundata**

(C. Linnaeus, 1758)

Singapore  
78,9 mm



**synonyms:**

- Paphia alapapilionis P.F. Röding, 1798
- Paphia coelata J.R. le B. Tomlin, 1923
- Tapes papillonaceus J.B.P.A. Lamarck, 1818


- Venus papillonacea J.B.P.A. Lamarck, 1818
- Tapes radiata H.C.F. Schumacher, 1817



6106004005  
**Paphia  
schnelliana**

(R.W. Dunker, 1865)


Cebu, Philippines  
63 mm



6106000040  
**Paphia  
semirugata**

(R.A. Philippi, 1847)

East China Sea  
64 mm





**synonyms:**

- Venus semirugata R.A. Philippi, 1847



6107501568  
**Paphia sulcosa**

(R.A. Philippi, 1847)  
Australia, Keppel Bay  
50 mm


**synonyms:**

- Venus sulcosa R.A. Philippi, 1847



6106004015  
**Paphia textilis**

(J.F. Gmelin, 1791)  
South Africa, Durban Bay  
58,2 mm

**synonyms:**

- Venus reticulina J.B.G.M. Bory De Saint-Vincent, 1827
- Tapes textrix L.A. Reeve, 1864
- Venus undulata L.W. Dillwyn, 1817

- Tapes sumatranaus K.H.J. Thiele & S.G.A. Jaeckel, 1931
- Venus textrix G.P. Deshayes, 1853



6106000050  
**Paphia undulata**

(I. von Born, 1778)  
Taiwan Strait  
77 mm



**synonyms:**

- Venus rimosa R.A. Philippi, 1847
- Paphia scordalus T. Iredale, 1936



6106000055  
**Paphia vernicosa**

(A.A. Gould, 1861)  
Japan, Mikawa bay  
27,8 mm


**synonyms:**

- Tapes greeffei R.W. Dunker, 1877
- Tapes vernicosa A.A. Gould, 1861

SubFamily: TAPETINAE - Subgenus: **Paphia (Protapes)** W.H. Dall, 1902 (9 SP, 6 IMG)

7194000099  
**Protapes brownianus**

(H.B. Preston, 1906)  
South China Sea  
33 mm



7202000091  
**Protapes cor**

(G.B. II Sowerby, 1853)  
Arab Emirates  
29 mm

**synonyms:**


- Venus cor G.B. II Sowerby, 1853
- Tapes cor G.B. II Sowerby, 1853

- Paphia cor G.B. II Sowerby, 1853



6106000025  
**Protapes gallus**

(J.F. Gmelin, 1791)  
Singapore  
56,8 mm



**synonyms:**



- *Venus gallus* J.F. Gmelin, 1791
- *Paphia malabarica* L.W. Dillwyn, 1817
- *Venus rhombifera* J.B.G.M. Bory De Saint-Vincent, 1827

- *Tapes malabarica* L.W. Dillwyn, 1817
- *Venus malabarica* L.W. Dillwyn, 1817




6107501792  
**Protapes**  
**gallus**  
**lentiginosa**  
L.A. Reeve, 1864

Mozambique  
50 mm



**synonyms:**

- *Tapes lentiginosa* L.A. Reeve, 1864



7194000100  
**Protapes**  
**monstrosus**  
(A. Römer, 1870)

Hong Kong

**synonyms:**



- *Paphia gallus bombayana* P.G. Oliver & E.A. Glover, 1996
- *Tapes turgidula* L.A. Reeve, 1864

- *Tapes malabarica monstrosa* A. Römer, 1870



7242000078  
**Protapes**  
**motsei**  
J. Chen, S.P. Zhang & L.F. Kong, 2014

Australia, Dingo Beach  
30,3 mm



7194000101  
**Protapes**  
**rhamphodes**

(P.G. Oliver & E.A. Glover, 1996)

No Georeferenced data available



**synonyms:**

- *Paphia rhamphodes* P.G. Oliver & E.A. Glover, 1996



6107502136  
**Protapes**  
**roemerii**  
M. Huber, 2010


Australia, Dingo Beach  
31 mm



7194000102  
**Protapes**  
**swennenii**

M. Huber, 2010

No Georeferenced data available



7202000092  
**Protapes**  
**ziczac**

(C. Linnaeus, 1758)

No Georeferenced data available



**synonyms:**

- *Tapes inflata* A. Römer, 1870

- *Venus ziczac* C. Linnaeus, 1758

**no  
IMAGES  
available**

6105100050  
**Tapes  
araneosus**  
(R.A. Philippi, 1847)  
Malaysia



**synonyms:**

- Venus araneosus R.A. Philippi, 1847



6105100000  
**Tapes  
belcheri**  
G.B. II Sowerby, 1852  
Taiwan Strait  
78 mm





**synonyms:**

- Tapes grata G.P. Deshayes, 1853
- Tapes obscurata G.P. Deshayes, 1853
- Tapes quadriradiata G.P. Deshayes, 1853

- Tapes phenax H.A. Pilsbry, 1901



6105100010  
**Tapes  
conspersus**  
(J.F. Gmelin, 1791)  
South China Sea  
83 mm




**synonyms:**

- Venus dorsata J.B.P.A. Lamarck, 1818
- Tapes dorsatus J.B.P.A. Lamarck, 1818
- Venus ovulaea J.B.P.A. Lamarck, 1818
- Tapes turgida G.P. Deshayes, 1853

- Paphia guttulata P.F. Röding, 1798
- Venus turgida J.B.P.A. Lamarck, 1818
- Tapes watlingi T. Iredale, 1958



6107501520  
**Tapes  
conspersus  
adspersa**  
A. Römer, 1870  
Philippines, Sulu Sea  
44,1 mm




**no  
IMAGES  
available**

7202000095  
**Tapes  
geographicus**  
(J.H. Chemnitz, 1784)  
Congo



6107502424  
**Tapes  
literatus**  
(C. Linnaeus, 1758)  
Fiji Islands  
68 mm




**synonyms:**

- Venus adspersa J.B.P.A. Lamarck, 1818
- Venus compunctata J.H.F. Link, 1807
- Tapes distinguenda E. Fischer-Piette & É. Lamy, 1939
- Venus literata nebulosa J.F. Gmelin, 1791
- Tapes literatus C. Linnaeus, 1758
- Venus punctifera J.B.P.A. Lamarck, 1818

- Tapes aspersa G.B. II Sowerby, 1852
- Venus deshayesii sulphurea R.A. Philippi, 1848
- Venus literata maculosa K. Schreibers, 1793
- Venus literata punctata J.F. Gmelin, 1791
- Paphia nocturna P.F. Röding, 1798
- Venus radiata J.F. Gmelin, 1791





6105100015  
**Tapes  
literatus  
guttulatus**  
P.F. Röding, 1798  
Australia, Port Hedland  
47,7 mm





6105100030  
**Tapes  
platyptycha**

H.A. Plisbry, 1901  
South China Sea  
43 mm



6105100055  
**Tapes  
sericeus**

A. Matsukuma, 1986  
Australia, Cape Moreton  
50 mm




**synonyms:**

- *Tapes platyptycha* K.L. Lamprell & T. Whitehead, 1992



6105100040  
**Tapes  
sulcarius**

(J.B.P.A. Lamarck, 1818)  
Philippines, Palawan Island  
86 mm



**synonyms:**


- *Venus deshayesiana* J.J. Bianconi, 1856
- *Tapes rodatzi* R.W. Dunker, 1848

- *Venus variopicta* J.J. Bianconi, 1856



6105100005  
**Tapes  
sulcarius  
deshayesii**

(S.C.T. Hanley, 1844)  
South Africa  
49 mm



**synonyms:**



- *Tapes deshayesi* S.C.T. Hanley, 1844

SubFamily: TAPETINAE - **Genus: Venerupis** J.B.P.A. Lamarck, 1818 (syn: Aureitapes, Cyanotapes, Myrsus, Pillastra, Venerupes, Venerupis, Venerupis, Venerupis, Venerupis, Paphirus - 13 SP, 13 IMG)



6107502489  
**Venerupis  
anomala**

(J.B.P.A. Lamarck, 1818)  
South Australia  
21,6 mm



**synonyms:**



- *Venus anomala* J.B.P.A. Lamarck, 1818
- *Venerupis fabagella* G.P. Deshayes, 1853

- *Tapes reticulata* J.E. Tenison-Woods, 1878



6107502344  
**Venerupis  
aspera**

(J.R.C. Quoy & J.P. Gaimard, 1835)  
Japan, Wakayama  
47 mm



**synonyms:**

- *Venus aspera* J.R.C. Quoy & J.P. Gaimard, 1835
- *Tapes punicea* G.P. Deshayes, 1853
- *Paphia variegata* G.B. II Sowerby, 1852
- *Tapes variegatus* G.B. II Sowerby, 1852


- *Tapes cinerea* G.P. Deshayes, 1853
- *Venerupis variegata* G.B. II Sowerby, 1852
- *Ruditapes variegatus* G.B. II Sowerby, 1852



6107501592  
**Venerupis  
aspera  
kioroshiensis**

K. Hirayama & Y. Ando, 1954

Japan






6107502660  
**Venerupis  
bruguieri**

(S.C.T. Hanley, 1845)

Korea  
30 mm



**synonyms:**

- *Petricola bruguieri* S.C.T. Hanley, 1845
- *Venus bruguieri* S.C.T. Hanley, 1845
- *Ruditapes bruguieri* S.C.T. Hanley, 1845



- *Tapes bruguieri* S.C.T. Hanley, 1845



6106300000  
**Venerupis  
corrugata**

(J.F. Gmelin, 1791)

Belgium  
45 mm



**synonyms:**

- *Tapes dactyloides* G.B. II Sowerby, 1852
- *Venus lithophaga* F. Danilo & G.B. Sandri, 1856
- *Venus obsoleta* L.W. Dillwyn, 1817
- *Venus punctulata* J.F. Gmelin, 1791
- *Venus tenori* A. da Costa, 1829


- *Venerupis nucleus* J.B.P.A. Lamarck, 1819
- *Venus plaga* J.G. Jeffreys, 1847
- *Venus saxicola* F. Danilo & G.B. Sandri, 1856
- *Venerupis vulgaris* G.B. II Sowerby, 1826



6106300035  
**Venerupis  
corrugata  
saxatilis**

(L.B. Fleurieu de Bellevue, 1802)

France, Brittany  
37 mm



**synonyms:**

- *Venus perforans* G. Montagu, 1803

- *Venus pullastra* G. Montagu, 1803



6106300050  
**Venerupis  
corrugata  
senegalensis**

(J.F. Gmelin, 1791)

Malaga, Spain  
34 mm



**synonyms:**

- *Venus senegalensis* J.F. Gmelin, 1791



7194000129  
**Venerupis  
cumingii**

(G.B. II Sowerby, 1852)


No Georeferenced data available



6106300010  
**Venerupis  
decussata**

(C. Linnaeus, 1758)

Malta  
38,2 mm



**synonyms:**

- *Tapes decussatus* C. Linnaeus, 1758
- *Venus deflorata* I. von Born, 1778
- *Venus fusca* J.F. Gmelin, 1791
- *Prototaca schencki* S. Nomura, 1937
- *Venus vesta* ♀ Brusina, 1870


- *Tapes extensus* É.A.A. Locard, 1886
- *Venus obscura* J.F. Gmelin, 1791
- *Venus truncata* J.B.P.A. Lamarck, 1818



6106300020  
**Venerupis  
galactites**

(J.B.P.A. Lamarck, 1818)

West Australia, Freemantle  
42 mm






6107502684  
**Venerupis**  
**geographica**

(J.F. Gmelin, 1791)

Italy, Livorno  
26 mm



**synonyms:**


- *Venerupis corrugata* *geographica* J.F. Gmelin, 1791



6107502647  
**Venerupis**  
**glandina**

(J.B.P.A. Lamarck, 1818)

Northern Territory, Australia



**synonyms:**

- *Venus glandina* J.B.P.A. Lamarck, 1818

- *Tapes glandina* A. Römer, 1871



6105100020  
**Venerupis**  
**largillieri**

(R.A. Philippi, 1847)

New Zealand, Auckland  
42 mm



6106300040  
**Venerupis**  
**philippinarum**

(A. Adams & L.A. Reeve, 1850)

East China sea  
42 mm



**synonyms:**

- *Paphia bifurcata* D.B. Quayle, 1938
- *Tapes ducalis* A. Römer, 1870
- *Tapes semidecussata* L.A. Reeve, 1864
- *Tapes violascens* G.P. Deshayes, 1853



- *Tapes denticulata* G.B. II Sowerby, 1852
- *Tapes indica* G.B. II Sowerby, 1852
- *Venus tessellata* A. Adams & L.A. Reeve, 1850



6107502517  
**Venerupis**  
**japonica**

(G.P. Deshayes, 1853)


Japan  
40,9 mm



6107501552  
**Venerupis**  
**rugosa**

(G.B. II Sowerby, 1854)


Red Sea




6107501912  
**Venerupis**  
**ruscuriana**

T.A. de M. Monterosato, 1884

Spain  
35 mm



612000000  
**Turtonia  
minuta**(O. Fabricius, 1780)  
France, Marseille  
2 mm**synonyms:**




- *Turtonia nitida* A.E. Verrill, 1872
- *Turtonia occidentalis* W.H. Dall, 1871

- *Mya purpurea* G. Montagu, 1808




SubFamily: VENERINAE - Genus: **Dosina** J.E. Gray, 1835 (syn: Dosinula, Dosinella - 1 SP, 1 IMG)6100150005  
**Dosina  
mactacea**(W.J. Broderip, 1835)  
New Zealand, Auckland  
66 mm**synonyms:**

- *Dosina crebra* F.W. Hutton, 1873
- *Venus mactacea* W.J. Broderip, 1835
- *Dosina oblonga* J.E. Gray, 1843
- *Dosina zelandica* J.E. Gray, 1835

- *Venus eburnea* L.A. Reeve, 1863
- *Dosina mactacea* W.J. Broderip, 1835
- *Dosina oblonga* J.E. Gray in J.K.E. Dieffenbach, 1843
- *Dosina zelandica* J.E. Gray, 1835

SubFamily: VENERINAE - Genus: **Globivenus** G.S. Coen, 1934 (syn: Ventricularia - 20 SP, 14 IMG)6100250000  
**Globivenus  
callimorpha**(W.H. Dall, 1902)  
Panama East  
42,7 mm6100250045  
**Globivenus  
capricornea**(C. Hedley, 1908)  
New South Wales6100250005  
**Globivenus  
effossa**(R.A. Philippi, 1836)  
Spain  
27 mm**synonyms:**

- *Globivenus effossa* R.A. Philippi, 1836 ex Bivona-Bernardi MS

6100250010  
**Globivenus  
embrithes**(J.C. Melvill & R. Standen, 1899)  
Australia, Brampton Island  
38,4 mm6100250015  
**Globivenus  
fordii**(L.G. Yates, 1890)  
California  
36 mm**synonyms:**

- *Venus agrestis* R.A. Philippi, 1845
- *Venus fordii* L.G. Yates, 1890

- *Anomalocardia subrugosa* G.E. Manger, 1934



6100250020  
**Globivenus**  
**foresti**

(E. Fischer-Piette & A.M. Testud, 1967)

Brasil, Rio de Janeiro  
36,8 mm



7202000052  
**Globivenus**  
**helenae**

(E. Fischer-Piette, 1975)

No Georeferenced data available

**synonyms:**

- *Venus helenae* E. Fischer-Piette, 1975



6107500104  
**Globivenus**  
**isocardia**

(A.E. Verrill, 1870)

Ecuador  
42,7 mm



**synonyms:**

- *Globivenus rigida isocardia* A.E. Verrill, 1870



7194000053  
**Globivenus**  
**kempfi**

(E. Fischer-Piette & A.M. Testud, 1970)

No Georeferenced data available



7194000054  
**Globivenus**  
**lepidoglypta**

(W.H. Dall, 1902)



No Georeferenced data available



6107502440  
**Globivenus**  
**listerioides**

(E. Fischer-Piette & A.M. Testud, 1967)


Florida  
23 mm



6107500144  
**Globivenus**  
**magdalenae**

(W.H. Dall, 1902)


Panama West  
21,1 mm



6100250030  
**Globivenus**  
**mindorenensis**

(E.A. Smith, 1916)

Philippines, Olongo Island  
52,3 mm



no  
IMAGES  
available

7202000039  
**Globivenus**  
**orientalis**

(L.R. Cox, 1930)

No Georeferenced data available

**synonyms:**

- *Globivenus toreuma* B.S. Singer & H.K. Menis, 1995



6107502665  
**Globivenus**  
**pereffossa**

(P. Dautzenberg & H. Fischer, 1906)


Cape Verde  
20 mm



6100350000  
**Globivenus**  
**rigida**

(L.W. Dillwyn, 1817)

Honduras  
89 mm



**synonyms:**

- *Venus rigida* L.W. Dillwyn, 1817



6100250035  
**Globivenus**  
**rugatina**

(A. Heilprin, 1887)

Bahamas  
13 mm



no  
IMAGES  
available

7194000055  
**Globivenus**  
**snellii**

(E. Fischer-Piette, 1975)


No Georeferenced data available



6100000055  
**Globivenus**  
**strigillina**

(W.H. Dall, 1902)


Panama  
55,7 mm



6100250040  
**Globivenus**  
**toreuma**

(A.A. Gould, 1850)

Bahamas  
50 mm



**synonyms:**

- *Venus crebrisula* G.B. II Sowerby, 1853
- *Venus jukesii* G.P. Deshayes, 1853
- *Venus toreuma* A.A. Gould, 1850

- *Venus hawaiiensis* W.H. Dall, P. Bartsch & H.A. Rehder, 1938
- *Venus sculpta* G.P. Deshayes, 1853



SubFamily: VENERINAE - Genus: **Periglypta** A.J. Jukes-Browne, 1914 (syn: Cytherea, Tigammona - 7 SP, 7 IMG)



6100300010  
**Periglypta  
albocancellata**

(M. Huber, 2010)

Palau  
107 mm



**synonyms:**

- Venus clathrata G.P. Deshayes, 1853
- Antigona clathrata G.P. Deshayes, 1853



- Periglypta clathrata G.P. Deshayes, 1854



6100300015  
**Periglypta  
corbis**

(J.B.P.A. Lamarck, 1818)

Philippines, Masbate Island  
79,1 mm



**synonyms:**

- Periglypta compressa Z. Zhuang, 1964
- Venus monilifera G.B. II Sowerby, 1853


- Venus corbis J.B.P.A. Lamarck, 1818



6107502664  
**Periglypta  
crispata**

(G.P. Deshayes, 1853)


Solomon Islands  
69,2 mm



6100300030  
**Periglypta  
listeri**

(J.E. Gray, 1838)

Bahamas  
78 mm



**synonyms:**

- Venus crispata W.H. Dall, 1889
- Dosinia listeri J.E. Gray, 1838
- Chione listeri J.E. Gray, 1838

- Dosina listeri J.E. Gray, 1838



6100300035  
**Periglypta  
multicostata**

(G.B. I Sowerby, 1835)

Mexico, Chamela Bay  
114,3 mm



**synonyms:**



- Venus multicostata G.B. I Sowerby, 1835
- Venus thouarsi A. Valenciennes in A. Dupetit-Thouars, 1846



6100300040  
**Periglypta  
puerpera**

(C. Linnaeus, 1771)

Philippines, Panglao Island  
90 mm



**synonyms:**


- Venus puerpera C. Linnaeus, 1771
- Chione puerpera C. Linnaeus, 1771



6100300050  
**Periglypta  
reticulata**

(C. Linnaeus, 1758)

West Java, Indonesia  
52 mm





**synonyms:**

- Periglypta edmonsoni W.H. Dall, P. Bartsch & H.A. Rehder, 1938
- Venus reticulata C. Linnaeus, 1758



- Chione reticulata C. Linnaeus, 1758



6107500008  
**Venus albina**  
G.B. II Sowerby, 1853  
Japan Sea  
40,2 mm



6100000000  
**Venus casina**  
C. Linnaeus, 1758  
Almeria, Spain  
35 mm




**synonyms:**

- *Venus casina albina* P. Dautzenberg & H. Fischer, 1906
- *Venus casina picta* M.E.J. Bucquoy, P. Dautzenberg & G.F. Dollfus, 1893
- *Circomphalus casinus* C. Linnaeus, 1758
- *Perilypta cygnus* A. Aradas & L. Benoit, 1872
- *Venus giraudi* C. Gay, 1858
- *Venus lactea* E. Donovan, 1803
- *Venus reflexa* G. Montagu, 1808


- *Venus casina globosa* L. Benoit & A. Aradas, 1878
- *Venus casinula* G.P. Deshayes in J.B.G.M. Bory De Saint-Vincent, 1833
- *Venus consobrina* G.P. Deshayes, 1853
- *Venus discina* J.B.P.A. Lamarck, 1818
- *Venus joenia* L. Benoit & J. Granata Grillo, 1878
- *Glycymeris membranaceus* E.M. Da Costa, 1778
- *Venus rusterucii* B.C.M. Payraudeau, 1826



6100000005  
**Venus casina aradasi**  
M.E.J. Bucquoy, P. Dautzenberg, & G.F. Dollfus, 1889  
France, Quiberon  
50,1 mm



6107500024  
**Venus casina corsicanus**  
A. Aradas & L. Benoit, 1870  
Corse Island, France




6107500040  
**Venus casina sicilianus**  
A. Aradas & L. Benoit, 1870  
Sicily

No Georeferenced data available



6107502644  
**Venus cassinaeformis**  
(M. Yokoyama, 1926)  
Japan, Kochi  
45 mm



**synonyms:**

- *Venus cassinaeformis* M. Yokoyama, 1926



6100000010  
**Venus chevreuxi**  
P. Dautzenberg, 1891  
Senegal  
50,6 mm



**synonyms:**

- *Venus chevreuxi* P. Dautzenberg, 1891
- *Venus foveolata rotunda* É.A.A. Locard, 1898



6100000050  
**Venus crebrisulca**  
J.B.P.A. Lamarck, 1818

Senegal  
47,6 mm



**synonyms:**

- *Venus rosalina* P.C.A.S.L. Rang, 1835



6100000015  
**Venus declivis**

G.B. II Sowerby, 1853  
Gabon, São Tomé Island  
24 mm



**synonyms:**


- *Venus irregularis* L.A. Reeve, 1864

- *Venus lavezzi* E. Fischer-Piette, 1975



6100000025  
**Venus foveolata**

G.B. Sowerby, 1853  
South China Sea  
44 mm



7194000127  
**Venus lyra**

S.C.T. Hanley, 1845  
Morocco




6100000040  
**Venus nux**

J.F. Gmelin, 1791  
Italy, Sicily channel  
39 mm



**synonyms:**

- *Venus nuciformis* É.A.A. Locard, 1886



7202000051  
**Venus petulca**



C. Linnaeus, 1758

No Georeferenced data available



6106004010  
**Venus sinuosa**

J.B.P.A. Lamarck, 1818  
Alaska  
57 mm




**synonyms:**

- *Tapes sinuosa* J.B.P.A. Lamarck, 1818
- *Protapes sinuosa* J.B.P.A. Lamarck, 1818



6107502456  
**Venus subrosalina**

J.R. le B. Tomlin, 1923  
Senegal  
31,5 mm



**synonyms:**

- Venus affinis G.B. II Sowerby, 1853
- Venus eronea E. Fischer-Piette, 1975

- Venus rosalina R.A. Philippi, 1849



7194000124  
**Venus thomassini**

E. Fischer-Piette & D. Vukadinovic, 1977

**No Georeferenced data available**

**synonyms:**

- Venus declivis P.H. Boshoff, 1965



7194000125  
**Venus verdensis**

P. Dautzenberg & H. Fischer, 1906


**No Georeferenced data available**



6100000060  
**Venus verrucosa**

C. Linnaeus, 1758

South Africa, Natal  
59 mm

**synonyms:**

- Venus interculpta G.B. III Sowerby, 1904
- Venus lemanii B.C.M. Payraudeau, 1826
- Venus simulans G.B. III Sowerby in C.R. Darwin, 1844
- Venus subcordata G. Montagu, 1803
- Venus verrucosa aegyptiaca P.M. Pillary, 1912
- Venus verrucosa capensis G.B. III Sowerby, 1889
- Venus verrucosa major M.E.J. Bucquoy, P. Dautzenberg & G.F. Dolfus, 1893
- Venus verrucosa ornata M.E.J. Bucquoy, P. Dautzenberg & G.F. Dolfus, 1893
- Venus verrucosa transversa M.E.J. Bucquoy, P. Dautzenberg & G.F. Dolfus, 1893

- Venus nodosa R.W. Dunker, 1853
- Glycymeris strigatus E.M. Da Costa, 1778
- Venus tuberosa G.P. Deshayes, 1853
- Venus verrucosa albolimbata ♂ Brusina, 1891
- Venus verrucosa inaequivalvis M.E.J. Bucquoy, P. Dautzenberg & G.F. Dolfus, 1893
- Venus verrucosa mitzopouloussi Sakelariou, 1958
- Venus verrucosa rosea P.M. Pillary, 1900
- Venus verrucosa tumida M.E.J. Bucquoy, P. Dautzenberg & G.F. Dolfus, 1893


**SubFamily: VENERINAE - Subgenus: Venus (Antigona) H.C.F. Schumacher, 1817 (syn: Omphalobathrum - 10 SP, 10 IMG)**



6100050000  
**Antigona chemnitzii**

(S.C.T. Hanley, 1845)

Philippines, Bohol Island  
68 mm

**synonyms:**

- Venus chemnitzii S.C.T. Hanley, 1845
- Periglypta fischeri C.A. Récluz, 1852



- Periglypta chemnitzii S.C.T. Hanley, 1845



6100300025  
**Antigona gladstonensis**

(G.F. Angas, 1872)


Australia, Queensland  
85,9 mm



6107500120  
**Antigona lacerata**

(S.C.T. Hanley, 1845)

Philippines, Palawan Island  
45,6 mm

**synonyms:**

- Venus aegrota L.A. Reeve, 1863
- Venus lacerata S.C.T. Hanley, 1845



6100000035  
**Antigona lamellaris**

H.C.F. Schumacher, 1817  
Philippines, Masbate Island  
31 mm



**synonyms:**


- Dosinia lamarchii J.E. Gray, 1838
- Venus nodulosa G.B. II Sowerby, 1853

- Venus subrostrata J.B.G.M. Bory De Saint-Vincent, 1827



610030005  
**Antigona laqueata**

(G.B. II Sowerby, 1853)  
Port Hedland, Australia  
53,3 mm




**synonyms:**

- Antigona chemnitzi laqueata G.B. Sowerby, 1853



6100050005  
**Antigona magnifica**

(S.C.T. Hanley, 1845)  
Philippines, Palawan Island  
65 mm




**synonyms:**

- Periglypta magnifica (G.B. I Sowerby, 1825)
- Venus magnifica G.B. I Sowerby, 1853





6100054000  
**Antigona persimilis**

(T. Iredale, 1930)  
Tin Can Bay, Queensland  
25 mm





6100300060  
**Antigona resticulata**

(G.B. II Sowerby, 1853)  
Australia, Keppel Bay  
94,5 mm




7194000007  
**Antigona somwangi**

M. Huber, 2010  
Thailand  
90,1 mm



7202000102  
**Antigona sowerbyi**


(G.P. Deshayes, 1853)  
Brunei  
67,8 mm



**synonyms:**

- Venus sowerbyi G.P. Deshayes, 1853

# Family: VENERIDAE



red squares show where each species has been georeferenced

each square has a size of 2 degrees

an interactive version of this image can be accessed at  
<http://www.bagniliggia.it/WMSD/FamilyMap/VENERIDAEmap.htm>

please note that this is not the complete coverage of this family  
the Data Base is not exhaustive and only one specimen per species has been georeferenced

this map is only the graphic summary of the WMSDB Data Base up to now

the total number of georeferenced species in this map is: 686 from a total of 877