



PHYLOGENY WITH SOURCES


This Supplement includes the phylogeny on which the phylogenetic analyses of our study are based on. Taxa shown as triangles are further subdivided on subsequent pages. The underlying sources can be found at the end of the document.




AGNATHA




ACTINOPTERYGII




CHONDROSTEI




CATOSTOMIDAE




CYPRINIDAE




LEUCISCINAE




ALBURNUS GROUP


CYPRININAE




ICTALURIDAE




COBITIDAE




CLUPEOMORPHA




SALMONIDAE




ESOCIFORMES




PARACANTHOPTERYGII



CYPRIDONTIFORMES



ATHERINIFORMES




Supplement B to Jeschke and Strayer


SCORPAENIFORMES


Cottus aleuticus
Cottus asper
Cottus asperimus
Cottus baileyi
Cottus bairdi
Cottus beldingi
Cottus caroliniae
Cottus cognatus
Cottus confusus
Cottus echinatus
Cottus extensus
Cottus ferruginosus
Cottus girardi
Cottus gobio
Cottus greenei
Cottus gulosus
Cottus hypselurus
Cottus klamathensis
Cottus leiopomus
Cottus marginatus
Cottus perplexus
Cottus petitii
Cottus pitensis
Cottus poecilopus
Cottus princeps
Cottus pygmaeus
Cottus rhotheus
Cottus ricei
Cottus tenuis
Myoxocephalus quadricornis
Myoxocephalus thompsoni

PERCIFORMES




PERCIDAE




ETHEOSTOMA SPP.


GOBIIDAE




CENTRARCHIDAE




MAMMALS




RODENTIA




SCIUROMORPHA




MYODONTA




LAGOMORPHA




ARTIODACTYLA




CARNIVORA




CHIROPTERA




INSECTIVORA




BIRDS




GALLIFORMES




ANSERIFORMES




PICIFORMES




STRIGIFORMES




COLUMBIIFORMES




GRUIFORMES




CICONIIFORMES




CHARADRIIDAE




LARIDAE




FALCONIDES




PODICIPEDIFORMES




ARDEIDAE



CICONIIDAE




PROCELLARIIDAE




Supplement B to Jeschke and Strayer


PASSERIFORMES




TYRANNIDAE




CORVIDAE




MUSCICAPIDAE




CERTHIIDAE




PARIDAE




SYLVIIDAE




PASSERIDAE



FRINGILLINAE



EMBERIZINAE



SOURCES

For the overall phylogeny and for relationships among fish, we used:

Cracraft, J.; Donoghue, M.J. (eds.). 2004. Assembling the tree of life. Oxford Univ. Press, New York.

Further references for the fish phylogeny were:

- Birstein, V.J.; Doukakis, P.; DeSalle, R. 2002. Molecular phylogeny of Acipenseridae: nonmonophyly of Scaphirhynchinae. *Copeia* 2002, 287-301.
- Crespi, B.J.; Fulton, M.J. 2004. Molecular systematics of Salmonidae: combined nuclear data yields a robust phylogeny. *Mol. Phylogenet. Evol.* 31, 658-679.
- Cunha, C.; Mesquita, N.; Dowling, T.E.; Gilles, A.; Coelho, M.M. 2002. Phylogenetic relationships of Eurasian and American cyprinids using cytochrome *b* sequences. *J. Fish Biol.* 61, 929-944.
- Doadrio, I.; Carmona, J.A. 2004. Phylogenetic relationships and biogeography of the genus *Chondrostoma* inferred from mitochondrial DNA sequences. *Mol. Phylogenet. Evol.* 33, 802-815.
- Dyer, B.S.; Chernoff, B. 1996. Phylogenetic relationships among atheriniform fishes (Teleostei: Atherinomorpha). *Zool. J. Linn. Soc.* 117, 1-69.
- Ghedotti, M.J. 2000. Phylogenetic analysis and taxonomy of the poecilioid fishes (Teleostei: Cyprinodontiformes). *Zool. J. Linn. Soc.* 130, 1-53.
- Gill, H.S.; Renaud, C.B.; Chapleau, F.; Mayden, R.L.; Potter, I.C. 2003. Phylogeny of living parasitic lampreys (Petromyzontiformes) based on morphological data. *Copeia* 2003, 687-703.
- Grande, T.; Laten, H.; Lopez, J.A. 2004. Phylogenetic relationships of extant esocid species (Teleostei: Salmoniformes) based on morphological and molecular characters. *Copeia* 2004, 743-757.
- Grose, M.J.; Wiley, E.O. 2002. Phylogenetic relationships of the *Hybopsis amblops* species group (Teleostei: Cyprinidae). *Copeia* 2002, 1092-1097.

- Hardman, M. 2004. The phylogenetic relationships among *Noturus* catfishes (Siliuriformes: Ictaluridae) as inferred from mitochondrial gene cytochrome *b* and nuclear recombination activating gene 2. *Mol. Phylogenet. Evol.* 30, 395-408.
- Hardman, M.; Page, L.M. 2003. Phylogenetic relationships among bullhead catfishes of the genus *Ameiurus* (Siliuriformes: Ictaluridae). *Copeia* 2003, 20-33.
- Harris, P.M.; Mayden, R.L. 2001. Phylogenetic relationships of major clades of Catostomidae (Teleostei: Cypriniformes) as inferred from mitochondrial SSU and LSU rDNA sequences. *Mol. Phylogenet. Evol.* 20, 225-237.
- Harris, P.M.; Mayden, R.L.; Espinosa Pérez, H.S.; de Leon, F.G. 2002. Phylogenetic relationships of *Moxostoma* and *Scartomyzon* (Catostomidae) based on mitochondrial cytochrome *b* sequence data. *J Fish Biol.* 61, 1433-1452.
- Hrbek, T.; Meyer, A. 2003. Closing of the Tethys Sea and the phylogeny of Eurasian killifishes (Cyprinodontiformes: Cyprinodontidae). *J. Evol. Biol.* 16, 17-36.
- Machordom, A.; Doadrio, I. 2001. Evolutionary history and speciation modes in the cyprinid genus *Barbus*. *Proc. R. Soc. Lond. B* 268, 1297-1306.
- Near, T.J. 2002. Phylogenetic relationships of *Percina* (Percidae: Etheostomatinae). *Copeia* 2002, 1-14.
- Near, T.J.; Bolnick, D.I.; Wainwright, P.C. 2004. Investigating phylogenetic relationships of sunfishes and black basses (Actinopterygii: Centrarchidae) using DNA sequences from mitochondrial and nuclear genes. *Mol. Phylogenet. Evol.* 32, 344-357.
- Parker, A.; Kornfield, I. 1995. Molecular perspective on evolution and zoogeography of cyprinodontid killifishes (Teleostei; Atherinomorpha). *Copeia* 1995, 8-21.
- Perdices, A.; Doadrio, I. 2001. The molecular systematics and biogeography of the European cobitids based on mitochondrial DNA sequences. *Mol. Phylogenet. Evol.* 19, 468-478.
- Perdices, A.; Doadrio, I.; Economides, P.S.; Bohlen, J.; Banarescu, P. 2003. Pleistocene effects on the European freshwater fish fauna: double origin of the cobitid genus *Sabanejewia* in the Danube basin (Osteichthyes: Cobitidae). *Mol. Phylogenet. Evol.* 26, 289-299.
- Simons, A.M. 2004. Phylogenetic relationships in the genus *Erimystax* (Actinopterygii: Cyprinidae) based on the cytochrome *b* gene. *Copeia* 2004, 351-356.

- Simons, A.M.; Berendzen, P.B.; Mayden, R.L. 2003. Molecular systematics of North American phoxinin genera (Actinopterygii: Cyprinidae) inferred from mitochondrial 12S and 16S ribosomal RNA sequences. Zool. J. Linn. Soc. 139, 63-80.
- Sloss, B.L.; Billington, N.; Burr, B.M. 2004. A molecular phylogeny of the Percidae (Teleostei, Perciformes) based on mitochondrial DNA sequence. Mol. Phylogenet. Evol. 32, 545-562.
- Turgeon, J.; Bernatchez, L. 2003. Reticulate evolution and phenotypic plasticity in North American ciscoes, *Coregonus* spp. (Teleostei: Salmonidae): implications for the conservation of an evolutionary legacy. Conservation Genetics 4, 67-81.

The phylogeny of mammals came from the PanTHERIA Project:

- Cardillo, M.; Mace, G.M.; Jones, K.E.; Bielby, J.; Bininda-Emonds, O.R.P.; Sechrest, W.; Orme, C.D.L.; Purvis, A. 2005. Multiple causes of high extinction risk in large mammal species. Science 309, 1239-1241.

The phylogeny of birds is based on:

- Cibois, A.; Pasquet, E. 1999. Molecular analysis of the phylogeny of 11 genera of the Corvidae. Ibis 141, 297-306.
- Dimcheff, D.E.; Drovetski, S.V.; Mindell, D.P. 2002. Phylogeny of Tetraoninae and other galliform birds using mitochondrial 12S and ND2 genes. Mol. Phylogenet. Evol. 24, 203-215.
- Donne-Goussé, C.; Laudet, V.; Hänni, C. 2002. A molecular phylogeny of anseriformes based on mitochondrial DNA analysis. Mol. Phylogenet. Evol. 23, 339-356.
- Heidrich, P.; Amengual, J.; Wink, M. 1998. Phylogenetic relationships in Mediterranean and North Atlantic shearwaters (Aves: Procellariidae) based on nucleotide sequences of mtDNA. Biochem. Syst. Ecol. 26, 145-170.
- Kvist, L.; Ruokonen, M.; Orell, M.; Lumme, J. 1996. Evolutionary patterns and phylogeny of tits and chickadees (genus *Parus*) based on the sequence of the mitochondrial cytochrome *b* gene. Ornis Fenn. 73, 145-156.
- Sibley, C.G.; Ahlquist, J.E. 1990. Phylogeny and classification of birds: a study in molecular evolution. Yale Univ. Press, New Haven, Connecticut.
- Sibley, C.G.; Monroe, B.L., Jr. 1990. Distribution and taxonomy of birds of the world. Yale Univ. Press, New Haven, Connecticut.