FISHERIES ADMINISTRATIVE

Tel. Nos. 929-9597, 929-8074

2

3

1

4

**BFAR** 

ORDER NO.

Series of 2019

5 6

7 8

9 10

11 12

13 14 15

17 18

16

19 20

21 22 23

24 25

26 27 28

29 30

31

32 33 34

39

40

41 42 43

> 45 46

> 44

47 48

49

REGULATION ON THE CATCHING, TRANSPORTING, SELLING AND **SUBJECT:** TRADING OF THE WILD JUVENILE GROUPERS (Serranidae).

**WHEREAS**, Grouper is one of the prime commodities in the Live Reef Food Fish Trade (LRFFT), and among the country's major fishery commodities exported which ranked 3rd most exported in terms quantity (MT) in 2014-2016 next to tuna and seaweeds products (Fisheries Profile);

WHEREAS, catching of small groupers is widespread that causes growth overfishing and resulting to reduced potential yield from the fishery and decreased economic and other benefits that could be obtained from the stock;

**WHEREAS**, there are reported 26 species of groupers in the Philippines, 5 species are native in the country and are listed as Vulnerable in the List of Threatened Fishes reported from the Philippines (fishbase.org); 6 are vulnerable & nearly threatened (IUCN);

WHEREAS, Palawan Council for Sustainable Development (PCSD) has already regulated the catching of "Suno" or Red Groupers in the Province of Palawan based on the best available science locally, imposing size limitations of 32cm to 47.5cm (TL);

**WHEREAS**, section 15 of Amended Fisheries Law requires auxiliary invoice from LGUs in transporting fishery products from the point of origin to their point of destination and/or export purposes:

WHEREAS, Rule 86.2 of the Implementing Rules and Regulations of RA 8550 as amended by RA 10654 is the basis of the rule which determined the fishing gears that are allowed in the municipal waters;

**WHEREAS**, the current grouper hatcheries cannot fully supply the need for seed stocks of various species for Aquaculture. Further, BFAR, Academe and other related institutions need to sufficiently support the needs of grouper fry by the aquaculture in the country and conduct further research/studies that would determine the reproductive seasonality in all areas;

NOW THEREFORE, the following provisions of this Order are hereby adopted and implemented:

## **SECTION 1. Definition of Terms**

1) **Grouper** – locally known as *lapu-lapu*, is a fish species belonging to a number of genera in the subfamily *Epinephelinae* of the family *Serranidae*, in the order *Perciformes*;

2) **Growth overfishing** - is a form of biological overfishing where fish are caught when they immature or are harvested before their growth potential is fully reached that prevents the fishery to produce its maximum yield.

3) **Length at first maturity (L\_m/L\_{50})** - length at maturity, defined as minimal size attained at maturity or the size at which 50% of the fish at that size are mature

4) **Juvenile grouper** – size of the species that is less than the Length at first maturity (Lm/L50).

5) **Total Length (TL)** - is the length of a fish measured from the tip of the snout to the tip of the longer lobe of the caudal fin, usually measured with the lobes compressed along the midline. It is a straight-line measure, not measured over the curve of the body.

**SECTION 2. Prohibition.** It shall be unlawful for any person, association, cooperative, partnership or corporation to catch, transport, trade and sell juvenile groupers from the wild measuring less than the Total Length at first maturity (Lm) as prescribed in Table 1 of this Order;

Further, it shall be unlawful for any person, association, cooperative, partnership or corporation to catch, transport, sell and trade species listed under CITES under Appendix 3 (check spp.).

Furthermore, the exportation of breeders, spawners, eggs or fry is prohibited as per provision of Section 104 of the Amended Fisheries Law.

 **SECTION 3. Exemption.** Aside from those listed in CITES appendix 3, the collection, transport, selling and trading of juvenile grouper from wild are allowed under following conditions, pending the development of grouper hatcheries to suffice the need for aquaculture and the conduct of reproductive biological studies to determine specific allowable lengths for species in key fishing areas:

 a. Collection of juvenile groupers for local aquaculture purposes is allowed, provided that the collectors should be registered/licensed/permitted and certified by the Local Government Unit. Further, their transport and trading for aquaculture purposes should be accompanied by Local Transport Permit. Furthermore, the LGU through MAO/CAO in consultation with the Fisheries and Aquatic Resources Management Council shall maintain a Registry of consolidators, gatherers, buyers and traders pursuant to Rule 19.1 and 19.3 of Amended Fisheries Code.

b. Collection of juvenile grouper for research and academic purposes is allowed

| 99         | provided Permits to Conduct Research are secured in compliance with the   |
|------------|---|
| 100<br>101 | Fisheries Administrative Order No. 233 Series of 2010. The Secretary of Agriculture through the BFAR Director may grant an exemption or special                               |
| 101        | permit to collect grouper juveniles and fry to support the development of   |
| 102        | grouper hatchery technology.  |
| 103        | grouper natchery technology.  |
| 105        | c. Catching and trading of "suno" or red grouper (Plectropomus leopardus) as per  |
| 106        | passage of Resolutions to sustainably managed grouper stocks in Palawan   |
| 107        | Province by PCSD which have size limit not less than 32 to 47.5 centimeters (TL).   |
| 108        |   |
| 109        | d. Transporting, selling and trading of hatchery-bred or captive-bred grouper fry   |
| 110        | are allowed.  |
| 111        |   |
| 112        |   |
| 113        | <b>SECTION 4. Penal Clause.</b> Violation of this Order shall subject the offender to a fine of   |
| 114        | One hundred thousand pesos (P100,000.00) to Five million pesos (P5,000,000.00),   |
| 115        | depending on the socioeconomic impact and seriousness of the violation, volume and  |
| 116        | value of the fisheries product, damage to the environment due to the violation, and the   |
| 117        | habituality of the offender, in accordance with Sec 128 of the amended Fisheries Law,   |
| 118        | In case of amountation of broaders analymous ages or far the offender shall be numiched   |
| 119<br>120 | In case of exportation of breeders, spawners, eggs or fry, the offender shall be punished, upon conviction by a court of law, of eight (8) to ten (10) years imprisonment, in |
| 120        | accordance with Section 104 of the Amended Fisheries Law.   |
| 121        | accordance with Section 104 of the Amended Fisheries Law.   |
| 123        | SECTION 5. Repealing clause. All Orders, rules and regulations inconsistent with this   |
| 124        | Order shall be deemed revoked.  |
| 125        | order shair be decimed revolution   |
| 126        | Section 6. Separability clause. If any portion or provision of this Order is declared   |
| 127        | unconstitutional or invalid, the other sections or provisions thereof which are not   |
| 128        | affected thereby shall continue to be in full force and effect.   |
| 129        |   |
| 130        | SECTION 7. Effectivity. This Order shall fake effect fifteen (15) days after its  |
| 131        | publication in the official gazette and/or in two (2) newspapers of general circulation.  |
| 132        |   |
| 133        | Issued this day of, 2019 at Quezon City, Metro Manila, Philippines  |
| 134        |   |
| 135<br>136 | December ding Approvals   |
| 130<br>137 | Recommending Approval:  |
| 138        |   |
| 139        | EDUARDO B. GONGONA  |
| 140        | Undersecretary of Fisheries, DA   |
| 141        | Director, Bureau of Fisheries & Aquatic Resources   |
| 142        |   |
| 143        | Approved:   |
| 144        |   |
| 145        | EMMANUEL F. PIÑOL   |
| 146        | Secretary   |
| 147        | Department of Agriculture   |
|            |   |

**Table 1.** List of Grouper species and their corresponding Total Length at first maturity (Lm)

|   | bic 1. hist of drouper species | Species                    | Common<br>Name      | Local name  | Maturity size (TL) | Max<br>Length<br>(TL) | Reference                        |
|---|--------------------------------|----------------------------|---------------------|---|--------------------|-----------------------|----------------------------------|
| 1 | Actbulopera roga               | Aethaloperca<br>rogaa      | Redmouth<br>Grouper | Kubing. Lapu-lapung itim  | 34 cm              | 60 cm                 | ID Guide (Live<br>Seafood Trade) |
| 2 | Ceptulopholis minisin          | Cephalopholis<br>miniata   | Coral Hind          | Bantol. Baraka. Batu-bato, Iner, Inid, Kakab, Kaltang, Kiting, Kubing, Kugtong (Iarge), Kulapo, Kurapu, Labunga. Lapu-lapu, Lapu-<br>lapung senora, Liglig, Lilug, Lubo, Mambo (small),Salingukod, Singapo, Subia, Takulit, Tapog | 26 cm              | 45 cm                 | ID Guide (Live<br>Seafood Trade) |
| 3 | Cephalopholis polleni          | Cephalopholis<br>polleni   | Harlequin<br>Hind   | Lapu-lapu   | 25 cm              | 43 cm                 | ID Guide (Live<br>Seafood Trade) |
| 4 | Cephalopholis sonnerati        | Cephalopholis<br>sonnerati | Tomato Hind         | Lapu-lapu, Uhami  | 33 cm              | 57 cm                 | ID Guide (Live<br>Seafood Trade) |

|   |                       | Species   | Common<br>Name       | Local name   | Maturity size (TL) | Max<br>Length<br>(TL) | Reference                                     |
|---|-----------------------|---|----------------------|--|--------------------|-----------------------|---|
| 5 | Cephalopholis un      | Cephalopholis<br>urodeta                        | Darkfin Hind         | Lapu-lapu. Suno. Vahatan   | 17 cm              | 28 cm                 | ID Guide (Live<br>Seafood Trade)              |
| 6 | Cephatophotis bos     | Cephalopholis b<br>oenak<br>Dominant in<br>Reg7 | Chocolate<br>hind    | Baraka, Dalor, Inid, Kulapo<br>bugog,Kurapu, Lapu-lapu,<br>Liglag, Mantis, Pugawo,<br>Tingag   | 12.2 cm            | 30 cm                 | Fishbase                                      |
| 7 | Crontleptes alti      | Cromilepfes<br>altivelis                        | Humpback<br>Grouper  | Badiangon. Bulgan. Inid.<br>Kaltang, Kambabalo.<br>Kubing. Kulapo.<br>Kulapo kubing., Lapu-lapu,<br>senorita,Liglig,<br>Mantis. Mero-mero.<br>Milo-milo. Miro-miro | 39 cm              | 70 cm                 | Fishbase, ID<br>Guide (Live<br>Seafood Trade) |
| 8 | Ephrephelus fasciatus | Epinephelus<br>fasciatus                        | Blacktip<br>Grouper  | Bantol. Baraka, Batu-bato,<br>Bulang, Iner, Inid, Kabab,<br>Kaltang, Kiting, Kugton,<br>Kulapo, Kurapu, Labunga  | 24 cm              | 40 cm                 | ID Guide (Live<br>Seafood Trade)              |
| 9 | phiephelus akuara     | Epinephelus<br>akaa                             | Hong Kong<br>Grouper | Lapu-lapu  | 30 cm              | 51 cm                 | ID Guide (Live<br>Seafood Trade)              |

|    |                         | Species                     | Common<br>Name           | Local name   | Maturity size (TL) | Max<br>Length<br>(TL) | Reference                                     |
|----|-------------------------|-----------------------------|--------------------------|--|--------------------|-----------------------|---|
| 10 | Epinephelus arcolatus   | Epinephelus<br>areolatus    | Areolate<br>Grouper      | Baraka, Bulang, Inid, Kurapu,<br>Lapu-lapu, Lapu-lapung<br>aswang, Sebog<br>Suno, Tingag, Pugapong Tiger | 20cm<br>23 cm      | 47 cm                 | Fishbase, ID<br>Guide (Live<br>Seafood Trade) |
| 11 | Epinephelus awoaru      | Epinephelus<br>awoara       | Yellow<br>Grouper        | Lapu-lapu  | 34 cm              | 60 cm                 | ID Guide (Live<br>Seafood Trade)              |
| 13 | Epinephelus bloekeri    | Epinephelus<br>bleekeri     | Duskytail<br>Grouper     | Baraka. Bulang, Inid. Kulapo.<br>Kurapu. Lapu-lapu, Liglig,<br>Mantis, Pugapo, Tingag                    | 36 cm<br>42 cm     | 76 cm                 | Fishbase, ID<br>Guide (Live<br>Seafood Trade) |
| 14 | 1 pricepoet us braneis  | Epinephelus<br>bruneus      | Longtooth<br>Grouper     | Lapu-lapu  | 54 cm              | 100 cm                | ID Guide (Live<br>Seafood Trade)              |
| 15 | Threphelus ehlorostigna | Epinephelus<br>chlorostigma | Brownspotte<br>d Grouper | Baraka, Bulang, Inid.<br>Kubing. Kurapu. Lapu-lapu.<br>Liglig, Mantis. Pugapo                            | 28cm<br>35 cm      | 75 cm<br>80 cm        | Fishbase, ID<br>Guide (Live<br>Seafood Trade) |
|    |                         |                             |                          |  |                    |                       |   |

|    |                            | Species                       | Common<br>Name                 | Local name  | Maturity size (TL) | Max<br>Length<br>(TL) | Reference                        |
|----|----------------------------|-------------------------------|--------------------------------|---|--------------------|-----------------------|----------------------------------|
| 16 | Fitnephelus coloides       | Epinephelus<br>coioides       | Orange-<br>spotted<br>Grouper  | Lapu-lapu, Loba, Pugapo,<br>Pugnon  | 49 cm              | 120 cm                | ID Guide (Live<br>Seafood Trade) |
| 17 | Epinephelus corallicola    | Epinephelus<br>corallicola    | Coral Grouper                  | Bantol, Mambo(small),<br>Maskad, Matkad, Patikan,<br>Pugao, Pugapo,<br>salingukod, Wakwakon,<br>Tapog, Lapu-lapu            | 29 cm              | 49 cm                 | ID Guide (Live<br>Seafood Trade) |
| 18 | Pahodomp zalodomid         | Epinephelus<br>cyanopodus     | Speckled Blue<br>Grouper       | Kobe, Lapu-lapu   | 64 cm              | 122 cm                | ID Guide (Live<br>Seafood Trade) |
| 19 | Epinephelis flavocaeruleus | Epinephelus<br>flavocaeruleus | Blue-and-<br>yellow<br>Grouper | Lapu-lapu   | 49 cm              | 90 cm                 | ID Guide (Live<br>Seafood Trade) |
| 20 | Epinephelus fuscognitutus  | Epinephelus<br>fuscoguttatus  | Brown<br>Marbled<br>Grouper    | Baraka. Bulang. Garopa.<br>Garupa, Inid' Kulapo'<br>Kulapu bagahak' Kurnpu.<br>Lapo-lapo 、Lapu-lap II.<br>Lapu lapu aswang. | 50 cm              | 120 cm                | ID Guide (Live<br>Seafood Trade) |

|    |                           | Species                      | Common<br>Name         | Local name   | Maturity size (TL) | Max<br>Length<br>(TL) | Reference                        |
|----|---------------------------|------------------------------|------------------------|--|--------------------|-----------------------|----------------------------------|
| 21 | Epinophelus boulandi      | Epinephelus<br>howlandi      | Blacksaddle<br>Grouper | Lapu-Iapu. Tumuvutuvo                                  | 24 cm              | 40 cm                 | ID Guide (Live<br>Seafood Trade) |
| 22 | Epinephelus lanceolatus   | Epinephelus<br>lanceolatus   | Giant Grouper          | Bulang, Kugtong, Kurapu,<br>Lapu-lapu                  | 129 cm             | 270 cm                | ID Guide (Live<br>Seafood Trade) |
| 23 | Epinopholus Intifasciatus | Epinephelus<br>latifasciatus | Striped<br>Grouper     | Lapu-lapu  | 86 cm              | 171 cm                | ID Guide (Live<br>Seafood Trade) |
| 24 | Epinopholus miculatus     | Epinephelus<br>maculatus     | Highfin<br>Grouper     | Bantulon, Baraka, Bulang,<br>Kurapu, Lapu-lapu, Pugapo | 35 cm              | 61 cm                 | ID Guide (Live<br>Seafood Trade) |
|    | Epinepholus trimaculatus  | Epinephelus<br>trimaculatus  | Threespot<br>Grouper   | Bulang, Kurapu, Lapu-lapu,<br>Pugapo                   | 29 cm              | 49 cm                 | ID Guide (Live<br>Seafood Trade) |
|    |                           |                              |                        |  |                    |                       |                                  |

|    |                           | Species                      | Common<br>Name        | Local name  | Maturity size (TL) | Max<br>Length<br>(TL) | Reference                        |
|----|---------------------------|------------------------------|-----------------------|---|--------------------|-----------------------|----------------------------------|
| 25 | Thinephelus merra         | Epinephelus<br>merra         | Honeycomb<br>Grouper  | Takulit, Taleti-on, Tapog,<br>Subia, Singapo, Maskad,<br>Matkad,Lapu-lapung liglig,<br>Lilug, Kugtong, Kiting, Iner,<br>Inid, Baghak, Bantol,<br>Bantulon, Baraka | 11cm               | 32 cm                 | Fishbase                         |
| 26 | Phinephelus polyphekadlen | Epinephelus<br>polyphekadion | Camouflage<br>Grouper | Lapu-lapu. Tingag   | 58 cm              | 109 cm                | ID Guide (Live<br>Seafood Trade) |
| 27 | Principlelus quoyanus     | Epinephelus<br>quoyanus      | Longfin<br>Grouper    | Baghak, Baraka, Bulang,<br>Gayot, Kurapu, Langogan,<br>Lapu-dianing, Lapu-lapu<br>mennirip  | 24 cm              | 40 cm                 | ID Guide (Live<br>Seafood Trade) |
| 28 | Epinephelus spiloioceps   | Epinephelus<br>spilotoceps   | Foursaddle<br>Grouper | Lapu-lapu   | 19 cm              | 31 cm                 | ID Guide (Live<br>Seafood Trade) |
| 29 | Epinephelus iukula        | Epinephelus<br>tukula        | Potato<br>Grouper     | lnid orig. Lapu-lapu  | 99 cm              | 200 cm                | ID Guide (Live<br>Seafood Trade) |
|    |                           |                              |                       |   |                    |                       |                                  |

|    |                         | Species                     | Common<br>Name        | Local name  | Maturity size (TL)              | Max<br>Length<br>(TL) | Reference                               |
|----|-------------------------|-----------------------------|-----------------------|---|---------------------------------|-----------------------|---|
| 30 | Eptrophelus undulosus   | Epinephelus<br>undulosus    | Wavy-lined<br>Grouper | Abo-aboʻ Baraka. Bulalw.<br>BlIluan. Kulapo abu,<br>Kurapu. Mantisʻ Pugapo.<br>Pugaro. Puol. Tingag | 41 cm                           | 73 cm                 | ID Guide (Live<br>Seafood Trade)        |
| 31 |                         | Epinephelus an<br>dersoni   | Catface<br>grouper    |   | 49.2 cm                         | 87 cm                 | Fishbase                                |
| 32 |                         | Epinephelus he<br>xagonatus | Starspotted grouper   |   | 19 cm                           | 27.5 cm               | Fishbase                                |
| 33 | Epinephelus malaburicus | Epinephelus m<br>alabaricus | Malabar<br>grouper    | Anid, Baraka, Bulang, Inid,<br>Kubing, Kurapu, Lapu-lapu,<br>Mantis, Pugapo                         | Female: 64<br>cm<br>Male: 82 cm | 234 cm                | Fishbase                                |
| 34 | Introphetus Iauvina     | Epinephelus ta<br>uvina     | Greasy<br>grouper     | Baraka, Bulang, Kugtong,<br>Kulapo, Kurapo, Lapu-lapu,<br>Pugaro, Tingag                            | 61.1 cm                         | 100-107<br>cm         | Fishbase  ID Guide (Live Seafood Trade) |
|    |                         |                             |                       |   |                                 |                       |   |

|    |                           | Species                      | Common<br>Name               | Local name  | Maturity size (TL)              | Max<br>Length<br>(TL) | Reference                        |
|----|---------------------------|------------------------------|------------------------------|---|---------------------------------|-----------------------|----------------------------------|
| 35 | Plectropanus arealatus    | Plectropomus<br>areolatus    | Squaretail<br>Coralgrouper   | Baraka, Lapu-lapu.<br>Lilog, Suno   | 41 cm                           | 73 cm                 | ID Guide (Live<br>Seafood Trade) |
| 36 | Plectropomus Invets       | Plectropomus<br>laevis       | Blacksaddled<br>Coralgrouper |   | 60 cm                           | 115 cm                | ID Guide (Live<br>Seafood Trade) |
| 37 | Plectropomus oligacanibus | Plectropomus<br>oligacanthus | Highfin<br>Coralgrouper      | Baghak, Baghak-pula, Baraka,<br>Bulang, Kurapu, Lapu-lapu,<br>Pugapong Tiger Suno   | 42 cm                           | 75 cm                 | ID Guide (Live<br>Seafood Trade  |
| 38 | Processo James Respardits | Plectropomus<br>leopardus    | Leopard<br>Coralgrouper      | Bulang, Kurapu . Lapu-lapu.<br>Red lapu.Sono. Suno Valenten   | Male: 42 cm<br>Female: 36<br>cm | 120 cm                | ID Guide (Live<br>Seafood Trade) |
| 39 | Plectropumus maculatus    | Plectropomus<br>maculatus    | Spotted<br>Coralgrouper      | Baghak. Bantol,<br>Kakab, Kaltang, Kugtong<br>(large)<br>Labunga, Lapu-lapu,<br>Lubo, Mambo, Maskad.<br>Matka, Pugao, Pugapo,<br>Salingukod. Tapog, Takulil | 54 cm                           | 100 cm                | ID Guide (Live<br>Seafood Trade) |

|    |                           | Species                      | Common<br>Name           | Local name  | Maturity size (TL) | Max<br>Length<br>(TL) | Reference                        |
|----|---------------------------|------------------------------|--------------------------|---|--------------------|-----------------------|----------------------------------|
| 40 | Plectropomus pessultjerus | Plectropomus<br>pessuliferus | Roving<br>Coralgrouper   | Lapu-lapu   | 63 cm              | 120 cm                | ID Guide (Live<br>Seafood Trade) |
| 41 | Variota touti             | Variola louti                | Yellow-edged<br>Lyretail | Banghak, Inid, Lulapo, Sunoh<br>Kurapu. Lapu-lapu.<br>Lapu-lapung senorita, Mantis,<br>Pugapong gamay, Rana, Suno<br>lawian, valenten | 41 cm              | 81 cm                 | ID Guide (Live<br>Seafood Trade) |
| 42 | Variota albimarginata     | Variola<br>albimarginata     | White-edged<br>Lyretail  | Bulantin. Kaying,<br>Lapu-lapung senorita,<br>Sunolawian. Valenten  | 34 cm              | 60 cm                 | ID Guide (Live<br>Seafood Trade) |




Figure 1. Diagram for the measurement of Total Length for Fish