COMMERCIAL EQUIPMENT

Issue #6 - 2023/24 Pricing effective from 01/10/23

Call: 01264 333777

Email: sales@bluebadger.co.uk

Website: www.bluebadger.co.uk

INTRODUCTION

Our Commercial Range

Our carefully selected portfolio contains not only the market leading Commercial brands that you would expect, it also features lesser known brands that meet our ethos for quality and performance. We are proud of the manufacturers that we work closely with, carefully selecting the equipment to ensure reliability, build quality and most importantly the correct price point for you.

Why Choose Commercial?

Commercial equipment is designed and tested for its purpose. Commercial ensures reliability and consistent performance reducing the risk of break downs which can create a nuisance in the middle of a busy service. The build quality is harder wearing and capable of the usage it's designed for. To achieve a commercial status, the equipment is tested in many different environments and in many ways. This gives the quarantee that it will do what it is meant to do.

We are also very aware of the carbon footprint that our equipment has. Lighter duty, cheaper options have a shorter lifespan and so add to the ever-growing problem of waste disposal. We encourage our customers to invest in their equipment, allowing them to have confidence in the equipment as well as doing their bit for the environment too.

Warranty

All products come with a manufacturer's warranty. This will either be a Parts Only or a Parts & Labour Warranty and will be clearly marked per unit.

Parts Only Warranty: Replacement Parts will be provided but the labour cost of the engineer will not.

Parts & Labour Warranty: All costs are covered by the manufacturer (exclusions will always apply).

We are able to offer Parts & Labour Warranty for all products in this brochure but additional charges will apply to those that come with a manufacturer's Parts Only Warranty as standard.









CONTENTS

69-70

71-73

73-74

74

76-78

78

79

79

79

81

81

82

82

82-83

83-85

85-86

86

86

88

88

88

88-89

89

89

91

91-92

92

92

92-93

93

93

STORAGE REFRIGERATION WAREWASHING **Chest Freezers** 6-7 Glasswashers 7-9 Undercounter Fridges & Freezers Dishwashers Upright Fridges & Freezers 9-13 Passthrough Dishwashers **Baker Cabinets** Conveyor Dishwashers 13 Gastronorm Cabinets 13-21 **BEVERAGE EQUIPMENT** Fish Storage Cabinets 22 Ice Makers & Crushers **Undermounted Counters** 22-23 Ice & Water Dispensers Gastronorm Counters 23-27 Slush & Sorbet Machines Pizza Preparation Counters 27-29 Drink Mixers & Dispensers Saladette Counters 29-30 Coffee Grinders & Machines Chef Bases 30 Topping Wells 30-31 COOKING **Blast Chillers** 31-32 Counter-Top & Standing Fryers Coldrooms 32-34 Pasta Cookers Crepe & Pancake Makers **DISPLAY REFRIGERATION** Contact & Salamander Grills **Bottle Coolers** 36-43 Chargrills & Griddles 43 Keg Coolers & Bottle Dumps Ovens & Hobs Upright Display Chillers & Freezers 44-46 Electric & Gas Pizza Ovens Wine Coolers & Cabinets 46-47 Commercial Microwaves **Glass Frosters** 47 Slot & Conveyor Toasters Display Chest Freezers 48 **Display Cabinets** 48-49 **FOOD PREPARATION** Refrigerated Islands 49 Stick Blenders & Attachments Serveover Counters 50-52 Planetary & Whisk Mixers Patisserie Counters 53 Vegetable Prep Machines Refrigerated Wells 53-54 **Gravity Feed Slicers** Multidecks 54-56 Meat Mincers Cheese Graters & Cutters **MEDICAL APPLIANCES** Low Temperature Chest Freezers 58 **SERVERY & HOT DISPLAY** 58 Pharmacy Fridges Banqueting Trolleys Laboratory Fridges & Freezers 59 Hot Cupboards & Drawers Medical Dishwashers 59 **Carvery Stations COMMERCIAL LAUNDRY** Hot Tops Top Loading Washers & Dryers 61 Dry Heat Bain Maries Front Loading Washers & Dryers 62-67 Heated & Ambient Displays Rotary Ironers & Steam Systems 67 Heated Plate Dispensers

STERLING PRO

Where quality and value meet! With all the features you would expect from a premium brand quality product, Sterling Pro offers the discerning caterer the best of both, while rapidly becoming the refrigeration engineer's choice.

Whirlpool

A globally recognised brand whose commercial portfolio includes laundry, ice makers and refrigeration. Delivering their efficient 6th Sense Technology together with energy efficient designs, energy bills are kept to a minimum.

VESTFR#ST

Established in 1963, Vestfrost have grown to become one of the leading manufacturers of storage refrigeration. From chest freezers to uprights, wine display to medical storage, Vestfrost's cabinets offer excellent reliability backed up with an amazing 3 Year Parts and Labour warranty.



Manufactured in Germany, the Ecomax range of catering equipment, dish and glasswashers, together with the Ecomax Plus models, offer the quality and reliability users would expect from Hobart, at a great price.

105N

Atosa Catering Equipment is a leading hightech manufacturer that encompasses scientific research, design, innovation in sales of commercial refrigeration. Leading the way in Climate Class, energy consumption and full stainless-steel construction.



Adler is a high quality manufacturer of glass and dishwashers. Established in 1960 in Italy, Adler has over 250,000 machines in service around the world and this depth of knowledge means they produce reliable and functional products.

autonumis

Established in 1962 Autonumis are a privately owned light engineering company supplying refrigerated display cabinets, chilled drinks dispensers and vending equipment to major brand owners, distributors and end users.

CORECO

Based in Spain, Coreco offers a comprehensive range of refrigeration solutions. With a focus on innovation, quality, and efficiency, Coreco products provide reliable cooling and storage solutions for various industries.



DC offers a range of cutting-edge warewashing solutions for commercial applications. Their products are designed to provide efficient and thorough cleaning of dishes, glassware, and utensils, while ensuring optimal hygiene.

Diamond

European manufactured quality products at competitive prices, ranging from display refrigeration through to blast-chillers, food prep to cooking. Only the best products get the Diamond seal of approval.

W Flcold,

Exceptionally high quality chest freezers made using high quality components in their factory in Denmark. With over 40 years of experience in refrigeration production, the Elcold range includes some of the largest chest freezers available.



Electrolux is a leading brand in the laundry industry, offering a comprehensive range of washing machines, dryers, and ironers designed for commercial use. Their equipment is known for its durability, advanced features, and user-friendly design, ensuring optimal performance.



In its 65 year history, Fama has built up a strong reputation as one of the top manufacturers of food prep and cooking equipment in Europe. Their range includes stick blenders, gravity slicers, meat mincers, cheese graters, veg prep machines and conveyor toasters.

FOSTER

With over 70 years of expertise, Foster are at the cutting edge of refrigeration design. Their storage cabinets offer all the latest innovations and environmentally friendly options the commercial caterer could need.



Gamko is a leading manufacturer and supplier of professional drinks refrigeration for the bar, leisure and catering industries. Established in 1958 and sporting over 60 years of drinks cooling expertise, providing a flexible product range.

GRAM

Our Gram refrigeration units are engineered to perform in demanding environments, giving you peace of mind. With a smart interior and exterior design, our cabinets and counters offer quality cooling for your fresh produce.

HOSHIZAKI

Hoshizaki is a leading manufacturer of commercial kitchen and food service equipment. Their ice makers are designed with hygiene as a priority. Each ice cycle is made with fresh water, ensuring only the highest quality of ice. Its recognized for its precise shape, clarity and slow dilution.

Ice-A-cool

Cool, quality, cost effective refrigeration. Ice-A-cool is a new brand by Atosa for their green range of upright refrigeration, counters, preparation and display refrigeration units.

*****LABCOLD

A leading specialist manufacturer and supplier of medical and laboratory refrigerators and freezers. Labcold refrigerators and freezers have developed a reputation for being safe, secure and reliable.



Offering a range of pharmacy, ward and laboratory refrigeration - Lec Medical has been a key provider of medical refrigeration for over 70 years, utilising extensive industry knowledge to create innovative and exceptionally high quality appliances.

LIEBHERR

Family run since 1954, Liebherr brings exceptional German design combined with robust Austrian build quality. Reliable, energy efficient and cost effective refrigerated storage solutions that will last.



Established in Greece, 1965, Masterfrost has been producing professional ice makers for over 50 years - focusing purely on quality, efficiency, affordability and low running costs.

Miele

Miele Professional appliances are produced in their very own expert centres in Germany and Europe. Offering great value, the Miele laundry and dishwasher range offers customers long service life, low consumption of water and energy, and quick and reliable work processes.

MOFFAT

Commitment to quality and innovation has made E&R Moffat one of the UK's leading catering equipment manufacturers, producing food displays, servery counters, backbar and kitchen equipment.

Crodis

Prodis embody their philosophy of "Economy Without Compromise", delivering high quality equipment without having to compromise on the quality, reliabilty or features. Their range features both storage and display refrigeration units.

SAMSUNG

Samsung follows a simple business philosophy: to devote it's talent and technology to creating superior products and services that contribute to a better global society. To achieve this, Samsung sets a high value on its people and technologies. Their range varies from commercial washers and dryes to heavy-duty microwaves.

Scotsman

For over 50 years Scotsman has been one of the world's leading manufacturers of ice machines. Today the brand offers hundreds of model variations, producing more different types of ice than any other manufacturer.



The Purever range of coldrooms offers quality at a great price. With multiple sizing options available in both chillers and freezers, these rooms are an excellent choice.





STORAGE REFRIGERATION

Commercial storage refrigeration is essential for businesses in the food industry to safely store and preserve perishable goods at low temperatures. It ensures that food remains fresh, maintains quality, and extends its shelf life.

We offer a wide range of commercial storage refrigeration solutions to cater to various needs and preferences. Our stock includes:

Chest Freezers: These are spacious and suitable for storing large quantities of frozen food. They are commonly used in restaurants, supermarkets, and convenience stores.

Undercounter Fridges & Freezers: Compact and space-saving, these units fit underneath countertops, making them ideal for establishments with limited space. They are commonly used in bars, cafés, and small kitchens.

Upright Fridges & Freezers: These tall, vertical units provide ample storage space and easy access to stored items. They are commonly used in commercial kitchens, supermarkets, and foodservice establishments.

Gastronorm Cabinets: Designed to accommodate gastronorm-sized containers, these cabinets are versatile and suitable for storing a variety of food items. They are widely used in restaurants, hotels, and catering services.

Fish Storage Cabinets: Specifically designed to meet the unique requirements of storing fish, these

cabinets provide a controlled environment with precise temperature and humidity settings.

Gastronorm Counters: These refrigerated counters combine storage space with a work surface, making them convenient for food preparation in commercial kitchens and foodservice settings.

Pizza Preparation Counters: These counters have a refrigerated topping unit, allowing pizza makers to store ingredients conveniently while assembling pizzas. They are commonly used in pizzerias and restaurants.

Saladette Counters: Designed for salad and sandwich preparation, these counters have a refrigerated topping well and storage space for ingredients, ensuring freshness and easy access during food preparation.

Topping Wells: These small refrigerated units are perfect for storing toppings and condiments, such as sauces, dressings, and garnishes. They are commonly used in fast-food restaurants and salad bars.

Blast Chillers: These rapid chilling units quickly lower the temperature of hot food to prevent bacterial growth and maintain food quality. They are crucial for food safety in commercial kitchens.

Coldrooms: These large-scale storage facilities offer a significant amount of space to store a variety of perishable items, making them suitable for businesses with high storage demands, such as supermarkets and food distribution centres.

2

Years Parts & Labour

2-3 Working Days Delivery

STERLING PRO VESTFR@ST

STERLING PRO MULTI-PURPOSE CHEST FREEZERS

- Refrigerant: R600a
- Power supply: 13 amp plug
- White exterior finish
- Embossed aluminium interior
- 60mm thick insulation
- Digital temperature display
- Max ambient: 43°C
- Castors make models perfect for outdoor serving - including cans and bottles (x2 with breaks/x2 without)*





Fridge mode: +4°C to +6°C

Perfect for standard food and drink storage - including cans & bottles



Chiller mode: -1°C to +1°C

Perfect for meat storage hanger included for hung meat



-18°C to -24°C

The factory set default for this range performs as a traditional chest freezer



Model	Lid Finish	Capa Gross	acity / Nett	Temperature Modes	Fridge Mode Temperature	Chiller Mode Temperature	Freezer Mode Temperature	Energy Rating	Daily Energy Consumption	Baskets		nsions Depth /		Price
SPC300	White	305L	295L	x2	N/A	-1°C to +1°C	-18°C to -24°C	F	0.79 kWh/24hr	x1	1041	743	840	£798
SPC465	White	469L	459L	x3	+4°C to +6°C	-1°C to +1°C	-18℃ to -24℃	С	0.959 kWh/24hr	x2	1492	743	840	£938
SPC465SS	S/Steel	469L	459L	x3	+4°C to +6°C	-1°C to +1°C	-18°C to -24°C	С	0.959 kWh/24hr	x2	1492	743	840	£998
SPC570	White	572L	561L	x3	+4°C to +6°C	-1°C to +1°C	-18°C to -24°C	С	1.1 kWh/24hr	x3	1775	743	840	£1,098
SPC570SS	S/Steel	572L	561L	x3	+4°C to +6°C	-1°C to +1°C	-18°C to -24°C	С	1.1 kWh/24hr	x3	1775	743	840	£1,198



VESTFROST SE SERIES CHEST FREEZERS



- Refrigerant: R600a
- Power supply: 13 amp plug
- 100mm thick insulation
- Digital temperature display
- Counter-balanced lid
- Handle with lock security

Model	Capa Gross /		Temperature		nsions Depth/		Energy Rating	Price
SE 255	247L	8.7	-18°C to -24°C	1260	695	850	E	£970
SE 325	323L	11.4	-18°C to -24°C	1560	695	850	E	£1,038

VESTFROST SMALL CHEST FREEZER



- Refrigerant: R600a
- Power supply: 13 amp plug
- LCD temperature display
- Counter-balanced lid
- Handle with lock security
- Manual defrost
- Cooling type: Static
- Number of baskets: x1

Model	Capa Gross		Temperature		nsions Depth /		Energy Rating	Price
AB201	187L	191	-17°C to -24°C	720	695	850	В	£598

VESTFROST ICE CREAM CHEST FREEZERS

- Refrigerant: R600a
- Power supply: 13 amp plug
- Pre painted galvanised cabinet
- 50mm insulation
- Number of baskets: x2
- Counter-balanced lid
- LCD temperature display
- Internal lighting
- Suitable for use in garages and outbuildings
- Manufactured in Denmark

3
-0=1



Years Parts & Labour
2-3 Working Days Delivery

Model	Lid Colour	Capa Gross	city CUFT	Temperature		nsions Depth /		Price
SZ248-WH	White	256L	9.0	-17°C to -24°C	920	695	850	£878
SZ248-STS	S/Steel	256L	9.0	-17°C to -24°C	920	695	850	£938
SZ362-WH	White	373L	13.2	-17°C to -24°C	1260	695	850	£938

Model	Lid Colour	Capa Gross	city / CUFT	Temperature		nsions Depth /		Price
SZ362-STS	S/Steel	373L	13.2	-17°C to -24°C	1260	695	850	£998
SZ464-WH	White	476L	15.8	-17°C to -24°C	1560	695	850	£1,018
SZ464-STS	S/Steel	476L	15.8	-17°C to -24°C	1560	695	850	£1,078

PRODIS UNDERCOUNTER FRIDGES



- Refrigerant: R290a
- Power supply: 13 amp plug
- Heavy duty door handle
- Digital controller
- White food safe ABS interior
- Lockable & reversible door
- Fan assisted cooling
- Automatic defrost

Model	Finish	Gross Capacity	Temperature	Dime Width	nsions Depth	(mm) ' Height	Energy Rating	Price
HC210R	White	121L	+2°C to +10°C	600	620	850	В	£715
HC210RSS	S/Steel	121L	+2°C to +10°C	600	620	850	В	£748

PRODIS UNDERCOUNTER FREEZERS



- Refrigerant: R290
- Power supply: 13 amp plug
- Heavy duty door handle
- Digital controller
- White food safe ABS interior
- Lockable & reversible door
- Static cooling system
- Manual defrost

Model	Finish	Gross Capacity	Temperature		ensions / Depth /		Price
HC210F	White	121L	-18°C to -22°C	600	620	850	£781
HC210FSS	S/Steel	121L	-18°C to -22°C	600	620	850	£825

SPR200S **£678**

SPECIAL LOWER PRICING

1

Year Parts & Labour

2-3 Working

Davs Deliver

STERLING PRO COBUS STAINLESS STEEL UNDERCOUNTERS

- Refrigerant: R600a

- Power supply: 13 amp plug
- Stainless Steel exterior finish
- White ABS interior finish
- 50mm thick insulation
- Automatic defrost: SPR200S
- Manual defrost: SPF200S
- Static cooling with fan: SPR200S
- Static cooling: SPF200S
- Max ambient of 32°C
- Digital temperature display

	Reversible doors Lockable doors								
Model	Туре		acity / Nett	Temperature	Dime Width /	nsions Depth /	(mm) Height	Energy Rating	Price
SPR200S	Fridge	140L	113L	0°C to +10°C	600	610	850	В	£678
SPF200S	Freezer	140L	113L	-10°C to -22°C	600	610	850	В	£718

SPF200S **£718**

LIEBHERR UNDERCOUNTER FRIDGE



2 Years Parts 

- Refrigerant: R600a
- Power supply: 13 amp plug
- Stainless Steel door
- Automatic defrost
- Forced air cooling
- Reversible lockable door hinges
- Digital temperature display
- Manufactured in Austria

Model		Acity / Nett	Temperature		nsions (/ Depth /		Price
FKVESF 1805	180L	160L	+1°C to +15°C	600	600	850	£1,359

LIEBHERR UNDERCOUNTER FREEZER







- Refrigerant: R600a
- Power supply: 13 amp plug
- Reversible lockable door hinges
- Stainless Steel door Manual defrost
- Temperature alarm - Manufactured in Austria
- Dimensions (mm) Width / Depth / Height Capacity Gross / Nett Model Price Temperature GGUESF 1405 143L 133L -15°C to -32°C 600 615 £1,509

ATOSA UNDERCOUNTER FRIDGE AND FREEZER



- Refrigerant: R600a/R290a
- Fridge energy rating: A+ - Freezer energy rating: B
- Power supply: 13 amp plug
- Embarco compressor
- Magnetic door gaskets

Model	Туре	Capacity	Temperature		ensions / Depth /		Price
MBC24R	Fridge	145L	+2°C to +8°C	605	660	825	£1,602
MBC24F	Freezer	145L	-17°C to -22°C	605	660	825	£1,760

DIAMOND UNDERCOUNTER FRIDGE AND FREEZER







- Refrigerant: R600a/R290a
- Power supply: 13 amp plug
- Stainless Steel exterior
- 2 adjustable grids
- 60mm polyurethane insulation
- Lockable door
- Reversible door
- Wheels at back, feet at front

Model	Туре	Capacity	Temperature	Dimensions (r Width / Depth / F			Price
PV201X-R6	Fridge	150L	-1°C to +6°C	626	600	850	£1,104
N201X-R2	Freezer	150L	-15⁵C to -22°C	626	600	850	£1,262

HOSHIZAKI Lee VESTFRSST

HOSHIZAKI GRAM COMPACT UNDERCOUNTER CABINETS

- Refrigerant: R600a
- Fridge energy rating: A++
- Freezer energy rating: A
- Power supply: 13 amp plug
- Fridge temp: $+1^{\circ}$ C to $+12^{\circ}$ C
- Freezer temp: -5°C to -25°C
- ABS lining interior
- Right hand hinged door
- 2 adjustable shelves
- Automatic defrost
- Ventilated cooling
- Digital temperature display





Model	Туре	Finish	Capacity Gross / Nett			ensions / Depth /		Price
K 220 R-DR G U	Fridge	S/Steel	123L	77L	595	645	833	£1,536
F 220 R-DR G U	Freezer	S/Steel	123L	77L	595	645	833	£1,596

LEC TABLETOP FRIDGE & FREEZER



Years Parts & Labour



- Refrigerant: R600a
- Power supply: 13 amp plug
- White exterior
- Recessed handle
- Reversible door
- Automatic defrost

Model	Туре	Capacity Gross / Nett		Temperature	Dime Width	Price		
BRS50W	Fridge	32L	31L	0°C to +10°C	472	450	492	£262
BFS50W	Freezer	39L	35L	-18°C to -25°C	472	450	492	£320

LEC UNDERCOUNTER STAFF ROOM FRIDGE



- Refrigerant: R600a
- Power supply: 13 amp plug
- White plastic exteriorAutomatic defrost
- Removable door seal
- High impact polystyrene sheeting interior
- Internal lighting

Model	Capac Gross / I		Temperature		Dimensions (mm) Width / Depth / Height				
SRS158W	160L	158L	0°C to +10°C	600	610	850	£578		

VESTFROST UPRIGHT FRIDGES

Refrigerant: R600aEnergy rating: E

Power supply: 13 amp plugLaminated exterior finish

- White ABS food safe interior

- Energy consumption: 1.9 kWh/24 hours

- Automatic defrost

- Adjustable wire shelves: x6

- Lockable and reversible door

- LCD temperature display

- Internal lighting

- Max ambient: 25°C at 60% humidity

- Manufactured in Denmark

Model	Finish	Capa Gross	acity / Nett	Temperature	Dimensions (m Width / Depth / He			Price
CFKS471-WH	White	361L	333L	+3°C to +10°C	595	595	1850	£1,398
CFKS471-STS	S/Steel	361L	333L	+3°C to +10°C	595	595	1850	£1,498





VESTFROST UPRIGHT FREEZERS

- Refrigerant: R600a
- Power supply: 13 amp plug
- Laminated exterior finish
- White ABS food safe interior
- Energy consumption: 2.01 kWh/24 hours
- Manual defrost
- Super-freeze function
- Adjustable wire shelves: x7
- Lockable and reversible door
- LCD temperature display
- Internal lighting
- Max ambient: 25°C at 60% humidity
- Manufactured in Denmark

Model	Finish	Capa Gross	acity / Nett	Temperature		Dimensions (mm) Width / Depth / Heigh		Price
CFS344-WH	White	345L	311L	-16°C to -25°C	595	600	1850	£1,298
CFS344-STS	S/Steel	3451	3111	-16°C to -25°C	595	600	1850	£1.398





SPF400S **£1,118**

STERLING PRO COBUS WHITE UPRIGHTS

VESTFR@ST STERLING PRO

- Fridge refrigerant: R600a
- Freezer refrigerant: R290
- Power supply: 13 amp plug White painted Steel exterior finish
 - White ABS interior finish
 - 45-55mm thick insulation
 - Digital temperature display
 - Automatic defrost: Fridges
 - Manual defrost: Freezers
 - Static cooling with fan: Fridges
 - Static cooling: Freezers
 - Lockable doors

1

Year Parts

Model	Туре	Gross Capacity	Temperature	Dime Width /	nsions Depth /	(mm) Height	Energy Rating	Price
SPR400WH	Fridge	350L	-2°C to +8°C	600	585	1850	D	£958
SPF400WH	Freezer	340L	-18°C to -22°C	600	585	1850	С	£1,018

Model	Туре	Gross Capacity	Temperature	Dime Width /	nsions Depth/	(mm) Height	Energy Rating	Price
SPR600WH	Fridge	570L	-2°C to +8°C	777	695	1890	D	£1,158
SPF600WH	Freezer	555L	-18°C to -22°C	777	695	1890	В	£1,318

STERLING PRO COBUS STAINLESS STEEL UPRIGHTS

- Refrigerant: R290a (SPR400S: R600a)
- Power supply: 13 amp plug
- Stainless Steel exterior
- White ABS interior finish
- 50mm thick insulation
- Automatic defrost: Fridges
- Manual defrost: Freezers
- Static cooling with fan: Fridges
- Static cooling: Freezers
- Max ambient of 32°C
- Digital temperature display
- Lockable doors

Model	Туре	Gross Capacity	Temperature	Dime Width /	nsions Depth /	(mm) Height	Energy Rating	Price
SPR400S	Fridge	360L	0°C to +10°C	600	610	1850	В	£1,018
SPF400S	Freezer	360L	-10°C to -22°C	600	610	1850	В	£1,118

\$PR400\$ £1,018	£1,	2-3 Working Days Delivery
		_

Model	Туре	Gross Capacity	Temperature	Dime Width	nsions Depth /	(mm) Height	Energy Rating	Price
SPR600S	Fridge	580L	0°C to +10°C	775	730	1850	С	£1,218
SPF600S	Freezer	580L	-10°C to -22°C	775	730	1850	В	£1,358

Prodis STERLING PRO LIEBHERR

PRODIS HC SERIES UPRIGHT FRIDGES

- Refrigerant: R600a
- Power supply: 13 amp plug
- Heavy duty door handle
- Digital controller
- Digital temperature display
- White food safe ABS interior
- Lockable door
- Reversible door
- Adjustable shelving
- Fan assisted cooling
- Automatic defrost
- 70mm thick insulation
- Removable door gasket







Model	Finish	Gross Capacity	Temperature	Dime Width	Dimensions (mm) Width / Depth / Height		Energy Rating	Price
HC410R	White	312L	+2°C to +10°C	600	685	1890	D	£1,166
HC410RSS	S/Steel	341L	+2°C to +10°C	600	625	1863	С	£1,221

Model	Finish	Gross Capacity	Temperature	Dimensions (mm) Width / Depth / Height			Energy Rating	Price
HC610R	White	620L	+2°C to +10°C	775	760	1863	С	£1,463
HC610RSS	S/Steel	620L	+2°C to +10°C	775	760	1863	С	£1,529



PRODIS HC SERIES UPRIGHT FREEZERS

- Refrigerant: R290
- Power supply: 13 amp plug - Heavy duty door handle
 - Digital controller
- Digital temperature display
- White food safe ABS interior
 - Lockable door
 - Reversible door
 - Static shelving
 - Static cooling system
 - Manual defrost
 - 70mm thick insulation
 - Removable door gasket

Model	Finish	Gross Capacity	Temperature		nsions Depth /		Price
HC410F	White	303L	-18°C to -22°C	600	685	1890	£1,221
HC410FSS	S/Steel	341L	-18°C to -22°C	600	625	1863	£1,265

Model	Finish	Gross Capacity	Temperature	Dime Width	Price		
HC610F	White	620L	-18°C to -22°C	780	720	1895	£1,529
HC610FSS	S/Steel	620L	-18°C to -22°C	775	760	1863	£1,595

STERLING PRO UPRIGHT FRIDGE



- Year Parts & Labour 2-3 Working Days Delivery

1

- Refrigerant: R600a
 - Automatic defrost
- Power supply: 13 amp plug
- Ventilated cooling
- S/Steel exterior finish - Aluminium interior finish
- Adjustable shelves - Lockable door

Model	Finish		acity / Nett	Temperature	ture Dimensions (mm) Width / Depth / Height		Price	
SPR450V S/Steel 335L 307L		+1°C to +8°C	600	700	1975	£1,898		

LIEBHERR UPRIGHT FRIDGE







- Refrigerant: R600a
- Energy rating: C
- Power supply: 13 amp plug
- Forced air cooling
- Digital temperature display
- Door and temperature alarm - Reversible lockable door hinges
- Manufactured in Austria

Model	Gross / Nett		Temperature		Dimensions (mm) Width / Depth / Height		
FRFCVG 4001	420L	289L	-2°C to +15°C	597	654	1884	£2,140

LIEBHERR UPRIGHT FRIDGES



- Refrigerant: R600a
- Energy rating: C
- Power supply: 13 amp plug
- Forced air cooling
- Digital temperature display
- Temperature alarm
- Reversible door hinges
- Manufactured in Austria

Model	Finish	Capa Gross	acity / Nett	Temperature	Dimensions (mm) Width / Depth / Height 747 769 1818 747 769 1818		Price	
FRFVG 5501	White	571L	419L	+1°C to +15°C	747	769	1818	£2,644
FRFCVG 5501	S/Steel	571L	419L	+1°C to +15°C	747	769	1818	£2,784

LIEBHERR UPRIGHT FRIDGE





LIEBHERR



- Refrigerant: R600a
- Energy rating: D
- Power supply: 13 amp plug
- Forced air cooling
- Digital temperature display
- Temperature alarm
- Reversible door hinges
- Manufactured in Austria

Model	Finish	Capacity Gross / Nett	Temperature		Dimensions (mm) Width / Depth / Height		Price
GKV 4310	White	436L 327L	+1°C to +15°C	597	680	1900	£2,178

LIEBHERR FRIDGE/FREEZER





- 2 Years Parts
- 7-10 Working Days Delivery

- Refrigerant: R600a
- Power supply: 13 amp plug
- Forced air cooling
- Food safe plastic interior
- Digital temperature display
- Temperature alarm
- Dual controller and compressor
- Manufactured in Austria

Model	Capacity Gross / Nett	Temperature Fridge / Freezer		nsions / Depth /		Price
GCV 4060	254L 107L	+1°C to +15°C / -14°C to -28°C	597	665	2003	£3,119

LIEBHERR UPRIGHT FREEZER









- Refrigerant: R290a
- Energy rating: C
- Power supply: 13 amp plug
- Self-closing doors
- Digital temperature display
- Temperature alarm
- S/Steel model includes castors
- Manufactured in Austria

Model	Finish	Capacity Gross / Nett	Temperature		Dimensions (mm) Width / Depth / Height		Price
GGV 5060	S/Steel	478L 337L	-14°C to -28°C	750	750	1864	£3,842

LIEBHERR UPRIGHT FREEZERS

- Refrigerant: R290
- Power supply: 13 amp plug
- Self-closing doors
- Food-safe interior
- Digital temperature display
- Temperature alarm
- Grid shelf with pull-out stop
- Intuitive menu navigation
- Reversible door hinges
- Lockable door

FFFSG 4001

- SmartFrost: Less frost build-up
- Wire tube condenser
- Manufactured in Austria





769

1884

£2.040










2

Years Parts & Labour



-9°C to -26°C

316L 237L

Model	Finish	Capa Gross /	city Nett				Price	
FFFCSG 5501	S/Steel	499L	289L	-9℃ to -26℃	747	654	1818	£2,870
FFFSG 5501	White	4991	2891	-9°C to -26°C	747	654	1818	£2 770

HOSHIZAKI GRAM COMPACT **UPRIGHT FRIDGES & FREEZERS**


- Refrigerant: R600a Fridge energy rating: B Freezer energy rating: C Power supply: 13 amp plug

- Fridge temperature: +1°C to +12°C

- Freezer temperature: -5°C to -25°C

ABS lining interior

- Right hand hinged door
- 5 adjustable shelves
- Automatic defrost
- Ventilated cooling
- Digital temperature display





Model	Туре	Finish		acity / Nett	Dimensions (mm) Width / Depth / Height			Price
K 420 R-DR G U	Fridge	S/Steel	343L	265L	595	645	1900	£1,806
F 420 R-DR G U	Freezer	S/Steel	343L	265L	595	645	1900	£1,890





HOSHIZAKI GRAM BAKER SINGLE DOOR CABINETS

- Refrigerant: R290

- Fridge energy rating: C

- Freezer energy rating: D

- Power supply: 13 amp plug

- Fridge temperature: -5°C to +12°C - Freezer temperature: -5°C to -25°C

- Bakery support sets: 25

- Pedal door opening

- ABS lining interior

- Right hand hinged door

- Air circulation system

- Automatic defrost

Model	Туре	Capa Gross	/ Nett	Dime Width	Price		
BAKER M 950 CCG	Fridge	949L	660L	820	1065	2205	£6,334
BAKER F 950 CCG	Freezer	9491	6601	820	1065	2205	£7.298

HOSHIZAKI GRAM ADVANCE SINGLE DOOR CABINETS

- Refrigerant: R290a

- Fridge energy rating: C

- Freezer energy rating: D

- Climate class: 5

- Power supply: 13 amp plug

- 430 AISI Stainless Steel exterior

- Fan assisted cooling system

- Reversible & self-closing doors


- Shelving included: 8

- Internal LED lighting

- Lockable doors

- Tray size: 2/1 GN deep

- Available with castors or legs





£3,498

2

Years Parts & Labour

2-3 Working

STERLING PRO VANTAGE PREMIUM SINGLE DOOR GASTRONORM CABINETS

- Refrigerants: R600a Fridges / R290a Freezers
- Power supply: 13 amp plug
- Fridge energy consumption: 333 kWh/year
- Freezer energy consumption: 2754 kWh/year
- High quality Stainless Steel exterior and interior
- Hinged doors with automatic return
- Reversible hinges that can be adapted on-site
- 24 grid level positions for increased loading capacity
- 80mm thick (CFC-free) polyurethane insulation
- Extra large touch screen controller
- Forced draft evaporator with anti-corrosion cover
- Intelligent air-circulation system
- Max ambient of 40°C
- Plastic coated wire shelves
- Low energy consumption LED lighting
- HACCP alarm system included
- Door switch that stops the fan when door is opened
- Supply voltage: 230/1N 50Hz
- Removable pull-out/push-in door gasket
- Rounded edge interior to reduce potential traps
- See pages 15 & 16 for more Vantage range features



Model	Туре	Door Hinge	Capa Gross /	city Nett	Temperature			(mm) Height	Energy Rating	Climate Class	Price
XPI700R	Fridge	Right	700L	481L	-2°C to +8°C	693	875	2119	Α	5	£3,198
XPI700L	Fridge	Left	700L	481L	-2°C to +8°C	693	875	2119	Α	5	£3,198
XNI700R	Freezer	Right	700L	481L	-18°C to -22°C	693	875	2119	D	5	£3,498
XNI700L	Freezer	Left	700L	481L	-18°C to -22°C	693	875	2119	D	5	£3,498

CLIMATE CLASS 5

STERLING PRO COBUS SINGLE DOOR GASTRONORM CABINETS

Refrigerant: R290aEnergy rating: D

- Power supply: 13 amp plug

- Fridge energy consumption: 887 kWh/year

Freezer energy consumption: 2366 kWh/year


- SS201 Stainless Steel exterior and interior

- x3 adjustable GN2/1 shelves

- Grid dimensions: 534 x 650mm

- 60mm thick insulation
- Automatic defrost
- Ventilated cooling system
- Max ambient of 32°C
- Lockable doors







£3,198










High efficiency components

Low energy compressors, large area evaporators and high performing electronic fans that minimize temperature gains, reducing energy consumption.



The XPI700 refrigerator achieves the highest A Rating under the conditions defined in climate class 5, ensuring the maximum energy savings.

*The label complies with the delegated regulation (UE) 2015/1094 of the commission of 5th May 2015





Integrated Stainless Steel handle

Ergonomic, Stainless Steel made, robust, perfectly integrated handle ensures practical opening of the door that avoids dust and dirt collection and is extremely easy to clean.

Compact controller

Extra large, screen touch controller with energy saving strategy and HACCP alarm system, which allows an easy temperature parameter adjustment ensuring the best food preservation. It also offers a Bluetooth data logger as an option.





Insulation - 80mm thickness

80mm thickness CFC-free, high-density (40kg/m³) polyurethane insulation, guarantees exceptional, long-term insulation and energy savings in all Vantage cabinets.

Evaporation of defrost water


Hot gas coming from the compressor is used to automatically evaporate defrost water, instead of by means of heating elements, achieving even less energy consumption.





Intelligent air circulation system

Perfect temperature consistency with its innovative airflow design that encircles the food and ensures its proper conservation.



Stamped guides with rounded edges enable more convenient cleaning operations without any difficulties. Plastic coated wire grids allow storage of different packaging types and have a maximum loading capacity of up to 40kg.





Rounded edge interior

Easier cleaning operations to reduce potential dirt traps and optimum hygiene.

Internal LED lighting

Low energy consumption LED lighting to display the interior, standard in all Vantage upright models.





Removable door gasket

Removable pull-out/push-in magnetic door gasket to keep maximum hygiene and maintain the insulating properties.

Self closing hinged doors

Hinged doors with automatic return for a perfect closing that minimize temperature gain and reduces energy consumption. Doors have a 120° dwell position and closes automatically at less than 90°. Door hinges are also reversible.



Call Now For Discount

STERLING PRO 17051 LIEBHERR

STERLING PRO GREEN SINGLE DOOR UNDERMOUNTED CABINETS

- Refrigerant: R290a - Energy rating: D
- Power supply: 13 amp plug
- Stainless Steel interior and exterior
- Heavy-duty forced air system
- Hinged doors with automatic return
- 18 grid level positions for increased capacity
- Grid dimensions: 560 x 542mm
- 50mm thick (CFC-free) polyurethane insulation
- Lockable door with replacement gaskets

Model	Туре	Door Hinge	Capacity Gross / Nett	Temperature		nsions / Depth /		Price
SPI600R	Fridge	Right	600L 386L	-2°C to +8°C	693	726	2067	£2,198
SPI600L	Fridge	Left	600L 386L	-2°C to +8°C	693	726	2067	£2,198
SNI600R	Freezer	Right	600L 386L	-18°C to -22°C	693	726	2067	£2,498
SNI600L	Freezer	Left	600L 386L	-18°C to -22°C	693	726	2067	£2,498



2 Years Parts & Labour £2,598 2-3 Working Days Delivery \$P1700L £2,298

STERLING PRO GREEN SINGLE DOOR GASTRONORM CABINETS

- Refrigerant: R290a

- Energy rating: D

- Power supply: 13 amp plug

- Stainless Steel exterior and interior

- 304 Stainless Steel embossed rack support

- Lockable doors with replaceable gaskets

- Full length integrated handles

- 60mm thick (CFC-free) polyurethane insulation

- Intelligent air-circulation system

- Heavy-duty forced air system

Model	Туре	Door Hinge	Capa Gross	acity / Nett	Temperature		nsions Depth /		Price
SPI700R	Fridge	Right	700L	461L	-2°C to +8°C	653	842	2040	£2,298
SPI700L	Fridge	Left	700L	461L	-2°C to +8°C	653	842	2040	£2,298
SNI700R	Freezer	Right	700L	461L	-18°C to -22°C	653	842	2040	£2,598
SNIZOOL	Freezer	Left	7001	4611	-18°C to -22°C	653	842	2040	f2 598

ATOSA SINGLE DOOR CABINETS



- Refrigerant: R600a/R290a
 - Power supply: 13 amp plug - Forced air system
- Fridge energy rating: C
- Freezer energy rating: D - S/Steel exterior & interior

Model	Туре	Capaci Gross / N		Temperature		(mm) / Height	Price		
YBF9206GR	Fridge	450L	410L	+2°C to +8°C	600	745	1945	£2,334	
YBF9207GR	Freezer	450L	410L	-17°C to -22°C	600	745	1945	£2,720	

LIEBHERR SINGLE DOOR CABINETS



- Refrigerant: R290a
- Power supply: 13 amp plug
- Fridge energy rating: B
- Forced air system
- Freezer energy rating: C
- Manufactured in Austria

Model	Туре	Capa Gross /	city / Nett	Temperature	Dime Width	Price		
GKPV 6570	Fridge	597L	465L	-2°C to +15°C	700	830	2120	£5,478
GGPV 6570	Freezer	597L	465L	-10°C to -26°C	700	830	2120	£6,310

FOSTER ECOPRO G3 SINGLE DOOR **GASTRONORM CABINETS**



- Refrigerant: R290
- Fridge energy rating: A
- Freezer energy rating: B
- Power supply: 13 amp plug
- Heavy-duty forced air system
- Stainless Steel exterior

Model	Туре	Capa Gross	city / Nett	ity Temperature Dimensions (mm) Nett Width / Depth / Heigh			Price	
EP700H/41-102	Fridge	600L	482L	+1°C to +4°C	700	855	2080	£3,622
EP700L/41-106	Freezer	600L	482L	-18°C to -22°C	700	855	2080	£4,636

ICE-A-COOL UNDER-MOUNTED GASTRONORM FRIDGE







- Refrigerant: R600a
- Energy rating: D
- Power supply: 13 amp
- Stainless Steel exterior
- Under-mounted compressor
- Self-closing and stay open door

Model	Capacity	Temperature		ensions / Depth /		Price
ICE8950	580L	-5°C to +5°C	685	800	2112	£1,722

ATOSA HEAVY-DUTY SINGLE DOOR CABINETS



- Refrigerant: R600a/R290a
- Power supply: 13 amp plug
- Fridge energy rating: B - Freezer energy rating: C
- Forced air system
- S/Steel exterior & interior

Model	Туре	Capacity	Temperature		Dimensions (mm) idth / Depth / Height		Price	
MBF8185GR	Fridge	610L	+2°C to +8°C	685	800	2135	£2,492	
MBF8181GR	Freezer	610L	-17°C to -21°C	685	800	2135	£2,928	

ATOSA SINGLE DOOR HEAVY-DUTY GASTRONORM CABINETS




- Refrigerant: R600a/R290a
- Fridge energy rating: B
- Freezer energy rating: C
- Power supply: 13 amp plug
- Forced air system
- Stainless Steel exterior

Model	Туре	Capacity	Temperature		Dimensions Width / Depth /		Price
MBF8116HD	Fridge	670L	0°C to +8°C	730	800	2065	£2,492
MBF8113HD	Freezer	670L	-17°C to -22°C	730	800	2065	£2,928

HOSHIZAKI GRAM ADVANCE **DOUBLE DOOR CABINETS**

- Refrigerant: R290
- Fridge energy rating: C
- Freezer energy rating: D
- Climate class: 5
- Power supply: 13 amp plug
- 430 AISI Stainless Steel exterior
- Fan assisted cooling system
- Reversible & self-closing doors
- Shelving included: 8
- Internal LED lighting
- Lockable doors
- Tray size: 2/1 GN deep
- Available with castors or legs











STERLING PRO FOSTER 1705A

STERLING PRO VANTAGE PREMIUM DOUBLE DOOR GASTRONORM CABINETS

- Refrigerant: R290a
- Power supply: 13 amp plug
- XPI142 fridge energy consumption: 540 kWh/year
- XPI142V fridge energy consumption: 829 kWh/year
- Freezers energy consumption: 4482 kWh/year
- High quality Stainless Steel exterior and interior
- Hinged doors with automatic return
- Reversible hinges that can be adapted on-site
- 24 grid level positions for increased loading capacity
- 80mm thick (CFC-free) polyurethane insulation
- Extra large touch screen controller
- Forced draft evaporator with anti-corrosion cover
- Intelligent air-circulation system
- Max ambient of 40°C (climate class 5 units only)
- Plastic coated wire shelves
- Low energy consumption LED lighting
- HACCP alarm system included
- Door switch that stops the fan when door is opened
- Supply voltage: 230/1N 50Hz
- Removable pull-out/push-in door gasket
- Rounded edge interior to reduce potential traps
- See pages 15 & 16 for more Vantage range features





Model	Туре	Capa Gross	rcity / Nett	Temperature	Dime Width /	nsions Depth /	(mm) Height	Max Ambient	Energy Rating	Climate Class	Price
XPI142	Fridge	1400L	962L	-2°C to +8°C	1358	875	2119	+30°C	Α	4	£4,398
XNI142	Freezer	1400L	962L	-18°C to -22°C	1358	875	2119	+30°C	D	4	£5,298
XPI142V	Fridge	1400L	962L	-2°C to +8°C	1358	875	2119	+40°C	С	5	£4,498
XNI142V	Freezer	14001	9621	-18°C to -22°C	1358	875	2110	+40°C	D	5	£5 998

FOSTER SLIMLINE DOUBLE DOOR CABINETS



- Refrigerant: R290
- Fridge energy rating: D
- Freezer energy rating: F
- Power supply: 13 amp plug
- Automatic defrost
- Stainless Steel exterior

Model	Туре	Capa Gross	city / Nett	Temperature	Dime Width /	nsions Depth /	(mm) ' Height	Price
FSL800H/11-110	Fridge	800L	536L	+1°C to +4°C	1200	705	1900	£4,630
FSL800L/11-173	Freezer	800L	536L	-18°C to -21°C	1200	705	1900	£5,354

ATOSA DOUBLE DOOR SLIMLINE CABINETS



- Refrigerant: R600a/R290a
- Power supply: 13 amp plug
- Fridge energy rating: CFreezer energy rating: D
- Heavy-duty Embarco compressor
- S/Steel exterior & interior

Model	Туре	Capacity	Temperature	Dimensions (r Width / Depth / F			Price
YBF9218GR	Fridge	900L	+2°C to +8°C	1200	745	1945	£2,936
YBF9219GR	Freezer	900L	-17°C to -22°C	1200	745	1945	£3,396

Ares Ice-A-cool foster LIEBHERR

ATOSA UNDER-MOUNTED DOUBLE DOOR CABINETS



- Refrigerant: R600a/R290a
- Fridge energy rating: C
- Freezer energy rating: D
- Power supply: 13 amp plug
- Self-closing doors
- S/Steel exterior & interior

Model	Туре	Capacity	Temperature		Dimensions (Width / Depth /		Price
MBF8187GR Fridge		1300L	+2°C to +8°C	1382	800	2135	£3,660
MBF8183GR	Freezer	1300L	-17°C to -21°C	1382	800	2112	£4,206

ATOSA DOUBLE DOOR HEAVY-DUTY GASTRONORM CABINETS



- Refrigerant: R600a/R290a
- Fridge energy rating: B
- Power supply: 13 amp plug Heavy-duty Embarco compressor
- Freezer energy rating: C
- Stainless Steel exterior

Model	Туре	Capacity	Temperature		Dimensions Width / Depth /		Price
MBF8117HD	Fridge	1300L	0°C to +8°C	1314	800	2065	£3,660
MBF8114HD	Freezer	1300L	-17°C to -22°C	1314	800	2065	£4,206

ICE-A-COOL DOUBLE DOOR UNDER-MOUNTED CABINET



- Refrigerant: R290a
- Energy rating: D
- Power supply: 13 amp plug
- Magnetic door gaskets
- Stainless steel exterior
- Self-closing doors
- Fan assisted cooling
- Digital temperature display

Model	Capacity	Temperature	Dime Width /	nsions Depth	Price	
ICE8960	1300L	-5°C to +5°C	1382	800	2112	£2,318

FOSTER ECOPRO G3 DOUBLE DOOR **TOP-MOUNTED CABINETS**



- Refrigerant: R290
- Fridge energy rating: B
- Freezer energy rating: D
- Power supply: 13 amp plug
- Heavy-duty forced air system
- Stainless Steel exterior

Model	Туре	Capa Gross /	city Nett	Temperature	Dimer Width /	nsions Depth /	(mm) Height	Price
EP1440H/41-166	Fridge	1350L	965L	+1°C to +4°C	1440	855	2080	£5,568
EP1440L/41-170	Freezer	1350L	965L	-18°C to -21°C	1440	855	2080	£6,628

LIEBHERR DOUBLE DOOR GASTRONORM CABINETS



- £10.102
- & Labour 7-10 Working Days Delivery

2

Years Parts

- Refrigerant: R290a
- Energy rating: C
- Power supply: 13 amp plug -
- Forced air cooling
- Digital temperature display

Can be split for difficult delivery

- Stainless Steel exterior
- Manufactured in Austria
- Capacity Gross / Nett Dimensions (mm) Width / Depth / Heigh Model Price Туре Temperature GKPV 1470 Fridge 1361L 1056L -2°C to +15°C 2120 £9,011 1430 830 GGPV 1470 Freezer 1361L 1056L -10°C to -26°C 1430 830 2120 £10,102

ATOSA TRIPLE DOOR GASTRONORM CABINETS



- Refrigerant: R290/R404a
- Energy rating: G
- Power supply: 13 amp plug
- Forced air cooling
- Digital temperature display
- Stainless Steel exterior

Model	Туре	Capacity	Temperature	Dimer Width /	nsions Depth /		Price
YBF9237GR Fridge		1390L	+2°C to +8°C	1800	745	1945	£3,646
YBF9242GR	Freezer	1390L	-17°C to -22°C	1800	745	1945	£4,774

STERLING PRO COBUS FISH STORAGE CABINET WITH 7 DRAWERS





- Energy rating: D
- 60mm thick insulation
- SS201 Stainless Steel exterior

Power supply: 13 amp plug	 Fish storage drawers:
---------------------------	---

Model		acity / Nett	Temperature		ensions / Depth /		Price
SPR601FISH	600L	383L	-2°C to +8°C	680	810	2010	£2,398

STERLING PRO GREEN FISH STORAGE CABINETS WITH 7 DRAWERS



- Refrigerant: R290a
- Power supply: 13 amp plug
- Stainless Steel exterior
- Built-in drainage system
- Fish storage drawers: 7

Model	Hinge	Capacity Gross / Nett		Temperature		nsions Depth		Price
SPIF700R	Right	574L	496L	-1°C to -4°C	760	729	2005	£3,198
SPIF700L	Left	574L	496L	-1°C to -4°C	760	729	2005	£3,198

FOSTER ECOPRO G3 FISH STORAGE **CABINET WITH 7 DRAWERS**





1

Year Parts & Labour

2-3 Working

Days Delivery



- Refrigerant: R290
- Thermal break and door heater
- Power supply: 13 amp plug Fish storage boxes: 7
- Automatic defrost
- Stainless Steel exterior

Model	Gross Capacity	Temperature		nsions Depth	(mm) / Height	Price
EP700F/41-232	600L	-1°C to +1°C	700	855	2080	£7,778

CORECO FISH STORAGE CABINETS



- Ventilated refrigeration system

Year Parts

6-8 Weeks

Lead-Time

- Power supply: 13 amp plug Fish storage boxes: 7/14
- Automatic defrost

- Refrigerant: R290a

- Stainless Steel exterior

Model	Doors	Gross Capacity	Temperature		Dimensions (n Width / Depth / H		Price
AP-750	Single	645L	-4°C to +4°C	695	800	2125	£3,510
AP-1002	Double	1404L	-4°C to +4°C	1395	800	2125	£5,598

STERLING PRO COBUS UNDERMOUNTED 1 FRIDGE COUNTERS Year Parts - SPU201 refrigerant: R600 - SPU303 refrigerant: R290 - Power supply: 13 amp plug - SS201 Stainless Steel exterior & interior 2-3 Working Days Delivery SPU201 energy consumption: 830 kWh/year SPU303 energy consumption: 1294 kWh/year GN1/1 shelving: x2 SPU201 / x3 SPU303 £1,438 Grid dimensions: 333 x 530mm 35mm thick insulation Static cooling system with fan Automatic defrost £1,098 Max ambient of 32°C Dimensions (mm) Width / Depth / Height Energy Capacity Gross / Nett Model Doors Price Temperature Rating SPU201 240L +2°C to +8°C £1,098 +2°C to +8°C

STERLING PRO COBUS UNDERMOUNTED FRIDGE COUNTERS WITH DRAWERS

+2°C to +8°C

+2°C to +8°C

+2°C to +8°C

- SPU201-2D & 4D refrigerant: R600

- SPU303-6D refrigerant: R290

- Power supply: 13 amp plug

- SS201 S/Steel exterior & interior

- Doors: x1 (SPU201-2D only)

- GN1/1 shelving: x1 (SPU201-2D only)

- Grid dimensions: 333 x 530mm

- 35mm thick insulation

Static cooling system with fan

Drawers Capacity
Gross / Nett

2301 1981

2301 1981

368L 297L

Automatic defrost

Model

SPU201-2D

SPU201-4D

SPU303-6D

- Max ambient of 32°C

4







2

STERLING PRO GREEN 600MM DEEP FRIDGE COUNTERS WITH PLAIN TOP

- Refrigerant: R290a
- Power supply: 13 amp plug
- Intelligent air-circulation system
- Castors fitted as standard
- Heavy-duty forced air system
- S/Steel exterior & interior
- S/Steel embossed rack support
- Automatic defrost
- Carel controller

Model

SPI-6-150-20-NS

SPI-6-200-30-NS

SPI-6-250-40-NS

- Self-closing doors
- Castors included as standard

2

Doors Capacity

153L

231L







STERLING PRO GREEN 700MM DEEP FRIDGE COUNTERS WITH SPLASHBACK

- Refrigerant: R290a
- Power supply: 13 amp plug
- 100mm splashback
- Intelligent air-circulation system
- Castors fitted as standard
- Drawer options available
- Heavy-duty forced air system
- S/Steel exterior & interior
- S/Steel embossed rack support

Doors Capacity Gross / Nett

290L 143L

452L 214L

615L 285L

- Automatic defrost
- Self-closing doors

Model

SPI-7-135-20-SB

SPI-7-180-30-SB

SPI-7-225-40-SB



2









ATOSA SLIMLINE COUNTERS

Fridge Refrigerant: R600aFreezer refrigerant: R290aPower supply: 13 amp plug

SCR-180DG-LRR-RRC-C1 U

SCR-225DG-LLRR-RRC-C1 U

3

500L 257L

625L 343L

-2°C to +8°C

-2°C to +8°C

C

С

1780

2246

700 856

700 856

£3,192

£3,998

- Stainless Steel exterior and interior
- Heavy-duty Embraco compressor
- Self-closing and stay open door
- Easy to clean black plastic door handle
- Magnetic door gaskets
- Recessed door handle

Model	Туре	Doors	Gross Capacity	Temperature	Energy Rating		nsions Depth	(mm) / Height	Price
/PF9022GR	Fridge	2	270L	+2°C to +8°C	В	1200	700	840	£2,032
YPF9027GR	Freezer	2	270L	-17°C to -21°C	С	1200	700	840	£2,182
YPF9032GR	Fridge	2	370L	+2°C to +8°C	В	1500	700	840	£2,290
YPF9037GR	Freezer	2	370L	-17°C to -21°C	С	1500	700	840	£2,440
YPF9042GR	Fridge	3	470L	+2°C to +8°C	В	1800	700	840	£2,384
YPF9047GR	Freezer	3	470L	-17°C to -21°C	С	1800	700	840	£2,678



2

ATOSA STERLING PRO

ATOSA HEAVY-DUTY RANGE COUNTERS

- Refrigerant: R290a (EPF3422HD: R600a)
- Power supply: 13 amp plug
- Stainless Steel exterior and interior
- Heavy-duty Embraco compressor
- Magnetic door gaskets
- Drawer option available (extra cost)
- Splashback option available (extra cost)





1.

Year Parts

2-3 Working Days Delivery

\$PU902PZ £1,078





STERLING PRO COBUS GRANITE-TOP PIZZA PREP COUNTERS

- SPU902PZ refrigerant: R600 - SPU903PZ refrigerant: R290 Power supply: 13 amp plug

SS201 Stainless Steel exterior & interior

Solid granite-top surface





SPI-7-225-40-GR

615L 285L

-2°C to +8°C

700

2242

1080

Е



£3,798



STERLING PRO ATOSA Ice-A-cool

Gross Capacity

2741

4281

STERLING PRO GREEN PIZZA PREP COUNTERS

- Refrigerant: R290a
- Power supply: 13 amp plug
- Stainless Steel exterior & interior
- Grid level positions: 6
- 50mm thick polyurethane insulation
- Ventilated cooling system
- Automatic defrost
- Max ambient of 30°C
- Intelligent air-circulation system

8 x GN1/4

10 x GN1/4

- Adjustable shelving
- Self-closing doors

SPIZ-135

SPIZ-180

GN pans not included





ATOSA OPEN-TOP SANDWICH PREP TABLES



- Refrigerant: R134a
 - Embraco compressor - 1/3 pans fitted as standard
- Power supply: 13 amp plug
- Heavy-duty forced air system S/Steel exterior & interior

Model	Doors	Capacity	Temperature		nsions Depth	(mm) / Height	Price
MSF8302GR	2	379L	+2°C to +8°C	1225	763	1124	£3,280
MSF8303GR	2	487L	+2°C to +8°C	1530	763	1124	£3,624
MSF8304GR	3	598L	+2°C to +8°C	1850	763	1124	£4,112

ICE-A-COOL MEDIUM-DUTY SALADETTE COUNTERS







- Refrigerant: R600a
- S/Steel exterior & interior
- Power supply: 13 amp plug
- Self-closing and stay open door
- GN Pans included - Magnetic door gaskets

Model	Doors	GN Pans	Capacity	Temperature			(mm) Height	Price
ICE3832	2	GN1/6 x 5	300L	-2°C to +8°C	900	700	1099	£1,206
ICE3853	3	GN1/6 x 7	380L	-2°C to +8°C	1365	700	1099	£1,736
ICE3869	3	GN1/3 x 7	380L	-2°C to +8°C	1365	700	1099	£1,840

ICE-A-COOL SLIDING LID SALADETTE **COUNTERS**



- Refrigerant: R600a
 - Energy rating: A
- Embraco compressor
- Pans incl: 7x1/3 GN (ICE3800)
- Power supply: 13 amp plug Pans incl: 12x1/3 GN (ICE3850)

Model	Doors	Gross Capacity	Temperature		nsions Depth		Price
ICE3800	2	300L	-2°C to +8°C	904	700	947	£1,260
ICE3850	3	380L	-2°C to +8°C	1369	700	947	£1,654

ICE-A-COOL MARBLE TOP SALADETTE **COUNTER**



- Refrigerant: R600a
- Power supply: 13 amp plug
- Marble counter - Stainless Steel exterior
- Pans included: 7x1/3 GN
- Stainless Steel sneeze-guard
- Embraco compressor
- Self-closing and stay open door

Model	Doors	Gross	Temperature	Dimensions (

Model	Doors	Gross Capacity	Temperature	Dimensions (mm) Width / Depth / Height			Price		
	ICE3858	3	380L	-2°C to +8°C	1365	700	1155	£1,760	





ATOSA HINGED LID TOPPING WELLS

- Refrigerant: R600a
- Power supply: 13 amp plug - Stainless Steel lid
- 304 Stainless Steel exterior and interior
 - Gastronorm pans included
 - Automatic defrost
 - Static cooling type
 - Max ambient of +30°C
 - Electronic Dixell controller
 - Temperature display

Model	Capacity	Temperature		nsions Depth /		Price
VRX1200/330S	5x1/4 GN	+2°C to +8°C	1205	335	460	£984
VRX1200/380S	6x1/3 GN	+2°C to +8°C	1205	395	460	£1,034
VRX1400/330S	6x1/4 GN	+2°C to +8°C	1415	335	460	£1,092
VRX1400/380S	6x1/3 GN	+2°C to +8°C	1425	395	460	£1,142

Model	Capacity	Temperature		nsions Depth /	Price	
VRX1500/330S	7x1/4 GN	+2°C to +8°C	1505	335	460	£1,142
VRX1600/330S	7x1/4 GN	+2°C to +8°C	1605	335	460	£1,192
VRX1800/330S	8x1/4 GN	+2°C to +8°C	1805	335	460	£1,286
VRX2000/330S	10x1/4 GN	+2°C to +8°C	2005	335	460	£1,400

STERLING PRO COBUS TOPPING WELLS WITH STAINLESS STEEL LID

Temperature

+2°C to +8°C

- Refrigerant: R600

- Power supply: 13 amp plug
- SS201 Stainless Steel exterior & interior

Lids GN Pans (Not included)

5 x GN1/4

6 x GN1/4

7 x GN1/4

8 x GN1/4

10 x GN1/4

- Hinged Stainless Steel lids
- 50mm thick insulation
- Static cooling system
- Digital temperature display
- Max ambient of 32°C

Model

SPT1200-330-SS

SPT1400-330-SS

SPT1600-330-SS

SPT1800-330-SS

SPT2000-330-SS

GN pans not included





DIAMOND BLAST CHILLERS/FREEZERS



- Refrigerant: R404a
- Stainless Steel exterior
- Power supply: 13 amp plug
 - Chill capacity: kg in 90 mins**
- Temperature sensor
- Freeze capacity: kg in 240 mins*

Model	Shelf Chil Capacity Capac				nsions Depth/		Price
GTP-3/LD	3x1/1 GN	**8kg	*5kg	560	700	514	£3,824
GTP-5/LD	5x1/1 GN	**12kg	*8kg	790	700	880	£4,999

DIAMOND BLAST CHILLERS/FREEZERS



- Refrigerant: R404a
- Stainless Steel exterior
- Power supply: 13 amp plug Chill capacity: kg in 90 mins**
- Temperature sensor
- Freeze capacity: kg in 240 mins*

М	odel	Shelf Capacity	Chill Capacity	Freeze Capacity		nsions Depth/		Price
CBT	31/NT	3x1/1 GN	**12kg	*8kg	620	650	670	£4,718
CBT!	51/NT	5x1/1 GN	**18kg	*12kg	790	830	880	£5,999
CBT1	01/NT	10x1/1 GN	**36kg	*25kg	790	830	1430	£8,852

HOSHIZAKI GRAM SNOWFLAKE BLAST CHILLERS/FREEZERS

- Refrigerant: R452a

- Power supply: 13 amp plug

- Insulation: 55mm (SBU40HT: 75mm)

- AISI304 Stainless Steel exterior

- Max ambient of 32°C

- Chilling cycle: 90 minutes

- Freezina cycle: 240 minutes


- Removable magnetic door gasket

Removable magnetic door gaske
 Removable wire rack for GN1/1

- Digital panel control board

- SBU20HLU: Without worktop

- Grids not included



£5.186



Model	Type	Grids	Chill Capacity	Freeze Capacity	Dime Width /	nsions Depth /	(mm) ' Height	Price	
SBU20HTU	Stand-alone	5	20kg	12kg	745	720	900	£6,418	
SBU40HT	Stand-alone	10	42kg	25kg	800	830	1850	£10,292	

ATOSA COUNTERTOP BLAST CHILLERS/FREEZERS





6000



- Refrigerant: R290a
- Self-closing door
- Power supply: 13 amp plug -
 - Easy to clean
- Soft and hard chill options Stainless Steel exterior

Model	Shelf Capacity	Chill Capacity	Freeze Capacity	Dimension Width / Depti			Price
EBF03	3x1/1 GN	10kg	5kg	755	832	581	£4,234
EBF05	5x1/1 GN	25kg	15kg	750	815	870	£5,146

FOSTER BLAST CHILLER/FREEZER



- Refrigerant: R452a
- Hold facility
- Power supply: 13 amp plug
- Temperature probe
- Intuitive touch control panel Stainless Steel exterior

Model	Shelf Capacity	Chill Capacity	Freeze Capacity				Price
BCT52-26/17-283	14x1/1 GN	52kg	26kg	755	690	1790	£17,216

OPTIMA COLDROOMS

The Optima coldrooms are designed to provide low cost, high quality solutions for small restaurants, fast food establishments, supermarkets and even private individuals. The use of high quality materials and modern manufacturing techniques enables you to offer your customer maximum flexibility with minimum running costs.

Quality

- Roof and wall panels are made from galvanised steel panels
- Floor panels are reinforced and are made of synthetic resin
- All rooms are manufactured with modern techniques
- All panels have high-density 85mm foam insulation
- CFC and HCFC free panels
- Heavy-duty handles and locks

Assembly

- Provided with everything you need
- Quick and easy assembly
- Panels join using simple cam-lock system
- Joined and sealed with silicon (provided)

Flexibility

- 92 different sizes available
- Coving and skirting available
- Two different heights
- With or without floor panels
- Left or right-hand hinged door
- Monoblock or remote motor options


Equipped

- Provided with everything you need
- Preassure balance valve with freezer models
- Door heaters with freezer models
- Tools, sealant, instructions and fittings provided



COLDROOM **1770** x **1770mm**

Product	Code	Price
Chiller Room & Motor	KQEB1616W/FTM006G001	£7,668
Chiller Room Only	KQEB1616W	£4,602
Freezer Room & Motor	KQEB1616W/FTL009G001	£8,621
Freezer Room Only	KOFB1616W/OS119601	£4.673



COLDROOM 1770 x 2170mm

Product	Code	Price
Chiller Room & Motor	KQEB2016W/FTM006G001	£8,206
Chiller Room Only	KQEB2016W	£4,909
Freezer Room & Motor	KQEB2018W/FTL012G001	£9,249
Freezer Room Only	KQEB2016W/QS119601	£4,982




COLDROOM 1970 x 1770mm

Product	Code	Price
Chiller Room & Motor	KQEB1618W/FTM006G001	£7,810
Chiller Room Only	KQEB1618W	£4,742
Freezer Room & Motor	KQEB118W/FTL009G001	£8,761
Freezer Room Only	KQEB1618W/QS119601	£4,815




COLDROOM 1970 x 2170mm

Product	Code	Price
Chiller Room & Motor	KQEB2018W/FTM007G001	£8,339
Chiller Room Only	KQEB2018W	£5,042
Freezer Room & Motor	KQEB2020W/FTL012G001	£9,381
Freezer Room Only	KQEB2018W/QS119601	£5,114




COLDROOM **2170** x **1770**mm

Product	Code	Price
Chiller Room & Motor	KQEB1620W/FTM007G001	£8,198
Chiller Room Only	KQEB1620W	£4,901
Freezer Room & Motor	KQEB1620W/FTL012G001	£9,239
Freezer Room Only	KQEB1620W/QS119601	£4,972




COLDROOM **2170** x **2170**mm

Product	Code	Price
Chiller Room & Motor	KQEB2020W/FTM012G001	£8,856
Chiller Room Only	KQEB2020W	£5,253
Freezer Room & Motor	KQEB2022W/FTL012G001	£9,592
Freezer Room Only	KQEB2020W/QS119601	£5,326



COLDROOM 2370 x 1770mm

Product	Code	Price
Chiller Room & Motor	KQEB1622W/FTM007G001	£8,053
Chiller Room Only	KQEB1622W	£5,033
Freezer Room & Motor	KQEB1622W/FTL012G001	£9,372
Freezer Room Only	KQEB1622W/QS119601	£5,105




COLDROOM 2370 x 2170mm

Product	Code	Price
Chiller Room & Motor	KQEB2022W/FTM012G001	£8,987
Chiller Room Only	KQEB2022W	£5,386
Freezer Room & Motor	KQEB2024W/FTL012G001	£9,724
Freezer Room Only	KQEB2022W/QS119601	£5,457



COLDROOM **2570** x **1770mm**

Product	Code	Price
Chiller Room & Motor	KQEB1624W/FTM007G001	£8,463
Chiller Room Only	KQEB1624W	£5,166
Freezer Room & Motor	KQEB1624W/FTL012G001	£9,504
Freezer Room Only	KQEB1624W/QS119601	£5,237



COLDROOM **2570** x **2170mm**

Product	Code	Price
Chiller Room & Motor	KQEB2024W/FTM012G001	£8,146
Chiller Room Only	KQEB2024W	£5,543
Freezer Room & Motor	KQEB2026W/FTL012G001	£9,883
Freezer Room Only	KQEB2024W/QS119601	£5,616



COLDROOM 2770 x 1770mm

Product	Code	Price
Chiller Room & Motor	KQEB1626W/FTM012G001	£9,418
Chiller Room Only	KQEB1626W	£5,961
Freezer Room & Motor	KQEB1626W/FTL012G001	£10,156
Freezer Room Only	KQEB1626W/QS119601	£5,889



COLDROOM **2770** x **2170mm**

Product	Code	Price
Chiller Room & Motor	KQEB2026W/FTM012G001	£9,815
Chiller Room Only	KQEB2026W	£6,213
Freezer Room & Motor	KQEB2028W/FTL016G001	£10,552
Freezer Room Only	KQEB2026W/QS119601	£6,285




COLDROOM 2970 x 1770mm

Product	Code	Price
Chiller Room & Motor	KQEB1628W/FTM012G001	£9,551
Chiller Room Only	KQEB1628W	£5,949
Freezer Room & Motor	KQEB1628W/FTL012G001	£10,288
Freezer Room Only	KQEB1628W/QS119601	£6,021



COLDROOM 2970 x 2170mm


Product	Code	Price
Chiller Room & Motor	KQEB2028W/FTM016G001	£10,584
Chiller Room Only	KQEB2028W	£6,362
Freezer Room & Motor	KQEB2030W/FTL016G001	£11,790
Freezer Room Only	KQEB2028W/QS119601	£6,435






COLDROOM **1770** x **2570mm**

Product	Code	Price
Chiller Room & Motor	KQEB2416W/FTM006G001	£8,498
Chiller Room Only	KQEB2416W	£5,201
Freezer Room & Motor	KQEB2418W/FTL012G001	£9,539
Freezer Room Only	KQEB2416W/QS119601	£5,272




COLDROOM 1770 x 2970mm

Product	Code	Price
Chiller Room & Motor	KQEB2816W/FTM006G001	£8,969
Chiller Room Only	KQEB2816W	£5,949
Freezer Room & Motor	KQEB2818W/FTL012G001	£10,542
Freezer Room Only	KQEB2816W/QS119601	£6,021




COLDROOM 1970 x 2570mm

Product	Code	Price
Chiller Room & Motor	KQEB2418W/FTM012G001	£8,961
Chiller Room Only	KQEB2418W	£5,359
Freezer Room & Motor	KQEB2420W/FTL012G001	£9,698
Freezer Room Only	KQEB2418W/QS119601	£5,431




COLDROOM 1970 x 2970mm

Product	Code	Price
Chiller Room & Motor	KQEB2818W/FTM012G001	£9,772
Chiller Room Only	KQEB2818W	£6,169
Freezer Room & Motor	KQEB2820W/FTL016G001	£10,147
Freezer Room Only	KQEB2818W/QS119601	£6,242




COLDROOM **2170** x **2570mm**

Product	Code	Price
Chiller Room & Motor	KQEB2420W/FTM012G001	£9,173
Chiller Room Only	KQEB2420W	£5,570
Freezer Room & Motor	KQEB2422W/FTL012G001	£9,909
Freezer Room Only	KQEB2420W/QS119601	£5,643



COLDROOM **2170** x **2970mm**

Product	Code	Price
Chiller Room & Motor	KQEB2820W/FTM012G001	£9,982
Chiller Room Only	KQEB2820W	£6,380
Freezer Room & Motor	KQEB2822W/FTL016G001	£11,805
Freezer Room Only	KQEB2820W/QS119601	£6,453



COLDROOM **2370** x **2570mm**

Product	Code	Price
Chiller Room & Motor	KQEB2422W/FTM012G001	£9,331
Chiller Room Only	KQEB2422W	£5,728
Freezer Room & Motor	KQEB2424W/FTL016G001	£10,068
Freezer Room Only	KQEB2422W/QS119601	£5,801




COLDROOM 2370 x 2970mm

Product	Code	Price
Chiller Room & Motor	KQEB2822W/FTM012G001	£10,159
Chiller Room Only	KQEB2822W	£6,557
Freezer Room & Motor	KQEB2824W/FTL016G001	£11,982
Freezer Room Only	KQEB2822W/QS119601	£6,629



COLDROOM **2570 x 2570mm**

Product	Code	Price
Chiller Room & Motor	KQEB2424W/FTM016G001	£10,117
Chiller Room Only	KQEB2424W	£5,896
Freezer Room & Motor	KQEB2426W/FTL016G001	£11,323
Freezer Room Only	KQEB2424W/QS119601	£5,968



COLDROOM **2570** x **2970mm**

Product	Code	Price
Chiller Room & Motor	KQEB2824W/FTM016G001	£10,954
Chiller Room Only	KQEB2824W	£6,733
Freezer Room & Motor	KQEB2826W/FTL016G001	£12,157
Freezer Room Only	KQEB2824W/QS119601	£6,805



COLDROOM 2770 x 2570mm

Code	Price
KQEB2426W/FTM016G001	£10,813
KQEB2426W	£6,592
KQEB2428W/FTL016G001	£12,019
KQEB2426W/QS119601	£6,664
	KQEB2426W/FTM016G001 KQEB2426W KQEB2428W/FTL016G001



COLDROOM 2770 x 2970mm

Product	Code	Price
Chiller Room & Motor	KQEB2826W/FTM016G001	£11,755
Chiller Room Only	KQEB2826W	£7,535
Freezer Room & Motor	KQEB2828W/FTL016G001	£12,959
Freezer Room Only	KQEB2826W/QS119601	£7,606



COLDROOM **2970** x **2570mm**

Product	Code	Price
Chiller Room & Motor	KQEB2428W/FTM016G001	£10,980
Chiller Room Only	KQEB2428W	£6,759
Freezer Room & Motor	KQEB2430W/FTL016G001	£12,187
Freezer Room Only	KQEB2428W/QS119601	£6,832



COLDROOM 2970 x 2970mm

Product	Code	Price
Chiller Room & Motor	KQEB2828W/FTM016G001	£11,930
Chiller Room Only	KQEB2828W	£7,710
Freezer Room & Motor	KQEB2830W/FTL020G001	£13,136
Freezer Room Only	KQEB2828W/QS119601	£7,783





VESTFR#ST

GAMKO

<u>autonumis</u>

Diamond

LIEBHERR

CORECO

MOFFAT

Prodis

^₹



DISPLAY REFRIGERATION

Commercial display refrigeration plays a vital role in showcasing and effectively merchandising refrigerated products in the food and beverage industry. It combines functionality and aesthetics to attract customers while ensuring optimal storage and presentation of perishable goods.

We proudly offer a diverse range of commercial display refrigeration units to cater to various needs and preferences. Our stock includes:

Bottle Coolers: These units are designed specifically to cool and display bottled beverages, such as beer, soft drinks, and water. They are commonly used in bars, pubs, and convenience stores.

Display Chillers & Freezers: These refrigeration units feature transparent doors or glass panels, allowing customers to easily view and access chilled or frozen products. They are ideal for supermarkets, deli's, and cafés.

Wine Coolers & Cabinets: Specifically designed for storing and showcasing wine bottles, these units provide precise temperature control and elegant display options. They are popular in wine shops, restaurants, and hotels.

Glass Frosters: These specialized units quickly chill glasses, ensuring that beverages served to customers are refreshingly cold. They are commonly found in bars, clubs, and cocktail lounges.

Display Chest Freezers: These chest-style freezers feature transparent lids or glass panels to display

frozen products while keeping them at the ideal temperature. They are often used in convenience stores and supermarkets.

Display Cabinets: These refrigerated cabinets feature glass doors and adjustable shelves, making them perfect for displaying various food items, such as desserts, sandwiches, and salads. They are commonly used in bakeries, cafés, and deli's.

Serveover Counters: These refrigerated counters combine a display area for showcasing chilled products, such as meats, cheeses, and ready-to-eat meals, with a convenient serving surface. They are popular in butcher shops, delicatessens, and cafés.

Patisserie Counters: Designed specifically for displaying pastries, cakes, and desserts, these refrigerated counters offer an attractive showcase while maintaining the freshness and quality of delicate treats. They are commonly found in bakeries and patisseries.

Refrigerated Wells: These versatile units feature refrigerated compartments that can be used to display a variety of food items, such as salads, yogurt, and condiments. They are often used in salad bars, buffets, and self-serve stations.

Multidecks: These open-fronted display units are designed to provide maximum visibility and accessibility to a wide range of refrigerated products. They are commonly used in supermarkets, convenience stores, and grab-and-go outlets.

STERLING PRO GREEN STAINLESS STEEL BOTTLE COOLERS

- Refrigerant: R600a - Energy rating: D

Temperature: +2°C to +10°C

Power supply: 13 amp plug

- Stainless Steel exterior
- Aluminium interior finish
- 50mm thick insulation
- Adjustable shelves: x2 (SP1HC) x4 (SP2HC) / x6 (SP3HC)
- Max ambient of 32°C
- Internal LED lighting
- Automatic defrost
- Lockable doors
- Climate class: 4
- Voltage: 230V/50HZ
- Cooling system: Static with fan
- Defrost type: Automatic
- Compressor mounting: Bottom


Type Doors

Bottle Capacity

- Digital temperature display
- Self closing doors
- Hinged doors only

SP1HC-STS Hinged Single

Model





- Refrigerant: R600a - Energy rating: E

- Power supply: 13 amp plug

- Stainless Steel interior finish
- 50mm thick insulation
- Adjustable shelves
- Max ambient of 32°C
- Internal LED lighting
- Automatic defrost
- Lockable doors
- Digital temperature display
- Self-closing doors





SPECIAL LOWER PRICING





Model	Colour	Doors	Gross Capacity	Temperature	Dime Width /	nsions Depth	(mm) / Height	Price
SP110-BK	Black	Single	293L	+2°C to +10°C	600	515	1820	£998
SP110-STS	S/Steel	Single	293L	+2°C to +10°C	600	515	1820	£1,318

Model	Colour	Doors	Gross Capacity	Temperature	Ure Dimensions (n Width / Depth / H 0°C 900 515 1		(mm) ' Height	Price
SP220-BK	Black	Double	458L	+2°C to +10°C	900	515	1820	£1,558
SP220-STS	S/Steel	Double	458L	+2°C to +10°C	900	515	1820	£1,758

2 Years Parts 3-5 Working

Days Delivery







GAMKO MAXIGLASS SINGLE GLASS DOOR BOTTLE COOLERS

- Refrigerant: R600a - Power supply: 13 amp plug
 - Energy rating: C
 - Bottle capacity:
- 143 x 330ml / 181 x 250ml Temperature: +2°C to +18°C
 - 2 adjustable shelves
- Dimmable vertical LED lighting
 - Door locks as standard
 - Automatic defrost

2

- Exchangeable magnetic gaskets
 - Digital temperature display

Model	Door Type	Door Finish		nsions / Depth /		Price
MG3/150RG	Right hinged	Glass / Anthracite	602	575	900	£1,938
MG3/150LG	Left hinged	Glass / Anthracite	602	575	900	£1,938

Model	Door Type	Door Finish	Dimensions (mm) Width / Depth / Height			Price
MG3/150RGCS	Right hinged	Glass / S/Steel	602	575	900	£2,110
MG3/150LGCS	Left hinged	Glass / S/Steel	602	575	900	£2,110

GAMKO MAXIGLASS SINGLE SOLID DOOR BOTTLE COOLERS

- Refrigerant: R600a
- Power supply: 13 amp plug
- Energy rating: C
- Bottle capacity:
 - 143 x 330ml / 181 x 250ml
- Temperature: +2°C to +18°C
- 2 adjustable shelves
- Dimmable vertical LED lighting
- Door locks as standard
- Automatic defrost
- Exchangeable magnetic gaskets
- D



	mperature	display		_	_	
Model	Door Type	Door Finish		nsions Depth /		Price
4G3/150R	Right hinged	Solid / Anthracite	602	575	900	£1,938
4G3/150L	Left hinged	Solid / Anthracite	602	575	900	£1.938





Model	Door Type	Door Finish		ensions / Depth /		Price
MG3/150RCS	Right hinged	Solid / S/Steel	602	575	900	£2,160
MG3/150LCS	Left hinged	Solid / S/Steel	602	575	900	£2,160



GAMKO MAXIGLASS DOUBLE GLASS DOOR BOTTLE COOLERS









- Refrigerant: R600a
- Power supply: 13 amp plug
- Temperature: +2°C to +18°C Dimmable vertical LED lighting
- Bottle capacity: 225 x 330ml

-	2	adjustable	shelve
---	---	------------	--------

Model	Door Type	Door Finish		nsions Depth/		Price
MG3/250G	Hinged	Glass / Anthracite	900	575	900	£2,472
MG3/250GCS	Hinged	Glass / S/Steel	900	575	900	£2,746
MG3/250SD	Sliding	Glass / Anthracite	900	575	900	£2,542

GAMKO MAXIGLASS DOUBLE SOLID DOOR BOTTLE COOLERS



- Refrigerant: R600a
- Power supply: 13 amp plug
- Temperature: +2°C to +18°C
- Dimmable vertical LED lighting
- Bottle capacity: 225 x 330ml 2 adjustable shelves

Model	Door Type	Door Finish	Dimensions (mm) Width / Depth / Height			Price
MG3/250	Hinged	Solid / Anthracite	900	575	900	£2,654
MG3/250CS	Hinged	Solid / S/Steel	900	575	900	£3,016

GAMKO MAXIGLASS DOUBLE GLASS DOOR BOTTLE COOLERS



- Years Parts
- 3-5 Working

- Refrigerant: R600a
- Temperature: +2°C to +18°C
- Power supply: 13 amp plug
- Dimmable vertical LED lighting
- Bottle capacity: 322 x 330ml 2 adjustable shelves

Model	Door Type	Door Finish	Dimensions (mm) Width / Depth / Height			Price	
MG3/275G	Hinged	Glass / Anthracite	1200	575	900	£3,324	
MG3/275GCS	Hinged	Glass / S/Steel	1200	575	900	£3,610	
MG3/275SD	Sliding	Glass / Anthracite	1200	575	900	£3,528	

GAMKO MAXIGLASS TRIPLE GLASS DOOR BOTTLE COOLERS



- Refrigerant: R600a
- Temperature: +2°C to +18°C
- Power supply: 13 amp plug
- Dimmable vertical LED lighting

2

Years Parts

& Labour

3-5 Working Days Delivery

- Bottle capacity: 366 x 330ml - 6 adjustable shelves

Model	Door Type	Door Finish	Dimensions (mm) Width / Depth / Height			Price
MG3/315G	Hinged	Glass / Anthracite	1350	575	900	£3,356
MG3/315GCS	Hinged	Glass / S/Steel	1350	575	900	£3,900
MG3/315SD	Sliding	Glass / Anthracite	1350	575	900	£3,634

GAMKO MAXIGLASS TRIPLE SOLID DOOR BOTTLE COOLERS



- Refrigerant: R600a
- Temperature: +2°C to +18°C
- Power supply: 13 amp plug
- Dimmable vertical LED lighting
- Bottle capacity: 366 x 330ml 6 adjustable shelves

Model	Door Type	Door Finish	Dimensions (mi Width / Depth / He			Price
MG3/315	Hinged	Solid / Anthracite	1350	556	900	£3,694
MG3/315CS	Hinged	Solid / S/Steel	1350	556	900	£4.294

GAMKO MAXIGLASS UPRIGHT DOUBLE GLASS DOOR BOTTLE COOLERS



- Refrigerant: R600a
 - Bottle capacity: 480 x 330ml - Temperature: +2°C to +18°C
- Power supply: 13 amp plug Gross capacity: 500 Litres
- 5 adjustable shelves

Model	Door Type	Door Finish	Dimensions (mm) Width / Depth / Height			Price
MG3/500G	Hinged	Glass / Anthracite	900	530	1800	£3,980
MG3/500GCS	Hinged	Glass / S/Steel	900	530	1800	£4,388
MG3/500SD	Sliding	Glass / Anthracite	900	530	1800	£4,612



GAMKO MAXIGLASS UPRIGHT SINGLE GLASS DOOR BOTTLE COOLERS

- Refrigerant: R600a

- Power supply: 13 amp plug

- Energy rating: E

- Bottle capacity: 310 x 330ml

- Gross capacity: 300 Litres

- Temperature: +2°C to +18°C

- 5 adjustable shelves
- Internal LED lighting
- Lockable doors
- Automatic defrost
- Exchangeable magnetic gaskets
- Digital temperature display











Model	Door Type	Door Finish	Dimensions (mm) Width / Depth / Height		Price	
MG3/300RG	Right hinged	Glass / Anthracite	602	530	1800	£3,126
MG3/300LG	Left hinged	Glass / Anthracite	602	530	1800	£3,126

Model	Door Type	Door Finish	Dimensions (mm) Width / Depth / Height			Price
MG3/300RGCS	Right hinged	Glass / S/Steel	602	530	1800	£3,334
MG3/300LGCS	Left hinged	Glass / S/Steel	602	530	1800	£3,334

GAMKO MAXIGLASS SINGLE GLASS DOOR

2 Years Parts & Labour 3-5 Working Days Delivery







LOW HEIGHT BOTTLE COOLERS - Refrigerant: R600a

- Power supply: 13 amp plug

- Energy rating: C

- Bottle capacity:

98 x 330ml / 172 x 250ml Temperature: +2°C to +18°C

- 2 adjustable shelves

Dimmable vertical LED lighting

- Door locks as standard

- Automatic defrost

2

Exchangeable magnetic gaskets

- Digital temperature display

Model	Door Type	Door Finish	Dimensions (mm) Width / Depth / Height			Price
LG3/150RG	Right hinged	Glass / Anthracite	602	575	840	£1,938
LG3/150LG	Left hinged	Glass / Anthracite	602	575	840	£1,938

Model	Door Type	Door Finish	Dimensions (mm) Width / Depth / Height			Price
LG3/150RGCS	Right hinged	Glass / S/Steel	602	575	840	£2,110
LG3/150LGCS	Left hinged	Glass / S/Steel	602	575	840	£2,110

GAMKO MAXIGLASS SINGLE SOLID DOOR LOW HEIGHT BOTTLE COOLERS

- Refrigerant: R600a
- Power supply: 13 amp plug
- Energy rating: C
- Bottle capacity:
 - 98 x 330ml / 172 x 250ml
- Temperature: +2°C to +18°C
- 2 adjustable shelves
- Dimmable vertical LED lighting
- Door locks as standard
- Automatic defrost
- Exchangeable magnetic gaskets
- Digital temperature display







Model	Door Type	Door Finish	Dimensions (mm) Width / Depth / Height		Price	
LG3/150R	Right hinged	Glass / Anthracite	602	575	840	£1,986
LG3/150L	Left hinged	Glass / Anthracite	602	575	840	£1,986

	Model	Door Type	Door Finish		nsions Depth /		Price	
	LG3/150RCS	Right hinged	Glass / S/Steel	602	575	840	£2,160	
_	LG3/150LCS	Left hinged	Glass / S/Steel	602	575	840	£2,160	



GAMKO MAXIGLASS DOUBLE GLASS DOOR LOW HEIGHT BOTTLE COOLERS

- Refrigerant: R600a
- Power supply: 13 amp plug
- Energy rating: D
- Bottle capacity:
 - 150 x 330ml / 246 x 250ml
- Temperature: +2°C to +18°C
- 2 adjustable shelves
- Dimmable vertical LED lighting
- Door locks as standard
- Automatic defrost
- Exchangeable magnetic gaskets
- Digital temperature display







Model	Door Type	Door Finish	Dimensions (mm) Width / Depth / Height		Price	
LG3/250G	Hinged	Glass / Anthracite	900	575	840	£2,472
LG3/250GCS	Hinged	Glass / S/Steel	900	575	840	£2,746

Model	Door Type	Door Finish	Dimensions (mm) Width / Depth / Height		Price	
LG3/250SD	Sliding	Glass / Anthracite	900	575	840	£2,542

GAMKO MAXIGLASS DOUBLE SOLID DOOR LOW HEIGHT BOTTLE COOLERS







- Refrigerant: R600a
- Temperature: +2°C to +18°C
 Dimmable vertical LED lighting
- Power supply: 13 amp plug
- Bottle capacity: 150 x 330ml 2 adjustable shelves

Model	Door Type	Door Finish	Dimensions (mm) Width / Depth / Height			Price
LG3/250	Hinged	Solid / Anthracite	900	575	840	£2,722
LG3/250CS	Hinged	Solid / S/Steel	900	575	840	£3,018

GAMKO MAXIGLASS TRIPLE GLASS DOOR LOW HEIGHT BOTTLE COOLERS



- Refrigerant: R600a
- Temperature: +2°C to +18°C
- Power supply: 13 amp plug
- Dimmable vertical LED lighting

2

- Bottle capacity: 243 x 330ml - 6 adjustable shelves

Model	Door Type	Door Finish	Dimensions (mm) Width / Depth / Height		Price	
LG3/315G	Hinged	Glass / Anthracite	1350	575	840	£3,356
LG3/315GCS	Hinged	Glass / S/Steel	1350	575	840	£3,900
LG3/315SD	Sliding	Glass / Anthracite	1350	575	840	£3,634

AUTONUMIS POPULAR SINGLE DOOR BOTTLE COOLERS

- Refrigerant: R600a
- Power supply: 13 amp plug
- Bottle capacity: 87 x 330ml
- Temperature: +3°C to +11°C
- Power rating: 250W
- Big capacity compressor
- Built-in evaporator fan
- Adjustable thermostat
- Foam injected carcass
- Automatic defrost
- *S/Steel models: 7-10 days

S/Steel Surround

S/Steel Cabinet

No

Glass / Hinged

525

- Made in Britain

Model

RNC00001

RNC00002





500 900





Model	S/Steel Surround	S/Steel Cabinet	Door Type		Dimensions (mm) Width / Depth / Height		Price
RNC00012	Yes	No	Solid / Hinged	525	500	900	£945
RNC00008	Yes	Yes	Glass / Hinged	525	500	900	£1,109

£945

AUTONUMIS POPULAR DOUBLE DOOR 3 FOOT BOTTLE COOLERS

- Refrigerant: R600a

- Power supply: 13 amp plug - Bottle capacity: 174 x 330ml

- Temperature: +3°C to +11°C

- Power rating: 265W

- Big capacity compressor
- Built-in evaporator fan
- Adjustable thermostat
- Automatic defrost
- *S/Steel models: 7-10 days
- Made in Britain







Model	S/Steel Surround	S/Steel Cabinet	Door Type		Dimensions (mm) Width / Depth / Height		Price
RPC00001	No	No	Glass / Hinged	910	500	900	£1,128
RPC10001	No	No	Glass / Sliding	910	500	900	£1,128
RPC00003	Yes	No	Glass / Hinged	910	500	900	£1,289

Model	S/Steel Surround	S/Steel Cabinet	Door Type		Dimensions (mm) Width / Depth / Height		Price
RPC00010	Yes	No	Solid / Hinged	910	500	900	£1,289
RPC00005	Yes	Yes	Glass / Hinged	910	500	900	£1,466
RPC00012	Yes	Yes	Solid / Hinged	910	500	900	£1,466







AUTONUMIS POPULAR DOUBLE DOOR MAXI BOTTLE COOLERS

- Refrigerant: R600a
- Power supply: 13 amp plug - Bottle capacity: 240 x 330ml
- Temperature: +3°C to +11°C
 - Power rating: 280W
 - Big capacity compressor - Built-in evaporator fan
 - Adjustable thermostat
 - Automatic defrost
- *S/Steel models: 7-10 days
 - Made in Britain

Model	S/Steel Surround	S/Steel Cabinet	Door Type		Dimensions (mm) Width / Depth / Height		Price
RQC00001	No	No	Glass / Hinged	1055	500	900	£1,436
RQC10001	No	No	Glass / Sliding	1055	500	900	£1,436
RQC00002	Yes	No	Glass / Hinged	1055	500	900	£1,598

Model	S/Steel Surround	S/Steel Cabinet	Door Type		Dimensions (mm) Width / Depth / Height		Price
RQC00005	Yes	No	Solid / Hinged	1055	500	900	£1,598
RQC00008	Yes	Yes	Glass / Hinged	1055	500	900	£1,777

AUTONUMIS ECOCHILL SINGLE DOOR **BOTTLE COOLERS**

- Refrigerant: R600a

- Power supply: 13 amp plug - Bottle capacity: 87 x 330ml

- Temperature: +3°C to +11°C

- Power rating: 190W

- High efficiency compressor

- Low energy 12V evaporator fan

- Low energy 12V condenser fan

- CFS-free and ozone friendly

- Automatic defrost

- *S/Steel models: 7-10 days

- Made in Britain







Years Parts & Labour
2-3 Working
Days Delivery*

2

Model	S/Steel Surround	S/Steel Cabinet	Door Type	Dimensions (mm) Width / Depth / Height		Price	
RUC00001	No	No	Glass / Hinged	525	500	900	£1,052
RUC00005	Yes	No	Glass / Hinged	525	500	900	£1,134

Model	S/Steel Surround	S/Steel Cabinet	Door Type		nsions Depth/		Price
RUC00007	Yes	No	Solid / Hinged	525	500	900	£1,134
RUC00012	Yes	Yes	Glass / Hinged	525	500	900	£1,300

autonumis Prodi/

AUTONUMIS ECOCHILL DOUBLE DOOR 3 FOOT BOTTLE COOLERS

- Refrigerant: R600a

- Power supply: 13 amp plug - Bottle capacity: 174 x 330ml

Temperature: +3°C to +11°C Power rating: 190W

- High efficiency compressor

- Low energy 12V evaporator fan
- Low energy 12V condenser fan
- CFS-free and ozone friendly
- *S/Steel models: 7-10 days
- Made in Britain





EcoChill



Model	S/Steel Surround	S/Steel Cabinet			Price		
RVC00001	No	No	Glass / Hinged	910	500	900	£1,346
RVC10001	No	No	Glass / Sliding	910	500	900	£1,346
RVC00003	Yes	No	Glass / Hinged	910	500	900	£1,512

EcoChill

Model	S/Steel Surround	S/Steel Cabinet	Door Type		Dimensions (mm) Width / Depth / Height		Price
RVC00004	Yes	No	Solid / Hinged	910	500	900	£1,512
RVC00007	Yes	Yes	Glass / Hinged	910	500	900	£1,684
RVC00009	Yes	Yes	Solid / Hinged	910	500	900	£1,684







£1,653

AUTONUMIS ECOCHILL DOUBLE DOOR MAXI BOTTLE COOLERS

- Refrigerant: R600a
- Power supply: 13 amp plug - Bottle capacity: 240 x 330ml
- Temperature: $+3^{\circ}$ C to $+11^{\circ}$ C
 - Power rating: 220W
- High efficiency compressor Low energy 12V evaporator fan
- Low energy 12V condenser fan
 - CFS-free and ozone friendly
 - Automatic defrost
 - *S/Steel models: 7-10 days
 - Made in Britain

Model	S/Steel Surround	S/Steel Cabinet	Door Type		Dimensions (mm) Width / Depth / Height		Price
RWC00001	No	No	Glass / Hinged	1055	500	900	£1,653
RWC10001	No	No	Glass / Sliding	1055	500	900	£1,653

Model	S/Steel Surround	S/Steel Cabinet	Door Type	Dimer Width /	nsions Depth/		Price
RWC00003	Yes	No	Glass / Hinged	1055	500	900	£1,814
RWC00006	Yes	Yes	Glass / Hinged	1055	500	900	£2,155

AUTONUMIS BLACK UPRIGHT BOTTLE COOLER









- Refrigerant: R600a
- Power supply: 13 amp plug - Black cabinet & door frame
- x6 adjustable shelves
- Internal lighting with switch
- Automatic defrost

Model	Bottle Capacity	Gross Capacity	Temperature		Dimensions (mm) Width / Depth / Height		Price
RZC00001	242 x 330ml	381L	+2°C to +10°C	595	595	1840	£1,761

PRODIS STAINLESS STEEL HINGED DOOR BOTTLE COOLERS









- Refrigerant: R600a
- Power supply: 13 amp plug
- S/Steel exterior & interior
- LED lighting with switch - Self-closing hinged doors
- Adjustable chrome shelves

Model	Doors	Gross Capacity	Temperature	Dime Width /	nsions Depth /	(mm) Height	Energy Rating	Price
NT1ST-HC	Single	126L	+2°C to +8°C	600	510	900	E	£936
NT2ST-HC	Double	220L	+2°C to +8°C	900	510	900	E	£1,178
NT3ST-HC	Triple	300L	+2°C to +8°C	1350	510	900	G	£1,530

Click here to go back to the contents page

PRODIS BLACK LOW HEIGHT BOTTLE COOLERS

Prodi: LIEBHERR VESTFRSST









- Refrigerant: R600a
- Power supply: 13 amp plug
- Painted black steel exterior
- Self-closing hinged doors
- Adjustable chrome shelves
- Digital temperature control

Model	Doors	Gross Capacity	Temperature	Dimensions (mm) Width / Depth / Height			Price
NT1BHLO-HC	Single	119L	+2°C to +10°C	600	520	850	£704
NT2BHLO-HC	Double	208L	+2°C to +10°C	900	520	850	£836

PRODIS BLACK UPRIGHT BOTTLE COOLERS









- Refrigerant: R600a
- Power supply: 13 amp plug
- Self-closing hinged doors - Adjustable chrome shelves
- Digital temperature control - Painted black steel exterior

Model	Doors	Gross Capacity	Temperature	Dime Width	Price		
NT10-HC	Single	340L	+2°C to +10°C	600	515	1800	£1,574
NT20-HC	Double	560L	+2°C to +10°C	900	515	1800	£2,124

LIEBHERR UNDERCOUNTER **BOTTLE COOLER**







- Refrigerant: R600a
- Power supply: 13 amp plug
- Automatic defrost
- Toughened glass door
- Moulded polystyrol interior
- Manufactured in Austria

Model	Capac Gross /		Temperature Dimens				Price
FKVESF1803	180L	157L	+1°C to +15°C	600	600	850	£1,632

VESTFROST UNDERCOUNTER **BOTTLE COOLERS**









- Refrigerant: R600a
- Power supply: 13 amp plug
- Black exterior finish
- Adjustable metal shelves
- Fan assisted cooling
- LED lighting

Model	Capa Gross		Temperature		nsions / Depth /		Price
M85	125L	106L	+2°C to +10°C	493	587	830	£926
M95	155L	137L	+3°C to +18°C	595	572	820	£1,186

PRODIS TAP KEG COOLERS



- Refrigerants: R600a/R290
- Energy efficiency rating: C
- Power supply: 13 amp plug - Durable black exterior finish
- Hard wearing S/Steel worktop
- Forced air cooling system
- Insulated beer column
- Drip tray inset into worktop

Model	Taps	Gross Capacity	Temperature		Dimensions (Width / Depth /		Price
NTKC1	x1	1x1/2 keg (11 gallon)	+1°C to +8°C	612	810	1312	£1,460
NTKC2	x2	2x1/2 keg (22 gallon)	+1°C to +8°C	1247	650	1438	£2,450

PRODIS BOTTLE DUMPS







- Refrigerant: R600a
- Power supply: 13 amp plug
- Durable black exterior finish
- Sliding lids for easy access
 - Integrated bottle opener

Model	Gross Capacity	Temperature		nsions Depth /		Energy Rating	Price
NTBD1	279L	+2°C to +8°C	935	687	888	В	£1,120
NTBD2	417L	+2°C to +8°C	1255	687	888	С	£1,390
NTBD3	577L	+2°C to +8°C	1634	687	888	С	£1,680

STERLING PRO COBUS WHITE DISPLAY CHILLER & FREEZER







- Refrigerant: R290a
- White ABS interior finish
- Power supply: 13 amp plug 50mm thick insulation
- White exterior finish
- Internal LED lighting

Model	Туре	Gross Capacity	Temperature	Temperature Dimen			Energy Rating	Price
SPR400G	Chiller	360L	0°C to +10°C	600	610	1850	С	£1,178
SPF400G	Freezer	360L	-10°C to -22°C	600	610	1850	С	£1,378

STERLING PRO GREEN SLIMLINE DISPLAY CHILLER & FREEZER







- Refrigerants: R600a/R290a White metallic interior finish
- Power supply: 13 amp plug x6 fixed shelves
 - Internal LED lighting

writte exterior	11111511	-	mternai	LED	lighting

Model	Туре	Gross Capacity	Temperature	Dime Width	nsions Depth	(mm) ' Height	Energy Rating	Price
BBS225WOC	Chiller	225L	0°C to +10°C	450	497	1881	E	£1,078
BBVF225	Freezer	221L	-18°C to -24°C	494	521	1915	Α	£1,538

STERLING PRO GREEN DISPLAY FREEZERS

- Refrigerant: R290a
- Power supply: 13 amp plug
- White exterior finish
- White metallic interior finish
- Aluminium door profile
- Internal LED lighting with switch
- Illuminated canopy with switch
- Adjustable electrical thermostat
- x5 fixed shelves: BBVF372-HC
- x5 adjustable shelves: BBVF500
- Self-closing door with built-in handle
- Max ambient of 30°C

2

Years Parts & Labour

2-3 Working Days Deliver

	Model	Capa Gross	acity / Nett	Temperature	Dime Width /	nsions Depth /	Energy Rating	Price	
ВВ	VF372-HC	382L	334L	-18°C to -24°C	640	674	2056	С	£1,538
E	BVF500	496L	450L	-18°C to -24°C	670	718	2026	С	£1,998





STERLING PRO GREEN DISPLAY CHILLERS

- SPG385 & SPG390C refrigerant: R600a - SPD20HG refrigerant: R290a

- Energy rating: E

- Temperature: +1°C to +10°C

- Power supply: 13 amp plug

- White exterior and interior

- Black door frames

- PVC coated wire shelves

- Double-glazed tempered glass doors

- Internal LED lighting with switch

- Lockable doors





Model	Doors	Canopy	Can Capacity	Capa Gross	acity / Nett		605 1994		Price
SPG385	Single	No	406 x 330ml	379L	368L	595	605	1832	£798
SPG390C	Single	Yes	406 x 330ml	373L	358L	595	605	1994	£898
SPD20HG	Double	Yes	1001 x 330ml	832L	805L	980	740	2145	£1,898

SPD20HG **£1,898**

VESTFR@ST Prodir LIEBHERR

VESTFROST DISPLAY CHILLERS & FREEZER

- Refrigerant: R600a
- Power supply: 13 amp plug
- Ventilated cooling system
- Automatic defrost
- Internal LED lighting
- Adjustable feet
- Reversible door
- Lockable doors (excluding FKG370)
- Large branding surface: FKG410 only
- Illuminated canopy: FKG410 only
- Manufactured in Denmark







Model	Capacity Gross / Nett		Temperature			Dimensions (mm) Width / Depth / Height		Price
М 150	306L	281L	+3°C to +10°C	595	595	1550	В	£1,516
М 180	381L	351L	+3°C to +10°C	595	595	1850	В	£1,598
M 210	448L	379L	+1°C to +10°C	595	595	2000	E	£1,870

Model	Capacity Gross / Nett		Temperature			Dimensions (mm) Width / Depth / Height		Price
FKG370	377L	347L	+3°C to +10°C	595	595	1850	E	£1,646
FKG410	381L	351L	+3°C to +10°C	595	595	2000	E	£1,150
NFG309	310L	292L	-16°C to -25°C	595	595	1850	Е	£2,352



PRODIS DISPLAY **CHILLERS & FREEZERS**

- Refrigerant: R290
- Power supply: 13 amp plug
- White/grey cabinet exterior
 - Aluminium door frame
- White interior with S/Steel floor
 - Shelf edge ticket strips
- Self closing double glazed doors
 - Forced air cooling system - Automatic defrost
 - Adjustable shelves
 - Vertical LED lighting
- Digital temperature controller

Model	Туре	Gross Capacity	Temperature		nsions Depth/		Price
XPD750-P-G-LE	Chiller	614L	-1°C to +10°C	750	710	2003	£1,510
XPD750-N-G-LE	Freezer	560L	-18°C to -22°C	750	760	2003	£2,490

Model	Туре	Gross Capacity	Temperature		Dimensions (mm) Width / Depth / Height		Price
XPD1250-P-G-LE	Chiller	1081L	-1°C to +10°C	1253	710	2003	£2,500
XPD1250-N-G-LE	Freezer	1006L	-18°C to -22°C	1253	760	2003	£3,500

LIEBHERR UPRIGHT DISPLAY CHILLERS



- Refrigerant: R600a
- Energy rating: C Power supply: 13 amp plug
- MRFVD 3511 £1,960 - Dynamic cooling system

2

Years Parts & Labour

7-10 Working

Days Delivery

- Automatic defrost - Internal LED lighting
- Can Capacity Dimensions (mm) Width / Depth / Heigh Model Finish Temperature Price MRFVC 3511 White 414 x 330ml +2°C to +9°C 597 654 1684 £1,804 MRFVD 3511 414 x 330ml +1°C to +15°C 654 1684 £1,960

LIEBHERR UPRIGHT DISPLAY CHILLERS



- - MRFVD 4011 **£2,130**
- 2 Years Parts & Labour 7-10 Working Days Delivery

- Refrigerant: R600a
- Energy rating: C
- Power supply: 13 amp plug
- Dynamic cooling system
- Automatic defrost
- Internal LED lighting

Model	Finish	Can Capacity	Temperature	Dimensions (mm) Width / Depth / Height			Price
MRFVC 4011	White	506 x 330ml	+2°C to +9°C	597	654	1884	£1,830
MRFVD 4011	Grey	506 x 330ml	+1°C to +15°C	597	654	1884	£2,130

LIEBHERR UPRIGHT DISPLAY CHILLER



- Refrigerant: R600a
- Energy rating: C
- Power supply: 13 amp plug
- Dynamic cooling system
- Automatic defrost
- Internal LED lighting

Model	Finish	Can Capacity			nsions Depth/	(mm) ' Height	Price
MRFVC 5511	White	708 x 330ml	+2°C to +9°C	747	769	1684	£2,330

VESTFROST UNDERCOUNTER DUAL-ZONE WINE COOLER



- Refrigerant: R600a
- Energy rating: G
- Power supply: 13 amp plug
- Wooden-trimmed shelves
- Smoked glass door
- Black gloss surround

Model	Bottle Capacity	Dual-Zone Temperatures		Dimensions (mm) Width / Depth / Height		
WFG 32	32 x 0.75L	+5°C to +10°C +10°C to +18°	C 493	577	830	£1,066
WFG 45	44 x 0.75L	+5°C to +10°C +10°C to +18	C 595	573	820	£1,338

VESTFROST UNDERCOUNTER DUAL-ZONE WINE COOLERS

- Refrigerant: R600a
- Energy rating: G
- Power supply: 13 amp plug
- Wooden-trimmed shelves
- LED internal lighting
- Smoked glass door
- Aluminium trim

Model

W 32

W 38

W 45

- Low vibration compressor
- Built-in heating element
- Digital temperature control

Bottle Capacity

38 x 0.75L

38 x 0.751

44 x 0.75L

- Exchangeable gasket

Doors

Single

Double

Single

np plug nelves g ressor ment e control	£1,066						2-3 Working Days Delivery
Dual-Zone	Temperatures		nsions (/ Depth /		Price	0	
Top: +5°C to +10°C	Bottom: +10°C to +18°C	493	587	830	£1,066		W.
Left: +5°C to +10°C	Right: +10°C to +18°C	595	573	820	£1,362		
Top: +5°C to +10°C	Bottom: +10°C to +18°C	595	573	820	£1,268		V

VESTFROST UPRIGHT DUAL-ZONE WINE CABINETS



- WFG 185 **£2,138**
- 3 Years Parts
- 2-3 Working Days Delivery

- Refrigerant: R600a
- Wooden-trimmed shelves
- Energy rating: G
- Smoked glass door with UV-filter
- Power supply: 13 amp plug Black gloss surround

Model	Bottle Capacity	Dual-Zone Temperatures	Dimensions Width / Depth /			Price
WFG 155	147 x 0.75L	+5°C to +22°C	595	610	1550	£1,958
WFG 185	197 x 0.75L	+5°C to +22°C	595	595	1850	£2,138

VESTFROST UPRIGHT WINE CABINET





3

- Refrigerant: R600a
- Flat wooden shelves - Smoked glass door
- Energy rating: G - Power supply: 13 amp plug
- Low-vibration compressor

Model	Bottle Capacity	Temperature		nsions Depth/		Price
VKG 571	116 x 0.75L	+6°C to +16°C	595	595	1850	£1,516

Click here to go back to the contents page

VESTFROST UPRIGHT DUAL-ZONE WINE CABINETS



- Refrigerant: R600a
- Energy rating: G
- Power supply: 13 amp plug
- Wooden-trimmed shelves
- Smoked glass door
- Low-vibration compressor

Model	Bottle Capacity	Dual-Zone Temperatures		nsions Depth/		Price
FZ295W-BLACK	147 x 0.75L	+5°C to +22°C	595	595	1550	£1,798
FZ365W-BLACK	197 x 0.75L	+5°C to +22°C	595	600	1850	£1,938
FZ365W-SILVER	197 x 0.75L	+5°C to +22°C	595	600	1850	£1,938

LIEBHERR UPRIGHT MULTI-ZONE WINE CABINETS









- Refrigerant: R600a
- Energy rating: G
- Wooden pull-out shelf
- Door alarm (if open for 60+ sec)
- Power supply: 13 amp plug - Internal LED lighting

Model	Zones	Bottle Capacity	Temperature		Dimensions (mm) Width / Depth / Height		Price
WTES 5872	3	178 x 0.75ml	+5°C to +20°C	700	742	1920	£7,230
WTES 5972	2	211 x 0.75ml	+5°C to +20°C	700	742	1920	£6,420

LIEBHERR UNDERCOUNTER WINE STORAGE FRIDGES



- Refrigerant: R600a
- Energy rating: E
- Power supply: 13 amp plug
- Wooden pull-out shelf
- Door alarm (if open for 60+ sec)
- Internal LED lighting
- Digital temperature display
- Reversible door hinges

Model Finish		Bottle Capacity	Temperature		nsions Depth/		Price
WKES 653	S/Steel	12 x 0.75ml	+5°C to +20°C	425	478	612	£2,680
WKB 1812	Black	66 x 0.75ml	+5°C to +20°C	600	613	890	£1,924

LIEBHERR OUTDOOR COOLER







- Refrigerant: R600a
- Energy rating: B
- Power supply: 13 amp plug
- Adjustable shelving
- Weatherproof construction
- Digital temperature display
- Auto shutdown when ambient temperature drops below 2°C

Model Finish		Gross Capacity	Temperature		nsions Depth/		Price
OKES 1750	S/Steel	109L	+2°C to +14°C	598	577	818	£2,754

CORECO GLASS FROSTERS



- Refrigerant: R290a
- Cold plate evaporator
- Power supply: 13 amp plug Digital temperature control
- Fan assisted condenser unit Stainless Steel exterior

Model	Door Type	Glass Capacity	Temperature		nsions Depth /		Price
EC-85	Solid	120	-5°C to -10°C	510	510	850	£1,888
EE-85	Glass	120	-5°C to -10°C	510	510	850	£2,046

PRODIS GLASS FROSTER







- Refrigerant: R290
- Power supply: 13 amp plug
- Automatic defrost
- S/Steel exterior & interior
- Internal LED lighting Frosted glasses in minutes
- Forced air refrigeration
- Heated glass door

Model	Capacity	Shelves	Temperature		ensions (Price
NTGFC	100L	2	-10°C to -15°C	595	525	875	£1,460

VESTFROST SLIDING GLASS LID CHEST FREEZERS







- Refrigerant: R600a
- Skin condenser
- Power supply: 13 amp plug
- Sliding glass lids
- Super-freeze function
- LCD temperature display

Model	Capa Gross		Temperature	Dime Width /	Price		
IKG275	265L	9.4	-18°C to -24°C	920	600	905	£854
IKG405	386L	13.6	-18°C to -24°C	1260	600	905	£962

STERLING PRO GREEN GLASS SLIDING LID CHEST FREEZERS



- Refrigerant: R290a
- Aluminium interior finish
- Power supply: 13 am plug
- 65mm thick insulation
- White exterior finish
- Number of baskets: x3

M	Model Capacity Gross / Nett			Temperature	Dime Width /	nsions Depth /	(mm) Height	Energy Rating	Price
SPC	461GC	461L	330L	-18°C to -24°C	1489	653	904	F	£1,058
SPC	563GC	563L	438L	-18°C to -24°C	1772	653	904	F	£1,098

DIAMOND SLIDING GLASS LID CHEST FREEZERS







- Power supply: 13 amp plug
- 60mm insulation
- Sliding glass lids
- Electronic thermostat
- Swivel castors
- Trolley bumper

Model	Capa Gross /		Temperature	Dimensions (mm) Width / Depth / Height			Price
VT150E/N-R2	597L	21.1	-15°C to -23°C	1550	960	780	£3,080
VT200E/N-R2	839L	29.6	-15°C to -23°C	2050	960	780	£3,218
VT250E/N-R2	1032L	36.4	-15°C to -23°C	2500	960	780	£3,940

DIAMOND SLIDING CURVED GLASS LID CHEST FREEZERS



Year Parts Only

2

2-4 Weeks Lead-Time

- Power supply: 13 amp plug
- 70mm insulation
- Sliding glass lids
- Electronic thermostat
- Copper coil evaporators
- x2 Ventilated condensers

Model	Gross Capacity	Temperature		nsions Depth/		Price
VISUAL-15-R2	1700L	-15°C to -23°C	1500	940	880	£4,338
VISUAL-20-R2	2200L	-15°C to -23°C	2000	940	880	£4,610

DIAMOND SLIDING CURVED GLASS LID CHEST FREEZERS







- Refrigerant: R290a
- Sliding curved glass lids
- Power supply: 13 amp plug 60mm insulation
- Ventilated condenser - Castors fitted as standard
- Dimensions (mm) Width / Depth / Height Capacity Gross / CUF Model Temperature Price SLID-11-R2 10.1 -15°C to -23°C £1,885 290L 1100 600 830 SLID-14-R2 -15°C to -23°C 830 £2,114 392L 13.7 1400 600 -15°C to -23°C £2,408 SI ID-18-R2 5271 18.5 1810 600 830

DIAMOND VENTILATED CHILLED DISPLAY CABINETS







- Refrigerant: R290
- Stainless Steel exterior
- Power supply: 13 amp plug
- Double glazed glass
- Internal LED lighting
- Built-in compressor unit

Model	Capacity	Temperature		nsions Depth/		Price
VRDP-B1-R2	2 Shelves	+2°C to +10°C	785	650	735	£3,840
VRDG-B1-R2	2 Shelves	+2°C to +10°C	1185	650	735	£5,004

Click here to go back to the contents page

ATOSA SLIMLINE DISPLAY CABINETS

- Fridge refrigerant: R600a (YCF9403GR: R290a)

- Freezer refrigerant: R290a

- Power supply: 13 amp plug
- Top mounted compressor units
- Stainless Steel exterior and interior
- Heavy-duty Embraco compressor
- Magnetic door gaskets
- Self-closing and stay open door
- Recessed door handles

Model	Туре	Doors	Gross Capacity	Temperature		nsions Depth/		Price
YCF9401GR	Fridge	Single	410L	+2°C to +8°C	600	745	1945	£2,318
YCF9407GR	Freezer	Single	410L	-17°C to -20°C	600	745	1945	£3,224
YCF9402GR	Fridge	Double	900L	+2°C to +8°C	1200	745	1945	£3,008
YCF9408GR	Freezer	Double	900L	-17°C to -20°C	1200	745	1945	£4,292
YCF9403GR	Fridge	Triple	1390L	+2°C to +8°C	1800	745	1945	£3,782



DIAMOND PANORAMIC CHILLED DISPLAY CABINETS









- Power supply: 13 amp plug
- Internal LED lighting
- Mounted on 4 wheels
- Door with magnetic closure
- Automatic defrost
- Electronic controller

Model	Finish	Capacity	Temperature		nsions Depth/		Price
INN/VN-B9	Black	5 shelves	+2°C to +10°C	800	630	1850	£5,682
INN/VN-W5	White	5 shelves	+2°C to +10°C	800	630	1850	£5,682

DIAMOND PANORAMIC FROZEN DISPLAY CABINETS



- Internal LED lighting
- Mounted on 4 wheels
- Automatic defrost

1

Year Parts

- Electronic controller

Model	Finish	Capacity	Temperature		Dimensions (mm Width / Depth / Hei		Price
SNE/SB-B7-R2	Black	5 shelves	-5°C to -18°C	600	630	1850	£5,306

SNE/SB-A5-R2 S/Steel 5 shelves -5°C to -18°C 600 630 1850 **£5,306**

DIAMOND PANORAMIC SELF-SERVICE REFRIGERATED COUNTERS

- Refrigerant: R290
- Power supply: 13 amp plug



CORECO Diamond

CORECO FLAT & CURVED GLASS SERVEOVERS

- Power supply: 13 amp plug
- Refrigerant: R290a
- Stainless Steel worktop
- White and grey exterior
- 40mm thick polystyrene insulation
- Tempered and hinged frost glass
- Refrigerated under storage
- Electronic temperature control





2

Model	Glass Style	Deck Area	Temperature	Dimensions (mm) Width / Depth / Height			Price
CVED-8-10-C	Curved	0.47m ²	-1°C to +5°C	1055	800	1230	£2,658
CVED-8-10-R	Flat	0.47m ²	-1°C to +5°C	1055	800	1230	£2,658
CVED-8-13-C	Curved	0.59m ²	-1°C to +5°C	1305	800	1230	£2,898
CVED-8-13-R	Flat	0.59m ²	-1°C to +5°C	1305	800	1230	£2,898
CVED-8-15-C	Curved	0.70m ²	-1°C to +5°C	1525	800	1230	£3,098
CVED-8-15-R	Flat	0.70m ²	-1°C to +5°C	1525	800	1230	£3,098

Model	Glass Style	Deck Area	Temperature		nsions Depth /		Price
CVED-8-20-C	Curved	0.94m ²	-1°C to +5°C	2025	800	1230	£3,598
CVED-8-20-R	Flat	0.94m ²	-1°C to +5°C	2025	800	1230	£3,598
CVED-8-25-C	Curved	1.19m²	-1°C to +5°C	2525	800	1230	£4,198
CVED-8-25-R	Flat	1.19m²	-1°C to +5°C	2525	800	1230	£4,198
CVED-8-30-C	Curved	1.41m²	-1°C to +5°C	2995	800	1230	£4,798
CVED-8-30-R	Flat	1.41m²	-1°C to +5°C	2995	800	1230	£4,798







DIAMOND FLAT GLASS BLACK SERVEOVERS

- Refrigerant: R290a
- Power supply: 13 amp plug
 - Tempered glass panels
- Black plasticized exterior - Stainless Steel interior
 - Granite worktop
- LED lighting with switch
 - x2 static evaporators
- Automatic defrosting - Built-in compressor unit
- Refrigerated under storage

Model	Deck Area	Temperature		Dimensions (Width / Depth /		Price
RO10/B5-R2	0.83m³	+4°C to +6°C	1000	800	1220	£3,297
RO15/B5-R2	1.23m³	+4°C to +6°C	1500	800	1220	£3,644
RO20/B5-R2	1.63m³	+4°C to +6°C	2000	800	1220	£4,095

Model	Deck Area	Temperature	Dimensions (mm) Width / Depth / Height			Price
RO25/B5-R2	2.03m³	+4°C to +6°C	2500	800	1220	£4,910
RO30/B5-R2	2.43m³	+4°C to +6°C	3000	800	1220	£5,775

DIAMOND SLIMLINE SERVEOVERS







- Power supply: 13 amp plug
- Refrigerated under storage
- Ambient display shelf
- Slimline, only 800mm deep
- Granite worktop
- White & grey exterior

Model	Deck Area	Temperature		nsions Depth /	Price	
WR-CVD1-15	1.23m³	+4°C to +6°C	1500	800	1220	£3,526
WR-CVD2-20	1.63m³	+4°C to +6°C	2000	800	1220	£3,966

DIAMOND SERVEOVERS








- Power supply: 13 amp plug
- White and grey finish
- Curved tempered glass
- Granite worktop
- Ambient internal display shelf
- Front bumpers

Model	Deck Area	Temperature		nsions / Depth /	Price	
MY20/A1-R2	3.04m³	+4°C to +6°C	2000	1060	1205	£5,574
MY25/A1-R2	3.79m³	+4°C to +6°C	2500	1060	1205	£6,412

Diamond STERLING PRO

DIAMOND CURVED GLASS **BLACK SERVEOVERS**

- Refrigerant: R290a
- Power supply: 13 amp plug
- Curved and tempered glass
- Stainless Steel exposure
- Black Plasticized exterior
- Granite worktop
- LED lighting with switch
- x2 static evaporators
- Automatic defrosting
- Built-in compressor unit











DIAMOND SAIGON PLUS CURVED GLASS SERVEOVERS

- Refrigerant: R290a
- Power supply: 13 amp plug
- Designed for fish and fresh meat
- Tempered glass curved windows
 - Stainless Steel exterior
 - Granite worktop
- Perforated bottom for water drain
 - Built-in compressor unit
 - Thermostat control
 - Double static cooling
 - Max ambient of 25°C
 - Static evaporator

Model	Deck Area	Temperature		Dimensions (r Width / Depth / F		Price
SG15B/A1-R2	1.87m³	0°C to +2°C	1500	1195	1175	£5,530
SG20B/A1-R2	2.47m³	0°C to +2°C	2000	1195	1175	£6,374

Model	Deck Area	Temperature		nsions / Depth /		Price
SG25B/A1-R2	3.07m ³	0°C to +2°C	2500	1195	1175	£7,593
SG30B/A1-R2	3.68m³	0°C to +2°C	3000	1195	1175	£8,393

STERLING PRO SALINA SERVEOVERS

- Refrigerant: R455a

Temperature: +3°C to +5°C - Power supply: 13 amp plug

- Large 560mm deep display deck

- Food-safe steel display deck

- Refrigerated under-storage

- LED lighting

Automatic defrost

SALINA80/200VCC Curved 1.1m²



- Ambient display shelf									
Model	Glass Style	Deck Area	Under-Storage Capacity		nsions Depth	(mm) / Height	Price		
SALINA80/100VCC	Curved	0.6m ²	45L	1040	900	1292	£2,802		
SALINA80/100VD	Flat	0.6m ²	45L	1040	900	1262	£2,802		
SALINA80/150VCC	Curved	0.83m ²	90L	1520	900	1262	£3,042		
SALINA80/150VD	Flat	0.83m ²	90L	1520	900	1262	£3,042		

901

2000 900









Model	Glass Style	Deck Area	Under-Storage Capacity		nsions Depth	(mm) / Height	Price
SALINA80/200VD	Flat	1.1m ²	90L	2000	900	1262	£3,654
SALINA80/250VCC	Curved	1.38m²	135L	2480	900	1292	£4,470
SALINA80/250VD	Flat	1.38m²	135L	2480	900	1262	£4,470
SALINA80/300VCC	Curved	1.66m²	135L	2960	900	1292	£5,192
SALINA80/300VD	Flat	1.66m ²	135L	2960	900	1262	£5,192

1262 £3,654

2

Years Parts & Labour

Lead-Time

MADE IN

STERLING PRO KIBUK SERVEOVERS

- Refrigerant: R455a
- Power supply: 13 amp plug
- Stainless Steel display deck
- Wooden side walls
- Automatic defrost
- Manual condensate tray
- Refrigerated under-storage
- Electronic controls
- LED lighting
- Curved glass
- Low energy consumption
- Contact to discuss delivery options



Model	Deck Area	Storage Doors	Temperature		nsions Depth/		Price
KIBUK100	0.6m ²	1	+3°C to +5°C	1040	900	1262	£3,502
KIBUK150	0.83m ²	2	+3°C to +5°C	1520	900	1262	£4,000
KIBUK200	1.1m ²	2	+3°C to +5°C	2000	900	1262	£4,792

Model	Deck Area	Storage Doors	Temperature	Dimensions (mm) Width / Depth / Height			Price
KIBUK250	1.38m²	3	+3°C to +5°C	2480	900	1262	£5,736
KIBUK300	1.66m ²	3	+3°C to +5°C	2960	900	1262	£6,752











- Refrigerant: R455a
- Power supply: 13 amp plug
 - x1 refrigerated shelf
- x2 ambient shelves
 Stainless Steel exterior & interior
 - Slide-out display deck
 - Anti-mist front glass
 - 3 glass shelves
 - Electronic controls
 - Scratch-resistant serving shelf
 - LED lighting for each shelf
 - Automatic timed defrost
 - Low energy consumption

Model	Deck Area	Temperature		nsions Depth/		Price
RIVO100	1.33m²	+3°C to +5°C	1030	876	1432	£4,124
RIVO140	1.79m²	+3°C to +5°C	1435	876	1432	£4,512

Model	Deck Area	Temperature		Dimensions (mm) Width / Depth / Height		Price
RIVO200	2.67m ²	+3°C to +5°C	1910	876	1432	£5,642
RIVO280	3.86m ²	+3°C to +5°C	2790	876	1432	£7,676

STERLING PRO EVO-SELF SELF-SERVICE COUNTERS

- Refrigerant: R455a
- Power supply: 13 amp plug
- Self-service
- Glass side walls
- Electronic timed defrost
- Perforated wall for excellent airflow
- Stainless Steel shelves and deck
- Neon lighting for each shelf
- *Stainless Steel units delivered in 2-3 days







Model	Finish	Shelves	Temperature	Dime: Width /	nsions Depth /		Price
EVO-SELF-90-BLK	Black	3	+3°C to +5°C	900	780	1510	£3,900
EVO-SELF-90-SS	S/Steel	3	+3°C to +5°C	900	780	1510	£3,690
EVO-SELF-120-BLK	Black	3	+3°C to +5°C	1200	780	1510	£4,608
EVO-SELF-120-SS	S/Steel	3	+3°C to +5°C	1200	780	1510	£4,350
EVO-SELF-150-BLK	Black	3	+3°C to +5°C	1500	780	1510	£4,960

Model	Finish	Shelves	Temperature	Dimei Width /	nsions Depth /		Price
EVO-SELF-150-SS	S/Steel	3	+3°C to +5°C	1500	780	1510	£4,678
EVO-SELF-180-BLK	Black	3	+3°C to +5°C	1800	780	1510	£6,108
EVO-SELF-180-SS	S/Steel	3	+3°C to +5°C	1800	780	1510	£5,756
EVO-SELF-240-BLK	Black	3	+3°C to +5°C	2400	780	1510	£8,256
EVO-SELF-240-SS	S/Steel	3	+3°C to +5°C	2400	780	1510	£7,782

Click here to go back to the contents page

STERLING PRO EVO PATISSERIE COUNTERS

- Refrigerant: R290a
- Power supply: 13 amp plug
- Rear sliding doors for easy access
- 3 adjustable glass shelves
- LED lighting on shelves
- Ventilated refrigeration
- Front opening glass for cleaning
- Upper lighting
- Timed defrosting









Model	Finish	Deck Area	Temperature	Dime: Width /	nsions Depth/		Price
EVO60-BLACK-R290A	Black	0.94m ²	+3°C to +5°C	600	785	1400	£3,370
EVO60-SS-R290A	S/Steel	0.94m ²	+3°C to +5°C	600	785	1400	£3,740
EVO90-BLACK-R290A	Black	1.41m²	+3°C to +5°C	900	785	1400	£3,702
EVO90-SS-R290A	S/Steel	1.41m²	+3°C to +5°C	900	785	1400	£4,120
EVO120-BLACK-R290A	Black	1.88m²	+3°C to +5°C	1200	785	1400	£4,366

Model	Finish	Deck Area	Temperature	Dimer Width /	nsions Depth/		Price
EVO120-SS-R290A	S/Steel	1.88m²	+3°C to +5°C	1200	785	1400	£4,878
EVO150-BLACK-R290A	Black	2.34m²	+3°C to +5°C	1500	785	1400	£4,698
EVO150-SS-R290A	S/Steel	2.34m²	+3°C to +5°C	1500	785	1400	£5,256
EVO180-BLACK-R290A	Black	2.81 m ²	+3°C to +5°C	1800	785	1400	£5,776
EVO180-SS-R290A	S/Steel	2.81 m ²	+3°C to +5°C	1800	785	1400	£6,472





STERLING PRO SQUARE EVO PATISSERIE COUNTERS

- Refrigerant: R290a
- Power supply: 13 amp plug
 - Stainless Steel deck
 - Black exterior finish
 - Rear sliding doors
- x3 refrigerated glass shelves - Tempered square front glass
- Electronic timed defrosting
- LED lighting for each shelf
- Digital temperature display
- Fan assisted cooling system
 - Automatic defrost

Model	Deck Area	Temperature		Dimensions (mm) Width / Depth / Height		
EVOK90-BLACK-R290A	1.41 m ²	+3°C to +5°C	900	785	1400	£3,704
EVOK120-BLACK-R290A	1.88m²	+3°C to +5°C	1200	785	1400	£4,366

Model	Deck Area	Temperature	Dime Width /	nsions Depth /		Price
EVOK150-BLACK-R290A	2.34m ²	+3°C to +5°C	1500	785	1400	£4,698
EVOK180-BLACK-R290A	2.88m²	+3°C to +5°C	1800	785	1400	£5,780

MOFFAT VERSICARTE PRO REFRIGERATED WELLS

- Fully adjustable gantry
- Digital temperature display





MOFFAT DROP-IN REFRIGERATED WELLS

- Refrigerant: R290
- Power supply: 13 amp plug
- Stainless Steel exterior & interior
- Foil and foam insulation
- LED lighting

Model

D3RW

D3RWSL

D4RW

D4RWSL

- Max ambient: 25°C
- Digital temperature display
- Defrost type: Automatic - Cooling type: Evaporator

Glass Type

Curved

Square

Curved

Square

3 x GN1/1

3 x GN1/1

4 x GN1/1

4 x GN1/1

- GN pans not included







	VC3RDTR 8,004	DISPLAY	CHILL - Por - Plass Included elf loading - Digition - I	wer su tic coa Stainl des trip - M capaci ital ter Defros Cooling	WIT Refrig pply: ' ated st less St ple tuk lax am ty: 50 mpera t type type: Adjusta	erant 13 an eel e teel in be tra bient kg/10 ture Evap	VELL :: R290 np plug xterior nterior ay slide :: 25°C 000mm display omatic porator shelves
Model	Shelves	Shelf Dimensions	Temperature				Price
VC3RDTR VC4RDTR	x3 x3			1158 1486		1650 1650	£8,004 £8,914
	Model VC3RDTR	VC3RDTR £8,004 Model Shelves VC3RDTR x3	DISPLAY VC3RDTR Shelf Display Control Contro	DISPLAY CHILL VC3RDTR - Po - Plas - Include - Shelf loading - Dig - Co - Under VC3RDTR x3 1052 x 285mm +2°C to +5°C	DISPLAY CHILLERS - Power su - Plastic coa - Stain - Includes tri - M - Shelf loading capaci - Digital te - Defros - Cooling - // - Understorag Model Shelves Shelf Dimensions Temperature Width/ VC3RDTR x3 1052 x 285mm +2°C to +5°C 1158	Plastic coated st - Power supply: - Plastic coated st - Stainless St - Includes triple tul - Max am - Shelf loading capacity: 50 - Digital tempera - Defrost type - Cooling type: - Adjust - Understorage (onli Model Shelves Shelf Dimensions (Width / Depth / No. 1907) VC3RDTR x3 1052 x 285mm +2°C to +5°C 1158 680	- Plastic coated steel e - Stainless Steel in - Includes triple tube tra - Max ambient - Shelf loading capacity: 50kg/10 - Digital temperature - Defrost type: Aut - Cooling type: Evap - Adjustable s - Understorage (only VC4 Model Shelves Shelf Dimensions Temperature Dimensions (mm) Width / Depth / Height VC3RDTR x3 1052 x 285mm +2°C to +5°C 1158 680 1650

MOFFAT MULTIDECK DISPLAY CHILLERS

- Refrigerant: R290

- Power supply: 13 amp plug

- Stainless Steel exterior & interior

Foil and foam insulation

- LED lighting









ATOSA STERLING PRO Prodi

ATOSA YLM MULTIDECK SERIES

- Refrigerant: R290a
- Power supply: 13 amp plug
- Mirrored Stainless Steel construction
- Glass sided viewing panels
- Ticket strips including
- White light LED lighting under each shelf
- Self-closing sliding doors
- Even airflow distribution system

Capacity Shelves

4

Temperature

+2°C to +8°C

+2°C to +8°C

1000

1200

- Castors and stability feet as standard
- Digital controller
- Polyurethane insulation

480L

580L

- x4 removable shelves
- Ventilated cooling









Model

YLM480B

YLM580B





vo £	15,90 13,90	125 O	

	-	I					
	-	Name of Street					
		7					-

STERLING PRO VOLCANO MULTIDECK CHILLERS

- Refrigerant: R455a
- Power supply: 13 amp plug
 - White exterior
- ompact design only 800mm deep
 - x4 painted steel shelves
 - Nightblind included
 - Automatic defrost
 - Ticket rails as standard
 - Ventilated cooling
 - Internal LED lighting
 - Tempered side glass
 - Electronic controls

Model	Display Area	Temperature		nsions Depth /		Price
VOLCANO80/100	2.00m ²	+3°C to +5°C	1080	810	2040	£3,532
VOLCANO80/125	2.60m ²	+3°C to +5°C	1330	810	2040	£3,900

Model	Display Area	Temperature		Dimensions (mm) Width / Depth / Height				
VOLCANO80/150	3.10m ²	+3°C to +5°C	1580	810	2040	£4,320		
VOLCANO80/187	3.80m ²	+3°C to +5°C	1955	810	2040	£4,744		

PRODIS PANORAMIC GLASS DOOR MULTIDECKS

- Refrigerant: R290a
- Energy rating: B
- Power supply: 13 amp plug
- Shelf size: 1248 x 450mm
- Double glazed glass doors
- Under shelf & horizontal LED strips
- Shelf edge ticket strips
- Digital temperature controller
- Self closing doors
- 330ml deep base
- Forced air cooling system





Model	Finish	Display Area	Temperature	Dimer Width /	nsions Depth	(mm) / Height	Price
XMD1250-P-FGD-K	Black	3.14m ²	-1°C to +5°C	1310	740	2010	£4,808
XMD1250-P-FGD-W	White	3.14m ²	-1°C to +5°C	1310	740	2010	£4,808
XMD1875-P-FGD-K	Black	4.05m ²	-1°C to +5°C	1935	740	2010	£6,900

Model	Finish	Display Area	Temperature	Dimer Width /	nsions Depth	(mm) / Height	Price
XMD1875-P-FGD-W	White	4.05m ²	-1°C to +5°C	1935	740	2010	£6,900
XMD2500-P-FGD-K	Black	5.00m ²	-1°C to +5°C	2560	740	2010	£8,400
XMD2500-P-FGD-W	White	5.00m ²	-1°C to +5°C	2560	740	2010	£8,400

DIAMOND BLACK MULTIDECK DISPLAY CHILLERS

- Power supply: 13 amp plug
- Nightblind optional upon request
- Black Plasticized exterior
- Perforated grate and tank in S/Steel
- Electronic controller
- Display shelves with ticket holders
- Ventilated cooling
- x3 adjustable shelves
- Only 570mm deep
- Ventilated evaporator
- Electronic regulator
- Double auto-evaporation





Model	Deck Area	Temperature		nsions Depth/		Price
MD07/B5-R2	0.88m³	+4°C to +8°C	700	570	2000	£4,039
MD10/B5-R2	1.23m³	+4°C to +8°C	1000	570	2000	£4,362

Model	Deck Area	Temperature		nsions Depth/		Price
MD12/B5-R2	1.47m³	+4°C to +8°C	1200	570	2000	£4,744
MD15/B5-R2	1.82m³	+4°C to +8°C	1500	570	2000	£5,654







2

Years Parts & Labour

3-5 Working

Days Delivery

CORECO SECURE MULTIDECK DISPLAY CHILLERS

- Refrigeration: R290
- Power supply: 13 amp plug - Includes manual nightblind
 - Double-glazed side glass
 - Ventilated evaporator
 - Adjustable shelves
- Injected polyurethane insulation
 - Automatic defrost
 - Internal LED lighting
 - Stainless Steel bumper
- Max ambient: 25°C in 60% humidity

Model		Display Area	Temperature	Dimensions (mm) Width / Depth / Height			Price
CDS1 06 M1+PERS	SIANA	0.80m ²	-1°C to +5°C	685	690	2000	£4,920
CDS1 09 M1+PERS	SIANA	1.20m ²	-1°C to +5°C	998	690	2000	£5,507
CDS1 12 M1+PERS	SIANA	1.60m ²	-1°C to +5°C	1310	690	2000	£6,548

Model	Display Area	Temperature	Dimensions (mm) Width / Depth / Height			Price
CDS1 15 M1+PERSIANA	2.00m ²	-1°C to +5°C	1623	690	2000	£7,560
CDS1 18 M1+PERSIANA	2.40m ²	-1°C to +5°C	1935	690	2000	£8,554

MOFFAT MULTIDECK DISPLAY CHILLERS



- Refrigerant: R290
- Power supply: 13 amp plug Stainless Steel exterior
- Removable vent
- £8,580
 - Built-in lockable shutter
- Swivel castors (x2 with brakes) - Double-glazed glass end panels
- Internal LED lighting
- Dimensions (mm) Model Capacity Temperature Price Width / Depth / Height ML2SA 4 shelves $+2^{\circ}C$ to $+8^{\circ}C$ 800 750 1930 £7,506 ML3SA 4 shelves +2°C to +8°C 1128 750 1930 £8,580

MOFFAT GRAB & GO MERCHANDISER



- Refrigerant: R290
- Power supply: 13 amp plug
- Stainless Steel exterior
- Foil and foam insulation
- Shelf loading: 50kg/1000mm
- Basket included with unit
- Number of shelves: x4
- Internal LED lighting

Model	Capacity	Temperature		nsions Depth/	Price	
MC1MIB	5 x 0.14m ³	+2°C to +5°C	650	680	1825	£6,012





MEDICAL APPLIANCES

Medical appliances, including medical refrigeration and medical dishwashers, are essential in healthcare facilities, laboratories, pharmacies, and research settings. They play a crucial role in maintaining the integrity, safety, and efficacy of temperature-sensitive medical supplies, vaccines, medications, specimens, and laboratory samples.

The importance of medical refrigeration lies in its ability to maintain precise and consistent temperature control within specific ranges. Medications and vaccines, for example, require strict temperature management to preserve their potency and effectiveness. Vaccines, in particular, are highly sensitive to temperature fluctuations, and even slight deviations can compromise their efficacy.

In addition to medications and vaccines, medical refrigeration is essential for storing laboratory samples and specimens that are used for diagnostic purposes, research, and scientific experiments. These samples often require specialized storage conditions, including specific temperature ranges, humidity control, and insulation from external contaminants.

Pharmacies also rely on medical refrigeration to maintain the stability and effectiveness of pharmaceutical products. Many medications, such as insulin, certain antibiotics, and biologics, require refrigeration to prevent degradation and maintain their therapeutic value.

We offer a comprehensive range of medical appliance solutions from reputable brands. Our stock includes:

Low Temperature Chest Freezers: These specialized freezers are designed to maintain extremely low temperatures for the storage of sensitive medical supplies and samples. They provide reliable and secure freezing capabilities.

Pharmacy Refrigerators: These refrigerators are specifically designed to store medications at the appropriate temperature range, ensuring their potency and effectiveness. They feature precise temperature control and storage compartments suitable for pharmaceutical storage requirements.

Laboratory Fridges & Freezers: These units are designed to meet the unique requirements of laboratory settings. They provide precise temperature control, optimal storage conditions, and secure storage for laboratory samples, reagents, and other temperature-sensitive materials.

Medical Dishwashers: In addition to refrigeration, we also offer medical-grade dishwashers. They ensure thorough cleaning and sanitization of medical instruments and equipment, maintaining strict hygiene standards. Medical dishwashers also provide an efficient and reliable cleaning performance, helping to prevent the spread of infections and ensure the safety of patients and staff.

VESTFROST LOW TEMPERATURE CHEST FREEZERS

- Power supply: 13 amp plug
- Digital XR30CX controller
- Stable and reliable
- Prepared for temperature logging
- Audible and visual alarm
- Prepared for CO2 backup system
- Single compressor low-energy system
- Lock fitted

Model	Capacity Gross / CUFT		Temperature		nsions Depth /		Price
VT146-45	140L	4.7	-25°C to -45°C	720	695	890	£1,298
VT306-45	296L	10.5	-25°C to -45°C	1260	695	890	£1,470
VT406-45	383L	13.0	-25°C to -45°C	1560	695	890	£1,578
VT546-45	495L	17.5	-25°C to -45°C	1664	665	853	£2,230
VT75-60	74L	2.6	-40°C to -60°C	550	645	935	£2,352



Model	Capacity Gross / CUFT		Temperature	Dimensions (mm) Width / Depth / Heigh			Price
VT147-60	140L	4.9	-40°C to -60°C	720	695	890	£2,674
VT307-60	296L	10.5	-40°C to -60°C	1260	695	890	£3,208
VT407-60	384L	13.6	-40°C to -60°C	1560	695	890	£3,422
VT547-60	495L	17.5	-40°C to -60°C	1660	758	850	£4,388

LEC MEDICAL BLUETOOTH PHARMACY REFRIGERATORS







- Refrigerant: R600a
- Bluetooth connected controller
- Power supply: 13 amp plug
- Air & core temperature display
- Painted steel exterior
- Audible & visual alarms

Model	Door	Capacity Gross / Nett		Temperature		nsions Depth /		Price
PPSR310BT	Solid	310L	305L	+2°C to +8°C	595	660	1500	£2,872
PPGR310BT	Glass	310L	305L	+2°C to +8°C	595	660	1500	£3,226

LEC MEDICAL COUNTERTOP PHARMACY REFRIGERATOR








- Refrigerant: R600a
- External digital controller
- Power supply: 13 amp plug
- Air & core temperature display
- Painted steel exterior
- Audible & visual alarms

Model	Door	Capacity Gross / Nett		Temperature	Dimensions (mm) Width / Depth / Height			Price
PESR47DCUK	Solid	47L	30L	+2°C to +8°C	480	505	565	£960

LEC MEDICAL BLUETOOTH PHARMACY REFRIGERATORS

- Refrigerant: R600a
- Power supply: 13 amp plug
- Painted steel exterior
- Polystyrene sheeting interior
- Includes x1 basket & x4 shelves
- 45mm thick insulation
- Bluetooth connected controller
- Air & core temperature display
- Audible & visual alarms
- Internal LED lighting
- Fitted locks and 2 keys
- Max ambient of 32°C











LABCOLD SPARKFREE LABORATORY REFRIGERATORS



- Power supply: 13 amp plug
- Sparkfree safety interior
- Powder coated Steel exterior
- Digital temperature display
- Moulded ABS interior
- Adjustable shelves

Model	Capacity	Temperature	Dimensions (mm) Width / Depth / Heigh			Price
RLPR0217	66L	0°C to +10°C	450	510	740	£997
RLPR0517	150L	0°C to +10°C	600	600	835	£1,168

LABCOLD SPARKFREE LABORATORY

FREEZERS









- Power supply: 13 amp plug
- Sparkfree safety interior
- Powder coated Steel exterior*
- Digital temperature display
- Moulded ABS interior**
 - Adjustable shelves

Model	Capacity	Temperature	Dimensions (Width / Depth /			Price
*RLVF0217	66L	-18°C to -25°C	450	510	740	£1,148
*RLVF0417	124L	-18°C to -25°C	600	600	830	£1,300
**RLVF1517	406L	-12°C to -24°C	600	585	1855	£2,924

LEC MEDICAL LABORATORY REFRIGERATOR & FREEZER







- Refrigerant: R600a
- Power supply: 13 amp plug
- Painted steel exterior
- Air & core temperature display
- Audible & visual alarms

Model	Type	Capa Gross	city / Nett	city Temperature Dimens Nett Width / Do		Temperature Dimensions (mm) Width / Depth / Height				Price	
LSFSR107UK	Fridge	107L	103L	+2°C to +10°C	495	620	830	£1,322			
LSFSF107UK	Freezer	107L	103L	-18°C to -25°C	495	620	830	£1,434			

LEC MEDICAL BLUETOOTH LABORATORY CABINETS



5 Years Parts & Labour



- Refrigerant: R600a
- Power supply: 13 amp plug
- Bluetooth connected controller - Air & core temperature display
- Painted steel exterior
- Audible & visual alarms

Model	Туре	Capa Gross	city / Nett	Temperature	Dime Width /	Price		
LSFSR158BT-UK	Fridge	158L	154L	+2°C to +10°C	595	660	850	£1,354
LSFSF98BT-UK	Freezer	98L	84L	-18°C to -25°C	595	660	850	£1,408

LEC MEDICAL BLUETOOTH LABORATORY UPRIGHTS







- Refrigerant: R600a
- Power supply: 13 amp plug
- Bluetooth connected controller
- Air & core temperature display Painted steel exterior - Audible & visual alarms
- Type Capacity Gross / Nett Temperature Dimensions (mm) Width / Depth / Heigh Price LSFSR310BT-UK Fridge 310L 310L +2°C to +10°C 595 1560 £2,420 660 LSFSF242BT-UK Freezer 242L 229L -18°C to -25°C 1500 £2,604 660

HOBART MEDICAL DISHWASHER









- Power supply: 13 amp plug
- Cycle time: 3-12 minutes
- Basket size: 500 x 500mm
- Wash programmes: 4
- Programmes: short, standard,
- thermal disinfection & intensive
- Integrated rinse pump
- GENIUS-X2 fine filter system

Model	Water Softner	Drain Pump	Racks Per Hour		Dimensions (mm) Width / Depth / Height		Price	
CARES-10B	Yes	Yes	40	600	603	825	£8,530	



COMMERCIAL LAUNDRY

Commercial washing machines and dryers are robust and efficient appliances designed for heavy-duty use in commercial and industrial settings. They are specifically engineered to handle large volumes of laundry, making them ideal for businesses such as laundromats, hotels, hospitals, and restaurants.

Commercial washing machines are equipped with advanced features, including larger capacity drums, multiple wash cycles, and programmable settings. They offer superior cleaning performance, removing tough stains and dirt effectively. These machines are designed to withstand frequent use and high-speed spinning, resulting in shorter wash cycles and improved productivity.

Commercial dryers are designed to dry large loads of laundry quickly and efficiently. They feature powerful airflow systems and high-capacity drums that allow for fast drying times. These dryers often offer customizable settings, such as temperature control and moisture sensors, ensuring that the laundry is dried effectively while minimizing energy consumption.

Both commercial washing machines and dryers are built to withstand the demands of commercial environments, offering durability, reliability, and longevity. They are constructed with heavy-duty materials and robust components to handle continuous use and heavy workloads. These appliances are designed to maximize efficiency, reduce operational costs, and deliver outstanding performance.

When choosing commercial washing machines and dryers, it is essential to consider factors such as load capacity, energy efficiency, programmable features, and maintenance requirements.

We offer a wide range of laundry equipment to meet the diverse needs of businesses. Our stock includes:

American Style Top Load Washers & Dryers: These machines are designed with a spacious 15kg drum capacity, making them ideal for businesses that need to process large loads of laundry quickly. They offer user-friendly controls and efficient water usage.

Front Loading Washers and Dryers: Front-loading machines are known for their energy efficiency and superior cleaning performance. They offer various programmable options, including different wash and dry cycles, making them versatile for different types of fabrics and laundry requirements.

Rotary Ironers: Rotary ironers are designed for efficient and professional pressing of large linens and fabrics. They feature a large heated roller, allowing for quick and effective ironing of items such as sheets, tablecloths, and napkins.

Steam Systems: Steam systems are often used in commercial laundry operations to enhance the cleaning and sanitization of garments and linens. They provide high-temperature steam that helps remove stains, wrinkles, and allergens, resulting in fresh and hygienic laundry.



WHIRLPOOL ATLANTIS 6TH SENSE AMERICAN STYLE WASHER & DRYER

3LWTW4815FW Top Loading Washer

- Power supply: 13 amp plug
- 6th Sense Technology
- Hot and cold fill
- New high efficiency agitator
- Water level detection
- Automatic lid lock
- 4 water temperature options Dry noise level: 70 dBA
- High spin speed: 660 RPM
- Made in USA

3LWED4815FW Front Loading Dryer

- Power supply: 30 amp hard wired
- 6th Sense Technology
- Lint filter on top
- Drying time: full load in 80 mins
- Wrinkle shield cycle
- Automatic lid lock
- 4-way rigid aluminium vent kit
- Made in USA

Model	Туре	Capacity	Programmes	Dimensions (mm) Width / Depth / Heigl			Price
3LWTW4815FW	Washer	15kg	12	699	686	1067	£1,720
3LWED4815FW	Dryer	15kg	18	737	717	1118	£1,480
C00325612	Vent kit	N/A	N/A	N/A	N/A	N/A	£150
WP110VK	Vent hose + jubilee clips	N/A	N/A	N/A	N/A	N/A	£100











WHIRLPOOL ATLANTIS CLASSIC AMERICAN STYLE WASHER & DRYER

3LWTW4705FW Top Loading Washer

- Power supply: 13 amp plug
- Hot and cold fill
- New high efficiency agitator
- Water level detection
- Automatic lid lock
- 4 water temperature options Dry noise level: 70 dBA
- High spin speed: 660 RPM
- White console
- Made in USA

3LWED4705FW Front Loading Dryer

- Power supply: 30 amp hard wired
- Lint filter on top
- Drying time: full load in 80 mins
- Wrinkle shield cycle
- Automatic lid lock
- 4-way rigid aluminium vent kit
- White console
- Made in USA

Model	Туре	Capacity	Programmes		Dimensions (mn Width / Depth / Hei		Price
3LWTW4705FW	Washer	15kg	11	699	686	1067	£1,540
3LWED4705FW	Dryer	15kg	16	737	705	1118	£1,432
C00325612	Vent kit	N/A	N/A	N/A	N/A	N/A	£150
WP110VK	Vent hose + jubilee clips	N/A	N/A	N/A	N/A	N/A	£100









WHIRLPOOL PROFESSIONAL 6TH SENSE WASHER

- 6th Sense Technology: Adapts resources according to the size and type of load, saving energy, water & time
- **Zen Motor Technology:** Delivers great cleaning results while minimizing noise & vibrations
- **Steam Hygiene:** Neutralizes up to 99.9% of bacteria with a hot steam flow at the end of the cycle
- Fresh Care+: Delicately steams and gently tumbles your laundry for up to 6 hours after the cycle is over
- Steam Refresh: Generates a flow of steam that removes unpleasant smells, relaxes fibres & smoothes creases
- Anti Allergy Cycle: Eliminates all the detergent traces & 99.9% of pollen, dust mites & pet hair
- Anti Stain Cycle: This exclusive professional programme is capable of removing up to 100 stains in just one hour
- Aquastop Protection: Thanks to intelligent sensors, the machine automatically turns off when a fault is detected
- **Stackable:** Stack this unit with the AWZ9HP dryer using the Wpro C00378975 stacking kit (sold separately)
- Tested to 5,000 cycles: Built to bear all the safety tests required by the Machinery Directive 2006/42/EN

Spin

Speed

1200 RPM

Capacity Volume

64L

9kg

Model

AWH912/PRO

Number of

Programmes

Energy Usage

Per Eco Cycle

0.567kWh







WHIRLPOOL PROFESSIONAL 6TH SENSE HEAT PUMP DRYER

- 6th Sense Technology: Adapts resources according to the size and type of load, saving energy, & time
- Heat Pump Technology: Thanks to the sense inverter motor and Heat Pump Technology, this unit ensures maximum energy efficiency without compromising the drying result. To dry a full load with cotton cupboard dry, you can save up 60% kWh more than a standard condenser dryer
- 3Dry Technology: 3 dimensional air distribution that reaches every inch of the drum. From today uniform drying of bulky items such as bed linen is guaranteed with no more wet zones
 - Fresh Care+: Keeps your garments fresh & soft inside the drum for up to 6 hours after the cycle ends thanks to ideal temperature conditions & delicate tumbling action
 - Easy cleaning filter: A little filter collects the fluff in the condensation area, making the cleaning operation easier than ever. It takes just 3 little steps: open the filter, pull the ergonomic handle to extract it and then clean it
 - **Stackable:** Stack this unit with the AWH912 washer using the Wpro C00378975 stacking kit (sold separately)
 - Tested to 5,000 cycles: Built to bear all the safety tests required by the Machinery Directive 2006/42/EN

Model	Capacity	Drum Volume	Noise Level	Number of Programmes	Energy Usage Per Cotton Cycle	Full Load Drying Time	Dime Width /	nsions Depth /	(mm) 'Height	Energy Rating	Price
AWZ9HP/PRO	9kg	120L	64 dBA	18	2.07kWh	211 minutes	595	656	849	В	£1,398



ELECTROLUX PROFESSIONAL MYPROXL SMART WASHER

- Power supply: 13 amp plug

- Cold wash programme: 35 minutes

- Normal (60°C) wash programme: 73 minutes

Washing noise level: 62 dBASpinning noise level: 72 dBA

- Energy consumption: 1.01 kWh (standard cycle)

- Water consumption: 87 litres (standard cycle)

- Hot and cold fill

 Built to last more than 15,000 cycles - even in demanding conditions

- Coinmeter options available on all models (POA)

- Stacking kit for myPROXL range (988692090): £290

- 2 years Parts & Labour warranty (or a max of 6,000 cycles)

Model Type Capacity Drum Volume Programmes Dimensions (mm) Width / Depth / Height Price

WE1100P Washer 12kg 100L 7 686 765 1098 £3,590







ELECTROLUX PROFESSIONAL MYPROXL SMART VENTED DRYERS

- Power supply: 22 amp hard wired

- Half load drying time (Electric/Gas): 45/44 mins

- Full load drying time (Electric/Gas): 87/84 mins

- Drying noise level: 68 dBA

- Programmes: High/Medium/Low/No Heat

- Energy consumption: 7.21 kWh (standard cycle)

- Powder painted exterior

- Filter with handle for easier removal

- Built to last more than 15,000 cycles - even in demanding conditions


- Coinmeter options available on all models (POA)

- Stacking kit for myPRO^{XL} range (988692090): £290

- 2 years Parts & Labour warranty (or a max of 6,000 cycles)

	модеі	Type	Capacity	Volume	Programmes	Width /	Depth /	Height	Price	
	TE1220E	Electric	12kg	218L	4	686	822	1098	£2,558	
	TE1220G	Gas	12kg	218L	4	686	822	1098	£2,738	
				Nar						
4	-		1		0					





ELECTROLUX PROFESSIONAL MYPRO SMART WASHER & CONDENSER DRYER

WE170P Washer

- Power supply: 13 amp plug
- 60°C wash time: only 82 mins
- Hot and cold fill
- Wash noise level: 49 dBA
- Fitted with drain pump
- Stainless Steel front and top

TE1120 **Condenser Dryer**

- Power supply: 13 amp plug
- Drying time: full load in 129 mins
- Includes child lock
- Dry noise level: 70 dBA
- Fitted with drain pump
- Stainless Steel front and top

 Built to last more than 7,500 cycles in demanding conditions Stacking kit (ELE-STA9S): £158 Plinth drawer (PDSTP10S): £670 Coinmeter option available (POA) 						cles ir acking inth dr	dema kit (awer	nore than 7,5 anding condit (ELE-STA9S): (PDSTP10S): tion availabl	tions £158 : £670
	Model	Туре	Capacity	Programmes		nsions (/ Depth /		Energy Rating	Price
	WE170P	Washer	8kg	16	597	624	850	D	£2,578
	TE1120	Dryer	8kg	16	596	625	850	Α	£1,890
					2 10121 E	and it			





SAMSUNG LARGE CAPACITY WASHER & HEAT PUMP DRYER

WF18T8000GV Washer

- Power supply: 13 amp plug
- Black caviar body colour
- Tint door with black deco
- Energy consumption per 100 cycles: 76 kWh
- Water consumption per cycle: 70 litres
- Max spin speed: 1100 RPM
- Cycles include Heavy Duty, Hygiene, Steam, Eco 40-60 and intense cold
- Stacking kit available: £200

DV16T8520BV Heat Pump Dryer

- Power supply: 13 amp plug
- Hybrid heat pump
- Black caviar body colour
- Tint door with black deco
- Energy consumption: 304 kWh/year
- Interior drum light
- Filter check indicator
- Mixed load bell / Damp alert
- Cycles include Hygiene Care+ and Delicates
- Stacking kit available: £200

Model	Туре	Capacity	Programmes	Dimensions (mm) Width / Depth / Height		Energy Rating	Price	
WF18T8000GV	Washer	18kg	12	686	796	984	С	£2,450
DV16T8520BV	Dryer	16kg	14	686	844	984	A+++	£2,470







Miele

MIELE SMARTBIZ COMMERCIAL WASHING MACHINE

- Power supply: 13 amp plug
- Programme package: household
- Programme duration with cold water
- connection: 79 minutesNumber of cycles per day: up to 3
- Spin speed: 1,400 RPM
- Energy consumption with cold water connection: 1.10 kWh (Cottons 60°C)
- Water consumption with cold water connection: 49L (Cottons 60°C)
- Honeycomb drum
- Tested operating hours: 15,000
- Stackable with kit

Model	Capacity	Drum Volume	Dimensions (mm) Width / Depth / Height		Energy Rating	Price	
PWM 300 DP	7kg	64 Litres	596	636	850	Α	£3,320





Years Parts & Labour 3-5 Working Days Delivery PDR 300 HP £2,900





Programme package: householdProgramme duration on Normal

mixed fabrics: 99 minutes

Annual energy consumption: 152 kWh
 Energy consumption for Normal

programme: 0.12 kWh
- PerfectDry system

- Gentle tumble function

- Condensed water drainage

- Drying noise level: 66 dBA

- Tested operating hours: 15,000

- Stackable with kit

Model	I Capacity Vo			nsions (Energy Rating	Price
PDR 300 HP	7kg	120 Litres	596	636	850	Α	£2,900

MIELE EVOLUTION COMMERCIAL WASHING MACHINE

- Power supply: 13 amp plug
- Programme package: household
- Programme duration with cold water connection: 69 minutes
- Number of cycles per day: up to unlimited
- Spin speed: 1,600 RPM
- Energy consumption with cold water connection: 0.98 kWh (Cottons 60°C)
- Water consumption with cold water connection: 49L (Cottons 60°C)
- WRAS Category 5
- Tested operating hours: 30,000
- Stackable with kit

Model	Capacity	Drum Volume	Dimensions (mm) Width / Depth / Height		Noise Level (Wash/Dry)	Energy Rating	Price	
PWM 307	7kg	64 litres	596	714	850	70 dBA	Α	£3,990





Commercial Laundry

MIELE EVOLUTION COMMERCIAL HEAT PUMP DRYER

- Power supply: 13 amp plug
- Programme package: household
- Programme duration on Normal mixed fabrics: 66 minutes
- Annual energy consumption: 212 kWh
- Energy consumption for Normal programme: 0.17 kWh
- Max evaporation capacity: 2.7 p/hour
- PerfectDry system
- Gentle tumble function
- Condensed water drainage
- Tested operating hours: 30,000
- Stackable with kit

Model	Capacity	Drum Volume				Noise Level (Wash/Dry)	Energy Rating	Price
PDR 307 HP	7ka	130 litres	596	777	850	67 dBA	Α	£3,940





MIELE EVOLUTION COMMERCIAL VENTED DRYER

- Power supply: 13 amp plug

- Programme package: household

- Programme duration on Normal mixed fabrics: 57 minutes

Annual energy consumption: 524 kWh

- Energy consumption for Normal programme: 0.49 kWh

Max evaporation capacity: 2.6 p/hour

- PerfectDry system

- Intelligent drum reversal

- Low temperature function

- Tested operating hours: 30,000

- Stackable with kit

2

Model	Capacity	Drum Volume		nsions Depth /		Noise Level (Wash/Dry)	Energy Rating	Price
PDR 307 EL	7kg	130 litres	596	717	850	66 dBA	С	£3,560

MIELE PERFORMANCE COMMERCIAL WASHING MACHINE

- Power supply: 13 amp plug
- Programme package: Full suite including Hygiene / special programmes & workwear
- Programme duration with cold / cold & hot water connections: 69 minutes / 59 minutes
- Number of cycles per day: unlimited
- Spin speed: 1600 RPM
- Energy consumption with cold / cold & hot water connections: 0.98 kWh / 0.44 kWh (Cottons 60°C)
- Water consumption with cold / cold & hot water connections: 49L / 46L (Cottons 60°C)
- Tested operating hours: 30,000
- WRAS category 5
- Stackable with kit

Model	Capacity	Drum Volume		Dimensions (mm) Width / Depth / Height				Price
PWM 507	7kg	64 litres	596	714	850	5	Α	£5,600



Miele

MIELE PERFORMANCE COMMERCIAL HEAT PUMP DRYER

- Power supply: 13 amp plug
- Programme package: full suite including Hygiene
- Programme duration on Normal mixed fabrics: 66 minutes
- Annual energy consumption: 212 kWh
- Energy consumption for Normal programme: 0.17 kWh
- Max evaporation capacity: 2.7 p/hour

130 litres

596

- PerfectDry system
- Gentle tumble function

7kg

- Condensed water drainage

PDR 507 HP



67 dBA

£5,300





MIELE PERFORMANCE COMMERCIAL VENTED DRYER

- Power supply: 13 amp plug

- Programme package: full suite including Hygiene

- Programme duration on Normal mixed

fabrics: 57 minutes

- Annual energy consumption: 524 kWh

- Energy consumption for Normal

programme: 0.49 kWh

- Max evaporation capacity: 2.6 p/hour

- PerfectDry system

- Intelligent drum reversal

- Low temperature function

- Tested operating hours: 30,000

- Stackable with kit

Model	Capacity	Drum Volume		nsions Depth /		Noise Level (Wash/Dry)		Price
PDR 507 EL	7kg	130 litres	596	717	850	66 dBA	С	£4,342

MIELE ROTARY IRONERS



- Power supply: 13 amp plug Front laundry infeed and outfeed
- Lotus white outer casing
- Roller diameter: 160mm Rolling speed: 4.5m/min
- Automatic trigger finger guard - Foot switch roller operation
- x4 fitted castors
- Fold-Away Function Dimensions (mm) Width / Depth / Height Model Capacity Price 13kg/h¹ 985 HM 16-80 D 380 959 £3,360 Yes 15kg/h¹ HM 16-83 1050 380 £3,400 Nο 960

MIELE STEAM IRONING SYSTEM



- Power supply: 13 amp plug Safe auto-off function
- Patented 1-2 lift system
- Professional ironing board cover
- Cool-down function - Attachable non-stick soleplate

Model	Water Container Capacity	Tested Operating Hours		ensions (/ Depth /		Price
PIB 100	5 Litres	7,500 hours	470	1510	970	£5,120



Whirlpool

adler
ecomax
by tronant

DC

Miele

WAREWASHING

Commercial warewashing equipment is essential for businesses in the hospitality and foodservice industry that require efficient and effective cleaning of dishes, glassware, and utensils. These machines are designed to handle high volumes of dirty items, saving time and ensuring hygienic results.

Investing in reliable and efficient commercial warewashing equipment is crucial for maintaining cleanliness, hygiene, and operational efficiency in foodservice establishments. Proper warewashing practices help ensure customer satisfaction, meet health and safety regulations, and contribute to the overall success of your business.

We offer a comprehensive range of commercial warewashing equipment to meet the diverse needs of businesses. Our stock includes:

Glasswashers: Commercial glasswashers are specialized equipment designed to efficiently clean and sanitize glassware in commercial settings. Commonly used in bars, restaurants, hotels, and other establishments that serve beverages in glasses, they are designed to handle a high volume of glassware, providing quick and effective cleaning to keep up with the demands of a busy establishment. These machines feature dedicated wash cycles that use a combination of water, detergent, and high-temperature rinses to ensure thorough cleaning and sanitation.

Dishwashers: Dishwashers are versatile machines that can handle a variety of dishware, including plates,

bowls, and cutlery. They are designed to provide efficient and thorough cleaning using hot water and powerful jets, removing tough stains and food residue. They are essential equipment in foodservice establishments, such as restaurants, cafeterias, hotels, and catering businesses, where a high volume of dishes, utensils, and cookware needs to be cleaned efficiently and effectively.

Passthrough Dishwashers: Passthrough dishwashers are designed for high-capacity operations, allowing operators to load dirty dishes at one end and retrieve clean, sanitized items at the other. These machines offer fast cleaning cycles and can handle a large volume of dishes in a short amount of time. Investing in a passthrough dishwasher can significantly streamline and optimize your dishwashing operations. It ensures efficient handling of large dishware volumes, reduces labour costs, enhances cleanliness, and helps maintain a smooth workflow in your commercial kitchen or foodservice establishment.

Conveyor Dishwashers: Conveyor dishwashers are advanced and high-capacity commercial dishwashing machines that are commonly used in large-scale foodservice establishments, such as busy restaurants, banquet halls, and institutional kitchens. These dishwashers are designed to handle a continuous flow of dishes, utensils, and other washable items, making them ideal for high-volume operations.



HOBART ECOMAX PLUS GLASSWASHERS

- Power supply: 13 amp plug

- Basket size: 400 x 400mm (G415W/SW)

500 x 500mm (G515W/SW)

- Water consumption: 2L (G415W/SW)

2.3L (G515W/SW)

- Power consumption: 3.2 kW (G415W/SW)

5.7kW (G515W/SW)Racks per hour: 60Double-walled housing

- Energy efficiency saves operating costs

- Course filter & pump suction

- Door damping control











Model	Water Softener	Cycle Time	Glass Capacity		Dimensions (mm) Width / Depth / Height		
G515W-10C No		60-180 seconds	25 pints	600	600	825	£5,290
G515SW-10C Yes		60-180 seconds	25 pints	600	600	825	£6,290



Interest Free





HOBART ECOMAX GLASSWASHERS

- Power supply: 13 amp plug - Basket size: 390 x 390mm (G404W/SW)

500 x 500mm (G504W/SW)

- Water consumption: 2L (G404W/SW)

2.3L (G504W/SW)

Power consumption: 2.1 kW (G404W/SW)

4.1kW (G504W/SW)

- Racks per hour: 60

- Electronic controls

- Rotating wash and rinse arms

- Indented nozzles

- Integrated counter

Model	Water Softener	Cycle Time	Glass Capacity	Tank Capacity		mensio		Price
G404W-12B	No	60-120 sec	16 pints	10 Litres	435	534	700	£2,720
G404SW-12B	Yes	60-120 sec	16 pints	10 Litres	435	534	700	£3,404

Model	Water Softener	Cycle Time	Glass Capacity	Tank Capacity		nensio		Price
G504W-10B	No	60-150 sec	25 pints	25 Litres	576	604	820	£3,940
G504SW-10B	Yes	60-150 sec	25 pints	25 Litres	576	604	820	£5,060

DC ECONOMY GLASSWASHERS & WATER SOFTENERS

Power supply: 13 amp plugCycle time: 120 seconds

- Baskets included: x2

- Stainless Steel exterior

- Low water usage

- Energy saving water pump


- EasyClean filters

- Removable anti-block wash & rinse arms

- Integral detergent & rinse aid dosing units

- Simple, intuitive controls

- Double skinned Door







Model	Туре	Drain Pump	Capacity	Dimensions (mm) Width / Depth / Height			Price
EG40D	Glasswasher	Yes	16 pints	465	510	640	£1,720
WSD08	Water Softener	N/A	8 litres	N/A	N/A	N/A	£150
WSD12	Water Softener	N/A	12 litres	N/A	N/A	N/A	£170



DC STANDARD GLASSWASHERS

- Power supply: 13 amp plug
- Baskets included
- Rinse thermo-lock
- Energy saving wash pump
- Double-skinned Stainless Steel cabinet and door
- Removable anti-block wash and rinse arms
- Hvdro-dvnamic basket slides
- Integral detergent and rinse aid dosing units

Model	Water Softener	Drain Pump	Capacity	Cycle Time		nsions (/ Depth /		Price
SG35	No	No	14 pints	120 sec	425	470	590	£1,470
SG35IS	Yes	No	14 pints	120 sec	425	470	590	£1,750
SG35D	No	Yes	14 pints	120 sec	425	470	590	£1,630
SG35ISD	Yes	Yes	14 pints	120 sec	425	470	590	£1,910
SGP35 TALL	No	No	14 pints	120 sec	425	470	640	£1,560
SGP35IS TALL	Yes	No	14 pints	120 sec	425	470	640	£1,840
SGP35D TALL	No	Yes	14 pints	120 sec	425	470	640	£1,720
SGP35ISD TALL	Yes	Yes	14 pints	120 sec	425	470	640	£2,000
SG40	No	No	18 pints	120 sec	475	515	640	£1,710
SG40IS	Yes	No	18 pints	120 sec	475	515	640	£1,990
SG40D	No	Yes	18 pints	120 sec	475	515	640	£1,870
SG40ISD	Yes	Yes	18 pints	120 sec	475	515	640	£2,150
SGP40 TALL	No	No	18 pints	120 sec	475	515	690	£1,780
SGP40IS TALL	Yes	No	18 pints	120 sec	475	515	690	£2,060
SGP40D TALL	No	Yes	18 pints	120 sec	475	515	690	£1,940
SGP40ISD TALL	Yes	Yes	18 pints	120 sec	475	515	690	£2,220
SG45	No	No	25 pints	120 sec	525	545	690	£2,100
SG45IS	Yes	No	25 pints	120 sec	525	545	690	£2,380
SG45D	No	Yes	25 pints	120 sec	525	545	690	£2,260
SG45ISD	Yes	Yes	25 pints	120 sec	525	545	690	£2,540
SG50	No	No	30 pints	120 sec	575	605	690	£2,220
SG50IS	Yes	No	30 pints	120 sec	575	605	690	£2,500
SG50D	No	Yes	30 pints	120 sec	575	605	690	£2,380
SG50ISD	Yes	Yes	30 pints	120 sec	575	605	690	£2,660



ADLER PROFESSIONAL GLASSWASHERS







1

- Baskets included: x1
- Power supply: 13 amp plug Racks per hour: 30
- Cycle time: 120 seconds
- Basket size: 400 x 400mm - Includes Chemical Pump

Model	Gravity Drain	Drain Pump	Water Softener		nsions / Depth /		Price
AD40GL	Yes	No	No	495	515	735	£1,598
AD40GL-DPSO	No	Yes	Yes	495	515	735	£2,098

ADLER PROFESSIONAL GLASSWASHERS









- Power supply: 13 amp plug Racks per hour: 60
- Baskets included: x2
- Cycle time: 180 seconds - Includes Chemical Pump
- Basket size: 500 x 500mm

Model	Gravity Drain	Drain Pump				Price	
AD50GL	Yes	No	No	580	600	825	£2,100
AD50GL-DP	No	Yes	No	580	600	825	£2,280
AD50GL-DPSO	No	Yes	Yes	580	600	825	£2,598







MIELE SMARTBIZ COMMERCIAL FREE-STANDING DISHWASHER

- Power supply: 13 amp plug

- Energy rating: E

- High-quality Stainless Steel exterior finish

- Max final rinse temperature: 82°C

- Energy consumption: 93 kWh/100 cycles

- Water consumption: 12 litres/cycle

- Programmes include: Short, Hygiene, Glasses Cold/Pre-wash, Energy Save/Eco and Intensive

- Door opens automatically after each wash
- FlexiTimer: auto-selects cheapest tariff
- 13 place settings in just 36 minutes

- Combi dispenser positioned in the door										
- Tested operating hours: 12,500										
	Model	Water Softener	Drain Pump	Shortest Programme Cycle	Dimensions (mm) Width / Depth / Height		Price			
	PFD 100	Yes	Yes	36 minutes	670	690	970	£3,720		



HOBART ECOMAX PLUS DISHWASHERS





- Power supply: 13 amp plug
- Baskets included: x1
- Basket size: 500 x 500mm
- Racks per hour: 60
- Rotating wash and rinse arms
- Double-walled housing

	Model	Water Softener	Cycle Time	Capacity	Dime: Width /	Price		
F515W-10C No		60-180 seconds	18 plates	600	600	825	£5,550	
F5	15SW-10C	Yes	60-180 seconds	18 plates	600	600	825	£6,450

HOBART ECOMAX DISHWASHERS









Year Parts

1-2 Working

- Power supply: 13 amp plug - Basket size: 500 x 500mm
- Baskets included: x1
- Racks per hour: 60
- Rotating wash and rinse arms - Thermostop function

Model	Water Softener	Cycle Time	Capacity	Dime Width /	Price			
F504W-20B No		60-150 seconds	18 plates	576	604	820	£4,300	
F504SW-20B	Yes	60-150 seconds	18 nlates	576	604	820	£5.410	

DC ECONOMY DISHWASHERS

- Power supply: 13 amp plug - Cycle time: 180 seconds - Baskets size: 500 x 500mm

- Stainless Steel exterior

- Low water usage

- Energy saving water pump

- EasyClean filters

- Removable anti-block wash & rinse arms
- Integral detergent & rinse aid dosing units
- Simple, intuitive controls
- Double skinned door

Model	Water Softener	Drain Pump	Break Tank	Capacity	Dimensions (mm) Width / Depth / Height			Price
ED50	No	No	No	18 plates	565	610	830	£2,230
ED50D	No	Yes	No	18 plates	565	610	830	£2,390
ED50IS	Yes	No	No	18 plates	565	610	830	£2,510
ED50A	No	No	Yes	18 plates	565	610	830	£2,670



Model	Water Softener	Drain Pump	Break Tank	Capacity		Dimensions (mi Width / Depth / He		Price
ED50ISD	Yes	Yes	No	18 plates	565	610	830	£2,530
ED50AD	No	Yes	Yes	18 plates	565	610	830	£2,690
ED50AIS	Yes	No	Yes	18 plates	565	610	830	£2,810
ED50AISD	Yes	Yes	Yes	18 plates	565	610	830	£2,950



DC STANDARD DISHWASHERS

- Power supply: 13 amp plugCycle time: 180 seconds
- Baskets included
- Rinse thermo-lock
- Energy saving wash pump
- Double-skinned Stainless Steel cabinet and door
- Removable anti-block wash and rinse arms
- Supplied with 1 dish, 1 cup and cutlery basket

Model	Water Softener	Drain Pump	Break Tank	Capacity		nsions / Depth /		Price
SD40	No	No	No	11 plates	475	540	690	£2,020
SD40D	No	Yes	No	11 plates	475	540	690	£2,180
SD40IS	Yes	No	No	11 plates	475	540	690	£2,300
SD40A	No	No	Yes	11 plates	475	540	690	£2,460
SD40ISD	Yes	Yes	No	11 plates	475	540	690	£2,320
SD40AD	No	Yes	Yes	11 plates	475	540	690	£2,480
SD40AIS	Yes	No	Yes	11 plates	475	540	690	£2,600
SD40AISD	Yes	Yes	Yes	11 plates	475	540	690	£2,760
SD45	No	No	No	14 plates	535	575	795	£2,230
SD45D	No	Yes	No	14 plates	535	575	795	£2,390
SD45IS	Yes	No	No	14 plates	535	575	795	£2,510
SD45A	No	No	Yes	14 plates	535	575	795	£2,670
SD45ISD	Yes	Yes	No	14 plates	535	575	795	£2,530
SD45AD	No	Yes	Yes	14 plates	535	575	795	£2,690
SD45AIS	Yes	No	Yes	14 plates	535	575	795	£2,810
SD45AISD	Yes	Yes	Yes	14 plates	535	575	795	£2,970
SD50	No	No	No	18 plates	580	635	825	£2,330
SD50D	No	Yes	No	18 plates	580	635	825	£2,490
SD50IS	Yes	No	No	18 plates	580	635	825	£2,610
SD50A	No	No	Yes	18 plates	580	635	825	£2,770
SD50ISD	Yes	Yes	No	18 plates	580	635	825	£2,630
SD50AD	No	Yes	Yes	18 plates	580	635	825	£2,790
SD50AIS	Yes	No	Yes	18 plates	580	635	825	£2,870
SD50AISD	Yes	Yes	Yes	18 plates	580	635	825	£3,070









ADLER PROFESSIONAL DISHWASHERS

- Dimensions: W580 x D600 x H825mm

- Cycle time: 180 seconds

- Baskets size: 500 x 500mm

- Racks per hours: 60 (1,080 plates)

- Temperatures: Wash 85°C / Rinse 60°C

- Water consumption: 2.8 litres per cycle

Tank capacity: 24 litresBaskets included: x2

- Stainless Steel interior and exterior

- Single insulated panels

Model	Gravity Drain	Chemical Pumps		Water Softener	Break Tank	Power Supply	Price
AD50	Yes	Yes	No	No	No	13 amp plug	£2,100
AD50-DP	No	Yes	Yes	No	No	13 amp plug	£2,280
AD50-DPSO	No	Yes	Yes	Yes	No	13 amp plug	£2,598

Model	Gravity Drain	Chemical Pumps		Water Softener	Break Tank	Power Supply	Price
AD50-DP-30	No	Yes	Yes	No	No	30 amp plug	£2,598
AD50BT-DP	No	Yes	Yes	No	Yes	13 amp plug	£2,898
AD50BT-DP-30	No	Yes	Yes	No	Yes	30 amp plug	£2,998



WHIRLPOOL LIGHT-DUTY **DISHWASHER**

- Power supply: 13 amp plug

- Energy efficiency rating: D

Energy consumption: 85 kWh/100 cycle

- Water consumption: 9.5 Litres/cycle

6th Sense Technology: Automatically senses how dirty the dishes are & adapts the cycle time & water pressure accordingly

- Automatic door opening at end of cycle

- Max temperature for water intake: 60°C

- Safe saving third rack provided

- Rinse aid light indicator

- Noise level: 43 dBA

- Light commercial use only

- A maximum of 1-3 uses per day

Programmes Dimensions (mm)
Width / Depth / Heigh Model Price Settings WFC 3C33 PF UK x14 600 590 £958



HOBART ECOMAX PLUS PASSTHROUGH DISHWASHERS



- Power: 3 phase hardwired
- Baskets included: x1
- Racks per hour: 60
- 4 sided fully enclosed hood

1 Year Parts

& Labour

2-3 Working

Days Delivery

Basket size: 500 x 500mm - Includes hygiene cycle

Model	Water Softener	Cycle Time	Capacity	Dimei Width /	Depth ,	(mm) / Height	Price	
H615W-10C No		60-180 seconds	18 plates	635	740	1480	£8,610	
H615SW-10D Yes		60-180 seconds	18 plates	635	740	1480	£9,560	

HOBART ECOMAX PASSTHROUGH DISHWASHERS



- Power: 3 phase hardwired
- Baskets included: x1
- Racks per hour: 48 - 4 sided fully enclosed hood
- Basket size: 500 x 500mm - Tabling sold separately

	Model	Water Softener	Cycle Time	Capacity	Dime Width /	Price		
	H604W-12B No H604SW-12B Yes		75-180 seconds	18 plates	635	740	1480	£7,284
			75-180 seconds	18 plates	635	740	1480	£8,340

DC STANDARD PASSTHROUGH **DISHWASHERS**

- Power supply: 30 amp hard wired
- Cycle time: 120 and 180 seconds
- Capacity: 18 plates
- Basket size: 500 x 500mm
- Heavy-duty wash pump
- Removable wash and rinse arms
- EasyClean dual filter system
- Extra loading height
- Self-draining wash pump
- Available with tabling







Model	Water Softener	Drain Pump	Break Tank	Chemical Pump	Dimensions (Width / Depth /			Price
SD900CP	No	No	No	Yes	655	785	1475	£4,120
SD900CP-D	No	Yes	No	Yes	655	785	1475	£4,300
SD900CP-IS	Yes	No	No	Yes	655	785	1475	£4,450
SD900A-CP	No	No	Yes	Yes	655	785	1475	£4,420

Model	Water Softener			Chemical Pump		Dimensions (mr Width / Depth / He		Price
SD900CP-ISD	Yes	Yes	No	Yes	655	785	1475	£4,630
SD900A CP-D	No	Yes	Yes	Yes	655	785	1475	£4,600
SD900A CP-IS	Yes	No	Yes	Yes	655	785	1475	£4,750
SD900A CP-ISD	Yes	Yes	Yes	Yes	655	785	1475	£4 930



Dimensions (mm) Width / Depth / Height

742 1510

635

Price

1

Year Parts & Labour

2-3 Working Days Delivery

0%

ADLER PROFESSIONAL PASSTHROUGH DISHWASHERS

- Cycle time: 180 seconds - Baskets size: 500 x 500mm - Racks per hours: 60 (1,080 plates)

Temperatures: Wash 85°C / Rinse 60°C

Water consumption: 2.8 litres per cycle

Tank capacity: 20 litres Baskets included: x2

Stainless Steel interior and exterior

Chemical

Drain

Water


Softener

- Single insulated hood and panels
- Reinforced door handle
- 420mm clearance
- Digital display

Model

AD1000-DPSO-30





Model

Cycle Time

60-180 seconds

£22,320

Capacity

18 plates

HOBART ECOMAX PLUS CONVEYOR DISHWASHERS

- Power supply: 30 amp hard wired

- C805-A racks per hour: 110 - C805-EA racks per hour: 140

- Basket size: 500 x 500mm

- Water tank capacity: 105L

- C805-A water consumption: 230L/hr

- C805-EA water consumption: 240L/hr

Double skinned with fully insulated floor

Supplied with integral fitted drain pump

Blue markers for removable cleaning parts



C815-EA £30,100

mmy





BEVERAGE EQUIPMENT

Commercial beverage equipment is essential for businesses in the food and beverage industry that require specialized equipment to prepare and serve a wide range of beverages. These machines are designed to handle high volumes and deliver consistent quality, ensuring efficient and reliable beverage service.

We offer a comprehensive range of commercial beverage equipment to meet the diverse needs of businesses. Our stock includes:

Ice Makers: Commercial ice makers are specialized machines designed to meet the high ice production demands of businesses in various industries.

These robust appliances are built to produce large quantities of ice consistently and efficiently. They are commonly used in restaurants, bars, hotels, hospitals, supermarkets, and other commercial settings where a reliable supply of ice is essential. Commercial ice makers come in different sizes and configurations, offering a range of ice types and production capacities to meet the specific needs of different businesses. They play a crucial role in beverage service, food preservation, and presentation, ensuring a steady and sufficient supply of ice for various applications.

Ice Crushers: Used for crushing ice in commercial settings, these units efficiently and quickly turn ice cubes into crushed ice, making them ideal for bars, restaurants, and other businesses that require ice for drinks and food preparation.

Slush & Sorbet Machines: Slush and sorbet machines are used to prepare icy treats like slushies and

sorbets. They feature freezing chambers that mix and freeze the beverage mixture, creating a smooth and refreshing frozen treat.

Drink Mixers: Drink mixers are designed to blend ingredients together, creating delicious and frothy beverages like milkshakes and smoothies. These machines have powerful motors and multiple speed settings to achieve the desired consistency.

Juice & Milk Dispensers: Juice and milk dispensers are used to store and dispense large quantities of chilled beverages. They often feature refrigeration systems and easy-to-use dispensing mechanisms, making them ideal for self-service set-ups or buffet-style operations.

Coffee Machines: Coffee machines are essential appliances for brewing and preparing coffee in both commercial and residential settings. These machines automate the process of making coffee, providing convenience and consistent results. Investing in a reliable and suitable coffee machine allows coffee enthusiasts and businesses to enjoy the convenience of brewing their favourite coffee beverages with consistent quality.

Coffee Grinders: Coffee grinders are essential tools for grinding coffee beans into the desired consistency for brewing. These compact appliances help unlock the flavours and aromas trapped within the coffee beans, allowing for fresher and more flavourful coffee. With adjustable settings and different grinding methods, coffee grinders offer control and customization to suit various brewing methods.



MASTERFROST PROFESSIONAL GOURMET & BULLET ICE MAKERS

- Better performance / Better solid ice / Better reliability

- Refrigerant: R454C (R452a for the C250FA)

- Power supply: 13 amp plug

- Stainless Steel exterior finish

- Max ambient: 43°C

- Hybrid water and air cooling system

- Ice weight: 18 - 32 grams

- Ice size adjustable from W16mm-38mm x H42mm

Model	Ice Type	Capacity	Ice Per 24h	Energy Consumption		nsions Depth /		Price
C250FA	Bullet	13kg	28kg	0.385 kWh/24h	400	460	670	£1,090
M400	Gourmet	18kg	40kg	0.575 kWh/24h	485	580	750	£1,398
M600	Gourmet	27kg	60kg	0.640 kWh/24h	485	580	840	£1,498
M660	Gourmet	35kg	66kg	0.720 kWh/24h	600	580	840	£1,598
M800	Gourmet	40kg	80kg	0.987 kWh/24h	710	580	880	£2,198
M1200	Gourmet	50kg	120kg	1.390 kWh/24h	815	580	940	£2,926



Years Parts Only DC100-60A £2,930 DC30-10A £1,600

DC SELF-CONTAINED CLASSIC GOURMET ICE MAKERS

- Refrigerant: R134a

- Power supply: 13 amp plug

- Stainless Steel exterior finish

- Antibacterial plastic interior

- Produces solid cubes of crystalline ice

- Ice cools quickly and melts slowly

- Insulated storage bin

- Spray system technology

- Max ambient of +43°C

Model	Capacity	Ice Per 24h		nsions / Depth /		Price
DC30-10A	10kg	30kg	465	517	692	£1,600
DC45-25A	25kg	45kg	497	592	907	£2,020
DC70-40A	40kg	70kg	735	603	1017	£2,640
DC100-60A	60kg	100kg	735	603	1117	£2,930

SCOTSMAN ECO-X SELF-CONTAINED GOURMET ICE MAKERS

- Refrigerant: R290 (AC206/226: R452a)
- Power supply: 13 amp plug
- Produces individual gourmet crystal clear ice cubes
- Agion technology resists the growth of microbes
- Advanced diagnostics & computerised controls
- Ergonomically designed storage access
- Stainless Steel exterior
- Legs are optional (AC47 and AC57 only)
- Optional water filters recommended

Model	Capacity	°C Ab	er 24 Fient / °C 21/10°C	Water		ensions / Depth /		Price
AC 47	9kg	25kg	24kg	18kg	386	600	645	£1,663
AC 57	12kg	33kg	31kg	25kg	386	600	693	£1,943
AC 87	19kg	45kg	44kg	35kg	531	600	875	£2,278
AC 107	24kg	53kg	51kg	43kg	531	600	930	£2,617



Model	Capacity	°C Ab	er 24 H ient / °C 21/10°C	Water		nsions Depth/		Price
AC 127	39kg	75kg	74kg	60kg	680	600	1009	£3,375
AC 177	48kg	84kg	83kg	64kg	680	600	1079	£4,145
AC 206	50kg	130kg	123kg	91kg	1250	622	859	£5,210
AC 226	70kg	150kg	142kg	110kg	1078	719	1082	£5,985

Click here to go back to the contents page

SCOTSMAN ECO-X SELF-CONTAINED GOURMET ICE MAKERS WITH XSAFE

- Refrigerant: R290 (EC206/226: R452a)
- Power supply: 13 amp plug
- Produces individual gourmet crystal clear ice cubes
- Agion technology resists the growth of microbes
- Advanced diagonstics & computerised controls
- XSafe: integrated natural sanitation system, operating automatically 24/7 to keep equipment clean & safe
- Front access condenser air filter, removable & washable
- Stainless Steel exterior

Model	Capacity	°C Ab	er 24 Fient / °C 21/10°C	Water		ensions / Depth /		Price
EC 47	9kg	25kg	24kg	18kg	386	600	645	£2,579
EC 57	12kg	33kg	31kg	25kg	386	600	645	£3,341
EC 87	19kg	44kg	44kg	35kg	531	600	825	£4,244
EC 107	23kg	53kg	51kg	43kg	531	600	880	£4,484



Model	Capacity	°C Ab	er 24 Fient / °C 21/10°C	Water		nsions Depth		Price
EC 127	39kg	75kg	74kg	60kg	680	600	1009	£5,156
EC 177	48kg	84kg	83kg	64kg	680	600	1080	£5,609
EC 206	50kg	130kg	123kg	91kg	1250	622	809	£7,314
EC 226	70kg	145kg	142kg	110kg	1078	719	1082	£7,340

2 Years Parts 2-3 Working Days Delivery FM-80KE-HC **£4,896**





HOSHIZAKI SELF-CONTAINED ICE FLAKERS

- Power supply: 13 amp plug
 - Stainless Steel exterior - Insulated storage bin
 - Integrated door handles
 - Polyurethane insulation
 - Removable door gaskets
 - Magnetic water pump
 - Closed water circuit
 - Easy to clean air filters
- Air-cooled cooling system
 - Legs are optional

Model	Capacity	Ice Per 24h		nsions Depth /		Refrigerant	Price
FM-60KE-HC	18kg	65kg	498	570	697	R290a	£4,560
FM-80KE-HC	26kg	85kg	640	600	800	R290a	£4,896
FM-120KE-HC	26kg	125kg	640	600	800	R290a	£5,472

	Model	Capacity	Ice Per 24h	Dime Width /	nsions Depth /		Refrigerant	Price
F	M-120KE-50-HC	57kg	125kg	940	600	800	R290a	£6,002
	FM-150KE	26kg	150kg	640	600	800	R134a	£6,216
	FM-150KE-50	57kg	150kg	940	600	800	R134a	£6,822

SCOTSMAN SELF-CONTAINED ICE FLAKERS WITH XSAFE

- Refrigerant: R134a
- Power supply: 13 amp plug
- Produces flaked ice perfect for storing fish or lab use
- Agion technology resists the growth of microbes
- Electronically controlled operation with self-diagnostic functions
- XSafe: integrated natural sanitation system, operating automatically 24/7 to keep equipment clean & safe
- Ergonomically convenient storage bin door
- Front-in, front-out airflow allows for built-in installations
- Stainless Steel exterior

Model	Capacity	°C Ab	Ice Per 24 Hours °C Abient / °C Water 10/10°C 21/10°C 32/21°C			nsions Depth		Price
AF 80	25kg	70kg	67kg	53kg	535	620	890	£5,865
AF 103	30kg	108kg	108kg	93kg	592	622	1078	£7,216
AF 124	40kg	122kg	113kg	91kg	950	605	872	£7,793



Model	Capacity	Ice Per 24 Hours or Abient / or Water 10/10°C 21/10°C 32/21°		Water		nsions Depth /	Price	
AF 156	60kg	160kg	150kg	118kg	950	605	1083	£9,297
AF 206	77kg	200kg	195kg	155kg	950	605	1083	£10,158

HOSHIZAKI SELF-CONTAINED CUBED ICE MAKERS

- Refrigerant: R290a
- Power supply: 13 amp plug
- Stainless Steel exterior
- Integrated door handles
- Polyurethane insulation
- Removable door gaskets
- Magnetic water pump
- Closed water circuit
- Electronic controls
- Air-cooled cooling system
- Legs are optional







Model	Capacity	Ice Per 24h		Dimensions (mm) Width / Depth / Height		Price	
IM-21CNE-HC	11.5kg	22kg	398	451	695	£1,658	
IM-30CNE-HC	11.5kg	28kg	398	451	695	£1,894	
IM-45CNE-HC	15kg	44kg	633	511	690	£2,796	

Model	Capacity	Ice Per 24h		Dimensions (mm) Width / Depth / Heigh		Price
IM-65NE-HC	26kg	63kg	633	506	860	£3,512
IM-100NE-HC	50kg	105kg	704	506	1200	£5,008
IM-240NE-HC	110kg	210kg	704	665	1510	£7,006

HOSHIZAKI SELF-CONTAINED CRESCENT ICE MAKERS









- Refrigerant: R134a
- Power supply: 13 amp plug
- Polyurethane insulation
- Removable door gaskets
- Magnetic water pump
- Closed water circuit

Model	Capacity	Ice Per 24h		Dimensions (mr Width / Depth / Hei		Price
KM-40B	16kg	43kg	452	617	842	£2,401
KM-55B	23kg	53kg	605	617	842	£2,751
KM-80B	40kg	79kg	605	719	842	£3,675

HOSHIZAKI MODULAR ICE CUBE MAKER







- Refrigerant: R290a
- Power supply: 13 amp plug
- Stainless Steel exterior
- Can be used in various setups with modular bins & bases
- Air cooled cooling system

Model	Capacity	Ice Per 24h	Dimensions (mm) Width / Depth / Height		Price	
IM-240ANE-HC / B140SA	110kg	210kg	560	700	880	£6,380

PRODIS HEAVY-DUTY ICE CRUSHERS





- Power supply: 13 amp plug
- Removable storage tote
- Stainless Steel exterior
- S/Steel crushing mechanism
- Safety cut out switch
- Compact & elegant design

Model	Capacity	Ice crushed per minute		Dimensions (mm) Width / Depth / Height		Price
CR3	1kg	3kg	180	330	320	£1,920
CR5	5kg	5kg	370	310	510	£3,380

HOSHIZAKI ICE/WATER DISPENSERS







- Refrigerant: R290a
- Power supply: 13 amp plug
- Ice type: Cubelet
- Intuitive portion control
- Magnetic water pump
- Air cooled cooling system

Model	Push Button	Capacity	Ice/Water Per 24h		nsions Depth /		Price
DCM-120KE-HC	No	4kg	125kg	350	585	815	£5,910
DCM-120KE-P-HC	Yes	4kg	125kg	350	585	815	£5,910



DIAMOND SLUSH & SORBET MACHINES



- Refrigerant: R404a
- Power supply: 13 amp plug
- LED lighting
- Protected controls
- Refrigeration evaporator
- Space for advertising images

Model	Capacity		ensions (/ Depth /		Price
FABY-1/AB	1 X 10L	200	600	840	£2,466
FABY-2/BB	2 X 10L	400	600	840	£4,286

FAMA DRINK MIXERS



- Power suppy: 13 amp plug
- Die-cast aluminium body
- Two speed motor
- Stainlesss Steel blades
- Supplied with Polycarb cups
- Wall mounted option available

Model	Capacity		Dimensions (mm) Width / Depth / Height		Price
MF4	800ml cup	200	220	500	£498
MF4D	2 x 800ml cups	330	220	500	£958

DIAMOND CHILLED DRINK DISPENSERS



Year Parts Only



- Refrigerant: R134a
- Power supply: 13 amp plug
- Polycarbonate tanks
- Tropicalized thermal unit
- Refrigerant evaporator
- Rotating pallet system

Model	Capacity	Temperature		Dimensions (mm) Width / Depth / Height		Price
DD12/2B	2 x 9L	+2°C to +8°C	400	400	650	£1,829
DD12/3T	3 x 9L	+2°C to +8°C	600	400	650	£2,476

AUTONUMIS BAG-IN-A-BOX MILK







- Power supply: 13 amp plug
- Built-in cooling compressor
- Easy to clean
- Removable drip tray
- Keeps milk fresh
- Fast, clean dispense

Model	Finish	Capacity	Temperature		nsions / Depth /		Price
UGC00001	White	13.6L	+3°C to +8°C	360	400	740	£870
LGC00001	S/Steel	13.6L	+3°C to +8°C	360	400	740	£1,118

DIAMOND COFFEE GRINDERS



- Power supply: 13 amp plug
- 60mm grinder
- Acoustic level: 80dB

Year Parts Only



- Portion dosage adjustment from 5 to 12 grams
- Up to 30 minutes use

Model	Capacity	Power Supply		Dimensions (mm) Width / Depth / Height		Price
TAURO-NEW/B	1kg beans	0.3kw, 230v	180	310	560	£606
AUTO-80/B	2kg beans	0.36kw, 230v	210	355	650	£700

DIAMOND COFFEE MACHINES







- Power supply: 13 amp plug
- 3 pouring spouts
- Steam tap and hot water
- Machine with built-in volumetric motorpump
- Heated cup storage on top

Model	lodel Operation		Dime Width	Price		
COMPACT/2PB	Manual / Semi-automatic	12L	475	530	530	£3,288
COMPACT/2EB	Programmable / Automatic	12L	475	530	530	£3,780



Whiripool
COTPORTION

ECOMAX

By HOBART

Diamond

MOFFAT

WINIA

COOKING EQUIPMENT

Commercial cooking equipment is essential for businesses in the foodservice industry that require efficient and reliable cooking solutions to prepare a wide variety of dishes. These machines are designed to handle high-volume cooking while delivering consistent and precise results.

We offer a comprehensive range of commercial cooking equipment to meet the diverse needs of businesses. Our stock includes:

Counter-top & Standing Fryers: Fryers are used to deep fry various food items, such as French fries, chicken, and seafood. They are available in counter-top or standing models, providing flexibility in placement and capacity.

Pasta Cookers: Pasta cookers are designed to boil pasta quickly and efficiently, ensuring perfect texture and consistency. These machines often feature multiple compartments to cook different types of pasta simultaneously.

Crepe & Pancake Makers: Crepe and pancake makers allow businesses to easily prepare thin, delicate crepes or fluffy pancakes. They come with a flat cooking surface that evenly distributes heat for consistent results.

Contact & Salamander Grills: Contact grills provide a quick and convenient way to cook items like burgers, sandwiches, and paninis. Salamander grills, on the other hand, are designed for broiling and browning dishes, melting cheese, and finishing off dishes with a crispy topping. Chargrills & Griddles: Chargrills and griddles are ideal for cooking meats, vegetables, and other grilled items. Chargrills provide the distinct smoky flavour of grill marks, while griddles offer a flat cooking surface for versatile cooking.

Pizza Ovens: Pizza ovens are specially designed for baking pizzas with crispy crusts and perfectly melted toppings. These ovens often have adjustable temperature settings and features to ensure optimal pizza baking.

Ovens & Hobs: Commercial ovens and hobs are essential components of professional kitchens, providing precise and efficient cooking capabilities. Ovens are designed to bake, roast, and cook a variety of dishes, while hobs offer a dedicated cooking surface for stove top cooking. These appliances are built to withstand the demands of commercial environments, delivering consistent heat distribution and temperature control. With options like combi ovens, convection ovens, open cupboards with hobs, and more, commercial ovens and hobs provide versatility and reliability for culinary operations.

Commercial Microwaves: Commercial microwaves offer quick and efficient heating and reheating of food items. They are designed for high-volume usage and often come with programmable settings and advanced features.

Slot & Conveyor Toasters: Slot toasters are designed to toast bread slices quickly and evenly, while conveyor toasters are suitable for toasting larger quantities of bread, bagels, and buns in a continuous operation.

Click here to go back to the contents page

FAMA COUNTER-TOP ELECTRIC FRYERS

- MFR240 power supply: 13 amp plug
- MFR80/MFR280 power supply: Single phase hard wired
- Temperature range: 50°C to 180°C
- Stainless Steel construction
- Removable tank for cleaning
- Heavy-duty heating elements
- Stainless Steel splash guard
- Drainage tap versions available

Capacity

8kg

2 x 4kg

2 x 8kg

- Fast oil heating

Model

MFR80

MFR240

MFR280

- Manufactured in Italy

Single

Double

Double





HOBART ECOMAX STANDING ELECTRIC & GAS FRYERS

- AISI 304 Stainless Steel 1.5mm thick worktop - Freestanding fryers on cupboards feature drain

below for easy access

- Moulded and continuously welded tanks

- High output cast iron burner

- Large cold zone ensures the quality of oil is maintained for longer

- Large front drainer

- Oil collection tank with Stainless Steel filter

- Tilting electrical heating elements

- Thermostatic temperature control

Model	Туре	Capacity	Wattage	Dimensions (mm) Width / Depth / Height			Price
HEFRBE74A Electric		1 x 12L well	9kW	400	700	850	£4,160
HEFRE74A2V	Electric	2 x 7L wells	10.5kW	400	700	850	£6,080
HEFRBE77A	Electric	2 x 12L wells	18kW	700	730	850	£7,240

1	Model	Туре	Capacity	Wattage	Dimensions (mm) Width / Depth / Height			Price
HE	FRG74A	Gas	1 x 4L well	12.5kW	400	700	1180	£4,320
HEF	RG74A2V	Gas	2 x 7L wells	12.5kW	400	700	1180	£6,020
HE	FRG77A	Gas	2 x 14L wells	20kW	700	700	1180	£7,160

DIAMOND STANDING ELECTRIC DOUBLE FRYERS



- Power supply: 3 phase
- Stainless Steel exterior
- Built-in oil filter
- Adjustable feet
- Cool zone to reduce debris
- Drain tap (ball valve)

Model	Capacity		Dimensions (mm) Width / Depth / Height		Price
FSM-2V6E/N	2 x 10L wells	400	650	980	£2,728
E17/F30A8-N	2 x 15L wells	800	700	920	£9,706

HOBART ECOMAX PASTA COOKERS



- S/Steel 1.5mm thick worktop Moulded edge for collection
- S/Steel burner with selfstabilizing flame
- Straining grid for baskets
- of liquids
- Expansion zone for collecting starches

Model	Туре	Capacity	Wattage	Dimensions (mm) Width / Depth / Height			Price
HECPE74A	Electric	26 litres	5.5kW	400	700	850	£4,760
HECPG74A	Gas	26 litres	8.5kW	400	730	850	£4,710



FAMA CREPE & PANCAKE MAKERS







- Stainless Steel body
- LED control panel
- Cast iron cooking surface
- Homogeneous heating
- Timer control
- Stiffened heating element

Model	Cooking Surface	Power Supply	Temperature		nsions Depth /		Price
CPS	1 x 350mm	13 amp plug	300°C max	370	412	178	£738
CPD	2 x 350mm	Single-phase	300°C max	760	410	178	£1,138

FAMA HEAVY-DUTY CONTACT GRILLS



- Power supply: 13 amp plug
 - Ribbed and smooth plates - Stainless Steel body
- Cast iron plates with ceramic coating treatment
- Removable drip tray

Model	Grills	Surface	Temperature	Dimensions (mm) Width / Depth / Height	Price

PDR3000S Double 500 x 255mm 515 £1,142 PDR3000 Double 610 x 245mm 300°C max 640 £1,070

HOBART ECOMAX SALAMANDER GRILLS WITH ADJUSTABLE HEIGHT

- Cabinets made in satin finished Stainless Steel
- Chrome plated steel grids
- Handles of thermally insulated material
- Extractable drip tray
- Electric heating 2/4 independent temperature zones
- Gas heating 2 radiant gas burners
- Incoloy heating elements
- Rapid heat up

Model	Туре	Wattage		Dimensions (mm) Width / Depth / Height		Price
SET1	Electric	4kW	600	450	500	£2,470
SAE561	Electric	4kW	600	450	500	£4,090
SAE651	Electric	4kW	700	400	350	£2,950
SAG660	Gas	7.4kW	750	400	350	£4,070



HOBART ECOMAX LAVA ROCK **GAS CHARGRILLS**







- AISI 304 S/Steel worktop
- Independent burners
- meat or fish
- Double face cast iron grid for S/Steel removable drawer for grease collection

Model	Wattage	Weight		nsions Depth		Price
HEPLG74A	7.5kW	55kg	400	730	850	£3,860
HEPLG78A	15kW	98kg	800	730	850	£5,960

HOBART ECOMAX ELECTRIC GRIDDLES ON OPEN CUPBOARDS



- S/Steel 1.5mm thick worktop - Temperature control

- Built in 15mm smooth or

ribbed steel top

- Optional backsplash available

- Grease collection drawer

Model	Wattage	Weight		Dimensions (mm) Width / Depth / Height		Price
HEPLG74A	7.5kW	55kg	400	730	850	£3,860
HEPLG78A	15kW	98kg	800	730	850	£5,960

Model	Griddle Type	Wattage	Dimensions (mm) Width / Depth / Height		Price	
HEFTBE74AL	Smooth Only	5kW	400	730	850	£3,410
HEFTBE77AL	Smooth Only	10kW	700	730	850	£4,760
HEFTBE77ALR	Smooth & Ribbed	10kW	700	730	850	£5,170



HOBART ECOMAX GAS GRIDDLES ON OPEN CUPBOARDS



- Year Parts & Labour
- 2-3 Working Days Delivery

- S/Steel 1.5mm thick worktop
- Built in 15mm smooth or ribbed steel top
- Temperature control
- Optional backsplash available
- Grease collection drawer

Model	Griddle Type	Wattage	Dimensions (mm) Width / Depth / Heigh			Price
HEFTBG74AL	Smooth Only	6kW	400	730	850	£3,640
HEFTBG77AL	Smooth Only	14kW	700	730	850	£4,900
HEFTBG77ALR	Smooth & Ribbed	14kW	700	730	850	£5,170

HOBART ECOMAX INDUCTION HOBS ON OPEN CUPBOARDS



- Fast-heating hot plates
- Fixed watertight cast iron plates
- Optimise power control
- Indicator lights show when each hot plate is on
- 6 different power levels

Model	Wattage	Weight		Dimensions (mm) Width / Depth / Height		Price
HEIN74A	7kW	53kg	400	730	850	£12,940
HEIN77A	14kW	76kg	800	730	850	£20,600

HOBART ECOMAX 4 ZONE SOLID TOP ELECTRIC HOB ON OPEN CUPBOARD



Year Parts & Labour



- Fast-heating hot plates
- Fixed watertight cast iron plates
- Optimise power control
- Indicator lights show when
- each hot plate is on
- Rounded corners

Model	Туре	Wattage		nsions Depth		Price
НЕТРЕ77А	Electric	9kW	700	730	850	£5,180

HOBART ECOMAX SOLID TOP GAS HOB ON OPEN CUPBOARD







- Protected pilot flame
- Cast iron removable burners with self-stabilizing flame
- 60% certified efficiency
- Watertight pressed worktop
- Rounded corners

Model	Type	Wattage		nsions Depth		Price
HETPG77A	Gas	10kW	700	730	850	£4,260

HOBART ECOMAX ELECTRIC PLATED HOBS ON OPEN CUPBOARDS







- Fast-heating hot plates
- Fixed watertight cast iron plates each hot plate is on
- Indicator lights show when
- Optimise power control Rounded corners

Model	Туре	Hobs	Wattage	Dimensions (mm) Width / Depth / Height		Price	
HEPR74A	Electric	x2	4.1kW	400	730	850	£2,456
HEPR77A	Electric	x4	8.2kW	700	730	850	£3,382

HOBART ECOMAX GAS BURNER HOBS ON OPEN CUPBOARDS



- Protected pilot flame
- Cast iron removable burners with self-stabilizing flame
- 60% certified efficiency
- Watertight pressed worktop
- Rounded corners

Model	Туре	Hobs	Wattage	Dimensions (mm) Width / Depth / Height			Price
HEFB74AXL	Gas	x2	14kW	400	730	850	£2,520
HEFB77AXL	Gas	x4	28kW	700	730	850	£3,560









- zones from 80°C to 450°C
- Fast-heating hot plates
- Indicator lights show when each hot plate is on

Model	Туре	Wattage		Dimensions (mm) Width / Depth / Height		Price
HETPE77FE	Electric	14.3kW	700	730	850	£6,880

HOBART ECOMAX OVEN WITH **GAS SOLID TOP HOB**





max



- Gas central bullseye: 500°C to 200°C at edge
- Protected pilot flame
- Cast iron removable burners with self-stabilizing flame
- Watertight pressed worktop

Model	Туре	Wattage		Dimensions (mm) Width / Depth / Height		Price
HETPG77FG	Gas	16kW	700	730	850	£5,988

HOBART ECOMAX OVENS WITH ELECTRIC PLATED HOBS







- Independent control of the 4 Watertight cast iron plates zones from 80°C to 450°C
- Fast-heating hot plates
- Indicator lights show when each hot plate is on

Model	Туре	Hobs	Wattage	Dimensions (mm) Width / Depth / Height			Price
HEPR77FE	Electric	x4	13.5kW	700	730	850	£5,860
HEPR711FE	Electric	х6	17.6kW	1100	730	850	£6,800

HOBART ECOMAX OVENS WITH GAS BURNER HOBS







- to 200°C at edge
- Protected pilot flame
- Gas central bullseye: 500°C Cast iron removable burners with self-stabilizing flame
 - Watertight pressed worktop

Model	Туре	Hobs	Wattage	Dimensions (mm) Width / Depth / Height		Price	
HEFB77FGXL	Gas	x4	34kW	700	730	850	£5,280
HEFB711FGMXL	Gas	х6	50kW	1100	730	850	£7,520

HOBART ECOMAX AMBIENT WORKTOPS WITH OPEN CUPBOARDS



- Suite perfectly with other modules to create a
- AISI 304 1.5mm thick Stainless Steel worktop
- consistent flow between them Moulded front for easy clean

Model	Rear Flue	Weight		nsions Depth /		Price
HEN74A	Yes	30kg	400	730	850	£1,670
HEN77A	Yes	45kg	700	730	850	£2,080

HOBART ECOMAX FULL TOUCH ELECTRIC COMBI OVENS







- Full touch display with handy & intuitive icons
- 70mm space runners to achieve even heat distribution
- x6 fans speeds
- Smart wash cleaning program

Model	Grids	Temperature		Dimensions (mm) Width / Depth / Height		Price
HECMFE6	6 x 1/1GN	+40°C to +250°C	890	795	720	£8,960
HECMFE10	10 x 1/1GN	+40°C to +250°C	890	795	980	£11,590

Click here to go back to the contents page

MOFFAT CONVECTION OVENS



- Years Parts & Labour
- 3-5 Working Days Delivery

- Stainless Steel exterior
- Shelf sizes: 530x325mm
- Digital temperature display
- Castors included
- Ideal for cooking fresh, chilled or frozen food in bulk

Model	Grids	Temperature		ensions / Depth /		Power Supply	Price
CR8M	8 x 1/1GN	0°C to +200°C	715	697	830	13 amp	£4,662
CR20L	20 x 1/1GN	0°C to +200°C	765	697	1827	16 or 63 amp	£7,302

DIAMOND ELECTRIC PIZZA OVENS







- Power supply: 3 phase
- Stainless Steel exterior
- 15 minute timer
- Cook pizzas in 3 mins 30 sec
- Stone base
- Double insulated door

Model	Pizza Capacity	Temperature	Dimensions (mm) Width / Depth / Heigh			Price
PIZZA-QUICK/43	1 x430mm	350°C max	670	580	270	£1,448
PIZZA-QUICK/43-2C	2 x 430mm	350°C max	670	580	500	£2,244
PIZZA-QUICK/66-43	2 x 330mm	350°C max	895	580	270	£2,244

DIAMOND ELECTRIC PIZZA OVENS

- Power supply: 13 amp plug
- 3 phase hard wired (EFP/66R only)
- Front side rustique aesthetics
- Made in high temperature painted steel
- High fibre glass insulation
- Chamber with Stainless Steel arcade
- Galvanised Stainless Steel chamber
- Door with security glass
- Heating by electric armoured elements
- Inner chamber light

Model	Pizza Capacity	Temperature		Dimensions (mm Width / Depth / Heig		Price
EFP/4R	4 x330mm	50°C to 450°C	980	930	420	£2,114
EFP/6R	6 x 330mm	50°C to 450°C	980	1210	420	£2,434
EFP/44R	8 x 330mm	50°C to 450°C	980	930	750	£3,519
EFP/66R	12 x 330mm	50°C to 450°C	980	1210	750	£4,132









DIAMOND DOUBLE-DECK **ELECTRIC PIZZA OVENS**







- Power supply: 3 phase
- Integrated electric elements
- Stainless Steel exterior - Adjustable steam exhaust
- Double thermal handle - Stone base
- Pizza Capacity Dimensions (mm) Width / Depth / Heigh Price Model Temperature LD8/35-N 8 x 350mm 500°C max 1070 1010 £5,832 LD12/35-N 12 x 350mm 500°C max 1070 1360 720 £6.749

DIAMOND GAS CONVEYOR PIZZA OVENS







- Power supply: 3 phase
- Stainless Steel exterior
- Ovens can be stacked
- Piezo ignition
- Electronic controls

Model	Pizza Capacity	Temperature		nsions (Depth /		Price
FTGV 40/58-N	21 x 400mm	320°C max	1030	1300	440	£11,842
FTGV 50/85-N	25 x 450mm	320°C max	1260	1750	490	£20,272
FTGV 65/110-N	25 x 500mm	320°C max	1550	2000	550	£26,213

2

Years Parts

& Labour

Diamond WINIA Whirlpool

DIAMOND ELECTRIC CONVEYOR PIZZA OVENS





2-4 Weeks Lead-Time

- Power supply: 3 phase
- Stainless Steel exterior
- Piezo ignition
- Thermal insulation
- Ovens can be stacked
- Electronic controls

Model	Pizza Capacity	Temperature	Dimensions (m Width / Depth / He			Price
FTEV 40/57-CB	18 x 400mm	320°C max	800	1270	390	£8,885
FTEV 40/58-N	21 x 400mm	320°C max	980	1300	440	£11,449
FTEV 50/85-N	25 x 450mm	320°C max	1260	1750	490	£20,095
FTEV 65/110-N	25 x 500mm	320°C max	1400	2000	550	£25,864

WINIA PROGRAMMABLE COMMERCIAL **MICROWAVES**



- Power supply: 13 amp plug
- Stainless Steel exterior
- Stainless Steel interior
- Double quantity facility
- LED display
- Stores up to 200 programmes
- Top & bottom feed magnetron Touch controls with Braille

Model	Capacity	Wattage		Dimensions (mm) Width / Depth / Height		Price
KOM9F50	27L	1500	465	599	370	£1,034
KOM9F85	27L	1800	465	563	370	£1,126



DIAMOND SLOT TOASTERS





1



- Power supply: 13 amp plug Crumb-collecting drawer
- Stainless Steel exterior
- Gear shift for partial operating
- Easy access
- Timer with buzzer and light

Model	Capacity		nsions (Depth /		Price
D4GP-XP	4 slices	430	200	240	£616
D6GP-XP	6 slices	480	200	240	£718

FAMA CONVEYOR TOASTER WITH FRONT CHUTE







- Power supply: 13 amp plug
- Stainless Steel exterior
- Ventilated motor
- Speed variator - Timer control
- Crumb-collecting drawer

Model	Throughput		ensions (/ Depth /		Price
MRT700	700 slices per hour	340	410	360	£1,598



Diamond

FOOD PREPARATION

Commercial food preparation equipment plays a crucial role in professional kitchens, streamlining the process of preparing ingredients and creating delicious dishes. These robust and efficient appliances are designed to handle the demands of high-volume food preparation.

We offer a comprehensive range of food preparation equipment to meet the diverse needs of businesses. Our stock includes:

Stick blenders: Stick blenders, also known as immersion blenders, are handheld blending devices with a motorized blade at the end. They are perfect for quickly blending, pureeing, and emulsifying ingredients directly in pots, pans, or bowls. Stick blenders are versatile tools that can be used for making soups, sauces, smoothies, and more.

Planetary & whisk mixers: Planetary and whisk mixers are powerful countertop appliances used for mixing, beating, and whipping ingredients. They come with various attachments, including dough hooks, paddle beaters, and wire whisks, allowing for different mixing tasks. These mixers are ideal for preparing dough, batters, creams, and other mixtures in large quantities.

Vegetable prep machines: Vegetable prep machines are specialized equipment that makes vegetable preparation more efficient. They feature attachments for slicing, dicing, and shredding vegetables, eliminating the need for manual cutting. With adjustable thickness settings and different blade options, they provide consistent and uniform results for salads, stir-fries, garnishes, and more.

Gravity feed slicers: Gravity feed slicers are designed for precise and efficient slicing of various foods, such as meats, cheeses, and vegetables. They feature a tilted carriage that holds the food, and as it slides down under gravity, a sharp rotating blade slices through it. Gravity feed slicers are commonly used in delis, sandwich shops, and restaurants where thin, consistent slices are required.

Meat mincers: Meat mincers are heavy-duty machines used for grinding and processing different cuts of meat. They feature a powerful motor and various grinding plates to control the coarseness of the ground meat. Meat mincers are essential in butcher shops, delis, and restaurants that prepare their own ground meat products, such as sausages, burgers, and meatballs.

Cheese cutters & graters: Cheese cutters and graters are specialized tools designed for cutting and grating different types of cheeses. They come in various styles, including wire cutters for slicing through large blocks of cheese and rotary graters for finely grating cheese. These tools are commonly used in commercial kitchens to efficiently handle cheese preparation for pizzas, sandwiches, and other dishes.

By stocking a variety of commercial food preparation equipment from trusted brands like Fama Industrie and Diamond, we ensure that our customers have access to reliable and efficient tools that enhance their food preparation processes and contribute to consistent and high-quality results.



FAMA VARIABLE & FIXED SPEED STICK BLENDERS

- Power supply: 13 amp plug
- Stainless Steel motor cover
- Thermal overload protection
- Stainless Steel attachments
- Fully ventilated motor
- Polymer fixing point
- FM350VV400: 9 speed regulator
- Replaceable blades
- Whisk attachment only fits FM350VV400*
- Manufactured in Italy

Model	Speed	RPM	Weight	Dimensions (mm) Width / Height		Price
FM250VF250	Fixed	15,000	1.3kg	75	555	£540
FM350VF400	Fixed	15,000	2.90kg	130	790	£726
FM350VV400	Variable	15,000 max	2.90kg	130	790	£766
FAF (Whisk)	N/A	N/A	1.2kg	120	360	£178









FM350VF400	Fixed	15,000	2.90kg	130	790	£726
FM350VV400	Variable	15,000 max	2.90kg	130	790	£766
FAF (Whisk)	N/A	N/A	1.2kg	120	360	£178

DIAMOND PLANETARY MIXER



- Year Parts
 - 2-4 Weeks Lead-Time

- Power supply: 13 amp plug
- Stainless Steel bowl
- Variable speed control
- Beater, dough hook & whisk
- Safety micro switch
- Clear safety lid

Model	Capacity	Dimensions (mm) Width / Depth / Height			Price
BTM-7S/N	7L	240	410	437	£1,037

DIAMOND WHISK MIXERS







- Power supply: 13 amp plug
- Stainless Steel bowl
- 3 speed setting
- Beater, dough hook & whisk
- Safety micro switch
- Protective bowl guard

Model	Capacity		nsions (/ Depth /	Price	
BM-10AT/N	10L	440	500	630	£1,938
BM-20AT/N	20L	515	560	770	£2,550

FAMA HEAVY-DUTY VEG PREP







- Power supply: 13 amp plug Discs: slicing, grating & julienne
 - Pulse button for precision
- Stainless Steel body - Ventilated motor
- Safety micro switch
- Dimensions (mm) Width / Depth / Height Model Discs Throughput Price FTV300E ELITE 250kg - 450kg p/hr хб 280 490 £1,804

DIAMOND MEDIUM-DUTY GRAVITY







- Power supply: 13 amp plug
- Stainless Steel blade
- Ventilated motor
- Plexi-glass safety screen
- Integrated blade sharpener
- Anodised food grade aluminium

Model	Blade	Cutting Range	Dimensions (mm) Width / Depth / Height			Price
300E/B-CE	300mm	0 - 15mm	480	600	420	£1,671

Diamond

FAMA HEAVY-DUTY GRAVITY **FEED SLICERS**

- Power supply: 13 amp plug
- Stainless Steel blade
- Ventilated motor
- Plexi-glass safety screen
- Integrated blade sharpener
- Anodised food grade aluminium
- Blade safety ring
- CE approved carriage locking
- Lubricated carriage ball bearings
- Spacious feeding pan
- Powerful polyester belt
- Manufactured in Italy



Model	Blade	Cutting Range		Dimensions (mm) Width / Depth / Height		Price
FA253	250mm / 10"	0 - 16mm	510	430	390	£1,098
FA303	300mm / 12"	0 - 15mm	560	470	420	£1,598

FAMA MEAT MINCERS



- Power supply: 13 amp plug
- Stainless Steel mincing group
- Ventilated motor
- Self sharpening draw-plates
- Oil immersed gears
- Stainless Steel tray & hopper

1,

Year Parts

Lead-Time

Model	Throughput		ensions / Depth /		Price
FTS127 / TS12	200kg per hour	220	370	440	£1,032
FTS137 / TS22	300kg per hour	240	440	510	£1,214

DIAMOND MEAT GRINDERS & PARMESAN GRATERS



- Power supply: 13 amp plug
- Aluminium alloy exterior
- Stainless Steel upper bowl
- Auto sharpening blade

Only

- Ventilated motor
- Includes 6mm grid

Model	Volume	Weight	HP		Dimensions (mm) Width / Depth / Height		Price
TG12	0.16m³	21kg	1	550	300	400	£1,552
TG22	0.18m³	25kg	1.5	600	300	400	£1,840

DIAMOND PARMESAN GRATER



- Power supply: 13 amp plug
- Aluminium alloy exterior - Stainless Steel upper bowl
- Auto sharpening blade
- Ventilated motor
- Includes 6mm grid

Model	Throughput	Volume	Weight	НР		nsions Depth/		Price
GM-BG	90kg per hour	0.08m³	22kg	1.5	420	270	380	£1,644

FAMA MOZZARELLA CHEESE CUTTER



- Power supply: 13 amp plug
- Stainless Steel cutting cones
- AISI 304 Stainless Steel body Safety micro switch
- Thermal overload protection Asynchronous motor

Model	Mozzarella Throughput	RPM		nsions (Depth /		Price
FTMC102	50kg per hour	1400	220	420	440	£998



DiamondMOFFAT

SERVERY & HOT DISPLAYS

Servery and hot display units are essential equipment in the foodservice industry, designed to maintain the temperature and presentation of hot food items for serving. These units are commonly used in buffets, cafeterias, catering events, and other food establishments where keeping food warm and easily accessible is crucial.

We offer a comprehensive range of servery and hot display units to meet the diverse needs of businesses. Our stock includes:

Banqueting trolleys: Banqueting trolleys are designed to transport and serve hot food in large quantities, making them perfect for catering events, banquet halls, and hotels. They typically feature multiple shelves or compartments to hold food trays and ensure efficient service.

Hot cupboards & drawers: Hot cupboards and drawers provide heated storage for holding cooked food at a desired temperature before serving. They often feature adjustable temperature controls, humidity settings, and shelves or drawers to accommodate different food items. Hot cupboards are commonly used in professional kitchens and catering establishments.

Carvery stations: Carvery stations are specially designed to hold and display roasted meats, such as beef, ham, or turkey, for carving and serving. These units often include a heated shelf or tray to maintain the temperature of the meat while offering a convenient carving surface for the chef.

Hot tops: Hot tops feature a flat cooking surface that

provides a controlled and even heat source. They can be used for keeping food warm or for cooking directly on the surface, making them versatile equipment for maintaining the temperature of pre-cooked food or for cooking items like grilled sandwiches, pancakes, or stir-fried dishes.

Dry heat bain maries: Dry heat bain maries are heated wells used to hold and display a variety of hot food items in a controlled temperature environment. They are commonly used for keeping dishes such as soups, sauces, curries, and desserts warm, ensuring that they are readily available for serving.

Heated & ambient displays: Heated and ambient displays are designed to showcase and keep hot food items at the right temperature. These units often feature glass or acrylic panels for excellent visibility and may include shelving or trays to display a variety of dishes, keeping them appealing and accessible to customers.

Heated plate dispensers: Heated plate dispensers are equipment specifically designed to keep plates warm and ready for serving. They ensure that plates are heated to the desired temperature, enhancing the overall dining experience by keeping food warmer for longer.

By offering a variety of servery and hot display units from trusted brands, we aim to provide our customers with the necessary tools to keep their food warm, well-presented, and easily accessible, ensuring a seamless and efficient foodservice experience for both staff and customers.



MOFFAT HOTLINE BANQUETING



- Years Parts & Labour
- 3-5 Working Days Deliver

- Power supply: 13 amp plug
- 3 shelves/GN pans included
- Stainless Steel exterior - Forced air heating
- Rotary control knob
- Swiveled castors with brakes

Мо	del	Capacity	Temperature		Dimensions (mm) Width / Depth / Height		Price
PF	12	12x1/1 GN	+30°C to +110°C	740	730	1360	£3,622

MOFFAT FAN ASSISTED DIGITAL HEATED DRAWER UNIT







- Power supply: 13 amp plug Each drawer supplied with 3x1/3
- Foil & super wool insulation 100mm deep GN containers
- Pull out water reservoir
- Also fits GN 1/2 or GN 1/1 types

Model	Capacity	Temperature	Dimensions (mm) Width / Depth / Height			Price
GHD2	6x1/3 GN	+30°C to +120°C	475	685	393	£1,452

MOFFAT PREMIER MOBILE HOT CUPBOARDS







- Stainless Steel exterior
- Sliding doors for easy access
- Forced-air heating - Thermostatically controlled

Model	Capacity	Temperature		Dimensions (I Width / Depth / F		Price
HC3	3x1/1 GN	+30°C to +110°C	1275	700	900	£2,410
HC4	4x1/1 GN	+30°C to +110°C	1603	700	900	£2,704

MOFFAT PREMIER MOBILE HOT CUPBOARDS WITH BAIN MARIE







- Power supply: 13 amp plug Efficient recirculation system
- Stainless Steel exterior
- Sliding doors for easy access
- Forced-air heating - Thermostatically controlled

Model	Capacity	Temperature	Dimensions (Width / Depth / H			Price
HB3	3x1/1 GN	+30°C to +110°C	1275	700	900	£3,124
HB4	4x1/1 GN	+30°C to +110°C	1603	700	900	£3,544

MOFFAT FOCUS HOT CUPBOARDS WITH DRY HEAT BAIN MARIE







- Power supply: 13 amp plug
 - Reversible doors
- Plastic coated steel exterior Sliding doors for easy access Air void insulation
 - Rotary control knob
- Dimensions (mm) Width / Depth / Height Model Capacity Temperature Price 2FBM 2x1/1 GN +30°C to +110°C 840 665 900 £1,474 3x1/1 GN +30°C to +110°C £1,676 3FBM 1124 665 900 4x1/1 GN +30°C to +110°C 1452 4FBM 665 900 £1,812

MOFFAT VERSICARTE PRO HOT CUPBOARDS WITH BAIN MARIE







- Power supply: 13 amp plug
- Illuminated gantry
- Plastic coated steel exterior Foil & super wool insulation - Triple tube tray slide
 - Quartz heated curved glass

Model	Capacity	Temperature	Dimensions (mm) Width / Depth / Height			Price
VC3BMQGTR	3x1/1 GN	+30°C to +110°C	1158	680	900	£2,974
VC4BMQGTR	4x1/1 GN	+30°C to +110°C	1486	680	900	£3,320



2

Years Parts

& Labour

3-5 Working Days Delivery

MOFFAT VERSICARTE PRO HOT CUPBOARDS WITH THERMAL HOT TOP







- Power supply: 13 amp plug
- Illuminated gantry
- Plastic coated steel exterior Foil & super wool insulation
- Triple tube tray slide
- Quartz heated curved glass

Model	Capacity	Temperature		Dimensions (I Width / Depth / H		Price
VC3HTQGTR	3x1/1 GN	+30°C to +110°C	1158	680	900	£3,508
VC4HTQGTR	4x1/1 GN	+30°C to +110°C	1486	680	900	£4,024

MOFFAT VERSICARTE PRO CARVERY STATION WITH GLASS GANTRY



- Power supply: 13 amp plug Twin spiked carvery pads
- Stainless Steel exterior
- Three 1/3 & two 1/6 bain marie containers for veg sauces etc
- Over head heated gantry

Model	Capacity	Temperature	Dimensions (mm Width / Depth / Heig			Price	
VC4CS	3x1/1 GN	+30°C to +110°C	1486	680	1443	£4,114	

MOFFAT FOCUS HOT TOPS WITH HEATED PANELS & GANTRY







- Power supply: 13 amp plug
- Perspex sneeze screen
- Stainless Steel exterior
- Toughened glass
- Heated & illuminated gantry - Air void insulation

Model	Capacity	Temperature		Dimensions (I Width / Depth / H		Price
FTG2	2x1/1 GN	+95°C	750	539	475	£870
FTG3	3x1/1 GN	+95°C	1078	539	475	£1,182

MOFFAT DROP-IN HOT TOPS WITH CURVED GLASS GANTRY







- Power supply: 13 amp plug
- Perspex sneeze screen Toughened glass
- Stainless Steel exterior
- Heated & illuminated gantry - Air void insulation

Model	Capacity	Temperature	Dimensions (mm) Width / Depth / Height		Price	
D3HT	3x1/1 GN	+95°C	1158	660	408	£2,166
D4HT	4x1/1 GN	+95°C	1486	660	408	£2,564

MOFFAT DROP-IN HOT TOPS WITH SQUARE GLASS GANTRY







- Power supply: 13 amp plug
- Perspex sneeze screen - Toughened glass
- Stainless Steel exterior - Heated & illuminated gantry
- Air void insulation
- Dimensions (mm) Width / Depth / Height Model Capacity Temperature Price 3x1/1 GN D3HTSL +95°C 1158 396 £2,320 660 D4HTSL 4x1/1 GN +95°C £2,550 1486 660 396

MOFFAT DROP-IN DRY HEAT BAIN MARIES WITH CURVED GLASS GANTRY







- Power supply: 13 amp plug
- Stainless Steel exterior
- Heated & illuminated gantry
- Foil & super wool insulation
- Can accommodate GN pans up to 150mm deep

Model	Capacity	Temperature	Dimensions (mm) Width / Depth / Height			Price
D3BM	3x1/1 GN	+30°C to +110°C	1158	660	408	£2,194
D4BM	4x1/1 GN	+30°C to +110°C	1486	660	408	£2,404

MOFFAT DROP-IN DRY HEAT BAIN MARIES WITH SQUARE GLASS GANTRY







- Power supply: 13 amp plug
- Stainless Steel exterior
- Heated & illuminated gantry
- Foil & super wool insulation
- Can accommodate GN pans up to 150mm deep

Model	Capacity	Temperature	ture Dimensions (Width / Depth /			Price
D3BMSL	3x1/1 GN	+30°C to +110°C	1158	660	396	£2,472
D4BMSL	4x1/1 GN	+30°C to +110°C	1486	660	396	£2,694

MOFFAT DROP-IN GRAB & GO HEATED DISPLAYS WITH OPEN GLASS FRONT



- Power supply: 13 amp plug
- Shelf loading: 50kg/1000mm
- Stainless Steel exterior
- Fitted with additional food
- Internal LED lighting
- bag/tongs holder box

Model	Shelves	Temperature		Dimensions (mm) Width / Depth / Height		
D2GHSL	x3	+30°C to +110°C	830	660	750	£3,556
D3GHSL	x3	+30°C to +110°C	1158	660	750	£4,290

MOFFAT GRAB & GO HEATED & AMBIENT MERCHANDISERS









- Power supply: 13 amp plug
- Stainless Steel exterior
- Shelf loading: 50kg/1000mm
- Internal lighting
- Swivelled castors with brakes Attachable basket included

Model	Туре	Capacity	Temperature		nsions Depth /		Price	
MH1MIB	Heated	4 x 0.14 ^m 3	+30°C to +110°C	650	680	1825	£4,182	
MA1MIB	Ambient	4 x 0.14 ^m 3	N/A	650	680	1825	£3,214	

DIAMOND ROTATING HEATED PIZZA DISPLAYS





2



- Power supply: 13 amp plug Door with magnetic soft closure
- Stainless Steel exterior
- Water tray humidifier
- 4 glass panel sides - x3 rotating shelves

Model	Pizza Capacity	Temperature		nsions Depth/		Price
PIZZA/D38	3 x 380mm	0°C to +90°C	465	430	590	£1,488
PIZZA/D42	3 x 420mm	0°C to +90°C	505	470	590	£1,604

DIAMOND HEATED PIZZA SERVING BASE



- Power supply: 13 amp plug
- Stainless Steel exterior
- On/off switch
- Temperature knob
- Heating through armoured resistances

Model	Pizza Capacity	Temperature		ensions (/ Depth /		Price
PIZ/SP	1 x 500mm	0°C to +60°C	500	500	90	£724

MOFFAT HEATED PLATE DISPENSERS







- Power supply: 13 amp plug
- Variable plate size setting
- Stainless Steel exterior
- Removable lid
- Variable temperature control Ideal for plate transportation

Model	Capacity		ensions (/ Depth /	Price	
HP1	75 plates	485	525	1015	£1,392
HP2	150 plates	485	800	1015	£1,920

TERMS & CONDITIONS

For a full copy of the Terms & Conditions please refer to the website prior to placing an order. If you are unclear on any of these points please speak to a member of the sales team for further advice prior to placing an order.

All orders accepted by the Seller will be subject to these Terms and Conditions of Sale.

PRICES

While every attempt will be made to adhere to our published "Price List" we reserve the right to alter or amend prices without prior notification. Prices quoted are exclusive of Value Added Tax.

CANCELLATION

The Seller will only accept cancellations as follows:

- a) If the Buyer cancels after goods have left our warehouse a charge of 25% of invoice value plus delivery charges will be levied.
- b) If the goods have been used by the Buyer or his Agent then the goods will be deemed unreturnable and the order cannot be cancelled.
- c) An additional charge of $\ \square$ 55+vat per item will be levied if the Seller is required to collect packaged goods from cancelled orders.
- d) Special equipment ordered by the Buyer will be subject to special conditions, Please contact our sales office for further details. Cancellation will not be accepted on special orders.

DELIVERY

Our free of charge standard delivery is to UK Mainland and will take place between 8-6pm. The leadtime varies and is clearly marked by product. The seller will at all times attempt to meet the Buyer's delivery requirements as communicated at point of order however the seller will not accept any liability for losses what so ever (including food losses and labour on site) sustained by a late delivery by the Seller or his Agents. Delivery dates are given as guide dates only and are under no contractual agreement. Additional services such as disposals/timed deliveries and unpack and positions are available but costs vary by product; please contact our sales office in advance of placing your order.

OWNERSHIP AND RISK

From the time of delivery to the Buyer or to the assigned point of delivery, the equipment shall be at the Buyer's risk. Ownership of the equipment shall not pass to the Buyer until payment in full has been received by the Seller.

The Buyer shall take the appropriate steps to notify any third party of the Sellers interest in the equipment and in the event of a threatened seizure of the equipment or of the appointment of a receiver or liquidator or administrator, shall, immediately notify the Seller and the Seller shall be entitled to repossess the equipment upon which the Seller retains Title from the Buyer's premises or location.

DAMAGE

It is the Buyer's responsibility to inspect the equipment at the time of taking delivery prior to signing to accept it. Drivers are given 15 minutes on site to allow for this. Product damage can occur without any obvious sign to the outer packaging so it is essential that the product itself is checked before signing to accept delivery.

Should equipment arrive damaged this must be recorded on the delivery note/drivers device and the Seller notified in writing within 24 hours. Claims for damage will not be entertained if the item has not been noted as damaged when signing the carrier's device or paperwork.

WARRANTY

The Warranty cover will depend on the appliance sold. All products are shown with the standard warranty offering. Where the manufacturer offers a parts only warranty we recommend that you purchase the upgrade available to cover the labour aspect of any service charges.

The validity of your warranty relies on the proper care and servicing of the appliance as laid in the manufacturer's manual. Call outs that are deemed to be user error will be charged on in full.

Any loss or damage to consumables caused by a failure of the equipment is to be the responsibility of the Buyer and should be covered by the Buyer's insurance.

WEEE DIRECTIVE

UK WEEE Regulations (SI2006/3289 Waste Electrical and Electronic Equipment Regulations 2006 as modified by any subsequent legislation).

Future WEEE: The Seller sells its products either retaining the Producer's obligations under the WEEE Regulations or with our customer taking on those responsibilities. In either case the customer must clearly state which of these options he requires and this must be documented.

The Seller will confirm this option on its order acceptance documentation. The customer must agree to disclose this agreement to any subsequent purchaser(s) of this equipment, as required by the regulations.

Historic WEEE The purchaser agrees to absolve The Seller from its obligations under the UK WEEE Regulations which require The Seller to be responsible for financing the collection, treatment, recovery and environmentally sound disposal of any product supplied before 13th August 2005, where a similar new product is being purchased.

The Company undertakes the collection, treatment, recovery and environmentally sound disposal of any product supplied before 13th August 2005 (or outside the scope of the WEEE regulations) subject to payment of its current disposal fees.

FORCE MAJEURE

The Seller shall not be liable in respect of any breach of contract due to any cause beyond his reasonable control including Act of God, inclement weather, flood, lightning or fire, industrial action or lockouts, the act or omission of Government, highways authorities, other competent authority, war, military operations or riot, or the act or omissions of any party for whom the Seller is not responsible.

APPLICABLE LAW

Any contract shall be deemed to be made in England according to English Law and subject to the jurisdiction of the English Courts.

