

INDEX SEMINUM 2018



Teplice 2019



BOTANICAL GARDEN TEPLICE



The Botanical Garden Teplice was established by the Teplice City Council in 2002 as an independent public body and is fully funded by the Teplice City Council. From the Garden's total area of two hectares almost a half is dedicated to the open-air display of plants. The exhibition glasshouses cover 2400 m² of land and the storage glasshouses, which are not open to the public, cover 1750 m².



Above the entrance to the glasshouses is a stone sculpture of the Garden's patron the Mayan God Yum Kaax (pronounced yum kash). He is the patron god of both animals hunted for human sustenance, and wild plants, particularly those with beneficial properties.



BOTANICAL GARDEN TEPLICE



OPENING HOURS

The Botanic Garden is closed to the public on Mondays for cleaning and general upkeep. On other days it is open from 9.00 to 17.00 in winter months (from 1st October to 30th April) and from 9.00 to 18.00 in summer months (1st May to 30th September).

HOW TO FIND US

You will find the Botanic Garden Teplice at the end of Josefa Suka street. Mondays – Fridays take trolley bus 4 from Beneš square, but at weekend take bus No. 121 to stop/station Nové Lázně (New Spa). It is a short walk, approximately 200 metres, from there to the Botanic Garden. We do not recommend going by car as parking places are severely limited both close to the garden and in the neighbouring streets. Coaches have two special places where they can park in Josefa Suka street (so called 'six-house') or during the day they can use usually park for free at Na Doubravce.

Entrance fee for adults	50,- CZK
Children to 14, seniors and students	25,- CZK
Single entry family ticket (2+1 and more)	100,- CZK
Yearly pass for adults	300,- CZK
Yearly pass for families (2+1 and more)	500,- CZK



More information and over 2000 photos can be found at www.botanickateplice.cz

Each one of our three glasshouses is dedicated to a distinct climatic zone.

THE XERIC GLASSHOUSE

Contains flora of the arid regions, of the semi-deserts of Central and South America, southern Africa, Madagascar and Arabia and also the small, but very captivating, exhibits of the flora of the Galapagos Islands and the Yemeni island Soqotra. A notable piece of art here is Mexican pueblo.



THE TROPICAL GLASSHOUSE

This is the most spacious. It covers an area of over 1 000 square meters and stands almost 16 meters high. A lively waterfall, a copy of the ruins of a Mexican pyramid, a glazed case with orchids and other rare plants, a pond and aquariums enhance the interior. All plant exhibits are displayed – as in the other glasshouses – by their geographical origin and include collections from tropical America, Asia, Australia, Africa and northern Madagascar. Another interesting feature is the "crossworder's flower-bed" which is arranged with plants whose names are well known from crosswords but are less well known visually, such as cola, coca, abaca, balsa, anona...



THE SUBTROPICAL GLASSHOUSE

Contains Andean flora from Mexico to Patagonia, the Himalayas, also southern Australia and New Zealand, and finally east of South Africa – all having wet winter. In the future the Garden's specialist collection of Chilean flora will be available for general viewing. Particular to Teplice is a landscaped segment depicting the region 20 million years ago when the local brown coalfields were formed. Although the earlier species have not survived, they are reflected in the same genera.



THE OPEN-AIR DISPLAY

Covers almost one hectare of land. Trees and shrubs, the woodland undergrowth of geographically differentiated plants, form its boundaries. The central lawn is decorated with a large rockery, several basalt columns and a group of hibiscus. During the summer the circular bed blooms with hundreds of perennials and annuals. Altogether some 2500 species and cultivars can be found in the Garden's open land. Visitors are very welcome to take a rest under the pergola or to take a seat in our candy store.

The Botanic Garden Teplice is a place of tranquility, discovery and learning. It is a cultural institution and visitors are requested to behave accordingly and are asked that at all times they respect the beauty and the hard work that takes place within its boundaries. Please, do not stray from the paths specified for visitors. Stepping on the flowerbeds is strictly forbidden. The stepping-stones are only for the use of the staff. Do not touch any of plants – many of them are poisonous, some have irritating characteristics and can be really dangerous. Please, leave excess clothing and all bags and baggage in the cloakroom. Smoking is prohibited in the glasshouses. Do not touch the glass on any of the displays or aquariums. We allow photographs to be taken in the glasshouses and with a flashlight and we do not ask for a fee. However, we do not allow the use of a camera with a tripod.

MEAN MONTHLY TEMPERATURE (°C)

I.	II.	III.	IV.	V.	VI.	VII.	VIII.	IX.	X.	XI.	XII.
-1.3	0.5	4.1	8.9	13.9	17.0	18.6	18.0	13.9	8.8	3.6	0.3

Mean annual temperature 8.9 °C

Extreme highest temperature + 35.9 °C (29. VII. 1983)

Extreme lowest temperature - 21.7 °C (14. I. 1987)

MEAN MONTHLY RAINFALL

I.	II.	III.	IV.	V.	VI.	VII.	VIII.	IX.	X.	XI.	XII.
33.6	29.8	35.0	33.7	50.1	64.0	58.0	60.0	40.9	32.9	38.0	40.4

Mean annual precipitation 516.4 mm

Altitude 228 m above sea-level

Coordinates of garden: N 50° 38' 17'', E 13° 50' 32''

MAGNOLIOPHYTA

Magnoliopsida

Acanthaceae

1. G ***Barleria obtusa*** Nees
XX-0-TEBLI-01396
2. G ***Barleria repens*** Nees
XX-0-TEBLI-01503
3. G ***Crabbea velutina*** S.Moore
XX-0-KL-2013/2659 [ex BG Klagenfurt, AUSTRIA]
4. G ***Eranthemum wattii*** (Bedd.) Stapf
XX-0-TEBLI-01276
5. O ***Ruellia humilis*** Nutt.
XX-0-TEBLI-01504 [ex BG Krefeld, GERMANY]
6. O ***Ruellia tuberosa*** L.
XX-0-AMD-A2679.2 [ex BG Amsterdam, NETHERLANDS]

Aizoaceae

7. O ***Conicosia pugioniformis subsp. muirii*** (N.E.Br.) Ihlenf. & Gerbaulet
XX-0-ROST-2003-G-4770 [ex BG Rostock, GERMANY]
8. G ***Delosperma harasianum*** Poppend. & Ihlenf.
XX-0-TEBLI-01505 [ex Pavelka, CZECH REPUBLIC]
9. G ***Delosperma harazianum*** (Deflers) Poppend. & Ihlenf.
SA-0-STGAL-113/1992 [ex BG St.Gallen, SWITZERLAND]
10. O ***Tetragonia tetragonioides*** (Pall.) Kuntze
XX-0-TEBLI-01506 [ex BG Powsin, POLAND]

Amaranthaceae

11. G ***Aerva javanica*** (Burm.f.) Juss. ex Schult.
XX-0-TEBLI-01399 [ex BG Tel Aviv, ISRAEL]
12. O ***Amaranthus caudatus*** L. '**Kiwicha**'
XX-0-Z-20051731 [ex BG Zürich, SWITZERLAND]
13. O ***Amaranthus cruentus*** L. '**Hot Biscuits**'
XX-0-TEBLI-01507 [ex BG Weinheim, GERMANY]
14. O ***Amaranthus*-hybrid** '**Hopi Red Dye**'
XX-0-TEBLI-00588
15. O ***Chenopodium quinoa*** Willd. '**Cochabamba**'
XX-0-BONN-36535 [ex BG Bonn, GERMANY]
16. O ***Gomphrena haageana*** Klotzsch '**Šarlatově Červená**'
XX-0-TEBLI-01508 [ex Černý, CZECH REPUBLIC]

Apiaceae

17. O ***Astrantia trifida*** Hoffm.
XX-0-TEBLI-01509 [ex BG Utrecht, NETHERLANDS]
18. O ***Bunium bulbocastanum*** L.
XX-0-BHU-F-1991-454 [ex BG Berlin Humboldt, GERMANY]
19. O ***Bupleurum rotundifolium*** L. '**Dekor**'
XX-0-TEBLI-01510
20. O ***Conium maculatum*** L.
FR-0-BR-19811146 [ex BG Meise, BELGIUM]
21. O ***Eryngium alpinum*** L.
XX-0-TUEB-3657 [ex BG Tübingen, GERMANY]
22. O ***Eryngium amethystinum*** L.
XX-0-TEBLI-01511
23. O ***Eryngium giganteum*** M.Bieb. '**Miss Wilmott's Ghost**'
XX-0-TEBLI-01512 [ex Plant World Seeds, UK]
24. O ***Eryngium pulchellum*** Phil.
XX-0-TEBLI-01513 [ex BG Bonn, GERMANY]

- 25. ○ ***Eryngium spinalba*** Vill.
XX-0-LZ-ZF 506/1994 [ex BG Leipzig, GERMANY]
- 26. ○ ***Eryngium venustum*** Bartlett ex Constance
XX-0-TEBLI-01514 [ex Jelitto, GERMANY]
- 27. ○ ***Eryngium yuccifolium*** Michx.
XX-0-TEBLI-01279 [ex BG Göttingen, GERMANY]
- 28. ○ ***Foeniculum vulgare*** Mill. '**Krajový**'
XX-0-TEBLI-01515 [ex BG LF MU Brno, CZECH REPUBLIC]

Apocynaceae

- 29. ○ ***Amsonia ciliata*** Walter
XX-0-CLA-3528 [ex BG Cluj Napoca, ROMANIA]
- 30. ○ ***Amsonia ciliata*** var. ***texana*** (A.Gray) J.M.Coult.
XX-0-CLA-0368 [ex BG GA Cluj-Napoca, ROMANIA]
- 31. ○ ***Amsonia elliptica*** (Thunb.) Roem. & Schult.
XX-0-TEBLI-01516 [ex Alplains, U.S.A.]
- 32. ○ ***Amsonia elliptica*** (Thunb.) Roem. & Schult.
XX-0-TEBLI-01517 [ex BG Cluj Napoca, ROMANIA]
- 33. ○ ***Amsonia hubrichtii*** Woodson
XX-0-TEBLI-0012 [ex BG Richmond, UK]
- 34. ○ ***Amsonia illustris*** Woodson
XX-0-TEBLI-01518 [ex BG LF MU Brno, CZECH REPUBLIC]
- 35. ○ ***Amsonia orientalis*** Decne
XX-0-TEBLI-00810 [ex BG Lausanne, SWITZERLAND]
- 36. ○ ***Amsonia orientalis*** Decne
XX-0-TEBLI-01519 [ex BG Praha, CZECH REPUBLIC]
- 37. ○ ***Amsonia peeblesii*** Woodson
XX-0-TEBLI-01520 [ex Alplains, U.S.A.]
- 38. ○ ***Amsonia*** '**Seaford Skies**'
XX-0-TEBLI-01521 [ex BG Praha, CZECH REPUBLIC]
- 39. ○ ***Amsonia tabernaemontana*** Walter
XX-0-TEBLI-01522 [ex BG Cluj Napoca, ROMANIA]
- 40. ○ ***Amsonia tabernaemontana*** var. ***salicifolia*** (Pursh) Woodson
XX-0-TEBLI-01523 [ex BG Weinheim, GERMANY]

41. O ***Apocynum androsaemifolium*** L.
XX-0-TEBLI-01401 [ex BG East Lansing, U.S.A.]
42. O ***Asclepias curassavica*** L.
XX-0-TEBLI-01524
43. O ***Asclepias curassavica*** L. '**Silky Gold**'
XX-0-TEBLI-01525 [ex Sunshine Seeds, GERMANY]
44. O ***Asclepias fascicularis*** Decne.
XX-0-TEBLI-01402 [ex Sunshine Seeds, GERMANY]
45. O ***Asclepias incarnata*** L.
US-0-TEBLI-00016, loc.:42°41'20"N 84°31'07"W, 259 m, Biggie Munn Park, Ingham county, MI, USA [ex BG East Lansing, U.S.A.]
46. O ***Asclepias incarnata*** L. '**Soulmate**'
XX-0-TEBLI-01404 [ex Chiltern Seeds, UK]
47. O ***Asclepias nivea*** L.
CU-0-FRP-2208, loc: CUBA [ex BG Dresden, GERMANY]
48. O ***Asclepias ovalifolia*** Decne.
XX-0-TEBLI-01526 [ex BG Edmonton, CANADA]
49. O ***Asclepias speciosa*** Torr.
XX-0-BRAUN-7758917 [ex BG Braunschweig, GERMANY]
50. O ***Asclepias speciosa*** Torr.
XX-0-TEBLI-01406 [ex Jelitto, GERMANY]
51. O ***Asclepias syriaca*** L.
XX-0-TEBLI-01527 [ex BG East Lansing, U.S.A.]
52. O ***Asclepias verticillata*** L.
XX-0-TEBLI-01528 [ex BG East Lansing, U.S.A.]
53. G ***Huernia pillansii*** N.E.Br.
XX-0-TEBLI-01529 [ex BG Le Breuil, FRANCE]
54. O ***Oxypetalum coeruleum*** (D. Don ex Sweet) Decne. [syn.: *Tweedia coerulea* D. Don ex Sweet]
XX-0-TEBLI-01140 [ex BG Košice, SLOVAK REPUBLIC]

Araceae

55. G ***Anthurium affine*** Schott.
XX-0-TEBLI-01530 [ex BG Kew, UK]

56. G ***Anthurium bakeri*** Hook.f.
XX-0-TEBLI-01531, loc.: at the border Belize, GUATEMALA [coll.:Haager,Rybková]
57. G ***Anthurium cordatum*** (L.) Schott
XX-0-TEBLI-01532
58. G ***Anthurium fasciale*** Sodiro
XX-0-TEBLI-01533, loc.: Guayzimi, prov.Zamora Chinchipe, ECUADOR [coll.:Haager]
59. G ***Anthurium gracile*** (Rudge) Lindl.
XX-0-TEBLI-01534
60. G ***Anthurium obtusum*** (Engl.) Grayum
XX-0-TEBLI-01373
61. G ***Anthurium scandens*** (Aubl.) Engl.
XX-0-TEBLI-01535
62. G ***Anthurium standleyi*** Croat & R.A.Baker
XX-0-TEBLI-01536
63. G ***Anthurium verapazense*** Engl.
XX-0-TEBLI-01537, loc.: Montañas del Mico, GUATEMALA [coll.:Haager,Rybková]
64. O ***Arisaema amurense*** Maxim.
XX-0-TEBLI-01538 [ex Jade Garden, KOREA]
65. O ***Arisaema heterophyllum*** Blume
XX-0-TEBLI-01539 [ex BG Copenhagen, DENMARK]

Aristolochiaceae

66. G ***Aristolochia arborea*** Linden
XX-0-TEBLI-01540

Asteraceae

67. O ***Acmella oleracea f.purpurea*** (L.) R.K.Jansen
XX-0-TEBLI-01541 [ex BG Bayreuth, GERMANY]
68. O ***Ageratina aromatica*** (L.) Spach
XX-0-TEBLI-01542 [ex Krulichovi, CZECH REPUBLIC]

69. ○ ***Amberboa moschata*** (L.) DC.
AM-0-NCY-19830070W [ex BG Iasi, ROMANIA]
70. ○ ***Anaphalis margaritacea*** (L.) Benth. & Hook.f. '**New Snow**'
XX-0-TEBLI-01543 [ex Černý, CZECH REPUBLIC]
71. ○ ***Antennaria rosea subsp.confinis*** (Greene) R.J.Bayer [syn.:*Leontopodium leontopodioides* (Willd.) Beauverd]
XX-0-TEBLI-01544 [ex BG Marburg, GERMANY]
72. ○ ***Arctotis fastuosa*** Jacq.
XX-0-BR-2009128260 [ex BG Meise, BELGIUM]
73. ○ ***Arctotis fastuosa*** Jacq. '**Orange Prince**'
XX-0-TEBLI-01545 [ex BG Krefeld, GERMANY]
74. ○ ***Arctotis stoechadifolia*** P.J.Bergius
XX-0-TEBLI-00026
75. ○ ***Arnica angustifolia subsp.alpina*** (L.) I.K.Ferguson
XX-0-TEBLI-01546 [ex BG Edmonton, CANADA]
76. ○ ***Arnica longifolia*** D.C.Eaton
XX-0-LZ-AN-1-2010 [ex BG Leipzig, GERMANY]
77. ○ ***Arnica montana*** L.
XX-0-TEBLI-00028
78. ○ ***Aster alpinus*** L. '**Albus**'
XX-0-TEBLI-01547 [ex BG Tallinn, ESTONIA]
79. ○ ***Aster alpinus*** L. '**Dark Beauty**'
XX-0-TEBLI-01548 [ex ZBG Plzeň, CZECH REPUBLIC]
80. ○ ***Aster alpinus*** L. '**Dunkle Schöne**'
XX-0-TEBLI-01549 [ex BG Průhonice, CZECH REPUBLIC]
81. ○ ***Aster alpinus*** L. '**Polycephalus**'
XX-0-TEBLI-01412 [ex BG Kaunas, LITHUANIA]
82. ○ ***Aster alpinus*** L. '**Trimix**'
XX-0-TEBLI-01283 [ex Jelitto, GERMANY]
83. ○ ***Aster amellus*** L. '**Butzemann**'
XX-0-TEBLI-01550 [ex Pereny, CZECH REPUBLIC]
84. ○ ***Aster flaccidus*** Bunge
XX-0-TEBLI-01807 [ex BG Bormio, ITALY]
85. ○ ***Aster pyrenaeus*** Desf. ex DC.
XX-0-TEBLI-01551 [ex BG Geneve, SWITZERLAND]

86. ○ ***Aster pyrenaeus*** Desf. ex DC.
3442JP2015 [ex BG Caen, FRANCE]
87. ○ ***Berkheya macrocephala*** J.M.Wood
XX-0-TEBLI-00037
88. ○ ***Berkheya multijuga*** (DC.) Roessler
XX-0-TEBLI-00820
89. ○ ***Berkheya purpurea*** (DC.) Benth. & Hook.f. ex Mast. '**Silver Spikes**'
XX-0-TEBLI-01552 [ex BG Praha, CZECH REPUBLIC]
90. ○ ***Berkheya radula*** (Harv.) De Wild.
XX-0-Z-20140391 [ex BG Zürich, SWITZERLAND]
91. ○ ***Berkheya rhapsodica*** (DC.) Hutch & Burtt.Davy
LS-1-M-2011/1323 [ex BG München, GERMANY]
92. ○ ***Carthamus tinctorius*** L.
XX-0-TEBLI-01414 [ex BG LF MU Brno, CZECH REPUBLIC]
93. ○ ***Centaurea jacea*** L.
DE-0-OLD-17-030-71-10 DE [ex BG Oldenburg, GERMANY]
94. ○ ***Centaurea macrocephala*** Muss. Puschk. ex Willd.
XX-0-TEBLI-00042 [ex BG Giessen, GERMANY]
95. ○ ***Centaurea orientalis*** L.
RO-0-CLA-3030, loc.:44° 29'N 28° 26'E, 110 m, Măcinului Mountains, ROMANIA [BG Cluj-Napoca, ROMANIA]
96. ○ ***Centaurea solstitialis*** L.
XX-0-TEBLI-00822, loc:Bozhia Most, Vratsa Province, BULGARIA
97. ○ ***Chrysocoma coma-aurea*** L.
XX-0-TEBLI-01553 [ex BG Praha, CZECH REPUBLIC]
98. ○ ***Cirsium rivulare*** L.(Jacq.) All. '**Atropurpureum**'
XX-0-TEBLI-01554 [ex ZZ Ctěnice, CZECH REPUBLIC]
99. ○ ***Coreopsis auriculata*** L.
XX-0-BONN-29732 [ex BG Bonn, GERMANY]
100. ○ ***Coreopsis palmata*** Nutt.
XX-0-TEBLI-00604 [ex BG Kaunas, LITHUANIA]
101. ○ ***Coreopsis tripteris*** L.
XX-0-TEBLI-00606
102. ○ ***Cosmos bipinnatus*** Cav. '**Candy Stripe**'
XX-0-TEBLI-01555 [ex Plant World Seeds, UK]

103. ○ ***Cota triumfetti*** (L.) J.Gay
TR-0-LZ-ZF-2-1994 [ex BG Leipzig, GERMANY]
104. ○ ***Cotula duckittiae*** (L.Bolus) K.Bremer & Humphries
XX-0-TEBLI-01556
105. ○ ***Cotula turbinata*** L.
XX-0-TEBLI-01557
106. ○ ***Crepis rubra*** L.
XX-0-TEBLI-00608
107. ○ ***Dimorphotheca pluvialis*** (L.) Moench
XX-0-TEBLI-00051
108. ○ ***Dimorphotheca 'Silverhill White'***
XX-0-TEBLI-00609 [ex Silverhill Seeds, SOUTH AFRICA]
109. ○ ***Dimorphotheca sinuata*** DC.
ZA-0-TEBLI-00993, loc.:Stellenbosch, Western Cape Province, SOUTH AFRICA [ex Silverhill Seeds, SOUTH AFRICA]
110. ○ ***Echinacea purpurea*** (L.) Moench
XX-0-TEBLI-01558
111. ○ ***Echinops humilis*** M.Bieb.
XX-0-ROST-2003-F-4259 [ex BG Rostock, GERMANY]
112. ○ ***Erigeron aureus*** Greene
XX-0-TUEB-1323 [ex BG Tübingen, GERMANY]
113. ○ ***Erigeron aureus*** Greene
XX-0-TUEB-1952 [ex BG St.Gallen, SWITZERLAND]
114. ○ ***Erigeron epiroticus*** (Vierh.) Halácsy
BA-0-M-1998/1565, loc.:1850 m, BOSNIA AND HERZEGOVINA [ex BG München, GERMANY]
115. ○ ***Erigeron speciosus*** (Lindl.) DC. [syn.:*Erigeron macranthus* Nutt.]
XX-0-TEBLI-00061 [ex BG Vácrátót, HUNGARY]
116. ○ ***Eriophyllum lanatum*** (Pursh) J.Forbes
US-0-TUEB-1462 [ex BG Tübingen, GERMANY]
117. ○ ***Eurybia divaricata*** (L.) G.L.Nesom '**Tradescant**'
XX-0-TEBLI-01559 [ex Pereny, CZECH REPUBLIC]
118. ○ ***Galatella linosyris*** (L.) Rchb. f. [syn.:*Aster linosyris* (L.) Bernh.]
XX-0-TEBLI-00035 [ex Zahradní centrum, CZECH REPUBLIC]
119. ○ ***Gerbera anandria*** (L.) Sch.Bip.
XX-0-LI-6580 [ex BG Linz, AUSTRIA]

120. ○ ***Gerbera maxima*** (D.Don) Beauverd
XX-0-TEBLI-01560 [ex BG Aberdeen, UK]
121. ○ ***Glebionis coronaria*** (L.) Cass. ex Spach [syn.:*Chrysanthemum coronarium* L.]
XX-0-TEBLI-01561 [ex BG Jerusalem, ISRAEL]
122. ○ ***Grindelia squarrosa*** (Pursh) Dunal
DE-0-HAL-172586_1 [ex BG Halle, GERMANY]
123. ○ ***Helianthella quinquenervis*** (Hook.) A.Gray
XX-0-TR-20060569 [ex BG Trento, ITALY]
124. ○ ***Helianthus divaricatus*** L.
XX-0-TEBLI-01562 [ex BG Mainz, GERMANY]
125. ○ ***Helichrysum aureum*** (Houtt.) Merr.
XX-0-TEBLI-01563 [ex BG Praha, CZECH REPUBLIC]
126. ○ ***Helichrysum bracteatum*** (Venten) Willd. '**Bronzový**'
XX-0-TEBLI-01564 [ex Černý, CZECH REPUBLIC]
127. ○ ***Helichrysum bracteatum*** (Venten) Willd. '**Monster Rose**'
XX-0-TEBLI-01565 [ex Černý, CZECH REPUBLIC]
128. ○ ***Heliomeris* sp.**
XX-0-TEBLI-01566 [ex BG Praha, CZECH REPUBLIC]
129. ○ ***Heterotheca* sp.**
XX-0-TEBLI-01567 [ex BG Praha, CZECH REPUBLIC]
130. ○ ***Hieracium bombycinum*** Boiss. & Reut. Ex Rchb.f.
XX-0-TEBLI-01568 [ex BG Bormio, ITALY]
131. ○ ***Hieracium tomentosum*** L. [syn.:*Hieracium lanatum* Vill.]
XX-0-TEBLI-01419 [ex Jelitto, GERMANY]
132. ○ ***Inula ensifolia*** L.
XX-0-TEBLI-01569 [ex BG Průhonice, CZECH REPUBLIC]
133. ○ ***Inula magnifica*** Lipsky
XX-0-TEBLI-01570
134. ○ ***Inula oculus-christi*** L.
XX-0-TEBLI-00076
135. ○ ***Inula racemosa*** Hook.f.
XX-0-TEBLI-01571
136. ○ ***Ismelia carinata*** (Schousb.) Sch.Bip. '**Sunset**' [syn.:*Chrysanthemum carinatum* Schousb.]
XX-0-TEBLI-00998 [ex Thompson & Morgan, UK]

137. ○ ***Jacobaea maritima* subsp. *bicolor*** (Willd.) B.Nord & Greuter
XX-0-TEBLI-01572
138. ○ ***Lactuca perennis*** L.
XX-0-TEBLI-01573 [ex BG Eger, HUNGARY]
139. ○ ***Lactuca virosa*** Habl.
XX-0-BERN-2005/430 G P [ex BG Bern, SWITZERLAND]
140. ○ ***Leontopodium nivale*** (Ten.) Huet ex Hand.-Mazz.
XX-0-TEBLI-01290 [ex BG Halle, GERMANY]
141. ○ ***Liatris aspera*** Michx.
XX-0-TEBLI-01574 [ex Jelitto, GERMANY]
142. ○ ***Miyamayomena koraiensis*** (Nakai) Kitam. [syn.:*Aster koraiensis* Nakai]
XX-0-TEBLI-01575
143. ○ ***Notobasis syriaca*** (L.) Cass.
ES-0-DR-013440 [ex BG Dresden, GERMANY]
144. ○ ***Parthenium integrifolium*** L.
XX-0-TEBLI-01576 [ex BG St.Louis, U.S.A.]
145. ○ ***Pilosella officinarum*** Vaill. [syn.:*Hieracium pilosella* L.]
XX-0-TEBLI-01577
146. ○ ***Pluchea odorata* var. *succulenta*** (Fernald) Cronquist
XX-0-TEBLI-01578 [ex BG Northampton, U.S.A.]
147. ○ ***Porophyllum ruderale*** (Jacq.) Cass.
XX-0-TEBLI-01292 [ex BG LF MU Brno, CZECH REPUBLIC]
148. ○ ***Psephellus dealbatus*** (Willd.) K.Koch [syn.:*Centaurea dealbata* Willd.]
XX-0-TEBLI-00041
149. ○ ***Ptilostemon afer*** (Jacq.) Greuter
GR-0-B-2400592 [ex BG Berlin Dahlem, GERMANY]
150. ○ ***Ptilostemon echinocephalus*** (Willd.) Greuter
XX-0-TEBLI-01579 [ex Chiltern Seeds, UK]
151. ○ ***Pulicaria dysenterica*** (L.) Gaertn.
XX-0-TEBLI-01580 [ex BG Besançon, FRANCE]
152. ○ ***Ratibida pinnata*** (Vent.) Barnhart
XX-0-TEBLI-00097 [ex BG Braunschweig, GERMANY]
153. ○ ***Rhodanthe chlorocephala*** (Turcz.) Paul G.Wilson
XX-0-TEBLI-01581 [ex Černý, CZECH REPUBLIC]

154. ○ ***Rudbeckia fulgida* var. *deamii*** (S.F.Blake) Perdue
XX-0-TEBLI-01582
155. ○ ***Rudbeckia fulgida* var. *sullivantii*** (C.L.Boynton & Beadle) Cronquist
XX-0-TEBLI-01583
156. ○ ***Santolina chamaecyparissus*** L.
XX-0-TEBLI-01422 [ex BG Geneve, SWITZERLAND]
157. ○ ***Santolina pinnata*** Viv.
XX-0-TUEB-622 [ex BG Tübingen, GERMANY]
158. ○ ***Sanvitalia procumbens*** Lam.
MX-0-FRIBG-20040715, loc: Axochiapan, Morelos, MEXICO [ex BG Fribourg, SWITZERLAND]
159. ○ ***Schkuhria pinnata*** (Lam.) Kuntze ex Thell.
XX-0-NCY-20070127G [ex BG Nancy, FRANCE]
160. ○ ***Schlagintweitia intybacea*** (All.) Griseb. [syn.:*Hieracium intybaceum* All.]
XX-0-TEBLI-01423 [ex BG Jelitto, GERMANY]
161. ○ ***Scorzonera hispanica*** L.
DE-0-BR-1997115519 [ex BG Meise, BELGIUM]
162. ○ ***Senecio macrocephalus*** DC.
LS-1-M-2007/0817 [ex BG München, GERMANY]
163. ○ ***Silybum marianum*** (L.) Gaertn.
XX-0-TEBLI-01584
164. ○ ***Silphium laciniatum*** L.
XX-0-TEBLI-01585 [ex BG Clermont-Ferrand, FRANCE]
165. ○ ***Silphium perfoliatum*** L.
XX-0-TEBLI-00105
166. ○ ***Solidago caesia*** L.
XX-0-TEBLI-01586 [ex BG Průhonice, CZECH REPUBLIC]
167. ○ ***Solidago ptarmicoides*** (Torr. & A. Gray) B. Boivin [syn.:*Aster ptarmicoides* (Nees) Torr. & A. Gray]
XX-0-TUEB-619 [ex BG Tübingen, GERMANY]
168. ○ ***Solidago* sp.**
XX-0-TEBLI-01587 [ex BG Praha, CZECH REPUBLIC]
169. ○ ***Steirodiscus tagetes*** (L.) Schltr.
XX-0-TEBLI-01588 [ex BG Cluj Napoca, ROMANIA]
170. ○ ***Symphotrichum puniceum*** (L.) Á.Löwe & D.Löwe
XX-0-TEBLI-01589

171. ○ ***Tagetes erecta*** L. '**Mr. Majestic**'
XX-0-TEBLI-01590 [ex Semo Smržice, CZECH REPUBLIC]
172. ○ ***Tagetes lucida*** Cav.
XX-0-JENA-7316350 [ex BG Jena, GERMANY]
173. ○ ***Tagetes lucida*** Cav.
XX-0-TEBLI-01591 [ex BG LF MU Brno, CZECH REPUBLIC]
174. ○ ***Tagetes tenuifolia*** Cav. '**Lemon Gem**'
XX-0-TEBLI-01592
175. ○ ***Tagetes tenuifolia*** Cav. '**Lulu**'
XX-0-TEBLI-01593 [ex Černý, CZECH REPUBLIC]
176. ○ ***Tagetes tenuifolia*** Cav. '**Red Gem**'
XX-0-TEBLI-01594 [ex Semo Smržice, CZECH REPUBLIC]
177. ○ ***Tanacetum coccineum*** (Willd.) Grierson '**Robinson's Giant**'
XX-0-TEBLI-00116
178. ○ ***Tanacetum macrophyllum*** (Waldst. & Kit.) Sch. Bip.
XX-0-TEBLI-01595 [ex Krulichovi, CZECH REPUBLIC]
179. ○ ***Tanacetum parthenium*** (L.) Sch. Bip. '**Malmesbury**'
XX-0-TEBLI-01293 [ex Plant World Seeds, UK]
180. ○ ***Thelesperma burridgeanum*** S.F.Blake
XX-0-TEBLI-01596 [ex BG Bayreuth, GERMANY]
181. ○ ***Tripleurospermum caucasicum*** (Willd.) Hayek [syn: *Chrysanthemum caucasicum* (Willd.) Pers.]
XX-0-TEBLI-00092
182. ○ ***Ursinia calenduliflora*** (DC.) N.E.Br.
XX-0-TEBLI-00123
183. ○ ***Vernonia baldwinii*** Torr.
XX-0-TEBLI-01597 [ex BG Frankfurt am Main, GERMANY]
184. ○ ***Vernonia gigantea*** (Walter) Trel. ex Trel.
XX-0-TEBLI-01598 [ex BG Vácrot, HUNGARY]
185. ○ ***Vernonia lettermannii*** Engelm. ex A. Gray
XX-0-TEBLI-01162 [ex BG Weinheim, GERMANY]
186. ○ ***Xeranthemum annuum*** L.
XX-0-TEBLI-01599 [ex Semo Smržice, CZECH REPUBLIC]
187. ○ ***Xylanthemum tianschanicum*** (Krasch.) Muradyan
XX-0-TEBLI-00628 [ex BG Leipzig, GERMANY]

188. O ***Zinnia angustifolia*** Kunth. '**Profusion Apricot**'
XX-0-TEBLI-01600 [ex Weinheim, GERMANY]
189. O ***Zinnia marylandica*** D.M.Spooner, Stimart & T.H.Boyle '**Starlight Double Fire**'
XX-0-TEBLI-01601 [ex Semo Smržice, CZECH REPUBLIC]
190. O ***Zinnia peruviana*** (L.) L.
MX-0-DR-012377 [ex BG Dresden, GERMANY]

Basellaceae

191. O ***Basella alba*** L. '**Rubra**'
XX-0-TEBLI-01602 [ex BG Bayreuth, GERMANY]
192. G ***Basella alba*** L. '**Rubra**'
XX-0-TEBLI-01603 [ex ČZU Praha Suchdol, CZECH REPUBLIC]

Berberidaceae

193. O ***Podophyllum peltatum*** L.
XX-0-TEBLI-01604
194. O ***Sinopodophyllum hexandrum*** (Royle) T. S. Ying [syn.:*Podophyllum hexandrum* Royle]
XX-0-TEBLI-00844

Bignoniaceae

195. G ***Dolichandrone alba*** (Sim) Sprague [syn.:*Spathodea alba* Sim]
XX-0-TEBLI-01163
196. O ***Incarvillea mairei*** (H. Lév.) Grierson [syn.:*Incarvillea mairei* var. *grandiflora* (Wernham) Grierson]
XX-0-TEBLI-00631 [ex BG Braunschweig, GERMANY]
197. O ***Incarvillea olgae*** Regel
XX-0-TEBLI-00632 [ex BG Vilnius, LITHUANIA]

Boraginaceae

198. G ***Cordia boissieri*** A.DC.
XX-0-TEBLI-00130
199. G ***Cordia obovata*** Balf. f.
YE-0-TEBLI-00635, loc.:Qaysoh Wadi, Socotra, YEMEN [coll.:Bejček]
200. O ***Omphalodes linifolia*** (L.) Moench
XX-0-TEBLI-00133 [ex BG Konstanz, GERMANY]
201. O ***Onosma helvetica*** Boiss.
XX-0-TEBLI-01296

Brassicaceae

202. O ***Aethionema armenum*** Boiss.
XX-0-TEBLI-00134 [ex BG Wien Belvedere, AUSTRIA]
203. O ***Aethionema grandiflorum*** Boiss. & Hohen
XX-0-TEBLI-01427 [ex BG Praha, CZECH REPUBLIC]
204. O ***Aethionema schistosum*** Boiss. & Kotschy
XX-0-TEBLI-01605 [ex Jelitto, GERMANY]
205. O ***Coluteocarpus vesicaria*** (L.) Holmboe
XX-0-LI-6615 [ex BG Linz, AUSTRIA]
206. O ***Iberis amara*** L
XX-0-TEBLI-00642 [ex BG Jibou, ROMANIA]
207. O ***Iberis carnos***a Willd. [syn.:*Iberis violacea* W.T.Aiton]
XX-0-TEBLI-01606 [ex BG S.Eufemia, ITALY]
208. O ***Lepidium latifolium*** L.
XX-0-TEBLI-01607 [ex BG Chemnitz, GERMANY]
209. O ***Matthiola longipetala subsp.bicornis*** (Sm.) P.W.Ball.
XX-0-TEBLI-01608 [ex BG Klaipeda, LITHUANIA]
210. O ***Matthiola maderensis*** Lowe
PT-0-MADJ-20-2016 [ex BG Madeira, PORTUGAL]

Calycanthaceae

211. ○ ***Chimonanthus praecox*** (L.) Link.
XX-0-TEBLI-01609

Campanulaceae

212. ○ ***Adenophora khasiana*** (Hook. f. & Thomson) Oliv. ex Collett & Hemsl. [syn.:*Adenophora bulleyana* Diels]
XX-0-TEBLI-00156 [ex BG Vácrátót, HUNGARY]
213. ○ ***Adenophora koreana*** Kitam.
XX-0-TEBLI-00157
214. ○ ***Adenophora pereskiifolia*** (Fisch. ex Schult.) G.Don
XX-0-TEBLI-00159 [ex BG Vácrátót, HUNGARY]
215. ○ ***Campanula alliariifolia*** Wild. [syn.:*Campanula ochroleuca* (Kem.-Nath.) Kem.-Nath.]
XX-0-TEBLI-00649 [ex BG Linz, AUSTRIA]
216. ○ ***Campanula alpestris*** All.
XX-0-TEBLI-01610 [ex BG UP Olomouc, CZECH REPUBLIC]
217. ○ ***Campanula alpina*** Jacq.
XX-0-TEBLI-01611 [ex BG Wien Belvedere, AUSTRIA]
218. ○ ***Campanula bayerniana*** Rupr. [syn.:*Campanula takhtadzhianii* Fed.]
XX-0-TEBLI-01011 [ex BG Bielefeld, GERMANY]
219. ○ ***Campanula collina*** Sims
XX-0-TEBLI-00167 [ex BG Wien, AUSTRIA]
220. ○ ***Campanula hierapetrae*** Rech.f.
XX-0-ZAVRT-3438 [ex BG Zagreb, CROATIA]
221. ○ ***Campanula hofmannii*** (Pantan.) Greuter & Burdet
BA-0-DR-001855 [ex BG Dresden, GERMANY]
222. ○ ***Campanula hofmannii*** (Pantan.) Greuter & Burdet
XX-0-TEBLI-01612 [ex BG Meise, BELGIUM]
223. ○ ***Campanula lanata*** Friv.
XX-0-TEBLI-00174 [ex BG Duisburg, GERMANY]
224. ○ ***Campanula petrophila*** Rupr.
XX-0-TEBLI-00653 [ex BG Nitra, SLOVAK REPUBLIC]

225. ○ ***Campanula pyramidalis*** L.
XX-0-TEBLI-01613 [ex BG Antwerpen, BELGIUM]
226. ○ ***Campanula raineri*** Perp.
XX-0-TEBLI-01015 [ex BG Bielefeld, GERMANY]
227. ○ ***Campanula raineri*** Perp.
XX-0-TEBLI-01170 [ex BG Klaipeda, LITHUANIA]
228. ○ ***Campanula sarmatica*** Ker Gawl.
XX-0-TEBLI-00179 [ex BG Innsbruck, AUSTRIA]
229. ○ ***Campanula speciosa*** Pourr.
XX-0-TR-20083022 [ex BG Trento, ITALY]
230. ○ ***Codonopsis clematidea*** (Schrenk) C.B.Clarke
XX-0-TEBLI-01614
231. ○ ***Isotoma axillaris*** Lindl. '**Blue Star**'
XX-0-TEBLI-01615 [ex Černý, CZECH REPUBLIC]
232. ○ ***Legousia speculum-veneris*** (L.) Durande ex Vill.
XX-0-TAL-20000302G [ex BG Bordeaux, FRANCE]
233. ○ ***Lobelia inflata*** L.
XX-0-TEBLI-01616 [ex ZBG Plzeň, CZECH REPUBLIC]
234. ○ ***Michauxia tchihatchewii*** Fisch. & C.A.Mey.
XX-0-TEBLI-01617 [ex BG Gatineau, CANADA]
235. ○ ***Wahlenbergia congesta*** (Cheeseman) N.E.Br.
XX-0-JENA-7617433 [ex Jena, GERMANY]
236. ○ ***Wahlenbergia multicaulis*** Benth.
AU-0-PLZEN-0444-11-50 [ex ZBG Plzeň, CZECH REPUBLIC]
237. ○ ***Wahlenbergia rivularis*** Diels
XX-0-TEBLI-01618 [ex BG Vancouver, CANADA]

Caprifoliaceae

238. ○ ***Cephalaria gigantea*** (Ledeb.) Bobrov [syn.: *Cephalaria tatarica* Schrad. ex Roem. & Schult.]
XX-0-TEBLI-00194 [ex BG Krefeld, GERMANY]
239. ○ ***Lomelosia crenata*** (Cirillo) Greuter & Burdet
XX-0-TEBLI-01619 [ex BG Lama, ITALY]

240. ○ ***Scabiosa atropurpurea*** L. '**Black Knight**'
XX-0-TEBLI-01020 [ex Chiltern Seeds, UK]
241. ○ ***Scabiosa columbaria*** L.
XX-0-TEBLI-01620 [ex BG Konstanz, GERMANY]
242. ○ ***Scabiosa japonica*** Miq.
XX-0-BRAUN-7435046 [ex BG Braunschweig, GERMANY]
243. ○ ***Scabiosa*** sp.
XX-0-TEBLI-01621
244. ○ ***Scabiosa stellata*** L. '**Sternkugel**'
XX-0-TEBLI-00200 [ex Semo Smržice, CZECH REPUBLIC]

Caryophyllaceae

245. ○ ***Agrostemma githago*** L. [syn.:*Agrostemma linicola* Terechov]
XX-0-TEBLI-00202 [ex BG Giessen, GERMANY]
246. ○ ***Dianthus anatolicus*** Boiss.
XX-0-TEBLI-01177 [ex BG Cluj Napoca, ROMANIA]
247. ○ ***Dianthus andrzejowskianus*** Kulcz.
XX-0-TEBLI-01622 [ex BG Iževsk, RUSSIA]
248. ○ ***Dianthus andrzejowskianus*** Kulcz.
XX-0-TEBLI-01623 [ex BG Volgograd, RUSSIA]
249. ○ ***Dianthus brevicaulis*** Fenzl
XX-0-HAL-3951 [ex BG Halle, GERMANY]
250. ○ ***Dianthus crinitus*** Sm.
XX-0-TEBLI-01624 [ex BG Riga, LATVIA]
251. ○ ***Dianthus diffusus*** Sm. [syn.:*Dianthus pubescens* Sm.]
TR-0-GENT-19970105 [ex BG Gent, BELGIUM]
252. ○ ***Dianthus henteri*** Heuff. ex Griseb. & Schenk
RO-0-CLA-3040, loc.:45°22'N 22°33'E, 1400 m, Retezat Mountains, ROMANIA [ex BG Cluj-Napoca, ROMANIA] [coll.:G. Groza, 2000]
253. ○ ***Dianthus hyssopifolius*** subsp. ***gallicus*** (Pers.) M. Laínz & Muñoz Garm [syn.:*Dianthus gallicus* Pers.]
XX-0-TEBLI-00227 [ex BG Caen, FRANCE]
254. ○ ***Dianthus japonicus*** Thunb.
XX-0-TEBLI-01304 [ex BG Ibaraki, JAPAN]

255. ○ ***Dianthus longicalyx*** Miq.
XX-0-TEBLI-01625 [ex BG Perm, RUSSIA]
256. ○ ***Dianthus longicalyx*** Miq.
XX-0-TEBLI-01626 [ex BG Seoul, KOREA]
257. ○ ***Dianthus myrtinervius*** Griseb.
XX-0-TEBLI-01627 [ex BG Besançon, FRANCE]
258. ○ ***Dianthus nardiformis*** Janka
XX-0-TEBLI-01628 [ex BG Blagoveschensk, RUSSIA]
259. ○ ***Dianthus plumarius* subsp. *lumnitzeri*** (Wiesb.) Domin [syn.:*Dianthus moravicus* Kovanda]
XX-0-TEBLI-00230 [ex BG MU Brno, CZECH REPUBLIC]
260. ○ ***Dianthus plumarius* subsp. *lumnitzeri*** (Wiesb.) Domin [syn.:*Dianthus moravicus* Kovanda]
XX-0-TEBLI-01305 [ex BG Wien Belvedere, AUSTRIA]
261. ○ ***Dianthus seguieri*** Vill. [syn.:*Dianthus sylvaticus* Hoppe ex Willd.]
CZ-0-TEBLI-01306, loc.:Fojtovická pláň, CZECH REPUBLIC [coll.:A.Kučerová, 30.8.2014]
262. ○ ***Dianthus* sp.**
XX-0-TEBLI-01629, loc.: BULGARY [coll.:A.Kučerová, 2011]
263. ○ ***Dianthus sternbergii*** Sieber ex Capelli
XX-0-TEBLI-01630 [ex BG Jibou, ROMANIA]
264. ○ ***Dianthus tergestinus*** (Rchb.) Kerner
SI-1-LJU-G-555-400 [ex BG Ljubljana, SLOVENIA]
265. ○ ***Dianthus uralensis*** Korsh.
XX-0-TEBLI-01631 [ex BG Bormio, ITALY]
266. ○ ***Dianthus webbianus*** Parl. ex Vis. [syn.:*Dianthus erinaceus* Boiss.]
XX-0-TEBLI-01027 [ex BG Bormio, ITALY]
267. ○ ***Dianthus webbianus*** Parl. ex Vis. [syn.:*Dianthus erinaceus* Boiss.]
XX-0-TEBLI-00237 [ex BG Warszawa, POLAND]
268. ○ ***Gypsophila libanotica*** Boiss.
XX-0-TEBLI-01632 [ex BG Łódź, POLAND]
269. ○ ***Gypsophila pacifica*** Kom.
XX-0-TEBLI-01434 [ex BGA MZLU Brno, CZECH REPUBLIC]
270. ○ ***Gypsophila pacifica*** Kom.
XX-0-HOH-StudGart-1992 [ex BG Stuttgart Hohenheim, GERMANY]
271. ○ ***Gypsophila uralensis*** Less.
XX-0-WU-0011144 [ex BG Wien, AUSTRIA]

272. ○ ***Saponaria sicula*** Raf.
XX-0-TEBLI-01633 [ex BG Geneve, SWITZERLAND]
273. ○ ***Silene alpestris*** Jacq. [syn.:*Heliosperma alpestre* (Jacq.) Rchb.]
XX-0-TEBLI-01435 [ex BG Wien, AUSTRIA]
274. ○ ***Silene asterias*** Griseb.
XX-0-TEBLI-01634 [ex BG Tartu, ESTONIA]
275. ○ ***Silene caroliniana* subsp. *wherryi*** (Small) R.T. Clausen
XX-0-TEBLI-01635 [ex Jelitto, GERMANY]
276. ○ ***Silene chalconica*** (L.) E.H.L.Krause [syn.:*Lychnis chalconica* L.]
XX-0-TEBLI-01189 [ex BG Linz, AUSTRIA]
277. ○ ***Silene coronaria*** (Desr.) Clairv. ex Rchb. '**Alba**' [syn.:*Lychnis coronaria* Desr.]
XX-0-TEBLI-01188 [ex BG Milano, ITALY]
278. ○ ***Silene dinarica*** Spreng.
XX-0-TEBLI-00665 [ex BG St.Andrews, UK]
279. ○ ***Silene flos-jovis*** (L.) Greuter & Burdet '**Nana**' [syn.:*Lychnis flos-jovis* (L.) Desr.]
XX-0-TEBLI-00857 [ex BG Debrecen, HUNGARY]
280. ○ ***Silene lerchenfeldiana*** Baumg.
XX-0-TEBLI-01310 [ex BG Reykjavík, ICELAND]
281. ○ ***Silene regia*** Sims
XX-0-TEBLI-01636 [ex Jelitto, GERMANY]
282. ○ ***Silene samojedorum*** (Sambuk) Oxelman [syn.:*Lychnis yunnanensis* Baker f.]
XX-0-TEBLI-00243 [ex BG St.Andrews, UK]
283. ○ ***Silene saxifraga*** L. [syn.:*Silene petraea* Waldst. & Kit.]
XX-0-BONN-9540 [ex BG Bonn, GERMANY]
284. ○ ***Silene saxifraga*** L. [syn.:*Silene petraea* Waldst. & Kit.]
XX-0-TEBLI-00246 [ex BG Wien Belvedere, AUSTRIA]
285. ○ ***Silene schafta*** J.G.Gmel. ex Hohen
XX-0-TEBLI-00247
286. ○ ***Silene suecica*** (Lodd.) Greuter & Burdet [syn.:*Viscaria alpina* (L.) G.Don]
XX-0-TEBLI-01637 [ex BG Turku, FINLAND]
287. ○ ***Silene undulata*** Aiton
XX-0-TEBLI-01638 [ex ZBG Plzeň, CZECH REPUBLIC]
288. ○ ***Silene viscaria*** (L.) Jess '**Viscafeuer**' [syn.:*Lychnis viscaria* L.]
XX-0-TEBLI-01639 [ex Marjampolé, LITHUANIA]

Cistaceae

289. O *Helianthemum apenninum* (L.) Mill.
XX-0-TEBLI-01640 [ex BG Cluj-Napoca, ROMANIA]
290. O *Helianthemum apenninum* (L.) Mill.
XX-0-TEBLI-01436 [ex BG Ljubljana, SLOVENIA]
291. O *Tuberaria guttata* (L.) Fourr.
XX-0-TEBLI-01641 [ex BG Clermont-Ferrand, FRANCE]

Commelinaceae

292. O *Cyanotis speciosa* (L.f.) Hassk.
XX-0-TEBLI-01276 [ex Silverhill Seeds, SOUTH AFRICA]

Convolvulaceae

293. O *Convolvulus tricolor* L.
XX-0-TEBLI-01642 [ex BG Lublin, POLAND]

Crassulaceae

294. O *Jovibarba preissiana* Omelcz. & Czopik [syn.: *Jovibarba hirta* subsp. *glabrescens* Favarger]
X-0-TEBLI-01030 [ex BG Košice, SLOVAK REPUBLIC]
295. G *Kalanchoe humilis* Britten
XX-0-TEBLI-01643
296. O *Phedimus selskianus* (Regel & Maack) 't Hart
XX-0-TEBLI-01644 [ex BG Bielefeld, GERMANY]

Cucurbitaceae

- 297. O ***Citrullus colocynthis*** (L.) Schrad.
XX-0-BR-1998125430 [ex BG Meise, BELGIUM]
- 298. O ***Cucumis melo*** L. [syn.:*Cucumis melo* var.*flexuosus* (L.) Naudin]
XX-0-TEBLI-01645 [ex BG LF MU Brno, CZECH REPUBLIC]
- 299. O ***Cucumis sativus*** L. '**Lemon**'
XX-0-Z-20140077 [ex BG La Gacilly, FRANCE]
- 300. G ***Diplocyclos palmatus*** (L.) C.Jeffrey
XX-0-TEBLI-01646 [ex BG Hengchun, TAIWAN]
- 301. O ***Ecballium elaterium*** (L.) A.Rich.
XX-0-TEBLI-01647
- 302. O ***Melothria scabra*** Naudin
XX-0-STGAL-83/1994 [ex BG St.Gallen, SWITZERLAND]
- 303. O ***Momordica charantia*** L.
XX-0-TEBLI-01648

Ericaceae

- 304. O ***Lyonia ligustrina*** (L.) DC.
XX-0-TEBLI-01649 [ex BG Warszawa, POLAND]
- 305. G ***Sphyrospermum buxifolium*** Poepp. & Endl.
XX-0-TEBLI-01438 [ex BG New York - Bronx, U.S.A.]
- 306. G ***Sphyrospermum cordifolium*** Benth.
XX-0-TEBLI-00861 [ex BG New York - Bronx, U.S.A.]
- 307. G ***Sphyrospermum ellipticum*** Sleumer
EC-0-TEBLI-01193, loc.:ECUADOR [ex BG Praha, CZECH REPUBLIC]

Euphorbiaceae

- 308. O ***Ricinus communis*** L. '**Gibsonii Impala**'
XX-0-STUTZ-005335 [ex ZBG Stuttgart Willhelma, GERMANY]

Fabaceae

309. G ***Abrus precatorius*** L.
XX-0-TEBLI-01032 [ex BG Duisburg, GERMANY]
310. O ***Albizia julbrissin*** Durazz.
XX-0-TEBLI-01650 [coll.: Dr.Zpurný]
311. O ***Amorpha canescens*** Pursh
XX-0-TEBLI-01194 [ex A Rogow, POLAND]
312. O ***Anthyllis coccinea*** (L.) Beck
XX-0-TEBLI-01651 [ex BG Šiauliai, LITHUANIA]
313. O ***Astragalus hymenostegis*** Fisch.
XX-0-TEBLI-01652 [ex BG Tehran, IRAN]
314. O ***Astragalus mongholicus*** Bunge '**BLBP 04**'
XX-0-TEBLI-01653 [ex Jelitto, GERMANY]
315. O ***Cajanus cajan*** (L.) Millsp.
XX-0-MJG-19--38650 [ex BG Mainz, GERMANY]
316. G ***Cajanus goensis*** Dalzell
XX-0-TEBLI-01654 [ex ČZU Praha Suchdol, CZECH REPUBLIC]
317. O ***Cladrastis kentukea*** (Dum.Cours.) Rudd
XX-0-TEBLI-01655
318. O ***Lathyrus sativus*** L. '**Cicer**'
XX-0-TEBLI-01656 [ex Dobrá semena, CZECH REPUBLIC]
319. G ***Mimosa pudica*** L.
XX-0-TEBLI-01657 [ex BG Ljubljana, SLOVENIA]
320. G ***Rhynchosia precatoria*** (Willd.) DC.
XX-0-IB-003225 [ex BG Innsbruck, AUSTRIA]
321. O ***Vicia faba*** L.
XX-0-ULM-2003-F-138 [ex BG Ulm, GERMANY]

Gentianaceae

322. O ***Centaurium erythraea*** Rafn
DE-0-HBG-2015-S-092 [ex BG Hamburg, GERMANY]

323. ○ ***Centaurium pulchellum*** (Sw.) Druce
XX-0-TEBLI-01658 [ex BG Konstanz, GERMANY]
324. ○ ***Gentiana burseri*** Lapeyr.
XX-0-TEBLI-01440 [ex BG Bielefeld, GERMANY]
325. ○ ***Gentiana calycosa*** Griseb.
XX-0-TEBLI-00680 [ex BG Vilnius, LITHUANIA]
326. ○ ***Gentiana capitata*** Buch.-Ham. ex D.Don
XX-0-TEBLI-01659 [ex BG St.Andrews, UK]
327. ○ ***Gentiana cruciata*** L. [syn.:*Gentiana cruciata* subsp. *phlogifolia* (Schott & Kotschy) Tutin]
XX-0-TEBLI-01441 [ex BG Debrecen, HUNGARY]
328. ○ ***Gentiana gelida*** M.Bieb.
XX-0-TEBLI-00274 [ex BG Nantes, FRANCE]
329. ○ ***Gentiana macrophylla* subsp. *fetisowii*** (Regel & C. Winkl.) Halda [syn.:*Gentiana wutaiensis* C. Marquand]
XX-0-TEBLI-01036 [ex BG Wien, AUSTRIA]
330. ○ ***Gentiana nubigena*** Edgew.
XX-0-IB-010225 [ex BG Innsbruck, AUSTRIA]
331. ○ ***Gentiana puberulenta*** J.S.Pringle
XX-0-TEBLI-01660 [ex BG Edmonton, CANADA]
332. ○ ***Gentiana robusta*** King ex Hook. f.
XX-0-TEBLI-01442 [ex BG Nantes, FRANCE]
333. ○ ***Gentiana scabra*** Bunge
XX-0-TEBLI-00862 [ex BG Klagenfurt, AUSTRIA]
334. ○ ***Gentiana siphonantha*** Maxim. ex Kusn.
XX-0-TEBLI-00280 [ex BG Aarhus, DENMARK]
335. ○ ***Gentiana siphonantha*** Maxim. ex Kusn.
CN-0-M-1993/2566, loc.:2700 m, Mt. Emei and Jiuzhaigou County, Sichuan Province, CHINA [ex BG München, GERMANY]
336. ○ ***Gentiana tianschanica*** Rupr. ex Kusn.
XX-0-TEBLI-00281 [ex BG Jena, GERMANY]
337. ○ ***Gentiana vernayi*** C. Marquand [syn.:*Gentiana bhutanica* Grubov]
XX-0-TEBLI-00285 [ex BG Copenhagen, DENMARK]
338. ○ ***Gentiana zekuensis*** T.N.Ho & S.W.Liu
CN-0-BONN-32405 [ex BG Bonn, GERMANY]

Geraniaceae

339. O *Erodium gruinum* (L.) L'Hér.
XX-0-STR-2013331 [ex BG Strassbourg, FRANCE]
340. G *Pelargonium australe* J.Jacq.
XX-0-TEBLI-01661 [ex BG Berlin, GERMANY]
341. G *Pelargonium chamaedryfolium* Jacq.
XX-ULM-2011-G-137-0 [ex BG Giessen, GERMANY]
342. G *Pelargonium myrrhifolium* (L.) L'Hér.
ZA-0-MB-1975/0632 [ex BG Giessen, GERMANY]
343. G *Pelargonium tabulare* L'Hér.
ZA-0-MB-1992/0152, loc.: Clanwilliam, Grays Pass, SOUTH AFRICA [ex BG Giessen, GERMANY]

Hypericaceae

344. O *Hypericum montbretii* Spach
XX-0-TEBLI-01662 [ex BG Utrecht, NETHERLANDS]
345. O *Hypericum olympicum* L.
XX-0-HAL-1100 [ex BG Halle, GERMANY]

Hypoxidaceae

346. O *Hypoxis hygrometrica* Labill.
XX-0-TEBLI-01663 [ex ZBG Pízeň, CZECH REPUBLIC]

Lamiaceae

347. O *Ballota acetabulosa* (L.) Benth.
GR-0-TEBLI-01203, loc.:574 m, Delphi, GREECE [ex MNHN Paris, FRANCE]

348. ○ ***Clerodendrum trichotomum var. fargesii*** (Dode) Rehder
XX-0-TEBLI-01664
349. ○ ***Clinopodium grandiflorum*** (L.) Kuntze
XX-0-TEBLI-01665 [ex BG Tartu, ESTONIA]
350. ○ ***Dracocephalum bullatum*** Forrest ex Diels
XX-0-TEBLI-00312 [ex BG Giessen, GERMANY]
351. ○ ***Dracocephalum grandiflorum*** L.
XX-0-TEBLI-00685 [ex BG MU Brno, CZECH REPUBLIC]
352. ○ ***Dracocephalum ruyschiana*** L.
XX-0-UNKAR-2012-7688 [ex BG Karlsruhe, GERMANY]
353. ○ ***Hyssopus officinalis*** L. '**Albus**'
XX-0-TEBLI-00687 [ex BG LF MU Brno, CZECH REPUBLIC]
354. ○ ***Hyssopus officinalis subsp. aristatus*** (Godr.) Nyman
XX-0-TEBLI-01666 [ex Pereny, CZECH REPUBLIC]
355. ○ ***Lavandula angustifolia*** Mill.
XX-0-TEBLI-01667 [ex BG Nantes, FRANCE]
356. ○ ***Leonotis nepetifolia*** (L.) R.Br.
XX-0-TEBLI-01668
357. ○ ***Leonurus cardiaca*** L.
XX-0-TEBLI-01669 [ex BG LF MU Brno, CZECH REPUBLIC]
358. ○ ***Mentha gattefossei*** Maire
MA-0-BONN-28695 [ex ZBG Plzeň, CZECH REPUBLIC]
359. ○ ***Moluccella laevis*** L. '**Bells of Ireland**'
XX-0-TEBLI-01670 [ex Černý, CZECH REPUBLIC]
360. ○ ***Monarda russeliana*** Nutt.
XX-0-TEBLI-00692
361. ○ ***Nepeta cyanea*** Steven [syn.: *Nepeta kubanica* Pojark.]
XX-0-TEBLI-00873 [ex BG Průhonice, CZECH REPUBLIC]
362. ○ ***Nepeta nepetella*** L.]
XX-0-MIGBC-00824 [ex BG Milano, ITALY]
363. ○ ***Ocimum gratissimum*** L.
XX-0-TEBLI-01671 [ex BG Marburg, GERMANY]
364. ○ ***Ocimum gratissimum*** L. '**eugenol type – clove scented**'
XX-0-BONN-19832 [ex BG Bonn, GERMANY]

365. O ***Origanum vulgare subsp. viridulum*** (Martrin-Donos) Nyman
XX-0-TEBLI-01672 [ex Semo Smržice, CZECH REPUBLIC]
366. O ***Phlomoides tuberosa*** (L.) Moench. [syn.:*Phlomis tuberosa* L.]
XX-0-TEBLI-01673
367. O ***Pogostemon cablin*** (Blanco) Benth.
XX-0-ULM-2004-G-96 [ex BG Ulm, GERMANY]
368. O ***Salvia dumetorum*** Andrz. ex Besser [syn.:*Salvia stepposa* Des.-Shost.]
XX-0-TEBLI-01674
369. O ***Salvia hispanica*** L.
XX-0-TEBLI-01675 [ex BG Marburg, GERMANY]
370. O ***Salvia jurisicii*** Kosanin
XX-0-TEBLI-01676 [ex BG MU Brno, CZECH REPUBLIC]
371. O ***Salvia miltiorrhiza*** Bunge '**BLBP 01**'
XX-0-TEBLI-01677 [ex Jelitto, GERMANY]
372. O ***Salvia nutans*** L.
XX-0-TEBLI-01678 [ex BG Kraków, POLAND]
373. O ***Salvia roemeriana*** Scheele
XX-0-TEBLI-01679 [ex BG Besançon, FRANCE]
374. O ***Salvia scabra*** Thunb.
XX-0-TEBLI-01680
375. O ***Salvia sclarea*** L.
XX-0-TEBLI-00333
376. O ***Salvia uliginosa*** Benth.
XX-0-TEBLI-01681
377. O ***Salvia verticillata subsp. amasiaca*** (Freyn & Bornm.) Bornm.
XX-0-TEBLI-00336
378. O ***Salvia viridis*** L.
XX-0-TEBLI-01682 [ex BG Rotterdam, NETHERLANDS]
379. O ***Satureja hortensis*** L.
XX-0-TEBLI-01683
380. O ***Scutellaria alpina*** L.
XX-0-TEBLI-00338 [ex BG Bochum, GERMANY]
381. G ***Scutellaria aurata*** Lem.
XX-0-TEBLI-01328 [ex BG Ulm, GERMANY]

382. G ***Scutellaria coccinea*** Kunth
XX-0-TEBLI-01684 [ex ZBG Stuttgart Willhelma, GERMANY]
383. G ***Scutellaria formosa*** Leonard
XX-0-TEBLI-01685
384. O ***Sideritis hyssopifolia*** L.
XX-0-TEBLI-01329 [ex BG Geneve, SWITZERLAND]
385. O ***Sideritis hyssopifolia*** L.
XX-0-TEBLI-01686 [ex BG LF MU Brno, CZECH REPUBLIC]
386. O ***Sideritis raeseri*** Boiss. & Heldr.
XX-0-TEBLI-01687 [ex BG Frankfurt am Main, GERMANY]
387. O ***Sideritis scardica*** Griseb.
GR-0-B-2419292 [ex BG München, GERMANY]
388. O ***Stachys byzantina*** K.Koch
TR-0-GIESS-2009-J-371 [ex BG Giessen, GERMANY]
389. O ***Stachys discolor*** Benth.
XX-0-TEBLI-01688 [ex BG Akureyri, ICELAND]
390. O ***Teucrium orientale*** L.
GE-0-M-2012/2456 loc.:Tsaghveri, Samcche-Džavachetie, GEORGIA [ex BG München, GERMANY]

Linaceae

391. O ***Linum altaicum*** Ledeb. ex Juz.
XX-0-TEBLI-01689 [ex BG Jibou, ROMANIA]
392. O ***Linum grandiflorum*** Desf. [syn.:*Adenolinum grandiflorum* (Desf.) W.A.Weber]
XX-0-IAGB20110843G [ex BG Iasi, ROMANIA]

Linderniaceae

393. O ***Craterostigma wilmsii*** Engl.
XX-0-TEBLI-01690 [ex BG Praha, CZECH REPUBLIC]
394. O ***Torenia violacea*** (Azaola ex Blanco) Pennell
XX-0-TEBLI-01691 [ex BG Cluj-Napoca, ROMANIA]

Loasaceae

- 395. O ***Blumenbachia hieronymi*** Urb.
XX-0-MJG-2001105808 [ex BG GA Cluj-Napoca, ROMANIA]
- 396. O ***Blumenbachia hieronymi*** Urb.
XX-0-BR-19722890 [ex BG Meise, BELGIUM]
- 397. O ***Blumenbachia insignis*** Schrad.
XX-0-DR-008828 [ex BG GA Cluj-Napoca, ROMANIA]
- 398. O ***Loasa tricolor*** Ker Gawl.
XX-0-TEBLI-01692 [ex BG Krefeld, GERMANY]
- 399. O ***Loasa tricolor*** Ker Gawl.
XX-0-LZ-AD-484-2006 [ex BG Leipzig, GERMANY]

Malvaceae

- 400. O ***Abelmoschus esculentus*** (L.) Moench '**Hills Country Red**'
XX-0-BONN-35243 [ex BG Bonn, GERMANY]
- 401. O ***Abelmoschus manihot*** (L.) Medik
XX-0-Z-19971058 [ex BG Zürich, SWITZERLAND]
- 402. O ***Abelmoschus moschatus*** Medik. [syn.: *Hibiscus moschatus* (Medik.) Salisb.]
XX-0-TEBLI-01693 [ex BG Clermont-Ferrand, FRANCE]
- 403. G ***Abroma augusta*** (L.) L.f.
XX-0-TEBLI-00350 [ex Sunshine Seeds, GERMANY]
- 404. O ***Callirhoe involucrata*** (Torr. & A.Gray) A.Gray
XX-0-Z-20071311 [ex BG Zürich, SWITZERLAND]
- 405. O ***Hibiscus militaris*** Cav.
XX-0-TEBLI-01694
- 406. O ***Hibiscus moscheutos*** L. '**Galaxy**'
XX-0-TEBLI-01695 [ex Jelitto, GERMANY]
- 407. O ***Hibiscus palustris*** L.
US-0-DR-013008 [ex BG Dresden, GERMANY]
- 408. G ***Hibiscus pedunculatus*** L.f.
XX-0-TEBLI-00708

409. O ***Lavatera punctata*** All.
XX-0-CLA-3288 [ex BG GA Cluj-Napoca, ROMANIA]
410. O ***Lavatera trimestris*** L. 'Twins Hot Pink'
XX-0-TEBLI-01696
411. G ***Pavonia candida*** (DC.) Fryxell
XX-0-TEBLI-01697 [ex BG Freiburg, GERMANY]
412. G ***Pavonia missionum*** Ekman
XX-0-TEBLI-01049 [ex BG Bordeaux, FRANCE]
413. O ***Sida rhombifolia*** L.
XX-0-TEBLI-01698 [ex BG La Gacilly, FRANCE]
414. G ***Theobroma cacao*** L.
XX-0-TEBLI-01453

Martyniaceae

415. O ***Proboscidea parviflora*** (Wooton) Wooton & Standl.
XX-0-TEBLI-01699 [ex BG Padova, ITALY]

Melanthiaceae

416. O ***Toxicoscordion nuttallii*** (A.Gray) Rydb.
XX-0-TEBLI-01700 [ex BG Warszawa, POLAND]
417. O ***Veratrum nigrum*** L.
XX-0-TEBLI-01701

Melastomataceae

418. G ***Medinilla myriantha*** Merr..
XX-0-TEBLI-01702
419. G ***Medinilla*** sp.
XX-0-TEBLI-01703, loc.: Tampolo, MADAGASCAR [coll.:Rybková]

Myrtaceae

420. G *Psidium cattleianum* Afzel. ex Sabine
XX-0-TEBLI-01704

Onagraceae

421. O *Boisduvalia densiflora* (Lindl.) Bartl.
XX-0-TEBLI-01705 [ex BG Bayreuth, GERMANY]
422. O *Epilobium angustifolium* L. [syn.: *Chamaenerion angustifolium* (L.) Scop.]
XX-0-TEBLI-01706
423. O *Epilobium angustifolium* L. 'Album'
XX-0-TEBLI-01332 [ex ZZ Ctěnice, CZECH REPUBLIC]
424. O *Epilobium fleischeri* Hochst.
XX-0-TEBLI-00357 [ex BG Trento, ITALY]
425. O *Oenothera flava* subsp. *taraxacoides* (Wooton & Standl.) W.L.Wagner
US-0-WURZB-08-233-R-10 [ex BG Giessen, GERMANY]

Paeoniaceae

426. O *Paeonia decomposita* Hand.-Mazz.
XX-0-TEBLI-01707 [ex Chen Yi Nursery, CHINA]
427. O *Paeonia suffruticosa* var. *papaveracea* (Andrews) A.Kern
XX-0-TEBLI-01334 [ex Kaichen Nursery, CHINA]

Papaveraceae

428. O *Argemone mexicana* L.
XX-0-TEBLI-01335 [ex BG Krefeld, GERMANY]
429. O *Argemone ochroleuca* Sweet
XX-0-TEBLI-01336
430. O *Argemone pleiacantha* Greene
XX-0-TEBLI-01708 [ex BG Weinheim, GERMANY]

431. ○ ***Argemone pleiacantha*** Greene
XX-0-TEBLI-01709
432. ○ ***Argemone polyanthemus*** (Fedde) Ownbey
XX-0-STGAL-137/1994 [ex BG Leipzig, GERMANY]
433. ○ ***Glaucium corniculatum*** (L.) Curtis
XX-0-TEBLI-01710 [ex BG MU Brno, CZECH REPUBLIC]
434. ○ ***Hylomecon vernalis*** Maxim.
XX-0-TEBLI-01711 [ex BG Antwerpen, BELGIUM]
435. ○ ***Macleaya x kewensis*** Turrill.
XX-0-TEBLI-01712
436. ○ ***Papaver alpinum*** L. [syn.:*Papaver corona-sancti-stephani* Zapal.]
XX-0-TEBLI-01220 [ex BG Bormio, ITALY]
437. ○ ***Papaver orientale*** L. 'Blutrot'
XX-0-TEBLI-01713
438. ○ ***Papaver orientale*** L. 'Bordes Beauty'
XX-0-TEBLI-01714
439. ○ ***Papaver spicatum*** Boiss. & Balansa
IR-0-M-1994/1869 [ex BG München, GERMANY]
440. ○ ***Papaver triniifolium*** Boiss.
XX-0-TEBLI-01715 [ex BG Perm, RUSSIA]

Passifloraceae

441. G ***Passiflora calcarata*** Mast.
MG-0-TEBLI-00372, loc.:Mt.Ibity, Ibity Massif, Antananarivo Province, MADAGASCAR [ex BG Praha, CZECH REPUBLIC]
442. ○ ***Passiflora gracilis*** J.Jacq ex Link
XX-0-DR-07168 [ex BG Dresden, GERMANY]

Pedaliaceae

443. ○ ***Ceratotheca triloba*** (Bernh.) Hook.f.
XX-0-KL-2012/1401 [ex BG Klagenfurt, AUSTRIA]

Phrymaceae

444. ○ *Mimulus naiandinus* J.M.Watson & C.Bohlen 'Andean Nymph'
XX-0-TEBLI-01716

Pinaceae

445. ○ *Abies pinsapo* Boiss. 'Fastigiata'
XX-0-TEBLI-01717

Pittosporaceae

446. ○ *Pittosporum bicolor* Hook.
XX-0-TEBLI-01718 [ex BG Krefeld, GERMANY]

Plantaginaceae

447. ○ *Chelone lyonii* Pursh
XX-0-TEBLI-00379 [ex BG Jena, GERMANY]
448. ○ *Chelone obliqua* L.
XX-0-TEBLI-01719 [ex Jelitto, GERMANY]
449. ○ *Erinus alpinus* L.
XX-0-TEBLI-01456 [ex BG Bielefeld, GERMANY]
450. ○ *Globularia incanescens* Viv.
XX-0-GENT-20121818 [ex BG Gent, BELGIUM]
451. ○ *Globularia punctata* Lapeyr.
XX-0-TEBLI-01060 [ex BG Ljubljana, SLOVENIA]
452. ○ *Globularia repens* Lam.
ES-0-ALCA-2009-0316 [ex BG Alcalá, SPAIN]
453. ○ *Globularia trichosantha* Fisch & C.A. Mey.
XX-0-TEBLI-00887 [ex BG Chemnitz, GERMANY]

454. ○ ***Globularia trichosantha*** Fisch. & C.A. Mey.
XX-0-TEBLI-01720 [ex BG Praha, CZECH REPUBLIC]
455. ○ ***Globularia valentina*** Willk.
XX-0-TEBLI-01061 [ex BG Jena, GERMANY]
456. ○ ***Globularia valentina*** Willk.
XX-0-MIGBC-01640 [ex BG Milano Caplez, ITALY]
457. ○ ***Globularia vulgaris*** L. [syn.: *Globularia bisnagarica* L.]
CZ-0-PLZEN-1990-15-70 [ex ŽBG Plzeň, CZECH REPUBLIC]
458. ○ ***Linaria grandiflora*** Desf.
TR-0-B-2961692 [ex BG Berlin Dahlem, GERMANY]
459. ○ ***Linaria purpurea*** (L.) Mill.
XX-0-TEBLI-00729 [ex BG Lublin, POLAND]
460. ○ ***Linaria triornithophora*** (L.) Cav.
XX-0-TEBLI-00889 [ex Plant World Seeds, UK]
461. ○ ***Penstemon alpinus*** Torr.
US-0-U-1996BL00291, loc.:2300 m, Jefferson County, CO, USA [ex BG Utrecht, NETHERLANDS]
462. ○ ***Penstemon campanulatus*** (Cav.) Willd.
XX-HOH-SYS-5693 [ex BG Stuttgart Hohnheim, GERMANY]
463. ○ ***Penstemon cardinalis*** Wooton & Standl.
US-0-FRT-2011/348 [ex BG Klagenfurt, AUSTRIA]
464. ○ ***Penstemon comarrhenus*** A. Gray
XX-0-TEBLI-00399
465. ○ ***Penstemon eatonii*** A.Gray
XX-0-TEBLI-00730 [ex BG Denver, U.S.A.]
466. ○ ***Penstemon eriantherus*** Pursh
XX-0-TEBLI-01064
467. ○ ***Penstemon glaber*** Pursh
XX-0-TEBLI-00890 [ex BG Halle, GERMANY]
468. ○ ***Penstemon gracilis*** Nutt.
XX-0-LZ-A-43-2010 [ex BG Leipzig, GERMANY]
469. ○ ***Penstemon grandiflorus*** Nutt.
XX-0-TEBLI-00406 [ex BG Denver, USA]
470. ○ ***Penstemon hirsutus*** (L.) Willd. '**Pygmaeus**'
XX-0-KAUN-2005-PF1273 [ex BG Kaunas, LITHUANIA]

- 471. ○ ***Penstemon humilis*** Nutt. ex A. Gray
XX-0-TEBLI-01721 [ex BG Šiauliai, LITHUANIA]
- 472. ○ ***Penstemon lyallii*** A.Gray
XX-0-TEBLI-01722 [ex BG Petrozavodsk, RUSSIA]
- 473. ○ ***Penstemon × mexicali*** 'Red Rocks'
XX-0-TEBLI-00396 [ex BG Graz, AUSTRIA]
- 474. ○ ***Penstemon × mexicali*** 'Sunburst Ruby'
XX-0-TEBLI-01460 [ex BG Weinheim, GERMANY]
- 475. ○ ***Penstemon nanus*** D.D.Keck
XX-0-TEBLI-01461 [ex BG Šiauliai, LITHUANIA]
- 476. ○ ***Penstemon nanus*** D.D.Keck
XX-0-TEBLI-00891 [ex BG Kaunas, LITHUANIA]
- 477. ○ ***Penstemon newberryi*** A.Gray
XX-0-TEBLI-01339 [ex BG Linz, AUSTRIA]
- 478. ○ ***Penstemon nitidus*** Douglas ex Benth.
XX-0-REYK-2014/017 [ex BG Reykjavík, ICELAND]
- 479. ○ ***Penstemon palmeri*** A. Gray
XX-0-TEBLI-00412 [ex BG Kaunas, LITHUANIA]
- 480. ○ ***Penstemon procerus*** Douglas ex Graham
XX-0-TEBLI-00413 [ex BG Utrecht, NETHERLANDS]
- 481. ○ ***Penstemon strictus*** Benth.
XX-0-TEBLI-01462 [ex BG Utrecht, NETHERLANDS]
- 482. ○ ***Penstemon wilcoxii*** Rydb.
XX-0-TEBLI-00417
- 483. ○ ***Veronica austriaca*** subsp. ***teucrium*** (L.) D.A.Webb.
XX-0-TEBLI-01723
- 484. ○ ***Veronica gentianoides*** Vahl
XX-0-TEBLI-01724 [ex BG Tartu, ESTONIA]
- 485. ○ ***Veronica grandis*** Fisch.
XX-0-TEBLI-01725
- 486. ○ ***Veronica orientalis*** Mill.
XX-0-TEBLI-01464 [ex BG Lublin, POLAND]
- 487. ○ ***Veronica spicata*** subsp. ***incana*** (L.) Walters [syn.: *Pseudolysimachion incanum* (L.) Holub]
XX-0-TEBLI-01067 [ex Geneve, SWITZERLAND]

488. ○ ***Veronica spicata* subsp. *orchidea*** (Crantz) Hayek [syn.:*Pseudolysimachion orchideum* (Crantz) Wraber]
XX-0-TEBLI-01726 [ex BG MU Brno, CZECH REPUBLIC]

Plumbaginaceae

489. ○ ***Armeria allicaea*** (Cav.) Hoffmanns. & Link
XX-0-TR-20094011 [ex BG Trento, ITALY]
490. ○ ***Armeria alpina*** (DC.) Willd.
XX-0-TEBLI-01465 [ex BG Košice, SLOVAK REPUBLIC]
491. ○ ***Armeria alpina*** (DC.) Willd.
AT-0-GZU-17 11113 [ex BG Graz, AUSTRIA]
492. ○ ***Armeria berlengensis*** Daveau
XX-0-Z-20011771 [ex BG Akureyri, ICELAND]
493. ○ ***Armeria canescens*** (Host) Boiss.
XX-0-TEBLI-01727 [ex BG Majella, ITALY]
494. ○ ***Armeria cariensis*** Boiss.
XX-0-TEBLI-01728 [ex BG Cluj-Napoca, ROMANIA]
495. ○ ***Armeria girardii*** (Bernis) Litard.
XX-0-TEBLI-00894 [ex BG Kaunas, LITHUANIA]
496. ○ ***Armeria maritima*** (Mill.) Willd.
XX-0-TEBLI-01729 [ex BG Vilnius, LITHUANIA]
497. ○ ***Armeria morisii*** Boiss.
XX-0-TEBLI-01466 [ex BG Stuttgart, GERMANY]
498. ○ ***Armeria pinifolia*** (Brot.) Hoffmanns. & Link
XX-0-TEBLI-00897 [ex BG Vácrátót, HUNGARY]
499. ○ ***Armeria rhodopea*** Velen.
XX-0-TEBLI-01730 [ex BG Dublin, IRELAND]
500. ○ ***Armeria rhodopea*** Velen.
XX-0-TEBLI-01731 [ex BG Krefeld, GERMANY]
501. ○ ***Armeria ruscinonensis*** Girard
XX-0-TEBLI-00898 [ex BG Klaipeda, LITHUANIA]
502. ○ ***Armeria ruscinonensis*** Girard
XX-0-TEBLI-01343 [ex BG Dublin, IRELAND]
503. ○ ***Armeria splendens*** (Lag. & Rodr.) Webb
XX-0-TEBLI-00899 [ex BG Kaunas, LITHUANIA]

504. O ***Armeria splendens*** (Lag. & Rodr.) Webb
XX-0-TEBLI-01226 [ex BG Bormio, ITALY]
505. O ***Bukiniczia cabulica*** (Boiss.) Lincz [syn.: *Goniolimon cabulicum* (Boiss.) Mobayen]
XX-0-TEBLI-01344 [ex BG Oxford, UK]
506. O ***Limonium minutum*** (L.) Fourr.
XX-0-U-1984BL00199 [ex BG Utrecht, NETHERLANDS]
507. O ***Psylliostachys suworowii*** Roshk.
XX-0-TEBLI-01732 [ex BG Jerusalem, ISRAEL]

Polemoniaceae

508. O ***Polemonium caeruleum*** L.
XX-0-TEBLI-00744

Portulacaceae

509. O ***Portulaca oleracea*** L.
XX-0-KL-2012/1443 [ex BG Klagenfurt, AUSTRIA]

Primulaceae

510. O ***Anagallis arvensis* subsp. *foemina*** (Mill.) Schinz & Thell.
XX-0-TEBLI-01733 [ex BG Konstanz, GERMANY]
511. O ***Androsace armeniaca*** Duby
XX-0-STGAL-386/1976 [ex BG St.Gallen, SWITZERLAND]
512. O ***Androsace septentrionalis*** L.
DE-0-UNKAR-2011-4973 [ex BG Karlsruhe, GERMANY]
513. G ***Ardisia humilis*** Vahl
XX-0-TEBLI-01345
514. G ***Ardisia solanacea*** (Poir.) Roxb.
XX-0-TEBLI-01346

- 515. ○ ***Primula amoena*** M.Bieb.
XX-0-STGAL-470/2011 [ex BG St.Gallen, SWITZERLAND]
- 516. ○ ***Primula beesiana*** Forrest
XX-0-TEBLI-01734 [ex BG Berlin Humboldt, GERMANY]
- 517. ○ ***Primula elatior* subsp. *pallasii*** W. W. Sm. & Forrest [syn.:*Primula pallasii* Lehm.]
XX-0-TEBLI-01230 [ex BG Šiauliai, LITHUANIA]
- 518. ○ ***Primula prolifera*** Wall.
XX-0-TEBLI-01735 [ex BG Aberdeen, UK]
- 519. ○ ***Primula vialii*** Delavay ex Franch.
XX-0-HAL-4784 [ex BG Halle, GERMANY]
- 520. ○ ***Primula warshenewskiana*** B. Fedtsch.
XX-0-TEBLI-01075 [ex BG Aberdeen, UK]

Ranunculaceae

- 521. ○ ***Aconitum plicatum*** Köhler ex Rchb.
XX-0-TEBLI-01736 [ex BG LF MU Brno, CZECH REPUBLIC]
- 522. ○ ***Anemone altaica*** Fisch. ex C.A.Mey.
XX-0-KL-2012/996 [ex BG Klagenfurt, AUSTRIA]
- 523. ○ ***Anemone berlandieri*** Pritz.
XX-0-CLA-1548 [ex BG Cluj-Napoca, ROMANIA]
- 524. ○ ***Anemone virginiana*** L.
XX-0-TEBLI-01737 [ex BG Nantes, FRANCE]
- 525. ○ ***Anemone virginiana* var. *alba*** (Oakes) Alph.Wood
XX-0-TEBLI-01738 [ex BG Marseille, FRANCE]
- 526. ○ ***Aquilegia bernardii*** Gren. & Gord.
XX-0-TEBLI-00451 [ex BG Akureyri, ICELAND]
- 527. ○ ***Aquilegia bertolonii*** Schott
XX-0-TEBLI-01232 [ex BG Bormio, ITALY]
- 528. ○ ***Aquilegia dinarica*** Beck
XX-0-TEBLI-01739 [ex BG MU Brno, CZECH REPUBLIC]
- 529. ○ ***Aquilegia flabellata*** Siebold & Zucc.
XX-0-TEBLI-01740 [ex Jelitto, GERMANY]

530. ○ ***Aquilegia flabellata*** Siebold & Zucc. [syn.:*Aquilegia flabellata* var.*pumila* (Huth) Kudô]
XX-0-FB-4227 [ex BG Freiburg, GERMANY]
531. ○ ***Aquilegia flabellata*** Siebold & Zucc. [syn.:*Aquilegia flabellata* var.*pumila* (Huth) Kudô] '**Alba**'
XX-0-TEBLI-01741 [ex Jelitto, GERMANY]
532. ○ ***Aquilegia flavescens*** S.Watson
XX-0-TEBLI-01350 [ex BG La Gacilly, FRANCE]
533. ○ ***Aquilegia olympica*** Boiss.
GE-0-M-2012/2459, loc.:41°43'03.0''N 43°32'53.3''E, 2165 m, near Bakuriani, Samtskhe-Javakheti Region, GEORGIA
[ex BG München, GERMANY]
534. ○ ***Aquilegia saximontana*** Rydb.
XX-0-LZ-WNA-36-2012 [ex BG Leipzig, GERMANY]
535. ○ ***Consolida regalis*** Gray '**Mix**'
XX-0-TEBLI-01742 [ex Moravoseed, CZECH REPUBLIC]
536. ○ ***Delphinium brunonianum*** Royle
XX-0-TEBLI-00751 [ex BG Olomouc, CZECH REPUBLIC]
537. ○ ***Delphinium caucasicum*** C.A.Mey
XX-0-TEBLI-01351 [ex BG Bormio, ITALY]
538. ○ ***Glaucidium palmatum*** Siebold & Zucc.
XX-0-TEBLI-01352 [ex BG Schellerhau, GERMANY]
539. ○ ***Nigella damascena*** L. '**Persian Jewels Group**'
XX-0-TEBLI-0168 [ex Černý, CZECH REPUBLIC]
540. ○ ***Nigella papillosa*** G.López
XX-0-TEBLI-01743 [ex RHS Garden, UK]
541. ○ ***Nigella*** sp.
XX-0-TEBLI-01744

Rosaceae

542. ○ ***Alchemilla erythropoda*** Juz.
XX-0-TEBLI-01745 [ex ZC Dvořák, CZECH REPUBLIC]
543. ○ ***Chamaebatiaria millefolium*** (Torr.) Maxim. [syn.:*Basilima millefolium* (Torr.) Greene]
XX-0-MJG-199412660
544. ○ ***Geum calthifolium*** Menzies ex Sm.
XX-0-GZU-YY-411136 [ex BG St.Gallen, SWITZERLAND]

545. ○ ***Geum capense*** Thunb.
LS-1-M-2010/0315 [ex BG München, GERMANY]
546. ○ ***Geum magellanicum*** Comm. ex Pers. [syn.:*Geum chilense* auct.]
XX-0-BR-19822118 [ex BG Meise, BELGIUM]
547. ○ ***Geum magellanicum*** Comm. ex Pers. [syn.:*Geum chilense* auct.]
AR-0-M-2002/0914 [ex ZBG Plzeň, CZECH REPUBLIC]
548. ○ ***Petrophytum caespitosum*** (Nutt. ex Torr. & A. Gray) Rydb.
XX-0-TEBLI-01077 [ex BG Linz, AUSTRIA]
549. ○ ***Potentilla atosanguinea*** G. Lodd. ex D. Don
XX-0-TEBLI-00487 [ex BG Meise, BELGIUM]
550. ○ ***Potentilla griffithii*** Hook. f.
XX-0-TEBLI-00489 [ex BG Besançon, FRANCE]
551. ○ ***Potentilla nitida*** L.
XX-0-TEBLI-01238 [ex BG Bormio, ITALY]
552. ○ ***Potentilla thurberi*** A.Gray
XX-0-TEBLI-01746 [ex BG Zürich, SWITZERLAND]
553. ○ ***Potentilla x villosula*** Jurtzev
XX-0-TEBLI-01747 [ex BG Newfoundland, CANADA]
554. ○ ***Rubus illecebrosus*** Focke
XX-0-TEBLI-01748 [ex BG Wrocław, POLAND]
555. ○ ***Rubus laciniatus*** (Weston) Willd.
XX-0-TEBLI-01749
556. ○ ***Rubus odoratus*** L.
XX-0-TEBLI-01750 [ex Northampton, U.S.A.]
557. ○ ***Sibbaldia tridentata*** (Sol.) Paule & Soják
XX-0-TEBLI-01751 [ex ZZ Dvořák, CZECH REPUBLIC]
558. ○ ***Sibbaldiopsis tridentata*** (Sol.) Rydb. '**Nuuk**'
XX-0-TEBLI-01355 [ex Studený, CZECH REPUBLIC]

Rubiaceae

559. G ***Psychotria punctata* var. *punctata*** Vatke [syn.:*Psychotria bacteriophila* Valetton]
XX-0-TEBLI-00925
560. ○ ***Rubia tinctorum*** L. [syn.:*Rubia tinctoria* Salisb.]
XX-0-TEBLI-01752 [ex BG Kraków, POLAND]

Rutaceae

561. G *Murraya paniculata* (L.) Jack [syn.: *Murraya exotica* L.]
XX-0-TEBLI-00926
562. O *Ruta graveolens* L. '**Variegata**'
XX-0-TEBLI-01753
563. O *Ruta montana* (L.) L.
XX-0-TEBLI-01754 [ex A Simeria, ROMANIA]

Sapindaceae

564. O *Dodonea viscosa* (L.) Jacq. '**Purpurea**'
XX-0-TEBLI-01755

Saxifragaceae

565. O *Astilboides tabularis* (Hemschl.) Engl.
XX-0-TEBLI-00929 [ex BG Bochum, GERMANY]
566. O *Boykinia major* A.Gray
XX-0-BONN-26903 [ex BG Jena, GERMANY]
567. O *Darmera peltata* (Torr. ex Benth.) Voss
XX-0-TEBLI-01756 [ex Pereny, CZECH REPUBLIC]
568. O *Saxifraga crustata* Vest
XX-0-ROST-2003-F-3405 [ex BG Rostock, GERMANY]

Scrophulariaceae

569. O *Diascia barberae* Hook.f. '**Pink Queen**'
XX-0-TEBLI-01757 [ex Jelitto, GERMANY]
570. O *Hebenstretia dentata* L.
XX-0-TEBLI-00512 [ex BG Cambridge, UK]

- 571. ○ ***Jamesbrittenia phlogiflora*** (Benth.) Hilliard
XX-0-TEBLI-01758 [ex Silverhill Seeds, SOUTH AFRICA]
- 572. ○ ***Nemesia silvatica*** Hilliard
XX-0-TEBLI-01759 [ex BG München, GERMANY]
- 573. ○ ***Nemesia strumosa*** Benth. '**Carnaval**'
XX-0-TEBLI-01760 [ex Semo Smržice, CZECH REPUBLIC]
- 574. ○ ***Nemesia strumosa*** Benth. '**Danish Flag**'
XX-0-TEBLI-01761 [ex Černý, CZECH REPUBLIC]
- 575. ○ ***Verbascum blattaria*** L.
XX-0-TEBLI-01762 [ex BG Konstanz, GERMANY]
- 576. ○ ***Verbascum chaixii*** Vill. '**Album**'
XX-0-TEBLI-01242
- 577. ○ ***Verbascum densiflorum*** Bertol.
XX-0-TEBLI-01763 [ex BG LF MU Brno, CZECH REPUBLIC]

Solanaceae

- 578. ○ ***Anisodus tanguticus*** (Maxim.) Pascher
CN-0-B-0203601 514 [ex BG Berlin Dahlem, GERMANY]
- 579. ○ ***Capsicum annuum*** L.
XX-0-TEBLI-01764 [ex BG Basel, SWITZERLAND]
- 580. ○ ***Capsicum annuum*** L.
XX-0-TEBLI-01765 [ex BG La Gacilly, FRANCE]
- 581. ○ ***Capsicum annuum*** L. '**Black Olive Ornamental**'
XX-TEBLI-00937 [ex ČZU Praha Suchdol, CZECH REPUBLIC]
- 582. ○ ***Capsicum annuum*** L. '**Black Pearl**'
XX-0-TEBLI-01766 [ex ČZU Praha Suchdol, CZECH REPUBLIC]
- 583. ○ ***Capsicum annuum*** L. '**Bolivian Rainbow**'
XX-0-TEBLI-00763 [ex Semínka Chilli, CZECH REPUBLIC]
- 584. ○ ***Capsicum annuum*** L. '**Cayenne Lilac**'
XX-0-TEBLI-00765 [ex Semínka Chilli, CZECH REPUBLIC]
- 585. ○ ***Capsicum annuum*** L. '**Loco**'
XX-0-TEBLI-01767 [ex ČZU Praha Suchdol, CZECH REPUBLIC]
- 586. ○ ***Capsicum annuum*** L. '**Sangria Ornamental**'
XX-0-TEBLI-01768 [ex ČZU Praha Suchdol, CZECH REPUBLIC]

587. ○ ***Capsicum baccatum*** L. [syn.: *Capsicum annuum* var. *cerasiforme* (Mill.) Irish .]
XX-STUTZ-007054 [ex ZBG Stuttgart Willhelma, GERMANY]
588. ○ ***Capsicum baccatum*** L. '**Christmas Bells**'
XX-0-TEBLI-01769 [ex ČZU Praha Suchdol, CZECH REPUBLIC]
589. ○ ***Capsicum chinense*** Jacq. '**Hot Lemon**'
XX-STUTZ-004115 [ex ZBG Stuttgart Willhelma, GERMANY]
590. ○ ***Capsicum chinense*** Jacq. '**Trinidad Morugo Scorpion**'
XX-0-TEBLI-01770 [ex ČZU Praha Suchdol, CZECH REPUBLIC]
591. ○ ***Datura metel*** L.
XX-0-CLA-3396 [ex BG GA Cluj-Napoca, ROMANIA]
592. ○ ***Hyoscyamus albus*** L.
XX-0-TEBLI-01476 [ex ČZU Praha Suchdol, CZECH REPUBLIC]
593. ○ ***Nolana humifusa*** (Gouan) I.M. Johnst.
XX-0-TEBLI-01771 [ex BG Marburg, GERMANY]
594. ○ ***Petunia axillaris*** (Lam.) Britton, Sterns & Poggenb.
XX-0-TEBLI-00771
595. ○ ***Petunia exserta*** J.R. Stehm in Napaea
XX-0-TEBLI-01477 [ex Northampton, U.S.A.]
596. ○ ***Physalis angulata*** L.
XX-0-TEBLI-01479 [ex BG UK Praha, CZECH REPUBLIC]
597. ○ ***Physalis ixocarpa*** Brot. ex Hornem.
XX-0-TEBLI-00523 [ex BG Konstanz, GERMANY]
598. ○ ***Physalis peruviana*** L.
XX-0-ULM-1990-G-514 [ex BG Ulm, GERMANY]
599. ○ ***Physalis philadelphica*** Lam.
MEX-0-UDE-17-210-7-3 [ex BG Duisburg-Essen, GERMANY]
600. ○ ***Physalis pruinosa*** L. '**Yantar**'
XX-0-BONN-35220 [ex BG Bonn, GERMANY]
601. ○ ***Physochlaina orientalis*** G. Don
XX-0-TEBLI-00939 [ex BG Utrecht, NETHERLANDS]
602. ○ ***Solanum cheesmaniae*** (Riley) Fosberg
XX-0-TEBLI-01772 [ex BG Bayreuth, GERMANY]
603. ○ ***Solanum pimpinellifolium*** L. '**Lady in Blue**'
XX-0-TEBLI-01773 [ex BG Clermont-Ferrand, FRANCE]

604. O ***Solanum rostratum*** Dunal
XX-0-TEBLI-01774
605. O ***Solanum uporo*** Dunal
XX-0-TEBLI-00527
606. O ***Withania somnifera*** (L.) Dunal
XX-0-TEBLI-00529

Verbenaceae

607. O ***Verbena hastata*** L.
XX-0-TEBLI-01088, loc.: Rose Lake Fen Drain, Clinton, U.S.A. [ex BG East Lansing, U.S.A.]

Vitaceae

608. G ***Leea guineensis*** G.Don
XX-0-TEBLI-01775



Liliopsida

Amaryllidaceae

- 609. ○ *Allium atropurpureum* Waldst. & Kit.
XX-0-TEBLI-01366 [ex Lukon Glads, CZECH REPUBLIC]
- 610. ○ *Allium carinatum* L.
XX-0-TEBLI-00942 [ex BG Ljubljana, SLOVENIA]
- 611. ○ *Allium carinatum* subsp. *pulchellum* (G. Don) Bonnier & Layens '**Album**'
XX-0-TEBLI-01255 [ex Jelitto, GERMANY]
- 612. ○ *Allium carolinianum* DC.
XX-0-TEBLI-01776 [ex BG Perm, RUSSIA]
- 613. ○ *Allium cernuum* Roth
XX-0-TEBLI-01777
- 614. ○ *Allium chinense* G.Don
XX-0-TEBLI-01484 [ex BG Bormio, ITALY]
- 615. ○ *Allium drummondii* Regel
XX-0-TEBLI-01367 [ex BG Bormio, ITALY]
- 616. ○ *Allium ericetorum* Thore
XX-0-STGAL-21/1989 [ex BG St.Gallen, SWITZERLAND]
- 617. ○ *Allium kermesianum* Rchb.
XX-0-KIEL-1985 0054-70-100 [ex BG Kiel, GERMANY]
- 618. ○ *Allium ledebourianum* Schult. & Schult. f.
XX-0-TEBLI-00945 [ex BG Kaunas, LITHUANIA]
- 619. ○ *Allium nutans* L.
XX-0-TEBLI-01778
- 620. ○ *Allium pskemense* B. Fedtsch.
XX-0-TEBLI-00946 [ex BG Tartu, ESTONIA]

621. O **Allium pyrenaicum** Costa & Vayr.
XX-0-TEBLI-00947
622. O **Allium sarawschanicum** Regel
XX-0-TEBLI-01779 [ex BG Gatineau, CANADA]
623. O **Allium sarawschanicum** Regel
XX-0-JENA-7790561 [ex BG Jena, GERMANY]
624. O **Allium sicutum subsp. dioscoridis** (Sm.) K.Richr.
XX-0-TEBLI-01780 [ex Lukon Glads, CZECH REPUBLIC]
625. O **Allium sibthorpiatum** Schult. & Schult. f.
XX-0-TEBLI-01781 [ex BG Salaspils, LATVIA]
626. O **Allium sphaerocephalon** L.
XX-0-TEBLI-01782 [ex BG Linz, AUSTRIA]
627. O **Allium textile** A.Nelson & J.F.Macbr.
XX-0-TEBLI-01783 [ex BG Bayreuth, GERMANY]
628. O **Allium victorialis** L.
XX-0-TEBLI-01784 [ex BG MU Brno, CZECH REPUBLIC]
629. O **Allium vineale** L. 'Hair'
XX-0-TEBLI-01785
630. G **Zephyranthes minima** Herb.
XX-0-TEBLI-00778

Arecaceae

631. G **Caryota** sp.
VN-0-TEBLI-01376, loc.: Dray Sap waterfalls, near Da Lat, VIETNAM [coll.:Haager, Rybková]
632. G **Caryota** sp.
XX-0-TEBLI-01786, loc.: Cuc Phuong, VIETNAM [coll.:Haager, Dušek]
633. G **Chamaedorea tepejilote** Liebm.
MX-0-TEBLI-00536, loc.: Xalapa, Veracruz, MEXICO [coll.:Haager, 1992]

Asparagaceae

634. O ***Eucomis pallidiflora* subsp. *pole-evansii*** (N.E.Br.) Reyneke ex J.C.Manning
XX-0-TEBLI-01787 [ex BG Nantes, FRANCE]
635. O ***Hosta kiyosumiensis*** F.Maek.
XX-0-TEBLI-01788 [ex BG Cholippo, KOREA]
636. O ***Hosta sieboldii*** (Paxton) J.W.Ingram
XX-0-TEBLI-00543
637. O ***Hosta ventricosa*** Stearn. [syn.:*Hosta coerulea* Tratt.]
XX-0-TEBLI-01789
638. O ***Ornithogalum viridiflorum*** (I.Verd.) J.C.Manning & Goldblatt
LE-0-TEBLI-01377, loc.: Malibamatso River, LESOTHO) [ex BG München, GERMANY via ZBG Pizeň, CZECH REPUBLIC]
639. G ***Sansevieria forskaliana*** (Schult. & Schult.f.) Hepper & J.R.I.Wood
XX-0-TEBLI-01790

Cyperaceae

640. O ***Carex crinita*** Lam.
XX-0-TEBLI-01791 [ex BG East Lansing, U.S.A.]
641. O ***Carex grayi*** J.Carey
XX-0-TEBLI-01383 [ex OBI, CZECH REPUBLIC]

Heliconiaceae

642. G ***Heliconia humilis*** (Aubl.) Jacq. [syn.:*Heliconia psittacorum* L.f.]
XX-0-TEBLI-01792 [ex BG Praha, CZECH REPUBLIC]

Iridaceae

643. G ***Dietes iridioides*** (L.) Sweet ex Klatt
XX-0-TEBLI-01793 [ex Silverhill Seeds, SOUTH AFRICA]

- 644. ○ ***Freesia grandiflora*** (Baker) Klatt
XX-0-TEBLI-01497 [ex Silverhill Seeds, SOUTH AFRICA]
- 645. ○ ***Iris domestica*** (L.) Goldblatt & Mabb. [syn.: *Belamcanda chinensis* (L.) DC.]
XX-0-TEBLI-01794 [ex BG Praha, CZECH REPUBLIC]
- 646. ○ ***Iris foetidissima*** L.
CH-0-STGAL-7708 [ex BG St.Gallen, SWITZERLAND]
- 647. ○ ***Iris hookeri*** Penny ex G.Don
XX-0-TEBLI-01385 [ex BG Petrozavodsk, RUSSIA]
- 648. ○ ***Sisyrinchium patagonicum*** Phil. ex Baker
XX-0-GENT-19940043 [ex BG Gent, BELGIUM]
- 649. ○ ***Sisyrinchium striatum*** Sm.
CL-0-GIESS-2001-J-191 [ex BG Giessen, GERMANY]

Juncaceae

- 650. ○ ***Juncus ensifolius*** Wikstr.
XX-0-TEBLI-01387 [ex Jelitto, GERMANY]

Liliaceae

- 651. ○ ***Fritillaria michailovskyi*** Fomin
XX-0-TEBLI-01795 [ex Jošt Import, CZECH REPUBLIC]
- 652. ○ ***Lilium bulbiferum*** L.
XX-0-TEBLI-01796 [ex BG Parma, ITALY]
- 653. ○ ***Lilium pyrenaicum*** Gouan
XX-0-BONN-2811 [ex BG Bonn, GERMANY]
- 654. ○ ***Tricyrtis latifolia*** Maxim.
XX-0-TEBLI-00787 [ex BG Braunschweig, GERMANY]

Marantaceae

655. G *Calathea crotalifera* S.Watson
XX-0-TEBLI-01498, loc.: Cobán – Chinaja GUATEMALA [coll.:Haager, Rybková]
656. G *Marantochloa leucantha* (K.Schum.) Milne-Redh.
XX-0-TEBLI-01797

Musaceae

657. G *Musa velutina* H.Wendl. & Drude
XX-0-TEBLI-01798 [ex BG Klagenfurt, AUSTRIA]

Poaceae

658. O *Chasmanthium latifolium* (Michx.) H.O.Yates
US-0-TUEB-1684 [ex BG Tübingen, GERMANY]
659. O *Coix lacryma-jobi* L.
XX-0-TEBLI-00970 [ex BG UK Praha, CZECH REPUBLIC]
660. O *Eragrostis trichodes* (Nutt.) Alph.Wood
XX-0-DR-007959 [ex BG Dresden, GERMANY]
661. O *Koeleria macrantha* (Ledeb.) Schult.
XX-0-TEBLI-00972 [ex BG MU Brno, CZECH REPUBLIC]
662. O *Melinis repens* (Willd.) Zizka [syn.: *Rhynchelytrum repens* (Willd.) C. E. Hubb.]
XX-0-TEBLI-00578 [ex BG UP Olomouc, CZECH REPUBLIC]
663. O *Merxmuellera macowanii* (Stapf) Conert
XX-0-TEBLI-01799 [ex Silverhill Seeds, SOUTH AFRICA]
664. O *Pennisetum alopecuroides* (L.) Spreng. 'Red Head'
XX-0-TEBLI-01800 [ex ZZ Ctěnice, CZECH REPUBLIC]
665. O *Pennisetum glaucum* (L.) R.Br. 'Purple Majesty'
XX-0-TEBLI-00792 [ex BG Bayreuth, GERMANY]
666. O *Pennisetum macrourum* Trin.
XX-0-TEBLI-01801 [ex ZBG Plzeň, CZECH REPUBLIC]

667. O ***Schizachyrium scoparium*** (Michx.) Nash
XX-0-TEBLI-01802 [ex BG Niagara Falls, CANADA]
668. O ***Wangenheimia lima*** (L.) Trin. '**Vulcan**'
XX-0-TEBLI-01272 [ex BG Stockholm, SWEDEN]
669. O ***Zea mexicana*** (Schrad.) Kuntze
DE-0-SIENA-01911 [ex BG Siena, ITALY]
670. O ***Zizania aquatica*** L.
CA-0-KL-2016/3850 [ex BG Klagenfurt, AUSTRIA]

Xanthorrhoeaceae

671. G ***Aloe albiflora*** Guillaumin
XX-0-TEBLI-01803
672. O ***Asphodeline lutea*** (L.) Rchb.
XX-0-TEBLI-00582
673. O ***Kniphofia hirsuta*** Codd
XX-0-TEBLI-00976 [ex ZBG Plzeň, CZECH REPUBLIC]
674. O ***Kniphofia pauciflora*** Baker
XX-0-TEBLI-01804 [ex BG Padova, ITALY]
675. O ***Kniphofia rooperi*** (T.Moore) Lem.
XX-0-TEBLI-01805 [ex BG Jibou, ROMANIA]
676. O ***Kniphofia sarmentosa*** (Andrews) Kunth
XX-0-HAL-13440 [ex BG Halle, GERMANY]
677. O ***Kniphofia thomsonii* var. *snowdenii*** (C.H.Wright) Marais
XX-0-HAL-13442 [ex BG Halle, GERMANY]
678. O ***Kniphofia triangularis*** Kunth.
XX-0-TEBLI-01806 [ex BG Klagenfurt, AUSTRIA]

Zingiberaceae

679. G ***Globba schomburgkii*** Hook.f.
XX-0-BR-19741200 [ex BG Meise, BELGIUM]



Nomenclature of plants is mainly based on:

www.theplantlist.org

<http://apps.rhs.org.uk/horticulturaldatabase/HortGenera.asp>

Abbreviations: O – plant is cultivated outdoors
G – plant is cultivated in glasshouses

In response to the Convention on Biodiversity (Rio de Janeiro, 1992) the Teplice Botanical Garden informs its correspondents that seeds from this catalogue are available on an exchange basis, exclusively for institutions working in the areas of education, research or conservation. Any material obtained from these seeds may not be used to generate commercial profit.

Please, limit your request to 20 items, deadline is 1 May 2019

Order by e-mail is preferred (curator@botanickateplice.cz) but you can order by post too, of course. Thank you

Postal address:

**Botanic Garden Teplice
Josefa Suka 1388/18
415 01 Teplice
Czech Republic**

Seed collectors: Mgr. Jiří R. Haager
Ing. Irena Jelínková
Ing. Anna Kučerová
Hana Šedivá
Bc. Marcela Strnadová
Bc. Harald Eichhorn

Seed exchange: Ing. Petr Beránek

Teplice 2019

Agreement on the supply of living plant material for non-commercial purposes leaving the International Plant Exchange Network

Against the background of the provisions and decisions of the Convention on Biological Diversity of 1992 (CBD) and in particular those on access to genetic resources and benefit-sharing, the garden is dedicated to promoting the conservation, sustainable use, and research of biological diversity. The garden therefore expects its partners in acquiring, maintaining, and transferring plant material to always act in accordance with the CBD and the Convention on the International Trade in Endangered Species (CITES).

The responsibility for legal handling of the plant material passes on to the recipient upon receipt of the material. The requested plant material will be supplied to the recipient only on the following conditions:

1. Based on this agreement, the plant material is supplied only for non-commercial use such as scientific study and educational purposes as well as environmental protection. Should the recipient at a later date intend a commercial use or a transfer for commercial use, the country of origin's prior informed consent (PIC) must be obtained in writing before the material is used or transferred. The recipient is responsible for ensuring an equitable sharing of benefits.
2. On receiving the plant material, the recipient endeavours to document the received plant material, its origin (country of origin, first receiving garden, „donor“ of the plant material, year of collection) as well as the acquisition and transfer conditions in a comprehensible manner.
3. In the event that scientific publications are produced based on the supplied plant material, the recipient is obliged to indicate the origin of the material (the supplying garden and if known the country of origin) and to send these publications to the garden and to the country of origin without request.
4. On request, the garden will forward relevant information on the transfer of the plant material to the body charged with implementing the CBD.
5. The recipient may transfer the received plant material to third parties only under these terms and conditions and must document the transfer in a suitable manner (e.g. by using the documentation form).

I accept the above conditions.

Date, Signature Recipient's name and address, stamp

