

Tropical Bryology Research *Reports*

No. 6

<http://www.TropicalBryologyResearch.co.uk/>

2006

Checklist of the mosses of sub-Saharan Africa (version 5, 12/06)

Brian J. O'Shea

Botany Department, Natural History Museum,
Cromwell Road, London SW7 5BD, U.K.¹

¹ Address for correspondence: 141 Fawnbrake Avenue, London SE24 0BG, U.K.

Tropical Bryology Research ***Reports*** is published irregularly, and each issue will be individually priced and contain one report. Potential contributors should first contact one of the editors. Applications for subscriptions should be sent to *Brian O'Shea, Tropical Bryology Research, 141 Fawnbrake Avenue, London SE24 0BG, United Kingdom.*

Editors: Brian J. O'Shea and Martin J. Wigginton

Copyright ©2006, Tropical Bryology Research
Date of publication: 29 December 2006

Printed in United Kingdom

All rights reserved. No part of this journal may be reproduced by film, microfilm or any other means without written permission from the publisher

Checklist of the mosses of sub-Saharan Africa (version 5, 12/06)

Brian J. O'Shea

Botany Department, Natural History Museum, Cromwell Road, London SW7 5BD, U.K.
(brian@brianoshea.co.uk)

Abstract. 2746 moss taxa are listed for sub-Saharan Africa and adjacent islands, with distribution by country. Each distribution record is supported by a literature reference and 7697 African synonyms and annotations are included, also supported by references, giving a total of 849 references. Totals of taxa for each geographic unit are provided, together with family placement for all genera. The document replaces version 4, published in December 2003.

Preface

This is the fifth revised version of the African moss checklist for sub-Saharan Africa. It is now over eleven years since the first publication (1663), and three years since the previous version [7444]. It should be noted that all references in this paper are given as numbers, but these are translated into 'author+year' references in the bibliography. Those in round () brackets were present in the previous edition, and those in square brackets [] have been added or changed in this edition. References included in previous versions retain the same number. With version 5 there are now an additional 395 publications included with 5240 new synonyms and annotations, as well as corrections and additions missed from earlier publications. Earlier versions only included synonyms that post-dated the sources used to put the original list together, but now all the synonyms known from sub-Saharan Africa are included, significantly increasing the size of the document. Despite the many new taxa added to the list, the taxon count has dropped significantly, from 2791 to 2746, reflecting both the significant amount of taxonomic work on African mosses in recent years, as well as the removal of many as synonyms. The task of accumulating and entering new data into the database continues, but this version contains all data available up to the end of November 2006.

The data in the first version was analysed further in two papers (2602, 2365), and periodically further updates are made to some of this data via the Tropical Bryology Research (TBR) web site:

<http://www.TropicalBryologyResearch.co.uk/>

Take the 'Africa/diversity' option and look for the heading *African moss diversity and endemism*. The data from this version should be on the website by (or shortly after) publication date.

As with previous versions, publication will be simultaneously in both printed and on-line versions: *Tropical Bryology Research Reports* 6: 1-252, and via the website given above, taking the 'TBR Reports' option. The PDF format is recommended for download as this mirrors the author's printed version; the MS Word version may paginate differently in different versions of software. If you have downloaded the electronic version, please copy the files to anyone who might have an interest. Future updates are planned at two to four year intervals, and will be made available in the same way.

Although the introductory comments are substantially the same as previous versions, there are some changes in this version. These are summarised at the end of the introduction.

Introduction

This checklist is intended to give an overall view of the distribution of tropical African mosses, and a list of sub-Saharan hepatics is also available [8367], via our website. The need for checklists containing "current names" (rather than just an indiscriminate list of all the names ever used, whether accepted or not) has been identified as one of the most vital tools needed to progress conservation and ecological issues in botany (1639). Such checklists are seen as tactical steps towards a global plant species information system. There has also been debate about the most appropriate approach to putting together the taxonomic backbone of such an information system and what information should be stored, and the data in this checklist covers the basic requirement, common across all plant groups: species name, relevant synonyms, generic and family placement, geographical distribution and bibliographic citation.

The scope of the checklist is all of sub-Saharan Africa, together with the Atlantic and Indian Ocean islands in the tropics. This does not quite conform to the Index Muscorum divisions, as part of Africa-4 is excluded to the south (the islands in the southern Atlantic and Indian Oceans). For practical reasons it was necessary to draw a definite boundary round the region, even when this cut across existing affinities, such as the north Atlantic islands (Cape Verde is included, the Canaries, Madeira and Azores are excluded). This differs slightly from the combined *Bryologia Africana* (398) and *Flora of Southern Africa* (83) areas, by including the islands of Cape Verde, Ascension and St. Helena.

All African countries have been covered by checklists, although some of these are now rather old, and these were the source of the original data for this checklist. Apart from the recently added Sudan checklist, these were mapped in the original 1995 publication, and are:

West Africa	Schultz-Motel 1975	(47)
Central Africa	Born, Frahm & Pócs 1993	(65)
Southern Africa	Perold & Van Rooy 1993	(1531)
Ethiopia	Cufodontis 1951	(50)
Sudan	O'Shea 2004	(7430)
Eastern Africa and Angola	Kis 1985	(46)
Atlantic islands	Geheeb 1910	(1296)
Indian Ocean islands	Crosby & Schultz-Motel 1983	(40)

All of this data has been entered into a database, and updated with later publications. I would be grateful for pointers to any omitted publications, or monographs that include African taxa, that are not already included in the references. Where data has been taken from an existing checklist, I have not included all the individual supporting references and have instead just

given the name of the checklist - e.g. east African references will typically show (46) (= Kis, 1985) as the reference. It will be necessary to go to the source document quoted to get the detailed references. The resulting list contains 2746 taxa, with over 10,000 taxon/country occurrences - an average of around 3.6 countries (or part countries) per taxon (slightly up on version 3). All taxa in the source lists (including synonyms) should appear in the checklist as either accepted taxa, or as synonyms or excluded taxa.

This document is not intended as a taxonomic work. The quality of the data in this list is variable in its taxonomic quality, although it attempts to present the latest position for all taxa. Some difficult and complex families where revision is almost complete (e.g. Calymperaceae) are in a good state, and the list represents a useful synthesis of the current position. Where the process of revision is still underway (e.g. Fissidentaceae) there are now large numbers of synonyms, with only a few more taxa still to tackle. In other areas work has hardly begun, such as Sematophyllaceae and parts of Hypnaceae, and this will continue to cause problems for those attempting to identify plants in these groups. The list will at least indicate the scale of the problem.

Producing and maintaining the list would have been unmanageable without computer assistance, and all data used in the list is held on the TAXA system (115), and the main taxon distribution list and list of references was generated directly from TAXA.

Although this list was checked against the previous version and a list of new synonyms, there has been considerable manipulation of data and what was once correct may no longer be so. Please let me know of any mistakes.

Assumptions, Comments & Compromises

A list this size cannot be produced without taking a pragmatic view, and listed below are some of the problems faced and assumptions taken.

- The basic list has been built from the latest 'authoritative' list for the country concerned - i.e. on lists that validate the occurrence in a country via earlier lists or collections, as discussed above. The area included in the checklist, and the countries involved, are shown in Fig. 1. All taxa mentioned in *Index Muscorum* as occurring in Africa-2, 3 or 4 (excluding Africa 4 south of South Africa) are included as either valid taxa, or as synonyms, or as excluded taxa. Records not localised to a country will be treated as doubtful or excluded taxa, and taxa that are not identified at least to subspecies or variety level (i.e. forms) are marked as excluded. New publications have been monitored for potential additions and changes since the first version of this list in 1995, although no checks have been made on most taxa as to their taxonomic validity or whether they are correctly identified.
- Where the source information does not provide sufficient locality detail, group names have been used (e.g. Senegambia, for Senegal + Gambia), and where the parts are particularly isolated (e.g. the two major islands belonging to Equatorial Guinea, Fernando Po (Bioko) and Annobón) distribution is recorded separately from mainland Rio Muni. In previous versions intra-country divisions have been used (e.g. South Africa was divided into four regions), but these have now been removed.
- Where there is more than one reference for the occurrence of a taxon in a country, I have not in most cases checked whether the specimens referred to are different. Where I have checked, I have chosen between duplicates by retaining those with: 1) more widely

published references, 2) more authoritative/detailed references, 3) references with wider information.

- All relevant references seen up to the end of November 2006 have been included.
- It has been assumed that if one plant is synonymised with another, then its distribution data can also be transferred. A situation where this approach could cause problems is exemplified by *Rhodobryum spathulatum*, where the type is actually *Bryum aubertii*, but the collections called *Rhodobryum spathulatum* are in fact *Rhodobryum ontariense*. I hope I have managed to identify most of such cases.
- Synonyms are listed in alphabetic sequence with the rest of the names, and not under the valid taxa to which they apply. This means that it may be difficult to work back from a reference to the original name(s) under which it was collected, other than by working from the source document. However, access to resources such as TROPICOS/MOST (<http://mobot.mobot.org/W3T/Search/most.html>) will usually allow the connections to be elicited.
- No distinction has been made between nomenclatural and taxonomic synonyms.
- A number of taxa have been found that do not appear in *Index Muscorum* (1521), or the *Index of Mosses* (80, 1644, 3649, 6072), or in Missouri Botanical Garden's TROPICOS/MOST website (see paragraph above). The status of such taxa is not always clear (although usually *nomina nuda*), but they are all now included as unaccepted taxa, to prevent them getting missed from taxonomic revisions. Taxa that are not accepted for nomenclatural reasons (i.e. they have a type specimen and legal description, but have been given an illegal name) are still included in the list, but replacement names are not yet published.
- No judgement has been made on the age of records - all apparently valid records have been accepted.
- From version 3, the northern boundary of the area covered was extended to include Mauritania and the northern parts of Mali, Niger, and Chad, made possible by the publication of a North African checklist (4565); the northern border is now the same as that of *Index Muscorum*'s 'Africa-2'
- Standard country abbreviations are used, following Hollis & Brummitt (4505), but with additions to cover those areas such as islands and part-countries that are treated here in the same way as countries but by Hollis & Brummitt as sub-divisions of a country.
- Abbreviations of names in taxon authorities follow Brummitt & Powell (4924).
- Journal titles follow Crosby 1999 (5043).

Changes in this version

The main change in this edition is the almost doubling of the number of synonyms and other unaccepted names. These came mostly from *Index Muscorum*, and the rest came from later publications. The sources of the synonyms have all been identified, in many cases with specific page numbers in the references. The reference given is not necessarily the earliest - just a statement of where the synonym came from. I have attempted to provide the earliest published reference, but in some early references *Index Muscorum* is substituted as the source. All the references mentioned are available via the London Natural History Museum library, and the details will also be available via TROPICOS/MOST (including viewing scans of some of the original publications).

Acknowledgements

Version 1: I have received assistance on this project from a large number of people, but I would particularly like to thank Len Ellis for the time he has spent in searching out specimens and references, and Martin Wigginton for discussions especially in the early days of the checklist, and many pointers to literature references. Thanks also go to those who have commented on the final family treatments: Ida Bruggeman-Nannenga (Fissidentaceae), Len Ellis (Calympceraceae), Johannes Enroth (Neckeraceae), Allan Fife (Funariaceae), Jan-Peter Frahm (Dicranaceae), Angela Newton (Pterobryaceae), Ryszard Ochyra (Amblystegiaceae, Brachytheciaceae, Grimmiaceae), Philip Sollman (Pottiaceae), Dries Touw (Thuidiaceae s.l.), and to Tamás Pócs, who gave thorough comments on the whole paper in a very short space of time. As I did not always accept the advice given, any mistakes are mine.


Version 2: After the first issue of this Checklist, I received feedback from many people pointing out errors and omissions, and I hope these are all dealt with in this new version.

Version 3: Thanks to Rosa Ros for making the North African checklist [4565] available to me in advance of publication, to many others, some just casual readers, others experts in their own field (including several already thanked in version 1), for discovering errors and pointing out missed references, and to Martin Wigginton for preventing many production errors creeping through.

Version 4: Thanks again to Martin Wigginton for his meticulous attention to detail in reviewing this manuscript, and to Philip Sollman for highlighting a number of areas needing attention in the Pottiaceae. The many changes and additions in this list reflect a very healthy level of activity in both taxonomy and collecting, but there is still a long way to go; I thank all working on the African moss flora for their input, and long may it continue.

Version 5: The addition of all remaining African moss names should now be in this checklist, and this not only sets a baseline for the flora, but it should reduce any doubt people have about whether or not they have seen all the details.

Fig.1. The countries of *Index Muscorum* regions Afr 2, Afr 3 and Afr 4 covered in this checklist.



AGA	Agalega Islands	ERI	Eritrea	RIM	Rio Muni
ALD	Aldabra	ETH	Ethiopia	ROD	Rodrigues
AMI	Amirante Islands	GAB	Gabon	RWA	Rwanda
ANG	Angola	GAM	Gambia	SAF	South Africa
ANN	Annobón Island	GHA	Ghana	SAO	São Tomé
ASC	Ascension Island	GNB	Guinea Bissau	SEN	Senegal
BEN	Benin	GUI	Guinea	SEY	Seychelles
BIO	Bioko (Fernando Po)	IVO	Ivory Coast	SIE	Sierra Leone
BKN	Burkina Faso	KEN	Kenya	SOC	Socotra
BOT	Botswana	LBR	Liberia	SOM	Somalia
BUR	Burundi	LES	Lesotho	STH	St. Helena
CAB	Cabinda	MAU	Mauritius	SUD	Sudan
CAF	Central African Republic	MDG	Madagascar	SWZ	Swaziland
CGS	Chagos Archipelago	MLI	Mali	TAN	Tanzania
CHA	Chad	MLW	Malawi	TOG	Togo
CMN	Cameroon	MOZ	Mozambique	UGA	Uganda
COM	Comoro Islands	MTN	Mauritania	ZAI	Democratic Republic of Congo (former Zaire)
CON	Congo-Brazzaville	NAM	Namibia	ZAM	Zambia
CVI	Cape Verde	NGA	Nigeria	ZIM	Zimbabwe
DIE	Diego Garcia	NGR	Niger		
DJI	Djibouti	PRI	Príncipe		
		REU	Réunion		

Checklist

The list is in alphabetic order of taxon names, whether or not they are accepted taxa, and the unaccepted names (mainly taxonomic and nomenclatural synonyms) are shown inset, in a smaller font, along with comments and excluded species. The assumed family of each genus is shown in Appendix B.

The countries in which a taxon is recorded are shown by a three character abbreviation. These abbreviations are interpreted in Figure 1 and in Appendix A. The numbers in brackets after each country (and after synonyms and unaccepted names) are the literature references, which are translated to 'author+year' in the References section. Those synonyms and unaccepted names added in this version have the literature reference in square brackets []. and those of earlier names are in round brackets ().

***Abietinella abietina* (Hedw.) M.Fleisch. LES(1635,4897), SAF(1531,4897,8328).**

- Acanthocladiella albescens* (P.de la Varde) H.Rob. & C.F.Reed. Excluded: see notes for *Heterophyllum albescens*.
Acanthocladiella angolensis Dixon, nom. nud. = *Rhacopilopsis variegata* (4720: 216)
Acanthocladiella congoana Thér. & Dixon ex P.de la Varde = *Rhacopilopsis variegata* (4720: 216)
Acanthocladiella flexilis (Renauld & Cardot) M.Fleisch. = *Rhacopilopsis variegata* (4720)
Acanthocladiella guineensis (Broth. & Paris) H.Rob. & C.F.Reed = *Rhacopilopsis variegata* (6733)
Acanthocladiella julicaulis (Broth. & Paris) H.Rob. & C.F.Reed = *Rhacopilopsis variegata* (6733)
Acanthocladiella kilimandscharica Broth. & P.de la Varde = *Rhacopilopsis trinitensis* (4720)
Acanthocladiella transvaaliensis Thér. & Dixon in Sim = *Rhacopilopsis trinitensis* (4720)
Acanthocladium afro-nemorosum Broth. ex Paris, nom. nud. Excluded: no original specimen stated, but probably related to *Rhacopilopsis*.
Acanthocladium albescens Thér. & P.de la Varde = *Wijkia albescens* [2751: 71]
Acanthocladium albi-alare M.Fleisch., nom. nud. = *Heterophyllum albi-alare* [1520] (= *Rhacopilopsis variegata*)
Acanthocladium bessonii (Renauld & Cardot) Broth. ex Paris = *Wijkia bessonii* [2751]
Acanthocladium cuynetii Bizot = *Wijkia cuynetii* (47: 520)
Acanthocladium flexile (Renauld & Cardot) Broth. ex Paris = *Rhacopilopsis variegata* [4720]
Acanthocladium jungneri Broth. = *Wijkia jungneri* (2751)
Acanthocladium jungneri var. *subintegifolium* P.de la Varde = *Wijkia jungneri* var. *subintegifolia* [2751]. Note: treated here as *Wijkia jungneri*.
Acanthocladium le-testui Thér. & P.de la Varde = *Wijkia letestui* [2751]
Acanthocladium madagassum Thér. = *Wijkia madagassa* [2751]
Acanthocladium perchlorum M.Fleisch., nom. nud. Excluded: an undescribed collection from Tanzania.
Acanthocladium protensum (Renauld & Cardot) Broth. ex Paris = *Wijkia protensa* [2751]
Acanthocladium rigidicaule Broth. Note: a type specimen of this taxon in BM appears to be a *Wijkia*.
Acanthocladium rutenbergii (Geh.) Broth. ex Paris = *Wijkia rutenbergii* [2751]
Acanthocladium rutenbergii var. *eflagellare* Cardot in Grandid. = *Wijkia rutenbergii* var. *eflagellaris* [2751]
Acanthocladium subpilotrichella Broth. ex Paris, nom. nud. Excluded: no published distribution.
Acanthocladium subtrichocolea Broth. ex Paris, nom. nud. = *Wijkia trichocoleoides* [717]
Acanthocladium trichocolea (Müll.Hal.) Broth. = *Wijkia trichocolea* (2751)
Acanthocladium trichocolea var. *subintegifolium* Thér. & P.de la Varde = *Wijkia trichocolea* var. *subintegifolia* [2751]
Acanthocladium trichocoleoides (Müll.Hal.) Broth. = *Wijkia trichocoleoides* (2751)
Acanthocladium trichocoleopsis M.Fleisch., nom. nud. Excluded: Fleischer [2737: 1205] mentions this name in a list, suggesting it might be related to *Rhacopilopsis*, but there is no further information, and no original specimen.
Acanthorrhynchium decolor (Besch.) M.Fleisch. = *Acanthorrhynchium papillatum* (3070)
Acanthorrhynchium loucoubense (Besch.) M.Fleisch. = *Acanthorrhynchium papillatum* (3070)
***Acanthorrhynchium papillatum* (Harv.) M.Fleisch. COM(40), MDG(40,2672), SEY(1848,1926,1946,2195,2328,2330,2353,4932).**
Acanthorrhynchium serratum (Renauld & Cardot) M.Fleisch. = *Acanthorrhynchium loucoubense* (1848) (= *Acanthorrhynchium papillatum*)
Acaulon capense Müll.Hal. Excluded: type not found [82: 201]
***Acaulon leucochaete* I.G.Stone SAF(1531,8328).**

Acaulon muticum (Hedw.) Schimp. Excluded: listed for sub-Saharan Africa by *Index Muscorum*, but no records have been found.

Acaulon recurvatum Magill SAF(82,1531,8328).

Acaulon robustum Broth. ex Roth LES(4897).

Acaulon rufochaete Magill = *Microbryum rufochaete* (1420)

Acaulon sphaericum J.Shaw. Excluded: type destroyed and no other specimens known [82: 201].

Acaulon uleanum Müll.Hal. LES(4897).

Acirrhynchium cupressinum Hampe ex Paris = *Rhaphidostegium sphaerotheca* [4250] (= *Sematophyllum subpinnatum*)

Acirrhynchium strangulatum Schimp. ex Müll.Hal., nom. nud. in synon. = *Isopterygium strangulatum* [1521]

Acroceratum Mitt., nom. nud. in err. = *Acrocladium* [1521]

Acrocladium aubertii A.Jaeger, nom. illeg. incl. spec. prior. = *Catagonium nitens* (40: 229)

Acrocladium mucronatum A.Jaeger = *Catagonium mucronatum* [1521] (= *Catagonium nitens* ssp. *maritimum*)

Acrocladium politum (Hook.f. & Wilson) Mitt. = *Catagonium nitens* var. *nitens* [2857]

Acrocryphaea dusenii M.Fleisch., nom. nud. Excluded: see *Cryphaea dusenii* Müll.Hal., nom. nud.

Acrocryphaea emarginata Thér. & Naveau ex P.de la Varde, nom. nud. Excluded: this taxon, recorded for Central African Republic [47: 502], was not dealt with by Manuel (1291) in his transfer of *Acrocryphaea* to *Schoenobryum*, presumably because it was a *nomen nudum*, and the source (1567) gives no indication on what specimen it was based.

Acrocryphaea latifolia Broth. & P.de la Varde = *Schoenobryum concavifolium* [7157]

Acrocryphaea latifolia var. *microspora* P.de la Varde = *Schoenobryum concavifolium* [7157]

Acrocryphaea madagassa (Geh.) Broth. = *Schoenobryum concavifolium* [7157]

Acrocryphaea plicatula Dixon & Thér. = *Schoenobryum concavifolium* [7157]

Acrocryphaea robusta Broth. in Mildbr. = *Schoenobryum concavifolium* [7157]

Acrocryphaea subintegra (Renauld & Cardot) Broth. ex Paris. = *Schoenobryum concavifolium* [7157]

Acrocryphaea subrobusta (Geh.) Broth. = *Schoenobryum concavifolium* [7157]

Acrocryphaea tisserantii Thér. & P.de la Varde = *Schoenobryum concavifolium* [7157]

Acrocryphaea welwitschii (Duby) Broth. = *Schoenobryum concavifolium* [7157]

Acroporium coppeyi (Cardot) Dixon = *Sematophyllum coppeyi* [1521]

Acroporium depressum Thér. MDG(40).

Acroporium diminutum Brid. SEY(1941,2353).

Acroporium eburensse Bizot IVO(4), SIE(3216).

Acroporium incrassatum Dixon & Thér. UGA(46), ZAI(65).

Acroporium laevifolium (Renauld) Broth. MDG(40).

Acroporium lamprophyllum Mitt. SEY(2353), ZAI(2675).

Acroporium lamprophyllum was transferred to *Trichosteleum* by Buck, 1983 (3419), but Tan, 1994 (3283) considered it more correctly placed in *Acroporium*.

Acroporium le-testui P.de la Varde GAB(47), GHA(3072).

Acroporium megasporum (Duby) M.Fleisch. CMN(47), COM(40), GAB(47),

MAU(105,3410), MDG(40), REU(105), RIM(4639), SEY(1926,1941,1946,2353), TAN(46).

Acroporium megasporum var. ***densum*** (Renauld & Cardot) Wijk & Margad. MDG(40).

Acroporium megasporum var. ***heterodictyon*** P.de la Varde GAB(47).

Acroporium pocsi Bizot CMN(47).

Acroporium prionophylax W.R.Buck ZAI(65).

Acroporium punctuliferum (Thwaites & Mitt.) M.Fleisch. = *Acroporium lamprophyllum* (3283)

Acroporium pungens (Hedw.) Broth. RWA(65), ZAI(65).

Acroporium stellatum (Renauld & Cardot) Broth. MDG(40).

Acroporium subluxurians (Dixon & Thér.) B.C.Tan & O'Shea GHA(47), LBR(47).

Actinodontium dusenii Broth. CMN(47).

Actinodontium hirsutum Besch. = *Lepidopilum hirsutum* (1521)

Actinodontium hirsutum var. *ramosum* Besch. = *Lepidopilum hirsutum* (40: 231)

Actinodontium streptopogonaceum Broth. ex Paris = *Actinodontium streptopogoneum* [1521]

Actinodontium streptopogoneum Broth. ex Paris CMN(47).

Adelothecium bogotense Hampe MDG(40,1925), TAN(1347).

Aerobrytidium lanosulum (Müll.Hal.) M.Fleisch. ex Broth. = *Aerobryopsis capensis* (7168)

Aerobrytidium subpiligerum (Hampe) Cardot = *Aerobryopsis capensis* (7168)

Aerobrytidium subpiligerum var. *majus* (Renauld & Cardot) Wijk & Margad. Excluded: the owning species of this taxon has been synonymised with *Aerobryopsis capensis*, so its status needs reviewing; the variety has been recorded only from Réunion [105].

Aerobryopsis capensis (Müll.Hal.) M.Fleisch. CMN(47), COM(40), ETH(50), GAB(47),

GHA(7168), KEN(46,5315,7065), MAU(105,5916), MDG(40), MLW(67), MOZ(3072), NGA(5160,5176), REU(105), RIM(4639), SAF(1531,7766,8328), SEY(1926,1941,2353,4932), TAN(46), ZAI(65,2675), ZAM(46), ZIM(46).

Aerobryopsis cirrifolia (Schwägr.) Broth. ex Paris MAU(105).

Aerobryopsis crispicuspis (Besch.) M.Fleisch. = *Aerobryopsis longissima* [1946: 272]

Aerobryopsis cymatocheilos (Kindb.) Broth. = *Aerobryopsis capensis* (7168)

Aerobryopsis eriocladioides M.Fleisch. nom. nud. Excluded: an undescribed specimen from Mozambique.

Aerobryopsis longipendula (Dusén) Broth. = *Aerobryopsis capensis* (7168)

Aerobryopsis longissima (Dozy & Molk.) M.Fleisch. MAU(3072),

SEY(1926,1946,1947,2322,2328,2353,4932).

Aerobryopsis longissima (Dozy & Molk.) M.Fleisch. was synonymised with *Aerobryopsis wallichii* in version 2 of this checklist based on Noguchi (2588). However, this overlooked Townsend's 1978 proposal that the type of *Aerobryopsis wallichii* belongs to *Aerobryidium* (4161), which is supported by Buck (2759). The name *Aerobryopsis longissima* is thus re-instated.

Aerobryopsis pseudocapensis (Ångstr.) M.Fleisch. = *Aerobryopsis subpiligera* [1848: 357] (= *Aerobryopsis capensis*)

Aerobryopsis pseudocapensis var. *majus* (Renauld & Cardot) Renauld & Cardot. Note: this valid taxon from Madagascar has not been re-assessed, but is likely to be a synonym of *Aerobryopsis capensis*.

Aerobryopsis subpiligera (Hampe) M.Fleisch. = *Aerobryopsis capensis* (7168)

Aerobryopsis trachyptera (Müll.Hal. ex Dusén) Broth. = *Aerobryopsis capensis* (7168)

Aerobryopsis wallichii (Brid.) M.Fleisch. = *Aerobryopsis longissima* (4161). Note: see under *Aerobryopsis longissima*.

Aerobryum capense (Müll.Hal.) Müll.Hal. = *Aerobryopsis capensis* (1521)

Aerobryum capense var. *rupestre* Müll.Hal. = *Aerobryopsis capensis* (1519: 581)

Aerobryum capillicaule Renauld & Cardot = *Barbella capillicaulis* (1521)

Aerobryum crispicuspis Besch. = *Aerobryopsis longissima* [1946: 272]

Aerobryum cymatocheilos Kindb. = *Aerobryopsis capensis* (7168)

Aerobryum lanosulum Müll.Hal. = *Aerobryopsis capensis* (7168)

Aerobryum longipendulum (Dusén) Paris = *Aerobryopsis capensis* (7168)

Aerobryum nanopteris Paris, nom. nud. Excluded: an undescribed collection (Dusén 268) from Cameroon.

Aerobryum pseudocapense (Ångstr.) Besch. = *Aerobryidium subpiligerum* [1848: 357] (= *Aerobryopsis capensis*)

Aerobryum pseudocapense var. *majus* Renauld & Cardot. Note: see under *Aerobryopsis pseudocapensis* var. *majus*.

Aerobryum subpiligerum (Hampe) Müll.Hal. = *Aerobryopsis capensis* (7168)

Aerobryum trachypterum (Müll.Hal. ex Dusén) Paris = *Aerobryopsis capensis* (7168)

Aerolindigia capillacea (Hornschr.) M.Menzel ETH(111), MDG(40), RWA(65),

UGA(46,4282), ZAI(65).

Aloina bifrons (De Not.) Delgad. SAF(1531,8328).

Aloina brevirostris (Hook. & Grev.) Kindb. LES(4897), ZIM(61).

Aloina pilifera (De Not.) H.A.Crum & Steere = *Aloina bifrons* (81)

Aloina rigida (Hedw.) Limpr. CHA(4507,4534,4565), CVI(2666,6453), DJI(1569),

KEN(411).

Aloina rigida sensu Sim, Bryol. S. Afr. 233 (1926), non (Hedw.) Limpr. (1888) = *Aloina bifrons* (82: 193)

Alisia smithii (Hedw.) Lindb. ex Braithw. = *Leptodon smithii* [1521]

Amblystegium afrofluitans (Müll.Hal.) Sim = *Leptodictyum riparium* (53: 21) (= *Amblystegium riparium*)

Amblystegium afroserpens Müll.Hal. ex Paris, nom. nud. Excluded: no published distribution.

Amblystegium camisassae Tosco & Piovano KEN(46).

Amblystegium capense Dixon in Sim, nom. nud. in synon. = *Rhynchostegiella zeyheri* [1911]

Amblystegium chalaropelma Müll.Hal. ex Renauld MDG(40).

Amblystegium chloropelma Müll.Hal. ex C.H.Wright, nom. nud. = *Amblystegium chalaropelma* [4097: 103]

Amblystegium filiforme Wager & C.H.Wright = *Pseudoleskea leskeoides* [1911: 383]

Amblystegium fluitans (Hedw.) De Not. = *Drepanocladus fluitans* [1521] (= *Warnstorffia fluitans*)

Amblystegium pinnatum Rehmann ex Kindb., nom. nud. Excluded: no published distribution.

Amblystegium polygamum Bruch & Schimp. = *Campylium polygamum* [1521] (= *Drepanocladus polygamus*)

Amblystegium riparium (Hedw.) Bruch, Schimp. & W.Gümbel BIO(8180), BOT(1531),

CVI(2666), KEN(46,6614), LES(4897), MDG(40), MLW(67), SAF(1531,8328), ZAI(65), ZAM(46), ZIM(46).

Amblystegium riparium fo. *elongatum* (Bruch, Schimp. & W.Gümbel) Mönk. Excluded: records for this form have been associated with the owning species.

Amblystegium riparium var. *rivulare* Dixon & Gepp, nom. nud. = *Leptodictyum riparium* [1911] (= *Amblystegium riparium*)

Amblystegium serpens var. *serpens* (Hedw.) Bruch, Schimp. & W.Gümbel KEN(2661), UGA(46).

Amblystegium uncinatum (Hedw.) De Not. = *Drepanocladus uncinatus* [1521] (= *Sanionia uncinata*)

Amphidium aloysi-sabaudiae G.Negri UGA(46).

- Amphidium cyathicarpum* (Mont.) Broth. = *Amphidium tortuosum* (1801: 20)
Amphidium lapponicum (Hedw.) Schimp. LES(1494,1531,4897), SAF(1494,1531,8328).
Amphidium le-testui Thér. & P.de la Varde GAB(47), ZAI(65).
Amphidium tortuosum (Hornschr.) Cufod. BIO(8180), CMN(47), ETH(50),
 KEN(46,3412,5315,5923), LES(1494,1531,4897,5923), REU(4928),
 SAF(1531,4897,8328), TAN(46), UGA(46), ZAI(65,5923).
Amphoridium africanum Müll.Hal. ex Paris, *nom. nud.* Excluded: no published distribution.
Amphoridium cyathicarpum (Mont.) A.Jaeger = *Amphidium tortuosum* (1519: 487)
Amphoridium kilima-n-djaricum Paris = *Amphidium cyathicarpum* [4872: 17] (= *Amphidium tortuosum*)
Amphoridium kilimandscharicum (Müll.Hal.) Kindb. = *Amphidium cyathicarpum* [4872: 17] (= *Amphidium tortuosum*)
Amphoridium lapponicum (Hedw.) Schimp. = *Amphidium lapponicum* (1519: 489)
Amphoridium semense Schimp. ex Paris, *nom. nud.* Excluded: an undescribed collection from Ethiopia (*Amphoridium* is a synonym of *Amphidium*).
Amphoridium subcyathicarpum Paris, *nom. nud.* = *Amphidium cyathicarpum* [6568: 202] (= *Amphidium tortuosum*)
Anacalypta apiculata Kiaer ex Kindb., *nom. nud.* = *Barbula kiaeri* [10: 409] (= *Barbula indica* var. *indica*)
Anacalypta recurvirostris (Hedw) Nees & Hornsch. = *Bryoerythrophyllum recurvirostre* [1521]
Anacamptodon africanus P.de la Varde CAF(47), NGA(4314,5176), TAN(46), ZAI(5925).
Anacamptodon fabronioides Welw. & Duby = *Schwetschkea fabronioides* (1521)
Anacamptodon marginatus (Dixon) W.R.Buck SAF(114).
Anacamptodon minimus W.R.Buck ZAI(114).
Anacolia abyssinica (Müll.Hal.) Flowers, *hom. illeg.* = *Flowersia abyssinica* (182: 372)
Anacolia abyssinica Schimp. = *Anacolia laevisphaera* (4500)
Anacolia breutelii var. ***breutelii*** (Müll.Hal.) Magill LES(1531,4897), SAF(1531,8328).
Anacolia breutelii var. ***squarrifolia*** (Sim) Magill LES(1531), SAF(1531,8328).
Anacolia cameruniae Dixon CMN(47), TAN(46).
Anacolia laevisphaera (Taylor) Flowers in Grout CMN(47), CVI(2666,6453), ETH(1927),
 KEN(46,5315), REU(105), RWA(65), SUD(1419), TAN(46), UGA(46), ZAI(65).
Anacolia scioana (Brizi) Broth. ETH(50).
Anacolia webbii (Mont.) Schimp. ETH(50).
Anacolia webbii (Mont.) Schimp. Excluded: see Fransen 2004 [7829: 79]; the type of *Bartramia brachypus* contains some *Anacolia*, but the type description is clearly that of the *Bartramia brachypus* element, not that of *Anacolia*. The distribution data has thus transferred.
Andreaea acutifolia ssp. ***acutifolia*** Hook f. & Wilson LES(4897), MLW(6087),
 SAF(4897,8328).
Andreaea acutifolia varieties. Note: African collections have been referred to var. *acutifolia*, although this species (and the genus) is in need of revision in Africa.
Andreaea alpestris Thed. LES(4897), SAF(4897).
Andreaea alpina Hedw. LES(4897), SAF(4897,8328).
Andreaea alpina Hedw. = *Andreaea rupestris* [5983]
Andreaea alticaulis Broth. = *Andreaea mildbraedii* (287)
Andreaea bistratosa Magill SAF(1531,8328).
Andreaea borbonica Besch. MLW(6087), REU(105).
Andreaea camerunensis P.W.Richards CMN(47).
Andreaea cucullata Dixon KEN(46,3412,5315), TAN(46).
Andreaea dicranoides R.Br.bis = *Andreaea subulata* [4340: 351]
Andreaea firma Müll.Hal. KEN(46), RWA(65), TAN(46), UGA(46), ZAI(65).
Andreaea kilima-n'djarica Paris = *Andreaea mildbraedii* [287]
Andreaea kilimandscharica Paris & Broth. = *Andreaea mildbraedii* (287)
Andreaea mildbraedii Broth. KEN(46,3412), RWA(46,65), TAN(46), UGA(46), ZAI(65),
 ZIM(46).
Andreaea nitida Hook.f. & Wilson MLW(6087), SAF(1531,8328).
Andreaea obovata Thed. KEN(46), MLW(6087), RWA(65), TAN(46), ZAI(65).
Andreaea rupestris var. *capensis* Rehmann ex Dixon & A.Gepp, *nom. nud.* = *Andreaea rupestris* [1911: 133]
Andreaea rupestris var. ***rupestris*** Hedw. LES(1531), SAF(1531,8328), TAN(1410),
 ZIM(61).
Andreaea squamosa Mitt. Note: this taxon occurs only in South America, and is mentioned for 'Afr 4' in error in *Index Muscorum*.
Andreaea striata Müll.Hal., *hom. illeg.* = *Andreaea kilimandscharica* [4250] (= *Andreaea mildbraedii*)

Andreaea substrata Kindb., nom. nud. Excluded: no specimen known.

Andreaea subulata Harv. in Hook. MDG(40), MLW(6087), SAF(1531,8328), UGA(46).

Andreaea tsaratananae Thér. MDG(40), REU(105).

Andreaeae rupestris var. *capensis* Rehmann ex Dixon & Gepp, nom. nud. Excluded: Magill [82] does not include this variety in his treatment of *Andreaea rupestris*, but comments on the species' variability and its wide distribution.

Anictangium ciliatum Hedw. = *Hedwigia ciliata* (1519: 544)

Anictangium compactum Aongstr. ex Fries, nom. illeg. incl. spec. prior. = *Anoectangium compactum* [1521] (= *Anoectangium aestivum*)

Anictangium humboldtii Hook. = *Rhacocarpus purpurascens* [10: 721]

Anictangium imberbe (Sm.) Hook. & Taylor = *Hedwigidium integrifolium* [8254: 14]

Anictangium lapponicum Hedw. = *Amphidium lapponicum* (1519: 489)

Anictangium repens Hook. = *Gigaspermum repens* (83: 299)

Anictangium secundum (Hook.) Hook. = *Braunia secunda* (1519: 547)

Anisostichium tozeri (Grev.) Mitt. = *Epipterygium tozeri* [1521]

Anisothecium cardotii (R.Br.bis) Ochyra LES(1074,1531,4897), REU(6859,8028), SAF(1500,1531,8328).

Anisothecium horridum P.de la Varde CAF(47).

Anisothecium madagassum Thér. MDG(40).

Anisothecium natalense P.de la Varde = *Dicranella subsulculata* (82: 121)

Anisothecium pallidisetum P.de la Varde = *Fissidens gladiolus* (2088)

Anisothecium symonsii (Dixon) Broth. = *Dicranella symonsii* (1531: 22) (= *Anisothecium cardotii*)

Anisothecium ugandae P.de la Varde RWA(65), TAN(46), UGA(46), ZAI(65).

Anoectangium abyssinicum Hampe ex Geh. = *Anoectangium schimperi* (50: 222)

Anoectangium aestivum (Hedw.) Mitt. CAF(47), CMN(47), CVI(2666,6453), IVO(1458), MLW(6087), REU(2653), SOC(7778), SUD(1419), TAN(46), TOG(1878), ZAI(5319).

Anoectangium afrocompactum Müll.Hal. ex Dusén CMN(47).

Anoectangium assimilis Broth. & Wager = *Anoectangium wilmsianum* (82: 181)

Anoectangium balfourei Mitt. = *Semibarbula orientalis* [7878] (= *Barbula indica*)

Anoectangium basalticum Dusén = *Anoectangium euchloron* [2737] (= *Anoectangium aestivum*)

Anoectangium borbonense Besch. COM(40), MAU(105), NGA(334), REU(105).

Anoectangium brotherusii Kis KEN(46), MLW(67), TAN(46).

Anoectangium caespiticium (F.Weber & D.Mohr) Schwaegr. Excluded: see note under *Gymnostomum caespiticium*.

Anoectangium compactum Schwaegr., nom. illeg. incl. spec. prior. = *Anoectangium aestivum* [1521]

Anoectangium dusenii Müll.Hal. ex Paris, nom. nud. in synon. = *Anoectangium euchloron* [4250] (= *Anoectangium aestivum*)

Anoectangium euchloron (Schwägr.) Mitt. = *Anoectangium aestivum* (6372: 243).

Anoectangium euchloron var. ***laxum*** P.de la Varde CAF(47).

Anoectangium euchloron var. *laxum* P.de la Varde. Note: the owning species of this variety has been transferred to

Anoectangium aestivum (6372: 243): this taxon is also in need of revision.

Anoectangium eucollum Besch., nom. nud. = *Anoectangium rufoviride* var. *eucollum* [1521]

Anoectangium eukilimandscharicum Dixon TAN(46).

Anoectangium flexuosum G.Negri UGA(46).

Anoectangium flexuosum var. ***gracile*** G.Negri UGA(46).

Anoectangium fuscum G.Negri UGA(46).

Anoectangium hanningtonii Mitt. TAN(46), ZAM(62).

Anoectangium humblotii Renauld & Cardot COM(40).

Anoectangium humboldtianum Breutel ex Paris, nom. nud. = *Rhacocarpus rehmannianus* [1911: 353]

Anoectangium humboldtii (Hook.) Brid. = *Rhachocarpus purpurascens* [10: 721]

Anoectangium impressum Hampe MDG(40).

Anoectangium integrifolium (P.Beauv.) Schwaegr. = *Hedwigidium integrifolium* [1521]

Anoectangium keniæ (P.de la Varde) R.H.Zander KEN(46).

Anoectangium kilimandjaricum Paris = *Anoectangium hanningtonii* [5490: 125]

Anoectangium kilimandscharicum Broth., hom. illeg. = *Anoectangium eukilimandscharicum* (5490: 125)

Anoectangium kilimandscharicum var. *minutum* Broth. Note: this variety was not included in the new synonymy proposed by Dixon to replace the illegitimate name *Anoectangium kilimandscharicum*, and so remains as a validly published taxon, belonging to an illegitimately named species. According to Kis (46), the taxon is a synonym of *Anoectangium eukilimandscharicum*, but Zander (1420) lists it still as a valid taxon.

Anoectangium kilimandscharicum var. ***minutum*** Broth. TAN(5082).

Anoectangium madagassum Renauld & Paris MDG(40).

Anoectangium mafatense Renauld & Cardot REU(105), UGA(46), ZAI(65).

Anoectangium mamabolense Rehmann ex Kindb., nom. nud. = *Anoectangium wilmsianum* [1911: 267]

Anoectangium mariei Besch. = *Semibarbula indica* [1848: 215] (= *Barbula indica* var. *indica*)

Anoectangium nigerianum Broth. & Paris MLI(47).

Anoectangium nossibeicum Besch. ex Cardot, *nom. nud.* in synon. = *Semibarbula orientalis* [1848: 215] (= *Barbula indica*)

Anoectangium paucidentatum Müll.Hal. = *Didymodon paucidentatus* (1521) (= *Bryoerythrophyllum campylocarpum*)

Anoectangium pusillum Mitt., *hom. illeg.* = *Anoectangium hanningtonii* [7142: 445]

Anoectangium raphidorrhynchium Müll.Hal. ex Besch., *nom. nud.* = *Anoectangium raphidostegium* (1521)

Anoectangium raphidostegium Besch. COM(40), REU(105).

Anoectangium rufoviride Besch. COM(40), ERI(50), MDG(40).

Anoectangium rufovirede var. ***eucollum*** Besch. COM(40).

Anoectangium scabrum Broth. = *Anoectangium hanningtonii* [5022: 76]

Anoectangium schimperi Mitt. ETH(50).

Anoectangium secundum (Hook.) Steud. = *Braunia secunda* [687: 234]

Anoectangium sellae G.Negri UGA(46).

Anoectangium spathulatum Mitt. CMN(47), NGA(5176).

Anoectangium stuhlmannii Broth. = *Semibarbula stuhlmannii* (1521) (= *Barbula indica*)

Anoectangium taeniatifolium (Herzog) M.O.Hill CVI(2666).

Anoectangium tenerimum Broth ex Micheletti., *nom. nud.* Excluded: an undescribed collection from Eritrea, but no specimen known [50].

Anoectangium torquatum Broth., *hom. illeg.* = *Anoectangium brotherusii* (45)

Anoectangium viridatum (Müll.Hal.) Paris = *Ceratodon viridatus* (1521) (= *Ceratodon purpureus* var. *stenocarpus*)

Anoectangium wilmsianum (Müll.Hal.) Paris LES(1531,4897), SAF(1531,4897,8328).

Anomobryum abyssinicum (Schimp.) A.Jaeger = *Anomobryum filiforme* var. *abyssinicum* (1521) (= *Anomobryum julaceum* var. *abyssinicum*)

Anomobryum afrojulaceum Paris, *nom. nud.* Excluded: an undescribed collection (*Dusén* 295) from Cameroon.

Anomobryum auratum (Mitt.) A.Jaeger CMN(23), KEN(46), MLW(23,67), TAN(46,1404), UGA(46), ZAI(23,65), ZAM(62).

Anomobryum compressulum (Müll.Hal.) Broth. KEN(46), TAN(46), UGA(46).

Anomobryum cygnicollum (Müll.Hal.) Hampe ex A.Jaeger ERI(50).

Anomobryum drakensbergense Van Rooy LES(1531,4897), SAF(1531,8328).

Anomobryum filiforme (Dicks.) Husn., *hom. illeg.* = *Anomobryum julaceum* [71: 629]

Anomobryum filiforme var. *abyssinicum* (Schimp.) Broth. = *Anomobryum julaceum* var. *abyssinicum* [71: 629]

Anomobryum filiforme var. ***madagassum*** Renauld & Cardot MDG(40).

Anomobryum filiforme var. *madagassum* Renauld & Cardot. Note: this variety presumably belongs to *Anomobryum julaceum*, following the synonymisation of *Anomobryum filiforme* [71: 629].

Anomobryum julaceum var. ***abyssinicum*** Schimp. ERI(50), ETH(50).

Anomobryum julaceum var. ***julaceum*** (P.Gaertn., B.Mey. & Scherb.) Schimp. ANG(46), BIO(8180), CMN(23,47), COM(40), CVI(2666,6453), ETH(23,50,111,1927,6137), KEN(23,46,3412,5315,6615), LES(1531,4897), MDG(23,40), MLW(23,67), RWA(46,65), SAF(23,1531,4897,7766,8328), SOC(40,1626,2374,5613), SUD(1419), TAN(46), UGA(46), ZAI(65,5319), ZIM(23,46,61).

Anomobryum julaceum var. *juliforme* (Solms.) Husn. = *Anomobryum julaceum* [71: 629]

Anomobryum juliforme Solms. = *Anomobryum julaceum* [71: 629]

Anomobryum laceratum (Besch.) Broth. REU(23,105).

Anomobryum laceratum var. ***comorense*** (Besch.) Paris COM(40).

Anomobryum latirete Dixon = *Anomobryum minutirete* (45)

Anomobryum longisetum Thér. = *Bryum filiforme* (23) (= *Anomobryum julaceum*)

Anomobryum maclennanii Broth. = *Anomobryum sulcatum* (46) (= *Anomobryum auratum*)

Anomobryum minutirete (Müll.Hal.) Kis ETH(1927), KEN(23,46), TAN(23,46).

Anomobryum perimbricatum (Broth.) Broth. CMN(47).

Anomobryum procerrimum Rehmann ex Paris, *nom. nud.* = *Anomobryum promontorii* [6793: 70] (= *Anomobryum julaceum*)

Anomobryum promontorii (Müll.Hal.) Dixon = *Anomobryum julaceum* (23)

Anomobryum robustum Dixon, *hom. illeg.* (non Broth. ex Herzog) = *Anomobryum. maclennanii* (1521) (= *Anomobryum auratum*)

Anomobryum spongiosum (Welw. & Duby) A.Jaeger = *Philonotis spongiosa* (1521)

Anomobryum sulcatum Thér. & P.de la Varde = *Bryum auratum* (23) (= *Anomobryum auratum*)

Anomodon clavirameus (Müll.Hal.) A.Jaeger = *Pseudoleskeopsis claviramea* [1521]

Anomodon curtipendulus (Hedw.) Hook. & Taylor = *Antitrichia curtipendula* [1521] Note: see *Antitrichia kilimandscharica*.

Anomodon devolutus Mitt. = *Herpetineuron tocoae* [5063: 363]

Anomodon ecklonii Hampe ex A.Jaeger, *nom. nud.* Excluded: a collection from Table Mountain in the Western Cape of South Africa, but not identified to an accepted taxon, and does not belong to *Anomodon*.

Anomodon exilis Mitt. = *Anomodon pseudotristis* (4464)

Anomodon filivagus Müll.Hal. = *Leskea filivaga* (1521)

Anomodon gracilis (Hedw.) Garov. = *Pterogonium gracile* (1519: 556)

Anomodon grateloupii Mont. = *Schwetschkea grateloupii* [1521]

Anomodon leikipiae Müll.Hal. = *Pseudoleskea leikipiae* (1521)

Anomodon leskeoides Paris = *Pseudoleskea macowaniana* [1911: 383] (= *Pseudoleskea leskeoides*)

Anomodon macleai Rehmann ex Kindb., *nom. nud. orthogr.* = *Anomodon macleanus* [1521] (= *Triquetrella tristicha*)

Anomodon macleanus Rehmann ex Gepp & Dixon = *Triquetrella tristicha* [1911: 251]

Anomodon pseudoattenuatus (Müll.Hal.) A.Jaeger = *Pseudoleskea pseudoattenuata* [1521]

Anomodon pseudotristis (Müll.Hal.) Kindb. KEN(46), MAU(105), REU(5440,8028),

ROD(105,4931), SAF(1531,4464,7766,8328), SWZ(4418), TAN(46).

Anomodon robustus Rehmann ex Kindb., *nom. nud.* = *Herpetineuron tocoae* [5063: 363]

Anomodon tocoae Sull. & Lesq. = *Herpetineuron tocoae* [1521]

Anomodon tristichus Schimp. ex A.Jaeger = *Tristichella tristicha* [1521]

Anomodon tristis (Ces.) Sull. & Lesq. Note: it is likely that the collections recorded from Kenya of this taxa were misidentified, and they have been transferred to *Anomodon pseudotristis* (5214).

Anomodon tristis (Ces.) Sull. & Lesq. REU(6859,8028).

Antitrichia abyssinica Schimp. ex Paris, *nom. nud.* = *Antitrichia curtipendula* (50: 235) Note: see *Antitrichia kilimandscharica*.

Antitrichia curtipendula (Hedw.) Brid. Note: specimens given this name in Africa have been referred to *Antitrichia kilimandscharica* (804)

Antitrichia kilimandscharica Broth. ETH(50,1927), KEN(46,136,3412,5315,6614),

RWA(65), TAN(46), UGA(46), ZAI(65,5319).

Aongstroemia abruptifolia Hampe = *Dicranella subsubulata* (82: 121)

Aongstroemia afro-exigua (Dusén) Müll.Hal. = *Microdus afro-exiguus* [1521] (= *Leptotrichella afro-exigua*)

Aongstroemia ampullacea (Dusén) Müll.Hal. = *Microdus ampullaceus* [1521] (= *Leptotrichella ampullacea*)

Aongstroemia bella Müll.Hal. ex Paris, *nom. nud. in synon.* = *Dicranella bella* [1521]

Aongstroemia borbonica (Besch.) Müll.Hal. = *Dicranella borbonica* [1521]

Aongstroemia borgeniana Hampe = *Dicranella subsubulata* (82: 121)

Aongstroemia brevipes Hampe ex Besch. = *Aongstroemia filiformis* [1338: 116]

Aongstroemia condensata (Aongstr.) Müll.Hal. = *Dicranella condensata* [1521] (= *Dicranella proscripta*)

Aongstroemia euphoroclada Müll.Hal. = *Campylopidium euphorocladium* [1521] (= *Campylopidium medium*)

Aongstroemia falcicaulis Müll.Hal. = *Aongstroemia vulcanica* [1911: 157] (= *Aongstroemia filiformis*)

Aongstroemia falcularia (Dusén) Müll.Hal. = *Dicranella falcularia* [1521]

Aongstroemia filiformis (P.Beauv.) Wijk & Margad. LES(1074), MDG(40,1925),

MLW(67,6087), REU(105,1925), SAF(1531,4897,8328), TAN(46), ZIM(61).

Aongstroemia flavipes (Besch.) Müll.Hal. = *Dicranella flavipes* [1521]

Aongstroemia gymnomitrioides Dixon = *Cladophascum gymnomitrioides* [1521]

Aongstroemia heteromalla (Hedw.) Müll.Hal. = *Dicranella heteromalla* [1521]

Aongstroemia jamaicensis Müll.Hal. = *Aongstroemia filiformis* (1338)

Aongstroemia julacea (Hook.) Mitt. KEN(5315), LES(1531,4897), MDG(40),

MLW(67,6087), REU(105), SAF(1531,4897,8328), TAN(46), UGA(7353).

Aongstroemia ligulifolia Müll.Hal. = *Microdus ligulifolius* [1521] (= *Leptotrichella ligulifolia*)

Aongstroemia limosa (Besch.) Müll.Hal. = *Microdus minutus* [4800: 182] (= *Leptotrichella minuta*)

Aongstroemia lutaria (Besch.) Müll.Hal. = *Microdus lutarius* (= *Leptotrichella lutaria*)

Aongstroemia macleai Rehmann ex Kindb., *nom. nud.* = *Aongstroemia subcompressa* [1911: 159]

Aongstroemia macleana Rehmann ex Paris, *nom. nud.* = *Aongstroemia vulcanica* [1911: 157] (= *Aongstroemia filiformis*)

Aongstroemia minuta Hampe = *Microdus minutus* [1521; 82: 124] (= *Leptotrichella minuta*)

Aongstroemia nodicoma (Dusén) Müll.Hal. = *Dicranella nodicoma* [1521]

Aongstroemia orthocarpa Mitt. ex J.Shaw, *nom. nud.* Excluded: no specimen known.

Aongstroemia pervilleana (Besch.) Müll.Hal. = *Dicranella pervilleana* [1521]

Aongstroemia subcompressa Müll.Hal. Note: this taxon was included in Magill and Schelpe's checklist for southern Africa (53), but not mentioned later in either the subsequent checklist (1531) or in Magill's treatment of the genus (82).

Aongstroemia subcompressa Müll.Hal. SAF(53).

Aongstroemia subcompressa var. *sabuletorum* P.de la Varde SAF(4264).

Aongstroemia subsulculata Hampe ex Müll.Hal. = *Dicranella subsulculata* [1521; 82: 121]

Aongstroemia transvaaliensis Müll.Hal. = *Aongstroemia filiformis* (82: 118)

Aongstroemia vulcanica (Brid.) Müll.Hal. = *Aongstroemia filiformis* [4382: 125; 82: 118]

Aongstroemiopsis julacea (Dozy & Molk.) M.Fleisch. LES(1074,1531).

Apalodictyum minutirete Müll.Hal., *orthog. err.* = *Anomobryum minutirete* [45]

Apalodium australe (Hook.f. & Wilson) Mitt. = *Orthodontium lineare* [6653: 28]
Apalodium lineare (Schwaegr.) Mitt., hom. illeg. = *Orthodontium lineare* [1521]
Aphanorrhagma aubertii (Besch.) Kindb. = *Physcomitrium aubertii* [1521]
*Aphanorrhagma magdalena*e (De Sloover) Ochyra. Note: see *Physcomitrella patens* ssp. *magdalena*e. *Aphanorrhagma* is only found in the neotropics (Fife, pers. comm.).
Aphanorrhagma niloticum (Delile) Lindb. ex Lorentz = *Micropoma niloticum* [1521] (= *Physcomitrium niloticum*)
Aptychopsis pyrrophylla (Müll.Hal.) Wijk & Margad. Note: this species, previously regarded as endemic to Brazil, was recorded three times for Togo in 1982 by Tixier (2851), who also stated that it was found in Gabon, Central African Republic and Mauritius; there must be a possibility that this was a misidentification and further investigation is necessary before this can be accepted.

***Aptychopsis pyrrophylla* (Müll.Hal.) Wijk & Margad. TOG(2851).**

Aptychus asperulifolius Müll.Hal. ex Paris, nom. nud. = *Rapidostegium asperulifolium* Paris, nom. nud. Excluded: an unpublished collection (*Dusén 14*) from Cameroon.
Aptychus brachytheciiforme (Broth.) Müll.Hal. ex Paris, nom. nud. = *Sematophyllum brachytheciiforme* [1521]
Aptychus chrysotis Müll.Hal. ex Paris, nom. nud. = *Sematophyllum caespitosum* [2520: 88] (= *Sematophyllum subpinnatum*)
Aptychus dicnemoneilla Müll.Hal. ex Paris, nom. nud. = *Sematophyllum caespitosum* [2520: 89] (= *Sematophyllum subpinnatum*)
Aptychus fluminialis Müll.Hal. ex Paris, nom. nud. = *Sematophyllum caespitosum* [2520: 89] (= *Sematophyllum subpinnatum*)
Aptychus glutinosus (Broth.) Müll.Hal. ex Paris, nom. nud. = *Sematophyllum caespitosum* [2520: 89] (= *Sematophyllum subpinnatum*)
Aptychus lamprocladus Müll.Hal. ex Paris, nom. nud. = *Rapidostegium lamprocladum* Paris, nom. nud. Excluded: an undescribed collection (*Dusén 21*) from Cameroon.
Aptychus leptobolax Müll.Hal. ex Paris, nom. nud. = *Rapidostegium leptobolax*, nom. nud. Excluded: an undescribed (*Dusén 700*) collection from Cameroon.
Aptychus perlaxus Müll.Hal. ex Paris, nom. nud. = *Sematophyllum caespitosum* [2520: 88] (= *Sematophyllum subpinnatum*)
Aptychus rehmannii Müll.Hal. = *Raphidorrhynchium dregei* [1911: 435] (= *Sematophyllum dregei*)
Aptychus reichardtii Müll.Hal. = *Sematophyllum brachycarpum* [1911: 435]
Aptychus rivuletorum Müll.Hal. ex Paris, nom. nud. = *Sematophyllum rivuletorum* [1521]
Aptychus sarcophyllum Müll.Hal. ex Paris, nom. nud. = *Potamium sarcophyllum* Müll.Hal., nom. nud. [1521]. Excluded: an undescribed collection (*Dusén s.n.*) from Cameroon.
Aptychus sauloma Müll.Hal. ex Paris, nom. nud. = *Sematophyllum caespitosum* [2520: 89] (= *Sematophyllum subpinnatum*)
Aptychus sphaeropyxis Müll.Hal. = *Sematophyllum sphaeropyxis* [1521]
Aptychus subcurvulus Müll.Hal. ex Paris, nom. nud. = *Sematophyllum caespitosum* [2520: 88] (= *Sematophyllum subpinnatum*)
Archidiella dinteri Irmsch. = *Archidium dinteri* (82: 72)

***Archidium acanthophyllum* Snider NGA(6263), SAF(1531,8328), SWZ(4418), ZAI(30,65), ZAM(62), ZIM(61,5525).**

Archidium africanum Mitt. = *Archidium ohioense* (1471)
Archidium alternifolium (Hedw.) Schimp. Note: all specimens given this name from Africa south of the Sahara should be referred to *Archidium ohioense* (1471)

***Archidium amplexicaule* Müll.Hal. MLW(6087), SAF(1531,8328).**

***Archidium andersonianum* Snider SAF(1531,8328).**

***Archidium brevinerve* P.de la Varde GAB(30,47).**

Archidium campylopodium Müll.Hal. = *Archidium capense* (82: 78)

***Archidium capense* Hornsch. LES(1531,4897), REU(8028), SAF(1531,8328), ZAI(65).**

Archidium chrysosporum Schimp. ex A.Jaeger = *Archidium amplexicaule* (82: 80)
Archidium compactum fo. *tenior* Müll.Hal. nom. nud. = *Archidium capense* (82: 78)
Archidium compactum Müll.Hal. ex Paris, nom. nud. = *Archidium alternifolium* [1911: 140] (= *Archidium ohioense* - see note under *Archidium alternifolium*)

***Archidium dinteri* Irmsch. NAM(30,1531,7155).**

Archidium ecklonianum Hampe ex Roth., orthog. err. = *Archidium ecklonii* [1521] (= *Pleuridium ecklonii*)
Archidium ecklonii Hampe ex Mitt. = *Pleuridium ecklonii* (30)
Archidium falcatulum Müll.Hal. ex Kindb., nom. nud. = *Archidium alternifolium* [1911: 140] (= *Archidium ohioense* - see note under *Archidium alternifolium*)
Archidium globiferum (Brid.) Frahm = *Archidium ohioense* (4302). Note: Frahm & Poremski reverse the synonymisation given in their earlier paper (1458).
Archidium johannis-negrii Tongiorgi. Excluded: Snider (30) states that this taxon (from Eritrea (50)) is not an *Archidium*, and probably a member of the Bryaceae.

***Archidium julicaule* Müll.Hal. LES(1531), SAF(1531,8328).**

Archidium julicaule Müll.Hal. = *Pleuridium nervosum* [1911: 141] Note: but see Potier de la Varde [4264: 3] who agrees that the gametophytes are similar, but points out that the sporophytes are significantly different.

Archidium laterale Bruch = *Archidium alternifolium* [1911: 140] (= *Archidium ohioense* - see note under *Archidium alternifolium*)

Archidium laxirete P.de la Varde CAF(30,47).

Archidium leptophyllum P.de la Varde = *Archidium ohioense* (1471)

Archidium microthecium Dixon & P.de la Varde MLW(6087), NAM(1531,7155), SAF(1531,8328), TAN(30,46), ZAM(411).

Archidium muellerianum Snider SAF(1531,8328), ZIM(61).

Archidium ohioense Schimp. ex Müll.Hal. BEN(4302), BKN(1423), CAF(30,47), IVO(63,1458), KEN(46), LES(1531), MAU(30), MLI(30,47), MLW(67), NAM(30,1531,7155), NGA(334,1492), NGR(79), REU(8028), SAF(1531,4418,4670,8328), SOM(30), SWZ(1531), TAN(46), TOG(58,1878), ZAM(62), ZIM(61,5525).

Archidium pellucidum Dixon ex Sim = *Archidium ohioense* (82: 74)

Archidium petrophilum P.de la Varde = *Archidium ohioense* (1471)

Archidium petrophilum var. *rogeoni* Thér. = *Archidium ohioense* [1471]

Archidium phascodoides Brid., nom. illeg. incl. spec. prior. = *Archidium alternifolium* (1521) (= *Archidium ohioense*)

Archidium rehmannii Mitt. SAF(1531,8328).

Archidium subulatum Müll.Hal. SAF(1531,8328).

Archidium tanganyikae Dixon = *Archidium ohioense* (1471)

Archidium tenellum P.de la Varde = *Archidium ohioense* (1471)

Archisium synoicum Müll.Hal. ex Sim, nom. nud. = *Archidium capense* [1911: 141]

Argyrobyrum argentisetum Müll.Hal., nom. inval. = *Bryum argentisetum* (46)

Argyrobyrum bicolor (Dicks.) Kindb. = *Bryum bicolor* [1521] (= *Bryum dichotomum*)

Argyrobyrum ellipsifolium Müll.Hal., nom. inval. = *Bryum ellipsifolium* (46)

Arrhenopterum turgidum Wahlenb. ex F.Weber & D.Mohr = *Aulacomnium turgidum* [1521]

Arthrocormus africanus Broth. = *Octoblepharon africanum* [1521]

Aschisma aethiopicum (Welw. & Duby) Lindb. = *Bryocephalospora aethiopica* (1420)

Asteriscium trichostomaceum (Müll.Hal.) Hilp. = *Barbula trichostomacea* [1521] (= *Didymodon australasiae*)

Astomiopsis amblyocalyx Müll.Hal. LES(1074,1471,1531).

Astomiopsis magilliana Snider, Yip & Clark SAF(4822,8328).

Astomum alternifolium (Dicks. ex Hedw.) Hampe = *Archidium alternifolium* [40: 193] Note: see comment under *Archidium alternifolium*.

Astomum borbonicum Bizot & Onr. Note: the genus *Astomum* is considered synonymous with *Weissia* (1420), but as this taxon may belong to *Trichostomum*, it is left here pending revision.

Astomum borbonicum Bizot & Onr. REU(105,109).

Astomum breutelianum Hampe ex Müll.Hal. = *Pleuridium pappeanum* (82: 84)

Astomum capense Roth, nom. illeg. incl. spec. prior. = *Tetrapherum tetragonum* [1521]

Astomum nervosum (Hook.) Müll.Hal. = *Pleuridium nervosum* (82: 86)

Astomum pappeanum Müll.Hal. = *Pleuridium pappeanum* (82: 84)

Astomum tetragonum (Hook.) Broth. = *Tetrapherum tetragonum* (82: 250)

Astomum unguiculatum (Mitt.) Broth. = *Trichostomum unguiculatum* [1420]

Astrodonium sericeum A.Jaeger = *Palamocladium sericeum* [1521] (= *Palamocladium leskeoides*)

Astrophyllum punctatum (Hedw.) Lindb. = *Mnium punctatum* [1521]. Excluded: see note under *Mnium punctatum*.

Astrophyllum undulatum (Hedw.) Lindb. = *Mnium undulatum* [1521] (= *Plagiomnium undulatum*)

Atractylocarpus alticaulis (Broth. in Mildbr.) R.S.Williams KEN(46,3412,5315), RWA(65),

TAN(46), UGA(46), ZAI(65).

Atractylocarpus capillifolius Dixon = *Atractylocarpus alticaulis* (804)

Atractylocarpus flexifolius Dixon = *Atractylocarpus alticaulis* (465)

Atractylocarpus madagascariensis (Thér.) Padberg & J.-P.Frahm MDG(40), MLW(2084),

REU(411), SAF(4670,8328).

Atractylocarpus naveauanus (Thér.) P.de la Varde = *Atractylocarpus alticaulis* (178)

Atractylocarpus. Note: this genus was made a synonym of an earlier genus, *Metzleria*, but the later name was subsequently conserved (7265).

Atrichum androgynum (Müll.Hal.) A.Jaeger KEN(6615,7065), LES(1531,4897),

MAU(105,289), MDG(40,289), MLW(46,67), MOZ(357), REU(105,289),

SAF(289,1531,4897,7766,8328), SWZ(4418), ZIM(46).

Atrichum borbonicum Besch. = *Atrichum androgynum* (289)

Atrichum brevilamellatum Dixon & Thér. = *Pogonatum conglobense* (289)

Atrichum cavallii (G.Negri) P.de la Varde, nom. inval. in synon. = *Oligotrichum cavallii* (2869)

Atrichum intermedium (Bél.) Kindb. = *Pogonatum belangeri* [4329: 256]

Atrichum nudifolium Müll.Hal. ex Dixon & A.Gepp, nom. nud. = *Atrichum androgynum* [2609]

Atrichum polyphyllum Rehmann ex Geh. = *Aulacomnium androgynum* [4378: 63]

Aulacomnium abyssinicum Schimp. ex Paris ETH(50).

Aulacomnium abyssinicum Schimp. ex Paris, *nom. nud.* Note: according to Cufodontis (50), this taxon is likely to be a synonym of *Aulacomnium palustre*.

Aulacomnium gaudichaudii (Schwägr.) Mitt. = *Leptotheca gaudichaudii* (83: 405)

Aulacomnium palustre fo. *perpapillosum* P.de la Varde. Excluded: any records for this form have been associated with the owning species.

Aulacomnium palustre var. ***palustre*** (Hedw.) Schwägr. ETH(50), KEN(46), UGA(46).

Aulacomnium turgidum var. *papillosum* Dixon ex Paris = *Aulacomnium turgidum* [4368]

Aulacomnium turgidum Wahlenb. KEN(46,5315).

Aulacopilum beccarii (Müll.Hal.) Mitt. = *Erpodium beccarii* (1519: 453)

Aulacopilum incanum Mitt. = *Aulacopilum trichophyllum* [1911: 346] (= *Erpodium glaucum* var. *trichophyllum*)

Aulacopilum trichophyllum Ångstr. ex Müll.Hal. = *Erpodium glaucum* var. *trichophyllum* (3531)

Barbella capillicaulis var. ***angustifolia*** Dixon & Thér. MAU(105).

Barbella capillicaulis var. ***capillicaulis*** (Renauld & Cardot) Cardot MAU(105), MDG(40), UGA(4282).

Barbella eusebii Dixon ex Tosco & Piovano KEN(46).

Barbula abyssinica (De Not.) A.Jaeger = *Tortula abyssinica* (1521)

Barbula acuta (Brid.) Brid. = *Didymodon rigidulus* var. *gracilis* (1420)

Barbula acutata Müll.Hal. = *Pseudocrossidium replicatum* (6803)

Barbula afrocespitosa Müll.Hal. = *Tortella humilis* [1912: 251; 82: 256]

Barbula afroduriuscula Müll.Hal. = *Thyridium chenagonii* [1848: 188] (= *Serpotortella chenagonii*)

Barbula afrofontana (Müll.Hal.) Broth. = *Barbula ehrenbergii* (1158) (= *Barbula bolleana*)

Barbula afrofontana var. *acutiuscula* P.de la Varde. Excluded: Sollman (1158) made *Barbula afrofontana* a synonym of *Barbula ehrenbergii* (= *Barbula bolleana*), but this variety from Zimbabwe [46] was not dealt with.

Barbula afroinermis Müll.Hal. = *Tortula muralis* (82: 213)

Barbula afroruralis Müll.Hal. = *Tortula ruralis* [4800: 180; 82: 219] (= *Syntrichia ruralis*)

Barbula afro-unguiculata Müll.Hal. = *Semibarbula orientalis* [1911: 236] (= *Barbula indica*)

Barbula anoectangiacea Müll.Hal. = *Ceratodon* sp. [10: 409]. Excluded.

Barbula apiculata Hedw. = *Barbula unguiculata* [8250: 286]

Barbula aprica Müll.Hal. = *Tortella aprica* (1521)

Barbula atrovirens (Sm.) Schimp. = *Desmatodon convolutus* [8215: 224] (= *Tortula atrovirens*)

Barbula atrovirens var. *edentula* (Bruch, Schimp. & W.Guembel) Schimp. = *Desmatodon atrovirens* var. *edentula* [1521] (= *Tortula atrovirens*)

Barbula basutensis Rehmann ex Paris, *nom. nud.* = *Hyophila basutensis* [1521] (= *Didymodon ceratodonteus*)

Barbula beccarii (Venturi) A.Jaeger = *Pleurochaete beccarii* [1521] (= *Pleurochaete squarrosa* var. *squarrosa*)

Barbula bokkefeldiana Rehmann ex Dixon & A.Gepp, *nom. nud. in synon.* = *Tortula pilifera* [6568: 200] (= *Pseudocrossidium crinitum*)

Barbula bokkepoldiana Rehmann ex Paris, *nom. nud.* = *Tortula pilifera* [6568: 200] (= *Pseudocrossidium crinitum*)

Barbula bolleana (Müll.Hal.) Broth. CHA(4480,4507), CVI(1296,2666,6453), MDG(40),

NAM(1531,7155), SAF(1531,8328), TAN(46), UGA(46), ZAI(65), ZAM(62).

Barbula brachyaichme Müll.Hal. = *Tortula schmidii* (82: 215) (= *Syntrichia fragilis*)

Barbula brevimucronata Müll.Hal. = *Tortula schmidii* (82: 216) (= *Syntrichia fragilis*)

Barbula brotheri (Renauld & Cardot) Broth., *hom. illeg.* = *Hydrogonium brotheri* [1521] (= *Barbula bolleana*)

Barbula caespitosa Schwägr. = *Tortella humilis* [1912: 251; 82: 256]

Barbula caespitosa var. *angustifolia* Rehmann ex Paris, *nom. nud.* = *Tortella humilis* [6568: 220]

Barbula calycina Schwägr. SAF(1531,8328).

Barbula chrysoblasta Müll.Hal. = *Tortula muralis* (82: 213)

Barbula circinalis Müll.Hal. = *Desmatodon convolutus* (82: 209) (= *Tortula atrovirens*)

Barbula congoana Thér. TAN(46), UGA(46), ZAI(65).

Barbula conica Spreng. = *Ceratodon purpureus* [2737: 304]

Barbula consanguinea (Thwaites & Mitt.) A.Jaeger BUR(4304,6130),

CVI(2666,4304,6130), GUI(6130), IVO(5925), NGA(4304,6130).

Barbula consanguinea (Thwaites & Mitt.) A.Jaeger. Note: this taxon was treated as a synonym of *Barbula javanica* in version 4, following Zander [1420]. The holotype of *Barbula consanguinea* is indeed *Barbula javanica*, but other isotypes are mixtures of both taxa, and the original description and usage conforms to the concept of *Barbula consanguinea* currently used (see Sollman [6130]), and Eddy [755] provides excellent descriptions and illustrations of the two taxa. *Barbula javanica* does not occur in Africa.

Barbula convoluta var. ***convoluta*** Hedw. CVI(1296,2666,6453), ETH(6137), KEN(411),

SAF(4304,4670,8328), TAN(46), ZAM(411).

Barbula corticicola Renauld & Cardot = *Trichostomum soulae* [1420] (= *Chionoloma bombayense*)

Barbula crinita Schultz, *nom. illeg. incl. spec. prior.* = *Pseudocrossidium crinitum* (1420)

Barbula crispata Drège, *nom. nud.* Excluded: an undescribed collection from South Africa.

Barbula curvirostris Lindb., *nom. illeg. incl. spec. prior.* = *Hymenostylium recurvirostre* [1521]

Barbula cuspidatissima Müll.Hal. = *Tortula cuspidatissima* [1521]
Barbula cylindrica (Taylor) Schimp. = *Didymodon vinealis* var. *flaccidus* (1420)
Barbula cylindrica var. *flaccida* Bruch, Schimp. & W.Gümbel = *Didymodon vinealis* var. *flaccidus* (1420)
Barbula desecta Rehmann ex Dixon, nom. nud. in synon. = *Tortula deserta* [6568: 19] (= *Hennediella longipedunculata*)
Barbula deserta Müll.Hal. = *Desmatodon longipedunculatus* (82: 210) (= *Hennediella longipedunculata*)
Barbula dimorpha Müll.Hal. = *Didymodon ceratodontes* (82: 233)
Barbula dioritica Müll.Hal. Note: the record for Eritrea that appeared on earlier lists was an error: the locality is in Sudan.

Barbula dioritica Müll.Hal. SUD(3076).

Barbula dorrii Renaud & Cardot = *Hydrogonium dorrii* [1521] (= *Barbula indica*)
Barbula dregeana Müll.Hal. = *Aloina bifrons* (82: 193)

Barbula dusenii Müll.Hal. ex Broth. CMN(47).

Barbula ehrenbergii (Lorentz) M.Fleisch. = *Barbula bolleana* (2666)

Barbula ehrenbergii var. *algeriae* (Müll.Hal.) Venturi & Bott. CHA(51).

Barbula ehrenbergii var. *algeriae* (Müll.Hal.) Venturi & Bott. Note: Frahm et al. (2666) synonymised *Barbula ehrenbergii* with *Barbula bolleana*, but this variety was not dealt with.

Barbula elliottii Broth. = *Barbula bolleana* (2666)

Barbula elongata Dixon, hom. illeg. = *Barbula zambesiaca* (53: 21)

Barbula erubescens Müll.Hal. = *Tortula schmidii* (82: 215) (= *Syntrichia fragilis*)

Barbula erythrodonta Taylor = *Streptopogon erythrodontus* [1521]

Barbula erythroneura Schimp. ex Müll.Hal. = *Tortula ruralis* [1911: 227; 82: 219] (= *Syntrichia ruralis*)

Barbula eubryum Müll.Hal. ANG(46), BUR(65), CAF(47), COM(4304), KEN(46,5315),

MDG(3072), RWA(65), SAF(1531,8328), SWZ(1531), TAN(46), UGA(46), ZAI(65), ZAM(62,411), ZIM(46,61).

Barbula eucayx Schimp. ex A.Jaeger, nom. nud. Excluded: based on a collection by Breutel from Western Cape, but location (and identity) of collection unknown.

Barbula euphorbiae Müll.Hal., nom. nud. Excluded: no indication of original collection.

Barbula eutrichostoma Müll.Hal. = *Tortella humilis* (82: 256)

Barbula excisa Müll.Hal. = *Tortula schmidii* (82: 215) (= *Syntrichia fragilis*)

Barbula exesa Müll.Hal. = *Tortula erubescens*, hom. illeg. [1911: 227] (= *Syntrichia fragilis*)

Barbula filicaulis Müll.Hal. ex Sim, orthog. err. = *Barbula flexicaulis* [1521] (= *Schistidium sp.*)

Barbula flavipila Schimp. ex Paris, nom. nud. = *Tortula pilifera* [4378: 101] (= *Pseudocrossidium crinitum*)

Barbula flexicaulis Müll.Hal. = *Schistidium sp.* (82: 246) Note: Sim [1911: 234] gives the identification as *Schistidium apocarpum*, but Magill [82: 246] states that no-one has compared Mueller's type with *Schistidium apocarpum*.

Barbula flexuosa Schultz, hom. illeg. = *Barbula calycina* (82: 240)

Barbula fontana (Müll.Hal.) Broth. = *Barbula meidensis* (50: 225)

Barbula fuscomucronata (Müll.Hal.) A.Jaeger = *Pseudocrossidium replicatum* (1419)

Barbula glacialis Bruch & Schimp. ex Müll.Hal., nom. nud. = *Tortula subspathulata* [1506: 633] (= *Syntrichia fragilis*)

Barbula hildebrandtii Müll.Hal. = *Tortula schmidii* (82: 215) (= *Syntrichia fragilis*)

Barbula hookeri Steud. = *Barbula calycina* (82: 240)

Barbula hornschuchiana Schultz = *Pseudocrossidium hornschuchianum* (1420)

Barbula humilis Hedw. = *Tortella humilis* (82: 256)

Barbula incerta (Mitt.) Paris, hom.illeg. = *Trichostomum incertum* [1420]

Barbula inclinans Schimp. ex Besch. MAU(105).

Barbula indica var. *indica* (Hook.) Spreng. in Steud. BIO(2662), CMN(1158), COM(40), CVI(2666,6453), GAB(1158), KEN(46,7251), LES(4897), MDG(40), MLW(67,411,6087), MOZ(357), MTN(6996), NGA(5148,5176), REU(2653), ROD(105), RWA(65), SAF(1531,8328), SEY(1926,1946,1947,2030,2353), SOC(40,2374,5613), SWZ(1531), TAN(46), UGA(4282), ZAI(65,259,5319), ZAM(411), ZIM(46,61).

Barbula indica var. *scaberrima* Dixon TAN(46).

Barbula isoindica Zander = *Barbula indica* (1158)

Barbula jamesonii Taylor = *Bryoerythrophyllum jamesonii* (82: 248) (= *Bryoerythrophyllum campylocarpum*)

Barbula javanica Dozy & Molk. Note: see under *Barbula consanguinea*.

Barbula kiaerii Broth. = *Barbula indica* var. *indica* (7069)

Barbula kivuensis Leroy & P.de la Varde = *Barbula bolleana* (2666)

Barbula lambarenensis P.de la Varde = *Barbula indica* (1158)

Barbula leikipiae Müll.Hal. = *Tortula hildebrandtii* [4872: 14] (= *Syntrichia fragilis*)

Barbula lepikiae Müll.Hal., orthogr. err. = *Barbula leikipiae* [1521] (= *Syntrichia fragilis*)

Barbula leptotortella Müll.Hal. = *Chionoloma bombayense* [7961: 36]. Note: both Sim [1911] and Magill [82: 259] treat this as *Oxystegus cylindricus* (= *Trichostomum tenuirostre*), but Sollman [7961: 36] states that the isotype material of *Barbula leptotortella* is *Chionoloma bombayense*.

Barbula leucostega Müll.Hal. = *Tortula princeps* (82: 219) (= *Syntrichia princeps*)

Barbula longipedunculata Müll.Hal. = *Desmatodon longipedunculatus* (82: 210) (= *Hennediella longipedunculata*)

Barbula longirostris Hampe = *Hennediella limbata* (1420)

Barbula lorentzii Kis = *Barbula indica* (1158) Note: *Barbula lorentzii* is based on *Barbula papillinervis* (Lorentz)
Broth., hom. illeg. = *Barbula indica*. The valid name (before synonymisation) for *Barbula papillinervis* was *Barbula isoindica* Zander, *nom. nov.*
Barbula macleana Rehmann ex Kindb., *nom. nud.* = *Barbula xanthocarpa* [1911: 238] (= *Didymodon xanthocarpus*)
Barbula macowaniana Müll.Hal. = *Tortula schmidii* (82: 215) (= *Syntrichia fragilis*)
Barbula madagassa Renauld & Cardot = *Barbula bolleana* (2666)
Barbula malacophylla Müll.Hal. = *Pleurochaete malacophylla* (1521)
Barbula mauchii Rehmann ex Geh., *nom. nud.* = *Tortula pilifera* [6568: 200] (= *Pseudocrossidium crinitum*)

***Barbula meidensis* Cufod. SOM(50).**

Barbula meruensis Müll.Hal. = *Tortula hildebrandtii* [4872: 14] (= *Syntrichia fragilis*)
Barbula meruensis var. *papillosa* (Broth.) Paris = *Tortula hildebrandtii* var. *papillosa*. Excluded: see note under this name.
Barbula michiganensis Steere ex Grout = *Didymodon maschallogena* (2666)

***Barbula microcalycina* Magill LES(1531,4897), REU(8028), SAF(1531,4897,8328).**

Barbula mollis Bruch & Schimp. ex Müll.Hal. = *Tortula mollis* (1521) (= *Syntrichia mollis*)
Barbula mucronulata Renauld & Cardot, *hom. illeg.* = *Barbula indica* (1158)
Barbula muelleri Bruch, Schimp. & W.Gümbel, *nom. illeg.* = *Tortula princeps* (82: 219) (= *Syntrichia princeps*)
Barbula muralis var. *brevipedunculata* Müll.Hal. ex Paris, *nom. nud.* = *Tortula muralis* var. *brevipedunculatus* [1521] (= *Tortula muralis* var. *muralis*)
Barbula muralis var. *capensis* Brid. = *Tortula muralis* var. *incana* [4250: 85] (= *Tortula muralis*)
Barbula mutica (Paris) Broth., *hom. illeg.* = *Trichostomum muticum* [1521]
Barbula nana Müll.Hal. = *Trichostomum brachydontium* (1660)
Barbula natalensis Müll.Hal. = *Tortella humilis* [1911: 241; 82: 256]
Barbula natalensis Müll.Hal. = *Barbula indica* (82: 243)

***Barbula omissa* Thér. MDG(4273).**

Barbula oranica Müll.Hal. = *Tortula hildebrandtii* [4872: 14] (= *Syntrichia fragilis*)
Barbula orientalis (F.Weber) Broth. (*non* Brid.) = *Barbula indica* (82: 243)
Barbula pagorum Milde = *Tortula pagorum* (82: 217) (= *Syntrichia pagorum*)
Barbula papillinervis (Lorentz) Broth., *hom. illeg.* = *Barbula isoindica* (1420) (= *Barbula indica*: see note under *Barbula lorentzii*)
Barbula parvula (Hook. & Grev.) Spreng. = *Desmatodon convolutus* (82: 209) (= *Tortula atrovirens*)
Barbula perlinearis Müll.Hal. = *Barbula xanthocarpa* [1911: 238] (= *Didymodon xanthocarpus*)

***Barbula pertorquata* Müll.Hal. TAN(46), ZAM(46).**

Barbula pertorquata Müll.Hal. = *Barbula xanthocarpa* [1911: 238] (= *Didymodon xanthocarpus*)
Barbula pilifera (Hook.) Brid. = *Barbula crinita* (82:237) (= *Pseudocrossidium crinitum*)
Barbula pilifera var. *aquatilis* Müll.Hal. ex Paris, *nom. nud.* Note: treated as *Pseudocrossidium crinitum*.
Barbula pilifera var. *gracilis* Hornsch. Note: treated as *Pseudocrossidium crinitum*.
Barbula pilifera var. *senilis* Rehmann ex Dixon & A.Gepp, *nom. nud.* Note: treated as *Pseudocrossidium crinitum*.
Barbula pilifera var. *sessilis* Paris, *nom. nud.* (*err. pro B. var. senilis*). Note: treated as *Pseudocrossidium crinitum*.
Barbula piligera (Hook.) Brid., *othogr. err.* = *Barbula pilifera* [1521] (= *Pseudocrossidium crinitum*)
Barbula plicata Rehmann ex Dixon & A.Gepp, *nom. nud.* Excluded: this collection from Lesotho ('ad riv. Caledon') (Rehmann 103) remains unpublished.
Barbula porphyreoneura Müll.Hal. ex Venturi = *Pseudocrossidium porphyreoneurum* (1420)
Barbula pseudoehrenbergii M.Fleisch. Excluded: this taxon does not occur in Africa (an *Index Muscorum* error).
Barbula pseudogracilis Müll.Hal. ex Venturi = *Barbula acuta* (1420) (= *Didymodon rigidulus* var. *gracilis*)

***Barbula punctulata* (Renauld & Paris) Broth., *hom. illeg.* MDG(40).**

***Barbula pygmaea* Müll.Hal. TAN(46).**

Barbula recurvata (Hook.) Schultz = *Desmatodon convolutus* (82: 209) (= *Tortula atrovirens*)
Barbula recurvata var. *aristatula* Müll.Hal. ex Paris, *nom. nud.* = *Desmatodon convolutus* [1911: 233] (= *Tortula atrovirens*)
Barbula recurvirostris (Hedw.) Dixon = *Bryoerythrophyllum recurvirostrum* var. *recurvirostrum* [1521]
Barbula rehmannii Müll.Hal. = *Barbula indica* (1158)
Barbula reticularia Müll.Hal. = *Tortula papillosa* (82: 218) (= *Syntrichia papillosa*)
Barbula revoluta Brid. = *Pseudocrossidium revolutum* (1420)
Barbula revoluta var. *hornschorchiana* (Schultz) Brid. = *Pseudocrossidium hornschorchianum* (1420)
Barbula riebeckii Müll.Hal. = *Pleurochaete squarrosa* [7878]
Barbula rigida Hedw. = *Aloina rigida* [1521]
Barbula rigida var. *pilifera* Hornsch. = *Barbula dregeana* [2787: 432] (= *Aloina bifrons*)
Barbula rufa Schimp. ex Besch. = *Tortula rufa* (1521)
Barbula rufo-aristata Müll.Hal., *nom. nud.* Excluded: no specimen has been associated with this name.
Barbula ruralis Hedw. = *Tortula ruralis* (82: 219) (= *Syntrichia ruralis*)
Barbula ruralis var. *intermedia* (Brid.) Limpr. = *Tortula intermedia* [1521] (= *Syntrichia intermedia*)
Barbula ruralis var. *rupestris* Bruch, Schimp. & W.Guembel, *nom. illeg. incl. var. prior* = *Tortula intermedia* [1521] (= *Syntrichia intermedia*)
Barbula ruvenzorensis (Broth.) Paris = *Trichostomum ruvenzorense* [1521]

***Barbula salisburyensis* Dixon ZIM(46,61).**

Barbula schmidii Müll.Hal. = *Syntrichia fragilis* (1621: 212)

Barbula schweinfurthiana Müll.Hal. SOC(349,1626,2374,5613).

Barbula somaliae Müll.Hal. SOM(50).

Barbula sparsifolia Renaud & Cardot = *Trichostomum sparsifolium* [1521] (= *Trichostomum brachydonium*)

Barbula sporophylla Renaud & Cardot = *Trichostomum sporophyllum* [1521]

Barbula squarrosa Brid. = *Pleurochaete squarrosa* var. *squarrosa* (1521)

Barbula stuhlmannii (Broth.) Brid. = *Barbula indica* (1158)

Barbula subaristata Broth. & Schimp. = *Syntrichia subaristata* (1420)

Barbula subcernua Schimp. ex Besch. = *Barbula inclinans* [2195: 344; 40: 207]

Barbula subobtusa Thér. MDG(40).

Barbula subrevoluta Hampe = *Didymodon subrevolutus* [1521]

Barbula subrufa Renaud & Cardot, hom. illeg. = *Tortula subrufa* [1521]

Barbula subscabrinervis Dixon & Naveau = *Bellibarbula recurva* (1420)

Barbula subspathulata Müll.Hal. = *Tortula subspathulata* (1521) (= *Syntrichia fragilis*)

Barbula subulirostris Müll.Hal. = *Didymodon subulirostris* [1521]

Barbula subxanthocarpa Broth. ex Sim, nom. nud. in synon. = *Barbula trichostomacea* [1911: 238] (= *Didymodon australasiae*)

Barbula sulcata Geh. = *Barbula convoluta* var. *convoluta* (2666)

Barbula syrrhopodontoides Rehmann ex Kindb., nom. nud. = *Tortella humilis* [1911: 241]

Barbula thrausta Müll.Hal. ex Paris, nom. nud. Excluded: an undescribed collection (*Dusén* 352) from Cameroon.

Barbula tisserantii (P.de la Varde) P.de la Varde CAF(47).

Barbula torquatifolia Geh. = *Pseudocrossidium porphyreoneurum* (1420)

Barbula torquescens Schimp. ex Müll.Hal. = *Barbula crinita* (82:237) (= *Pseudocrossidium crinitum*)

Barbula trichostomacea Müll.Hal. = *Trichostomopsis australasiae* (53: 22) (= *Didymodon australasiae*)

Barbula trichostomacea var. *chlorophyllosa* Müll.Hal. ex Paris, nom. nud. = *Barbula trivialis* [4378: 107] (= *Didymodon trivialis*)

Barbula trichostomum H.A.Wager, nom. inval. err. = *Barbula trichostomacea* [1521] (= *Didymodon australasiae*)

Barbula trichostomum var. *chlorophyllosa* Müll.Hal. ex Wager, nom. inval. = *Barbula trivialis* [4378: 107] (= *Didymodon trivialis*)

Barbula trifaria (Hedw.) Mitt. = *Didymodon vinealis* [2185]. Excluded: records of *Didymodon vinealis* for this area are likely to be *Didymodon insulanus*.

Barbula trivialis Müll.Hal. = *Didymodon trivialis* (1420) (= *Didymodon umbrosus*)

Barbula tuberculosa (Renaud & Paris) Cardot in Grandid. = *Gymnostomiella tuberculosa* (7068)

Barbula umtaliensis Magill ZIM(46,61).

Barbula unguiculata Hedw. ANG(46), CVI(2666), REU(5440), SAF(4670,8328),

SUD(1707).

Barbula usambareae Müll.Hal., nom. nud. Excluded: an undescribed collection, appearing on a list.

Barbula vinealis Brid. = *Didymodon vinealis* (1420)

Barbula vinealis ssp. *cylindrica* (Taylor) Podp. = *Didymodon vinealis* (1420)

Barbula wageri Broth. ex Wager, nom. nud. Excluded: an undescribed collection, appearing on a list.

Barbula xanthocarpa Müll.Hal. = *Didymodon xanthocarpus* (53: 22)

Barbula zambesiaca Magill ZIM(46,61).

Bartramia abesinica Müll.Hal., nom. nud. err. = *Bartramia abyssinica* [1521] (= *Flowersia abyssinica*)

Bartramia abyssinica Müll.Hal. = *Flowersia abyssinica* (182)

Bartramia africana Müll.Hal. = *Philonotis africana* (83: 429)

Bartramia afroacuminata Müll.Hal. ex Paris, nom. inval. err. = *Philonotis androgyna* [1911: 306] (= *Philonotis dregeana*)

Bartramia afro-affinis Müll.Hal. nom. nud. Excluded: an undescribed collection, with no specimen available.

Bartramia afrofontana Müll.Hal. = *Philonotis falcata* (83: 430)

Bartramia afrofontana var. *breviseta* Müll.Hal. ex Paris, err. = *Bartramia afrouncinata* var. *breviseta* [1521] (= *Breutelia substricta*)

Bartramia afrofontana var. *gracilescens* Müll.Hal. ex Paris, err. = *Bartramia afrouncinata* var. *gracilescens* [1521] (= *Philonotis dregeana*)

Bartramia afro-ithyphylla Broth. = *Bartramia brevifolia* ssp. *commutata* [7829: 81]

Bartramia afroscoparia Müll.Hal. = *Breutelia substricta* (83: 437)

Bartramia afrostricia Müll.Hal. = *Anacolia breutelii* var. *breutelii* (83: 411)

Bartramia afrouncinata Müll.Hal. = *Philonotis dregeana* (83: 425)

Bartramia afrouncinata var. *breviseta* Müll.Hal. = *Breutelia substricta* (83: 437)

Bartramia afrouncinata var. *gracilescens* Müll.Hal. = *Philonotis dregeana* (83: 425)

Bartramia alpestris Müll.Hal. nom. nud. Excluded: an undescribed collection, with no specimen available.

Bartramia androgyna Hampe = *Philonotis dregeana* (83: 425)

Bartramia angustissima Dixon UGA(46).

Bartramia angustiuscula Müll.Hal., nom. nud. Excluded: an undescribed collection (*Dusén* 86) from Cameroon.

Bartramia appressa Hook.f. & Wilson = *Philonotis scabrifolia* [6500: 450]

Bartramia aprica Müll.Hal. Note: the record for Eritrea that appeared on earlier lists was an error: the locality is in Sudan.

Bartramia aprica Müll.Hal. SUD(3076).

Bartramia arbuscula Müll.Hal. ex Paris, *nom. inval. in synon. err.* = *Bartramia arbusculacea* [1521] (= *Philonotos arbusculacea*)

Bartramia arbusculacea Müll.Hal. = *Philonotos arbusculacea* (1521)

Bartramia aristaria Müll.Hal. SAF(1531,8328), ZIM(61).

Bartramia aristaria var. *plumosa* Sim = *Bartramia capensis* (4800)

Bartramia aristifolia Broth., *hom. illeg.* = *Bartramia brachypus* [7829: 77]

Bartramia asperrima Müll.Hal., *hom. illeg.* = *Bartramia hampeana* [4325: 60; 6568: 202]

Bartramia baginsensis Müll.Hal. = *Philonotis baginsensis* (1521)

Bartramia basaltica Müll.Hal., *nom. nud.* Excluded: an undescribed collection, with no specimen available.

Bartramia borbonica (Besch.) Müll.Hal. = *Leiomela bartramoides* var. *borbonica* [1521] (= *Leiomela bartramoides*)

Bartramia boschbergiana Müll.Hal. = *Philonotis androgyna* [1911: 306] (= *Philonotis dregeana*)

Bartramia brachypus Bruch & Schimp. ex Müll.Hal. CMN(47,7829), ETH(50,1927,7829), KEN(46), TAN(46), UGA(46,7829), ZAI(65).

Bartramia brachypus Bruch. & Schimp. Note: this taxon was treated mistakenly as a synonym of *Anacolia webbii* in previous checklists, based on incorrect information in *Index Muscorum* [1521]

Bartramia breutelii Müll.Hal. = *Anacolia breutelii* (83: 411)

Bartramia brevicuspis Müll.Hal. ex Broth., *nom. nud. in synon.* = *Philonotis brevicuspis* [1521]

Bartramia brevifolia ssp. *commutata* (Mitt.) Fransen CMN(47,7829), ETH(1927), KEN(46), RWA(65), TAN(46,7829), UGA(46,7829), ZAI(65).

Bartramia byssiformis (Müll.Hal.) Wright = *Philonotis byssiformis* [1521]

Bartramia capensis (R.Br.) Wijk & Margad. SAF(1531,8328), TAN(46).

Bartramia capillaris Müll.Hal. ex Broth., *nom. nud. in synon.* = *Philonotis mniobryoides* [9: 251]

Bartramia cespitans Müll.Hal., *nom. nud.* = *Philonotis hastata* [2737: 616]

Bartramia commutata Mitt. = *Bartramia brevifolia* ssp. *commutata* [7829: 22]

Bartramia comorensis Müll.Hal. = *Philonotis hastata* [2737: 616]

Bartramia comosa Hampe & Müll.Hal., *hom. illeg.* = *Bartramidula comosa* (83: 423) (= *Philonotis comosa*)

Bartramia compacta var. *compacta* Hornsch. SAF(1531,8328).***Bartramia compacta*** var. *macowaniana* (Müll.Hal.) Magill SAF(1531,8328).

Bartramia crystallina Müll.Hal., *nom. nud.* = *Philonotis crystallina* [1521]. Excluded: see note under *Philonotis*.

Bartramia curvifolia (Besch.) Müll.Hal. = *Philonotis laxissima* [1848: 308] (= *Philonotis hastata*)

Bartramia curvula Müll.Hal. = *Philonotis curvula* (1521)

Bartramia delagoae Müll.Hal. Excluded: type not located (83: 418).

Bartramia densiretis Müll.Hal., *nom. nud.* Excluded: no specimen cited.

Bartramia dregeana Müll.Hal. = *Philonotis dregeana* (83: 425)

Bartramia ellottii Broth. = *Anacolia laevisphaera* (46)

Bartramia falcata Hook. = *Philonotis falcata* (83: 430)

Bartramia flaccidifolia Mitt. = *Philonotis flaccidifolia* [1521]

Bartramia flavinervis Müll.Hal. = *Philonotis flavinervis* [1521]

Bartramia floribundaria Müll.Hal., *nom. nud.* = *Philonotis floribundaria* [1521]. Excluded: see note under *Philonotis floribundaria*.

Bartramia fontana (Hedw.) Turner = *Philonotis fontana* [1521]

Bartramia fontana var. *marchica* (Hedw.) Hook. & Taylor = *Philonotis marchica* [1521]

Bartramia fragilicuspis Broth. = *Bartramia gigantea* [7829: 88]

Bartramia gemmascens Müll.Hal. = *Philonotis gemmascens* [1521]

Bartramia gigantea (Brid.) Schwaegr., *hom. illeg.* = *Breutelia gigantea* [1521] (= *Breutelia stuhlmannii*)

Bartramia gigantea Bory MAU(7829), MDG(40,7829), REU(7829), TAN(46).

Bartramia gigantea Bory = *Bartramia patens* [8103: 55]

Bartramia globosa Müll.Hal. = *Bartramidula globosa* (83: 423) (= *Philonotis globosa*)

Bartramia globosa var. *tenuicaulis* Müll.Hal. = *Bartramidula globosa* [1911: 305] (= *Philonotis globosa*)

Bartramia gracilescens (Müll.Hal.) Müll.Hal. = *Philonotis dregeana* (83: 425)

Bartramia halleriana Hedw. CMN(47,7828), ETH(1927), TAN(46).

Bartramia halleriana var. *eu-halleriana* Kabiersch = *Bartramia halleriana* [1521]

Bartramia hampeana ssp. *hampeana* Müll.Hal. LES(1531,4897),

SAF(1531,4897,7766,7829,8328), TAN(46), ZIM(61).

Bartramia heleniana Mitt. in Mellis = *Philonotis fontana* [25: 3: 374]

Bartramia helenica (Besch.) Müll.Hal. = *Philonotis helenica* [1521]

Bartramia hymenodon Müll.Hal. = *Philonotis scabrifolia* (83: 431)

Bartramia imbricatula (Mitt.) Müll.Hal. = *Philonotis laxissima* [5765: 32] (= *Philonotis hastata*)

Bartramia incrassata Müll.Hal. = *Philonotis incrassata* (1521)

Bartramia inserta Sull. & Lesq. = *Bartramia capensis* (83: 415)

Bartramia ithyphylla ssp. *ithyphylla* Brid. KEN(3412,5315), TAN(46), ZAI(65).

Bartramia ithyphylla Brid. is a boreal plant not occurring in Africa [7829], and the records for east Africa (KEN(3412,5315), TAN(46), ZAI (65)) should be re-examined.

Bartramia jungneri Paris = *Bartramia brachypus* [7829: 77]
Bartramia kilima n'djarica Paris = *Breutelia kilimandscharica* [1521]. Excluded: see note under *Breutelia kilimandscharica*.
Bartramia kilimandscharica Müll.Hal. = *Breutelia kilimandscharica* [1521]. Excluded: see note under *Breutelia kilimandscharica*.
Bartramia kraussii Bruch, Schimp. & W.Gümbel = *Bartramia compacta* var. *compacta* (83: 413)
Bartramia laete-virens Rehmann ex Geh., nom. nud. = *Breutelia afroscoparia* [4378: 91] (= *Breutelia subscripta*)
Bartramia laete-virens var. *procera* Rehmann ex Dixon & A.Gepp., nom. nud. = *Breutelia afroscoparia* [6568: 204] (= *Breutelia subscripta*)
Bartramia laevisphaera (Taylor) Müll.Hal. = *Anacolia laevisphaera* [1521]

Bartramia latiuscula Müll.Hal., nom. nud. = *Philonotis latiuscula* [1521]. Excluded: see *Philonotis*.
Bartramia laxissima Müll.Hal. = *Philonotis hastata* (83: 427)
Bartramia leikipiae Müll.Hal. = *Anacolia laevisphaera* (46)

Bartramia longifolia Hook. MDG(40,7829), REU(105,7829).

Bartramia luteoviridis (Besch.) Müll.Hal. = *Philonotis mauritiana* [1848: 306]
Bartramia macowaniana Müll.Hal. = *Bartramia compacta* var. *macowaniana* (83: 415)
Bartramia marchica (Hedw.) Sw. = *Philonotis marchica* [77: 24]
Bartramia marginalis Rehmann ex Geh., nom. nud. = *Bartramia substricta* [1911: 302] (= *Breutelia substricta*)
Bartramia mauritiana (Aongstr.) Müll.Hal. = *Philonotis mauritiana* [1521]
Bartramia microcarpa P.de la Varde = *Bartramia brachypus* [7829: 77]
Bartramia microthamnia Müll.Hal. ex Broth., nom. inval. in synon. = *Philonotis microthamnia* [1521]
Bartramia nanotheca Müll.Hal. = *Philonotis nanotheca* [1521]
Bartramia niamniamiae Müll.Hal. = *Philonotis niamniamiae* (1521)
Bartramia norvegica Lindb., nom. illeg. incl. spec. prior. = *Bartramia halleriana* [8172: 389]
Bartramia obtusulata Müll.Hal., nom. nud. Excluded: this name is not associated with a specimen.
Bartramia oederi Brid. = *Plagiopus oederi* (83: 409)
Bartramia pallidifolia Müll.Hal., nom.nud. in synon.= *Breutelia aristaria* var. *plumosa* [1911`: 312] (= *Bartramia capensis*)
Bartramia palustris (Hedw.) P.Beauv. = *Aulacomnium palustre* [1521]
Bartramia papillarioides Müll.Hal. ex Buettner = *Philonotis papillarioides* [1521]
Bartramia patens var. *patens* Brid. Note: according to Fransén [7829] *Bartramia patens* is a synonym of *Bartramia ithypylla* ssp. *patens*, but it is unlikely to occur in Africa; the specimens recorded from Africa under this name (MDG(40), REU(105)) should be re-examined.
Bartramia pechuelii Müll.Hal. = *Philonotis pechuelii* [1521]
Bartramia pellucida Hampe ex Müll.Hal. = *Philonotis baginsensis* [4274: 34]
Bartramia penicillata Müll.Hal. = *Bartramia hampeana* (1911)
Bartramia pentasticha Brid. = *Conostomum pentastichum* (83: 419)
Bartramia perconferta Müll.Hal. ex Broth., nom. nud. in synon. = *Philonotis perconferta* [1521]
Bartramia perigonalis (Besch.) Müll.Hal. = *Philonotis perigonalis* [1521]
Bartramia pernana Müll.Hal. = *Philonotis androgyna* [1911: 386] (= *Philonotis dregeana*)
Bartramia pilulifera Müll.Hal., nom. nud. = *Bartramidula comosa* [6568: 203] (= *Philonotis comosa*)
Bartramia polyclados Besch. ex Müll.Hal., nom. nud. Excluded: no specimen is associated with this name.

Bartramia pomiformis Hedw. ETH(1927).

Bartramia pungens Mitt. = *Philonotis pungens* [1521]
Bartramia pygmaeola Müll.Hal. = *Philonotis pygmaeola* (1521)
Bartramia quadrata Hook. = *Bartramia capensis* (83: 415)
Bartramia ramentosa Müll.Hal. = *Bartramia hampeana* [1911: 301]
Bartramia ruwenzorensis Broth. = *Bartramia brevifolia* ssp. *commutata* [7829: 77]
Bartramia senodictyifolia Müll.Hal., nom. nud. Excluded: no African specimen has associated with this name.
Bartramia sericea Hornsch. = *Bartramia capensis* [8103: 96; 83: 415]
Bartramia simplex Müll.Hal. = *Philonotis dregeana* (1911)
Bartramia somerseti Paris, nom. illeg. incl. spec. prior = *Bartramia hampeana* [1911: 301]
Bartramia sordida Müll.Hal. = *Bartramidula globosa* var. *tenuicaulis* [4378: 90] (= *Philonotis globosa*)
Bartramia sparsifolia Hampe = *Philonotis sparsifolia* [1521]
Bartramia spielhausii Müll.Hal. Excluded: type not found, but may be synonym of *Bartramia capensis* (83: 418)
Bartramia squarrifolia Sim = *Anacolia breutelii* var. *squarrifolia* (83: 412)

Bartramia stricta Hedw. CMN(47).

Bartramia strictae-affinis Müll.Hal. ex Paris, nom. nud. Excluded: an undescribed collection (*Dusén* 337) from Cameroon.

Bartramia stricto-affinis Müll.Hal., nom. nud. Excluded: see *Bartramia strictae-affinis*.

Bartramia strictula Müll.Hal. KEN(46), TAN(46).

Bartramia subasperrima Müll.Hal. = *Bartramia compacta* var. *compacta* (83: 413)
Bartramia subcespita Müll.Hal., nom. nud. Excluded: no specimen is associated with this name.
Bartramia subgnaphalea Müll.Hal. = *Breutelia diffracta* (83: 433)
Bartramia submarchica (Besch.) Müll.Hal. = *Philonotis submarchica* [1521]
Bartramia subolescens Müll.Hal. = *Philonotis subolescens* [1521]
Bartramia substricta Schimp ex Müll.Hal. = *Breutelia substricta* (83: 437)

Bartramia substricta var. *squarrifolia* Dixon in Sim = *Bartramia squarrifolia* [1911: 302] (= *Anacolia breutelii* var. *squarrifolia*)

Bartramia tecta Müll.Hal., nom. nud. in synon. = *Bartramia hampeana* [1911: 301]

Bartramia tenuicule Hampe = *Philonotis hastata* [4097: 61] (= *Philonotis hastata*)

Bartramia tomentosa (Brid.) F.Weber & D.Mohr. Excluded: *fide* De Sloover [282] (doubtful for the area).

Bartramia trichodonta Müll.Hal. = *Philonotis trichodonta* [1521]

Bartramia tricolor Müll.Hal. = *Philonotis tricolor* (1521)

Bartramia usambarae Müll.Hal., nom. nud. Excluded: no specimen is associated with this name.

Bartramia vagans (Hook.f. & Wilson) Mitt. = *Philonotis vagans* (83: 432)

Bartramia vaginans Rehmann ex Geh. = *Bartramia hampeana* ssp. *hampeana* [7829: 89]

Bartramia vulcanica Brid., nom. illeg. incl. spec. prior. = *Bartramia gigantea* [7829: 87]

Bartramia webbii (Mont.) Müll.Hal. Excluded: see note under *Anacolia webbii*.

Bartramidula breuteliana Paris, nom. illeg. incl. spec. prior. = *Bartramidula globosa* [1521] (= *Philonotis globosa*)

Bartramidula breuteliana var. *tenuicaulis* (Müll.Hal.) Paris = *Bartramidula globosa* [83] (= *Philonotis globosa*)

Bartramidula breutelii Schimp. ex A.Jaeger, nom. nud. = *Bartramidula globosa* [4378: 90] (= *Philonotis globosa*)

Bartramidula capensis Schimp. ex Müll.Hal., nom. nud. in synon. = *Bartramidula globosa* [4378: 90] (= *Philonotis globosa*)

Bartramidula cernua (Wilson) Lindb. = *Philonotis cernua* (182)

Bartramidula comosa (Hampe) Broth. = *Philonotis comosa* (182)

Bartramidula globosa (Müll.Hal.) Broth. = *Philonotis globosa* (182)

Bartramidula globosa var. *tenuicaulis* (Müll.Hal.) Sim = *Bartramidula globosa* [83] (= *Philonotis globosa*)

Bartramidula le-testui P.de la Varde = *Philonotis le-testui* (182)

Bartramidula subexigua (Müll.Hal.) Paris = *Philonotis scabrifolia* [8257: 93]

Beccaria elatior Müll.Hal. = *Pottia minor* var. *elatior* [1521] (= *Tortula minor* var. *elatior*)

Beccaria minor Müll.Hal. = *Pottia minor* [1521] (= *Tortula minor*)

Beccaria pusilla Müll.Hal. nom. inval. err. = *Pottia minor* [1521] (= *Tortula minor*)

Bellibarbula recurva (Griff.) R.H.Zander CMN(4304), MLW(6087), TAN(4304), UGA(46), ZAI(65).

Blindia acuta (Hedw.) Bruch, Schimp. & W.Gümbel KEN(46), REU(288), ZAI(65).

Blindia caespiticia F.Weber & D.Mohr. Excluded: this taxon is reported by *Index Muscorum* as being present in sub-Saharan Africa, but no report has been found.

Blindia magellanica var. *magellanica* Schimp. ex Müll.Hal. LES(1531,4897),

REU(105,8028), ZAI(65).

Blindia sp. Note: Frahm [1997] concludes that the records attributed to *Dicranodontium humile* P.de la Varde (RWA(46,65), UGA(46)) belong to a species of *Blindia*, possibly *Blindia acuta* [4283].

Blindia stylostegium Müll.Hal., nom. illeg. incl. spec. prior. Excluded: see *Blindia caespiticia*.

Borya vulcanica (Brid.) Brid., nom. inval. in synon. = *Aongstroemia filiformis* [4382: 125]

Brachydontium flexisetum Hampe RWA(65).

Brachymenium abyssinicum (Müll.Hal.) A.Jaeger ETH(23,50), ZAI(23,65).

Brachymenium acuminatum Harv. in Hook. ANG(23,46), BEN(4302), BKN(47),

BOT(1531), CAF(23,47), CHA(4507,4508), CMN(23,47), CVI(2666,6453), ERI(50), ETH(23), GUI(23,47,1458), IVO(1458), LES(1531,4897), MAU(23,105), MDG(23,40,1925), MLW(23,67,6087), NAM(1531,7155), NGA(47,334,5148,5176), SAF(1531,4897,8328), SUD(3076), SWZ(1531), TAN(23,46), TOG(1878), UGA(46), ZAI(65), ZAM(23,46,62), ZIM(23,46,61).

Brachymenium altipes Paris & Broth. = *Brachymenium acuminatum* (23: 4)

Brachymenium angolense (Welw. & Duby) A.Jaeger = *Brachymenium systylium* (2797: 46)

Brachymenium angusti-limbatum Broth. & Paris = *Brachymenium leptophyllum* (23: 20)

Brachymenium angustirete Ochi ERI(354), ETH(23).

Brachymenium anthracodictyon P.de la Varde = *Brachymenium speirocladum* (354)

Brachymenium apiculatum P.Beauv. MAU(105), MDG(40), ROD(105).

Brachymenium argenteum Thér. = *Brachymenium pulchrum* (23)

Brachymenium aureo-nitens Broth. & Paris = *Brachymenium acuminatum* (23: 4)

Brachymenium auriculatum (Müll.Hal.) Broth. = *Brachymenium apiculatum* (23: 4)

Brachymenium baronii Paris, nom. nud. = *Pohlia baronii* [4267: 25].

Brachymenium bequaertii Dixon & Thér. = *Brachymenium flexifolium* (354)

Brachymenium borgenianum Hampe = *Brachymenium acuminatum* (23: 4)

Brachymenium borgenii Renauld, nom. illeg. incl. spec. prior. = *Brachymenium borgenianum* [1521] (= *Brachymenium acuminatum*)

Brachymenium cagnii Negri = *Entostodon wichurae* (6802)

Brachymenium campylotrichum (Müll.Hal.) Broth. = *Brachymenium angolense* (23) (= *Brachymenium systylium*)

Brachymenium capitulatum (Mitt.) Kindb. CAF(47), CMN(23,47), DJI(1569), ETH(111),

GHA(47), GUI(23,47,5041), IVO(4928), KEN(23,46,2661), MDG(40), MLW(23,67),

NGA(334), RWA(65), SUD(8227), TAN(23,46), UGA(46), ZAI(65), ZAM(46).

Brachymenium cellularae (Hook.) A.Jaeger = *Bryum cellularare* [1521]

Brachymenium chandleri Dixon = *Brachymenium leptophyllum* (23: 20)

Brachymenium chilense Ochi & Mahu SAF(4670,8328).

Brachymenium commutatum var. *attenuatum* Thér. & Trab. MLI(47).

Brachymenium commutatum var. *commutatum* (Müll.Hal.) A.Jaeger ERI(50).

Brachymenium curvitheca Dixon ETH(50).

Brachymenium deceptivum A.J.Shaw & W.R.Buck ETH(6268).

Brachymenium densifolium (Ångstr.) Broth. = *Brachymenium acuminatum* (23: 4)

Brachymenium dicranoides (Hornschr.) A.Jaeger MLW(6087), NAM(7155),

SAF(23,1531,8328), ZIM(46).

Brachymenium djolibae Broth. & Paris = *Brachymenium leptophyllum* (23: 20)

Brachymenium dusenii Broth. = *Brachymenium acuminatum* (23: 4)

Brachymenium dusenii Paris. Excluded: an undescribed specimen (*Dusén* 772) from Cameroon.

Brachymenium elgonense Dixon KEN(46), UGA(46), ZAI(65).

Brachymenium eriophorum Rehmann ex Kindb., nom. nud. = *Brachymenium pulchrum* [1911: 318]

Brachymenium erythraeae Broth. ex Chiov. ERI(50).

Brachymenium erythraeae Broth. ex. Chiovenda, nom. nud. Excluded: no description available.

Brachymenium eurychelium Besch. MAU(105), MLW(6087), REU(23,105), ROD(23).

Brachymenium exile (Dozy & Molk.) Bosch & Sande Lac. BEN(4302), CAF(47),

CMN(23), CVI(2666), DJI(1569), ERI(23,50), ETH(23), GUI(47,1458), IVO(1458),

KEN(6615), MAU(6859), MDG(23,40,1925), NGA(23,334), NGR(23), REU(4777,5440),

SAF(23), SEN(1458), SEY(2353), SUD(23), TAN(23,46), TOG(23,1878), ZAM(62),

ZIM(46).

Brachymenium flexifolium Bruch & Schimp. ex A.Jaeger CMN(47), CON(354),

ETH(23,50,1927), KEN(46), UGA(23), ZAI(65,354).

Brachymenium fragile A.Jaeger SUD(3076).

Brachymenium fusiforme Dixon = *Brachymenium flexifolium* (354)

Brachymenium gemmiferum J.Shaw & W.R.Buck = *Brachymenium exile* (5440)

Brachymenium geniculatum Dixon = *Brachymenium leptophyllum* (23: 20)

Brachymenium heribaudii Renaud & Cardot = *Pohlia heribaudii* [1521] (= *Pseudopohlia microstoma*)

Brachymenium heribaudii var. *madagassum* Renaud & Cardot = *Pohlia heribaudii* var. *madagassum* [1521]

Brachymenium holstii Broth. = *Brachymenium angolense* (23) (= *Brachymenium systylium*)

Brachymenium huillense (Welw. & Duby) A.Jaeger = *Bryum huillense* [23]

Brachymenium julaceum Hornsch. = *Brachymenium pulchrum* (83: 345)

Brachymenium kikuyuense Broth. & Thér. = *Brachymenium philonotula* (23: 9)

Brachymenium koratranum (Müll.Hal.) Müll.Hal. = *Brachymenium pulchrum* (83: 345)

Brachymenium latifolium V.Leroy = *Brachymenium rigidum* (23)

Brachymenium leptophyllum (Bruch & Schimp. ex Müll.Hal.) Bruch & Schimp. ex A.Jaeger

BIO(2662), CAF(23,47), CMN(23,47), ETH(23,50,111,1927), GAB(47),

GUI(23,47,1458), IVO(63), KEN(46), MAS(40), MAU(23,105), MDG(40), MLW(23,67),

NGA(334,5176), REU(5440), RWA(23,65), SAF(1531,4897,8328), SAO(23), SEN(23),

SIE(47), TAN(23,46), TOG(23,58,1878,2851), UGA(23,46), ZAI(65), ZAM(62),

ZIM(23,46,61).

Brachymenium leucotrichum Müll.Hal. = *Bryum leucotrichum* (1521)

Brachymenium litiputanum (Müll.Hal.) Broth. = *Brachymenium dicranoides* (83: 342)

Brachymenium lineale Renaud & Cardot = *Pohlia elongata* (23)

Brachymenium lonchopus P.de la Varde = *Brachymenium acuminatum* (23: 4)

Brachymenium longicolle Thér. = *Brachymenium leptophyllum* (46)

Brachymenium maclaudii (Broth. & Paris) P.de la Varde = *Brachymenium acuminatum* (23: 4)

Brachymenium maclaudii var. *procerum* Dixon. Excluded: the owning species of this variety (recorded only by its type specimen from DR Congo) is now a synonym of *Brachymenium acuminatum*.

Brachymenium madagassum Hampe MDG(23,40).

Brachymenium marchandii Broth., othogr. err.= *B. maclaudii* [1521] (= *Brachymenium acuminatum*)

Brachymenium megalacriion (Schwägr.) A.Jaeger, nom. illeg. incl. spec. prior. = *Brachymenium apiculatum* (1521)

Brachymenium meruense (Müll.Hal.) Lindau TAN(46).

Brachymenium microcarpum Broth. = *Brachymenium nepalense* (23)

Brachymenium mielichhoferioides Müll.Hal. ex Venturi = *Brachymenium acuminatum* (23: 4)

Brachymenium mildbraedii Broth. in Mildbr. = *Brachymenium leptophyllum* (23: 20)

Brachymenium mildbraedii var. *subelimbatum* Thér. & P.de la Varde = *Brachymenium leptophyllum*. Note: Ochi (23) does not mention this variety when he synonymises the main species with *Brachymenium leptophyllum*; considering the variable nature of the plant, particularly the soft and easily-decaying leaves, I have assumed that the variety should also be referred here.

Brachymenium minutifolium Broth. & P.de la Varde = *Brachymenium leptophyllum* (23: 20)

Brachymenium molleri (Müll.Hal.) Kindb. = *Brachymenium subuliferum* (354)

Brachymenium myurella (Müll.Hal.) Broth. GUI(47), KEN(46), SUD(3076).

Brachymenium myurelloides Paris, nom. illeg. incl. spec. prior. = *Brachymenium dusenii* [1521; 25: 131]. Excluded: see *Brachymenium dusenii*.

Brachymenium neesii (Müll.Hal.) Paris = *Brachymenium dicranoides* [1911: 320; 83: 342]

Brachymenium nepalense Hook. in Schwägr. BIO(23,47,2659,2662), CMN(23), GUI(23), MAU(23,105), MDG(23,40,6908), MLW(67,6087), RWA(65), SAF(1531,4897,8328), SAO(23), SOC(40,1626,2374,5613), SWZ(4418), ZAI(23,65,354).

Brachymenium nigrescens Besch. MDG(23,40).

Brachymenium notarisii (Mitt.) A.J.Shaw CVI(2666,6453), MDG(40).

Brachymenium nutans Nees ex Müll.Hal., nom. nud. in synon. = *Brachymenium neesii* [4378: 66] (= *Brachymenium dicranoides*)

Brachymenium pachyloma (Cardot) Thér. in P.de la Varde ZAI(65).

Brachymenium pallidojulaceum (Müll.Hal.) Paris = *Brachymenium acuminatum* (83: 343)

Brachymenium perrevolutum J.F.Leroy = *Brachymenium rigidum* (23)

Brachymenium philonotula Broth. BUR(65), CVI(2666,6453), KEN(23,46), MDG(23,40), NGA(5160,5176), RWA(2660), TAN(23,46), ZAI(23,65), ZIM(7623).

Brachymenium philonotula Broth. Note: Ochi (23) notes that this taxon is possibly conspecific with *Brachymenium exile*.

Brachymenium philonotula var. *purpurellum* Renauld & Cardot = *Brachymenium purpurellum* [1521] (= *Brachymenium exile*)

Brachymenium piriforme Schimp. ex Paris, nom. nud. = *Brachymenium pyriforme* [1521]. Excluded: see *Brachymenium pyriforme*.

Brachymenium plumella (Müll.Hal.) Paris = *Pohlia plumella* [1521]

Brachymenium pobeguini Broth. & Paris = *Brachymenium leptophyllum* (23: 20)

Brachymenium polychaete Paris, nom. nud. Excluded: an undescribed specimen from Cameroon (*Dusén* 343).

Brachymenium procerrimum Broth. CMN(47), KEN(46), RWA(2675), TAN(46), UGA(23,46).

Brachymenium pulchrum Hook. KEN(23,46), MDG(23,40,2672), MLW(23,67), REU(105), ROD(105), SAF(23,1531,3411,4897,7766,8328), SWZ(1531), TAN(46), ZIM(23,46,61).

Brachymenium pulchrum var. *subsphaericum* Dixon = *Brachymenium pulchrum* (23)

Brachymenium purpurellum (Renauld & Cardot) Cardot = *Brachymenium exile* (40: 212)

Brachymenium pyriforme Schimp. ex A.Jaeger, nom. nud. Excluded: no specimen is associated with this name.

Brachymenium radiale Kindb., nom. nud. = *Brachymenium nepalense* (23)

Brachymenium radiale var. *leptoradiale* Paris, nom. nud. = *Brachymenium nepalense* (40: 212)

Brachymenium recurvatum Broth. & P.de la Varde = *Brachymenium leptophyllum* (23: 20)

Brachymenium revolutum Broth. CMN(23,47), KEN(3412).

Brachymenium rhodesiae Dixon = *Brachymenium rigidum* (23)

Brachymenium rigidum Broth. & Paris ANG(46), GUI(23,47), KEN(46), MDG(40), RWA(23,65), TAN(46), UGA(46), ZIM(23,46,61).

Brachymenium rigidum var. *leptocarpum* Broth. & Paris = *Brachymenium capitulatum* (354)

Brachymenium rosulatum P.de la Varde, hom. illeg. = *Brachymenium speirocladum* (23)

Brachymenium ruwenzorense Thér. & Naveau = *Brachymenium nepalense* (354)

Brachymenium saharicum Thér. & Trab. = *Brachymenium exile* (23: 8)

Brachymenium spathidophyllum Besch. REU(105).

Brachymenium speirocladum Müll.Hal. ex Besch. CAF(23,47), CMN(23,47), COM(23,40), MAS(40), MLW(23,67), TAN(23,46), TOG(1878), UGA(46), ZAI(65).

Brachymenium splachnoides Harv. = *Bryum cellulare* [2797: 55]

Brachymenium stenopyxis Müll.Hal. ex Geh., nom. nud. = *Brachymenium dicranoides* [1911: 320]

Brachymenium stenopyxis Müll.Hal. ex Sim, orthogr. err. = *Bryum stenopyxis* [1521] (= *Bryum argenteum*)

Brachymenium stenotheca Dixon = *Brachymenium flexifolium* (23)

Brachymenium stereoneurum Müll.Hal. = *Brachymenium exile* (23: 7)

Brachymenium subdecursivum (Müll.Hal.) Müll.Hal., nom. inval. in synon. = *Bryum argenteum* var. *viride* [1911: 321] (= *Brachymenium exile*)

Brachymenium subdeflexifolium Renauld & Cardot ex Paris, orthogr. err. = *Brachymenium subflexifolium* [1521] (= *Brachymenium nepalense*)

Brachymenium suberectum (Mitt.) A.Jaeger = *Brachymenium nepalense* (354)

Brachymenium subflexifolium Renauld & Cardot = *Brachymenium nepalense* (23)
Brachymenium subflexifolium var. *pachypoma* Renauld & Cardot ("pachyloma" in Crosby & Schultze-Motel, (40)) =

Brachymenium nepalense (23)

Brachymenium submicrocarpum Broth. = *Brachymenium nepalense* (23)

Brachymenium substereoneurum Dixon & Thér. = *Brachymenium philonotula* (23: 9)

Brachymenium subuliferum (Mitt.) A.Jaeger SAO(23,47), ZAI(23,65).

Brachymenium systylium (Müll.Hal.) A.Jaeger ANG(23,46), ETH(1927),

KEN(23,46,3412,6615,7251), MLW(67,411,6087), NAM(1531), RWA(2660),

SAF(23,1531,3411,4897,8328), TAN(23,46), UGA(23,46), ZAI(23,65), ZAM(46,62),

ZIM(46,61).

Brachymenium torquescens Schimp. ex Paris, *nom. nud.* Excluded: no specimen is associated with this name.

Brachymenium turgiditheca Dixon = *Brachymenium leptophyllum* (354)

Brachymenium variabile Dixon = *Brachymenium leptophyllum* (23: 20)

Brachymenium viviparum Cardot = *Brachymenium exile* (40: 212)

Brachymenium volkensii Broth. = *Brachymenium leptophyllum* (23: 20)

Brachymenium welwitschii (Duby) A.Jaeger = *Brachymenium acuminatum* (23: 4)

Brachymenium volkensii Broth. ex Paris, *err.* = *Brachymenium volkensii* [1521] (= *Brachymenium leptophyllum*)

Brachymitrium immersum Goffinet = *Tayloria immersa* [7870: 758]

Brachymitrium jamesonii Taylor CMN(47).

Brachymitrium moritzianum (Müll.Hal.) A.K.Kop. BIO(2662), CMN(47,123),

MDG(40,123), SAO(47).

Brachymitrium pocsii (A.K.Kop.) A.K.Kop. TAN(46).

Brachypodium crispatum (Hedw.) Brid. = *Ptychomitrium crispatum* (1519: 474)

Brachypodium flexum Nees ex Drege, *nom. nud.* Excluded: no specimen is associated with this name [1911: 215]

Brachysteleum convolutifolium J.Shaw. Excluded: type collection destroyed and description insufficient to place to genus (1519: 475)

Brachysteleum crassinervium Müll.Hal. = *Ptychomitrium crassinervium* (1519: 473)

Brachysteleum crispatum (Hedw.) Hornsch. = *Ptychomitrium crispatum* [1521]

Brachysteleum crispatum var. *brachycarpum* Hornsch. = *Ptychomitrium cucullatifolium* [1506: 1: 769]

Brachysteleum cucullatifolium Müll.Hal. = *Ptychomitrium cucullatifolium* (1519: 472)

Brachysteleum deppressum Müll.Hal. = *Ptychomitrium deppressum* (1519: 469) (= *Ptychomitrium sellowianum*)

Brachysteleum mucronatum Müll.Hal. = *Ptychomitrium mucronatum* [1521]. Excluded: see *Ptychomitrium mucronatum*.

Brachysteleum obtusatum Müll.Hal. = *Ptychomitrium cucullatifolium* (1519: 472)

Brachythecium abyssinicum Paris, *nom. nud.* Excluded: an undescribed collection (*Schimpfer s.n.*) from Ethiopia [50].

Brachythecium adscendens Hampe ex Dixon & A.Gepp, *nom. nud.* in *synon.* = *Brachythecium implicatum* [6568: 214]

Brachythecium afroalbicans Dixon = *Ischyrodon lepturus* (53: 22) (= *Juratzaea incisa*)

Brachythecium afroglareosum (Broth.) Paris ETH(111,1927), KEN(46,136), TAN(46),

UGA(46), ZAI(65).

Brachythecium afrosalebrosum Müll.Hal. = *Brachythecium implicatum* [4800: 221]

Brachythecium afrovelutinum Müll.Hal. = *Brachythecium implicatum* [4800: 221]

Brachythecium athrocladum Mitt. STH(1296,4202,5331).

Brachythecium atrotheca (Duby) Besch. = *Brachythecium implicatum* [1848: 522; 717: 201]

Brachythecium blackburnianum Schimp. ex A.Jaeger, *nom. nud.* Excluded: based on an undescribed specimen from Mauritius, leg. Blackburn.

Brachythecium blackburnii Kindb., *nom. nud.* = *Brachythecium blackburnianum* [1521] Excluded: see *Brachythecium blackburnianum*.

Brachythecium borgenii (Hampe) A.Jaeger COM(40), ETH(111), KEN(46),

MAU(105,3410), MDG(40), REU(105,3410), TAN(46), UGA(46).

Brachythecium caespitosum Schimp. ex Paris, *nom. nud.* Excluded: an undescribed collection (*Schimpfer s.n.*) from Ethiopia [50].

Brachythecium chauvetii Renauld & Cardot REU(105,3410).

Brachythecium complanatum Müll.Hal. = *Isopterygium complanatum* [1521]

Brachythecium decurrens Cardot MDG(40), REU(3410).

Brachythecium denticulatum (Hedw.) Rau ex Aust. & Jam. = *Plagiothecium denticulatum* [1521] Note: see *Plagiothecium denticulatum*.

Brachythecium dicksonii Rehmann ex Geh., *nom. nud.* = *Brachythecium implicatum* [4800: 221]

Brachythecium duemmeri Dixon ETH(111), KEN(46), TAN(46), UGA(46).

Brachythecium erythropyxis Müll.Hal. = *Brachythecium implicatum* [1911: 369]

Brachythecium gloriosum (Müll.Hal.) Kindb. ETH(111), KEN(46,2661), RWA(65), TAN(46).

Brachythecium hedbergii P.de la Varde RWA(65), TAN(46), UGA(46).

Brachythecium hofferi Welw. & Duby ex Paris, *orthogr. err.* = *Brachthecium hopfferi* [1521] (= *Rhynchostegium hopfferi*)

Brachythecium hopfferi (Welw. & Duby) Paris = *Rhynchostegium hopfferi* [1521]

Brachythecium implicatum (Müll.Hal.) A.Jaeger BUR(65), ETH(1927), KEN(46,3412), LES(1531,4897), RWA(46,65), SAF(1531,3411,4897,7766,8328), TAN(46), UGA(46), ZAI(65), ZIM(46).

Brachythecium incandae Rehmann ex Geh., *nom. nud.* = *Brachythecium implicatum* [1911: 369]

Brachythecium inconditum Besch. MAS(40).

Brachythecium indistinctum Müll.Hal. ex Renauld = *Brachythecium borgenii* [1848: 522; 40: 236]

Brachythecium knysnae Müll.Hal. = *Brachythecium implicatum* [4800: 221]

Brachythecium leskeifolium (Müll.Hal.) Paris = *Pseudoleskea leskeoides* [1911: 383]

Brachythecium maclaudii Broth. & Paris = *Brachymenium maclaudii* [1521] (= *Brachymenium acuminatum*)

Brachythecium macowani Rehmann ex Geh., *nom. nud.* = *Brachythecium implicatum* [6568: 214]

Brachythecium melanangium Müll.Hal ex C.H.Wright, *nom. nud.* = *Brachythecium borgenii* [1848: 522; 40: 236]

Brachythecium membranosum Müll.Hal. = *Rhynchostegium brachypterum* [1911: 374]

Brachythecium mildeanum (Schimp.) Schimp. TAN(46), UGA(46).

Brachythecium minutirete Müll.Hal. = *Brachythecium plumosum* [10: 1147]

Brachythecium mittenii E.Britton & Renauld = *Homalothecium nilgheriense* [1848: 521; 40: 237] (= *Palamocladium leskeoides*)

Brachythecium negrii Tosco & Piovano KEN(46).

Brachythecium nigroviride Kindb. TAN(46), UGA(46).

Brachythecium orthopyxis Rehmann ex Paris, *nom. nud.* Excluded: based on the undescribed specimen (*Rehmann* 377) from South Africa.

Brachythecium pinnatum Dixon SAF(1531,8328).

Brachythecium plumeum Müll.Hal. ex Paris, *nom. nud.* Excluded: based on the undescribed specimen (*Dusén* 297) from Cameroon.

Brachythecium plumosiforme (Müll.Hal.) A.Jaeger = *Brachythecium plumosum* [10: 1147]

Brachythecium plulosum (Hedw.) Bruch, Schimp. & W.Gümbel KEN(46,4112,5315), LES(1531), REU(3410), RWA(65), SAF(1531,7766,8328), TAN(146), TOG(2851), UGA(46,3410), ZAI(65).

Brachythecium plulosum var. *populeum* (Hedw.) Rau & Herv. = *Brachythecium populeum* [1521]

Brachythecium popfferi Welw. & Duby ex Paris, *err.* = *Brachythecium hopfferi* [1521] (= *Rhynchostegium hopfferi*)

Brachythecium populeum (Hedw.) Bruch, Schimp. & W.Gümbel SAF(1531,8328), TAN(46).

Brachythecium preussii (Broth.) Paris CMN(47).

Brachythecium pseudo-depressum Müll.Hal. ex Paris, *nom. nud.* = *Brachythecium borgenii* [1848: 522]

Brachythecium pseudo-eriocladum Müll.Hal. ex Paris, *nom. nud.* = *Brachythecium vellereum* [50: 239]

Brachythecium pseudopopuleum (Müll.Hal.) Schimp. SAF(1531,8328).

Brachythecium pseudovelutinum (Müll.Hal.) A.Jaeger SAF(1531,8328).

Brachythecium pulchrirete Müll.Hal. = *Brachythecium plumosum* [10: 1147]

Brachythecium purum (Hedw.) Dixon = *Pseudoscleropodium purum* [1521]

Brachythecium ramicola Broth. KEN(46), RWA(46), TAN(46), UGA(46), ZAI(65).

Brachythecium rhynchosstegioides Müll.Hal. ex Geh. = *Rhynchostegium brachypterum* [1911: 374]

Brachythecium rigens W.R.Buck KEN(3412), RWA(65).

Brachythecium rivulare Bruch, Schimp. & W.Gümbel KEN(46).

Brachythecium roccatii G.Negri UGA(46).

Brachythecium rutabulum var. *rivulare* (Bruch, Schimp. & W.Guembel) Lang. = *Brachythecium rivulare* [1521]

Brachythecium rutabulum var. *rutabulum* (Hedw.) Bruch, Schimp. & W.Gümbel ETH(1927), TAN(146).

Brachythecium salebrosum (F.Weber & D.Mohr) Bruch, Schimp. & W.Gümbel MLW(67), RWA(65), SAF(1531,8328), SWZ(1531), ZAI(65), ZIM(46,61).

Brachythecium salebrosum ssp. *mildeanum* (Schimp.) Renauld & Cardot = *Brachythecium mildeanum* [1521]

Brachythecium serpentinum Müll.Hal. ex Paris, *nom. nud.* Excluded: based on an undescribed specimen (*Dusén* 276) from Cameroon.

Brachythecium spectabile Broth. ETH(1927), KEN(46), RWA(46), TAN(46), UGA(46), ZAI(65).

Brachythecium starkei var. *sublaeve* Thér. ZAI(65).

Brachythecium strictopatens Müll.Hal. = *Brachythecium populeum* [11: 365]

Brachythecium subfurcatum Müll.Hal. ex Paris, *nom. nud.* Excluded: an undescribed collection from Ethiopia [50].

Brachythecium sublaetum Broth. RWA(65), TAN(146).

Brachythecium subrutabulum (Müll.Hal.) A.Jaeger LES(1531,4897),

SAF(1531,7766,8328).

Brachythecium sulphurascens Müll.Hal., nom. nud. in synon. = *Brachythecium implicatum* [1911: 369]

Brachythecium trachypodioides Schimp. ex Paris, nom. nud. = *Brachythecium abyssinicum* (1521). Excluded: an undescribed collection (*Schimper s.n.*) from Ethiopia.

Brachythecium trachypodioides Schimp. ex Paris, nom. nud. Excluded: see *Brachythecium abyssinicum*.)

Brachythecium truncorum Rehmann ex Dixon & A.Gepp, nom.nud. = *Brachythecium pseudopopuleum* [1911: 371]

Brachythecium ugandae Dixon ETH(111,1927), KEN(46), TAN(46), UGA(46).

Brachythecium valentini Besch. REU(105).

Brachythecium vellereum Mitt. CMN(47), ETH(50,1927), KEN(46,136,3412),

RWA(46,65), TAN(46), UGA(46), ZAI(65,5319).

Brachythecium velutinum var. *velutinum* Bruch, Schimp. & W.Gümbel CHA(4508),

UGA(6989).

Brachythecium vesiculariopsis Dixon CMN(47).

Brachythecium wageri Paris ex Sim, nom. nud. in synon. = *Brachythecium plumosum* [1911: 371]

Braunia alopecura (Brid.) Limpr. CVI(2666,6453,7708).

Braunia arbuscula (Welw. & Duby) A.Gepp ANG(46), KEN(46), TAN(46), UGA(46),
ZAI(65), ZIM(7623).

Braunia brachytheca (Dixon) Broth. = *Braunia secunda* [1911: 350]

Braunia campnoclada P.de la Varde & Thér. KEN(46,3412,5315,6615), TAN(46), ZAI(65).

Braunia diaphana A.Jaeger = *Braunia secunda* [5414: 10]

Braunia elliottii Broth. = *Felipponea assimilis* (5698) (= *Pterogoniadelphus assimilis*)

Braunia entodonticarpa Müll.Hal. COM(40), KEN(46).

Braunia erosa Müll.Hal. = *Hedwigidium integrifolium* [1911: 349]

Braunia flagellaris Rehmann ex Dixon & A.Gepp, nom. nud. Excluded: no published description.

Braunia humboldtii (Hook.) Hook.f. = *Rhacocarpus purpurascens* [10: 721; 40]

Braunia julacea (Schwaegr.) J.Shaw = *Erythrodontium julaceum* [1521]

Braunia laevicuspis Broth. ex Engl. ETH(50).

Braunia macowaniana Müll.Hal. = *Hedwigidium integrifolium* [10: 717]

Braunia maritima Müll.Hal. = *Hedwigidium integrifolium* [10: 717]

Braunia maritima var. *rufescens* Müll.Hal. ex Paris, nom. nud. = *Hedwigidium integrifolium* [1911: 350]

Braunia montis-deorum Müll.Hal. ex M.Fleisch., nom. nud. = *Hedwigidium montis-deorum* M.Fleisch., nom. nud.

Excluded: no published specimen.

Braunia peristomata Dixon = *Felipponea assimilis* (5698) (= *Pterogoniadelphus assimilis*)

Braunia producta (Hornsch.) J.Shaw = *Forsstroemia producta* [1521]

Braunia pseudodiaphana Rehmann ex Dixon & A.Gepp, nom. nud. Excluded: no published specimen.

Braunia rupestris (Mitt.) A.Jaeger CMN(47), ETH(50).

Braunia schimperi Bruch, Schimp. & W.Gümbel ERI(50), ETH(50,1927), KEN(46),
TAN(46).

Braunia schimperiana A.Jaeger, nom. illeg. incl. spec. prior. = *Braunia schimperi* [1521]

Braunia schimperianum var. *latifolium* Broth. ex Engl., nom. nud. Excluded: an undescribed collection from Ethiopia [50].

Braunia secunda (Hook.) Bruch & Schimp. ANG(46), BIO(8180), ETH(1927),

KEN(46,2661,3412,5315,6615), LES(4897), MLW(67), MOZ(357), RWA(65),

SAF(1531,3411,4418,7766,8328), SOC(7778), SWZ(1531), TAN(46), UGA(46), ZAI(65),
ZIM(46,61).

Braunia secunda fo. *longipila* Dixon ex Tosco & Piovano. Excluded: any records for this form have been associated with the owning species.

Braunia secunda fo. *xerophytica* Dixon ex Tosco & Piovano. Excluded: any records for this form have been associated with the owning species.

Braunia secunda ssp. *brachytheca* Dixon = *Braunia secunda* [1911: 350]

Braunia secunda var. *pinnata* Sim = *Braunia secunda* (1519: 547)

Braunia secunda var. *sekistos* (Welw. & Duby) Gepp in Hiern = *Braunia diaphana* [8262: 136]

Braunia teres Müll.Hal. = *Hedwigidium integrifolium* [10: 717]

Breidleria africana P.de la Varde = *Hypnum africanum* (355) (= *Hypnum bizotii*)

Breutelia abyssinica Schimp. ex Paris, nom. nud. Excluded: fide De Sloover, (282).

Breutelia afroscoparia (Müll.Hal.) Paris = *Breutelia substricta* (83: 437)

Breutelia angustifolia Rehm. ex Sim = *Breutelia microdonta* (829)

Breutelia aristaria (Müll.Hal.) Broth. = *Bartramia aristaria* (83: 416)

Breutelia aristaria var. *plumosa* Sim = *Bartramia capensis* (83: 415)

Breutelia aureonotens G.Negri orthogr. err. = *Breutelia auronitens* [1521] (= *Breutelia stuhlmannii*)
Breutelia auronitens G.Negri = *Breutelia stuhlmannii* [16: 260]

Breutelia borbonica De Sloover ETH(1927), REU(105), TAN(46).

Breutelia breutelii (Müll.Hal.) Broth. = *Anacolia breutelii* (83: 411)

Breutelia brevifolia Thér., hom. illeg. = *Breutelia madagassa* var. *madagassa* [1505: 357]

Breutelia cardotii Thér. = *Breutelia viguieri* (282)

Breutelia diffracta Mitt. BIO(3414), CMN(47), ETH(1927), KEN(46,3412,5315,7065),
 LES(1635,4897), MDG(40), MLW(67,411), RWA(65), SAF(1531,4897,8328), TAN(46),
 UGA(46), ZAI(65,5319), ZIM(61).

Breutelia elliptica Magill SAF(1531,7766,8328).

Breutelia gigantea (Brid.) Besch. = *Breutelia stuhlmannii* (40: 217)

Breutelia gnaphalea P.Beauv. CMN(47), KEN(3412,5315), MDG(40), MLW(67),
 REU(105).

Breutelia gracillima Broth. RWA(65), UGA(46), ZAI(65).

Breutelia humbertii P.de la Varde & Thér. KEN(46), RWA(65), TAN(46).

Breutelia kilimandscharica (Müll.Hal.) Kindb. Excluded: *fide* De Sloover, (282) (lacking adequate description and type).

Breutelia lebrunii Demaret & J.F.Leroy = *Breutelia gracillima* (282)

Breutelia macleai Rehmann ex Kindb., nom. nud. = *Breutelia macleana* [1521] (= *Breutelia diffracta*)

Breutelia macleana Rehm. ex Paris = *Breutelia subgnaphalea* [1911: 313] (= *Breutelia diffracta*)

Breutelia madagassa var. *kivuensis* P.de la Varde ZAI(65).

Breutelia madagassa var. *madagassa* Thér. MDG(40).

Breutelia magdalena De Sloover MAU(105), REU(105).

Breutelia microdonta (Mitt.) Broth. MDG(40,3660), REU(105),
 SAF(1531,1882,3660,8328), ZIM(61).

Breutelia muhavurensis P.de la Varde & Thér. KEN(46,259,6615), RWA(65),
 TAN(46,259), ZAI(282).

Breutelia perrieri Thér. MDG(40), REU(105), TAN(46).

Breutelia ryvardenii Bizot = *Breutelia gnaphalea* (46)

Breutelia sciuroides Thér. MDG(40).

Breutelia sclerodictya Cardot = *Breutelia microdonta* (3660)

Breutelia spielhausii (Müll.Hal.) Paris. Excluded: type of basionym (*Bartramia spielhausii*) not found, but may be a synonym of *Breutelia capensis* (83: 418)

Breutelia stenodictyon (Renauld & Cardot) Broth. = *Breutelia microdonta* (3660)

Breutelia stricticaulis Dixon KEN(46,7251), RWA(65), UGA(46), ZAI(65).

Breutelia stuhlmannii Broth. KEN(46,3412,5315), MDG(40,282), REU(282), RWA(65),
 TAN(46), UGA(46), ZAI(65,5319).

Breutelia subgnaphalea (Müll.Hal.) Kindb. = *Breutelia diffracta* (282)

Breutelia subgnaphalea var. *densiramea* Negri ex Dixon = *Breutelia diffracta* (282)

Breutelia substricta (Müll.Hal.) Magill LES(1531,4897), SAF(1531,1882,4897,7766,8328).

Breutelia tabularis Dixon ex Sim SAF(1531,8328).

Breutelia theriotii Naveau & Thér. = *Breutelia stricticaulis* (282)

Breutelia tomentosa (Brid.) A.Jaeger. Excluded: *fide* De Sloover, (282) (doubtful for the area).

Breutelia validinervis Dixon in Sim, nom. nud. in synon. = *Breutelia aristaria* var. *plumosa* [1911: 312] (= *Breutelia capensis*)

Breutelia viguieri Cardot MDG(40).

Brothera leana (Sull.) Müll.Hal. MLW(134), SAF(7482,8328).

Bruchia brevipes Harv. ex Hook. SAF(1531,4592,8328).

Bruchia eckloniana Müll.Hal. SAF(1531,8328).

Bruchia elegans (Hornschr.) Müll.Hal. = *Bruchia brevipes* [8320: 313; 8020: 92]

Bruchia foveolata Magill = *Bruchia queenslandica* (4592)

Bruchia laxifolia (Renauld & Cardot) Broth. = *Pseudephemerum laxifolium* [1521] (= *Pseudephemerum nitidum*)

Bruchia longifolia (Cardot) Roth = *Pseudephemerum longifolium* [4363: 139]

Bruchia queenslandica I.G.Stone NAM(1531,4592,7155), ZIM(5525).

Bruchia rehmannii Müll.Hal. = *Pleuridium pappeanum* (53: 22)

Bryobartramia novae-valesiae (Broth.) I.G.Stone & G.A.M.Scott SAF(1531,7280,8328).

Bryobartramia robbinsii Sainsbury = *Bryobartramia novae-valesiae* (82: 269)

Bryoceuthospora aethiopica (Welw. & Duby) R.H.Zander ANG(46), ZIM(5298,5525).

Bryocrumia vivicolor (Broth. & Dixon) W.R.Buck KEN(6309), TAN(6809),

UGA(46,6309,7922), ZAI(65,5319,6309).

Bryoerythrophyllum afrorubellum (Broth. & Wager) De Sloover = *Bryoerythrophyllum campylocarpum* (1420)

Bryoerythrophyllum alpigenum (Venturi) Chen. Note: see *Bryoerythrophyllum recurvirostrum* var. *alpigenum* (Sollman. pers. comm.)

Bryoerythrophyllum alpigenum (Venturi) P.C.Chen KEN(46), TAN(46), UGA(46).

Bryoerythrophyllum campylocarpum (Müll.Hal.) H.A.Crum ANG(259), BUR(65),

CAF(47), CHA(47), CMN(47), CVI(6453), ETH(6137), GAB(47), GHA(47), GUI(47),

IVO(44), KEN(46), LES(1531,4897), MLW(67,6087), NGA(5148,5160,5176,6263),

REU(2653), RWA(65), SAF(1531,4418,4897,7766,8328), SIE(47), TAN(46),

TOG(58,2851), UGA(46,1158), ZAI(47,65,5319), ZAM(62), ZIM(61).

Bryoerythrophyllum ferruginascens (Stirt.) Giacom. CVI(2666), ETH(1862,1927,4304), KEN(1862,4304), TAN(1862,4304,7833).

Bryoerythrophyllum inaequalifolium (Taylor) R.H.Zander CVI(2666), ETH(1158,1927), REU(8028), TAN(46).

Bryoerythrophyllum jamesonii (Taylor) H.A.Crum *auct. afr.* = *Bryoerythrophyllum campylocarpum* (1420)

Bryoerythrophyllum recurvirostrum ssp. *eucurvirostrum* Giac., nom. illeg. = *Bryoerythrophyllum recurvirostrum* [1521]

Bryoerythrophyllum recurvirostrum ssp. *eurecurvirostrum* Podp., nom. illeg. = *Bryoerythrophyllum recurvirostrum* [1521]

Bryoerythrophyllum recurvirostrum var. *angustifolium* (P.de la Varde) Wijk & Margad. = *Bryoerythrophyllum afrorubellum* (1420) (=*Bryoerythrophyllum campylocarpum*).

Bryoerythrophyllum recurvirostrum var. ***recurvirostrum*** (Hedw.) P.C.Chen CHA(4507), ETH(50,111,1927), KEN(46,136,3412), LES(1531,4897), MOZ(357), RWA(65), SAF(1531,4897,8328), TAN(46), UGA(46), ZAI(65).

Bryoerythrophyllum recurvum (Griff.) K.Saito = *Bellibarbula recurva* (1420)

Bryoerythrophyllum rubrum (Jur. ex Geh.) P.C.Chen TAN(46).

Bryoerythrophyllum rubrum (Jur. ex Geh.) P.C.Chen. Note: Sollman (pers. comm.) believes that the occurrence of this taxon in Africa is doubtful, and that the material should be checked.

Bryohaplocladium angustifolium (Hampe & Müll.Hal.) R.Watan. & Z.Iwats. ZAI(5319).

Bryohumbertia filifolia (Hornschr.) J.-P.Frahm = *Campylopus filifolius* [7844]

Bryohumbertia flavigoma (Müll.Hal.) J.-P.Frahm = *Campylopus flavigoma* [7844]

Bryohumbertia metzlerelloides P.de la Varde & Thér. = *Bryohumbertia flavigoma* (481) (= *Campylopus flavigoma*)

Bryomaltaea obtusifolia (Hook.) Goffinet ZAI(65).

Bryomnium solitarium Cardot = *Tayloria solitaria* (123)

Bryosedgwickia aureoides (Broth. & Paris) Broth. = *Platygyriella densa* (47)

Bryosedgwickia barlassina Tosco & Piovano. Note: this taxon was not dealt with in Buck's 1984 paper (3765), so no name is available in *Platygyriella*.

Bryosedgwickia barlassinae Tosco & Piovano KEN(46).

Bryosedgwickia densa (Hook.) Bizot & P.de la Varde = *Platygyriella densa* (3765)

Bryotestua brevicuspis Thér. & P.de la Varde CAF(47).

Bryotestua longicuspis Thér. & P.de la Varde CAF(47).

Bryowijkia madagassa Touw MDG(3075).

Bryoxiphium norvegicum (Brid.) Mitt. MAU(7780).

Bryum abyssinicum Bruch & Schimp. ex Müll.Hal. = *Brachymenium abyssinicum* [1521]

Bryum acuminatum Sim hom. illeg. = *Bryum torquescens* (83: 373)

Bryum acutifolium (Thér.) Arts LBR(47).

Bryum aestivum (Hedw.) L. ex With. = *Anoectangium aestivum* [1521]

Bryum africanum Bruch & Schimp., nom. nud. Excluded: no source specimen stated.

Bryum afroalpinum Rehmann ex Müll.Hal. = *Bryum alpinum* [4800: 180]

Bryum afrobillardierei Dixon ex Sim, nom.nud. in synon. = *Bryum canariensiforme* [1911: 336] (= *Bryum canariense*)

Bryum afrocallypnum P.de la Varde ETH(1927), KEN(23,46), TAN(46).

Bryum afrocrudum Müll.Hal. = *Pohlia afrocruda* (1521)

Bryum afrodimorphum Paris, nom. nud. Excluded: an undescribed collection (Rehmann 243) from South Africa.

Bryum afrojulaceum Müll.Hal. ex Paris = *Anomobryum afrojulaceum* [1521] Excluded: see *Anomobryum afrojulaceum*.

Bryum afrolitorale Müll.Hal. = *Bryum coronatum* (23)

Bryum afronutans Müll.Hal. = *Pohlia nutans* (83: 353)

Bryum afroplumosum Broth. & Paris = *Bryum apiculatum* (354)

Bryum afroturbinatum Rehmann ex Geh., nom. nud. = *Bryum aulacomnioides* [1911: 330] (= *Bryum pseudotriquetrum*)

Bryum albicans (Wahlenb.) Roehl., nom. illeg. incl. spec. prior. = *Mniobryum wahlenbergii* [1521] (= *Pohlia wahlenbergii*)

Bryum albidum (Hedw.) P.Beauv. = *Octoblepharum albidum* [1521]

Bryum albolumbatum (Hampe & Müll.Hal.) A.Jaeger TAN(46).

Bryum albolumbatum Cardot in Grandid., hom. illeg. = *Bryum truncorum* [23] (= *Bryum billardierei* var. *billardierei*)

Bryum albomarginatum Cardot in Thér. MDG(23,40).

Bryum albopulvinatum Müll.Hal. ANG(23,46), CAF(47), CMN(47), GAB(47), GUI(47), KEN(46), NGA(47,5148), RIM(4639), SIE(47), ZAI(65).

Bryum album (Hedw.) P.Beauv. err. = *Bryum albidum* [1521] (= *Octoblepharum albidum*)

Bryum algovicum var. ***rutheanum*** (Warnst.) Crundw. ETH(23,1927), KEN(46),

TAN(23,46).

Bryum alpinulum Besch. = *Bryum apiculatum* (6873)

Bryum alpinulum var. *densum* Renauld & Cardot = *Bryum nitens* (23: 62) (= *Bryum apiculatum*)

Bryum alpinulum var. *latinerve* P.de la Varde & Thér. Note: according to Frahm *et al.* this taxon is *Bryum nitens* (2666) (= *Bryum apiculatum*) but Bizot considers it to be *Brachymenium notarisii* (6458: 437); the latter is followed here.

Bryum alpinulum var. ***levieri*** Renauld & Cardot MDG(40).

Bryum alpinum fo. *madagassum* (Thér.) Podp. = *Bryum alpinum* (23)

Bryum alpinum ssp. *viride* (Husn.) Podp. = *Bryum alpinum* var. *viride* [1521]

Bryum alpinum var. ***alpinum*** Huds. ex With. BIO(8180), CMN(47), ETH(1927),

KEN(46,3412,5315,6615), LES(1531,4897), MDG(23,40,354), MLW(67,6087),

NAM(7155), RWA(2660), SAF(23,1531,7766,8328), TAN(23,46), UGA(23,46), ZIM(61).

Bryum alpinum var. *madagassum* Thér. = *Bryum alpinum* fo. *madagassum* [1521] (= *Bryum alpinum*)

Bryum alpinum var. ***perrevolutum*** P.de la Varde, *nom. inval.* KEN(46), NGA(5160,5176), TAN(46), UGA(46).

Bryum alpinum var. ***viride*** Husn. KEN(46), TAN(46).

Bryum alte-operculatum Besch. = *Bryum nitens* (23: 62) (= *Bryum apiculatum*)

Bryum altissimum Müll.Hal. = *Bryum preussii* [9: 247]

Bryum alto-cristatum Besch. ex Müll.Hal., *nom. nud.* Excluded: no specimen has been associated with this name.

Bryum altoroseum Müll.Hal. ex Broth. = *Rhodobryum altoroseum* [1521] (= *Bryum huillense*)

Bryum ambiguum ssp. *nitens* (Hook.) M.Fleisch. = *Bryum nitens* [1521] (= *Bryum apiculatum*)

Bryum amblyolepis Cardot = *Bryum argenteum* [2094]

Bryum amharensis Schimp. ex Müll.Hal., *nom. nud.* Excluded: no specimen has been associated with this name.

Bryum amplirete Rehm. ex Paris. Excluded: an undescribed specimen (*Rehmann 249*) from South Africa.

Bryum andicola Hook. CAF(21), KEN(46), LES(1531), MLW(67), SAF(1531,4897,8328),

SIE(47), SWZ(1531), TAN(21,46), ZAI(21,65), ZIM(61).

Bryum andrei Cardot & P.de la Varde = *Bryum paradoxum* (2797)

Bryum angolense Welw. & Duby = *Brachymenium systylium* (2797: 46)

Bryum angustifolium Schimp. ex Paris, *nom. nud.* = *Bryum semense* [1521] (= *Bryum orthocladon*)

Bryum angustissimum Müll.Hal. ex Renauld & Cardot in Levier = *Bryum billardierei* (23)

Bryum anomodon Mont. CVI(23,1296,2666,6453).

Bryum apiculatum Schwägr. BIO(47,2659), BKN(1423), CAF(47), CMN(23,47),

COM(23,40), CVI(2666), ETH(6137), GAB(23,47), GHA(4159), GUI(23,47),

IVO(44,1880), KEN(23,46), LBR(4159), LES(4897), MAU(23,105), MDG(23,40),

MOZ(357), NAM(1531,7155), NGA(4159), REU(23,105), ROD(23,105),

SAF(23,1531,8328), SAO(23,47), SEY(1926,1946,1947,2353), SIE(23,47,3216),

TAN(23,46), TOG(1878), UGA(5696), ZAI(23,65), ZAM(62).

Bryum appressum Renauld & Cardot = *Bryum robustum* (23) (= *Bryum billardierei*)

Bryum appressum var. *forsythii* Renauld & Cardot ex Levier. Excluded: the owning species of this variety is now a synonym of *Bryum billardierei*; this variety is known only from its type specimen from Madagascar.

Bryum arachnoideum Müll.Hal. ANG(46), BEN(4302), BKN(47), BUR(65), CMN(4310),

IVO(1458), KEN(23,46), LES(4897), MDG(23,40), MLW(23,67,6087), NGA(334,5176),

RWA(65,2660), SAF(4897), SOC(5613,6049), TAN(46), UGA(46), ZAM(62),

ZIM(23,46).

Bryum areoblastum Müll.Hal. = *Bryum apiculatum* (354)

Bryum argentatum Müll.Hal. = *Bryum argenteum* [23]

Bryum argenteum fo. *julaceum* Hampe. Excluded: any records for this form have been associated with the owning species.

Bryum argenteum fo. *laxifolium* Thér. Excluded: any records for this form have been associated with the owning species.

Bryum argenteum fo. *majus* (Schwägr.) Podp. Excluded: any records for this form have been associated with the owning species.

Bryum argenteum var. ***argenteum*** Hedw. ANG(46), ASC(23,1296,5340), BEN(4302),

BIO(8180), BOT(1531), BUR(65), CAF(47), CHA(47,4507,4508), CMN(23,47),

COM(40), CVI(2666,6453), ERI(50), ETH(23,50,1927,6137), GAB(47), GUI(47), KEN(23,46,136,2661,3412,5315,6615,7065), LES(1531,4897), MAU(105), MDG(23,40,6908), MLW(67), MOZ(357), NAM(1531,7155,8024), NGA(23,334,5176), REU(23,105), RWA(65,2660), SAF(23,1531,7766,8328), SAO(23,47), STH(1296,4202,4626,5331), SUD(3076), SWZ(1531), TAN(23,46), TOG(58,1878), UGA(23,46), ZAI(23,65), ZAM(46), ZIM(46,61,5525).

Bryum argenteum var. *argyrotrichum* (Müll.Hal.) Mitt. = *Bryum argenteum* var. *lanatum* [1911: 328] (= *Bryum argenteum* var. *argenteum*)

Bryum argenteum var. *australe* Sim = *Bryum argenteum* (83: 365)

Bryum argenteum var. *incanum* Sim, nom. nud. = *Bryum argenteum* var. *lanatum* [1911: 328] (= *Bryum argenteum* var. *argenteum*)

Bryum argenteum var. *lanatum* (P.Beaup.) Hampe = *Bryum argenteum* var. *argenteum* (5201)

Bryum argenteum var. *majus* Schwägr. = *Bryum argenteum* (2267)

Bryum argenteum var. *proliferum* Sim = *Bryum argenteum* (83: 365)

Bryum argenteum var. *rotundifolium* Sim = *Bryum cellulare* (83: 363)

***Bryum argenteum* var. *submuticum* Besch.** REU(105).

Bryum argenteum var. *viride* Sim = *Brachymenium exile* (23)

***Bryum argentisetum* Müll.Hal.** TAN(46).

Bryum argutidens Rehmann ex Kindb., nom. nud. = *Rhodobryum commersonii* [1911: 340]

Bryum argyrotrichum Müll.Hal. = *Bryum argenteum* [4274: 320]

Bryum argyrotrichum var. *laxum* Müll.Hal. Excluded: the owing species of this variety is now a synonym of *Bryum argenteum*.

Bryum aschersonii Müll.Hal. = *Bryum capillare* [23]

Bryum aterrimum Müll.Hal. ex Sim = *Bryum. torquescens* (83: 373)

***Bryum aubertii* (Schwägr.) Brid.** BUR(65), IVO(1458), LES(1531,4897), MAU(23),

MDG(23,40), REU(23), SAF(23,1531,7766,8328), TAN(46), ZAI(23,65).

Bryum aulacomnioides Müll.Hal. = *Bryum pseudotriquetrum* (23)

Bryum aulacomnioides var. *limbatum* Sim = *Bryum pseudotriquetrum* (83: 378)

Bryum auratum Mitt. = *Anomobryum auratum* (1521)

Bryum auricomum Besch. = *Bryum argenteum* (40: 212)

Bryum auriculatum Müll.Hal. = *Brachymenium acuminatum* (23: 4)

Bryum austro-caespiticium Müll.Hal. = *Bryum pseudotriquetrum* [23]

Bryum austro-crudum Müll.Hal. = *Pohlia cruda* [1521]

Bryum austro-ventricosum Renaud = *Bryum aulacomnioides* Müll.Hal. [1911: 330]

Bryum baronii Mitt. ex C.H.Wright, nom. nud. = *Webera decurrentis* [1848:274] (= *Pohlia baronii*)

Bryum bartramoides Rehmann ex Geh., nom. nud. = *Anisothecium symonsii* [1911: 60] (= *Anisothecium cardotii*)

Bryum bescherellei Renaud & Cardot in Renaud, hom. illeg. = *Bryum nitens* (23: 62) (= *Bryum apiculatum*)

Bryum bessonii Renaud & Cardot = *Bryum paradoxum* (2094)

Bryum bicolor Dicks. = *Bryum dichotomum* (2797)

Bryum bicolor Müll.Hal., hom. illeg. (non *Bryum bicolor* Dicks.) = *Bryum kilimandscharicum* [10: 580] (= *Bryum algovicum* var. *rutheanum*)

***Bryum billardierei* var. *billardierei* Schwägr.** MAU(105,298), MDG(21,23,40),

REU(21,23,105), ROD(105,4931), SAF(21), TAN(46), ZIM(46).

Bryum borgenianum (Hampe) Müll.Hal. = *Brachymenium borgenianum* [1521] (= *Brachymenium acuminatum*)

Bryum brachyeniaceum Müll.Hal. = *Bryum pseudotriquetrum* (83: 378)

Bryum breutelii Müll.Hal. Excluded: see *Weissia reticulata*.

Bryum brevinerve Dixon = *Bryum preussii* (23)

Bryum brotherianum Demaret = *Bryum coronatum* [23]

Bryum bujkuense P.de la Varde = *Bryum pseudotriquetrum* (23)

Bryum bujkuense var. *aristatum* P.de la Varde, nom. inval. in synon. = *Bryum pseudotriquetrum* [392: 222]

Bryum bulbiferum Rehm. ex Wager, nom. nud., nom. inval. = *Bryum rigidicuspis* [1911: 330] (= *Bryum dichotomum*)

***Bryum bulbillicae* Müll.Hal.** KEN(46).

Bryum bulbillicerum Rehm. ex Geh., nom. nud. = *Bryum rigidicuspis* [1911: 330] (= *Bryum dichotomum*)

***Bryum bullosum* Müll.Hal.** ex Broth.

***Bryum cadetii* Bizot & Onr.** REU(105,109).

Bryum caespiticium var. *bicolor* (Dicks.) Brid. = *Bryum bicolor* [1521] (= *Bryum dichotomum*)

Bryum caespiticium* var. *caespiticium Hedw.

ANG(46), ETH(1927), LES(1531,4897), MDG(6908), SAF(23,1531,8328), SOC(7778), UGA(23,46).

Bryum campylocarpum Müll.Hal., nom. nud. Excluded: no specimen has been associated with this name.

Bryum campylopodioides Müll.Hal., nom. nud.. Excluded: no specimen has been associated with this name from Mauritius [105].

Bryum campylotrichum Müll.Hal. = *Bryum angolense* (23) (= *Bryum systylium*)

Bryum canariense* var. *canariense Brid.

CVI(2666,6453), GUI(23,47), LES(1531),

SAF(23,1531,8328), SWZ(4418), TAN(46), ZAM(62), ZIM(46,61).

Bryum canariense var. *flaccidum* Müll.Hal. = *Bryum mundtii* [1911: 337] (= *Bryum canariense*)

Bryum canariense var. *subtorquatum* Hornsch. ex Sim, nom. nud. in synon. = *Bryum mundtii* [1911: 337] (= *Bryum canariense*)

Bryum canariensiforme Dixon = *Bryum canariense* (53: 22, 83: 381)

Bryum candidum Müll.Hal. = *Bryum argenteum* [10: 586]

Bryum capense (Müll.Hal.) Podp. = *Bryum capillare* [1911: 335]

Bryum capensiargenteum Müll.Hal. = *Bryum argenteum* [1911: 327; 83: 365]

Bryum capillare ssp. *capense* (Müll.Hal.) Podp. = *Bryum capillare* [1911: 335]

Bryum capillare ssp. *torquescens* (De Not.) Kindb. = *Bryum torquescens* (1520)

Bryum capillare var. *capense* Müll.Hal. = *Bryum capillare* [1911: 335]

Bryum capillare var. ***capillare*** Hedw. BOT(1531), CMN(23,47), COM(23,40),

CVI(2666,6453), ERI(50), ETH(23,50), GUI(23,47), KEN(23,46), LES(1531,4897),

MDG(23,40), MLW(67), MOZ(46), NAM(1531,7155), SAF(23,1531,4418,4897,8328),

SEY(354,2353), SIE(23,47,3216), SOC(2374,5613), SUD(23,3076), SWZ(1531),

TAN(23,46), TOG(1878), UGA(46), ZAI(23,65), ZIM(46).

Bryum capillare var. *torquescens* (De Not.) Husn. = *Bryum torquescens* (1520)

Bryum capillaroides Müll.Hal. ex Kindb., nom. nud. Excluded: no specimen has been associated with this name.

Bryum capillariforme Schimp. ex Müll.Hal., nom. nud. Excluded: no specimen has been associated with this name.

Bryum capillarisetum Müll.Hal., nom. nud. = *Bryum areoblastum* [4098: 280] (= *Bryum apiculatum*)

Bryum capillicaule Besch. ex Paris, nom. nud. Excluded: no specimen has been associated with this name.

Bryum capitulum Mitt. = *Brachymenium capitulum* (1521)

Bryum carbonicola Müll.Hal. Excluded: no specimen has been associated with this name.

Bryum cavifolium Müll.Hal. ex Paris, nom. nud. = *Bryum subcavifolium* [25: 1: 199] (= *Bryum radiculosum*)

Bryum cellulare Hook. BIO(2662), CVI(2666), LES(1531,4897), NAM(1531,7155),

NGR(23,51,4504), REU(105,354,1925), SAF(354,1531,8328), SUD(207,6314),

SWZ(4418), ZIM(61).

Bryum cellulare ssp. *lipopae* (Thér. & P.de la Varde) P.de la Varde = *Bryum euryphyllum* (354)

Bryum chalarorhodon Müll.Hal. ex Broth. = *Bryum huillense* (354)

Bryum chrysochaete Müll.Hal. ex Paris, nom. nud. Excluded: no specimen has been associated with this name.

Bryum chrysoloma Müll.Hal. ex Dixon, nom. nud. = *Bryum pumiliroseum* [1911: 336] (= *Bryum andicola*)

Bryum chrysoneuron Müll.Hal. Excluded: this taxon is reported for E. African islands (Afr. 3) by the *Index Muscorum* supplement (p. 387), but neither it nor its 11 synonyms were ever recorded for Africa.

Bryum climacodontium Paris, nom. illeg. incl. spec. prior. = *Anomobryum cygnicollum* [25: 1: 201]

Bryum commersonii (Schwägr.) Brid. = *Rhodobryum commersonii* (1521)

Bryum commutatum Müll.Hal. = *Brachymenium commutatum* (1521)

Bryum compressulum Müll.Hal. = *Anomobryum compressulum* (1521)

Bryum compyloiodoides Müll.Hal. ex Geh., nom. nud. in err. = *Bryum campylopodioides* [1521]

Bryum condensatum Hampe = *Bryum canariense* (23)

Bryum controversum (Hedw.) P.Beauv. = *Weissia controversa* [1521]

Bryum convolutifolium Dixon = *Bryum apiculatum* (23)

Bryum cordylocarpum Müll.Hal. ex Geh. nom. nud. Excluded: an undescribed collection (leg. Spielhaus, 1876) from Table Mountain, South Africa.

Bryum coronatum Schwägr. ANG(23,46), ASC(1296,5340), BIO(47), BUR(65),

CAF(23,47,355), CGS(5699,8220), CHA(23), CMN(23,47), DIE(2005,5699), GAB(47),

GHA(47), GUI(47), IVO(47,1458,1880), KEN(46), LBR(47), MAU(23,105),

MDG(23,40,6908), MLW(23,67), MOZ(357), NGA(47,334,5148,5176,6263), NGR(79),

REU(105), RWA(65), SAO(23,47), SEN(47), SIE(47,3216), SUD(3076), TAN(23,46),

TOG(58,1878), UGA(23,46), ZAI(65), ZAM(62), ZIM(61).

Bryum coronatum var. ***latifolium*** Broth. & P.de la Varde CAF(47).

Bryum crispatum Dicks. = *Rhabdoweisia crispata* (1519: 529)

Bryum curvirostrum Dicks., nom. inval. = *Bryoerythrophyllum recurvirostrum* [1521]

Bryum cyathiphillum Dixon & Herzog UGA(23,46), ZAI(23,65).

Bryum cygnicollum Müll.Hal. = *Anomobryum cygnicollum* (1521)

Bryum decaryanum Thér. = *Bryum capillare* (23)

Bryum decurrens Müll.Hal. = *Bryum pseudotriquetrum* (83: 378)

Bryum decursivum Müll.Hal., hom. illeg. = *Bryum torquescens* [1911: 335; 83: 373]

Bryum depressum Müll.Hal. ex Broth. BEN(4302), CMN(23,47), GUI(1458), IVO(1458),

SIE(47), ZAI(23,65).

Bryum deserticola Broth. & Thér. = *Brachymenium exile* (23: 8)

Bryum diaphanum J.F.Gmel.. = *Orthotrichum diaphanum* (1521)

Bryum dichotomum Hedw. BOT(1531), CHA(51,4480,4507,4508), KEN(3412,5315),

MDG(40), NAM(1531,7155), SAF(23,1531,7766,8328), SOC(40,5613), TAN(23,46), ZIM(46,61,5525).

Bryum dicranoides Hornsch. = *Brachymenium dicranoides* (83: 342)

Bryum dicranoides Schimp. ex Müll.Hal., nom. nud. in synon. = *Brachymenium commutatum* [243: 156]

Bryum didymodon Gmel., nom. inval. = *Didymodon rigidulus* [1521]

Bryum dimorphum Müll.Hal., nom. nud. Excluded: an undescribed collection (*Rehmann* 243) from South Africa.

Bryum dolioliforme Thér. = *Bryum arachnoideum* (23)

Bryum dongolense Brizi ERI(50).

Bryum donianum Grev. SAF(1531,8328).

Bryum dusenii Müll.Hal. ex Paris, nom. nud. Excluded: an undescribed specimen (*Dusén* 772) from Cameroon.

Bryum ecklonianum Müll.Hal. = *Pohlia nutans* [1911: 200; 83: 353]

Bryum elatum Broth. & Paris = *Bryum rhypariocaulon* (354)

Bryum ellipsifolium Müll.Hal. KEN(46), TAN(23,46), UGA(46).

Bryum ellipticifolium var. ***ellipticifolium*** Brizi ETH(50).

Bryum elongatum (Hedw.) With. = *Pohlia elongata* [1521]

Bryum erythrocarpoides Müll.Hal. & Hampe. Note: recorded for the Indian Ocean islands in *Index Muscorum*, but there is no evidence of it occurring in Africa.

Bryum erythrocarpulum Müll.Hal., nom. nud. Excluded: an undescribed specimen from Mauritius [105].

Bryum erythrocarpum var. ***madagassum*** Renauld & Cardot, nom. illeg. MDG(40).

Bryum erythrocaulon (Schwaegr.) Brid., sensu Sim = *Bryum truncorum* [1911: 337]

Bryum erythrocaulon (Schwägr.) Brid. CMN(47), MAU(21,105), MDG(21,40),

ROD(105,4931), SAF(1531,7766,8328), SIE(47), TAN(21), ZAI(65).

Bryum erythrocaulon var. *nitidonigrum* (Renauld) Wijk & Margad. = *Bryum erythrocaulon* [83: 383]

Bryum erythropis Müll.Hal. ex Broth., err. = *Bryum erythropsis* [1521]

Bryum erythrostegum Müll.Hal. = *Bryum coronatum* (23)

Bryum erythrotropis Müll.Hal. SUD(3076).

Bryum eurychelium (Besch.) Müll.Hal. = *Brachymenium eurychelium* [1521]

Bryum euryphyllum Dixon & P.de la Varde GAB(47), TAN(46), ZAI(23,65).

Bryum eurystomum Renauld & Cardot = *Bryum coronatum* (23)

Bryum falcatum Vill. ex Brid., nom. inval. in synon. = *Dicranella heteromalla* [7230: 54]

Bryum filiforme Dicks. = *Anomobryum filiforme* (1521) (= *Anomobryum julaceum*)

Bryum filiforme var. *abyssinicum* (Schimp.) Paris = *Anomobryum filiforme* var. *abyssinicum* (1521) (= *Anomobryum julaceum* var. *abyssinicum*)

Bryum filiforme var. *madagassum* (Renauld & Cardot) Renauld & Cardot = *Anomobryum filiforme* var. *madagassum* [1521] Note: see under *Anomobryum filiforme* var. *madagassum*.

Bryum flagellare (Müll.Hal.) Dicks. ex With. = *Orthodicranum flagellare* [1521]

Bryum flexifolium Müll.Hal., hom. illeg. = *Brachymenium flexifolium* (1521)

Bryum fluminale Müll.Hal. ex Broth. = *Bryum erythrocaulon* (21)

Bryum fonta-djalloni Paris ex Broth., nom. illeg. err. = *Bryum fonta-djalloni* [1521] (= *Brachymenium exile*)

Bryum fontanum (Hedw.) Gaertn. = *Philonotis fontana* [1521]

Bryum fonta-djalloni Paris = *Brachymenium exile* (354)

Bryum fragiferum P.de la Varde = *Bryum apiculatum* (354)

Bryum fragiferum var. *angustifolium* P.de la Varde = *Bryum apiculatum* (354)

Bryum fragile Müll.Hal., hom. illeg. = *Brachymenium fragile* (1521)

Bryum fusco-tomentosum Demaret & V.Leroy. Excluded: according to Ochi, the only collection of this taxon (from D.R. Congo) is not a *Bryum*, but probably an *Entosthodon* (354)

Bryum gaudichaudii (Schwaeg.) Spreng. = *Leptotheca gaudichaudii* [1521]

Bryum gemmiparum var. ***ahaggarensis*** Thér. & Trab. CHA(4508).

Bryum giganteum (Schwaeg.) Arnott = *Rhodobryum giganteum* [1521]

Bryum globirhodon Müll.Hal. ex Paris, nom. nud. = *Rhodobryum globirhodon* [1521] Excluded: see *Rhodobryum globirhodon*.

Bryum goetzei Broth., nom. nud. Excluded: an undescribed collection (*Goetze* 166) from Tanzania.

Bryum gracile Wilson ex Sm. Excluded: = p.p. *Orthodontium lineare* and p.p. *Orthodontium gracile* [1521]

Bryum grammophyllum Müll.Hal. ex Besch., nom. nud. = *Pohlia grammophylla* [1521]

Bryum grammothericum Müll.Hal. ex Besch., nom. nud. Excluded: an unpublished collection from Comores [3771; 40].

Bryum griseum Dusén ex Thér. = *Bryum argenteum* (354)

Bryum haematoneurum Müll.Hal. ERI(23,50), ETH(1927), KEN(3412), TAN(46).

Bryum hammatocaulon Müll.Hal. ex Paris, nom. nud. Excluded: an unpublished collection (*Dusén* 159) from Cameroon.

Bryum hedbergii P.de la Varde KEN(46,5315), TAN(46).

Bryum hedwigia Brotero = *Hedwigia ciliata* [8263: 410]

Bryum hematoneuron Müll.Hal., orthogr. err. = *Bryum haematoneuron* [1521]

Bryum herpetineuron Thér. = *Bryum perlimbatum* (23)

Bryum heteromallum (Hedw.) L. ex Sturm = *Dicranella heteromalla* [1521]

Bryum homalobolax Müll.Hal. ex Renaud = *Bryum huillense* (23)

Bryum homalobolax var. *latifolium* (Renauld & Cardot) Cardot = *Bryum huillense* (23)

Bryum homalobolax var. *minus* Thér. = *Bryum billardierei* (23)

Bryum horridulum Müll.Hal. = *Bryum rigidicuspis* (1911) (= *Bryum dichotomum*)

Bryum horridulum Müll.Hal., nom. nud. in synon = *Bryum areoblastum* [4098: 280] (= *Bryum apiculatum*)

Bryum huillense Welw. & Duby ANG(23,46), BIO(8180), BUR(65), CAF(47),

CMN(23,47), COM(40), ETH(23,1927), GUI(23,47), IVO(44,47),

KEN(23,46,6615,7065), MAU(23,105), MDG(23,40,6908), MLW(23,67),

NGA(334,5148), RWA(2660), SAO(23,47), TAN(23,46), TOG(23,58,1878), UGA(46),

ZAI(23,65), ZAM(62).

Bryum humidulum Sull. & Lesq. = *Pohlia nutans* (83: 353)

Bryum inclusum Müll.Hal. = *Bryum pseudotriquetrum* (23)

Bryum incomptum Besch. = *Bryum nitens* (23: 62) (= *Bryum apiculatum*)

Bryum integrifolium Rehm. ex Geh., nom. nud. = *Rhodobryum leucothrix* [6568: 206, 225] (= *Rhodobryum ontariense*)

Bryum intermedium var. *pallens* (Sw.) Hartm., nom. illeg prior. ut spec. = *Bryum pallens* [1521]

Bryum interruptinerve Müll.Hal. ex Besch., nom. nud. Excluded: no specimen known, but listed from Comores [3771; 40].

Bryum ischyrospeiron Müll.Hal. ex Paris, nom. nud. = *Bryum billardierei* (23)

Bryum joannis-meyeri Müll.Hal. Excluded: according to the author the specimen was collected by Meyer in Usambara (presumably Tanzania rather than Kenya), but no specimen is known.

Bryum julaceum Brid. = *Anomobryum julaceum* [71: 629]

Bryum jungneri Broth. = *Rhodobryum jungneri* [1521] (= *Bryum keniæ*)

Bryum keniæ Müll.Hal. BIO(2662), BUR(65), CMN(23,47), ETH(23,111), GUI(23,47),

KEN(23,46,2661,3412,5315,6615,7065), MLW(67,6087), MOZ(23,46), RWA(65),

SAF(23,1531,7766,8328), SWZ(1531), TAN(23,46), UGA(23,46), ZAI(65,2660),

ZAM(46), ZIM(23,61).

Bryum kilimandscharicum (Müll.Hal.) R.H.Zander. Excluded: see note under *Phascum kilimandscharicum*.

Bryum kilimandscharicum Broth. = *Bryum algovicum* var. *rutheanum* (23)

Bryum kindiae Paris & Broth. = *Bryum canariense* (354)

Bryum klinggraeffii Schimp. SUD(1707).

Bryum koratranum Müll.Hal. = *Brachymenium pulchrum* (83: 345)

Bryum laceratum Besch. = *Anomobryum laceratum* [1521]

Bryum laceratum var. *comorense* Besch. = *Anomobryum laceratum* var. *comorense* [1521]

Bryum laetenitens Müll.Hal. = *Bryum nitens* (23: 62) (= *Bryum apiculatum*)

Bryum laetevirens Müll.Hal., nom. nud. Excluded: no description available and no specimen stated.

Bryum laetum Mitt. ex Sim, nom. nud. in synon. = *Bryum muehlenbeckii* [1911: 333]

Bryum laevigatum Hook.f. & Wilson KEN(8170), TAN(8170).

Bryum lanatum (P.Beauv.) Brid. = *Bryum argenteum* var. *argenteum* [5201]

Bryum latirete (Dixon) Ochi = *Anomobryum minutirete* (45)

Bryum latomarginatum Müll.Hal., nom. nud. = *Bryum billardierei* (23)

Bryum laxiroseum Müll.Hal. = *Rhodobryum laxiroseum* [1521] (= *Rhodobryum commersonii*)

Bryum laxogemmaceum Müll.Hal. Excluded: type collection indeterminable, *fide* (83: 387)

Bryum lechlabense Broth. ex Sim, nom. nud. in synon. = *Bryum aulacomnioides* [1911: 331] (= *Bryum pseudotriquetrum*)

Bryum leloutrei Renauld & Cardot = *Brachymenium pulchrum* (23)

Bryum leptoareoblastum Müll.Hal. ex Paris, nom. nud. Excluded: an undescribed collection (*Dusén* 71) from Cameroon.

Bryum leptoblepharum Müll.Hal. = *Pohlia elongata* (83: 351)

Bryum leptoneurum P.de la Varde BIO(8180), ETH(1927), KEN(46), TAN(23,46).

Bryum leptophyllum Bruch & Schimp. ex Müll.Hal. = *Brachymenium leptophyllum* (83: 348)

Bryum leporoseum Müll.Hal. ex Paris, nom. nud. = *Rhodobryum leporoseum* nom. nud. [1521] (= *Bryum kenyiae*)

Bryum leptospeiron Müll.Hal. COM(23,40), MAU(23,105), MDG(40),

SEY(23,354,1926,2353).

Bryum leptothrix Müll.Hal. ex Paris, nom. nud. = *Rhodobryum roseum* [1911: 340] (= *Rhodobryum ontariense*)

Bryum leptotorquescens Müll.Hal. ex Broth. ANG(23,46), CAF(47), CMN(23,47), SIE(47),

UGA(46).

Bryum leptotrichaceum Rehm. ex Geh., nom. nud. = *Anisothecium symonsii* [1911: 160] (= *Anisothecium cardotii*)

Bryum leucothrix Müll.Hal. = *Rhodobryum roseum* [4800: 204; 83: 391] (= *Rhodobryum ontariense*)

Bryum leucotrichum (Müll.Hal.) Müll.Hal. SUD(3076).

Bryum liliputanum Müll.Hal. = *Brachymenium dicranoides* (83: 342)

Bryum lonchophyllum Broth. BIO(23), CMN(23,47), RWA(2660).

Bryum lonchopyxis Müll.Hal. = *Bryum torquescens* [1911: 335; 83: 373]

Bryum longirostre (Brid.) Brid. = *Mnium longirostre* [1521]

Bryum macleanum Müll.Hal. Excluded. Type destroyed, *fide* (83: 387)

Bryum madagassanum Thér. ex Podp., *nom. inval. in synon.* = *Bryum alpinum* var. *madagassanum* [1521] (= *Bryum alpinum*)

Bryum madagassoramosum Broth. = *Bryum billardierei* (23)

Bryum madagassum (Hampe) Müll.Hal. = *Brachymenium madagassum* [1521]

Bryum marchicum A.Roth. = *Philonotis marchica* [1521]

Bryum marieii Besch. = *Bryum coronatum* (23)

Bryum megalacriion Schwägr. MAS(40), MDG(23,40).

Bryum meruense Müll.Hal. = *Brachymenium meruense* (1521)

Bryum microdontium Dixon hom. illeg. = *Bryum andicola* (21)

Bryum microdontium var. *compactum* P.de la Varde, *nom. inval.* = *Bryum andicola* (21)

Bryum micro-erythrocarpum Müll.Hal. & Kindb. = *Bryum subapiculatum* [71: 631]

Bryum mielichhoferiaceum Müll.Hal. = *Pohlia elongata* (83: 351)

Bryum minutifolium Thér. = *Bryum subargenteum* (23)

Bryum minutirete Müll.Hal. = *Anomobryum minutirete* (45)

Bryum minutirosum Müll.Hal. KEN(46), TAN(46).

Bryum molleri Müll.Hal. = *Brachymenium molleri* [1521] (= *Brachymenium subuliferum*)

Bryum monilicaule Müll.Hal. ex Dixon & A.Gepp, *nom. nud.* = *Bryum mundtii* [1911: 338] (= *Bryum canariense*)

Bryum moniliforme Müll.Hal., *nom. nud.* Excluded: no specimen known.

Bryum mucronulatum Thundb., hom. illeg. = *Barbula apiculata* [8168: 2: 89] (= *Barbula unguiculata*)

Bryum muehlenbeckii Bruch & Schimp. SAF(23), ZAI(65).

Bryum muehlenbeckii ssp. *abduanum* (Rota) Giacom. = *Bryum muehlenbeckii* var. *viride* [4926: 360] (= *Bryum muehlenbeckii*)

Bryum muehlenbeckii var. *abduanum* (Rota) Podp., *nom. inval. incl. var. prior.* = *Bryum muehlenbeckii* var. *viride* [4926: 360] (= *Bryum muehlenbeckii*)

Bryum muehlenbeckii var. *typicum* Podp., *nom. illeg.* = *Bryum muehlenbeckii* [4926: 360]

Bryum muehlenbeckii var. *viride* Amann = *Bryum muehlenbeckii* [23: 60]

Bryum mundtii Müll.Hal. = *Bryum canariense* (83: 381)

Bryum mundtii var. *flaccidum* (Müll.Hal.) Müll.Hal. = *Bryum mundtii* [1911: 337] (= *Bryum canariense*)

Bryum myurella Müll.Hal. = *Brachymenium myurella* (23)

Bryum myurella Müll.Hal. ex Broth., *nom. nud. in synon.* = *Brachymenium dusenii* [10: 228] (= *Brachymenium acuminatum*)

Bryum myurelloides Paris, *nom. nud.* = *Brachymenium dusenii* [25: 1: 121; 10: 228] (= *Brachymenium acuminatum*)

Bryum nanocapillare Müll.Hal. ERI(50).

Bryum nano-ovale Müll.Hal., *nom. nud.* = *Bryum argenteum* var. *lanatum* [2787: 216] (= *Bryum argenteum* var. *argenteum*)

Bryum nanopyxis Müll.Hal. ex C.H.Wright, *nom. nud.* = *Bryum nitens* (40: 214) (= *Bryum apiculatum*)

Bryum nanorrhodon Müll.Hal. ex Besch. = *Bryum billardierei* (23)

Bryum nanotorquescens Müll.Hal. = *Bryum capillare* (354)

Bryum naropyxis Müll.Hal. ex C.H.Wright, *num. nud. err.* = *Bryum nanopyxis* [1521] (= *Bryum apiculatum*)

Bryum neelgheriense var. *wichurae* (Broth.) Mohamed MDG(6908).

Bryum neesii Müll.Hal. = *Brachymenium dicranoides* [1911: 320; 83: 342]

Bryum nigerianum var. *germainii* P.de la Varde & Demaret = *Bryum capillare* (354)

Bryum nigerianum var. *nigerianum* Broth. & Paris = *Bryum capillare* (354)

Bryum nigrescens (Besch.) Müll.Hal. = *Brachymenium nigrescens* [1521]

Bryum nitens Hook. = *Bryum apiculatum* (6873)

Bryum nitidonigrum Müll.Hal. ex Renauld = *Bryum truncorum* var. *nitidonigrum* [1521] (= *Bryum billardierei*)

Bryum norvegicum Gunn, *nom. inval.* = *Bartramia halleriana* [8172: 389]

Bryum nutans (Hedw.) Turn. = *Pohlia nutans* [1521]

Bryum ocabiense Broth. & P.de la Varde = *Bryum apiculatum* (354)

Bryum ochropyxis Müll.Hal. ex Paris, *nom. nud.* = *Bryum mundtii* [1911: 338] (= *Bryum canariense*)

Bryum ocobiense Broth. & P.de la Varde, *orthog. pro Bryum ocabiense* = *Bryum apiculatum* (354)

Bryum oligoloma P.de la Varde = *Bryum capillare* s.l (23)

Bryum oranicum Müll.Hal. = *Bryum argenteum* (83: 365)

Bryum orthocladum Bruch, Schimp. & W.Gümbel ex Schimp. in Paris ETH(23,50),

KEN(23).

Bryum orthodontum P.Beauv. = *Tayloria orthodonta* (83: 333)

Bryum orthophyllum Besch. = *Bryum nitens* (40: 214) (= *Bryum apiculatum*)

Bryum ovale (Hedw.) Hoffm. ex Dicks. = *Grimmia ovalis* [1521]

Bryum pachyloma Cardot = *Brachymenium pachyloma*

Bryum pachypoma Mont. = *Bryum apiculatum* (2797)

Bryum pallens var. *pallens* Sw. ETH(1927), RWA(23,65), UGA(2097).

Bryum pallescens Schleich. ex Schwägr. CMN(47), ZAI(65).

Bryum pallidojulaceum Müll.Hal. = *Brachymenium dicranoides* [1911: 321; 83: 343]

Bryum pallidum (Hedw.) Schreb. ex With. = *Ditrichum pallidum* [1521]

Bryum palmifolium (P.Beauv.) Brid. = *Fidssidens palmifolius* [1521]

Bryum palustre (Hedw.) Gaertn., Meyer & Scherb., hom. illeg. = *Aulacomnium palustre* [1521]

Bryum pappeanum Müll.Hal. = *Bryum capillare* (23)

Bryum pappei Müll.Hal. ex Kindb., nom. illeg. incl. spec. prior. = *Bryum pappeanum* [1521] (= *Bryum capillare*)

Bryum paradoxum Schwägr. ANG(23,46), COM(23,40), MDG(23,40,1925).

Bryum pendulinum Hampe = *Bryum argenteum* [10: 586]

Bryum penicillatum Hampe = *Bryum argenteum* (23)

Bryum peralatum P.de la Varde. Excluded: according to Ochi, the only collection of this taxon (from Central African Republic) is not a *Bryum*, but probably an *Entosthodon* (354).

Bryum perdelicatulum Broth. ex Hariot, nom. nud. = *Bryum cellulare* [393: 1]

Bryum perimbricatum Müll.Hal. ex Broth. = *Anomobryum perimbricatum* [1521]

Bryum perlimbatum Cardot. Excluded: Ochyra (1442) concludes that the specimen was collected in Puerto Natale, Chile, not in Natal, South Africa.

Bryum perramosum P.de la Varde = *Bryum apiculatum* (23)

Bryum perrieri Thér. MDG(40).

Bryum perspinidens Broth. = *Rhodobryum perspinidens* (74: 257)

Bryum pertomentosum Broth. ex Ochi, nom. nud. = *Bryum leptospeiron* (23: 56)

Bryum pervires Müll.Hal. = *Bryum mundtii* [1911: 337] (= *Bryum canariense*)

Bryum petrophilum P.de la Varde = *Bryum andicola* (21)

Bryum philonotis Hampe ex Grandid., nom. nud. in synon. = *Pohlia heribaudii* [1848: 276] (= *Pseudopohlia microstoma*)

Bryum philonotula Hampe ex C.H.Wright, nom. nud. = *Brachymenium philonotula* [1521]

Bryum philonotula Müll.Hal. = *Pohlia philonotula* [1521]

Bryum piliferum Bruch & Schimp. ex Paris, nom. nud. Excluded: an undescribed collection (*Schimper s.n.*) from Ethiopia [50].

Bryum pintasi Broth. ex Müll.Hal., nom. nud. Excluded: no specimen known.

Bryum piriforme Paris, nom. inval. in synon. orthogr. = *Bryum pyriforme* [1521] (= *Leptobryum pyriforme*)

Bryum planomarginatum Dixon = *Bryum pseudotriquetrum* (23)

Bryum plumella Müll.Hal. = *Pohlia plumella* [1521]. Excluded: see *Pohlia plumella*.

Bryum plumosum Dozy & Molk. = *Bryum apiculatum* (2797)

Bryum pobeguini Broth. & P.de la Varde = *Bryum capillare* (354)

Bryum polychaete Müll.Hal. ex Paris. Excluded: see *Brachymenium polychaete*.

Bryum polytrichoides Müll.Hal. = *Bryum capillare* (23)

Bryum polytrichoides sensu Sim = *Bryum viride* (83: 379)

Bryum pomiforme var. *halleri* Vill., nom. inval. = *Bartramia halleriana* [1521]

Bryum pomoniae Müll.Hal. = *Bryum apiculatum* (23)

Bryum porphyrothrix Müll.Hal. = *Bryum torquescens* [1911: 331; 83: 373]

Bryum porphyroloma Müll.Hal. ex Geh., nom. nud. = *Bryum aulacomnioides* [1911: 331] (= *Bryum pseudotriquetrum*)

Bryum pottiaefolium Müll.Hal. = *Bryum capillare* (354)

Bryum praemorsa-obtusum Müll.Hal., nom. nud. Excluded: no specimen known.

Bryum preussii Broth. CMN(23,47), KEN(411,1408,3412,5315,6615,7065), TAN(23), UGA(23), ZAI(23,65).

Bryum preussii var. *oblongifolium* Thér. & Naveau = *Bryum preussii* (23)

Bryum preussii var. *subintegrum* P.de la Varde, nom. inval. descr. gall. tantum. Excluded: this variety is ignored by Ochi [23: 115], and from Ochi's description it would appear to be within the normal scope of the species.

Bryum priantes J.Shaw = *Bryum muhlenbeckii* [1911: 333].

Bryum procerrimum Paris, nom. nud. = *Anomobryum promontorii* [4378: 69] (= *Anomobryum julaceum*)

Bryum promontorii Müll.Hal. = *Anomobryum filiforme* (83: 359) (= *Anomobryum julaceum*)

Bryum pseudodecursivum Paris = *Bryum capillare* var. *torquescens* [1911: 335] (= *Bryum torquescens*)

Bryum pseudolimbatum J.F.Leroy = *Bryum depressum* (23)

Bryum pseudophilonotula Müll.Hal. = *Pohlia pseudophilonotula* [1521]. Excluded: see *Pohlia pseudophilonotula*.

Bryum pseudotorquescens Müll.Hal. = *Bryum capillare* (354)

Bryum pseudotriquetrifolium Cardot = *Bryum pseudotriquetrum* (23)

Bryum pseudotriquetrum* var. *bimum (Brid.) Lilj. SUD(1419).

Bryum pseudotriquetrum var. *pallescens* (Schwaegr.) Dixon = *Bryum pallescens* [1521]

Bryum pseudotriquetrum* var. *pseudotriquetrum (Hedw.) P.Gaertn., B.Mey. & Scherb.

ETH(1927,6137), KEN(23,2661,3412,5315,6615,7065), LES(1531,4897), MDG(40),

REU(5440), RWA(23,65), SAF(23,354,1531,8328), TAN(23,354), UGA(23),

ZAI(65,2660), ZAM(62), ZIM(61).

Bryum pseudotruncorum Thér. = *Bryum billardierei* (23)

Bryum pterocaulon P.de la Varde = *Bryum pallens* (23)

Bryum pulchrum (Hook.) Müll.Hal. = *Brachymenium pulchrum* (23)

Bryum pulvinatum (Hedw.) With. = *Grimmia pulvinata* [1521]

Bryum pumiliroseum Dixon = *Bryum andicola* (21)

Bryum pumiliroseum var. *ruwenzorense* Thér. & Naveau = *Bryum billardierei* [23]

Bryum punctatum (Hedw.) Turn. = *Mnium punctatum* [1521]. Excluded: see *Mnium punctatum*.

Bryum purpureonigrum Duby MDG(40).

Bryum pycnoloma Müll.Hal. ex Paris, *nom. nud.* = *Bryum capillare* [1911: 335]

Bryum pycnophyllum (Dixon) Mohamed LES(1531,4897), SAF(1531,4897,7766,8328),

SWZ(1531), TAN(46), ZAM(62), ZIM(46,61).

Bryum pyriforme (Hedw.) Gaertn., Meyer, & Scherb., *hom. illeg.* = *Leptobryum pyriforme* [1521]

Bryum quintasii Broth. = *Rhodobryum quintasii* [1521] (= *Bryum huillense*)

Bryum radiale Müll.Hal. ex Paris, *nom. nud.* = *Brachymenium capitulatum* [1848: 284]

Bryum radiale var. *leptoradiale* Müll.Hal. ex Paris, *nom. nud.* = *Brachymenium radiale* var. *leptoradiale* [1521] (= *Brachymenium nepalense*)

Bryum radicale Müll.Hal. ex Paris, *nom. nud. err.* = *Bryum radiale* [1521] (= *Brachymenium capitulatum*)

Bryum radicale Rehm. ex Dixon = *Bryum turbinatum* (83: 375)

Bryum radiculosum Brid. NAM(1531,7155), SAF(23,1531,8328), ZIM(5525).

Bryum rayneri P.de la Varde = *Bryum orthocladium* (23)

Bryum rectitheca Dixon = *Bryum alpinum* (23)

Bryum recurvirostre (Hedw.) With. = *Bryoerythrophyllum recurvirostre* [1521]

Bryum rehmannii Müll.Hal. ex Geh., *nom. nud.* = *Bryum mundtii* [1911: 338] (= *Bryum canariense*)

Bryum rhomboidale Thér. = *Bryum capillare* var. *capillare* (23)

Bryum rhypariocaulon Müll.Hal. BIO(23), CAF(47), GUI(23,47), NGA(5148,5176),

TOG(1878), UGA(46).

Bryum rigidicuspis Dixon = *Bryum bicolor* (23) (= *Bryum dichotomum*)

Bryum rigidulum (Hedw.) Dicks. = *Didymodon rigidulus* [1521]

Bryum robustum Hampe = *Bryum billardierei* var. *billardierei* (2797)

Bryum rodriguezii Renauld & Cardot = *Bryum nitens* (40: 214) (= *Bryum apiculatum*)

Bryum roscheri Lorentz TAN(46).

Bryum roseum (Hedw.) Gaertn., Meyer & Scherb. = *Rhodobryum roseum* [1521] Note: see note under *Rhodobryum spathulatum*.

Bryum roseum var. *giganteum* (Schwaegr.) Brid. = *Rhodobryum giganteum* [1521]

Bryum rostratum Schrad. = *Plagiommium rostratum* (1036) (*auct. afr.* = *Plagiommium rhynchophorum* var. *rhynchophorum*)

Bryum rosulans Müll.Hal., *hom. illeg.* Excluded: no description or collection known.

Bryum rosulatum Müll.Hal. = *Bryum andicola* (21)

Bryum rubellum Hoffm., *nom. inval.* = *Bryoerythrophyllum recurvirostrum* var. *recurvirostrum* [8261: 195]

Bryum rubens Mitt. SAF(4670,8328).

Bryum rubicundum Müll.Hal. Excluded: according to Ochi (23), this is probably not a *Bryum*, but the specimen is too fragmentary to determine.

Bryum rubrocostatum Müll.Hal. Excluded: according to Ochi (23) this is probably a *Mielichhoferia*, but the specimen is too scanty to be more definite.

Bryum ruderale Crundw. & Nyholm SAF(4670,8328).

Bryum ruwenzorense Thér. & Naveau in Naveau = *Bryum soulii* (7045) (= *Bryum huillense*)

Bryum sabulosum Thér. = *Bryum nitens* (40: 214) (= *Bryum apiculatum*)

Bryum saprophilum Müll.Hal. ex Broth., *hom. illeg.* = *Rhodobryum saprophilum* [1521] (= *Bryum capillare*)

Bryum sauteri Bruch, Schimp. & W.Gümbel SAF(2135), STH(4626).

Bryum scariosum Thér. = *Bryum billardierei* (23)

Bryum schizotrichum Müll.Hal. ex Geh., *nom. nud.* = *Haplodontium reticulatum* [1911: 317] Excluded: see note under *Weissia reticulata*.

Bryum schleicheri var. *ahaggarensis* Thér. & Trab. CHA(4508).

Bryum schleicheri var. *schleicheri* Schwägr. CHA(4508).

Bryum schweinfurthii Müll.Hal. = *Bryum coronatum* (23)

Bryum scoparium var. *flagellare* (Hedw.) Paris, *nom. inval. in synon.* Excluded: see *Dicranum flagellare*.

Bryum sellae Negri = *Bryum caespiticium* (23)

Bryum semense Paris, *nom. nud.* = *Bryum orthocladioides* (354)

Bryum semilimbatum Kiaer ex C.H.Wright, *nom. nud.* = *Bryum spinidens* [1848: 302] (= *Bryum aubertii*)

Bryum semirubrum Müll.Hal. SUD(3076).

Bryum sennariense Müll.Hal., *nom. nud.* Excluded: no description or specimen known.

Bryum serpyllifolium Thunb. ex Juel, *nom. illeg. incl. spec. prior.* = *Rhodobryum umbraculum* [1521] (= *Bryum umbraculum*)

Bryum serpyllifolium var. *punctatum* Huds., *nom. inval.* = *Mnium punctatum* [1521] Excluded: see *Mnium punctatum*.

Bryum serpyllifolium var. *undulatum* Huds., *nom. inval.* = *Mnium undulatum* [1521] (= *Plagiommium undulatum*)

Bryum seychellarum Broth. ex Ochi, *nom. nud.* = *Bryum leptospeiron* (23: 56)

Bryum simii Schelpe = *Bryum torquescens* (83: 373)

Bryum soulii Thér. & P.de la Varde = *Bryum huillense* (23)

Bryum spathidophyllum (Besch.) Müll.Hal. = *Brachymenium spathidophyllum* [1521]

Bryum spathulosifolium Müll.Hal. = *Bryum huillense* (23)

Bryum speirocladum (Besch.) Müll.Hal. = *Brachymenium speirocladum* [1521]

Bryum spinidens Renauld & Cardot in Renauld = *Rhodobryum spinidens* [1521] (= *Bryum aubertii*)

Bryum spiniforme Thunb. ex Juel, *nom. nud.* = *Rhizogonium spiniforme* [1521] (= *Pyrrhobryum spiniforme*)

Bryum spiralfolium Dixon = *Bryum andicola* (21)

Bryum splachnoides (Harv.) Müll.Hal., hom. illeg. = *Bryum cellulare* [6349: 31]

Bryum splachnoides ssp. *lipopae* Thér. & P.de la Varde = *Bryum cellulare* ssp. *lipopae* [1521] (= *Bryum euryphyllum*)

Bryum splachnoides var. *mucronatum* P.de la Varde = *Bryum euryphyllum* [23]

Bryum splachnoideum Müll.Hal. = *Bryum pseudotriquetrum* [23]

Bryum splendidifolium Müll.Hal. ERI(50).

Bryum spongiosum Welw. & Duby = *Philonotis spongiosa* (1433: 170)

Bryum squamosum Thér. = *Bryum argenteum* (23)

Bryum squarripilum Müll.Hal. = *Bryum argenteum* var. *lanatum* [1911: 328] (= *Bryum argenteum* var. *argenteum*)

Bryum standtii Broth. ex Paris, nom. inval. in synon. err. pro = *Bryum staudtii* [23]

Bryum staudtii Broth. BIO(8180), CMN(23,47), MLW(67), SIE(47).

Bryum stellipilum Müll.Hal. = *Bryum argenteum* (83: 365)

Bryum stenophyllum Dixon KEN(7984), UGA(23,46).

Bryum stenopyxis Müll.Hal. = *Bryum argenteum* [10: 586]

Bryum stereoneurum (Müll.Hal.) Müll.Hal. = *Brachymenium stereoneurum* [1521] (= *Brachymenium exile*)

Bryum steropyxis Müll.Hal., nom. inval. in synon. = *Brachymenium dicranoides* [1911: 320]

Bryum subalbulum Thér. ex P.de la Varde = *Bryum subargenteum* (23)

Bryum subalbulum var. *piliferum* P.de la Varde = *Bryum subargenteum* (23)

Bryum subalbulum var. *robustum* P.de la Varde = *Bryum subargenteum* (23)

Bryum subapiculatum Hampe SAF(23,1531,8328), TAN(46).

Bryum subappressum Renaud & Cardot = *Bryum billardierei* (23)

Bryum subappressum var. *forsythii* (Renaud & Cardot) Cardot in Grandid. = *Bryum erythrocaulon* [21]

Bryum subareoblastum Müll.Hal. ex Paris, nom. nud. Excluded: no description or specimen known.

Bryum subargenteum Hampe CMN(23), GAB(23), MDG(23,40), NGA(23,5148,5176),

TAN(46), ZAI(23,65).

Bryum subaterrimum Rehmann ex Kindb., nom. nud. = *Bryum aiterrimum* [1521] (= *Bryum torquescens*)

Bryum subcavifolium Dixon in Sim = *Bryum radiculosum* (83: 367)

Bryum subdecursivum Müll.Hal. = *Bryum radiculosum* (83: 367)

Bryum subdepressum Broth. & Paris = *Bryum rhypaniocaulon* (354)

Bryum subenerve (Schwaegr.) Brid. = *Eriopus cristatus* [6894: 276b] (= *Calyptrochaeta cristata*)

Bryum suberectum Mitt. = *Brachymenium suberectum* [1521] (= *Brachymenium nepalense*)

Bryum suberythrocaulon Renaud & Cardot = *Bryum billardierei* (23)

Bryum subgracilescens Renaud & Paris = *Bryum billardierei* (23)

Bryum subhomalobolax Renaud & Cardot = *Bryum huillense* (354)

Bryum subintegridens Dixon = *Bryum pseudotriquetrum* var. *pseudotriquetrum* (23)

Bryum subsplachnobryoides Paris, nom. illeg. incl. spec. prior. = *Bryum splachnoideum* [25: 1: 262] (= *Bryum pseudotriquetrum*)

Bryum subtorquatum Hampe ex Müll.Hal., nom. nud. in synon. = *Bryum mundtii* [1911: 337] (= *Bryum canariense*)

Bryum subturbinatum Müll.Hal. = *Bryum turbinatum* (23)

Bryum subuliferum Mitt. = *Brachymenium subuliferum* [1521]

Bryum subulinerve Cardot = *Bryum coronatum* [23]

Bryum syntrichiaefolium Müll.Hal. ex Broth., nom. nud. = *Bryum capillare* [1911: 335]

Bryum syntrichiooides Müll.Hal. ex Geh., nom. nud. = *Bryum truncorum* [1911: 335]

Bryum syntrichiooides Müll.Hal., nom. inval. = *Bryum pycnophyllum* (21)

Bryum taitae Müll.Hal. KEN(46).

Bryum tenellicaule Cardot = *Bryum bicolor* (23)

Bryum tenerrimum Rehmann ex Dixon & A.Gepp, nom. nud. Excluded: an undescribed collection (Rehmann 251, Devilspeak) from South Africa.

Bryum tenerum P.de la Varde. Excluded: according to Ochi, the type is not referable with certainty to a specific taxon (354).

Bryum leptospeiron Müll.Hal. ex Geh., nom. nud. err. = *Bryum leptospeiron* [1521]

Bryum thomeanum P.de la Varde SAO(47).

Bryum tisserantii P.de la Varde CAF(47), GHA(47).

Bryum tisserantii var. *sublimbatum* P.de la Varde. Excluded: according to Ochi, the type of this taxon (from D.R. Congo (Zaire)) is probably a member of the Mniacaceae (23). Koponen (1036) disputes this and states that it belongs to the Bryaceae. The status of this taxon is thus uncertain.

Bryum tomentosum (Brid.) Sw. = *Breutelia tomentosa* [1521] Excluded: see *Breutelia tomentosa*.

Bryum torquescens Bruch ex De Not. ETH(50,6137), KEN(46), LES(1531,4897),

MLW(6087), SAF(1531,4897,8328), SUD(1419), TAN(46), ZIM(46).

Bryum torquescens var. *rosulatum* P.de la Varde & Thér. = *Bryum torquescens* (46)

Bryum torquescentulum Müll.Hal. = *Bryum torquescens* (83: 373)

Bryum torquescentulum var. *nutans* Müll.Hal. = *Bryum torquescens* (83: 373)

Bryum transvaaloalpinum Müll.Hal. Excluded: probably a synonym of *Bryum alpinum* (83: 388).

Bryum trifarium (Hedw.) Gmel. ex With. = *Didymodon trifarius* [1521] (= *Saelania glaucescens*)

Bryum truncorum (Brid.) Brid. = *Bryum billardierei* var. *billardierei* (6936)

Bryum truncorum sensu Sim = *Bryum pycnophyllum* (83: 385)

Bryum truncorum var. *nitudinigrum* (Renauld) Wijk & Margad. = *Bryum billardierei* (40: 213)

Bryum truncorum var. *pycnophyllum* Dixon = *Bryum pycnophyllum* (21)

Bryum turbinatum (Hedw.) Turner ETH(23,50), LES(1531,4897), SAF(23,1531,8328).

Bryum turbinatum var. *imbricatum* Schimp. ex Paris = *Bryum turbinatum* (23)

Bryum turbinitiforme Schimp. ex Paris, nom. nud. Excluded: an undescribed collection (*Schimper s.n.*) from Ethiopia [50].

Bryum turgidum Sw. = *Aulacomnium turgidum* [1521]

Bryum umbraculum Bruch ex Hook. ETH(23), KEN(46), SAF(23,1531,4897,8328),

TAN(46), UGA(23,46), ZAI(65), ZIM(46).

Bryum undulatum (Hedw.) Gaertn., Meyer & Scherb. = *Mnium undulatum* [1521] (= *Plagiommium undulatum*)

Bryum usambaricum Broth. TAN(46).

Bryum usambaricum Broth., hom. illeg. = *Bryum coronatum* (23: 53) Note: *Bryum usambaricum* Broth. 1894 is a valid taxon, *Bryum usambaricum* Broth. 1913 is illegal.

Bryum vagans Hook.f. & Wilson = *Philonotis vagans* (83: 432)

Bryum valparaisense Thér. SUD(2125).

Bryum ventricosum Dicks. ex Relhan, nom. illeg. incl. spec. prior. = *Bryum pseudotriquetrum* var. *pseudotriquetrum* (1521)

Bryum viguieri Thér. ANG(23,46), MDG(23,40), MLW(67), SAF(3986,8328), TAN(46).

Bryum vinosum Besch. = *Bryum leptospeiron* (23: 56)

Bryum viridescens Welw. & Duby ANG(23,46), SAF(1531,8328), SWZ(1531), ZIM(61).

Bryum viridulum L. ex With., hom. illeg. = *Fissidens exilis* [3492: 68]

Bryum voeltzkowii Broth. MDG(21,23,40), SAF(23), TAN(46), ZIM(23).

Bryum weisi Dicks. ex With. = *Ditrichum heteromallum* [1521] Note: reported for tropical Africa in *Index Muscorum*, but not found elsewhere in the literature.

Bryum welwitschii Duby = *Brachymenium acuminatum* (23)

Bryum wilmsii Müll.Hal. = *Bryum alpinum* [83: 371; 1911: 332]

Bryum zieri Hedw. = *Plagiobryum zieri* (83: 354)

Bryum zonatiforme Paris, nom. nud. = *Bryum loncophyllum* [1521]

Bryum zonatum Müll.Hal. ex Broth., nom. nud. in synon = *Bryum lonchophyllum* [9: 245]

Bryum zuluense Broth. & Bryhn = *Bryum microerythrocarpum* (23)

Bryum zygodontoides Müll.Hal. = *Bryum coronatum* [10: 587]

Caduciella mariei (Besch.) Enroth COM(40,780), TAN(780,1439).

Callicostella (Müll.Hal.) Mitt. Note: Menzel (1750) summarises the position over the use of this name. Crosby pointed out the priority of *Schizomitrium* Schimp. over *Callicostella*, but Koponen and Isovita proposed the conservation of *Callicostella*, to avoid the nomenclatural changes. This proposal was accepted by the Committee for Bryophyta of IAPT, for submission to the 1993 Tokyo Congress, and confirmed there. Nevertheless, in the interim, a large number of nomenclatural changes were made: these have been reversed in this checklist.

Callicostella abrupta Mitt. = *Glossadelphus abruptus* (4975). Note: this has been treated as a synonym of *Glossadelphus truncatus*; see note under *Phyllodon truncata*.

Callicostella acuminatula Broth. & P.de la Varde in P.de la Varde = *Callicostella brevipes* [279: 372]

Callicostella africana Mitt. BIO(47), CAF(47), CMN(47), COM(40), CON(47), GAB(47), GHA(47), IVO(47,1880), LBR(47), MDG(40), NGA(47,5148,5176), SEY(1926,2030,2353), SIE(3216), TAN(46), UGA(46), ZAI(65), ZAM(62).

Callicostella applanata Broth. & Bryhn = *Callicostella tristis* (1519: 604)

Callicostella ascensionis (Müll.Hal.) Broth. ASC(1296,5340).

Callicostella attenuata (Müll.Hal.) Kindb. CAF(47), CMN(47), GAB(47), LBR(47), ZAI(65).

Callicostella bambakoensis Paris & Broth. = *Callicostella tristis* [279: 350]

Callicostella brevipes (Broth.) Broth. BIO(47), CAF(47), CMN(47), CON(47), GAB(47), GHA(47), IVO(1880), MAU(105,3410), MDG(40), SAO(47), SEY(2353), SIE(47), TAN(46), UGA(46), ZAI(65).

Callicostella chevalieri Mitt. CAF(47), GAB(47), NGA(47,5148), ZAI(65).

Callicostella chionophylla (Müll.Hal.) Kindb. SAO(47).

Callicostella constricta (Müll.Hal.) Kindb. ANN(47), BIO(47), CAF(47), CMN(47), COM(40), GAB(47), IVO(1880), MDG(40), NGA(47,5148,5176), TAN(46), ZAI(65).

Callicostella constricta var. *latifolia* P.de la Varde, nom. inval. Excluded: no valid description available.

Callicostella emarginatula Broth. in Corb. ANG(46), CAF(47), CMN(47), CON(47), GAB(47), ZAI(65).

Callicostella emarginatula var. *complanata* Broth. = *Callicostella emarginatula* [279: 333]

- Callicostella erosotruncata*** Cardot CAF(47), CMN(47), CON(47), GAB(47), IVO(1880), MAU(105), NGA(47), TAN(46), ZAI(65).
- Callicostella fissidentella*** (Besch.) Kindb. IVO(1880), LBR(47), MAU(105), MDG(40), PRI(47), REU(105), SAO(47), TAN(46), ZAI(65).
- Callicostella gabonensis*** Broth. & P.de la Varde CAF(47), CON(47), GAB(47), IVO(1880), ZAI(65).
- Callicostella heteromorpha* Cardot = *Callicostella erosotruncata* [279: 338]
- Callicostella heterophylla* Renauld & Cardot, hom. illeg. = *Callicostella perrotii* [10: 938]
- Callicostella lacerans*** (Müll.Hal.) A.Jaeger BIO(2662), COM(40), LBR(47), MAU(105), MDG(40), TAN(46).
- Callicostella lacerans* var. *aquilenta* (Besch.) Cardot = *Callicostella pusilla* [279: 344]
- Callicostella lacerans* var. *laeviuscula* Mitt. = *Callicostella fissidentella* [279: 367]
- Callicostella lacerans* var. *madagassa* Cardot in Grandid. = *Callicostella brevipes* (40: 231) Note: *Index Muscorum* shows this taxon also to contain *Callicostella* species *africana* Mitt., *constricta* (Müll.Hal.) Kindb. and *leptocladula* (Broth.) Broth.
- Callicostella lacerans* var. *nossiana* (Besch.) Renauld = *Callicostella fissidentella* [279: 367]
- Callicostella laeviuscula*** Mitt. CMN(47), GAB(47), ROD(105).
- Callicostella laeviuscula* var. *latifolia* Demaret & P.de la Varde. Excluded: see *Callicostella constricta* var. *latifolia*.
- Callicostella latiramea* Broth. in Mildbr. = *Callicostella fissidentella* [279: 367]
- Callicostella leptocladula*** (Broth.) Broth. CMN(47), MDG(40).
- Callicostella losaeana* (Paris & Broth.) Broth. = *Callicostella seychellensis* [279: 364]
- Callicostella maclaudii*** (Paris & Broth.) Broth. GUI(47).
- Callicostella papillata*** var. *brevifolia* M.Fleisch. MDG(40).
- Callicostella papillata*** var. *papillata* (Mont.) Mitt. COM(40), MAS(40), MDG(40,6908).
- Callicostella papillosula*** Broth. & P.de la Varde CAF(47), CON(47), GAB(47).
- Callicostella parvocellulata*** Mitt. MAU(3410), MDG(40).
- Callicostella parvula* Broth. in Mildbr., nom. nud. = *Callicostella constricta* (Müll.Hal.) Kindb. (4930)
- Callicostella perpapillata*** Broth. & P.de la Varde CAF(47), CMN(47), CON(47), GAB(47), IVO(47), PRI(47), RIM(4639), TAN(46), UGA(46), ZAI(65).
- Callicostella perrotii*** (Renauld & Cardot ex Paris) Broth. IVO(1880), MDG(40).
- Callicostella pobeguinii* (Paris & Broth.) Broth. = *Callicostella seychellensis* [279: 364]
- Callicostella pusilla*** Demaret & P.de la Varde CAF(47), CMN(47), GHA(47), IVO(1880), MDG(40), UGA(46), ZIM(61).
- Callicostella pycnoptera* Müll.Hal. ex P.de la Varde, nom. inval. descr. gall. = *Callicostella perpapillata* [279: 382]
- Callicostella quintasii* (Broth.) Broth. = *Callicostella salaziae* [279: 376]
- Callicostella rigida* Broth. = *Callicostella brevipes* [279: 371]
- Callicostella robillardae* M.Fleisch., nom. nud. Excluded: an undescribed collection from Mauritius [1566; 105].
- Callicostella salaziae*** (Besch.) Kindb. CMN(47), MAU(3410), REU(105), SAF(3072), SAO(47).
- Callicostella seychellensis*** (Besch.) Kindb. ANN(47), CAF(47), CMN(47), GAB(47), GUI(47), IVO(1880), LBR(47), MAU(105), MDG(40,6908), SEY(279,1926,1946,1950,2195,2328,2353), ZAI(65).
- Callicostella stenocarpa* Dixon & Thér. = *Callicostella gabonensis* [279: 345]
- Callicostella subemarginatula*** Broth. & P.de la Varde ANG(46), CAF(47), CMN(47), CON(47), GAB(47), GUI(47), RIM(4639), TOG(1878,2851), ZAI(65).
- Callicostella subintegra* Dixon & Thér. = *Callicostella emarginatula* [279: 334]
- Callicostella thomeana* (Broth.) Broth. = *Callicostella fissidentella* [279: 367]
- Callicostella tristis*** (Müll.Hal.) Broth. CAF(47), MDG(6908), MLI(47), SAF(1531,8328), SWZ(1531).
- Callicostella usambarica*** (Müll.Hal.) Broth. CAF(47), GAB(47), IVO(1880), TAN(46), UGA(3072).
- Callicostella vesicularia* M.Fleisch., nom. nud. Excluded: an undescribed collection (*Dusén* 69) from Cameroon.
- Calliergon keniae* Dixon = *Sarmentypnum sarmentosum* (1884) (= *Warnstorffia sarmentosa*)
- Calliergon purum* (Hedw.) Naveau = *Pseudoscleropodium purum* [1521]
- Calliergon sarmentosum* (Wahlenb.) Kindb. = *Sarmentypnum sarmentosum* (453) (= *Warnstorffia sarmentosa*)
- Calliergon sarmentosum* var. *subflavum* Dixon = *Sarmentypnum sarmentosum* (1884) (= *Warnstorffia sarmentosa*)

Calliergon stramineum (Brid.) Kindb. Excluded: Ochyra (pers. comm.) believes that the sub-fossil specimen cited by Spence & Mahaney, (1497) is likely to be a form of *Sarmentypnum sarmentosum* (= *Warnstorffia sarmentosa*). The voucher specimen cannot now be located at UBC.

***Calliergonella cuspidata* (Hedw.) Loeske ETH(4454), MAU(6859).**

Calymperes acanthoneuron P.de la Varde = *Calymperes decolorans* [1473: 205] (= *Calymperes pallidum*)
Calymperes africanum (Mitt.) Paris = *Syrrhopodon africanus* [1909: 143]

***Calymperes afzelii* Sw.** ANG(46), BEN(6128), BIO(2662), BUR(65), CAF(57), CMN(57), COM(40), GAB(57), GHA(57), GUI(57,1458), IVO(44,1458,1880), KEN(46), MDG(40,6908), MLW(6087), NGA(57,334,5148,5176,6263), REU(8028), RIM(4639), SAO(57), SEY(1926,2030,2033,2353), SIE(57), TAN(46), TOG(1878), UGA(46), ZAI(57,65,5319), ZAM(62), ZIM(46,61).

Calymperes annobonense Broth. in Mildbr., nom. nud. = *Calymperes erosum* (4930)

Calymperes ascensionis Müll.Hal. = *Calymperes erosum* [1473: 206]

Calymperes asperum Müll.Hal. ex Besch. = *Calymperes erosum* (57)

Calymperes asterigerum Müll.Hal. ex Besch. = *Calymperes palisotii* ssp. *palisotii* (57)

Calymperes asteristylum Müll.Hal. ex Besch. = *Calymperes afzelii* (57)

Calymperes borgenii Kiaer ex Besch. = *Calymperes hispidum* (1371)

Calymperes brachypelma Müll.Hal. ex Besch. = *Calymperes palisotii* ssp. *palisotii* (57)

Calymperes brevifolium Cardot = *Calymperes palisotii* (1624)

Calymperes cacazouense Besch. = *Calymperes tenerum* (1373)

Calymperes campylopodioides Müll.Hal. ex Besch. = *Calymperes palisotii* var. *palisotii* (57)

Calymperes campylopoideoides Müll.Hal. ex Paris, err. = *Calymperes campylopodioides* [1521] (= *Calymperes palisotii* var. *palisotii*)

Calymperes casamancae Cardot = *Calymperes erosum* [1473: 206]

Calymperes caudatum Müll.Hal. = *Calymperes tenerum* [1473: 207]

Calymperes cernense Mitt. ex Besch. Excluded: no type specimen has been found for this Madagascar taxon, but from the description it may be *Calymperes pallidum* (6232)

Calymperes chevalieri Thér. & Corb. = *Calymperes decolorans* [1473: 205] (= *Calymperes pallidum*)

Calymperes chevalieri var. *angustifolium* Thér. & P.de la Varde = *Calymperes decolorans* [1473: 205] (= *Calymperes pallidum*)

Calymperes chrysoblastum Müll.Hal. = *Calymperes erosum* (57)

Calymperes cochlearifolium Paris = *Calymperes palisotii* [1473: 206]

Calymperes congoense (Renauld & Cardot) Cardot = *Calymperes decolorans* [1473: 205] (= *Calymperes pallidum*)

Calymperes conterminum Thér. & P.de la Varde = *Calymperes lonchophyllum* ssp. *microblastum* (57)

Calymperes corbieri Thér. = *Calymperes decolorans* [1473: 205] (= *Calymperes pallidum*)

***Calymperes couguicense* Besch.** SEY(2033,2353).

Calymperes crassilimbatum Renauld & Cardot = *Calymperes hispidum* (1511)

Calymperes decolorans Müll.Hal. = *Calymperes pallidum* (1518)

Calymperes decolorans var. *latifolium* Renauld & Cardot = *Calymperes decolorans* [1473: 205] (= *Calymperes pallidum*)

Calymperes dilatatum Müll.Hal. ex Besch. = *Calymperes decolorans* [1473: 205] (= *Calymperes pallidum*)

Calymperes disjunctum Besch. = *Calymperes palisotii* (1370)

Calymperes dusenii Müll.Hal. ex Besch. = *Calymperes afzelii* (57)

Calymperes erosulum Renauld & Paris = *Calymperes decolorans* [1473: 205] (= *Calymperes pallidum*)

***Calymperes erosum* Müll.Hal.** ANG(57), ANN(47), ASC(1296,5331,5340), BEN(47),

BIO(2662), CMN(57), GAB(57), GHA(57), GUI(57,1458), IVO(1458,1880), LBR(57),

MDG(40), NGA(57,334,5148,5176,6263), REU(8028), RIM(4639), SEN(57),

SEY(1625,1926,1946,1947,1950,2030,2033,2328,2353,4899,4932), SIE(57,3216),

TAN(46), TOG(1878,2851), ZAI(57,65,1552,5319).

Calymperes fasciculatum (Hook. & Grev.) Mitt., hom. illeg. = *Mitthyridium fasciculatum* [4977: 24]

Calymperes gabonense Thér. & P.de la Varde = *Calymperes erosum* (1473)

Calymperes garciae Mitt. ex Hemsley = *Calymperes graeffeanum* (1371)

Calymperes gilletii Renauld & Cardot = *Calymperes erosum* [1473: 206]

Calymperes gilletii var. *angustifolium* Renauld & Cardot = *Calymperes afzelii* [1473: 203]

***Calymperes graeffeanum* Müll.Hal.** CGS(1371,5699,8220), CMN(6625),

DIE(1628,2005,5699), MAU(105), REU(8028), ROD(1371), SEY(1371,2033,2353),

SOC(2738), TAN(4637).

***Calymperes guineense* Paris & Broth. in Paris** EQG(4300).

Calymperes heudelotii Besch. = *Calymperes erosum* (57)

Calymperes hildebrandtii Müll.Hal. = *Calymperes afzelii* [1473: 203]

Calymperes hispidocostatum Dixon = *Calymperes pallidum* (1518)

***Calymperes hispidum* Renauld & Cardot** MAU(105), MDG(40,1371), REU(105),

SEY(1371,1926,2033,2353), TAN(4637).

Calymperes hyalinolimbatum Paris = *Calymperes afzelii* [1473: 209]

Calymperes incertum Cardot = *Calymperes palisotii* (1370)
Calymperes integrifolium Müll.Hal. = *Calymperes afzelii* [1473: 203]
Calymperes intralimbatum Müll.Hal. = *Calymperes erosum* (57)
Calymperes isleanum Besch. = *Calymperes motleyi* (1370)
Calymperes islei Besch. ex Kindb., nom. illeg. incl. spec. prior. = *Calymperes isleanum* [1521 (= *Calymperes motleyi*)
Calymperes jardini Besch. = *Calymperes erosum* (57)
Calymperes jollyi Broth. & Paris = *Calymperes rabenhorstii* (57) (= *Calymperes pallidum*)
Calymperes konkourae Paris = *Calymperes erosum* (57)
Calymperes laevifolium Mitt. = *Calymperes palisotii* (1370)
Calymperes lamellosulum Cardot in Renauld & Cardot = *Calymperes loucoubense* (765)
Calymperes lecomptei Besch. ("lecompte") = *Calymperes afzelii* (57)
Calymperes leucocoleus Müll.Hal. ex Besch. = *Calymperes erosum* (57)
Calymperes leucomitrium Müll.Hal. = *Calymperes afzelii* [1473: 209]. Note: as existing collections under this name appear to be of either *Calymperes afzelii* or *Calymperes erosum* [1473: 209], collections listed in Schultze-Motel (47) and Bizot et al. (1880) have been ignored.

***Calymperes levyanum* Besch. SAF(1531,8328).**

Calymperes ligulare Mitt. = *Calymperes tenerum* [1473: 207]
Calymperes linealifolium Müll.Hal. ex Besch. = *Calymperes afzelii* [1473: 209]. Note: as there is some doubt about collections with this name, the collections from Cameroon listed in Schultze-Motel (47) have been ignored.

***Calymperes lonchophyllum* ssp. *microblastum* (Müll.Hal.) S.R.Edwards BIO(2662), CMN(47), GAB(47), GHA(47), IVO(1880), NGA(47,5176), RIM(4639), ZAI(65).**

***Calymperes lonchophyllum* ssp. *saxatile* (Müll.Hal.) S.R.Edwards BIO(8180), LBR(47), NGA(5176), SIE(47,3216), TOG(47).**

Calymperes longifolium Broth. ex Besch., nom. nud. in synon. = *Calymperes thomeanum* [1625: 305] Excluded: see *Calymperes thomeanum*.

***Calymperes loucoubense* Besch. MDG(40).**

Calymperes loucoubense var. *minus* Renauld & Paris = *Calymperes decolorans* [1473: 205] (= *Calymperes pallidum*)
Calymperes mahense P.de la Varde = *Calymperes decolorans* [1473: 205] (= *Calymperes pallidum*)
Calymperes malimbae Müll.Hal. = *Calymperes erosum* [1473: 206]
Calymperes mariei Besch. = *Calymperes palisotii* (1370)
Calymperes maroantsetrae Cardot = *Calymperes afzelii* [1473: 203]
Calymperes maroantsetrae var. *angustifolium* Cardot = *Calymperes erosum* [1473: 206]
Calymperes mathieu Renauld & Cardot = *Calymperes erosum* [1473: 206]
Calymperes mayottense Besch. = *Calymperes afzelii* (767)
Calymperes megamitrium Müll.Hal. ex Besch. = *Calymperes erosum* (57)
Calymperes microblastum Müll.Hal. ex Besch. = *Calymperes lonchophyllum* ssp. *microblastum* (57)
Calymperes minus Besch. = *Calymperes pallidum* (1518)

***Calymperes motleyi* Mitt. ex Dozy & Molk. ALD(2351,2353),**

SEY(1373,1485,1618,1625,1926,1945,1946,2033,2328,2353), SOC(2738).

***Calymperes nanum* Müll.Hal. ZAI(3076).**

Calymperes nashii R.S.Williams = *Calymperes tenerum* var. *edamense* (82: 164) (= *Calymperes tenerum*)

***Calymperes norkettii* L.T.Ellis SEY(1374,1926,2033,2353).**

Calymperes nossi-beanum (Besch.) Broth. = *Calymperes taitense* [1473: 207]
Calymperes nossi-combae Besch. = *Calymperes afzelii* (1518)
Calymperes nossi-combae var. *mahense* Besch. ex Dixon, nom. nud. in synon. = *Calymperes seychellarum* [1947: 8]
Calymperes obtusatum Thér. & Naveau = *Calymperes rabenhorstii* (57) (= *Calymperes pallidum*)
Calymperes occidentale Besch. = *Calymperes palisotii* [1473: 209]
Calymperes orthophyllum Müll.Hal. = *Calymperes afzelii* (57)
Calymperes pachyloma Hampe = *Calymperes taitense* (1518)
Calymperes pachylomatum Müll.Hal., nom. illeg. incl. spec. prior. = *Calymperes pachyloma* [1521] (= *Calymperes taitense*)

***Calymperes palisotii* Schwägr. ANN(47), CAF(355), CMN(57), GAB(57), GHA(57), GUI(57,4637,6813), IVO(44,1880), LBR(57), MAU(105), MDG(40), NGA(57,5148,5176,6263), REU(5440), RIM(4639), ROD(105,4931), SEN(57), SEY(1926,2030,2033,2353), SIE(57), TAN(1370), TOG(1878), ZAI(57,4637,5319,6813).**

Calymperes palisotii var. *moluccense* (Schwägr.) M.Menzel. Excluded: specimens from GUI and ZAI given this name have been transferred to *Calymperes palisotii* (L.T. Ellis, pers. comm.).

***Calymperes pallidum* Mitt. ANG(57), BEN(57,6128), BIO(2662), BUR(65), COM(40),**

GHA(57), GUI(57), IVO(57,1880), MDG(40,1925), NGA(57,334,5148,5176,6263),

ROD(105), SAF(1531,8328), SEY(1950,2033,2353,4932), SIE(57,3216), TAN(46),

TOG(57), UGA(46), ZAI(57,65,5319), ZIM(61).

Calymperes palmicola Besch. = *Calymperes pallidum* (1518)

Calymperes patentifolium Paris = *Calymperes erosum* (57)
Calymperes perlubatum Paris = *Calymperes afzelii* [1473: 203]
Calymperes perrottetii Besch. = *Calymperes afzelii* [1473: 203]
Calymperes perserratum Broth. & Paris = *Calymperes lonchophyllum* ssp. *saxatile* (57)
Calymperes peuhorum Paris & Broth. = *Calymperes rabenhorstii* (57) (= *Calymperes pallidum*)
Calymperes pintasii Müll.Hal. ex Besch. Excluded: there is doubt about the identity of this taxon, recorded from GUI, LIB and SAO (47); see Bescherelle (1625).
Calymperes pobeguinii Paris = *Calymperes decolorans* [1473: 205] (= *Calymperes pallidum*)
Calymperes polii Besch. = *Calymperes loucoubense* (765)
Calymperes polytrichiforme Paris = *Calymperes afzelii* (57)
Calymperes principis Broth. = *Calymperes tenerum* (1473)

***Calymperes proligerum* Müll.Hal. ex Dusén LBR(47).**

Calymperes pulvinatum Mitt. = *Calymperes ascensionis* [1625: 300] (= *Calymperes erosum*)
Calymperes pygmaeum Paris = *Syrrhopodon parasiticus* [1473: 209]
Calymperes quintasii Broth. = *Calymperes afzelii* [1473: 203]
Calymperes rabenhorstii Hampe & Müll.Hal. = *Calymperes pallidum* (1372)
Calymperes rabenhorstii var. *longemitrata* Broth. & Thér. = *Calymperes decolorans* (1473) (= *Calymperes pallidum*)
Calymperes redundicum Kiae ex Besch. = *Calymperes hispidum* [1848: 193]
Calymperes renauldii Cardot = *Calymperes afzelii* (1518)
Calymperes rhodesiae Dixon ex Sim, nom. illeg. = *Calymperes afzelii* [1473: 205]
Calymperes rhypariophyllum Müll.Hal. = *Calymperes afzelii* (57)
Calymperes robillardii Besch. = *Calymperes graeffeanum* (1518)
Calymperes rotundatulum Müll.Hal. ex Dusén, nom. nud. Excluded: following Schultze-Motel (47), this taxon has been treated as an orthographic variant of *Calymperes rotundatum* (=*Calymperes afzelii*).
Calymperes rotundatum Müll.Hal. ex Besch. = *Calymperes afzelii* [57: 67]
Calymperes rupestre Müll.Hal. ex Dusén = *Calymperes lonchophyllum* ssp. *microblastum* [57: 88]
Calymperes sakaranae Paris = *Calymperes afzelii* [57: 67]
Calymperes sanctae-mariae Besch. = *Calymperes tenerum* [1473: 207]

***Calymperes sanctae-mariae* var. *mayottense* Besch. COM(40).**

Calymperes saxatile Müll.Hal. ex Besch. = *Calymperes lonchophyllum* ssp. *saxatile* [57: 89]
Calymperes secundulum Müll.Hal. ex Besch. = *Calymperes afzelii* (57)
Calymperes seychellarum Besch. = *Calymperes erosum* (1373)
Calymperes subasterigerum Paris = *Calymperes afzelii* (57)
Calymperes subcrassilimbatum P.de la Varde = *Calymperes erosum* (1373)
Calymperes subdecorans Cardot = *Calymperes rabenhorstii* (57) (= *Calymperes pallidum*)
Calymperes subdecorans var. *remotifolium* Thér. ex Corb. = *Calymperes decolorans* [1473: 206] (=*Calymperes pallidum*)
Calymperes subdecorans var. *stenophyllum* Thér. ex Naveau = *Calymperes decolorans* [1473: 206] (=*Calymperes pallidum*)
Calymperes subdiaphanum V.Leroy = *Calymperes tenerum* [1473: 207]
Calymperes subdisciforme Müll.Hal. ex Besch. = *Syrrhopodon perduisenii* [1711: 416]
Calymperes subtenellum Broth. in Mildbr., nom. nud. = *Calymperes palisotii* var. *palisotii* (4930)

***Calymperes taitense* (Sull.) Mitt. COM(40), MDG(40,4637), REU(105,4637),**

SEY(105,1373,2033,2353,4932), TAN(4637), ZAI(4637).

Calymperes tenellifolium Müll.Hal. ex Dusén = *Syrrhopodon armatus* [24: 176]

Calymperes tenellum Müll.Hal. ex Besch. = *Calymperes palisotii* var. *palisotii* (57)

***Calymperes tenerum* Müll.Hal. ALD(2041,2351,2353), AMI(2325,2353), BEN(6128),**

BIO(2662), CGS(5699,8220), COM(40), DIE(2005,5699), GHA(57), IVO(44,1880), KEN(46,6615), MAU(5916), MDG(40), NGA(57,5148), REU(8028), ROD(4931), SAF(1531,8328), SEY(1926,2030,2033,2353), TAN(46,57), ZAI(65,5319).

Calymperes tenerum var. *edamense* M.Fleisch. = *Calymperes tenerum* (1485)

Calymperes theriotii Renaud & Cardot = *Calymperes palisotii* ssp. *palisotii* (57)

Calymperes thomeanum Müll.Hal. Excluded: there is doubt about the identity of this taxon, recorded from SAO (47); see Bescherelle (1625).

Calymperes thompsonii Besch. = *Calymperes pallidum* (1518)

Calymperes tomentosum Müll.Hal. Excluded: no description and no specimen stated.

Calymperes usambanicum Broth. = *Calymperes afzelii* [1473: 203]

***Calymperes venezuelanum* (Mitt.) Broth. ex Pittier MDG(5637).**

Calymperes victoriae Dixon = *Calymperes afzelii* [1473: 203]

Calymperes welwitschii Duby = *Syrrhopodon gardneri* (24)

Calymperes zanzibarensis Besch. = *Calymperes tenerum* [1473: 207]

Calymperopsis (Müll.Hal.) M.Fleisch. Note: the view of Reese & Orbán (132) was that this genus should be treated as a subgenus of *Syrrhopodon*, and Reese has now revised several of the taxa (1708, 1711), provided a synopsis of the subgenus (1909) and annotated all BM specimens with a name in *Syrrhopodon*. The annotations suggest that previous understanding of the subgenus has been highly suspect. All records have now been transferred to *Syrrhopodon*, but see reservations expressed under that genus regarding distribution data.

- Calymperopsis africana* (Mitt.) Broth. = *Syrrhopodon africanus* ssp. *africanus* (1909)
Calymperopsis crenulata Tixier = *Syrrhopodon crenulatus* (1909)
Calymperopsis disciformis (Müll.Hal.) Tixier = *Syrrhopodon africanus* ssp. *africanus* (1909)
Calymperopsis dusenii Müll.Hal. = *Syrrhopodon disciformis* [4087: 17]
Calymperopsis elimbatus Tixier = *Syrrhopodon tixieri* (1909)
Calymperopsis letestui P.de la Varde = *Syrrhopodon disciformis* (1909)
Calymperopsis madagascariensis (Thér.) Broth. = *Syrrhopodon parasiticus* (1909)
Calymperopsis mandrakensis Tixier = *Syrrhopodon africanus* ssp. *mandrakensis* (1909)
Calymperopsis martinicensis (Broth.) Broth. = *Syrrhopodon disciformis* (1909)
Calymperopsis spuriodisciformis (Dusén) M.Fleisch. = *Syrrhopodon africanus* ssp. *africanus* (1909)
Calymperopsis subdisciformis (Besch.) M.Fleisch. = *Syrrhopodon subdisciformis* (1909)
Calymperopsis subdisciformis var. *subintegra* P.de la Varde = *Syrrhopodon subdisciformis* (1909)
Calymperopsis viguieri (Thér.) Broth. = *Syrrhopodon parasiticus* (1909)
Calyptothecium acuminatum Broth. & P.de la Varde = *Calyptothecium planifrons* (2)
- Calyptothecium acutifolium*** var. ***acutifolium*** (Brid.) Broth. ANG(2,46), BIO(2662),
CAF(47), MLW(2,67,6087), REU(2,105), RWA(65), SAF(2,1531,8328), TAN(46),
UGA(2,46), ZAI(2,65,5319), ZAM(2,46,62), ZIM(46).
- Calyptothecium acutifolium*** var. ***antitrichioides*** (Besch.) Paris REU(2,105).
- Calyptothecium acutifolium*** var. ***breviusculum*** (Müll.Hal. ex Dusén) Argent CMN(2,47),
TOG(1878).
- Calyptothecium acutifolium*** var. ***longiusculum*** (Dusén) Argent CMN(2,47), ETH(111),
TAN(46).
Calyptothecium africanum Broth. = *Renaudia hoehnelii* [4256: 23] (= *Calyptothecium hoehnelii*)
- Calyptothecium bescherellei*** (Renauld) Broth. MDG(40).
Calyptothecium beyrichii Broth., nom. illeg. = *Calyptothecium acutifolium* var. *acutifolium* (46)
Calyptothecium breviusculum (Müll.Hal.) Broth. ex Paris = *Calyptothecium acutifolium* var. *acutifolium* (2)
Calyptothecium brotheri (Paris) Dixon, nom. illeg. incl. spec. prior. = *Calyptothecium subacutifolium* [1521] (=
Calyptothecium acutifolium var. *acutifolium*)
Calyptothecium dusenii Broth. = *Renaudia dusenii* (2)
Calyptothecium golungense A.Gepp in Hiern = *Calyptothecium acutifolium* var. *acutifolium* (2)
- Calyptothecium hoehnelii*** (Müll.Hal.) Argent BIO(2662), ERI(50),
KEN(2,46,2661,4112,5315,6614,7065), MLW(2,67,6087), RWA(2,65),
SAF(2,1531,7766,8328), TAN(2,46), UGA(2,46), ZAI(2,65,5319), ZIM(61).
- Calyptothecium hoehnelii*** var. ***angustifolium*** (Dixon) Kis KEN(46), TAN(46), UGA(46).
Calyptothecium hoehnelii var. *angustifolium* (Dixon) Kis. Note: this variety is not mentioned by Argent (2), but he does
discuss the great variability of the species in terms of leaf size, and this variety may prove to be within the scope of
the main species.
Calyptothecium longiusculum (Dusén) Broth. ex Paris = *Calyptothecium acutifolium* var. *longiusculum* (2)
- Calyptothecium planifrons*** (Renauld & Paris) Argent CAF(2,47), CHA(2,47), KEN(6614),
MDG(2,40,1925), TAN(46), ZAI(2,411), ZAM(2,46,62).
Calyptothecium pseudocrispum (Müll.Hal.) Broth. = *Calyptothecium acutifolium* [var. *acutifolium*] [1911: 399]
- Calyptothecium pterobryoides*** Argent UGA(2,46).
Calyptothecium subacutifolium Broth. = *Calyptothecium acutifolium* var. *acutifolium* (2)
Calyptothecium subbreviusculum Thér. & P.de la Varde = *Calyptothecium acutifolium* var. *acutifolium* (2)
Calyptothecium woodii P.de la Varde = *Calyptothecium acutifolium* var. *acutifolium* (2)
- Calyptrochaeta asplenoides*** (Brid.) Crosby COM(40), MDG(40), REU(105),
SAF(1531,8328), TAN(46).
- Calyptrochaeta cristata*** (Hedw.) Desv. MAU(40).
Camptochaete fallax (Renauld & Cardot) Renauld in Grandid. Note: in his revision of *Camptochaete*, Tangney (3210)
calls this record for Madagascar (40) an 'uncertain species': "Not having seen any material of this species, I have no
knowledge of its relation to *Camptochaete*." Madagascar falls outside the geographic range of the genus as he
understands it. O'Shea & Ochyra (5546) exclude this taxon from the African list.
Camptochaete ramulosa (Mitt.) A.Jaeger. Note: this taxon does not occur in Africa. The listing for DR Congo (Zaire)
(65) was a nomenclatural error by the list compilers. The specimen should have been recorded as *Porotrichum*
quintasii.
Camptothecium sericeum (Hedw.) Kindb. = *Homalothecium sericeum* [1521]
Campylopus imerangae Rehm, orthog. = *Campylopus inerangae* [1521]. Note: see under that species.
- Campyliadelphus chrysophyllus*** (Brid.) Kanda CHA(51,4507,4534,4565), LES(4897).
Campyliadelphus polygamus (Bruch, Schimp. & W.Gümbel) Kanda = *Drepanocladus polygamus* (3243)
Campylium hispidulum var. *sommerfeltii* (Myr.) J.Lange. Excluded: according to Crundwell *et al.* (489), both African
collections given this name - CAR(47) and KEN(46) - refer to other taxa.
Campylium polygamum (Bruch & Schimp.) C.E.O.Jensen = *Drepanocladus polygamus* [3243]

Campylium squarrifolium Broth. = *Ctenidium squarrifolium* [1521] (= *Ectropothecium squarrifolium*)

***Campylium stellatum* (Hedw.) J.Lange & C.E.O.Jens.** KEN(66), UGA(6989).

Campylium stellatum var. *stellatum* (Hedw.) J.Lange & C.E.O.Jensen = *Campylium stellatum* (3243)

Campylodontium dusenii (Broth.) Broth. = *Campylodontium flavescent* (1878) (= *Mesonodon flavescent*).

Campylodontium flavescent (Hook.) Bosch. & Sande Lac. = *Mesonodon flavescent* (715)

***Campylodontium flavescent* var. *viride* Cardot** MDG(40).

Campylodontium flavescent var. *viride* Cardot. Note: this variety presumably belongs with the owning species, in *Mesonodon*; revision is required.

Campylodontium mauritanianum (Müll.Hal. ex Besch.) Broth. = *Mesonodon flavescent* (715)

Campylodontium schimperi Broth., nom. illeg. incl. spec. prior. = *Pylaisiobryum abyssinicum* [1521]

Campylopodiella diversifolia J.F.Leroy & Thér. = *Campylopus obtusus* (1751)

Campylopodium cygnaeum (Aongstr.) Paris = *Campylopodium proscriptum* [10: 312] (= *Dicranella proscripta*)

Campylopodium euphorocladum (Müll.Hal.) Besch. = *Campylopodium medium* (506)

Campylopodium euphorocladum var. *laevigatum* (Thér.) Thér. = *Microcampylopus laevigatus* (507)

Campylopodium laevigatum Thér. = *Microcampylopus laevigatus* (507)

***Campylopodium medium* (Duby) Giese & J.-P.Frahm** KEN(3412,5315).

Campylopodium medium (Duby) Giese & J.-P.Frahm. Note: according to J.-P. Frahm (pers.comm.) these records are unlikely: it is doubtful that this genus occurs in Africa, and in the past specimens of *Microcampylopus laevigatus* were often given this name.

Campylopodium proscriptum (Hornschr.) Broth. = *Dicranella proscripta* (506)

Campylopus abyssinicus De Not. Excluded: no specimen available (54: 195)

Campylopus abyssinicus Schimp. ex Paris, nom. nud. = *Campylopus fragilis* (54: 198)

Campylopus acrocaulon (Müll.Hal.) Kindb. = *Campylopus pilifer* (54: 143)

***Campylopus acuminatus* var. *kirkii* (Mitt.) J.-P.Frahm** SAF(4670,7812,8328).

Campylopus aethiops Welw. & Duby = *Campylopus aureonitens* (54: 24)

Campylopus afro-concolor Müll.Hal. ex Broth. = *Campylopus savannarum* (54: 169)

Campylopus alienus Dixon = *Campylopus arctocarpus* var. *madecassus* (54: 16)

Campylopus alpicola (Müll.Hal.) A.Jaeger = *Campylopus fragilis* (54: 81)

Campylopus altovirescens (Müll.Hal.) Paris = *Campylopus robillardii* (54: 164))

Campylopus alvarezianus Cardot = *Campylopus eximius* (54: 67) (= *Campylopus incrassatus*)

Campylopus ambiguus Thér. Excluded: no herbarium material available (54: 196).

Campylopus amblyacron (Renauld) Renauld & Cardot = *Campylopus cambouei* (1751)

Campylopus ampliretis (Müll.Hal.) Paris = *Campylopus flaccidus* (54: 71)

Campylopus angolensis A.A.Machado & Dixon = *Campylopus savannarum* (54: 171)

Campylopus angstroemii Muel.Hal., orthogr. = *Campylopus aongstroemii* [1521] (= *Campylopus aureonitens*)

Campylopus anguste-limbatus Thér. & P.de la Varde = *Campylopus nivalis* (1751)

Campylopus angustinervis Dixon = *Campylopus perpusillus* (54: 139)

Campylopus aongstroemii Müll.Hal. = *Campylopus aureonitens* (54: 24)

Campylopus arbogastii Renauld & Cardot = *Campylopus julaceus* ssp. *arbogastii* (54: 109)

Campylopus arbogastii var. *capitulifer* Renauld & Cardot = *Campylopus julaceus* ssp. *arbogastii* (54: 111)

Campylopus arboricola Cardot & Dixon = *Campylopus purpureocaulis* (54: 158)

Campylopus arctocarpus ssp. *arctocarpus* (Hornschr.) Mitt. Note: all records of this species for Africa belong to ssp. *madecassu* - ssp. *arctocarpus* is neotropical (54: 18).

***Campylopus arctocarpus* ssp. *madecassus* (Besch.) J.-P.Frahm** COM(54), MAU(54),

MDG(40,54), MLW(67,2084), REU(54), RIM(4639), SAF(7766,7812,8328),

SEY(54,1926,2353), TAN(54).

***Campylopus arcuatus* (Brid.) A.Jaeger** ASC(54,1296,5331), MAU(54), MDG(40,54),

MLW(2084), REU(54), SEY(1926,1941,2353), STH(54,1296,4202,4626,5331).

Campylopus argutidens Broth. & Paris = *Campylopus savannarum* (54: 169)

Campylopus argutidens var. *angustifolius* Thér. & P.de la Varde = *Campylopus savannarum* (54: 169)

Campylopus argutidens var. *parvifolius* Thér. & P.de la Varde, nom. inval. descr. gall. Excluded: this taxon was not dealt with in Frahm's 1999 type catalogue [4997: 22], but may be another synonym of *Campylopus savannarum*.

Campylopus ascensionis Müll.Hal. nom. dub. in sched. = *Campylopus pilifer* (54: 143)

Campylopus ascensionicum Mitt. ex Frahm, nom. dub. in sched. = *Microcampylopus laevigatus* (43: 195)

Campylopus aspericuspis Thér. & P.de la Varde = *Campylopus savannarum* (54: 169)

Campylopus assimilis Thér. & P.de la Varde = *Campylopus savannarum* (54: 169)

Campylopus astrosordidus Müll.Hal. ex Broth., err. = *Campylopus atrosordidus* [1521] (= *Campylopus pilifer*)

Campylopus atroluteus (Müll.Hal.) Paris = *Campylopus bartramianaceus* & *C. bicolor* ssp. *atroluteus* Note: see discussion in Frahm (54: 40) about the distribution of these two plants.

Campylopus atrosordidus Müll.Hal. ex Broth. = *Campylopus pilifer* (54: 143)

Campylopus aubertii Thér. ex Broth., nom. nud. = *Campylopus hildebrandtii* (54: 198)

***Campylopus aureonitens* (Müll.Hal.) A.Jaeger** ANG(54), ASC(54,5340), BIO(8180),

CMN(40), COM(40,54), KEN(54), MAU(54), MDG(40,54), MLW(67,2084), REU(54),

SAF(54,1531,7766,7812,8328), SWZ(1531), TAN(54), ZIM(54).

Campylopus aureus Bosch. & Sande Lac. = *Campylopus schmidii* (1751)

Campylopus auronitens Aongstr., orthogr. = *Campylopus aureonitens* [1521]

Campylopus bartramiaceus (Müll.Hal.) Paris LES(1531,4897), MLW(2084),

NAM(1531,7155), REU(105), SAF(54,1531,4897,7766,7812,8328), SWZ(1531).

Campylopus bartramiaceus (Müll.Hal.) Thér. ex Broth., hom. illeg. = *Campylopus introflexus* [1911: 171]

Campylopus bartramiaceus var. *laevis* P.de la Varde & Thér. = *Campylopus nivalis* [54: 35]

Campylopus basalticus (Müll.Hal.) Paris = *Campylopus subchlorophyllosus* (54: 182)

Campylopus bequaertii Thér. & Naveau = *Campylopus savannarum* (54: 169)

Campylopus bequaertii var. *gabonensis* Thér. & P.de la Varde = *Campylopus savannarum* (1751)

Campylopus bessonii Renaud & Cardot = *Campylopus pilifer* (54: 143)

Campylopus bewsii Sim = *Campylopus pilifer* (54: 143)

Campylopus bicolor (Müll.Hal.) Wilson. Excluded: this is recorded by Crosby *et al.* (40) for Madagascar, on the basis of *Campylopus pseudobicolor* (shown as a synonym); this is not a synonym of *Campylopus bicolor*, which only occurs in Africa as ssp. *atroluteus* (54: 37).

Campylopus bicolor* ssp. *atroluteus (Müll.Hal.) J.-P.Frahm LES(4897),

SAF(54,1531,7812,8328), SWZ(7972).

Campylopus boivinianus Besch. = *Campylopus flexuosus* (54: 76)

Campylopus boivinii Besch. ex Kindb., nom. illeg. incl. spec. prior. = *Campylopus boivinianus* [1521] (= *Campylopus flexuosus*)

Campylopus boryanus Besch. = *Campylopus nivalis* (54: 124)

Campylopus boryi Besch. ex Kindb., nom. illeg. incl. spec. prior. = *Campylopus boryanus* [1521] (= *Campylopus nivalis*)

Campylopus brachymastix Müll.Hal. ex Besch. = *Campylopus flexuosus* (54: 76)

Campylopus brevipilus Bruch, Schimp. & W.Gümbel

CHA(51,4480,4507,4508,4527,4534,4565).

Campylopus brevipilus var. *marginatus* (Geh.) Thér. = *Ditrichum punctulatum* (54: 197)

Campylopus brevirameus Dixon = *Campylopus pilifer* var. *brevirameus* [8240]

Campylopus brevis Rehm. ex Geh., nom. nud. = *Campylopus atroluteus* [4378: 81]. Note: see under *Campylopus atroluteus*.

Campylopus brynnii Broth. = *Campylopus nanophyllus* (54: 122)

Campylopus cagnii Negri = *Campylopus leucochlorus* (54: 115)

Campylopus cailleae Renauld & Cardot = *Campylopus perpusillus* (54: 139)

Campylopus calochlorus Broth. & Thér. = *Campylopus pilifer* (54: 143)

Campylopus calvatus Dixon ex Luisier = *Campylopus pyriformis* (54: 160)

Campylopus calvus Renauld & Cardot = *Campylopus aureus* (54: 30)

Campylopus cambouei Renauld & Cardot GUI(47,54), KEN(411), MAU(54), MDG(40,54),

MLW(67,2084), MOZ(54), SAF(54,7812,8328), TAN(54), UGA(7353).

Campylopus cambouei var. *amblyacron* Renauld = *Campylopus cambouei* [1751]

Campylopus canescens (Müll.Hal.) Schimp. ex A.Jaeger = *Campylopus introflexus* (54: 99)

Campylopus capensis Broth. = *Campylopus stenopelma* (82: 142) (= *Campylopus thwaitesii*)

Campylopus capensis Schimp. ex Mitt., nom. nud. = *Campylopus introflexus* (54: 97)

Campylopus capillaceus (Brid.) A.Jaeger, hom. illeg. Excluded: no herbarium material available (54: 195).

Campylopus capitiflorus Mont. = *Campylopus arcuatus* (54: 19)

Campylopus capitiflorus var. *pachycomus* Besch. = *Campylopus arcuatus* (54: 19)

Campylopus caractitis Paris, err. = *Campylopus catarractilis* [1521]

Campylopus cardottii Thér. = *Campylopus controversus* (2269) (= *Campylopus thwaitesii*)

Campylopus caroliniae Grout RWA(65), SAF(4210,7812,8328).

Campylopus catarractilis (Müll.Hal.) Paris LES(4897), MDG(54), MLW(2084),

SAF(54,1531,7812,8328).

Campylopus chalarobasens Müll.Hal. ex Paris, nom. nud. Excluded: unpublished, based on *Dusén* 262, from Cameroon.

Campylopus chateauvertii Thér. = *Campylopus flaccidus* (54: 71)

Campylopus chevalieri Broth. & Thér. BIO(2662), CMN(47,54), CON(47,54), GAB(47,54),

IVO(47,54), NGA(47,54,5148), RIM(4639), SIE(47,54).

Campylopus chlorophyllosus Müll.Hal. = *Campylopus bicolor* var. *atroluteus* (54: 37)

Campylopus chlorophyllosus var. *compactus* Müll.Hal. ex Paris, nom. nud. Excluded: unpublished, based on *Rehmann* 49, South Africa.

Campylopus chlorophyllosus var. *rivularis* Müll.Hal. ex Paris, nom. nud. Excluded: unpublished, based on *Rehmann* 48, South Africa.

Campylopus chlorophyllosus var. *tristis* Müll.Hal. ex Paris, nom. nud. Excluded: unpublished, based on *Rehmann* 47, South Africa.

Campylopus chlorotrichus (Müll.Hal.) Paris = *Campylopus stenopelma* (54: 180) (= *Campylopus thwaitesii*)

Campylopus chrismarii (Müll.Hal.) Mitt. = *Campylopus nivalis* (54: 124)

Campylopus chrysaeolus Besch. = *Campylopus aureus* (54: 30)

Campylopus chrysocolus Müll.Hal. nom. nud., err. = *Campylopus chrysaeolus* [1521] (= *Campylopus aureus*)

Campylopus clavatus (R.Br.) Wilson in Hook.f. SAF(7812,8328).

Campylopus clavatus (R.Br.) Wilson. Excluded: not found in our area - see Frahm (54: 57).

Campylopus clavatus Rehmann ex Sim, nom. nud. = *Campylopus introflexus* [1911: 171; 54: 198]

Campylopus comatus Renauld & Cardot = *Campylopus trachyblepharon* ssp. *comatus* (54: 187)

Campylopus comatus var. *subcomatus* (Renauld & Cardot) Thér. = *Campylopus trachyblepharon* ssp. *comatus* (54: 187)

Campylopus commersonii Besch. ex Renauld = *Campylopus nivalis* (54: 124)

Campylopus compactus Paris & Broth., hom. illeg. = *Campylopus savannarum* (54: 169)

Campylopus consociatus Thér. = *Campylopus flaccidus* (54: 71)

Campylopus controversus (Hampe) A.Jaeger = *Campylopus thwaitesii* (4210: 32)

Campylopus crateris Besch. COM(40,54), KEN(54), MDG(40,54), REU(40,54), UGA(7353).

Campylopus cribrosus (Brid.) Brid. = *Grimmia pulvinata* [1911: 209]

Campylopus crispatus Thér. Excluded: no herbarium material available (54: 195).

Campylopus cummingii Duby = *Campylopus introflexus* (54: 97)

Campylopus decaryi Thér. MDG(40,54), SAF(54,7812,8328), UGA(7353), ZAI(65), ZIM(7623).

Campylopus deciduus Renauld & Cardot = *Campylopus aureus* (54: 30)

Campylopus delagoae (Müll.Hal.) Paris = *Campylopus savannarum* (54: 169)

Campylopus denticuspis Broth. in Mildbr. = *Campylopus nivalis* (54: 124)

Campylopus denticuspis var. *acutifolius* Broth. in Mildbr. = *Campylopus nivalis* (1751)

Campylopus dickieanus Stirt., nom. nud. Excluded: the specimen (from Lake Nyami, ?=Lake Kariba, Zambia/Zimbabwe) has not yet been revised by Frahm [4997: 36]

Campylopus dicranelloides Renauld & Cardot = *Campylopus perpusillus* (54: 139)

Campylopus dicranoides Thér. KEN(54,3412,7065), MLW(2084), RWA(65), UGA(54), ZAI(54,65).

Campylopus dissitus Müll.Hal. ex Broth. = *Campylopus savannarum* (54: 169)

Campylopus dissitus var. *parvifolius* Thér. & P.de la Varde = *Campylopus savannarum* (1751)

Campylopus divaricatus (Mitt.) A.Jaeger = *Campylopus savannarum* (54: 169)

Campylopus dixonii Luisier = *Campylopus eximius* (54: 67) (= *Campylopus incrassatus*)

Campylopus doliolidium Müll.Hal. ex Paris, nom. nud. = *Campylopus robillardii* (1751)

Campylopus dolosus Besch. = *Bryohumbertia* sp (54: 196)

Campylopus drouhardii Cardot & Copp. = *Campylopus aureonitens* (54: 24)

Campylopus dusenii Müll.Hal. ex Paris, nom. nud. = *Campylopus savannarum* (54: 169)

Campylopus echernieri Besch. = *Campylopus jamesonii* (54: 102)

Campylopus echinatus Rehmann ex Sim, nom. illeg. incl. spec. prior. = *Campylopus introflexus* [4800: 184]

Campylopus echinatus var. *brevipilus* Rehmann ex Dixon & A.Gepp, nom. nud. = *Campylopus introflexus* [4800: 184]

Campylopus echinatus var. *leucobasis* (Paris) Paris = *Campylopus introflexus* [4800: 184]

Campylopus echinatus var. *turgescens* Rehmann ex Paris, nom. nud. = *Campylopus introflexus* [4800: 184]

Campylopus echinatus var. *umbrosus* Rehmann ex Paris, nom. nud. = *Campylopus introflexus* [4800: 184]

Campylopus echinatus var. *vallis-gratiae* Rehmann ex Paris, nom. nud. = *Campylopus introflexus* [4800: 184]

Campylopus eckendorffii Thér. & P.de la Varde = *Campylopus pilifer* (54: 143)

Campylopus edwardsii Sim = *Campylopus ampliretis* (82: 140) (= *Campylopus flaccidus*)

Campylopus ericetorum (Mitt.) A.Jaeger. = *Campylopus introflexus* [2713: 84]

Campylopus erythrocaulon Broth. = *Campylopus savannarum* (54: 169)

Campylopus euphorocladus (Müll.Hal.) Bosch & Sande Lac. = *Campylopodium medium* [506: 126]

Campylopus eximius Reichardt = *Campylopus incrassatus* (1751)

Campylopus falcifolius Mitt. = *Campylopus eximius* (54: 67) (= *Campylopus incrassatus*)

Campylopus filescens Renauld & Cardot = *Bryohumbertia* sp (54: 196)

Campylopus filifolius (Hornschr.) Mitt. MAU(105), MDG(40,105), REU(105).

Campylopus filiformis J.-P.Frahm & C.C.Towns. CMN(7923).

Campylopus flaccidus Renauld & Cardot BUR(54,65), IVO(4928), KEN(411),

MDG(40,54), MLW(67,2084), MOZ(357), RWA(65), SAF(54,1531,7766,7812,8328),

SUD(54), SWZ(7972), TAN(54), ZAI(65), ZIM(54).

Campylopus flaccidus var. *cucullatifolius* J.-P.Frahm BUR(2084), MLW(2084), SUD(2084).

Campylopus flagei Renauld & Cardot = *Campylopus filifolius* (19) (= *Bryohumbertia filifolia*)

Campylopus flavescens Rehmann ex Kindb., nom. nud. = *Campylopus aureonitens* (54: 24)

Campylopus flavicoma Müll.Hal. ANG(146), BIO(2662), BUR(65), CMN(47), KEN(8227), MLW(2084), RWA(65), TAN(46), UGA(46), ZAI(65,5319), ZAM(62).

Campylopus flavicoma var. *falcatus* Broth. in Mildbr. = *Campylopus flavicoma* [5616]

Campylopus flavotextus Thér. ex Broth., nom. nud. = *Campylopus incrassatus* [1751]

Campylopus flavoviridis Dusén = *Campylopus eximius* (54: 67) (= *Campylopus incrassatus*)

Campylopus flavoviridis Schimp. in sched., non Dusén = *Campylopus aureonitens* (54: 24)

Campylopus flexuosus var. *azoricus* (Mitt.) Thér. = *Campylopus pyriformis* [1751: 15]

Campylopus flexuosus var. *flexuosus* (Hedw.) Brid. BIO(2662), MAU(54), MDG(40,54), MLW(2084), REU(54), RWA(65), SAO(47,54), STH(1296,4202,4626,5331), TAN(54,146), UGA(54), ZAI(54,65,5319), ZAM(62).

Campylopus flexuosus var. *incacorralis* (Herzog) J.-P.Frahm KEN(7065), MAU(54), MLW(2084), REU(298), TAN(46,54,1751), UGA(54), ZAI(54,65).

Campylopus flexuosus var. *menezesianum* Luisier. Excluded: known only from Madeira, thus not within the scope of this list.

Campylopus fragilis ssp. *fragilis* (Brid.) Bruch, Schimp. & W.Gümbel CMN(54), ETH(54), KEN(411), MLW(67,2084), REU(105), RWA(54), SAF(54,1531,7812,8328), TAN(54), UGA(54), ZAI(54,65).

Campylopus fragilis var. *alpicola* (Müll.Hal.) Wijk & Margad. = *Campylopus fragilis* [1751]

Campylopus fusco-lutescens Renauld & Cardot = *Campylopus controversus* (2269) (= *Campylopus thwaitesii*)

Campylopus gallienii Paris = *Campylopus robillardrei* (54: 164)

Campylopus gallienii var. *brevifolius* Thér. = *Campylopus robillardrei* (1751)

Campylopus genuflexus Müll.Hal, nom. nud. Excluded: no description or collection known.

Campylopus germainii Demaret & V.Leroy = *Pilopogon africanus* (54: 196)

Campylopus gerontius Müll.Hal, nom. nud. Excluded: no description or collection known.

Campylopus griseolus (Müll.Hal.) Paris = *Campylopus pilifer* (54: 143)

Campylopus guineensis P.de la Varde & Thér., hom. illeg = *Campylopus obrutus* [4997: 45]

Campylopus guineensis Thér. = *Campylopus obrutus* (54: 131)

Campylopus helenicus Müll.Hal. = *Campylopus arcuatulus* (54: 19)

Campylopus hensii Renauld & Cardot ANG(54), BIO(54), CAF(47,54), CMN(47,54), CON(47), GAB(47,54), IVO(54), KEN(54), LBR(54), MLW(67,2084), NGA(47,54,334,5148,5176,5745), RIM(4639), RWA(54), SAF(54,7812,8328), TAN(54), UGA(54), ZAI(54,65,5778), ZAM(54).

Campylopus hensii var. *speciosus* Cardot = *Campylopus hensii* [54: 90]

Campylopus heribaudii Renauld & Cardot. = *Campylopus robillardrei* (54: 164)

Campylopus heteroneurum Thér. = *Campylopus ampliretis* (82: 140) (= *Campylopus flaccidus*)

Campylopus hildebrandtii (Müll.Hal.) A.Jaeger BIO(2662), BUR(54,65), CMN(54), COM(40,54), ETH(1927), IVO(4928), KEN(54,5315,6615), MDG(40), MLW(67,2084), REU(54,298), SAF(54,4897,7812,8328), TAN(54), UGA(54), ZAI(54,65,5319).

Campylopus hispidus Renauld & Cardot = *Campylopus pilifer* (1751)

Campylopus hoehnelii (Müll.Hal.) Kindb. = *Campylopus pilifer* (54: 143)

Campylopus hoehnelii var. *subelamellatus* Broth. in Mildbr. = *Campylopus johannis-meyeri* (54: 106)

Campylopus homomallus Leroy & Thér. = *Campylopus flexuosus* (54: 76)

Campylopus horridus Welw. & Duby = *Campylopus savannarum* (54: 171)

Campylopus hygrometricus Rehmann ex Geh., nom. nud. = *Campylopus aureonitens* (54: 198)

Campylopus imandae (Müll.Hal.) Paris, orthog. = *Campylopus inerangae* [1521]. Note: see under that species.

Campylopus inandae (Müll.Hal.) Paris = *Campylopus savannarum* (54: 171)

Campylopus incacorralis Herzog = *Campylopus. flexuosus* var. *incacorralis* (1751)

Campylopus inchangae (Müll.Hal.) Paris = *Campylopus robillardrei* (54: 164))

Campylopus incrangae (Müll.Hal.) Dixon & Gepp = *Campylopus inerangae* [1521]. Note: see under that species.

Campylopus incrassatus Müll.Hal. ASC(54), BIO(2662).

Campylopus inerangae (Müll.Hal.) Paris. Note: orthographic variant for *Campylopus inchangae*, but the specimen from Madagascar (40) given this name was *Campylopus arctocarpus* ssp. *madecassus*, not *Campylopus robillardrei* (54: 164).

Campylopus interruptulus Besch. = *Campylopus filifolius* (1641) (= *Bryohumbertia filifolia*)

Campylopus introflexus (Hedw.) Brid. ASC(2738), BOT(1531),

CHA(51,4480,4507,4508,4534,4565), LES(1531,4897), MAU(105), NAM(1531,7155), REU(54), SAF(54,1531,4897,7766,7812,8328), STH(54,1296,4202,4626,5331), SWZ(7972), ZIM(7623).

Campylopus introflexus (Hedw.) Brid. Note: some published collections with this name are misidentified (e.g. Sierra Leone and Cameroon in (47), which are *Campylopus pilifer*) (54: 149)

Campylopus introflexus var. *altecristatus* (Renauld & Cardot) Thér. = *Campylopus pilifer* (54: 149)

Campylopus introflexus var. *mauritianus* (Renauld & Cardot) Thér. = *Campylopus pilifer* (54: 147)

Campylopus introflexus var. *poeциlophyllus* Thér. ex P.de la Varde, nom. nud. = *Campylopus pilifer* [1751: 60]

Campylopus introflexus var. *polytrichoides* (De Not.) Giacom. = *Campylopus pilifer* (54: 143)

Campylopus jamesonii (Hook.) A.Jaeger BIO(2662), CMN(47,54), KEN(54,3412,5315),

MDG(40,54), MLW(67,2084), MOZ(54), REU(40,54), RWA(54,65),

SAF(54,1531,7812,8328), TAN(54), UGA(54), ZAI(54,65), ZIM(54).

Campylopus jashii Broth. ex Naveau, *nom. nud. in synon.* = *Dicranum jashii* [5967: 21]. Excluded: see *Dicranum jashii* var. *latifolium*.

Campylopus johannis-meyeri (Müll.Hal.) Kindb. CMN(54), KEN(54,3412), MLW(2084), TAN(54), ZAI(54,65,5319).

Campylopus jucrangae (Müll.Hal.) Paris = *Campylopus robillardaei* (54: 164)

Campylopus julaceus Rehmann ex Paris, *nom. nud.* = *Campylopus julaceus* ssp. *arbogastii* (54: 109)

Campylopus julaceus* ssp. *arbogastii (Renauld & Cardot) J.-P.Frahm MAU(54), MDG(40,54), REU(54), SAF(54,1531), SEY(54,2353).

Campylopus kivuensis P.de la Varde & Thér. UGA(7353), ZAI(54,65,5319).

Campylopus kouroussensis Renauld & Paris = *Campylopus perpusillus* (54: 139)

Campylopus labeensis Broth. & Paris = *Campylopus cambouei* (54: 45)

Campylopus lacouturei Thér. ex Broth., *nom. nud.* Excluded: an undescribed specimen from Madagascar.

Campylopus laevigatus Burch. = *Grimmia laevigata* (82: 277)

Campylopus latifolius Cardot = *Campylopus perpusillus* (54: 139)

Campylopus latifolius Rehmann ex Kindb. *nom. nud.* = *Campylopus flaccidus* (54: 71)

Campylopus lavardei Thér. ex P.de la Varde = *Campylopus cambouei* [1751: 46]

Campylopus laxobasis Renauld & Cardot = *Campylopus cambouei* (54: 45)

Campylopus lecomtei Besch. ex P.de la Varde, *nom. nud.* Excluded: no herbarium material available (54: 198).

Campylopus lepidophyllus (Müll.Hal.) A.Jaeger = *Campylopus introflexus* (54: 97)

Campylopus leptodrepanium (Müll.Hal.) Paris = *Campylopus nivalis* (54: 124)

Campylopus leptotrichaceus (Müll.Hal.) Paris = *Campylopus pyriformis* (804). Note: some plants recorded under this name are *Campylopus praetermissus* (e.g. Gabon (47)) (54: 152).

Campylopus letestui Thér. & P.de la Varde = *Campylopus nanophyllus* (54: 122)

Campylopus leucobasis Paris = *Campylopus pilifer* (54: 143)

Campylopus leucobasis var. *bartramiaceus* (Müll.Hal.) Paris = *Dicranum leucobasis* var. *bartramiaceus* [1521] (= *Campylopus pilifer*)

Campylopus leucobasis var. *longescens* (Müll.Hal.) Paris = *Campylopus robillardaei* [1751: 48]

Campylopus leucochlorus (Müll.Hal.) Kindb. = *Campylopus hildebrandtii* (804)

Campylopus levieri Broth. ex Paris, *nom. nud.* = *Campylopus hensii* (54: 198)

Campylopus lindavii Broth. *nom. nud.* = *Campylopus dicranoides* (54: 198)

Campylopus lonchocladus Müll.Hal. = *Campylopus aureonitens* (54: 24)

Campylopus longescens (Müll.Hal.) Paris = *Campylopus robillardaei* (54: 164)

Campylopus longescens var. *firmitus* Rehmann ex Paris, *nom. nud.* = *Campylopus robillardaei* (54: 164)

Campylopus longifolius Besch. = *Campylopus arcuatus* (54: 24)

Campylopus longipilus Brid., *nom. illeg. incl. spec. prior.* Excluded: the specimen is a mixture of *Campylopus pilfer* and *Campylopus atrovirens* [1751: 49]

Campylopus luluensis Thér. & Naveau = *Campylopus savannarum* (1751)

Campylopus luscinalis Dixon = *Campylopus pyriformis* (54: 160)

Campylopus maclaudii Paris & Broth. = *Campylopus nanophyllus* (54: 122)

Campylopus macleai Rehmann ex Kindb., *nom. nud.* = *Campylopus macleanus* [1521] (= *Campylopus robillarei*)

Campylopus macleanus Rehm. = *Campylopus robillardaei* (54: 164)

Campylopus macleaudii Paris & Broth., *orthog.* = *Campylopus maclaudii* [1521] (= *Campylopus nanophyllus*)

Campylopus macrotis Müll.Hal. ex Broth. = *Campylopus savannarum* (54: 171)

Campylopus madagassus Dixon = *Campylopus arctocarpus* ssp. *madecassus* (54: 16)

Campylopus madecassus Besch. = *Campylopus arctocarpus* ssp. *madecassus* (54: 16)

Campylopus mahensis Broth., *nom. dub. in sched.* = *Campylopus arctocarpus* var. *madecassus* (54: 195)

Campylopus mangenotii Bizot & Kilb. = *Campylopus smaragdinus* (1751: 50)

Campylopus manginii Thér. = *Campylopus nivalis* (54: 124)

Campylopus marginatulus Geh. = *Ditrichum punctulatum* (54: 197)

Campylopus marillacii Rehmann ex Paris, *nom. nud.* = *Campylopus flaccidus* (54: 198)

Campylopus matarensis Besch. = *Campylopus arctocarpus* ssp. *madecassus* (54: 16)

Campylopus mathieui Thér. = *Campylopus savannarum* (54: 171)

Campylopus metzlerelloides (P.de la Varde & Thér.) Bizot = *Bryohumbertia flavicoma* (1751)

Campylopus minor Besch. = *Campylopus pyriformis* (54: 160)

Campylopus mollis Müll.Hal. ex Paris, *nom. nud.* = *Campylopus stenopelma* (54: 198) (= *Campylopus thwaitesii*)

Campylopus montanus Welw. & Duby = *Campylopus savannarum* (54: 171)

Campylopus mozambicus P.de la Varde = *Campylopus cambouei* (54: 45)

Campylopus nanophyllus Müll.Hal. ex Broth. CAF(47,54), CMN(47,54), GAB(47,54), GUI(47,54), IVO(1458), MDG(40), MLW(67,2084), REU(54), RWA(65), SAF(54,7812,8328), SEY(2353), ZIM(54).

Campylopus nanotenax (Müll.Hal.) Paris = *Campylopus hildebrandtii* (54: 91)

Campylopus nanus Müll.Hal. = *Dicranella subsulcata* (507)

Campylopus natalensis (Müll.Hal.) Paris = *Campylopus hildebrandtii* (54: 91)

Campylopus naumannii (Müll.Hal.) Kindb. = *Campylopus aureonitens* (54: 24)

Campylopus nivalis var. ***nivalis*** (Brid.) Brid. CMN(47,54), ETH(1927),

KEN(54,3412,5315), LES(4897), MAU(105), MDG(54), MLW(67,2084), REU(54), RWA(54,65), SAF(54,7812), SEY(1941,2353), TAN(54), UGA(54), ZAI(54,5319).

Campylopus obrutus Thér. & P.de la Varde BUR(65), CMN(47,54), CON(47,54), GAB(47,54), GUI(47,54,1458,5041), IVO(4928), NGA(54,1492), RWA(65), ZAI(54,65).

Campylopus ochrodictyon Ångstr. = *Campylopus introflexus* (54: 97)

Campylopus olivaceonigricans Müll.Hal. = *Campylopus ampliretis* (82: 140) (= *Campylopus flaccidus*)

Campylopus orzeszkoanus Renauld & Cardot = *Campylopus crateris* (54: 60)

Campylopus ovalis (Hedw.) Wahlenb. = *Grimmia ovalis* [1521] Note: but likely to be *Grimmia affinis* [355].

Campylopus pallescens Besch. = *Campylopus hildebrandtii* (54: 91)

Campylopus pallidisetus Thér. = *Bryohumbertia* sp (54: 197)

Campylopus pallidonitens Thér. = *Campylopus robillardei* (54: 164)

Campylopus pallidus Hook.f. & Wilson = *Campylopus pyriformis* (54: 160)

Campylopus paludicola Broth. = *Campylopus pyriformis* (1562)

Campylopus paludicola var. *robustus* Thér. in Naveau = *Campylopus pyriformis* [1562]

Campylopus parallelus Thér. ex Broth., nom. nud. = *Campylopus arcuatus* (54: 198)

Campylopus parisii Renauld = *Campylopus smaragdinus* (54: 177)

Campylopus paulensis Broth. nom. dub. in sched. = *Campylopus eximius* (54: 67) (= *Campylopus incrassatus*)

Campylopus perichaetialis P.de la Varde & Thér. IVO(1880), KEN(54,7065), RWA(54,65), ZAI(54,65).

Campylopus perpusillus Mitt. BOT(507), BUR(65), CAF(47,54), CMN(47,54), CON(47), GAB(47,54,507), GUI(47,54), KEN(54), MDG(40,54), MOZ(54), NGA(47,54,334,507,5176), RWA(54,65), SAF(507,1531,7812,8328), SIE(47,54,507), TAN(46,54,507), UGA(46,54,507), ZAI(54,65,507), ZAM(46,54), ZIM(46,54).

Campylopus perrieri Thér. = *Campylopus flaccidus* (54: 71)

Campylopus pilifer ssp. *pilifer* Brid. ANG(54), ASC(54,1296,5331,5334,5340), BIO(8180), BUR(54,65), CAF(47,54), CHA(54,4527), CMN(47,54), COM(40,54), CVI(56,1296,2666,6453), ETH(54), IVO(4928), KEN(54,3412,5315,6615,7065), LBR(54), LES(54,1531,4897), MAU(54), MDG(40,54), MLW(67,2084), NAM(1531,7155), REU(54), RWA(54,65), SAF(54,1531,4897,7812,8328), SIE(47,54), SOC(40,54,1626,2374,5613), STH(5331), SWZ(1531), TAN(54), UGA(54), ZAI(54,65,5319), ZIM(54).

Campylopus pilifer var. *brevirameus* (Dixon) J.-P.Frahm & Stech REU(8240), SAF(8240), SEY(2353,8240).

Campylopus pilifer var. *simii* J.-P.Frahm & Hedderson SAF(7812,8328).

Campylopus pintasi Broth ex Müll.Hal., nom. nud. Excluded: no specimen or description available.

Campylopus pobeguini Paris & Broth. = *Campylopus savannarum* (54: 171)

Campylopus pobeguini var. *minor* Paris = *Campylopus savannarum* (1751)

Campylopus poicilophyllus Naveau, nom. inval. in synon. = *Campylopus pilifer* (54: 143)

Campylopus polytrichoides De Not. = *Campylopus pilifer* (54: 143)

Campylopus polytrichoides ssp. *eupolytrichoides* Giac. = *Campylopus pilifer* [54: 143]

Campylopus polytrichoides ssp. *polytrichoides* (De Not.) Giac. = *Campylopus pilifer* [54: 143]

Campylopus polytrichoides var. *altecristatus* Renauld & Cardot = *Campylopus pilifer* [54: 149]

Campylopus polytrichoides var. *bessonii* (Renauld & Cardot) Renauld & Cardot = *Campylopus pilifer* [54: 143]

Campylopus polytrichoides var. *genuinus* Giac., nom. illeg. = *Campylopus pilifer* [54: 143]

Campylopus praetermissus J.-P.Frahm GAB(47,54), KEN(54), MAU(54,5916),

MLW(2084), REU(298), RWA(65), SAF(54,7766,7812,8328), TAN(54), UGA(7353), ZAI(65).

Campylopus preussii Broth. ex Paris = *Campylopus johannis-meyeri* (54: 106)

Campylopus procerus (Müll.Hal.) Kindb. = *Campylopus jamesonii* (54: 102)

Campylopus pseudobicolor Müll.Hal. ex Renauld & Cardot MAU(105), MDG(40,54), MLW(2084), SAF(54,7766,7812,8328).

Campylopus pseudooclavatus Paris, nom. nud. = *Campylopus introflexus* [1911:171]

Campylopus pseudojulaceus Sim, hom. illeg. = *Campylopus julaceus* ssp. *arbogaster* (54: 109)

Campylopus pseudonigrescens Thér. = *Campylopus flaccidus* (54: 71)

Campylopus pseudovirescens Renauld & Cardot. Excluded: probably *Campylopus arcuatus* (1751).

Campylopus pulvinatus Paris, nom. illeg. = *Campylopus catarractilis* (54: 51)

Campylopus purpurascens Lorentz = *Campylopus pilifer* (54: 143)

Campylopus purpureo-aureus (Müll.Hal.) Paris = *Campylopus aureonitens* (54: 24)

Campylopus pusillus Schimp. ex Müll.Hal., hom. illeg. = *Microcampylopus nanus* [4800: 187] (= *Dicranella subsulata*)

Campylopus pygmaeofilifolius Müll.Hal., nom. nud. = *Bryohumbertia flavicoma* (54: 198)

- Campylopus pyriformis*** var. ***pyriformis*** (Schultz) Brid. CVI(56,6453), KEN(54,411), LES(4897), MLW(67,2084), REU(298), RWA(54,65), SAF(54,1531,4897,7766,7812,8328), TAN(54), UGA(4282), ZAI(54,65), ZIM(7623).
- Campylopus quintasii* Broth. = *Campylopus flexuosus* (54: 76)
- Campylopus rallieri* Cardot = *Campylopus eximius* (54: 67) (= *Campylopus incrassatus*)
- Campylopus rehmannii* Thér., nom. nud. Excluded: no specimen or description known.
- Campylopus reticulatus* Paris & Broth. Excluded: type specimen is not *Campylopus* (54: 197).
- Campylopus rigens* Renaud & Cardot = *Campylopus arctocarpus* var. *madecassus* (54: 16)
- Campylopus ripicola* Besch. = *Campylopus aureus* (54: 30)
- Campylopus robillardii*** Besch. MAU(54), MDG(40,54,6908), MLW(67,2084), MOZ(357), REU(54), RWA(65), SAF(54,1531,7812,8328), SEY(2353), SWZ(1531), TAN(54), UGA(54), ZAI(65), ZIM(54).
- Campylopus rufoviridis* Besch., nom. dub. in sched. = *Campylopus chrysanthemum* (54: 195)
- Campylopus ruwenzoriensis* Demaret & P.de la Varde = *Campylopus fragilis* (54: 81)
- Campylopus ryparochlorus* Müll.Hal., nom. dub. in sched. = *Campylopus flexuosus* (54: 196)
- Campylopus saddleanus* (Müll.Hal.) Besch. = *Campylopus vesticaulis* (54: 192)
- Campylopus salesianus* Broth. = *Campylopus savannarum* (54: 171)
- Campylopus santae-helenae* Schimp. ex Paris, nom. nud. in synon. = *Campylopus helenicus* [25:326] (= *Campylopus arcuatus*)
- Campylopus savannarum*** (Müll.Hal.) Mitt. ANG(54), BIO(2662), BOT(1531), BUR(54,65), CAF(47,54), CMN(47,54), CON(47,54), ETH(50), GAB(47,54), GHA(54), GUI(47,54), IVO(54,1458), KEN(54,7065), LBR(47,54), MLW(67,2084), NGA(47,54,1492,5148), PRI(47,54), RWA(65), SAF(54,1531,7812,8328), SAO(47,54), SIE(47,54), SWZ(1531), TAN(54), TOG(1878), UGA(54), ZAI(54,65,5319), ZAM(54), ZIM(54).
- Campylopus scabricuspis* Mitt. = *Campylopus flexuosus* (1751)
- Campylopus schemkei* Paris, nom. nud. orthogr. = *Campylopus schenkei* [1521] Excluded: see *Campylopus schenkei*.
- Campylopus schenkei* Müll.Hal. ex Paris, nom. nud. Excluded: Rehmann 39 (coll. Montagu pass, Cape peninsula) has not been described.
- Campylopus schmidii*** (Müll.Hal.) A.Jaeger COM(40,54), MDG(40,54), REU(40,54), ZAI(65).
- Campylopus schroederi* Broth. = *Byohumbertia flavicoma* (65)
- Campylopus schunkei* Rehmann ex Dixon & A.Gepp, nom. nud. = *Campylopus bicolor* (54: 199)
- Campylopus schweinfurthii* Müll.Hal., nom. nud. = *Campylopus pilifer* [7878]
- Campylopus sciurooides* Welw. & Duby = *Campylopus savannarum* (54: 171)
- Campylopus scottianus* (Turn.) Brid. = *Orthodicranum scottianum* [1521] Excluded: *Dicranum scottianum* has not been recorded for Africa, but the *Index Muscorum* supplement adds it in error to the distribution.
- Campylopus semidorsum* Rehmann ex Paris, nom. nud. = *Campylopus catarractilis* (54: 51)
- Campylopus sericeus* Negri, hom. illeg. = *Campylopus nivalis* (54: 124)
- Campylopus serricuspis* Thér. & P.de la Varde = *Campylopus savannarum* (54: 171)
- Campylopus serridorsus* (Müll.Hal.) Paris = *Campylopus robillardii* (54: 164))
- Campylopus silvaticus* Rehmann ex Paris, nom. nud. = *Campylopus praetermissus* (54: 152)
- Campylopus simii* Schelpe = *Campylopus julaceus* ssp. *arbogastii* (54: 109)
- Campylopus skaminens*, nom. dub. in sched. = *Atracylocarpus alticaulis* (54: 196)
- Campylopus smaragdinus*** (Brid.) A.Jaeger ASC(54,1296,5329,5340), KEN(54), MDG(40,54), REU(54,109), TAN(54), ZAI(54,65).
- Campylopus squalidus* Brid. = *Racomitrium lanuginosum* [1914]
- Campylopus stenopelma* (Müll.Hal.) Paris = *Campylopus controversus* (2269) (= *Campylopus thwaitesii*)
- Campylopus stramineus* (Mitt.) A.Jaeger = *Campylopus nivalis* (54: 124)
- Campylopus strictus* Taylor ex Hook., nom. nud. in synon. = *Campylopus clavatus* [4997: 87] Excluded: not found in Africa - see Frahm [54: 57].
- Campylopus subambiguus* Thér. = *Campylopus nanophyllus* (54: 122)
- Campylopus subbartramiaeus* Müll.Hal. ex Geh., nom. nud. = *Campylopus pilifer* (54: 143)
- Campylopus subbrachyphyllus* Paris, nom. nud. Excluded: the original specimen (Dusén 658 from Cameroon) has not been published.
- Campylopus subchlorophyllosus* Müll.Hal. ex Rabenh. = *Sphaerothecium subchlorophyllum* (1475)
- Campylopus subclavatus* Kindb., nom. nud. = *Campylopus clavatus* Rehmann ex Sim, nom. nud. [1521] (= *Campylopus introflexus*)
- Campylopus subcomatus* Renauld & Cardot = *Campylopus trachylepharon* ssp. *comatus* [54: 187]
- Campylopus suberythrocaulon* Broth. in Mildbr. = *Campylopus hensii* (54: 87). Note: some specimens given this name belong to *Campylopus savannarum* (e.g Congo (47)) (54: 87)
- Campylopus suberythrocaulon* var. *parvifolius* P.de la Varde, nom. inval. desc. gall. = *Campylopus hensii* (1751)
- Campylopus subflexuosus* Paris, nom. nud. = *Campylopus fragilis* (54: 199)
- Campylopus subintroflexus* Kindb. = *Campylopus pilifer* (54: 143)
- Campylopus subleptodrepanium* Broth. = *Campylopus nivalis* (1751)

Campylopus subobratus Thér. & P.de la Varde = *Campylopus obrutus* (54: 131)
Campylopus subperichaetialis Bizot & Kilb. = *Campylopus incacorrallis* (1751)
Campylopus subpulvinatus P.de la Varde & Thér. = *Campylopus smaragdinus* 54
Campylopus subpusillus Paris = *Dicranella subsubulata* [82: 121]
Campylopus substramineus Broth. in Mildbr.= *Campylopus nivalis* (54: 125)
Campylopus subvirescens Renauld & Cardot = *Campylopus arctocarpus* ssp. *madecassus* (54: 16)
Campylopus sudabyanus Rehmann ex Dixon & A.Gepp, nom. nud. = *Campylopus robillardei* (54: 199)
Campylopus symonsii Sim = *Campylopus aureonitens* (54: 24)
Campylopus taylorii Dixon = *Campylopus nivalis* (54: 124)
Campylopus tenax (Müll.Hal.) Broth. = *Campylopus stenopelma* (54: 180) (= *Campylopus thwaitesii*)
Campylopus tenellus Rehmann ex Dixon & A.Gepp, nom. nud. = *Campylopus pilifer* (54: 199)

Campylopus thwaitesii (Mitt.) A.Jaeger LES(1531), MAU(40,56), MDG(40,54),
MLW(67,2084), MOZ(54), REU(54), RWA(65), SAF(54,1531,7812,8328), STH(54),
SWZ(1531), ZAI(65), ZIM(7623).

Campylopus tisserantii P.de la Varde = *Campylopus nanophyllus* (54: 122)
Campylopus torfaceus Schimp. = *Campylopus pyriformis* [1751: 80]
Campylopus torfaceus var. *alpicola* (Müll.Hal.) Paris = *Campylopus fragilis* [54: 208]

Campylopus torrentis Thér. & P.de la Varde GAB(47,54), NGA(54,1492).

Campylopus trachyblepharon ssp. *comatus* (Renauld & Cardot) J.-P.Frahm MAU(54),
MDG(40,54), REU(298).

Campylopus trachynotus Müll.Hal., nom. nud. Excluded: no specimen known.
Campylopus transvaaliensis Rehmann ex Kindb., nom. nud. = *Campylopus pilifer* (54: 145)
Campylopus transvaaliensis var. *gabonensis* Thér. & P.de la Varde ex W.Schultze-Motel = *Campylopus stenopelma* (47: 484) (= *Campylopus thwaitesii*)
Campylopus trichodes Lorentz = *Campylopus pilifer* (54: 145)
Campylopus trichodes var. *perlamellosus* Dixon = *Campylopus pilifer* (82)
Campylopus tsaratanarae Thér. = *Campylopus flexuosus* (54: 76)
Campylopus tullgrenii Renauld & Cardot = *Campylopus pilifer* (54: 145)
Campylopus turgidus Rehmann ex Dixon & A.Gepp, nom. nud. = *Campylopus pilifer* (54: 199)
Campylopus usambaricus P.de la Varde = *Campylopus obrutus* [1751: 82]
Campylopus valentini Besch. = *Campylopus aureonitens* (54: 24)
Campylopus vallis-gratiae Hampe ex Breutel, nom. inval. = *Campylopus pilifer* [1751: 47]
Campylopus variegatus Dixon & Wager = *Campylopus robillardei* (54: 164))
Campylopus verdolinii Paris & Renauld = *Campylopus flexuosus* (54: 76)

Campylopus vesticaulis Mitt. SAF(7812,8328).

Campylopus virescens Besch. = *Campylopus flexuosus* (54: 76)
Campylopus viridatulus Müll.Hal. ex Broth. = *Campylopus savannarum* (54: 171)
Campylopus voeltzkowii Broth. = *Campylopus perpusillus* (54: 139)
Campylopus weisiopsis (Müll.Hal.) Paris = *Campylopus pilifer* (54: 145)
Cardotia boiviniana (Besch.) Cardot = *Leucobryum boivinianum* [1521]
Cardotia heterodictya (Besch.) Besch. ex Cardot = *Leucobryum heterodictyon* [1521]
Cardotia heterodictya var. *boiviniana* (Besch.) Cardot, nom. illeg. prior. ut spec. = *Leucobryum boivinianum* [1521]
Cardotia heterodictya var. *microphylla* Cardot in Grandid. = *Leucobryum heterodictyon* var. *microphyllum* [1521]

Cardotiella appendiculata (Renauld & Cardot) Vitt MAU(3007), MDG(40), REU(105).

Cardotiella elimbata (Thér.) Goffinet MDG(40,3007).

Cardotiella renauldi (Broth.) Vitt. MDG(40).

Cardotiella schlotheimiaeformis (Paris) Vitt = *Cardotiella secunda* (1519: 525)

Cardotiella secunda (Müll.Hal.) Vitt SAF(1531,1642,7766,8328).

Cardotiella subappendiculata (Broth.) Vitt MAU(1642), MDG(40), REU(1642).

Carpoezia polytrichoides (De Not.) Venturi = *Campylopus pilifer* [1751: 61]

Catagonium aubertii Broth., nom. illeg. incl. spec. prior. = *Catagonium nitens* var. *nitens* [1521]

Catagonium mucronatum (A.Jaeger) Broth. = *Catagonium nitens* var. *maritimum* [2857: 9]

Catagonium nitens ssp. *maritimum* (Hook.) S.H.Lin SAF(1531,1881,7766,8328).

Catagonium nitens ssp. *nitens* (Brid.) Cardot COM(40), MAU(105), MDG(40),

REU(105,2857,3410), SWZ(2857), TAN(46,1881,2857), UGA(3072).

Catagonium politum (Hook.f. & Wilson) Dusén ex Broth. = *Catagonium nitens* var. *nitens* [2857: 6]

Catharinea aloides Roehl., nom. inval. = *Polygonum aloides* [1521]

Catharinea alpina Roehl., nom. inval. = *Polytrichum alpinum* [151] Excluded: see note under *Polytrichastrum alpinum*.

Catharinea androgyna Müll.Hal. = *Atrichum androgynum* (1521)

Catharinea borbonica (Besch.) Broth. = *Atrichum borbonicum* [1521] (= *Atrichum androgynum*)

Catharinea cavallii G.Negri = *Spoggodera cavallii* (1521) (= *Oligotrichum cavallii*)

Catharinea intermedia Bél. = *Polygonum belangeri* [4329: 256]

Catharinea polyphylla Müll.Hal. = *Atrichum androgynum* [4378: 63]

Catharinea synoica Müll.Hal., nom. inval. in synon. = *Atrichum androgynum* [1521]
Catopterum ecklonii (Hornschr.) Wilson ex J.Shaw = *Mielichhoferia ecklonii* [1521] (= *Mielichhoferia bryoides*)
Cecalyphum cylindraceum P.Beauv. = *Holomitrium vaginatum* [2584: 351] (= *Holomitrium cylindraceum*)
Cecalyphum dichotomum P.Beauv. = *Dicranoloma billardierei* [1911: 162]
Cecalyphum pallidum (Hedw.) P.Beauv. = *Ditrichum pallidum* [1521]
Cecalyphum perichaetiale P.Beauv. = *Holomitrium cylindraceum* [2584: 351]
Cephalogonium densum Schimp. ex A.Jaeger, comb. inval. = *Campylopus fragilis* (54)
Cephalogonium flexuosum (Hedw.) Bruch & Schimp. ex Lesq., comb. inval. = *Campylopus flexuosus* (54)
Cephalotrichum simense Bruch, Schimp. & W.Guembel, nom. nud. = *Pogonatum simense* [1521] (= *Pogonatum perichaetiale* ssp. *oligodus*)
Ceratodon capensis Schimp. ex A.Jaeger, nom. inval. in synon. = *Ceratodon purpureus* [1911: 150]
Ceratodon condensatus Schimp. ex A.Jaeger = *Ceratodon purpureus* [1911: 150]
Ceratodon pallipes Müll.Hal., nom. nud. = *Ceratodon purpureus* ssp. *stenocarpus* [1589]

Ceratodon purpureus* ssp. *convolutus (Reichardt) Burley MAU(105), MDG(40,105,1589), REU(105,1589).

Ceratodon purpureus ssp. *purpureus* (Hedw.) Brid. Note: all African records for this taxon have been transferred to either ssp. *stenocarpus* or ssp. *convolutus*, following Burley & Pritchard, 1990 (1589). The two African subspecies are closely linked.

Ceratodon purpureus* ssp. *stenocarpus (Bruch & Schimp. ex Müll.Hal.) Dixon BIO(8180), CHA(4508,4527), CMN(47), ETH(1589,1927), KEN(46,1589,5315), LES(1531,4897), MLW(67,1589), RWA(65,1589), SAF(1531,1589,1882,7766,8328), STH(1296,4202,4626,5331), TAN(46,1589), UGA(46), ZAI(65,1589,5319).

Ceratodon purpureus ssp. *xanthopus* (Sull.) Kindb. Note: see *Ceratodon purpureus* var. *xanthopus* Sull.

Ceratodon purpureus var. *brevidens* Besch. = *Ceratodon purpureus* ssp. *convolutus* (1589)

Ceratodon purpureus var. *congolensis* Thér. = *Ceratodon purpureus* ssp. *stenocarpus* (1589)

Ceratodon purpureus var. *pallipes* Bruch & Schimp. ex Müll.Hal., nom. nud. = *Ceratodon purpureus* ssp. *stenocarpus* [1589]

Ceratodon purpureus var. *robustus* P.de la Varde, hom. illeg. = *Ceratodon purpureus* ssp. *stenocarpus* (1589)

Ceratodon purpureus var. *xanthopus* Sull. = *Ceratodon purpureus* ssp. *purpureus* (1589). Note: as *Ceratodon purpureus* ssp. *purpureus* does not occur in tropical Africa (see Burley & Pritchard, 1990 (1589)), the only African record for var. *xanthopus* (from Zaire) has been transferred to ssp. *stenocarpus*.

Ceratodon stenocarpus Müll.Hal. = *Ceratodon purpureus* ssp. *stenocarpus* (1589)

Ceratodon viridatus (Müll.Hal.) Broth. = *Ceratodon purpureus* ssp. *stenocarpus* (1589)

Ceratodon xanthocarpus (Müll.Hal.) A.Jaeger = *Tortella xanthocarpa* [1521]

Chaetomitrium borbonicum Besch. MAU(105), REU(105).

Chaetomitrium brevinerve fo. *propagulifera* P.de la Varde ex W.Schultze-Motel, nom. nud. = *Chaetomitrium dusenii* var. *brevinerve* (47: 507)

Chaetomitrium brevinerve P.de la Varde = *Chaetomitrium dusenii* var. *brevinerve* [1521]

Chaetomitrium cataractarum Besch. = *Vesicularia hygrobium* [1848: 482]

Chaetomitrium comorense Müll.Hal. COM(40).

Chaetomitrium dusenii* var. *brevinerve (P.de la Varde) P.de la Varde CAF(47), GAB(47), TAN(46).

Chaetomitrium dusenii* var. *dusenii Müll.Hal. ex Broth. CMN(47), GAB(47), IVO(44), RIM(4639), ZAI(65).

Chamaebryum pottiodoides Thér. & Dixon LES(4897), NAM(1531,7155,8024), SAF(1531,4897,8328).

Chameleion cryptocarpus (Dozy & Molk.) L.T.Ellis & A.Eddy in A.Eddy GAB(24), GUI(363), ZAI(24,65).

Cheilotrichia chilensis (Mont.) Broth. = *Chrysoblastella chilensis* (1527)

Cheilotrichia chloropus (Brid.) Broth. CHA(4508,4527).

Cheilotrichia jaegeri Bizot SIE(4).

Chenia leptophylla (Müll.Hal.) R.H.Zander = *Leptophascum leptophyllum* (5956)

Chionoloma bombayense (Müll.Hal.) P.Sollm. CAF(47,7961), CMN(47,7961), COM(40,7961), ETH(1927,7961), GUI(7961), IVO(5925,7961), KEN(46,7961), LES(4897,7961), MAU(105), MDG(40,7961), MLW(6087,7961), REU(105,2653,7961), RWA(7961), SAF(4897,7961,8328), SIE(7961), SOC(40,1626,2374,5613,5919), TAN(46,7961), UGA(46,4282,7961), ZAI(7961), ZIM(46,61,7961).

Chorisodontium falcatum Magill = *Platyneurum laticostatum* (2545) (= *Platyneurum praealtum*)

Chrysoblastella chilensis (Mont.) Reimers LES(1074), SAF(1531,8328).

Chrysohypnum cavifolium (Dixon) Ochyra & Sharp BUR(65), ETH(111,146), KEN(46),

MLW(67), SAF(1531,4897,8328), TAN(46), ZAM(146), ZIM(61).

Chryso-hypnum cygnicollum Hampe ex Paris, nom. nud. = *Eurhynchium cavifolium* [1521] (= *Chryso-hypnum cavifolium*)

Chryso-hypnum demaretii (P.de la Varde) Higuchi UGA(46), ZAI(65).

Chryso-hypnum frondosum (Mitt.) W.R.Buck BIO(47), CMN(47), KEN(46), RWA(65), TAN(46), UGA(46,7922), ZAI(65).

Chryso-hypnum patens Hampe = *Mittenothamnium patens* [1521]

Chryso-hypnum riparium (Hedw.) Loeske = *Leptodictyrum riparium* [1521] (= *Amblystegium riparium*)

Cinclidotus fontinaloides Hedw. KEN(46), TAN(259), UGA(7353).

Cirriphyllum plumosum (Hedw.) Loeske & M.Fleisch. = *Brachythecium plumosum* [1521]

Cirriphyllum populeum (Hedw.) Loeske & M.Fleisch. = *Brachythecium populeum* [1521]

Cladodium calophyllum (R.Br.) Brid. = *Bryum calophyllum*. Excluded: *Index Muscorum* records this taxon for 'Afr. 2', but no records have been found.

Cladophascum gymnomitrioides (Dixon in Sim) Dixon LES(4897), NAM(1531,7155), SAF(1531,8328), TAN(1437), ZIM(46,61,5525).

Claopodium pellucinerve (Mitt.) Best UGA(5696).

Clastobryella ceylonensis (Broth.) Broth. = *Gammieila ceylonensis* (7095)

Clastobryella foliicola P.de la Varde = *Ectropothecium* sp. (7095)

Clastobryella madagassa Thér., nom. illeg. = *Gammieila ceylonensis* (7095)

Clastobryella merrillii (Broth.) M.Fleisch. = *Gammieila ceylonensis* (7095)

Clastobryella pusilla (Thér.) Wijk & Margad. = *Gammieila ceylonensis* (7095)

Clastobryophilum asperifolium (Thwaites & Mitt.) B.C.Tan = *Clastobryophilum bogoricum* (4743). Note: the record of this taxon for Réunion appears to be an error, originating from Renauld's (1618) inclusion of the taxon on the list, following Bescherelle's flora (2195), although Bescherelle does not list it for Réunion. There is no other evidence of such a collection from the island.

Clastobryophilum bogoricum (Bosch & Sande Lac.) M.Fleisch. MDG(40), REU(8028), SEY(1926,1941,1946,2195,2328,2331,2353,4743).

Clastobryophilum rufoviride (Besch.) M.Fleisch. = *Clastobryophilum asperifolium* (4049) (= *Clastobryophilum bogoricum*)

Clastobryum ceylonensis Broth. ex Herzog = *Gammieila ceylonensis* (7095)

Clastobryum merrillii Broth. = *Gammieila ceylonensis* (7095)

Climacium ramulosum (Mitt.) A.Jaeger = *Porotrichum cameroniae* [5490: 123] (= *Porotrichum quintasii*)

Codonoblepharon fasciculatum (Hook. & Grev.) Dozy & Molk. = *Thyridium fasciculatum* [1521] (= *Mitthyridium fasciculatum*)

Codonoblepharon menziesii Schwägr. SAF(4670,7776,8328).

Codonoblepharon microtheca (Dixon ex Malta) Matcham & O'Shea KEN(46,7776), RWA(65,7776), SAF(1531,7776,8328), TAN(46,7776), UGA(46,1077,7776), ZAI(65,7776).

Codonoblepharon obtusifolium (Hook.) A.Jaeger = *Zygodon obtusifolius* [1521] (= *Bryomaltaea obtusifolia*)

Codonoblepharon pungens (Müll.Hal.) A.Jaeger TAN(46,7776).

Codriophorus pulvinatum (Hedw.) P.Beauv. = *Grimmia pulvinata* [1521]

Coleochaetium appendiculatum Renauld & Cardot = *Cardotiella appendiculata* [1642]

Coleochaetium capense (Broth.) Broth. = *Macrocoma tenuis* var. *tenuis* (1519: 510)

Coleochaetium plicatum (P.Beauv.) Besch. = *Leiomitrium plicatum* [1642]

Coleochaetium renaudii Broth. ex Voeltzk. = *Cardotiella renaudii* [1642]

Coleochaetium rugifolium Broth., nom. illeg. incl. spec. prior. = *Macromitrium schlotheimiaeforme* [6793: 241] (= *Cardotiella secunda*)

Coleochaetium secundum (Müll.Hal.) Broth. = *Cardotiella secunda* (1519: 525)

Coleochaetium subappendiculatum Broth. ex Voeltzk. = *Cardotiella subappendiculata* [1642]

Conomitrium amphibium Müll.Hal. = *Fissidens crispulus* (3212)

Conomitrium arboreum (Broth.) KIndb. = *Fissidens arboreus* [1521] (= *Fissidens oblongifolius*)

Conomitrium atroviride (Besch.) Müll.Hal. = *Fissidens atroviridis* [1521]

Conomitrium borbonicum Müll.Hal. = *Fissidens palmifolius* [4250: 280]

Conomitrium bryum (Dusén) Müll.Hal. = *Fissidens bryum* [1521] (= *Fissidens metzgeria*)

Conomitrium capense Müll.Hal. = *Fissidens fontanus* [4800: 188]

Conomitrium capense var. *nigrescens* Rehmann ex Paris, nom. nud. = *Fissidens fontanus* [4800: 188]

Conomitrium desertorum Müll.Hal. = *Fissidens desertorum* [1521]

Conomitrium dusenii Müll.Hal. ex Paris. Excluded: undescribed species (Dusén 834, from Cameroon)

Conomitrium erosulum Müll.Hal. = *Fissidens erosulus* [1521]

Conomitrium gracile Hampe ex Müll.Hal. = *Fissidens gracilis* [1521] (= *Fissidens curvatus*)

Conomitrium gumangense Müll.Hal. = *Fissidens gumangensis* [1521] (= *Fissidens sciophyllum* var. *sciophyllum*)

Conomitrium hians Hampe ex Müll.Hal., nom. nud. = *Fissidens hians* [1521] (= *Fissidens parkii*)

Conomitrium inclinatum Müll.Hal. = *Fissidens inclinatus* [1521] (= *Fissidens submarginatus*)

Conomitrium inflatum Müll.Hal. = *Fissidens reflexus* (3212)
Conomitrium julianum (Cardot) Mont. = *Fissidens fontanus* [8172: 405]
Conomitrium laxifolium (Hornschr.) Müll.Hal. = *Fissidens laxifolius* [1521] (= *Fissidens curvatus*)
Conomitrium mariei Besch. = *Fissidens mariei* [1521]
Conomitrium metzgeria Müll.Hal. = *Fissidens metzgeria* [1521]
Conomitrium microcarpum (Mitt.) A.Jaeger = *Fissidens microcarpus* [1521]
Conomitrium nigrescens Rehmann ex Geh., nom. nud. = *Fissidens fontanus* [4800: 188]
Conomitrium occultifolium Müll.Hal. = *Fissidens schmidii* [2737: 25]
Conomitrium palmifolium (P.Beaup.) Besch. = *Fissidens palmifolius* [1521]
Conomitrium palustre Müll.Hal. = *Fissidens palustris* [1521] (= *Fissidens submarginatus*)
Conomitrium pechuelii Müll.Hal. = *Fissidens pechuelii* [1521]
Conomitrium perfoliatum Müll.Hal. = *Fissidens intramarginatus* (3212)
Conomitrium pseudoserratum Müll.Hal. = *Fissidens pseudoserratum* [1521] (= *Fissidens serratum*)
Conomitrium reflexum (Hampe) A.Jaeger = *Fissidens reflexus* [1521]
Conomitrium sanguineonerve Müll.Hal. = *Fissidens sanguineonervis* [1521] (= *Fissidens sciophyllus* var. *ulna*)
Conomitrium schweinfurthii Müll.Hal. = *Fissidens intramarginatus* (3212)
Conomitrium scleromitrium Besch. = *Moenkemeyera scleromitria* [1521] (= *Fissidens scleromitrius*)
Conomitrium semiobscrum Müll.Hal. = *Fissidens reflexus* (3212)
Conomitrium splachnifolium (Hornschr.) Müll.Hal. = *Fissidens splachnifolius* [1521]
Conomitrium thomsonii Müll.Hal., nom. nud. = *Fissidens thomsonii* Stirt., nom. nud. [1521] Excluded: an undescribed taxon.
Conomitrium ulna Müll.Hal. = *Fissidens ulna* (3212) (= *Fissidens sciophyllus* fo. *ulna*)
Conomitrium ulna var. *jungermanniooides* Müll.Hal. = *Fissidens sciophyllus* var. *ulna* [3212]
Conomitrium undatum Müll.Hal. = *Fissidens intramarginatus* (3212)
Conostomum crassinervium P.de la Varde = *Philonotis conostomoides* (4221)

***Conostomum pentastichum* (Brid.) Lindb.** LES(4897), SAF(4897,8328).

Conostomum pentastichum (Brid.) Lindb. Note: according to Frahm *et al.* (2663), this species is a synonym of *Conostomum tetragonum*. However, these two taxa appear distinct in the field, and have no overlap of range, despite many potentially suitable habitats occurring in Africa and North America. Both Hodgetts *et al.* (4897) in Africa, and Fife (4971) in New Zealand, consider the taxa to be distinct, so *Conostomum pentastichum* has been reinstated.

***Conostomum tetragonum* (Hedw.) Lindb.** LES(1074,1531), SAF(1531).

Coscinodon pallidisetus (Brid.) Brid. = *Microdus pallidisetus* [1521] (= *Leptotrichella pallidiseta*)
Coscinodon verticillatus (Brid.) Brid. = *Eucladium verticillatum* [1521]
Cratoneuron curvicaule (Jur.) Roth., auct. afr. = *Cratoneuron filicinum* (1533)
Cratoneuron curvicaule fo. *densirete* P.de la Varde, nom. inv. descr. gall. = *Cratoneuron filicinum* (1533)
Cratoneuron filicinum var. *curvicaule* (Jur.) Mönk., auct. afr. = *Cratoneuron filicinum* (1533)

***Cratoneuron filicinum* var. *filicinum* (Hedw.) Spruce** ETH(6137), KEN(46,4112,5315),
SAF(1531,1533,8328), TAN(46), UGA(1533), ZAI(65).

Cratoneuron procerum (Dixon) Broth. = *Cratoneuron filicinum* (4866)
Cratoneuron subcurvicaule P.de la Varde = *Cratoneuron filicinum* (1533)
Crossidium apiculatum Magill = *Microcrossidium apiculatum* (2059)
Crossidium chloronotus (Brid.) Limpr. = *Crossidium squamiferum* [2852: 276]

***Crossidium crassinerve* (De Not.) Jur.** CHA(2852,3515), CVI(2666).

Crossidium crassinerve var. *laevipilum* (Thér. & Trab.) Delgadillo = *Crossidium laevipilum* (1420)

***Crossidium laevipilum* Thér. & Trab.** KEN(411).

Crossidium spiralifolium Magill NAM(1531,7155,8024), SAF(1531,8328).

***Crossidium squamiferum* (Viv.) Jur.** CHA(4507), CVI(6453).

Cryphaea bollei Broth. & Geh. in Geh. = *Pseudoleskeopsis bollei* (6614). Note: this synonymy has been adopted despite the views of Frahm *et al.* (2666) about this taxon., who believe it is likely to be a synonym of *Pseudoleskea pseudoattenuata*. As neither source provides evidence of how their decision was made, the genus that retained the specific name has been adopted.

Cryphaea breuteliana Schimp ex Paris, nom. nud. = *Cryphaea exigua* [1911: 356] (= *Cryphaea jamesonii*)
Cryphaea dentata Mitt. = *Cryphaea jamesonii* (6614: 46)
Cryphaea dusenii Müll.Hal., nom. nud. Excluded: the original specimen has not been seen; it is probably a synonym of *Schoenobryum concavifolium*.
Cryphaea exigua (Müll.Hal.) A.Jaeger = *Cryphaea jamesonii* (6614: 46)
Cryphaea filivaga Müll.Hal. ex Paris, nom. nud. = *Cryphaea rutenbergii* (6614: 52)

***Cryphaea heteromalla* (Hedw.) D.Mohr** TAN(6614).

Cryphaea jamesonii Taylor KEN(46,6614), MDG(40,6614), RWA(65,6614),
SAF(1531,6614,7766,8328), SWZ(1531), TAN(46,6614), UGA(6614), ZAI(65).

Cryphaea lasioides Müll.Hal. ex Paris, nom. nud. = *Cryphaea rutenbergii* (6614: 52)

Cryphaea laxifolia Mitt. = *Cryphaea jamesonii* (6614: 46)

Cryphaea longicuspis P.de la Varde & Thér. = *Cryphaea jamesonii* (6614: 47)

Cryphaea madagassa Müll.Hal. ex Geh. = *Acrocryphaea madagassa* [1521] (= *Schoenobryum concavifolium*)

Cryphaea paucidentata Müll.Hal. ex Paris, nom. nud. = *Cryphaea rutenbergii* (6614: 52)

Cryphaea protensa Bruch & Schimp. ex Müll.Hal. ETH(50,1927,6614), KEN(46,6614), MLW(6087,6614), TAN(46,6614).

Cryphaea ragazzii (Brizi) Broth. ETH(50), MOZ(6614).

Cryphaea robusta Broth. & Thér. = *Cryphaea rutenbergii* (6614: 52)

Cryphaea rutenbergii Müll.Hal. ETH(50,111,1927,6614), KEN(46,2661,3412,6614,6615), MDG(40,6614), MLW(6087,6614), SAF(6614,8328), TAN(46,6614), UGA(6614).

Cryphaea scariosa Müll.Hal. = *Antitrichia kilimandscharica* (3097)

Cryphaea subintegra Renauld & Cardot = *Acrocryphaea madagassa* [10: 739] (= *Schoenobryum concavifolium*)

Cryphaea tenuiretis Thér. = *Cryphaea jamesonii* (6614: 47)

Cryphaea vaginans P.Beauv. ex Paris, nom. nud. in synon. err. = *Cryphium vaginans* [1521] (= *Calymperes palisotii*)

Cryphaea welwitschii Duby = *Schoenobryum welwitschii* (1291) (= *Schoenobryum concavifolium*)

Cryphium vaginans P.Beauv. ex Schwaegr., nom. nud. in synon. = *Calymperes palisotii* [8103: 334]

Cryptoleptodon flexuosus (Harv.) Renauld & Cardot = *Cryptoleptodon pluvinii* (301)

Cryptoleptodon longisetus (Mont.) Enroth CVI(301,2666).

Cryptoleptodon pluvinii (Brid.) Broth. ETH(50,301).

Cryptopodium pennata (Hedw.) Roehl. = *Neckera pennata* [1521]

Cryptopodium africanum Broth. = *Leiomela africana* [2866: 405] (= *Leiomela bartramoides*)

Cryptopodium hookeri var. *bordonicum* (Besch.) Paris = *Leiomela bartramoides* var. *bordonica* [1521] (= *Leiomela bartramoides*)

Cryptopodium jamesonii var. *bordonicum* Besch. = *Leiomela bartramoides* var. *bordonica* [1521] (= *Leiomela bartramoides*)

Cryptopodium javanicum Renauld & Cardot = *Leiomela javanica* [1521] (= *Leiomela bartramoides*)

Ctenidium argillicola (Renauld & Cardot) Cardot in Grandid. = *Isoterygium argillicola* [1521]

Ctenidium floribundarioides Dixon ex Tosco & Piovano. Excluded: Nishimura (409) states that *Ctenidium* does not occur in Africa, but he does not mention this species. O'Shea & Ochyra (5546) consider that the taxon is not a *Ctenidium* and exclude it from the African flora.

Ctenidium mauritianum Broth. = *Ectropothecium mauritianum* (409) (= *Ectropothecium nishimurii*)

Ctenidium squarrifolium (Broth.) Broth. = *Ectropothecium squarrifolium* (409)

Ctenodontium squarrosolum Schimp. ex Paris, nom. nud. in synon. Excluded: an undescribed specimen from Réunion.

Cupressina afrocupressiformis Müll.Hal. = *Hypnum cupressiforme* var. *cupressiforme* [1521]

Cupressina anotis Müll.Hal. = *Ectropothecium regulare* [1911: 425]

Cupressina basaltina Müll.Hal. = *Hypnum aduncoides* [1911: 423] (auct. afr.) (= *Hypnum macrogynum*)

Cupressina crassicaulis Müll.Hal. = *Ectropothecium regulare* [1911: 422,425]

Cupressina dentigerum Müll.Hal. = *Rhaphidorrhynchium dregei* [1911: 439] (= *Sematophyllum dregei*)

Cupressina dregei (Müll.Hal.) Müll.Hal. = *Rhaphidorrhynchium dregei* [1521] (= *Sematophyllum dregei*)

Cupressina hoehnelii Müll.Hal. ex Broth. = *Hypnum cupressiforme* var. *cupressiforme* (1521)

Cupressina hyalotis Müll.Hal. = *Rhaphidorrhynchium gueinzii* [11: 428] (= *Sematophyllum gueinzii*)

Cupressina tapeinophyllum Müll.Hal. = *Rhaphidorrhynchium dregei* [4800: 220] (= *Sematophyllum dregei*)

Cyathophorella africana (Dixon) Broth. = *Cyathophorum africanum* (6705: 331)

Cyathophorum africanum Dixon ETH(2220,6705), KEN(46,2220,6705),

RWA(65,2220,6705), TAN(46,2220,6705), UGA(46,2220,6705), ZAI(2220,6705).

Cyathophorum dupuisii Renauld & Cardot = *Rhacopilopsis trinitensis* [2746: 88]

Cyclodictyon acicularifolium M.Fleisch., nom. nud. Excluded: an undescribed specimen (*Dusén* 245) from Cameroon.

Cyclodictyon albicans (Hedw.) Kuntze REU(105).

Cyclodictyon annobonense Broth. in Mildbr., nom. nud. = *Cyclodictyon vallis-gratiae* (4930)

Cyclodictyon argutidens (P.de la Varde) Verd. = *Cyclodictyon krebedjense* var. *argutidens* [1521]

Cyclodictyon aubertii (P.Beauv.) Kuntze BIO(8180), CMN(3072), MAU(105,3410),

MDG(40), MLW(67), REU(105,3410), SAF(3072), TAN(46), UGA(3072), ZAI(65),

ZIM(61).

Cyclodictyon aubertii var. *saxicola* (Renauld & Cardot) Cardot in Grandid. = *Cyclodictyon vallis-gratiae* [278: 40]

Cyclodictyon bidentatum Demaret CMN(47).

Cyclodictyon borbonicum (Besch.) Broth. BIO(2662), KEN(5315,7065), REU(105),

RWA(46), TAN(46), UGA(46), ZAI(65).

Cyclodictyon breutelianum (Hampe) Kuntze = *Cyclodictyon vallis-gratiae* [278: 45; 1519: 607]

Cyclodictyon brevifolium Broth. in Mildbr. BIO(8180), BUR(65), REU(105), RWA(65),

TAN(46), UGA(46), ZAI(65).

Cyclodictyon crassicaule Broth. in Mildbr. RWA(65).

Cyclodictyon delicatum P.de la Varde GAB(47), ZIM(46).

Cyclodictyon dixonianum Demaret KEN(46,7065).

Cyclodictyon filicispis P.de la Varde BIO(2662), GAB(47,4988), PRI(47), TAN(3072),

ZAI(65).

- Cyclodictyon glaucissimum* M.Fleisch., nom. nud. Excluded: an undescribed specimen.
- Cyclodictyon hildebrandtii*** (Müll.Hal.) Kuntze COM(40), SEY(1926,2353), ZAI(65).
- Cyclodictyon huillense* (A.Gepp) Broth. = *Cyclodictyon vallis-gratiae* [278: 40]
- Cyclodictyon hyaloblastum* M.Fleisch., nom. nud. Excluded: an undescribed specimen (*Dusén* 110) from Cameroon.
- Cyclodictyon immersum*** Broth. & P.de la Varde GAB(47).
- Cyclodictyon krebedjense*** Broth. in Corb. BIO(8180), CAF(47), CMN(47), CON(47), GAB(47), KEN(6614), ZAI(65).
- Cyclodictyon krebedjense*** var. ***argutidens*** P.de la Varde GAB(47), KEN(7065), ZAI(65).
- Cyclodictyon laetevirens*** (Hook. & Taylor) Mitt. BIO(47), KEN(4112,5315,6614), MDG(40), MOZ(3072), SAF(3072), SAO(47), ZAI(65), ZIM(61).
- Cyclodictyon lebrunii*** Demaret & P.de la Varde TAN(46), ZAI(65).
- Cyclodictyon macropyxis* O.Kuntze, nom. nud. = *Hookeriopsis pappeana* [25: 2: 341; 1911: 444] (= *Thamniopsis utacamundiana*)
- Cyclodictyon natalense* Rehmann ex Bryhn, nom. nud. = *Cyclodictyon vallis-gratiae* [1911: 443]
- Cyclodictyon perlimbatum*** Broth. TAN(46).
- Cyclodictyon perrottetii*** Demaret & P.de la Varde REU(105).
- Cyclodictyon preussii*** (Broth.) Broth. BIO(8180), CMN(47).
- Cyclodictyon purpurascens* Broth. in Mildbr. = *Cyclodictyon borbonicum* [278: 18]
- Cyclodictyon recognitum*** Demaret & P.de la Varde ANG(46).
- Cyclodictyon robillardei* O.Kintze, nom. nud. = *Callicostella robillardii* [1521]
- Cyclodictyon spectabile*** Broth. in Mildbr. ZAI(65).
- Cyclodictyon subrevifolium*** Broth. TAN(46).
- Cyclodictyon subobtusifolium*** Dixon ex Demaret & P.de la Varde ZAI(65).
- Cyclodictyon thomeanum* (Broth.) M.Fleisch. = *Callicostella fissidentella* [279: 367]
- Cyclodictyon vallis-gratiae*** (Müll.Hal.) Kuntze ANG(46), ANN(47), BIO(2662), CMN(47), GAB(47), KEN(46,7065), MAU(105), MDG(40,6908), RIM(4639), RWA(65), SAF(1531,8328), SEY(1926,2353), TAN(46), UGA(46), ZAI(65), ZAM(3072), ZIM(61). *Cyclodictyon vallis-gratiae* fo. *breutelianum* Demaret & P.de la Varde = *Cyclodictyon vallis-gratiae* (1519: 607)
- Cyclodictyon vesiculosum*** (Brid.) Kuntze MAU(105), REU(105), TAN(46), UGA(3072).
- Cygnicollum immersum*** Fife & Magill SAF(1531,8328).
- Cylindrothecium abbreviatum* Schimp. ex Paris, nom. nud. = *Levierella fabroniacea* var. *abyssinica* [4800: 211] (= *Levierella neckeroides*)
- Cylindrothecium abyssinicum* Schimp. ex Vent., nom. nud. = *Neckera remota* [4768: 192]
- Cylindrothecium batangae* Paris, nom. nud. Excluded: an undescribed specimen (*Dusén* 682) from Cameroon.
- Cylindrothecium breve* Schimp ex Paris = *Entodon brevis* (1521)
- Cylindrothecium cameruniae* Paris, nom. nud. Excluded: an undescribed specimen (*Dusén* 220, from Cameroon).
- Cylindrothecium cyrtocladium* Paris, nom. nud. = *Levierella fabroniacea* var. *abyssinica* [4800: 211] (= *Levierella neckeroides*)
- Cylindrothecium dregeanum* (Hornschr.) Paris = *Entodon dregeanus* [1521] (= *Entodon macropodus*)
- Cylindrothecium dregeanum* var. *borbonicum* (Hornschr.) Paris = *Entodon dregeanus* var. *borbonicus* [1521]
- Cylindrothecium dregeanum* var. *imbricatum* Rehmann ex Paris = *Entodon dregeanus* [1911: 411] (= *Entodon macropodus*)
- Cylindrothecium felicis* (Renauld & Cardot) Paris = *Entodon felicis* [1521]
- Cylindrothecium geminidens* Besch. = *Entodon geminidens* [1521]
- Cylindrothecium guineense* Aongstr. ex Paris, nom. nud. = *Trichosteleum guineense* A.Jaeger, nom. nud. Excluded: the specimens are from New Guinea, not Guinea.
- Cylindrothecium lacunosum* (Broth.) Paris = *Entodon lacunosus* [1521] (= *Entodon macropodus*)
- Cylindrothecium madagassum* (Geh.) Paris = *Entodon madagassus* [1521]
- Cylindrothecium motelayi* Besch. = *Entodon motelayi* [25: 2: 134]
- Cylindrothecium natalense* Paris, nom. nud. = *Entodon natalensis* [1521]
- Cylindrothecium n'goloae* Paris, nom. nud. Excluded: an undescribed collection (*Dusén* 679) from Cameroon.
- Cylindrothecium rutenbergii* (Geh.) Paris = *Entodon rutenbergii* [1521]
- Cylindrothecium schimperi* Paris, nom. illeg. incl. spec. prior. = *Pylaisiobryum abyssinicum* [1521]
- Cylindrothecium schoae* Paris = *Entodon schoae* (1521) (= *Entodon brevis*)
- Cylindrothecium schoae* Paris, nom. nud. = *Entodon schoae*, nom. nud. [1521] (= *Entodon brevis*)
- Cylindrothecium subtruncatum* Paris, nom. nud. = *Neckeroposis disticha* [7306: 110]
- Cylindrothecium usambaricum* (Broth.) Paris = *Entodon usambaricus* [1521]
- Cynodon luridus* Bruch ex Brid. = *Didymodon trifarius* [8248: 549] (= *Didymodon luridus*)
- Cynodon proscriptus* Hornsch. = *Campylopodium proscriptum* [1521] (= *Dicranella proscripta*)
- Cynodontium capillaceum* (Hedw.) Brid. = *Distichium capillaceum* (1521)
- Cynodontium capillaceum* (Hedw.) Brid. = *Distichium capillaceum* [1521]
- Cynodontium heteromallum* (Hedw.) Mitt. = *Dicranella heteromalla* [1521]

Cynodontium lucidum Hassk., err. = *Didymodon trifarius* [25: 102] (= *Saelania glaucescens*)
Cynodontium luridum (Hornschr.) Wallr. = *Didymodon trifarius* [8248: 549; 25: 1: 102] (= *Didymodon luridus*)
Cynodontium pallidum (Hedw.) Mitt. = *Ditrichum pallidum* [1521]

***Cynodontium tanganyikae* P.de la Varde TAN(46).**

Cynodontium trifarium (Hedw.) Brid. = *Didymodon trifarius* [1521] (= *Salaenia glaucescens*)
Cynodontium pallidum (Hedw.) Mitt. = *Ditrichum pallidum* [1521]
Cyrtopus cameruniae Broth. = *Jaegerina scariosa* (1)
Cyrtopus curtipedulus (Hedw.) Spruce = *Antitrichia curtipedula* [1521] Note: see under *Antitrichia curtipedula*.
Daltonia afropatula B.C.Tan, hom. illeg. = *Daltonia mittenii* (45)
Daltonia alternifolia Dozy & Molk. ex Naveau, nom. inval. err. = *Daltonia angustifolia* [1521]

Daltonia angustifolia* var. *angustifolia Dozy & Molk. CMN(47), ETH(1927), KEN(46), MDG(40), MLW(67), MOZ(46), REU(105,8028), TAN(46).

Daltonia angustifolia var. *strictifolia* (Mitt.) M.Fleisch. = *Daltonia angustifolia* (3362)

Daltonia cardotii Bizot & Onr. COM(40), MDG(40), TAN(46).

Daltonia constricta P.de la Varde MOZ(46).

Daltonia disticha (Hedw.) Arnott = *Neckeropsis disticha* [1521]

Daltonia dusenii Müll.Hal. ex Broth. CMN(47).

Daltonia elegantula Schimp. ex C.H.Wright, nom. nud. = *Daltonia angustifolia* var. *strictifolia* [1848: 404; 40: 230] (= *Daltonia angustifolia*)

Daltonia euryloma P.de la Varde CMN(47).

Daltonia forsythii Cardot MDG(40).

Daltonia imbricata (P.Beaup.) Spreng., nom. illeg. incl. spec. prior. = *Pilotrichella pentasticha* [8303: 32] (= *Orthostichella pentasticha*)

Daltonia intermedia Renauld & Cardot, hom. illeg. = *Daltonia cardotii* (40: 231)

Daltonia intermedia var. *angustifolia* Renauld & Cardot ex Levier, hom. illeg. = *Daltonia cardotii* (40: 231)

Daltonia latimarginata Besch. COM(40), MDG(40), REU(105).

Daltonia latimarginata* var. *madagassa Renauld MDG(40), UGA(4282).

Daltonia latolimbata Broth. in Herzog COM(2658), KEN(2658), REU(8028), RWA(2658), TAN(2658), UGA(4282), ZAI(2658).

Daltonia longinervis Mitt. BIO(47,2662).

Daltonia madagassa Schimp. ex C.H.Wright, nom. nud. = *Macrohymenium acidodon* [1848: 404]

Daltonia mildbraedii Broth. KEN(46,4112,5315), RWA(65), TAN(46), ZAI(65).

Daltonia mildbraedii* var. *laevis Demaret & V.Leroy RWA(65), TAN(46).

Daltonia minor Besch. = *Daltonia angustifolia* var. *strictifolia* [1848: 404; 276]

Daltonia minuta Thér. RWA(2675), TAN(46), ZAI(65,2675).

Daltonia mittenii Kis BIO(47,2662), MLW(67), TAN(46).

Daltonia patula Mitt., hom. illeg. = *Daltonia mittenii* (45)

Daltonia plicata P.de la Varde UGA(46).

Daltonia pulvinata Mitt. REU(105,109,8028).

Daltonia splachnoides (Sm.) Hook. & Taylor BIO(47).

Daltonia stenoloma Besch. = *Daltonia angustifolia* var. *strictifolia* [1848: 404; 276]

Daltonia strictifolia Mitt. = *Daltonia angustifolia* var. *strictifolia* [1521]

Daltonia tortifolia Demaret & P.de la Varde ZAI(65,747).

Dasymitrium borbonicum Besch. = *Macromitrium serpens* [1911: 283]

Dasymitrium macleai Rehmann ex Kindb. = *Macromitrium levatum* [5490: 128] (= *Macromitrium sulcatum*)

Dasymitrium rehmannii Müll.Hal. ex Geh., nom. nud. = *Macromitrium serpens* [4378: 116]

Decodon transvaalensis Müll.Hal. ex Broth., nom. nud. = *Rhachithecum perpusillum* [3001: 32]

Dendropogon africanum Schimp. ex Sim, nom. nud. in synon. = *Papillaria africana* [1521]

Dendropogon capensis Schimp. ex Kindb., nom. nud. = *Papillaria africana* [4250: 315]

Dermatodon rubellus Genth = *Bryoerythrophyllum recurvirostrum* [2763: 245]

Desmatodon africanus P.de la Varde = *Scopelophila cataractae* (1420)

Desmatodon atrovirens (Sm.) Jur. = *Desmatodon convolutus* [8215: 224] (= *Tortula atrovirens*)

Desmatodon bogosicus Müll.Hal. = *Tortula bogosica* (1420)

Desmatodon convolutus (Brid.) Groux = *Tortula atrovirens* (1420)

Desmatodon convolutus var. *edentulus* (Bruch, Schimp. & W.Guembel) Grout = *Tortula atrovirens* [1420]

Desmatodon corticola Schimp. ex Paris, nom. nud. Excluded: reported for Ethiopia, but no specimen cited.

Desmatodon fuscomucronata (Müll.Hal.) Paris = *Pseudocrossidium replicatum* (1419)

Desmatodon longipedunculatus (Müll.Hal.) Magill = *Hennediella longipedunculata* (1420)

Desmatodon recurvatus (Hook.) Mitt. = *Desmatodon convolutus* (82: 209) (= *Tortula atrovirens*)

Desmatodon rigidulus Hassk., err. = *Didymodon rigidulus* [1521]

Desmatodon trifarius Hassk., err.= *Didymodon trifarius* [1521] (= *Saelania glaucescens*)

Diaphanodon blandus ssp. *friisi* (Bizot & Lewinsky) Zanten & C.C.Towns.= *Diaphanodon procumbens* [8365: 123]
Diaphanodon friisi Bizot & Lewinsky = *Diaphanodon procumbens* [8365: 123]

***Diaphanodon procumbens* (Müll.Hal.) Renauld & Cardot ETH(111,5564).**

Diaphanophyllum boryanum (Müll.Hal.) Lindb. = *Ditrichum difficile* [8106: 45]
Diaphanophyllum longifolium (Brid.) Lindb. = *Ditrichum strictum* [4981]
Diaphanophyllum pallidum (Hedw.) Lindb. = *Ditrichum pallidum* [1521]
Diaphanophyllum vallis-gratiae Lindb. = *Ditrichum difficile* [5544: 326]
Dicranella abruptifolia (Müll.Hal.) Paris = *Dicranella subsubulata* (82: 121)

***Dicranella acroclada* Cardot MDG(40), SEY(1926,2353).**

Dicranella afro-exigua Müll.Hal. ex Dusén = *Leptotrichella afro-exigua* [4222]
Dicranella ampullacea Müll.Hal. ex Dusén = *Leptotrichella ampullacea* [4222]

***Dicranella ascensionica* Mitt. in Mellis ASC(1296,4202,5329,5331,5334,5340).**

Dicranella bella Paris, nom. nud. Excluded: known only from an undescribed Cameroon specimen: Dusén 881.

***Dicranella borbonica* Besch. MAS(40).**

***Dicranella borbonica* var. *comorensis* Thér. COM(40).**

***Dicranella borbonica* var. *madagascariensis* Thér. MDG(40).**

Dicranella borgeniana (Hampe) A.Jaeger = *Dicranella subsubulata* (82: 121)
Dicranella borgenii A.Jaeger, nom. illeg. incl. spec. prior. = *Dicranella borgeniana* [1521] (= *Dicranella subsubulata*)

***Dicranella cameruniae* Müll.Hal. ex Dusén CMN(47), KEN(46).**

Dicranella cardotii (R.Br.bis) Dixon = *Anisothecium cardotii* (4771)
Dicranella condensata Ångstr. = *Dicranella proscripta* (4626)
Dicranella congolensis (Renauld & Cardot) Broth. = *Leptotrichella congolensis* [4222]

***Dicranella cratericola* Besch. REU(105).**

Dicranella cygnea Ångstr. = *Campylopodium proscriptum* [8106: 70] (= *Dicranella proscripta*)

***Dicranella densifolia* (Thér. & P.de la Varde) Thér. & P.de la Varde CON(47), GAB(47),**

IVO(44).

Dicranella euphoroclada (Müll.Hal.) A.Jaeger = *Campylopodium euphorocladium* [1521] (= *Campylopodium medium*)
Dicranella falcicaulis (Müll.Hal.) Paris = *Aongstroemia vulcanica* [1911: 157] (= *Aongstroemia filiformis*)
Dicranella falcifolium (Schwaegr.) Hook. = *Drepanophyllum falcifolium* [1521] (= *Phylloidrepanium falcifolium*)

***Dicranella falcularia* Müll.Hal. ex Dusén CMN(47), GAB(47), GHA(47), GUI(47,5041),**

IVO(1880), PRI(47).

Dicranella flaviceps Besch. ex Renauld & Cardot, err. = *Dicranella flavipes* [1521]

***Dicranella flavipes* Besch. REU(105).**

Dicranella graciliramea Rehmann ex Kindb. = *Aongstroemia subcompressa* [1911: 159]
Dicranella grandispora Dixon, err. = *Dicranella grandispora* [16: 260]

***Dicranella grandispora* Dixon KEN(46).**

***Dicranella heteromalla* (Hedw.) Schimp. KEN(46).**

***Dicranella kenyae* Dixon KEN(46), TAN(259).**

Dicranella ligulifolia (Müll.Hal.) Kindb. = *Microdus ligulifolius* [1521] (= *Leptotrichella ligulifolia*)
Dicranella limosa (Besch.) A.Jaeger = *Microdus minutus* [4800: 182] (= *Leptotrichella minuta*)
Dicranella limosa var. *brevifolia* Cardot in Grandid. = *Microdus minutus* (1911: 159) (= *Leptotrichella minuta*)
Dicranella lutarria (Besch.) Broth. = *Microdus lutarius* [1521] (= *Leptotrichella lutarria*)
Dicranella macleana Rehmann ex Paris = *Aongstroemia subcompressa* [1911: 159]

***Dicranella madagassa* Renauld COM(40), MDG(40).**

Dicranella minuta (Hampe) A.Jaeger = *Microdus minutus* (1911: 158) (= *Leptotrichella minuta*)
Dicranella moenkemeyeri (Müll.Hal.) Broth. = *Microdus moenkemeyeri* [1521] (= *Leptotrichella moenkemeyeri*)
Dicranella nitidula (Mitt.) Mitt. in Seem. = *Microdus nitidulus* [1521] (= *Leptotrichella nitidula*)

***Dicranella nodicoma* Müll.Hal. ex Dusén CMN(47), KEN(46), UGA(3072).**

Dicranella nossiana Besch. ex Grandid., nom. inval. in synon. = *Dicranella pervilleana* [1521]
Dicranella pallidiseta (Brid.) Broth. = *Microdus pallidisetus* [1521] (= *Leptotrichella pallidiseta*)

***Dicranella pertenella* Müll.Hal. ex Dusén CMN(47), IVO(1880), ZAI(65).**

Dicranella pervaginata Broth. in Bryhn, nom. nud. Excluded: an undescribed collection (*Titlestad s.n.*) from Eschowe, South Africa [4230: 6], also reported from Tanzania [46].

***Dicranella pervilleana* Besch. COM(40), MDG(40).**

Dicranella pervillei Kindb., nom. illeg. incl. spec. prior. = *Dicranella pervilleana* [1521]

***Dicranella polii* Renauld & Cardot MDG(40), SEY(1926,2353).**

***Dicranella proscripta* (Hornschr.) Mitt. in Mellis ASC(506),**

STH(506,1296,4202,4626,5331).

***Dicranella pygmaea* Cardot, hom. illeg. ASC(5329,5340).**

***Dicranella rigida* Dixon ex Sim SAF(1531,8328).**

Dicranella rivalis Müll.Hal. ex Dusén CMN(47), KEN(46), ZAI(65).

Dicranella subcompressa (Hampe) A.Jaeger = *Aongstroemia subcompressa* (1521)

Dicranella subfalcularia Thér. CMN(47), GAB(47), TOG(1878).

Dicranella subfalcularia var. *densifolia* Thér. & P.de la Varde = *Dicranella densifolia* (1521)

Dicranella subsulcata (Hampe ex Müll.Hal.) A.Jaeger BUR(65), CAF(47), GAB(47),

LES(1635), MDG(40), MLW(46,67), NGA(47,5160,5176), REU(5440), RWA(65),

SAF(1531,4897,7766,8328), SWZ(7972), TAN(46), UGA(46), ZAI(65), ZIM(46).

Dicranella subsulcata Hampe ex Müll.Hal. Note: this taxon possesses the characters of *Anisothecium* (Frahm, *pers. comm.*) but the new combination has yet to be made.

Dicranella symonsii Dixon = *Dicranella cardotii* (1500) (= *Anisothecium cardottii*)

Dicranella transvaaliensis (Müll.Hal.) Paris = *Aongstroemia transvaaliensis* [1521] (= *Aongstroemia filiformis*)

Dicranella usambarica P.de la Varde KEN(46), TAN(46,7833).

Dicranobryum leptochlaenoides Müll.Hal. ex Brizi, *nom. nud. in synon.* = *Bryum dongolense* (1521)

Dicranodon bryoides (Hedw.) Béhéhé = *Fissidens bryoides* [1521]. Note: see under *Fissidens bryoides* var. *bryoides* (probably = *Fissidens androgynus*).

Dicranodon flexuosum (Hedw.) Béhéhé = *Campylopus flexuosus* [var. *flexuosus*] [1521]

Dicranodon heteromallum (Hedw.) Béhéhé = *Dicranella heteromalla* [1521]

Dicranodontium chlorotrichum (Müll.Hal.) Paris = *Campylopus stenopelma* (82: 142) (= *Campylopus thwaitesii*)

Dicranodontium heteromallum (Hedw.) A.W.H.Walther & Molendo = *Dicranella heteromalla* [1521]

Dicranodontium humile P.de la Varde. Note: Frahm (1997) concludes that this taxon is certainly not a *Dicranodontium*, but probably a *Blindia*, perhaps *B. acuta* (4283); see note under *Blindia*.

Dicranodontium interruptum P.de la Varde = *Bryohumbertia filifolia* (4283)

Dicranodontium laxitextum Broth. & Bryhn = *Campylopus robillardaei* (54: 164)

Dicranodontium leptodrepanium Broth. = *Campylopus nivalis* (54: 124)

Dicranodontium perfolcatum (Müll.Hal.) Paris = *Campylopus stenopelma* (54: 180) (= *Campylopus thwaitesii*)

Dicranodontium proscriptum (Hornschr.) Wilson in Hook.f. = *Campylopodium proscriptum* [1521] (= *Dicranella proscripta*)

Dicranodontium tanganyikae J.Taylor & P.de la Varde = *Campylopus flexuosus* var. *incacorrallis* (4283)

Dicranoloma billardierei (Brid. ex Anon.) Paris KEN(46,7065), MAU(105), MDG(40),

MLW(67,6087), REU(105), RWA(65), SAF(1531,7766,8328), TAN(46), UGA(46), ZAI(65).

Dicranoloma billardierei var. *drepanocladium* (Müll.Hal.) P.de la Varde = *Dicranoloma billardierei* [1801]

Dicranoloma billardierei var. *drepanocladium* (Müll.Hal.) P.de la Varde TAN(46), ZAI(65).

Dicranoloma billardierei var. *patentifolium* (Renauld & Paris) Thér. = *Dicranoloma billardierei* [1801]

Dicranoloma billardierei var. *patentifolium* (Renauld & Paris) Thér. MDG(40), TAN(46).

Dicranoloma billardierei var. *scopareolum* (Müll.Hal.) Thér. COM(40), MDG(40),

REU(105), TAN(46).

Dicranoloma billardierei var. *scopareolum* (Müll.Hal.) Thér. = *Dicranoloma billardierei* [1801]

Dicranoloma borbonicum Renauld & Cardot REU(105).

Dicranoloma cataractarum Demaret & P.de la Varde = *Blindia magellanica* var. *magellanica* [8028]

Dicranoloma dichotomum (P.Beauv.) Renauld = *Dicranoloma billardierei* [1911: 162]

Dicranoloma drepanocladium ['*drepanoeladium*'] (Müll.Hal.) Renauld ex Paris = *Dicranoloma billardierei* var. *drepanocladium* [1521] (= *Dicranoloma billardierei*)

Dicranoloma entabenense Magill SAF(1531,8328).

Dicranoloma nitidulum (Müll.Hal.) Paris = *Dicranoloma billardierei* [1911: 162]

Dicranoloma onraeditii Bizot = *Leucoloma onraeditii* (7103)

Dicranoloma patentifolium Renauld & Cardot = *Dicranoloma billardierei* var. *patentifolium* [1521] (= *Dicranoloma billardierei*)

Dicranoloma pungens (Hook.f. & Wilson) Paris. Excluded: see note under *Dicranoloma robustum*.

Dicranoloma pycnoloma Renauld = *Dicranoloma scopareolum* [1848: 71] (= *Dicranoloma billardierei*)

Dicranoloma robustum (Hook.f. & Wilson) Paris. Excluded: both this taxon and its synonym *Dicranoloma pungens* are shown by Index Muscorum to be present in Africa, but no such records have been found.

Dicranoloma scopareolum (Müll.Hal.) Renauld ex Paris = *Dicranoloma billardierei* var. *scopareolum* [1521] (= *Dicranoloma billardierei*)

Dicranoloma tabulare Renauld, *nom. nud.* = *Dicranoloma billardierei* [5556: 357]

Dicranoweisia africana Dixon KEN(46), TAN(46).

Dicranoweisia mauritiana Schimp. ex Kindb., *nom. nud.* Excluded: no description or specimen available.

Dicranum acanthoneurum Müll.Hal. KEN(46), RWA(65), TAN(46), ZAI(65).

Dicranum acrocaulon Müll.Hal. = *Campylopus acrocaulon* (1521) (= *Campylopus pilifer*)

Dicranum affine Broth. in Mildbr. = *Dicranum acanthoneurum* [11: 2: 202]

Dicranum africanum (Hedw.) F.Weber & D.Mohr = *Grimmia pulvinata* var. *africana* [1521] (= *Grimmia pulvinata*)

- Dicranum alpicola* Müll.Hal. = *Campylopus fragilis* (54)
Dicranum altovirescens Müll.Hal. = *Campylopus robillardei* (54: 164)
Dicranum amplirete Müll.Hal. = *Campylopus ampliretis* (82: 140) (= *Campylopus flaccidus*)
Dicranum arcuatum Brid. = *Campylopus arcuatus* [1521]
Dicranum aspleniooides (Hedw.) F.Weber & D.Mohr = *Fissidens aspleniooides* [1521]
Dicranum atroluteum Müll.Hal. = *Campylopus bicolor* var. *atroluteus* (54)
Dicranum auberti Bél. = *Campylopus aubertii* [1521] (= *Campylopus hildebrandtii*)
Dicranum aureonitens Müll.Hal. = *Campylopus aureonitens* [1521]
Dicranum aureoviride Müll.Hal. = *Campylopus pyriformis* (54: 160)
Dicranum bartramiaeum Müll.Hal. = *Campylopus bartramiaeus* (54: 35)
Dicranum basalticola Müll.Hal. = *Campylopus subchlorophyllosus* (54: 182)
Dicranum billardierei Brid. = *Dicranoloma billardierei* (82: 132)
Dicranum boivianum (Besch.) Müll.Hal. = *Leucoloma boivianum* [1521]
- Dicranum borbonicum*** Renauld & Cardot REU(2328).
Dicranum boryanum Schwaegr. = *Dicranoloma billardierei* [1911: 162]
Dicranum brevisetum Brid. = *Leucoloma bifidum* [77: 751]
Dicranum bryoides (Hedw.) Sw. = *Fissidens bryoides* [1521]. Note: see under *Fissidens bryoides*.
Dicranum caespitulans Müll.Hal. = *Leucoloma caespitulans* [1521]
Dicranum cambouei (Renauld & Cardot) Müll.Hal. = *Campylopus cambouei* [1521]
Dicranum cameruniae Müll.Hal., nom. nud. = *Leucoloma cameruniae* [1521]
Dicranum canescens Müll.Hal. = *Campylopus introflexus* (54: 99)
Dicranum capillaceum Brid. = *Campylopus capillaceus* [1521] Excluded: see *Campylopus capillaceus*.
Dicranum capitiflorum P.Beauv. = *Campylopus aureonitens* (54)
Dicranum caractitis Müll.Hal. ex Paris, nom. inval. in synon. err. = *Dicranum catarractilis* [1521] (= *Campylopus catarractilis*)
Dicranum catarractilis Müll.Hal. = *Campylopus catarractilis* (54)
Dicranum cespitulans Müll.Hal. = *Leucoloma caespitulans* [1521]
Dicranum chlorophyllosum Müll.Hal. = *Campylopus bicolor* var. *atroluteus* (54)
Dicranum chloropus Brid. = *Cheilotrichia chloropus* [1521]
Dicranum chlorotrichus Müll.Hal. = *Campylopus stenopelma* (82: 142) (= *Campylopus thwaitesii*)
Dicranum chrismarii Müll.Hal. = *Campylopus nivalis* (54: 124)
Dicranum chrysobasilare Müll.Hal. = *Leucoloma chrysobasilare* var. *chrysobasilare* (7101: 527)
Dicranum chrysobasilare var. *gracilicaulon* Müll.Hal. = *Leucoloma procerum* (7101: 546)
Dicranum clavatum R.Br. ex Schwaegr. = *Campylopus clavatus* [1521]. Excluded: see *Campylopus clavatus* (R.Br.) Wilson.
Dicranum commersonianum Müll.Hal., nom. illeg. = *Leucoloma bifidum* (7101: 532)
Dicranum commutatum Hampe ex A.Jaeger = *Dicranoloma billardierei* [5556: 357]
Dicranum corynanum Schwargr. ex Murray, nom. inval. in synon. err. = *Dicranum boryanum* [1521] (= *Dicranoloma billardierei*)
Dicranum cribrosum Brid. = *Grimmia pulvinata* [1911: 209]
Dicranum crispum Thunb. = *Ditrichum difficile* [5544: 326]
Dicranum cuneifolium Hampe ex Geh. = *Leucoloma cuneifolium* (7102: 596)
Dicranum cylindraceum (P.Beauv.) Brid. = *Holomitrium cylindraceum* var. *cylindraceum* [1521]
Dicranum delagoae Müll.Hal. = *Campylopus savannarum* (54: 169)
Dicranum dichelymoides Müll.Hal. = *Leucoloma dichelymoides* (7101: 575)
Dicranum dichotomum (P.Beauv.) Brid., hom. illeg. = *Dicranoloma billardierei* (1911: 162)
Dicranum dicranelloides Renauld & Cardot ex Paris, nom. inval. in synon. err. = *Campylopus dicranelloides* [1521] (= *Campylopus perpusillus*)
Dicranum divaricatum Müll.Hal. = *Campylopus savannarum* (54: 169)
Dicranum drepanocladium Müll.Hal. = *Dicranoloma billardierei* var. *drepanocladium* [1521]
Dicranum ecklonii Lorentz = *Leucoloma zeyheri* (7103: 618)
Dicranum ekloni Lorentz = *Leucoloma zeyheri* [7103: 618]
Dicranum ericetorum Mitt. = *Campylopus pilifer* [1751]
Dicranum falcifolium (Schwaegr.) Hook. = *Drepanophyllum falcifolium* [1521] (= *Phyllodrepanium falcifolium*)
Dicranum filiforme P.Beauv. = *Aongstroemia filiformis* (82: 118)
Dicranum filum Bory = *Aongstroemia filiformis* [105]
Dicranum flagellare Hedw. Excluded: *Index Muscorum* reports this for the East African islands, but no specimens have been recorded.
Dicranum flagellare var. *scottianum* (Turner) Somm. Excluded: *Index Muscorum* reports this for central Africa, but no specimens have been recorded.
Dicranum flexifolium (With.) P.Beauv. = *Leptodontium flexifolium* [1521]
Dicranum flexifolium Hook. = *Ditrichum difficile* [5544: 326]
Dicranum flexuosum Hedw. Excluded: *Index Muscorum* reports this for Africa, but no specimens have been recorded.
Dicranum fragile Brid. = *Campylopus fragilis* (54)
Dicranum gigantium Brid. = *Breutelia gigantea* [1521] (= *Breutelia stuhlmannii*)
Dicranum griseolum Müll.Hal. = *Campylopus pilifer* (54: 143)
Dicranum helenicum Müll.Hal. = *Campylopus helenicus* [1521] (= *Campylopus arcuatus*)
Dicranum heteromallum Hedw. = *Dicranella heteromalla* [1521]

Dicranum hildebrandtii Müll.Hal. = *Campylopus hildebrandtii* (54)
Dicranum hoehnelii Müll.Hal. = *Campylopus pilifer* (54: 143)
Dicranum imandae Müll.Hal. ex Paris, nom. inval. in synon. orthogr. pro *Dicranum inandae* = *Campylopus purpurascens* [1911: 176] (= *Campylopus savannarum*)
Dicranum imerangae Müll.Hal. ex Paris, nom. inval. in synon. orthogr. = *Dicranum inerangae* [1521] (= *Campylopus robillardaei*)
Dicranum inandae Müll.Hal. = *Campylopus savannarum* (54: 171)
Dicranum inerangae Müll.Hal. = *Campylopus robillardaei* (54: 164)
Dicranum introflexum Hedw. = *Campylopus introflexus* (82: 150)
Dicranum jamesonii Hook. = *Campylopus jamesonii* (54: 102)
Dicranum jashii Thér. in Naveau. Excluded: only a variety was described (from D.R. Congo); see *Dicranum jashii* var. *latifolium*.

Dicranum jashii* var. *latifolium Thér. & Naveau ZAI(65).

Dicranum johannis-meyeri Müll.Hal. = *Campylopus johannis-meyeri* (54: 106)

Dicranum johnstonii Mitt. BUR(65), GAB(47), KEN(46,5315,7065), MDG(6908), RWA(65), TAN(46), UGA(46), ZAI(65,5319).

Dicranum julaceum Hampe, hom.illeg. = *Campylopus julaceus* (54: 109)
Dicranum juniperoidicum Brid. = *Leucobryum juniperoidicum* [7236: 252]
Dicranum kilimandscharicum Broth. in Engl., nom. nud. Excluded: an undescribed collection (*Lindau s.n.*) from Tanzania [46: 39]
Dicranum lepidophyllum Müll.Hal. = *Campylopus introflexus* [54: 97]
Dicranum leptotrichaceum Müll.Hal. = *Campylopus pyriformis* (54: 160)
Dicranum leucobasis Müll.Hal. = *Campylopus pilifer* (54: 143)
Dicranum leucobasis var. *bartramiae* Müll.Hal. = *Campylopus pilifer* (54: 143)
Dicranum leucobasis var. *longescens* Müll.Hal. = *Campylopus pilifer* (54: 143)
Dicranum leucochlorum Müll.Hal. = *Campylopus leucochlorus* (54: 115)
Dicranum longescens Müll.Hal. = *Campylopus robillardaei* (54: 164)
Dicranum longipilum Müll.Hal. Excluded: the type specimen is a mixture of two taxa [8134: 93-94]
Dicranum megalophyllum Brid., nom. illeg. incl. spec. prior = *Leucobryum javense* [774]
Dicranum nanotenax Müll.Hal. = *Campylopus hildebrandtii* (54)
Dicranum nanum (Müll.Hal.) Müll.Hal. = *Dicranella subsulcata* (82: 121)
Dicranum naumannii Müll.Hal. = *Campylopus aureonitens* (54)
Dicranum nitidulum Müll.Hal. = *Dicranoloma billardierei* [1911: 162]
Dicranum nivale (Brid.) Spreng. = *Campylopus nivalis* [1521]

Dicranum obliquatum Mitt. BIO(47).

Dicranum olivaceonigrans Müll.Hal. = *Campylopus ampliretis* (82: 140) (= *Campylopus flaccidus*)
Dicranum orientale (F.Weber) D.Mohr = *Semibarbula orientalis* [1521] (= *Barbula indica*)
Dicranum ovale Hedw. = *Grimmia ovalis* (82: 177)
Dicranum ovatum Sw. ex Brid., nom. illeg. incl. spec. prior = *Grimmia ovalis* [1521]
Dicranum pallescens Besch (Müll.Hal.) = *Campylopus pallescens* [1521] (= *Campylopus hildebrandtii*)
Dicranum pallescens Wilson ex Paris, nom. nud. in synon. = *Leucoloma zeyheri* [4250: 361]
Dicranum pallidonitens Müll.Hal. ex Paris, nom. nud. = *Campylopus pallidonitens* [1521] (= *Campylopus robillardaei*)
Dicranum pallidum (Hedw.) D.Mohr. = *Ditrichum pallidum* [1521]
Dicranum perfalcatum Müll.Hal. = *Campylopus stenopelma* (54: 180) (= *Campylopus thwaitesii*)
Dicranum perfoliatum Müll.Hal. ex Paris, nom. inval. in synon. err. = *Dicranum perfalcatum* [1521] (= *Campylopus thwaitesii*)
Dicranum perichaetiale (P.Beauv.) Brid. = *Holomitrium cylindraceum* var. *cylindraceum* [2584: 351]

Dicranum petrophillum G.Negri UGA(46).

Dicranum phascoides Hook. = *Garckea phascoides* [1521] (= *Garckea flexuosa*)
Dicranum poicilophyllum Müll.Hal. ex Paris, nom. nud. = *Campylopus pilifer* [1751: 60]
Dicranum procerum Müll.Hal. = *Campylopus procerus* (1521) (= *Campylopus jamesonii*)
Dicranum proscriptum (Hornschr.) Hook. & Wilson ex Paris, nom. inval. in synon. err. = *Dicranodontium proscriptum* [1521] (= *Dicranella proscripta*)
Dicranum pudicum Hornsch ex E.Mey., nom. nud. = *Campylopus lepidophyllum* [2584: 407] (= *Campylopus introflexus*)
Dicranum pulvinatum (Hedw.) Sw. ex Lag., D.Garcia & Clemente = *Grimmia pulvinata* [1521]
Dicranum pulvinatum Rehmann ex Müll.Hal. hom. illeg. = *Campylopus catarractilis* (54)
Dicranum pulvinatum var. *africanum* (Hedw.) Schleich. = *Grimmia pulvinata* var. *africana* [1521] (= *Grimmia pulvinata*)
Dicranum pumilum Müll.Hal. ex Geh., hom. illeg. = *Leucoloma pumilum* [1521]
Dicranum purpureo-aureum Müll.Hal. = *Campylopus aureonitens* (54)
Dicranum purpureum Hedw. = *Ceratodon purpureus* var. *purpureus* (1521)
Dicranum pusillum Schimp. ex Müll.Hal., hom. illeg. = *Microcampylopus nanus* [1911: 180] (= *Dicranella subsulcata*)
Dicranum pycnoloma Müll.Hal., nom. nud. = *Dicranoloma billardierei* var. *scopareolum* [1848: 71] (= *Dicranoloma billardierei*)
Dicranum pyxidiferum Bory ex Brid., nom. nud. in synon. = *Campylopus introflexus* (1521) Note: see under *Campylopus introflexus*.
Dicranum rehmmani Müll.Hal. = *Leucoloma rehmmani* (82: 136)

- Dicranum rodriguezii* Müll.Hal. Excluded: taxon described but no specimen indicated.
Dicranum rutenbergii Müll.Hal. = *Leucoloma rutenbergii* (7103: 614)
Dicranum saddleianum Müll.Hal. = *Campylopus vesticaulis* (54: 192)
Dicranum sclerocarpum Schimp. ex Müll.Hal., nom. inval. in synon. = *Dicranella subcompressa* [1571] (= *Aongstroemia subcompressa*)
Dicranum scopareolum Müll.Hal. = *Dicranoloma billardierei* var. *scopareolum* [1521]
Dicranum scoparium var. *flagellare* (Hedw.) Hook. & Taylor. Excluded: reported for Africa in Index Muscorum, but no specimens cited.
Dicranum scottianum Turner. Excluded: listed in Index Muscorum, but no reports found.
Dicranum scottii Gray. Excluded: listed in Index Muscorum, but no reports found.
Dicranum serridorsum Müll.Hal. = *Campylopus robillardae* (54: 164)
Dicranum sinuosum Brid. = *Leucoloma longifolium* [2584: 354]
Dicranum smaragdinum (Brid.) Müll.Hal. = *Campylopus smaragdinus* [1521]
Dicranum sprengelianum Müll.Hal. = *Leucoloma sprengelianum* (82: 134)
Dicranum squarrosum Müll.Hal. ex Geh. = *Leucoloma squarrosum* [1521]
Dicranum stellatum Brid. = *Leptodontium stellatum* [1521] (= *Leptodontium longicaule* var. *stellatum*)
Dicranum stenocarpum Hook., nom. dub. in sched. = *Dicranella subsulcata* (54: 196)
Dicranum stenopelma Müll.Hal. = *Campylopus stenopelma* (82: 142) (= *Campylopus thwaitesii*)
Dicranum stramineum Mitt. = *Campylopus nivalis* [54: 124]
Dicranum stuhlmannii Broth. = *Dicranum johnstonii* [11: 10: 207]
Dicranum tabulare Rehmann ex Geh., nom. nud. = *Dicranoloma billardierei* [5556: 357]
Dicranum tenax Müll.Hal. = *Campylopus stenopelma* (54: 180) (= *Campylopus thwaitesii*)
Dicranum thraustum Hampe, hom. illeg. = *Leucoloma thraustum* (7101: 559)
Dicranum traustum Hampe, hom. illeg. = *Leucoloma thraustum* [7101: 559]
Dicranum ustulatum Brid. = *Calymperes afzelii* [2584: 524]
Dicranum viridissimum Müll.Hal. ex Paris, nom. nud. = *Leucoloma viridissimum* [1521]. Excluded: undescribed specimen from Madagascar (Sikora 14315).
Dicranum viridulum Sw. = *Fissidens bryoides* var. *viridulus* [1521] (= *Fissidens viridulus* var. *viridulus*)
Dicranum vulcanicum (Brid.) Brid., nom. illeg. incl. spec. prior. = *Aongstroemia filiformis* [1521]
Dicranum weisiopsis Müll.Hal. = *Campylopus pilifer* (54: 145)
Dicranum zeyheri Müll.Hal. = *Leucoloma zeyheri* (7103: 618) (= *Leucoloma sprengelianum*)
Didymodon abyssinicus Schimp. ex Paris, nom. nud. Excluded: an undescribed collection (*Schimper s.n.*) from Ethiopia [50].
Didymodon acutus (Brid.) K.Saito = *Didymodon rigidulus* var. *gracilis* (1420)
Didymodon afer (Müll.Hal.) Broth. = *Didymodon ceratodonteus* [1911: 256]
Didymodon afer var. *minor* Wager ex Sim, nom. inval. in synon. = *Gyroewisia amplexicaulis* [1911: 250] (= *Didymodon tophaceopsis*)
Didymodon afrofontanus (Müll.Hal.) Broth. = *Barbula ehrenbergii* (1158) (= *Barbula bolleana*)
Didymodon afrorubellus Broth. & Wager ex Dixon = *Bryoerythrophyllum afrorubellum* (1420) (= *Bryoerythrophyllum campylocarpum*)
Didymodon alpinus Venturi = *Bryoerythrophyllum alpinum* (1521) (= *Bryoerythrophyllum recurvirostrum* var. *alpinum*)
Didymodon asperifolius (Mitt.) H.A.Crum, Steere & L.E.Anderson ETH(1927), KEN(46).
Didymodon australasiae (Hook. & Grev.) R.H.Zander CVI(2666), ETH(1865,1927,6137), LES(1531), NAM(1531,7155), SAF(1531,8328), ZAI(5319).
Didymodon barbula (Schwaegr.) Bals.-Criv. & De Not., hom. illeg. = *Timmella barbuloides* [8296: 144]
Didymodon bolleanus (Müll.Hal.) Broth. = *Barbula bolleana* (2666)
Didymodon capensis Spreng. = *Desmatodon convolutus* (82: 209) (= *Tortula atrovirens*)
Didymodon capillaceus (Hedw.) F.Weber & D.Mohr = *Distichium capillaceum* [1521]
Didymodon capitatus Dixon ETH(50).
Didymodon ceratodonteus (Müll.Hal.) Dixon = *Didymodon tophaceus* [8019]
Didymodon compressus Schwaegr. = *Diplostichum longirostre* [2584: 41] (= *Eustichia longirostris*)
Didymodon cordatus Jur. SOC(7778).
Didymodon cyathicarpus (Mont.) Mitt. = *Amphidium cyathicarpum* [1521] (= *Amphidium tortuosum*)
Didymodon cylindricus (Bruch ex Brid.) Bruch, hom. illeg. = *Oxystegus cylindricus* [1521] (= *Trichostomum tenuirostris*)
Didymodon dimorphus (Müll.Hal.) Broth. = *Didymodon ceratodonteus* (82: 233)
Didymodon distans (Hoppe) A.Jaeger = *Trichostomum distans* (1420)
Didymodon distichus Schwaegr., hom. illeg. = *Eustichia longirostris* [2584: 41]
Didymodon eckendorffii P.de la Varde CAF(47), TOG(1878).
Didymodon ehrenbergii (Lorentz) Kindb. = *Barbula bolleana* (2666)
Didymodon epunctatus A.Jaeger, nom. illeg. incl. spec. prior. = *Leptodontium viticulosoides* [1521]
Didymodon erubescens Mitt. ex Hook.f. = *Bryoerythrophyllum recurvirostrum* [8107: 125]
Didymodon fallax var. *fallax* (Hedw.) R.H.Zander CVI(2666,6453).
Didymodon flexifolius (With.) Hook. & Taylor = *Leptodontium flexifolium* [1521]
Didymodon fontanii (Müll.Hal.) Broth. = *Barbula meidensis* (50: 225)

Didymodon fontanus Rehmann ex Geh., nom. nud. = *Barbula afrofontana* [4378: 99] (= *Barbula bolleana*)
Didymodon fragilis Hook. & Wilson = *Tortella fragilis* (82: 258)

Didymodon guineensis Broth. & Paris GUI(47).

Didymodon hastatus (Mitt.) R.H.Zander CVI(2666), ETH(758,1927,4304), REU(758).

Didymodon insulanus (De Not.) M.O.Hill CVI(2666,6453), KEN(8227), MLI(51),
TAN(7833).

Didymodon integrifolius Broth. in Mildbr. = *Bryoerythrophyllum campylocarpum* (2653)

Didymodon integrifolius var. *paucidentatus* Thér. = *Bryoerythrophyllum campylocarpum* (1420)

Didymodon jackvancei R.H.Zander LES(1531).

Didymodon knysmae Rehmann ex Paris, nom. nud. = *Didymodon knysnae* [1521] (= *Didymodon xanthocarpus*)

Didymodon knysnae Rehmann ex Sim = *Didymodon xanthocarpus* (53: 22)

Didymodon leptocarpus Bruch & Schimp. ex Müll.Hal., nom. nud. in synon. = *Didymodon distans* [2584: 583] (= *Trichostomum distans*)

Didymodon lingulatus (Rehmann ex Sim) Magill, hom. illeg. = *Gymnostomum lingulatum* (82: 184)

Didymodon luridus Hornsch. ex Spreng. CHA(4507,4508).

Didymodon maschalogena (Renauld & Cardot) Broth. = *Didymodon hastatus* [7966]

Didymodon michiganensis (Steere) K.Saito = *Didymodon maschalogena* (2666) (= *Didymodon hastatus*)

Didymodon nigrescens (Mitt.) K.Saito ETH(1927).

Didymodon orientalis (F.Weber) R.S.Williams = *Semibarbula orientalis* [1521] (= *Barbula indica*)

Didymodon pallidus (Hedw.) P.Beaup. = *Ditrichum pallidum* [1521]

Didymodon papillinervis (Dixon ex Herzog) Demaret = *Bryoerythrophyllum recurvirostrum* (1420)

Didymodon paucidentatus (Müll.Hal.) Broth. = *Bryoerythrophyllum campylocarpum* (1420)

Didymodon perrevolutus P.de la Varde = *Didymodon ceratodonteus* (82: 235)

Didymodon pottsii Dixon = *Didymodon ceratodonteus* (82: 233)

Didymodon proscriptus (Hornsch.) Brid. = *Campylopidium proscriptum* [1521] (= *Dicranella proscripta*)

Didymodon pungens Mitt. = *Leptodontium pungens* [1521]

Didymodon radicosus Mitt. = *Leptodontium viticulosoides* var. *victulosoides* [2763: 317; 34]

Didymodon recurvirostris (Hedw.) Jenn. = *Bryoerythrophyllum recurvirostrum* (1521)

Didymodon recurvirostris var. *angustifolius* (P.de la Varde) Demaret in P.de la Varde = *Bryoerythrophyllum recurvirostrum* var. *angustifolium* (46) (= *Bryoerythrophyllum campylocarpum*)

Didymodon rigidifolius Dixon = *Bellibarbula recurva* (1420)

Didymodon rigidulus var. *acutus* Bizot TAN(46).

Didymodon rigidulus var. *gracilis* (Schleich. ex Hook. & Grev.) R.H.Zander CVI(6453),
ETH(6137), KEN(411), REU(8028), SUD(1419).

Didymodon rigidulus var. *rigidulus* Hedw. CVI(2666), UGA(4282).

Didymodon rigidulus var. *trifarius* (Hedw.) Hartm. = *Didymodon trifarius* [1521]. Excluded: no African records of this taxon have been found.

Didymodon rubellus Bruch, Schimp. & W.Gümbel, nom. illeg. incl. spec. prior. = *Bryoerythrophyllum recurvirostrum* [1521]

Didymodon rubellus var. *angustifolius* P.de la Varde = *Bryoerythrophyllum afrorubellum* [1420] (= *Bryoerythrophyllum campylocarpum*)

Didymodon rufus Lorentz = *Didymodon asperifolius* [5490: 128]

Didymodon smaragdinus Brid. = *Campylopus smaragdinus* [1521]

Didymodon squarrosum Hook. = *Leptodontium viticulosoides* [2763: 317; 82: 189]

Didymodon stellatus (Brid.) Besch. ex E.Fourn. = *Leptodontium stellatum* [1521] (= *Leptodontium longicaule* var. *stellatum*)

Didymodon subfontanus Dixon MLW(67).

Didymodon sublingulatus Dixon = *Bryoerythrophyllum campylocarpum* (1420)

Didymodon subrevolutus (Hampe) Broth. MDG(40).

Didymodon subulirostris Schimp. ex Paris, nom. nud. Excluded: an undescribed collection (*Schimper* 1339) from Ethiopia [50].

Didymodon tectorum (Müll.Hal.) Saito REU(8028).

Didymodon tisserantii P.de la Varde = *Barbula tisserantii* (1420)

Didymodon tophaceopsis R.H.Zander LES(1531), NAM(1531,7155), SAF(1531,8328), ZAM(62), ZIM(46).

Didymodon tophaceus (Brid.) Lisa BOT(1531), CHA(4507), CVI(2666,6453), ETH(6137), LES(1531,4897), MOZ(46), MTN(8019), NAM(1531,7155), SAF(1531,4670,7766,8328), ZAI(5319), ZIM(46).

Didymodon tophaceus (Brid.) Lisa. Note: Sollman (pers. comm.) suggests that some South African collections listed for *Didymodon ceratodonteus* may belong here.

Didymodon tophaceus var. *humilis* (Schimp.) Warnst. SUD(207).

Didymodon trifarius (Hedw.) Roehl. = *Saelania glaucescens* [2451: 422]. Note: the name *Didymodon trifarius* has in the past been treated incorrectly as a synonym of the taxon now known as *Didymodon luridus* [2451: 421-423].

Didymodon trifarius var. *luridus* (Hornschr. ex Spreng.) Mont. = *Didymodon luridus* [4793: 91]

Didymodon trivialis (Müll.Hal.) J.Guerra = *Didymodon umbrosus* [8366: 234]

Didymodon umbrosus (Müll.Hal.) R.H.Zander LES(1531,4897), SAF(1531,8328).

Didymodon vinealis (Brid.) R.H.Zander. Note: records of our area of this taxon belong to *Didymodon insulanus*.

Didymodon xanthocarpus (Müll.Hal.) Magill LES(1531,4897), SAF(1531,8328).

Didymodon pallidum (Hedw.) P.Beauv. = *Ditrichum pallidum* [1521]

Didymodon rigidulum (Hedw.) P.Beauv. = *Didymodon rigidulus* [1521]

Dimerodontium africanum Müll.Hal. SAF(1531,4897,8328).

Dimerodontium breutelii Paris, nom. illeg. incl. spec. prior. = *Dimerodontium africanum* [1521]

Dimerodontium carnifolium Müll.Hal. = *Dimerodontium africanum* [1911: 365]

Dimerodontium kenyae Dixon ex Tosco & Piovano KEN(46).

Dimorphella chlorizans (Welw. & Duby) Broth. = *Rhacopilopsis trinitensis* [2746: 88]

Dimorphella pechuelii (Müll.Hal.) Renaud & Cardot = *Rhacopilopsis trinitensis* [2746: 88]

Dimorphella pechuelii var. *acuminata* Cardot = *Rhacopilopsis trinitensis* [4720: 211]

Dimorphella pechuelii var. *gracilis* Cardot = *Rhacopilopsis trinitensis* [4720: 211]

Dimorphella trinitensis (Müll.Hal.) Herzog = *Rhacopilopsis trinitensis* [1521]

Diphyscium pocsii (Bizot) R.H.Zander TAN(46,7416).

Diplostichum africanum Müll.Hal. = *Eustichia longirostris* (83: 399)

Diplostichum distichum Cardot = *Eustichia longirostris* [2584: 41]

Diplostichum longirostre (Brid.) Mont. = *Eustichia longirostris* (83)

Dissodon borbonicus Kindb. = *Tayloria orthodonta* (123)

Dissodon boryanus Müll.Hal., nom. illeg. incl. spec. prior. = *Tayloria orthodonta* (123)

Dissodon cameruniae Müll.Hal. ex Dusén = *Tayloria orthodonta* (123)

Dissodon isleanus (Besch.) Paris = *Tayloria isleana* [1521]

Dissodon islei Besch. ex Kindb., nom. illeg. incl. spec. prior. = *Tayloria isleana* [1521]

Dissodon madagassus Müll.Hal., nom. nud. = *Tayloria isleana* [1848: 39]

Dissodon serratus Müll.Hal., nom. illeg. incl. spec. prior. = *Tayloria orthodonta* [1521]

Dissodon thomeanus (Broth.) Kindb. = *Tayloria thomeana* [1521] (= *Brachymitrium moritzianum*)

Distichia acutifolia (Brid.) Brid. = *Calypothecium acutifolium* var. *acutifolium* [1521]

Distichia afrovictoriae Müll.Hal. ex Dusén = *Neckeropsis afrovictoriae* [1521] (= *Neckeropsis foveolata*)

Distichia crispa (Hedw.) Brid. = *Neckera crispa* [1521]

Distichia pennata (Hedw.) Brid. = *Neckera pennata* [1521]

Distichia platyantha Müll.Hal. = *Neckera platyantha* (1521)

Distichia retusa Brid., nom. illeg. incl. spec. prior. = *Neckeropsis disticha* [1521]

Distichium abessinicum Müll.Hal., nom. nud. Excluded: no specimen mentioned.

Distichium capillaceum var. ***capillaceum*** (Hedw.) Bruch, Schimp. & W.Gümbel CMN(47),

ETH(50), KEN(3412,5315), LES(1531,4897), MDG(40), SAF(1531,4897,8328),

TAN(46), UGA(7834).

Distichium kilimandscharicum Müll.Hal. KEN(46), TAN(46).

Distichophyllum africanum Demaret & P.de la Varde RWA(2675), TAN(46),

ZAI(65,747).

Distichophyllum annobonense Broth. in Mildbr., nom. nud. Excluded: an undescribed collection (*Mildbraed 6704*) from Annobon [1619: 159; 47: 511]

Distichophyllum dusenii M.Fleisch., nom. nud. = *Distichophyllum rigidicaule* [4087: 51]

Distichophyllum gabonense P.de la Varde = *Distichophyllum rigidicaule* var. *gabonense* [1521]

Distichophyllum hornschuchii M.Fleisch., nom. illeg. incl. spec. prior. = *Distichophyllum mniifolium* [1521]

Distichophyllum mascarenicum Besch. REU(105), SEY(276,1926,2353).

Distichophyllum mniifolium (Hornschr.) Sim SAF(1519,1531,8328), TAN(46).

Distichophyllum mniifolium var. ***taylorii*** (Sim) Magill SAF(1519,8328).

Distichophyllum procumbens Mitt. BIO(47), CMN(47), GHA(47), RIM(4639).

Distichophyllum rakotomariae Crosby MDG(40,3075).

Distichophyllum rigidicaule var. ***gabonense*** (P.de la Varde) P.de la Varde GAB(47), ZAI(65).

Distichophyllum rigidicaule var. ***rigidicaule*** (Dusén) Broth. BIO(2662), CMN(47), GAB(47), IVO(1880), UGA(4282).

Distichophyllum taylorii Sim = *Distichophyllum mniifolium* var. *taylorii* (1519: 614)

Ditrichum boryanum (Müll.Hal.) Hampe = *Ditrichum difficile* (5544: 326)

Ditrichum brachypodium (Müll.Hal.) Broth. SAF(1531,8328), SWZ(1531), ZIM(61).

Ditrichum brevifolium (Müll.Hal.) Broth., hom. illeg. = *Ditrichum brachypodium* [1911: 144]

Ditrichum capense (Müll.Hal.) Kuntze = *Ditrichum difficile* [5544: 326]

Ditrichum capense var. *tenellum* (Müll.Hal.) Paris. Excluded: although reported from South Africa, not accepted by Magill [82: 93].

Ditrichum capense var. *vallis-gratiae* Paris = *Ditrichum difficile* [5544: 326]

Ditrichum difficile (Duby) M.Fleisch. BIO(8180), KEN(46,6615,7065), LES(4897), MAU(105), MDG(40,1925), MLW(67,6087), REU(105), RWA(65), SAF(1531,1882,4418,4670,4897,7766,8328), SWZ(1531), TAN(46), ZIM(61).

Ditrichum difficile var. *tenellum* (Müll.Hal.) Wijk & Margad. Excluded: see *Ditrichum capense* var. *tenellum*.

Ditrichum difficile var. ***tenellum*** (Müll.Hal.) Wijk & Margad. SAF(4378).

Ditrichum dolichopodon Kuntze, nom. nud. = *Ditrichum brachypodium* [1911: 145]

Ditrichum flexicaule (Schimp.) Hampe ETH(1927).

Ditrichum flexifolium (Mitt.) Hampe = *Ditrichum difficile* [5544: 326]

Ditrichum flexifolium var. *tenellum* (Muel.Hal.) Sim = *Ditrichum difficile* var. *tenellum* [1521] Excluded: see *Ditrichum capense* var. *tenellum*.

Ditrichum glaucescens (Hedw.) Hampe = *Saelania glaucescens* (1521)

Ditrichum gracile (Mitt.) Kuntze KEN(8227).

Ditrichum hornschuchii Kuntze, nom. illeg. incl. spec. prior. = *Campylopodium proscriptum* [1571] (= *Dicranella proscripta*)

Ditrichum hymenodontium Dixon = *Ditrichum brachypodium* (82: 92)

Ditrichum leptorhynchum Hampe = *Dicranella pervilleana* [1945: 307]

Ditrichum luteum Dixon & Thér. MDG(40).

Ditrichum macleanum Paris, nom. nud. = *Ditrichum difficile* [5544: 326]

Ditrichum madagassum (Renauld & Cardot) Paris MDG(40).

Ditrichum microcarpon P.de la Varde, hom. illeg. = *Ditrichum tisserantii* [194: 245]

Ditrichum pallidum (Hedw.) Hampe KEN(46), MDG(40), TAN(46), UGA(46), ZAI(65).

Ditrichum proscriptum (Hornsch.) Paris = *Campylopodium proscriptum* [1521] (= *Dicranella proscripta*)

Ditrichum punctulatum Mitt. LES(4897), REU(5440), SAF(1531,4897,8328).

Ditrichum rigidulum (Hedw.) Timm ex Brockm., nom. inval. in synon. = *Didymodon rigidulus* [1521]

Ditrichum spirale Dixon = *Ditrichum punctulatum* (82: 92)

Ditrichum strictum (Hook.f. & Wilson) Hampe LES(1531), SAF(1531,4903,8328).

Ditrichum tisserantii P.de la Varde ANG(46).

Ditrichum vallis-gratiae (Lindb.) Hampe = *Ditrichum difficile* [5544: 326]

Donnellia laxiuscula (Cardot) W.R.Buck ZAI(65).

Donnellia matutina W.R.Buck RWA(65), ZAI(65).

Donnellia usambarica (Broth. ex Paris) W.R.Buck TAN(46).

Dorcadium pumilum (Sw.) Lindb. = *Orthotrichum pumilum* [1521]

Dorcadium rupestre (Schwaegr.) Lindb. = *Orthotrichum rupestre* [1521]

Drepanium cypresiforme (Hedw.) Roth. = *Hypnum cypresiforme* [1521]

Drepanium cypresiforme var. *brevisetum* (Schimp.) Roth. = *Hypnum cypresiforme* var. *brevisetum* [1521] (= *Hypnum cypresiforme*)

Drepanium cypresiforme var. *ericetorum* (Brid.) Roth = *Hypnum cypresiforme* var. *ericetorum* [1521] (= *Hypnum jutlandicum*)

Drepanium cypresiforme var. *tectorum* (Brid.) Roth = *Hypnum cypresiforme* var. *tectorum* [1521] Excluded: Index Muscorum reports this taxon for E. African islands, but no records have been found.

Drepanocladus aduncus (Hedw.) Warnst. BIO(8180), ETH(1927), KEN(46), RWA(65),

ZAI(65), ZIM(61).

Drepanocladus afrofluitans Müll.Hal. = *Amblystegium afrofluitans* [1521] (= *Amblystegium riparium*)

Drepanocladus exannulatus (Schimp.) Warnst. = *Warnstorffia exannulata* (453)

Drepanocladus fluitans (Hedw.) Warnst. = *Warnstorffia fluitans* (1124)

Drepanocladus fluitans var. *gracilis* Warnst. Excluded: no published African collection found.

Drepanocladus fluitans var. *monodii* P.de la Varde = *Warnstorffia fluitans* Note: according to Ochyra (pers. comm.) this is just an aquatic phenotype of otherwise typical *Warnstorffia fluitans*.

Drepanocladus hallii Broth. & Dixon in Dixon SAF(1531,8328).

Drepanocladus hallii Broth. & Dixon. Note: according to Ochyra (pers. comm.) the type of this taxon belongs to *Drepanocladus sendtneri*, but this has not yet been published.

Drepanocladus polygamus (Bruch, Schimp. & W.Gümbel) Hedenäs SAF(141,8328), TAN(1405), UGA(6989).

Drepanocladus revolvens (Sw.) Warnst. = *Limprichtia revolvens* [2185]

Drepanocladus sendtneri (Schimp.) Warnst. SAF(4385).

Drepanocladus sparsus Müll.Hal. LES(1531), SAF(1531,8328), ZIM(46).

Drepanocladus sparsus Müll.Hal. Note: according to Ochyra (pers. comm.) the type of this taxon is *Leptodictyum riparium* (= *Amblystegium riparium* in this checklist), but this has not yet been published. The Lesotho collection (4897) has been reidentified as *Sanionia uncinata* (Hodgetts, pers. com.).

Drepanocladus uncinatus (Hedw.) Warnst. = *Sanionia uncinata* (453)

Drepanocladus wilsonii (Lindb.) Loeske = *Drepanocladus sendtneri* [1521]

Drepanophyllaria caudicaulis Müll.Hal. = *Hygroamblystegium caudicale* [1521] (= *Pseudoleskea chilensis*)

Drepanophyllum falcifolium (Schwaegr.) Wijk & Margad. = *Phyllocrepanium falcifolium* [5474]

Drepanophyllum fulvum Hook. = *Phyllocrepanium falcifolium* (5474)

Dryptodon campestris (Hook.) Brid. = *Grimmia laevigata* [2584: 794]

Dryptodon cribrosus (Brid.) Brid. = *Grimmia pulvinata* var. *africana* [25: 2: 222; 1911: 209] (= *Grimmia pulvinata*)

Dryptodon crispulus Hook.f. & Wilson = *Racomitrium crispulum* (82: 281)

Dryptodon crispus Brid. = *Ditrichum difficile* [5544: 326]

Dryptodon leucophaeus (Grev.) Brid. = *Grimmia laevigata* [2584: 794]

Dryptodon obtusus Brid. = *Grimmia pulvinata* var. *africana* (1521) (= *Grimmia pulvinata*)

Dryptodon ovalis (Hedw.) Hartm. ex H.Moell. = *Grimmia ovalis* [1521]. Note: see comments under *Grimmia ovalis*.

Dryptodon ovalis var. *affine* (Hedw.) Hartm. = *Grimmia affinis* [1521] (= *Grimmia longirostris*)

Dryptodon ovatus (F.Weber & D.Mohr) Hartm. = *Grimmia ovalis* [8268: 25]. Note: see comments under *Grimmia ovalis*.

Dryptodon pulvinatus (Hedw.) Brid. = *Grimmia pulvinata* [1521]

Dryptodon pulvinatus var. *crinitus* Breb. = *Grimmia pulvinata* var. *africana* [4382: 212] (= *Grimmia pulvinata*)

Duidymodon brachydontius (Bruch) Wilson in Hook. = *Trichostomum brachydontium* var. *brachydontium* [1521]

Dusenia borgenii (Renauld & Cardot) Müll.Hal. ex M.Fleisch., nom. nud. = *Trachyphyllum borgenii* [1521]

Dusenia boryana (Besch.) Müll.Hal. ex M.Fleisch., nom. inval. in synon. = *Leptodon boryanus* [1521] (= *Leptodon fuciformis*)

Dusenia flagellacea (Müll.Hal.) M.Fleisch., nom. inval. in synon. = *Forsstroemia flagellacea* (1521) (= *Forsstroemia producta*)

Dusenia incrassata Broth. = *Forsstroemia incrassata* (1521) (= *Forsstroemia producta*)

Dusenia producta (Hornschr.) Müll.Hal. ex M.Fleisch., nom. inval. in synon. = *Forsstroemia producta* [1521]

Eccremidium exiguum (Hook.f. & Wilson) Hampe SAF(1531,8328), ZIM(5525).

Ectropothecium affine Broth. TAN(46).

Ectropothecium afromolluscum Broth. CAF(47), CMN(47), GAB(47), GHA(47), SIE(47,3216), TAN(46), ZAI(65).

Ectropothecium alboviride Renauld = *Vesicularia alboviridis* [1521]

Ectropothecium alboviride var. *rufulum* Renauld & Cardot = *Vesicularia alboviridis* var. *rufula* [1521]

Ectropothecium anisophyllum Broth. CAF(47), CMN(47), CON(47), GAB(47), GUI(47,5041), IVO(1880), LBR(47), UGA(3072,7922), ZAI(65).

Ectropothecium appressum (Renauld & Cardot) Broth. = *Isopterygium combae* [1848: 462]

Ectropothecium arcuatum Renauld & Cardot, hom. illeg. = *Ectropothecium mauritianum* (1521)

Ectropothecium aureocrispum Broth. CMN(47).

Ectropothecium ayresii Schimp. ex Besch. = *Vesicularia ayresii* [1521]

Ectropothecium bescherellei Renauld = *Vesicularia bescherellei* [1521]

Ectropothecium bingerianum Paris & Broth. in Paris GUI(47).

Ectropothecium boivinii Besch. = *Vesicularia galerulata* [1848: 480]

Ectropothecium brachycarpum (Dixon) Magill = *Isopterygium tenerum* [7706]

Ectropothecium brachycladulum (Müll.Hal.) Broth. CMN(9), IVO(1880), TAN(46), UGA(3072,7922).

Ectropothecium brachycladulum Broth. Note: this species is treated as a synonym of *Vesicularia mayumbensis* by Potier de la Varde [4763: 43], and this was followed by Schultze-Motel (47: 524), but the type description and collections given this name belong to *Ectropothecium*.

Ectropothecium brachiphyllum Broth. & Watts = *Ectropothecium buitenzorgii* [2740: 358]

Ectropothecium brevifalcatum (Müll.Hal.) Kindb. CMN(47), GUI(47), MLI(47), SAO(47), TOG(1878).

Ectropothecium brevisetum Dixon, hom. illeg. = *Ectropothecium brachycarpum* (53: 23)

Ectropothecium bryocarpum Paris, nom. nud. Excluded: an undescribed taxon (*Dusén* 311) from Cameroon.

Ectropothecium buluense Broth. ex Engl., nom. nud. Excluded: an undescribed collection (*Lindau* s.n.) from Tanzania [46: 129].

Ectropothecium campylosciadium Paris, nom. nud. Excluded: an undescribed collection (*Dusén* 366) from Cameroon.

Ectropothecium capillisetum (Müll.Hal.) Kindb. ANG(46).

Ectropothecium chenagonii Renauld & Cardot MDG(40), UGA(7922).

Ectropothecium chenagonii var. *hamatum* Renauld & Cardot MDG(40).

Ectropothecium chlorizans (Welw. & Duby) A.Gepp = *Rhacopilopsis trinitensis* [2746: 88]

Ectropothecium codonopyxis (Müll.Hal.) Paris = *Vesicularia codonopyxis* [1521]

Ectropothecium combae Renauld & Cardot = *Vesicularia combae* [1521]

Ectropothecium contractile Broth. ex Paris, nom. nud. Excluded: an undescribed collection from Cameroon.

Ectropothecium crassirameum Renauld & Cardot in Renauld = *Vesicularia crassiramea* [1521]
Ectropothecium curvulum Mitt. ex C.H.Wright, *nom. nud.* = *Ectropothecium regulare* [1848: 448]

Ectropothecium cyperoides (Hook.) A.Jaeger CGS(5699), DIE(5699).

Ectropothecium dafilae Broth. & Paris GUI(47).

Ectropothecium dafilae Broth. & Paris ex Broth., *err.* = *Ectropothecium dafilae* [1521]

Ectropothecium dealbatum (Reinw. & Hornsch.) A.Jaeger CGS(5699,8220), DIE(5699).

Ectropothecium delicatulum Paris ex P.de la Varde, *hom. illeg.* = *Ectropothecium perrevolutum* [7448: 89]

Ectropothecium densirameum Broth. in Engl., *nom. nud.* = *Vesicularia densiramea* [4139: 29] Excluded: see *Vesicularia densiramea*.

Ectropothecium diffusum (Mitt.) A.Jaeger BIO(47), PRI(47).

Ectropothecium doliare Mitt. CGS(8220), ROD(105).

Ectropothecium dolosum Cardot ZAI(65).

Ectropothecium drepanophyllum Broth. SAO(47).

Ectropothecium duemmeri Dixon TAN(46), UGA(46).

Ectropothecium engleri Broth. TAN(46).

Ectropothecium engleri var. *floridum* Broth., *nom. nud.* [8203: 339]. Excluded: an undescribed collection (*Goetze 165*) from Tanzania.

Ectropothecium engleri var. ***planissimum*** Broth. LBR(47), TAN(46).

Ectropothecium fiorinae Tosco & Piovano TAN(46).

Ectropothecium galerulatum (Duby) A.Jaeger = *Vesicularia galerulata* [1521]

Ectropothecium glaucissimum (Müll.Hal.) A.Jaeger = *Vesicularia glaucissima* [1521]

Ectropothecium glauculum Broth. = *Vesicularia glaucula* [1521]

Ectropothecium golungense (Welw. & Duby) A.Jaeger = *Vesicularia golungense* (1521)

Ectropothecium guineense Paris & Broth. GUI(47), IVO(47).

Ectropothecium hapalypterum (Müll.Hal.) Paris = *Vesicularia hapalyptera* [1521]

Ectropothecium hygrobium Besch. = *Vesicularia hygrobia* [1521]

Ectropothecium immundum Renauld = *Vesicularia immunda* [1521]

Ectropothecium intertextum Renauld & Cardot MAU(105,5916), MDG(40).

Ectropothecium ischyropteris Broth. = *Vesicularia ischyropteris* [1521]

Ectropothecium isoptyerioides Broth. ex Engl., *nom. nud.* Excluded: an undescribed collection (*Lindau s.n.*) from Tanzania [46: 129].

Ectropothecium lateriticola Broth. CMN(47), KEN(46).

Ectropothecium lepervanchei Besch. = *Vesicularia lepervanchei* [1521]

Ectropothecium leptoblastum Broth. ex Engl., *nom. nud.* Excluded: an undescribed collection (*Lindau s.n.*) from Tanzania [46: 129].

Ectropothecium leucoflavum Paris, *nom. nud.* Excluded: undescribed taxon (*Dusén 110*) from Cameroon.

Ectropothecium longofluitans Broth. = *Vesicularia longofluitans* [1521]

Ectropothecium mauritianum (Broth.) N.Nishim., *hom. illeg.* = *Ectropothecium nishimurii* (5546)

Ectropothecium mauritianum Renauld & Cardot MAU(105), MDG(40).

Ectropothecium mayumbense Besch. = *Vesicularia mayumbense* [1521]

Ectropothecium micropyxis Broth. ex Engl., *nom. nud.* Excluded: an undescribed collection from Togo [58].

Ectropothecium mollicellum (Mitt.) A.Jaeger CMN(47).

Ectropothecium mundum Paris, *nom. nud.* = *Vesicularia immunda* [4097: 104; 1848: 484]

Ectropothecium nanocarpum (Müll.Hal.) Paris = *Vesicularia nanocarpa* [1521]

Ectropothecium nanocristacastrensis Kindb., *nom. nud.* = *Ectropothecium regulare* [1848: 484]

Ectropothecium nishimurii O'Shea & Ochyra MAU(105).

Ectropothecium occultum Renauld & Cardot COM(40), MDG(40), REU(105).

Ectropothecium oreadelphus Broth. = *Vesicularia oreadelphus* [1521]

Ectropothecium oreadelphus var. *glaucoviride* Broth. ex Paris = *Vesicularia oreadelphus* var. *glaucoviride* [1521]

Ectropothecium oreadelphus var. *suhureoeflavum* Broth. = *Vesicularia oreadelphus* var. *suhureoeflavum* [1521]

Ectropothecium ovalifolium (Besch.) W.R.Buck MDG(40).

Ectropothecium oxyodon (Welw. & Duby) A.Jaeger = *Rhynchosstegium oxyodon* (1521)

Ectropothecium paillotii Renauld & Cardot MAU(105), MDG(40), UGA(7922), ZIM(61).

Ectropothecium perpallidum Broth. = *Vesicularia perpallida* [1521]

Ectropothecium perpinnatum Broth. ex Paris, *nom. nud.* Excluded: Reported in error from Africa.

Ectropothecium perrevolutum P.de la Varde CAF(47), GUI(47), IVO(1880), TOG(1878).

Ectropothecium perrieri Thér. MDG(40).

Ectropothecium perrotii Renauld & Cardot MDG(40), MLW(67), SAF(1531),

UGA(3072,7922), ZAI(65), ZIM(61).

Ectropothecium plumigerum (Broth.) Hedenäs CMN(47), GAB(47), UGA(7353,7922).

Ectropothecium podorrhizum Renauld & Cardot = *Isopterygium podorrhizum* [1521]

Ectropothecium prionacis Paris, nom. nud. Excluded: an undescribed taxon (*Dusén* 224) from Cameroon.

Ectropothecium protractulum Müll.Hal. COM(40).

Ectropothecium pseudo-amoenum (Bél.) A.Jaeger = *Taxithelium pseudo-amoenum* [1521]

Ectropothecium regulare (Brid.) A.Jaeger BIO(3414), BUR(65), CMN(47), COM(40),

CON(47), GAB(47), GUI(47), IVO(1880), MAU(105,3410), MDG(40), MLW(67),

NGA(5160,5176), REU(105,3410), RIM(4639), SAF(1531,7766,8328),

SEY(1926,1941,2353,4932), SIE(47,3216), TAN(46), ZAM(62), ZIM(46,61).

Ectropothecium regulare var. ***angustifolium*** Thér. MAU(105).

Ectropothecium regulare var. *densum* Renauld & Cardot in Grandid., nom. nud. in synon. = *Ectropothecium regulare* [1848: 449]

Ectropothecium regulare var. ***laxitextum*** Thér. REU(105).

Ectropothecium regulare var. *minus* Renauld = *Ectropothecium paillotii* (40: 243)

Ectropothecium revolutum Broth. CMN(47), IVO(1880), NGA(5148), TAN(46), ZAI(65).

Ectropothecium rodriguezii Renauld & Cardot = *Vesicularia rodriguezii* [1521]

Ectropothecium rodriguezii var. *pinnatum* Renauld & Cardot in Renauld, nom. nud. Excluded: an undescribed collection from Rodriguez.

Ectropothecium rootii Paris & Broth. = *Vesicularia rootii* [1521]

Ectropothecium sarcoblastum Broth. = *Vesicularia sarcoblasta* [1521]

Ectropothecium scaturiginum (Brid.) Mitt. = *Vesicularia scaturigina* [1521]

Ectropothecium sericeum P.de la Varde TAN(46).

Ectropothecium seychellarum Besch. MDG(40),

SEY(1618,1926,1946,1947,2195,2328,2353,4932).

Ectropothecium seychellense Besch. ex Renauld & Cardot, nom. nud. err. = *Ectropothecium seychellarum* [1521]

Ectropothecium sigmangium Broth. = *Vesicularia sigmangia* [1521]

Ectropothecium soyauxii (Müll.Hal.) Paris = *Vesicularia soyauxii* [1521]

Ectropothecium sphaericum var. *laxifolium* Renauld & Paris ex Paris = *Vesicularia crassiramea* var. *laxifolia* [1521]

Ectropothecium sphaerocarpum (A.Jaeger) Besch. = *Vesicularia galerulata* [1848: 480]

Ectropothecium sphaerocarpum var. *subpiligerum* Renauld & Cardot = *Vesicularia galerulata* var. *subpiligera* [1521]

Ectropothecium squarrifolium (Broth.) N.Nishim. CAF(47), CMN(47), CON(47),

GAB(47), SEY(4932).

Ectropothecium strephomischos (Welw. & Duby) A.Gepp in Hiern = *Vesicularia strephomischos* [1521]

Ectropothecium subenerve Mitt. = *Vesicularia subenervis* (1521)

Ectropothecium subsarcoblastum Broth. = *Vesicularia subsarcoblasta* [1521]

Ectropothecium subsphaericum Müll.Hal. ex Renauld & Cardot = *Vesicularia subsphaerica* [1521]

Ectropothecium subsphaericum var. *laxifolium* Renauld & Cardot = *Vesicularia crassiramea* var. *laxifolia* [1521]

Ectropothecium subulosum Mitt. ROD(105).

Ectropothecium sulfureoflavum Paris, nom. nud. = *Vesicularia oreadelphus* var. *sulphureoflava* [1521]

Ectropothecium tamatavense Broth. MDG(40).

Ectropothecium taxiforme (Brid.) Broth. ANN(47), CMN(47), LBR(47), MLW(3072),

SIE(3216).

Ectropothecium tenaci-insertum (Müll.Hal.) Paris = *Vesicularia tenaci-inserta* [1521]

Ectropothecium tenuatypes (Müll.Hal.) Paris = *Vesicularia tenuatypes* [1521]

Ectropothecium terreste (Müll.Hal.) Paris = *Vesicularia terestris* [1521]

Ectropothecium thollonii Besch. = *Vesicularia thollonii* [1521]

Ectropothecium triviale (Müll.Hal.) Kindb. BIO(47,3418).

Ectropothecium ulugurense Broth., nom. nud. [8203: 338]. Excluded: an undescribed collection (*Goetze* 452) from Tanzania.

Ectropothecium valentini Besch. MAU(105), REU(105).

Ectropothecium valentini var. ***minus*** Renauld MAU(105).

Ectropothecium virentipinnatum Müll.Hal. ex Renauld = *Vesicularia galerulata* [1848: 480]

Ectropothecium viridulum (Brid.) A.Jaeger REU(105).

Ectropothecium zollingeri (Müll.Hal.) A.Jaeger CAF(47), GAB(47), GUI(2733),

TOG(1878), ZAI(65,1552).

Eleutera disticha (Hedw.) Stuntz = *Neckeropsis disticha* [1521]

Eleutera pennata (Hedw.) Stuntz = *Neckera pennata* [1521]

Encalypta ciliata Hedw. ETH(50,1927), KEN(46,3412,5315), LES(1531,4897),

SAF(1531,4897,8328), TAN(46), UGA(5696).

Encalypta crispa Thundb. ex Juel, nom.nud. in synon. = *Ptychomitrium crispatum* [1521]

Encalypta crispatula Hedw. = *Ptychomitrium crispatum* (1519: 474)

Encalypta cuspidata Bruch & Schimp. ex Müll.Hal. ETH(50).

Encalypta fimbriata Lam. & DC. = *Encalypta ciliata* (1521)
Encalypta gracilis A.Roth, nom. inval. = *Pterogonium gracile* [1521]

Encalypta hedbergii P.de la Varde TAN(46).

Encalypta intermedia Jur. in Jur. & Milde ERI(50).

Encalypta pulvinata Sibth., nom. inval. = *Grimmia pulvinata* [1521]

Encalypta rhaftocarpa var. ***rhaftocarpa*** Schwägr. ETH(1927).

Encalypta vulgaris var. *intermedia* Dixon ex Cufod. = *Encalypta intermedia* (50: 222)

Encalypta vulgaris var. ***vulgaris*** Hedw. CHA(4508,4527), ETH(1927), LES(1531,4897),

SAF(1531,8328).

Endotrichum bescherellei Renauld & Cardot, nom. nud. = *Calyptothecium bescherellei* [1521]

Endotrichum patentissimum (Hampe) A.Jaeger = *Renauldia patentissima* [1521]

Endotrichum patentissimum var. *brevis* Müll.Hal., nom. nud. = *Renauldia patentissima* var. *tenuis*, nom. nud [1848: 342].

Excluded: see *Renauldia patentissima* var. *tenuis*, nom. nud.

Endotrichum patentissimum var. *tenue* Müll.Hal., nom. nud. Excluded: see *Renauldia patentissima* var. *tenuis*, nom. nud.

Entodon abyssiniae Müll.Hal. ex M.Fleisch., nom. nud. in synon. = *Pylaisiobryum abyssinicum* [1566: 211]

Entodon abyssinicus (Müll.Hal.) A.Jaeger = *Pylaisiobryum abyssinicum* (1521)

Entodon abyssinicus Tosco & Piovano, nom. inval. = *Entodon piovani* (80)

Entodon adyris W.R.Buck ZAI(65).

Entodon batangae Müll.Hal. ex Paris, nom. nud. Excluded: an undescribed specimen (*Dusén* 682), from Cameroon.

Entodon brevirameus Dixon = *Entodon dregeanus* (53: 23)

Entodon brevis Paris, nom. nud. Excluded: an undescribed specimen (*Schimper* s.n.) collected from Ethiopia [50].

Entodon cameruniae Müll.Hal. ex Paris, nom. nud. = *Entodontella cameruniae* (715)

Entodon chenagonii Renauld & Cardot ex Wijk, Margad. & Florsch., err. = *Ectropothecium chenagonii* [1521]

Entodon chenagonii var. *hamatulus* Renauld & Cardot ex Wijk, Margad. & Florsch., err. = *Ectropothecium chenagonii* var. *hamatum* [1521]

Entodon concinnus (De Not.) Paris ETH(1927,6024).

Entodon corbieri Renauld & Cardot MDG(40,2672).

Entodon cymbifolius Wager ex Dixon LES(1531,4897), SAF(1531,8328), ZIM(46).

Entodon cyrtocladus Besch. ex Paris, nom. nud. = *Levierella fabroniacea* var. *abyssinica* [4800: 211] (= *Levierella perserrata*)

Entodon densus (Hook.) Mitt. = *Bryosedgwickia densa* [1521] (= *Platygyriella densa*)

Entodon denticuspis P.de la Varde UGA(46), ZAI(715).

Entodon dregeanus (Hornschr.) Müll.Hal. BUR(65), ETH(111,1927), KEN(46,3412),

LES(4897), MAU(3410), MLW(67,70,3410), NGA(334), REU(3410), RWA(65),

SAF(70,1531,3411,4897,7766,8328), SWZ(1531), TAN(46), UGA(46), ZAI(65),

ZAM(46), ZIM(46,70).

Entodon dregeanus (Hornschr.) Müll.Hal. Note: this taxon was treated as a synonym of *Entodon macropodus* in previous lists, based on Townsend, 1991 [70]. However, current research in this area suggests that the two taxa are distinct [7630: 240].

Entodon dregeanus var. ***borbonicus*** Renauld & Cardot REU(105).

Entodon dregeanus var. *imbricatus* Rehmann ex Paris, nom. nud. = *Entodon dregeanus* [1911: 411]

Entodon dregei Kindb., nom. illeg. incl. spec. prior. = *Entodon dregeanus* [1521]

Entodon dusenii Broth. = *Campylodontium dusenii* [1521] (= *Mesonodon flavescens*)

Entodon enervis Rehmann ex Geh., nom. nud. = *Entodon dregeanus* [4378: 133]

Entodon engleri Broth. = *Erythrodontium engleri* (1521)

Entodon felicis Renauld & Cardot in Renauld MDG(40).

Entodon felicis var. ***julaceus*** Renauld & Cardot MDG(40).

Entodon ferricola (Müll.Hal.) Müll.Hal. = *Trachyphyllum ferricola* [1521] (= *Trachyphyllum inflexum*)

Entodon flavescens (Hook.) M.Fleisch. ex Paris, hom. illeg. = *Campylodontium flavescens* [1521] (= *Mesonodon flavescens*)

Entodon geminidens (Besch.) Broth. CMN(47), ETH(111), NGA(5176,5745), REU(715),

SAF(1531,8328), TAN(46).

Entodon inflexus (Harv.) Müll.Hal. = *Trachyphyllum inflexum* [1521]

Entodon julaceus (Schwaegr.) Müll.Hal. = *Erythrodontium julaceum* [1521]

Entodon lacunosus Broth. = *Entodon dregeanus* (717) (= *Entodon macropodus*)

Entodon macropodus (Hedw.) Müll.Hal. Note: see under *Entodon dregeanus*.

Entodon madagassus Geh. MDG(40).

Entodon motelayi (Besch.) Paris MAU(105,715,2322).

Entodon natalensis Rehmann ex Müll.Hal. LES(1531), SAF(1531,8328).

Entodon natalensis var. *longisetus* Wager & Dixon, nom. nud. = *Entodon geminidens* [1911: 411,412]

Entodon n'goloae Müll.Hal. ex Paris, *nom. nud.* Excluded: an undescribed collection (*Dusén* 679) from Cameroon.
Entodon perjulaceus Müll.Hal. ex Paris, *nom. nud. in synon.* = *Erythrodontium perjulaceum* [1521]

Entodon perpinnatus Müll.Hal., *nom.nud. in synon.* = *Entodon dregeanus* [4378: 133] (= *Entodon macropodus*)

Entodon piovani Bizot ETH(715,1927), TAN(46).

Entodon pobeguinii Broth. & Paris = *Erythrodontium barteri* [2849: 110]

Entodon pseudoseductrix (Müll.Hal.) A.Jaeger CVI(1296,2666).

Entodon rotundifolius Müll.Hal. = *Erythrodontium rotundifolium* (1521)

Entodon rutenbergii Geh. MDG(40).

Entodon schimperi Hampe ex Brizi, *nom. illeg. incl. spec. prior* = *Pylaisiobryum abyssinicum* [1521]

Entodon schleicheri (Schimp.) Demet. CVI(2666).

Entodon schoae Müll.Hal. ex Paris, *nom. nud.* = *Entodon brevis* [50: 240]

Entodon schweinfurthii Broth. & Paris = *Erythrodontium barteri* [2849: 110]

Entodon stereophylloides Broth. TAN(46), UGA(715).

Entodon subcompressus M.Fleisch, *nom. nud.* Excluded: an undescribed collection reported from Ethiopia [50] and Tanzania [46: 120; 2734: 317] based on *Pylaisia subcompressa* Müll.Hal. ex M.Fleisch, *nom. nud.* [1566: 211].

Entodon subgeminidens P.de la Varde CAF(47), CON(715).

Entodon subjulaceus Müll.Hal. = *Erythrodontium subjulaceum* (1521)

Entodon subtruncatus Paris, *nom. nud.* = *Neckeropsis disticha* [7306: 110]

Entodon truncatus (P.Beauv.) Müll.Hal. ex Kindb., *hom. illeg.* = *Neckeropsis disticha* [7306: 110]

Entodon usambaricus Broth. KEN(46), TAN(46).

Entodon vulcanicus Demaret & V.Leroy KEN(46), RWA(65), TAN(46), UGA(5696), ZAI(65).

Entodontella cameruniae Broth. CMN(47), GUI(47).

Entodontopsis leucostega (Brid.) W.R.Buck & Ireland ANG(46), CVI(2666), TOG(1878).

Entodontopsis nitens (Mitt.) W.R.Buck & Ireland ANG(46), BIO(47,2662), CAF(47,355), CMN(47), COM(40), ETH(111), GAB(47), GHA(47), GUI(47,1458), IVO(1458,1880), KEN(411), LBR(47), MDG(40), MLW(67), NGA(47,334,4314,5148,5160,5176,6263), RWA(65), SAF(6400,8328), TAN(46), TOG(1878,2851), UGA(46), ZAI(65,5319), ZAM(62).

Entodontopsis rhynchostegioides (Broth. & Paris) W.R.Buck & Ireland GUI(47).

Entodontopsis rufescens (Broth.) W.R.Buck & Ireland TAN(46).

Entodontopsis tenuinervis (Broth.) W.R.Buck & Ireland CAF(47), GHA(47), GUI(47,1458), MDG(40), MLW(67), NGA(334,4314,5176), SIE(47), ZAI(65).

Entosthodon amblyodon Schimp. ex A.Jaeger, *nom. nud.* Excluded: an undescribed collection (*Schimper s.n.*) from Mt Semen, Ethiopia [50: 228].

Entosthodon ampliretis Rehmann ex Müll.Hal. = *Funaria limbata* (83: 320) (= *Entosthodon limbatus*)

Entosthodon bergianus (Hornschr.) Müll.Hal. LES(1531,4897), NAM(1531,7155), SAF(1531,8328).

Entosthodon bergii Bruch & Schimp., *nom. illeg.* = *Fissidens bergiana* (83: 323) (= *Entosthodon bergianus*)

Entosthodon borbonicus Besch. MAU(105), MDG(40), REU(105), RWA(65).

Entosthodon campylopodioides Müll.Hal. = *Funaria rottleri* [4800: 199; 1911: 294] (= *Entosthodon rottleri*)

Entosthodon cavifolius Mitt. ex Harv. = *Funaria succuleata* (83: 321)

Entosthodon chlorophyllosus Rehmann ex Kindb., *nom. nud.* = *Funaria rottleri* [1911: 294] (= *Entosthodon rottleri*)

Entosthodon clavatus Mitt. SAF(1531,8328).

Entosthodon clavatus Mitt. ex Harv. = *Funaria rottleri* [1911: 294] (= *Entosthodon rottleri*)

Entosthodon convexus (Spruce) Brugues TAN(46).

Entosthodon crassipes Rehmann ex Dixon & A.Gepp, *nom. nud.* Excluded: an undescribed taxon from South Africa.

Entosthodon curvipes (Müll.Hal.) Müll.Hal. CMN(47), ETH(50).

Entosthodon curvipes var. *robustior* Müll.Hal. = *Funaria robustior* (1521) (= *Entosthodon robustior*)

Entosthodon dixonii Sim BOT(7973), SAF(1531,8328), ZIM(46,61,5525).

Entosthodon durieui Mont. CHA(4508), SUD(207,6314).

Entosthodon fascicularis (Hedw.) Müll.Hal. SOC(2374,5613).

Entosthodon gracilescens Müll.Hal., *hom. illeg.* = *Funaria ampliretis* [1911: 297] (= *Entosthodon limbatus*)

Entosthodon hildebrandtii Müll.Hal. KEN(46), TAN(46).

Entosthodon holstii (Broth.) Paris TAN(46).

Entosthodon kadzianus Rehmann ex Dixon & A.Gepp, *nom. nud.* Excluded: an undescribed taxon from South Africa.

Entosthodon lepervanchei Besch. REU(105).

Entosthodon limbatus Müll.Hal. NAM(7155), SAF(1531,8328), TAN(46,1410), ZAM(46),

ZIM(46,61).

Entosthodon longicollis Schimp. ex Paris, *nom. nud.* in *synon.* = *Funaria rottleri* [4250: 424] (= *Entosthodon rottleri*)

***Entosthodon marginatus* Müll.Hal. ex Geh. MDG(40).**

Entosthodon marginatus Müll.Hal. = *Funaria limbata* (83: 320) (= *Entosthodon limbatus*)

Entosthodon marginatus var. *obtusatus* Sim = *Funaria limbata* (83: 320) (= *Entosthodon limbatus*)

***Entosthodon mauritanicus* Schimp. ex Besch. MAU(105).**

Entosthodon menziesii Mitt. ex J.Shaw, *nom. nud.* Excluded: no description or specimen stated.

Entosthodon micropyxis Müll.Hal. = *Funaria limbata* (83: 320) (= *Entosthodon limbatus*)

***Entosthodon muhlenbergii* (Turner) Fife SUD(207,6314).**

Entosthodon niloticus (Delile) Schimp. = *Micropoma nilotica* [1521] (= *Physcomitrium niloticum*) Note: the type specimen (from Egypt) also includes (non-type) *Funaria nilotica*, which doesn't occur in sub-Saharan Africa.

Entosthodon nutans Mitt. = *Loiseaubryum nutans* (581)

***Entosthodon pertenellus* (Broth.) Kis TAN(46).**

Entosthodon plagiostomus (Müll.Hal.) Sim = *Funaria hygrometrica* (83: 329)

***Entosthodon pulchellus* (Philib.) Brugues SUD(7364).**

***Entosthodon renauldii* Thér. in Renauld MDG(40).**

Entosthodon rhomboideus (J.Shaw) Kindb., *nom. nud.* = *Funaria bergiana* [1911: 297] (= *Entosthodon bergianus*)

Entosthodon rivalis Geh. = *Funaria rhomboidea* (83: 237)

***Entosthodon robustior* (Müll.Hal.) Kindb. ETH(50).**

***Entosthodon rottleri* (Schwägr.) Müll.Hal. LES(1531,4897), SAF(1531,8328), TAN(46).**

***Entosthodon saharae* (Trab.) Jelenc CHA(4508).**

Entosthodon schinzii Geh. = *Funaria rhomboidea* (83: 237)

***Entosthodon spathulatus* (Schimp. ex Müll.Hal.) Sim LES(1531,4897), SAF(1531,8328),**

ZIM(61).

Entosthodon submarginatus Müll.Hal. Excluded: an Asian taxon added to the African list by an error in *Index Muscorum*.

***Entosthodon subnudus* var. *cuspidatus* (Broth.) Fife LES(4897).**

***Entosthodon urceolatus* Mitt. LES(4897), SAF(1531,8328), ZIM(61).**

***Entosthodon usambaricus* (Broth.) Paris TAN(46).**

***Entosthodon volkensii* (Broth.) Paris KEN(46), TAN(46), UGA(46), ZAI(65).**

***Entosthodon wichurae* M.Fleisch. UGA(46).**

Entosthodon wolkensii Paris, *orthogr. err.* = *Entosthodon volkensii* [1521]

Entosthymenium apiculatum Hornsch. ex Müll.Hal., *nom. nud.* in *synon.* = *Desmatodon convolutus* [8134: 224] (= *Tortula atrovirens*)

Entosthymenium rubellum Hornsch. ex Müll.Hal., *nom. nud.* in *synon.* = *Desmatodon convolutus* [8134: 224] (= *Tortula atrovirens*)

Ephemerella nervosa Dixon = *Ephemerum rehmannii* (83: 307)

Ephemerella rehmannii Müll.Hal. = *Ephemerum rehmannii* (83: 307)

Ephemerum aethiopicum Welw. & Duby = *Bryocephalospora aethiopica* (1420)

***Ephemerum capense* Müll.Hal. LES(4897), SAF(1531,8328).**

Ephemerum capense Müll.Hal. = *Ephemerum serratum* [1911: 290]

***Ephemerum diversifolium* Mitt. in Harv. SAF(1531,8328).**

Ephemerum muticum (Hedw.) Hampe = *Acaulon muticum* [1521]

***Ephemerum namaquense* Magill SAF(1531,8328).**

Ephemerum nervosa (Dixon) Schelpe = *Ephemerum rehmannii* (83: 307)

***Ephemerum pechuelii* Müll.Hal. CAF(47), NGA(334), ZAI(65).**

***Ephemerum perminutum* C.C.Towns. TAN(46).**

Ephemerum piliferum J.Shaw. Excluded: the description is inadequate to place the species, and the type material (collected by McLea in Oudeberg, South Africa) has not been located [83: 309].

***Ephemerum rehmannii* (Müll.Hal.) Broth. SAF(1531,7766,8328), ZIM(46).**

***Epipterygium convalleum* Dusén BIO(8180), CMN(47).**

***Epipterygium diversifolium* Renauld & Cardot MDG(40).**

Epipterygium dusenii Müll.Hal. ex Dusén, *nom. nud.* in *synon.* = *Epipterygium convalleum* [4087: 55]

***Epipterygium tozeri* (Grev.) Lindb. CVI(2666,6453), KEN(8227), RWA(65).**

Eriocladium capense (Müll.Hal.) Müll.Hal., *comb. inval.* = *Aerobryopsis capensis* [1521]

Eriocladium comorense Hampe ex Paris, *nom. nud.* in *synon.* = *Aerobryidium subpiligerum* [1848: 357] (= *Aerobryopsis capensis*)

Eriocladium cymatocheilos Müll.Hal., *comb. inval.* = *Aerobryopsis cymatocheilos* [1521] (= *Aerobryopsis capensis*)

Eriocladium lanosulum (Müll.Hal.) Müll.Hal., *comb. inval.* = *Aerobryidium subpiligerum* [1848: 357] (= *Aerobryopsis capensis*)

- Eriocladium lanosum* (Mitt.) Müll.Hal., comb. inval. = *Aerobryopsis longissima* [7718: 304]
Eriocladium longipendulum Müll.Hal. ex Dusén = *Aerobryopsis longipendula* [1521] (= *Aerobryopsis capensis*)
Eriocladium nanopteris Müll.Hal. ex Paris, nom. nud. Excluded: an undescribed taxon from Cameroon (Dusén 268).
Eriocladium pseudocapense Müll.Hal., nom. nud. = *Aerobryidium subpiligerum* [1848: 357] (= *Aerobryopsis capensis*)
Eriocladium subpiligerum (Hampe) Müll.Hal., comb. inval. = *Aerobryidium subpiligerum* [1848: 357] (= *Aerobryopsis capensis*)
Eriocladium trachypterum Müll.Hal. ex Dusén = *Aerobryopsis trachyptera* [1521] (= *Aerobryopsis capensis*)
Eriopus asplenoides (Brid.) Besch. = *Calyptrochaeta asplenoides* (272)
Eriopus cristatus (Hedw.) Brid. ex Müll.Hal. = *Calyptrochaeta cristata* (1663)
Eriopus fragilis Müll.Hal. = *Calyptrochaeta asplenoides* (272: 712)
Eriopus mniaceus (Müll.Hal) Broth. = *Calyptrochaeta asplenoides* (272: 712)
Erpodipsis kilimandscharica Müll.Hal. = *Phascum kilimandscharicum* [1521] Excluded: see *Phascum kilimandscharicum*.
- Erpodium beccarii*** var. ***beccarii*** Müll.Hal. ex Venturi BOT(1531), ERI(50), ETH(273,3531), KEN(46,273,2661,6615,7251), MDG(40,7385), MLW(2386), NAM(1531), SAF(273,1531,8328), SOM(50), SWZ(4418), TAN(46,273,3531), UGA(7353), ZAM(46), ZIM(46,61).
- Erpodium biseriatum*** (Austin) Austin TAN(46,3531).
Erpodium ceylonicum Thwaites & Mitt. = *Erpodium biseriatum* [273]
- Erpodium coronatum*** ssp. ***transvaaliense*** (Broth. & Wager) Magill NAM(1531,7155), SAF(273,1531,8328).
- Erpodium coronatum*** var. ***coronatum*** (Hook.f. & Wilson) Mitt. BKN(47), BUR(65), CAF(47,355), CMN(47,273,1925), CON(273), GUI(47,273,1458), IVO(1458), MLI(47), MLW(2386), NGA(273,334,4314,5176), SEN(47), SUD(3076), ZAI(1410), ZAM(62).
- Erpodium distichum*** Wager & Dixon SAF(273,1531,8328).
- Erpodium glaucum*** var. ***trichophyllum*** (Aongst. ex Müll.Hal.) I.G.Stone KEN(273), MLW(2386), SAF(1531,8328), UGA(46), ZIM(46,61).
- Erpodium grossirete*** Müll.Hal. CVI(6453), MLW(2386), MOZ(46), NAM(1531), ZIM(46,61).
Erpodium grossirete Müll.Hal. Note: this taxon was shown as a synonym of *Erpodium perrottetii* by Frahm *et al.* (2666) in their paper on Cape Verde Islands, but this has not been justified, and according to the literature there are both gametophytic and sporophytic differences between the taxa.
Erpodium hanningtonii Mitt. = *Erpodium beccarii* (273)
- Erpodium holstii*** Broth. KEN(46,6615,7251), TAN(46,273).
Erpodium joannis-meyeri Müll.Hal. = *Erpodium hanningtonii* [1911: 347] (= *Erpodium beccarii*)
- Erpodium madagassum*** Paris & Renauld MDG(40,273).
Erpodium menyharthii Müll.Hal. = *Erpodium hanningtonii* [1911: 347] (= *Erpodium beccarii*)
- Erpodium perrottetii*** (Mont.) A.Jaeger & Sauerb. CVI(2666,6453), SEG(273,3487).
Erpodium pobeguinii Paris & Broth. = *Erpodium coronatum* (273)
- Erpodium schimperi*** Müll.Hal. ETH(50,273).
Erpodium schweinfurthii Müll.Hal. = *Erpodium coronatum* (273)
- Erpodium theriotii*** Broth. in Corb. SEN(47,273).
Erpodium transvaaliense Broth. & Wager = *Erpodium coronatum* var. *transvaaliense* (1519)
Erythrobrybula papillinervis (Dixon & Herzog) Steere = *Didymodon papillinervis* [1521] (= *Bryoerythrophyllum recurvirostrum*)
Erythrobrybula recurvirostris (Hedw.) Steere = *Bryoerythrophyllum recurvirostrum* [1521]
Erythrodontium abruptum (C.H.Wright) Broth. = *Erythrodontium rotundifolium* [1911: 406]
- Erythrodontium barteri*** (Mitt.) Broth. ANG(46), CAF(47), CMN(47), GAB(47), GUI(47), IVO(63), NGA(47,334,5148,5176,6263), SUD(355,3076), TOG(1878).
- Erythrodontium bicolor*** A.Gepp in Hiern, hom. illeg. ANG(46).
- Erythrodontium cameruniae*** Müll.Hal. CMN(47), GUI(47).
Erythrodontium chalcophyllum Thér. & P.de la Varde = *Erythrodontium subjulaceum* var. *chalcophyllum* [1521]
Erythrodontium densum (Hook.) Paris = *Bryosedgwickia densa* (1521) (= *Platygyriella densa*)
- Erythrodontium engleri*** (Broth.) Paris KEN(46), MLW(67), TAN(46), UGA(46).
Erythrodontium felicis (Renauld & Cardot) Broth. ex Paris = *Entodon felicis* (1521)
- Erythrodontium julaceum*** (Hook. ex Schwägr.) Paris STH(1296).
- Erythrodontium lacoutourei*** Renauld & Cardot MDG(40).
- Erythrodontium lamoruense*** Thér. KEN(46).

Erythrodontium perjulaceum Paris, nom. nud. Excluded: an undescribed collection (*Dusén* 674) from Cameroon [4250: 437]; also recorded for Guinea [47].

Erythrodontium pobeguinii (Broth. & Paris) Broth. = *Erythrodontium barteri* [2849: 110]

Erythrodontium rotundifolium (Müll.Hal.) Paris ETH(111), TAN(46), ZIM(46).

Erythrodontium schweinfurthii (Müll.Hal.) Paris = *Erythrodontium barteri* [2849: 110]

Erythrodontium setulosum Müll.Hal. ex M.Fleisch., nom. nud. in synon. = *Erythrodontium subjulaceum* [1503: 217]

Erythrodontium squarrosum (Hampe) Paris GUI(1458), IVO(1458), RWA(65).

Erythrodontium subbiforme (Renauld & Cardot) Broth. ZAI(65).

Erythrodontium subjulaceum (Müll.Hal.) Paris ANG(46), CAF(47), CMN(47),

ETH(111,1927), GAB(47), GUI(47), KEN(46,7065), MLW(67), NGA(334), RWA(65), SAF(1531,8328), SUD(3076), SWZ(1531), TAN(46), TOG(2851), UGA(46), ZAI(65), ZAM(62), ZIM(61).

Erythrodontium subjulaceum var. ***chalcophyllum*** (Thér. & P.de la Varde) P.de la Varde CAF(47).

Erythrodontium subjulaceum var. ***impolutum*** A.Gepp in Hiern ANG(46).

Erythrodontium tenellum Broth. & Paris = *Platygyriella densa* (47: 521)

Erythrodontium vanderystii Cardot ZAI(65).

Erythrophyllum papillinerve Dixon & Herzog = *Bryoerythrophyllum recurvirostrum* (1157)

Erythrophyllum recurvirostre (Hedw) Loeske = *Bryoerythrophyllum recurvirostre* [1521]

Erythrophyllum rubellum (Hoffm.) Loeske = *Bryoerythrophyllum recurvirostrum* (2763: 255)

Eubryum (=*Bryum*) *bicolor* Müll.Hal., hom. illeg. (non *Bryum bicolor* Dicks.) = *Bryum kilimandscharicum* (1521) (= *Bryum algovicum* var. *rutheanum*)

Eubryum (=*Bryum*) *nanotorquescens* Müll.Hal. = *Bryum capillare* (354)

Eucatagonium aubertii Broth., nom. illeg. incl. spec. prior. = *Catagonium nitens* [1521]

Eucatagonium mucronatum (A.Jaeger) Broth. = *Catagonium nitens* ssp. *maritimum* [2857: 9]

Eucladium africanum Wager & Broth. in Wager, nom. nud. = *Anoectangium wilmsianum* [4229: 6]

Eucladium calcareum (Nees & Hornsch.) C.E.O.Jensen = *Gymnostomum calcareum* [1521]

Eucladium curvirostre C.E.O.Jensen = *Hymenostylium recurvirostre* [1521]

Eucladium recurvirostre (Hedw.) C.E.O.Jensen = *Hymenostylium recurvirostre* [1521]

Eucladium verticillatum (Brid.) Bruch, Schimp. & W.Gümbel CHA(51,4480,4507),

CVI(2666,6453), ETH(6137), MLI(51), MTN(6996), RWA(65), SOC(2374,5613),

TAN(46), UGA(7353), ZAI(65).

Eucladium verticillatum (Brid.) Bruch, Schimp. & W.Gümbel. Note: it is possible that material of this taxon from Central and Southern Africa is incorrectly identified (Sollman, pers. comm., and Magill (82)).

Euglossophyllum bassaeanum Müll.Hal. ex M.Fleisch., nom. nud. Excluded: an undescribed collection (*Dusén* 7) from Cameroon.

Euglossophyllum flavobrunneum Müll.Hal. ex M.Fleisch., nom. nud. Excluded: an undescribed collection (*Dusén* 50) from Cameroon.

Euglossophyllum leptotapes M.Fleisch., nom. nud. Excluded: an undescribed collection (*Dusén* 67) from Cameroon.

Eurhynchiella afrostrigosa (Müll.Hal.) M.Fleisch. = *Rhynchostegiella zeyheri* [6568: 213]

Eurhynchiella aristatoreptans (Müll.Hal.) M.Fleisch. = *Rhyncostegiella zeyheri* [1911: 375]

Eurhynchiella decurrens P.de la Varde = *Kindbergia africana* (3747)

Eurhynchiella leptoeurhynchium (Müll.Hal.) M.Fleisch. = *Rhynchostegiella zeyheri* [1911: 375]

Eurhynchiella leskeifolia (Müll.Hal.) M.Fleisch. = *Pseudoleskea leskeoides* [1911: 383]

Eurhynchiella modesta M.Fleisch., nom. nud. Excluded: see *Eurhynchium modestum*.

Eurhynchiella teesdaloides M.Fleisch., nom. nud. = *Rhynchostegiella zeyheri* [1911: 373]

Eurhynchiella zeyheri (Schimp.) M.Fleisch. = *Rhynchostegiella zeyheri* [1521]

Eurhynchium acicladium Besch. REU(105).

Eurhynchium africanum Herzog = *Kindbergia africana* (355)

Eurhynchium afromyosuroides (Müll.Hal.) Paris = *Rhynchostegiella zeyheri* var. *obtusata* [1511: 376] (= *Rhynchostegiella zeyheri*)

Eurhynchium afrostriatum Müll.Hal. ex Kindb., nom.nud. = *Palamocladium sericeum* var. *afrostriatum* [4378: 135] (= *Palamocladium leskeoides*)

Eurhynchium afrostrigosum (Müll.Hal.) Paris = *Rhynchostegiella zeyheri* [6568: 213]

Eurhynchium afrostrigosum var. *thuiopsis* (Müll.Hal.) Paris = *Rhynchostegiella zeyheri* [6568: 213]

Eurhynchium algerianum (Schrad.) Delogne = *Rhynchostegiella tenella* [8151: 209]

Eurhynchium brevirostre Rehmann ex Geh., nom. nud. = *Mittenothamnium patens* [4378: 144]

Eurhynchium cavifolium Rehmann ex Kindb., nom. nud. = *Mittenothamnium cavifolium* [1521] (= *Chryso-hypnum cavifolium*)

Eurhynchium crassicostatum Dixon, nom. nud. = *Rigodium crassicostatum* [1521] (= *Kindbergia praelonga*)

Eurhynchium faucinum Müll.Hal. ex Dixon & A.Gepp, nom. nud. in synon. = *Rhynchostegiella zeyheri* [4378: 140]

Eurhynchium faucinum Müll.Hal. ex Paris, nom. nud. in synon. = *Rhynchostegiella zeyheri* [6568: 213]

Eurhynchium hians (Hedw.) Sande Lac. CMN(47), ETH(1927), IVO(44), KEN(46),

REU(8028), TAN(46), UGA(46).

Eurhynchium jovet-astii (Bizot) Ochyra ETH(1927).

Eurhynchium macleai Rehmann ex Kindb., nom. nud. orthogr. = *Eurhynchium macleanum* [1521]. Excluded: see *Eurhynchium macleanum*.

Eurhynchium macleanum Rehmann ex Dixon & A.Gepp., nom. nud. Excluded: an undescribed taxon from Transvaal, South Africa.

Eurhynchium meridionale Bruch, Schimp. & W.Gümbel CVI(2666).

Eurhynchium modestum Rehmann ex Dixon & A.Gepp., nom. nud. Excluded: an undescribed taxon from Stinkwater, South Africa.

Eurhynchium muellieri Rehmann ex Geh. = *Rhynchosstiella zeyheri* [6568: 213]

Eurhynchium ovalifolium Paris, nom. nud. orthogr. = *Eurhynchium ovatifolium* [1521] Excluded: see *Eurhynchium ovatifolium*.

Eurhynchium ovatifolium Rehmann ex Kindb., nom. nud. Excluded: an undescribed taxon from Transvaal, South Africa.

Eurhynchium peyronelii (Tosco & Piovano) Ochyra ETH(50,1927), KEN(46).

Eurhynchium populeum (Hedw.) Kindb. = *Brachythecium populeum* [1521]

Eurhynchium praelongum ssp. *swartzii* (Turner) Kindb. = *Oxyrrhynchium swartzii* [1521] (= *Eurhynchium hians*)

Eurhynchium praelongum var. *praelongum* Bruch, Schimp. & W.Gümbel = *Kindbergia praelonga* var. *praelonga* (1640)

Eurhynchium praelongum var. *stokesii* (Turner) Dixon = *Kindbergia praelonga* var. *stokesii* (1640)

Eurhynchium riparioides (Hedw.) P.W.Richards = *Platyhypnidium riparioides* [1521] (= *Amblystegium riparium*)

Eurhynchium rusciforme Milde, nom. illeg. incl. spec. prior. = *Platyhypnidium riparioides* [1521] (= *Amblystegium riparium*)

Eurhynchium shawii Rehmann ex Kindb., nom. nud. = *Mittenothamnium horridulum* [1911: 218]

Eurhynchium speciosum (Brid.) Jur. CHA(4534,4565), CVI(2666).

Eurhynchium spiculosum (Mitt.) A.Jaeger BIO(3414), CMN(47), NGA(5176).

Eurhynchium spinulae nerve Kjaer ex C.H.Wright, nom. nud. Excluded: no specimen or description available.

Eurhynchium spinulinerve Kjaer ex Cardot MDG(40), REU(8028).

Eurhynchium spinulinerve Kjaer ex Cardot in Grandid. Excluded: no specimen or description available.

Eurhynchium sprengelii (Müll.Hal.) A.Jaeger SAF(4779).

Eurhynchium stokesii Turner = *Eurhynchium praelongum* var. *stokesii* (1521) (= *Kindbergia praelonga* var. *stokesii*)

Eurhynchium stokesii var. *congoanum* Thér. = *Kindbergia praelonga* var. *congoana* [1640: 54]

Eurhynchium stokesii var. *teneriffae* Renauld & Cardot = *Eurhynchium praelongum* (1295) (= *Kindbergia praelonga* var. *praelonga*)

Eurhynchium striatum (Hedw.) Schimp. MDG(40).

Eurhynchium subsquarrosum A.Jaeger ex Paris, nom. illeg. orthogr. = *Eurhynchium subsquarrosum* [1521]

Eurhynchium subsquarrosum (Hampe ex Müll.Hal.) A.Jaeger SAF(243).

Eurhynchium swartzii (Turner) Curn. ex Rabenh. = *Oxyrrhynchium swartzii* [1521] (= *Eurhynchium hians*)

Eurhynchium teesdaleoides Schimp. ex A.Jaeger = *Rhynchosstiella zeyheri* [1911: 373]

Eurhynchium tenellum (Dicks.) Mild. = *Rhynchosstiella tenella* [1521]

Eurhynchium tenuivagum (Müll.Hal. ex Broth.) W.R.Buck CAF(47), CMN(47), KEN(46),

UGA(46).

Eurhynchium thiuiopsis Müll.Hal. ex Paris, nom. nud. in synon. = *Rhynchosstiella zeyheri* [6569: 213]

Eustichia africana (Müll.Hal.) Paris = *Eustichia longirostris* (83: 399)

Eustichia longirostris (Brid.) Brid. LES(1531), MDG(40), REU(105),

SAF(1531,4897,7766,8328).

Fabronia abyssinica Müll.Hal. DJI(1569), ERI(50), ETH(50), KEN(46,2661), LES(4897),

MLW(6087), SAF(1531,3411,4897,8328), SUD(1419,3076), TAN(46), ZAI(65),

ZAM(46), ZIM(46).

Fabronia angolensis var. *acuminata* A.Gepp in Hiern. Note: this is a validly published taxon, but the name has not been used; its owning species is treated as *Fabronia pilifera*.

Fabronia angolensis Welw. & Duby = *Fabronia pilifera* [1911: 363]

Fabronia aureonitens Rehmann ex Kindb., nom. nud. = *Fabronia abyssinica* [1911: 363]

Fabronia bizotii Pócs BIO(8180), CMN(47), UGA(5696).

Fabronia breutelii Hampe in Müll.Hal. SAF(1531,8328).

Fabronia bruchiana Hampe ex Müll.Hal., nom. nud. in synon. = *Fabronia abyssinica* [1506: 36]

Fabronia cameruniae Müll.Hal. ex Dusén = *Schwetschkea brotheri* [10: 905]

Fabronia campenonii Renauld & Cardot MDG(40).

Fabronia capensis Rehmann ex Dixon & A.Gepp, nom. nud. Excluded: an undescribed collection (Rehmann s.n.) from Rondebosh, South Africa [6568: 212]

Fabronia claviramea Broth. in Mildbr. RWA(65).

Fabronia condensata Schimp. ex A.Jaeger, nom. nud. Excluded: an undescribed collection from Ethiopia [50: 237].

Fabronia congolensis Cardot KEN(2661), TAN(46), ZAI(65).

Fabronia crassiretis Renauld & Cardot CMN(47), MDG(40).

Fabronia curvirostris Hampe ex Müll.Hal., nom. nud. in synon. = *Fabronia abyssinica* [1506: 36]
Fabronia densifolia Rehmann ex Geh., nom. nud. = *Fabronia abyssinica* [1911: 363]
Fabronia dusenii Müll.Hal. ex Dusén, nom. nud. in synon. = *Rhizofabronia sphaerocarpa* [4087: 53]

Fabronia eckloniana Hampe in Müll.Hal. SAF(1531,8328).

Fabronia ecklonii Hampe ex Kindb., nom. illeg. incl. spec. prior. = *Fabronia eckloniana* [1521]

Fabronia fastigiata Renauld & Cardot MDG(40).

Fabronia fastigiata var. ***asperula*** Renauld & Paris MDG(40).

Fabronia flavescens (Hook.) Paris = *Campylodontium flavescens* [1521] (= *Mesonodon flavescens*)

Fabronia garnieri (Paris & Renauld) Renauld & Paris MDG(40).

Fabronia goetzei Broth. TAN(46,259).

Fabronia grandifolia Müll.Hal. ex Dusén, nom. nud. in synon. = *Schwetschkea brotheri* [10: 905]

Fabronia gueinzii Hampe SAF(1531,8328), TAN(259).

Fabronia hypnoides Rehmann ex Kindb., nom. nud. = *Fabronia gueinzii* [1911: 361]

Fabronia jungermannioides Brid., nom. illeg. incl. spec. prior. = *Rhizofabronia persoonii* var. *persoonii* (40: 234)

Fabronia lachenaudii Renauld MDG(40).

Fabronia lachenaudii var. *brevifolia* Renauld, nom. nud. = *Fabronia lachenaudii* (40: 234)

Fabronia lachenaudii var. ***nairobiensis*** Thér. & P.de la Varde CAF(47), KEN(46).

Fabronia leikipiae Müll.Hal. CVI(2666), KEN(46,3412,6614,7251), MLW(6087),

NGA(4314,5176), SAF(1531,8328), TAN(46,259), UGA(5696), ZAM(62), ZIM(46).

Fabronia longipila Broth. KEN(46), TAN(46), UGA(46), ZAM(46).

Fabronia longipila var. ***gracilis*** Broth. TAN(46).

Fabronia macowaniana Müll.Hal. = *Fabronia rehmannii* [1911: 362]

Fabronia motelayi Renauld & Cardot MDG(40).

Fabronia niamniamiae Müll.Hal. SUD(3076).

Fabronia octoblepharis mutsp. *pusilla* (Raddi) Cortés., comb. inval. = *Fabronia pusilla* [1521]

Fabronia octoblepharis ssp. *pusilla* (Raddi) Kindb., nom. illeg. prior. ut spec. = *Fabronia pusilla* [1521]

Fabronia octoblepharis var. *pusilla* (Raddi) Mach., nom. illeg. prior. ut spec. = *Fabronia pusilla* [1521]

Fabronia oraniae Rehmann ex Dixon & A.Gepp, nom. nud. Excluded: an undescribed collection (Rehmann s.n.) from Bloemfontein, South Africa [6568: 212].

Fabronia perciliata Müll.Hal. NAM(6798,7155), SAF(1531,3411,8328).

Fabronia perciliata Müll.Hal. Note: this is treated as a synonym of *Fabronia abyssinica* by Sim [1911: 363], but accepted as a good species by later authors, e.g. [1531: 41]; awaiting revision.

Fabronia perpilosa Broth. in Mildbr. = *Rhizofabronia perpilosa* [11:285]

Fabronia persoonii Schwägr. = *Rhizofabronia persoonii* var. *persoonii* [2737: 1718]

Fabronia pilifera Hornsch. ANG(46), BKN(47), BOT(1531), CAF(47,355), ETH(50),

KEN(46,6614), LES(1531,4897), MLW(67,6087), MOZ(357), REU(8028),

SAF(1531,3411,7766,8328), SWZ(1531), TAN(46), TOG(2851), UGA(46), ZAI(65), ZAM(46,62), ZIM(46).

Fabronia pobeguinii Broth. & Paris CAF(47), GUI(47).

Fabronia pobeguinii var. ***subintegrifolia*** Paris GUI(47).

Fabronia pocsii Bizot ETH(1886).

Fabronia pocsii var. *cameruniae* Bizot = *Fabronia bizotii* (108)

Fabronia pusilla Raddi CHA(4507).

Fabronia rehmannii Müll.Hal. ERI(50), MLW(67), SAF(1531,7766,8328), SWZ(1531), ZIM(46).

Fabronia rehmannii var. *julacea* Rehmann ex Sim. Note: Sim suggests that this variety may be the same as *Fabronia macowaniana* (= *Fabronia rehmannii*) [1911: 362].

Fabronia robusta Müll.Hal., nom. nud. in synon. = *Ischyrodon seriolum* [1521] (= *Juratzea incisa*)

Fabronia schimperiana Hampe ex A.Jaeger, hom. illeg. = *Fissidens abyssinica* [1506: 36]

Fabronia schweinfurthii Müll.Hal. = *Fabronia abyssinica* [1911: 213]

Fabronia seriola Müll.Hal. = *Ischyrodon seriolum* [1521]

Fabronia socotrana Mitt. SOC(40,2374,5613).

Fabronia sphaerocarpa Dusén = *Rhizofabronia sphaerocarpa* (1521) (= *Rhizofabronia persoonii* var. *sphaerocarpa*)

Fabronia transvaaliensis Müll.Hal. = *Fabronia pilifera* [1911: 363]

Fabronia trichophora Cardot ANG(46).

Fabronia trichophylla Müll.Hal. ERI(50).

Fabronia vallis-gratiae Hampe ex Müll.Hal. = *Fabronia abyssinica* [4800: 213]

Fabronia vallis-gratiae var. *garnieri* Paris & Renauld. = *Fabronia garnieri* [1521]

Fabronia victoriae Dixon SAF(1531,8328), ZIM(46).

Fabronia villaumii Renauld & Cardot MDG(40).

Fabronia wageri Dixon SAF(1531,8328).

Felipponea assimilis (Müll.Hal.) O'Shea = *Pterogoniadelphus assimilis* [7749]

Fissidens acanthophyllus P.de la Varde = *Fissidens smiloides* (1749) (= *Fissidens beckettii*)

Fissidens aciphyllus Dixon SAF(1531,8328).

Fissidens aegrotus Bizot = *Fissidens asplenoides* var. *aegrotus* (1748)

Fissidens africanus (Hedw.) Brid. = *Grimmia pulvinata* var. *africana* [1521] (= *Grimmia pulvinata*)

Fissidens africanus Paris, hom. illeg. = *Fissidens centrafricanus* (47: 475) (= *Fissidens intramarginatus*)

Fissidens afroasplenoides Müll.Hal. ex Kindb., nom. nud. Excluded: no specimen or description.

Fissidens afropapillosum P.de la Varde KEN(46).

Fissidens ake-assii Bizot & Dury in Bizot = *Fissidens intramarginatus* (3212)

Fissidens alatus P.de la Varde = *Fissidens megalotis* subsp. *helictocaulos* (3212)

Fissidens algarvicus Solms = *Fissidens curvatus* (2476)

Fissidens allorgei P.de la Varde CVI(2666,6453).

Fissidens alomoides Müll.Hal. ex Dusén CAF(47), CMN(47), GUI(47), IVO(47,1880),

SIE(47).

Fissidens ambiguus Bizot ex Pócs = *Fissidens intramarginatus* [90: 147]

Fissidens amblyophyllus Müll.Hal. = *Fissidens asplenoides* [90: 142]

Fissidens amphibius (Müll.Hal.) Broth. = *Fissidens crispulus* [3212]

Fissidens androgynus Bruch ex C.Krauss ANG(46), BIO(2662), CAF(47,1749), CMN(47),

CVI(2666,6453), ETH(50), GAB(47), GHA(47), GUI(47), IVO(63,1880), KEN(46,6615),

LES(1531), MAS(40), MLW(67,6087), NGA(47,334), RWA(65), SAF(1531,7766,8328),

TAN(46), UGA(46,8223), ZAI(65,5319), ZIM(46).

Fissidens androgynus Bruch ex C.Krauss. Note: this taxon was previously treated as a synonym of *Fissidens bryoides* var. *bryoides* (82), but is now considered a distinct taxon (6087: 17).

Fissidens angolensis Welw. & Duby in Duby = *Fissidens ramulosus* (3212)

Fissidens angustifolius Schimp. ex E.S.Salmon, nom. nud. in synon. = *Fissidens ovatus* var. *planifolius* [7602: 125] (= *Fissidens planifrons*)

Fissidens angustifolius Sull. CAF(3212), NGA(5176), TOG(58), UGA(7353,8223).

Fissidens angustinervis Thér. = *Fissidens curvatus* var. *curvatus* (3212)

Fissidens aoristoloma P.de la Varde = *Fissidens borgenii* [90: 146]

Fissidens arbogastii Renauld & Cardot = *Fissidens zippelianus* (76) (= *Fissidens crispulus*)

Fissidens arboreus Broth. = *Fissidens oblongifolius* (1748)

Fissidens arenivagus P.de la Varde = *Fissidens sciophyllus* fo. *ulna* (1886)

Fissidens argyroloma P.de la Varde GAB(47).

Fissidens aristatus Sim, hom. illeg. = *Fissidens simii* (53: 23) (= *Fissidens beckettii*)

Fissidens arnellii P.de la Varde = *Fissidens splachnifolius* (82: 44)

Fissidens arnoldii R.Ruthe SUD(207).

Fissidens artsii Brugg.-Nann. REU(7957).

Fissidens asplenoides Hedw. BIO(8180), CMN(47), COM(40,105), EQG(47), ETH(111),

GUI(47), KEN(46,6615,7065), MDG(40), MLW(67,6087), REU(105), RWA(65),

SAF(1531,4897,7766,8328), TAN(46), UGA(46,2097,8223), ZAI(65,5319), ZAM(62),

ZIM(46).

Fissidens asplenoides var. *aegrotus* (Bizot) Brugg.-Nann., Pursell & Z.Iwats. TAN(46).

Fissidens asplenoides var. *capensis* Brid., nom. nud. in synon. = *Fissidens thunbergii* [5362: 191] (= *Fissidens ovatus*)

Fissidens asselii Bizot CAF(47,109,1749).

Fissidens atroviridis Besch. COM(40), MAU(105), MDG(40), TAN(46), ZAM(46).

Fissidens austro-africanus Paris, nom. nud. = *Fissidens sciophyllus* fo. *sciophyllus* [3212]

Fissidens badoglioii Tongiorgi = *Fissidens megalotis* subsp. *helictocaulos* (3212)

Fissidens bambarensis P.de la Varde = *Fissidens desertorum* (1749)

Fissidens basicarpus Müll.Hal. = *Fissidens intramarginatus* (3212)

Fissidens beckettii Mitt. CAF(47,1749), SAF(1531,4670,8328), TAN(46), UGA(8223),

ZIM(61).

Fissidens bessonensis Corb. = *Fissidens bessouensis* [2849: 20]

Fissidens bessouensis Corb. CAF(47,85), IVO(85), SIE(47), ZAI(65,85,1552).

Fissidens bifrons Schimp. ex Müll.Hal. = *Fissidens pygmaeus* (82: 57)

Fissidens bistratosus Brugg.-Nann. SEY(4750).

Fissidens bocarangensis P.de la Varde = *Fissidens flaccidus* (3212)

Fissidens bogosicus Müll.Hal. in Venturi BOT(1531), CVI(2666), ERI(50), ETH(50,1927), KEN(46,7065), LES(1531), MDG(40), MLW(6087), SAF(1531,8328), TAN(46), UGA(7353,8223), ZAI(65), ZAM(46,62), ZIM(46,61,3212).

Fissidens boivinianus var. *boivinianus* Besch. = *Fissidens asplenoides* (1748)

Fissidens boivinianus var. ***longifolius*** Besch. MAS(40), TAN(46).

Fissidens boivinianus var. *major* Paris, *nom. nud.* = *Fissidens boivinianus* var. *major* [1521] (= *Fissidens asplenoides*)

Fissidens boivinianus vars. Note: *Fissidens boivinianus* has been made a synonym of *Fissidens asplenoides*; the varieties are also in need of revision.

Fissidens boivinii Kindb., *nom. illeg. incl. spec. prior.* = *Fissidens boivinianus* [1521] (= *Fissidens asplenoides*)

Fissidens boivinii var. *major* Renauld & Cardot in Renauld, *nom. nud.* = *Fissidens boivinianus* var. *major* [1521] (= *Fissidens asplenoides*)

Fissidens bonnotii Bizot = *Fissidens ramulosus* (3212)

Fissidens borgenii Hampe BIO(8180), BKN(47), CAF(47,1749), CHA(90), CMN(47), CON(47), GAB(47), IVO(1880), KEN(6615), LBR(47), MDG(90), MOZ(46), NGA(47,334,5148,5176), RWA(65), SAF(1531,4897,8328), SIE(47,3216), TAN(46), ZAI(65,5319), ZIM(46).

Fissidens borgenii Hampe. Note: collections of this taxon cited for Uganda (4282) were misidentified (Bruggeman-Nannenga, *pers. comm.*) and have been transferred to *Fissidens sciophyllus* fo. *sciophyllus*.

Fissidens borgenii var. *obtusifolius* Broth. & Dixon = *Fissidens subobtusatus* (82: 59) (= *Fissidens sciophyllus* fo. *sciophyllus*)

Fissidens boryanus Besch. = *Fissidens plumosus* (4005)

Fissidens boryi Besch. ex Kindb., *nom. illeg. incl. spec. prior.* = *Fissidens boryanus* [1521] (= *Fissidens plumosus*)

Fissidens brachycaulon Broth. in Mildbr. = *Fissidens zollingeri* (3212)

Fissidens brenanii P.de la Varde = *Fissidens submarginatus* (3212)

Fissidens breutelii Schimp. ex Müll.Hal. = *Fissidens marginatus* (82: 48) (= *Fissidens rufescens*)

Fissidens brevifrons Mitt. REU(105,109), ROD(105).

Fissidens brevisetus Sim = *Fissidens scleromitrius* (7181: 21)

Fissidens brotheri Paris = *Fissidens angustifolius* (3212)

Fissidens brunnthaleri Broth. = *Fissidens ramulosus* (3212)

Fissidens brunnthaleri var. ***filipes*** Dixon & P.de la Varde CAF(47).

Fissidens bryoides ssp. *impar* (Mitt.) P.de la Varde = *Fissidens bryoides* ssp. *viridulus* [4926: 79] (= *Fissidens viridulus* var. *viridulus*)

Fissidens bryoides ssp. *incurvus* (Starke ex Roehl.) Bertsch = *Fissidens bryoides* [2185]. Note: see *Fissidens bryoides* var. *bryoides*.

Fissidens bryoides ssp. *viridulus* (Sw.) Kindb. See *Fissidens viridulus* var. *viridulus*.

Fissidens bryoides var. *bryoides* Hedw. Note: all material given this name in Africa should be considered as *Fissidens androgynus* [6087: 17].

Fissidens bryoides var. *capensis* Hornsch. = *Fissidens rufescens* [1911: 198]

Fissidens bryoides var. *crispulus* (Brid.) Wijk & Margad. = *Fissidens crispulus* (3212)

Fissidens bryoides var. *impar* (Mitt.) Joerg. = *Fissidens bryoides* ssp. *viridulus* (Sw.) Kindb. [4926: 79] (= *Fissidens viridulus* var. *viridulus*)

Fissidens bryoides var. *incurvus* (Stark ex Röhl) Hueb. = *Fissidens bryoides* [2184: 39]. Note: see *Fissidens bryoides* var. *bryoides*.

Fissidens bryoides var. ***longifolius*** (Brid.) Hampe MAS(40).

Fissidens bryoides var. *rivularis* Spruce = *Fissidens rivularis* [1521]. Excluded: although reported in Index Muscorum, no records were found from sub-Saharan Africa.

Fissidens bryoides var. *viridulus* (Sw.) Broth. Note: see *Fissidens viridulus* var. *viridulus*.

Fissidens bryum Müll.Hal. ex Dusén = *Fissidens metzgeria* (3212)

Fissidens bryum var. ***terrestris*** P.de la Varde GAB(47).

Fissidens bryum var. *terrestris* P.de la Varde. Note: Bruggeman-Nannenga (3212) synonymises *Fissidens bryum* with *Fissidens metzgeria*, but does not mention this variety.

Fissidens buettneri Broth. = *Fissidens submarginatus* (3212)

Fissidens bukobensis Broth. in Mildbr. = *Fissidens intramarginatus* [90: 146]

Fissidens büttneri Broth. = *Fissidens buettneri* [1521] (= *Fissidens submarginatus*)

Fissidens cadetii Bizot nom. inval. = *Fissidens brevifrons* (3212)

Fissidens calabriae Müll.Hal. ex Dusén. = *Fissidens laxus* [90: 144]

Fissidens calciculus Müll.Hal. = *Fissidens megalotis* subsp. *helictocaulos* (3212)

Fissidens calochlorus Dixon = *Fissidens bogosicus* Müll.Hal. (3212)

Fissidens caloglotis Müll.Hal. = *Fissidens asplenoides* (1748)

Fissidens cameruniae Müll.Hal. = *Fissidens zippelianus* (76) (= *Fissidens crispulus*)

Fissidens canariensis (Brid.) Lindb. Excluded: although reported in Index Muscorum, no records were found from sub-Saharan Africa.

Fissidens capensis (Müll.Hal.) Broth. = *Fissidens fontanus* [82: 68] (= *Fissidens palmifolius*) Note: see under *Fissidens fontanus*.

Fissidens capriensis Magill NAM(1531,7155).

Fissidens casamanceae Cardot = *Fissidens intramarginatus* (3212)
Fissidens cataractarum Demaret & P.de la Varde = *Fissidens hoegei* (3212)
Fissidens cellulosus Mitt. = *Fissidens atroviridis* (74: 238)
Fissidens centrafricanus Bizot = *Fissidens intramarginatus* (3212)

Fissidens ceylonensis Dozy & Molk. CGS(5699,8220), SEY(4,1926,2030,2353,4750).

Fissidens chevalieri Corb. = *Fissidens usambaricus* (3212)
Fissidens chioneuros Müll.Hal. = *Fissidens helenicus* (4625: 18) Note: previously shown in error as (1854).
Fissidens chrysoneuros Müll.Hal., nom. nud. Excluded: specimen and description unknown.
Fissidens circinatus Paris, hom. illeg. = *Fissidens centrafricanus* (47: 475) (= *Fissidens intramarginatus*)
Fissidens circinicalis Cardot = *Fissidens glauculus* var. *circinicaulis* [1521]

Fissidens comorensis Müll.Hal. COM(40), MAS(40), MDG(40), NGA(334), TAN(46).

Fissidens comorensis var. *acuminatus* Besch. = *Fissidens ramulosus* (3212)
Fissidens comorensis var. *sordidus* Renauld & Cardot = *Fissidens sciophyllus* fo. *sciophyllus* (3212)
Fissidens congoensis Renauld & Cardot = *Fissidens intramarginatus* (3212)
Fissidens coriaceifolius Müll.Hal. ex Dusén = *Fissidens zippelianus* [2737: 44] (= *Fissidens crispulus*)
Fissidens corrugatus Dixon = *Fissidens somaliae* (3212)

Fissidens crassipes ssp. *warnstorffii* (M.Fleisch.) Brugg.-Nann. TAN(46), ZAM(46), ZIM(46,61).

Fissidens crassipes var. *philibertii* Besch. = *Fissidens crassipes* ssp. *warnstorffii* (1898)
Fissidens crassipes var. *rufipes* Schimp. Excluded: although reported in *Index Muscorum*, no records were found from sub-Saharan Africa.

Fissidens crassipes Wilson ex Bruch & Schimp. Excluded: no records found for sub-Saharan Africa.

Fissidens crateris Dixon = *Fissidens bryoides* [90: 143]

Fissidens crateris var. *sererekae* Dixon = *Fissidens bryoides* [90: 143]

Fissidens cremersii Bizot & Onr. = *Fissidens laxus* [90: 145]

Fissidens crispans Schimp. ex E.S.Salmon, nom.nud. in synon. Excluded: *Index Muscorum* (*fide* Salmon) says that the type specimen is a mixture of *Fissidens aequalis* E.S.Salmon (altered later to *Fissidens repandus* Wilson) (neither species known in Africa) and *Fissidens rufescens* Hornsch. (only known from Africa); however, Salmon [7602: 121] states that he was unable to identify the African specimen.

Fissidens crispatus Renauld & Cardot = *Fissidens zippelianus* (76) (= *Fissidens crispulus*)

Fissidens crispatus Brid., nom. inval. in synon. err.= *Fissidens crispulus* [1521] Note: see *Fissidens crispulus*.

Fissidens crispifolius Broth. & P.de la Varde in P.de la Varde = *Fissidens sciophyllus* fo. *sciophyllus* (3212)

Fissidens crispopachyloma Dixon = *Fissidens leucocinctus* [90: 143]

Fissidens crispulus Brid. BIO(47,2662), CAF(47,1749), CHA(4507,4508,4527,4534,4565), CMN(47), COM(40), ERI(50), ETH(50), GAB(47), IVO(63,1458), KEN(46), MAU(105), MDG(40), MLW(67,6087), NGA(47,334,5148,5176), REU(3212), RIM(4639), ROD(105), RWA(46), SEY(1926,2353,4750), SIE(47,3216), SUD(76,3076), TAN(46), TOG(1878,2851), ZAI(65,1552,7863), ZAM(46), ZIM(61).

Fissidens crispulus Brid. Note: collections from Uganda allocated to *Fissidens sylvaticus* by Kis (46) were transferred to this taxon (see note under *Fissidens sylvaticus*). However, all Uganda specimens were *Fissidens asplenoides* (Bruggeman-Nannenga, pers. comm.).

Fissidens cryptarum Müll.Hal. SUD(3076).***Fissidens cryptoneuron*** P.de la Varde CAF(47), GUI(47), KEN(2476), MDG(40), TAN(2476), UGA(46,8223), ZAI(2476,5319), ZAM(46).***Fissidens curvatus*** var. *curvatus* Hornsch. LES(4897), MDG(40), MLW(6087), SAF(1531,7766,8328), SWZ(1531), TAN(46), UGA(7353,8223), ZIM(46,61).***Fissidens curvatus*** var. *pachyloma* (Müll.Hal.) Brugg.-Nann. ETH(50).

Fissidens curvifolius Mitt. = *Fissidens crispulus* (3212)

Fissidens cuspidatus Müll.Hal. = *Fissidens curvatus* (82: 51)

Fissidens cuspidatus var. *angustifolius* Müll.Hal. Note: this validly published variety from South Africa [5845: 588] has been ignored, and it may have been treated as a synonym of *Fissidens curvatus*, along with its owning species.

Fissidens cuynetii Bizot ex Pócs UGA(46,8223).

Fissidens cymatophyllum Müll.Hal. = *Fissidens glaucescens* [6568: 209; 82: 62] (= *Fissidens ovatus*)

Fissidens danckelmannii Müll.Hal. CVI(2666,6453), RIM(47).***Fissidens darntyi*** Schimp. CMN(47), IVO(1880), MAU(105), MDG(40), REU(105), TAN(46).

Fissidens darutyi Schimp. ex Renauld, nom. illeg. err. = *Fissidens darntyi* [1521]

Fissidens dasyphus Welw. & Duby = *Fissidens weiri* (2476)

Fissidens debilis Schwägr. = *Fissidens fontanus* [2584: 44] (= *Fissidens palmifolius*)

Fissidens decaryi Bizot = *Fissidens intramarginatus* (3212)

Fissidens dendeliensis Paris & Broth. CMN(47), GAB(47), GUI(47), NGA(334).

Fissidens denticulatus Leyss. = *Plagiothecium denticulatum* [1521] Note: see under *Plagiothecium denticulatum*.

Fissidens desertorum (Müll.Hal.) Paris CAF(47,1749), NGA(47,5148), NGR(79), SUD(3076), TAN(46), TOG(1878), ZAI(65).

Fissidens deslooveri Bizot. = *Fissidens intramarginatus* [90: 146]

Fissidens diaphanodontus (P.de la Varde) Bizot CAF(47), TAN(46).

Fissidens diaphanus Bizot CAF(47,1749), CMN(47), IVO(1880), NGA(47).

Fissidens dicranelloides Broth. & Paris = *Fissidens glauculus* [5041: 207] (= *Fissidens weiri*)

Fissidens disperans Cardot ex Wijk & Margad. = *Fissidens dispersus* [1521] (= *Fissidens laxus*)

Fissidens dispersus Cardot = *Fissidens laxus* [90: 145]

Fissidens dormyi Schimp. ex Müll.Hal., nom. nud. err. = *Fissidens darntyi* [1521]

Fissidens dubiosus Dixon = *Fissidens leucocinctus* (3212)

Fissidens dubiosus var. *fluitans* P.de la Varde = *Fissidens leucocinctus* (3212)

Fissidens dubyanus A.Jaeger = *Fissidens zollingeri* (3212)

Fissidens dubyi A.Jaeger ex Kindb., nom. illeg. incl. spec. prior = *Fissidens dubyanus* [1521] (= *Fissidens zollingeri*)

Fissidens dummerii (Dixon) Pursell & W.D.Reese UGA(72).

Fissidens dupuisii Renaud & Cardot = *Fissidens glauculus* var. *dupuisii* [1521] (= *Fissidens weiri*)

Fissidens durus Paris & Broth. ex Paris = *Fissidens intramarginatus* (3212)

Fissidens dusenii Müll.Hal. ex Dusén, nom. nud. in synon. = *Fissidens fluminalis* [1521] (= *Fissidens ovatus*)

Fissidens eckendorffii P.de la Varde = *Fissidens erosulus* (3212)

Fissidens eckloni Schimp. ex Salmon, nom. nud. in synon. = *Fissidens cuspidatus* [1911: 197] (= *Fissidens curvatus*)

Fissidens eenii Bizot = *Fissidens papillosus* (580)

Fissidens ellipticus Besch. CAF(47), CMN(47), GAB(47), MDG(40), MLW(67,6087),

NGA(47,5148), REU(105), SAO(47,109), TAN(46,109).

Fissidens enervis Sim BIO(2662), CAF(47), KEN(2661,6615), MLW(6087),

SAF(1531,8328), TAN(46), UGA(4282,8223), ZAI(65), ZAM(46), ZIM(61).

Fissidens enervis var. *hedbergii* (P.de la Varde) Bizot in Bizot & Pócs = *Fissidens enervis* (3212)

Fissidens ensifolius P.de la Varde, hom. illeg. = *Fissidens flaccidus* (3212)

Fissidens erikssonii E.B.Bartram = *Fissidens pellucidus* (4750)

Fissidens erosulus (Müll.Hal.) Paris BOT(1531), CAF(47,1749), CMN(47), LES(1635),

MOZ(46), NGA(334), SAF(1531,8328), SUD(3076), SWZ(1531), UGA(46), ZAM(62),

ZIM(46).

Fissidens eschowensis Broth. & Bryhn = *Fissidens submarginatus* (82: 54)

Fissidens euryloma Müll.Hal., nom. nud. Excluded: an undescribed collection from Madagascar.

Fissidens euryloma P.de la Varde GAB(47).

Fissidens eustichium Rehmann ex Geh. = *Diplostichium africanum* [1911: 287] (= *Eustichia longirostris*)

Fissidens exasperatus Renaud & Cardot = *Fissidens papillosum* Sande Lac (76)

Fissidens falcifolius Schwaegr. = *Drepanophyllum falcifolium* [1521] Excluded: see note under *Drepanophyllum falcifolium*.

Fissidens fallaciosus P.de la Varde ex Bizot, hom. illeg. = *Fissidens diaphanus* (47: 476)

Fissidens fasciculatus Hornsch. SAF(1531,7766,8328).

Fissidens ferrugineus Müll.Hal. = *Fissidens intramarginatus* (3212)

Fissidens ferrugineus var. *pallidus* Thér. = *Fissidens intramarginatus* (3212)

Fissidens filicicola Paris & Broth. ex Paris = *Fissidens sciophyllus* fo. *sciophyllus* (3212)

Fissidens flaccidus Mitt. CAF(47), CVI(2666,6453), NGA(47,334), ROD(105), SEY(4750),

SIE(3216), SOC(7529), UGA(7353,8223), ZIM(61).

Fissidens flavescens Hornsch. ex Müll.Hal., nom. nud. Excluded: no specimen stated.

Fissidens flavolimbatus Besch. = *Fissidens intramarginatus* [90: 146]

Fissidens fluminalis Dusén = *Fissidens ovatus* (3212)

Fissidens fontanus (Bach.Pyl.) Steud. CHA(85,4508).

Fissidens fontanus (Bach.Pyl.) Steud. Note: in earlier versions of this list, *Fissidens fontanus* was shown as a synonym of *Fissidens palmifolius*, as all collections named *Fissidens fontanus* (≡ *Octodiceras fontanum*) from eastern and southern Africa belonged to that species (85) - although true *Fissidens fontanus* occurs in our area in Chad, and also further north in Africa.

Fissidens fouta-djallonii Paris = *Fissidens gardneri* (1470: 627)

Fissidens foveolatus Cardot = *Fissidens intramarginatus* (3212)

Fissidens fremyi P.de la Varde = *Fissidens zippelianus* (76) (= *Fissidens crispulus*)

Fissidens fulcifolius Schwaegr. ex Hornsch., nom. inval. in synon. err. = *Fissidens falcifolius* [1521] Excluded: see note under *Drepanophyllum falcifolium*.

Fissidens fuscolutescens Cardot = *Fissidens zippelianus* (76) (= *Fissidens crispulus*)

Fissidens gabonensis Broth. & P.de la Varde in P.de la Varde = *Fissidens intramarginatus* (3212)

Fissidens gardneri Mitt. CAF(47,1749), GUI(47), IVO(63,4928), MLW(6087), MOZ(3212),

NGA(47,334,5148), SEN(47), TAN(46), TOG(1878).

- Fissidens ghanae* Bizot = *Fissidens laxus* [90: 145]
Fissidens gibbonii Bizot ex Pócs = *Fissidens intramarginatus* [90: 146]
Fissidens girodii (Renauld & Cardot) P.Syd. = *Hyophila girodii* [1521] (= *Barbula indica*)
- Fissidens gladiolus*** Mitt. CAF(47,1749,2097), GAB(47,2097), NGA(47,334,5148,5176), SAF(1531,8328), TAN(46), UGA(46,2097,8223).
Fissidens glaucescens Hornsch. = *Fissidens ovatus* (3212)
Fissidens glaucescens var. *crispulus* Rehmann ex Paris, *nom.nud.* in *synon.* = *Fissidens glaucescens* [1911: 201] (= *Fissidens ovatus*)
Fissidens glaucescens var. *crispus* Müll.Hal. ex Paris, *nom.nud.* Excluded: an undescribed collection (*Rehmann* 286) from South Africa.
Fissidens glaucescens var. *mahorensis* Besch. = *Fissidens zippelianus* (76) (= *Fissidens crispulus*)
Fissidens glaucescens var. *minor* Müll.Hal. ex Paris, *nom. nud.* = *Fissidens glaucescens* [1911: 201] (= *Fissidens ovatus*)
Fissidens glaucescens var. *natalensis* Rehmann ex Paris, *nom. nud.* = *Fissidens glaucescens* [6568: 209] (= *Fissidens ovatus*)
Fissidens glaucescens var. *remotifolius* Rehmann ex Dixon, *nom. nud.* = *Fissidens glaucescens* [1911: 201] (= *Fissidens ovatus*)
- Fissidens glaucissimus*** var. ***minor*** Welw. & Duby ANG(46).
Fissidens glaucissimus Welw. & Duby ANG(46), BIO(8180), CAF(47,1749), CMN(47), GAB(47), GUI(47), IVO(1880), KEN(2661), NGA(47,334,5148,5176), PRI(47), RIM(4639), SAO(47), TAN(46), TOG(58), UGA(46,8223), ZAI(65,5319,7863).
Fissidens glaucopteris Müll.Hal. ex Dusén = *Fissidens intramarginatus* (3212)
Fissidens glauculus Müll.Hal. ex Dusén = *Fissidens weiri* (3212). Note: the varieties of this species have not yet been treated by Bruggeman-Nannenga (3212).
Fissidens glauculus ssp. *dupuisii* (Renauld & Cardot) P.de la Varde = *Fissidens glauculus* [90: 147] (= *Fissidens weiri*)
- Fissidens glauculus*** var. ***aculeifrons*** P.de la Varde in Thér. GAB(47).
Fissidens glauculus var. ***circinicaulis*** (Cardot) P.de la Varde GAB(47), SEN(47).
Fissidens glauculus var. *dupuisii* (Renauld & Cardot) Demaret = *Fissidens glauculus* [90: 147] (= *Fissidens weiri*)
Fissidens glauculus var. ***gymnandrus*** P.de la Varde GAB(47).
Fissidens gomae P.de la Varde & V.Leroy TAN(46), ZAI(65).
Fissidens gracilis (Hampe) A.Jaeger, *nom. illeg.* = *Fissidens curvatus* (82: 51)
- Fissidens grainvillei*** Thér. MDG(40).
Fissidens grandifolius Broth. & P.de la Varde CAF(47), GAB(47), GUI(47), IVO(4928), LBR(47), NGA(47,5148,5176), NGR(79), TOG(1878).
Fissidens grandifrons Brid. MAS(40).
Fissidens grandifrons var. ***flaccidus*** Brid. MAS(40).
Fissidens grandiretis Renauld & Cardot = *Fissidens laxus* [90: 144]
- Fissidens grossiretis*** Müll.Hal. CAF(1749), CMN(47), GAB(47), IVO(1880), ZAI(3076).
Fissidens gueinzii Müll.Hal. = *Fissidens bryoides* (82: 46) (= *Fissidens androgynus*)
Fissidens guineensis Paris & Broth. = *Fissidens microcarpus* (73)
Fissidens gumangensis (Müll.Hal.) Paris = *Fissidens sciophyllus* var. *sciophyllus* [90: 145]
Fissidens haakonii Broth. & Bryhn = *Fissidens borgenii* (82: 58)
- Fissidens harringtonii*** Brugg.-Nann. SIE(7957).
Fissidens hedbergii P.de la Varde = *Fissidens enervis* (3212)
- Fissidens helenicus*** Mitt. STH(1296,4202,4626,5331,5458).
Fissidens helictocaulos Müll.Hal. = *Fissidens megalotis* subsp. *helictocaulos* (3212)
Fissidens herpetineuron Broth. & P.de la Varde in P.de la Varde = *Fissidens zollingeri* (3212)
Fissidens hiens Paris, *nom. nud.* = *Fissidens parkii* (3212)
- Fissidens hildebrandtii*** Müll.Hal. SOM(50).
Fissidens hillieri Thér. = *Fissidens submarginatus* (3212)
- Fissidens hirsutus*** Bizot ex Pócs TAN(46,109).
Fissidens hoegei P.de la Varde LES(4897), SAF(1531,8328), TAN(46), ZAI(65).
Fissidens holstii Broth. = *Fissidens laxus* [90: 144]
Fissidens holstii var. *perintegrifolius* P.de la Varde = *Fissidens laxus* [90: 145]
- Fissidens hookerioides*** Bizot & Onr. MDG(40).
Fissidens horizonticarpus Müll.Hal. CAF(47,1749), CON(47), GUI(47), TAN(46).
Fissidens humilis Mitt. ex J.Shaw, *nom. nud.* Excluded: an undescribed specimen.
Fissidens hyalobasis Dixon ex Sim = *Fissidens microandrogynous* (82: 55) (= *Fissidens bogosicus*)
- Fissidens hymenodon*** Besch. COM(40), MDG(40), TAN(46), ZAI(5319).
Fissidens idanrense P.de la Varde = *Fissidens sciophyllus* fo. *sciophyllus* (3212)
Fissidens imerinae Müll.Hal., *nom. nud.* Excluded: no description or specimen available.
Fissidens impar Mitt. = *Fissidens bryoides* var. *viridulus* [4926: 79] (= *Fissidens viridulus* var. *viridulus*).

Fissidens inaequalilimbatus Paris & Broth. CAF(47,1749), GUI(47).

Fissidens inclinatus (Müll.Hal.) Paris = *Fissidens submarginatus* (3212)

Fissidens inclusus Bizot ex Dury & Pócs TAN(46,109).

Fissidens incurvus ssp. *crassipes* (Bruch & Schimp.) Boulay = *Fissidens crassipes* [1521] Note: see *Fissidens bryoides* var. *bryoides*.

Fissidens incurvus ssp. *minutulus* (Sull.) Kindb. = *Fissidens minutulus* [1521]

Fissidens incurvus ssp. *viridulus* (Sw.) Bouvet, nom. illeg. prior. ut spec. = *Fissidens bryoides* ssp.*viridulus* [1521]

Note: see *Fissidens viridulus* var. *viridulus*.

Fissidens incurvus Stark ex Roehl. = *Fissidens bryoides* ssp. *incurvus* [1521] Note: see *Fissidens bryoides* var. *bryoides*.

Fissidens incurvus var. *crassipes* (Bruch & Schimp.) Schimp., nom. illeg. incl. var. prior. = *Fissidens crassipes* [1521]

Note: see *Fissidens bryoides* var. *bryoides*.

Fissidens incurvus var. *minutulus* (Sull.) Austin = *Fissidens minutulus* [1521]

Fissidens incurvus var. *viridulus* (Sw.) Venturi & Bott., nom. illeg. prior. ut spec. = *Fissidens bryoides* ssp.*viridulus* [1521] Note: see *Fissidens viridulus* var. *viridulus*.

Fissidens inflatus (Müll.Hal.) Paris = *Fissidens reflexus* (3212)

Fissidens intralimbatus Broth. & P.de la Varde = *Fissidens borgenii* [90: 146]

Fissidens intralimbatus var. *brevifolius* P.de la Varde = *Fissidens borgenii* [3212]

Fissidens intramarginatus (Hampe) A.Jaeger BEN(47), BIO(2662), CAF(47,1749),

CMN(47,109), GAB(47,4988), GHA(47), GUI(47), IVO(1880,4928),

KEN(46,2661,6615,7065), LBR(47), MDG(40,109), MLW(67,6087),

NGA(47,5148,5176), REU(105), RWA(65), SAF(7273,8328), SEN(47), SIE(47),

SUD(90,3076,3212), TAN(46,109), TOG(4,1878,2851), UGA(46,4988,8223), ZAI(65).

Fissidens intromarginatus (Hampe) A.Jaeger = *Fissidens intramarginatus*. Note: this is a clerical error in *Index Muscorum*.

Fissidens ischyrobryoides Müll.Hal. = *Fissidens marginatus* [6568: 209; 82: 50] (=*Fissidens rufescens*)

Fissidens itarensis Broth. in Mildbr. = *Fissidens intramarginatus* [90: 146]

Fissidens jeffreyi Bizot SEY(109,1926,2353,4750).

Fissidens jollyi Paris, nom. nud. in synon. = *Fissidens alomoides* [4951: 16]

Fissidens jonesii Bizot ex Pócs MLW(6087), TAN(46,109), ZAI(5319).

Fissidens jonesii fo. *terrestris* Bizot & Pócs, nom. nud. Excluded: any records for this form have been associated with the owning species.

Fissidens jordanii J.Taylor & P.de la Varde in P.de la Varde = *Fissidens bessouensis* (2476)

Fissidens jovet-astiae Bizot = *Fissidens submarginatus* (3212)

Fissidens julianus (DC.) Schimp. = *Octodiceras fontanii* [8172: 405] (=*Fissidens fontanii*)

Fissidens kegelianus Müll.Hal. = *Fissidens zollingeri* (76)

Fissidens konkourae Paris & Broth. = *Fissidens microcarpus* (73)

Fissidens lachmanii Bizot BIO(8180), IVO(47,109,1880), UGA(7353,8223).

Fissidens lacouturei Thér. ex Renauld & Cardot = *Fissidens sciophyllus* fo. *sciophyllus* (3212)

Fissidens lanceolatus Bruch, nom. nud. = *Fissidens glaucescens* [6793: 160] (=*Fissidens ovatus*)

Fissidens lanceolatus Hampe = *Fissidens glaucescens* [82: 62] (=*Fissidens ovatus*)

Fissidens latifolius Dixon = *Fissidens megalotis* subsp. *helictocoaulos* (3212)

Fissidens laurentiorum Cardot = *Fissidens zippelianus* (76) (=*Fissidens crispulus*)

Fissidens laxifolius Hornsch. = *Fissidens curvatus* (82: 51)

Fissidens laxifolius var. *breviseta* Hornsch. SAF(7940).

Fissidens laxus Sull. & Lesq. = *Fissidens pellucidus* var. *pellucidus* (2476). Note: this was incorrectly stated as *Fissidens pellucidus* var. *papilliferus* (a Brazilian taxon) in checklist versions 2 and 3.

Fissidens lepidopilooides Müll.Hal. SUD(3076).

Fissidens leptocheilos Müll.Hal. SOM(50).

Fissidens leptophyllum Broth., hom. illeg. = *Fissidens angustifolium* (3212)

Fissidens le-testui P.de la Varde GAB(47), IVO(1880), ZAI(65).

Fissidens leucocaulis Müll.Hal. ex Bizot = *Fissidens ellipticus* (3212)

Fissidens leucocaulis var. *fallaciosus* P.de la Varde, nom. nud. = *Fissidens diaphanus* (47: 476)

Fissidens leucocinctus Hampe CMN(47), GAB(47), KEN(46), MDG(40), SAF(40),

TAN(46,109), UGA(40,8223), ZAI(65,5319), ZAM(109), ZIM(61,3212).

Fissidens ligulinus Müll.Hal. ex Renauld = *Fissidens ellipticus* (3212)

Fissidens liliputianus Müll.Hal. SUD(3076).

Fissidens linderi P.de la Varde in Thér. = *Fissidens laxus* [90: 145]

Fissidens linealis Bruch & Schimp. = *Fissidens fasciculatus* [6557: 233]

Fissidens linearicaulis Broth. & Bryhn = *Fissidens borgenii* (82: 58)

Fissidens linearilimbatus Müll.Hal. KEN(46), TAN(46).

Fissidens linearis Hornsch ex Broth., nom. nud. = *Fissidens plumosus* [6557: 233]

Fissidens loennbergii P.de la Varde KEN(46).

Fissidens longelimbatus Broth. = *Fissidens intramarginatus* [90: 146]
Fissidens longevittatus P.de la Varde = *Fissidens intramarginatus* (3212)
Fissidens longidens Bizot ex Pócs = *Fissidens ellipticus* (3212)
Fissidens longipes Welw. & Duby. = *Fissidens bryoides* [90: 143]
Fissidens longulus Müll.Hal. = *Fissidens pygmaeus* (82: 68)
Fissidens lonnbergii P.de la Varde err. = *Fissidens loennbergii* [1521]
Fissidens loyei Bizot & Dury in Bizot = *Fissidens ocellatus* (3212)
Fissidens luridus Renauld & Cardot. Excluded: the type of this taxon was found to be a mixture of *Fissidens atroviridis* and *Fissidens leucocinctus* [2350: 10]
Fissidens maclaudii Paris & Broth. = *Fissidens submarginatus* (3212)
Fissidens macleai J.Shaw ex Kindb., nom. illeg. incl. spec. prior. = *Fissidens curvatus* [1911: 188; 82: 68]
Fissidens macleanus J.Shaw. = *Fissidens curvatus* [1911: 188; 82: 68]
Fissidens macowanii Müll.Hal. ex Kindb., nom. nud. orthogr. = *Fissidens macowanianus* [1521] (= *Fissidens megalotis*)
Fissidens macowanianus Müll. Hal. = *Fissidens megalotis* (2476)

Fissidens macroglossus (Broth.) Brugg.-Nann. CMN(47), IVO(1458).

Fissidens macrophyllus Welw. & Duby, hom. illeg. = *Fissidens zollingeri* (3212)

Fissidens madecassus Müll.Hal. MDG(40).

Fissidens madegassus Müll.Hal. orthogr. = *Fissidens madecassus* [1521]
Fissidens mahorensis (Besch.) Müll.Hal. = *Fissidens arbogastii* [1848: 167] (= *Fissidens crispulus*)
Fissidens malacobryoides Müll.Hal. = *Fissidens bryoides* (82)

Fissidens malacobryoides var. *irriguus* P.de la Varde UGA(392).

Fissidens mammilosus Müll.Hal. = *Fissidens zippelianus* (76) (= *Fissidens crispulus*)
Fissidens mariae Paris & Renauld = *Fissidens zippelianus* (76) (= *Fissidens crispulus*)
Fissidens marginatus Schimp & Müll.Hal. = *Fissidens rufescens* (2476)

Fissidens mariei (Besch.) Broth. MDG(40).

Fissidens marthae Cardot BEN(6128), CAF(47,1749), GHA(47), IVO(1880),
 NGA(47,5148), SEN(47), SEY(4750), SIE(3216), TAN(46), UGA(7353,8223),
 ZAI(5319).

Fissidens mathieui Cardot = *Fissidens submarginatus* (3212)

Fissidens megalotis ssp. *helictocaulos* (Müll.Hal.) Brugg.-Nann. CMN(47),
 CVI(2666,6453), ERI(50), ETH(50), KEN(46), MLW(67,6087), SOC(5613,6049),
 SOM(50), TAN(46), UGA(8280), ZAI(65), ZAM(46), ZIM(46).

Fissidens megalotis ssp. *megalotis* Schimp. ex Müll.Hal. SAF(2476,8328).

Fissidens menyhartii Müll.Hal. ZAM(46,62), ZIM(46).

Fissidens metzgeria (Müll.Hal.) Broth. BIO(2662), CAF(90,1749), CMN(47), GAB(47),
 GUI(47), NGA(47,334,5148), RWA(65), TAN(46), UGA(4282,8280), ZAI(65,3076).

Fissidens meynhartii Müll.Hal. ex Sim, nom. inval. in synon. err. = *Fissidens menyhartii* [1521]
Fissidens micro-androgynus Dixon ('*Fissidens microandrogynus*') = *Fissidens bogosicus* (3212)

Fissidens microcarpus Mitt. CAF(47), CMN(47,73), CON(73), GAB(73), GUI(47,73),
 IVO(4928), NGA(47,5148), RIM(4639), SIE(47), ZAI(65).
Fissidens microdictyoides Müll.Hal., nom. nud. in synon. = *Moenkemeyera mirabilis* [4117: 506] (= *Fissidens parkii*)

Fissidens micro-ocellatus Dixon ('*Fissidens microocellatus*') = *Fissidens bogosicus* (3212)

Fissidens microphoenix P.de la Varde = *Fissidens subglaucissimus* var. *microphoenix* [1521] (= *Fissidens glaucissimus*)

Fissidens minutifolius Broth. & P.de la Varde CAF(1749), GAB(47), NGA(8144),
 TOG(2851).

Fissidens minutretis Dixon = *Fissidens rufescens* (82: 48)

Fissidens minutulus Sull. CVI(2666).

Fissidens minutus var. *minutus* Thwaites & Mitt. in Mitt. CAF(1470), SEY(4750),
 TAN(1470), ZAM(1470).

Fissidens minutus var. *minutus* Thwaites & Mitt. in Mitt. = *Fissidens flaccidus* (2476)

Fissidens mobokensis G.Negri UGA(46).

Fissidens moenkemeyeri Müll.Hal. = *Fissidens zippelianus* (76) (= *Fissidens crispulus*)
Fissidens molliculus P.de la Varde = *Fissidens enervis* (74)

Fissidens monostictus Broth. & P.de la Varde = *Fissidens angustifolius* [3212]

Fissidens motelayi Renauld & Cardot MDG(40).

Fissidens mucronatus Schimp. ex Müll.Hal. = *Fissidens glaucescens* (82: 62) (= *Fissidens ovatus*)

Fissidens muelleri Dusén, hom. illeg. = *Fissidens schmidii* (2737: 25)

Fissidens natalensis Rehmann ex Kindb., nom. nud. = *Fissidens glaucescens* [6568: 209] (= *Fissidens ovatus*)

Fissidens nataliae Müll.Hal., nom. nud. Excluded: no specimen or description available.

Fissidens nematopteris Müll.Hal. ex Dusén = *Fissidens asplenioides* (1886)

Fissidens nigerianus Bizot NGA(47,109,334,5176).

Fissidens nigrescens Paris, nom. nud. = *Fissidens fontanus* [4800: 188] Note: see under *Fissidens fontanus* (= *Fissidens palmifolius*)

Fissidens nitens Rehm. ex E.S.Salmon = *Fissidens porrectus* [90: 144]

Fissidens nitens var. *neglectus* E.S.Salmon = *Fissidens porrectus* [90: 144]

Fissidens norkettii P.de la Varde = *Fissidens borgenii* [90: 146]

Fissidens nossianus Besch. = *Fissidens intramarginatus* (3212)

Fissidens nossibeaneus Müll.Hal., nom. nud. Excluded: no description or specimen available.

Fissidens oblongifolius Hook.f. & Wilson CAF(47), GAB(47), TOG(1878).

Fissidens obsoletidens Müll.Hal. ex Besch. = *Fissidens zollingeri* (3212)

Fissidens obsoletidens var. *schistophila* Broth. in Mildbr. Note: this taxon was not treated by Bruggeman-Nannenga [3212], when the owning species was made a synonym of *Fissidens zollingeri*.

Fissidens obsoletidens* var. *schistophila Broth. RWA(65).

Fissidens occultifolius (Müll.Hal.) Paris = *Fissidens schmidii* [2737: 25]

Fissidens ocellatus P.de la Varde CON(47,109), GAB(47).

Fissidens oligostoloma P.de la Varde = *Fissidens sciophyllus* fo. *ulna* (3212)

Fissidens onraedtii Bizot MDG(40,109).

Fissidens opacifolius Mitt. NGA(47), TAN(46), ZAI(65).

Fissidens opacifolius Mitt. p.p. = *Fissidens submarginatus* [82: 54]. Note: *Fissidens opacifolius* Mitt. from West Africa is a different species (Bruggeman-Nannenga, pers. comm.).

Fissidens oussouyensis Cardot = *Fissidens intramarginatus* (3212)

Fissidens ovatus Brid. BIO(2662), CAF(47,1749), CMN(47), GUI(47), KEN(46,6615),

LES(1531,4897), MAU(105), MDG(40), MLW(67,6087), NGA(334), REU(105),

SAF(1531,4897,7766,8328), SWZ(1531), TAN(46), UGA(7353,8280), ZAI(65,5319),

ZAM(46,62), ZIM(46,61).

Fissidens ovatus fo. *cymatophyllum* (Müll.Hal.) Bizot ex Kis = *Fissidens glaucescens* (82)

Fissidens ovatus var. *elatior* Renauld & Cardot = *Fissidens ovatus* (3212)

Fissidens ovatus var. *ochroloma* Renauld & Cardot in Renauld = *Fissidens ovatus* (3212)

Fissidens ovatus var. *planifolius* Besch. = *Fissidens vulgaricus* (3212)

Fissidens pachyloma Müll.Hal. = *Fissidens curvatus* var. *pachyloma* (3212)

Fissidens pachylomadelphus Demaret & P.de la Varde = *Fissidens bryoides* [90: 143]

Fissidens pachylomoides P.de la Varde = *Fissidens porrectus* [90: 144]

Fissidens pachylomoides var. *subdenticulatus* P.de la Varde = *Fissidens porrectus* [90: 144]

Fissidens pallidinervis Mitt. MLW(6087), UGA(8280).

Fissidens palmifolius var. ***palmifolius*** (P.Beauv.) Broth. ANG(46,85), LES(4897),

MAU(85,105), MLW(67), MOZ(85), REU(85,105), SAF(85,1531,7766,8328),

ZAM(46,62,85), ZIM(46,61,85).

Fissidens palmifolius var. ***semilimbatus*** Brugg.-Nann. UGA(85,7798,8280).

Fissidens palustris (Müll.Hal.) Paris = *Fissidens submarginatus* (3212)

Fissidens palvadeaudi Bizot = *Fissidens laxus* [90: 145]

Fissidens papillifolius Dixon = *Fissidens submarginatus* (82: 54)

Fissidens papillosum Sande Lac. = *Fissidens serratus* var. *serratus* (2476)

Fissidens parkii Mitt. CAF(47), CHA(47), GAB(47), GUI(47), IVO(1880), MLI(47),

NGA(47,334,5148), SEN(47), TAN(46).

Fissidens parvifimbatus Sim = *Fissidens bogosicus* (3212)

Fissidens paucifimbatus P.de la Varde = *Fissidens borgenii* [90: 146]

Fissidens pauperrimus Müll.Hal., hom.illeg. = *Fissidens rutenbergii* [6793: 164]

Fissidens pechuelii (Müll.Hal.) Paris CAF(47), TAN(46), ZAI(65).

Fissidens pectinidens Dixon = *Fissidens parvifimbatus* (82: 57) (= *Fissidens bogosicus*)

Fissidens pellucidus var. *papilliferus* (Broth) Pursell. Note: this taxon was included in version 3 of the list by editorial error, and all distribution data shown is now included under var. *pellucidus*.

Fissidens pellucidus var. ***pellucidus*** Hornsch. BIO(2662), CAF(47,1749), CON(47,109),

GAB(47), GHA(47,109), GUI(47), IVO(47,1880,4928), LBR(47), MDG(40,1925),

NGA(47,5148,5176), REU(90), RIM(4639), SEY(90,1926,1946,2030,2353,4750),

SOC(5613,6049), SUD(90), TAN(46,109), UGA(7353,8280), ZAI(65,7863).

Fissidens perfoliatus (Müll.Hal.) Paris = *Fissidens intramarginatus* (3212)

Fissidens perintegrifolius P.de la Varde CAF(1749), GAB(47), IVO(1880), NGA(47,5148),

SIE(47).

Fissidens perlimbatus Broth. & P.de la Varde in P.de la Varde = *Fissidens intramarginatus* (3212)

Fissidens perlimbatus fo. *albinervis* P.de la Varde. Excluded: any records for this form have been associated with the owning species.

Fissidens perparviretis Dixon = *Fissidens submarginatus* (3212)

Fissidens perpaucifolius Dixon = *Fissidens pygmaeus* (82: 57)

Fissidens philibertii (Besch.) P.de la Varde = *Fissidens crassipes* var. *philibertii* [1521] (= *Fissidens crassipes* var. *warnstorffii*)

Fissidens pictus Bizot ex Pócs = *Fissidens laxus* [90: 145]

Fissidens pierrotii Bizot = *Fissidens submarginatus* (3212)

Fissidens planifolius Besch. ex Müll.Hal., nom. nud. Excluded: no description or specimen available.

Fissidens planifrons Besch. COM(40), MDG(40), REU(7059), TAN(46).

Fissidens planifrons var. *corticeus* Besch. = *Fissidens planifrons* (3212)

Fissidens platybryoides Müll.Hal. = *Fissidens zollingeri* (3212)

Fissidens platybryoides var. *subimmarginatus* Dixon = *Fissidens bryoides* [90: 143]

Fissidens platyneuros Renauld & Cardot MDG(40).

Fissidens plumosus Hornsch. MAU(105), MDG(8362), MLW(67,6087), MOZ(8362), REU(105), SAF(1531,7766,8328), TAN(46), ZIM(46,61).

Fissidens plumosus var. *serrulatus* Wager ex Sim, nom. inval. in synon. = *Fissidens plumosus* [1911: 203]

Fissidens pobeguinii Paris & Broth. = *Fissidens intramarginatus* (3212)

Fissidens pocsii Bizot & Dury ex Pócs IVO(4928), TAN(46,109).

Fissidens porrectus Mitt. CMN(47), ETH(111), GAB(47), GUI(47), IVO(1880), MLW(6087), NGA(47,5148,6263), RIM(4639), RWA(65), SAF(1531,8328), TAN(46), UGA(46,8280), ZAI(65), ZIM(61).

Fissidens procerior Broth. & Bryhn = *Fissidens glaucescens* [6568: 209; 53: 23] (= *Fissidens ovatus*)

Fissidens procumbens Mitt. = *Fissidens crispulus* (3212)

Fissidens propinquus P.de la Varde = *Fissidens laxus* [90: 145]

Fissidens pseudocomorenensis Müll.Hal., nom. nud. Excluded: no description or specimen available.

Fissidens pseudooenii Bizot & Dury ex Pócs MLW(6087), TAN(109), UGA(8280).

Fissidens pseudooenii Bizot & Dury ex Pócs. Note: prior to version 4 of this checklist, this taxon was treated as a synonym of *Fissidens serratus* var. *leptocheate*, based on (2476). The taxon was re-instated by Bruggeman-Nannenga in (6087).

Fissidens pseudolimbatus Venturi = *Fissidens bogosicus* (3212)

Fissidens pseudoplumosus Bizot & Onr. REU(105,109).

Fissidens pseudorufescens Müll.Hal. = *Fissidens megalotis* subsp. *helictocaulos* (3212)

Fissidens pseudorufescens Rehmann ex Paris, nom. nud. = *Fissidens austro-africanus* [1521] (= *Fissidens sciophyllus* fo. *sciophyllus*)

Fissidens pseudoserratus (Müll.Hal.) A.Jaeger = *Fissidens serratus* (2476)

Fissidens pugionifolius Müll.Hal. SUD(3076).

Fissidens pulcher Müll.Hal. ex Dusén. = *Fissidens zippelianus* (76) (= *Fissidens crispulus*)

Fissidens pulvinatus Hedw. = *Grimmia pulvinata* (82: 275)

Fissidens pulvinatus var. *africanus* Hedw. = *Grimmia pulvinata* (82: 275)

Fissidens purpureocaulis Müll.Hal. = *Fissidens sciophyllus* fo. *sciophyllus* (3212)

Fissidens pusillus ssp. *minutulus* (Sull.) P.de la Varde, nom. illeg. prior. ut spec. = *Fissidens minutulus* [1521]

Fissidens pycnophyllum Müll.Hal. = *Fissidens curvatus* [1911: 188]

Fissidens pygmaeus Hornsch. LES(4897), SAF(1531,8328), TAN(46), ZIM(46,61).

Fissidens rabenhorstii Hampe ex Müll.Hal., nom. nud. Excluded: no description or specimen available.

Fissidens ramulosus Mitt. ANG(46), CAF(47,1749), CMN(47), COM(40), GAB(47), IVO(4928), KEN(46), MDG(40), MLW(6087), NGA(47), ROD(4931), TAN(46), UGA(46,7353,8280), ZAI(65).

Fissidens recurvativolius Muell.Hal. ex Paris, nom. nud. Excluded: an undescribed collection from Ethiopia [6793: 164; 50: 220]

Fissidens reflexus Hampe CAF(47,1749), CHA(47), IVO(1880), MDG(40),

MLW(67,6087), NGA(47,5176), SEY(4932), SUD(3076), TAN(46), UGA(8280),

ZAI(65), ZAM(46,62).

Fissidens rehmannii Müll.Hal. = *Fissidens glaucescens* (82: 62) (= *Fissidens ovatus*)

Fissidens reimersii P.de la Varde STH(4988).

Fissidens remotifolius Müll.Hal. = *Fissidens bryoides* (82: 46) (= *Fissidens androgynus*)

Fissidens ripensis Mitt. = *Fissidens laxus* [90: 144]

Fissidens rivicola Broth. & P.de la Varde = *Fissidens laxus* [90: 145]

Fissidens rivicola var. *gabonensis* P.de la Varde = *Fissidens laxus* [90: 145]

Fissidens robynsianus P.de la Varde UGA(7353,8280), ZAI(65).

Fissidens rosulatus P.de la Varde MDG(40).

Fissidens rottereai P.de la Varde = *Fissidens bogosicus* (3212)

Fissidens rotundatus Dixon = *Fissidens gardneri* (3212)

Fissidens rubentimarginatus Müll.Hal., nom. nud. Excluded: no description or specimen available.

Fissidens rufescens Hornsch. BOT(1531), DJI(1569), LES(1531,4897), MLW(6087),

NAM(1531,4418,7155,8024), SAF(1531,8328), TAN(46), ZIM(61).

Fissidens rufescens var. *orthopyxis* Rehmann ex Paris. Excluded: no description available (specimen from Overkant, eastern Cape)

Fissidens rufipes Schimp. ex A.Jaeger, *nom. illeg. incl. spec. prior.* = *Fissidens crassipes* [2185] Excluded: although marked in Index Muscorum as present in sub-Saharan Africa, it is not believed to occur in the area.

Fissidens rufolimbatus Cardot = *Fissidens porrectus* [90: 144]

Fissidens rufolimbatus var. *latifolius* P.de la Varde = *Fissidens porrectus* [90: 144]

Fissidens rufolimbatus var. *ramosus* P.de la Varde = *Fissidens porrectus* [90: 144]

Fissidens rufolimbatus var. *torrentium* P.de la Varde = *Fissidens porrectus* [90: 144]

Fissidens rufulus ssp. *warnstorffii* (M.Fleisch.) Kindb. = *Fissidens crassipes* var. *philibertii* [8151: 674] (= *Fissidens crassipes* ssp. *warnstorffii*)

Fissidens rugifolius Dixon UGA(16).

Fissidens ruwenzorenensis Thér. & Naveau = *Fissidens asplenoides* (1748)

Fissidens sanguineonervis (Müll.Hal.) Paris = *Fissidens intramarginatus* [90: 146]

Fissidens sarcophyllus Müll.Hal. ex Dusén = *Fissidens borgenii* [90: 146]

Fissidens savellii Paris & Renauld = *Fissidens zippelianus* (76) (= *Fissidens crispulus*)

Fissidens schelpei P.de la Varde = *Fissidens bogosicus* (3212)

Fissidens schimperi Schimp. ex Paris, *nom. nud. in synon.* = *Fissidens helictocaulos* [4250: 484] (= *Fissidens megalotis* subsp. *helictocaulos*)

Fissidens schmidii Müll.Hal. BIO(8180), CAF(47), CMN(47), ETH(6137), GAB(47),

GUI(47), MLW(6087), NGA(47), TAN(7833), UGA(46,7353,8280).

Fissidens schnellii P.de la Varde = *Fissidens porrectus* [90: 144]

Fissidens schweinfurthii (Müll.Hal.) Paris = *Fissidens intramarginatus* [3212: 160]

Fissidens sciophyllus* fo. *sciophyllus Mitt. ANG(46), BIO(2662), CAF(47), CHA(90), CMN(47), CVI(2666), DJI(1569), GAB(47), GHA(90), GUI(47), KEN(6615,7065), LES(4897), MDG(40,90), MLW(6087), NAM(1531,7155), NGA(47,334,5148), REU(90), RIM(4639), ROD(4931), RWA(65), SAF(1531,8328), SAO(47), SEY(4899), SUD(90,3076), TAN(46), UGA(46,4282,8280), ZAI(65), ZAM(46,62), ZIM(7623).

Fissidens sciophyllus* fo. *ulna (Müll.Hal.) Brugg.-Nann. CAF(47,1749), CMN(47),

GAB(47,4988), GUI(47,5041), IVO(47), MLW(6087), NGA(47,5148), SUD(3076,3212), TAN(46), UGA(46,3212), ZAI(65).

Fissidens sciophyllus Mitt. = *Fissidens sciophyllus* fo. *sciophyllus* (3212)

Fissidens scleromitrius (Besch.) Broth. CAF(47), LES(4897), MDG(40,2322),

SAF(1531,8328), ZAI(65).

Fissidens semiobscurus (Müll.Hal.) Paris = *Fissidens reflexus* (3212)

Fissidens sericeus Broth. = *Fissidens curvatus* var. *curvatus* (3212)

Fissidens serratus* var. *leptochaete (Dusén) Brugg.-Nann. & Pursell TAN(46).

Fissidens serratus* var. *serratus Müll.Hal. IVO(4928), KEN(46,580), MAU(105,580),

MDG(40,1925), MLW(6087), MOZ(357), NAM(7155), SAF(1531,4897), SEY(4750), SOC(5116,5613), TAN(46,109,580), ZIM(61).

Fissidens seychellensis Dury & Onr. SEY(4,1926,2030,2353,4750,4899).

Fissidens sigmocarpoides P.de la Varde CAF(47), MLW(6087).

Fissidens sigmocarpus Müll.Hal. ex Dusén = *Fissidens ramulosus* (3212)

Fissidens sylvaticus Griff. ex Kindb., *nom. illeg. orthogr.* = *Fissidens sylvaticus* [1521]. Note: see under *Fissidens sylvaticus*.

Fissidens simensis Schimp. ex Müll.Hal. = *Fissidens bryoides* [90: 143]

Fissidens simii Schelpe = *Fissidens beckettii* (3212)

Fissidens skallangae Dixon = *Fissidens glaucissimus* (255)

Fissidens smiliodoides P.de la Varde = *Fissidens beckettii* (3212)

Fissidens somaliae Müll.Hal. SOM(50), ZAM(62), ZIM(46,61).

Fissidens spinosolimbatus Bizot & Dury ex Pócs = *Fissidens intramarginatus* [90: 146]

Fissidens splachnifolius Hornsch. SAF(1531,8328).

Fissidens splendens Brugg.-Nann. TAN(46).

Fissidens stellenboschianus Dixon in Sim = *Fissidens pygmaeus* (3212)

Fissidens stirtonii Müll.Hal., *nom. nud.* Excluded: no specimen or description available.

Fissidens stolonifer Rehmann ex Kindb., *nom. nud.* = *Fissidens splachnifolius* [1911: 488]

Fissidens subambiguus Bizot & Dury ex Pócs = *Fissidens submarginatus* (3212)

Fissidens subarboreus Broth. & P.de la Varde = *Fissidens oblongifolius* (1748)

Fissidens subceylonensis Dury & Onr. ex Bizot = *Fissidens ceylonensis* (4750)

Fissidens subcongolensis Bizot & Dury ex Pócs = *Fissidens intramarginatus* [90: 146]
Fissidens subdurus Broth. & P.de la Varde in P.de la Varde = *Fissidens intramarginatus* (3212)
Fissidens subelimbatus Broth. & P.de la Varde in P.de la Varde = *Fissidens sciophyllus* fo. *ulna* [3212: 167]
Fissidens subelimbatus Broth. & P.de la Varde var. *crispus* P.de la Varde = *Fissidens ramulosus* [3212]
Fissidens subelimbatus Wager & Dixon in Wager, nom. nud. = *Fissidens borgenii* var. *obtusifolius* [1911: 192] (= *Fissidens sciophyllus* fo. *sciophyllus*)
Fissidens subexasperatus Bizot & Dury ex Pócs = *Fissidens papillosum* (580)
Fissidens subglaucissimus Broth. = *Fissidens glaucissimus* (255)
Fissidens subglaucissimus var. *microphoenic* (P.de la Varde) P.de la Varde = *Fissidens glaucissimus* (47: 476)
Fissidens submadecassus Bizot = *Fissidens intramarginatus* (3212)

Fissidens submarginatus Bruch ex C.Krauss BEN(6128), CAF(47,109,1749), CMN(47), EQG(47), GHA(47), GUI(47), IVO(1880,4928), KEN(46,7065), LBR(47), MDG(40), MLW(6087), NAM(6798), NGA(47), SAF(1531,8328), SEN(47), SWZ(1531), TAN(46,109), TOG(58), UGA(7353,8280), ZAI(65), ZAM(62), ZIM(46,61).

Fissidens subobtusatus Müll.Hal. = *Fissidens sciophyllus* fo. *sciophyllus* [3212: 166]

Fissidens subpictus Bizot ex Pócs = *Fissidens laxus* [90: 145]

Fissidens subplanifrons Bizot & Onr. MAU(105,109).

Fissidens subpycnothallis P.de la Varde = *Fissidens beckettii* (3212)

Fissidens subremotifolius Müll.Hal. = *Fissidens bryoides* (82: 46) (= *Fissidens androgynus*)

Fissidens subsarcophyllus Bizot & Onr. in Bizot = *Fissidens madecassus* [3212: 163]

Fissidens subscleromitrius Bizot & Dury TAN(46).

Fissidens subsphaerocarpus (P.de la Varde) Brugg.-Nann. = *Fissidens microcarpus* (73)

Fissidens subundatus Dury MDG(40).

Fissidens subviscidus Bory ex Besch., nom. inal. in synon. = *Phyllogonium viscosum* [2195: 270]

Fissidens sylvaticus fo. *robusta* Dixon. Excluded: any records for this form have been associated with the owning species.

Fissidens sylvaticus Griff. Note: Iwatsuki & Suzuki (1892, p.400) gave this as a synonym of *Fissidens taxifolius*, but Bruggeman-Nannenga (pers. comm.) says that all African material named *Fissidens sylvaticus* seen by her is

Fissidens zippelianus. All African records are thus shown for *Fissidens zippelianus* (= *Fissidens crispulus*).

Fissidens sylvaticus var. *savellii* (Paris & Renaud) Wijk & Margad. = *Fissidens zippelianus* (76) (= *Fissidens crispulus*)

Fissidens taeniocladi P.de la Varde = *Fissidens laxus* [90: 145]

Fissidens tamarindifolius var. *crispulus* Brid. = *Fissidens bryoides* var. *crispulus* [1521] (= *Fissidens crispulus*)

Fissidens taxifolius* ssp. *taxifolius Hedw. MAS(40).

Fissidens taylorii Müll.Hal. Excluded: Index Muscorum records this species for sub-Saharan Africa, but no records have been found.

Fissidens tenuisetus Cardot = *Fissidens zollingeri* (3212)

Fissidens terminiflorus Thwaites & Mitt. = *Fissidens sylvaticus* [5545: 285] (= *Fissidens crispulus*)

Fissidens termitidarum Paris & Broth. ex Paris = *Fissidens intramarginatus* (3212)

Fissidens thallangae Dixon = *Fissidens glaucissimus* (255)

Fissidens theriotii Corb. = *Fissidens foute-djallonii* (47: 476) (= *Fissidens gardneri*)

Fissidens thomsonii Stirt. ex Müll.Hal., nom. nud. Excluded: apparently collected from (Lake?) Victoria by Thomson, but no specimen details or description published.

Fissidens thunbergii Brid. = *Fissidens ovatus* [3212]

Fissidens tisserantii Broth. & P.de la Varde = *Fissidens glauculus* [90: 147]

Fissidens tisserantii* var. *sublaevifolius P.de la Varde CAF(47).

Fissidens tisserantii var. *sublaevifolius* P.de la Varde. Note: the owning species of this variety has been transferred to *Fissidens glauculus* [90: 147]. This variety should also be revised.

Fissidens ugandae Dixon & P.de la Varde = *Fissidens intramarginatus* [90: 146]

Fissidens ulna (Müll.Hal.) Paris = *Fissidens sciophyllus* fo. *ulna* (3212)

Fissidens ulna var. *fallax* P.de la Varde = *Fissidens sciophyllus* fo. *ulna* (3212)

Fissidens undatus (Müll.Hal.) Paris = *Fissidens intramarginatus* (3212)

Fissidens undifolius Müll.Hal. = *Fissidens ovatus* (3212)

Fissidens unipapillous Brugg.-Nann. UGA(7798,8280).

Fissidens urceolatus Wager & Dixon ex Sim = *Fissidens submarginatus* (82: 54)

Fissidens usambanicus Broth. CAF(47,90,1749), CMN(90), CVI(2666), KEN(7065), NGA(334), RWA(65), SAF(1531,8328), SWZ(4418), TAN(46), UGA(4282,8280), ZAI(65,5319).

Fissidens usambanicus* var. *acutifolius P.de la Varde CAF(47).

Fissidens vanderijstii Cardot = *Fissidens intramarginatus* (3212)

Fissidens ventroalaris Cardot = *Fissidens reflexus* (3212)

Fissidens vesiculosus Demaret & V.Leroy = *Fissidens megalotis* subsp. *helictocaulos* (3212)

Fissidens viridulus ssp. *incurvus* (Starke ex Roehl.) Waldh. ex C.E.O.Jensen = *Fissidens bryoides* [2185]. Note: see *Fissidens bryoides* var. *bryoides*.

Fissidens viridulus ssp. *minutulus* (Sull.) Kindb. = *Fissidens minutulus* [2185]

Fissidens viridulus var. *bryoides* (Hedw.) Roehl., nom. illeg. prior. ut spec. = *Fissidens bryoides* [1521]. Note: see

Fissidens bryoides var. *bryoides*

Fissidens viridulus var. *crassipes* (Bruch & Schimp.) Husn., nom. illeg. incl. var. prior. = *Fissidens crassipes* [1521].

Excluded: only the variety *Fissidens crassipes* var. *warnstorffii* occurs in sub-Saharan Africa.

Fissidens viridulus var. *exilis* (Hedw.) Roehl., nom. illeg. prior. ut spec. = *Fissidens exilis* [1521]. Excluded: although listed by Index Muscorum, this taxon is not recorded for the area.

Fissidens viridulus var. *incurvus* (Roehl.) Wilson = *Fissidens bryoides* var. *incurvus* [1521]. See *Fissidens bryoides* var. *bryoides*.

***Fissidens viridulus* var. *viridulus* (Sw.) Wahlenb.** CMN(47), SUD(7364).

Fissidens vogelianus Mitt. = *Fissidens zollingeri* (3212)

Fissidens vogelianus var. *latifolius* P.de la Varde, nom. nud. Excluded: undescribed collections from Nigeria (E.W. Jones in Richards 3808 and 3818) [7428: 89]; the specimens are treated here as synonyms of *Fissidens vogelianus* (= *Fissidens zollingeri*).

Fissidens vulcanicus Renauld & Cardot = *Fissidens planifrons* [4363: 152]

***Fissidens wageri* Dixon ex Wager** SAF(1531,8328).

Fissidens warnstorffii M.Fleisch. = *Fissidens crassipes* var. *philibertii* [8151: 674] (= *Fissidens crassipes* var. *warnstorffii*)
Fissidens waterlotii Thér. = *Fissidens reflexus* (3212)

***Fissidens weiri* var. *weiri* Mitt.** ANG(46), BIO(2662), BKN(1423), CAF(47,1749),

CMN(47), GAB(47), GHA(47), GUI(47,5041), IVO(63,1880,4928), KEN(7065),
 LBR(47), NGA(47,334,5148,5176), RIM(4639), SIE(3216), TOG(1878,2851),
 UGA(46,8280), ZAI(65).

Fissidens welwitschii Duby = *Fissidens sciophyllum* fo. *sciophyllum* (3212)

Fissidens woodii Taylor & P.de la Varde = *Fissidens porrectus* [90: 144]

Fissidens zambiae Bizot = *Fissidens dubiosus* (109) (= *Fissidens leucocinctus*)

Fissidens zenkeri Broth. ex Bizot = *Fissidens intramarginatus* (3212)

Fissidens zippelianus Dozy & Molk. ex Zoll. = *Fissidens crispulus* (3212)

Fissidens zippelianus ssp. *savellii* (Paris & Renauld) Paris = *Fissidens sylvaticus* ssp. *savellii* [1521] (= *Fissidens crispulus*)

Fissidens zippelianii Dozy & Molk. ex Kindb., nom. illeg. incl. spec. prior. = *Fissidens sylvaticus* [5545: 285] (= *Fissidens crispulus*)

***Fissidens zollingeri* Mont.** ANG(46), BEN(6128), CAF(47,1749), CMN(47), COM(40),

GAB(47), GUI(47), KEN(46), MDG(40), NGA(47,334,4314,5148,5176), ROD(105),
 SEY(4750), TAN(46), UGA(7353,8280), ZAI(65,5319).

Fissidens zuluensis Broth. & Bryhn = *Fissidens glaucescens* (82: 62) (= *Fissidens ovatus*)

Fissidentella perpusilla Cardot = *Fissidens founta-djalloni* (76) (= *Fissidens gardneri*)

Floribundaria cameruniae (Müll.Hal. ex Dusén) Müll.Hal. = *Floribundaria floribunda* (65)

Floribundaria cameruniae M.Fleisch., nom. nud. Excluded: original specimen destroyed [4138: 333]

Floribundaria capillicaulis (Renauld & Cardot) Broth. = *Barbella capillicaulis* [1521]

Floribundaria diversifolia (Renauld & Cardot) Broth. = *Floribundaria vaginans* [7168: 133]

***Floribundaria floribunda* (Dozy & Molk.) M.Fleisch.** BIO(3414), CAF(47), CMN(47),

CON(47), ETH(111), GAB(47), GHA(47), IVO(47,1880), KEN(46,2661,7065),
 MAU(105,1882,3410), MDG(40), REU(105), RIM(4639), RWA(65),

SAF(1531,4897,8328), TAN(46), UGA(46), ZAI(65,2675), ZAM(46).

***Floribundaria floribunda* var. *capilliramea* (Müll.Hal.) M.Fleisch.** TAN(46).

***Floribundaria floribunda* var. *madagassa* (Renauld & Cardot)** Renauld & Cardot MDG(40).

***Floribundaria floribundula* (Müll.Hal.) M.Fleisch.** COM(40), MDG(40).

Floribundaria fulvastra (Besch.) Renauld = *Floribundaria floribunda* [2737: 820]

***Floribundaria golae* Tosco & Piovano** TAN(46).

Floribundaria jumboana (Dusén) Müll.Hal. = *Floribundaria vaginans* (7168)

Floribundaria octodiceras (Müll.Hal.) Müll.Hal. = *Floribundaria vaginans* (7168)

Floribundaria patentissima (Müll.Hal.) M.Fleisch. = *Floribundaria vaginans* (7168)

Floribundaria patentissima var. *squarrosa* (Renauld & Cardot) Renauld & Cardot = *Floribundaria vaginans* (7168)

Floribundaria pseudofulvastra (Müll.Hal.) Renauld, nom. inval. in synon. = *Floribundaria patentissima* [7718: 302] (= *Floribundaria vaginans*)

Floribundaria robillardii (Müll.Hal.) Broth. ex Paris = *Floribundaria floribunda* [1848: 360]

Floribundaria subvaginata M.Fleisch., nom. nud. Excluded: original specimen destroyed [4138: 333]

Floribundaria thomeana Müll.Hal., nom. nud. in synon. = *Fissidens patentissima* [4098: 283]

***Floribundaria vaginans* (Welw. & Duby)** Broth. ANG(46), BUR(7168), CAF(47),

CMN(47), ETH(111), GAB(47), GUI(47), KEN(411), MAU(105), MDG(40), MLW(67),

NGA(7168), REU(105,3410), RIM(4639), SAO(47), TAN(46), UGA(3072), ZAI(2672).

***Flowersia abyssinica* (Müll.Hal.) D.G.Griffin & W.R.Buck** ERI(50), ETH(50).

Fontinalis abyssinica Schimp. nom. nud. = *Fontinalis antipyretica* var. *antipyretica* [2695: 22]
Fontinalis antipyretica sensu Sim = *Fontinalis antipyretica* var. *gracilis* (1519: 534)

Fontinalis antipyretica var. ***antipyretica*** Hedw. ERI(50,2695), ETH(2695), SAF(2695), UGA(7353).

Fontinalis antipyretica var. *erythraea* Tongiorgi = *Fontinalis antipyretica* var. *antipyretica* [2695: 22]

Fontinalis antipyretica var. ***gracilis*** (Hedw.) Schimp. SAF(1531,8328).

Fontinalis antipyretica var. *duriaei* (Schimp.) Kindb. = *Fontinalis hypnoides* var. *duriaei* [1521]

Fontinalis disticha Sw., nom. inval. = *Neckeropsis disticha* [1521]

Fontinalis duriaeae Schimp. = *Fontinalis hypnoides* var. *duriaei* [1521]

Fontinalis duthieae Dixon in Sim = *Wardia hygrometrica* [2695: 188; 1519: 538]

Fontinalis fiorii Tongiorgi = *Fontinalis duriaeae* [2695: 179] (= *Fontinalis hypnoides* var. *duriaei*)

Fontinalis gracilis Lindb. = *Fontinalis antipyretica* var. *gracilis* (1519: 534)

Fontinalis hypnoides ssp. *duriaei* (Schimp.) Amann = *Fontinalis duriaeae* [1521] (= *Fontinalis hypnoides* var. *duriaei*)

Fontinalis hypnoides var. ***duriaei*** (Schimp.) Husn. ERI(50,2695), ETH(50).

Fontinalis hypnoides var. *duriaei* (Schimp.) Husn. = *Fontinalis duriaeae* [1521] (= *Fontinalis hypnoides* var. *duriaei*)

Fontinalis juliana Savi ex DC. = *Fissidens fontanus* [8172: 405]. Note: see *Fissidens fontanus*.

Fontinalis pennata (Hedw.) L. ex Richter = *Neckera pennata* [1521]

Fontinalis squamosa var. ***squamosa*** Hedw. SAF(1531,8328).

Forsstroemia borgenii (Renauld & Cardot) Paris = *Trachyphyllum borgenii* [1521]

Forsstroemia dendroides Dixon ex Sim, nom. nud. in synon. = *Pterogonium gracile* [1911: 360]

Forsstroemia dixonii Tosco & Piovano = *Levierella fabroniae* (3260)

Forsstroemia flagellacea (Müll.Hal.) Paris = *Forsstroemia producta* (408)

Forsstroemia incrassata (Broth.) Paris = *Forsstroemia producta* (408)

Forsstroemia producta (Hornschr.) Paris ETH(408),

KEN(46,408,2661,3412,5315,6615,7065), MLW(67,408), RWA(65,408),

SAF(408,1531,7766,8328), TAN(46,408), UGA(46,408), ZAI(5319).

Forsstroemia producta var. *brachycystis* Thér. & P.de la Varde = *Forsstroemia producta* (408)

Funaria abyssinica Schimp. ex Paris, nom. nud. Excluded: an undescribed collection (*Schimper 1029*) from Ethiopia [50: 227].

Funaria acicularis Müll.Hal. SAO(47).

Funaria ampliretis (Müll.Hal.) Broth. = *Funaria limbata* (83: 320) (= *Entosthodon limbatus*)

Funaria ampliretis var. *obtusata* (Sim) Wijk. & Margad. = *Funaria limbata* [83: 321] (= *Entosthodon limbatus*)

Funaria bergiana (Hornschr.) Broth. Note: see *Entosthodon bergianus*.

Funaria bogosica Müll.Hal. ERI(50).

Funaria borbonica (Besch.) Broth. Note: see *Entosthodon borbonicus*.

Funaria calcarea var. *convexa* (Spruce) Husn. = *Entosthodon convexus* (6530)

Funaria calvescens Schwägr. = *Funaria hygrometrica* var. *calvescens* (1521)

Funaria calvescens var. *mauritiana* Besch. = *Funaria hygrometrica* var. *mauritiana* [40]

Funaria cameruniae Dixon CMN(47).

Funaria campylopodioides (Müll.Hal.) Broth. = *Fissidensrottleri* [1911: 199] (= *Entosthodonrottleri*)

Funaria campylopus Brid. = *Funaria hygrometrica* (40: 210)

Funaria chevalieri P.de la Varde CVI(2666,6453).

Funaria clavata (Mitt.) Magill. Note: see *Entosthodon clavatus*.

Funaria convexa Spruce = *Entosthodon convexus* (6530)

Funaria curvipes (Müll.Hal.) Broth. Note: see *Entosthodon curvipes*.

Funaria decaryi Thér. MDG(40).

Funaria delicatula Thér. MDG(40).

Funaria dieterlenii Thér. = *Funaria spathulata* (83: 329) (= *Entosthodon spathulatus*)

Funaria gracilescens (Müll.Hal.) Broth., hom. illeg. = *Funaria ampliretis* [1911: 297] (= *Entosthodon limbatus*)

Funaria gracilescens Schimp. ex Müll.Hal. = *Funaria hygrometrica* (83: 329)

Funaria gymnostoma Dixon = *Entosthodon bergianus* (83: 323)

Funaria harveyana Magill = *Funaria succuleata* (83: 321)

Funaria hildebrandtii (Müll.Hal.) Broth. Note: see *Entosthodon hildebrandtii*.

Funaria holstii (Broth.) Paris. Note: see *Entosthodon holstii*.

Funaria hygrometrica fo. *brevisetata* (Broth.) Cufod. Excluded: any records for this form have been associated with
Funaria hygrometrica var. *calvescens*.

Funaria hygrometrica var. ***calvescens*** (Schwägr.) Kindb. BIO(8180), BUR(65), CAF(47),

CMN(47), COM(40), CVI(6453), ERI(50), ETH(50), GUI(47), IVO(1458), MAU(105),

MDG(40,6908), MLW(67), NAM(7155), REU(105), RWA(65), SUD(3488), TAN(46),

UGA(46), ZAI(65), ZAM(46).

Funaria hygrometrica var. ***hygrometrica*** Hedw. CHA(51,4480,4507), CMN(47),

CVI(2666), ETH(50,1927), KEN(46,5315), LES(1531,4897), MLW(67), NAM(1531),

REU(105), SAF(1531,7766,8328), SAO(47), SUD(1707), SWZ(1531), TAN(46), ZIM(46,61).

Funaria hygrometrica var. *mauritiana* (Besch.) Paris MAU(105), REU(105).

Funaria hygrometrica var. *planifolia* Rehmann ex Paris, *nom. nud.* = *Funaria hygrometrica* [1911: 298]

Funaria imerinensis Cardot in Grandid. MDG(40).

Funaria kilima-n'djarica Müll.Hal. ex Paris, *nom. illeg. orthogr.* = *Funaria kilimandscharica* [1521]

Funaria kilimandscharica Müll.Hal. KEN(46), TAN(46), ZAI(65).

Funaria lepervanchei (Besch.) Broth. Note: see *Entosthodon lepervanchei*.

Funaria limbata (Müll.Hal.) Broth. Note: see *Entosthodon limbatus*.

Funaria lonchopelma Müll.Hal. = *Funaria hygrometrica* (83: 329)

Funaria longicollis Dixon = *Entosthodon dixonii* (1911)

Funaria marginata (Müll.Hal.) Broth., *hom. illeg.* = *Funaria limbata* (83: 320) (= *Entosthodon limbatus*)

Funaria marginata var. *obtusata* (Sim) H.N.Dixon = *Funaria ampliretis* var. *obtusata* [1521]

Funaria marginatula (Geh.) Cardot Note: see *Entosthodon marginatulus*.

Funaria mauritiana (Schimp. ex Besch.) Broth. Note: see *Entosthodon mauritianus*.

Funaria mayottensis (Besch.) Broth. COM(40).

Funaria micropyxis (Müll.Hal.) Broth. = *Funaria limbata* (83: 320) (= *Entosthodon limbatus*)

Funaria nubica Müll.Hal. SUD(4378).

Funaria nutans (Mitt.) Broth. = *Entosthodon nutans* [2769]

Funaria pallescens Schimp. ex A.Jaeger, *nom. nud.* Excluded: an undescribed collection (*Schimper s.n.*) from Ethiopia [50: 228]

Funaria perlaxa Thér. KEN(46), TAN(46), ZAI(65).

Funaria pertenella Broth. Note: see *Entosthodon pertenellus*.

Funaria plagiostoma Müll.Hal. = *Funaria hygrometrica* (83: 329)

Funaria renaudii (Thér.) Cardot = *Entosthodon renaudii* [1521]

Funaria rhomboidea J.Shaw NAM(1531,7155), SAF(1531,8328), ZIM(61).

Funaria robustior (Müll.Hal.) Broth. Note: see *Entosthodon robustior*.

Funariarottleri (Schwägr.) Broth. Note: see *Entosthodon rottleri*.

Funaria rufinervis Dixon = *Entosthodon urceolatus* (83: 326)

Funaria schinzii (Geh.) Broth. = *Funaria rhomboidea* (83: 237)

Funaria serrata Rehmann in Sim, *nom. nud.*, *hom. illeg.* Excluded: an undescribed collection (*Rehmann 524*) from Cape Town, South Africa [1911: 449].

Funaria sickenbergeri Muell.Hal. Excluded: no records reported for sub-Saharan Africa.

Funaria spathulata Schimp ex Müll.Hal. Note: see *Entosthodon spathulatus*.

Funaria subleptopoda Hampe MDG(40).

Funaria submarginata (Muell.Hal.) Broth. Excluded: see *Entosthodon submarginatus*.

Funaria subserrata Rehmann ex Kindb., *nom. nud.* Excluded: this is probably a new name for *Funaria serrata* Rehmann in Sim, *nom. nud.*, *hom. illeg.*, as Kindberg refers back to this taxon, and the name *Funaria serrata* is already in use.

Funaria succuleata (Wager & C.H.Wright) Broth. ex Magill LES(1531), SAF(1531),

ZIM(61).

Funaria transvaalensis Thér. ex Broth., *nom. illeg. incl. spec. prior.* = *Fissidens ampliretis* [1911: 297] (= *Entosthodon limbatus*)

Funaria transvaalensis Wager & Broth. in Wager, *nom. nud.* Excluded: no specimen or description available.

Funaria urceolata (Mitt.) Magill. Note: see *Entosthodon urceolatus*.

Funaria usambarica Broth. Note: see *Entosthodon usambaricus*.

Funaria volkensii Broth. Note: see *Entosthodon volkensii*.

Funaria wolkensii Broth. ex Paris, *nom. inval.* in *synon. orthogr.* = *Fissidens volkensii* [1521]

Gammiella ceylonensis (Broth. in Herzog) B.C.Tan & W.R.Buck BIO(8180), MDG(40),

MLW(7095), REU(8028), RWA(2675), SAF(7095,7482,8328), TAN(46),

UGA(7095,7353).

Gammiella merrillii (Broth.) Tixier = *Gammiella ceylonensis* (406)

Garckeia bescherellei Müll.Hal. ex Besch. = *Garckeia phascoides* (2737: 282) (= *Garckeia flexuosa*)

Garckeia comosa (Dozy & Molk.) Wijk & Margad., *nom. illeg. incl. spec. prior.* = *Garckeia flexuosa* (3699)

Garckeia elongata Renauld & Cardot ZAI(65).

Garckeia flexuosa (Griff.) Margad. & Nork. COM(40), MDG(40), REU(105),

SEY(1926,2353), TAN(46), ZAI(65,7863).

Garckeia hildebrandtii Müll.Hal. = *Garckeia bescherellei* [1848: 282] (= *Garckeia flexuosa*)

Garckeia mathieui Thér. CAF(47), CMN(47), GAB(47), NGA(5148), SIE(47).

Garckeia moenkemeyeri Müll.Hal. BEN(4302), BIO(2662), CAF(47), GAB(47),

GUI(47,1458), IVO(1458), NGA(47), SIE(47).

Garckeia phascoides Müll.Hal. = *Garckeia flexuosa* (3699)

***Garckea phascoidea* var. *comorensis* Thér. COM(40).**

Garckea phascoidea var. *comorensis* Thér. Note: this variety should be re-assessed, as the owning species is now a synonym of *Garckea flexuosa*.
Garovaglia bescherellei Renauld = *Calyptothecium bescherellei* [1521]
Garovaglia dusenii Müll.Hal. ex Broth., nom. nud. in synon. = *Renauldia dusenii* [1521]
Garovaglia mauritiana Müll.Hal. ex Renauld, nom. inval. in synon. = *Hildebrandtiella pachyclada* [4250: 295]
Garovaglia patentiformis Muell.Hal. ex M.Fleisch.[5492: 61], nom. nud. = *Pterobryopsis patentiformis* M.Fleisch., nom. nud. [1521] Excluded: an undescribed specimen from Madagascar.
Garovaglia patentissima (Hampe) Paris = *Renauldia patentissima* [1521]
Garovaglia patentissima var. *brevis* Paris, nom. nud. = *Renauldia patentissima* var. *tenue* Thér. [1848: 342]
Garovaglia patentissima var. *tenuis* Renauld, nom. nud. = *Renauldia patentissima* var. *tenue* Thér. [1521]
Garovaglia planifrons Renauld & Paris = *Calyptothecium planifrons* (2)
Garovaglia rehmannii Müll.Hal. ex Reimers, nom. nud. in synon. = *Renauldia hoehnelii* [2864: 98] (= *Calyptothecium hoehnelii*)
Garovaglia sikorae Müll.Hal. ex M.Fleisch., nom. nud. = *Pterobryopsis patentissima* var. *fasciculata* [1848: 342] (= *Renauldia patentissima* var. *patentissima*)
Garovaglia simplex Müll.Hal. ex Broth., nom. nud. in synon. = *Jaegerinopsis cameruniae* [9: 254] (= *Jaegerina scariosa*)
Garovaglia subspirosticta Müll.Hal. ex Thér., nom. nud. in synon. = *Renauldia hildebrandtiielloides* [4361: 93]

Gigaspernum repens (Hook.) Lindb. LES(1531,4897), MDG(40,7385), MLW(7273), NAM(1531,7155), SAF(1531,8328).

Glossadelphus Note: this is no longer a valid genus [268]: it is a synonym of *Phyllodon*, and all species must be transferred to other genera. It is likely that most African species will go to *Taxiphyllum*.
Glossadelphus abruptus (Mitt.) H.Rob. = *Glossadelphus truncatulus* (2733). Note: this Fernando Po taxon was also named as *Phyllodon abruptus* (Mitt.) B.C.Tan, but see note under *Phyllodon truncatus*.
Glossadelphus congolensis Broth. & P.de la Varde = *Ectropothecium zollingeri* (6809)
Glossadelphus congolensis var. *falcatus* Demaret & P.de la Varde = *Glossadelphus congolensis* (2733)
Glossadelphus eckendorffii P.de la Varde = *Glossadelphus perplanicaulis* (2733) (= *Phyllodon perplanicaulis*)
Glossadelphus euryphyllus P.de la Varde = *Sematophyllum caespitosum* (2733)

***Glossadelphus guineensis* (Broth. & Paris) Crosby, B.H.Allen & Magill GUI(47), MDG(2445).**

Glossadelphus nossibeanus Broth. ex P.de la Varde, nom. inval. err. = *Taxithelium nossianum* [1521]
Glossadelphus ovalifolius (Besch.) Broth. = *Ectropothecium ovalifolium* (268)
Glossadelphus perplanicaulis (Broth.) M.Fleisch. = *Phyllodon perplanicaulis* (6809)
Glossadelphus scutellifolius (Besch.) M.Fleisch. = *Phyllodon scutellifolius* (268)

***Glossadelphus semiscabrus* (Renauld & Cardot) Crosby, B.H.Allen & Magill MDG(40).**

Glossadelphus serpyllifolius P.de la Varde = *Bryocrumia vivicolor* (6309)
Glossadelphus truncatulus (Müll.Hal.) M.Fleisch. Note: see under *Phyllodon truncatus*.
Glossadelphus truncatus (Welw. & Duby) M.Fleisch. = *Phyllodon truncatus* (268)
***Glossadelphus viridis* (Renauld & Cardot) Crosby, B.H.Allen & Magill MDG(40).**

Glyphocarpa abyssinica Hampe ex Müll.Hal. = *Flowersia abyssinica* (182: 372)
Glyphocarpa capensis R.Br. = *Bartramia capensis* (83: 415)
Glyphocarpa laevisphaera Taylor = *Anacolia laevisphaera* [1521]
Glyphocarpa quadrata (Hook.) Schwaegr. = *Bartramia compacta* [1911: 304]
Glyphocarpa schimperi Hampe ex Sim, nom. nud. in synon. = *Bartramidula globosa* var. *tenuicaulis* [1911:305] (= *Philonotis globosa*)
Glyphocarpus abyssinicus (Müll.Hal.) Hampe ex A.Jaeger = *Anacolia abyssinica* [1521] (= *Flowersia abyssinica*)
Glyphocarpus aristarius (Müll.Hal.) Paris = *Breutelia aristaria* [1521] (= *Bartramia aristaria*)
Glyphocarpus aristarius var. *plumosus* Rehmann ex Müll.Hal., nom. nud. in synon. = *Breutelia aristaria* var. *plumosa* [1521] (= *Bartramia capensis*)
Glyphocarpus asperrimus Hampe ex A.Jaeger, nom. nud. in synon. = *Bartramia hampeana* [4329: 60]
Glyphocarpus breutelii A.Jaeger = *Bartramidula globosa* [4378: 90] (= *Philonotis globosa*)
Glyphocarpus capensis (R.Br.) Brid. = *Bartramia capensis* (83: 415)
Glyphocarpus comosus Hampe ex A.Jaeger = *Bartramidula comosa* [1521] (= *Philonotis comosa*)
Glyphocarpus comosus var. *nanus* Rehmann ex Dixon & A.Gepp = *Bartramidula comosa* [1911: 304] (= *Philonotis comosa*)
Glyphocarpus compactus (Horns.) A.Jaeger = *Bartramia compacta* var. *compacta* [1521]
Glyphocarpus humilis Rehmann ex Paris, nom. nud. = *Bartramidula globosa* [1911: 305] (= *Philonotis globosa*)
Glyphocarpus hymenodon Müll.Hal. ex Paris, nom. nud. = *Philonotis scabrifolia* [1911: 305]
Glyphocarpus insertus (Sull. & Lesq.) A.Jaeger = *Bartramia capensis* (83: 415)
Glyphocarpus laevisphaerus (Taylor) A.Jaeger = *Anacolia laevisphaera* [687]
Glyphocarpus macleanus Paris = *Bartramidula globosa* [1911: 305] (= *Philonotis globosa*)
Glyphocarpus pernianus (Müll.Hal.) Müll.Hal. ex Dixon & A.Gepp = *Philonotis androgyna* [1911: 306] (= *Philonotis dregeana*)
Glyphocarpus pilulifer Rehmann ex Kindb., nom. nud. = *Bartramidula comosa* [1911: 305] (= *Philonotis comosa*)

Glyphocarpus pseudocomosus Rehmann ex Paris, *nom. nud.* Excluded: no description available.
Glyphocarpus quadratus (Hook.) Brid. = *Bartramia capensis* (83: 415)
Glyphocarpus schimperi Hampe ex Sim, *nom. inval. in synon.* = *Bartramia globosa* var. *tenuicaulis* [1911: 305] (= *Philonotis globosa*)
Glyphocarpus scioanus Brizi = *Anacolia scioana* (1521)
Glyphocarpus sericeus (Hornsch.) A.Jaeger, *nom. illeg. incl. spec. prior.* = *Bartramia capensis* [1521; 83: 415]
Glyphocarpus subhumilis Kindb., *nom. nud.* = *Bartramidula globosa* [1911: 305] (= *Philonotis globosa*)
Glyphocarpus webbii Mont. = *Anacolia webbii* [1521]
Glyphomitrium crassinervium (Müll.Hal.) Broth. = *Ptychomitrium crassinervium* (1519: 473)
Glyphomitrium crispatum (Wedw.) Brid. = *Ptychomitrium crispatum* (1519: 474)
Glyphomitrium cucullatifolium (Müll.Hal.) Broth. = *Ptychomitrium cucullatifolium* (1519: 472)
Glyphomitrium depressum (Müll.Hal.) Broth. = *Ptychomitrium depressum* (1519: 469)
Glyphomitrium helenicum Mitt. = *Ptychomitrium helenicum* (1521)
Glyphomitrium krausei Schimp. ex A.Jaeger, *nom. nud.* = *Ptychomitrium krausei* [1521]. Excluded: see *Ptychomitrium krausei*.
Glyphomitrium marginatum Wager & Dixon = *Ptychomitrium subcrispatum* (1519: 466)
Glyphomitrium mucronatum (Müll.Hal.) Broth. = *Ptychomitrium mucronatum* [1521]. Excluded: see *Ptychomitrium mucronatum*.
Glyphomitrium obtusatum (Müll.Hal.) Broth. = *Ptychomitrium cucullatifolium* (1519: 472)
Gollania bartramiphila (Müll.Hal.) Broth. ex Paris. Excluded: Ando (4143) and Higuchi (926) believe from the original description that the only collection (made by Meyer in 1889 on Mt. Kilimanjaro) probably belongs to *Campylium*, but have been unable to trace the type.
Gollania demarettii P.de la Varde in Demaret & Leroy = *Chryso-hypnum demarettii* (4146)
Gollania le-testui Dixon & P.de la Varde = *Herzogiella letestui* (4143)
Gollania monodii P.de la Varde = *Wijkia monodii* [8360]

Goniomitrium acuminatum ssp. **africanum** (Müll.Hal.) Fife LES(1531,4897),

NAM(1531,7155,8024), SAF(1531,8328).

Goniomitrium africanum (Müll.Hal.) Broth. = *Goniomitrium acuminatum* ssp. *africanum* (581)
Goniomitrium breutelii Hampe ex Müll.Hal., *nom. nud. in synon.* = *Gigaspermum repens* [1911: 289]

Goniomitrium speluncae P.de la Varde CAF(47).

Goniomitrium speluncae P.de la Varde. Note: F. Müller (pers. comm.) says that the original description and illustration both indicate that this taxon is not a member of *Goniomitrium*; - awaiting revision.

Grimmia abyssinica (Müll.Hal.) Mitt. CMN(47,7442), ETH(7442), KEN(7442),

TAN(7442).

Grimmia abyssinica (Müll.Hal.) Mitt. Note: this taxon was treated in earlier versions of this list as a synonym of *Grimmia fuscolutea* based on (5453), but is here treated as a good species (7442).

Grimmia abyssinica Bruch & Schimp., *nom. nud.* = *Grimmia fuscolutea* (5453)

Grimmia aethiopica Müll.Hal = *Schistidium flaccidum* (4902)

Grimmia affinis Hornsch. = *Grimmia longirostris* (4892)

Grimmia africana (Wedw.) Arnott = *Grimmia pulvinata* var. *africana* [1521] (= *Grimmia pulvinata*)

Grimmia afro-incurva Broth. = *Grimmia fuscolutea* (5453)

Grimmia afro-ovata Broth. & Thér. = *Grimmia longirostris* (5453)

Grimmia alaris Broth. = *Racomitrium alare* (1521)

Grimmia albicans Spreng. ex H.Moell., *nom. inval. in synon. err.* = *Grimmia albida* Spreng. [1521] (= *Grimmia laevigata*)

Grimmia albida (Wedw.) F.Weber & D.Mohr = *Octoblepharum albidum* [1521]

Grimmia albida Spreng., *hom. illeg.* = *Grimmia laevigata* [8268: 25]

Grimmia alpicola var. *rivularis* (Brid.) Wahlenb. = *Schistidium rivulare* (6913)

Grimmia angustissima P.de la Varde = *Schistidium angustissimum* (355)

Grimmia apiculata Hornsch. = *Grimmia fuscolutea* (4900)

Grimmia apocarpa Hedw. = *Schistidium apocarpum* (1521)

Grimmia apocarpa ssp. *conferta* (Funck) Boulay = *Schistidium apocarpum* var. *confertum* (1521) (= *Schistidium confertum*)

Grimmia apocarpa var. *conferta* (Funck) Spreng. = *Schistidium apocarpum* var. *confertum* [1521] (= *Schistidium confertum*)

Grimmia apocarpa var. *stricta* Müll.Hal. ex Paris, *nom. nud.* = *Schistidium apocarpum* [1911: 207]

Grimmia argyrotricha Müll.Hal. LES(4897), SAF(8328), TAN(46).

Grimmia assurgens J.Shaw. Excluded: this is a *Tortula* sp. [1911: 210]

Grimmia atrovirens Sm. = *Tortula atrovirens* (1420)

Grimmia austropatens Müll.Hal. = *Racomitrium crispulum* (82: 281)

Grimmia boschbergiana Müll.Hal. = *Schistidium apocarpum* [1911: 206; 82: 274]

Grimmia caffra Müll.Hal. = *Grimmia apocarpa* (82: 274)

Grimmia calyculata Müll.Hal. = *Grimmia longirostris* (5453)

Grimmia campestris Burch. ex Hook. = *Grimmia laevigata* [2584: 794; 5453]

Grimmia campylotricha Müll.Hal. TAN(46).

Grimmia capillata De Not. CHA(4508).

Grimmia commutata Hueb., nom. illeg. incl. spec. prior. = *Grimmia ovalis* [8167: 93]
Grimmia comosa Dozy & Molk. = *Garckea phascoides* [2584: 424] (= *Garckea flexuosa*)
Grimmia conferta Funck = *Schistidium apocarpum* var. *confertum* [1521] (= *Schistidium confertum*)
Grimmia controversa (Hedw.) F.Weber & D.Mohr = *Weissia controversa* [1521]
Grimmia crassa Spreng. = *Tortula muralis* [8258: 14]
Grimmia cribrodontia Herzog = *Schistidium cribrodontium* (355)
Grimmia crispatula (Hedw.) Spreng. = *Ptychomitrium crispatum* [1521]
Grimmia crispula (Hook.f. & Wilson) Müll.Hal. = *Racomitrium crispulum* [1521]
Grimmia curvirostris Schrad. ex F.Weber & D.Mohr, nom. illeg. incl. spec. prior. = *Bryoerythrophyllum recurvirostrum* [1521]
Grimmia depilis Müll.Hal. = *Schistidium apocarpum* [1911: 206; 82: 274]

Grimmia donniana Sm. LES(4897), SAF(8328), TAN(146).

Grimmia drakenbergensis Sim = *Grimmia pulvinata* (53: 23)
Grimmia dura Müll.Hal. ex Broth. = *Racomitrium durum* [1521] (= *Racomitrium subsecundum*)
Grimmia dusenii Paris, nom. nud. Excluded: an undescribed specimen (*Dusén* 320) from Cameroon.
Grimmia ecklonii Spreng. = *Grimmia pulvinata* var. *africana* [4800: 197] (= *Grimmia pulvinata*)

Grimmia elatior Bruch ex Bals.-Criv. & De Not. MDG(40).

Grimmia elongata Kaulf. MDG(40), REU(105,4900), SAF(8328).

Grimmia erythraea (Müll.Hal.) Cufod. ERI(50).

Grimmia fugax (Hedw.) Steud., nom. inval. in synon. = *Rhabdoweisia fugax* [1521]

Grimmia fuscolutea Hook. CMN(47), ETH(50), KEN(46,5315), LES(3012,4897),

SAF(3012,8328), TAN(46), UGA(46,5696), ZAI(65).

Grimmia genutflexa Müll.Hal. = *Racomitrium crispulum* [4949: 331]

Grimmia gracilis (Hedw.) F.Weber & D.Mohr = *Pterogonium gracile* [1521]

Grimmia heterosticha (Hedw.) Müll.Hal. = *Racomitrium heterostichum* [1521]

Grimmia hoffmannii Müll.Hal. = *Schistidium flaccidum* (4902)

Grimmia immergens Müll.Hal. = *Grimmia longirostris* (5453)

Grimmia incurva Schwägr. UGA(5696).

Grimmia kidderi James ASC(4900).

Grimmia laevigata (Brid.) Brid. CHA(4507,4508,4527), CVI(2666,6453), ETH(50,1927),

KEN(46), LES(1531,4897), NAM(6798,7155,8024), REU(105), SAF(1531,7766,8328),

SOC(7778), SUD(1419), TAN(46), UGA(46).

Grimmia leptotricha Müll.Hal. = *Grimmia pulvinata* (82: 274)

Grimmia leucophaea Grev. = *Grimmia laevigata* (5453)

Grimmia levigata Brid. ex Loeske, nom. inval. in synon. = *Grimmia laevigata* [1521]

Grimmia lisae De Not. CHA(4508,4527), CVI(2666,6453), ETH(1927), KEN(46),

TAN(46).

Grimmia longicaulis Dixon KEN(46).

Grimmia longicaulis Dixon. Note: this taxon is a species of *Schistidium* (5453).

Grimmia longirostris Hook. CMN(4892), ETH(50,1927,4892), KEN(46,3412,4892,5315),

LES(4892,4897), MDG(4892), REU(3012,4892), SAF(4892,8328), SOC(7778),

TAN(46,4892), UGA(46,4892), ZIM(61).

Grimmia macleana Rehmann ex Kindb., nom. nud. = *Grimmia pulvinata* [1911: 209]

Grimmia madagassa Renauld & Cardot = *Grimmia elatior* (5453)

Grimmia mado Greven = *Grimmia longirostris* (4892)

Grimmia mairei Cardot & Copp. = *Grimmia capillata* (5453)

Grimmia mammosa C.H.Gao & Cao MLW(66).

Grimmia maritima var. *australis* Hampe ex Müll.Hal., nom. nud. in synon. = *Schistidium apocarpum* [1911: 206]

Grimmia membranacea Mitt. = *Racomitrium crispulum* [5340: 72]

Grimmia nigroviridis Müll.Hal. = *Racomitrium nigroviride* (82: 279) (= *Racomitrium lamprocarpum*)

Grimmia nigroviridis var. *robustiusculum* Müll.Hal. = *Racomitrium nigroviride* (82: 279) (= *Racomitrium lamprocarpum*)

Grimmia obtusolinealis Müll.Hal. ETH(1927,7834), TAN(46).

Grimmia obtusolinearis Hedw. Note: this is an orthographic error in Kis (46) for *Grimmia obtusolinealis*.

Grimmia oranica Müll.Hal. = *Schistidium apocarpum* [1911: 206]

Grimmia ornithopodioides F.Weber & D.Mohr = *Pterogonium gracile* (1521)

Grimmia ovalis (auct. afr., non (Hedw.) Lindb.) = *Grimmia affinis* (355). Note: the distribution for this taxon has been confirmed with Dr. R. Ochyra.

Grimmia ovalis (Hedw.) Lindb. LES(1531), SAF(1531).

Grimmia ovata F.Weber & D.Mohr = *Grimmia ovalis* [8268: 25] Note: see under *Grimmia ovalis*.

Grimmia perichaetialis P.de la Varde = *Schistidium perichaetiale* (355)

Grimmia perichaetialis var. *pilifera* Demaret = *Schistidium perichaetiale* var. *pilifera* (355)

Grimmia pomiformis (Hook.) Brid. = *Hypodontium pomiforme* [1521]

Grimmia preussii Broth. ex Paris, *nom. nud.* Excluded: no description available (specimen from Cameroon).

Grimmia pseudoacicularis Müll.Hal. = *Racomitrium nigroviride* (82: 279) (= *Racomitrium lamprocarpum*)

Grimmia pulvinata var. *africana* (Hedw.) Hook.f. & Wilson in Hook.f. = *Grimmia pulvinata* (5453)

Grimmia pulvinata var. *obtusa* (Brid.) Hueb., *nom. illeg. incl. var. prior.* = *Grimmia pulvinata* var. *africana* [1521] (= *Grimmia pulvinata*)

Grimmia pulvinata var. ***pulvinata*** Hedw. CHA(4508,4527), ETH(50), LES(1531,4897),

NAM(1531,7155,8024), SAF(1531,4897,4900,7766,8328).

Grimmia recurvirostris (Hedw.) Turner = *Bryoerythrophyllum recurvirostrum* [1521]

Grimmia reflexidens Müll.Hal. SAF(8328).

Grimmia sanii Greven = *Grimmia fuscolutea* (4900)

Grimmia schimperi Bruch & Schimp. ex Müll.Hal. = *Grimmia longirostris* (4892)

Grimmia senilis J.Shaw = *Grimmia laevigata* (53: 23)

Grimmia sphaerica Schimp., *nom. illeg. incl. spec. prior.* = *Schistidium apocarpum* var. *pulvinatum* (1521) (= *Schistidium flaccidum*)

Grimmia subleucophaea Müll.Hal. = *Grimmia laevigata* (5453)

Grimmia suspecta Paris = *Schistidium apocarpum* [1911: 234]

Grimmia trichophylla var. *brachycarpa* De Not. = *Grimmia lisae* (5453)

Grimmia trichophylla var. *lisae* (De Not.) Boulay = *Grimmia lisae* (2407)

Grimmia trichophylla var. ***trichophylla*** Grev. BIO(8180), CHA(4534,4565), CVI(2666),

RWA(65), SAF(8328), SOC(7778).

Grimmia unicolor Hook. UGA(5696).

Grimmia vulcanica Besch. = *Grimmia elongata* (5453)

Groutiella elimbata (Thér.) O'Shea = *Cardiotiella elimbata* (3007)

Groutiella laxotorquata (Besch.) Wijk & Margad. CAF(47,355), CMN(47), COM(40), CVI(2666,6453), GAB(47), GHA(47), GUI(47), IVO(44,1880), MAU(105), MDG(40), NGA(47,334,5148,5176), SIE(47,3216), TAN(46), TOG(58,1878), UGA(4282), ZAI(65), ZAM(62,411).

Groutiella limbatula (Broth. & Paris) Wijk & Margad. = *Groutiella laxotorquata* (47: 500)

Groutiella pleurosigmoidea (Paris & Broth.) Wijk & Margad. = *Groutiella laxotorquata* (47: 500)

Groutiella pobeguinii (Paris & Broth.) Wijk & Margad. = *Groutiella laxotorquata* (47: 500)

Groutiella sarcotricha (Müll.Hal. ex Broth.) Wijk & Margad. = *Groutiella laxotorquata* (47: 500)

Groutiella thraustophylla (Broth.) Wijk & Margad. CMN(47).

Groutiella tomentosa auct. afr. (non (Horns.) Wijk & Margad.) = *Groutiella laxotorquata* (46)

Guembelia abyssinica Müll.Hal. = *Grimmia abyssinica* [1521]

Guembelia dusenii Müll.Hal. ex Paris, *nom. nud.* Excluded: no description available (*Dusén* 320, Cameroon).

Guembelia erythraea Müll.Hal. ex Brizi = *Grimmia erythraea* [50: 227]

Guembelia ovalis (Hedw.) Müll.Hal. = *Grimmia ovalis* [1521]

Gümbelia - see *Guembelia*

Gymnocephalus palustris (Hedw.) Schwaegr. = *Aulacomnium palustre* [1521]

Gymnocybe palustris (Hedw.) Fries = *Aulacomnium palustre* [1521]

Gymnocybe turgida (Wahlenb.) Lindb. = *Aulacomnium turgidum* [1521]

Gymnostomiella erosulum (Müll.Hal. ex Dusén) Arts BUR(65,4669), CMN(47,4669),

CVI(2666,6453), SIE(47), UGA(5696).

Gymnostomiella monodii P.de la Varde MTN(51,287,4669,6996).

Gymnostomiella tanganyikae De Sloover = *Gymnostomiella erosulum* (4669)

Gymnostomiella tuberculosa (Renauld & Paris) Arts & P.Sollm. MDG(40).

Gymnostomiella vernicosa (Hook.) M.Fleisch. Note: this taxon (previously reported for Cape Verde Islands) has now been identified as var. *tenerum* (4669)

Gymnostomiella vernicosa var. ***tenerum*** (Müll.Hal. ex Dusén) Arts CAF(47), COM(4669), CVI(4669), KEN(4669), LBR(47,4669), REU(4669), TAN(4669), ZAI(65), ZAM(4669).

Gymnostomum aeruginosum Sm. CHA(4534,4565), CVI(2666,6453), LES(1531), NAM(6798,7155), REU(8028), SAF(1531,8328), SUD(6417), TAN(46).

Gymnostomum aestivum Hedw. = *Anoectangium aestivum* [1521]

Gymnostomum afrum Sim = *Didymodon ceratodonteus* [1911: 256]

Gymnostomum bartramoides Arn. = *Bartramia compacta* [1521]

Gymnostomum bescherellei Broth. & Geh. ASC(1296,5340).

Gymnostomum beusii Sim ex Broth., *nom. illeg. orthogr.* = *Gymnostomum beusii* [1521]

Gymnostomum bewsii Dixon LES(1531,4897), SAF(1531,8328).

Gymnostomum bewsii Sim ex Dixon. Note: some specimens of this taxon were misidentified by Dixon as *Anoectangium wilmsianum* (see 82: 186) and the taxon was treated as a synonym of *Anoectangium wilmsianum* in Index Muscorum (1521). It is accepted here as a good species.

Gymnostomum caespiticium F.Weber & D.Mohr. Excluded: this taxon, currently known as *Blindia caespiticia*, is reported by *Index Muscorum* as being present in sub-Saharan Africa, but no report has been found.

Gymnostomum calcareum Nees & Hornsch. CHA(4507,4508,4527,4534,4565), CVI(2666), ETH(4537,6137), LES(4897), MLW(67), REU(8028), SAF(4537,4670), SUD(207), TAN(7833).

Gymnostomum calcareum Nees & Hornsch. Note: this taxon has been synonymised with *Gymnostomum aeruginosum* in North America and South Africa because they intergrade, but this is not the case in Europe, and other African species are yet to be examined. Both species are thus recognised here.

Gymnostomum capense (R.Br.) Hook. = *Bartramia capensis* (83: 415)

Gymnostomum ceratodonticum (Müll.Hal.) Paris = *Didymodon ceratodonteus* [1521]

Gymnostomum chloropus Besch. = *Hymenostomum chloropus* [1521] (= *Weissia ayresii*)

Gymnostomum ciliatum (Hedw.) Lag., D.Garcia & Clemente = *Hedwigia ciliata* [1521]

Gymnostomum compactum Schleich., nom. illeg. incl. spec. prior. = *Anoectangium aestivum* [1521]

Gymnostomum cucullatum (Müll.Hal.) A.Jaeger = *Hymenostomum cucullatum* [1521] (= *Weissia cucullata*)

Gymnostomum curvirostre Hedw. ex Brid., nom. illeg. incl. spec. prior. = *Hymenostylium recurvirostrum* [1521]

Gymnostomum dimorphum (Müll.Hal.) Sim = *Didymodon ceratodonteus* (82: 233)

Gymnostomum euchloron Schwaegr. = *Anoectangium euchloron* [1521] (= *Anoectangium aestivum*)

Gymnostomum eurystomum (Sendtn.) Lindb. & Arnell = *Physcomitrium eurystomum* [1521]

Gymnostomum flexifolium Burch. ex Mellis, nom. nud. in synon. = *Physcomitrium flexifolium* [4202: 361]

Gymnostomum fragillifolium Dixon ex Sim, nom. nud. in synon. = *Chionoloma bombayense* [7961: 37]

Gymnostomum gracile (Wager ex Dixon) Dixon [non (R.Br.) Hook.] = *Didymodon ceratodonteus* (1420)

Gymnostomum imberbe Sm. = *Hedwigidium integrifolium* [8254: 14; 1519: 548]

Gymnostomum involutum Hook. = *Hyophila involuta* (82: 228)

Gymnostomum julaceum Hook. = *Aongstroemia julacea* (82: 120)

Gymnostomum keniae P.de la Varde = *Anoectangium keniae* (1420).

Gymnostomum leptostomum Brid., hom. illeg. MDG(40).

Gymnostomum lessonii Besch. ex Paris, nom. illeg. err. = *Gymnostomum lessonii* [1521]. Note: see under *Gymnostomum lessonii*.

Gymnostomum lessonii Besch. ASC(2322,5340).

Gymnostomum lessonii Besch. Excluded: according to Zander [1420], this is a species of *Racopilum*.

Gymnostomum lingulatum Rehmann ex Sim SAF(1531,8328).

Gymnostomum longirostre Bruch & Schimp. ex Müll.Hal., nom. nud. in synon. = *Pottia longirostris* [1521] (= *Hennediella limbata*)

Gymnostomum microstomum var. *rutilans* (Hedw.) F.Weber & D.Mohr ex Huebener, nom. inval. in synon. = *Weissia rutilans* [1521]

Gymnostomum niloticum Delile = *Micropoma niloticum* [1521; 83: 314] (= *Physcomitrium niloticum*)

Gymnostomum obtusatum Rehmann ex Kindb., nom. nud. Excluded: no description available (Rehmann 436, Transvaal).

Gymnostomum oranicum Rehmann ex Paris, nom. nud. = *Weissia crispata* (1911: 252) (= *Weissia controversa*)

Gymnostomum pottsi (Dixon) Sim = *Didymodon ceratodonteus* (82: 233)

Gymnostomum quadratum (Hook.) Hook. = *Bartramia compacta* [1911: 304]

Gymnostomum recurvirostris Hedw. = *Hymenostylium recurvirostrum* (82: 182)

Gymnostomum rigescens (Müll.Hal.) Bruch & Schimp. ex De Not. = *Hymenostylium rigescens* (1521)

Gymnostomumrottleri Schwägr. = *Funaria rottleri* (83: 325) (= *Entosthodon rottleri*)

Gymnostomum rutilans Hedw. = *Weissia rutilans* (1521)

Gymnostomum scaturiginosum Besch. = *Hymenostylium scaturiginosum* [1521]

Gymnostomum secundum (Müll.Hal.) A.Jaeger = *Molendoa sendtneriana* (1420)

Gymnostomum socotranum (Mitt.) Kindb. = *Hymenostomum socotranum* [1521] (= *Weissia socotrana*)

Gymnostomum spathulatum Hornsch. = *Physcomitrium spathulatum* (83: 318)

Gymnostomum splachnobryoides Bizot ZAI(65).

Gymnostomum viridulum Brid. Note: this taxon is treated as a synonym of *Gymnostomum calcareum* by Ignatov & Afonina (2185), but as a distinct species by Blockeel & Long (4793); the latter is followed here.

Gymnostomum viridulum Brid. SOM(4537).

Gymnostomum wageri Schelpe = *Didymodon ceratodonteus* (82: 235)

Gymnostomum xanthocarpum Hook. = *Hymenostylium recurvirostrum* [5485: 108]

Gyroweisia amplexicaulis Sim = *Husnotiella latifolia* (53: 23) (= *Didymodon tophaceopsis*)

Gyroweisia hildebrandtii (Müll.Hal.) Kindb. = *Hymenostylium hildebrandtii* (1420)

Gyroweisia latifolia Dixon = *Husnotiella latifolia* (82: 221) (= *Didymodon tophaceopsis*)

Gyroweisia latifolia var. *tanneri* Bizot ex Pócs = *Husnotiella latifolia* var. *tanneri* (46)

Gyroweisia pocsii Bizot = *Weisiopsis nigeriana* (1420)

Gyroweisia reflexa (Brid.) Schimp. SOC(2374,5613).

Gyroweisia tophicola (Müll.Hal.) Kindb. = *Hymenostylium recurvirostrum* (1420)

Habrodon erythraeus Müll.Hal. ex M.Fleisch., nom. nud. Excluded: see *Lindbergia erythraea*.

Haplocladium afrocappillatum (Broth.) Broth. = *Haplocladium angustifolium* [5268: 267]

Haplocladium amplexicaule (Müll.Hal.) Broth. = *Haplocladium angustifolium* [1911: 384]

Haplocladium angustifolium (Hampe & Müll.Hal.) Broth. KEN(411,3412,5315),

LES(4897), RWA(6489), SAF(1531,3411,4897,7766,8328), TAN(46,6489),

UGA(46,5696), ZAI(65), ZAM(46), ZIM(46,61).

Haplocladium angustifolium var. *afrocapillatum* (Broth.) Thér. = *Haplocladium angustifolium* [5268: 267]

Haplocladium angustifolium var. *viride* Broth. & Bryhn = *Haplocladium angustifolium* [1911: 384]

Haplocladium jacquemontii (Müll.Hal.) Broth. ETH(50).

Haplocladium jacquemontii (Müll.Hal.) Broth. Note: Reimers (5268) says that this taxon is not a *Haplocladium* but a *Pseudoleskea*, and synonymises it with *Pseudoleskea dispersa* as *Haplocladium dispersum* (Müll.Hal.) Reimers (a combination not recorded in *Index Muscorum* (1521) or MOST). However, *Pseudoleskea dispersa* is treated as a synonym of *Hylocomiopsis cylindricarpa* by Kis (46). Thérot (4983) described and illustrated *Haplocladium jacquemontii* in his revision of the genus for Africa, in the same year in which he described *Hylocomiopsis cylindricarpa*, and his descriptions and illustrations appear to be of two different taxa. This has yet to be resolved.

Haplocladium transvaaliense Müll.Hal. = *Haplocladium angustifolium* [1911: 384]

Haplodontium breutelii (Müll.Hal.) Broth. ex Paris. Excluded: see note under *Weissia reticulata*.

Haplodontium clavatum Broth. Excluded: see note under *Weissia reticulata*.

Haplodontium nitidum P.de la Varde = *Mielichhoferia vardei* (1532)

Haplodontium notarisii (Mitt.) Broth. = *Brachymenium notarisii* (3434)

Haplodontium ovale (Mitt.) Broth. = *Mielichhoferia ovalis* (1532)

Haplodontium pusillum Cardot = *Mielichhoferia cardottii* (1532)

Haplodontium reticulatum (Hook.) Broth. Excluded: see note under *Weissia reticulata*.

Haplohymenium abbreviatum Kindb., nom. nud. Excluded: an undescribed specimen from Ethiopia.

Haplohymenium exile (Mitt.) Broth. = *Anomodon pseudotristis* (4464)

Haplohymenium pseudotriste (Müll.Hal.) Broth. = *Anomodon pseudotristis* (4464)

Haplohymenium pseudotriste var. *robustum* Bizot = *Anomodon pseudotristis* (5214)

Haplohymenium tenuissimum (Besch.) Broth. = *Anomodon pseudotristis* (5214)

Haplohymenium triste (Ces.) Kindb. = *Anomodon tristis* (4464)

Haptymenium curtipendulum (Hedw.) Fuernr. = *Antitrichia curtipendula* [1521]. Note: see *Antitrichia curtipendula*.

Harpidium fluitans (Hedw.) Spruce = *Drepanocladus fluitans* [1521] (= *Warnstorffia fluitans*)

Harpidium uncinatum (Hedw.) C.E.O.Jensen = *Drepanocladus uncinatus* [1521] (= *Sanionia uncinata*)

Harrisonia breuteliana Müll.Hal. = *Rhacocarpus rehmannianus* [1911: 353]

Harrisonia caespiticia (F.Weber & D.Mohr) Hampe. Excluded: see *Blindia caespiticia*.

Harrisonia capensis Schimp. ex Müll.Hal., nom. nud. in synon. = *Rhacocarpus rehmannianus* [1911: 353]

Harrisonia ciliata Spreng. ex Huebener = *Hedwigia ciliata* [1521]

Harrisonia cucullata Rehmann ex Geh., nom. nud. = *Rhacocarpus rehmannianus* [5567: 391]

Harrisonia cuspidata Rehmann ex Geh., nom. nud. = *Rhacocarpus ecklonianus* [1911: 352] (= *Rhacocarpus purpurascens*)

Harrisonia eckloniana Müll.Hal. = *Rhacocarpus ecklonianus* [1521] (= *Rhacocarpus purpurascens*)

Harrisonia gracillima Müll.Hal. = *Rhacocarpus ecklonianus* [1911: 352] (= *Rhacocarpus purpurascens*)

Harrisonia humboldtii (Hook.) Spreng. = *Rhacocarpus purpurascens* [10: 721]

Harrisonia humboldtii var. *rufipila* Renauld & Cardot = *Rhacocarpus purpurascens* var. *rufipila* [1521] (= *Rhacocarpus purpurascens*)

Harrisonia pilifera Rehmann ex Geh., nom. nud. = *Rhacocarpus ecklonianus* [6793: 292] (= *Rhacocarpus purpurascens*)

Harrisonia purpurascens (Brid.) Müll.Hal. = *Rhacocarpus purpurascens* [1521]

Harrisonia rehmanniana Müll.Hal. = *Rhacocarpus rehmannianus* [1521]

Harrisonia rehmannii Müll.Hal. ex Geh. = *Rhacocarpus rehmannianus* [5567: 391]

Harrisonia saldanhae Müll.Hal. = *Harrisonia breuteliana* [5567: 392] (= *Rhacocarpus rehmannianus*)

Harrisonia schimperiana Hampe, adnot. nom. nud. = *Braunia schimperi* [1506: 105]

Hedwigia aestiva (Hedw.) Hook. = *Anoectangium aestivum* [1521]

Hedwigia albicans Lindb., nom. illeg. incl. spec. prior. = *Hedwigia ciliata* [1521]

Hedwigia albicans var. *leucophaea* (Bruch & Schimp.) Limpr. = *Hedwigia ciliata* var. *leucophaea* (1521)

Hedwigia caespiticia (F.Weber & D.Mohr) Pyl. ex Steud., nom. inval. in synon. Excluded: see *Blindia caespiticia*.

Hedwigia ciliata fo. *leucophaea* (Bruch & Schimp.) G.N.Jones. Note: see *Hedwigia ciliata* var. *leucophaea* Bruch, Schimp. & W.Gümbel.

Hedwigia ciliata fo. *macowaniana* (Müll.Hal.) M.Fleisch. = *Hedwigia ciliata* (1519: 545)

Hedwigia ciliata var. ***ciliata*** (Hedw.) Ehrh. ex P.Beauv. CVI(2666,6453), ETH(1927),

KEN(46,3412,5315,6615), LES(1531,4897), MDG(40), MLW(67), RWA(65),

SAF(1531,7766), TAN(46), UGA(46), ZAI(65), ZIM(7623).

Hedwigia ciliata var. ***leucophaea*** Bruch, Schimp. & W.Gümbel KEN(46), TAN(46), UGA(46).

Hedwigia compacta Pyl. ex Steud., nom. nud. in synon. = *Gymnostomum compactum* [8168: 196] (= *Anoectangium aestivum*)

Hedwigia humboldtii (Hook.) Hook. = *Rhacocarpus purpurascens* [10: 721]

Hedwigia imberbis (Sm.) Spruce = *Hedwigidium integrifolium* [8254: 14.]

Hedwigia integrifolia P.Beauv. = *Hedwigidium integrifolium* (1521)

Hedwigia joannis-meyeri Müll.Hal. = *Hedwigia ciliata* [10: 715]
Hedwigia joannis-meyeri Müll.Hal. ex Paris, nom. illeg. orthogr. = *Hedwigia joannis-meyeri* [1521] (= *Hedwigia ciliata*)
Hedwigia macowaniana Müll.Hal. ex Dixon & A.Gepp, nom. illeg. incl. spec. prior. = *Hedwigia ciliata* [4780: 403; 1519: 545]
Hedwigia macowaniana Müll.Hal. = *Hedwigia ciliata* [4780: 403; 1519: 544]
Hedwigia repens (Hook.) Wilson in Hook. = *Gigaspermum repens* [1521]
Hedwigia rupestris Mitt. = *Braunia rupestris* (1521)
Hedwigia schimperiana Bruch, Schimp. & W.Gümbel, nom. inval. in synon. = *Braunia schimperi* (1521)
Hedwigia secunda Hook. = *Braunia secunda* (1521)
Hedwigidium ciliatum (Hedw.) Hartm. = *Hedwigia ciliata* [1521]
Hedwigidium erosum (Müll.Hal.) Paris = *Hedwigidium integrifolium* [1911: 349]
Hedwigidium imberbe (Sm.) Bruch, Schimp. & W.Gümbel = *Hedwigidium integrifolium* [8254: 14]

Hedwigidium integrifolium (P.Beauv.) Dixon in C.E.O.Jens. BIO(8180), CMN(47), CVI(6453), KEN(46,6615), LES(1531,4897), REU(105), RWA(46,65), SAF(1531,8328), SWZ(1531), TAN(46), UGA(46), ZAI(65), ZIM(61).
Hedwigidium maritimum (Müll.Hal.) Paris = *Hedwigidium integrifolium* (1519: 548)
Hedwigidium maritimum var. *rufescens* Paris, nom. nud. = *Hedwigidium integrifolium* [1911: 350; 1519: 548]
Hedwigidium montis-deorum M.Fleisch., nom. nud. Excluded: no specimen available.
Hedwigidium teres (Müll.Hal.) Paris = *Hedwigidium integrifolium* [8254: 14]

Helicodontium fabroniopsis Müll.Hal. MDG(40).

Helicodontium guineense Broth. & Paris GUI(47).

Helicodontium hildebrandtii Müll.Hal. ex M.Fleisch., nom. nud. in synon. = *Helicodontium fabroniopsis* [4780: 407]

Helicodontium jacobi-felicitis P.de la Varde CMN(47).

Helicodontium lanceolatum (Hampe & Müll.Hal.) A.Jaeger MAU(3410), SAF(1531,3410,7766,8328).

Helicodontium usagarium (Mitt.) Lindau TAN(46).

Helicodontium usagarium Müll.Hal. ex Kindb, nom. nud. Excluded: no specimen indicated.

Heliconema cryptocarpus (Dozy & Molk.) L.T.Ellis & A.Eddy, nom. inval. = *Chameleion cryptocarpus* (Dozy & Molk.) Ellis & Eddy in Eddy (755).

Henicodium geniculatum (Mitt.) W.R.Buck CAF(47), CMN(47), GAB(47), GHA(47), IVO(44), NGA(47,5148), SUD(1339,3076), ZAI(65).

Henicodium niam-niamiae (Müll.Hal.) Kindb. = *Henicodium geniculatum* [1339: 534]

Hennediella limbata (Mitt.) R.H.Zander ETH(50), KEN(46).

Hennediella longipedunculata (Müll.Hal.) R.H.Zander KEN(46), NAM(1531,7155), SAF(1531,8328).

Hennediella longirostris (Hampe ex Müll.Hal.) R.H.Zander = *Hennediella limbata* (1420)

Hennediella stanfordensis (Steere) Blockeel KEN(7251).

Herpetineuron toccae (Sull. & Lesq.) Cardot CAF(47), CVI(2666), ETH(111), GUI(47), MDG(3075), MLW(67,6087), SAF(1531,8328), TAN(46), ZAI(5319).

Herzogiella cylindricarpa (Cardot) Z.Iwats. RWA(65), TAN(6217).

Herzogiella letestui (Dixon & P.de la Varde) Ando GAB(47).

Herzogiella seligeri (Brid.) Z.Iwats. TAN(46).

Heterocladium gastrodes (Welw. & Duby) A.Jaeger = *Trachypodium gastrodes* (1521)

Heterodon bryoides (Hedw.) Raf. = *Fissidens bryoides* [1521]

Heterophyllum albescens P.de la Varde. Excluded: see Watling & O'Shea (4720)

Heterophyllum albo-alare (Broth.) Broth. = *Rhacopilopsis variegata* (4720).

Heterophyllum brachycormum Müll.Hal. ex Paris, nom. nud. Excluded: an undescribed specimen (*Dusén* 260), from Cameroon.

Heterophyllum brachyoxum Müll.Hal. ex Paris, nom. nud. Excluded: an undescribed specimen from Cameroon.

Heterophyllum brevihorridum Müll.Hal. ex Paris, nom. nud. = *Rhaphidorrhynchium brevihorridum* [1521]

Heterophyllum bulbilliferum Dixon CMN(47).

Heterophyllum flagellicaule Müll.Hal. ex Paris, nom. nud. Excluded: an undescribed specimen (*Dusén* 667), from Cameroon.

Heterophyllum flexile (Renauld & Cardot) Thér. & P.de la Varde = *Rhacopilopsis flexilis* (717) (= *Rhacopilopsis variegata*).

Heterophyllum guineense (Broth. & Paris) Broth. = *Rhacopilopsis guineensis* (717) (= *Rhacopilopsis variegata*).

Heterophyllum humbertii P.de la Varde ZAI(65).

Heterophyllum julicaule (Broth. & Paris) Broth. = *Rhacopilopsis guineensis* (717) (= *Rhacopilopsis variegata*).

Heterophyllum julicaule var. *auriculatum* P.de la Varde = *Rhacopilopsis guineensis* (717) (= *Rhacopilopsis variegata*).

Heterophyllum kilimandscharicum (Broth. & P.de la Varde) Thér. & P.de la Varde (= "kilimanjaricum") =
Rhacopilopsis kilimandscharica (717) (= *Rhacopilopsis trinitensis*).

Heterophyllum pseudobrachythecium Müll.Hal. ex Paris, nom. nud. in synon. = *Raphidorrhynchium pseudobrachythecium* [1521] (= *Sematophyllum subsimplex*)

Heterophyllum rigidicaule Müll.Hal. ex Paris, nom. nud. = *Trismegistia rigidicaulis* [1521]. Note: see under *Trismegistia rigidicaulis*.

***Heterophyllum scabrifolium* J.Taylor & P.de la Varde RWA(65), SIE(47).**

Heterophyllum transvaaliense (Thér. & Dixon) Thér. & P.de la Varde = *Rhacopilopsis transvaaliensis* (717) (= *Rhacopilopsis trinitensis*).

Heterophyllum variegatum (Welw. & Duby) Broth. = *Rhacopilopsis variegata* (4720)

Heterophyllum albi-alare Müll.Hal. ex Paris, nom. nud. = *Wijkia trichocolea* [717]

Hildebrandtiella cameruniae (Dusén) Paris = *Orthostichidium cameruniae* [1521] (= *Orthostichidium involutifolium*)

***Hildebrandtiella cuspidans* Besch. COM(40).**

***Hildebrandtiella endotrichelloides* Müll.Hal. COM(40), MDG(40).**

Hildebrandtiella entodontoides Müll.Hal. ex Reimers, nom. nud. in synon. = *Renaudia hildebrandtelloides* [2864: 95,96]

Hildebrandtiella holstii Broth. = *Hildebrandtiella pachyclada* [2864: 107]

***Hildebrandtiella longiseta* Renauld & Cardot MDG(40).**

Hildebrandtiella madagassa Müll.Hal. ex Kindb., nom. nud. = *Renaudia hildebrandtelloides* [1848: 337; 40: 225]

Hildebrandtiella nitens Bosw. in Melvill, nom. nud. Excluded: an undescribed specimen from Mauritius [105]

***Hildebrandtiella pachyclada* Besch. MAU(2,105), REU(2,105), ROD(105,4931), TAN(2,46).**

Hildebrandtiella perpinnata Broth. = *Orthostichidium involutifolium* (2)

Hildebrandtiella perseriata Broth. = *Orthostichidium involutifolium* (2)

Hildebrandtiella polyclada Paris, nom. inval. err. = *Hildebrandtiella pachyclada* [6793: 181]

Hildebrandtiella puccinigera Müll.Hal., nom. nud. = *Hildebrandtiella pachyclada* [2195: 264; 40: 225]

Hildebrandtiella pulchro-alaris Broth. ex Rehmann = *Hildebrandtiella pachyclada* (2)

Hildebrandtiella robusta Broth. = *Hildebrandtiella pachyclada* (2)

***Hildebrandtiella rotundifolia* Renauld MDG(40), REU(105).**

Hildebrandtiella rotundifolia Renauld. Note: this taxon is treated by Argent (2) as a variety of *Hildebrandtiella endotrichelloides*, but he does not make the name change.

Hildebrandtiella soulii Broth. & P.de la Varde = *Hildebrandtiella pachyclada* [2864: 107]

Hildebrandtiella thomeana Broth. = *Orthostichidium involutifolium* (2)

Himantocladium ascensionis (Besch.) Paris = *Himantocladium implanum* (302).

***Himantocladium cyclophyllum* (Müll.Hal.) M.Fleisch. SEY(302,1946,1947,2353).**

Himantocladium extans (Besch.) Broth. = *Neckeropsis extans* [1521] (= *Neckeropsis disticha*)

***Himantocladium implanum* (Mitt.) M.Fleisch. ASC(302,1296,2322,5340).**

Himantocladium seychellarum Dixon = *Himantocladium cyclophyllum* (1300).

Holomitrium acutum C.H.Wright = *Leptodontium squarrosum* [1911: 249] (= *Leptodontium viticulosoides* var. *viticulosoides*)

Holomitrium affine Cardot & Thér. = *Holomitrium cylindraceum* var. *cucullatum* (82: 129)

Holomitrium affine var. *cucullatum* (Besch.) Thér. = *Holomitrium cylindraceum* var. *cucullatum* [1521]

Holomitrium affine var. *obtusifolium* (Besch.) Thér. = *Holomitrium cylindraceum* var. *obtusifolium* (1521)

Holomitrium angolense fo. *brevifolia* P.de la Varde. Excluded: any records for this form have been associated with the owning species.

***Holomitrium angolense* P.de la Varde ANG(46), UGA(46), ZAM(411).**

***Holomitrium borbonicum* Besch. MAU(105), MDG(40), REU(105).**

Holomitrium borbonicum fo. *longisetum* Besch. Excluded: any records for this form have been associated with the owning species.

***Holomitrium borbonicum* var. *hamatum* (Müll.Hal.) Thér. MDG(40), REU(105), TAN(46).**

Holomitrium calycinum (Hedw.) Mitt. Note: a record for 'Réunion (105)' has appeared previously in this list for this taxon, but the taxon is only reported for the Caribbean (7091: 52), and the record mentioned by Bridel (77: 2:112-3), collected by Bory de St. Vincent, is likely to belong to a different species (M.J. Price, pers. comm.). Until the collection can be found and identified, the record is being omitted.

***Holomitrium campiocarpum* P.de la Varde MDG(40).**

Holomitrium capense Müll.Hal., nom. nud. = *Holomitrium cylindraceum* var. *cucullatum* [7007: 246,247]

***Holomitrium comorense* Müll.Hal. COM(40).**

***Holomitrium cylindraceum* var. *cucullatum* (Besch.) Wijk & Margad. CAF(47), MDG(40), REU(105), SAF(1531,7766,8328), TAN(46), UGA(4282), ZIM(46).**

***Holomitrium cylindraceum* var. *cylindraceum* (P.Beauv.) Wijk & Margad. CAF(47), MAU(105), MDG(40), REU(105).**

***Holomitrium cylindraceum* var. *obtusifolium* (Besch.) Wijk & Margad. MAU(105),**

MDG(40), UGA(46).

Holomitrium dubiosum Dixon ANG(46), ZAI(65).

Holomitrium flagellare Müll.Hal. = *Holomitrium cylindraceum* var. *cucullatum* [7007: 246,247]

Holomitrium gracilisetum Thér. MDG(40).

Holomitrium hamatum Müll.Hal. ex Renauld & Cardot = *Holomitrium borbonicum* var. *hamatum* [1521]

Holomitrium hildebrandtii Müll.Hal. ex C.Wright, nom. nud. = *Leptodontium squarrosum* [5486: 6] (= *Leptodontium viticulosoides* var. *viticulosoides*)

Holomitrium hillieri Thér. MDG(40).

Holomitrium lepervanchei Thér. MAS(40), MDG(40).

Holomitrium maclennanii Dixon = *Leptodontium squarrosum* [5486: 5] (= *Leptodontium viticulosoides* var. *viticulosoides*)

Holomitrium rhyparodictyon P.de la Varde MDG(40).

Holomitrium subglobosum Thér. MDG(40).

Holomitrium subvaginatum Besch. ex Thér. = *Holomitrium borbonicum* var. *hamatum* [4361: 82]

Holomitrium vaginatum (Hook.) Brid. = *Holomitrium cylindraceum* [2584: 351]

Holomitrium vaginatum var. *cucullatum* (Besch.) Müll.Hal. = *Holomitrium cylindraceum* var. *cucullatum* [1521; 82: 129]

Holomitrium vaginatum var. *obtusifolium* Besch. = *Holomitrium cylindraceum* var. *obtusifolium* [1521; 82: 129]

Homalia ankaratrensis Kaier ex C.Wright, nom. nud. = *Sympyodon pygmaeus* (5631)

Homalia elongata Welw. & Duby = *Porotrichum elongatum* (1521)

Homalia exigua Bosch & Sande Lac. = *Homaliiodendron exiguum* [1521]

Homalia exigua var. *semimarginata* Thér. = *Homaliiodendron exiguum* var. *semimarginatum* [47: 505]. Excluded: see note under *Homaliiodendron exiguum* var. *semimarginatum*.

Homalia linguaefolia Welw. & Duby = *Entodontopsis nitens* (1349)

Homalia pygmaea Broth. = *Sympyodon pygmaeus* (924).

Homalia subexigua Müll.Hal. nom. nud. Note: *Homalia* was revised by He (3209), but this taxon was not mentioned in the revision, presumably because it was a *nomen nudum*. A specimen in BM with this name is likely to have been named against the original specimen, and is *Homaliiodendron exiguum*. O'Shea & Ochyra (2000) exclude *Homalia subexigua* from the sub-Saharan list (5546).

Homalia truncata Welw. & Duby = *Phyllodon truncatus* (268)

Homalia valentini Besch. = *Homaliiodendron exiguum* [2737: 897; 773]

Homalia variifolia Welw. & Duby = *Porothamnium stipitatum* [15: 134]

Homaliiodendron exiguum (Bosch & Sande Lac.) M.Fleisch. COM(5925), MAU(105,3410), MDG(40), REU(105), TAN(46).

Homaliiodendron exiguum var. *semimarginatum* (Thér.) W.Schultze-Motel. Excluded: Pócs (108) states that the type is a mixture of two plants, neither new, and declares this name *nomina reiicienda*.

Homaliiodendron flabellatum (Sm.) M.Fleisch. MAU(1629).

Homaliiodendron piniforme (Brid.) Enroth BIO(2396,2662), CMN(47,785), COM(40), CON(47,785), ETH(111), GAB(47), KEN(785), LBR(785), MAU(105), MDG(40,785), MLW(2387), NGA(47,785), SIE(3216), TAN(46,785), UGA(785), ZAI(65).

Homaliiodendron scalpellifolium (Mitt.) M.Fleisch. = *Homaliiodendron flabellatum* (1386).

Homalothecium afrostriatum (Müll.Hal.) Ochyra = *Palamocladium sericeum* (717) (= *Palamocladium leskeoides*).

Homalothecium boivinianum Besch. = *Palamocladium leskeoides* (3299)

Homalothecium boivinii Besch. ex Kindb., nom. illeg. incl. spec. prior. = *Palamocladium nilgheriense* [1848: 521] (= *Palamocladium leskeoides*)

Homalothecium involvens (Broth.) Paris = *Palamocladium involvens* [1521] (= *Palamocladium leskeoides*)

Homalothecium mandonii Mitt. = *Homalothecium sericeum* (4711).

Homalothecium nilgheriense (Mont.) H.Rob. = *Palamocladium nilgheriense* (1608) (= *Palamocladium leskeoides*)

Homalothecium sericeum (Hedw.) Schimp. This was incorrectly shown as a synonym of *Palamocladium sericeum* in the earlier version of this Checklist.

Homalothecium sericeum Bruch, Schimp. & W.Gümbel CVI(1296,2666).

Homalothecium sericeum var. *mandonii* (Mitt.) Renauld & Cardot = *Homalothecium sericeum* (4711).

Hookeria abrupta (Mitt.) Paris = *Hypnella abrupta* [1521] (= *Phyllodon truncatus*)

Hookeria acicularifolia Müll.Hal., nom. nud. Excluded: undescribed specimen (Dusén 245), from Cameroon.

Hookeria africana (Mitt.) Paris = *Callicostella africana* [1521]

Hookeria angolensis Welw. & Duby = *Thamniopsis pappeana* (2817) (= *Thamniopsis utacamundiana*)

Hookeria ascensionis Müll.Hal. = *Callicostella ascensionis* [1521]

Hookeria attenuata Müll.Hal. = *Callicostella attenuata* [1521]

Hookeria aubertii (P.Beauv.) Müll.Hal. = *Cyclodictyon aubertii* [1521]

Hookeria aubertii var. *saxicola* Renauld & Cardot = *Cyclodictyon vallis-gratiae* (1521)

Hookeria borbonica Besch. = *Cyclodictyon borbonicum* [1521]

Hookeria borbonica fo. *inundata* Besch. ex Crosby et al. = *Cyclodictyon borbonicum* (40: 232)

Hookeria breuteliana Hampe ex Müll.Hal. = *Cyclodictyon vallis-gratiae* [278: 45; 1519: 607]

Hookeria breutelii Hampe ex Kindb., nom. illeg. incl. spec. prior. = *Cyclodictyon vallis-gratiae* [278: 45; 1519: 607]

Hookeria brevipes Broth. = *Callicostella brevipes* [1521]

Hookeria cheiloneura Müll.Hal. ex Broth. = *Thamniopsis cheiloneura* (2817)

Hookeria chionophylla Müll.Hal. = *Callicostella chionophylla* [1521]

Hookeria constricta Müll.Hal. = *Callicostella constricta* [1521]

***Hookeria contracta* A.Gepp ANG(46).**

Hookeria convoluta Spreng. = *Leptodon smithii* [5845: 590]

Hookeria cristata (Hedw.) Hook. & Grev. = *Eriopus cristatus* [1521] (= *Calyptochaeta cristata*)

Hookeria debilis Sull. = *Leucomium aneurodictyon* [2737: 1107] (= *Leucomium strumosum*)

Hookeria fissidentella Besch. = *Callicostella fissidentella* [1521]

Hookeria glaucissima Müll.Hal. ex M.Fleisch. Excluded: an undescribed specimen.

Hookeria hildebrandtii Müll.Hal. = *Cyclodictyon hildebrandtii* [1521]

Hookeria huillense A.Gepp in Hiern = *Cyclodictyon vallis-gratiae* [278: 40]

Hookeria hyaloblasta Müll.Hal. ex Paris, nom. nud. Excluded: an undescribed specimen (*Dusén* 110) from Cameroon.

Hookeria lacerans Müll.Hal. = *Cyclodictyon lacerans* (1521)

Hookeria lacerans var. *aquilenta* Besch. = *Cyclodictyon pusilla* [279: 344; 40: 232]

Hookeria lacerans var. *nossiana* Besch. = *Cyclodictyon fissidentella* [79: 367; 40: 231]

Hookeria laetevirens Hook. & Taylor = *Cyclodictyon laetevirens* [1521]

Hookeria laeviuscula (Mitt.) Paris = *Callicostella laeviuscula* [1521]

Hookeria laricina (Hook.) Hook. & Grev. = *Hypopterygium laricinum* [1521] (= *Hypopterygium tamarisci*)

Hookeria leduceana Mont. = *Raphidostegium caespitosum* [2520:88] (= *Sematophyllum subpinnatum*)

Hookeria leduecensis Mont. ex Besch., nom. inval. in synon. = *Hookeria leduceana* [1521] (= *Sematophyllum subpinnatum*)

Hookeria leptocladula Müll.Hal. ex Broth. = *Callicostella leptocladula* [1521]

Hookeria losaeana Paris & Broth. = *Callicostella seychellensis* [279: 364]

Hookeria maclaudii Paris & Broth. = *Callicostella maclaudii* [1521]

Hookeria macropyxis Rehmann ex Geh., nom. nud. = *Hookeriopsis pappeana* [25: 2: 341; 1911: 444] (= *Thamniopsis utacamundiana*)

Hookeria megalopyxis Rehmann ex Paris, nom. nud. in synon. orthogr. = *Hookeria macropyxis* [1521] (= *Thamniopsis utacamundiana*)

Hookeria mniacea Müll.Hal. = *Eriopus mniaceus* [1521] (= *Calyptrochaeta asplenoides*)

Hookeria mniifolia Hornsch. = *Distichophyllum mniifolium* [1521; 1519: 612]

Hookeria natalensis Rehmann ex Paris, nom. nud. = *Cyclodictyon vallis-gratiae* [1911: 443]

Hookeria nivea Müll.Hal. = *Lepidopilum niveum* (1521)

Hookeria pallidifolia Mitt. in Mellis = *Hookeriopsis pallidifolia* [1521]

Hookeria pappeana Hampe = *Thamniopsis pappeana* (2817)

Hookeria perrotii Paris = *Callicostella perrotii* [1521]

Hookeria pobeguinii Paris & Broth. = *Callicostella seychellensis* [279: 364]

Hookeria preussii Broth. = *Cyclodictyon preussii* [1521]

Hookeria pycnoptera Paris, nom. nud. = *Callicostella perpapillata* [279: 382]

Hookeria quintasii Broth. = *Callicostella salaziae* [279: 376]

Hookeria radiculosa Hook. = *Stereophyllum radiculosum* (1521)

Hookeria robillardae Müll.Hal. ex Geh., nom. nud. = *Callicostella robillardae* [1521]

Hookeria salaziae Besch. = *Callicostella salaziae* [1521]

Hookeria semiscabra (Renauld & Cardot) Paris = *Hypnella semiscabra* [1521] (= *Glossadelphus semiscabrus*)

Hookeria seychellensis Besch. = *Callicostella seychellensis* [1521]

***Hookeria splachnifolia* Brid. REU(105).**

Hookeria splachnoides (Sm.) Hook., hom. illeg. = *Daltonia splachnoides* [1521]

Hookeria squarrosula Paris., nom.nud. Excluded: an undescribed specimen from Réunion.

Hookeria squarrulosa Paris, nom. nud. = *Hookeria squarrosula* [1521]. Excluded: an undescribed specimen from Réunion.

Hookeria staudtii Broth. = *Hookeriopsis staudtii* [1521]

Hookeria struthiopteris (Brid.) Arn. = *Lopidium struthiopteris* [1521]

Hookeria subcordata Hampe ex Müll.Hal., nom. inval. in synon. = *Cyclodictyon vallis-gratiae* [243: 169]

Hookeria thomeana Broth. = *Callicostella fissidentella* [279: 367]

Hookeria tomentosa (Hedw.) Arn. = *Racopilum tomentosum* [1521]

Hookeria tristis Müll.Hal. = *Callicostella tristis* (1519: 604)

Hookeria uncinata Sm. = *Hypnum cypriiforme* [1911: 423]

Hookeria usambarica Broth. = *Callicostella usambarica* (1521)

Hookeria vallis-gratiae Hampe ex Müll.Hal. = *Cyclodictyon vallis-gratiae* (1519: 607)

Hookeria versicolor (Mitt.) Mitt., hom. illeg. = *Thamniopsis versicolor* (2817)

Hookeria vesicularia Müll.Hal. ex Paris, nom. nud. Excluded: an undescribed specimen (*Dusén* 69) from Cameroon.

Hookeria vesiculosula (Brid.) Müll.Hal. = *Cyclodictyon vesiculosum* (1521)

Hookeria viridis (Renauld & Cardot) Paris = *Hypnella viridis* [1521] (= *Glossadelphus viridis*)

Hookeria woodii Rehmann & Macowan ex Sim, nom. nud. in synon. = *Porothamnium woodii* [1911: 404]. Excluded: see *Stereophyllum woodii*.

Hookeriopsis - Several species of this genus have already been transferred to *Thamniopsis* following a review of species occurring in the neotropics, and it is likely that all the remaining African species will also be transferred. The easiest character to distinguish the two genera are: basal laminal cells different from apical ones = *Thamniopsis*; areolation homogeneous = *Hookeriopsis*. See [2817: 217] for further details.

Hookeriopsis ambigua P.de la Varde BUR(65), GAB(47), RWA(65), ZAI(65).

Hookeriopsis angolensis (Welw. & Duby) Paris = *Thamniopsis pappeana* (2817) (= *Thamniopsis utacamundiana*)

Hookeriopsis balazsii Bizot CMN(47).

Hookeriopsis cheiloneura (Broth.) Broth. = *Thamniopsis cheiloneura* (2817)

Hookeriopsis corbieri (Renauld & Cardot) Broth. ex Cardot in Grandid., nom. inval. in synon. = *Lepidopilidium corbieri* [1521]

Hookeriopsis darntyi (Besch.) Broth. ex Cardot in Grandid. = *Thamniopsis pappeana* (2817) (= *Thamniopsis utacamundiana*)

Hookeriopsis diversifolia (Renauld & Cardot) Broth. ex Cardot in Grandid. COM(40),

MDG(40).

Hookeriopsis gabonensis Broth. & P.de la Varde GAB(47), UGA(5696).

Hookeriopsis mittenii P.de la Varde = *Thamniopsis versicolor* (2817)

Hookeriopsis pallidifolia (Mitt.) Geh. & Herzog STH(1296,4202,5331).***Hookeriopsis papillostula*** Broth. & P.de la Varde GAB(47).

Hookeriopsis pappeana (Hampe) A.Jaeger = *Thamniopsis pappeana* (2817) (= *Thamniopsis utacamundiana*)

Hookeriopsis pappei Hampe ex Kindb., nom. illeg. incl. spec. prior. = *Hookeriopsis pappeana* [1521] (= *Thamniopsis utacamundiana*)

Hookeriopsis pocsii Bizot TAN(46).

Hookeriopsis squarrosula A.Jaeger, nom.nud. Excluded: an undescribed specimen from Réunion.

Hookeriopsis staudtii (Broth.) Broth. CMN(47).

Hookeriopsis versicolor (Mitt.) Broth., hom. illeg. = *Hookeriopsis mittenii* [7449: 138]

Husnotiella latifolia (Dixon) R.H.Zander & Magill = *Didymodon tophaceopsis* (1420)

Husnotiella latifolia var. ***tanneri*** (Bizot & Pócs) Kis TAN(46).

Husnotiella latifolia var. *tanneri* (Bizot ex Pócs) Kis. Note: *Husnotiella latifolia* has been made a synonym of

Didymodon tophaceopsis by Zander (1420), but he did not deal with this variety. If it is distinct, it also should be transferred.

Husnotiella plicata Magill = *Didymodon jackvancei* (1420)

Hydrogonium afro-fontanum Müll.Hal. = *Barbula ehrenbergii* (1158) (= *Barbula bolleana*)

Hydrogonium bolleanum (Müll.Hal.) A.Jaeger = *Barbula bolleana* [1420]

Hydrogonium bollei Müll.Hal. ex Kindb., nom. illeg. incl. spec. prior. = *Hydrogonium bolleanum* [1521] (= *Barbula bolleana*)

Hydrogonium brotheri (Renauld & Paris) Hilp. = *Barbula ehrenbergii* (1158) (= *Barbula bolleana*)

Hydrogonium clavicostatum (Renauld & Cardot) Hilp. = *Barbula indica* (1158)

Hydrogonium dorrii (Renauld & Cardot) Hilp. = *Barbula indica* (1158)

Hydrogonium ehrenbergii (Lorentz) A.Jaeger = *Barbula bolleana* (2666)

Hydrogonium fontanum (Müll.Hal.) A.Jaeger = *Barbula meidensis* (1420)

Hydrogonium tisserantii (P.de la Varde) W.Schultze-Motel = *Barbula tisserantii* (1420)

Hygroamblystegium caudiculae (Müll.Hal.) Broth. = *Pseudoleskea chilensis* (1533)

Hygroamblystegium filicinum (Hedw.) Loeske ex Broth. = *Cratoneuron filicinum* (1521)

Hygroamblystegium procerum Dixon = *Cratoneuron filicinum* (4866)

Hygroamblystegium tenax (Hedw.) Jenn. Excluded: Tanzanian collections given this name by Potier de la Varde have been shown to be *Cratoneuron filicinum* (1533)

Hygrohypnum caussequei (Renauld & Cardot) Cardot in Grandid. MDG(40).

Hygrohypnum hedbergii P.de la Varde = *Platyhypnidium hedbergii* (65)

Hylocomiopsis cylindrica Thér. BIO(8180), BUR(65), CMN(32,47,6489), ETH(111),

KEN(46,2661,6489), RWA(65), TAN(46), UGA(4282), ZAI(65,5319,6489).

Hylocomium bartramophilum (Müll.Hal.) Paris. Excluded: see note under *Gollania bartramiphila*.

Hylocomium brevirostre (Brid.) Bruch, Schimp. & W.Gümbel = *Loeskeobryum brevirostre* [3395]

Hylocomium proliferum (Brid.) Lindb., nom. illeg. incl. spec. prior. = *Hylocomium splendens* [1521]

Hylocomium proliferum var. *alpinum* (Limpr.) Broth. in Mildbr., hom. illeg. = *Hylocomium splendens* [4926: 692]

Hylocomium purum (Hedw.) De Not. = *Pseudoscleropodium purum* [1521] (= *Scleropodium purum*)

Hylocomium rugosum (Hedw.) De Not. = *Rhytidium rugosum* [1521]

Hylocomium rutenbergii (Geh.) Paris = *Acanthocladium rutenbergii* [1521] (= *Wijkia rutenbergii*)

Hylocomium splendens (Hedw.) Bruch, Schimp. & W.Gümbel KEN(46,2661,4112,5315),

RWA(65), STH(1296,4202,5331), TAN(46,1410), UGA(46,7922), ZAI(65).

Hylocomium splendens var. *alaskanum* (Lesq. & Jam.) Limpr. = *Hylocomium splendens* (3395)

Hylocomium splendens var. *alpinum* Schleip. = *Hylocomium splendens* (3395)

Hymenoloma antarcticum (Hook.f. & Wilson) Ochyra LES(4897), SAF(4897,8328).

Hymenostomum abyssinicum Schimp. ex Paris nom. nud. Excluded: an undescribed collection (*Schimper s.n.*) from

Ethiopia. Cufodontis [40: 222] stated that a specimen existed in BM, but one was not found.

Hymenostomum ayresii (Schimp.) Broth. = *Weissia ayresii* (1420)

Hymenostomum brachycarpum Paris = *Weissia dieterlenii* (82: 263)

Hymenostomum brachypelma Kindb. = *Weissia brachypelma* (1420)

Hymenostomum cameruniae Müll.Hal. ex Paris. Excluded: an undescribed specimen (*Dusén* 286) from Cameroon.
Hymenostomum chloropus (Besch.) Broth. = *Weissia ayresii* (1420)
Hymenostomum cucullatum (Müll.Hal.) Kindb. = *Weissia cucullata* (82: 266)
Hymenostomum eckendorffii P.de la Varde = *Tortella eckendorffii* (1420)
Hymenostomum eurybasis Dixon = *Weissia latiuscula* (82: 267)

***Hymenostomum guineense* Broth. & Paris GUI(47).**

Hymenostomum humicola (Müll.Hal.) Paris = *Weissia humicola* (82: 266)
Hymenostomum hyophilooides Wager & Broth. in Wager, *nom. nud.* = *Hyophila zeyheri* [4800: 193] (= *Trichostomum brachydontium*)
Hymenostomum latiusculum (Müll.Hal.) Paris = *Weissia latiuscula* (82: 267)
Hymenostomum lineaefolium (Müll.Hal.) Paris = *Weissia lineaefolia* (1420)
Hymenostomum opacum Wager & Dixon = *Barbula indica* (82: 243)
Hymenostomum oranicum (Müll.Hal.) Paris = *Weissia fallax* [4926: 188] (= *Weissia controversa*)
Hymenostomum pellucidum Broth. ex Micheletti, *nom. nud.* Excluded: an undescribed collection (*Pater Michael de Carbonara, s.n.*) from Mt. Sciret, nr. Karen [40: 222].
Hymenostomum pulicare Besch. = *Trichostomum pulicare* (1420)
Hymenostomum rutilans (Hedw.) Nees & Hornsch. = *Weissia rutilans* [1521]
Hymenostomum socotranum (Mitt.) Broth. = *Weissia socotrana* (1420)
Hymenostomum termitidarum (Müll.Hal.) Paris = *Weissia termitidarum* [1521]
Hymenostomum tortile (Schwägr.) Bruch, Schimp. & W.Gümbel = *Weissia condensa* (1420)
Hymenostomum tortile var. *crispatum* (Nees & Hornsch.) Podpera = *Weissia controversa* var. *controversa* [71: 623]
Hymenostomum vallis-gratiae Hampe ex A.Jaeger, *nom. nud.* = *Semibarbula stuhlmannii* [1911: 237] (= *Barbula indica*)
Hymenostomum zeyheri (Hampe) Broth. = *Hyophila zeyheri* [1521] (= *Trichostomum brachydontium*)
Hymenostylium calcareum (Nees & Hornsch.) Mitt. = *Gymnostomum calcareum* [1521]
Hymenostylium ceratodonticum (Müll.Hal.) Broth. = *Didymodon ceratodonteus* (1911)

***Hymenostylium congoanum* Dixon & Naveau CVI(2666,6453), KEN(46).**

***Hymenostylium crassinervium* Broth. & Dixon KEN(46), SOM(4304), TAN(46), ZAI(65,4304), ZAM(46), ZIM(46).**

***Hymenostylium crispulum* Broth. & Paris CAF(47), GUI(47), TOG(1878).**

Hymenostylium curvirostre Mitt., *nom. illeg. incl. spec. prior.* = *Hymenostylium recurvirostre* [1521]

***Hymenostylium hildebrandtii* (Müll.Hal.) R.H.Zander SOM(50,5116).**

***Hymenostylium papillinerve* Dixon ZAI(4229).**

Hymenostylium recurvirostre var. *latifolium* (Zett.) Wijk & Margad. = *Hymenostylium recurvirostre* (1420)

***Hymenostylium recurvirostre* var. *recurvirostre* (Hedw.) Dixon CHA(4534,4565), KEN(46), LES(1531,4897), NAM(6798,7155), REU(6859), SAF(1531,4418,8328), SOM(50), TAN(46), UGA(46).**

Hymenostylium recurvirostre var. *scabrum* (Lindb.) Podp. = *Hymenostylium recurvirostre* (1420)

***Hymenostylium rigescens* (Müll.Hal.) Broth. DJI(1569), ERI(50), ETH(50).**

Hymenostylium scabrum (Lindb.) Loeske = *Hymenostylium recurvirostre* (1420)

***Hymenostylium scaturiginosum* (Müll.Hal.) Broth. MAU(105), REU(105).**

Hymenostylium schimperianum Hampe ex Müll.Hal., *nom. nud.* Excluded: no specimen or description available.

Hymenostylium secundum Müll.Hal. = *Molendoa sendtneriana* (1420)

***Hymenostylium subcrispulum* Thér. MDG(40).**

Hymenostylium verticillatum (Brid.) Braithw. = *Eucladium verticillatum* [1521]

Hymenostylium xanthocarpum (Hook.) Brid. = *Hymenostylium recurvirostrum* [5485: 108]

Hymenostylium xanthocarpum var. *gracilescens* Hook. ex Mitt., *nom. nud.* Excluded: an undescribed collection (Schimper 480) from Ethiopia [40: 223].

Hyocomiella bartramiphila (Müll.Hal.) Kindb. Excluded: see note under *Gollania bartramiphila*.

Hyonum pseudopopuleum Schimp. ex Müll.Hal. = *Brachythecium pseudopopuleum* [1521]

Hyophila Brid. Note: it is likely that many taxa in this genus will be synonymised. Following examination of nearly all relevant types, Sollman (pers. comm.) believes that there may be only two taxa (at species level) present in tropical Africa: *Hyophila involuta* (Hook.) A.Jaeger and *Hyophila nymaniana* (M.Fleisch.) M.Menzel.

***Hyophila acuminata* Broth. & P.de la Varde IVO(47,5041), KEN(46,2661,6615), MDG(40), TAN(46), UGA(46), ZAI(65), ZAM(46).**

Hyophila acutiuscula Broth. = *Trichostomum acutiusculum* (1420)

Hyophila afrophaea (Müll.Hal.) Warnst. = *Trichostomum brachydontium* (82: 260)

***Hyophila angustifolia* Paris & Renaud MDG(40).**

Hyophila angustifolia Paris & Renaud. Note: this taxon was incorrectly shown as a synonym of *Trichostomum platyphyllum* in version 1 of this Checklist.

***Hyophila anoectangoides* Müll.Hal. ex Dusén LBR(47).**

***Hyophila ascensionis* Cardot ASC(5329,5340).**

Hyophila atrovirens (Müll.Hal.) Broth. = *Hyophila involuta* (1420)

Hyophila atrovirens var. *oubanguiensis* Thér. & P.de la Varde CAF(47).

Hyophila baginsensis Müll.Hal. CAF(47), KEN(46), MOZ(357), NAM(1531),

SAF(1531,8328), SUD(3076), UGA(4282), ZAM(62), ZIM(46,61).

Hyophila basoutensis Rehmann ex Paris, nom. nud. orthogr. = *Hyophila basutensis* [1521]

Hyophila basutensis Sim = *Didymodon ceratodonteus* (82: 235)

Hyophila basutensis var. *tenella* Rehmann ex Paris. Excluded: this specimen from Cape (Rehmann 459) is undescribed.

Hyophila bingeri Broth. & Paris GUI(47), IVO(47), ZAI(65).

Hyophila calymeroides Thér. & Naveau = *Bryoerythrophyllum campylocarpum* (1420)

Hyophila cameruniae Müll.Hal. ex Paris, nom. nud. Excluded: this specimen from Cameroon (Dusén 22) is undescribed.

Hyophila clavicosata Renauld & Cardot = *Hydrogonium clavicostatum* [1521] (= *Barbula indica*)

Hyophila compacta (Welw. & Duby) A.Jaeger = *Trichostomum brachydontium* (1158)

Hyophila congolensis Thér. & Naveau ZAI(65).

Hyophila crenulata Müll.Hal. ex Paris = *Hyophila involuta* (1420)

Hyophila crenulatula Müll.Hal. ex Paris = *Hyophila crenulata* (47: 492) (= *Hyophila involuta*)

Hyophila cuspidatissima Paris & Broth. GUI(47).

Hyophila cyathiformis (Dixon) Sim = *Hypodontium dregei* (82: 170)

Hyophila dorrii (Renauld & Cardot) Renauld & Cardot = *Hydrogonium dorrii* [1521] (= *Barbula indica*)

Hyophila ehrenbergii (Lorentz) Amann = *Barbula bolleana* (2666)

Hyophila erosa Sim = *Oreoweisia erosa* (1420)

Hyophila excurrentinervis Paris & Broth. = *Trichostomum brachydontium* (1158)

Hyophila fouta-djalloni Paris & Broth. GUI(47), IVO(47).

Hyophila girodii Renauld & Cardot = *Barbula indica* (1158)

Hyophila glaucoviridis Paris & Broth. CAF(47), GUI(47), TOG(1878).

Hyophila gymnostomoides (Welw. & Duby) A.Jaeger = *Trichostomum brachydontium* (1158)

Hyophila holstii Broth. TAN(46).

Hyophila integrifolia Dixon & Thér. ZAI(65).

Hyophila involuta (Hook.) A.Jaeger ALD(2041,2351,2353), BEN(4302), BIO(2662),

CAF(47), CVI(2666,6453), GUI(1458), IVO(1458,1880), KEN(46,6615), LES(1531),

MDG(40), MLW(67,6087), MOZ(46), REU(105,2653), SAF(1531,4897,8328),

SEY(1926,2030,2353,4932), SIE(3072,3216), SOC(2374,5613), SWZ(4418), TAN(46),

TOG(1878), UGA(3072,5696), ZAI(65,1552,5319), ZAM(62), ZIM(46,61).

Hyophila kerensis Broth. ex Micheletti, nom. nud. = *Trichostomum brachydontium* (1158)

Hyophila khartoumensis (Pettet) A.J.E.Sm. & H.Whitehouse = *Tortula bogosica* (1420)

Hyophila lanceolata Renauld & Cardot MDG(40), SEY(1926,1950).

Hyophila latifolia Broth. CON(47).

Hyophila laxitexta J.Froehl. ex Imam & Ghabbour SUD(207,6314).

Hyophila leikipiae (Müll.Hal.) Broth. = *Trichostomum brachydontium* (1158)

Hyophila leioneura Renauld & Paris = *Barbula indica* (1420)

Hyophila ligulaefolia Broth. & Paris = *Trichostomum ligulaefolium* (1420)

Hyophila machadoana Sérgio = *Bryoerythrophyllum campylocarpum* [1157]

Hyophila macleana Kindb. ex Warnst., nom. inval. in synon. err. = *Pottia macleai* Kindb. [1521] (= *Pterygoneurum macleanum*)

Hyophila niamniamiae Müll.Hal. SUD(3076), TAN(46).

Hyophila nymaniana (M.Fleisch.) M.Menzel BKN(47), CAF(47), SIE(47), ZAI(1460).

Hyophila papillinervis (Lorentz) A.Jaeger = *Barbula indica* (1158)

Hyophila parietalis Cardot in Grandid. MDG(40).

Hyophila perpendiculata Dixon ZAI(65).

Hyophila perrobusta Broth. = *Hyophila atrovirens* [1911: 222] (= *Hyophila involuta*)

Hyophila plicata Mitt. = *Weisiopsis plicata* [1521; 82: 224]

Hyophila poteri Besch., err. = *Hyophila potieri* [1521]

Hyophila potieri Besch. = *Hyophila involuta* (2653). Note: the two following varieties of this taxon were not dealt with in the paper by Sollman & Een (2653).

Hyophila potieri var. *atroviridis* Renauld & Cardot MDG(40).

Hyophila potieri var. *denticulata* Broth. TAN(46).

Hyophila potieri var. *tapes* Renauld ex Grandid., num. nud. in synon. = *Hyophila potieri* [1521]

Hyophila potieri var. *viridis* Renauld & Cardot ex Thér., nom. ival. err. = *Hyophila potieri* var. *atroviridis* [1521]

Hyophila procera Paris & Broth. GUI(47).

Hyophila pulchella (Thér. & Hilp.) Wijk & Margad. = *Tisserantiella pulchella* [1420]

Hyophila punctulata (Mitt.) Kindb. SOC(40,2374,5613).

Hyophila recurvifolia Hampe ex Müll.Hal. Excluded: no specimen or description available.

Hyophila rhodesiae Thér. = *Hyophila atrovirens* [1911: 222] (= *Hyophila involuta*)
Hyophila roscheri (Lorentz) A.Jaeger = *Barbula indica* (1421)

***Hyophila sakalavensis* Paris & Renauld COM(40), MDG(40).**

Hyophila somaliae Müll.Hal. in Dusén = *Tortella somaliae* (1420)

***Hyophila subacutiuscula* P.de la Varde & Thér. RWA(65).**

Hyophila subplicata Renauld & Cardot = *Weisiopsis plicata* [8293: 8]

Hyophila tisserantii P.de la Varde = *Hyophila nymaniana* (1460)

Hyophila usambarica Broth. = *Trichostomum brachydontium* (1158)

Hyophila vallis-gratiae Hampe ex A.Jaeger, nom. nud. Excluded: an undescribed collection from South Africa.

***Hyophila victoriae* Müll.Hal. ex Dusén CAF(47), CMN(47), SIE(47).**

Hyophila zeyheri (Hampe) A.Jaeger = *Trichostomum brachydontium* (82: 260)

Hyophila zeyheri var. *brevimucronata* P.de la Varde. Note: the owning species of this variety is *Trichostomum brachydontium*; this variety needs reassessment.

Hyophila zeyheri var. *lanceolata* Sim. Note: the owning species of this variety is *Trichostomum brachydontium*; this variety needs reassessment.

Hypnella abrupta (Mitt.) A.Jaeger = *Glossadelphus abruptus* (2445) (= *Phyllodon truncatus*)

Hypnella guineensis Broth. & Paris = *Glossadelphus guineensis* (2445)

Hypnella semiscabra Renauld & Cardot = *Glossadelphus semiscabrus* (2445)

Hypnella viridis Renauld & Cardot = *Glossadelphus viridis* (2445)

Hypnodendron stipitatum (Mitt.) A.Jaeger = *Thamnum stipitatum* [1521] (= *Porotrichum stipitatum*)

Hypnodon perpusillus (Thwaites & Mitt.) Müll.Hal. = *Rhachithecium perpusillum* [1521]

Hypnodon transvaaliensis Müll.Hal. = *Rhachithecium perpusillum* [3001: 32; 1519: 459]

***Hypnodontopsis mexicana* (Thér.) H.Rob. UGA(3804).**

Hypnofabronia marginata Dixon = *Anacamptodon marginatum* (114)

Hypnum aculeatum Pyl. ex Brid., nom. nud. in synon. = *Racopilum tomentosum* [4250: 1085] (= *Racopilum tomentosum*)

Hypnum aduncoides (Brid.) Müll.Hal., auct. afr. = *Hypnum macrogynum* (1913)

Hypnum aduncum ssp. *sendtneri* (Schimp.) Renauld = *Drepanocladus sendtneri* [1521]

Hypnum aduncum ssp. *wilsonii* (Lindb.) Renauld = *Drepanocladus sendtneri* [8311: 136]

Hypnum aduncum var. *wilsonii* (Lindb.) Mol. = *Drepanocladus sendtneri* [8311: 136]

Hypnum africanum (P.de la Varde) Ochyra, nom. inv. = *Hypnum bizotii* (80)

Hypnum africanum Welw. & Duby = *Pinnatella africana* [1521] (= *Pinnatella minuta*)

Hypnum afro-acuminatum Müll.Hal. ex Paris, nom. inval. in synon. orthogr. = *Taxithelium afro-acuminatum* [1521]

Hypnum afro-acuminatum Müll.Hal. = *Taxithelium afro-acuminatum* [1521]

Hypnum afrocupressiforme Müll.Hal. ex C.H.Wright, nom. nud. = *Hypnum cupressiforme* var. *ericorum* [1848: 456] (= *Hypnum jutlandicum*)

Hypnum afrodemissum Müll.Hal. ex Geh. = *Sematophyllum caespitosum* [2520: 88] (= *Sematophyllum subpinnatum*)

Hypnum afro-elegantulum Müll.Hal. ex Broth., nom. nud. in synon. = *Mittenothamnium horridulum* [1911: 419]

Hypnum afro-exannulatum Rehmann ex Paris, nom. nud. = *Drepanocladus sparsus* [1911: 416]

Hypnum afrofluitans (Müll.) Paris = *Amblystegium afrofluitans* [1521] (= *Amblystegium riparium*)

Hypnum afroglaresum Broth. = *Brachythecium afroglaresum* (1521)

Hypnum afromolluscum Müll.Hal. ex Paris, nom. nud. = *Ectropothecium afromolluscum* [1521]

Hypnum afropurum Rehmann ex Geh., nom. nud. = *Hypnum cupressiforme* [8180: 69]

Hypnum afrorusciforme Broth. = *Platyhypnidium afrorusciforme* [1521]

Hypnum alamazanense Kiaer ex Renauld & Cardot, nom. nud. = *Rhacopilopsis variegata* [4720]

Hypnum alamazanense var. *berthioei* Renauld & Cardot, comb. inval. = *Rhacopilopsis variegata* (4720)

Hypnum albicans F.Weber & D.Mohr, nom. nud. = *Mniobryum wahlenbergii* [1521] (= *Pohlia wahlenbergii*)

Hypnum alboalare (Broth.) Paris = *Rhacopilopsis variegata* (4720)

Hypnum algiranum (Schrad.) Brid. = *Rhynchostegiella tenella* [8151: 209]

Hypnum alpinum (With.) F.Weber & D.Mohr = *Bryum alpinum* [1521]

Hypnum amblystegiocarpum Müll.Hal. = *Sematophyllum amblystegiocarpum* [1521]

Hypnum amplexicaule Rehmann ex Geh., nom. nud. = *Haplocladium angustifolium* [1511: 384]

Hypnum andungense var. *majus* Welw. & Duby = *Stereophyllum andungense* [1433: 292, 307]

Hypnum andungense Welw. & Duby = *Stereophyllum andungense* (1521)

Hypnum aneurodictyon Müll.Hal. = *Leucomium aneurodictyon* [1521] (= *Leucomium strulosum*)

Hypnum aneuron Duby = *Sematophyllum aneuron* [1521]

Hypnum angusticymbium Müll.Hal. = *Sematophyllum angusticymbium* [1521]

Hypnum angustifolium Hampe & Müll.Hal. = *Haplocladium angustifolium* [1521]

Hypnum angustissimum Müll.Hal. ex Geh. = *Raphidorrhynchium angustissimum* [1521]

Hypnum anisophyllum Müll.Hal. ex Broth., nom. nud. in synon. = *Ectropothecium anisophyllum* [1521]

Hypnum anotis Rehmann ex Geh., nom. nud. = *Ectropothecium regulare* [1911: 425]

Hypnum aoraton Duby = *Isopterygium intortum* [2195: 316]

Hypnum aptychopsis Müll.Hal. = *Isopterygium aptychopsis* [1521] (= *Isopterygium argyroleucum*)

Hypnum aptychose Müll.Hal. ex Broth., nom. nud. err. pro *Hypnum aptychopsis* = *Isopterygium aptychopsis* [1521] (= *Isopterygium argyroleucum*)

Hypnum arboreum Schimp. ex Paris, nom. nud. = *Rhynchostegium brachypterum* [6793: 194]

Hypnum argenteum Rehmann ex Paris, nom. nud. = *Isopterygium brachycarpum* [1911: 427] (= *Ectropothecium brachycarpum*)

Hypnum argyroleucon Müll.Hal. ex Geh., nom. nud. = *Isopterygium argyroleucum* [1521]
Hypnum asplenoides (Hedw.) Dicks. ex With. = *Fissidens asplenoides* [1521]
Hypnum asplenoides Thunb., hom. illeg. incl. spec. prior. = *Fissidens thunbergii* [1521] (= *Fissidens ovatus*)
Hypnum athrocladum Mitt. in Mellis = *Brachythecium athrocladum* [1521]
Hypnum atrotheca Duby = *Brachythecium borgenii* [1848: 542]
Hypnum aubertii Schwaegr., nom. illeg. incl. spec. prior. = *Catagonium nitens* [1521]
Hypnum aureocrispum Müll.Hal. ex Broth., nom. nud. in synon. = *Ectropothecium aureocrispum* [1521]
Hypnum bartramophilum Müll.Hal. Excluded: see note under *Gollania bartramophila*.
Hypnum basaltinum (Müll.Hal.) Paris = *Hypnum cypresiforme* [8180: 69]
Hypnum bello-intricatum Broth. = *Rhynchostegium bello-intricatum* [1521] (= *Schimperella bello-intricata*)

Hypnum bicolor Bél. REU(105).

Hypnum bifidum Brid. = *Leucoloma bifidum* (7101: 532)
Hypnum bimum (Schreb.) F.Weber & D.Mohr = *Bryum pseudotriquetrum* var. *bimum* [1521]

Hypnum bizotii Ochyra RWA(46), TAN(46), UGA(46), ZAI(65).

Hypnum boivinii Müll.Hal., nom. nud. = *Vesicularia galericulata* [1848: 480]
Hypnum bonplandii Arn., nom. illeg. incl. spec. prior. = *Palamocladium leskeoides* [1521]
Hypnum borbonicum (Bél.) Müll.Hal. = *Trichosteleum borbonicum* [1521] (= *Radulina borbonica*)
Hypnum borchgrevinkii Müll.Hal. = *Pinnatella tamariscina* [1521] (= *Homaliodendron piniforme*)
Hypnum borgenii Hampe = *Brachythecium borgenii* [1521]

Hypnum boryanum Schwägr. REU(105).

Hypnum boswellii Geh., nom. nud. Excluded: no description available.
Hypnum bourboneum Cardot ex Brid. nom. nud. in synon. = *Racopilum tomentosum* [1521]
Hypnum brachycarpum Hampe = *Sematophyllum brachycarpum* [1521]
Hypnum brachycladulum Müll.Hal. ex Paris, nom. nud. = *Ectropothecium brachycladulum* [1521]
Hypnum brachypterum Hornsch. = *Rhynchostegium brachypterum* [1521]
Hypnum brachypterum Hornsch. ex Meyer, nom. inval. err. = *Hypnum brachypterum* [1520] (= *Rhynchostegium brachypterum*)
Hypnum breutelianum Schimp. ex J.Shaw, nom. nud. Excluded: an undescribed specimen.
Hypnum brevifalcatum Müll.Hal. = *Ectropothecium brevifalcatum* [1521]
Hypnum brevifolium Rehmann ex Paris, nom. nud. = *Drepanocladus hallii* [1911: 417]
Hypnum brevirostre (Brid.) Ehrh. = *Hylocomium brevirostre* [1506: 460]
Hypnum brevirostre var. *interruptum* Brid. = *Hylocomium splendens* [1506: 460]
Hypnum bryoides (Hedw.) L. ex With. = *Fissidens bryoides* [1521]
Hypnum buettnerianum Müll.Hal. = *Trichosteleum buettnerianum* [1521] (= *Radulina borbonica*)
Hypnum buluense Broth. = *Rhynchostegium buluense* (1521)
Hypnum caespiticium (Hedw.) F.Weber & D.Mohr = *Bryum caespiticium* [1521]
Hypnum caespitosum (Hedw.) Schrad. = *Sematophyllum caespitosum* [1521] (= *Sematophyllum subpinnatum*)
Hypnum canariense Brid. = *Leucodon canariensis* [1521]
Hypnum candidulum Müll.Hal. = *Isopterygium candidulum* (1521)
Hypnum capillare (Hedw.) F.Weber & D.Mohr = *Bryum capillare* [1521]
Hypnum capillisetum Müll.Hal. = *Ectropothecium capillisetum* [1521]
Hypnum catillum Müll.Hal. = *Sematophyllum caespitosum* [2520: 88] (= *Sematophyllum subpinnatum*)
Hypnum caudicale Müll.Hal. ex Paris, nom. nud. Excluded: an undescribed collection (*Sikora 14805*) from Madagascar.
Hypnum caudiforme Müll.Hal. = *Mittenothamnium caudiforme* [1521]
Hypnum caussequei Renauld & Cardot = *Hygrohypnum caussequei* [1521]
Hypnum chlorizans Welw. & Duby = *Rhacopilopsis trinitensis* [2746: 88]
Hypnum chloropsis Müll.Hal. = *Thuidium chloropsis* [1521] (= *Pelekium gratum*)
Hypnum chloropterum Müll.Hal. = *Taxithelium chloropterum* [1521]
Hypnum chrysotis Müll.Hal. ex Broth., nom. nud. in synon. = *Sematophyllum caespitosum* [2520: 88] (= *Sematophyllum subpinnatum*)
Hypnum cirrifolium Schwaegr. = *Aerobryopsis cirrifolia* [1521]
Hypnum clavatum Spreng. Excluded: type specimen is a mixture of *Bryum* sp. and *Hypnum* sp.
Hypnum clavirameum Müll.Hal. = *Pseudoleskeopsis claviramea* [1521]
Hypnum clavirameum var. *denudata* Müll.Hal. ex Geh. = *Pseudoleskeopsis obtusiuscula* [1848: 433]
Hypnum codonopyxis Müll.Hal. = *Vesicularia codonopyxis* [1521]
Hypnum commixtum Müll.Hal. = *Leucomium commixtum* [1521] (= *Leucomium strulosum*)
Hypnum comorae Müll.Hal. = *Rhynchostegium comorae* (1521)
Hypnum constrictum (Brid.) Müll.Hal. = *Trichosteleum constrictum* [1521]
Hypnum constrictum Hampe ex Müll.Hal., nom. nud. in synon. = *Isopterygium strangulatum* [1911: 429]
Hypnum cordonopyxis Müll.Hal. ex Paris, nom. inval. in err. = *Hypnum cordonopyxis* [1521] (= *Vesicularia cordonopyxis*)
Hypnum coronopifolium P.Beauv. ex Brid., nom. nud. in synon. = *Rhizofabronia persoonii* [5362: 124]
Hypnum crassicaule (Müll.Hal.) Rehmann ex Paris = *Ectropothecium regulare* [1911: 425]
Hypnum crassiusculum Brid. = *Sematophyllum crassiusculum* [1521]
Hypnum crispohamosum Müll.Hal. ex Paris, nom. nud. Excluded: an undescribed specimen (*Dusén 59*) from Cameroon.
Hypnum crispum (Hedw.) With. = *Neckera crispa* [1521]
Hypnum cypresiforme fo. *filiforme* Krahmer. See *Hypnum cypresiforme* var. *filiforme* Brid.
Hypnum cypresiforme ssp. *ericetorum* Giac. = *Hypnum cypresiforme* var. *ericetorum* [1521] (= *Hypnum jutlandicum*)

Hypnum cupressiforme var. *brevisetum* Schimp. = *Hypnum cupressiforme* [4926: 670]

Hypnum cupressiforme var. *aduncoides* Brid. = *Hypnum aduncoides* [1521] (*auct. afr.*) (= *Hypnum macrogynum*)

Hypnum cupressiforme var. *capense* M.Fleisch. Excluded: this name has not been made a synonym, but is not in use in Africa (based on Rehmann 345, from South Africa).

Hypnum cupressiforme* var. *cupressiforme Hedw. ANG(169), BIO(8180), CVI(2666),

ETH(111,169,1927), KEN(136,169,3412,4112,5315,6614,7065), LES(169,1531,4897),

MAS(40), NGA(5745), REU(3410), RWA(46,65),

SAF(169,1531,1882,3411,4897,7766,8328), SWZ(169,1531), TAN(46,169),

UGA(46,169,7922), ZAI(65,5319), ZIM(61).

Hypnum cupressiforme var. *ericetorum* Bruch, Schimp. & W.Gümbel. = *Hypnum jutlandicum* (162)

Hypnum cupressiforme var. *filiforme* Brid. = *Hypnum cupressiforme* var. *cupressiforme* (3978)

Hypnum cupressiforme var. *hoechnelii* (Müll.Hal.) Dixon = *Hypnum cupressiforme* var. *cupressiforme* [10: 1071]

Hypnum cupressiforme var. *integrifolium* Thér. = *Hypnum cupressiforme* var. *cupressiforme* (169)

Hypnum cupressiforme var. *lacunosum* Brid. = *Hypnum lacunosum* var. *lacunosum* (3978)

Hypnum cupressiforme* var. *mossmanianum (Müll.Hal.) Ando SAF(8328), ZAI(65).

Hypnum cupressiforme var. *regulare* Brid. = *Ectropothecium regulare* [1521]

Hypnum cupressiforme var. *resupinatum* (Taylor) Schimp. = *Hypnum resupinatum* (3978)

Hypnum cupressiforme* var. *townsendii Ando KEN(169,679), RWA(65), UGA(169),
ZAI(65,169,5319).

Hypnum curtipedulum (Hedw.) With. = *Antitrichia curtipedula* [1521] Note: see *Antitrichia curtipedula*.

Hypnum cygnicollum Hampe ex Müll.Hal., nom. nud. = *Mittenothamnium cygnicollum* [1521] (= *Mittenothamnium reptans*)

Hypnum danckelmanii Müll.Hal. = *Sematophyllum danckelmannii* [1521]

Hypnum debile (Sull.) Müll.Hal., hom. illeg. = *Leucomium aneurodictyon* [2737: 1107] (= *Leucomium strulosum*)

Hypnum decolorans Welw. & Duby = *Stereophyllum andungense* [1433: 307]

Hypnum densum (Hook.) Müll.Hal., hom. illeg. = *Bryosedgwickia densa* [1521] (= *Platygyriella densa*)

Hypnum densum Sw. ex Hedw. = *Prionodon densus* (1519: 558)

Hypnum denticulatum L. ex Hedw. = *Plagiothecium denticulatum* [1521] Note: see under *Plagiothecium denticulatum*.

Hypnum dentigerum (Müll.Hal.) Paris, nom. inval. in synon. = *Rhaphidorrhynchium dregei* [1911: 439] (= *Sematophyllum dregei*)

Hypnum dicladum Müll.Hal. = *Hypnum cupressiforme* [10: 1071]

Hypnum dicnemonella Müll.Hal. ex Broth., nom. nud. in synon. = *Sematophyllum caespitosum* [2520: 88] (= *Sematophyllum subpinnatum*)

Hypnum distans (Besch.) Broth. = *Rhynchostegium distans* (1521)

Hypnum djuriense Müll.Hal. Excluded: see note under *Thuidium djuriense* [32: 189]

Hypnum doratum Duby ex Besch., nom. inval. in synon. = *Isopterygium intortum* [2195: 316]

Hypnum dregei Müll.Hal. = *Rhaphidorrhynchium dregei* [1521] (= *Sematophyllum dregei*)

Hypnum drepanophyllum Müll.Hal. = *Hypnum cupressiforme* [1911: 423]

Hypnum duisaboanum (Mont.) Müll.Hal. = *Sematophyllum caespitosum* [2520: 88] (= *Sematophyllum subpinnatum*)

Hypnum ecklonianum Schimp. ex Paris, nom. nud. in synon. = *Rhynchostegiella zeyheri* [6793: 198]

Hypnum elaeis Müll.Hal. ex Paris, nom. nud. Excluded: an undescribed specimen (Dusén 371) from Cameroon.

Hypnum ericetorum (Bruch, Schimp. & W.Gümbel) Loeske, hom. illeg. = *Hypnum cupressiforme* var. *ericetorum* [1521] (= *Hypnum jutlandicum*)

Hypnum ericetorum Brid. = *Trachypodopsis serrulata* [8103: 148]

Hypnum ericetorum Bruch, Schimp. & W.Gümbel, hom. illeg. = *Hypnum cupressiforme* var. *ericetorum* (1521) (= *H. jutlandicum*)

Hypnum erythrocaulon Aomngstr. = *Sematophyllum erythrocaulon* [1521]

Hypnum ferricola Müll.Hal. = *Thuidium gratum* (32) (= *Pelekium gratum*)

Hypnum filiferum Welw. & Duby ex Kindb., nom. nud. in synon. = *Pinnatella engleri* [7612: 249] (= *Pinnatella minuta*)

Hypnum flaccidulum Rehmann ex Paris, nom. nud. = *Haplocladium angustifolium* [1911: 385]

Hypnum floribundum (Dozy & Molk.) Müll.Hal. = *Floribundaria floribunda* [1521]

Hypnum fluitans var. *gracile* Boulay ex Renaud, hom. illeg. = *Drepanocladus fluitans* [1521] (= *Warnstorffia fluitans*)

Hypnum fluitans var. *longifolium* Rehmann ex Paris, nom. nud. = *Amblystegium afrofluitans* [4378: 151] (= *Amblystegium riparium*)

Hypnum fluminale Müll.Hal. ex Broth., nom. nud. in synon. = *Sematophyllum caespitosum* [2520: 89] (= *Sematophyllum subpinnatum*)

Hypnum fontanum Schrank, nom. inval. = *Philonotis fontana* [1521]

Hypnum frondiferum Brid. ex Brid., nom. nud. in synon. = *Hypopterygium tamariscinum* [8309: 87]

Hypnum fuciforme Brid. = *Thuidium fuciforme* [1521] (= *Leptodon fuciformis*)

Hypnum galerulatum Duby = *Vesicularia galerulata* [1521]

Hypnum gastrodes Welw. & Duby ex Duby = *Trachyphyllum gastrodes* (1521)

Hypnum gibbosulum Müll.Hal. = *Isopterygium gibbosulum* [1521]

Hypnum glabrifolium Müll.Hal. = *Mittenothamnium reptans* var. *pseudoreptans* [5143: 329] (= *Mittenothamnium pseudoreptans*)

Hypnum gloriosum Müll.Hal. (= *Brachythecium gloriosum*) [1521] is given as a synonym of *Brachythecium dummeri* in Kis (46), but in Kis' text the two species are both treated as valid species. If the two were synonyms then the older

name (*Brachythecium gloriosum*) would take priority, but as I can find no other synonymisation of these two taxa, and from their descriptions they sound dissimilar, both species are accepted here.

Hypnum glutinosum Müll.Hal. ex Broth., nom. nud. in synon. = *Sematophyllum caespitosum* [2520: 89] (= *Sematophyllum subpinnatum*)

Hypnum gnaphaleum P.Beauv. = *Breutelia gnaphalea* [1521]

Hypnum golungense Welw. & Duby = *Vesicularia golungensis* (1521)

Hypnum gracile (Hedw.) L. ex With. = *Pterogonium gracile* [1521]

***Hypnum gracilirameum* Müll.Hal. ex Renauld MAU(105).**

Hypnum gracillimum Rehmann ex Paris, nom. nud. = *Isopterygium leucophanes* [1911: 427]

Hypnum gueinzii Hampe = *Rhaphidorrhynchium gueinzii* [1521] (= *Sematophyllum gueinzii*)

Hypnum gueinzii var. *prostrata* Müll.Hal. = *Rhaphidorrhynchium gueinzii* [1911: 439] (= *Sematophyllum gueinzii*)

Hypnum guineense Müll.Hal., nom. nud. Excluded: the specimens are from New Guinea, not Guinea.

Hypnum hapalpterum Müll.Hal. = *Vesicularia hapalptera* [1521]

Hypnum hastatum Duby ex Moritzi = *Philonotis hastata* [1521; 83: 427]

Hypnum heteromallum Weiss, nom. inval. = *Dicranella heteromalla* [1521]

Hypnum hildebrandtii Müll.Hal. = *Porothamnium stipitatum* (1519: 595)

Hypnum hoehnelii Müll.Hal. = *Hypnum cupressiforme* var. *cupressiforme* [10: 1071]

Hypnum hoehnelii var. *alpina* Müll.Hal. Excluded: a name probably not used for a century, and likely to be a synonym of *Hypnum cupressiforme*.

Hypnum hofferi Welw. & Duby ex Paris, nom. inval. err. = *Hypnum hopfferi* [1521] (= *Rhynchosstegium hopfferi*)

Hypnum holstii Broth. = *Rhynchosstegiella holstii* (1521)

Hypnum homalobolax (Besch.) Broth. = *Rhynchosstegium distans* [1848: 526]

Hypnum hopfferi Welw. & Duby = *Rhynchosstegium hopfferi* [1521]

Hypnum hyalotis (Müll.Hal.) Paris = *Rhaphidorrhynchium gueinzii* [11: 428] (= *Sematophyllum gueinzii*)

Hypnum imbricatum P.Beauv. = *Pilotrichella pentasticha* [4284: 42] (= *Orthostichella pentasticha*)

Hypnum immundum Müll.Hal. ex Renauld, nom. nud. in synon. = *Vesicularia immunda* [1521]

Hypnum implicatum Hornsch. ex Müll.Hal. = *Brachythecium implicatum* (1521)

Hypnum inflexum Harv. in Hook. = *Trachyphyllum inflexum* [1521]

Hypnum interruptum Brid. = *Hylocomium brevirostre* [1506: 460] (= *Loeskeobryum brevirostre*)

Hypnum intortum P.Beauv. = *Isopterygium intortum* [1521]

Hypnum involvens (Hedw.) P.Beauv. = *Thuidium involvens* [1521] Excluded: see note under *Thuidium involvens* ssp. *involvens*.

Hypnum irrepens Duby = *Sematophyllum caespitosum* [2520: 88] (= *Sematophyllum subpinnatum*)

Hypnum ischyropteris Müll.Hal. ex Broth., nom. nud. in synon. = *Vesicularia ischyropteris* [1521]

Hypnum jacquemontii Bruch & Schimp. ex Müll.Hal. = *Haplocladium jacquemontii* (1521)

***Hypnum jutlandicum* Holmen & E.Warncke CAF(47), KEN(4112,5315), MDG(40),**

REU(105), ZAI(65).

Hypnum kiaeri Müll.Hal. ex Besch., nom. nud. in synon. = *Hypnum aduncoides* [2195: 323] (= *Hypnum macrogynum*)

Hypnum kilimandscharicum Broth. = *Rigodium kilimandscharicum* (1521) (= *Rigodium toxarium*)

Hypnum knuthii Rehmann ex Paris = *Isopterygium leucophanes* [1911: 427]

Hypnum krakakammae Müll.Hal. = *Rhapidorrhynchium dregei* [1911: 439] (= *Sematophyllum dregei*)

Hypnum kuilui Müll.Hal. = *Taxithelium kuilui* [1521]

***Hypnum lacunosum* var. *lacunosum* (Brid.) Hoffm. ex Brid. ETH(169), KEN(169),**

LES(169), REU(8028), RWA(65), SAF(169,8328), SWZ(169), ZAI(5319).

Hypnum laricinum Hook. = *Hypopterygium tamarisci* (6705: 198)

Hypnum lateriticola Müll.Hal. ex Broth., nom. nud. in synon. = *Ectropothecium lateriticola* [1521]

Hypnum latocaespitosum Müll.Hal. ex C.H.Wright, nom. nud. = *Hypnum cypresiforme* [1848: 455]

Hypnum lechlabense Rehmann ex Paris, nom. nud. Excluded: an unidentifiable species of *Isopterygium* [1911: 427]

Hypnum lecoultriae Duby = *Sematophyllum caespitosum* [2520: 88] (= *Sematophyllum subpinnatum*)

Hypnum leptoblastum Müll.Hal. = *Isopterygium leptoblastum* [1521]

Hypnum leptorrhynchum Brid., nom. illeg. = *Rhapidorrhynchium amoenum* [8107: 308] (= *Warburgiella leptorrhyncha*; see note under *Rhapidorrhynchium amoenum*)

Hypnum leptorrhynchum var. *viridulum* Brid. = *Ectropothecium viridulum* [1521]

Hypnum leskeifolium Rehmann ex Müll.Hal., nom. nud. in synon. = *Pseudoleskea leskeoides* [1911: 383]

Hypnum leskeoides Schimp. ex Müll.Hal., nom. illeg. = *Pseudoleskea leskeoides* [1521]

Hypnum leucophanes Hampe ex Müll.Hal. = *Isopterygium leucophanes* [1521]

Hypnum ligularia Müll.Hal. ex Paris, nom. nud. Excluded: an undescribed collection (*Dusén* 330) from Cameroon.

Hypnum longinerve Duby = *Sematophyllum longinerve* [1521]

Hypnum longirostrum Ehrh. ex Brid., nom. illeg. = *Euryhynchium striatum* (40: 237)

Hypnum longofluitans Müll.Hal. ex Broth., nom. nud. in synon. = *Vesicularia longofluitans* [1521]

Hypnum loricacycinum Müll.Hal. = *Thuidium assimile* (32)

Hypnum luteonitens Renauld & Cardot in Renauld, nom. illeg. = *Isopterygium luteonitens* [1521]

Hypnum luteonitens Welw. & Duby = *Rhynchosstegium luteonitens* (1521)

Hypnum lycopodioides var. *wilsonii* (Lindb.) Renauld ex Huns. = *Drepanocladus sendtneri* [8250: 763]

Hypnum macleanum Rehmann ex Paris, nom. nud. = *Callicostella applanata* [1911: 445]

***Hypnum macrogynum* Besch. ETH(1927), KEN(46), LES(1531), MDG(40), MLW(67),**

REU(105,3410), SAF(1531,8328), TAN(46), ZIM(46).

- Hypnum macrogynum* Besch. *Hypnum aduncoides* was treated as a synonym of *Hypnum cupressiforme* var. *cupressiforme* by Ando in 1989 (169), although he mentioned its similarity to the Asian *Hypnum macrogynum*. He later confirmed that collections named *Hypnum aduncoides* were *Hypnum macrogynum* [1913]. The records shown here represent all collections listed in the literature as *Hypnum aduncoides*.
- Hypnum madagassum* Müll.Hal., nom. nud. = *Trichosteleum madgassum* [1521]
- Hypnum mandonii* Mitt. ex Godm. = *Homalothecium mandonii* [1521] (= *Homalothecium sericeum*)
- Hypnum maritimum* (Hook.) Arnott = *Catagonium nitens* ssp. *maritimum* [2857: 9]
- Hypnum maritimum* Müll.Hal., nom. inval. = *Felipponea assimilis* (5698)
- Hypnum mascarenicum* Müll.Hal. = *Thuidium mascarenicum* [1521] (= *Thuidium tamariscinum*)
- Hypnum mauritianum* Bél. = *Ctenidium mauritianum* [3421: 127] (= *Ectropothecium nishimarii*)
- Hypnum mbangae* Müll.Hal. = *Isopterygium mbangae* (1521)
- Hypnum megapelma* Bland. ex Weber = *Rhynchostegium megapelma* [1521] (= *Rhynchostegium brachypterum*)
- Hypnum megasporum* Auth. = *Acroporium megasporum* [1521]
- Hypnum microthamnoides* Nuell,Hal. ex Geh. = *Mittenothamnium microthamnoides* [1521]
- Hypnum mildeanum* Schimp. = *Brachythecium mildeanum* [1521]
- Hypnum mixtum* Müll.Hal. Excluded: see note under *Pinnatella mixta*.
- Hypnum moenkemeyeri* Müll.Hal. = *Porothamnium comorensense* [1911: 402] (= *Porotrichum elongatum*)
- Hypnum molleri* Müll.Hal. = *Porothamnium comorensense* [1911: 402] (= *Porotrichum elongatum*)
- Hypnum monbuttoviae* Müll.Hal. = *Plagiothecium monbuttoviae* (1521)
- Hypnum moorei* Rehmann ex Geh., nom. nud. = *Plagiothecium rhynchostegioides* [4378: 143]
- Hypnum mucronatum* Müll.Hal., hom. illeg. = *Catagonium nitens* ssp. *maritimum* [2857: 9]
- Hypnum mucronatum* P.Beauv. = *Racopilum tomentosum* [1506: 12]
- Hypnum multiflorum* Schwaegr., hom. illeg. = *Hypnum cupressiforme* var. *cupressiforme* [8180: 69]
- Hypnum mundum* Müll.Hal., nom. nud. = *Vesicularia immunda* [1848: 104]
- Hypnum nabambissense* Müll.Hal. = *Thuidium gratum* (32) (= *Pelekium gratum*)
- Hypnum nanocarpum* Müll.Hal. = *Vesicularia nanocarpa* [6152: 67]
- Hypnum nanocrastacastrensis* Müll.Hal. ex C.Wright, nom. nud. = *Ectropothecium regulare* [1848: 484]
- Hypnum nanocristatum* Müll.Hal. ex Paris, nom. nud. Excluded: an undescribed collection (*Sikora 14308*) from Madagascar.
- Hypnum nanoglobum* Müll.Hal. = *Isopterygium nanoglobum* [1521]
- Hypnum nanopyxis* Müll.Hal. ex Geh. = *Sematophyllum nanopyxis* [1663: 95]
- Hypnum nanothecium* Müll.Hal. ex Geh., nom. nud. Excluded: see *Rhaphidostegium nanothecium*.
- Hypnum natalense* Paris, nom. nud. = *Drepanocladus hallii* [1911: 417] (= *Drepanocladus sendtneri*)
- Hypnum natalense* Rehmann ex Dixon & A.Gepp, nom. nud. = *Rhaphidorrhynchium dregei* [1911: 417] (= *Sematophyllum dregei*)
- Hypnum naviculare* Brid. = *Phyllogonium viscosum* [2195: 270]
- Hypnum neelgheriense* (Mont.) Müll.Hal. = *Palamocladium nilgheriense* [1521] (= *Palamocladium leskeoides*)
- Hypnum nematocalon* Müll.Hal. = *Sematophyllum nematocalon* [1521]
- Hypnum nervosum* P.Beauv. Excluded: it is unclear from the description what this taxon is likely to be.
- Hypnum nihamiamiae* Müll.Hal. = *Henicodium geniculatum* (1339)
- Hypnum nigricaula* Broid. = *Rhaphidorrhynchium nigricaula* [1521] (= *Sematophyllum subsimplex*)
- Hypnum nigroviride* Müll.Hal., hom. illeg. = *Brachythecium nigroviride* (1521)
- Hypnum nilgheriense* (Mont.) Müll.Hal. = *Palamocladium nilgheriense* [1521] (= *Palamocladium leskeoides*)
- Hypnum nivescens* Müll.Hal. ex Kindb., nom. nud. = *Isopterygium nivescens* [1521]
- Hypnum octodiceroides* Müll.Hal. = *Taxiphyllum schweinfurthii* (268)
- Hypnum octodiceros* Müll.Hal. ex Paris, nom. inval. in synon. = *Hypnum octodiceroides* (= *Taxiphyllum schweinfurthii*)
- Hypnum odontocalyx* Müll.Hal. = *Stereophyllum odontocalyx* (1521) (= *Stereophyllum radiculosum*)
- Hypnum odontophyllum* Rehmann ex Dixon & A.Gepp, nom. nud. = *Rhynchostegium brachypterum* [1911: 374]
- Hypnum omalosekos* Welw. & Duby. Excluded. See note under *Stereophyllum omalosekos*.
- Hypnum oreadelphus* Müll.Hal. ex Broth., nom. nud. in synon. = *Vesicularia oreadelphus* [1521]
- Hypnum ornithopodioides* Huds., nom. inval. = *Pterogonium gracile* [Smith 1804: Fl. Brit. 3: 1270]
- Hypnum oxyodon* Welw. & Duby = *Rhynchostegium oxyodon* (1521)
- Hypnum pallens* (Sw.) F.Weber & D.Mohr = *Bryum pallens* [1521]
- Hypnum palustre* (Hedw.) F.Weber & D.Mohr = *Aulacomnium palustre* [1521]
- Hypnum papillosum* Hornsch. = *Trichosteleum papillosum* [1521]
- Hypnum pechuelii* Müll.Hal. = *Rhacopilopsis trinitensis* (2746)
- Hypnum pectinatum* Mitt. = *Rhynchostegium pectinatum* [1521]
- Hypnum pennatum* Haller, nom. inval. = *Neckera pennata* [1521]
- Hypnum penniforme* Thunb. ex Brid. ('pennaeforme') = *Lopidium penniforme* (1519: 617) (= *Lopidium struthiopteris*)
- Hypnum pentastichum* Brid. = *Pilotrichella pentasticha* [1521] (= *Orthostichella pentasticha*)
- Hypnum penzigi* Brizi, nom. nud. in synon. = *Racopilum penzigi* [1521]
- Hypnum perintricatum* Müll.Hal. ex Paris, nom. nud. = *Thuidium perintricatum* [1521] (= *Hylocomiopsis cylindricarpa*)
- Hypnum perpallidum* Müll.Hal. ex Broth., nom. nud. in synon. = *Vesicularia perpallida* [1521]
- Hypnum perplanicaule* Müll.Hal. ex Paris, nom. nud. = *Glossadelphus perplanicaulis* [1521] (= *Phyllodon perplanicaulis*)
- Hypnum perscissum* Müll.Hal. = *Thuidium perscissum* [1521]. Excluded: see *Thuidium perscissum*.
- Hypnum pervilleanum* Müll.Hal. ex Geh. = *Rhapidorrhynchium pervilleanum* [1521] (= *Trichosteleum pervilleanum*)

Hypnum petraeum Müll.Hal. ex Paris, *nom. nud.* Excluded: an undescribed specimen (*Dusén* 668) from Cameroon.
Hypnum phyllogonioides Lindb. ex J.Shaw, *nom. nud.* Excluded: an undescribed specimen from South Africa.
Hypnum physaophyllum Welw. & Duby = *Sematophyllum physaophyllum* (1521)
Hypnum piriforme F.Weber & D.Mohr ex Paris, *nom. inval. in synon.* = *Leptobryum pyriforme* [1521]
Hypnum planosquarrosum Brid., *nom. nud. in synon.* = *Mittenothamnium planosquarrosum* [1521] (= *Rhacopilopsis trinitensis*)
Hypnum planum Brid. = *Taxithelium planum* [1521]
Hypnum plumosiforme Schimp. ex Müll.Hal. = *Brachythecium plumosum* [10: 1147]
Hypnum plumosum Hedw. = *Brachythecium plumosum* [1521]
Hypnum plumosum var. *pseudoplumosum* (Brid.) Rabenh. = *Brachythecium plumosum* [1521]
Hypnum politum Hook.f. & Wilson = *Catagonium nitens* var. *nitens* [2857]
Hypnum populeum Hedw. = *Brachythecium populeum* [1521]
Hypnum porrectirameum Müll.Hal. ex Paris = *Ectropothecium regulare* [9: 267]
Hypnum praelongum var. *swartzii* (Turn.) Hartm. = *Oxyrrhynchium swartzii* [1521] (= *Eurhynchium hians*)
Hypnum praemorsum Vatke. = *Oxyrrhynchium hians* [8395: 53] (= *Eurhynchium hians*)
Hypnum preussii Broth. = *Brachythecium preussii* [1521]
Hypnum proliferum L. ex Brid. = *Hylocomium splendens* [3492: 262]
Hypnum proreptile Müll.Hal. ex Paris, *nom. nud.* Excluded: an undescribed collection (*Dusén* 217) from Cameroon.
Hypnum protractulum Müll.Hal. = *Ectropothecium protractulum* [1521]
Hypnum pseudoamoenum Bél. = *Taxithelium pseudoamoenum* [1521]
Hypnum pseudoattenuatum Müll.Hal. = *Pseudoleskea pseudoattenuata* (1521)
Hypnum pseudobrachythecium (Broth.) Paris = *Rhaphidorrhynchium pseudobrachythecium* [1521] (= *Sematophyllum subsimplex*)
Hypnum pseudoconfertum Müll.Hal. = *Rhynchosstegiella zeyheri* [1911: 375]
Hypnum pseudoinvolvens Müll.Hal. = *Thuidium pseudoinvolvens* [1521]
Hypnum pseudoplumosum Brid. = *Brachythecium plumosum* [7772: 225b]
Hypnum pseudoreptans Müll.Hal. = *Mittenothamnium reptans* var. *pseudoreptans* [1521] (= *Mittenothamnium pseudoreptans*)
Hypnum pseudosalebrosum Hampe ex Mitt., *nom. nud. in synon.* = *Homalothecium leskeoides* [2713: 559] (= *Palamocladium leskeoides*)
Hypnum pseudotriste Müll.Hal. = *Haplohymenium pseudotriste* [1521] (= *Anomodon pseudotristis*)
Hypnum pseudovelutinum Hampe ex Müll.Hal. = *Brachythecium pseudovelutinum* [1521]
Hypnum punctatum Müll.Hal. = *Trichosteleum borbonicum* var. *brachycarpum* [1848: 503] (= *Radulina borbonica*)
Hypnum punctatum (Hedw.) F.Weber & D.Mohr = *Mnium punctatum* [1521] Excluded: see note under *Mnium punctatum*.
Hypnum punctulatum Paris, *nom. inval. in synon.* = *Hypnum punctatum* [1521] (= *Radulina borbonica*)
Hypnum purpurascens Brid. = *Rhacocarpus purpurascens* (1519: 543)
Hypnum purum L. ex Hedw. = *Pseudoscleropodium purum* [1521] (= *Scleropodium purum*)
Hypnum pyriforme (Hedw.) F.Weber & D.Mohr = *Leptobryum pyriforme* [1521]
Hypnum quinzii Rehmann ex Dixon & A.Gepp, *nom. illeg. orthogr.* = *Hypnum gueinzii* [1521] (= *Sematophyllum gueinzii*)

***Hypnum radiatum* Schwägr. REU(105).**

Hypnum radicans Brid. = *Isopterygium radicans* [1521]
Hypnum raphidorrhynchum Müll.Hal. = *Rhynchosstegium raphidorrhynchum* [1521]
Hypnum regulare (Brid.) Müll.Hal. = *Ectropothecium regulare* [1521]
Hypnum rehmannii (Müll.Hal.) Paris = *Rapidorrhynchium dregei* [1911: 439] (= *Sematophyllum dregei*)
Hypnum richardtii Rehmann ex Paris, *nom. nud. in synon. orthogr.* = *Hypnum richardtii* [1521] (= *Sematophyllum brachycarpum*)
Hypnum richardtii Rehmann ex Geh., *nom. nud.* = *Sematophyllum brachycarpum* [1911: 435]
Hypnum reptans Sw. ex Hedw. = *Mittenothamnium reptans* [1521]

***Hypnum resupinatum* Taylor RWA(65), ZAI(65).**

***Hypnum revolutum* (Mitt.) Lindb. UGA(7353,7922).**

Hypnum raphidorrhynchium Müll.Hal. ex Paris, *nom. inval. orthogr.* = *Hypnum raphidorrhynchium* [1521] (= *Rhynchosstegium raphidorrhynchium*)
Hypnum rigidicaule Müll.Hal. ex Broth., *nom. nud. in synon.* = *Trismegistia rigidicaulis* [1521]
Hypnum ripariooides Hedw., *hom. illeg.* = *Platyhypnidium ripariooides* [1521] (= *Amblystegium riparium*)
Hypnum riparium L. ex Hedw. = *Leptodictyum riparium* [1521] (= *Amblystegium riparium*)
Hypnum rivulare (Bruch, Schimp. & W.Guembel) Bruch ex Wilson, *hom. illeg.* = *Brachythecium rivulare* [1521]
Hypnum rivuletorum Müll.Hal. ex Broth., *nom. nud. in synon.* = *Sematophyllum rivuletorum* [1521]
Hypnum robillardii Duby = *Sematophyllum caespitosum* [2520: 88] (= *Sematophyllum subpinnatum*)
Hypnum roseum (Hedw.) F.Weber & D.Mohr = *Rhodobryum roseum* [1521]
Hypnum rotundifrondeum Müll.Hal. = *Pinnatella minutula* (1830)
Hypnum rugosum Ehrh. ex Hedw. = *Rhytidium rugosum* [1521]
Hypnum rutabulum var. *rivulare* (Bruch, Schimp. & W.Guembel) T.Jens. = *Brachythecium rivulare* [1521]
Hypnum rutenburgii Müll.Hal. ex Geh. = *Acanthocladium rutenburgii* [1521] (= *Wijkia rutenbergii*)
Hypnum ruvenzorense Broth. = *Rhynchosstegium ruvenzorense* (1521) (mis-spelled as 'ruwenzorense' prior to version 4)
Hypnum salebrosum Hoffm. ex F.Weber & D.Mohr = *Brachythecium salebrosum* [1521]
Hypnum salebrosum var. *mildeanum* (Schimp.) Husn., *nom. illeg. incl. spec. prior.* = *Brachythecium mildeanum* [1521]

- Hypnum salebrosum* var. *plumosum* (Hedw.) Myr., nom. illeg. prior, ut spec. = *Brachythecium plumosum* [1521]
Hypnum saproadelphus Müll.Hal. ex Broth., nom. nud. in synon. = *Mittenothamnium saproadelphus* [1521]
Hypnum sarcoblastum Müll.Hal. ex Broth., nom. nud. in synon. = *Vesicularia sarcoblasta* [1521]
Hypnum sarmentosum var. *subflavum* Ferg. ex Grav., nom. nud. = *Calliergon sarmentosum* var. *subflavum* [1521] (= *Warnstorffia sarmentosa*)
Hypnum sauloma Müll.Hal. ex Broth., nom. nud. in synon. = *Sematophyllum caespitosum* [2520: 89] (= *Sematophyllum subpinnatum*)
Hypnum scabrifolium Hook.f. & Wilson = *Philonotis scabrifolia* [1521]
Hypnum scaturiginum Brid. = *Vesicularia scaturigina* [1521]
Hypnum schweinfurthii Müll.Hal. = *Taxiphyllum schweinfurthii* (268)
Hypnum semense Müll.Hal. ex Venturi = *Pseudoleskeia semensis* (1521)
Hypnum semirevolutum Müll.Hal. = *Hypnum cupressiforme* [10: 1071]
Hypnum sendtneri Schimp. ex H.Müll. = *Drepanocladus sendtneri* [1521]
Hypnum senodictyon Müll.Hal. = *Rhynchosstegium brachypterum* [1521]
Hypnum sericeum (Hedw.) L. ex With. = *Homalothecium sericeum* [1521]
Hypnum seriolum Hampe ex Müll.Hal. = *Ischyrodon seriulus* [1521] (= *Juratzaea incisa*)
Hypnum serratum P.Beauv., hom. illeg. = *Mittenothamnium serratum* [1521] (= *Mittenothamnium reptans*)
Hypnum sigmatella Müll.Hal. = *Thuidium varians* (32) (= *Pelekium varians*)
Hypnum smithii Dicks. ex Hedw. = *Leptodon smithii* var. *smithii* (1519: 588)
Hypnum solitarium Brid. = *Jaegerina solitaria* [1521]
Hypnum soyauxii Müll.Hal. = *Vesicularia soyauxii* [1521]
Hypnum sparsifolium Rehmann ex Paris = *Drepanocladus sparsus* [1521]
Hypnum sphaerocarpum Müll.Hal., hom. illeg. = *Vesicularia galericulata* [1848: 480]
Hypnum sphaerotheca Müll.Hal. = *Sematophyllum caespitosum* [2520: 88] (= *Sematophyllum subpinnatum*)
Hypnum spiniforme Hornsch. ex Meyer, nom. inval. err. pro *Hypnum spiniforme* = *Rhizogonium spiniforme* [1521]
Hypnum spiculosum Mitt. = *Eurhynchium spiculosum* [1521]
Hypnum spiniforme L. ex Hedw. = *Pyrrhobryum spiniforme* (83: 403)
Hypnum splachnifolium Brid. = *Hookeria splachnifolia* [1521]
Hypnum splanchnifolium Brid. ex Paris, nom. inval. = *Hookeria splanchnifolia* [1521]
Hypnum sprengelii Müll.Hal. = *Eurhynchium sprengelii* [1521]
Hypnum squarrifolium (Broth.) Müll.Hal. ex Paris = *Ctenidium squarrifolium* [1521] (= *Ectropothecium squarrifolium*)
Hypnum stenosekos Welw. & Duby = *Taxithelium stenosekos* (1521)
Hypnum stephomichos Welw. & Duby ex Paris, nom. inval. in synon. err. = *Vesicularia stephomichos* [1521]
Hypnum strangulatum Hampe ex Müll.Hal. = *Isopterygium strangulatum* [1521]
Hypnum strangulatum var. *prostratum* Müll.Hal. = *Isopterygium strangulatum* [1911: 429]
Hypnum stratum Müll.Hal. ex Paris, nom. nud. Excluded: an undescribed specimen (*Dusén* 837) from Cameroon.
Hypnum strophomischos Welw. & Duby = *Vesicularia strophomischos* (1521)
Hypnum struthiopteris Brid. = *Lopidium struthiopteris* [1521]
Hypnum struthiopteris Müll.Hal. ex C.Wright, nom. nud. = *Thuidium aculeoserratum* [1848: 439]
Hypnum subcapillisetum Müll.Hal. ex Paris, nom. nud. Excluded: an undescribed specimen (*Dusén* 17) from Cameroon.
Hypnum subcompressum Müll.Hal. = *Entodon subcompressus* (1521)
Hypnum subcurvulum Müll.Hal. ex Paris, nom. nud. in synon. = *Sematophyllum caespitosum* [2520: 89] (= *Sematophyllum subpinnatum*)
Hypnum subfilamentosum Kiaer ex A.Jaeger, nom. nud. in synon. = *Rauiella subfilamentosa* [1521]
Hypnum subincurvans Schimp. ex A.Jaeger, nom. nud. = *Isopterygium strangulatum* [1911: 429]
Hypnum subrutabulum Müll.Hal. = *Brachythecium subrutabulum* [1521]
Hypnum subsarcoblastum Müll.Hal. ex Broth., nom. nud. in synon. = *Vesicularia subsarcoblasta* [1521]
Hypnum subscabrisetulum Müll.Hal. = *Trichosteleum subscabrisetulum* [1521]
- Hypnum subsquarrosorum*** Hampe ex Müll.Hal. SAF(243).
Hypnum subulatum Müll.Hal. = *Trichosteleum subulatum* [1521]
Hypnum sulphureoflavum Müll.Hal. ex Broth., nom. nud. in synon. = *Vesicularia oreadelphus* var. *sulphureoflava* [1521]
Hypnum swartzii Turn. = *Oxyrrhynchium swartzii* [1521] (= *Eurhynchium hians*)
Hypnum tamariscinum Hedw. = *Thuidium tamariscinum* [1521]
Hypnum tapeinophyllum (Müll.Hal.) Paris = *Rhaphidorrhynchium dregei* [4800: 220] (= *Sematophyllum dregei*)
Hypnum tenaci-insertum Müll.Hal. = *Vesicularia tenaci-inserta* [1521]
Hypnum tenellum Dicks. = *Rhynchosstegiella tenella* [1521]
Hypnum tenuatipes Müll.Hal. = *Vesicularia tenuatipes* [1521]
Hypnum tenuivagum Broth. = *Rhynchosstegium tenuivagum* [1521] (= *Eurhynchium tenuivagum*)
Hypnum terestre Müll.Hal. = *Vesicularia terrestris* [1521]
Hypnum tomentosum Sw. ex Hedw. = *Racopilum tomentosum* [1521]
Hypnum toxarion Schwägr. = *Rigodium toxarion* (1521)
Hypnum trachaelocarpum Müll.Hal., hom. illeg. = *Sematophyllum trachaelocarpum* [1521]
Hypnum trichocolea Müll.Hal. = *Acanthocladium trichocolea* (1521) (= *Wijkia trichocolea*)
Hypnum trichocoleoides Müll.Hal. = *Acanthocladium trichocoleoides* [1521] (= *Wijkia trichocoleoides*)
Hypnum trinitense Müll.Hal. = *Rhacopilopsis trinitensis* [1521]
Hypnum triquetrum var. *brevirostre* (Brid.) Roehl. = *Hylocomium brevirostre* [1521] (= *Loeskeobryum brevirostre*)
Hypnum triviale Müll.Hal. = *Ectropothecium triviale* [1521]
Hypnum truncatum Welw. & Duby = *Phyllodon truncatus* (268)

Hypnum turbinatum (Hedw.) F.Weber & D.Mohr = *Bryum turbinatum* [1521]

Hypnum turgidum Wahlenb. ex F.Weber & D.Mohr, nom. nud. = *Aulacomnium turgidum* [1521]

Hypnum undulatum (Hedw.) Rebent., hom. illeg. = *Mnium undulatum* [1521] (= *Plagiomnium undulatum*)

***Hypnum usagarum* Mitt. TAN(46).**

Hypnum variegatum Welw. & Duby = *Rhacopilopsis variegata* (4720)

***Hypnum vaucheri* var. *vaucheri* Lesq. ERI(50).**

Hypnum vellereum Mitt. = *Brachythecium vellereum* (1521)

Hypnum verruculosum Müll.Hal. = *Isopterygium verruculosum* [1521]

Hypnum versicolor Hornsch. ex Müll.Hal. = *Thuidium versicolor* [1521] (= *Pelekium versicolor*)

Hypnum vesiculosum Brid. = *Cyclodictyon vesiculosum* [1521]

Hypnum viridefactum Müll.Hal. ex Paris. Excluded: an undescribed specimen (*Dusén* 365) from Cameroon.

Hypnum viridulum Brid., hom. illeg. = *Ectropothecium viridulum* [1521]

Hypnum viticulosoides (P.Beauv.) Poir. ex Steud., nom. inval. in synon. = *Leptodontium viticulosoides* [8168: 2: 422]

Hypnum volvensii Broth. = *Rhynchostegium volvensii* (1521)

Hypnum wahlenbergii F.Weber & D.Mohr = *Mniobryum wahlenbergii* [1521] (= *Pohlia wahlenbergii*)

Hypnum wilsonii (Lindb.) Schimp. = *Drepanocladus sendtneri* [8311: 136]

Hypnum wolkensii Broth. ex Paris, nom. inval. err. = *Hypnum volvensii* [1521] (= *Rhynchostegium volvensii*)

Hypnum woodii Rehm ex Paris, nom. nud. = *Vesicularia galericulata* [1848: 480]

Hypnum worthii Rehm ex Paris, nom. nud. = *Drepanocladus sparsus* [1911: 416]

Hypnum zeyheri Spreng. ex Müll.Hal. = *Rhynchostegiella zeyheri* [1521]

Hypnum trachypyxis Myuell.Hal. ex Geh. = *Trichosteleum trachypyxis* [1521]

***Hypodontium dregei* (Hornsch.) Müll.Hal. LES(1531,4897), MLW(67),**

SAF(1531,4897,7766,8328), SWZ(1531), ZAM(46), ZIM(46,61).

Hypodontium macowanianum (Müll.Hal.) Müll.Hal. = *Hypodontium pomiforme* [1911: 262]

***Hypodontium pomiforme* (Hook.) Müll.Hal. SAF(1531,4897,8328).**

Hypodontium pomiforme var. *macowanianum* Müll.Hal. = *Hypodontium pomiforme* (82: 172)

Hypopterygium brevifolium Broth. = *Hypopterygium tamarisci* (6705: 202)

Hypopterygium cameruniae Müll.Hal. ex Paris, nom. nud. = *Hypopterygium torulosum* [5560: 289] (= *Hypopterygium tamarisci*)

Hypopterygium capense Schimp. ex A.Jaeger, nom. nud. = *Hypopterygium laricinum* [5560: 291] (= *Hypopterygium tamarisci*)

Hypopterygium ceylanicum Mitt. = *Hypopterygium tenellum* [1848: 422] (= *Hypopterygium tamarisci*)

Hypopterygium congoanum Dixon & Thér. = *Lopidium struthiopteris* (6705: 268)

Hypopterygium falcatum Müll.Hal. = *Hypopterygium tenellum* [1848: 422] (= *Hypopterygium tamarisci*)

Hypopterygium grandi-stipulaceum Renauld & Cardot = *Hypopterygium tamarisci* (6705: 203)

Hypopterygium hemiloma Müll.Hal. = *Lopidium hemiloma* [1521] (= *Lopidium struthiopteris*)

Hypopterygium hildebrandtii (Kindb.) Müll.Hal. ex Paris = *Hypopterygium tamarisci* (6705: 206)

Hypopterygium incrassatolimbatum Müll.Hal. = *Hypopterygium laricinum* var. *incrassatolimbatum* [1521] (= *Hypopterygium tamarisci*)

Hypopterygium laricinum (Hook.) Brid. = *Hypopterygium tamarisci* (6705: 198)

Hypopterygium laricinum ssp. *incrassatolimbatum* (Müll.Hal.) Kindb. = *Hypopterygium tamarisci* (6705: 199)

Hypopterygium laricinum var. *compactum* Rehmann ex Dixon & A.Gepp, nom. nud. Excluded: no description, so treat as *Hypopterygium laricinum* = *Hypopterygium tamarisci* [6705: 198]

Hypopterygium laricinum var. *incrassatolimbatum* (Müll.Hal.) Broth. & Krieg = *Hypopterygium tamarisci* (6705: 199)

Hypopterygium longirostrum Schimp., nom. nud. = *Hypopterygium sphaerocarpum* [1848: 421] (= *Hypopterygium tamarisci*)

Hypopterygium lutescens Hornsch. = *Porothamnium* sp. (53: 23). Excluded: specimen insufficient for identification.

Hypopterygium mauritanum Hampe ex Besch. = *Hypopterygium tamarisci* (6705: 202)

Hypopterygium mauritanum var. *nanum* Besch. = *Hypopterygium tamarisci* (6705: 202)

Hypopterygium mildbraedii Broth. in Mildbr. = *Hypopterygium tamarisci* (6705: 205)

Hypopterygium nanum Müll.Hal. ex Geh., nom. nud. = *Hypopterygium laricinum* ssp. *incrassatolimbatum* [5560: 291] (= *Hypopterygium tamarisci*)

Hypopterygium nossibeicum Müll.Hal. ex Besch., nom. nud. = *Hypopterygium torulosum* var. *nossi-beicum* Besch. [1521] (= *Hypopterygium tamarisci*)

Hypopterygium penniforme (Thunb. ex Brid.) Brid. ('pennaeforme') = *Lopidium struthiopteris* (6705: 265)

Hypopterygium pirottae Brizi = *Hypopterygium tamarisci* (6705: 203)

Hypopterygium polythrix Dixon = *Lopidium penniforme* (1519: 617) (= *Lopidium struthiopteris*)

Hypopterygium pugunculum Bosw. = *Hypopterygium tamarisci* (6705: 206)

Hypopterygium sikorae Müll.Hal. ex Paris, nom. nud. = *Hypopterygium grandistipulaceum* [1848: 419] (= *Hypopterygium tamarisci*)

Hypopterygium sphaerocarpum Renauld = *Hypopterygium tamarisci* (6705: 202)

Hypopterygium struthiopteris (Brid.) Brid. = *Lopidium struthiopteris* [1521]

Hypopterygium struthiopteris ssp. *hemiloma* (Müll.Hal.) Kindb. = *Lopidium hemiloma* [1521] (= *Lopidium struthiopteris*)

Hypopterygium struthiopteris ssp. *subtrichocladon* (Broth.) Kindb. = *Lopidium subtrichocladon* [1521] (= *Lopidium struthiopteris*)

Hypopterygium subhumile Renauld & Cardot = *Hypopterygium tamarisci* (6705: 203)

Hypopterygium subtrichocladon Broth. = *Lopidium struthiopteris* (6705: 267)

Hypopterygium sylvaticum var. *torulosum* (Schimp.) Kindb. = *Hypopterygium torulosum* [1521] (= *Hypopterygium tamarisci*)

Hypopterygium tamarisci (Sw. ex Sw.) Brid. ex Müll.Hal. BIO(47,2220,6705), BUR(6705), CMN(47,2220,6705), COM(40,2220,6705), ERI(50), ETH(50,111,1927,2220,6705), GAB(47,2220,6705), KEN(46,2220,2661,4112,5315,6614,6705,7065), MAS(40), MAU(105,2220,6705), MDG(40,2220,6705), MLW(67,2220,6705), REU(105,2220,6705), RWA(65,6705), SAF(6705,7766,8328), SAO(47,2220,6705), TAN(46,2220,6705), UGA(46,4282,6705), ZAI(65,2220,6705), ZIM(46,61,2220,6705).

Hypopterygium tamarisci var. *hildebrandtii* Kindb. = *Hypopterygium laricinum* [1848: 418] (= *Hypopterygium tamarisci*)

Hypopterygium tamariscinum (Hedw.) Brid. = *Canalohypopterygium tamarisci* (6705: 122)

Hypopterygium tenellum Müll.Hal. = *Hypopterygium tamarisci* (6705: 199)

Hypopterygium tenellum ssp. *subhumile* (Renauld & Cardot) Kindb. = *Hypopterygium subhumile* [1521] (= *Hypopterygium tamarisci*)

Hypopterygium tikorae Müll.Hal. ex Kindb., nom. inval. in synon. err. = *Hypopterygium sikorae* [1521] (= *Hypopterygium tamarisci*)

Hypopterygium tomentosum (Hedw.) Müll.Hal. = *Racopilum tomentosum* [1521]

Hypopterygium torulosum Schimp. ex Besch. = *Hypopterygium tamarisci* (6705: 202)

Hypopterygium torulosum var. *kameruniae* Broth. = *Hypopterygium tamarisci* (6705: 203)

Hypopterygium torulosum var. *nossianum* Besch. ex Renauld, nom. inval. = *Hypopterygium tamarisci* (6705: 202)

Hypopterygium torulosum var. *nossi-beanum* Besch. = *Hypopterygium tamarisci* (6705: 202)

Hypopterygium usambaricum Broth. = *Hypopterygium tamarisci* (6705: 205)

Hypopterygium viridissimum Müll.Hal. = *Hypopterygium tamarisci* (6705: 201)

Indusiella thianschanica Broth. & Müll.Hal. CHA(3514,3515).

Ischyrodon breutelii (Hampe) M.Fleisch. = *Fabronia breutelii* [1521]

Ischyrodon gueinzii (Hampe) M.Fleisch. = *Fabronia gueinzii* [1521]

Ischyrodon leptocladius Rehmann ex Dixon = *Fabronia wageri* [1911: 3611]

Ischyrodon lepturus (Taylor) Schelpe NAM(8024), SAF(8328).

Ischyrodon lepturus (Taylor) Schelpe. Note: this taxon may have been confused with *Juratzkaea incisa* and may or may not occur in Africa; further investigation is needed.

Ischyrodon rehmannii Müll.Hal. ex Geh., nom. nud. = *Ischyrodon seriulus* [25: 4: 116] (? = *Juratzkaea incisa*)

Ischyrodon seriulus (Müll.Hal.) Müll.Hal. = *Ischyrodon lepturus* (53: 23) (? = *Juratzkaea incisa*)

Ischyrodon seriulus var. *albicans* Rehmann ex Dixon & A.Gepp. Excluded: an undescribed variety (*Rehmann* 352, 632) from Cape Peninsula, South Africa.

Isopterygiopsis muelleriana (Schimp.) Z.Iwats. KEN(46), TAN(46), UGA(46,7922).

Isopterygiopsis pulchella (Hedw.) Z.Iwats. LES(4897).

Isopterygium ambreanum Renauld & Cardot MDG(40).

Isopterygium anomalum Broth., nom. nud. = *Taxithelium glabriusculum* [9: 266]

Isopterygium antsihanakense Cardot MDG(40).

Isopterygium antunesii Broth. ANG(46).

Isopterygium appressum Renauld & Cardot = *Isopterygium combae* [1848: 462]

Isopterygium aptychopsis (Müll.Hal.) Broth. = *Isopterygium argyroleucum* (1878)

Isopterygium aquaticum Dixon ZIM(46).

Isopterygium argentatum Broth., nom. nud. Excluded: an undescribed collection from Togo [8332: 235; 58]

Isopterygium argillicola (Renauld & Cardot) Broth. MDG(40).

Isopterygium argyroleucon Renauld & Cardot ex Paris, nom. nud. in synon. = *Taxithelium argyrophyllum* [4250: 705]

Isopterygium argyroleucum Besch. ANG(46), BEN(47), CAF(47), CMN(47), COM(40), GAB(47), GUI(47), IVO(1880), KEN(5925), MAU(105), MDG(40), NGA(47,334,5176), RIM(4639), SEY(1926,1946,1947,1950,2353,4899,4932), TOG(1878), ZAI(65).

Isopterygium asymmetricum (Renauld & Cardot) Cardot ZAI(65).

Isopterygium atrotheca (Duby) A.Jaeger = *Brachythecium borgenii* [1848: 542]

Isopterygium austrodenticulatum (Renauld & Cardot) Broth. MDG(40).

Isopterygium baurii Broth. TAN(46).

Isopterygium boivinii Besch. = *Isopterygium argyroleucum* (1878)

Isopterygium boivinii var. *costatum* Renauld & Cardot = *Isopterygium combae* (40: 244)

Isopterygium boivinii var. *terrestris* Renauld & Cardot = *Isopterygium argyroleucum* (1878)

Isopterygium brachycarpum Dixon = *Ectropothecium brachycarpum* (53: 23)

Isopterygium brevicuspis Broth. in Corb. CON(47).

Isopterygium byssicladum Paris, nom. nud. Excluded: an undescribed collection (*Dusén* 128) from Cameroon.

- Isopterygium cameruniae* Müll.Hal. ex Paris, *nom. nud.* Excluded: an undescribed collection (*Dusén* 684) from Cameroon.
- Isopterygium candidulum*** (Müll.Hal.) A.Jaeger SUD(3076).
- Isopterygium chryseolum*** Besch. COM(40), MAS(40).
Isopterygium chrysophyllum Besch. ex Broth., *nom. inval. err.* = *Isopterygium chryseolum* [1521]
- Isopterygium citrinellum*** Renauld & Cardot REU(105).
- Isopterygium combae*** Besch. MDG(40).
- Isopterygium complanatulum*** (Müll.Hal.) Wager SAF(4378).
Isopterygium compressicaule Paris, *nom. nud.* = *Taxithelium compressicaule* [1521]
- Isopterygium conangium*** Broth. CAF(47), CMN(47), GAB(47), GUI(47), IVO(1880), LBR(47), TOG(1878), ZAI(2672).
Isopterygium conangium var. *asymmetricum* Renauld & Cardot = *Isopterygium asymmetricum* [1521]
- Isopterygium congoanum*** Dixon ZAI(65).
Isopterygium delicatulum Paris & Broth., *hom. illeg.* = *Ectropothecium perrevolutum* [7448: 90]
- Isopterygium dewevrei*** Renauld & Cardot IVO(1880).
Isopterygium dubyi A.Gepp = *Isopterygium argyroleucum* (1878)
- Isopterygium elodes*** P.de la Varde UGA(46,7922).
Isopterygium erythrangium Paris, *nom. nud.* Excluded: an undescribed collection (*Dusén* 763) from Cameroon.
- Isopterygium gabonense*** Broth. & P.de la Varde CAF(47), GAB(47), IVO(1880), RIM(4639).
Isopterygium gemmigerum Paris, *nom. nud.* Excluded: an undescribed collection (*Dusén* 43) from Cameroon.
- Isopterygium gibbosulum*** (Müll.Hal.) A.Jaeger COM(40).
- Isopterygium gracile*** Renauld & Cardot MDG(40), SEY(1926,2030,2353).
Isopterygium holsii Broth. ex Engl., *nom. nud.* = *Rhynchostegiella holstii* (1521)
- Isopterygium hygrophilum*** Broth. RWA(65), ZAI(65).
- Isopterygium intortum*** (P.Beauv.) A.Jaeger MAU(105), MDG(40), REU(105).
- Isopterygium intortum*** var. *chenagonii* Renauld & Cardot MDG(40).
Isopterygium iverseni Kiaer ex Geh. = *Catagonium nitens* ssp. *maritimum* [2857: 9]
- Isopterygium ivoirensis*** Broth. & Thér. IVO(47), TOG(2851).
- Isopterygium kilimandscharicum*** Broth. KEN(46), TAN(46).
- Isopterygium leiotheca*** Renauld & Cardot MAS(40).
- Isopterygium leptoblastum*** (Müll.Hal.) A.Jaeger COM(40), MDG(40).
Isopterygium lepturum Paris, *nom. nud.* Excluded: an undescribed collection (*Dusén* 248) from Cameroon.
Isopterygium leucoglaucum Paris, *nom. nud.* Excluded: an undescribed collection (*Dusén* 848) from Cameroon.
- Isopterygium leucophanes*** (Müll.Hal.) A.Jaeger COM(40), GAB(47), MLW(67), MOZ(357), SAF(1531,7766,8328), SWZ(1531), ZAM(62), ZIM(46).
- Isopterygium leucopsis*** (Müll.Hal.) Paris SAF(1531,8328).
Isopterygium luteonigrum Renauld & Cardot ex Broth. *err.* = *Isopterygium luteonitens* [1848: 466]
- Isopterygium luteonitens*** (Paris) Paris MDG(40).
Isopterygium maniae Renauld & Paris = *Taxiphyllum taxirameum* [7353]
- Isopterygium mbangae*** (Müll.Hal.) A.Jaeger GAB(47), SUD(3076), TAN(46), UGA(46,7922), ZAI(65).
- Isopterygium meylanii*** Cardot MDG(40).
Isopterygium microplumula Paris, *nom. nud.* Excluded: an undescribed collection (*Dusén* 922) from Cameroon.
- Isopterygium microthecium*** Broth. & Paris GUI(47).
- Isopterygium minutum*** Renauld & Cardot COM(40).
- Isopterygium molle*** Thér. REU(105).
- Isopterygium nanoglobulum*** (Müll.Hal.) Paris SAO(47).
Isopterygium nematocaulon (Müll.Hal.) A.Jaeger = *Sematophyllum nematocaulon* [1521]
- Isopterygium nematosum*** Broth. & Paris GUI(47).
- Isopterygium nitentivirens*** Cardot ZAI(65).
- Isopterygium nivescens*** (Broth.) Broth. CMN(47), GUI(47), RIM(4639).
Isopterygium ochrangium Paris, *nom. nud.* Excluded: an undescribed collection (*Dusén* 355) from Cameroon.
Isopterygium pallido-imbricatum Paris, *nom. nud.* Excluded: an undescribed collection (*Dusén* 876) from Cameroon.
- Isopterygium palmarum*** (Broth.) Broth. CMN(47), GAB(47), IVO(1880), TOG(1878).
- Isopterygium pedunculatum*** Broth. & Paris GAB(47), GUI(47).

Isopterygium phlyctitheca P.de la Varde TAN(46), ZAI(65), ZAM(146).

Isopterygium phlyctitheca var. *brachycladum* P.de la Varde, nom. nud. err. = *Isopterygium phlyctitheca* var. *brachycladum* [1521]. Excluded: see *Isopterygium phlyctitheca* var. *brachycladum*.

Isopterygium phlyctitheca var. *brachycladum* P.de la Varde, nom. nud. Excluded: type description not in Latin; the specimen is from Mt Biega, Zaire, and is distinguished by its very short branches [1137: 131].

Isopterygium planosquarrosum (Broth.) Paris = *Mittenothamnium planosquarrosum* [1521] (= *Rhacopilopsis trinitensis*)

Isopterygium plumigerum Broth. = *Ectropothecium plumigerum* (7353)

Isopterygium podorrhizum Renauld & Cardot MDG(40).***Isopterygium praenitens*** Cardot GAB(47), ZAI(65).***Isopterygium prasiellum*** Besch. CON(47).***Isopterygium punctulatum*** Broth. & Wager SAF(1531,8328).***Isopterygium radicans*** (Brid.) A.Jaeger REU(105).

Isopterygium ramivagum Müll.Hal. ex Paris = *Taxithelium ramivagum* [1521]

Isopterygium saporense Besch. COM(40).

Isopterygium seligeri (Brid.) Dixon = *Herzogiella seligeri* [71: 642]

Isopterygium sericifolium Dixon = *Isopterygiopsis muelleriana* (6398)

Isopterygium stenosekos (Welw. & Duby) A.Jaeger = *Taxithelium stenosekos* (1521)

Isopterygium strangulatum (Müll.Hal.) Broth. SAF(1531,8328).***Isopterygium subaptychopsis*** Broth. in Corb. CON(47).***Isopterygium subconangium*** Broth. & P.de la Varde CAF(47).***Isopterygium subleptoblastum*** Müll.Hal. COM(40), MDG(40), SEY(4932).

Isopterygium subleucopsis Broth. & Bryhn = *Isopterygium leucophanes* (1911: 427)

Isopterygium submicrothecium Broth. & Paris ANN(47), GUI(47).***Isopterygium subpinnatum*** Thér., hom. illeg. LBR(47).

Isopterygium taxiforme (Brid.) A.Jaeger = *Ectropothecium taxiforme* [1521]

Isopterygium taxithellioides Broth. & Bryhn SAF(1531,8328).***Isopterygium taylorii*** Sim SAF(1531,8328).***Isopterygium tenerum*** (Sw.) Mitt. MOZ(46), NAM(7155), SAF(1531,8328), ZIM(46,61).***Isopterygium teretiusculum*** Broth. in Corb. MLI(7451).***Isopterygium tisserantii*** Broth. & P.de la Varde CAF(47).***Isopterygium tisserantii*** var. *viride* P.de la Varde CAF(47).

Isopterygium verrucosulum Kindb., nom. illeg. incl. spec prior. = *Isopterygium verruculosum* [1521]

Isopterygium verruculosum (Müll.Hal.) A.Jaeger COM(40).

Isopterygium virentirameum Paris, nom. nud. Excluded: an undescribed collection (*Dusén* 771) from Cameroon.

Isopterygium welwitschii A.Gepp ANG(46).

Isothecium afromyosuroides Müll.Hal. = *Rhynchostegiella zeyheri* var. *obtusata* [1911: 376]

Isothecium crassiusculum (Brid.) Brid. = *Sematophyllum crassiusculum* [1521]

Isothecium imbricatum (P.Beauv.) Brid. = *Pilotrichella pentasticha* [4284: 42] (= *Orthostichella pentasticha*)

Isothecium intortum (P.Beauv.) Brid. = *Isopterygium intortum* [1521]

Isothecium kenyae Dixon ex Tosco & Piovano = *Kindbergia kenyae* (5546)

Isothecium myosuroides Brid. Excluded: this taxon is reported for sub-Saharan Africa in *Index Muscorum*, but no records have been found.

Isothecium neilgheriense Mont., 1842 = *Palamocladium nilgheriense* [1521] (= *Palamocladium leskeoides*)

Isothecium nilgheriense Mont., 1856 = *Palamocladium nilgheriense* [1521] (= *Palamocladium leskeoides*)

Isothecium pentastichum (Brid.) Brid. = *Pilotrichella pentasticha* [1521] (= *Orthostichella pentasticha*)

Isothecium physaophyllum (Welw. & Duby) A.Jaeger = *Sematophyllum physaophyllum* (1521)

Isothecium radiatum (Schwaegr.) Brid. = *Hypnum radiatum* [1521]

Isothecium sericeum (Hedw.) Spruce = *Homalothecium sericeum* [1521]

Jaegerina brevicuspis Broth. & P.de la Varde = *Jaegerina scariosa* (1)

Jaegerina brevicuspis var. *latifolia* P.de la Varde. Note: probably a synonym of *Jaegerina scariosa* [1: 373-376]

Jaegerina cameruniae (Broth.) Wijk & Margad. = *Jaegerina scariosa* (1)

Jaegerina excurrens Dixon = *Jaegerina robillardii* (1)

Jaegerina flagellifera Müll.Hal., nom. nud. = *Jaegerina stolonifera* var. *clavata* (40: 226) (= *Jaegerina stolonifera* var. *stolonifera*)

Jaegerina formosa Besch. MAU(94).

Jaegerina laticuspis J.Taylor & P.de la Varde = *Jaegerina stolonifera* var. *laticuspis* (1)

Jaegerina plicata Cardot COM(40).***Jaegerina retrosquarrosa*** B.H.Allen, Crosby & Magill MAU(94).***Jaegerina robillardii*** Müll.Hal. MAU(105).***Jaegerina scariosa*** (Lorentz) Arzeni CAF(1,47), CMN(1,47), GAB(47), GHA(1,47),

GUI(47), NGA(1,47,5148).

Jaegerina solitaria (Brid.) A.Jaeger COM(40), MAU(105), REU(105,3410).

Jaegerina solitaria var. *nossi-beana* Besch. MDG(40).

Jaegerina solitaria var. *ramosa* Besch. REU(105).

Jaegerina stolonifera ssp. *laticuspis* (J.Taylor & P.de la Varde) Argent MLW(1,67), TAN(1,46), UGA(1,46).

Jaegerina stolonifera ssp. *stolonifera* (Müll.Hal.) Müll.Hal. COM(1,40), KEN(1,46,7065), MDG(1,40), SAF(1531,8328), TAN(46), UGA(1,46).

Jaegerina stolonifera var. *clavata* Müll.Hal. = *Jaegerina stolonifera* ssp. *stolonifera* (1)

Jaegerinopsis cameruniae (Broth.) Wijk. & Margad = *Jaegerina scariosa* (1)

Jonesiobryum dumboi Eb.Fisch., D.Killman & Sérus. UGA(8353)

Jonesiobryum sphaerocarpum Bizot ex B.H.Allen & Pursell CAF(4395), NGA(47,334,6263).

Juratzkaea incisa (W.R.Buck) Catches. & I.G.Stone NAM(1531), SAF(267,1531,1554,8328).

Juratzkaea subconferta M.Fleisch, nom. nud. Excluded: an undescribed taxon from the South African Cape area.

Kindbergia africana (Herzog) Ochyra BIO(8180), ETH(1927), KEN(46), RWA(46,65), TAN(46), UGA(46), ZAI(65).

Kindbergia africana var. *latifolia* (Demaret & V.Leroy) Ochyra RWA(717).

Kindbergia kenyae (Dixon ex Tosco & Piovano) O'Shea & Ochyra KEN(46,5546).

Kindbergia praelonga var. *congoana* (Thér.) Ochyra RWA(65).

Kindbergia praelonga var. *praelonga* (Bruch, Schimp. & W.Gümbel) Ochyra CVI(1296,2666), SAF(4670,8328), STH(1296,5331), TAN(46), UGA(6989).

Kindbergia praelonga var. *stokesii* (Turner) Ochyra = *Kindbergia praelonga* var. *praelonga* [2267]

Kleiowesiopsis denticulata Dixon KEN(46).

Kleiowesiopsis involuta Bizot = *Weissia bizotii* (1420)

Lamprophyllum albicans Lindb., nom. illeg. incl. spec. prior. = *Mniobryum wahlenbergii* [1521] (= *Pohlia wahlenbergii*)

Lamprophyllum crudum (Hedw.) Lindb. = *Pohlia cruda* [1521]

Lamprophyllum elongatum (Hedw.) Lindb. = *Pohlia elongata* [1521]

Lamprophyllum nutans (Hedw.) Lindb. = *Pohlia nutans* [1521]

Lasia acicularis Spreng. ex Steud., nom. illeg. incl. spec. prior. = *Macromitrium pallidum* [1521]

Lasia borgenii Müll.Hal. ex C.H.Wright, nom. nud. = *Trachypodium borgenii* [1521]

Lasia flagellacea Müll.Hal. = *Forsstroemia flagellacea* (1521) (= *Forsstroemia producta*)

Lasia producta (Hornschr.) A.Jaeger = *Forsstroemia producta* (1519: 587)

Lasia smithii (Hedw.) Brid. = *Leptodon smithii* [1521]

Lasiodontium miehei Ochyra in Miehe & Miehe = *Daltonia angustifolia* (5546)

Leersia ciliata Hedw., nom. inval. = *Encalypta ciliata* [1521]

Leersia crispata (Hedw.) Brid. = *Ptychomitrium crispatum* [1521]

Leersia pulvinata Schrank, nom. inval. = *Grimmia pulvinata* [1521]

Leersia vulgaris Hedw., nom. inval. = *Encalypta vulgaris* (1521)

Leiomela africana Thér. & Naveau = *Leiomela bartramiooides* [6084]

Leiomela bartramiooides (Hook.) Paris BIO(2662), KEN(46), REU(105), RWA(65),

TAN(46,6084), ZAI(65).

Leiomela bartramiooides var. *borbonica* (Besch.) Paris = *Leiomela africana* (2083) (= *Leiomela bartramiooides*)

Leiomela hookeri var. *javanica* (Renauld & Cardot) M.Fleisch. = *Leiomela javanica* [1521] (= *Leiomela bartramiooides*)

Leiomela javanica (Renauld & Cardot) Broth. = *Leiomela bartramiooides* [6084]

Leiomela stricta P.de la Varde & Thér. = *Anacolia laevisphaera* (2083)

Leiomitrium appendiculatum (Renauld & Cardot) Cardot in Grandid. = *Cardotiella appendiculata* [1642]

Leiomitrium capense Broth. = *Macrocoma tenuis* var. *tenuis* (1519: 510)

Leiomitrium plicatum (P.Beauv.) Mitt. MAU(1642), REU(105), ROD(105).

Leiomitrium renauldii (Broth.) Cardot in Grandid. = *Cardotiella renauldii* [1642]

Leiomitrium subappendiculatum (Broth.) Cardot in Grandid. = *Cardotiella subappendiculatum* [1642]

Leiotheca acicularis Brid., nom. illeg. incl. spec. prior. = *Macromitrium pallidum* [1521]

Leiotheca urceolata (Hook.) Brid. = *Macromitrium urceolatum* [1521]

Lepidopilidium attenuatum Thér. MDG(40).

Lepidopilidium brunneolum (Müll.Hal.) Paris COM(40).

Lepidopilidium caespitosum Broth., orthogr. = *Lepidopilidium cespitosum* [1521]

Lepidopilidium cespitosum (Besch.) Broth. BIO(8180), BUR(65), REU(105,3410).

Lepidopilidium chenagonii (Renauld & Cardot) Cardot MDG(40).

Lepidopilidium corrugatum (Renauld & Cardot) Cardot BUR(65), MDG(40).

Lepidopilidium cyrtostegium (Renauld & Cardot) Cardot ZAI(65).

Lepidopilidium devexum (Mitt.) Broth. BIO(2659), CMN(47), RIM(4639), TAN(46).

Lepidopilidium flexuosum (Besch.) Broth. ex Paris REU(105,3410).

Lepidopilidium hanningtonii (Mitt.) Broth. SAF(1531,8328), SWZ(1531), TAN(46), UGA(46).

Lepidopilidium isleanum (Besch.) Broth. REU(105).

Lepidopilidium lastii. Note: this name was included in version 1 of the checklist in error, and should be *Lepidopilidium lastii*.

Lepidopilidium parvulum Cardot MDG(40).

Lepidopilidium sikorae M.Fleisch., nom. nud. Excluded: an undescribed taxon from Madagascar.

Lepidopilidium subdevexum (Broth.) Broth. CAF(47), CMN(47).

Lepidopilidium subdevexum var. *intermedium* P.de la Varde CAF(47), UGA(4282).

Lepidopilidium subrevolutum (Renauld & Cardot) Cardot MAU(105), MDG(40).

Lepidopilidium theriotii Naveau in Dixon & Thér. RWA(65), UGA(4282), ZAI(65).

Lepidopilidium angolense (Welw. & Duby) A.Jaeger = *Thamniopsis pappeana* (2817)

Lepidopilidium brachychaete Müll.Hal. ex Paris. Excluded: an undescribed collection (*Dusén* 457) from Cameroon.

Lepidopilidium brunneolum Müll.Hal. = *Lepidopilidium brunneolum* [1521]

Lepidopilidium caespitosum Besch. ex Kindb., nom. illeg. err. = *Lepidopilidium cespitosum* [1521]

Lepidopilidium callochlorum Müll.Hal. ex Broth. = *Lepidopilidium lastii* (6990)

Lepidopilidium carrougeuanum Thér. & P.de la Varde = *Lepidopilidium lastii* (6990)

Lepidopilidium cespitosum Besch. = *Lepidopilidium cespitosum* [1521]

Lepidopilidium chenagonii Renauld & Cardot ex Renauld = *Lepidopilidium chenagonii* [1521]

Lepidopilidium corrugatum Renauld & Cardot = *Lepidopilidium corrugatum* [1521]

Lepidopilidium cyrtostegium Renauld & Cardot = *Lepidopilidium cyrtostegium* [1521]

Lepidopilidium darntyi Schimp. ex Besch. = *Thamniopsis pappeana* (2817)

Lepidopilidium devexum Mitt. = *Lepidopilidium devexum* [1521]

Lepidopilidium diversifolium Renauld & Cardot ex Renauld = *Hookeriopsis diversifolia* [1521]

Lepidopilidium dusenii (Broth.) Broth., hom. illeg. = *Actinodontium dusenii* [1521]

Lepidopilidium dusenii Müll.Hal. ex Broth. = *Lepidopilidium lastii* (6990)

Lepidopilidium filiferum Broth. in Mildbr., hom.illeg. = *Lepidopilidium lastii* (6990)

Lepidopilidium flexuosum Besch. = *Lepidopilidium flexuosum* [1521]

Lepidopilidium hanningtonii Mitt. = *Lepidopilidium hanningtonii* (1521)

Lepidopilidium hirsutum Besch. REU(105).

Lepidopilidium hirsutum var. *tuberculatum* Thér. MDG(40).

Lepidopilidium humblotii Renauld & Cardot = *Leucomium strulosum* (6990)

Lepidopilidium integrum Müll.Hal. ex Broth., nom. nud. in synon. = *Actinodontium dusenii* [8199: 16]

Lepidopilidium isleanum Besch. = *Lepidopilidium isleanum* [1521]

Lepidopilidium lastii Mitt. BIO(47,2662,3418), CMN(47,6990), ETH(6990), GUI(47,5041), IVO(1880), KEN(46,6990), MAU(3410), MDG(40,6990), MLW(67,6990), NGA(47,5148), RIM(4639), RWA(65,6990), SAO(47), TAN(46,4853,6990), UGA(4282), ZAI(65,6990).

Lepidopilidium leiopus Müll.Hal. ex Paris, nom. nud. Excluded: an undescribed collection (*Dusén* 358) from Cameroon.

Lepidopilidium muricatum Müll.Hal. ex Paris, nom. nud. Excluded: an undescribed collection (*Dusén* 678) from Cameroon.

Lepidopilidium niveum (Müll.Hal.) Kindb. CAF(47), CMN(47), CON(47), GAB(47), GUI(47,5041), SAO(47).

Lepidopilidium pappeanum (Hampe) Müll.Hal. = *Hookeriopsis pappeana* [1521] (= *Thamniopsis utacamundiana*)

Lepidopilidium parvulum Schimp. ex C.H.Wright, nom. nud. = *Lepidopilidium parvulum* [1521]

Lepidopilidium sikorae Müll.Hal. ex M.Fleisch., nom. nud. Excluded: an undescribed taxon from Madagascar.

Lepidopilidium streptopogonaceum Müll.Hal. ex Paris, nom. nud. in synon. err. = *Actinodontium streptopogoneum* [1521]

Lepidopilidium streptopogoneum Müll.Hal. ex Broth., nom. nud. in synon.= *Actinodontium streptopogoneum* [1521]

Lepidopilidium subdevexum Broth. = *Lepidopilidium subdevexum* [1521]

Lepidopilidium subrevolutum Broth. = *Lepidopilidium subrevolutum* [4097: 80]

Lepidopilidium verrucipes Cardot MDG(40,6990), TAN(4853).

Lepidopilidium versicolor Mitt. = *Thamniopsis versicolor* (2817)

Leptangium breutelii (Müll.Hal.) A.Jaeger = *Gigaspermum repens* [1911: 289]

Leptangium perrottetii (Hook.) Mitt. = *Erpodium perrottetii* [1521]

Leptangium repens (Hook.) Mitt. = *Gigaspermum repens* (83: 299)

Leptobryum crispatum (Nees & Hornsch.) Gugelb. = *Weissia fallax* [4926: 188]

Leptobryum pyriforme (Hedw.) Wilson BIO(8180), CHA(51,4480,4507,4508),

CVI(2666,6453), LES(1531), MDG(40), MOZ(357), NAM(6798), SAF(1531,7766,8328), SUD(3488), ZAI(65,5319), ZIM(5525).

***Leptobryum wilsonii* (Mitt.) Broth.** LES(2124,6609).

Leptochna rehmannii Müll.Hal. ex Kindb., nom. nud. = *Mielichhoferia ecklonii* [1911: 316] (= *Mielichhoferia bryoides*)
Leptochna rehmannii var. *oranica* Rehmann ex Dixon & A.Gepp, nom. nud. = *Mielichhoferia ecklonii* [1911: 316] (= *Mielichhoferia bryoides*)
Leptodictyum riparioides (A.Jaeger) Broth. = *Amblystegium riparium* [7465: 40]
Leptodictyum riparium (Hedw.) Bruch, Schimp. & W.Gümbel = *Amblystegium riparium* [71: 638]
Leptodictyum riparium fo. *elongatum* (Bruch, Schimp. & W.Gümbel) Warnst. = *Amblystegium riparium* fo. *elongatum* (65) (= *Amblystegium riparium*)
Leptodon beccarii Müll.Hal. = *Leptodon smithii* var. *beccarii* (1521)
Leptodon boryanus Besch. = *Leptodon fuciformis* (301)
Leptodon boryi Schimp. ex Kindb., nom. illeg. incl. spec. prior. = *Leptodon boryanus* [1521] (= *Leptodon fuciformis*)
Leptodon flexuosus (Harv.) A.Jaeger = *Cryptoleptodon flexuosus* [1521] (= *Cryptoleptodon pluvinii*)

***Leptodon fuciformis* (Brid.) Enroth** MAU(105), MDG(40), REU(105,301).

Leptodon longisetus Mont. = *Cryptoleptodon longisetus* (301)
Leptodon mollis Rehmann ex Kindb., nom. nud. = *Leptodon smithii* [1911: 398]
***Leptodon smithii* (Hedw.) F.Weber & D.Mohr** DJI(1569), ERI(50), ETH(50,1927), KEN(46,3412,5315,6614), RWA(65), SAF(1531,3411,4897,7766,8328), TAN(46), UGA(46), ZIM(46).
Leptodon smithii fo. *laxus* Tongiorgi. Excluded: any records for this form have been associated with the owning species.

Leptodon smithii* var. *beccarii (Müll.Hal.) Tongiorgi DJI(50), ERI(50), ETH(50,1927),

KEN(46), TAN(46), UGA(46).
Leptodontiopsis fragilifolia Broth. = *Zygodon fragilifolia* var. *papillosum* [7756: 287]
Leptodontiopsis fragilifolia var. *brotheri* P.de la Varde = *Zygodon fragilifolia* var. *fragilifolia* [7756: 287]
Leptodontium abyssinicum Broth. = *Leptodontium capituligerum* (34)
Leptodontium acutum (C.H.Wright) Broth. = *Leptodontium squarrosum* [1911: 249] (= *Leptodontium viticulosoides* var. *viticulosoides*)
Leptodontium allorgei Bizot ex Pócs. Excluded: De Sloover (290) states that the specimen is probably a species of *Cynodontium*.
Leptodontium armatum Rehmann ex Paris, nom. nud. = *Leptodontium squarrosum* [1911: 249] (= *Leptodontium viticulosoides*)
Leptodontium armatum var. *brevifolium* Rehmann ex Paris, nom. nud. = *Leptodontium squarrosum* [4800: 193] (= *Leptodontium viticulosoides*)

***Leptodontium brachyphyllum* Broth. & Thér.** LES(1531,4897), MLW(6087), SAF(1531,4897,8328), SWZ(1531).

***Leptodontium capituligerum* Müll.Hal.** ETH(34,50,290,1927), KEN(46), UGA(4282).
Leptodontium epunctatum Broth., nom. illeg. incl. spec. prior. = *Leptodontium viticulosoides* [1521]
Leptodontium epunctatum var. *paludosum* Renaud & Cardot = *Leptodontium viticulosoides* (2763: 317)
Leptodontium filicaule Dixon = *Leptodontium flexifolium* (1420)

***Leptodontium flexifolium* (Dicks.) Hampe in Lindb.** BIO(47,290), CMN(34,47,290), KEN(34,46,290), LES(1158,4304,4897), MLW(4304,6087), REU(290), RWA(46,65,290), SAF(4897), TAN(46,290), UGA(46,290), ZAI(34,65,290,5319).

***Leptodontium gambaragareae* G.Negri** KEN(46), UGA(46).

Leptodontium gemmigerum Broth. = *Leptodontium longicaule* var. *longicaule* (34)
Leptodontium gemmigerum var. *majus* Broth ex P.Syd., nom. inval. err. = *Leptodontium tenerascens* var. *majus* [1521]
Leptodontium hildebrandtii Müll.Hal. ex Renaud, nom. nud. = *Leptodontium viticulosoides* (2763: 317)
Leptodontium insolitum var. *insolitum* Thér. & P.de la Varde = *Barbula eubryum* (1420)
Leptodontium insolitum var. *perundulatum* Thér. & P.de la Varde = *Barbula eubryum* (1420)
Leptodontium joannis-meyeri Müll.Hal. = *Leptodontium pungens* (1420).
Leptodontium joannis-meyeri var. *cameruniae* Broth. = *Leptodontium pungens* (1420)

***Leptodontium latifolium* Broth.** RWA(65,290), UGA(46), ZAI(65,290).

Leptodontium leptopriion Müll.Hal. Excluded: an undescribed collection from Mozambique.

Leptodontium longicaule* ssp. *stellatum (Brid.) De Sloover BUR(65), REU(290), TAN(46).

Leptodontium longicaule var. *longicaule* Mitt. BUR(65,290), KEN(46,290), MLW(67,290,6087), REU(34,290,1925), RWA(65,290), SAF(34,1531,4897,8328), SWZ(1531), TAN(34,46), UGA(290,3072), ZAI(65,290,5319), ZIM(61,290).

Leptodontium longicaule* var. *microruncinatum (Dusén) R.H.Zander KEN(34,46), REU(34,105,1925), SAF(34).

***Leptodontium luteum* (Taylor) Mitt.** KEN(46,290,3412,5315), RWA(290), TAN(34,46,290),

UGA(290,3072).

Leptodontium macleannanii (Dixon) Broth. = *Leptodontium viticulosoides* [2763: 317]

Leptodontium persquarrosum Broth. = *Leptodontium wallisii* (34)

***Leptodontium proliferum* Herzog LES(4897).**

Leptodontium pumilum (Müll.Hal.) Kindb. = *Leptodontium pungens* (1420)

***Leptodontium pungens* (Mitt.) Kindb.** BIO(8180), CMN(34,47,290), ETH(1865,1927),

KEN(34,46,290,2661,3412,5315), MDG(290), MLW(6087), REU(290), RWA(65,290),

TAN(46,290), UGA(46,290), ZAI(65,290).

Leptodontium radicosum (Mitt.) Mitt. = *Leptodontium viticulosoides* var. *viticulosoides* (290)

***Leptodontium repens* (Müll.Hal.) Kindb.** TAN(46).

Leptodontium rhynchophorum Dixon. Excluded: De Sloover (290) states that the specimen is probably a species of *Zygodon*.

Leptodontium serrifolium (Müll.Hal.) Broth. = *Leptodontium pungens* (1420)

Leptodontium squarrosum (Hook.) Hampe = *Leptodontium viticulosoides* [2763: 317]

Leptodontium squarrosum var. *hildebrandtii* Cardot in Grandid. = *Leptodontium viticulosoides* [2763: 317]

Leptodontium squarrosum var. *paludosum* (Renauld & Cardot) Cardot in Grandid. = *Leptodontium viticulosoides* [2763: 317]

Leptodontium stellatum (Brid.) Renauld = *Leptodontium longicaule* ssp. *stellatum* (65)

Leptodontium subfilescens Thér. & Naveau = *Leptodontium flexifolium* (34)

Leptodontium subintegrum Broth. = *Trichostomum subintegrum* (1521)

Leptodontium sublaevifolium Broth. = *Leptodontium wallisii* (34)

Leptodontium tenerascens Broth. = *Leptodontium flexifolium* (34)

Leptodontium tenerascens var. *filescens* Thér. ex P.de la Varde, err. = *Leptodontium tenerascens* var. *subfilescens* [1521] (= *Leptodontium flexifolium*)

Leptodontium tenerascens var. *majus* Broth. ex Mildbr. = *Leptodontium flexifolium* [34]

Leptodontium tenerascens var. *planifolium* P.de la Varde. Excluded: De Sloover (290) states that the specimen from Rwanda called such by Potier de la Varde does not belong to *Leptodontium*.

Leptodontium tenerascens var. *subfilescens* (Thér. & Naveau) Thér. = *Leptodontium flexifolium* [34]

Leptodontium transvaaliense Paris, nom. nud. = *Trichostomum rehmannii* [1911: 245] (= *Tortella xanthocarpa*)

Leptodontium tristichus (Müll.Hal.) Mitt. = *Triquetrella tristicha* (1521)

Leptodontium undatifolium Müll.Hal. ex Naveau, nom. nud. Excluded: an undescribed specimen (Bequaert 8073) from Mokoto, D.R. Congo [5967: 28; 65].

***Leptodontium viticulosoides* var. *viticulosoides* (P.Beauv.) Wijk & Margad.** BIO(3414),

BUR(65,290), CMN(34,47,290), COM(40), DJI(1569), ETH(50,111,290,1927),

KEN(34,46,290,3412,5315,7065), MDG(34,40,290,1925), MLW(34,67,290,6087),

MOZ(46,290), REU(34,105,290,1925), RWA(46,65,290), SAF(34,1531,8328),

SUD(3488), TAN(34,46,290), UGA(34,46,290), ZAI(34,65,290), ZAM(46,290),

ZIM(34,46,61,290).

Leptodontium volkensii Broth. = *Leptodontium viticulosoides* var. *viticulosoides* (1420)

***Leptodontium wallisii* (Müll.Hal.) Kindb.** KEN(290,6615), RWA(65,290), TAN(290,1404),

UGA(46,290), ZAI(34,65,290).

Leptodontium wolvensii Broth. ex Paris, nom. illeg. orthogr. = *Leptodontium volvensii* [1521] (= *Leptodontium viticulosoides* var. *viticulosoides*)

Leptohymenium abyssinicum Bruch & Schimp., nom. nud. in synon. = *Pylaisiobryum abyssinicum* [1521]

Leptohymenium barteri (Mitt.) Paris = *Erythrodontium barteri* [1521]

Leptohymenium borgenii Renauld & Cardot in Renauld = *Trachypodium borgenii* [1521]

Leptohymenium dilatatum Renauld = *Trachypodium dilatatum* [1521] (= *Trachypodium inflexum*)

Leptohymenium fabronioides Müll.Hal. ex Besch. = *Trachypodium fabronioides* [1521] (= *Trachypodium inflexum*)

Leptohymenium ferriezii Marie ex Besch. = *Trachypodium inflexum* [2737: 1143]

Leptohymenium ferriezii var. *abbreviatum* Renauld & Cardot = *Trachypodium fabronioides* var. *imbricatum* [1848: 393] (= *Trachypodium inflexum*)

Leptohymenium ferriezii var. *imbricatum* Renauld & Paris = *Trachypodium fabronioides* var. *imbricatum* [1521] (= *Trachypodium inflexum*)

Leptohymenium gracile (Hedw.) Huebener = *Pterogonium gracile* [1521]

Leptohymenium hookeri Hampe, nom. illeg. incl. spec. prior. = *Erythrodontium julaceum* [1521]

Leptohymenium julaceum (Schwaegr.) Hampe. = *Erythrodontium julaceum* [1521]

Leptohymenium julaceum Bruch & Schimp., nom. nud. = *Pylaisiobryum abyssinicum* [1506: 71]

Leptohymenium pinnatum Broth. & Paris = *Trachypodium pinnatum* [1521] (= *Trachypodium dusenii*)

Leptohymenium repens (Müll.Hal.) Broth., hom. illeg. = *Leptodontium repens* (1521)

Leptohymenium schweinfurthii (Müll.Hal.) A.Jaeger = *Erythrodontium barteri* [2849: 110]

***Leptohymenium stramineum* A.Jaeger** ETH(50).

Leptoischyrodon congoanus Dixon MLW(67), SAF(1531,8328), ZAI(65).

Leptophascum leptophyllum (Müll.Hal.) J.Guerra & M.J.Cano BOT(68,1531),

CVI(2514,2666), KEN(7251), LES(4897), MLW(68), MTN(6996), REU(5440),
SAF(68,1531,8328), TAN(68), ZIM(68).

Leptopterigynandrum subintegrum (Mitt.) Broth. LES(1074,1531,4897,7901),
SAF(1531,7901, 8328).

Leptopterygynandrum austro-alpinum Müll.Hal. Excluded: this taxon does not occur in Africa; all African collections given this name belong to *Leptopterygynandrum subintegrum* [7901: 30-31].

Leptorhynchostegium pseudovelutinum (Müll.Hal.) Hampe ex Sim, comb. inval. = *Brachythecium pseudovelutinum* [1521]

Leptostomopsis meruensis Müll.Hal., nom. illeg. = *Brachymenium meruense* (1521)

Leptostomum gerrardii J.Shaw. Excluded: Sim [1911: 314] suggests that this is certainly not a *Leptostomum*, and in the absence of the specimen, suggests that based on the description it is likely to be *Brachymenium julaceum*.

Leptotheca gaudichaudii var. ***gaudichaudii*** Schwägr. SAF(1531,1595,8328).

Leptotrichella afro-exigua (Müll.Hal. ex Dusén) Ochyra CMN(47).

Leptotrichella ampullacea (Müll.Hal. ex Dusén) Ochyra MLW(67), NGA(47).

Leptotrichella congolensis (Renauld & Cardot) Ochyra ZAI(65).

Leptotrichella ligulifolia (Müll.Hal.) Ochyra NGA(47).

Leptotrichella lutaria (Besch.) Ochyra REU(105).

Leptotrichella minuta (Hampe) Ochyra COM(40), LES(1531), MAU(105), MDG(40),
MLW(67,6087), SAF(1531,8328), SWZ(1531), TAN(46).

Leptotrichella moenkemeyeri (Müll.Hal.) Ochyra NGA(47).

Leptotrichella nitidula (Mitt.) Ochyra CAF(47), GAB(47), GHA(47), IVO(1880),
NGA(47,5160,5176), TOG(58,1878), ZAI(65).

Leptotrichella pallidiseta (Brid.) Ochyra MDG(40).

Leptotrichella subnitidula (Thér. & P.de la Varde) Ochyra CAF(47), GAB(47),
ZAI(65,7863).

Leptotrichum boryanum Müll.Hal. = *Ditrichum difficile* [5544: 326]

Leptotrichum boryi Müll.Hal. ex Kindb., nom. illeg. incl. spec. prior. = *Ditrichum difficile* [5544: 326]

Leptotrichum brachypodium Müll.Hal. = *Ditrichum brachypodium* [1521]

Leptotrichum brevifolium Müll.Hal. = *Ditrichum brachypodium* [1911: 144]

Leptotrichum capense Müll.Hal. = *Ditrichum difficile* [5544: 326]

Leptotrichum capense var. *tenellum* Müll.Hal. = *Ditrichum difficile* var. *tenellum* [4378: 89]

Leptotrichum capense var. *vallis-gratiae* Müll.Hal. ex Paris = *Ditrichum difficile* [5544: 326]

Leptotrichum capillaceum (Hedw.) Mitt. = *Distichium capillaceum* [1521]

Leptotrichum difficile (Duby) Müll.Hal. = *Ditrichum difficile* [1521]

Leptotrichum dolichopodon Rehmann ex Geh., nom. nud. = *Ditrichum brachypodium* [1911: 145]

Leptotrichum euphorocladum (Müll.Hal.) Mitt. = *Campylodontium euphorocladum* [1521] (= *Campylodontium medium*)

Leptotrichum flexifolium Mitt. = *Ditrichum difficile* [5544: 326]

Leptotrichum glaucescens (Hedw.) Hampe ex Schimp. = *Saelania glaucescens* [1521]

Leptotrichum heteromallum (Hedw.) Mitt. = *Dicranella heteromalla* [1521]

Leptotrichum hornschuchii Müll.Hal., nom. illeg. incl. spec. prior. = *Campylopodium proscriptum* [1521] (= *Dicranella proscripta*)

Leptotrichum laxifolium (Hook.f. & Wilson) Müll.Hal. = *Ditrichum difficile* [5544: 326]

Leptotrichum leptorhynchum Schimp. ex A.Jaeger, nom.nud. = *Dicranella pervilleana* [1945: 307]

Leptotrichum macleanum Rehmann ex Kindb., nom. nud. = *Ditrichum flexifolium* [1911: 146] (= *Ditrichum difficile*)

Leptotrichum madagassum Renauld & Cardot in Renauld = *Ditrichum madagassum* [1521]

Leptotrichum madecassum Renauld & Cardot in Renauld, nom. nud. err. = *Leptotrichum madagassum* [1521] (= *Ditrichum madagassum*)

Leptotrichum nitidulum Mitt. = *Microdus nitidulus* [1521] (= *Leptotrichella nitidula*)

Leptotrichum pallidum (Hedw.) Hampe ex Müll.Hal. = *Ditrichum pallidum* [1521]

Leptotrichum vallis-gratiae (Lindb.) Hampe ex A.Jaeger = *Ditrichum flexifolium* [1911: 146] (= *Ditrichum difficile*)

Lepyrodon capensis Rehmann ex Kindb., nom. nud. = *Ischyrodon seriolus* [1911: 365] (= *Juratzkea incisa*)

Lepyrodon mauritianus Müll.Hal. ex Besch. = *Campylodontium flavescens* [1848: 390] (= *Mesonodon flavescens*)

Leskeia abbreviata Schimp., nom. nud. Excluded: see *Lindbergia abbreviata*.

Leskeia acidodon Mont. = *Macrohymenium acidodon* [1521]

Leskeia bonplandii Hook., nom. illeg. incl. spec. prior. = *Homalothecium leskeoides* [1521] (= *Palamocladium leskeoides*)

Leskeia borbonica Bél. = *Trichosteleum borbonicum* [1521] (= *Radulina borbonica*)

Leskeia breutelii Schimp. ex Kindb., nom. nud. = *Dimerodontium africanum* [4379: 134]

Leskeia caespitosa Hedw. Note: Buck (3419) points out that this taxon is a species of *Acroporium*, although Mitten treats it, in the sense of Swartz, as *Sematophyllum caespitosum* (= *Sematophyllum subpinnatum*).

Leskeia capensis Spreng. ex Müll.Hal., nom. nud. in synon. = *Eurhynchium sprengelii* [4779: 786]

Leskeia carnifolia Müll.Hal. ex Geh., nom. nud. = *Dimerodontium africanum* [1911: 365]

Leskeia chlorina Schimp. ex Kindb. Excluded: no known description or specimen.

Leskea claviramea (Müll.Hal.) Mitt. = *Pseudoleskeopsis claviramea* (1521)

Leskea constricta Brid. = *Trichosteleum constrictum* [1521]

Leskea cristata Hedw. = *Eriopus cristatus* [1521] (= *Calyptrochaeta cristata*)

Leskea densa Hook. ex Kunth = *Bryosedwickia densa* [1521] (= *Platygyriella densa*)

Leskea duisaboana Mont. = *Sematophyllum caespitosum* [3419: 88] (= *Sematophyllum subpinnatum*)

Leskea duisabonae Mont., nom. illeg. incl. spec. prior. = *Sematophyllum caespitosum* [3419: 88] (= *Sematophyllum subpinnatum*)

Leskea fallax Rehm ex Kindb., nom. nud. = *Lindbergia patentifolia* [1911: 380]

Leskea fallax var. *robusta* Rehm ex Kindb., nom. nud. = *Lindbergia patentifolia* [1911: 380]

Leskea filivaga (Müll.Hal.) Broth. KEN(46).

Leskea flexilis var. *pentasticha* Brid. = *Pilotrichella pentasticha* [4284: 42] (*Orthostichella pentasticha*)

Leskea floribunda Dozy & Molk. = *Floribundaria floribunda* (1519: 583)

Leskea guineensis Paris & Broth. GUI(47).

Leskea integra P.Beauv. Excluded: it is unclear from the description what this taxon is likely to be.

Leskea intricata Mitt., hom. illeg. = *Thuidium intricatum* [1521] (= *Pelekium intricatum*)

Leskea involvens Hedw. = *Thuidium involvens* [1521] Excluded: see *Thuidium involvens* ssp. *involvens*.

Leskea marchica Willd., nom. inval. = *Philonotis marchica* [1521]

Leskea maritima Hook. = *Catagonium nitens* ssp. *maritimum* [2857: 9]

Leskea mauritiana Besch. MAU(105).

Leskea multiflora Brid. = *Hypnum multiflorum* [1521]

Leskea myosuroides (Brid.) Aongstr. = *Isothecium myosuroides* [1521] Excluded: see *Isothecium myosuroides*.

Leskea nigeriana Mitt. = *Thuidium nigerianum* [1521] (= *Thuidium involvens* var. *thomeanum*)

Leskea nitens Brid. = *Catagonium nitens* [1521]

Leskea palisotii Hampe = *Pilotrichella pentasticha* [4284: 42] (= *Orthostichella pentasticha*)

Leskea pseudotristis (Müll.Hal.) A.Jaeger = *Haplohymenium pseudotristis* [1521] (= *Anomodon pseudotristis*)

Leskea ramusculosa Mitt. = *Thuidium ramusculosum* [1521] (= *Pelekium ramusculosum*)

Leskea sericea Hedw. = *Homalothecium sericeum* [1521]

Leskea serrulata Brid., nom. illeg. incl. spec. prior. = *Isotterygium radicans* [1521]

Leskea subcompressa Bruch & Schimp. ex Müll.Hal., nom. nud. in synon. = *Entodon subcompressus* (1521)

Leskea tamariscina (Hedw.) Mitt., hom. illeg. = *Thuidium tamariscinum* [1521]

Leskea tamariscina Hedw. = *Hypopterygium tamariscinum* [1521] (= *Canalohypopterygium tamarisci*)

Leskea uncinata (Sm.) Brid. = *Hypnum cupressiforme* [1911: 423]

Leskeella zuluensis Broth. & Bryhn SAF(1531,8328).

Leskeodon mniifolius (Hornschr.) Bizot = *Distichophyllum mniifolium* (1519: 612)

Leucobryum acutifolium (Mitt.) Cardot ANG(46), MDG(40), MLW(67), SAF(1531,8328), SWZ(1531), TAN(46), ZAI(65), ZAM(46,62), ZIM(46,61).

Leucobryum africanum Cardot ex Paris, nom. nud. = *Leucobryum madagassum* Besch. [7180: 26]

Leucobryum afroglaucum Müll.Hal., nom. nud. Excluded: there is no description associated with this name, but Potier de la Varde [4948] identified it from several countries (CAF, CMN, GAB, GUI), and it was also reported from ZAI [65].

Leucobryum babetii Thér. & P.de la Varde CON(47), GAB(47), RIM(4639).

Leucobryum bistratosum Broth. TAN(46).

Leucobryum boivianum Besch. ex Müll.Hal., nom. inval. = *Leucobryum boivinianum* (1521)

Leucobryum boivinianum Besch. MDG(40).

Leucobryum boivinii Kindb., nom. illeg. = *Leucobryum boivinianum* (1521)

Leucobryum boryanum Besch. MAU(5916), MDG(40), REU(105).

Leucobryum boryanum var. *minus* Cardot MDG(40).

Leucobryum boryi Kindb., nom. illeg. = *Leucobryum boryanum* (1521)

Leucobryum cambouei Cardot MDG(40).

Leucobryum cameruniae Müll.Hal. ex Renaud & Cardot CAF(47), CMN(47), CON(47), GAB(47), IVO(44).

Leucobryum capitatum Müll.Hal. ex Cardot nom. nud. = *Leucobryum madagassum* Besch. [2324: 108]

Leucobryum chevalieri Cardot & Thér. IVO(7415).

Leucobryum comorense Müll.Hal. COM(40), MAU(105), MDG(40,6908).

Leucobryum congolense Cardot in Renaud & Cardot ZAI(7306).

Leucobryum cucullatum Broth. ANG(259), GAB(47), KEN(46), MDG(40), MLW(67), TAN(46), UGA(4282), ZAI(65), ZAM(46).

Leucobryum cucullatum var. *rutenbergii* (Geh.) Cardot ANG(259), MDG(40).

Leucobryum founta-djalloni Paris & Cardot CAF(47), GUI(47), KEN(46), MLW(67), NGA(334), SAO(47).

Leucobryum galinonii Cardot & Paris MDG(40).

Leucobryum gracilifolium Dixon = *Leucobryum rehmannii* (82: 158)
Leucobryum gueinzii Müll.Hal. = *Leucobryum acutifolium* (82: 156)

Leucobryum heterodictyon Besch. MDG(40,2322).

Leucobryum heterodictyon var. ***microphyllum*** (Cardot) Wijk & Margad. MDG(40).

Leucobryum hildebrandtii Müll.Hal. ex Renaud = *Leucobryum boryanum* [2324: 101]

Leucobryum homalophyllum Broth. SAO(47).

Leucobryum homomallum Broth. ex Müll.Hal., nom. nud. Excluded: an undescribed taxon from São Tomé.

Leucobryum incurvifolium Müll.Hal. ANG(2169), MLW(67), TAN(46).

Leucobryum incurvifolium Müll.Hal. Note: this taxon was recorded for both America and Africa, but Bartram (687) made it a synonym of the widespread *Leucobryum albidum*, known only from America and Galapagos. As he appeared to be unaware of the use of this name in Africa, the name is retained for African collections, pending a revision.

Leucobryum iridans (Brid.) E.Britton, nom. illeg. incl. spec. prior. = *Leucobryum javense* [1521]

Leucobryum irregulare Besch. ex Cardot, nom. nud. = *Leucobryum perrotii* [2324: 103]

Leucobryum isleanum Besch. COM(40), ETH(111), MAU(105), MDG(40), REU(105).

Leucobryum isleanum var. ***molle*** (Müll.Hal.) Cardot COM(40), ETH(1927),

KEN(2415,5315,7065), MAU(105), MDG(40), TAN(46), ZAM(46).

Leucobryum islei Kindb., nom. illeg. = *Leucobryum isleanum* (1521)

Leucobryum javense (Brid.) Mitt. REU(105).

Leucobryum juniperoides (Brid.) Müll.Hal. MAU(105), REU(105).

Leucobryum laeve Mitt. ex C.J.Wright, nom. nud. Excluded: the type of this taxon is a mixture of *Leucobryum boryanum* and *Leucobryum perrotii*. [2324: 102]

Leucobryum letestui P.de la Varde GAB(47), RIM(4639).

Leucobryum leucophanooides Müll.Hal. SAO(47).

Leucobryum macleai Rehmann ex Kindb., nom. nud. = *Leucobryum gueinzii* [1911: 183] (=*Leucobryum acutifolium*)

Leucobryum macleanum Rehmann ex Paris, nom. nud. = *Leucobryum gueinzii* [1911: 183] (=*Leucobryum acutifolium*)

Leucobryum madagassum Besch. ANG(46), BUR(65), KEN(46), MDG(40), MLW(67),

RWA(65), SAF(1531,8328), SWZ(1531), TAN(46), ZAM(62), ZIM(61).

Leucobryum madagassum Müll.Hal. ex Geh., hom. illeg. = *Leucobryum boryanum* [2324: 101]

Leucobryum mauritianum Müll.Hal. in Geh., nom. nud. Excluded: an undescribed collection (*Robillard s.n.*) from Mauritius [1563: 59].

Leucobryum mauritii Müll.Hal. ex Kindb., nom. nud. Excluded: no specimen or description provided.

Leucobryum mayottense Cardot COM(40), KEN(46), MAU(105), MDG(40), REU(105), TAN(46).

Leucobryum molle Müll.Hal. ex Renaud = *Leucobryum isleanum* var. *molle* (1521)

Leucobryum molliculum Broth. CMN(47), ETH(111), MOZ(46), TAN(46), UGA(46).

Leucobryum parvulum Cardot MDG(40,6908).

Leucobryum perfalcatum Sim = *Leucobryum rehmannii* (53: 23)

Leucobryum perrotii Renauld & Cardot MAU(105), MDG(40,6908), TAN(46).

Leucobryum pseudomadagassum Cardot MDG(40).

Leucobryum rehmannii Müll.Hal. SAF(1531,7766,8328).

Leucobryum reticulatum Müll.Hal. ex Cardot, nom. nud. = *Leucobryum isleanum* var. *molle* [2324: 105]

Leucobryum rutenbergianum Besch. ex Paris = *Leucobryum boryanum* [2324: 101]

Leucobryum rutenbergii Besch. ex Renaud, nom. illeg. = *Leucobryum boryanum* [2324: 101]

Leucobryum sanctae-mariae Cardot MDG(40,6908).

Leucobryum selaginelloides Broth. ex Renaud, nom. inval. = *Leucobryum madagassum* [1848: 108]

Leucobryum selaginoides Müll.Hal. ex Broth. = *Leucobryum madagassum* [2328: 107]

Leucobryum sphagnoides (Welw. & Duby) Cardot ANG(46).

Leucobryum subcrispulum Müll.Hal. ex Paris, nom. nud. Excluded: an undescribed collection (*Sikora 14313*) from Madagascar.

Leucodon abyssinicus Brizi = *Leucodon dracaenae* [1503: 216]

Leucodon arbuscula Welw. & Duby = *Braunia arbuscula* (1521)

Leucodon assimilis (Müll.Hal.) A.Jaeger = *Felipponea assimilis* (5698) (= *Pterogoniadelphus assimilis*)

Leucodon assimilis var. *gracilis* Müll.Hal. ex Paris, nom. nud. = *Felipponea assimilis* (5698) (= *Pterogoniadelphus assimilis*)

Leucodon assimilis var. *humilis* Sim = *Felipponea assimilis* (5698) (= *Pterogoniadelphus assimilis*)

Leucodon bartramoides Hook. = *Leiomela bartramoides* [1521]

Leucodon beccarii Müll.Hal., nom. illeg. incl. spec. prior. = *Leucodon dracaenae* [1521]

Leucodon beschrellei Broth. & Geh. in Geh., nom. nud. Excluded: an undescribed collection (*Dumont d'Urville s.n.*) with sporophytes, from Ascension Island [1296: 49].

Leucodon cameruniae Broth = *Leucodontopsis cameruniae* [1521] (= *Henicodium geniculatum*)

***Leucodon canariensis* (Brid.) Schwägr. MDG(40).**

Leucodon capensis Schimp. = *Felipponea assimilis* (5698) (= *Pterogoniadelphus assimilis*)

***Leucodon dracaenae* Solms. ex Venturi DJI(1569), ERI(50), ETH(50,3076), KEN(46,136), SUD(3076), TAN(46).**

Leucodon dracaenae var. *schweinfurthii* (Müll.Hal.) M.Fleisch. = *Leucodon dracaenae*. Note: var. *schweinfurthii* is a robust form of *Leucodon dracaenae*, and although not formally a synonym, has been treated as such.

***Leucodon laxifolius* Müll.Hal. & M.Fleisch. ERI(50), ETH(50), KEN(46), TAN(46).**

Leucodon madagascariensis Brid. = *Meiothecium madagascariense* (1521)

Leucodon maritimus (Hook.) Wijk & Margad. = *Catagonium nitens* ssp. *maritimum* [2857: 9]

Leucodon maritimus sensu auct. afr. = *Felipponea assimilis* [5698] (= *Pterogoniadelphus assimilis*)

Leucodon penzigi Müll.Hal., nom. nud. in synon. = *Leucodon dracaenae* [1503: 216]

***Leucodon rutenbergii* Müll.Hal. ex Geh. MDG(40), TAN(46).**

Leucodon schweinfurthii forma *gracilior* Broth. ex Micheletti, non. nud. Note: an undescribed collection [50: 235], treated here as *Leucodon dracaenae*.

Leucodon schweinfurthii Müll.Hal. = *Leucodon dracaenae* var. *schweinfurthii* [1503: 216] (= *Leucodon dracaenae*)

Leucodon sciurooides* var. *morenensis* (Limpr.) De Not. CVI(2666).**Leucodon sciurooides* (Hedw.) Schwägr. KEN(46), TAN(46).**

Leucodon sekistos Welw. & Duby = *Braunia secunda* [5414 10]

Leucodon sericeus (A.Jaeger) Hornsch. ex Paris = *Palamocladium sericeum* [1521] (= *Palamocladium leskeoides*)

Leucodon sericeus var. *afrostriatus* (Müll.Hal.) Paris = *Palamocladium sericeum* var. *afrostriatum* [1521] (= *Palamocladium leskeoides*)

Leucodon subsericeus Müll.Hal. ex Besch., nom. nud. = *Homalothecium nilgheriense* [1911: 521; 40: 237] (= *Palamocladium leskeoides*).

Leucodon tenax Müll.Hal. ex M.Fleisch., nom. nud. in synon. = *Leucodontopsis cameruniae* [1503: 216] (= *Henicodium geniculatum*)

Leucodontopsis cameruniae (Broth.) Broth. = *Leucodontopsis geniculata* (28) (= *Henicodium geniculatum*)

Leucodontopsis geniculata (Mitt.) H.A.Crum & Steere = *Henicodium geniculatum* (1339)

Leucodontopsis niamniamiae (Müll.Hal.) Broth. = *Henicodium niamniamiae* [1521] (= *Henicodium geniculatum*)

Leucoloma acutum Mitt. ex Müll.Hal. = *Leucoloma seychellense* (7101: 570)

***Leucoloma albocinctum* Renauld & Cardot MDG(40), MLW(67).**

Leucoloma albocinctum var. *subelimbatum* Renauld in Levier, nom. nud. Excluded: an undescribed collection (*Forsyth Major*, s.n.) from Ambohitombo, Madagascar.

Leucoloma allorgei* Thér. MDG(40).**Leucoloma amblyacron* Besch. MAU(105).*****Leucoloma ambreanum* Renauld & Cardot MDG(40).**

Leucoloma angustifolium Brid., nom. illeg. = *Leucoloma bifidum* (7101: 532)

Leucoloma arbuscula Müll.Hal. = *Leucoloma rutenbergii* var. *elatum* (7103: 614)

Leucoloma aspericuspis P.de la Varde = *Leucoloma subsecundifolium* (7103: 617)

***Leucoloma bifidum* (Brid.) Brid. KEN(46), MAS(40), MAU(7101), MDG(40), REU(7101), TAN(46).**

Leucoloma bifidum var. *orthotheciooides* Besch. = *Leucoloma seychellense* (7101: 569)

Leucoloma bifidum var. *tanganyikae* P.de la Varde & Thér. = *Leucoloma zuluense* var. *zuluense* (7101: 552)

Leucoloma billardierei (Brid.) Broth. = *Dicranoloma billardierei* [1521]

Leucoloma boivinianum var. *angasizae* Renauld = *Leucoloma subsecundifolium* (7103: 617)

Leucoloma boivinianum* var. *boivinianum* Besch. COM(40), MDG(40), REU(105).**Leucoloma boivinianum* var. *brevifolium* Renauld MDG(40).**

Leucoloma boivinii Renauld, nom. illeg. incl. spec. prior. = *Leucoloma boivinianum* [1521]

Leucoloma boivinii var. *angasizae* Renauld = *Leucoloma boivinianum* var. *angasizae* [1521] (= *Leucoloma subsecundifolium*)

Leucoloma borchgrevinki Müll.Hal., nom. nud. Excluded: an undescribed collection from Madagascar.

Leucoloma brevifolium Müll.Hal., nom. nud. Excluded: an undescribed collection from Madagascar.

Leucoloma brevioperculatum* Dixon MDG(40).**Leucoloma brotheri* Renauld MDG(40), TAN(46).*****Leucoloma caespitulans* (Müll.Hal.) A.Jaeger COM(40).**

Leucoloma caespitulans (Müll.Hal.) A.Jaeger = *Leucoloma cespitulans* [1521]

Leucoloma cameruniae Paris, nom. nud. Excluded: an undescribed collection (*Dusén* 46) from Cameroon. Also reported from Bioko [2662].

Leucoloma candidulum* Besch. MAU(105), REU(105).**Leucoloma candidum* Broth. MDG(40).*****Leucoloma capillifolium* Renauld MDG(40).**

Leucoloma charrieri Thér. & P.de la Varde = *Leucoloma oncophorellum* (7103: 613)

- Leucoloma chlorophyllum*** Broth. TAN(46).
- Leucoloma chrysobasilare*** var. *africana* La Farge SAF(7101), TAN(7101).
- Leucoloma chrysobasilare*** var. *chrysobasilare* (Müll.Hal.) A.Jaeger COM(40,7101), MDG(40), SAF(1531,8328), TAN(46), ZIM(46,61).
Leucoloma chrysobasilare var. *gracilicaulon* (Müll.Hal.) A.Jaeger = *Leucoloma procerum* (7101: 546)
Leucoloma chrysobasilare var. *procerum* (Renauld) Broth. = *Leucoloma procerum* (7101: 546)
- Leucoloma cinctidiotoides*** Besch. MAU(105,298), REU(105,7101).
- Leucoloma circinale*** La Farge TAN(7102).
- Leucoloma cirrosulum*** Renauld MDG(40).
Leucoloma commutatum Broth., nom. nud. = *Dicranoloma billardierei* [5556: 357]
Leucoloma comorae Renauld = *Leucoloma chrysobasilare* var. *chrysobasilare* (7101: 527)
Leucoloma convolutaceum Renauld = *Leucoloma delicatulum* (7103: 609)
Leucoloma crepinii Renauld & Cardot = *Leucoloma seychellense* (7101: 569)
Leucoloma crepinii var. *orthothecioides* (Besch.) Renauld = *Leucoloma seychellense* (7101: 570)
- Leucoloma crosbyi*** LaFarge-England MDG(1617,7101).
- Leucoloma cuneifolium*** (Hampe ex Müll.Hal. & Geh.) C.H.Wright MDG(40,7102), TAN(46).
- Leucoloma decaryi*** Thér. MDG(40).
Leucoloma decaryi var. *comorense* Thér. COM(40).
Leucoloma decolor C.H.Wright = *Leucoloma rutenbergii* var. *elatum* (7103: 614)
- Leucoloma delicatulum*** Renauld MDG(40), SEY(1926,2353).
Leucoloma delicatulum var. *laxobasis* Renauld & Cardot = *Leucoloma delicatulum* (7103: 609)
Leucoloma dichelymaceum Müll.Hal., nom. nud. Excluded: an undescribed collection from Madagascar.
- Leucoloma dichelymoides*** (Müll.Hal.) A.Jaeger COM(40,7101), MAU(105,7101), MDG(40,7101), SEY(1941,2353).
Leucoloma dichotomum (P.Beauv.) Renauld = *Dicranoloma billardierei* [5556: 162]
Leucoloma drepanocladium (Müll.Hal.) Kindb. = *Dicranoloma billardierei* var. *drepanocladium* [1521]
Leucoloma dubyanum Besch. = *Leucoloma fuscifolium* (7103: 610)
Leucoloma dubyi Kindb., nom. illeg. incl. spec. prior. = *Leucoloma dubyanum* [1521]
Leucoloma ecklonianum Lorentz ex Müll.Hal., nom. illeg. = *Leucoloma zeyheri* (7103: 618)
Leucoloma ecklonii (Lorentz) A.Jaeger = *Leucoloma zeyheri* (7103: 618)
Leucoloma eggersii Müll.Hal. ex Kindb., nom. nud. Excluded: no description or specimen available.
- Leucoloma entabenicense*** (Magill) La Farge SAF(7103).
Leucoloma entabenicense La Farge, nom. inval. Excluded: see *Leucoloma entabenicense*.
- Leucoloma fontinaloides*** Dixon MDG(40,7101).
Leucoloma forsythii Thér. = *Leucoloma lepervancheri* (7101: 541)
- Leucoloma fuscifolium*** Besch. MAU(105), MDG(40), REU(105).
Leucoloma fuscifolium var. *crispatum* Renauld MDG(40), REU(105).
- Leucoloma garnieri*** fo. *aquaticum* Thér. MDG(40,7103).
Leucoloma garnieri fo. *aquaticum* Thér. Note: although previously excluded from the accepted taxa, La Farge (2002c) states that this is a species distinct from *Leucoloma garnieri*, and it will be dealt with in a future publication.
- Leucoloma garnieri*** Paris & Renauld MDG(40).
Leucoloma gracicaule Renauld in Grandid., nom. nud. = *Leucoloma chrysobasilare* var. *gracilicaulon* [1848: 75] (= *Leucoloma procerum*)
- Leucoloma gracilescens*** Broth. BIO(2662,7101), RWA(7101), SAO(47,7101), TAN(7101), ZAI(7101).
- Leucoloma grandidieri*** Renauld & Cardot MDG(40,7101).
- Leucoloma grimmiodies*** P.de la Varde MAU(3346,7102), MDG(40,7102), TAN(46).
Leucoloma guehoi Tixier = *Leucoloma grimmiodies* (7103: 610)
- Leucoloma guineense*** Broth. & Paris GUI(47).
Leucoloma haakonii Broth. & Bryhn = *Leucoloma syrrhopodontoides* (7103: 617)
Leucoloma hildebrandtii Müll.Hal., nom. nud. Excluded: no description or specimen available.
Leucoloma holomitrioides Müll.Hal. = *Leucoloma dichelymoides* (7101: 575)
- Leucoloma holstii*** Broth. MLW(67,7101), RWA(65,7101), TAN(46,7101).
Leucoloma horridum Broth. ex Paris, nom. inval. = *Leucophanes horridulum* [1521] (= *Leucophanes molleri*)
- Leucoloma humbertii*** P.de la Varde MDG(40).
- Leucoloma incrassatum*** Thér. MDG(40).
Leucoloma isleanum Besch. ex Paris COM(40), MAU(105),

SEY(1848,1926,1946,1947,2195,2323,2326,2328,2353).

Leucoloma isleanum var. *molle* Cardot ex Thér., *nom. nud.* Excluded: this variety is undescribed and best regarded as a synonym of *Leucoloma isleanum*.

Leucoloma isleanum* var. *subtortile Renauld COM(40).

Leucoloma juniperoides (Brid.) Müll.Hal. Note: error in Index Muscorum (= *Leucobryum juniperoides*)

Leucoloma latifolium Broth. & P.de la Varde GAB(47).

Leucoloma lepervancheri Besch. MAU(7101), MDG(40,7101), REU(105,7101),

RWA(7101), ZAI(7101).

Leucoloma leptocladium Renauld = *Leucoloma lepervancheri* (7101: 541)

Leucoloma levieri Renauld = *Leucoloma tuberculosum* (7101: 586)

Leucoloma longifolium (Brid.) Wijk & Margad. MAU(105), MDG(40,7103),

REU(105,7103), SEY(1941,2353).

Leucoloma longifolium Besch. ex Müll.Hal., *nom. nud.* Excluded: an undescribed collection from Réunion.

Leucoloma madagascariense La Farge MDG(7101).

Leucoloma mafatense Renauld REU(105,7101).

Leucoloma marojeziense La Farge MDG(7102).

Leucoloma membranaceum La Farge MDG(7101), REU(7101).

Leucoloma meteoroides P.de la Varde = *Leucoloma fontinaloides* (7101: 577)

Leucoloma nitidulum (Müll.Hal.) Paris = *Dicranoloma billardierei* [1911: 162]

Leucoloma normandii Paris & Broth. ex Renauld GUI(47), NGA(47,5148,5176), SIE(47).

Leucoloma normandii* var. *alpinum Paris & Broth. GUI(47).

Leucoloma ochrobasilare ssp. ***longifolium*** (Thér.) La Farge MDG(40,7101).

Leucoloma ochrobasilare ssp. ***ochrobasilare*** Renauld MAS(40), MDG(40,7101).

Leucoloma ochrobasilare ssp. *ochrobasilare* Renauld. Note: the type of this taxon is a mixture with *Leucoloma subchrysobasilare* (7101: 550) so previous distribution data has been fully revised following La Farge (7101).

Leucoloma oncophorellum Müll.Hal. MDG(40).

Leucoloma onraedtii (Bizot) La Farge REU(105,109,7103).

Leucoloma pallescens Wilson ex A.Jaeger, *nom. nud.* = *Leucoloma zeyheri* [4250: 761]

Leucoloma pallidulum Thér. MAU(105).

Leucoloma pennequinii Paris, *nom. nud.* Excluded: an error in Crosby *et al.* [40: 201] for *Trichostomum pennequinii*.

Leucoloma perrieri Thér. MDG(40).

Leucoloma persecundum Besch. MAU(105), MDG(40).

Leucoloma persecundum* var. *perrotii Renauld MDG(40).

Leucoloma pobeguini Paris & Broth. GUI(47).

Leucoloma prionodon Besch. = *Rutenbergia prionodon* [1521]

Leucoloma procerum Renauld COM(40,7101), MOZ(46), TAN(46), ZIM(46).

Leucoloma procerum var. *abbreviatum* (Renauld) Paris = *Leucoloma rutenbergii* var. *abbreviatum* (7103: 614)

Leucoloma procerum var. *elatum* (Renauld) Paris = *Leucoloma rutenbergii* var. *elatum* (7103: 614)

Leucoloma procerum var. *perrotii* (Renauld) Paris = *Leucoloma rutenbergii* var. *perrotii* (7103: 615)

Leucoloma pumilum C.H.Wright MDG(40).

Leucoloma pusillum Cardot MDG(40).

Leucoloma pycnoloma Paris, *nom. nud.* = *Dicranoloma billardierei* var. *scopareolum* [1848: 71]

Leucoloma pygmaeum Paris GUI(47).

Leucoloma rectum Sande Lac. ex C.H.Wright, *nom. nud.* = *Leucoloma sinuosum* [4097: 18] (= *Leucoloma longifolium*)

Leucoloma rehmannii (Müll.Hal.) Rehmann ex Paris = *Leucoloma scabricuspis* (7103: 615)

Leucoloma robustum (Hook.f. & Wilson) Broth. = *Dicranoloma robusta* [1521]

Leucoloma rodriguezii Müll.Hal. ex Renauld, *nom. nud.* = *Dicranoloma billardierei* (1911: 162)

Leucoloma rutenbergii (Geh.) C.H.Wright MDG(40).

Leucoloma rutenbergii var. ***abbreviatum*** Renauld MDG(40).

Leucoloma rutenbergii var. ***elatum*** Renauld MDG(40), REU(298), TAN(46).

Leucoloma rutenbergii var. ***perrotii*** Renauld MDG(40).

Leucoloma rutenbergii var. ***porosis*** Thér. MAU(105).

Leucoloma sanctae-mariae Besch. MDG(40,7101).

Leucoloma sanctae-mariae var. *leptolimbatum* Renauld = *Leucoloma thraustum* (7101: 559)

Leucoloma sanctae-mariae var. *subelimbatum* Renauld, *nom. nud.* = *Leucoloma sanctae-mariae* var. *leptolimbatum* (40)

(= *Leucoloma thraustum*)

Leucoloma scabricuspis Broth. MLW(67), RWA(2675), SAF(1531,7766,8328),

SWZ(7972), TAN(7103), ZAM(46), ZIM(46,61).

Leucoloma schelpei P.de la Varde MOZ(46,7101), ZIM(7101).

Leucoloma scopareolum (Müll.Hal.) Renauld = *Dicanoloma billardierei* var. *scopareolum* [1510]

Leucoloma secundifolium Besch., hom. illeg. (non Mitt.) = *Leucoloma isleanum* [4250: 760; 7103: 611]

Leucoloma secundifolium Mitt. CMN(47), SAO(47).

Leucoloma sericeum P.de la Varde SIE(47).

Leucoloma serraticuspis P.de la Varde MOZ(46).

Leucoloma setaceum Schimp. ex Müll.Hal., nom. nud. in synon. = *Leucoloma longifolium* [2584: 355]

Leucoloma seychellense Besch. MAU(105,7101), MDG(40,7101), REU(105,7101),

SEY(1848,1926,1945,1946,1947,1950,2328,2353,7101).

Leucoloma sigmatelloides Müll.Hal., nom. nud. Excluded: an undescribed collection from Madagascar.

Leucoloma silvaticum Renauld = *Leucoloma thraustum* (7101: 559)

Leucoloma sinuosulum Müll.Hal. ex Besch. COM(40), MAU(105), MDG(40), REU(105),

SEY(2353), TAN(46).

Leucoloma sinuosum (Brid.) A.Jaeger = *Leucoloma longifolium* [2584: 354; 7103: 612]

Leucoloma sinuosum var. *cirrhosum* Thér. = *Leucoloma rutenbergii* var. *elatum* (7103: 614)

Leucoloma sinuosum var. *setifolium* Besch. = *Leucoloma longifolium* (7103: 612)

Leucoloma sprengelianum (Müll.Hal.) A.Jaeger SAF(1531,8328), SWZ(7972),

TAN(46,2322).

Leucoloma squarrosulum (Geh.) Wright MDG(40).

Leucoloma squarrosulum var. *subbiplicatum* (Renauld & Cardot) Broth. = *Leucoloma lepervancheri* (7101: 541). Note:

this taxon was mis-spelled as 'var. subplicatum' in previous versions of this list.

Leucoloma subbifidum Renauld = *Leucoloma lepervancheri* (7101: 541)

Leucoloma subbiplicatum Renauld & Cardot = *Leucoloma lepervancheri* (7101: 541)

Leucoloma subcespitosum Besch. REU(105).

Leucoloma subchrysobasilare Renauld MDG(40,7101).

Leucoloma subsecundifolium Broth. COM(40), KEN(46,7065), MLW(67), TAN(46).

Leucoloma subtuberosum Renauld = *Leucoloma ochrobasilare* ssp. *ochrobasilare* (7101: 581)

Leucoloma subtuberosum var. *longifolium* P.de la Varde = *Leucoloma ochrobasilare* ssp. *longifolium* (7101: 585)

Leucoloma syrrhopodontoides Broth. SAF(1531,7103,8328), ZIM(61).

Leucoloma talazaccii Renauld & Cardot MDG(40,7101).

Leucoloma talazaccii var. *fragilifolium* Thér. & P.de la Varde = *Leucoloma talazaccii* (7101: 572)

Leucoloma tanganyikae P.de la Varde TAN(46).

Leucoloma terricola Broth. = *Leucoloma subsecundifolium* (7103: 617)

Leucoloma thraustum Hampe ex Besch. MDG(40,7101).

Leucoloma thuretii Besch. MDG(40,7101).

Leucoloma tortuosum Müll.Hal., nom. illeg. incl. spec. prior. = *Leucoloma isleanum* [1521; 7103: 611]

Leucoloma trachynotus Müll.Hal. = *Leucoloma seychellense* (7101: 570)

Leucoloma traustum C.H.Wright, orthogr. = *Leucoloma thraustum* [1521]

Leucoloma tuberculosum Renauld MDG(40,7101).

Leucoloma villaumei Thér. MDG(40).

Leucoloma viridissimum Paris, nom. nud. Excluded: an undescribed specimen from Madagascar (*Sikora 14315*).

Leucoloma volkensii Broth. = *Leucoloma subsecundifolium* (7103: 617)

Leucoloma wolkensii Broth. ex Paris, err. pro = *Leucoloma volkensii* [1521]

Leucoloma woodii Rehmann & MacOwan = *Leucoloma zuluense* var. *zuluense* (7101: 552)

Leucoloma zanzibarensis Broth. = *Leucoloma sprengelianum* (7103: 616)

Leucoloma zeyheri (Müll.Hal.) Kindb. SAF(7103,8328).

Leucoloma zeyheri var. *compactum*, Müll.Hal. ex Dixon & A.Gepp, nom. nud. Excluded: an undescribed collection (Rehmann 28) from Table Mountain, South Africa.

Leucoloma zeyherianum A.Jaeger, nom. illeg. incl. spec. prior. = *Leucoloma zeyheri* [1521]

Leucoloma zuluense var. *ovatum* La Farge COM(7101), TAN(7101).

Leucoloma zuluense var. *zuluense* Broth. & Bryhn KEN(7101), SAF(7101,8328),

TAN(46,7101), ZIM(7101).

Leucomium aneurodictyon (Müll.Hal.) A.Jaeger = *Leucomium strumosum* (92)

Leucomium codonopyxis (Müll.Hal.) Kindb. = *Vesicularis codonopyxis* [1521]

Leucomium commixtum (Müll.Hal.) Kindb. = *Leucomium strumosum* (92)

Leucomium debile (Sull.) Mitt. = *Leucomium aneurodictyon* [2737: 1107]

Leucomium golungense A.Gepp in Hiern. = *Leucomium strumosum* (1878)

Leucomium hapalyppterum (Müll.Hal.) Kindb. = *Vesicularia hapalyptera* [1521]

Leucomium le-testui Broth. & P.de la Varde = *Leucomium strumosum* (1878)

Leucomium mahorense Besch. = *Leucomium aneurodictyon* (40) (= *Leucomium strumosum*)

Leucomium perglaucum Müll.Hal. ex Broth. = *Leucomium strumosum* (92)

Leucomium strephomischos (Welw. & Duby) A.Jaeger = *Vesicularia strephomischos* (1521)

Leucomium strumosum (Hornschr.) Mitt. ANG(46,92), BIO(47,92,2662), CAF(47,92,6209), CMN(47,92,1925,6209), COM(40,92,6209), CON(47,92), GAB(47,92), GHA(47,92), GUI(92), IVO(92,1880), LBR(47,92), MDG(40,92,6908), NGA(92), REU(5440), RIM(4639), RWA(2675), SAO(47), SEY(92,1926,1950,2353), TAN(46,92), TOG(1878), UGA(92), ZAI(65,92,2675,5319).

Leucoperichaetium eremophilum Magill NAM(1531,7155,8024).

Leucophanella revoluta (Dozy & Molk.) M.Fleisch. = *Syrrhopodon revolutus* (1521) (= *Syrrhopodon involutus*).

Leucophanes angustifolium Renauld & Cardot in Renauld BIO(8180), CMN(47,1896), COM(1149,1896), GHA(1149,1896), MAU(105), REU(105,1149,1896), SEY(359,1149,1896,1926,2033,2353,4932), TAN(46,1896), ZAI(65,5319).

Leucophanes annobonense Broth. in Mildbr., *nom. nud.* = *Leucophanes unguiculatum* (4930)

Leucophanes calymperaceum Müll.Hal. ex Dusén = *Leucophanes molleri* (1896)

Leucophanes cameruniae Müll.Hal. ex Dusén = *Leucophanes molleri* (1149)

Leucophanes denticuspis Müll.Hal. ex Dusén = *Leucophanes angustifolium* (1149)

Leucophanes glaucum (Schwägr.) Mitt. SEY(1896,2353), SOC(2738).

Leucophanes heterodictyon Onr. = *Leucophanes renaudii* (1896)

Leucophanes hildebrandtii fo. *rigidum* Besch. Excluded: any records for this form have been associated with the owning species.

Leucophanes hildebrandtii Müll.Hal. COM(40,1896), MAU(105,1896), MDG(40,1896), REU(105), TAN(46,1896).

Leucophanes horridulum Broth. = *Leucophanes molleri* [1896]

Leucophanes lecomptei Besch. = *Leucophanes molleri* (1149)

Leucophanes mayottense Cardot = *Leucophanes angustifolium* (1149)

Leucophanes molleri Müll.Hal. BIO(2662), CAF(47), CMN(47,1896), CON(47,1896), GAB(47), GHA(1149,1896), GUI(47), IVO(47,1880,1896), LBR(47,1896), MAU(1896), RIM(4639), SAO(47,1896), SIE(3216), TAN(46,1896), UGA(46,1896,7353), ZAI(65,1896,5319).

Leucophanes obtusatum Müll.Hal. ex Dusén = *Leucophanes molleri* (1896)

Leucophanes octoblephariooides Brid. CAF(47), GAB(47), MAU(1896), SEY(1896,2353).

Leucophanes renaudii Cardot COM(1896), MAU(105,1896), MDG(40,1896,6908), TAN(46).

Leucophanes rodriguezii Müll.Hal. COM(40), MAU(1896), MDG(1896), REU(1896), TAN(46).

Leucophanes scabridens P.de la Varde = *Leucophanes octoblephariooides* (1896)

Leucophanes seychellarum Besch.

SEY(359,1848,1896,1926,1945,1946,1947,2033,2324,2328,2353), TAN(46).

Leucophanes sphagnoides Welw. & Duby = *Leucobryum sphagnoides* (1521)

Leucophanes unguiculatum Mitt. ANN(47), NGA(1896), PRI(47,1896).

Levierella abyssinica Broth., *nom. nud.* = *Levierella fabroniacea* var. *abyssinica* [1521] (= *Levierella neckeroides*)

Levierella fabroniacea Müll.Hal. = *Levierella neckeroides* [7580: 98]

Levierella fabroniacea var. *abyssinica* Dixon = *Levierella neckeroides* [7580: 98]

Levierella fabroniacea var. *dilatatinerve* Cardot ex Dixon = *Levierella neckeroides* [7580: 98]

Levierella neckeroides (Griff.) O'Shea & Matcham ERI(50), ETH(50,111,3260), GUI(47), KEN(46,3260), NGA(5160,5176), SAF(1531,4897,8328), SWZ(1531), TAN(46), UGA(46,3260), ZAI(65,5319), ZAM(46).

Levierella perserrata P.de la Varde & V.Leroy = *Levierella neckeroides* [7580: 98]

Levierella subfabroniacea Broth. & Paris = *Levierella neckeroides* [7580: 98]

Limnobiella octodicerooides Müll.Hal., *comb. inval.* = *Taxithelium octodicerooides* [1521] (= *Taxiphyllum schweinfurthii*)

Limnobryum palustre (Hedw.) Rabenh. = *Aulacomnium palustre* [1521]

Limprichtia revolvens (Sw.) Loeske LES(4897).

Lindbergia abbreviata Broth., *nom. nud.* Excluded: an undescribed collection (*Schimper s.n.*) from Ethiopia [50: 238].

Lindbergia erythraea M.Fleisch., *nom. nud.* Excluded: an undescribed collection from Eritrea [50: 238].

Lindbergia haplocladioides Dixon KEN(46), SAF(1531,7766,8328), ZIM(61).

Lindbergia patentifolia Dixon DJI(1569), KEN(46,2661,3412,6614,7065), LES(7975), SAF(1531,3411,7766,8328), SWZ(1531), TAN(46), UGA(46), ZAI(65), ZIM(46,61).

Lindbergia patentifolia fo. *perrobusta* P.de la Varde. Excluded: any records for this form have been associated with the owning species.

Lindbergia pseudoleskeoides Dixon LES(1531,4897), MOZ(46), SAF(1531,8328), ZIM(46).

Lindbergia taxifolia Dixon. Excluded: this taxon does not appear in the reference given by *Index Muscorum*, and is being treated as a clerical error. No specimen of this name has been found in Dixon's herbarium.

Lindbergia viridis Dixon SAF(1531,3411,8328), SWZ(1531).

Lindigia africana Broth. = *Aerolindigia capillacea* (4138)

Lindigia cameruniae Müll.Hal., nom. nud. Excluded: original specimen destroyed [4138: 333]

Lindigia hildebrandtii Müll.Hal. ex Renauld = *Lindigia africana* (285) (= *Aerolindigia capillacea*)

Lindigia subvaginata Müll.Hal. ex Paris, nom. nud. Excluded: see note under *Floribundaria subvaginata*.

Loeskeobryum brevirostre (Brid.) M.Fleisch. ex Broth. REU(105).

Loiseaubryum ephemeroides Bizot = *Loiseaubryum nutans* (581)

Loiseaubryum nutans (Wilson ex Mitt.) Fife CHA(4), NGA(1883), SUD(1707).

Lophiodon - see *Ditrichum*

Lopidium camponii (Renauld & Cardot) M.Fleisch. = *Lopidium struthiopteris* (6705: 267)

Lopidium hemiloma (Müll.Hal.) M.Fleisch. = *Lopidium struthiopteris* (6705: 267)

Lopidium pinniforme (Brid.) M.Fleisch. ('pennaeforme') = *Lopidium struthiopteris* (6705: 265)

Lopidium struthiopteris (Brid.) M.Fleisch. COM(40,6705), KEN(46,7065),

MAU(2220,3410,6705), MDG(40,2220,6705), MLW(2220,6705),

REU(105,2220,3410,6705), SAF(1531,2220,6705,7766,8328), SAO(47,2220,6705),

TAN(46,2220,6705), UGA(4282), ZAI(65,2220,6705), ZIM(61,2220,6705).

Lopidium struthiopteris var. *camponii* (Renauld & Cardot) M.Fleisch. = *Lopidium struthiopteris* (6705: 267)

Lopidium subtrichocladon (Broth.) M.Fleisch. = *Lopidium struthiopteris* (6705: 267)

Luisierella barbula (Schwägr.) Steere ALD(2353), ROD(4931).

Macrocoma abyssinica (Müll.Hal.) Vitt CMN(47), ERI(50), ETH(50,111,1927),

KEN(46,3412,5315,6615,7065), MLW(67,6087), RWA(65), SOC(40,1626,2374,5613),

TAN(46), UGA(4282), ZAI(65).

Macrocoma elegans Hornsch. ex Müll.Hal., nom. nud. in synon. = *Macromitrium lycopodioides* [1521] (= *Macrocoma lycopodioides*)

Macrocoma lycopodioides (Schwägr.) Vitt REU(105,8028), SAF(1531,3411,7766,8328),

SWZ(1531).

Macrocoma lycopodioides (Schwägr.) Vitt. Note: Van Rooy (1547), *fide* Vitt, says that this taxon is restricted to southern Africa, and the record for Zimbabwe (61) is erroneous. Similarly I have assumed that Gepp's 1901 collection from Angola is also unreliable.

Macrocoma pulchella (Hornsch.) Vitt SAF(1531,8328).

Macrocoma pulchella (Schwägr.) Vitt. Van Rooy (1547), *fide* Vitt, says that this taxon is restricted to southern Africa, and the record for Zimbabwe (61) is erroneous. Similarly I have assumed that Potier de la Varde's 1947 Kenya record is also unreliable.

Macrocoma tenuis ssp. *tenuis* (Hook. & Grev.) Vitt ANG(46), ETH(1927),

KEN(46,3412,5315,6615,7065), LES(1531,4897), MDG(40), MLW(67,6087), MOZ(357),

REU(105), RWA(65), SAF(1531,3411,4897,7766,8328), SOC(7529),

STH(1296,4202,5331), SWZ(1531), TAN(46), UGA(4282), ZAI(65), ZIM(46,61).

Macrodon aubertii Arnott, nom. illeg. = *Leucoloma bifidum* (7101: 532)

Macroglossum pulchellum Thér. & Hilp. = *Hyophila pulchella* [1521] (= *Tisserantiella pulchella*)

Macrohymenium acidodon (Mont.) Dozy & Molk. KEN(46), MAU(3410),

MDG(40,1908,3410), REU(105,1908), SEY(595,1908,1926,1946,2195,2328,2353),

TAN(46).

Macrohymenium acidodon fo./var. *acutissimum* Besch. Excluded: any records for this form/variety have been associated with the owning species.

Macrohymenium incrassatum (Dixon & Thér.) Kis = *Acporium incrassatum* [5238: 64]

Macrohymenium megasporum (Duby) Kis = *Acporium megasporum* [5238: 64]

Macrohymenium muelleri Dozy & Molk. MDG(1908).

Macrohymenium rufum Müll.Hal. MDG(1908).

Macrohymenium strictum Bosch. & Sande Lac. MDG(1908), SEY(1908).

Macromitrium abessinianum var. *angustifolium* Broth., nom. dub. ex err. Excluded: this is an undescribed collection (Goetze 1047, from Tanzania) with an invalid name.

Macromitrium abyssinicum Müll.Hal. = *Macrocoma abyssinica* (33)

Macromitrium aciculare Brid., nom. illeg. = *Macromitrium pallidum* (40: 219)

Macromitrium adelphinum Cardot MDG(40).

Macromitrium amaniense P.de la Varde TAN(46).

Macromitrium ancistrophyllum Cardot MDG(40).

Macromitrium aneurodictyon Cardot ex P.de la Varde, *nom. inval.* = *Macromitrium anomodictyon* (40: 219)

Macromitrium anii Dixon, *nom. inval. err.* = *Macromitrium manni* [1521] (= *Macromitrium sulcatum*)

Macromitrium anomodictyon Cardot MDG(40).

Macromitrium appendiculatum (Renauld & Cardot) Paris = *Leiomitrium appendiculatum* [1521] (= *Cardotiella appendiculata*)

Macromitrium astroideum Mitt. ROD(105).

Macromitrium atrum Müll.Hal. ex Paris, *nom. nud.* Excluded: an undescribed collection (*Sikora 14317*) from Cameroon.

Macromitrium belangeri Müll.Hal. REU(105).***Macromitrium bequaertii*** Thér. & Naveau ZAI(65).

Macromitrium boivini Müll.Hal., *nom. nud.* = *Macromitrium rufescens* (40: 220)

Macromitrium borbonicum (Besch.) Broth. = *Macromitrium serpens* (1911)

Macromitrium borgenianum Müll.Hal. ex Paris, *nom. nud.* Excluded: an undescribed collection (*Dusén 274*) from Madagascar.

Macromitrium caespitans Müll.Hal. ex Geh., *nom. nud.* = *Macromitrium lycopodioides* [1911: 279] (= *Macrocoma lycopodioides*)

Macromitrium calocalyx Geh. MDG(40).***Macromitrium calomicron*** Broth. MAU(105).

Macromitrium chlororete Müll.Hal. ex Paris, *nom. nud.* Excluded: an undescribed collection from Ethiopia; Cufodontis . describes the species as dubious, confirming earlier views [50: 231].

Macromitrium coarctatum Schimp. ex C.H.Wright, *nom. nud.* = *Macromitrium fasciculare* [1848: 236; 40: 219]

Macromitrium confusum Mitt. = *Macrocoma tenuis* var. *tenuis* (33)

Macromitrium cucullatum Müll.Hal. ex Brizi ERI(50).

Macromitrium cylindricum Schimp. ex C.H.Wright, *nom. illeg.* (1888) = *Ulota fulva* [1848: 229; 40: 222]

Macromitrium dausonifolium Müll.Hal. ex Paris, *nom. inval. err.* = *Macromitrium dawsoniaemitterium* [1521] (= *Macrocoma tenuis*)

Macromitrium dawsanomitterium Müll.Hal. = *Macromitrium dawsoniaemitterium* [1521] (= *Macrocoma tenuis*)

Macromitrium dawsoniaemitterium Müll.Hal. = *Macrocoma tenuis* (1519: 510)

Macromitrium dregei Hornsch. = *Macrocoma tenuis* var. *tenuis* (33)

Macromitrium dusenii Müll.Hal. ex Broth. CMN(47), GAB(47), IVO(1880), LBR(47),

NGA(47,5148), ZAI(65).

Macromitrium eckendorffii Thér. & P.de la Varde = *Macromitrium sulcatum* (1878)

Macromitrium ecrispatum Dixon TAN(46).

Macromitrium elegans Duby, *hom. illeg.* = *Macromitrium serpens* [1911: 283]

Macromitrium fasciculare Mitt. MDG(40), REU(105), TAN(46).***Macromitrium fasciculare*** var. ***angustifolium*** P.de la Varde MDG(40).

Macromitrium ferrugineum (Hook. & Grev.) Müll.Hal. = *Schlottheimia ferruginea* [1521]

Macromitrium fimbriatum (P.Beauv.) Schwaegr. MAU(105), MDG(40), REU(105).***Macromitrium fimbriatum*** var. ***chloromitrium*** Besch. MAU(105).***Macromitrium fragile*** G.Negri, *hom. illeg.* UGA(46).***Macromitrium funicaule*** Besch. MAU(105).

Macromitrium gimalacii Bizot & Onr. = *Macrocoma lycopodioides* [8028]

Macromitrium hildebrandtii Müll.Hal. COM(40).

Macromitrium hyalinum Broth. = *Macrocoma tenuis* var. *tenuis* (33)

Macromitrium insculptum Mitt ex Sim, *nom. nud. in synon.* = *Macromitrium levatum* [5490: 128] (= *Macromitrium sulcatum*)

Macromitrium involutum Mitt. ex Paris, *nom. nud.* Excluded: an undescribed collection (*C.H. Wright, s.n.*) from Madagascar.

Macromitrium laevatum Mitt. ex Broth., *orthogr. pro* = *Macromitrium levatum* [1521] (= *Macromitrium sulcatum*)

Macromitrium lanceolatum Broth. MAU(105).

Macromitrium laxotorquatum Müll.Hal. ex Besch. = *Groutiella laxotorquata* [1521]

Macromitrium lebomboense Van Rooy SAF(1438,1531,7766,8328).

Macromitrium leucoblastum Müll.Hal. ex Paris, *nom. nud.* Excluded: an undescribed collection from Ankober, Ethiopia [6793: 239; 50: 233].

Macromitrium levatum Mitt. = *Macromitrium sulcatum* (1878)

Macromitrium liliputanum Müll.Hal. KEN(46).

Macromitrium liliputanum Müll.Hal. Note: Vitt (1980) (33) said that this species was probably either *Macrocoma abyssinica* or *Macrocoma tenuis* var. *tenuis*, but he was unable to find any specimen.

Macromitrium limbatulum Broth. & Paris = *Groutiella limbatula* [1521] (= *Groutiella laxotorquata*)

Macromitrium longisetum Schimp. ex C.H.Wright, *nom. nud.* = *Macromitrium soulae* [1848: 245; 40: 220]

Macromitrium lycopodioides Schwägr. = *Macrocoma lycopodioides* (7013)

- Macromitrium macleai* Paris, nom. nud. = *Macromitrium levatum* [5490: 128] (= *Macromitrium sulcatum*)
Macromitrium macropelma Müll.Hal. SAF(1531,8328).
Macromitrium manii A.Jaeger = *Macromitrium levatum* (5490: 128) (= *Macromitrium sulcatum*)
Macromitrium mauritianum Schwägr. AGA(40,1848), MAU(105), MDG(40), REU(105), TAN(46).
Macromitrium mauritianum* var. *viride Broth. MAU(105).
Macromitrium megacarpum Müll.Hal. ex Paris, nom. nud. Excluded: an undescribed collection (*Dusén* 508) from Cameroon.
Macromitrium megalosporum Thér. & Naveau KEN(46), ZAI(65).
Macromitrium megapterum Müll.Hal. ex Paris, nom. nud. Excluded: an undescribed collection (*Dusén* 508) from Cameroon.
Macromitrium menziesii Mitt., hom. illeg. = *Macromitrium levatum* (5490: 128) (= *Macromitrium sulcatum*)
Macromitrium microphyllum Hook. & Grev. = *Macrocoma tenuis* var. *tenuis* (1519: 510)
Macromitrium nanothecium Cardot MDG(40).
Macromitrium nanothecium* var. *sublaeve Thér. MDG(40).
Macromitrium onraedtii Bizot MDG(40,109).
Macromitrium orthostichum Nees ex Schwägr. UGA(4282).
Macromitrium pallidum (P.Beauv.) Wijk & Margad. MAU(105), REU(105), SEY(1941,2353).
Macromitrium perundulatum Broth. = *Macromitrium levatum* (5490: 128) (= *Macromitrium sulcatum*)
Macromitrium pervillei Schimp. ex C.H.Wright, nom. nud. = *Ulota fulva* [1848: 229; 40: 222]
Macromitrium pleurosigmoideum Paris & Broth. = *Groutiella pleurosigmoidea* [1521] (= *Groutiella laxotorquata*)
Macromitrium pobeguinii Paris & Broth. = *Groutiella pobeguinii* [1521] (= *Groutiella laxotorquata*)
Macromitrium productinerve Müll.Hal. ex Paris, nom. nud. Excluded: an undescribed collection (*Dusén* 662) from Cameroon.
Macromitrium protractum Broth. = *Macrocoma abyssinica* (33)
Macromitrium proximum Thér. MDG(40).
Macromitrium pulchellum (Hornsch.) Brid. = *Macrocoma pulchella* (7013: 219)
Macromitrium quadrifidum Müll.Hal., nom. illeg. incl. spec.prior. = *Schlotheimia angulosa* [1521]
Macromitrium recurvum Mitt., nom. nud. Excluded: an undescribed collection from Montagne du Pouce, Mauritius [8833: 406; 105: 83].
Macromitrium rehmannii Paris, nom. nud. = *Macromitrium serpens* [4378: 116]
Macromitrium rhizomatosum Müll.Hal. MDG(40).
Macromitrium richardii Schwägr. SAF(1438,1531,8328).
Macromitrium rufescens Besch. COM(40), KEN(46), MDG(40), REU(105), TAN(46).
Macromitrium rugifolium Müll.Hal. ex Broth., hom. illeg. = *Macromitrium manii* [5143: 317] (= *Macromitrium sulcatum*)
Macromitrium rugifolium Müll.Hal., hom. illeg. = *Macromitrium schlotheimiaeforme* [6793: 241] (= *Cardotiella secunda*)
Macromitrium sanctae-mariae Renauld & Cardot MDG(40).
Macromitrium sarcotrichum (Müll.Hal.) Paris = *Groutiella sarcotricha* (1521)
Macromitrium schizomitrium Besch. ex M.Fleisch., nom. nud. in synon. = *Macromitrium fasciculare* [2737: 430]
Macromitrium schlotheimiaeforme Paris = *Cardotiella secunda* (1519: 525)
Macromitrium sclerodictyon Cardot MDG(40), SEY(1926,2353).
Macromitrium scleropodium Besch. CMN(47), GAB(47), MDG(40), REU(105), RIM(4639), ZAI(65).
Macromitrium secundum (Müll.Hal.) Broth. = *Cardotiella secunda* (1519: 525)
Macromitrium seemannii Mitt. STH(1296,2707,4202,5331).
Macromitrium semidiaphanum Renauld & Cardot = *Schlotheimia semidiaphana* [1521]
Macromitrium semihiispidum Müll.Hal. ex Paris, nom. nud. Excluded: an undescribed collection (*Dusén* 855) from Cameroon.
Macromitrium semipapillosum Thér. & P.de la Varde MDG(40).
Macromitrium semipellucidum Renauld & Cardot ex Broth., nom. inval. err. = *Schlotheimia semidiaphana* [1521]
Macromitrium seriatum Paris & Broth. GUI(47).
Macromitrium serpens (Bruch ex Hook. & Grev.) Brid. MDG(40), MLW(67), MOZ(46), REU(105), SAF(1531,7766,8328), TAN(46).
Macromitrium serpentinum Mitt. ex J.Shaw, nom. nud. = *Macromitrium serpens* [1911: 282]
Macromitrium sobrinum Cardot = *Macromitrium tenuis* var. *tenuis* (33)
Macromitrium soulae Renauld & Cardot MDG(40).
Macromitrium squarrosum (Brid.) Müll.Hal. = *Schlotheimia squarrosa* [1521]

Macromitrium stuhlmannii Broth., nom. nud. Excluded: an undescribed collection (*Stuhlmann 9173*) from Tanzania.

Macromitrium subpungens Hampe ex Müll.Hal. COM(40), MDG(40),
SEY(1926,1946,1947,1950,2353), TAN(46).

Macromitrium subpungens var. ***madagassum*** Cardot MDG(40).

Macromitrium subtortum (Hook. & Grev.) Schwägr. MDG(40).

Macromitrium sulcatum var. ***sulcatum*** (Hook.) Brid. BIO(47), CAF(47), CMN(47),
COM(1447), ETH(111,1927), GAB(47), GHA(47), IVO(47), KEN(46,6615,7065),
MDG(40), MLW(67), MOZ(46), NGA(47,5148,5176), PRI(47), RWA(65),
SAF(1531,4897,8328), SAO(47), SIE(47), TAN(46), TOG(1878), UGA(4282), ZAI(65),
ZAM(46,62), ZIM(46,61).

Macromitrium tenue (Hook. & Grev.) Brid. = *Macrocoma tenuis* (7013: 217)

Macromitrium tenue var. *brachypus* Müll.Hal. ex Mitt., nom. nud. in synon. = *Macromitrium lycopodioides* [1911: 279]
(= *Macrocoma lycopodioides*)

Macromitrium tenue var. *brevirameum* Rehmann ex Paris, nom. nud. Excluded: an undescribed collection (*Rehmann 512*) from Transvaal, South Africa.

Macromitrium tenue var. *dregei* (Hornsch.) Müll.Hal. = *Macrocoma tenuis* var. *tenuis* (1519: 510)

Macromitrium tenue var. *leptocephalum* Müll.Hal. ex Paris, nom. nud. Excluded: an undescribed collection (*Rehmann 163*) from Cape Peninsula, South Africa.

Macromitrium tenue var. *lycopodioides* (Schwägr.) Müll.Hal. = *Macrocoma lycopodioides* (1519: 509)

Macromitrium thraustophyllum Müll.Hal. ex Broth. = *Groutiella thraustophylla* [1521]

Macromitrium tortifolium Thér. = *Macromitrium levatum* (1886) (= *Macromitrium sulcatum*)

Macromitrium tristratosum Dixon = *Macromitrium serpens* (1447)

Macromitrium trollii Dixon KEN(46).

Macromitrium turgidum Müll.Hal. ex Paris, nom. nud. Excluded: an undescribed collection (*Dusén 274*) from Cameroon.

Macromitrium ulota Schimp. ex A.Jaeger, nom. nud. Excluded: an undescribed collection (*Breutel s.n.*) from Cape Peninsula, South Africa.

Macromitrium uncinatum (Brid.) Brid. = *Macromitrium fimbriatum* (40: 219)

Macromitrium undatifolium Müll.Hal. = *Macromitrium levatum* (5490: 128) (= *Macromitrium sulcatum*)

Macromitrium urceolatum Müll.Hal. ex Geh. AGA(40,2327), MDG(40), TAN(46).

Macromitrium urceolatum (Hook.) Brid. STH(1296,4202,5331).

Macromitrium virescens Müll.Hal. ex Venturi = *Macrocoma abyssinica* (33)

Macromitrium voeltzkowii Broth. MAU(105), REU(105).

Macromitrium wilhelmi Paris, nom. nud. = *Ulota fulva* [2328: 229]

Maschalocarpus ecklonii Spreng. = *Macrocoma tenuis* var. *tenuis* (1519: 510)

Maschalocarpus flavescens (Hook.) Spreng. = *Campylodontium flavescens* [1521] (= *Mesonodon flavescens*)

Maschalocarpus gracilis (Hedw.) Spreng. = *Pterogonium gracile* [1521]

Maschalocarpus smithii (Hedw.) Spreng. = *Leptodon smithii* [1521]

Meesia bolleana Müll.Hal. = *Hydrogonium bolleanum* [1521] (= *Barbula bolleana*)

Meesia kenyae P.de la Varde = *Ceratodon purpureus* (5604)

Meiotheciopsis usambarica (Broth.) W.R.Buck = *Donnellia usambarica* (1982)

Meiothecium chlorocladum (Broth.) Broth. CMN(47), RIM(4639).

Meiothecium chlorocladum var. ***intermedium*** Thér. ZAI(65).

Meiothecium congolense (Cardot) Dixon ZAI(65).

Meiothecium crassirete (Renauld & Cardot) Cardot MDG(40,2672).

Meiothecium diversifolium (Renauld & Cardot) Broth. = *Meiothecium madagascariense* (1631)

Meiothecium fuscescens (A.Jaeger) Broth. SAF(1531,8328).

Meiothecium guineense (Broth. & Paris) W.Schultze-Motel GUI(47).

Meiothecium madagascariense (Brid.) Broth. MAU(3410), MDG(40,3410), REU(3410), ROD(1631,4931).

Meiothecium pobeguinii (Broth. & Paris) Broth. GUI(47).

Meiothecium undulatum (Renauld & Cardot) O'Shea MDG(40).

Meiothecium usambaricum (Broth.) Broth. = *Meiotheciopsis usambarica* (2743: 138) (= *Donnellia usambarica*)

Mesonodon flavescens (Hook.) W.R.Buck CMN(47), GUI(47), MAU(105), MDG(40),

MLW(67), RIM(4639), TAN(46), TOG(1878,2851), ZAI(5925).

Meteorium africanum (Müll.Hal.) Mitt. = *Papillaria africana* (1521)

Meteorium biforme (Hampe) Besch. = *Squamidium brasiliense* (1519: 578)

Meteorium calochroum Broth. ex Paris, nom. nud. Excluded: an undescribed collection from Tanzania.

Meteorium capense (Müll.Hal.) Schimp. ex Ångstr. = *Aerobryopsis capensis* (7168)

Meteorium floribundum (Dozy & Molk.) Dozy & Molk. = *Floribundaria floribunda* (1519: 583)

Meteorioides hispidum (Müll.Hal.) Mitt. = *Trachypus bicolor* var. *hispidus* [1521]
Meteorioides imbricatum (P.Beauv.) Mitt. = *Pilotrichella pentasticha* [4284: 42] (= *Orthostichella pentasticha*)
Meteorioides involutifolium Mitt. = *Orthostichidium involutifolium* (2)
Meteorioides involutum Mitt. ex C.H.Wright, nom. nud. = *Renauldia patentissima* var. *patentissima* [1848: 341; 40: 226]
Meteorioides patentissimum (Hampe) Kindb. = *Renauldia patentissima* [1521]
Meteorioides pseudocapense (Aongstr.) Melvill = *Aerobryidium subpiligerum* [1848: 357] (= *Aerobryopsis capensis*)
Meteorioides rehmannii Müll.Hal. = *Squamidium brasiliense* (1519: 578)
Meteorioides serrulatum (P.Beauv.) Mitt. = *Trachypodopsis serrulata* [1521]
Meteorioides silvaticum Mitt. ex Paris, nom. nud. = *Orthostichopsis subimbricata* [1848: 344; 40: 226]
Meteorioides sublivens Besch. = *Orthostichopsis sublivens* [1521]
Meteorioides sylvaticum Mitt. ex Paris, nom. nud. = *Orthostichopsis subimbricata* [1848: 344; 40: 226]
Meteorioides vaginans (Welw. & Duby) A.Jaeger = *Floribundaria vaginans* (1521)
Meteorioides viridulum (Mitt.) Mitt. = *Trachypus bicolor* var. *viridulus* [1521]
Meteorioides welwitschii (Duby) A.Jaeger = *Pilotrichella welwitschii* (1521)
Metzlerella alticaulis (Broth.) Broth. = *Atractylocarpus alticaulis* (7265)
Metzlerella madagascariensis Thér. = *Atractylocarpus madagascariensis* (7265)
Metzlerella naveauana Thér. in Naveau = *Atractylocarpus alticaulis* (465)
Metzleria - see note under *Atractylocarpus*.

***Microbryum davallianum* (Sm.) R.H.Zander SAF(1531,8328).**

Microbryum davallianum var. *conicum* (Schleich. ex Schwägr.) R.H.Zander = *Microbryum davallianum* (4793)

***Microbryum rufochaete* (Magill) R.H.Zander SAF(82,1531,8328).**

***Microbryum subplanomarginatum* (Dixon) R.H.Zander LES(4897), NAM(1531,7155),
SAF(1531,8328).**

Microcampylopus dicranelloides (Renauld & Cardot) Cardot in Grandid. = *Microcampylopus perpusillus* [1911: 181] (= *Campylopus perpusillus*)

Microcampylopus kouroussensis (Renauld & Paris) P.W.Richards & Clear = *Campylopus kouroussensis* (507) (= *Campylopus perpusillus*)

***Microcampylopus laevigatus* (Thér.) Giese & J.-P.Frahm ASC(507), BIO(8180), BUR(507),
KEN(46), MDG(40,507), MLW(46,67,2084), RWA(65,507), TAN(46), UGA(46,507),
ZAI(65).**

Microcampylopus minor (Besch.) Broth. ex Paris = *Campylopus minor* [1521] (= *Campylopus pyriforme*)

Microcampylopus nanus (Müll.Hal.) Broth. ex Paris = *Dicranella subsulcata* (507).

Microcampylopus perpusillus (Mitt.) Broth. ex Paris = *Campylopus perpusillus* (507).

Microcampylopus pusillus Müll.Hal. = *Dicranella subsulcata* (82: 121)

***Microcrossidium apiculatum* (Magill) J.Guerra & M.J.Cano SAF(1531,2059,8328).**

Microdus afro-exiguus (Dusén) Paris = *Leptotrichella afro-exigua* (4222)

Microdus ampullaceus (Dusén) Paris = *Leptotrichella ampullacea* (4222)

Microdus congolensis Renauld & Cardot = *Leptotrichella congolensis* (4222)

Microdus glabrifolium (Müll.Hal.) Kindb. Note: this name combination does not exist and arises from an error in the Central Africa checklist (65), where *Microthamnium glabrifolium* (a synonym of *Mittenothamnium pseudoreptans*) was incorrectly copied.

Microdus ligulifolius (Müll.Hal.) Broth. = *Leptotrichella ligulifolia* (4222)

Microdus limosus Besch. = *Microdus minutus* (4800: 182) (= *Leptotrichella minuta*)

Microdus lutarius Besch. = *Leptotrichella lutaria* (4222)

Microdus minutus (Dusén) Paris = *Leptotrichella minuta* (4222)

Microdus moenkemeyeri (Müll.Hal.) Paris = *Leptotrichella moenkemeyeri* (4222)

Microdus nitidulus (Mitt.) Paris = *Leptotrichella nitidula* (4222)

Microdus pallidisetus (Brid.) Besch. = *Leptotrichella pallidiseta* (4222)

Microdus subnitidulus Thér. & P.de la Varde = *Leptotrichella subnitidula* (4222)

Micromitrium elimbatum Thér. = *Groutiella elimbata* (1663)

Micromitrium laxotorquatum (Besch.) Paris = *Groutiella laxotorquata* [1521]

Micromitrium limbatum (Broth. & Paris) Paris = *Groutiella limbata* [1521] (= *Groutiella laxotorquata*)

***Micromitrium megalospermum* Austin CMN(6765).**

***Micromitrium perexiguum* Müll.Hal. SAF(6765,8328).**

Micromitrium pleurosigmoideum (Paris & Broth.) Broth. = *Groutiella pleurosigmoidea* [1521] (= *Groutiella laxotorquata*)

Micromitrium pobeguinii (Paris & Broth.) Paris = *Groutiella pobeguinii* [1521] (= *Groutiella laxotorquata*)

Micromitrium sarcotrichum (Müll.Hal. ex Broth.) Paris = *Groutiella sarcotricha* (1521) (= *Groutiella laxotorquata*)

***Micromitrium tenerum* (Bruch) Crosby BIO(8180).**

Micromitrium thraustophyllum (Broth.) Paris = *Groutiella thraustophylla* [1521]

Micropoma bukobense Broth. = *Physcomitrium bukobense* (1680).

Micropoma niloticum (Delile) Lindb. = *Physcomitrium niloticum* (1680).

Microstegium niloticum (Delile) Lindb. = *Micropoma nilotica* [1521] (= *Physcomitrium niloticum*)

Microthamnium afro-elegantulum Broth. = *Mittenothamnium horridulum* [1911: 417]

Microthamnium ankeriense Kjaer ex C.H.Wright, nom. nud. = *Mittenothamnium madagassum* [2328: 244]

- Microthamnium argillicola* Renauld & Cardot = *Isopterygium argillicola* [1521]
Microthamnium aureum Besch. = *Mittenothamnium aureum* [1521] (= *Mittenothamnium reptans*)
Microthamnium bescherellei Renauld & Cardot = *Mittenothamnium bescherellei* [1521]
Microthamnium bessonii Renauld & Cardot = *Acanthocladium bessonii* [1521] (= *Wijkia bessonii*)
Microthamnium brachycarpum Renauld & Cardot = *Mittenothamnium microthamnioides* [1848: 510]
Microthamnium brachycarpum var. *brevicuspis* P.de la Varde = *Chryso-hypnum frondosum* [717]
Microthamnium brachycarpum var. *glauculum* (Cardot) Thér. = *Mittenothamnium microthamnioides* var. *glauculum* [1521]
Microthamnium brevicuspis (P.de la Varde) P.de la Varde = *Mittenothamnium brevicuspis* [1521] (= *Chryso-hypnum frondosum*)
Microthamnium byssicormum Müll.Hal. ex Paris, *nom. nud.* Excluded: an undescribed collection (*Dusén* 214) from Cameroon.
Microthamnium caudiforme (Müll.Hal.) Kindb. = *Mittenothamnium caudiforme* (1521)
Microthamnium cavifolium Dixon = *Mittenothamnium cavifolium* (1521) (= *Chryso-hypnum cavifolium*)
Microthamnium chlorizans (Welw. & Duby) A.Jaeger = *Rhacopilopsis trinitensis* (2746: 88)
Microthamnium ctenidioides Dixon = *Mittenothamnium ctenidioides* (53: 24)
Microthamnium cygnicollum Dixon = *Mittenothamnium cygnicollum* (1521) (= *Mittenothamnium reptans*)
Microthamnium flexile Renauld & Cardot = *Heterophyllum flexile* [1521] (= *Rhacopilopsis variegata*)
Microthamnium flexile var. *fuscoalare* Renauld & Cardot, *nom. nud.* = *Rhacopilopsis variegata* (4720)
Microthamnium frondosum (Mitt.) A.Jaeger = *Mittenothamnium frondosum* [1521] (= *Chryso-hypnum frondosum*)
Microthamnium fruticellum (Mitt.) A.Jaeger = *Mittenothamnium reptans* (717)
Microthamnium glabrifolium (Müll.Hal.) Kindb. = *Mittenothamnium pseudoreptans* (4274)
Microthamnium horridulum Broth. = *Mittenothamnium horridulum* (1521)
Microthamnium inclinatum Renauld = *Mittenothamnium microthamnioides* [1848: 444]
Microthamnium isopterygioides P.de la Varde, *hom. illeg.* = *Mittenothamnium isopterygioides* [174]
Microthamnium lacouturei Renauld & Cardot in Renauld = *Mittenothamnium lacouturei* [1521]
Microthamnium leptoreptans Broth. = *Mittenothamnium leptoreptans* [1521]
Microthamnium leptosquarrosum Müll.Hal. ex Paris, *nom. nud.* Excluded: an undescribed collection (*Dusén* 840) from Cameroon.
Microthamnium limosum Besch. = *Mittenothamnium limosum* [1521]
Microthamnium longirostrum Thér. Note: this species, along with *Microthamnium perrieri* and *Microthamnium viguieri*, published in 1926 for Madagascar by Thériot (3093), need to be transferred to a different genus, or synonymised.
Microthamnium madagassum Besch. = *Mittenothamnium madagassum* [1521]
Microthamnium mollissimum Müll.Hal. ex C.H.Wright, *nom. nud.* = *Mittenothamnium madagassum* [1848: 446]
Microthamnium nervosum Kier ex C.H.Wright, *nom. nud.* = *Rhynchostegium nervosum* [1521]
Microthamnium palmarum Broth. = *Isopterygium palmarum* (1521)
Microthamnium patens (Hampe) A.Jaeger = *Mittenothamnium patens* (1521)
Microthamnium perrieri Thér. Note: see under *Microthamnium longirostrum*.
Microthamnium planosquarrosum Broth. = *Mittenothamnium planosquarrosum* [1521] (= *Rhacopilopsis trinitensis*)
Microthamnium pobeguinii Broth. & Paris = *Mittenothamnium pobeguinii* [1521] (= *Rhacopilopsis trinitensis*)
Microthamnium prionacis Müll.Hal. ex Paris, *nom. nud.* Excluded: an undescribed specimen (*Dusén* 224) from Cameroon.
Microthamnium protractulum (Müll.Hal.) Besch. = *Ectropothecium protractulum* [1521]
Microthamnium pseudoreptans (Müll.Hal.) A.Jaeger = *Mittenothamnium pseudoreptans* (1521)
Microthamnium reptans (Hedw.) Mitt. = *Mittenothamnium reptans* [1521]
Microthamnium reptans var. *pseudoreptans* (Müll.Hal.) Dixon ex Broth. = *Mittenothamnium pseudoreptans* [1521]
Microthamnium raphidostegioides Broth. = *Taxithelium raphidostegioides* (1521)
Microthamnium raphidostegioides var. *pallidum* Broth. = *Taxithelium raphidostegioides* var. *pallidum* [46]
Microthamnium raphidostegioides var. *viride* Broth. = *Taxithelium raphidostegioides* var. *viride* [46]
Microthamnium saproadelphus Broth. = *Mittenothamnium saproadelphus* (1521)
Microthamnium serratum A.Jaeger = *Mittenothamnium serratum* [1521] (= *Mittenothamnium reptans*)
Microthamnium shawii Rehmann ex Renauld & Cardot, *nom. nud.* = *Mittenothamnium horridulum* [4800: 218]
Microthamnium stuhlmannii Broth. = *Mittenothamnium stuhlmannii* (1521) (= *Rhacopilopsis trinitensis*)
Microthamnium subelegantulum Broth. = *Mittenothamnium subelegantulum* [1521] (= *Rhacopilopsis trinitensis*)
Microthamnium tenellum Mitt. ex Dixon, *nom. nud.* in synon. = *Mittenothamnium saproadelphus* [3420: 78]
Microthamnium trichostegium Müll.Hal. ex Paris, *nom. nud.* Excluded: appears in a list [4254: 21]; no description or specimen provided.
Microthamnium viguieri Thér. Note: see under *Microthamnium longirostrum*.
Microthecium boivinii Schimp. ex Paris, *nom. nud.* in synon. = *Vesicularia galericulata* [1848: 480]
Mielichhoferia basilaris Bruch. & Schimp. ex Müll.Hal. = *Schizymenium basilare* (1487)
Mielichhoferia bequaertii Dixon & Naveau = *Pohlia bequaertii* (65)
- Mielichhoferia borbonica*** Thér. REU(105).
Mielichhoferia breutelii Schimp. ex A.Jaeger, *nom. nud.* = *Haplodontium reticulatum* [1911: 316]. Excluded: see note under *Weissia reticulata*.
- Mielichhoferia bryoides*** (Harv.) Wijk & Margad. LES(1531,4897), MLW(67,6087), SAF(1531,8328), SWZ(7972), ZIM(46).
- Mielichhoferia campylocarpa* Schimp. ex Cufod., *nom. nud.* = *Mielichhoferia schimperi* (50: 229)

Mielichhoferia cardotii A.J.Shaw & H.A.Crum MDG(40).

Mielichhoferia cholnokyi P.de la Varde = *Mielichhoferia subnuda* (83: 339)

Mielichhoferia clavata Bruch & Schimp. ex Müll.Hal. Excluded: see *Weissia reticulata*: the type collection contains two different elements.

Mielichhoferia clavata Bruch & Schimp. ex Müll.Hal., *nom. illeg.* ETH(50), SUD(1419).

Mielichhoferia commixta Thér. = *Schizymenium commixtum* (1487)

Mielichhoferia compacta (Lindb.) Kindb., *hom. illeg. incl. spec. prior.* = *Mielichhoferia mielichhoferi* [1521]

Mielichhoferia cratericola Broth. = *Schizymenium cratericola* (65)

Mielichhoferia densifolia Angstr. = *Brachymenium acuminatum* (23: 4)

Mielichhoferia ecklonii Hornsch. = *Mielichhoferia bryoides* [2584: 231]

Mielichhoferia elgonensis P.de la Varde TAN(46), UGA(46).

Mielichhoferia elongata Rehmann ex Kindb., *nom. nud.* Excluded: an undescribed collection (*Rehmann 212*) from Natal, South Africa.

Mielichhoferia harriotii Thér. = *Schizymenium harriotii* (1487)

Mielichhoferia hymenostoma Bruch. & Schimp. ex Müll.Hal. = *Schizymenium hymenostomum* (1487)

Mielichhoferia hymenostomoides P.de la Varde UGA(46).***Mielichhoferia linderi*** Thér. RWA(65).

Mielichhoferia madagassa Renauld & Cardot ex Cardot = *Schizymenium madagassum* (1487)

Mielichhoferia madagassa* var. *gracilis Thér. MDG(40).

Mielichhoferia madagassa var. *gracilis* Thér. Note: *Mielichhoferia madagassa* has now been transferred to *Schizymenium*, but this variety was not considered at the time of the transfer. It should be synonymised or transferred.

Mielichhoferia mildbraedii Broth. = *Schizymenium mildbraedii* (65)

Mielichhoferia notarisii (Mitt.) Jur. = *Haplodontium notarisii* [1521] (= *Brachymenium notarisii*)

Mielichhoferia ovalis Mitt. CMN(47), IVO(1458).

Mielichhoferia pellucida Hampe. Excluded: see note under *Weissia reticulata*.

Mielichhoferia procerrima Rehmann ex Geh., *nom. nud.* = *Anomobryum promontorii* [4378: 69] (= *Anomobryum julaceum*)

Mielichhoferia procumbens Rehmann ex Paris, *nom. nud.* = *Anomobryum promontorii* [4378: 69] (= *Anomobryum julaceum*)

Mielichhoferia rehmannii Müll.Hal. = *Mielichhoferia bryoides* [1911: 316; 83: 338]

Mielichhoferia ruwenzorensis Thér. & Naveau = *Schizymenium ruwenzorensis* (65)

Mielichhoferia schimperi Besch. ex Paris, *nom. nud.* Excluded: an undescribed specimen (*Schimper 1027*) from Ethiopia [50: 229].

Mielichhoferia speluncae P.de la Varde UGA(46).

Mielichhoferia squarrosula Rehmann ex Dixon & A.Gepp, *nom. nud. orthogr.* = *Mielichhoferia squarrulosa* [1521] (= *Brachymenium acuminatum*)

Mielichhoferia squarrulosa Müll.Hal. = *Brachymenium acuminatum* (83: 343)

Mielichhoferia squarrulosa* var. *fragilis Thér. & Naveau ZAI(65).***Mielichhoferia subbasilaris*** Broth. RWA(65), UGA(46).***Mielichhoferia subnuda*** Sim LES(1531,4897), SAF(1531,8328).

Mielichhoferia transvaalensis Müll.Hal. = *Mielichhoferia bryoides* (83: 338)

Mielichhoferia vallis-gratiae Hampe ex Paris, *nom. nud.* = *Mielichhoferia bryoides* [1911: 316]

Mielichhoferia vardei J.Shaw & H.A.Crum CMN(47).***Mielichhoferia woodii*** P.de la Varde UGA(46).

Mittenothamnium afro-elegantulum (Broth.) Cardot = *Mittenothamnium horridulum* [1911: 419]

Mittenothamnium aureum (Besch.) Cardot = *Mittenothamnium reptans* (717)

Mittenothamnium bescherellei (Renauld & Cardot) Cardot REU(105).

Mittenothamnium brachycarpum (Renauld & Cardot) Cardot = *Mittenothamnium microthamnioides* [1848: 510]

Mittenothamnium brachycarpum var. *glauculum* Cardot in Grandid. = *Mittenothamnium microthamnioides* var. *glauculum* [1521]

Mittenothamnium brevicuspis (P.de la Varde) Wijk & Margad. = *Chryso-hypnum frondosum* (717)

Mittenothamnium byssicormum Müll.Hal. ex Paris, *nom. nud.* Excluded: an undescribed collection (*Dusén 214*) from Cameroon.

Mittenothamnium caudiforme (Müll.Hal.) Cardot MOZ(46).

Mittenothamnium cavifolium (Dixon) Wijk & Margad. = *Chryso-hypnum cavifolium* (717)

Mittenothamnium ctenidiooides (Dixon) Schelpe SAF(1531,7766,8328), TAN(46).

Mittenothamnium cygnicollum (Dixon) Wijk & Margad. = *Mittenothamnium reptans* (717)

Mittenothamnium elegantulum (Müll.Hal.) Cardot. Excluded: the only taxon with this name (which appears in two papers by Egunyomi (5176, 5745)), has so far only been reported from America, and was described by Hooker, not Müller. From (5745), it is probably a mistake for *Mittenothamnium afrolegantulum* (Broth.) Cardot, which is a synonym of *Mittenothamnium horridulum*, but as it is not clear, the references have been ignored.

Mittenothamnium frondosum (Mitt.) Cardot = *Chryso-hypnum frondosum* (717)

Mittenothamnium fruticellum (Mitt.) Cardot = *Mittenothamnium reptans* (717)

Mittenothamnium glabrifolium (Müll.Hal.) Cardot = *Mittenothamnium reptans* var. *pseudoreptans* [4274: 329] (= *Mittenothamnium pseudoreptans*)

Mittenothamnium horridulum (Broth.) Cardot CMN(47), GUI(47), MDG(40), NGA(334), SAF(1531,8328).

Mittenothamnium inclinatum (Renauld) Cardot = *Mittenothamnium microthamnioides* [1848: 444]

Mittenothamnium isopterygioides (Renauld & Cardot) Cardot GAB(47).

Mittenothamnium lacouturei (Renauld & Cardot) Cardot MDG(40).

Mittenothamnium leptoreptans (Broth.) Cardot SAO(47).

Mittenothamnium leptosquarrosum Cardot, nom. nud. Excluded: an undescribed collection (*Dusén* 840) from Cameroon.

Mittenothamnium limosum (Besch.) Cardot MDG(40), REU(105).

Mittenothamnium madagassum (Besch.) Cardot COM(40), MAU(3410), MDG(40,3410), REU(105,3410).

Mittenothamnium microthamnioides (Geh.) Wijk & Margad. MDG(40,3410), MOZ(46), REU(3410), ZAM(46).

Mittenothamnium microthamnioides var. *glauculum* (Cardot) Wijk & Margad. MDG(40).

Mittenothamnium mollissimum Cardot, nom. nud. = *Mittenothamnium madagassum* [1848: 446]

Mittenothamnium overlaetii Thér. & Naveau NGA(5160,5176), TAN(46), ZAI(65).

Mittenothamnium overlaetii var. *kilimandscharicum*. Note: this was an orthographic error in version 1 of the Checklist for *Mittenothamnium patens* var. *kilimandscharicum*.

Mittenothamnium pallescens Broth. in Mildbr., nom. nud. Excluded: an undescribed collection (*Mildbraed* 6548) from Annobon [1619: 159; 47: 523].

Mittenothamnium patens (Hampe) Cardot SAF(1531,4897,7766,8328), TAN(46).

Mittenothamnium patens var. *kilimandscharicum* (Broth.) Kis TAN(46).

Mittenothamnium perrieri (Thér.) W.Schultze-Motel CAF(47).

Mittenothamnium perrieri (Thér.) W.Schultze-Motel. Note: Crosby & Schultze-Motel (40) suggest that this is probably a synonym of *Mittenothamnium microthamnioides* var. *glauculum*.

Mittenothamnium planosquarrosum (Broth.) Cardot = *Rhacopilopsis trinitensis* (717)

Mittenothamnium pobeguinii (Broth. & Paris) Cardot = *Rhacopilopsis trinitensis* (717)

Mittenothamnium proreptans (Müll.Hal.) Cardot = *Mittenothamnium pseudoreptans* (1521)

Mittenothamnium pseudoreptans (Müll.Hal.) Cardot BUR(65), KEN(46), RWA(65,2675), SAF(1531,8328), TAN(46), UGA(46), ZAI(65), ZIM(46).

Mittenothamnium reptans (Hedw.) Cardot BIO(47,2662), CMN(47), ETH(1927), KEN(46), MAU(3410), MDG(40), MLW(67), REU(105,3410), RWA(65), SAF(1531,7766,8328), TAN(46), ZAI(65), ZIM(46).

Mittenothamnium reptans var. *pseudoreptans* (Müll.Hal.) Dixon ex H.A.Crum & Steere = *Mittenothamnium pseudoreptans* [1521]

Mittenothamnium saproadelphus (Broth.) Cardot CMN(47), MAU(105).

Mittenothamnium serratum (A.Jaeger) Cardot = *Mittenothamnium reptans* (717)

Mittenothamnium shawii Cardot = *Mittenothamnium horridulum* [4800: 218]

Mittenothamnium stuhlmannii (Broth.) Cardot = *Rhacopilopsis kilimandscharica* (717)

Mittenothamnium subelegantulum (Broth.) Cardot = *Rhacopilopsis trinitensis* (717)

Mittenothamnium subpatens (Broth.) Kis TAN(46).

Mittenothamnium trichostegium Cardot, nom. nud. Excluded: appears in a list [4254: 21]; no description or specimen provided.

Mitthyridium chenagonii (Renauld & Cardot) H.Rob. = *Serpotortella chenagonii* (1474)

Mitthyridium cyrtophyllum (Besch.) H.Rob. = *Serpotortella cyrtophylla* (1474)

Mitthyridium fasciculatum ssp. *cardotii* (M.Fleisch.) B.C.Tan & L.T.Ellis SEY(1946,1947,1950,2033,2353).

Mitthyridium fasciculatum var. *fasciculatum* (Hook. & Grev.) H.Rob. MAU(105), MDG(1375), SEY(2033,2353).

Mitthyridium fasciculatum var. *obtusifolium* (Lindb.) M.Menzel in M.Menzel & W.Schultze-Motel SEY(2033,2353).

Mitthyridium flavum (Müll.Hal.) H.Rob. ZAI(4637).

Mitthyridium guineense (Broth. & Paris) W.Schultze-Motel = *Syrrhopodon africanus* var. *africanus* (1909)

Mitthyridium letestui (Thér. & P.de la Varde) H.Rob. = *Mitthyridium undulatum* [1473: 207]

Mitthyridium micro-undulatum (Dixon) H.Rob. = *Mitthyridium fasciculatum* ssp. *cardotii* (4977)

Mitthyridium micro-undulatum ssp. *comoroense* W.D.Reese COM(1713).

Mitthyridium obtusifolium (Lindb.) H.Rob. = *Mitthyridium fasciculatum* var. *obtusifolium* (1082)

Mitthyridium subflavum (Renauld & Cardot) H.Rob. MDG(40,5567).

Mitthyridium undulatum (Dozy & Molk.) H.Rob. GAB(47), GUI(4637), NGA(5148), ZAI(4637,5319).

Mniadelphus dusenii Müll.Hal. ex Dusén, nom. nud. in synon. = *Distichophyllum rigidicaule* [4087: 51]

Mniadelphus hornschuchii Müll.Hal., 1850 nom. illeg. = *Distichophyllum mniifolium* (1519: 612)

Mniadelphus hornschuchii Müll.Hal., 1899 hom. illeg. = *Distichophyllum mniifolium* [1911: 441; 1519: 612]

Mniadelphus mascarenicus (Besch.) Kindb. = *Distichophyllum mascarenicum* [1521]

Mniadelphus procumbens (Mitt.) A.Jaeger = *Distichophyllum procumbens* [1521]

Mniadelphus rigidicaulis Dusén = *Distichophyllum rigidicaule* [1521]

Mniadelphus woodii Sim, nom. nud. in synon. = *Porothamnium woodii* [1521]. Excluded: see *Stereophyllum woodii*.

Mniobryum linderi Thér. RWA(2660), ZAI(65).

Mniobryum pergracile Thér. & P.de la Varde CAF(47), KEN(46), TAN(259), UGA(46), ZAI(65).

Mniobryum perlaxum Thér. & P.de la Varde MDG(40).

Mniobryum ruwenzorense P.de la Varde UGA(46).

Mniobryum subcarneum Thér., hom. illeg. = *Mniobryum linderi* [4363: 141]

Mniobryum wahlenbergii (F.Weber & D.Mohr) Jenn. = *Pohlia wahlenbergii* (2185)

Mniobryum. Note: species with a valid name in *Pohlia* are treated in that genus, pending a revision of the generic boundaries.

Mnium alpinum (With.) P.Beauv. = *Bryum alpinum* [1521]

Mnium apiculatum P.Beauv. = *Brachymenium apiculatum* [1521]

Mnium aubertii (Schwägr.) Brid. = *Bryum aubertii* (83: 387)

Mnium australe Besch. = *Mnium undulatum* var. *australe* [1521] (= *Plagiommium rhynchophorum* var. *rhynchophorum*)

Mnium bicolor (Dicks.) Brid. = *Bryum bicolor* [1521] (= *Bryum dichotomum*)

Mnium bimum Schreb. = *Bryum pseudotriquetrum* var. *bimum* [1521]

Mnium caespiticium (Hedw.) With. = *Bryum caespiticium* [1521]

Mnium caespiticium var. *bicolor* (Dicks.) Roehl. = *Bryum bicolor* [1521] (= *Bryum dichotomum*)

Mnium capillaceum Sw., nom. inval. = *Distichium capillaceum* [1521]

Mnium capillare (Hedw.) With. = *Bryum capillare* [1521]

Mnium commersonii Schwägr. = *Rhodobryum commersonii* [1521; 83: 392]

Mnium cristatum (Hedw.) P.Beauv. = *Eriops cristatus* [1521] (= *Calyptrochaete cistata*)

Mnium crudum Hedw. = *Pohlia cruda* (83: 350)

Mnium cuspidatum Hedw. = *Plagiommium cuspidatum* [608]

Mnium ecklonii Müll.Hal. = *Plagiommium rhynchophorum* var. *reidii* (83: 395)

Mnium elongatum (Hedw.) P.Beauv. = *Pohlia elongata* [1521]

Mnium erythrocaulon Schwägr. = *Bryum erythrocaulon* (83: 383)

Mnium fontanum L. ex Hedw. = *Philonotis fontana* (1521)

Mnium giganteum Schwaege. = *Rhodobryum giganteum* [1521]

Mnium heteromallum (Hedw.) J.F.Gmel. ex With. = *Dicranella heteromalla* [1521]

Mnium hildebrandtii Müll.Hal. ex C.H.Wright, nom. nud. = *Plagiommium rhynchophorum* var. *rhynchophorum* (1036)

Mnium kilima-n'djaricum Müll.Hal. ex Paris, orthogr. = *Mnium kilimandscharicum* [1521] (= *Plagiommium rhynchophorum* var. *rhynchophorum*)

Mnium kilimandscharicum Müll.Hal. = *Plagiommium rhynchophorum* var. *rhynchophorum* [1036]

Mnium lanatum P.Beauv. = *Bryum argenteum* var. *lanatum* [1521] (= *Bryum argenteum*)

Mnium longirostre Brid. = *Plagiommium rostratum* [1036]. Note: auct. afr. = *Plagiommium rhynchophorum* var. *rhynchophorum*.

Mnium madagascariense Kiaer ex C.H.Wright, nom. nud. = *Plagiommium rhynchophorum* var. *rhynchophorum* (1036)

Mnium marchicum Hedw. = *Philonotis marchica* [1521]

Mnium mauritianum (Besch.) Müll.Hal. = *Rhizogonium mauritianum* [1521] (= *Pyrrhobryum spiniforme*)

Mnium nutans (Hedw.) Hoffm. ex Spreng., hom. illeg. = *Pohlia nutans* [1521]

Mnium pallens (Sw.) P.Beauv. = *Bryum pallens* [1521]

Mnium palmifolium P.Beauv. = *Fissidens palmifolius* [1521]

Mnium palustre Hedw. = *Aulacomnium palustre* (1521)

Mnium pervilleanum (Besch.) Müll.Hal. = *Rhizogonium spiniforme* [4692: 347] (= *Pyrrhobryum spiniforme*)

Mnium pseudotriquetrum Hedw. = *Bryum pseudotriquetrum* (83: 378)

Mnium punctatum (Schreb.) Hedw. = *Rhizomnium punctatum*. Excluded: according to Koponen (1036), this taxon is not known from sub-Saharan Africa.

Mnium rhynchophorum Hook. = *Plagiommium rhynchophorum* var. *rhynchophorum* (1036)

Mnium roseum Hedw. = *Rhodobryum roseum* (83:390) (= *Rhodobryum ontariense*)

Mnium rostratum (Schrad.) Schwägr. = *Plagiommium rostratum* (1036). Note: auct. afr. = *Plagiommium rhynchophorum* var. *rhynchophorum*.

Mnium rostratum var. *reidii* Dixon = *Plagiommium rhynchophorum* var. *reidii* (83: 395)

Mnium rurale Sw., nom. inval. = *Tortula ruralis* [1521] (= *Syntrichia ruralis*)

Mnium saxatile Müll.Hal., nom. nud. Excluded: an undescribed specimen from Cameroon.

Mnium saxicola Müll.Hal. ex Paris, nom. nud. Excluded: an undescribed collection (Dusén 42) from Cameroon.

- Mnium serpyllifolium* var. *punctatum* (Hedw.) Jolycl. = *Mnium punctatum* [1521]. Note: see under *Mnium punctatum*.
Mnium serpyllifolium var. *undulatum* (Hedw.) L. ex Richt. = *Mnium undulatum* [1521] (= *Plagiommum undulatum*)
Mnium spathulatum Hornsch. = *Rhodobryum roseum* (83:391) (= *Rhodobryum ontariense*)
Mnium spiniforme (Hedw.) Müll.Hal. = *Pyrrhobryum spiniforme* (83: 403)
Mnium spiniforme var. *comorense* Müll.Hal. = *Rhizogonium spiniforme* var. *comorense* [1521] (= *Pyrrhobryum spiniforme* var. *comorense*)
Mnium subnerve Schwaegr. = *Eriopus cristatus* [6894: 276 b] (= *Calyptrochaeta cristata*)
Mnium tomentosum Sw. ex Brid. = *Breutelia tomentosa* [1521]. Excluded: see note under *Breutelia tomentosa*.
Mnium truncorum Brid. = *Bryum truncorum* [1521] (= *Bryum pycnophyllum*)
Mnium turbinatum Hedw. = *Bryum turbinatum* (83: 375)
Mnium turgidum Wahlenb. = *Aulacomnium turgidum* [1521]
Mnium umbraculum (Hook.) Schwaegr. = *Rhodobryum umbraculum* [1521] (= *Bryum umbraculum*)
Mnium undulatum Hedw. = *Plagiommum undulatum* [608]
Mnium undulatum var. *australe* (Besch.) Paris = *Plagiommum rhynchophorum* var. *rhynchophorum* [40]
Mnium vallis-gratiae Hampe = *Pyrrhobryum vallis-gratiae* (83: 401)
Moenkemeyera diaphanodonta P.de la Varde = *Fissidens diaphanodontus* (107)
Moenkemeyera etessei Broth. & Paris = *Fissidens founta-djalloni* (76) (= *Fissidens gardneri*)
Moenkemeyera flexipes P.de la Varde = *Fissidens parkii* (72)
Moenkemeyera hians (Hampe) Müll.Hal. Note: see *Fissidens hians* (Hampe) Paris; it is likely that these two taxa, described in successive years, are homotypic, based on a collection made by Rabenhorst near Lagos (Bruggeman-Nannenga, pers. comm.).
Moenkemeyera konkourae (Paris & Broth.) P.de la Varde = *Fissidens microcarpus* (73)
Moenkemeyera macrocarpa Broth. & Paris = *Fissidens parkii* (72)
Moenkemeyera macroglossa Broth. = *Fissidens macroglossus* (1458 (fide Bruggeman-Nannenga))
Moenkemeyera macroglossoides Broth. = *Fissidens macroglossus* (3212)
Moenkemeyera mirabilis Müll.Hal. = *Fissidens parkii* (72)
Moenkemeyera scleromitria (Besch.) P.de la Varde = *Fissidens scleromitrius* (53: 24)
Moenkemeyera subsphaerocarpa P.de la Varde = *Fissidens microcarpus* (73)
- Molendoa sendtneriana*** (Bruch, Schimp. & W.Gümbel) Limpr. LES(4304,4897), SOM(50), SUD(4304), TAN(7833).
- Molendoa sublaevis*** Demaret & P.de la Varde ZAI(65).
Mollia brachydontia (Bruch) Lindb. = *Trichostomum brachydontium* [1521]
Mollia caespitosa (Schwaegrr.) Broth. = *Tortella humilis* [1912: 251]
Mollia calcarea (Nees & Hornsch.) Lindb. ex Braithw. = *Gymnostomum calcareum* [1521]
Mollia crispula (Bruch.) Lindb. = *Trichostomum crispulum* [1521]
Mollia humilis (Hedw.) Lindb. = *Tortella humilis* [1521]
Mollia ruralis Schrank, nom. inval. = *Tortula ruralis* [1521] (= *Syntrichia ruralis*)
Mollia rutilans (Hedw.) Lindb. ex Braithw. = *Weissia rutilans* [1521]
Mollia verticillata (Brid.) Lindb. = *Eucladium verticillatum* [1521]
Nanobryum drummondii Dixon ex Wijk & Margad., nom. nud. in synon. = *Nanobryum dummeri* ['duemmeri'] [1521]
Nanobryum dummeri Dixon = *Nanobryum gladiolum* (4059) (= *Fissidens gladiolus*). Note: Stone (4060) would prefer *Nanobryum dummeri* to be retained, as a link to the Australian plant *Nanobryum thorborei* (the only other species in the family), separating it from *Fissidens gladiolus* on leaf structure.
Nanobryum gladiolum (Mitt.) Bizot = *Fissidens gladiolus* (2088)
Nanoconomitrium hians Hampe ex Müll.Hal., non. nud. in synon. = *Moenkemeyera hians* [1521]. Note: see under *Moenkemeyera hians*.
Nanomitriopsis laxifolia (Renauld & Cardot) Cardot in Grandid. = *Pseudephemerum laxifolium* [1521] (= *Pseudephereum nitidum*). Note: see also *Pseudephemerum laxifolium*.
- Nanomitriopsis longifolia*** Cardot ZAI(65,3040).
Nanomitriopsis longifolia Cardot = *Pseudephemerum laxifolium* [4363: 139] (= *Pseudephereum nitidum*)
Neckera abyssinica Bruch, Schimp. & W.Gümbel, nom. nud. = *Neckera remota* [7150: 1939]
Neckera abyssinica Müll.Hal., nom. inval. = *Pylaisiobryum abyssinicum* (1521)
Neckera acutifolia Brid. = *Calyptothecium acutifolium* var. *acutifolium* [1521; 2]
Neckera acutifolia var. *antitrichioides* Besch. = *Calyptothecium acutifolium* var. *antitrichioides* [1521]
Neckera africana Müll.Hal. = *Papillaria africana* (1519: 582)
Neckera africana Schimp., nom. nud. = *Neckera valentiniana* [4800: 210]
Neckera afrovictoriae (Dusén) Paris = *Neckeropsis afrovictoriae* [1521] (= *Neckeropsis foveolata*)
Neckera ampullacea Müll.Hal. = *Pilotrichella ampullacea* [1521]
Neckera angustiramea Müll.Hal. ex Pol., nom. nud. Excluded: an undescribed collection from the Comoro islands.
Neckera ascensionis Besch. = *Himantocladium ascensionis* (1521) (= *Himantocladium implanum*)
Neckera assimilis Müll.Hal. = *Felipponea assimilis* (5698) (= *Pterogoniadelphus assimilis*)
Neckera aubertii (P.Beauv.) Brid. = *Cyclodictyon aubertii* [1521]
Neckera boiviniana Müll.Hal. ex Besch. = *Neckeropsis boiviniana* [1521]
Neckera boivinii Besch. ex Renauld, nom. illeg. incl. spec. prior. = *Neckeropsis boiviniana* [1521]
Neckera bolleana Müll.Hal. = *Neckera intermedia* (2666)
Neckera bollei Kindb., nom. illeg. incl. spec. prior. = *Neckera bolleana* [1521] (= *Neckera intermedia*)
Neckera borgeniana Kjaer ex Paris, nom. illeg. incl. spec. prior. = *Neckera valentiniana* [1848: 373]

- Neckera borgenii* Kiaer ex Renauld = *Neckera valentiniana* [1848: 373]
Neckera breviuscula Müll.Hal. ex Dusén = *Calyptothecium breviusculum* [1521] (= *Calyptothecium acutifolium* var. *breviusculum*)
Neckera brotheri Paris = *Calyptothecium subacutifolium* [1521] (= *Calyptothecium acutifolium* var. *acutifolium*)
Neckera canariensis (Brid.) Brid. = *Leucodon canariensis* [1521]
Neckera capensis Bruch, Schimp. & W.Gümbel, nom. nud. = *Neckera valentiniana* [4800: 210]
Neckera capensis Müll.Hal. = *Aerobryopsis capensis* [1521; 1519: 581]
Neckera capensis var. *laevigata* Rehmann ex Dixon & A.Gepp, nom. nud. = *Neckera valentiniana* [1911: 400]
Neckera chevalieri Broth. & Corb. = *Neckeropsis chevalieri* [1521] (= *Neckeropsis liliana*)
Neckera chrysoneura Hampe ex Müll.Hal. = *Orthostichopsis subimbricata* [1848: 345; 2]
Neckera cirrifolia (Schwaegr.) Müll.Hal. = *Aerobryopsis cirrifolia* [1521]
Neckera comorae Müll.Hal. = *Neckeropsis lepineana* var. *comorae* [1521] (= *Neckeropsis lepineana*)

Neckera complanata Hedw. SAF(8358), TAN(7273).

Neckera complanata var. ***maxima*** Dixon KEN(46,7065).

Neckera crispa Hedw. Excluded: *Index Muscorum* lists this taxon as occurring in sub-Saharan Africa, but no records have been found.

Neckera curtipendula Hedw. = *Antitrichia curtipendula* (1521). Note: see *Antitrichia kilimandscharica*.

Neckera decolorans Hampe ex Müll.Hal., nom. nud. in synon. = *Pilotrichum pseudo-imbricata* [2193: 265]

Neckera dentata (Schwaegr.) Müll.Hal., hom. illeg. = *Leptohymenium dentatum* [1521]. Excluded: so far no specimens under these names have been found.

Neckera denticulata (P.Beauv.) Brid. = *Pilotrichum denticulatum* [1521]. Note: see under *Pilotrichum denticulatum*.

Neckera diaphana Müll.Hal. = *Braunia secunda* [5414: 10; 1519: 547]

Neckera disticha Hedw. = *Neckeropsis disticha* (1521)

Neckera dregeana Hornsch. = *Entodon dregeanus* [1521] (= *Entodon macropodus*)

Neckera dusenii Müll.Hal. ex Dusén, nom. nud. in synon. = *Pinnatella braunii* [4087: 41] (= *Homaliodendron piniforme*)

Neckera ehrenbergii Müll.Hal. Note: a valid neotropical taxon, which appeared in previous versions of this list as a synonym of *Neckera remota*. Unfortunately Müller used this name twice, once as an illegitimate synonym of *N. ehrenbergii*, once as a valid African taxon, but both with the same authors, and on the same page.

Neckera extans Besch. = *Neckeropsis disticha* (286)

Neckera flagellacea Mitt. = *Pinnatella flagellacea* [1521] (= *Homaliodendron pinniforme*)

Neckera flavescens (Hook.) Müll.Hal., hom. illeg. = *Campylodontium flavescens* [1521] (= *Mesonodon flavescens*)

Neckera flexuosa Harv. in Hook. = *Cryptoleptodon pluvinii* (301)

Neckera floribunda (Dozy & Molk.) Müll.Hal. = *Floribundaria floribunda* [1521; 1519: 583]

Neckera floribundula Müll.Hal. = *Floribundaria floribundula* [1521]

Neckera fluminalis Müll.Hal. ex Renauld = *Neckeropsis madecassa* [1848: 371]

Neckera foveolata Mitt. = *Neckeropsis foveolata* [1521]

Neckera fuscescens Müll.Hal. = *Meiothecium fuscescens* [1521]

Neckera gracilis (Hedw.) Müll.Hal. = *Pterogonium gracile* [1521; 1519: 556]

Neckera grateloupii (Mont.) Müll.Hal. = *Schwetschkea grateloupii* [1521]

Neckera gromieri Thér. = *Neckera remota* (286)

Neckera guillemei Broth. ex Paris, nom. nud. Excluded: an undescribed specimen from Tanzania.

Neckera hedbergii P.de la Varde. Note: De Sloover (286) states that without sporophytes, it is impossible to assign this taxon to a species, but suggests that it might be a synonym of *Neckera remota*, which has been followed here.

Neckera hoehneliana Müll.Hal., nom. illeg. = *Calyptothecium hoehnelii* (2)

Neckera hoehnelii Müll.Hal. = *Calyptothecium hoehnelii* (2)

Neckera homoclada Müll.Hal. ex Paris, nom. nud. Excluded: an undescribed specimen from Ethiopia, which Cufodontis [50: 236] suggests may be a synonym of *Neckera remota*.

Neckera hookeriacea (Dusén) M.Fleisch. = *Neckeropsis hookeriacea* [1521; 286] (= *Neckeropsis madecassa*)

Neckera humboldtii (Hook.) Müll.Hal. = *Rhacocarpus purpurascens* [10: 721]

Neckera hygrometrica (Harv. & Hook.) Müll.Hal. = *Wardia hygrometrica* [1521]

Neckera imberbis (Sm.) Müll.Hal. = *Hedwigidium integrifolium* [8254: 14]

Neckera imbricata (P.Beauv.) Schwaegr. = *Pilotrichella pentasticha* [4284: 42]

Neckera imbricatula (Geh.) Müll.Hal. = *Pilotrichella isleana* var. *isleana* [1848: 350]

Neckera intermedia Brid. CVI(1296,2666).

Neckera julacea Hook. ex Schwaegr. = *Erythrodontium julaceum* [1521]

Neckera lepineana Mont. = *Neckeropsis lepineana* [1521]

Neckera lepinei Mont. ex Aongstr., nom. illeg. incl. spec. prior. = *Neckeropsis lepineana* [1520]

Neckera liliana Renauld = *Neckeropsis liliana* [1521]

Neckera longiuscula Müll.Hal. ex Dusén = *Calyptothecium acutifolium* var. *longiusculum*(2)

Neckera macleai Rehmann ex Kindb., nom. nud. = *Trachypodopsis serrulata* [1911: 397]

Neckera macleana Rehmann ex Paris = *Trachypodopsis serrulata* [1911: 397; 1519: 561]

Neckera macrocarpa Broth. ex Mildbr., hom. illeg. = *Neckera submacrocarpa* (286)

Neckera madagascariensis (Brid.) Müll.Hal. = *Meiothecium madagascariensis* [1521]

Neckera madagassa Besch. ex Renauld, orthogr. = *Neckera madecassa* [1521] (= *Neckeropsis madecassa*)

Neckera madecassa Besch. = *Neckeropsis madecassa* [1521]

Neckera mariei Besch. = *Pinnatella mariei* [1521] (= *Caduciella mariei*)

Neckera maritima Müll.Hal., nom. nud. in synon. = *Hedwigidium integrifolium* [10: 717]

Neckera mascarenica Müll.Hal. = *Pilotrichella mascarenica* [1521]

Neckera moenkemeyeri Müll.Hal. = *Pilotrichella moenkemeyeri* [1521]

Neckera natalensis Rehmann ex Kindb., nom. nud. = *Pterobryopsis natalensis* [1521]. Excluded: an undescribed specimen from Natal, South Africa.

***Neckera nelloi* Broth. ex Broth. & Tongiorgi ERI(50).**

Neckera nelloi Broth. ex Broth. & Tongiorgi. Note: De Sloover (286) suggests that this taxon is probably a synonym of *Neckera remota*.

Neckera nodicaulis Müll.Hal. = *Trachypodopsis serrulata* [5492: 67]

Neckera occidentalis Besch. = *Neckeropsis disticha* (286)

Neckera octodiceras Müll.Hal. = *Floribundaria octodiceras* [1521] (= *Floribundaria vaginans*)

Neckera panduraefolia Müll.Hal. = *Pilotrichella panduraefolia* [1521] (= *Orthostichella pandurifolia*)

Neckera pechuelii Müll.Hal. = *Pinnatella pechuellii* [1521] (= *Pinnatella minuta*)

***Neckera pennata* Hedw. BIO(47), ZIM(61).**

Neckera pennata Hedw. Note: De Sloover (286) states that it is likely that the identifications of this taxon are in error.

Neckera perichaetialis Hampe = *Papillaria perichaetialis* [1521]

Neckera pertruncata Cardot = *Neckeropsis lepineana* [1848: 372-3]

Neckera pervilleana Besch. = *Neckeropsis lepineana* var. *pervilleana* [1521] (= *Neckeropsis lepineana*)

Neckera pervillei Renauld, nom. illeg. incl. spec. prior. = *Neckeropsis lepineana* var. *pervilleana* [1521] (= *Neckeropsis lepineana*)

Neckera phleoides (Brid.) Müll.Hal. = *Pilotrichella phleoides* [1521]

***Neckera platyantha* (Müll.Hal.) Paris BIO(8180), BUR(65), ETH(111,1927),**

KEN(46,2661,3412,4112,5315,6614,7065), RWA(46,65), TAN(46), UGA(46),

ZAI(65,5319).

Neckera producta (Hornschr.) Müll.Hal. = *Forsstroemia producta* [1521; 1519: 587]

Neckera pseudo-crispa Rehmann ex Müll.Hal. = *Calyptothecium acutifolium* [1911: 399]

Neckera pseudo-imbricata Müll.Hal. = *Pilotrichella pseudo-imbricata* [1521]

Neckera pseudo-imbricata var. *pallescens* Müll.Hal. = *Pilotrichella pseudo-imbricata* var. *pallescens* [1521]

Neckera pseudo-imbricata var. *rufescens* Müll.Hal. = *Pilotrichella pseudo-imbricata* var. *rufescens* [1521]

Neckera pseudoseductrix Müll.Hal. = *Entodon pseudoseductrix* [1521]

Neckera pterops Rehmann ex Geh., nom. illeg. = *Porothamnium comorense* [1911: 402] (= *Porothamnium stipitatum*)

Neckera pygmaea Renauld & Cardot, hom. illeg. = *Homalia pygmaea* [1521] (= *Sympyodon pygmaeus*)

Neckera ramulosa Mitt. = *Porotrichum cameruniae* (5490: 123) (= *Porotrichum quintasii*)

***Neckera remota* Bruch & Schimp. ex Müll.Hal. BIO(8180), BUR(65), CMN(47), DJI(50),**

ERI(50), ETH(50,111), KEN(46), MDG(40), MLW(2387), RWA(65), TAN(46),

UGA(46), ZAI(65,5319).

Neckera remota Bruch & Schimp. ex Müll.Hal. Note: see under *N. ehrenbergii* regarding the validity of this name.

Neckera remota var. *laxa* Bruch & Schimp. ex Tongiorgi = *Neckera remota* (50: 237) (= *Neckera ehrenbergii*)

Neckera retusa Brid., nom. illeg. incl. spec. prior. = *Neckeropsis disticha* [1521]

Neckera schimperi Müll.Hal., nom. inval. in synon. err. = *Neckera abyssinica* Müll.Hal. (1521) (= *Pylaisiobryum abyssinicum*)

Neckera schimperiana Müll.Hal., nom. illeg. incl. spec. prior. = *Braunia schimperiana* (1521)

Neckera scioana Brizi = *Porothamnium hildebrandtii* var. *scioanum* [1521] (= *Porothamnium stipitatum*)

Neckera secunda (Hook.) Müll.Hal. = *Braunia secunda* [1521]

Neckera sericea Hedw., nom. inval. = *Homalothecium sericeum* [1521]

Neckera sericea Müll.Hal., hom. illeg. = *Palamocladium sericeum* [1521] (= *Palamocladium leskeoides*)

Neckera serpens Willd. = *Amblystegium serpens* [1521]

Neckera serrulata (P.Beauv.) Brid. = *Trachypodopsis serrulata* var. *serrulata* [1521; 1519: 561]

Neckera seychellarum Mitt. ex Dixon, nom. nud. in synon. = *Himantocladium seychellarum* [1521] (= *Himantocladium cyclophyllum*)

Neckera sikorae Müll.Hal. ex Renauld, nom. nud. in synon. = *Neckera valentiniana* [1848: 373]

Neckera smithii (Hedw.) Müll.Hal. = *Leptodon smithii* var. *smithii* [1521; 1519: 588]

Neckera splachnoides Sm. = *Daltonia splachnoides* [1521]

Neckera spuriotruncata Müll.Hal. ex Dusén = *Neckeropsis spuriotruncata* [1521]

Neckera straminea Müll.Hal., hom. illeg. = *Leptohymenium stramineum* (1521)

Neckera subdisticha Besch. = *Neckeropsis disticha* [2849: 88; 787]

Neckera subimbricata Hampe = *Orthostichopsis subimbricata* [1521; 2]

***Neckera submacrocarpa* Dixon CMN(286), KEN(46,136,5315), RWA(65), TAN(46),**

UGA(46), ZAI(65).

Neckera subpiligera Hampe = *Aerobryidium subpiligerum* [1521] (= *Aerobryopsis capensis*)

Neckera subplatyantha Broth. in Mildbr. = *Neckera platyantha* (286)

Neckera subremota Müll.Hal. ex Dusén = *Neckera remota* (286)

Neckera substruncata Broth., nom. nud. = *Neckeropsis substruncata* [1521] (= *Neckeropsis disticha*)

Neckera traversii Müll.Hal. ex Paris, nom. nud. = *Cryptoleptodon flexuosus* [4768: 185] (= *Cryptoleptodon pluvinii*)

Neckera truncata (P.Beauv.) Dusén ex M.Fleisch., hom. illeg. = *Neckeropsis disticha* [7306: 110]

Neckera undulatifolia Mitt. ex Paris, nom. nud. = *Neckera valentiniana* [4800: 210]

Neckera vaginans Welw. & Duby = *Floribundaria vaginans* (1521)

Neckera valentiniana Besch. LES(7482), MDG(40), REU(105),
SAF(1531,4897,7766,8328), ZAI(65).

Neckera valentiniana Besch. Note: De Sloover (286) states that the records of this plant for 'central Africa' are in error.

Neckera valentinii Besch. ex Kindb., nom. illeg. incl. spec. prior. = *Neckera valentiniana* [1521]

Neckera viridula Mitt. = *Trachypus bicolor* var. *viridulus* [1521; 1519: 563]

Neckera viticulosoides P.Beauv. = *Leptodontium viticulosoides* (82: 189)

Neckera welwitschii Duby = *Pilotrichella welwitschii* (1521)

Neckeropsis afrovictoriae (Dusén) M.Fleisch. = *Neckeropsis foveolata* (787)

Neckeropsis angustiretis Dixon ex Tosco & Piovano, nom. nud. Excluded: Enroth (787) states that not only has this taxon no description, there are no records of *Neckeropsis* for Kenya (the reputed origin of the specimen), and it is thus a doubtful record. In addition, Tosco & Piovano (407) state that although Dixon must have seen a specimen, there is now only an empty folder, and the specimen is missing.

Neckeropsis bequaertii Thér. & Naveau = *Neckeropsis madecassa* (787)

Neckeropsis boiviniana (Besch.) Cardot MDG(40), SEY(1926,2353).

Neckeropsis chevalieri (Broth. & Corb.) Broth. = *Neckeropsis liliana* (787)

Neckeropsis comorae (Müll.Hal.) Broth. ex Paris = *Neckeropsis lepineana* var. *comorae* [1521] (= *Neckeropsis lepineana*)

Neckeropsis disticha (Hedw.) Kindb. BIO(47), BUR(65), CAF(47), CMN(47), COM(40), CON(47), GAB(47), GHA(47), IVO(787,1880), LBR(108,787), NGA(787,5148,5176), PRI(787), RIM(4639), SIE(3216), TOG(58,1878,2851), UGA(46), ZAI(65,5319).

Neckeropsis foveolata (Mitt.) Broth. ex Paris BIO(8180), CAF(47), CMN(47), IVO(1880), LBR(47), NGA(47), RIM(4639).

Neckeropsis hookeriacea (Dusén) M.Fleisch. = *Neckeropsis madecassa* (787)

Neckeropsis lepineana (Mont.) M.Fleisch. CMN(787), COM(40), GAB(47), MAU(105), MDG(40), REU(105), ROD(105), SAF(787), TAN(46), UGA(46), ZAI(65,5319).

Neckeropsis lepineana var. *comorae* (Müll.Hal.) Cardot = *Neckeropsis lepineana* (787)

Neckeropsis lepineana var. *pervilleana* (Müll.Hal.) Cardot = *Neckeropsis lepineana* (787)

Neckeropsis liliana (Renauld) Broth. ex Paris CAF(47), CMN(47), GHA(787), IVO(787,1880), ZAI(787).

Neckeropsis madecassa (Besch.) M.Fleisch. CMN(47), GAB(47), MDG(40), REU(785), ZAI(65).

Neckeropsis pervilleana (Besch.) Broth. = *Neckeropsis lepineana* var. *pervilleana* [1521] (= *Neckeropsis lepineana*)

Neckeropsis pocsii Enroth & Magill COM(510).

Neckeropsis spuriotruncata (Müll.Hal. ex Dusén) M.Fleisch. CMN(47), CON(47), GAB(47), GUI(47), IVO(47), SIE(3216), ZAI(1552).

Neckeropsis spuriotruncata var. *latifolia* Broth. & P.de la Varde = *Neckeropsis madecassa* (787)

Neckeropsis subdisticha (Besch.) M.Fleisch. = *Neckeropsis disticha* [2849: 88]

Neckeropsis subtruncata M.Fleisch., nom. nud. = *Neckeropsis disticha* (787)

Neckeropsis truncata (P.Beauv.) M.Fleisch. = *Neckeropsis disticha* [7306: 110; 2849: 86]

Neophoenix matoposensis R.H.Zander & During ZIM(5298).

Neorutenbergia armata Bizot & Pócs = *Neorutenbergia usagareae* (6: 444)

Neorutenbergia usagareae (Dixon) Bizot & Pócs KEN(6614,7065), TAN(46,6353).

Neosharpiella aztecorum H.Rob. & Delgad. LES(1531,4897), SAF(1531,4897,8328).

Notarisia capensis Hampe, nom. illeg. incl. spec. prior. = *Ptychomitrium crispatum* [1521; 1519: 474]

Notarisia crispata (Hedw.) Mont. ex Webb. & Berth. = *Ptychomitrium crispatum* [1521]

Ochrobryum boivinii Besch. = *Leucobryum mayottense* [7180: 7,15,28]

Ochrobryum dendeliae Broth. & Paris = *Ochrobryum gardneri* (2169)

Ochrobryum gardneri (Müll.Hal.) Lindb. CAF(47), GUI(47,2169).

Ochrobryum glaucescens Cardot ex Paris, nom. nud. = *Ochrobryum normandii* [4375: 94] (= *Ochrobryum gardneri*)

Ochrobryum maclaudii Cardot & Paris = *Ochrobryum subulatum* (2169)

Ochrobryum normandii Cardot & Paris = *Ochrobryum gardneri* (2169)

Ochrobryum normandii var. *fragilifolium* Dixon & Thér. = *Ochrobryum subulatum* (2169)

Ochrobryum normandii var. *glaucescens* Paris, nom. nud. = *Ochrobryum normandii* [4375: 94] (= *Ochrobryum gardneri*). Note: this taxon was not treated in Allen's revision of the genus (2169)

Ochrobryum obtusissimum Dixon = *Leucobryum incurvifolium* (2169)

Ochrobryum rutenbergii Müll.Hal. ex Geh. = *Leucobryum cucullatum* var. *rutenbergii* [1521]

Ochrobryum sakalavum Cardot & Paris MDG(40,2169,6908).

Ochrobryum subulatum Hampe in Besch. GUI(47,2169), SIE(3216), ZAI(65,2169).

Octoblepharum africanum (Broth.) Cardot MDG(40).

Octoblepharum albidum fo. *longifolia* Dixon. Excluded: any records for this form have been associated with the owning species.

Octoblepharum albidum Hedw. ANG(46), ANN(47), BEN(47), BIO(2662), BUR(65), CAF(47,355), CGS(5699,8220), CMN(47), COM(40), CON(47), GAB(47), GHA(47), GUI(47,1458), IVO(63,1458,1880), KEN(6615), LBR(47), MAU(105,1882), MDG(40,6908), MLW(67,6087), MOZ(46), NGA(47,334,5148,5176,6263), PRI(47), REU(105), RIM(4639), ROD(105), SAF(1531,8328), SAO(47), SEN(47), SEY(759,1926,1941,1945,1946,1950,2030,2033,2324,2353,4899,4932), SIE(47,3216), SWZ(1531), TAN(46), TOG(58,1878,2851), UGA(46), ZAI(65,5319,7863), ZAM(46,62), ZIM(46,61).

Octoblepharum brevisetum C.C.Towns. = *Octoblepharum albidum* (762)

Octoblepharum leptodontium Broth. in Lindau, *nom. nud.* Excluded: an undescribed collection from Bukoba, Tanzania [22: 68].

Octoblepharum leptoneuron Cardot SEN(47).

Octoblepharum serratum Brid., *nom. illeg. incl. spec. prior.* = *Tayloria orthodonta* [1521]

Octoblepharum serratum Hook., *hom. illeg.* = *Tayloria indica* [2740: 128]

Octodiceras amphibium (Müll.Hal.) A.Jaeger = *Fissidens amphibius* [1521] (= *Fissidens crispulus*)

Octodiceras borbonicum (Müll.Hal.) A.Jaeger = *Fissidens palmifolius* [4250: 284]

Octodiceras capensis (Müll.Hal.) A.Jaeger = *Fissidens palmifolius* (85)

Octodiceras capensis var. *nigrescens* Rehmann ex Dixon & A.Gepp = *Fissidens palmifolius* [85]

Octodiceras debilis (Schwaegr.) C.E.O.Jenner = *Fissidens palmifolius* [85]

Octodiceras fontanum (Bach.Pyl.) Lindb. = *Fissidens fontanus* (82: 67). Note: or *Fissidens palmifolius* - see note under *Fissidens fontanus*.

Octodiceras julianum (DC.) Brid. = *Fissidens fontanus* [8172: 405] Note: or *Fissidens palmifolius* - see note under *Fissidens fontanus*.

Octodiceras nigrescens Rehmann ex Dixon & A.Gepp = *Fissidens fontanus* [4800: 180] Note: or *Fissidens palmifolius* - see note under *Fissidens fontanus*.

Oedipodiella australis (Wager & Dixon) Dixon LES(1531), SAF(1531,8328).

Oedipodium australe Wager & Dixon = *Oedipodiella australis* (83: 303)

Oligotrichum africanum P.de la Varde = *Oligotrichum cavallii* (288)

Oligotrichum afrolaevigatum (Dixon) G.L.Sm. LES(289,1531,4897),

SAF(289,1531,4897,8328).

Oligotrichum capense Schelpe & Fanshawe, *nom. nud.* Excluded: an unpublished name from South Africa that appeared in Fanshawe's PhD.

Oligotrichum cavallii (G.Negri) G.L.Sm. KEN(289), RWA(46,65), TAN(46,289),

UGA(46,289), ZAI(65).

Oligotrichum tetragonum Schelpe & Fanshawe, *nom. nud.* Excluded: an unpublished name from South Africa that appeared in Fanshawe's PhD.

Oligotrichum wageri (Broth.) G.L.Sm. SAF(289,1531,8328).

Oncophorus billardierei (Brid.) Brid. = *Dicranoloma billardierei* [1521]

Oncophorus cyathicarpus (Mont.) Mitt. = *Amphidium cyathicarpus* (1521) (= *Amphidium tortuosum*)

Oncophorus dichotomus (P.Beauv.) Brid. = *Dicranoloma billardierei* [1911: 162]

Onphacoroloma cameruniae Müll.Hal. ex Paris = *Leucoloma cameruniae* [1521]

Oreas capensis Bruch ex Müll.Hal., *nom. nud. in synon.* = *Mielichhoferia bryooides* [1521]

Oreoweisia erosa (Müll.Hal.) Kindb. KEN(7984), LES(225,1531,4897), MDG(40),

SAF(225,1531,8328), TAN(7984), ZAI(65,220,225).

Orthidion thomeanus Broth. = *Tayloria thomeana* [1521] (= *Brachymitrium moritzianum*)

Orthodicranum flagellare (Hedw.) Loeske. Excluded: see *Dicranum flagellare*.

Orthodicranum scottianum (Turn.) Roth. Excluded: listed in *Index Muscorum*, but no reports found.

Orthodon borbonicus Bory ex Besch. = *Tayloria orthodonta* (123)

Orthodon isleanus Besch. = *Tayloria isleana* (83: 331)

Orthodon madecassus Renauld, *nom. nud.* = *Tayloria isleana* [1848: 165; 40: 211]

Orthodon serratus Bory ex Schwaegr. = *Tayloria orthodonta* [4382: 85; 40: 211]

Orthodontium aethiopica Müll.Hal. = *Orthodontium gracile* [616: 22]

Orthodontium brevifolium Broth. = *Orthodontium loreifolium* [616: 57]

Orthodontium gracile Schwägr. ex Bruch, Schimp. & W.Gümbel BIO(8180), CMN(47),

ETH(50), KEN(411,5315), RWA(65), TAN(46), UGA(5696), ZAI(65,5319).

Orthodontium haplohymenium Dixon & Naveau = *Orthodontium loreifolium* [616: 57]

Orthodontium lineare Schwägr. MLW(67), SAF(1531,4897,7766,8328), TAN(146).

Orthodontium lineare ssp. *piriforme* Meijer. Note: treated here as *Orthodontium lineare*.

Orthodontium loreifolium Besch. KEN(46,3412), MLW(67), REU(105), RWA(65,2660),

TAN(46), UGA(46), ZAI(65,2660).

Orthodontium ruwenzorensis (Thér. & Naveau) O'Shea UGA(46), ZAI(65).

Orthopyxis palustris (Hedw.) P.Beauv. = *Aulacomnium palustre* [1521]
Orthorrhynchidium planifrons (Renauld & Paris) Renauld & Cardot = *Calyptothecium planifrons* (2)
Orthostichella - see note under *Pilotrichella*: many species of that genus belong here.
Orthostichella capillicaulis Müll.Hal., comb. inval. = *Pilotrichella capillicaulis* (1521)
Orthostichella communis (Dusén) Müll.Hal. ex Paris, nom. inval. in synon. = *Pilotrichella communis* [1521]
Orthostichella curvifrons Müll.Hal., comb. inval. = *Pilotrichella curvifrons* (1521)
Orthostichella dusenii Müll.Hal. ex Dusén, nom. nud. in synon. = *Pilotrichella muelleri* [4087: 33]
Orthostichella gracilicaulis Müll.Hal. ex Dusén, nom. nud. in synon. = *Pilotrichella gracilicaulis* [1521]
Orthostichella imbricatula (Geh.) Müll.Hal. ex Paris, nom. inval in synon. = *Pilotrichella isleana* [1848: 550] (=
Pilotrichella mascarenica)
Orthostichella leptopteridea Müll.Hal. ex Paris, nom. nud. = *Pilotrichella leptopteridea* [1521] (= *Pilotrichella ragazzii*)

Orthostichella pandurifolia (Müll.Hal.) W.R.Buck ETH(111),
 KEN(46,2661,3412,4112,5315,6614,7065), MLW(67), SAF(1531,7766,8328),
 SWZ(1531), TAN(46), ZIM(61).

Orthostichella pentasticha (Brid.) W.R.Buck BIO(47), CMN(47), KEN(46), MAU(3410),
 MDG(40), MLW(67), REU(105), SIE(47), TAN(46), ZAM(62).

Orthostichella platyclada Paris, nom. nud. Excluded: an undescribed specimen (*Dusén* 846) from Cameroon.
Orthostichella profusicaulis Müll.Hal., comb. inval. = *Pilotrichella profusicaulis* (1521)
Orthostichella sericea Müll.Hal., comb. inval. = *Pilotrichella sericea* (1521)
Orthostichella subimbricata Müll.Hal., comb. inval. = *Orthostichopsis subimbricata* [1521]
Orthostichella tenellula Müll.Hal., comb. inval. = *Pilotrichella tenellula* (1521)

Orthostichella turgidellacea (Müll.Hal. ex Dusén) W.R.Buck CMN(47).

Orthostichidium cameruniae Dusén = *Orthostichidium involutifolium* (2)
Orthostichidium dusenii Müll.Hal. ex Dusén, nom. nud. in synon. = *Orthostichidium perpinnatum* [4087: 19] (=
Orthostichidium involutifolium)

Orthostichidium involutifolium ssp. *involutifolium* (Mitt.) Broth. ANG(2,46),
 BIO(2,47,2662,3414), CAF(47), CMN(2,47), ETH(111), GAB(47), GHA(2,47),
 GUI(2,47), IVO(44), LBR(2,47), MDG(40), NGA(2,47,334), RIM(4639), ROD(105),
 SAO(47), SIE(2,47,3216), ZAI(65,5319).

Orthostichidium involutifolium ssp. *thomeanum* (Broth.) Argent BIO(2,47,2662),
 CMN(2,47), PRI(47), REU(105), SAO(2,47).

Orthostichidium perpinnatum (Broth.) Dusén = *Orthostichidium involutifolium* (2)
Orthostichidium perseriatum (Broth. & Paris) Broth. = *Orthostichidium involutifolium* (2)
Orthostichidium thomeanum (Broth.) Broth. = *Orthostichidium involutifolium* ssp. *thomeanum* (2)
Orthostichopsis chrysoneura (Müll.Hal.) Broth. = *Orthostichopsis subimbricata* [1848: 345; 2; 40: 226]

Orthostichopsis debilinervis (Renauld & Cardot) Broth. REU(105).

Orthostichopsis longinervis (Renauld & Cardot) Broth. MAU(3410), MDG(40),
 REU(3410).

Orthostichopsis madagassa Dixon MDG(40).

Orthostichopsis pinnatella (Broth.) Broth. MLW(67), SAF(1531,8328), TAN(46).

Orthostichopsis scaberula (Renauld & Cardot) M.Fleisch MDG(40).

Orthostichopsis subimbricata (Hampe) Broth. COM(2,40), KEN(46), MDG(2,40),
 REU(2,105), RWA(2675), SAF(1531,8328), TAN(46), UGA(46), ZAI(2675).

Orthostichopsis subimbricata var. *borbonica* (Renauld & Cardot) Cardot REU(105).

Orthostichopsis subimbricata var. *flageyi* (Renauld & Cardot) Cardot MDG(40).

Orthostichopsis sublivens (Besch.) Broth. REU(105).

Orthotrichum neilgheriense (Mont.) A.Jaeger = *Palamocladium nilgheriense* [1521] (= *Palamocladium leskeoides*)
Orthotrichum angulosum P.Beauv. = *Schlotheimia angulosa* [1521]

Orthotrichum abyssinicum Hampe ex Dixon, nom. nud. in synon. = *Orthotrichum leptocarpum* [5545: 60] (=
Orthotrichum affine)

Orthotrichum aciculare Hook. & Grev., nom. illeg. incl. spec. prior. = *Macromitrium pallidum* [1521]

Orthotrichum aequatoreum Mitt. ETH(111), KEN(411), RWA(65), TAN(46), UGA(46).

Orthotrichum affine var. *affine* Brid. ETH(50,347,1927), KEN(46,2661,3412,5315),
 RWA(65), TAN(46), UGA(46), ZAI(65,5319).

Orthotrichum affine var. *rupestre* Brid., nom. nud. = *Orthotrichum rupestre* [1521]

Orthotrichum afrofastigiatum Müll.Hal. Excluded: considered by Lewinsky & van Rooy (1065) to be *nomen dubium*,
 and replaced by *Orthotrichum incurvomarginatum*.

Orthotrichum afrofastigiatum sensu Sim (1911) = *Stoneobryum mirum* (1519: 502)

Orthotrichum albidum Hedw. ex Wijk, Margad. & Florsch., orthogr. err. = *Octoblepharum albidum*. Note: this is the
 result of a clerical error in *Index Muscorum*.

Orthotrichum arborescens Thér. & Naveau ETH(1927,6400),

KEN(46,136,2661,3412,5315), RWA(65), UGA(5696), ZAI(65).

Orthotrichum armatum Lewinsky & Van Rooy SAF(1065,1531,7766,8328).

Orthotrichum bequaertii Thér. & Naveau = *Orthotrichum affine* (347)

Orthotrichum crispatum (Hedw.) Hook. & Grev. = *Ptychomitrium crispatum* (1519: 474)

Orthotrichum denticulatum Lewinsky ETH(50,111,347), RWA(65), TAN(46).

Orthotrichum diaphanum var. ***diaphanum*** Schrad. ex Brid. CVI(2666), ETH(347),

KEN(46), LES(4897), NAM(6798,8024), SAF(1531,4897,7766,8328), SOM(50).

Orthotrichum ecklonii Hornsch. = *Ulota ecklonii* (1519: 504)

Orthotrichum ferrugineum Bruch ex Hook. & Grev. = *Schlotheimia ferruginea* (1519: 521)

Orthotrichum fimbriatum P.Beaup. = *Macromitrium fimbriatum* [1521]

Orthotrichum firmum Venturi BIO(8180), ERI(50), ETH(50), KEN(46,3412,5315),

RWA(65), SAF(1065,1531,7766,8328), TAN(46), UGA(46), ZAI(65).

Orthotrichum galiciae F.Lara, Garilletti & Mazimpaka ETH(8323).

Orthotrichum glaucum Spreng. = *Orthotrichum diaphanum* (347)

Orthotrichum hornschuchii Hook. & Grev. = *Macromitrium pulchellum* [1521] (= *Macrocoma pulchella*)

Orthotrichum illecebrum Willd. ex Besch., nom. nud. in synon. = *Schlotheimia illecebra* [1521]

Orthotrichum incurvomarginatum Lewinsky & Van Rooy SAF(1065,1531,8328).

Orthotrichum laeve P.Beaup. ex Schrad., nom. illeg. = *Macromitrium pallidum* [2584: 745]

Orthotrichum latifolium Dixon ex Sappa = *Orthotrichum denticulatum* (347)

Orthotrichum leikipiae Müll.Hal. = Excluded: see Lewinsky (347).

Orthotrichum leptocarpum Bruch & Schimp. ex Müll.Hal. = *Orthotrichum affine* (347)

Orthotrichum lycopodioides Burch. ex Schwaegr., nom. nud. in synon. = *Macromitrium lycopodioides* [1521] (= *Macrocoma lycopodioides*)

Orthotrichum macleai Rehmann ex Sim = *Orthotrichum rupestre* (347)

Orthotrichum macleeanum J.Shaw = *Orthotrichum rupestre* (1519: 496)

Orthotrichum microphyllum Hook. & Grev. = *Macrocoma tenuis* [1911: 280; 1519: 510]

Orthotrichum mirum Lewinsky = *Stoneobryum mirum* (1531)

Orthotrichum mollissimum Müll.Hal. Note: Lewinsky (347: 83) says that she was unable to find any material of this taxon, but from the description it was likely to be *Orthotrichum diaphanum*.

Orthotrichum mollissimum Müll.Hal. SUD(3076).

Orthotrichum moluscum Bruch ex Dixon, nom. nud. in synon. = *Orthotrichum firmum* [5545: 286]

Orthotrichum oreophilum Lewinsky & Van Rooy LES(1065,1531,4897).

Orthotrichum ovatum Venturi, nom. nud. = *Orthotrichum rupestre* var *ovatum*. Excluded: see *Orthotrichum rupestre* var *ovatum*.

Orthotrichum pallidum P.Beaup. = *Macromitrium pallidum* [1521]

Orthotrichum piliferum Schimp. ex J.Shaw, hom. illeg. = *Orthotrichum glaucum* [3076: 408] (= *Orthotrichum diaphanum*)

Orthotrichum plicatum P.Beaup. = *Leiomitrium plicatum* [1521]

Orthotrichum pseudotenellum Hampe ex Müll.Hal. = *Orthotrichum diaphanum* (347)

Orthotrichum pseudotenellum sensu Sim (1911) = *Orthotrichum subexsertum* (1519: 497)

Orthotrichum pumilum Sw. CVI(2666,6453).

Orthotrichum quadrifidum Hook. & Grev., nom. illeg. incl. spec. prior. = *Schlotheimia angulosa* [1521]

Orthotrichum recurvifolium (Hornschr.) Müll.Hal., hom. illeg. SAF(1506).

Orthotrichum rupestre var. *ovatum* Venturi ex Husn.& ssp. *ovatum* (Venturi) Broth. Excluded: the African specimen described appears to be quite different to the other specimens quoted for this variety [4913: 156].

Orthotrichum rupestre var. ***rupestre*** Schleich. ex Schwägr. KEN(46,5315),

LES(1065,1531,4897), SAF(1531,4418,8328), TAN(46), UGA(46).

Orthotrichum schimperi Hammar = *Orthotrichum pumilum* (4793)

Orthotrichum serpens Dixon = *Macromitrium serpens* (1519: 518)

Orthotrichum serrifolium Müll.Hal. = *Leptodontium pungens* (290)

Orthotrichum sinense Schimp. ex Paris = *Orthotrichum firmum* (347)

Orthotrichum smithii (Hedw.) Brid. = *Leptodon smithii* [1521]

Orthotrichum squarrosum (Brid.) Hook. & Grev. = *Schlotheimia squarrosa* [1521]

Orthotrichum subexsertum Schimp. ex Müll.Hal. KEN(46), LES(4897), RWA(65),

SAF(1531,3411,4897,7766,8328), UGA(5696).

Orthotrichum tenue Hook. & Grev. = *Macrocoma tenuis* (7013: 217)

Orthotrichum transvaaliense Rehmann ex Sim SAF(1531,8328).

Orthotrichum uncinatum (Brid.) Arnott = *Macromitrium fimbriatum* [77: 309]

Orthotrichum undulatifolium Müll.Hal. ETH(50), TAN(46), ZAI(65).

Orthotrichum urceolatum Hook. = *Macromitrium urceolatum* [1521]

Oxyrrhynchium afrorusciforme (Broth.) Broth. = *Platyhypnidium afrorusciforme* [1521]

Oxyrrhynchium confervoidum Sim SAF(1531,8328).

Oxyrrhynchium kenyae Dixon, nom. nud. = *Oxyrrhynchium peyronelii* (407) (= *Eurhynchium peyronelii*)

Oxyrrhynchium macowanianum (Paris) Broth. = *Platyhypnidium macowanianum* (1521)

Oxyrrhynchium petronellii Tosco & Piovano. Note: this was an orthographic error in Kis (46) for *Orthotrichum peyronelii*.

Oxyrrhynchium peyronelii Tosco & Piovano = *Eurhynchium peyronelii* (4224)

Oxyrrhynchium porothamnioides P.de la Varde & Levier ZAI(65).

Oxyrrhynchium praelongum (Hedw.) Warnst. = *Eurhynchium praelongum* [71: 641] (= *Kindbergia praelonga*)

Oxyrrhynchium ripariooides (Hedw.) Jenn. = *Platyhypnidium ripariooides* [1521] (= *Amblystegium riparium*)

Oxyrrhynchium rusciforme Warnst., nom. illeg. incl. spec. prior. = *Platyhypnidium ripariooides* (1521) (= *Amblystegium riparium*)

Oxyrrhynchium subasperum Sim SAF(1531,7766,8328).

Oxyrrhynchium swartzii (Turner) Warnst. = *Eurhynchium hians* (2079)

Oxystegus circinatus (Besch.) Hilp. = *Oxystegus cylindricus* [1911: 245]

Oxystegus cylindricus (Brid.) Hilp. = *Trichostomum tenuirostre* [71: 623]

Oxystegus leptotortella (Müll.Hal.) Hilp. = *Chionoloma bombayense* [7961: 36]. Note: see under *Barbula leptotortella*.

Oxystegus rhodesiae (Brid.) Hilp. = *Trichostomum rhodesiae* (1420) (= *Chionoloma bombayense*)

Oxystegus soulae (Müll.Hal. ex Renaud & Cardot) Wijk & Margad. = *Trichostomum soulae* (1420) (= *Chionoloma bombayense*)

Oxystegus soulae var. *corticicola* (Renaud & Cardot) Wijk & Margad. = *Trichostomum soulae* var. *corticicola* (1420) (= *Chionoloma bombayense*)

Oxystegus tenuirostris var. *tenuirostris* (Hook. & Taylor) A.J.E.Sm. = *Trichostomum tenuirostre* (1420)

Pachyfissidens grandifrons (Brid.) Limpr. = *Fissidens grandifrons* [1521]

Pachyneurum atrovirens (Sm.) Amann = *Desmatodon convolutus* [8215: 224] (= *Tortula atrovirens*)

Pachyneurum atrovirens var. *edentula* (Bruch & Schimp.) Amann = *Desmatodon convolutus* var. *edentula* [1521] (= *Tortula atrovirens*)

Palamocladium bovinianum (Besch.) Müll.Hal., nom. illeg. incl. spec. prior. = *Homalothecium nilgheriense* [1848: 521] (= *Palamocladium leskeoides*)

Palamocladium capense Müll.Hal., nom. nud. Excluded: no description or specimen given.

Palamocladium involutum Broth. ex Paris, nom. inval. in synon. = *Palamocladium sericeum* [4345: 171] (= *Palamocladium leskeoides*)

Palamocladium involvens Broth. = *Palamocladium sericeum* [4345: 171] (= *Palamocladium leskeoides*)

Palamocladium leskeoides (Hook.) E.Britton COM(40,3299), CVI(1296,2666), DJI(50),

ETH(50,1927,3299), KEN(46,3299,6614,7065), LES(1531), MDG(40,3299),

REU(105,1626,3299,3410), RWA(47,65,3299), SAF(1531,3410,3411,4897,7766,8328),

SOC(40,1626,2374,3299,5613), SOM(1626,3299), SWZ(1531,3299), TAN(46,3299),

UGA(46,3299), ZAI(47,65).

Palamocladium neelgheriense (Mont.) Müll.Hal. Note: see *Palamocladium nilgheriense*.

Palamocladium nilgheriense (Mont.) Müll.Hal. = *Palamocladium leskeoides* (3299)

Palamocladium schoanum Müll.Hal., nom. nud. Excluded: see (3299).

Palamocladium sericeum (A.Jaeger) Müll.Hal. = *Palamocladium leskeoides* (3299)

Palamocladium sericeum var. *afrostriatum* Müll.Hal. = *Palamocladium leskeoides* (3299)

Palamocladium subsericeum Broth. & Paris = *Homalothecium nilgheriense* [1848: 521] (= *Palamocladium leskeoides*)

Pancovia denticulata (Hedw.) Kickx = *Plagiothecium denticulatum* [1521]. Note: see under *Plagiothecium denticulatum*.

Pancovia myosuroides (Brid.) Kickx = *Isothecium myosuroides* [1521]. Note: although *Index Muscorum* records this taxon for sub-Saharan Africa, no accepted records are available.

Pancovia plumosa (Hedw.) Piré = *Brachythecium plumosum* [1521]

Pancovia populea (Hedw.) Piré = *Brachythecium populeum* [1521]

Pancovia rivularis (Hedw.) Piré = *Brachythecium rivulare* [1521]

Pancovia rusciformis Kickx, nom. illeg. incl. spec. prior. = *Platyhypnidium ripariooides* [1521] (= *Amblystegium riparium*)

Pancovia salebrosa (F.Weber & D.Mohr) Piré = *Brachythecium salebrosum* [1521]

Pancovia tenella (Dicks.) Piré = *Rhynchosstiella tenella* [1521]

Papillaria (Müll.Hal.) Lorentz. Note: this genus has been made a synonym of *Meteoriaceum* Dozy & Molk, emend.

Fleisch, by Buck (2759), but he made no transfers of names and mentioned problems with the typification of *Meteoriaceum*. For the time being, no new combinations have been made here.

Papillaria acinacifolia Besch. MAU(105).***Papillaria africana*** (Müll.Hal.) A.Jaeger ANG(46), COM(40), ETH(111),

KEN(46,2661,3412,4112,5315,6614,7065), MAU(105), MDG(40), MLW(67),

REU(105,3410), SAF(1531,3411,4897,7766,8328), SEY(1941,2353), SWZ(1531),

TAN(46), UGA(46), ZAM(411), ZIM(46,61).

Papillaria africana fo. *pinnata* Dixon ex Tosco & Piovano. Excluded: any records for this form have been associated with the owning species.

Papillaria africana var. *flagellacea* Bizot TAN(46).

Papillaria africana var. *gracilis* (Renauld & Cardot) Wijk & Margad. MDG(40).

Papillaria africana var. *natalensis* Rehmann ex Paris, nom. nud. = *Papillaria africana* [1911: 392]

Papillaria africana var. *rupestris* Müll.Hal. ex Paris, nom. nud. = *Papillaria africana* [1911: 392]

Papillaria africana var. *tenuis* Müll.Hal. ex Dixon & A.Gepp, nom. nud. = *Papillaria africana* [1911: 392]

Papillaria ankaratrensis Kiae ex Grandid. = *Papillaria africana* [1848: 353]

Papillaria ankeriensis Kiae ex Renauld = *Papillaria africana* [1848: 353]

Papillaria appendiculata Renauld & Cardot = *Trachypus appendiculatus* [1521]

Papillaria bazzaccoi Tosco & Piovano TAN(46).

Papillaria bicolor (Reinw. & Hornsch.) A.Jaeger = *Trachypus bicolor* [1521]

Papillaria boiviniana Besch. = *Papillaria africana* [4692: 349]

Papillaria boiviniana var. *gracilis* (Renauld & Cardot) Paris = *Papillaria africana* var. *gracilis* [1521]

Papillaria boiviniana var. *macrotis* (Renauld) Paris = *Papillaria africana* [1848: 353]

Papillaria boivinii Renauld, nom. illeg. incl. spec. prior. = *Papillaria africana* [4692: 349]

Papillaria boivinii var. *gracilis* Renauld & Cardot in Renauld = *Papillaria africana* var. *gracilis* [1521]

Papillaria boivinii var. *macrotis* Renauld = *Papillaria africana* [1848: 353]

Papillaria borchgrevinkii Kiae MDG(40), TAN(46).

Papillaria breviculifolia Müll.Hal. TAN(46).

Papillaria cameruniae Müll.Hal. ex Dusén = *Floribundaria cameruniae* [1521]

Papillaria capensis (Müll.Hal.) Aongstr. = *Aerobryopsis capensis* [1521]

Papillaria cirrifolia (Schwaegr.) A.Jaeger = *Aerobryopsis cirrifolia* [1521]

Papillaria crocea (Hampe) A.Jaeger SOC(7173).

Papillaria diversifolia Renauld & Cardot = *Floribundaria diversifolia* [1521] (= *Floribundaria vaginans*)

Papillaria filifinalis Müll.Hal. = *Papillaria africana* (7168)

Papillaria fiorini-mazzantiae Paris, nom. nud., orthog. err. Excluded: no description or specimen available - see
Pilotrichella fiorini-mazzantiae.

Papillaria flaccidula Cardot MDG(40).

Papillaria floribunda (Dozy & Molk.) Müll.Hal. = *Floribundaria floribunda* (1519: 583)

Papillaria fulvastra Besch. = *Floribundaria floribunda* [2737: 820]

Papillaria hispida (Müll.) A.Jaeger = *Trachypus bicolor* var. *hispidus* [1521]

Papillaria jumboana Müll.Hal. ex Dusén = *Floribundaria jumboana* [1521] (= *Floribundaria vaginans*)

Papillaria laeta Renauld & Cardot = *Trachypus bicolor* var. *viridulus* (344)

Papillaria macrotis Müll.Hal., nom. nud. = *Papillaria africana* [1848: 353; 40: 227]

Papillaria mauritiana Renauld, nom. nud. = *Papillaria africana* [4692: 349; 40: 227]

Papillaria moenkemeyeri (Müll.Hal.) Paris = *Pilotrichella moenkemeyeri* [1521]

Papillaria molleri Müll.Hal. = *Trachypus molleri* [1521] (= *Trachypus bicolor* var. *viridulus*)

Papillaria natalensis Sim = *Trachypus bicolor* var. *viridulus* (1519: 563)

Papillaria nitidula Rehmann ex Kindb., nom. nud. = *Foribundaria floribunda* [1911: 394]

Papillaria nodicaulis (Müll.Hal.) A.Jaeger = *Trachypodopsis serrulata* var. *serrulata* [5492: 67]

Papillaria octodiceras (Müll.Hal.) Kindb. = *Floribundaria octodiceras* [1521] (= *Floribundaria vaginans*)

Papillaria patentissima Besch. = *Floribundaria patentissima* (1521)

Papillaria perichaetialis (Hampe) A.Jaeger MDG(40).

Papillaria pintasiana Müll.Hal. ex Paris, nom. nud. = *Trachypodopsis serrulata* var. *serrulata* [10: 832]

Papillaria pictoria Müll.Hal. ex Paris, nom. nud. = *Trachypodopsis serrulata* var. *serrulata* [10: 832]

Papillaria pseudocapensis Ångstr. = *Aerobryidium subpiligerum* [1848: 357] (= *Aerobryopsis capensis*)

Papillaria pseudofulvastra Müll.Hal. = *Floribundaria patentissima* [7718: 302] (= *Floribundaria vaginans*)

Papillaria pseudofulvastra var. *squarrosa* Renauld & Cardot = *Floribundaria patentissima* var. *squarrosa* [1521] (= *Floribundaria vaginans*)

Papillaria renauldii Besch. MAU(105).

Papillaria robillardii Müll.Hal. ex Besch. = *Floribundaria floribunda* [1848: 359,360; 7168]

Papillaria rutenbergii Müll.Hal. ex Geh. = *Trachypodopsis serrulata* [10: 832; 1848: 366]

Papillaria scariosa (Müll.Hal.) Broth. = *Antitrichia curtipendula* [3097: 282]

Papillaria serpentina Müll.Hal. = *Papillaria africana* (7168)

Papillaria serrulata (P.Beaup.) A.Jaeger = *Trachypodopsis serrulata* var. *serrulata* (1521)

Papillaria subpiligera (Hampe) Besch. = *Aerobryidium subpiligerum* [1521] (= *Aerobryopsis capensis*)

Papillaria tanganyikae Broth. ex Paris, nom. nud. Excluded: an undescribed collection from western Tanzania.

Papillaria vaginans (Welw. & Duby) A.Gepp in Hiern. = *Floribundaria vaginans* (1521)

Papillaria viridula (Mitt.) A.Jaeger = *Trachypus viridulus* [1521] (= *Trachypus bicolor* var. *viridulus*)

Papillidiopsis complanata (Dixon) W.R.Buck & B.C.Tan UGA(4015,4282).

Papillidiopsis mahensis (Besch.) O'Shea SEY(1941,1946,2195,2328,2353,4015).

Paraleucobryum longifolium ssp. *brasiliense* (Broth.) P.Mueller & J.-P.Frahm

ZAI(65,5319).

Paraleucobryum populeum (Hedw.) Loeske = *Brachythecium populeum* [1521]

Pelekium chenagonii (Müll.Hal. ex Renauld & Cardot) Touw BIO(8180), BUR(32,65),

CAF(32), CMN(32), COM(32,40), GAB(32), GUI(32), IVO(32), KEN(46,2661), MDG(32,40), MLW(6087), MOZ(46), NGA(5176,5745), RWA(65), SIE(32), TAN(46), UGA(46), ZAI(32,65,5319,5320), ZAM(411), ZIM(46).

Pelekium contortulum (Mitt.) Touw TAN(6647), UGA(6647).

Pelekium gratum (P.Beauv.) Touw ANG(32), ANN(32), BEN(6128), BIO(32,2662), BKN(32), BUR(32), CAF(32), CMN(32), COM(32,40,6647), CON(32), GAB(32), GHA(32), GNB(32), GUI(32,1458), IVO(32,1458,1880), LBR(32), MDG(32,40,6647), MLI(32), MLW(67), NGA(32,334,5148,5176,6263), RIM(4639), SEN(32), SEY(22,2353), SIE(32,3216), SUD(32,3076), TAN(32), TOG(1878,2851), UGA(32), ZAI(32,65,5319).

Pelekium intricatum (A.Jaeger) Touw BIO(8180), BUR(32), CMN(32), MDG(6908), RWA(32), UGA(4282), ZAI(32,5319).

Pelekium investe (Mitt.) Touw ANG(46), BIO(32), CAF(32), CMN(32), COM(32,40,6647), GAB(32), GUI(32), IVO(63), MDG(32,40,6647,6908), NGA(32), RIM(4639), TOG(2851), ZAI(32,5319).

Pelekium minusculum (Mitt.) Touw MLW(6647), TAN(6647).

Pelekium ramusculosum (Mitt.) Touw ANG(46), BIO(32), CMN(32), GUI(32), KEN(46,5315), MDG(32,40), MLW(67,6087), RWA(65), SAF(32,1531,8328), TAN(46), UGA(46), ZAM(46,62), ZIM(46).

Pelekium varians (Welw. & Duby) Touw ANG(46), BIO(2662), BUR(32), CAF(32), CMN(32), COM(32,40), GAB(32), GHA(32), GUI(32,5041), IVO(32,1880), KEN(6614), MDG(32,40), MLW(67,6087), MOZ(46), NGA(334), RIM(4639), RWA(65), SAF(32,1531,8328), SIE(32,3216), SUD(32,3076), SWZ(32,1531), TAN(46), TOG(58,1878,2851), UGA(46), ZAI(32,5319), ZAM(62,411).

Pelekium velatum Mitt. BUR(2741), TAN(46,6647).

Pelekium versicolor (Müll.Hal.) Touw CMN(32,6647), ETH(111), KEN(46,6614,7065), LES(32), MDG(32,40,6647), MLW(67,6087), REU(32,287,3410,6647), RWA(32,65), SAF(32,1531,4897,7766,8328), TAN(46), UGA(46), ZAI(32,65,5319,5320), ZAM(46), ZIM(46).

Perisiphorus ciliatus (Hedw.) P.Beauv. = *Hedwigia ciliata* [1521]

Perssonia sanguinea Bizot CVI(2666,6453).

Phasconica tisserantii P.de la Varde = *Trichostomum unguiculatum* (1420)

Phascum alternifolium (Dicks.) Hedw. = *Archidium alternifolium* (1521) (= *Archidium ohioense*)

Phascum artragonum Harv. ex J.Shaw, nom. inval. err.= *Phascum tetragonum* [1521] (= *Tetrapterum tetragonum*)

Phascum brevipes (Hook.) Schwaegr. = *Bruchia brevipes* [1521]

Phascum bulbosum var. *muticum* (Hedw.) De Not., nom. illeg. prior. ut spec. = *Acaulon muticum* [1521]. Excluded: see *Phascum muticum*.

Phascum capense Spreng. ex Müll.Hal., nom. nud. in synon. = *Pleuridium nervosum* [1521]

Phascum decipiens Dicks. ex Paris, err. = *Phascum alternifolium* [1521] (= *Archidium alternifolium*). Excluded: see *Archidium alternifolium*.

Phascum elegans Hornsch. = *Bruchia brevipes* [8020: 92; 8320: 313]

Phascum exiguum Hook.f. & Wilson = *Eccremidium exiguum* (82: 89)

Phascum kilimandscharicum (Müll.Hal.) Broth. = *Bryum kilimandscharicum* (Müll.Hal.) R.H.Zander, hom. inval. (1420).

Note: there is already a *Bryum kilimandscharicum* Broth., which is a synonym of *Bryum algovicum* var. *rutheanum* (23). This species, recorded for Tanzania by Kis (46), is thus provisionally excluded.

Phascum leptophyllum Müll.Hal. = *Chenia leptophylla* (1420)

Phascum muticum Hedw. = *Acaulon muticum* [1521]. Excluded: *Index Muscorum* lists this taxon for sub-Saharan Africa, but no records have been found.

Phascum nervosum Hook. = *Pleuridium nervosum* (82: 86)

Phascum peraristatum Müll.Hal. KEN(411), SAF(1531,8328).

Phascum splachnoides Hornsch. = *Pottia splachnoides* (82: 208) (= *Tortula splachnoides*)

Phascum tetragonum Hook. = *Tetrapterum tetragonum* [1521; 82: 250]

Philonotis africana (Müll.Hal.) Rehmann ex Paris MLW(67), SAF(1531,4418,8328),

SWZ(1531), ZAM(46,62), ZIM(61).

Philonotis afroacuminata Paris, nom. inval. err. = *Philonotis afro-uncinata* [1521] (= *Philonotis dregeana*)

Philonotis afrocappillaris Dixon in Sim = *Philonotis comosa* (7468: 35)

Philonotis afrofontana (Müll.Hal.) Paris = *Philonotis falcata* (83: 430)

Philonotis afrofontana var. *breviseta* (Müll.Hal.) Paris = *Breutelia substricta* (83: 437)

Philonotis afrofontana var. *gracilescens* (Müll.Hal.) Paris = *Philonotis dregeana* (83: 425)
Philonotis afrouncinata (Müll.Hal.) Paris = *Philonotis dregeana* (83: 425)

Philonotis amblystegioides Demaret & P.de la Varde ZAI(65).

Philonotis androgyna (Hampe) A.Jaeger = *Philonotis dregeana* (83: 425)

Philonotis angustiretis Broth. in Lindau, *nom. nud.* Excluded: an undescribed collection from Rwenzori Mts, Uganda [22: 72; 46: 76].

Philonotis angustiuscula Paris, *nom. nud.* Excluded: an undescribed collection (*Dusén* 86) from Cameroon.

Philonotis annobonense Broth. in Mildbr., *nom. nud.* = *Philonotis uncinata* var. *glaucescens* (4930)

Philonotis arbuscula Paris, *nom. inval. err.* = *Philonotis arbusculacea* [1521]

Philonotis arbusculacea (Müll.Hal.) A.Jaeger SUD(3076).

Philonotis argillicola Renauld & Cardot ex Broth., *nom. nud.* = *Philonotis imbricatula* [1848: 309] (= *Philonotis hastata*)

Philonotis baginsensis (Müll.Hal.) A.Jaeger SUD(3076).

Philonotis basaltica Paris, *nom. nud.* Excluded: an undescribed specimen (*Dusén* 436) from Cameroon.

Philonotis bescherellei Thér. REU(105,4097).

Philonotis boschbergiana Müll.Hal. ex Kindb. = *Philonotis androgyna* [1911: 306] (= *Philonotis dregeana*)

Philonotis brevicuspis Broth. CAF(47), CMN(47), ZAI(65,1552).

Philonotis brevicuspis var. *perobtusata* P.de la Varde CAF(47).

Philonotis byssiformis Müll.Hal. MDG(40).

Philonotis caespitans Paris = *Philonotis imbricatula* [1848: 307] (= *Philonotis hastata*)

Philonotis caespitosa Wilson ex Milde LES(7468), SAF(7468,8328), SUD(6417).

Philonotis calcarea (Bruch & Schimp.) Schimp. CVI(6453).

Philonotis cavifolia Sim, *nom. nud. in synon.* = *Philonotis obtusata* [1911: 308]

Philonotis cernua (Wilson) D.G.Griffin & W.R.Buck BIO(47), CMN(47).

Philonotis comorensis (Müll.Hal.) A.Jaeger = *Philonotis hastata* [2737: 616; 40: 217]

Philonotis comosa (Broth.) D.G.Griffin & W.R.Buck SAF(1531,7468,7766,8328).

Philonotis conostomoides Ochyra KEN(46,5315).

Philonotis crystallina Paris, *nom. nud.* Excluded: an undescribed specimen from Madagascar (*Hildebrandt* 2056).

Philonotis curvifolia Besch. = *Philonotis hastata* [2584: 480]

Philonotis curvula (Müll.Hal.) Kindb. KEN(46).

Philonotis delagoae (Müll.Hal.) Paris. Excluded: type of basionym (*Bartramia delagoae*) not located (83: 418).

Philonotis dregeana (Müll.Hal.) A.Jaeger BOT(1531), CAF(47), CHA(4508),

LES(1531,4897), NAM(1531,7155), SAF(1531,7766,8328), SUD(3076,6417),

SWZ(1531), TAN(46), ZAI(65), ZIM(46,61).

Philonotis dregei Müll.Hal. ex Kindb., *nom. illeg. incl. spec. prior.* = *Philonotis dregeana* [1521]

Philonotis falcata (Hook.) Mitt. BOT(1531), LES(1531,4897,7468), MLW(67),

NAM(1531,7155), RWA(65), SAF(1531,7468,7766,8328), ZAI(65), ZAM(62), ZIM(61).

Philonotis filamentosa Paris, *nom. nud.* Excluded: an undescribed specimen (*Dusén* 511) from Cameroon.

Philonotis flaccidifolia (Mitt.) Paris ROD(105).

Philonotis flavinervis (Müll.Hal.) Kindb. BIO(47).

Philonotis floribundaria Paris, *nom. nud.* Excluded: an undescribed specimen (*Dusén* 94) from Cameroon.

Philonotis fontana (Hedw.) Brid. CVI(2666), ETH(50), KEN(46,5315,6615,7065),

STH(1296,4202,5331), TAN(46), UGA(46), ZAI(65).

Philonotis fontana ssp. *marchica* (Hedw.) Boulay = *Philonotis marchica* [1521]

Philonotis fugacissima Paris GUI(47).

Philonotis gemmascens (Müll.Hal.) Kindb. TAN(46), ZAI(65).

Philonotis globosa (Müll.Hal.) D.G.Griffin & W.R.Buck LES(1531,4897), SAF(1531,8328),

TAN(46), UGA(46), ZAM(46), ZIM(46,61).

Philonotis gracilescens Kindb. ex H.Möller, *nom. inval. in synon. err.* = *Philonotis androgyna* [1911: 306] (= *Philonotis dregeana*)

Philonotis gracilescens Müll.Hal. ex Kindb., *nom. nud.* = *Philonotis androgyna* [1911: 306] (= *Philonotis dregeana*)

Philonotis gracilescens Schimp. in C.H.Wright MAU(105), REU(105).

Philonotis hastata (Duby) Wijk & Margad. ANG(46), BKN(47), BOT(1531), CAF(47),

CHA(51,4480,4507), CMN(47), COM(40), CVI(2666,6453), ETH(111), GAB(47),

GHA(47), IVO(47), KEN(46), LES(1531,4897), MDG(40), MLW(67), MOZ(357),

MTN(6996), NGA(334,5148,5176,6263), REU(105), RWA(65), SAF(1531,8328),

SEY(1926,2353), SIE(47), SUD(6417), SWZ(1531), TAN(46), TOG(1878), UGA(46),

ZAI(65,1552,7863), ZIM(46,61).

Philonotis hastata var. *gemmaclada* P.de la Varde, nom. nud. Note: this taxon, recorded only for Cape Verde Is., is treated by Frahm et al. (2666) as a synonym of *Philonotis hastata*.

Philonotis heleniana (Mitt.) Herzog = *Philonotis fontana* [25: 3: 374]

Philonotis helenica (Besch.) Paris STH(1296,2322).

Philonotis heterophylla Mitt. = *Philonotis hastata* (3447)

Philonotis hymenodon (Müll.Hal.) A.Jaeger = *Philonotis scabrifolia* (83: 431)

Philonotis hyophila Rehmann ex Dixon & A.Gepp, nom. nud. Excluded: an undescribed collection (Rehmann 195) from South Africa.

Philonotis imbricatula Mitt. = *Philonotis hastata* [2737: 2: 616]

Philonotis imbricatula var. *gemmaclada* P.de la Varde = *Philonotis hastata* (47: 499)

Philonotis imbricatula var. *synoica* Thér. = *Philonotis hastata* [40: 217]

Philonotis incrassata (Müll.Hal.) Kindb. ANG(46).

Philonotis jungneri Broth. CMN(47), ZAI(65).

Philonotis laeviuscula Dixon ZIM(46).

Philonotis latiuscula Paris, nom. nud. Excluded: an undescribed specimen (*Dusén* 96) from Cameroon.

Philonotis laxissima (Müll.Hal.) Mitt. = *Philonotis hastata* [2584: 480]

Philonotis le-testui P.de la Varde CAF(47).

Philonotis luteoviridis Besch. = *Philonotis mauritiana* [1848: 311]

Philonotis marangensis Broth. KEN(46), TAN(46), ZAI(65).

Philonotis marangensis Broth. = *Philonotis hastata* [1911: 307]

Philonotis maranguensis Broth. in Engl., nom. nud. = *Philonotis hastata* [1911: 307]

Philonotis marchica var. *marchica* (Hedw.) Brid. CVI(2666,6453), MLI(51), SUD(1419,6417).

Philonotis mauritiana Ångstr. MAU(105), MDG(40), REU(105), SEY(2353), TAN(46), UGA(46).

Philonotis mauritiana var. *gemmaclada* Broth. ZAI(65).

Philonotis mauritiana var. *stricta* Renauld & Cardot MDG(40).

Philonotis microthamnia Broth. CAF(47), CMN(47), CON(47), GAB(47), IVO(1880), KEN(46), UGA(46), ZAI(65).

Philonotis mnelabiensis Thér. & P.de la Varde GAB(47), ZAI(65).

Philonotis mniobryoides Broth. BEN(4302), CAF(47), CMN(47), GAB(47), IVO(1458), TOG(1878), ZAI(65).

Philonotis mniobryoides var. *angustifolia* Thér. & P.de la Varde GAB(47), GHA(47), ZAI(65).

Philonotis molmonica Rehmann ex Geh., nom. nud. = *Philonotis afrofontana* [1911: 310] (= *Philonotis falcata*)

Philonotis nanothecia (Müll.Hal.) Kindb. BEN(47), CAF(47), SAO(47), TOG(1878), ZAI(65).

Philonotis nanothecioidea Paris & Broth. CAF(47), CVI(2666,6453), GAB(47), GUI(47).

Philonotis natalensis Rehmann ex Dixon & A.Gepp = *Philonotis androgyna* [1911: 307] (= *Philonotis dregeana*)

Philonotis niamniamiae (Müll.Hal.) A.Jaeger SUD(3076).

Philonotis obtusata Müll.Hal. ex Renauld & Cardot = *Philonotis hastata* (2666)

Philonotis oraniae Rehmann ex Geh., nom. nud. = *Philonotis afrofontana* [4378: 93] (= *Philonotis falcata*)

Philonotis oranica Paris, nom. nud. err. = *Philonotis oraniae* [1521] (= *Philonotis falcata*)

Philonotis papillarioides Müll.Hal. in Büttner ZAI(6152).

Philonotis pechuelii (Müll.Hal.) Kindb. CAF(47), ZAI(65).

Philonotis penicillata C.H.Wright ASC(1296,5340).

Philonotis perconferta Broth. CMN(47).

Philonotis pergracilis Broth. ASC(5329,5340).

Philonotis perigonialis Besch. REU(105).

Philonotis perigonialis fo. *procerior* Besch. Excluded: any records for this form have been associated with the owning species.

Philonotis pernana (Müll.Hal.) Paris = *Philonotis androgyna* [1911: 306] (= *Philonotis dregeana*)

Philonotis pernana (Müll.Hal.) Paris = *Philonotis dregeana* (83: 425)

Philonotis perpusilla Cardot MDG(40).

Philonotis perrieri Thér. MDG(40).

Philonotis plana Dixon & Herzog UGA(46).

Philonotis platyneura P.de la Varde TAN(46), UGA(46).

Philonotis polyclados Besch. ex Grandid., *nom. nud. in synon.* = *Philonotis mauritiana* [1848: 311]

Philonotis pulchella Schimp. ex Paris, *nom. nud.* Excluded: an undescribed collection (*Breutel, s.n.*) from the Cape, South Africa. An annotation by Gepp suggests that this is a synonym of *Philonotis dregeana*.

Philonotis pungens (Mitt.) Mitt. ROD(105,4931), SOC(40,2374,5613).***Philonotis pygmaeola*** Müll.Hal. SUD(3076).***Philonotis rigida*** Brid. CVI(1296,2666,6453).

Philonotis rigida var. *eurigida* Kab. = *Philonotis rigida* [1521]

Philonotis ruwenzorensis Thér. & Naveau TAN(46), UGA(46), ZAI(65).***Philonotis scabrifolia*** (Hook.f. & Wilson) Braithw. LES(1531,4897), REU(4928), SAF(1531,4897,8328).***Philonotis schroederi*** Broth. TAN(46).

Philonotis senodictyifolia Müll.Hal. ex Kindb., *nom. nud.* Excluded: no specimen or description is associated with this name.

Philonotis simplex (Müll.Hal.) A.Jaeger = *Philonotis dregeana* [1911: 311]

Philonotis souliei Thér. & P.de la Varde KEN(46).***Philonotis sparsifolia*** (Hampe) A.Jaeger KEN(46), MDG(40).***Philonotis speirophylla*** Dixon KEN(46).***Philonotis spongiosa*** (Welw. & Duby) A.Gepp in Hiern ANG(46).

Philonotis stenodictyon Renauld & Cardot = *Breutelia stenodictyon* [1521] (= *Breutelia microdonta*)

Philonotis stenodictyon var. *patentissima* Renauld & Cardot = *Breutelia sclerodictya* [1848: 315] (= *Breutelia microdonta*)

Philonotis strictula Cardot CAF(47), CMN(47), GAB(47), IVO(1458), SIE(47), UGA(46), ZAI(65).

Philonotis subcaespitans Müll.Hal. ex Grandid., *nom. nud. in synon.* = *Philonotis mauritiana* [1848: 311]

Philonotis subcapillaris Paris, *nom. illeg. incl. spec. prior.* = *Philonotis mniobryoides* [1521]

Philonotis subcordata Rehmann ex Geh., *nom. nud.* = *Breutelia aristaria* [4378: 93] (= *Bartramia aristaria*)

Philonotis subcurvula Paris, *nom. nud.* Excluded: an undescribed specimen (*Dusén* 435) from Cameroon.

Philonotis subexigua (Müll.Hal.) Kindb. = *Philonotis scabrifolia* [7601: 19]

Philonotis submarchica Besch. REU(105).***Philonotis submarchica*** var. ***plumosa*** Renauld & Cardot REU(105).***Philonotis subolescens*** (Müll.Hal.) Paris ASC(1296,5334,5340).***Philonotis subsimplex*** Broth. & Paris MLI(47).

Philonotis tenuicaulis A.Jaeger, *nom. illeg.* = *Philonotis hastata* [4097: 61; 40: 217]

Philonotis tenuicula (Hampe) Besch. = *Philonotis hastata* [4097: 61; 40: 217]

Philonotis tomentella Mol. KEN(46), RWA(65), TAN(46), ZAI(65).

Philonotis tomentosa (Brid.) Brid. = *Breutelia tomentosa* [1521]

Philonotis transvaloalpina (Müll.Hal.) Broth. Excluded: see *Bryum transvaloalpina*.

Philonotis trichodonta (Müll.Hal.) Kindb. SAO(47).***Philonotis tricolor*** (Müll.Hal.) Kindb. TAN(46).***Philonotis uncinata*** var. ***glaucescens*** (Hornschr.) Florsch. ANN(47).***Philonotis usambarica*** Broth. TAN(46).***Philonotis vagans*** Hook.f. & Wilson SAF(1531,8328).***Philonotis vanderystii*** Cardot CAF(47), CMN(47), ZAI(65).

Philonotis wilsonii (Bruch, Schimp. & W.Gümbel) Mitt. = *Bartramidula cernua* (47: 498) (= *Philonotis cernua*)

Philonotis woodii Rehmann ex Kindb., *nom. nud.* = *Philonotis afrofontana* [1911: 310] (= *Philonotis falcata*)

Philonotis zuluensis Broth. & Bryhn = *Philonotis hastata* (83: 427)

Philonotula angustiuscula Müll.Hal., *nom. nud.* Excluded: an undescribed collection (*Dusén* 86) from Cameroon.

Philonotula basaltica Müll.Hal., *nom. nud.* Excluded: an undescribed specimen (*Dusén* 436) from Cameroon.

Philonotula brevicuspis Müll.Hal. ex Paris, *nom. nud.* = *Philonotis brevicuspis* [1521]

Philonotula caespitans Müll.Hal. ex Paris, *nom. nud.* = *Philonotis imbricatula* [1848: 307] (= *Philonotis hastata*)

Philonotula capillaris Müll.Hal. ex Paris, *nom. nud.* = *Philonotis mniobryoides* [6793: 268]

Philonotula capillaris Müll.Hal. ex Paris, *nom. nud.* = *Philonotis mniobryoides* [6793: 268]

Philonotula curvula Müll.Hal., *nom. nud.* Excluded: an undescribed specimen (*Dusén* 435) from Cameroon.

Philonotula filamentosa Müll.Hal. ex Paris, *nom. nud.* Excluded: an undescribed specimen (*Dusén* 511) from Cameroon.

Philonotula floribundaria Müll.Hal. ex Paris, *nom. nud.* Excluded: an undescribed specimen (*Dusén* 94) from Cameroon.

Philonotula helenica Besch. = *Philonotis helenica* [1521]

Philonotula latiuscula Müll.Hal., *nom. nud.* Excluded: an undescribed specimen (*Dusén* 96) from Cameroon.

Philonotula microthamnia Müll.Hal. ex Paris, *nom. nud.* = *Philonotis microthamnia* [1521]

Philonotula perconferta Müll.Hal. ex Paris, *nom. nud.* = *Philonotis perconferta* [1521]
Philonotula subcapillaris Müll.Hal. ex Paris, *nom. inval. in synon. err.* = *Philonotula capillaris* [1521] (= *Philonotis miobryoides*)

Phyllodon perplanicaulis (Broth.) Kis BIO(8180), CAF(47), CMN(47), GAB(47,6809),
REU(6809), UGA(7981), ZAI(6809).

Phyllodon perplanicaulis (Broth.) Kis. Note: this taxon appears to belong to *Taxiphyllum* rather than *Phyllodon*.

Phyllodon scutellifolius (Besch.) W.R.Buck MDG(40,6309).

Phyllodon truncatus (Müll.Hal) W.R.Buck. Note: see under *Phyllodon truncatus*.

Phyllodon truncatus (Müll.Hal.) W.R.Buck ANG(46,4281), BIO(2662,4281), CAF(47),
CMN(47), CON(47), GAB(47), IVO(1880,2733), MDG(40), REU(7981), RIM(4639),
TOG(1878), UGA(4281,4282,7981), ZAI(65,5319).

Phyllodon truncatus (Welw. & Duby) W.R.Buck. Note: this taxon has caused some confusion, with some authors treating all African collections as *Phyllodon truncatus* (4281), others all as *Phyllodon truncatus* (Müll.Hal.) W.R.Buck (the earlier name), and others using both names (6809). Until this is resolved all collections are listed here under the earliest name.

Phylodrepanium falcifolium (Schwägr.) Crosby. Excluded: excluded from Africa by Crosby (5474), endorsed by O'Shea & Ochyra (5546).

Phyllogonium callichroum Brid. ex Besch., *nom. nud. in synon.* = *Phyllogonium viscosum* [2195: 270]

Phyllogonium chevalieri Corb. = *Calyptorhedium planifrons* (1)

Phyllogonium fulgens var. ***fulgens*** (Hedw.) Brid. REU(105,348).

Phyllogonium fulgens var. *viscosum* (P.Beauv.) Brid. = *Phyllogonium viscosum* [1521]

Phyllogonium longirostre (Brid.) Brid. = *Diplostichum longirostre* [1521] (= *Eustichia longirostris*)

Phyllogonium viride Brid. REU(348).

Phyllogonium viscosum (P.Beauv.) Mitt. MAU(105), MDG(40), REU(105,348,1881,1925),
SAF(348).

Phyllogonium viscosum fo. *viride* Besch. (var. *viride* (Besch.) Paris) = *Phyllogonium viride* (348)

*Physcomitrella magdalena*e De Sloover = *Physcomitrella patens* var. *magdalena*e (1677)

Physcomitrella patens ssp. ***magdalena*** (De Sloover) B.C.Tan BIO(8180), RWA(65),
UGA(4282), ZAI(5319).

Physcomitrella africana Broth. & Wager in Dixon SAF(1531,8328), TAN(46).

Physcomitrium acuminatum Bruch & Schimp. = *Physcomitrium eurystomum* [2769]

Physcomitrium acuminatum var. *denticulatum* Rabenh. = *Physcomitrium eurystomum* [1521]

Physcomitrium aubertii Besch. MAU(105).

Physcomitrium bergianus (Hornsch.) Müll.Hal. = *Funaria bergiana* (83: 323) (= *Entosthodon bergianus*)

Physcomitrium brachypodium Müll.Hal. = *Physcomitrium spathulatum* [1911: 293; 83: 318]

Physcomitrium breutelii Müll.Hal. = *Gigaspernum repens* [1911: 289; 83: 299]

Physcomitrium bukobense (Broth.) Fife TAN(46).

Physcomitrium coarctatum Cardot MDG(40).

Physcomitrium curvipes Müll.Hal. = *Funaria curvipes* (1521) (= *Entosthodon curvipes*)

Physcomitrium dilatatum Renauld & Cardot MDG(40).

Physcomitrium eurystomum Sendtn. KEN(46), MLW(67), TAN(46), UGA(46).

Physcomitrium flexifolium Mitt. STH(1296,4202,5331).

Physcomitrium harveyi Mitt. ex J.Shaw, *nom.nud.* Excluded: an undescribed collection.

Physcomitrium leptolimbatum Müll.Hal. = *Funaria limbata* (83: 321) (= *Entosthodon limbatus*)

Physcomitrium macleai Rehmann ex Kindb. = *Physcomitrium spathulatum* [1911: 293]

Physcomitrium mirabile (Broth. & Paris) R.H.Zander GUI(47).

Physcomitrium niloticum (Delile) Müll.Hal. CMN(7273), MOZ(46), NAM(7273),
SAF(1531,8328), SUD(207,1707), ZAM(7273), ZIM(46,61).

Physcomitrium poculiforme Mitt. ex Dixon, *nom. nud. in synon.* = *Physcomitrium spathulatum* [5143: 334]

Physcomitrium rivale (Geh.) Broth. = *Funaria rhomboidea* (83: 237)

Physcomitriumrottleri (Schwägr.) Hampe ex Müll.Hal. = *Funariarottleri* (83: 325) (= *Entosthodonrottleri*)

Physcomitrium schinzii (Geh.) Hampe ex Sim, *nom. inval. in synon.* = *Funaria schinzii* [1521] (= *Funaria rhomboidea*)

Physcomitrium sessile J.Shaw = *Physcomitrium spathulatum* var. *sessile* (83: 319)

Physcomitrium spathulatum var. *brevicollum* Müll.Hal. = *Physcomitrium spathulatum* (83: 318)

Physcomitrium spathulatum var. ***sessile*** (J.Shaw) Magill SAF(1531,8328).

Physcomitrium spathulatum var. ***spathulatum*** (Hornsch.) Müll.Hal. KEN(46), MOZ(46),
NAM(1531,7155), REU(5440), SAF(1531,8328), ZIM(46).

Physcomitrium sphaericum var. *eurystomum* (Sendt.) Husn., *nom. illeg. incl. var. prior.* = *Physcomitrium eurystomum* [1521]

Physcomitrium subspathulatum Thér. & Naveau RWA(65), ZAI(65,5319).

Physcomitrium succulentum Wager & C.H.Wright ex Broth., nom. inval. err. = *Funaria succuleata* (83: 321)
Physedium splachnoides (Hornschr.) Brid. = *Pottia splachnoides* [1521] (= *Tortula splachnoides*)

Pilopogon africanus Broth. in Mildbr. BUR(65), KEN(411,3412,5315,6615,7065),
 NGA(5160), RWA(65), TAN(46), ZAI(65,5319).

Pilopogon africanus var. *kivuensis* P.de la Varde & Thér. = *Pilopogon africanus* (288)

Pilopogon fuscolutescens (Renauld & Cardot) Broth. = *Campylopus fuscolutescens* [1521] (= *Campylopus thwaitesii*)

Pilotrichella - Note: according to Allen & Magill [7683], most African taxa in *Pilotrichella* are likely to belong to *Orthostichella*. The only African taxa they accept are *Pilotrichella flexilis* and its form *nudiramulosa*, and *Pilotrichella mascarenica*. They made no new combinations in *Orthostichella*, and a revision of that genus is now required.

Pilotrichella ampullacea (Müll.Hal.) A.Jaeger COM(40), ETH(1927),
 KEN(46,2661,3412,5315,7065), MLW(46,67), RWA(65), TAN(46), UGA(46), ZAI(65),
 ZAM(46).

Pilotrichella ankaratrensis Kiae ex C.H.Wright, nom. nud. = *Renauldia hildebrandtelloides* [5540: 191; 40: 225]

Pilotrichella attenuata Broth. TAN(46).

Pilotrichella bescherellei Kiae ex Renauld & Cardot, nom. nud. = *Calyptothecium bescherellei* [1521]

Pilotrichella biformis (Hampe) Müll.Hal. ex Geh. = *Squamidium biforme* [1521] (= *Squamidium brasiliense*)

Pilotrichella biformis var. *congesta* Renauld & Cardot = *Squamidium biforme* var. *congesta* [1521] (= *Squamidium brasiliense*)

Pilotrichella calomicra Broth. CMN(47), GUI(47), SAO(47).

Pilotrichella capillicaulis Kindb. KEN(46).

Pilotrichella chlorothrix Müll.Hal. = *Squamidium chlorothrix* [1521] (= *Squamidium brasiliense*)

Pilotrichella chrysoneura (Hampe ex Müll.Hal.) A.Jaeger = *Orthostichopsis subimbricata* [1848: 345]

Pilotrichella chrysoneura var. *viridis* Renauld & Cardot, nom. nud. = *Orthostichopsis subimbricata* (40: 226)

Pilotrichella communis Müll.Hal. ex Dusén BIO(47,3414,3418), CMN(47), CON(47),
 GAB(47), GHA(47), GUI(47), IVO(47), NGA(5148,5160,5176), RIM(4639), SAO(47),
 SIE(47), TOG(1878,2851).

Pilotrichella conferta Renauld & Cardot = *Pilotrichella pandurifolia* (1519: 577) (= *Orthostichella pandurifolia*)

Pilotrichella cordata Broth. in P.de la Varde, nom. nud. Excluded: an undescribed collection (leg. R.P. Wetzer) from Kiswani, Tanzania [4261: 1057; 46: 97] and a subsequent collection from SW of Nairobi, Kenya [4368:11; 46: 97].

Pilotrichella curvifrons Kindb. KEN(46).

Pilotrichella cuspidata Broth. = *Orthostichopsis subimbricata* [1848: 345]

Pilotrichella cuspidata var. *gracilescens* Tosco & Piovano KEN(46).

Pilotrichella cuspidata var. *gracilescens* Tosco & Piovano. Note: the owning species of this variety has been synonymised with *Orthostichopsis subimbricata*. This variety also needs revision.

Pilotrichella debilinervis Renauld & Cardot = *Orthostichopsis debilinervis* [1521]

Pilotrichella delicatula Broth. ex Mildbr. ZAI(3255).

Pilotrichella densiramea Broth. = *Squamidium brasiliense* (93)

Pilotrichella dusenii Paris, nom. illeg. incl. spec. prior. = *Pilotrichella muelleri* [1521]

Pilotrichella fiorini-mazzantiae Paris, nom. nud. Excluded: no description or specimen available.

Pilotrichella flexilis (Hedw.) Ångstr. MAS(40), MDG(40,7683), TAN(46,7683).

Pilotrichella flexilis fo. *nudiramulosa* (Müll.Hal.) B.H.Allen & Magill MDG(7683).

Pilotrichella gracilicaulis Müll.Hal. ex Dusén CMN(47).

Pilotrichella grimaldii Renauld & Cardot MDG(40), TAN(46).

Pilotrichella guineensis Ångstr. in Müll.Hal. GUI(47,4098).

Pilotrichella hampeana Kiae in Wright, nom. nud. = *Pilotrichella mascarenica* [1848: 352; 40: 228]

Pilotrichella holstii Broth. MOZ(46), TAN(46).

Pilotrichella imbricata (P.Beauv.) Schwägr. = *Pilotrichella pentasticha* [7772: 42] (= *Orthostichella pentasticha*)

Pilotrichella imbricatula Müll.Hal. = *Pilotrichella isleana* [1848: 350] (= *Pilotrichella mascarenica*)

Pilotrichella imbricatula var. *exserta* Thér. = *Pilotrichella isleana* (40: 228) (= *Pilotrichella mascarenica*)

Pilotrichella imbricatula var. *nervosa* Renauld & Cardot = *Pilotrichella isleana* var *nervosa* [1521]

Pilotrichella incurva Broth. ANG(46).

Pilotrichella inflatifolia Müll.Hal. SAO(47).

Pilotrichella involutifolia (Mitt.) A.Jaeger = *Orthostichidium involutifolium* [1521]

Pilotrichella isleana Besch. = *Pilotrichella mascarenica* [7683: 59]

Pilotrichella isleana var. *nervosa* (Renauld & Cardot) Cardot MDG(40).

Pilotrichella isleana var. *nervosa* and var. *virescens*. Note: these two varieties were not considered when the owning species was synonymised with *Pilotrichella mascarenica* [7683: 59]

Pilotrichella isleana var. *virescens* Besch. REU(2195,2328).

Pilotrichella islei Besch. ex Kindb. nom. inval. = *Pilotrichella mascarenica* [7683: 59]

Pilotrichella kuntzei Müll.Hal. = *Pilotrichella pandurifolia* [4800: 209; 1519: 575] (= *Orthostichella pandurifolia*)

Pilotrichella latiramea Müll.Hal. ex Dusén CAF(47), CMN(47), GAB(47), IVO(1880), KEN(46), NGA(5148,5176), TAN(46).

Pilotrichella leptoclada Müll.Hal. CON(47), SAO(47).

Pilotrichella lepto-erioclada Müll.Hall ex Paris, *nom. nud.* Excluded: an undescribed collection (*Dusén 800*) from Cameroon.

Pilotrichella leptopteridea Müll.Hal., *nom. nud.* = *Pilotrichella ragazzii* [50: 236]

Pilotrichella longinervis Renauld & Cardot = *Orthostichopsis longinervis* [1521]

Pilotrichella mascarenica (Müll.Hal.) A.Jaeger ETH(50), KEN(46), MDG(40,7683), MLW(46,67), REU(105,3410,7683), TAN(46).

Pilotrichella mauritiana Paris, *nom. nud.* = *Papillaria africana* [4692: 349]

Pilotrichella moenkemeyeri (Müll.Hal.) Kindb. NGA(47).

Pilotrichella moenkemeyeri Kindb. ex Paris, *nom. inval. err.* = *Pilotrichella moenkemeyeri* [1521]

Pilotrichella muelleri Dusén BIO(2662), CMN(47).

Pilotrichella obovata Kiaer, *nom. nud.* = *Pilotrichella isleana* [1848: 350; 40: 228] (= *Pilotrichella mascarenica*)

Pilotrichella panduraefolia (Müll.Hal.) A.Jaeger (1877) = *Orthostichella pandurifolia* (1714)

Pilotrichella panduraefolia Müll.Hal ex Dusén (1895), *hom. illeg.* = *Orthostichella pandurifolia* (1714)

Pilotrichella pentasticha (Brid.) Wijk & Margad. = *Orthostichella pentasticha* (1714)

Pilotrichella percipillaris Müll.Hal. ex Paris, *nom. nud.* Excluded: an undescribed collection (*Dusén 654*) from Cameroon.

Pilotrichella percordata Broth. in P.de la Varde, *nom. nud.* Excluded: an undescribed collection from Nairobi, Kenya [5064: 53] and from Pare, Tanzania [5065: 11].

Pilotrichella perrobusta P.de la Varde = *Pilotrichella flexilis* [7683: 52]

Pilotrichella phleoides (Brid.) A.Jaeger REU(105).

Pilotrichella pilifolia Dixon = *Orthostichopsis subimbricata* (6)

Pilotrichella pinnatella Broth. = *Orthostichopsis pinnatella* (2)

Pilotrichella platyclada Paris, *nom. nud.* Excluded: an undescribed collection (*Dusén 846*) from Cameroon.

Pilotrichella porotrichoides Paris, *nom. nud.* Excluded: an undescribed collection (*Sikora 14324*) from Madagascar.

Pilotrichella profusicaulis Paris KEN(46), TAN(46), ZAI(65).

Pilotrichella pseudo-imbricata (Müll.Hal.) A.Jaeger COM(40), MDG(40), MLW(67).

Pilotrichella pseudo-imbricata var. *pallescens* (Müll.Hal.) Paris COM(40).

Pilotrichella pseudo-imbricata var. *rufescens* (Müll.Hal.) Paris COM(40).

Pilotrichella ragazzii Brizi ETH(50).

Pilotrichella rehmanni Müll.Hal., *nom. nud.* = *Squamidium rehmanni* [1521] (= *Squamidium brasiliense*)

Pilotrichella sericea Kindb. KEN(46), TAN(46).

Pilotrichella sordidoviridis Müll.Hal. ex Dusén CAF(47), CMN(47), CON(47), GAB(47), GHA(47), IVO(1458,1880), LBR(47), NGA(47,5148,5160,5176), RIM(4639).

Pilotrichella sordidoviridis var. *deweitrei* Renauld & Cardot ZAI(2672).

Pilotrichella stuhlmannii Broth. KEN(46), TAN(46).

Pilotrichella subbiformis Renauld & Cardot = *Erythrodontium subbiforme* [1521]

Pilotrichella subimbricata (Hampe) A.Jaeger = *Orthostichopsis subimbricata* (2)

Pilotrichella subimbricata var. *borbonica* Renauld & Cardot in Renauld = *Orthostichopsis subimbricata* var. *borbonica* [1521]

Pilotrichella subimbricata var. *flageyi* Renauld & Cardot in Renauld = *Orthostichopsis subimbricata* var. *flageyi* [1521]

Pilotrichella sublivens (Besch.) Paris = *Orthostichopsis sublivens* [1521]

Pilotrichella subpanduraefolia Kindb. CMN(47), RIM(4639).

Pilotrichella tenellula Paris TAN(46).

Pilotrichella turgidelacea Müll.Hal. ex Dusén = *Orthostichella turgidelacea* (1714)

Pilotrichella welwitschii (Duby) A.Gepp in Hiern ANG(46).

Pilotrichum antipyreticum (Hedw.) Müll.Hal. = *Fontinalis antipyretica* [1521]

Pilotrichum biforme Hampe = *Squamidium biforme* [1521] (= *Squamidium brasiliense*)

Pilotrichum capense Mitt. ex J.Shaw, *nom. nud.* Excluded: an undescribed collection.

Pilotrichum ciliatum (Hedw.) Müll.Hal. = *Hedwigia ciliata* [1521]

Pilotrichum denticulatum P.Beaup. Excluded: Crosby (1565), in his monograph of this genus, finds it difficult to ascribe an identity to this moss (stated to be from Mauritius) as the original specimen is missing, but from the distribution of members of the genus, from the original description, and from comments of Palisot de Beauvois, Bridel and Müller, he concludes that it is unlikely to be a *Pilotrichum*.

Pilotrichum distichum (Hedw.) P.Beaup. = *Neckeropsis disticha* [1521]

Pilotrichum exiguum Müll.Hal. = *Cryphaea exigua* [1521] (= *Cryphaea jamesonii*)

Pilotrichum foveolatum (Mitt.) Hampe = *Neckeropsis foveolata* [1521]

Pilotrichum hildebrandtelloides Renauld & Cardot = *Renaudia hildebrandtelloides* [1521]

Pilotrichum limbatum Hampe = *Rutenbergia limbata* [1521]

- Pilotrichum monbuttoviae* (Müll.Hal.) Kindb. = *Plagiothecium monbuttoviae* [1521]
Pilotrichum palmetorum Besch. ex Paris, nom. nud. in synon. = *Orthostichopsis debilinervis* [8298: 24]
Pilotrichum patentissimum Hampe = *Renaudia patentissima* [1521]
Pilotrichum pennatum (Hedw.) P.Beauv. = *Neckera pennata* [1521]
Pilotrichum perrottetii (Mont.) Müll.Hal. = *Ervodium perrottetii* [1521]
Pilotrichum protensum (Müll.Hal.) Müll.Hal. = *Cryphaea protensa* [1521]
Pilotrichum ragazzii Brizi = *Cryphaea ragazzii* [1521; 6614: 49]
Pilotrichum serrulatum P.Beauv. = *Trachypodopsis serrulata* var. *serrulata* (1519: 561)
Pilotrichum smithii (Dicks.) P.Beauv. = *Leptodon smithii* [1521]
Pilotrichum solitarium (Brid.) Müll.Hal. = *Jaegerina solitaria* [1521]
Pilotrichum stellatum Mitt. ex J.Shaw, nom. nud. Excluded: an undescribed collection.
Pilotrichum stoloniferum Müll.Hal. = *Jaegerina stolonifera* [1521; 1]
Pilotrichum tamariscina Hampe = *Pinnatella tamariscina* [1521] (= *Homaliodendron piniforme*)
Pilotrichum truncatum P.Beauv. = *Neckeropsis disticha* [7306: 110]
Pinnatella africana (Welw. & Duby) Broth. = *Pinnatella minuta* (1830)
Pinnatella allamanoi Tosco & Piovano = *Porotrichum molliculum* (1300)
Pinnatella braunii (Broth.) M.Fleisch. = *Homaliodendron piniforme* (1300)
Pinnatella chalaropteris (Dusén) Broth. = *Homaliodendron piniforme* (1300)
Pinnatella chenagonii (Renauld & Cardot) M.Fleisch. ex Paris = *Pinnatella geheebei* var. *chenagonii* [1521] (= *Leptodon fuciformis*)
Pinnatella dupuisii (Renauld & Cardot) Broth. = *Pinnatella minuta* (1830)
Pinnatella engleri (Broth.) M.Fleisch. = *Pinnatella minuta* (1830)
Pinnatella flagellacea (Mitt.) Broth. ex Paris = *Homaliodendron piniforme* (1300)
Pinnatella fuciformis (Brid.) Touw ("fuciforme") = *Leptodon fuciformis* (301)
Pinnatella geheebei (Müll.Hal.) M.Fleisch. = *Pinnatella minuta* (1830)
Pinnatella geheebei var. *chenagonii* (Müll.Hal.) Cardot = *Pinnatella fuciformis* (40: 230) (= *Leptodon fuciformis*)
Pinnatella geheebei var. *regularis* (Renauld & Cardot) Renauld & Cardot = *Pinnatella geheebei* [7612: 223] (= *Pinnatella minuta*)
Pinnatella herpetineura (Besch.) Kindb. ex Paris = *Pinnatella minuta* (1830)
Pinnatella le-testui Thér. & P.de la Varde = *Pinnatella minuta* (1830)
Pinnatella lopidiooides Broth. ex Paris, nom. illeg. incl. spec. prior. = *Pinnatella africana* [1521] (= *Pinnatella minuta*)
Pinnatella mariei (Besch.) Broth. = *Caducilla mariei* (780)
Pinnatella mayumbensis (Besch.) M.Fleisch. = *Homaliodendron piniforme* (1300)
Pinnatella minuta (Mitt.) Broth. ANG(46,1830), BIO(1830,2659,2662), CAF(47,1830), CMN(47,1830), COM(40,1830), CON(47,1830), GAB(47), GUI(47,1830), IVO(44,1830,1880), KEN(46,1830), MAU(1830), MDG(40,1830), MLW(2387), PRI(1830), REU(1830), RIM(4639), SAF(1531,1830,8328), SAO(47,1830), SIE(3216), TAN(46,1830), UGA(46,65,1830), ZAI(65,1830,3076,5319).
Pinnatella mixta (Müll.Hal.) Broth. ex Paris. Excluded: see note in Enroth 1994 (1830: 62)
Pinnatella mucronata (Bosch & Sande Lac.) M.Fleisch. SEY(1830,1926,2353).
Pinnatella oblongifrondea (Broth.) Broth. = *Pinnatella minuta* (1830)
Pinnatella pechuelii (Müll.Hal.) Broth. = *Pinnatella minuta* (1830)
Pinnatella revoluta Bizot = *Cryptoleptodon longisetus* (1830)
Pinnatella rotundifrondea (Müll.Hal.) M.Fleisch. = *Pinnatella minuta* [1830]
Pinnatella scaberula (Renauld & Cardot) M.Fleisch. = *Orthostichopsis scaberula* [1521]
Pinnatella stoloniramea (Müll.Hal. ex Dusén) Broth. ex Paris = *Homaliodendron piniforme* (1830)
Pinnatella tamariscina (Hampe) Broth. = *Homaliodendron piniforme* (1300)
Pinnatella usagaria (Mitt.) Broth. = *Porotrichum usagarium* (299)
Pinnatella vignolo-lutatii Tosco & Piovano, nom. inval. = *Porotrichum elongatum* (1830)
Pirella filicina (Hedw.) Cardot. Excluded: it is unlikely that this neotropical taxon occurs in Africa (A.E. Newton, pers. comm.), and this 1827 record from Réunion (105) is thus suspect. It appears in Bridel (77: 2:257) amongst various neotropical records.
Pirella hanningtonii (Mitt.) Broth. = *Pterobryon flagelliferum* (1)
Plagiobryum laxum Demaret & P.de la Varde ZAI(65).
Plagiobryum piliferum P.de la Varde TAN(23,46).
Plagiobryum zieri (Hedw.) Lindb. LES(1531,4897), SAF(1531,4897,8328), ZIM(7623).
Plagiomnium cuspidatum (Hedw.) T.J.Kop. KEN(411,6615), UGA(46,1036).
Plagiomnium rhynchophorum var. *reidii* (Dixon) T.J.Kop. ETH(111), KEN(46,1036), LES(1036,1531,4897), RWA(65,1036), SAF(1036,1531,4897,7766,8328), TAN(46,1036), UGA(7353), ZAI(65,1036).
Plagiomnium rhynchophorum var. *rhynchophorum* (Hook.) T.J.Kop. BIO(47,2662,3414), CMN(47,1036), ETH(50,1036,1927), KEN(46,1036,2661,3412,5315,6615), MDG(40,1036), MLW(67,6087), REU(105,1036), RWA(65), SAF(3411), SAO(47),

TAN(46,1036), UGA(46,1036), ZAI(65,1036,5319), ZAM(62), ZIM(46,61,1036).

Plagiomnium rostratum (Schrad.) T.J.Kop. *auct. aqr.* = *Plagiomnium rhynchophorum* (1036)

Plagiomnium undulatum (Hedw.) T.J.Kop. ETH(1336,1927).

Plagiopus oederi (Brid.) Limpr. = *Plagiopus oederianus* (6686: 636)

Plagiopus oederianus (Sw.) H.A.Crum & L.E.Anderson LES(1074,1531), SAF(1531,8328).

Plagioracelopus marginatus (Mitt.) G.L.Sm. = *Pogonatum marginatum* (56: 39)

Plagiothecium alluaudii Thér. = *Plagiothecium mildbraedii* (46)

Plagiothecium aptychopsis (Müll.Hal.) Kindb. = *Isopterygium aptychopsis* [1521] (= *Isopterygium argyroleucum*)

Plagiothecium arboreum Schimp. ex A.Jaeger, *nom. nud.* Excluded: an undescribed collection of Breutel from Gnadenthal, Cape Peninsula, South Africa.

Plagiothecium austrodenticulatum Renauld & Cardot in Renauld = *Isopterygium austrodenticulatum* [1521]

Plagiothecium capense Schimp. ex A.Jaeger ETH(50).

Plagiothecium corticola Ångstr. = *Sematophyllum corticolum* (1663)

Plagiothecium denticulatum (Hedw.) Bruch, Schimp. & W.Guembel. Note: the presence of this species in sub-Saharan Africa is doubtful.

Plagiothecium denticulatum var. ***denticulatum*** Bruch, Schimp. & W.Gümbel MAS(40).

Plagiothecium elaiadelphus Müll.Hal. ex Paris. Excluded: an undescribed collection (*Dusén* 685) from Cameroon.

Plagiothecium hendersonii Dixon = *Entodon dregeanus* (53: 24) (= *Entodon macropodus*)

Plagiothecium homalophyllum (Mitt.) A.Jaeger = *Taxithelium homalophyllum* [1521]

Plagiothecium lamprostachys (Hampe) A.Jaeger LES(7984), SAF(7984).

Plagiothecium lucidum (Hook.f. & Wilson) Paris ETH(1927,5920).

Plagiothecium luteonitens Paris = *Isopterygium luteonitens* [1521]

Plagiothecium membranosulum Müll.Hal. LES(4897), SAF(1531,7766,8328).

Plagiothecium mildbraedii Broth. RWA(46,65), TAN(46), UGA(46), ZAI(65).

Plagiothecium monbuttoviae (Müll.Hal.) A.Jaeger ZAI(3076).

Plagiothecium nanoglobum (Müll.Hal.) Kindb. = *Isopterygium nanoglobum* [1521]

Plagiothecium neckeroideum var. ***javense*** M.Fleisch. ETH(1927).

Plagiothecium nitens Dixon BIO(8180), KEN(46,2661,3412,5315,7065), REU(3410), RWA(65), TAN(3410), ZAI(65).

Plagiothecium nitidifolium (Mitt.) A.Jaeger BIO(47), RWA(65), TAN(46).

Plagiothecium novo-granatense (Hampe) Mitt. UGA(6989).

Plagiothecium plumigerum Müll.Hal. ex Broth., *nom. nud. in synon.* = *Isopterygium plumigerum* [1521] (= *Ectropothecium plumigerum*)

Plagiothecium rhynchosstegioides Müll.Hal. = *Isopterygium tenerum* [7706]

Plagiothecium selaginelloides Müll.Hal. = *Plagiothecium membranosulum* [1911: 431]

Plagiothecium sphagnadelphus Müll.Hal. = *Plagiothecium rhynchosstegioides* [1911: 431] (= *Isopterygium tenerum*)

Plagiothecium standleyi E.B.Bartram UGA(6989).

Plagiothecium subrhynchosstegioides Broth. & Wager ex Dixon, *nom. nud. in synon.* = *Isopterygium brachycarpum* [4800: 218] (= *Ectropothecium brachycarpum*)

Platygyriella aureooides (Broth. & Paris) W.R.Buck = *Platygyriella densa* (47)

Platygyriella densa (Hook.) W.R.Buck CAF(47), CVI(2666), GUI(47), NGA(334), ZAI(65), ZAM(46).

Platygyriella frahmii (W.R.Buck) Arikawa RWA(65).

Platygyrium afrum Müll.Hal. Excluded: see note under *Hypnum cupressiforme* var. *capense*.

Platygyrium brevicollum A.Jaeger, *nom. inval.* = *Trachyphyllum ferricola* [1521] (= *Trachyphyllum inflexum*)

Platygyrium ferricola (Müll.Hal.) A.Jaeger = *Trachyphyllum ferricola* [1521] (= *Trachyphyllum inflexum*)

Platygyrium inflexum (Harv.) A.Jaeger = *Trachyphyllum inflexum* [1521]

Platygyrium julaceum (Schwaegr.) Bosch & Sande Lac. = *Erythrodontium julaceum* [1521]

Platygyrium stramineum Schimp. ex A.Jaeger, *nom. nud.* = *Leptohymenium stramineum* (1521)

Platygyrium subjulaceum (Müll.Hal.) A.Jaeger = *Erythrodontium subjulaceum* [1521]

Platyhypnidium afrorusciforme (Broth.) M.Fleisch. CMN(47).

Platyhypnidium hedbergii (P.de la Varde) Ochyra & Sharp KEN(46), TAN(46), ZAI(65).

Platyhypnidium macowanianum (Paris) M.Fleisch. SAF(1531,7766,8328), ZIM(46).

Platyhypnidium ripariooides (Hedw.) M.Fleisch. CVI(2666), ETH(6137), KEN(46,6614), RWA(65), TAN(46).

Platyhypnidium rusciforme (Hedw.) Dixon = *Platyhypnidium ripariooides* (1521) (= *Amblystegium riparium*)

Platyhypnidium ripariooides (Hedw.) Loeske, *nom. inval.* = *Platyhypnidium ripariooides* [1521] (= *Amblystegium riparium*)

Platyhypnidium rusciforme Loeske, *nom. illeg. incl. spec. prior.* = *Platyhypnidium ripariooides* [1521] (= *Amblystegium riparium*)

Platyneurum laticostatum (Cardot) Broth. = *Platyneurum praealtum* (4223)

Platyneurum praealtum (Mitt.) Ochyra & Bednarek-Ochyra SAF(1531,8328).

Plaubelia canariensis (Brid.) Brid., nom. inval. in synon. = *Leucodon canariensis* [1521]

Plaubelia involuta (Magill) R.H.Zander BOT(1531), NAM(1531).***Pleuridium acuminatum*** Lindb. LES(4897), MLW(67), REU(8028).

Pleuridium alternifolium (Hedw.) Brid. Excluded: see note under *Archidium alternifolium*.

Pleuridium axillare (Sm.) Lindb. = *Pseudephemerum nitidum* [3492: 20]

Pleuridium breutelianum (Hampe) A.Jaeger = *Pleuridium pappeanum* [82: 84]

Pleuridium breutelii Kindb., nom. illeg. incl. spec. prior. = *Pleuridium breutelianum* [1521] (= *Pleuridium pappeanum*)

Pleuridium ecklonii (Müll.Hal.) Snider SAF(1531,4670,8328).

Pleuridium globiferum Brid = *Archidium ohioense* (4302)

Pleuridium nervosum (Hook.) Mitt. ETH(1927), KEN(7984), LES(1531), MDG(40,7385), SAF(1531,4670,8328).***Pleuridium papillosum*** Magill SAF(1531,8328).***Pleuridium pappeanum*** (Müll.Hal.) A.Jaeger LES(1531), SAF(1531,8328), ZIM(61).

Pleuridium pappei Kindb., nom. illeg. incl. spec. prior. = *Pleuridium pappeanum* [1521]

Pleuridium subulatum (Hedw.) Lindb. SAF(8328).***Pleurochaete beccarii*** Venturi ERI(50), SOM(50), ZAI(65).

Pleurochaete beccarii Venturi. Note: Zander (1420) reports that African material identified as this taxon at BM and NY is *Pleurochaete squarrosa* var. *squarrosa*, and that type material of *Pleurochaete beccarii* at TR could not be obtained on loan, but is probably synonymous.

Pleurochaete malacophylla (Müll.Hal.) Broth. ERI(50), SUD(3076).

Pleurochaete malacophylla (Müll.Hal.) Broth. Note: Zander (1420) states that this taxon is "doubtfully distinct from *Pleurochaete squarrosa* var. *squarrosa*".

Pleurochaete squarrosa var. ***squarrosa*** (Brid.) Lindb. CVI(1296,2666,6453), DJI(1569), ETH(50,6137), KEN(46), SOC(349,2374,5613), TAN(46).

Pleuropus bovinianus (Besch.) Broth. = *Homalothecium nilgheriense* [1848: 521] (= *Palamocladium leskeoides*)

Pleuropus bonplandii Hook. = *Palamocladium leskeoides* (1521)

Pleuropus dentatus Griff. ex Schwaegr., nom. nud. in synon. = *Leptohymenium dentatum*. Excluded: so far no specimens under these names have been found.- check with Magill

Pleuropus fenestratus Griff. = *Homalothecium nilgheriense* [4250: 873] (= *Palamocladium leskeoides*)

Pleuropus involvens (Broth.) Broth. = *Palamocladium leskeoides* (3299)

Pleuropus leskeoides (Hook.) Steere = *Palamocladium leskeoides* [1521]

Pleuropus nilgheriensis (Mont.) Cardot in Grandid. = *Homalothecium nilgheriense* [1521] (= *Palamocladium leskeoides*)

Pleuropus schoanus M.Fleisch., nom. nud. Excluded: see *Palamocladium schoanum*.

Pleuropus sericeus (A.Jaeger) Broth., hom. illeg. = *Palamocladium sericeum* [1521] (= *Palamocladium leskeoides*)

Pleuropus sericeus (Hedw.) Dixon = *Homalothecium sericeum* [1521]

Pleuropus sericeus var. *afrostriatus* (Müll.Hal.) Dixon = *Palamocladium sericeum* var. *afrostriatum* [1521] (= *Palamocladium leskeoides*)

Pleuropus subsericeus (Broth. & Paris) Broth. = *Homalothecium nilgheriense* [1848: 521] (= *Palamocladium leskeoides*)

Pleuroziopsis prolifera (Brid.) Kindb. = *Hylocomium splendens* [3492: 262]

Pleurozium brevirostre (Brid.) Kindb. = *Hylocomium brevirostre* [1521] (= *Loeskeobryum brevirostre*)

Pleurozium purum (Hedw.) Kindb. = *Pseudoscleropodium purum* [1521]

Pleurozium schreberi (Brid.) Mitt. ETH(1927,7099).

Pleurozium splendens (Hedw.) Mitt. = *Hylocomium splendens* [1521]

Pleurozygon aestivus (Hedw.) Lindb. = *Anoectangium aestivum* [1521]

Pocsiella hydrogonioides Bizot TAN(46).

Poecilophyllum acutum Mitt. ex C.H.Wright, nom. nud. = *Leucoloma crepinii* [1848: 81] (= *Leucoloma seychellense*)

Pogonatum afro-aloides (Geh.) Paris = *Pogonatum capense* [4361: 92; 56: 47]

Pogonatum afro-urnigerum Bizot = *Pogonatum urnigerum* (56: 11)

Pogonatum aloides (Hedw.) P.Beauv. Excluded: all African material examined by Hyvönen had been misidentified (56)

Pogonatum alpinum (Hedw.) Roehl. Excluded: see *Polytrichastrum alpinum*.

Pogonatum angolense (Welw. & Duby) A.Jaeger = *Pogonatum capense* (56: 47)

Pogonatum belangeri (Müll.Hal.) A.Jaeger BIO(8180), BUR(56,65), CMN(56), ETH(1927), KEN(56), MAU(56), MDG(56,6908), MLW(56,67), NGA(5160,5176), REU(56), RWA(56,65), SAF(56,8328), TAN(56), UGA(56), ZAI(56,65), ZIM(61).

Pogonatum borgenii (Hampe) A.Jaeger = *Pogonatum capense* (56: 47)

Pogonatum brachypus Brid., nom. nud. in synon. = *Pogonatum convolutum* [77: 111; 56: 33]

Pogonatum brachythecium Besch. = *Pogonatum belangeri* (56: 56)

Pogonatum brachythecium var. *hildebrandtii* Thér. = *Pogonatum belangeri* (56: 56)

Pogonatum brachythecium var. *madagassum* Cardot = *Pogonatum belangeri* (56: 56)

Pogonatum breviumnaceum Paris, nom. nud. = *Pogonatum gracilifolium* [56: 53]

Pogonatum capense (Hampe) A.Jaeger ANG(56,289), MAU(289), MDG(40,56,289,6908),

NGA(5160,5176), SAF(56,289,1531,8328), SWZ(56,1531), ZIM(61,289).

Pogonatum confusum Thér., nom. nud. = *Pogonatum belangeri* (56: 56)

Pogonatum confusum var. *longisetum* Thér. = *Pogonatum belangeri* (56: 56)

Pogonatum congoense Cardot CMN(47,56,289), GAB(56), ZAI(56,65,289).

Pogonatum congoense var. *subintegrifolium* Thér. & P.de la Varde = *Pogonatum congoense* (56: 58)

Pogonatum convolutum (Hedw.) P.Beauv. MAU(56,289), MDG(40,56,289,6908),

REU(56,289).

Pogonatum convolutum var. *madagassum* Cardot = *Pogonatum convolutum* (56: 34)

Pogonatum convolutum var. *minus* Brid. ex P.Beauv., nom. nud. = *Pogonatum capense* (56: 47)

Pogonatum flexibilifolium Müll.Hal. ex Paris, nom. nud. = *Pogonatum usambaricum* (56: 58)

Pogonatum flexuosum Mitt. Excluded: Hyvönen (56) states that the only specimen of the taxon is mislabelled, and is not from Africa, but from Borneo. It is now a synonym of *Pogonatum cirratum* var. *macrophyllum* (Dozy & Molk.) Hyvönen.

Pogonatum gracilifolium Besch. ANG(289), BIO(289,3414), BUR(65), CMN(56,289),

COM(40), ETH(56,289), KEN(56,289,5315), LBR(289), MAU(289), MDG(40),

MLW(56,67,289), REU(56), RWA(56,65,289), SAF(289), SAO(56,289), TAN(56,289),

UGA(56,289), ZAI(56,65,289,5319).

Pogonatum hildebrandtii Müll.Hal. ex C.H.Wright, nom. nud. = *Pogonatum belangeri* (56: 56)

Pogonatum holstii (Broth.) Paris = *Pogonatum usambaricum* (56: 58)

Pogonatum macei Thér. = *Pogonatum perichaetiale* subsp. *oligodus* (56: 16)

Pogonatum madagassum (Hampe) A.Jaeger = *Polytrichum madagassum* [1521] (= *Polytrichum commune*)

Pogonatum marginatum Mitt. MAU(289).

Pogonatum marginatum Mitt. Note: this species is said by Hyvönen (56) to occur only in SE Asia, and is shown as such in his distribution maps, but he quotes De Sloover's illustration (289), which is of a plant collected in Mauritius. A similar disjunction is shown by *Pogonatum proliferum* (Griff.) Mitt.

Pogonatum mittenii Hag., nom. illeg. incl. spec. prior. = *Pogonatum flexuosum* [1521]. Excluded: see *Pogonatum flexuosum*.

Pogonatum molleri (Müll.Hal.) Paris = *Pogonatum gracilifolium* (56: 53)

Pogonatum obtusatum (Geh.) Paris = *Pogonatum capense* [4361: 92; 56: 47]

Pogonatum oligodus (Müll.Hal.) Mitt. = *Pogonatum perichaetiale* ssp. *oligodus* (56: 16)

Pogonatum parisii Thér. = *Pogonatum belangeri* (56: 56)

Pogonatum perichaetiale* ssp. *oligodus (Müll.Hal.) Hyvönen BUR(56,65,289),

CMN(56,289), COM(40,56), ETH(50,56,111,289,1927), KEN(56,289,5315,6615),

LES(56,289,1531,4897), REU(56,289), RWA(56,65,289), SAF(289,1531,4897,8328),

TAN(56,289), UGA(56,289).

Pogonatum potieri Demaret & V.Leroy in P.de la Varde = *Polytrichum subpilosum* [289]

Pogonatum proliferum (Griff.) Mitt. REU(105,758), RWA(56,65,289), TAN(7833),

UGA(56,289).

Pogonatum rubentiviride (Müll.Hal.) Paris = *Pogonatum gracilifolium* (56: 53)

Pogonatum rutenbergii (Geh.) Paris = *Pogonatum convolutum* (56: 34)

Pogonatum semilamellatum V.Leroy = *Pogonatum congoense* (56)

Pogonatum simense (Bruch & Schimp. ex Müll.Hal.) A.Jaeger = *Pogonatum perichaetiale* ssp. *oligodus* (56: 15)

Pogonatum theriotii Demaret & V.Leroy = *Pogonatum belangeri* (56: 56)

Pogonatum tortifolium Rehm ex Dixon & A.Gepp, nom. nud. = *Pogonatum capense* (56: 47)

Pogonatum ugandae P.de la Varde = *Pogonatum proliferum* (56: 37)

Pogonatum urnigerum (Hedw.) P.Beauv. BIO(8180), CMN(47,56,289),

KEN(46,289,5315,7065), RWA(46,56,65,289), TAN(46,56,289), UGA(46,56),

ZAI(56,65,289,5319).

Pogonatum usambaricum (Broth.) Paris BIO(8180), ETH(111), KEN(56), REU(56),

RWA(56), SAF(56,8328), SAO(56), TAN(56), ZAI(56).

Pogonatum waterlotii Thér. = *Pogonatum belangeri* (56: 56)

Pohlia afrocruda (Müll.Hal.) Broth. ETH(1927), KEN(46,3412,5315), TAN(46), UGA(46), ZAI(65,2660).

Pohlia albicans Lindb., nom. illeg. incl. spec. prior. = *Mniobryum wahlenbergii* [1521] (= *Pohlia wahlenbergii*)

Pohlia aloysii-sabaudiae G.Negri UGA(46).

Pohlia annotina Hedw. CHA(51,4480,4507).

Pohlia annotina var. *decipiens* Loeske = *Pohlia annotina* [4791]

Pohlia baronii Wijk & Margad. KEN(46), LES(1531), MDG(40), MLW(67,6087),

SAF(1531,4670,7766,8328), UGA(46), ZAI(65).

Pohlia bequaertii (Dixon & Naveau) A.J.Shaw UGA(46), ZAI(65).

- Pohlia chrysoblasta** (Thér. & Naveau) Demaret RWA(65), TAN(46), UGA(46), ZAI(65).
- Pohlia cratericola** Broth. CMN(47), TAN(46), ZAI(65).
- Pohlia cruda** (Hedw.) Lindb. LES(1531,4897), SAF(1531,4897,8328).
- Pohlia depauperata* (Sim) Schelpe = *Pohlia cruda* (83: 350)
- Pohlia ecklonianum* (Müll.Hal.) A.Jaeger = *Pohlia nutans* (83: 353)
- Pohlia elongata** var. **elongata** Hedw. KEN(46), LES(1531,4897), MDG(40,1925), MLW(67,6087), RWA(65), SAF(1531,4897,8328), TAN(46), UGA(46), ZAI(65,2660), ZIM(61).
Pohlia filiformis (Dicks.) Andrews ex Grout = *Anomobryum filiforme* [1521] (= *Anomobryum julaceum*)
- Pohlia grammophylla** (Besch.) Broth. COM(40).
- Pohlia gromieri** (Thér.) Kis KEN(46).
Pohlia heribaudii (Renauld & Cardot) Broth. = *Pseudopohlia microstoma* (40: 215)
- Pohlia heribaudii** var. **madagassa** (Renauld & Cardot) Wijk & Margad. MDG(40).
Pohlia integra (Cardot) J.Shaw = *Leptobryum wilsonii* (6609)
- Pohlia kenyae** (Dixon) Kis KEN(46).
- Pohlia lacouturei** (Thér.) O'Shea MDG(40).
Pohlia leptoblepharon (Müll.Hal.) Broth. = *Pohlia elongata* (83: 351)
- Pohlia longicollis** (Hedw.) Lindb. KEN(46), TAN(46).
- Pohlia longicollis** var. **alpina** (Hoppe & Hornsch.) R.S.Williams TAN(46).
- Pohlia melanodon** (Brid.) A.J.Shaw CHA(4508).
Pohlia mielichhoferiacea (Müll.Hal.) Broth. KEN(146), RWA(65), TAN(46), ZAM(62).
Pohlia myurella Broth. = *Brachy menium dusenii* [10: 558] (= *Brachy menium acuminatum*)
Pohlia nutans fo. *decipiens* R.Wilczek & Demaret. Note: this form described from Belgium in 1907 is no longer accepted, and is treated here as the very variable *Pohlia nutans*.
- Pohlia nutans** Hedw. CHA(51), SAF(1531,8328), TAN(46), ZIM(61).
Pohlia pallens (Sw.) Brid. = *Bryum pallens*
- Pohlia philonotula** (Müll.Hal.) Broth. KEN(46), TAN(46), ZAM(62).
Pohlia philonotula (Müll.Hal.) Broth. Note: the type specimen is from South Africa (Transvaal), and has not been located, and was sterile [83: 354]. The name therefore has not been used in South Africa, and the records for eastern Africa should be checked.
Pohlia plumella (Muell.Hal.) Broth. Excluded: the type specimen is from South Africa (Transvaal), and the species appears in earlier checklists [53: 16], but Sim [1911: 321] says that the description is insufficient but suggests an affinity with *Bryum mielichhoferiacea*, now a synonym of *Pohlia elongata*.
- Pohlia plumella** (Müll.Hal.) Broth. SAF(4378).
- Pohlia proligera** (Lindb. ex Breidl.) Lindb. ZAI(5319).
Pohlia pseudophilonotula (Müll.Hal.) Broth. Excluded: the type specimen from South Africa (Transvaal) has not been located, and was sterile [83: 354].
Pohlia pyriforme (Hedw.) Müll.Hal. = *Leptobryum pyriforme* [1521]
Pohlia simii Schelpe = *Bryum alpinum* (83: 371)
- Pohlia wahlenbergii** var. **wahlenbergii** (F.Weber & D.Mohr) A.L.Andrews MAU(105).
Polla aubertii (Schwaegr.) Brid., comb. inval. = *Rhodobryum aubertii* [1521] (= *Bryum aubertii*)
Polla commersonii (Schwaegr.) Brid., comb. inval. = *Rhodobryum commersonii* [1521]
Polla erythrocaula (Schwaegr.) Brid., comb. inval. = *Bryum truncorum* [1911: 337] (= *Bryum pycnophyllum*)
Polla punctata Brid., comb. inval. = *Mnium punctatum* [1521]. Excluded: see *Mnium punctatum*.
Polla rosea (Hedw.) Brid., comb. inval. = *Rhodobryum roseum* [1521]. Note: treated here as *Rhodobryum ontariense*.
Polla rosea var. *gigantea* (Schwaegr.) Brid., comb. inval. = *Rhodobryum giganteum* [1521]
Polla subenervis (Schwägr.) Brid., comb. inval. = *Eriopus cristatus* [6894: 276b] (= *Calyptrochaeta cristata*)
Polla truncorum (Brid.) Brid., comb. inval. = *Bryum truncorum* [1521]. Note: treated here as *Bryum pycnophyllum*.
Polla umbraculum (Hook.) Brid., comb. inval. = *Rhodobryum umbraculum* [1521] (= *Bryum umbraculum*)
Polytrichiopsis metzgeria (Müll.Hal.) A.Jaeger = *Fissidens metzgeria* [1521]
Polytrichastrum alpinum (Hedw.) G.L.Sm. Note: the specimen supporting the record for ZAI(65), included in previous checklists, was shown by De Sloover (289) to be *Pogonatum urnigerum*.
- Polytrichastrum formosum** (Hedw.) G.L.Sm. LES(1635,4897), MAU(289), MDG(40),
 SAF(289,1531,7766,8328).
Polytrichum afro-alooides Müll.Hal. ex Geh. = *Pogonatum capense* [4361: 92; 56: 47]
Polytrichum afro-robustum Besch. = *Polytrichum subformosum* [1848: 320] (= *Polytrichum subpilosum*)
Polytrichum alooides Hedw. = *Pogonatum aloides* [1521]. Excluded: see note under *Pogonatum aloides*.
Polytrichum alpinum L. ex Hedw. = *Polytrichastrum alpinum* [2869]. Note: see *Polytrichastrum alpinum*.
Polytrichum angolense Welw. & Duby = *Pogonatum capense* (56)
Polytrichum appressum Brid. = *Polytrichum subpilosum* (289)

Polytrichum apuleja Comm. ex Schwaegr., nom. nud. in synon. = *Polytrichum glabrum* [8103: 311]
Polytrichum armatum Broth. = *Polytrichum commune* [1911: 140]

Polytrichum belangeri Müll.Hal. = *Pogonatum belangeri* [1521]

Polytrichum borgenii Hampe = *Pogonatum capense* (56: 47)

Polytrichum brachythecium (Besch.) Kindb. = *Pogonatum brachythecium* [1521] (= *Pogonatum belangeri*)

Polytrichum breviumnaceum Müll.Hal. ex Paris, nom. nud. = *Pogonatum gracilifolium* [56: 53]

Polytrichum breviumnaceum Müll.Hal. ex Paris, nom. nud. = *Pogonatum gracilifolium* (56: 53)

Polytrichum buchananii Broth. = *Polytrichum commune* [1911: 140]

Polytrichum buchananii Rehmann ex Kindb., nom. nud. = *Polytrichum commune* [1911: 138]

Polytrichum calopogon Besch. = *Polytrichum subformosum* [1848: 320] (= *Polytrichum subpilosum*)

Polytrichum capense Hampe = *Pogonatum capense* [1521; 56: 47]

Polytrichum commersonianum Brid. = *Polytrichum subpilosum* [77: 153]

Polytrichum commune var. *africanum* Müll.Hal. ex Paris, nom. nud. = *Polytrichum commune* [1911: 139]

Polytrichum commune var. ***commune*** Hedw. ANG(46,289), BIO(47), BUR(65,289), CMN(47,289), COM(40), ETH(50), KEN(46,3412,5315,6615,7065), LES(1531), MAU(289), MDG(40,289), MLW(67), MOZ(46,289), NGA(47), REU(289), RWA(65,289), SAF(289,1531,8328), SIE(47), SWZ(1531), TAN(46,289), UGA(46), ZAI(65,289), ZAM(289), ZIM(46).

Polytrichum commune var. ***humile*** Sw. ZAI(65).

Polytrichum commune var. *macleanum* Rehmann ex Paris, nom. nud. = *Polytrichum commune* [1911: 139]

Polytrichum commune var. *minus* Weiss ex De Not., hom. illeg. (non Brid.) = *Polytrichum commune* [1911: 139]

Polytrichum commune var. ***perigoniale*** (Michx.) Hampe ANG(46).

Polytrichum commune var. *trichodes* (Müll.Hal.) Dixon = *Polytrichum subpilosum* [289]

Polytrichum comorensse Müll.Hal. ex Besch. = *Polytrichum subformosum* [1848: 320] (= *Polytrichum subpilosum*)

Polytrichum convolutum Hedw. = *Pogonatum convolutum* [1521; 56: 33]

Polytrichum cupreum G.Negri UGA(46).

Polytrichum dusenii Müll.Hal. ex Paris, nom.nud. Excluded: an undescribed specimen (*Dusén* 346) from Cameroon.

Polytrichum elatum P.Beauv. = *Polytrichum commune* [1911: 140]

Polytrichum elegans Welw. & Duby ANG(46).

Polytrichum elongatum P.Beauv. SAF(1531,4897).

Polytrichum flaccidogracile Müll.Hal. ex Geh., nom. nud. = *Polytrichum commune* [4800: 180]

Polytrichum flexibilifolium Müll.Hal. ex Paris, nom. nud. Excluded: an undescribed collection (*Dusén* 18) from Cameroon.

Polytrichum flexicaule Müll.Hal., hom.illeg. = *Polytrichum commune* [4800: 180]

Polytrichum flexicaule var. *flaccido-gracile* Müll.Hal. = *Polytrichum commune* [4800: 180]

Polytrichum formosum Hedw. = *Polytrichastrum formosum* [2869]

Polytrichum glabrum Schrad. MAS(40), MDG(40).

Polytrichum gracilifolium (Besch.) Kindb. = *Pogonatum gracilifolium* [1521]

Polytrichum gracilisetum Besch. ex Müll.Hal. Excluded: an undescribed collection from Réunion

Polytrichum hildebrandtii Müll.Hal., nom. nud. Excluded: an undescribed collection from Madagascar.

Polytrichum hirsutum J.F.Leroy = *Polytrichum piliferum* (289)

Polytrichum hoehnelii Müll.Hal. = *Polytrichum commune* [1911: 140]

Polytrichum holstii Broth. = *Pogonatum usambaricum* (56: 58)

Polytrichum huillense Welw. & Duby, nom. illeg. incl. spec. prior. = *Pogonatum angolense* [1521] (= *Pogonatum capense*)

Polytrichum integrum Müll.Hal. = *Polytrichum juniperinum* [10: 696]

Polytrichum juniperellum Geh. MDG(40).

Polytrichum juniperinum Hedw. CMN(47), LES(1531), SAF(289,1531,8328), STH(1296), SUD(3488).

Polytrichum kentiae Dixon = *Pogonatum urnigerum* (289)

Polytrichum latidens Müll.Hal. ex Paris, nom. nud. Excluded: an undescribed collection (*Dusén* 512) from Cameroon.

Polytrichum leioneuron Besch. = *Polytrichum subformosum* [1848: 320] (= *Polytrichum subpilosum*)

Polytrichum lonchobasis Müll.Hal., nom. nud. Excluded: an undescribed collection from Madagascar.

Polytrichum longissimum Müll.Hal. ex C.H.Wright, nom. nud. = *Polytrichum subformosum* [1848: 320] (= *Polytrichum subpilosum*)

Polytrichum macropogon Schimp. ex Besch., nom. nud. in synon. = *Polytrichum subformosum* [1848: 320] (= *Polytrichum subpilosum*)

Polytrichum madagassum (Hampe) A.Jaeger = *Polytrichum commune* (289)

Polytrichum mahense Besch. = *Polytrichum subformosum* [1848: 320] (= *Polytrichum subpilosum*)

Polytrichum mauritianum Müll.Hal. ex Besch. = *Polytrichum subformosum* [1848: 320] (= *Polytrichum subpilosum*)

Polytrichum mauritii Kindb., nom. illeg. incl. spec. prior. = *Polytrichum subformosum* [1848: 320] (= *Polytrichum subpilosum*)

Polytrichum mildbraedii Broth. = *Polytrichum commune* (289)

Polytrichum molleri Müll.Hal. = *Pogonatum gracilifolium* (56: 53)

Polytrichum mosambicense Müll.Hal., nom. nud. Excluded: an undescribed specimen from Mozambique.

Polytrichum muelleri Kindb., nom. nud. = *Polytrichum commune* [4800: 180]

Polytrichum nanoglobulus Müll.Hal. = *Polytrichum piliferum* [10: 696]

Polytrichum natalense Sim = *Pogonatum oligodus* [289] (= *Pogonatum perichaetiale* ssp. *oligodus*)

Polytrichum obtusatum Müll.Hal. ex Geh. = *Pogonatum capense* [4361: 92; 56: 47]

Polytrichum oligodus Kunz. ex Müll.Hal. = *Pogonatum oligodus* [1521] (= *Pogonatum perichaetiale* ssp. *oligodus*)

Polytrichum paludicola Broth. in Mildbr. = *Polytrichum mildbraedii* [11: 11: 514] (= *Polytrichum commune*)

Polytrichum parvisetum Müll.Hal. ex Renauld = *Polytrichum subformosum* var. *parvisetum* [1521]

Polytrichum pervillei Besch. = *Polytrichum subformosum* (1848) (= *Polytrichum subpilosum*)

Polytrichum pervillei var. *leptocaule* Besch. = *Polytrichum subformosum* (1848) (= *Polytrichum subpilosum*)

Polytrichum piliferum Hedw. COM(289), KEN(46,289,3412,5315,6615),

LES(289,1531,4897), MLW(67,289), REU(4928), RWA(46,65,289),

SAF(289,1531,7766,8328), TAN(46,289), UGA(46,289), ZAI(65,289,5319), ZAM(46),

ZIM(61).

Polytrichum piliferum* var. *australe Renauld & Cardot COM(40).

Polytrichum preussii Broth. = *Polytrichum subpilosum* (289)

Polytrichum pungens Müll.Hal. = *Polytrichum subpilosum* (289)

Polytrichum purpurans Besch. = *Polytrichum subformosum* [1848: 329] (= *Polytrichum subpilosum*)

Polytrichum purpurascens Brid. = *Polytrichum commune* [2584: 221]

Polytrichum purpurellum Besch ex Müll.Hal., nom. nud. err. = *Polytrichum purpurans* [1521] (= *Polytrichum subpilosum*)

Polytrichum radulifolium Müll.Hal. = *Polytrichum commune* [1911: 139]

Polytrichum rehmannii Müll.Hal. ex Geh., nom. nud. = *Polytrichum subformosum* var. *anomalum* [8302: 100] (= *Polytrichum commune*)

Polytrichum rehmannii var. *julaceum* Rehmann ex Paris, nom. nud. = *Polytrichum commune* [1911: 139]

Polytrichum remotiflorum P.Beauv. ex Hassk., nom. inval. err. = *Polytrichum remotifolium* [1521] (= *Polytrichum glabrum*)

Polytrichum remotifolium P.Beauv. = *Polytrichum glabrum* [2195: 254]

Polytrichum remotifolium var. *humile* Lindb., nom. nud. = *Polytrichum commune* [1911: 140]

Polytrichum robustum Müll.Hal. ex Cardot in Grandid., hom. illeg. = *Polytrichum subpilosum* (289)

Polytrichum rubentiviride Müll.Hal. = *Pogonatum gracilifolium* (56: 53)

Polytrichum rutenbergii Müll.Hal. ex Geh. = *Pogonatum convolutum* (56: 33)

Polytrichum semense Bruch & Schimp. ex Lindb., nom. inval. = *Pogonatum simense* [1521] (= *Pogonatum perichaetiale* ssp. *oligodus*)

Polytrichum simense Bruch & Schimp. ex Müll.Hal. = *Pogonatum perichaetiale* ssp. *oligodus* (56: 15)

Polytrichum smithii Hull, nom. inval. = *Leptodon smithii* [1521]

Polytrichum subappressum Besch.. = *Polytrichum subpilosum* (289)

Polytrichum subattenuatum Thér. = *Polytrichastrum formosum* (289)

Polytrichum subformosum Besch. = *Polytrichum subpilosum* (289)

Polytrichum subformosum var. *anomalum* Thér. = *Polytrichum commune* (289)

Polytrichum subformosum* var. *parvisetum (Müll.Hal.) Cardot MDG(40).

Polytrichum subformosum var. *parvisetum* (Müll.Hal.) Cardot. Note: the owning species of this variety, and other varieties of this species, have all been transferred to other names (289); this variety also needs revision.

Polytrichum subformosum var. *pervillei* (Besch.) Cardot in Grandid. = *Polytrichum subpilosum* (289)

Polytrichum subpilosum P.Beauv. BIO(289), BUR(65,289), CMN(47,289), COM(40,289),

ETH(289), KEN(46,289), MAU(105,289,5916), MDG(40,289), MLW(67,289),

MOZ(289), REU(105,289), RWA(65,289), SAF(289,1531,4897,8328),

SEY(289,1945,2328,2353), SIE(289), SWZ(1531), TAN(46,289), UGA(46,289),

ZAI(65,289), ZAM(62,289), ZIM(46,61,289).

Polytrichum transvaaliense Müll.Hal. SAF(4378).

Polytrichum trichobasis Müll.Hal. in Renauld, nom. nud. Excluded: an undescribed collection from Madagascar [1618: 218; 40: 248].

Polytrichum trichodes Müll.Hal. = *Polytrichum commune* var. *trichodes* [1521] (= *Polytrichum subpilosum*)

Polytrichum tristani Duby = *Polytrichum juniperinum* (1521)

Polytrichum usambaricum Broth. = *Pogonatum usambaricum* [1521; 56: 58]

Polytrichum yuccoides Rehmann ex Kindb., nom. nud. = *Pogonatum capense* [1911: 136]

Porothamnium capense (Broth. & Dixon) Sim = *Thamnobryum capense* [781: 110]

Porothamnium comorense (Müll.Hal.) Sim. = *Porotrichum elongatum* [15: 101]

Porothamnium comorense ssp. *corticola* (Kindb.) Wijk & Margad. = *Thamnobryum corticola* [15: 149]

Porothamnium comorense var. *planissimum* (Dusén) Wijk & Margad. = *Porothamnium stipitatum* [15: 135] (= *Porotrichum stipitatum*)

Porothamnium comorense var. *scioanum* (Tongiorgi) Cufod. = *Porothamnium stipitatum* [15: 147] (= *Porotrichum stipitatum*)

Porothamnium hildebrandtii (Müll.Hal.) M.Fleisch. = *Porothamnium stipitatum* [15: 134] (= *Porotrichum stipitatum*)

- Porothamnium hildebrandtii* var. *planissimum* (Dusén) Potier de la Varde = *Porothamnium comorensense* var. *planissimum* [1521] (= *Porotrichum stipitatum*)
Porothamnium hildebrandtii var. *scioanum* Tongiorgi = *Porothamnium stipitatum* [15: 147] (= *Porotrichum stipitatum*)
Porothamnium leptopteris (Dusén.) M.Fleisch. = *Porothamnium stipitatum* [15: 135] (= *Porotrichum stipitatum*)
Porothamnium minutum (Broth. & Paris) Broth. = *Porotrichum caudatum* [15: 110]
Porothamnium molliculum (Broth.) M.Fleisch. ex Broth. = *Porotrichum usagarum* (2387)
Porothamnium natalense (Müll.Hal.) M.Fleisch. = *Porotrichum usagarum* (1519)
Porothamnium natalense ssp. *borbonicum* (Kindb.) Wijk & Margad. = *Porotrichum molliculum* [15: 117] (= *Porotrichum usagarum*)
Porothamnium pennaeforme (Müll.Hal.) M.Fleisch. = *Porothamnium pennaefrondeum* [1848: 377] (= *Porotrichum madagassum*)
Porothamnium pennaefrondeum (Müll.Hal.) Cardot in Grandid. = *Porotrichum madagassum* [15: 125]
Porothamnium penniforme (Kindb.) M.Fleisch. = *Porotrichum madagassum* (1519: 599)
Porothamnium pobeguini (Broth. & Paris) Broth. = *Porotrichum pobeguini* [15: 103] (= *Porotrichum elongatum*)
Porothamnium punctulatum Müll.Hal. ex Dusén = *Porotrichum caudatum* [15: 110]
Porothamnium scariosum (Broth.) Broth. = *Porothamnium stipitatum* [15: 135] (= *Porotrichum stipitatum*)
Porothamnium stipitatum (Mitt.) Touw ex De Sloover = *Porotrichum stipitatum* [7330]
Porothamnium variifolioides De Sloover = *Porotrichum variifolioides* [7330]
Porothamnium viguieri Thér. = *Porotrichum molliculum* [15: 118] (= *Porotrichum usagarum*)
Porothamnium viguieri var. *laxirete* Demaret & V.Leroy = *Porotrichum molliculum* [15: 118] (= *Porotrichum usagarum*)
Porothamnium woodii Sim = *Stereophyllum woodii* (53: 24). Excluded: see *Stereophyllum woodii*.
Porotrichella scaberula (Renauld & Cardot) Cardot in Grandid. = *Orthostichopsis scaberula* [1521]
Porotrichum anisopleuron Kjaer ex C.H.Wright, nom. nud. = *Porotrichum molliculum* [15: 117]
Porotrichum annobonense Broth. in Mildbr., nom. nud. = *Porotrichum elongatum* (4930)
Porotrichum borchgrewinkii Müll.Hal. ex Paris, nom. inval in synon = *Pinnatella tamariscina* [4318] (= *Homaliodendron piniforme*)
Porotrichum braunii Broth. = *Pinnatella braunii* [1521] (= *Homaliodendron piniforme*)
Porotrichum callochroum Müll.Hal. ex Paris, nom. nud. Excluded: an undescribed collection (Dusén 321) from Cameroon.
Porotrichum cameruniae Dixon = *Porotrichum quintasii* [15: 114]
Porotrichum caudatum Broth. BIO(2396,2662), CAF(15), CMN(15,47), ETH(15), GAB(15), GHA(15), GUI(15,1458), IVO(411,1880), NGA(15), SAO(15,47), SEN(15), SIE(3216), TAN(15,46), TOG(15,58,1878,2851), ZAI(15,65).
Porotrichum chalaropteris Müll.Hal. ex Dusén = *Pinnatella chalaropteris* [1521] (= *Homaliodendron piniforme*)
Porotrichum chauvetii (Renauld & Cardot) Broth. = *Porotrichum madagassum* [15: 125]
Porotrichum chenagonii Müll.Hal. ex Renaud = *Pinnatella geheebei* var. *chenagonii* [1521] (= *Leptodon fuciformis*)
Porotrichum comorensense Hampe ex Müll.Hal. = *Porotrichum elongatum* [15: 102]
Porotrichum comorensense var. *corticola* = *Porothamnium comorensense* ssp. *corticola* [1521] (= *Thamnobryum corticola*)
Porotrichum dentatum A.Gepp MLW(2387).
Porotrichum dentatum A.Gepp. Note: this taxon was previously stated to be a synonym of *Porotrichum madagassum* [15: 125], but is now regarded as endemic to Malawi (2387).
Porotrichum dupuisii Renaud & Cardot = *Pinnatella dupuisii* [1521] (= *Pinnatella minuta*)
Porotrichum dusenii Müll.Hal. ex Paris, nom. nud. = *Pinnatella engleri* [7612] (= *Pinnatella minuta*)
Porotrichum dusenii var. *calochlorum* Müll.Hal. ex Kindb, nom. nud. in synon. = *Pinnatella engleri* [7612] (= *Pinnatella minuta*)
Porotrichum dusenii var. *lopidioides* Müll.Hal. ex Kindb, nom. nud. in synon. = *Pinnatella engleri* [7612] (= *Pinnatella minuta*)
Porotrichum dusenii var. *perrotundatum* Müll.Hal. ex Kindb, nom. nud. in synon. = *Pinnatella engleri* [7612] (= *Pinnatella minuta*)
Porotrichum elongatum (Welw. & Duby) A.Gepp ANG(15,46), ANN(15,47), BIO(15), BUR(15,65), CAB(15,46), CAF(15), CMN(15), COM(15), CON(15), ETH(15), GAB(15), GUI(15), IVO(15,1880), KEN(15,46,5315), LBR(15), MAU(15), MDG(15), MLW(46,67), NGA(15), REU(15), RIM(4639), RWA(65,2675), SAF(8328), SAO(15), SEY(15,1926,1941,2353), SIE(3216), TAN(15,46), TOG(1878), UGA(15,46), ZAI(15,65,2675,5319), ZIM(46,61).
Porotrichum engleri Broth. = *Pinnatella engleri* [1521] (= *Pinnatella minuta*)
Porotrichum eurydictyon (Kindb.) Broth. = *Porotrichum quintasii* [15: 117]
Porotrichum exiguum Müll.Hal. ex Kindb., nom. nud. in synon. = *Porotrichum punctulatum* [7612: 252] (= *Porotrichum caudatum*)
Porotrichum flagellaceum (Mitt.) Mitt. = *Pinnatella flagellacea* [1521] (= *Homaliodendron piniforme*)
Porotrichum geheebei Müll.Hal. = *Pinnatella geheebei* [1521] (= *Pinnatella minuta*)
Porotrichum hamulosum Dusén, nom. inval err. = *Porotrichum ramulosum* [1521] (= *Porotrichum quintasii*)
Porotrichum hendelotii Besch., nom. nud. err. = *Porotrichum heudelotii* [1521] (= *Porotrichum caudatum*)
Porotrichum herpetineuron Besch. = *Pinnatella minuta* (1830)
Porotrichum heudelotii Besch., nom. illeg. = *Porotrichum caudatum* [15: 110]

Porotrichum jollyi Broth. & Paris = *Porotrichum elongatum* [15: 102]

Porotrichum jollyi var. *elongatum* P.de la Varde = *Porotrichum elongatum* [15: 148]

Porotrichum laurentii Renauld & Cardot = *Porotrichum elongatum* [15: 102]

Porotrichum leptodendron Müll.Hal. ex Paris, nom. nud. = *Pinnatella engleri* [7612: 249] (= *Pinnatella minuta*)

Porotrichum leptometeorium Müll.Hal. ex Dusén, nom. illeg. = *Porotrichum caudatum* [15: 110]

***Porotrichum longirostre* (Hook.) Mitt.** CMN(47).

Porotrichum lopidoides Müll.Hal. ex Gepp in Hiern, nom. illeg. = *Pinnatella minuta* (1830)

Porotrichum madagassum Kiae ex Besch. CMN(15), COM(15), ETH(15),

KEN(15,46,5315), LES(15), MAU(15), MDG(15), MLW(15,67), MOZ(15,46),

REU(15,3410), RWA(15,65), SAF(1531,7766,8328), SWZ(7972), TAN(15,46),

UGA(15,46), ZAI(15,65), ZIM(15,46).

Porotrichum madagassum Kiae ex Besch. = *Porothamnium comorensense* [1911: 402] (= *Porotrichum elongatum*)

Porotrichum mayumbense Besch. = *Pinnatella mayumbensis* [1521] (= *Homaliodendron piniforme*)

Porotrichum microcellulare Müll.Hal. ex Kindb., nom. nud. in synon. = *Pinnatella braunii* [7612: 237] (= *Homaliodendron piniforme*)

Porotrichum mixtum (Müll.Hal.) A.Jaeger = *Pinnatella mixta* [1521]. Excluded: see *Pinnatella mixta*.

Porotrichum molliculum Broth. = *Porotrichum usagarum* (2387)

Porotrichum mucronatulum Müll.Hal. ex Kindb., nom. nud. in synon. = *Porothamnium comorensense* [7612: 266] (= *Porotrichum elongatum*)

Porotrichum mucronulatum Müll.Hal. ex Renauld. = *Porothamnium comorensense* [7612: 250] (= *Porotrichum elongatum*)

Porotrichum mucronulatum Müll.Hal. ex Paris, err. = *Porothamnium comorensense* [7612: 250] (= *Porotrichum elongatum*)

Porotrichum natalense Müll.Hal. = *Porotrichum usagarum* (1519)

Porotrichum natalense var. *borbonicum* (Müll.Hal.) M.Fleisch. = *Porotrichum molliculum* [15: 117]

Porotrichum newtonii Müll.Hal. ex Kindb., nom. nud. in synon. = *Porotrichum caudatum* [7612: 251]

Porotrichum oblongifrondeum Broth. = *Pinnatella minuta* (1830)

Porotrichum palmetorum Besch. = *Orthostichopsis debilinervis* [10: 805]

Porotrichum pechuelii (Müll.Hal.) Kindb. = *Pinnatella pechuelii* [1521] (= *Pinnatella minuta*)

Porotrichum pennaeforme (Thunb. ex Brid.) Lindau = *Lopidium struthiopteris* (6705)

Porotrichum pennaeforme Müll.Hal., hom. illeg. = *Porotrichum madagassum* (1519)

Porotrichum pennaeforme var. *brachyphyllum* Rehmann ex Müll.Hal., nom. nud. in synon. = *Porothamnium natalense* [4378] (= *Porotrichum usagarum*)

Porotrichum pennaeforme var. *chauvetii* Renauld & Cardot = *Porotrichum madagassum* [15: 125]

Porotrichum pennaefrondeum Müll.Hal. = *Porotrichum madagassum* [15: 125]

Porotrichum penniforme Müll.Hal., hom. illeg. = *Porotrichum madagassum* (1519)

Porotrichum pergracile Müll.Hal. ex Dusén = *Porotrichum caudatum* [7612: 251]

Porotrichum perpusillum Müll.Hal. ex Kindb., nom. nud. in synon. = *Porotrichum punctulatum* [7612: 224] (= *Porotrichum caudatum*)

Porotrichum perpygmaeum Müll.Hal. ex Kindb., nom. nud. in synon. = *Pinnatella africana* [7612: 224] (= *Pinnatella minuta*)

Porotrichum perrotundatum Müll.Hal. ex Paris, nom. nud. Excluded: an undescribed collection (*Dusén* 681) from Cameroon.

Porotrichum pobeguinii (Paris & Broth.) Broth. = *Porotrichum elongatum* [15: 103]

Porotrichum pterops Rehmann ex Paris, nom. illeg. = *Porothamnium stipitatum* [15: 135] (= *Porotrichum stipitatum*)

Porotrichum punctulatum Müll.Hal. ex Dusén = *Porotrichum caudatum* [15: 110]

Porotrichum quintasii Broth. BIO(2396,2662), CAF(15), CMN(15), CON(15), GAB(15),

GUI(15), IVO(4928), LBR(15), SAO(47), ZAI(65).

Porotrichum ramulosum (Mitt.) Mitt., 1886 (non 1882) = *Porotrichum cameruniae* [5490: 123] (= *Porotrichum quintasii*)

Porotrichum ramulosum Dusén, hom. illeg. = *Porotrichum cameruniae* (5490: 123) (= *Porotrichum quintasii*)

Porotrichum regulare Renauld & Paris = *Pinnatella geheebei* [7612: 223] (= *Pinnatella minuta*)

Porotrichum robillardii Müll.Hal. ex Besch. = *Porothamnium comorensense* [7612: 250] (= *Porotrichum elongatum*)

Porotrichum rostrifolium Müll.Hal. = *Renauldia hoehnelii* [2864: 98] (= *Calyptothecium hoehnelii*)

Porotrichum rotundifrondeum (Müll.Hal.) A.Jaeger = *Pinnatella rotundifrondea* [1521] (= *Pinnatella minuta*)

Porotrichum ruficaule Müll.Hal. = *Porotrichum madagassum* [15: 125]

Porotrichum saperense Besch. ex Kindb., nom. nud. in synon. = *Pinnatella geheebei* [5492: 81] (= *Pinnatella minuta*)

Porotrichum scaberulum Renauld & Cardot = *Orthostichopsis scaberula* [1521]

Porotrichum sigmatelloides Müll.Hal. ex Kindb., nom. nud. in synon. = *Porothamnium pennaefrondeum* [7612: 233] (= *Porotrichum madagassum*)

Porotrichum stipitatum (Mitt.) W.R.Buck ANG(15,47,2396,2662),

BUR(15,65), CMN(15), COM(15), CON(15), ETH(15,111,1927), GAB(15), GHA(15),

GUI(15), IVO(44), KEN(15,46,3412,4112,5315,6614,7065), MAU(105), MDG(15),

MLW(15,67,2387), MOZ(357), REU(15,105), RIM(4639), RWA(15,65),

SAF(1531,7766,8328), SAO(15), SIE(3216), SWZ(1531), TAN(15,46), UGA(15,46),

ZAI(15,65,5319), ZAM(15,46,62), ZIM(15,46).

Porotrichum stolonirameum Müll.Hal. ex Dusén = *Pinnatella tamariscina* [7612: 237] (= *Homaliodendron piniforme*)

Porotrichum stuhlmannii Broth. = *Porotrichum elongatum* [7612: 252; 15: 102]

Porotrichum subanisopleuron Broth. ex Kindb., nom. nud. in synon. Excluded: see *Thamnium natalense* ssp. *subanisopleuron*.

Porotrichum subpennaeforme Müll.Hal. Excluded: a collection from Tanzania treated as a doubtful taxon by De Sloover [15: 148]

Porotrichum subpunctatum Müll.Hal. ex Broth. = *Porotrichum punctulatum* [4087: 43] (= *Porotrichum caudatum*)

Porotrichum subpunctulatum Müll.Hal. ex Dusén, nom. nud. in synon. = *Porotrichum punctulatum* [4087: 43] (= *Porotrichum caudatum*)

Porotrichum subsecundum Kjaer ex C.H.Wright, nom. nud. = *Porothamnium pennaefrondeum* [7612: 233] (= *Porotrichum madagassum*)

Porotrichum tamariscinum (Hampe) Müll.Hal. ex Geh. = *Pinnatella tamariscina* [1521] (= *Homaliodendron piniforme*)

Porotrichum tenerrimum Müll.Hal. ex Kindb., nom. nud. = *Porothamnium comorense* [7612: 250] (= *Porotrichum elongatum*)

Porotrichum tenuifrons Müll.Hal. ex Kindb., nom. nud. in synon. = *Porothamnium comorense* [7612: 250] (= *Porotrichum elongatum*)

Porotrichum thamniellaceum Müll.Hal. ex Kindb., nom. nud. in synon. = *Porothamnium comorense* [1911: 402] (= *Porotrichum elongatum*)

Porotrichum usagarum Mitt. ANG(15,46), BUR(15,65), CAB(46), CMN(15), COM(15), ETH(1927), GAB(15), KEN(15,46,4112,5315,7065), MAU(15), MDG(15), MLW(46,67,2387), REU(15), RIM(4639), RWA(15,65), SAF(1531,8328), TAN(15,46,785), UGA(15,46), ZAI(15,65), ZIM(61).

Porotrichum usagarum Mitt. = *Pinnatella usagara* [1521] (= *Porotrichum usagarum*)

Porotrichum variifoloides (De Sloover) Enroth BIO(15,2396,2662), KEN(411), MDG(15), MLW(2387), NGA(1492), REU(15), RWA(15,65), TAN(15,46), ZAI(15,65).

Potamium sanctae-mariae (Besch.) Broth. Excluded: according to Buck (4120), the Madagascar specimen (40) is probably a *Meiothecium*, but he could not locate the type to confirm this; excluded from the Africa list by O'Shea & Ochyra (5546).

Potamium sarcophyllum Müll.Hal., nom. nud. Excluded: an undescribed specimen from Cameroon.

Potamium schimperi Besch. ex Broth., nom. inval. in synon. = *Sematophyllum schimperi* [1521]

Pottia afra (Müll.Hal.) Paris = *Didymodon ceratodonteus* [1911: 224,231; 4229: 7] (= *Didymodon tophaceus*)

Pottia afrophaea Müll.Hal. = *Trichostomum brachydontium* (82: 260)

Pottia apiculata Müll.Hal. ex Renauld. = *Barbula indica* var. *indica* (7069)

Pottia ceratodontea Müll.Hal. = *Didymodon ceratodonteus* (82: 233) (= *Didymodon tophaceus*)

Pottia compacta Welw. & Duby = *Trichostomum brachydontium* (1158)

Pottia curvirostris Ehrh., nom. inval. = *Hymenostylium recurvirostre* [3492: 33]

Pottia elatior (Müll.Hal.) Müll.Hal. = *Pottia minor* var. *elatior* (1521) (= *Tortula minor* var. *elatior*)

Pottia gymnostomoidea Welw. & Duby = *Trichostomum brachydontium* (1158)

Pottia longirostris Hampe ex Müll.Hal. = *Barbula longirostris* (1420) (= *Hennediella limbata*)

Pottia macleai Rehmann ex Kindb., nom. nud. = *Pterygoneurum macleanum* [1521]

Pottia macleana Rehmann ex Paris, nom. nud. = *Pterygoneurum macleanum* [1521]

Pottia macowaniana Müll.Hal. = *Microbryum davallianum* var. *conicum* (1420)

Pottia minor (Müll.Hal.) Cufod. = *Tortula minor* (1420)

Pottia minor var. *elatior* (Müll.Hal.) Wijk & Margad. = *Tortula minor* var. *elatior* [1420]

Pottia mirabilis Broth. & Paris = *Physcomitrium mirabile* (1420)

Pottia namaquensis Magill SAF(82,1531,8328).

Pottia papillinervis Lorentz = *Barbula indica* (1158)

Pottia punctulata Renauld & Cardot = *Barbula punctulata* [1521]

Pottia pusilla var. *elatior* (Müll.Hal.) Warnst. = *Tortula minor* var. *elatior* (1420)

Pottia pusilla var. *pusilla* Warnst., hom. illeg. = *Tortula minor* (1420)

Pottia roscheri Lorentz = *Semibarbula orientalis* [1509: 135] (= *Barbula indica*)

Pottia splachnoides (Hornsch.) Broth. = *Tortula splachnoides* (1420). Note: *Pottia splachnoides* was incorrectly shown as being a synonym of *Chenia leptophylla* in version 1 of this Checklist: this was a transcription error.

Pottia stenocarpa P.de la Varde CAF(47), NGA(334).

Pottia subplanomarginata Dixon = *Microbryum subplanomarginatum* (1420)

Pottia tuberculosa Renauld & Paris = *Gymnostomiella tuberculosa* (7068)

Pottia verrucosa Rehmann ex Warnst. = *Pottia macowaniana* (82: 207) (= *Microbryum davallianum* var. *conicum*)

Pottia xanthocarpa (Hook.) Müll.Hal. = *Hymenostylium recurvirostre* [5485: 108]

Pottia zeyheri Hampe ex Müll.Hal. = *Trichostomum brachydontium* (82: 260)

Prionodon africanus Rehmann ex Paris, nom. nud. = *Prionodon rehmanni* [1911: 356] (= *Prionodon densus*)

Prionodon balboi Tosco & Piovano KEN(46).

Prionodon ciliatus Besch. COM(40), ETH(111,1927), KEN(46,4112,5315,6614,7065), MAU(105), MDG(40), REU(105,3410), RWA(65), TAN(46), UGA(46).

***Prionodon densus* (Hedw.) Müll.Hal. MAU(105), SAF(1531,7766,8328), TAN(46).**

Prionodon rehmannii Mitt. = *Prionodon densus* (1519: 558). Note: this taxon is given as a synonym of *Prionodon ciliatus* by Kis (46), but this being a South African plant, Magill & van Rooy (1519: 559) is followed here, who also suggest that *Prionodon ciliatus* may also be a synonym of *Prionodon densus*.

Pseudephemerum axillare (Sm.) LHagen, nom. illeg. incl. spec. prior. = *Pseudephemerum nitidum* (3054)

Pseudephemerum laxifolium (Renauld & Cardot) Thér. = *Pseudephemerum nitidum* (285)

***Pseudephemerum nitidum* (Hedw.) Reimers KEN(46), MDG(40), REU(5440), RWA(65), TAN(46), UGA(4282), ZAI(65).**

Pseudisothecium myosuroides (Brid.) Grout = *Isothecium myosuroides* [1521]. Excluded: see *Isothecium myosuroides*.

***Pseudocrossidium crinitum* (Schultz) R.H.Zander BOT(7973), ETH(50), LES(1531,4897), MOZ(46), NAM(1531,7155,8024), SAF(1531,7766,8328), ZIM(46,61).**

***Pseudocrossidium hornschuchianum* (Schultz) R.H.Zander ETH(50), SAF(1531,8328).**

***Pseudocrossidium porphyreoneurum* (Müll.Hal.) R.H.Zander BOT(1531), DJI(1569), ERI(50), KEN(411,7251), MLW(67,411), MOZ(357), NAM(1531,7155), SAF(1531,8328), TAN(46), UGA(46), ZAM(62), ZIM(46,61).**

***Pseudocrossidium replicatum* var. *replicatum* (Taylor) R.H.Zander BOT(1531), ETH(6137), KEN(411), LES(1531,4897), NAM(1531,7155), SAF(1531,4897,8328), SOM(50), SUD(1419).**

Pseudoleskea abbreviata Broth. = *Rauiella subfilamentosa* (32: 186)

Pseudoleskea angustifolia (Hampe & Müll.Hal.) Paris = *Haplocladum angustifolium* [1521]

Pseudoleskea capensis Schimp. ex A.Jaeger, nom. nud. Excluded: an undescribed collection from South Africa.

Pseudoleskea capilliramea Müll.Hal. = *Pseudoleskea leskeoides* [1911: 383]

Pseudoleskea carbonaria Broth. ex Micheletti, nom. nud. Excluded: an undescribed specimen (*Father Michael de Carbonara, s.n.*) from Sciret, nr. Keren, Eritrea.

***Pseudoleskea chilensis* Lorentz SAF(1531,8328).**

Pseudoleskea claviramea (Müll.Hal.) A.Jaeger = *Pseudoleskeopsis claviramea* (717)

Pseudoleskea claviramea var. *acuminata* Müll.Hal. ex Paris, nom. nud. = *Pseudoleskeopsis claviramea* [1911: 382]

Pseudoleskea claviramea var. *aquatica* Rehm ex Paris, nom. nud. = *Pseudoleskeopsis claviramea* var. *aquatica* [1521]

Pseudoleskea claviramea var. *denudata* (Geh.) Paris = *Pseudoleskea obtusiuscula* [1848: 433]

Pseudoleskea dispersa Müll.Hal. ex Broth. = *Hylocomiopsis cylindricarpa* (46)

Pseudoleskea erythraea Müll.Hal. ex Brizi, nom. nud. = *Pseudoleskea penzigii* [4383: 296]

***Pseudoleskea falcifolia* Dixon & Thér. UGA(46), ZAI(65).**

Pseudoleskea laxifolia Rehm ex Kindb., nom. nud. = *Pseudoleskea macowaniana* [1911: 383] (= *Pseudoleskea leskeoides*)

***Pseudoleskea leikipiae* (Müll.Hal.) Paris ERI(50), KEN(46).**

***Pseudoleskea leskeoides* (Paris) Müll.Hal. LES(1531,4897), SAF(1531,7766,8328), TAN(46), ZIM(46).**

Pseudoleskea leskeoides var. *macowaniana* Thér. ex Bizot in Bizot & Pócs, nom. nud. Excluded: this combination by Bizot (108) is presumably based on *Pseudoleskea macowaniana* Rehm ex Müll.Hal. (= *Pseudoleskea leskeoides*)

Pseudoleskea macowaniana Rehm ex Kindb., nom. nud. = *Pseudoleskea macowaniana* [1521] (= *Pseudoleskea leskeoides*)

Pseudoleskea macowaniana Rehm ex Müll.Hal. = *Pseudoleskea leskeoides* (1911: 383)

***Pseudoleskea obtusiuscula* Renauld & Cardot MDG(40).**

***Pseudoleskea penzigii* Brizi ERI(50).**

***Pseudoleskea plagiostoma* Müll.Hal. ex Venturi ERI(50).**

***Pseudoleskea plagiostoma* var. *attenuata* Müll.Hal. ex Venturi ERI(50).**

***Pseudoleskea pseudoattenuata* (Müll.Hal.) Broth. CVI(2666), ERI(50), ETH(50), KEN(46), LES(1531), SAF(1531,3411,8328), TAN(46), UGA(46).**

Pseudoleskea rollii Broth. ex Micheletti, nom. nud. = *Pseudoleskeopsis claviramea* [1911: 382]

***Pseudoleskea semensis* (Müll.Hal. in Venturi) A.Jaeger ETH(50).**

Pseudoleskea subatrovirens Sauerb. ex A.Jaeger, nom. nud. = *Rauiella subfilamentosa* (32: 186)

Pseudoleskea subfilamentosa Kiaer ex Besch. = *Rauiella subfilamentosa* (32: 186)

Pseudoleskea tenuissima Besch. = *Haplohymenium tenuissimum* [1521] (= *Anomodon pseudotristis*)

***Pseudoleskeopsis bollei* (Broth. & Geh.) P.Rao CVI(1296,6614).**

***Pseudoleskeopsis claviramea* (Müll.Hal.) Thér. DJI(1569), LES(1531,4897), MOZ(46), REU(8028), RWA(65), SAF(1531,7766,8328), TAN(46), UGA(46), ZIM(46).**

***Pseudoleskeopsis claviramea* var. *aquatica* Thér. SAF(4778).**

Pseudoleskeopsis leikipiae (Müll.Hal.) Thér. = *Pseudoleskea leikipiae* (1521)

Pseudoleskeopsis leskeoides (Paris) Thér. = *Pseudoleskea leskeoides* [1521]

Pseudoleskeopsis pseudoattenuata (Müll.Hal.) Thér. = *Pseudoleskea pseudoattenuata* (1521).

Pseudoleskeopsis pseudoattenuata var. *acuminata* Thér. = *Pseudoleskea claviramea* [1911: 382]

Pseudoleskeopsis pseudoattenuata var. *macowaniana* (Müll.Hal.) Thér. = *Pseudoleskea leskeoides* [1911: 383]

Pseudoleskeopsis unilateralis Dixon SAF(1531,8328).

Pseudopohlia microstoma (Harv.) Mizush. MDG(40), REU(105).

Pseudoscleropodium purum (Hedw.) M.Fleisch. = *Scleropodium purum* [71: 640]

Pseudoscleropodium purum (Hedw.) M.Fleisch. in Broth. REU(105,3410),

SAF(4670,8328), STH(1296,4202,4626,5331).

Pseudosymblepharis Broth. Note: this genus has been made a synonym of *Chionoloma* (1601), but three African species still remain in this genus. Until a closer examination is made of all the names lumped into this genus, no action will be taken on this. It has been suggested that there is only one pantropical species present in *Pseudosymblepharis* (1158) (= *Chionoloma*).

Pseudosymblepharis angustata (Mitt.) Hilp. = *Pseudosymblepharis bombayensis* (5919) (= *Chionoloma bombayense*)

Pseudosymblepharis bescherellei Thér. = *Chionoloma bombayense* [7961: 36]

Pseudosymblepharis bombayensis (Müll.Hal.) P.Sollm. = *Chionoloma bombayense* [7814]

Pseudosymblepharis circinnatula (Broth. ex Voeltz.) R.H.Zander = *Chionoloma bombayense* [7961: 37]

Pseudosymblepharis socotrana (Mitt.) Thér. = *Weissia artocosana* (1420)

Pseudosymblepharis syrrhopodontoides (Dixon) R.H.Zander = *Chionoloma bombayense* [7961: 36]

Pseudotaxiphyllum distichaceum (Mitt.) Z.Iwats. REU(8028).

Pseudotimmiella pocsii Bizot = *Diphyscium pocsii* (1420)

Psilotum afrolaevigatum Dixon = *Oligotrichum afrolaevigatum* [5994]

Psilotum brevilamellatum Thér. = *Pogonatum congoense* (289)

Psilotum wageri Broth. ex Dixon = *Oligotrichum wageri* [5994]

Pterigynandrum aciculare Schwaegr. ex Steud., nom. inval. in synon. = *Macromitrium pallidum* [5144: 234]

Pterigynandrum algericum Brid., nom. illeg. = *Rhynchostegiella tenella* [8151: 209]

Pterigynandrum algirianum Brid. ex P.Beauv. = *Rhynchostegiella tenella* [8151: 209]

Pterigynandrum fabronioides Müll.Hal. ex Geh. = *Trachyphyllum fabronioides* (1521) (= *Trachyphyllum inflexum*)

Pterigynandrum ferricola Müll.Hal. = *Trachyphyllum ferricola* [1521] (= *Trachyphyllum inflexum*)

Pterigynandrum flavescentis (Hook.) Steud. = *Campylodontium flavescentis* [1521] (= *Mesonodon flavescentis*)

Pterigynandrum fragile Müll.Hal. ex M.Fleisch., nom. nud. in synon. = *Trachyphyllum fabronioides* [1503: 218] (= *Trachyphyllum inflexum*)

Pterigynandrum fulgens Hedw. = *Phyllogonium fulgens* (1521)

Pterigynandrum fulgens var. *viscosum* (P.Beauv.) Brid. = *Phyllogonium viscosum* [1521]

Pterigynandrum gracile Hedw. = *Pterogonium gracile* [1521; 1519: 556]

Pterigynandrum kilimandscharicum (Müll.Hal.) Müll.Hal. ex M.Fleisch., nom. inval. in synon. = *Pterogonium gracile* var. *kilimandscharicum* [1503: 218]

Pterigynandrum longirostrum Brid. = *Eustichia longirostris* (83: 399)

Pterigynandrum madagassum Müll.Hal. ex Geh. = *Pterogonium gracile* var. *madagassum* [1521]

Pterigynandrum madagassum Thér., hom. illeg. = *Gammiea ceylonensis* (7095)

Pterigynandrum pusillum Thér. = *Gammiea ceylonensis* (7095)

Pterigynandrum schweinfurthii Müll.Hal. = *Erythrodontium barteri* [2849: 110; 715]

Pterigynandrum smithii (Hedw.) Lam. & DC. = *Leptodon smithii* [1521]

Pterigynandrum subjulaceum Müll.Hal. = *Erythrodontium subjulaceum* (1521)

Pterigynandrum vallis-gratiae Müll.Hal. ex M.Fleisch. = *Pterogonium gracile* var. *capense* [1503: 218] (= *Pterogonium gracile*)

Pterigynandrum vallis-gratiae Müll.Hall. ex M.Fleisch., nom. nud. in synon. = *Pterogonium gracile* var. *capense* [1503: 218] (= *Pterogonium gracile*)

Pterigynandrum viscosum P.Beauv. = *Phyllogonium viscosum* (1521)

Pterobryon flagelliferum Mitt. KEN(7065), TAN(46).

Pterobryon hanningtonii Mitt. = *Pterobryon flagelliferum* (1)

Pterobryon julaceum Broth. TAN(46).

Pterobryon stipitatum (Mitt.) Touw ex De Sloover. Excluded: Orthographic error in (65) for *Porothamnium stipitatum*.

Pterobryopsis acutifolium (Brid.) Magill. Note: this name is used by Magill (1519) for *Calyptothecium acutifolium*.

This name has not been adopted here as the several varieties of this species were not transferred to *Pterobryopsis* with it, and other species, which to follow Magill's argument should also be transferred to *Pterobryopsis*, still remain in *Calyptothecium*. A review of the non-South African species is required.

Pterobryopsis bescherellei (Renauld) M.Fleisch. = *Calyptothecium bescherellei* [1521]

Pterobryopsis dusenii (Broth.) Broth. = *Renauldia dusenii* [1521]

Pterobryopsis flagellifera (Mitt.) Broth. = *Pterobryon flagelliferum* (1)

Pterobryopsis hanningtonii (Mitt.) Broth. = *Pterobryon flagelliferum* (1)

Pterobryopsis hoehnelii (Müll.Hal) Magill. Note: this name is used by Magill (1519) for *Calyptothecium hoehnelii*. See note under *Pterobryopsis acutifolium*.

Pterobryopsis julacea (Broth.) Broth. = *Pterobryon julaceum* [7168; 1]

Pterobryopsis longissima Dixon MDG(40).

Pterobryopsis natalensis Broth., nom. nud. Excluded: an undescribed Rehmann collection from South Africa.

Pterobryopsis patentiformis M.Fleisch, *nom. nud.* Excluded: an undescribed collection from Madagascar [5492: 61]
Pterobryopsis patentissima (Hampe) M.Fleisch. = *Renaudia patentissima* var. *patentissima* [1521]

Pterobryopsis patentissima var. *fasciculata* Cardot = *Renaudia patentissima* var. *patentissima* (40: 226)

Pterobryopsis patentissima var. *tenuis* Cardot in Grandid., *nom. nud.* = *Renaudia patentissima* var. *tenuis* [1521]

Pterobryopsis rehmannii Magill SAF(1531,8328).

Pterobryopsis sikorae M.Fleisch., *nom. nud.* = *Pterobryopsis patentissima* var. *fasciculata* [1848: 342] (= *Renaudia patentissima*)

Pterobryopsis simplex M.Fleisch., *nom. nud.* = *Jaegerina cameruniae* [9: 254] (= *Jaegerina scariosa*)

Pterobryopsis tisserantii P.de la Varde = *Calyptothecium planifrons* (2)

Pterogoniadelphus assimilis (Müll.Hal.) Ochyra & Zijlstra KEN(46,3412), MDG(40), MLW(67,5698), REU(105,1294), SAF(1531,5698,7766,8328), SOC(7529), SWZ(1531), TAN(46), UGA(46,5698), ZAI(65), ZAM(46), ZIM(46).

Pterogoniella chloroclada Broth. = *Meiothecium chlorocladum* [1521]

Pterogoniella congoensis Cardot = *Meiothecium congoense* [1521]

Pterogoniella crassiretis Renauld & Cardot = *Meiothecium crassirete* [1521]

Pterogoniella diversifolia Renauld & Cardot = *Meiothecium madagascariense* (1631)

Pterogoniella fallax Renauld & Cardot = *Camptochaete fallax* [1521]. Excluded: see note under *Camptochaete fallax*.

Pterogoniella fuscescens A.Jaeger. ex Paris, *hom. illeg.* = *Meiothecium fuscescens* [1521]

Pterogoniella guineensis Broth. & Paris = *Meiothecium guineense* [47]

Pterogoniella laxiuscula Cardot = *Donnellia laxiuscula* (1982)

Pterogoniella madagascariensis (Brid.) A.Jaeger ex Paris = *Meiothecium madagascariense* [1521]

Pterogoniella obtusifolia Renauld & Cardot = *Sematophyllum obtusifolium* [1521]

Pterogoniella pobeguinii Broth. & paris = *Meiothecium pobeguinii* [1521]

Pterogoniella sanctae-mariae Besch. ex Paris = *Potamium sanctae-mariae* [1521]. Excluded: see note under *Potamium sanctae-mariae*.

Pterogoniella sarcophylla Paris, *nom. nud.* Excluded: an undescribed specimen from Cameroon.

Pterogoniella schimperi Besch. ex Paris = *Sematophyllum schimperi* [1521]

Pterogoniella stuhlmannii Broth. ex Paris = *Sematophyllum caespitosum* (2520: 89) (= *Sematophyllum subpinnatum*)

Pterogoniella undulata Renauld & Cardot = *Meiothecium undulatum* (1663)

Pterogoniella usambarica Broth. ex Paris = *Meiothecium usambaricum* (1521) (= *Donnellia usambarica*)

Pterogonium abbreviatum Mitt., *nom. nud.* = *Lindbergia abbreviata* [1521]

Pterogonium abruptum C.H.Wright = *Erythrodontium squarrosum* (717). Note: Dixon in Sim (1911) stated that

Pterogonium abruptum was a synonym of *Erythrodontium rotundifolium*, but Buck (717) used the older name

Erythrodontium squarrosum, and had not seen a type specimen of *Erythrodontium rotundifolium*.

Pterogonium curvifolium Mitt. = *Trachyphyllum curvifolium* [1521] (= *Trachyphyllum inflexum*)

Pterogonium decipiens C.H.Wright = *Trachyphyllum gastrodes* (715)

Pterogonium flavescens Hook. = *Campylodonium flavescens* [1521] (= *Mesonodon flavescens*)

Pterogonium fuscescens Hornsch. ex Müll.Hal., *nom. nud.* = *Meiothecium fuscescens* [1521]

Pterogonium gracile (Hedw.) Sm. CVI(2666), DJI(50), ETH(50,1927),

KEN(46,3412,4112,5315,6614,7065), MDG(40), REU(105,3410), RWA(65),

SAF(1531,7766,8328), TAN(46), UGA(46), ZAI(65).

Pterogonium gracile var. *capense* Müll.Hal. = *Pterogonium gracile* [1911: 360; 1519: 556]

Pterogonium gracile var. *kilimandscharicum* (Müll.Hal.) M.Fleisch. TAN(46).

Pterogonium gracile var. *madagassum* (Geh.) M.Fleisch. COM(40), MDG(40), REU(105).

Pterogonium julaceum (Schwaegr.) Hook., *nom. inval. in synon.* = *Erythrodontium julaceum* [1521]

Pterogonium kilimandscharicum Müll.Hal. = *Pterogonium gracile* var. *kilimandscharicum* (1521)

Pterogonium longirostre (Brid.) Arnott = *Diplostichum longirostre* [1521] (= *Eustichia longirostris*)

Pterogonium madagassum (Geh.) C.H.Wright = *Pterogonium gracile* var. *madagassum* [1521]

Pterogonium ornithopodioides (F.Weber & D.Mohr) Lindb., *nom. illeg. incl. spec. prior.* = *Pterogonium gracile* (1521)

Pterogonium productum Hornsch. = *Forsstroemia producta* (1519: 587)

Pterogonium smithii (Hedw.) Sm. = *Leptodon smithii* [1521]

Pterogonium viscosum (P.Beaup.) Schwaegr. = *Phyllogonium viscosum* [1521]

Pterygoneurum macleanum Warnst. SAF(1531,8328).

Pterygophyllum asplenoides Brid. = *Calyptrochaeta asplenoides* (1519: 603)

Pterygophyllum debile (Sull.) A.Jaeger = *Leucomium aneurodictyon* [2737: 1107] (= *Leucomium strumosum*)

Pterygophyllum laetevirens (Hook. & Taylor) Brid. = *Cyclodictyon laetevirens* [1521]

Pterygophyllum mniaceum (Müll.Hal.) A.Jaeger = *Eriopis mniaceus* [1521] (= *Calyptrochaete asplenoides*)

Pterygophyllum natalense Rehmann ex Paris, *nom. nud.* = *Cyclodictyon vallis-gratiae* [1911: 443]

Pterygophyllum splachnifolium (Brid.) Brid. = *Hookeria splachnifolia* [1521]

Pterygophyllum struthiopteris (Brid.) Brid. = *Lopidium struthiopteris* [1521]

Pterygophyllum sublucens Müll.Hal. ex Geh. = *Eriopis mniaceus* [6793: 288]

Pterygophyllum tamariscinum (Hedw.) Brid. = *Thuidium tamariscinum* [1521]

Pterygophyllum vesiculosum (Brid.) Brid. = *Cyclodictyon vesiculosum* [1521]

Ptychomitriopsis africana Dixon NAM(7155), SAF(1531,8328).

Ptychomitriopsis aloinoides Magill NAM(1519), SAF(1519,8328).

Ptychomitrium africanum (Dixon) S.P.Churchill = *Ptychomitriopsis africana* (1519: 463)

Ptychomitrium crassinervium (Müll.Hal.) Schimp. ex Paris SAF(1531,8328), ZAM(62), ZIM(46).

Ptychomitrium crispatum (Hedw.) A.Jaeger LES(1531), MDG(40), SAF(1531,7766,8328), SWZ(1531), TAN(1406), ZIM(46,61).

Ptychomitrium crispatum var. *brachycarpum* Hornsch. = *Ptychomitrium cucullatifolium* (1519: 472)

Ptychomitrium cucullatifolium (Müll.Hal.) A.Jaeger LES(1531,4897), SAF(1531,4897,8328), ZIM(46).

Ptychomitrium deltorii (Thér.) Broth. MDG(40).

Ptychomitrium depressum (Müll.Hal.) Paris = *Ptychomitrium sellowianum* (5669)

Ptychomitrium diexaratum Magill ex Magill & Schelpe LES(1531,4897), SAF(1531,8328).

Ptychomitrium drouhardii Thér. = *Ptychomitrium deltorii* (5139)

Ptychomitrium eurybasis Dixon = *Ptychomitrium microblastum* (5139) (=*Ptychomitrium muelleri*)

Ptychomitrium exaratifolium H.Rob. SAF(1531,8328), SWZ(1531).

Ptychomitrium godfreyi H.Rob. = *Ptychomitriopsis africana* (1519: 463)

Ptychomitrium helenicum (Mitt.) Paris STH(1296,4202).

Ptychomitrium krausei Paris, nom. nud. Excluded: no description available.

Ptychomitrium marginatum (Wager & Dixon) Dixon = *Ptychomitrium subcrispatum* (1519: 466)

Ptychomitrium microblastum (Müll.Hal.) Paris = *Ptychomitrium muelleri* (6637)

Ptychomitrium mucronatum (Müll.Hal.) Schimp. ex Paris. Excluded: it is probably a *Trichostomum* (1911: 213).

Ptychomitrium muelleri (Mitt.) A.Jaeger MLW(67,6087), SAF(1531,4418,6637,8328), SWZ(1531), ZIM(46,61,6637).

Ptychomitrium nigrescens (Kuntze) Wijk & Margad. CVI(2666).

Ptychomitrium obtusatum (Müll.Hal.) Paris = *Ptychomitrium cucullatifolium* (1519: 472)

Ptychomitrium sellowianum Müll.Hal. SAF(5669,7766,8328), SWZ(1531).

Ptychomitrium soulae Müll.Hal. ex Renaud & Cardot = *Chionoloma bombayense* [7961: 36]

Ptychomitrium subcrispatum Thér. & P.de la Varde CVI(2666,6453), LES(1531,4897), MOZ(357), NAM(1531), REU(285), SAF(1531,4897,7766,8328), SWZ(1531), ZIM(46,61).

Ptychomnion aciculare (Brid.) Mitt. Excluded: the only Africa specimen (MAU(105)) could not be located, and it is thought that such a large and distinctive species in a well-worked area, if present, would not have been overlooked since 1801 (5546)

Pungentella microcorma Müll.Hal. ex Paris, nom. nud. in synon. Excluded: an undescribed collection (*Dusén* 669) from Cameroon.

Pungentella ochreifolia Müll.Hal. ex Paris, nom. nud. in synon. Excluded: an undescribed collection (*Dusén* 27) from Cameroon.

Pungentella rhynchophylla Müll.Hal. ex Paris, nom. nud. in synon. Excluded: an undescribed collection (*Dusén* 5) from Cameroon.

Pylaisia africana Müll.Hal. ex Geh., nom. nud. = *Hypnum cupressiforme* var. *capense* [7562: 149]. Excluded: see *Hypnum cupressiforme* var. *capense*.

Pylaisia aureoides Broth. & Paris = *Bryosedgwickia densa* (47: 521) (= *Platygyriella densa*)

Pylaisia brevis Schimp. ex M.Fleisch., nom. nud. = *Schwetschkea brevis* (1521)

Pylaisia dusenii Müll.Hal. ex Broth. = *Trachyphyllum dusenii* [1521]

Pylaisia frahmii (W.R.Buck) Ochyra = *Platygyriella frahmii* [7562: 148]

Pylaisia guineensis Broth. & Paris = *Heterophyllum guineense* [1521] (= *Rhacopilopsis variegata*)

Pylaisia subcompressa Müll.Hal. ex M.Fleisch., nom. nud. Excluded: see *Entodon subcompressus*.

Pylaisiella frahmii W.R.Buck = *Pylaisia frahmii* (7486: 183) (= *Platygyriella frahmii*)

Pylaisiobryum abyssinicum (Müll.Hal.) Wijk & Margad. BIO(8180), CMN(47), ETH(50), GAB(47), KEN(46), NGA(5176,5745).

Pylaisiobryum cameruniae Broth. = *Pylaisiobryum abyssinicum* (715)

Pylaisiobryum schimperi M.Fleisch., nom. illeg. = *Pylaisiobryum abyssinicum* (47: 713)

Pyromitrium vulgare (Hedw.) Hampe = *Encalypta vulgaris* [1521]

Pyrrhobryum mauritanianum (Besch.) Manuel = *Pyrrhobryum spiniforme* (7484)

Pyrrhobryum spiniforme (Hedw.) Mitt. BIO(47,2662,3414), CMN(7984), COM(40,7484), GAB(47), KEN(46,3412,5315,7065), MAU(105), MDG(40,1925,7484), MLW(67,3069), MOZ(46), REU(105,7484), RIM(4639), RWA(65), SAF(1531,7766,8328), SAO(47), SEY(1926,1941,2353), TAN(46), UGA(3072), ZAI(65), ZIM(46).

Pyrrhobryum spiniforme (Hedw.) Mitt. Note: in a brief review of the genus in Africa, O'Shea (3069) suggested that the two varieties of *Pyrrhobryum spiniforme* were probably synonymous with the species, but no synonyms were made.

Pyrrhobryum spiniforme var. *acunhense* (Besch.) Manuel. Excluded: the record of this taxon for Mauritius is probably erroneous: see O'Shea et al. (3072)

Pyrrhobryum spiniforme* var. *brevifolium (Besch.) Manuel REU(105).

Pyrrhobryum spiniforme* var. *comorense (Müll.Hal.) Manuel COM(40).

Pyrrhobryum vallis-gratiae (Hampe ex Müll.Hal.) Manuel SAF(1531,7484,8328).

Quathlamba debilcostata Magill = *Neosharpieilla aztecorum* (6661)

Rabronia schimperi Hampe ex Kindb., hom. illeg. incl. spec. prior. = *Fabronia abyssinica* [1506: 36]

Racomitrium aciculare sensu auct. afr. = *Racomitrium lamprocarpum* [7643: 200]

Racomitrium alare (Broth.) Paris = *Racomitrium subsecundum* (1124)

Racomitrium austropatens Müll.Hal. = *Racomitrium crispulum* [6568: 201; 82: 281]

Racomitrium borbonicum Brid. = *Racomitrium lanuginosum* var. *lanuginosum* (1914)

Racomitrium capense Lorentz = *Racomitrium crispulum* [1911: 212; 82: 281]

Racomitrium crispipilum (Taylor) A.Jaeger RWA(65), SAF(4897,8328), UGA(7353).

Racomitrium crispulum (Hook.f. & Wilson) Hook.f. & Wilson LES(4897),

SAF(1531,8328), ZIM(61).

Racomitrium crispulum var. *tasmanicum* (Hampe) E.Lawton = *Racomitrium membranaceum* (1915)

Racomitrium defoliatum Dixon = *Racomitrium lamprocarpum* (2860)

Racomitrium drakensbergense Sim = *Racomitrium crispulum* (82: 281)

Racomitrium durum (Broth.) Paris = *Racomitrium subsecundum* (1124)

Racomitrium hypnooides Lindb. = *Racomitrium lanuginosum* (1521)

Racomitrium incanum Müll.Hal. = *Racomitrium lanuginosum* (82: 278)

Racomitrium lamprocarpum (Müll.Hal.) A.Jaeger KEN(46,5315), RWA(65),

SAF(1531,8328), TAN(46), UGA(46), ZAI(65,5319).

Racomitrium lanuginosum (Hedw.) Brid. MAU(105), REU(105), SAF(1531,1882,8328),

STH(1296), ZAI(65).

Racomitrium lanuginosum var. *pruinosum* Wilson in Hook.f. = *Racomitrium lanuginosum* (82: 278)

Racomitrium lanuginosum var. *squalidum* (Brid.) Brid. = *Racomitrium lanuginosum* (1914)

Racomitrium lepervanchei Besch. = *Racomitrium crispulum* var. *tasmanicum* (40: 210) (= *Racomitrium membranaceum*)

Racomitrium membranaceum (Mitt.) Paris MDG(40), REU(105,287,4903),

SEY(1945,1946,2328,2353).

Racomitrium nigroviride (Broth.) Paris = *Racomitrium lamprocarpum* (1124)

Racomitrium nigroviride var. *robustiusculum* (Müll.Hal.) Paris = *Racomitrium nigroviride* (82: 279) (= *Racomitrium lamprocarpum*)

Racomitrium pruinatum (Wilson in Hook.f.) Müll.Hal. = *Racomitrium lanuginosum* (82: 278)

Racomitrium pseudoaciculare (Müll.Hal.) Paris = *Racomitrium nigroviride* (82: 279) (= *Racomitrium lamprocarpum*)

Racomitrium seychellarum Besch. = *Racomitrium membranaceum* (1915)

Racomitrium subsecundum (Hook. & Grev.) Mitt. & Wilson BIO(8180), CMN(47),

KEN(46,3412,5315), REU(105), RWA(65), TAN(46), UGA(46), ZAI(65,5319).

Racopilum africanum Mitt. ANG(46), BIO(2662), CAF(47), CMN(47), COM(40),

CON(47), DJI(50), ERI(50), ETH(50,111), GAB(47), GUI(47), IVO(1880),

KEN(46,2661,6615,7065), MAU(105,3410), MDG(40), NGA(5160), REU(105,3410),

ROD(105), SIE(47,3216), TAN(46), TOG(58,2851), UGA(46), ZAI(65,5319).

Racopilum africanum Mitt. Note: according to van Zanten (pers. comm.), all described African species of *Racopilum* may belong to this species.

Racopilum angustifolium Schimp. ex Besch., nom. nud. in err. = *Racopilum angustistipulaceum* [1521]

Racopilum angustistipulaceum Müll.Hal. COM(40).

Racopilum aubertii P.Beauv. = *Cyclodictyon aubertii* (1521)

Racopilum ayresii Mitt. REU(105).

Racopilum brevipes Müll.Hal. ex Broth. CMN(47), GUI(47), IVO(63), TOG(58).

Racopilum buettneri Broth. CAF(47,355), GAB(47), GUI(47,1458), IVO(1458), SIE(47),

TOG(58), ZAI(65).

Racopilum buettneri fo. *brevirostre* Thér. & P.de la Varde. Excluded: any records for this form have been associated with the owning species.

Racopilum capense Müll.Hal. ex Broth. BUR(65), CAF(47), CMN(47), ETH(111,1927),

GAB(47), GHA(47), IVO(44), KEN(46), MLW(67), REU(105), RIM(4639), RWA(65),

SAF(1531,4897,7766,8328), SIE(47), SOC(5613,6049), SWZ(1531), TAN(46),

TOG(58,1878,2851), UGA(46), ZAI(65), ZAM(46,62), ZIM(46,61).

Racopilum capense* var. *subintegritifolium Thér. & P.de la Varde CAF(47).

Racopilum cardotii Renauld MDG(40).

- Racopilum chevalieri*** Thér. CAF(47), GUI(47), TOG(1878).
- Racopilum crassicuspidatum*** Thér. & Corb. CAF(47), GAB(47).
- Racopilum cuspidigerum*** var. ***cuspidigerum*** (Schwägr.) Ångstr. BIO(2662), ZAI(5319).
- Racopilum ellipticum*** Renauld MDG(40).
- Racopilum gracile*** Mitt. ASC(1296,5331,5340).
- Racopilum leptotapes*** Müll.Hal. ex Cardot CAF(47), IVO(47), ZAI(65).
- Racopilum longe-aristatum* Müll.Hal. ex Venturi = *Racopilum africanum* [2734: 308]
- Racopilum macrocarpum*** Broth. BUR(65), TAN(46), UGA(46), ZAI(65).
- Racopilum madagassum*** Renauld MDG(40), ZAI(65).
- Racopilum madagassum*** var. ***grandistipulaceum*** Thér. & Renauld MDG(40).
- Racopilum marginatum*** Dixon CAF(47), GAB(47), GUI(47,5041), LBR(47), MDG(40), UGA(46), ZAI(65), ZAM(7984).
- Racopilum mauritianum*** Müll.Hal. ex Besch. ETH(50), MAU(105,3410), MDG(40), REU(105,3410).
- Racopilum microdictyon*** Besch. COM(40), MDG(40).
- Racopilum mnioides* P.Beauv. = *Racopilum tomentosum* [77: 719]
- Racopilum mucronatum* (P.Beauv.) Mitt. = *Racopilum tomentosum* [1506: 12]
- Racopilum naumannii*** Müll.Hal. ASC(1296,5340).
- Racopilum orthocarpoides*** Broth. CAF(47), CMN(47), CON(47), GAB(47), GHA(47), GUI(47), IVO(44,1880), LBR(47), NGA(334,5148,5160,5176,6263), SAO(47), SIE(47,3216), TOG(1878,2851), ZAI(65).
- Racopilum pectinatum*** Müll.Hal. SUD(3076).
- Racopilum penzigi*** Müll.Hal. ERI(50).
- Racopilum perrieri*** Thér. MDG(40).
- Racopilum plicatum*** Renauld & Cardot COM(40), KEN(46), MDG(40), TAN(46).
- Racopilum praelongum* Schimp. ex Besch. = *Racopilum africanum* [1521; 40: 222]
- Racopilum praelongum* var. *nossianum* Besch., nom. inval. err. = *Racopilum praelongum* var. *nossibenum* [1521] (= *Racopilum africanum*)
- Racopilum praelongum* var. *nossibeum* Besch. = *Racopilum africanum* (40: 222)
- Racopilum praelongum* var. *subintegrum* Besch. = *Racopilum africanum* (40: 222)
- Racopilum schmidii*** (Müll.Hal.) Mitt. REU(105).
- Racopilum speluncae*** Müll.Hal. ERI(50), ETH(50,111), KEN(46), SUD(3076), TAN(46), UGA(46), ZAI(65).
- Racopilum speluncae* var. *grandistipulaceum* Dixon ex Tosco & Piovano, nom. inv. Excluded: reported from Kenya [46], but treated as a synonym of the species as no type specimen is known.
- Racopilum thomeanum*** Broth. GUI(47), SAO(47).
- Racopilum tomentosum*** (Hedw.) Brid. AGA(40,2327), ANG(46), BIO(47), GUI(47), KEN(5315), MAU(105), MDG(40), REU(105).
- Racopilum tomentosum* var. *africanum* Brid. = *Racopilum tomentosum* [4250: 1085]
- Racopilum ugandae*** Dixon UGA(46), ZAI(65).
- Radulina borbonica*** (Bél.) W.R.Buck ANN(47), BIO(2662,6808), CAF(47), CMN(47,6808), COM(40,6808), CON(47), GAB(47), GHA(3072,6808), IVO(1880), LBR(47), MAU(105,3410,6808), MDG(40,6808), MLW(6808), NGA(47,6808), REU(105,3410,6808), RIM(4639), RWA(65), SAO(47), SEY(1946,2195,2328,2353,6808), TAN(46,6808), UGA(46,5696,6808), ZAI(65,5319).
- Rauia abbreviata* Broth. = *Rauellia abbreviata* [1521] (= *Rauella prelonga*)
- Rauia subfilamentosa* (Besch.) Broth. = *Rauellia subfilamentosa* [1521] (= *Rauella prelonga*)
- Rauella abbreviata* (Broth.) Wijk & Margad. = *Rauellia subfilamentosa* (32) (= *Rauella prelonga*)
- Rauella prelonga*** (Schimp. ex Besch.) Wijk & Margad. KEN(46), MDG(32,40), MLW(67), SAF(32,1531,8328), TAN(46), ZIM(46).
- Rauella subfilamentosa* (Kiaer ex Besch.) Wijk & Margad. = *Rauella prelonga* [542]
- Regmatodon acidodon*** (Mont.) Paris = *Macrohyumenum acidodon* [1521]
- Regmatodon acidodon* var. *acutissimus* (Besch.) Paris = *Macrohyumenum acidodon* [2331: 292]
- Regmatodon brevicuspis* P.de la Varde & V.Leroy = *Regmatodon secundus* (1908) (= *Regmatodon orthostegius*)
- Regmatodon imbricata* Broth. Excluded: clerical error in Born *et al.* (65); taxon does not exist (Frahm, pers. comm.)
- Regmatodon madagassus* Müll.Hal. = *Macrohyumenum acidodon* [595: 24; 4579]

Regmatodon newtonii Müll.Hal. ex Broth. = *Regmatodon polycarpus* (1908) (= *Regmatodon orthostegius*)

Regmatodon orthostegius Mont. BIO(47,4579), CMN(47,4579), GUI(47,4579), KEN(46,3412,4579), MDG(40,4579), MLW(67,3069,4579), TAN(46,4579), UGA(4282), ZAI(65).

Regmatodon polycarpus (Griff.) Mitt. = *Regmatodon orthostegius* (5221)

Regmatodon secundus Kiaer = *Regmatodon polycarpus* (1908) (= *Regmatodon orthostegius*)

Rehmanniella africana Müll.Hal. = *Goniomitrium africanum* (83: 313) (= *Goniomitrium acuminatum* var. *africanum*)

Renaudia africana (Broth.) Broth. = *Calyptothecium hoehnelii* [2864: 98; 2]

Renaudia coppeyi Cardot in Grandid. = *Renaudia hildebrandtelloides* [2854: 102]

Renaudia cymbifolia Cardot & Dixon in Grandid. = *Orthostichidium perpinnatum* [2854: 102,103] (= *Orthostichidium involutifolium*)

Renaudia dichotoma Müll.Hal. ex Renauld = *Cryphaea rutenbergii* [10: 742]

Renaudia dusenii (Broth.) Broth. BIO(2,47,2662), CMN(2,47).

Renaudia hildebrandtelloides Müll.Hal. MDG(2,40).

Renaudia hoehnelii (Müll.Hal.) Broth. = *Calyptothecium hoehnelii* (2)

Renaudia hoehnelii var. *angustifolia* Dixon ex Tosco & Piovano = *Calyptothecium hoehnelii* var. *angustifolia* (45)

Renaudia imbricata Broth. in Mildbr. = *Calyptothecium hoehnelii* (2)

Renaudia lycopodioides Bizot ex Pócs KEN(7065), TAN(46,109).

Renaudia patentissima (Hampe) Broth. MDG(2,40).

Renaudia patentissima var. ***mutica*** Thér. MDG(40).

Renaudia patentissima var. *tenue* Thér., nom. nud. Excluded: an undescribed collection (*Rutenberg s.n.*) from Madagascar [1848: 342].

Rhabdoweisia africana Dixon & Naveau KEN(5315,5922), TAN(46), UGA(46), ZAI(65,5922).

Rhabdoweisia crispata (Dicks.) Lindb. LES(1448), SAF(1531,8328).

Rhabdoweisia cyathicarpa (Mont.) Mitt. = *Amphidium cyathicarpum* [1521] (= *Amphidium tortuosum*)

Rhabdoweisia fugax (Hedw.) Bruch & Schimp. CMN(47), KEN(5315,5922), RWA(65,5922), SAF(1531,8328), TAN(46), ZAI(65,5922), ZIM(61).

Rhabdoweisia lineata P.W.Richards & Argent BIO(8180).

Rhabdoweisia lineata P.W.Richards & Argent = *Rhabdoweisia fugax* (5922)

Rhachithecopsis tisserantii P.de la Varde CAF(47,3055,3641), ZAI(3055).

Rhachithecium perpusillum (Thwaites & Mitt.) Broth. BUR(65), CAF(47), GUI(47), MDG(40), MLW(67,3069), NGA(333,334), SAF(1531,8328), TAN(46,333), ZAI(65,333), ZAM(62,333), ZIM(46,61).

Rhachithecium tisserantii (P.de la Varde) H.Rob. = *Rhachithecopsis tisserantii* (3641)

Rhachithecium transvaaliense (Müll.Hal.) Broth. = *Rhachithecium perpusillum* [3001: 32]

Rhachithecium welwitschii (Duby) R.H.Zander ANG(3641).

Rhacocarpus breutelianus (Müll.Hal.) Broth. = *Rhacocarpus rehmannianus* [1911: 353; 2352]

Rhacocarpus capensis Paris, nom. illeg. incl. spec. prior. = *Rhacocarpus rehmannianus* [1911: 353; 2352]

Rhacocarpus cucullatus Paris, nom. nud. = *Rhacocarpus rehmannianus* [5567: 391]

Rhacocarpus cuspidatus Paris, nom. illeg. incl. spec. prior. = *Rhacocarpus ecklonianus* [1911: 352] (= *Rhacocarpus purpurascens*)

Rhacocarpus ecklonianus (Müll.Hal.) Broth. = *Rhacocarpus purpurascens* (178)

Rhacocarpus gracillimus (Müll.Hal.) Broth. = *Rhacocarpus ecklonianus* [1911: 352] (= *Rhacocarpus purpurascens*)

Rhacocarpus humboldtii (Hook.) Lindb. = *Rhacocarpus purpurascens* [10: 721]

Rhacocarpus humboldtii var. *rufipilus* (Renauld & Cardot) Paris = *Rhacocarpus purpurascens* [2352]

Rhacocarpus piliferus Paris, nom. illeg. incl. spec. prior. = *Rhacocarpus ecklonianus* [1911: 352] (= *Rhacocarpus purpurascens*)

Rhacocarpus purpurascens (Brid.) Paris KEN(46,2352,3412,5315), LES(1531),

MDG(40,1925,2352), MLW(67,3069), REU(105,1925,2352), RWA(46,65),

SAF(1531,8328), TAN(46,2352), UGA(46), ZAI(65,2352,5319), ZIM(61).

Rhacocarpus purpurascens var. *rufipilus* (Renauld & Cardot) Wijk & Margad. = *Rhacocarpus purpurascens* [2352]

Rhacocarpus rehmannianus (Müll.Hal.) Wijk & Margad. Note: this taxon (treated as a synonym of *Rhacocarpus purpurascens* in the first version of this checklist (1531)) is here treated as a full species, following Frahm (2352).

Rhacocarpus rehmannianus var. ***rehmannianus*** (Müll.Hal.) Wijk & Margad. SAF(2352).

Rhacocarpus rehmannii Paris, nom. illeg. incl. spec. prior. = *Rhacocarpus rehmannianus* [1521]

Rhacopilopsis chlorizans (Welw. & Duby) Cardot = *Rhacopilopsis trinitensis* (2746: 88)

Rhacopilopsis dupuisii (Renauld & Cardot) Renauld & Cardot ex Paris = *Rhacopilopsis trinitensis* (2746: 88)

Rhacopilopsis flexilis (Renauld & Cardot) W.R.Buck = *Rhacopilopsis variegata* (4720)

Rhacopilopsis guineensis (Broth. & Paris) W.R.Buck = *Rhacopilopsis variegata* (4720)

Rhacopilopsis kilimandscharica (Broth. & P.de la Varde) W.R.Buck = *Rhacopilopsis trinitensis* (4720)

Rhacopilopsis pechuelii (Müll.Hal.) Renauld & Cardot = *Rhacopilopsis trinitensis* (2746: 88)
Rhacopilopsis pechuelii var. *acuminata* (Cardot) Demaret = *Rhacopilopsis trinitensis* var. *acuminata* [1521] (= *Rhacopilopsis trinitensis*)
Rhacopilopsis pechuelii var. *gracilis* (Cardot) Demaret = *Rhacopilopsis trinitensis* var. *gracilis* [1521] (= *Rhacopilopsis trinitensis*)
Rhacopilopsis transvaaliensis (Thér. & Dixon ex Sim) W.R.Buck = *Rhacopilopsis trinitensis* (4720)

Rhacopilopsis trinitensis (Müll.Hal.) E.Britton ex Dixon ANG(46,4720), CAF(47,4720), CMN(47,4720), CON(47), ETH(1927), GAB(47,4720), GHA(47,4720), GUI(47,5041), IVO(47,1458,1880,4720), MDG(40), MLW(67,4720), NGA(47,4720,5148,5176), RIM(4639), RWA(65,4720), SAF(1531,4720,8328), SAO(47), SIE(3216,4720), TAN(46,4720), TOG(1878), UGA(46,4720,7981), ZAI(65,2672,4720,5319), ZAM(46), ZIM(61).

Rhacopilopsis trinitensis fo. *densa* Dixon ex Tosco & Piovano = *Rhacopilopsis trinitensis* (4720)
Rhacopilopsis trinitensis var. *acuminata* (Cardot) P.de la Varde = *Rhacopilopsis trinitensis* (4720)
Rhacopilopsis trinitensis var. *gracilis* (Cardot) P.de la Varde = *Rhacopilopsis trinitensis* (4720)
Rhacopilopsis trinitensis var. *pendula* P.de la Varde = *Rhacopilopsis trinitensis* (4720)
Rhacopilopsis trinitensis var. *perserrata* J.Taylor & P.de la Varde = *Rhacopilopsis trinitensis* (4720)

Rhacopilopsis variegata (Welw. & Duby) M.C.Watling & O'Shea ANG(46,3072,4720), CAF(47,4720), GAB(47,4720), GUI(47,4720), LBR(47,4720), MDG(717,4720), MLW(3072,4720), MOZ(4720), RWA(4720), SAF(4720,8328), SIE(47,4720), TAN(4720), UGA(7353,7981), ZAI(65,4720).

Rhaphidorrhynchium amoenum (Hedw.) M.Fleisch. (*auct. afr.*) = *Warburgiella leptorrhyncha* (4015). Note:
Rhaphidorrhynchium amoenum is a plant of Australia and South America, but unfortunately the name was used for specimens of *Warburgiella leptorrhyncha* in Africa. This is discussed further in a review of *Warburgiella* by O'Shea (4015).

Rhaphidorrhynchium angustissimum (Geh.) Broth. MDG(40).

Rhaphidorrhynchium argyrophyllum (Besch.) Broth. CAF(47), CON(47), GAB(47).

Rhaphidorrhynchium brevihorridum (Broth.) Broth. CAF(47), CMN(47), CON(47), GAB(47), IVO(1880), NGA(334).

Rhaphidorrhynchium cambouei (Renauld & Cardot) Broth. MDG(40).

Rhaphidorrhynchium crispans (Besch.) Broth. REU(105).

Rhaphidorrhynchium dentigerum (Müll.Hal.) Broth. = *Rhaphidorrhynchium dregei* [1911: 429] (= *Sematophyllum dregei*)

Rhaphidorrhynchium dregei (Müll.Hal.) Broth. = *Sematophyllum dregei* (53: 24)

Rhaphidorrhynchium gabonense Broth. & P.de la Varde GAB(47).

Rhaphidorrhynchium gueinzii (Hampe) Broth. = *Sematophyllum gueinzii* (53: 24)

Rhaphidorrhynchium hyalotis (Müll.Hal.) Broth. = *Rhaphidorrhynchium gueinzii* [11: 11: 428] (= *Sematophyllum gueinzii*)

Rhaphidorrhynchium krakakammae (Müll.Hal.) Broth. = *Rhaphidorrhynchium dregei* [1911: 439] (= *Sematophyllum dregei*)

Rhaphidorrhynchium lamprosericeum (Renauld & Cardot) Broth. IVO(1880),

NGA(5160,5176), ZAI(65,2772).

Rhaphidorrhynchium nigricaulle (Brid.) Broth. = *Sematophyllum subsimplex* (3216)

Rhaphidorrhynchium pervilleanum (Geh.) Broth. = *Trichosteleum pervilleanum* (717)

Rhaphidorrhynchium plumularium (Mitt.) Broth. = *Sematophyllum erythrocaulon* (4626)

Rhaphidorrhynchium pseudobrachythecium (Broth.) Broth. = *Sematophyllum subsimplex* (717)

Rhaphidorrhynchium rehmannii (Müll.Hal.) Broth. = *Rhaphidorrhynchium dregei* [1911: 439] (= *Sematophyllum dregei*)

Rhaphidorrhynchium rubricaulle (Besch.) Broth. MDG(40), REU(105,3410).

Rhaphidorrhynchium tapeinophyllum (Müll.Hal.) Broth. = *Rhaphidorrhynchium dregei* [4800: 220] (= *Sematophyllum dregei*)

Rhaphidorrhynchium zuluense Sim = *Sematophyllum zuluense* (53: 24)

Rhaphidorrhynchium borbonicum (Bél.) Mitt., comb. inval. = *Trichosteleum borbonicum* [1521] (= *Radulina borbonica*)

Rhaphidostegium adhaerens Besch. = *Warburgiella adhaerens* [1521] (= *Trichosteleum adhaerens*)

Rhaphidostegium afrodemissum (Müll.Hal.) Paris = *Sematophyllum caespitosum* [2520: 88] (= *Sematophyllum subpinnatum*)

Rhaphidostegium albialare Paris, nom. nud. = *Acanthocladium albialare* [1521] (= *Rhacopilopsis variegata*)

Rhaphidostegium amblystegiocarpum (Müll.Hal.) Kindb. = *Sematophyllum amblystegiocarpum* [1521]

Rhaphidostegium andungense (Welw. & Duby) A.Jaeger = *Stereophyllum andungense* (1521)

Rhaphidostegium andungense var. *majus* (Welw. & Duby) Paris = *Stereophyllum andungense* [1433: 307-308]

Rhaphidostegium angusticymbium (Müll.Hal.) A.Jaeger = *Sematophyllum angusticymbium* (1521)

Rhaphidostegium angustissimum (Geh.) Renauld = *Rhaphidorrhynchium angustissimum* [1521]

Rhaphidostegium anotis (Müll.Hal.) Paris = *Ectropothecium regulare* [1911: 425]

- Rhaphidostegium argyrophyllum* Besch. = *Rhaphidorrhynchium argyrophyllum* [1521]
Rhaphidostegium asperulifolium Paris, nom. nud. Excluded: an undescribed collection (*Dusén 14*) from Cameroon.
Rhaphidostegium ayresii A.Jaeger, nom. nud. Excluded: an undescribed collection from Mauritius.
Rhaphidostegium boivinii A.Jaeger, nom. nud. = *Vesicularia galericulata* [1848: 480]
Rhaphidostegium borbonicum (Bél.) Besch. = *Trichosteleum borbonicum* [1521] (= *Radulina borbonica*)
Rhaphidostegium boswellii Paris, nom. nud. Excluded: an undescribed collection from Madagascar.
Rhaphidostegium brachycarpum (Hampe) A.Jaeger = *Sematophyllum brachycarpum* (1521)
Rhaphidostegium brachycormum Paris, nom. nud. Excluded: an undescribed specimen (*Dusén 260*) from Cameroon.
Rhaphidostegium brachyoxum Paris, nom. nud. Excluded: an undescribed specimen from Cameroon.
Rhaphidostegium brachytheciforme Broth. = *Sematophyllum brachytheciforme* [1521]
Rhaphidostegium brevihorridum Broth. = *Rhaphidorrhynchium brevihorridum* [1521]
Rhaphidostegium caespitosum (Hedw.) Besch. = *Sematophyllum subpinnatum* (3419)
Rhaphidostegium caespitosum var. *gracile* Dixon. Note: treat as *Sematophyllum caespitosum* (= *Sematophyllum subpinnatum*).
Rhaphidostegium calabarensis Paris, nom. illeg. incl. spec. prior. = *Sematophyllum trachaelocarpum* [1521]
Rhaphidostegium cambouei Renauld & Cardot = *Rhaphidorrhynchium cambouei* [1521]
Rhaphidostegium catillum (Müll.Hall.) A.Jaeger = *Sematophyllum caespitosum* [2520: 88] (= *Sematophyllum subpinnatum*)
Rhaphidostegium caussequei (Renauld & Cardot) Broth. ex Paris = *Hygrohypnum caussequei* [1521]
Rhaphidostegium cespitosum (Hedw.) Besch., orthogr. = *Rhaphidostegium caespitosum* [1521] (= *Sematophyllum subpinnatum*)
Rhaphidostegium chrysotis Broth. = *Sematophyllum caespitosum* [2520: 88] (= *Sematophyllum subpinnatum*)
Rhaphidostegium concolor A.Gepp in Hiern. = *Hypnum* sp. (1521)
Rhaphidostegium congolense (Cardot) Cardot in Grandid. = *Meiothecium congolense* [1521]
Rhaphidostegium constrictum (Brid.) Besch. hom. illeg. = *Trichosteleum constrictum* [1521]
Rhaphidostegium coppeyi Cardot in Grandid. = *Sematophyllum coppeyi* [1521]
Rhaphidostegium crassirete Cardot = *Sematophyllum crassirete* (1521)
Rhaphidostegium crassiusculum (Brid.) A.Jaeger = *Sematophyllum crassiusculum* (1521)
Rhaphidostegium crispans Besch. = *Rhaphidorrhynchium crispans* [1521]
Rhaphidostegium cuspidatum Schimp. ex A.Jaeger, nom. nud. = *Acroporium megasporum* [1848: 510; 40: 239]
Rhaphidostegium danckelmannii (Müll.Hal.) Kindb. = *Sematophyllum danckelmannii* [1521]
Rhaphidostegium debettei Besch. = *Trichosteleum debettei* [1521]
Rhaphidostegium decolor Besch. = *Acanthorrhynchium decolor* [1521] (= *Acanthorrhynchium papillatum*)
Rhaphidostegium densirete Thér., hom. illeg. = *Rhaphidostegium dixonii* (1521) (= *Sematophyllum dixonii*)
Rhaphidostegium dentigerum (Muell.Hal.) Paris = *Rhaphidorrhynchium dregei* [1921: 429] (= *Sematophyllum dregei*)
Rhaphidostegium dicnemonella Broth. = *Sematophyllum caespitosum* [2520: 88] (= *Sematophyllum subpinnatum*)
Rhaphidostegium dixonii Thér. = *Sematophyllum dixonii* (1663)
Rhaphidostegium dregei (Muell.Hal.) A.Jaeger = *Rhaphidorrhynchium dregei* [1521] (= *Sematophyllum dregei*)
Rhaphidostegium dubium Renauld = *Sematophyllum dubium* [1521]
Rhaphidostegium duisaboanae Besch., nom. illeg. incl. spec. prior. = *Sematophyllum caespitosum* [2520: 88] (= *Sematophyllum subpinnatum*)
Rhaphidostegium duisaboanum (Mont.) Paris = *Sematophyllum caespitosum* [2520: 88] (= *Sematophyllum subpinnatum*)
Rhaphidostegium duisaboanum var. *argillicola* Renauld & Cardot Note: treat as *Sematophyllum caespitosum*.
Rhaphidostegium duisabonae A.Jaeger, nom. illeg. incl. spec. prior. = *Sematophyllum caespitosum* [2520: 88] (= *Sematophyllum subpinnatum*)
Rhaphidostegium duisabonae var. *granulosum* Besch. Note: treat as *Sematophyllum caespitosum*.
Rhaphidostegium duisabonae var. *leduceanum* (Mont.) Besch. = *Sematophyllum caespitosum* var. *leduceanum* (1521) (= *Sematophyllum subpinnatum*)
Rhaphidostegium duisabonae var. *nossianum* Besch. Note: treat as *Sematophyllum caespitosum*.
Rhaphidostegium duisabonae var. *rigidiuscum* Besch. = *Sematophyllum caespitosum* [2520: 88] (= *Sematophyllum subpinnatum*)
Rhaphidostegium duisabonae var. *rufulum* Besch. Note: treat as *Sematophyllum caespitosum*.
Rhaphidostegium elgonense Dixon = *Sematophyllum elgonense* (1521)
Rhaphidostegium flagellicaule Paris, nom. nud. Excluded: an undescribed collection (*Dusén 667*) from Cameroon.
Rhaphidostegium fluminale Broth. = *Sematophyllum caespitosum* [2520: 89] (= *Sematophyllum subpinnatum*)
Rhaphidostegium fulvifolium (Mitt.) Paris = *Sematophyllum fulvifolium* [1521]
Rhaphidostegium gibbosulum (Müll.Hal.) Besch. = *Isopterygium gibbosulum* [1521]
Rhaphidostegium glutinosum Broth. = *Sematophyllum caespitosum* [2520: 89] (= *Sematophyllum subpinnatum*)
Rhaphidostegium gueinzii (Hampe) A.Jaeger = *Rhaphidorrhynchium gueinzii* [1521] (= *Sematophyllum gueinzii*)
Rhaphidostegium gueinzii var. *prostrata* (Müll.Hal.) A.Jaeger = *Rhaphidorrhynchium gueinzii* [1911: 439] (= *Sematophyllum gueinzii*)
Rhaphidostegium hamulosum Schimp. ex A.Jaeger, nom. nud. Excluded: an undescribed specimen from Réunion
Rhaphidostegium helenicum (Mitt.) Paris = *Sematophyllum helenicum* [1521]
Rhaphidostegium hyalotis (Müll.Hal.) Paris = *Rhaphidorrhynchium gueinzii* [11: 428] (= *Sematophyllum gueinzii*)
Rhaphidostegium irrepens (Duby) A.Jaeger = *Sematophyllum caespitosum* [2520: 88] (= *Sematophyllum subpinnatum*)
Rhaphidostegium julicaule Broth. & Paris = *Heterophyllum julicaule* [1521] (= *Rhacopilopsis variegata*)
Rhaphidostegium krakakamiae (Müll.Hal.) A.Jaeger = *Rhaphidorrhynchium dregei* [1911: 439] (= *Sematophyllum dregei*)

- Rhaphidostegium laetevirens* Broth. & Paris = *Sematophyllum laetevirens* [1521]
Rhaphidostegium lamprocladum Paris, nom. nud. Excluded: an undescribed collection (*Dusén* 21) from Cameroon.
Rhaphidostegium lamprosericeum Renauld & Cardot = *Rhaphidorrhynchium lamprosericeum* [1521]
Rhaphidostegium laxum A.Jaeger, nom. nud. Excluded: an undescribed Ayres collection from Mauritius.
Rhaphidostegium leptobolax Paris, nom. nud. Excluded: an undescribed collection (*Dusén* 700) from Cameroon.
Rhaphidostegium leptorrhynchum A.Jaeger = *Warburgiella leptorrhyncha* [1521]
Rhaphidostegium loucoubense Besch. = *Acanthorrhynchium loucoubense* [1521] (= *Acanthorrhynchium papillosum*)
Rhaphidostegium lucidum Schimp. ex A.Jaeger, nom. nud. Excluded: an undescribed collection from Mauritius.
Rhaphidostegium luridum Schimp. ex Besch., nom. nud. Excluded: an undescribed collection from Mauritius.
Rhaphidostegium mahense Besch. = *Rhaphidostichium mahense* [1521] (= *Papillidiopsis mahensis*)
Rhaphidostegium maritimum (Hook.) A.Jaeger = *Leucodon maritimus* [1521] (= *Pterogoniadelphus assimilis*)
Rhaphidostegium megasporum (Duby) Besch. = *Acroporium megasporum* [1521]
Rhaphidostegium megasporum var. *densem* (Renauld & Cardot) Paris = *Acroporium megasporum* var. *densem* [1521]
Rhaphidostegium microdontum Besch. = *Trichosteleum microdontum* [1521]
Rhaphidostegium microodus Besch. ex C.H.Wright = *Trichosteleum microodontum* [1521]
Rhaphidostegium nanopyxis (Geh.) Paris = *Sematophyllum nanopyxis* (1663)
Rhaphidostegium nanothecium A.Jaeger, nom. nud. Excluded: an undescribed Robillard collection from Mauritius; Bizot [108] and a specimen in BM suggest that this is a species of *Sematophyllum*.
Rhaphidostegium nematocaulon (Müll.Hal.) Besch. = *Sematophyllum nematocaulon* [1521]
Rhaphidostegium nigricaulé (Brid.) A.Jaeger = *Rhaphidorrhynchium nigricaulé* [1521] (= *Sematophyllum subsimplex*)
Rhaphidostegium nivescens Broth. = *Isopterygium nivescens* [1521]
Rhaphidostegium obtusifolium (Renauld & Cardot) Broth., hom. illeg. = *Sematophyllum obtusifolium* [1521]
Rhaphidostegium obtusifolium Broth. & Paris = *Sematophyllum parisii* [11: 433]
Rhaphidostegium ovalifolium Besch. = *Glossadelphus ovalifolius* [1521] (= *Ectropothecium ovalifolium*)
Rhaphidostegium pallens Schimp. ex A.Jaeger, nom. nud. Excluded: an undescribed collection by Ayres, from Mauritius.
Rhaphidostegium parisii Broth., nom. illeg. incl. spec. prior. = *Sematophyllum parisii* [1521]
Rhaphidostegium pechuelii (Müll.Hal.) Paris = *Rhacopilopsis trinitensis* [2746: 88]
Rhaphidostegium peralare Broth. = *Sematophyllum caespitosum* [2520: 88] (= *Sematophyllum subpinnatum*)
Rhaphidostegium perlaxum Paris, nom. nud. = *Sematophyllum caespitosum* [2520: 89] (= *Sematophyllum subpinnatum*)
Rhaphidostegium perrevolutum Broth. = *Sematophyllum perrevolutum* (1521)
Rhaphidostegium perrotii Renauld & Cardot in Renauld = *Trichosteleum perrotii* [1521]
Rhaphidostegium pervilleanum (Geh.) Besch. = *Rhaphidorrhynchium pervilleanum* [1521] (= *Trichosteleum pervilleanum*)
Rhaphidostegium physaophyllum (Welw. & Duby) A.Gepp in Hiern. = *Sematophyllum physaophyllum* (1521)
Rhaphidostegium piliferum A.Jaeger, nom. nud. Excluded: an undescribed collection (*Bory St. Vincent* s.n.) from Réunion.
Rhaphidostegium plumularium (Mitt.) Paris = *Rhaphidorrhynchium plumularium* (1521)
Rhaphidostegium pobeguini Broth. & Paris = *Sematophyllum pobeguini* [1521]
Rhaphidostegium polycarpum Schimp. ex A.Jaeger, nom. nud. Excluded: an undescribed collection (Ayres s.n.) from Mauritius.
Rhaphidostegium protensum Renauld & Cardot = *Acanthocladium protensum* [1521] (= *Wijkia protensa*)
Rhaphidostegium pseudo-amoenum (Bél.) Besch. = *Taxithelium pseudo-amoenum* [1521]
Rhaphidostegium pseudobrachythecium Broth. = *Sematophyllum subsimplex* [717]
Rhaphidostegium punctatulum (Geh.) Paris, nom. inval. in synon. = *Trichosteleum borbonicum* var. *brachycarpum* [1848: 503] (= *Radulina borbonica*)
Rhaphidostegium punctulatum Paris, nom. illeg. incl. spec. prior. = *Trichosteleum borbonicum* var. *brachycarpum* [1848: 503] (= *Radulina borbonica*)
Rhaphidostegium rehmannii (Müll.Hal.) Paris = *Rhaphidorrhynchium dregei* [1911: 439] (= *Sematophyllum dregei*)
Rhaphidostegium reichardii (Müll.Hal.) Paris = *Sematophyllum brachycarpum* [1911: 435]
Rhaphidostegium renaudii Cardot in Grandid. = *Sematophyllum obtusifolium* [1521]
Rhaphidostegium replicatum Besch. = *Sematophyllum caespitosum* [2746: 88] (= *Sematophyllum subpinnatum*)
Rhaphidostegium resupinatum Schimp. ex A.Jaeger, nom. nud. Excluded: an undescribed collection (Ayres s.n.) from Mauritius.
Rhaphidostegium rhabdorrhynchum Müll.Hal. ex Paris. Excluded: an undescribed collection (*Rehmann* 370) from Cape Peninsula, South Africa.
Rhaphidostegium rigescens Cardot in Grandid. = *Sematophyllum rigescens* (1663)
Rhaphidostegium rigidicaule (Broth.) Paris = *Trismegistia rigidicaulis* [1521]
Rhaphidostegium rivuletorum Broth. = *Sematophyllum rivuletorum* [1521]
Rhaphidostegium rodriguezii Paris = *Sematophyllum incurvum* (1521)
Rhaphidostegium rubricaule Besch. = *Rhaphidorrhynchium rubricaule* [1521]
Rhaphidostegium rufovirende Besch. = *Clastobryophilum rufovirende* [1521] (= *Clastobryophilum bogoricum*)
Rhaphidostegium rusciforme Syd., nom. illeg. incl. spec. prior. = *Platyhypnidium ripariooides* [1521] (= *Amblystegium riparium*)
Rhaphidostegium rutenbergii Müll.Hal., nom. nud. Excluded: an undescribed collection from Madagascar.
Rhaphidostegium sauloma Broth. = *Sematophyllum caespitosum* [2520: 89] (= *Sematophyllum subpinnatum*)
Rhaphidostegium schimperi (Besch.) Broth. = *Sematophyllum schimperi* [1521]
Rhaphidostegium serandii Thér. = *Sematophyllum serandii* [1521]
Rhaphidostegium sinuosulum Besch. = *Sematophyllum sinuosulum* [1521]

- Rhaphidostegium sinuosulum* var. *latifolium* Cardot in Grandid. = *Sematophyllum sinuosulum* var. *latifolium* [1521]
Rhaphidostegium sphaerocarpa A.Jaeger ex Dixon, *err.* = *Sematophyllum sphaerotheca* [1521] (= *Sematophyllum subpinnatum*)
Rhaphidostegium sphaeropyxis (Müll.Hal.) Paris = *Sematophyllum sphaeropyxis* [1521]
Rhaphidostegium sphaerotheca (Müll.Hal.) A.Jaeger = *Sematophyllum caespitosum* [2520: 81] (= *Sematophyllum subpinnatum*)
Rhaphidostegium sphaerotheca var. *procerum* Müll.Hal. ex Paris, *nom. nud.* Excluded: an undescribed collection (Rehmann 422) from Natal, South Africa.
Rhaphidostegium stictum Besch. = *Trichosteleum stictum* [1521]
Rhaphidostegium strangulatum (Müll.Hal.) A.Jaeger = *Isopterygium strangulatum* [1521]
Rhaphidostegium strangulatum var. *prostratum* (Müll.Hal.) A.Jaeger = *Isopterygium strangulatum* [1911: 429]
Rhaphidostegium strictum Besch. ex Paris, *nom. inval. err.* = *Trichosteleum stictum* [1521]
Rhaphidostegium stuhlmannii (Broth.) Broth. = *Sematophyllum caespitosum* [2520: 89] (= *Sematophyllum subpinnatum*)
Rhaphidostegium subcurvulum Broth. = *Sematophyllum caespitosum* [2520: 89] (= *Sematophyllum subpinnatum*)
Rhaphidostegium subjulaceum Broth. & Paris = *Sematophyllum subjulaceum* [1521]
Rhaphidostegium subscabrisetulum (Müll.Hal.) Besch. = *Trichosteleum subscabrisetulum* [1521]
Rhaphidostegium subulatum (Müll.Hal.) Besch. = *Trichosteleum subulatum* [1521]
Rhaphidostegium tapeinophyllum (Müll.Hal.) Paris = *Rhaphidorrhynchium dregei* [4800: 220] (= *Sematophyllum dregei*)
Rhaphidostegium trachaelocarpum (Aongstr.) = *Sematophyllum trachaelocarpum* [1521]
Rhaphidostegium trachypyxis (Geh.) Paris = *Trichosteleum trachypyxis* [1521]
Rhaphidostegium variegatum (Welw. & Duby) A.Gepp = *Rhacopilopsis variegata* (4720)
Rhaphidostegium wageri (Wager) Dixon = *Sematophyllum wageri* [1521]
- Rhaphidostichum gracile*** Dixon BIO(2662), CMN(47).
Rhaphidostichum mahense (Besch.) Broth. = *Papillidiopsis mahensis* (4015)
Rhaphidostichum subluxurians Dixon & Thér. = *Acporium subluxurians* (4015)
Rhegmatodon - see *Regmatodon*
- Rhizofabronia perpilosa*** (Broth.) Broth. CMN(47), KEN(46,7065,7251), TAN(46,6217), UGA(46), ZAI(65).
- Rhizofabronia persoonii*** var. *persoonii* (Schwägr.) M.Fleisch. MAU(105), REU(105,3410), RWA(65), SAO(47), TAN(46), UGA(4282).
- Rhizofabronia persoonii*** var. *sphaerocarpa* (Dusén) Bizot ex Ochyra BIO(2662), CMN(47), KEN(46,5315,7065), MDG(40,3075), MLW(67), TAN(46), UGA(4282), ZAI(65), ZIM(61).
Rhizofabronia sphaerocarpa (Dusén) M.Fleisch. = *Rhizofabronia persoonii* var. *sphaerocarpa* (1885)
Rhizogonium mauritanum Hampe ex Besch. = *Pyrrhobryum mauritanum* [1591] (= *Pyrrhobryum spiniforme*)
Rhizogonium pennatum [1521]. Excluded: although indicated as present in sub-Saharan Africa by *Index Muscorum*, no records have been found.
Rhizogonium permatum Hook.f. & Mitt. ex J.Shaw, *nom. inval. err.* = *Rhizogonium pennatum* [1521]. Excluded: see *Rhizogonium pennatum*.
Rhizogonium pervilleanum Besch. = *Rhizogonium spiniforme* [4692: 347] (= *Pyrrhobryum spiniforme*)
Rhizogonium pervillei Kindb., *nom. illeg. incl. spec. prior.* = *Rhizogonium spiniforme* [4692: 347] (= *Pyrrhobryum spiniforme*)
Rhizogonium spiniforme (Hedw.) Bruch ex Krauss. = *Pyrrhobryum spiniforme* (1591)
Rhizogonium spiniforme var. *acunhense* Besch. = *Pyrrhobryum spiniforme* var. *acunhense* (1591)
Rhizogonium vallis-gratiae (Hampe) Hampe ex A.Jaeger = *Pyrrhobryum vallis-gratiae* (83: 401)
Rhizohypnum brachycarpum (Renauld & Cardot) M.Fleisch. = *Mittenothamnium microthamnioides* [1848: 510]
Rhizohypnum inclinatum (Renauld) M.Fleisch. = *Mittenothamnium microthamnioides* [1848: 44]
Rhizohypnum microthamnioides (Geh.) M.Fleisch. = *Mittenothamnium microthamnioides* [1521]
Rhizohypnum pobeguinii (Broth. & Paris) M.Fleisch. = *Mittenothamnium pobeguinii* [1521] (= *Rhacopilopsis trinitensis*)
Rhizomnium punctatum (Hedw.) T.J.Kop. Excluded: although this appears on the list for Ethiopia (50), Koponen (1036) does not consider it as present in Africa south of the Sahara.
Rhodobryum alto-roseum (Broth.) Paris = *Bryum huillense* (354)
Rhodobryum argutidens Paris, *nom. nud.* = *Rhodobryum commersonii* [1911: 340]
Rhodobryum aubertii (Schwägr.) Thér. = *Bryum aubertii* (354)
Rhodobryum camptoloma P.de la Varde = *Bryum viguieri* (23)
Rhodobryum capense Paris, *nom. illeg. incl. spec. prior.* = *Rhodobryum roseum* [4800: 294]. Note: see under *Rhodobryum spathulatum*
Rhodobryum chalarorhodon (Broth.) Paris = *Bryum chalarorhodon* [1521] (= *Bryum huillense*)
- Rhodobryum commersonii*** (Schwägr.) Brid. COM(23,40), KEN(46,2661), MAU(105), MDG(40,6908), MLW(46,67,6087), REU(23,105), RWA(2660), SAF(23,1531,7766,8328), SWZ(1531), TAN(23,46), UGA(23,46), ZAI(23,2660), ZIM(46).
Rhodobryum ellipticifolium (Brizi) Broth. = *Bryum ellipticifolium* (1521)

Rhodobryum ellipticifolium fo. *compacto-gregaria* Tongiorgi. Excluded: the records for this form have been associated with *Bryum ellipticifolium* (1521)

Rhodobryum ellipticifolium fo. *laxoverticillata* Tongiorgi. Excluded: the records for this form have been associated with *Bryum ellipticifolium* (1521)

Rhodobryum erythrocaulon (Schwaegr.) Paris = *Bryum truncorum* [1911: 337]. Note: see under *Bryum truncorum*.

Rhodobryum fluminale (Broth.) Paris = *Bryum fluminale* [1521] (= *Bryum erythrocaulon*)

***Rhodobryum giganteum* (Schwägr.) Paris** MDG(23,40), REU(105), SAF(23).

Rhodobryum globirhodon Paris, nom. nud. Excluded: an undescribed collection based on *Dusén* 235 from Cameroon.

Rhodobryum homalobolax (Renauld) Paris = *Bryum homalobolax* [1521] (= *Bryum huillense*)

Rhodobryum homalobolax var. *latifolium* Renauld & Cardot = *Bryum homalobolax* var. *latifolium* [1521] (= *Bryum huillense*)

Rhodobryum huillense (Welw. & Duby) Touw = *Bryum huillense* (74)

Rhodobryum jungneri (Broth.) Paris = *Bryum keniae* (354)

Rhodobryum keniae (Müll.Hal.) Broth. = *Bryum keniae* (74)

Rhodobryum laxiroseum (Müll.Hal.) Paris = *Rhodobryum commersonii* (40: 215)

Rhodobryum leptoroseum Paris, nom. nud. = *Bryum keniae* (354)

Rhodobryum leptothrix Paris, nom. nud. = *Rhodobryum roseum* [1911: 340]. Note: see under *Rhodobryum spathulatum*.

Rhodobryum leucothrix (Müll.Hal.) Broth. = *Rhodobryum roseum* (83: 391). Note: see under *Rhodobryum spathulatum*.

Rhodobryum minutirosum (Müll.Hal.) Paris = *Bryum minutirosum* [1521]

Rhodobryum nanorrhodon (Besch.) Paris = *Bryum nanorrhodon* [1521] (= *Bryum billardierei*)

***Rhodobryum ontariense* (Kindb.) Paris** KEN(46), LES(1531), MDG(40), MLW(23,67),
SAF(23,1531,4897), TAN(46), UGA(23,46).

***Rhodobryum perspinidens* (Broth.) Pócs** ETH(1927), KEN(46,354,3412,5315,6615),

RWA(2660), TAN(46), UGA(23,46,354).

Rhodobryum pertomentosum Dixon = *Bryum keniae* (354)

Rhodobryum planoroiseum Dixon = *Bryum commersonii* (23)

Rhodobryum preussii Broth. & Paris = *Bryum preussii* (74)

Rhodobryum pseudohomalobolax Paris & Broth. = *Bryum huillense* (354)

Rhodobryum quintasii (Broth.) Paris = *Bryum huillense* (354)

Rhodobryum renauldii Thér. = *Rhodobryum aubertii* (1521) (= *Bryum aubertii*)

***Rhodobryum roseum* (Hedw.) Limpr.** SAF(8328).

Rhodobryum roseum (Hedw.) Limpr. auct. afr. Note: see under *Rhodobryum spathulatum*.

Rhodobryum rosulatum (Müll.Hal.) Paris = *Bryum torquescens* var. *rosulatum* [1521] (= *Bryum torquescens*)

Rhodobryum rosulatum Müll.Hal. = *Bryum torquescens* var. *rosulatum* [1521] (= *Bryum torquescens*)

Rhodobryum saprophilum Paris = *Bryum saprophilum* Broth., hom. illeg. (1521) (= *Bryum capillare* (354))

Rhodobryum semilimbatum Kiaer ex Crosby et al., nom. nud. = *Rhodobryum aubertii* (40: 215) (= *Bryum aubertii*)

Rhodobryum spathulatum (Hornschr.) Pócs. Note: according to Touw (1502), Pócs incorrectly used this name as the earliest name for *Rhodobryum ontariense*, but in fact the type of *Rhodobryum spathulatum* is *Bryum aubertii*. I have thus assumed that all plants called either *Rhodobryum roseum* or *Rhodobryum spathulatum* should be treated as *Rhodobryum ontariense*.

Rhodobryum spathulosifolium (Müll.Hal.) Paris = *Bryum huillense* (23)

Rhodobryum spinidens (Renauld & Cardot) Thér. = *Rhodobryum aubertii* (40: 215) (= *Bryum aubertii*)

Rhodobryum staudtii (Broth.) Paris = *Bryum staudtii* (74)

Rhodobryum syntrichoides Paris, nom. nud. = *Bryum truncorum* (sensu Sim) [4800: 322] (= *Bryum pycnophyllum*)

Rhodobryum truncorum (Brid.) Paris = *Bryum truncorum* [1521] (= *Bryum billardierei*)

Rhodobryum umbraculum (Hook.) Schimp. ex Paris = *Bryum umbraculum* (23)

Rhynchocarpidium atrotheca P.de la Varde = *Schimperella atrotheca* (1521) (= *Schimperella bello-intricata*)

Rhynchocarpidium katalense P.de la Varde & V.Leroy = *Schimperella katalense* (1521) (= *Schimperella bello-intricata*)

Rhynchohypnum papillosum (Hornschr.) Hampe = *Trichosteleum papillosum* [1521]

Rhynchostegiella afrostrigosa (Müll.Hal.) Broth. = *Rhynchostegiella zeyheri* [6568: 213]

Rhynchostegiella algiriana (Brid. ex Schrad.) Warnst. = *Rhynchostegiella tenella* [8151: 209]

Rhynchostegiella aristatorepans (Müll.Hal.) Broth. = *Rhynchostegiella zeyheri* [1911: 375]

***Rhynchostegiella bequaertii* Dixon & Thér.** UGA(46), ZAI(65).

***Rhynchostegiella brunelii* Tixier** TOG(1878).

***Rhynchostegiella holstii* (Broth.) Broth.** KEN(46), MLW(67), SAF(1531,7766,8328),
TAN(46), ZAI(65), ZIM(61).

***Rhynchostegiella keniae* Dixon** KEN(46).

Rhynchostegiella lepto-eurhynchium (Müll.Hal.) Broth. = *Rhynchostegiella zeyheri* [1911: 375]

***Rhynchostegiella linderi* Thér.** ZAI(65).

***Rhynchostegiella litorea* (De Not.) Limpr.** SAF(4670,8328).

Rhynchostegiella microstoma Thér., orth. illeg. = *Rhynchostegiella microtheca* (40: 237)

***Rhynchostegiella microtheca* (Renauld & Cardot) Broth.** COM(40), MDG(40).

Rhynchostegiella natalistrigosum (Müll.Hal.) Broth. = *Rhynchostegiella zeyheri* [1911: 375]

***Rhynchostegiella pendula* Thér.** ZAI(65).

Rhynchostegiella sublaevipes Broth. & Bryhn SAF(1531,8328).

Rhynchostegiella tanneri Bizot ex Pócs TAN(46,109).

Rhynchostegiella tenella var. **tenella** (Dicks.) Limpr. KEN(46), ZIM(46).

Rhynchostegiella tenelliformis (Renauld & Cardot) Broth. REU(105,3410).

Rhynchostegiella zeyheri (Müll.Hal.) Broth. SAF(1531,8328), ZAM(46), ZIM(46).

Rhynchostegiella zeyheri var. *frondosa* Sim. Excluded: this name is not in current use.

Rhynchostegiella zeyheri var. **obtusata** Dixon ex Sim SAF(1911).

Rhynchostegiella zeyheri var. *obtusata* Dixon ex Sim. Excluded: Sim describes this variety as 'not very stable', and the name has not been used subsequently; presumably it will become a synonym of *Rhynchostegiella zeyheri*.

Rhynchostegium afrorusciforme (Broth.) Paris = *Platyhypnidium afrorusciforme* [1521]

Rhynchostegium afrorusciforme Müll.Hal., hom. illeg. = *Platyhypnidium macowanianum* [6793: 302]

Rhynchostegium afrostrigosum Müll.Hal. = *Rhynchostegiella zeyheri* [6568: 213]

Rhynchostegium afrostrigosum var. **thuiopsis** Müll.Hal. = *Rhynchostegiella zeyheri* [6568: 213]

Rhynchostegium algiranum (P.Beauv.) Lindb. = *Rhynchostegiella tenella* [8151: 209]

Rhynchostegium angustifolium Renauld & Cardot MDG(40).

Rhynchostegium aristatorepens Müll.Hal. ex Paris, nom. illeg. orthogr. = *Rhynchostegiella zeyheri* [1911: 375]

Rhynchostegium aristatoreptans Müll.Hal. = *Rhynchostegiella zeyheri* [1911: 375]

Rhynchostegium bello-intricatum (Broth.) Paris = *Schimperella bello-intricata* (717)

Rhynchostegium bequaertii Thér. & Naveau ZAI(65).

Rhynchostegium brachycarpum (Hampe) Rehmann = *Sematophyllum brachycarpum* [1521]

Rhynchostegium brachycarpum M.Fleisch., nom. inval. = *Mittenothamnium microthamnioides* [1848: 510]

Rhynchostegium brachypterum (Hornschr.) A.Jaeger CMN(47), LES(4897), MLW(67),

RWA(65), SAF(1531,7766,8328), ZAI(65), ZIM(46).

Rhynchostegium brachypterum var. *nitens* Sim. Excluded: this name is not in current use.

Rhynchostegium breutelianum Schimp. ex A.Jaeger, nom.nud. in synon. = *Raphidorrhynchium dregei* [1911: 439] (= *Sematophyllum dregei*)

Rhynchostegium buluense (Broth.) Paris GAB(47), TAN(46).

Rhynchostegium cataractarum Thér. & P.de la Varde CAF(47).

Rhynchostegium comorae (Müll.Hal.) A.Jaeger COM(40,3410), MDG(40), REU(3410),

TAN(46), ZAI(65).

Rhynchostegium cormophyllum Müll.Hal. ex Paris, nom. nud. Excluded: an undescribed collection (*Dusén* 257) from Cameroon.

Rhynchostegium dentigerum (Müll.Hal.) Dixon & A.Gepp = *Raphidorrhynchium dregei* [1911: 439] (= *Sematophyllum dregei*)

Rhynchostegium distans Besch. COM(40), ETH(111), MAU(105), MDG(40), REU(105),

TAN(46), UGA(46).

Rhynchostegium distans var. *breve* Kiaer ex C.H.Wright, nom. nud. = *Rhynchostegium distans* [1848: 527]

Rhynchostegium distans var. *cordifolium* Kiaer ex C.H.Wright, nom. nud. = *Rhynchostegium distans* [1848: 527]

Rhynchostegium duisabonae A.Jaeger, nom. illeg. incl. spec. prior. = *Sematophyllum caespitosum* [2520: 88] (= *Sematophyllum subpinnatum*)

Rhynchostegium eriocladella Müll.Hal. ex Paris, nom. nud. Excluded: an undescribed collection (*Dusén* 205) from Cameroon.

Rhynchostegium gracilipes Thér. BUR(65), UGA(46).

Rhynchostegium gueinzii (Hampe) Müll.Hal. ex Sim, nom. inval. in synon. = *Raphidorrhynchium gueinzii* [1521] (= *Sematophyllum gueinzii*)

Rhynchostegium holstii (Broth.) Paris = *Rhynchostegiella holstii* (1521)

Rhynchostegium homalobolax Müll.Hal. ex Besch. = *Rhynchostegium distans* [1848: 526]

Rhynchostegium hopfferi (Welw. & Duby) A.Gepp SAO(47).

Rhynchostegium horridum Broth. KEN(46), TAN(46), UGA(46), ZAI(65).

Rhynchostegium inclinatum Schimp. ex Paris = *Sematophyllum caespitosum* [1911: 436] (= *Sematophyllum subpinnatum*)

Rhynchostegium julaceum Rehmann ex Geh., nom. nud. = *Sematophyllum caespitosum* [1911: 436] (= *Sematophyllum subpinnatum*)

Rhynchostegium leptoblastum (Müll.Hal.) Kindb. = *Isopterygium leptoblastum* [1521]

Rhynchostegium lepto-euryhynchium Müll.Hal. = *Rhynchostegiella zeyheri* [1911: 375]

Rhynchostegium leskeifolium Müll.Hal. = *Pseudoleskea leskeoides* [1911: 383]

Rhynchostegium luteonitens (Welw. & Duby) A.Jaeger ANG(46).

Rhynchostegium macowanianum Paris = *Platyhypnidium macowanianum* (1521)

Rhynchostegium megapelma (Broth.) Paris = *Rhynchostegium brachypterum* (717)

Rhynchostegium megapolitanum var. **megapolitanum** Bruch, Schimp. & W.Gümbel

CVI(2666).

Rhynchostegium megapolitanum var. ***meridionale*** Schimp. CVI(1296).*Rhynchostegium membranaceum* (Müll.Hal.) Broth. = *Rhynchostegium brachypterum* (1911: 374)*Rhynchostegium microtheca* Renaud & Cardot = *Rhynchostegiella microtheca* [1521]*Rhynchostegium myosuroides* (Brid.) De Not. = *Isothecium myosuroides* [1521]. Excluded: see *Isothecium myosuroides*.*Rhynchostegium natalistrigosum* Müll.Hal. = *Rhynchostegiella zeyheri* [1911: 375]***Rhynchostegium nervosum*** (Renauld) Cardot MDG(40).***Rhynchostegium omocrates*** W.R.Buck RWA(65).***Rhynchostegium oxyodon*** (Welw. & Duby) A.Gepp ANG(46).***Rhynchostegium pectinatum*** (Mitt.) Paris ROD(105).*Rhynchostegium perfilare* Müll.Hal. ex Paris, *nom. nud.* = *Stenocarpidiopsis perfilaris* (50: 240)*Rhynchostegium perintricatum* Müll.Hal. ex Paris, *nom. nud.* Excluded: an undescribed collection from Cameroon.*Rhynchostegium pervilleanum* (Geh.) A.Jaeger = *Raphidorrhynchium pervilleanum* [1521] (= *Trichosteleum pervilleanum*)*Rhynchostegium praelongum* var. *swartzii* (Turner) Venturi & Bott. = *Oxyrrhynchium swartzii* [1521] (= *Eurhynchium hians*)*Rhynchostegium pseudoconfertum* (Müll.Hal.) A.Jaeger = *Rhynchostegiella zeyheri* [1911: 375]***Rhynchostegium pseudodistans*** Cardot MDG(40), REU(105).*Rhynchostegium quinzii* Müll.Hal. ex Rehmann, *nom. illeg. incl. spec. prior.* = *Raphidorrhynchium gueinzii* [1521] (= *Sematophyllum gueinzii*)*Rhynchostegium quinzii* var. *julascens* Rehmann ex Dixon & A.Gepp, *nom. nud.* = *Raphidorrhynchium gueinzii* [1911: 374] (= *Sematophyllum gueinzii*)***Rhynchostegium raphidorrhynchum*** (Müll.Hal.) A.Jaeger SAF(1531,8328), ZIM(61).*Rhynchostegium ripariooides* (Hedw.) Cardot ex Tourret = *Platyhypnidium ripariooides* [1521] (= *Amblystegium riparium*)*Rhynchostegium rusciforme* Bruch & Schimp., *nom. illeg.* = *Platyhypnidium ripariooides* [1521] (= *Amblystegium riparium*)***Rhynchostegium ruvenzorense*** (Broth.) Paris UGA(46).*Rhynchostegium saxitapes* Müll.Hal. ex Paris, *nom. nud.* Excluded: an undescribed collection (*Dusén* 302) from Cameroon.*Rhynchostegium schoanum* Müll.Hal. ex Paris, *nom. nud.* Excluded: an undescribed collection from Ethiopia [50: 239].*Rhynchostegium senodictyon* (Müll.Hal.) A.Jaeger = *Rhynchostegium brachypterum* (1911: 374)*Rhynchostegium sphaeropyxis* Rehmann ex Geh., *nom. nud.* = *Sematophyllum sphaeropyxis* [1521]*Rhynchostegium sphaerotheca* (Müll.Hal.) Dixon & A.Gepp = *Sematophyllum caespitosum* [1911: 437] (= *Sematophyllum subpinnatum*)*Rhynchostegium sphaerotheca* var. *aquaticum* Rehmann ex Dixon & A.Gepp = *Sematophyllum caespitosum* [1911: 436] (= *Sematophyllum subpinnatum*)*Rhynchostegium sphaerotheca* var. *gracile* Sim, *nom. nud. in synon.* = *Sematophyllum caespitosum* [1911: 437] (= *Sematophyllum subpinnatum*)*Rhynchostegium sphaerotheca* var. *procerum* Rehmann ex Dixon & A.Gepp, *nom. nud.* = *Sematophyllum caespitosum* [1911: 437] (= *Sematophyllum subpinnatum*)***Rhynchostegium subbrachypterum*** Broth. & Bryhn SAF(1531,8328).*Rhynchostegium subbrachypterum* Broth. & Bryhn = *Rhynchostegium brachypterum* [1911: 374]***Rhynchostegium subconfertum*** (Müll.Hal.) A.Jaeger SAF(5088).*Rhynchostegium subinclinatum* Kindb., *nom. nud.* = *Sematophyllum caespitosum* [1911: 436] (= *Sematophyllum subpinnatum*)*Rhynchostegium teesdalioides* Paris, *nom. nud.* = *Rhynchostegiella zeyheri* [1911: 373]*Rhynchostegium tenelliforme* Renaud & Cardot = *Rhynchostegiella tenelliformis* [1521]*Rhynchostegium tenellum* (Dicks.) Bruch, Schimp. & W.Gümbel. = *Rhynchostegiella tenella* [1521]*Rhynchostegium tenuivagum* (Müll.Hal. ex Broth.) Paris = *Eurhynchium tenuivagum* (717)***Rhynchostegium tenuivagum*** var. ***congolense*** Cardot ZAI(65).*Rhynchostegium tenuivagum* var. *congolense* Cardot. Excluded: this variety was not dealt with when the species was transferred to *Eurhynchium* [717]; it should be transferred if the variety proves to be distinct.***Rhynchostegium volkensii*** (Broth.) Paris ETH(1927), KEN(46), TAN(46), UGA(46),

ZAI(65).

Rhynchostegium volkensii fo. *latifolium* Tosco & Piovano. Excluded: any records for this form have been associated with the owning species.*Rhynchostegium volkensii* fo. *majus* Tosco & Piovano. Excluded: any records for this form have been associated with the owning species.*Rhynchostegium zeyheri* (Müll.Hal.) A.Jaeger = *Rhynchostegiella zeyheri* [1521]*Rhynchostegium zeyheri* var. *condensatum* Müll.Hal. = *Rhynchostegiella zeyheri* [6568: 213]*Rhystophyllum distichium* (Hedw.) E.Britton = *Neckeropsis disticha* [1521]*Rhystophyllum pennatum* (Hedw.) E.Britton = *Neckera pennata* [1521]***Rhytidium rugosum*** (Hedw.) Kindb. KEN(46), UGA(46,7922).*Rigodium crassicostatum* E.B.Bartram = *Eurhynchium praelongum* [4756] (= *Kindbergia praelonga*)*Rigodium dentatum* Dixon = *Rhynchostegiella zeyheri* [1911: 376]

Rigodium kilimandscharicum (Broth.) Paris = *Rigodium toxarion* (1202)
Rigodium niveum Thér. = *Rigodium toxarion* (1202)

Rigodium toxarion var. ***toxarion*** (Schwägr.) A.Jaeger KEN(5315), MDG(40,1202),
MLW(67,4764), MOZ(1202), SAF(1531,8328), TAN(46), ZIM(61).

Rozea abyssinica Broth., nom. nud. in synon. = *Levierella fabroniacea* var. *abyssinica* [1521] (= *Levierella neckeroides*)

Rutenbergia borbonica Besch. MDG(40), REU(105).

Rutenbergia cirrata Renauld & Cardot MDG(40).

Rutenbergia limbata (Hampe) Besch. MDG(40).

Rutenbergia madagassa Geh. & Hampe ex Besch. MDG(40).

Rutenbergia madagassa var. ***flagelliformis*** Renauld & Cardot MDG(40).

Rutenbergia prionodon (Besch.) Renauld MAU(105), REU(105).

Rutenbergia usagarae Dixon = *Neorutenbergia usagarae* (6: 444)

Saelania glaucescens (Hedw.) Broth. LES(1531,4897), SAF(1531,4897,8328).

Sanionia uncinata (Hedw.) Loeske ETH(1927), GAB(47), KEN(46), LES(4897), RWA(65),
SAF(1531,8328), TAN(46), UGA(46), ZAI(65,5319).

Sarmentypnum sarmenosum (Wahlenb.) Toumik. & T.J.Kop. = *Warnstorffia sarmentosa* (3243)

Sauloma africana Dixon & Thér. = *Leucomium strumosum* (92)

Sauloma chloroclada Müll.Hal. ex Broth., nom. nud. in synon. = *Meiothecium chlorocladum* [1521]

Sauloma humblotii (Renauld & Cardot) Cardot in Grandid. = *Leucomium strumosum* (6209)

Sauloma julacea Müll.Hal. ex Paris, nom. nud. Exclude: an undescribed collection (*Dusén s.n.*) from Cameroon.

Sauloma tisserantii P.de la Varde = *Leucomium strumosum* (6209)

SchimpereLLA atrotheca (P.de la Varde) P.de la Varde = *SchimpereLLA bello-intricata* (717)

SchimpereLLA bello-intricata (Müll.Hal. ex Broth.) W.R.Buck BIO(8180), BUR(65),

CMN(47), ETH(111), KEN(46,3412), RWA(65), TAN(46), UGA(4282), ZAI(65,5319).

SchimpereLLA katalense (P.de la Varde & V.Leroy) P.de la Varde = *SchimpereLLA bello-intricata* (717)

SchimpereLLA rhynchostegioides Thér. MDG(40).

Schistidium agassizii auct. afr., non Sull. & Lesq. Note: records for this taxon should be referred to *Schistidium rivulare* (1124)

Schistidium alpicola auct. afr., non (Hedw.) Limpr. = *Schistidium rivulare* (2185: 70)

Schistidium angustissimum (P.de la Varde) Ochyra UGA(46).

Schistidium apocarpum var. ***apocarpum*** (Hedw.) Bruch, Schimp. & W.Gümbel KEN(46),
LES(1531,4897), REU(105), RWA(65), SAF(1531,4897,7766,8328), TAN(46), UGA(46).

Schistidium apocarpum var. *confertum* (Funck) H.Möll. = *Schistidium confertum* (4902)

Schistidium apocarpum var. *pulvinatum* (Hedw.) C.E.O.Jensen = *Schistidium flaccidum* (2185)

Schistidium apocarpum var. *scioanum* Brizi = *Schistidium apocarpum* (113)

Schistidium caespiticium (F.Weber & D.Mohr) Brid. Excluded: this taxon, currently known as *Blindia caespiticia*, is reported by *Index Muscorum* as being present in sub-Saharan Africa, but no report has been found.

Schistidium ciliatum (Hedw.) Brid. = *Hedwigia ciliata* [1521]

Schistidium ciliatum var. *imberbe* (Sm.) Huebener = *Hedwigidium integrifolium* [8254: 14]

Schistidium confertum (Funck) Bruch & Schimp. ETH(50), KEN(2097), TAN(2097).

Schistidium cribodontium (Herzog) Ochyra UGA(46).

Schistidium flaccidum (De Not.) Ochyra ERI(50), ETH(50).

Schistidium imberbe (Sm.) Nees & Hornsch. = *Hedwigidium integrifolium* [8254: 14]

Schistidium perichaetiale (P.de la Varde) Ochyra KEN(46), TAN(1407), UGA(46).

Schistidium perichaetiale var. ***piliferum*** (Demaret) Ochyra KEN(46).

Schistidium perrottetii Mont. = *Erpodium perrottetii* [1521]

Schistidium pulvinatum Brid. = *Schistidium flaccidum* (2185)

Schistidium repens (Hook.) Brid. = *Gigaspernum repens* [1521]

Schistidium rivulare (Brid.) Podp. RWA(65), TAN(46), UGA(2097).

Schistomitrium acutiflorum Mitt. ex C.H.Wright, err. = *Schistomitrium acutifolium* (= *Leucobryum acutifolium*)

Schistomitrium acutifolium Mitt. = *Leucobryum acutifolium* (1521)

Schistomitrium africanum Rehmann ex Kindb., nom. nud. = *Leucobryum madagassum* [7180: 126]

Schistophyllum asplenoides (Hedw.) Brid., nom. inval. in synon. = *Fissidens asplenoides* [1521]

Schistophyllum bryoides (Hedw.) Lindb. = *Fissidens bryoides* [1521]

Schistophyllum crassipes (Bruch & Schimp.) Kindb. = *Fissidens crassipes* [1521]

Schistophyllum debile (Schwaegr.) Brid., nom. inval. in synon. = *Fissidens fontanus* [2584: 44]

Schistophyllum exile (Hedw.) Lindb. = *Fissidens exilis* [1521]

Schistophyllum impar (Mitt.) Lindb. in Lindb. & Arn. = *Fissidens bryoides* ssp. *viridulus* [4926: 79] (= *Fissidens viridulus* var. *viridulus*)

Schistophyllum incurvum (Roehl.) Lindb. = *Fissidens bryoides* ssp. *incurvus* [1521] (= *Fissidens bryoides*). Note: see *Fissidens bryoides* var. *bryoides*.

Schistophyllum incurvum ssp. *crassipes* (Bruch & Schimp.) Lindb. = *Fissidens crassipes* [1521]. Excluded: listed for sub-Saharan Africa by *Index Muscorum*, but no records found.

Schistophyllum incurvum ssp. *viridulum* (Sw.) Lindb. = *Fissidens bryoides* ssp. *viridulus* [1521] (= *Fissidens viridulus* var. *viridulus*)

Schistophyllum julianum (DC.) Lindb. = *Fissidens fontanii* [8172: 405]

Schistophyllum metzgeria (Müll.Hal.) Lindb. = *Fissidens metzgeria* [1521]

Schistophyllum minutulum (Sull.) Lindb. = *Fissidens minutulus* [1521]

Schistophyllum ovatum (Brid.) Brid., nom. inval. in synonym. = *Fissidens ovatus* [1521]

Schistophyllum thunbergii (Brid.) Brid., nom. inval. in synonym. = *Fissidens thunbergii* [1521]

Schistophyllum viridulum (Sw.) Tolf = *Fissidens bryoides* ssp. *viridulus* [1521] (= *Fissidens viridulus* var. *viridulus*)

Schistostega fulva (Hook.) Arnott = *Drepanophyllum falcatifolium* [1509: App. 3]

Schizodon acuminatum Sw., nom. illeg. incl. spec. prior. = *Schlotheimia angulosa* [1521]

Schizomitrium - see *Callicostella*

Schizomitrium papillatum (Mont.) Sull. = *Callicostella papillata* var. *papillata* [1521]

Schizymenium basilare (Schimp. ex Müll.Hal.) A.J.Shaw CMN(47), ETH(50,1927).

Schizymenium bryoides Harv. = *Mielichhoferia bryoides* [8235: 888; 83: 338]

Schizymenium commixtum (Thér.) A.J.Shaw MDG(40).

Schizymenium cratericola (Broth. in Mildbr.) Ochyra & Sharp KEN(46), TAN(46),

UGA(46), ZAI(65,2660).

Schizymenium hariotii (Thér.) A.J.Shaw UGA(46).

Schizymenium hymenostomum (Bruch & Schimp. ex Müll.Hal.) A.J.Shaw ETH(50,1927).

Schizymenium madagassum (Renauld & Cardot ex Cardot) A.J.Shaw MDG(40).

Schizymenium mildbraedii (Broth.) A.J.Shaw KEN(46), RWA(65), TAN(46), UGA(46),

ZAI(65).

Schizymenium ruwenzorensis (Thér. & Naveau) Ochyra & Sharp RWA(65), TAN(46),

UGA(46), ZAI(65).

Schlotheimia abbreviata Broth. in Engl., nom. nud. Excluded: an undescribed collection from Usambara Mts., Tanzania [22: 70; 46: 83].

Schlotheimia acicularis Brid., nom. illeg. incl. spec. prior. = *Macromitrium pallidum* [1521]

Schlotheimia acutifolia Renauld & Paris MDG(40).

Schlotheimia acutifolia var. *angustifolia* Thér. MDG(40).

Schlotheimia angulosa (P.Beauv.) Dixon MAU(105), REU(105), TAN(46).

Schlotheimia badiella Besch. MAU(105), MDG(40), REU(105).

Schlotheimia badiella var. *brevifolia* Renauld MAU(105).

Schlotheimia badiella var. *helicophylla* Besch. MDG(40), REU(105).

Schlotheimia badiella var. *longicaulis* Besch. REU(105).

Schlotheimia balfourii Mitt. SOC(40,1626,2374,5613).

Schlotheimia bequaertii Thér. & Naveau ZAI(65).

Schlotheimia boiviniana Besch. COM(40), MDG(40).

Schlotheimia boivinii Kindb., nom. illeg. incl. spec. prior. = *Schlotheimia boiviniana* [1521]

Schlotheimia brachiphylla Renauld & Cardot REU(105).

Schlotheimia brachypodia Thér. & Naveau ANG(46), MLW(67), RWA(65), ZAI(65).

Schlotheimia breviseta Schimp. ex Müll.Hal. & Geh., nom. illeg. incl. spec. prior. = *Schlotheimia robillardii* [1521]

Schlotheimia bursata Renauld & Cardot in Renauld = *Schlotheimia fornicata* [6793: 301]

Schlotheimia commersoniana Besch. = *Holomitrium cylindraceum* var. *obtusifolium* [4361: 90]

Schlotheimia commersonii Besch. ex Kindb., nom. illeg. incl. spec. prior. = *Holomitrium cylindraceum* var. *obtusifolium* [4361: 90]

Schlotheimia congolensis Cardot ZAI(65).

Schlotheimia conica Renauld & Cardot MDG(40).

Schlotheimia cuspidata Müll.Hal. ex Paris, nom. illeg. incl. spec. prior. = *Schlotheimia percuspidata* [1521]

Schlotheimia cuspidata var. *brevipedunculata* Rehmann ex Paris, nom. nud. = *Schlotheimia percuspidata* [1911: 285]

Schlotheimia cuspidata var. *tenuis* Müll.Hal. ex Dixon & A.Gepp, nom. nud. = *Schlotheimia percuspidata* [1911: 285]

Schlotheimia cyrtophylla P.de la Varde = *Schlotheimia grevilleana* (1878)

Schlotheimia excorrugata Müll.Hal. ex Cardot MDG(40), TAN(46).

Schlotheimia exrugulosa Müll.Hal. = *Schlotheimia percuspidata* [1911: 285]

Schlotheimia ferruginea (Hook. & Grev.) Brid. SAF(1531,4897,7766,8328), SWZ(1531), TAN(46), ZAM(46,62), ZIM(61).

Schlotheimia fornicata Duby MAU(105), MDG(40), REU(105).

Schlotheimia fornicata var. *apiculata* P.de la Varde MDG(40).

- Schlotheimia fornicate*** var. ***microtheca*** P.de la Varde MDG(40).
- Schlotheimia foveolata*** Renauld & Cardot MDG(40).
- Schlotheimia foveolata*** var. ***torquescens*** Cardot MDG(40).
- Schlotheimia fragilifolia*** Thér. & Naveau ETH(111), TAN(46), ZAI(65).
- Schlotheimia fulva* Ångstr. = *Schlotheimia robillardii* (40: 221)
- Schlotheimia gauthieri*** Thér. COM(40), MDG(40).
- Schlotheimia gigantea* Thér., hom. illeg. = *Schlotheimia robusta* [4362: 115]
- Schlotheimia grevilleana*** Mitt. CAF(47), KEN(46), TAN(46), TOG(1878), UGA(46), ZAI(3076), ZIM(61).
- Schlotheimia grevillei* Kindb., nom. illeg. incl. spec. prior. = *Schlotheimia grevilleana* [1521]
- Schlotheimia holstii* Broth. in Engl., nom. nud. Excluded: an undescribed collection from Usambara Mts., Tanzania [22: 70; 46: 83].
- Schlotheimia illecebra*** Schimp. ex Besch. REU(105), ZIM(61).
- Schlotheimia isleana* Besch., nom. nud. in synon. = *Schlotheimia robillardii* [1945: 370]
- Schlotheimia laetevirens*** Broth. MLW(67), TAN(46).
- Schlotheimia linealis* Müll.Hal. ex Geh. = *Schlotheimia nossi-beana* var. *linealis* [1521]
- Schlotheimia macleai* Rehmann ex Kindb. = *Schlotheimia grevilleana* [1911: 284]
- Schlotheimia malacophylla*** Besch. MDG(40), REU(105), TAN(46).
- Schlotheimia microcarpa*** Geh. MDG(40), REU(105).
- Schlotheimia microphylla*** Besch. MDG(40).
- Schlotheimia microphylla*** var. ***farlowii*** Renauld & Cardot MAU(105).
- Schlotheimia mollis* Rehmann ex Paris = *Schlotheimia percuspidata* [1911: 285]
- Schlotheimia nossi-beana*** Müll.Hal. MDG(40).
- Schlotheimia nossi-beana*** var. ***linealis*** (Geh.) Thér. MDG(40).
- Schlotheimia pauli*** Renauld & Cardot MDG(40).
- Schlotheimia percorrugata* Müll.Hal. ex Paris, nom. nud. Excluded: an undescribed collection (*Sikora 14338*) from Madagascar.
- Schlotheimia percuspidata*** Müll.Hal. MLW(67), SAF(1531,8328), TAN(46), ZIM(46).
- Schlotheimia perrieri*** Thér. MDG(40).
- Schlotheimia perrotii*** Renauld & Cardot MDG(40).
- Schlotheimia perrotii*** var. ***breviseta*** Thér. MDG(40).
- Schlotheimia phaeochlora* Besch., nom. illeg. incl. spec. prior. = *Schlotheimia robillardii* (1521)
- Schlotheimia pobeguinii*** Paris & Broth. GUI(47).
- Schlotheimia poecilodictyon*** P.de la Varde & Thér. TAN(46).
- Schlotheimia pulchella* Hornsch. = *Macrocoma pulchella* (7013: 219)
- Schlotheimia quadrifida* Brid., nom. illeg. incl. spec. prior. = *Schlotheimia angulosa* [1521]
- Schlotheimia richardii*** Besch. MAU(105), REU(105).
- Schlotheimia richardii* Schimp. ex Müll.Hal. & Geh., hom. illeg. = *Schlotheimia robillardii* [4250: 1149]
- Schlotheimia rigescens*** Broth. KEN(46), TAN(46), UGA(46), ZAI(65).
- Schlotheimia robillardii*** Duby MAU(105), MDG(40), REU(105), TAN(46).
- Schlotheimia robusta*** Thér. MDG(40), TAN(46).
- Schlotheimia rufoeruginosa* Müll.Hal. Excluded: the type specimen has not been located, and there are no authenticated specimens (1519: 524). It has been recorded for Sudan (3076: 410), Angola (258: 159) and South Africa (1911: 284).
- Schlotheimia rufoglaucia* Müll.Hal. Excluded: no type located, and specimens with this name were *Schlotheimia rufopallens* (1519: 524)
- Schlotheimia rufopallens*** Müll.Hal. SAF(1531,7766,8328).
- Schlotheimia rugifolia*** Hook. ANG(46).
- Schlotheimia schweinfurthii* Müll.Hal. = *Schlotheimia grevilleana* (1878)
- Schlotheimia semidiaphana*** (Renauld & Cardot) Cardot MDG(40).
- Schlotheimia squarrosa*** Brid. MDG(40,1925), REU(105,1925).
- Schlotheimia stenophylla* (Renauld & Cardot) Cardot in Grandid. = *Schlotheimia trichphora* var. *stenophylla* [1521]
- Schlotheimia subfornicata*** Thér. MDG(40), REU(105).
- Schlotheimia subventricosa* Broth. & Bryhn ex Broth., nom. illeg. orthogr. = *Schlotheimia subventrosa* [1911: 284] (= *Schlotheimia ferruginea*)
- Schlotheimia subventrosa* Broth. & Bryhn = *Schlotheimia ferruginea* (1519: 521)
- Schlotheimia tenuiseta*** Geh. MDG(40).

Schlotheimia torquata (Sw. ex Hedw.) Brid. MAS(40).

Schlotheimia trichophora Renauld & Cardot MDG(40).

Schlotheimia trichophora ssp. *stenophylla* Renauld & Cardot in Renauld = *Schlotheimia trichophora* var. *stenophylla* [40]

Schlotheimia trichophora var. *stenophylla* (Renauld & Cardot) Thér. MDG(40).

Schlotheimia trypanoclada Geh. MDG(40).

Schlotheimia turbinata Taylor ex Dixon, nom. nud. in synon. = *Macromitrium levatum* [5490: 127]

Schlotheimia ventricosa Müll.Hall. ex J.Shaw, nom. illeg. orthogr. = *Schlotheimia ventrosa* [1521] (= *Schlotheimia ferruginea*)

Schlotheimia ventrosa Müll.Hal. = *Schlotheimia ferruginea* (1519: 524)

Schoenobryum concavifolium (Griff.) Manuel ANG(46,7157), BIO(8180), CAF(47,7157),

DJI(1569), ETH(111,7157), GHA(7157), IVO(4928), KEN(46,2661,3412,7065),

MDG(40,7157), MLW(67,7157), NGA(47,334,5148,5176,5745,7157), RIM(4639),

RWA(65,7157), SAF(4670,8328), SIE(3216), TAN(46,7157), UGA(4282,7157),

ZAI(65,7157).

Schoenobryum latifolium (Broth. & P.de la Varde) Manuel = *Schoenobryum concavifolium* (7157)

Schoenobryum latifolium var. *microsporum* (P.de la Varde) Manuel = *Schoenobryum concavifolium* (7157)

Schoenobryum madagassum (Geh.) Manuel = *Schoenobryum concavifolium* (7157)

Schoenobryum plicatulum (Dixon & Thér.) Manuel = *Schoenobryum concavifolium* (7157)

Schoenobryum robustum (Broth.) Manuel = *Schoenobryum concavifolium* (7157)

Schoenobryum subintegrum var. *idanreense* (P.W.Richards & S.R.Edwards) Manuel = *Schoenobryum concavifolium* (7157)

Schoenobryum subintegrum var. *subintegrum* (Renauld & Cardot) Manuel = *Schoenobryum concavifolium* (7157)

Schoenobryum subrobustum (Broth. & P.de la Varde) Manuel = *Schoenobryum concavifolium* (7157)

Schoenobryum tisserantii (Thér. & P.de la Varde) Manuel = *Schoenobryum concavifolium* (7157)

Schoenobryum welwitschii (Duby) Manuel = *Schoenobryum concavifolium* (7157)

Schwetschkea aristaria Rehmann ex Kindb., nom. nud. Excluded: appears in a list with no indication or origin, but presumably from South Africa [4232: 104],

Schwetschkea brevis M.Fleisch., nom. nud. Excluded: an undescribed collection from Ethiopia [50: 238].

Schwetschkea brotheri Dusén CAF(47), CMN(47), GAB(47), GUI(47), TAN(46), ZAI(65).

Schwetschkea cameruniae (Dusén) M.Fleisch. = *Schwetschkea brotheri* [10: 905]

Schwetschkea capillifolia Dixon ex Herzog ERI(50).

Schwetschkea dusenii Müll.Hal. ex Dusén, nom. nud. in synon. = *Schwetschkea brotheri* [4087: 54]

Schwetschkea fabronioides (Welw. & Duby) Broth. ANG(46), CAF(47), CMN(47), GAB(47), GHA(47), LBR(47), TAN(146), TOG(1878), UGA(46), ZAI(65).

Schwetschkea grandifolia M.Fleisch., nom. illeg. incl. spec. prior. = *Schwetschkea brotheri* [10: 905]

Schwetschkea grateloupii (Mont.) Müll.Hal. COM(40), REU(105).

Schwetschkea monbuttoviae Müll.Hal. = *Schwetschkea schweinfurthii* (114)

Schwetschkea peracuminata Demaret & V.Leroy ZAI(65).

Schwetschkea rehmannii Müll.Hal. = *Helicodontium lanceolatum* (6230: 258)

Schwetschkea schweinfurthii Müll.Hal. CAF(47), ETH(1927), IVO(1880), SUD(3076),

TAN(46), UGA(46), ZAI(3076).

Schwetschkea usambarica Broth. KEN(3412), MLW(6087), TAN(46), ZAI(65), ZAM(46).

Sciromium capense Mitt. ex Dixon = *Vittia pachyloma* [4691: 399]

Sciurohypnum borgenii Hampe = *Brachythecium borgenii* [1521]

Sclerodictyon compressulum Müll.Hal. = *Anomobryum compressulum* (1521)

Sclerommium tenax Müll.Hal. ex Broth., nom. nud. in synon. = *Leucodontopsis cameruniae* [1521] (= *Henicodium geniculatum*)

Scleropodium purum L. = *Pseudoscleropodium purum* (1521)

Scleropodium touretii var. *touretii* (Brid.) L. Koch CVI(2666).

Scopelophila cataractae (Mitt.) Broth. CAF(47), RWA(65), ZAI(7984).

Scopelophila ligulata (Spruce) Spruce RWA(65), UGA(4282).

Scorpiurium circinatum (Brid.) M.Fleisch. & Loeske CVI(2666), DJI(1569), MAU(6859), SOC(7529).

Scorpiurium deflexifolium (Solms) M.Fleisch. & Loeske CHA(4507).

Scytalina flagellaris (Hedw.) I.Hagen = *Orthodicranum flagellare* [1521]. Excluded: this taxon is listed for sub-Saharan Africa by Index Muscorum, but no records are known.

Seligeria moenkemeyeri Müll.Hal. = *Microdus moenkemeyeri* [1521] (= *Leptotrichella moenkemeyeri*)

Seligeria pallidiseta (Brid.) Müll.Hal. = *Microdus pallidisetus* [1521] (= *Leptotrichella pallidiseta*)

Sematophyllum afrodemissum (Geh.) Broth. = *Sematophyllum caespitosum* [2520: 88] (= *Sematophyllum subpinnatum*)

- Sematophyllum afronemorosum* Paris, nom. nud. Excluded: no original specimen stated, but probably related to *Rhacopilopsis*.
- Sematophyllum alticaule*** Dixon & Thér. KEN(46), UGA(46), ZAI(65).
- Sematophyllum amblystegiogarpum*** (Müll.Hal.) Broth. SAO(47).
- Sematophyllum aneuron*** (Duby) A.Jaeger MAU(105).
- Sematophyllum angusticybeum* (Müll.Hal.) Broth. = *Sematophyllum angusticymbium*. Note: error in *Index Muscorum*.
- Sematophyllum angusticymbium*** (Müll.Hal.) Broth. COM(40).
- Sematophyllum annobonense* Broth. in Mildbr., nom. nud. Excluded: an undescribed collection (*Mildbraed* 6756) from Annobon [1619: 159; 47: 518].
- Sematophyllum bessonii* (Renauld & Cardot) Renauld = *Acanthocladium bessonii* [1521] (= *Wijkia bessonii*)
- Sematophyllum borbonicum* Besch., hom. illeg. = *Trichosteleum subrhinophyllum* [3076: 466]
- Sematophyllum brachycarpum*** (Hampe) Broth. KEN(5315,7065), LES(4897), MOZ(46), SAF(1531,4897,7766,8328), SWZ(1531), UGA(46), ZAM(62), ZIM(46).
- Sematophyllum brachytheciiforme*** (Broth.) Broth. CMN(47), RWA(65), ZAI(65).
- Sematophyllum caespitosum* (Hedw.) Mitt. (sensu Swartz) = *Sematophyllum subpinnatum* (3419)
- Sematophyllum caespitosum* var. *leduceanum* (Mont.) Wijk & Margad. = *Rhaphidostegium caespitosum* [2520: 88] (= *Sematophyllum subpinnatum*)
- Sematophyllum caespitosum* var. *sphaerotheca* (Müll.Hal.) P.de la Varde, nom. inv. = *Sematophyllum caespitosum* (2520) (= *Sematophyllum subpinnatum*). Note: this taxon is mentioned by Potier de la Varde as both a variety and a form (and thus appears in Kis (46)), but this combination has never been published, and the basionym *Rhaphidostegium sphaerotheca* was synonymised with *Sematophyllum caespitosum* by Dixon in 1920 (2520), and is treated here in the same way.
- Sematophyllum cellulosum*** W.R.Buck RWA(65).
- Sematophyllum chrysotis* (Broth.) Broth. = *Sematophyllum caespitosum* [2520: 88] (= *Sematophyllum subpinnatum*)
- Sematophyllum chrysotis* var. *patulifolium* P.de la Varde = *Sematophyllum caespitosum* (47: 518) (= *Sematophyllum subpinnatum*)
- Sematophyllum congolense* (Cardot) Broth. = *Meioithecium congolense* (4139)
- Sematophyllum constrictum*** Mitt. MAS(40).
- Sematophyllum coppeyi*** (Cardot) Broth. MDG(40).
- Sematophyllum corticolum*** (Ångstr.) O'Shea MAS(40).
- Sematophyllum crassirete*** (Cardot) Broth. CAF(47), CON(47), GAB(47), ZAI(65).
- Sematophyllum crassiusculum*** (Brid.) Broth. BUR(65), MAU(105), REU(105).
- Sematophyllum danckelmannii*** (Müll.Hal.) Broth. CMN(47).
- Sematophyllum dixonii*** (Thér.) O'Shea MDG(40).
- Sematophyllum dregei*** (Müll.Hal.) E.B.Bartram KEN(3412,5315), MLW(67), SAF(1531,3411,8328), SWZ(1531), TAN(46), ZIM(46).
- Sematophyllum dubium*** (Renauld) Broth. MDG(40).
- Sematophyllum elgonense*** (Dixon) Broth. ETH(1927), KEN(46), RWA(65), TAN(46), UGA(46), ZAI(65), ZAM(259).
- Sematophyllum erythrocaulon*** Ångstr. STH(1296,4202,4626,5331).
- Sematophyllum euryphyllum*** Dixon & Thér. ZAI(65).
- Sematophyllum flavovesiculosum*** W.R.Buck RWA(65).
- Sematophyllum flexile* (Renauld & Cardot) Renauld = *Heterophyllum flexile* [1521] (= *Rhacopilopsis variegata*)
- Sematophyllum fluminale* (Broth.) Broth. = *Sematophyllum caespitosum* [2520: 89] (= *Sematophyllum subpinnatum*)
- Sematophyllum friesiorum*** P.de la Varde KEN(46), UGA(46).
- Sematophyllum fulvifolium*** Mitt. CAF(47), GAB(47), GUI(1458), IVO(1458,1880), RIM(4639), ROD(105), TAN(46).
- Sematophyllum fulvifolium* var. *patulifolium*** P.de la Varde CAF(47).
- Sematophyllum glutinosum* (Broth.) Broth. = *Sematophyllum caespitosum* [2520: 89] (= *Sematophyllum subpinnatum*)
- Sematophyllum gueinzii*** (Hampe) Magill SAF(1531,4897,8328), SWZ(1531), ZIM(61).
- Sematophyllum helenicum*** Mitt. STH(1296,4202,5331).
- Sematophyllum humillimum*** Dixon & Thér. TAN(46), ZAI(65).
- Sematophyllum incurvum* Mitt. Note: the type specimen of this species in BM is annotated by W.R. Buck (28 Dec 1989) as *Sematophyllum adnatum* (Michx.) E.Britton, but this group of species needs revision, and the taxon has not been formally synonymised, so remains on the list.
- Sematophyllum incurvum*** Mitt. ROD(105,4931).
- Sematophyllum jungneri* (Broth.) Paris = *Acanthocladium jungneri* [1521] (= *Wijkia jungneri*)
- Sematophyllum laetevirens*** (Broth. & Paris) Broth. CAF(47), GUI(47), TAN(46), UGA(46),

ZAI(65).

Sematophyllum laetevirens var. **homomallum** P.de la Varde CAF(47).

Sematophyllum laevisolum Renaud = *Acporium laevisolum* [1521]

Sematophyllum lecoultiae (Duby) A.Jaeger = *Sematophyllum caespitosum* [2520: 88] (= *Sematophyllum subpinnatum*)

Sematophyllum longinerve (Duby) A.Jaeger MAU(105).

Sematophyllum mahense (Besch.) Kindb. = *Rhaphidostichum mahense* [1521] (= *Papillidiopsis mahensis*)

Sematophyllum megasporum (Duby) A.Jaeger = *Acporium megasporum* [1521]

Sematophyllum megasporum var. *densum* Renaud & Cardot = *Acporium megasporum* var. *densum* [1521]

Sematophyllum microcormum Müll.Hal. ex Paris, *nom. nud.* in synon. Excluded: an undescribed collection (*Dusén* 669) from Cameroon.

Sematophyllum nanopyxis (Geh.) O'Shea MDG(40).

Sematophyllum nebulosum W.R.Buck ZAI(65).

Sematophyllum nematocaulon (Müll.Hal.) M.Fleisch. COM(40).

Sematophyllum nigro-alare Dixon ZAI(65).

Sematophyllum obtusifolium (Renaud & Cardot) Broth CAF(47), CMN(47), GAB(47), GUI(47), MDG(40), TAN(46), ZAM(46).

Sematophyllum obtusifolium var. **laxifolium** P.de la Varde GAB(47).

Sematophyllum ochreifolium Müll.Hal. ex Paris, *nom. nud.* in synon. Excluded: an undescribed collection (*Dusén* 27) from Cameroon.

Sematophyllum papillosum (Hornschr.) Mitt. = *Trichosteleum papillosum* [1521]

Sematophyllum parisii Broth. CAF(47), GUI(47).

Sematophyllum perrevolutum (Broth.) Broth. TAN(46), UGA(3072), ZAI(65).

Sematophyllum physaophyllum (Welw. & Duby) Broth. ANG(46).

Sematophyllum physaophyllum (Welw. & Duby) Broth. = *Sematophyllum physaophyllum* [1521]. Note: spelling corrected in *Index Muscorum Addenda*.

Sematophyllum plagiothecoides Dixon & Thér. TAN(259), UGA(46), ZAI(65).

Sematophyllum plumularium Mitt. in Mellis = *Sematophyllum erythrocaulon* (4626)

Sematophyllum pobeguinii (Broth. & Paris) Broth. GUI(47).

Sematophyllum protensum (Renaud & Cardot) Besch. ex Renaud = *Acanthocladium protensum* [1521] (= *Wijkia protensa*)

Sematophyllum reichardtii (Müll.Hal.) Broth. = *Sematophyllum brachycarpum* [1911: 435]

Sematophyllum rhynchophyllum Müll.Hal. ex Paris, *nom. nud.* synon. Excluded: an undescribed collection (*Dusén* 5) from Cameroon.

Sematophyllum rigescens (Cardot) O'Shea MDG(40).

Sematophyllum rivuletorum (Broth.) Broth. CMN(47).

Sematophyllum rodriguezii Broth., *nom. illeg. incl. spec. prior.* = *Sematophyllum incurvum* [1521]

Sematophyllum rubricaulе (Besch.) Cardot in Grandid. = *Rhaphidorrhynchium rubricaulе* [1521]

Sematophyllum rufoviride (Besch.) Broth. = *Clastobryophilum rufoviride* [1521] (= *Clastobryophilum bogoricum*)

Sematophyllum rutenbergii (Geh.) Renaud = *Acanthocladium rutenbergii* [1521] (= *Wijkia rutenbergii*)

Sematophyllum ruwenzorense Dixon & Thér. ZAI(65).

Sematophyllum schimperi (Besch.) Broth. MAU(105), REU(105), TAN(46).

Sematophyllum serandii (Thér.) Broth. GUI(47).

Sematophyllum sinuosulum (Besch.) Broth. KEN(46), MDG(40), REU(105), TAN(46).

Sematophyllum sinuosulum var. **latifolium** (Cardot) Thér. MDG(40).

Sematophyllum socotrense W.R.Buck SOC(2374,5116,5613).

Sematophyllum sphaeropyxis (Müll.Hal.) Broth. SAF(1531,8328), SWZ(1531), ZIM(61).

Sematophyllum sphaerotheca (Müll.Hal.) P.de la Varde, *nom. inval. in synon.* = *Sematophyllum caespitosum* [2520: 88] (= *Sematophyllum subpinnatum*)

Sematophyllum stellatum Renaud & Cardot = *Acporium stellatum* [1521]

Sematophyllum stylites W.R.Buck ZAI(65).

Sematophyllum subbrachytheciiforme P.de la Varde KEN(46), TAN(46), ZAI(65), ZAM(46,62).

Sematophyllum subcochleatum Dixon & Thér. ZAI(65).

Sematophyllum subjulaceum (Broth. & Paris) Broth. GUI(47).

Sematophyllum subpilotrichella Paris, *nom. nud.* Excluded: no published distribution.

Sematophyllum subpinnatum (Brid.) E.Britton AGA(40,2195,2327,2328,2332), ANG(259), BUR(65), CAF(47), CMN(47), CON(47), ETH(111), GAB(47), GUI(47,1458), IVO(47,1880), KEN(7065), LBR(47), LES(4897), MAU(105,3410), MDG(40),

MLW(67), MOZ(357), NGA(47,5148,5176), REU(105), RWA(65),
 SAF(1531,4897,7766,8328), SIE(47), SUD(3076), SWZ(1531), TAN(46), TOG(1878),
 UGA(46), ZAI(65,2675), ZIM(46).

Sematophyllum subrugifolium Dixon MDG(40).

Sematophyllum subscabrellum Renauld & Cardot MDG(40).

Sematophyllum subsimplex (Hedw.) Mitt. CAF(47), CMN(47), CON(47), GAB(47),

GHA(47), GUI(47), IVO(1880), SIE(47,3216), ZAI(65).

Sematophyllum subtrichocolea Paris, nom. nud. = *Wijkia trichocoleoides* [717]

Sematophyllum trachaelocarpum (Kindb.) Broth. NGA(47).

Sematophyllum trichocolea (Müll.Hal.) Kindb. = *Acanthocladium trichocolea* [1521] (= *Wijkia trichocolea*)

Sematophyllum trichocoleoides (Müll.Hal.) Kindb. = *Acanthocladium trichocoleoides* [1521] (= *Wijkia trichocoleoides*)

Sematophyllum wageri C.H.Wright ex Wager MOZ(46), SAF(1531,8328), SWZ(1531),
 ZIM(61).

Sematophyllum zuluense (Sim) Magill SAF(1531,8328).

Semibarbula elongata Hilp. = *Barbula zambesica* (53: 25)

Semibarbula indica (Hook.) Herzog ex Hilp. = *Semibarbula orientalis* [1509: 135] (= *Barbula indica*)

Semibarbula lambarenensis (P.de la Varde) Hilp. = *Barbula indica* (1158)

Semibarbula orientalis (F.Weber) Wijk & Margad. = *Barbula indica* (1620)

Semibarbula stuhlmannii (Broth.) Hilp. = *Barbula stuhlmannii* (1420) (= *Barbula indica*)

Senodictyon afrocrudum Müll.Hal., nom. inval. = *Pohlia afrocruda* (1521)

Senophyllum pygmaeum Müll.Hal. = *Barbula pygmaea* (1521)

Serpotortella chenagonii (Renauld & Cardot) W.D.Reese & R.H.Zander MDG(40),
 REU(105).

Serpotortella cyrtophylla (Besch.) W.D.Reese & R.H.Zander MDG(1474), REU(105),
 SEY(1926,1941,2353).

Serpotortella madagassa Dixon = *Serpotortella chenagonii* (1474)

Serpotortella marginata Dixon = *Serpotortella chenagonii* (1474)

Sigmatella callicostelloides Müll.Hal. ex Paris = *Taxithelium callicostelloides* [1521]. Excluded: an undescribed collection (*Dusén* 18) from Cameroon.

Sigmatella glabriuscula Müll.Hal. ex Broth., nom. nud. in synon. = *Taxithelium glabriusculum* [1521]

Sigmatella hemicuspis Müll.Hal., nom. nud. = *Radulina borbonica* [6808]

Sigmatella leptopunctata Müll.Hal. ex Broth., nom. nud. in synon. = *Taxithelium leptopunctatum* [1521]

Sigmatella micrangia Müll.Hal. ex Broth., nom. nud. = *Taxithelium micrangium* [1521]. Excluded: an undescribed collection by (*Dusén* s.n.) from Cameroon.

Sigmatella papillosa (Hornsch.) Müll.Hal. = *Trichosteleum papillosum* [1521]

Sigmatella perhamosa Müll.Hal. ex Paris, nom. nud. = *Trichosteleum perhamosum* [1521] (= *Radulina borbonica*)

Sigmatella perminuta Müll.Hal. ex Broth., nom. nud. in synon. = *Trichosteleum perminutum* [1521]

Sigmatella perminutula Müll.Hal. ex Paris, nom. nud. = *Taxithelium perminutulum* [1521]. Excluded: an undescribed collection (*Dusén* 475) from Cameroon.

Sigmatella plana (Brid.) Müll.Hal. = *Taxithelium planum* [1521]

Sigmatella rotundatula Müll.Hal. ex Broth., nom. nud. in synon. = *Taxithelium rotundatum* [1521]

Sigmatella tamatavensis Müll.Hal. ex Renauld & Cardot, nom. nud. in synon. = *Trichosteleum borbonicum* var.
brachycarpum [4088: 98] (= *Radulina borbonica*)

Sigmatella taxicaulioides Müll.Hal. ex Grandid., nom. nud. in synon. = *Acanthorrhynchium loucoubense* [1848: 475] (= *Acanthorrhynchium papillatum*)

Simophyllum viridulum Lindb., nom. illeg. incl. spec. prior. = *Weissia controversa* [1521]

Skitophyllum aspleniooides (Hedw.) Bach.Pyl. = *Fissidens aspleniooides* [1521]

Skitophyllum bryoides (Hedw.) Bach.Pyl. = *Fissidens bryoides* [1521]. Note: see *Fissidens bryoides* var. *bryoides*.

Skitophyllum congestum Bach.Pyl., nom. illeg. incl. spec. prior. = *Fissidens grandifrons* [1521]

Skitophyllum exile (Hedw.) Bach.Pyl. = *Fissidens exilis* [1521]

Skitophyllum fontanum Bach.Pyl. = *Fissidens fontanum* [1521; 82: 67]

Skitophyllum incurvum (Röhl) Bach.Pyl. = *Fissidens bryoides* var. *incurvus* [1521] (= *Fissidens bryoides*). Note: see
Fissidens bryoides var. *bryoides*.

Skitophyllum julianum (DC.) Brid., nom. inval. in synon. = *Fissidens fontanum* [8172: 405]

Skitophyllum minutulum (Sull.) Lindb., nom. inval. in synon. = *Fissidens minutulus* [1521]

Skitophyllum viridulum Lindb. ex Paris, nom. inval. in synon. = *Fissidens bryoides* ssp. *viridulus* [1521] (= *Fissidens*
viridulus var. *viridulus*)

Solmsiella biseriata (Austin) Steere = *Erpodium biseriatum* (273)

Solmsiella ceylonica (Thwaites & Mitt.) Müll.Hal. = *Erpodium biseriatum* (46)

Solmsiella ceylonica var. *africanum* P.de la Varde = *Erpodium biseriatum* (46)

Sphaerangium africanum Rehmann ex Geh., nom. nud. = *Goniomitrium africanum* [1521] (= *Goniomitrium acuminatum*
 ssp. *africanum*)

Sphaerangium capense (Müll.Hal.) A.Jaeger = *Acaulon muticum* [1911: 218]. Excluded: see *Acaulon muticum*.

Sphaerangium muticum (Hedw.) Schimp. = *Acaulon muticum* [1521]. Excluded: see *Acaulon muticum*.
Sphaerocephalus palustris (Hedw.) Lindb. = *Aulacomnium palustre* [1521]

Sphaerocephalus turgidus (Wahlenb.) Lindb. = *Aulacomnium turgidum* [1521]

Sphaerothecium subchlorophyllum (Müll.Hal. in Rabenh.) J.-P.Frahm

LES(1475,1531,4897), SAF(1531,8328), ZIM(7623).

Sphagnum aculeatum Warnst. = *Sphagnum tumidulum* var. *tumidulum* (59: 117)

Sphagnum acutifolium var. *borbonicum* Renauld & Cardot ex Warnst. = *Sphagnum violascens* (59: 90)

Sphagnum acutifolium var. *recurvum* (P.Beauv.) Sw. Excluded: listed for sub-Saharan Africa by *Index Muscorum*, but no records have been reported.

Sphagnum acutifolium var. *recurvum* (P.Beauv.) Sw. = *Sphagnum recurvum* [1521]. Excluded: see *Sphagnum recurvum*.

Sphagnum acutifolium var. *rodriguezii* Renauld & Cardot, *nom. nud.* = *Sphagnum violascens* [59: 90]

Sphagnum aequifolium Warnst. = *Sphagnum rutenbergii* [8234: 14; 59: 108]

Sphagnum africanum Welw. & Duby ANG(59), MLW(59,67), SAF(7766), ZAI(59),

ZAM(59,62), ZIM(59).

Sphagnum afrocrassicladum Dixon & Sherrin in Dixon = *Sphagnum davidi* (59: 121)

Sphagnum albicans var. *angustilimbatum* (Warnst.) Warnst. = *Sphagnum planifolium* var. *angustilimbatum* (59: 148)

Sphagnum albicans Warnst. = *Sphagnum planifolium* var. *planifolium* (59: 146)

Sphagnum aloysii-sabaudiae G.Negri = *Sphagnum cuspidatum* (59: 137)

Sphagnum angolense Warnst. = *Sphagnum africanum* (59: 113)

Sphagnum angustilimbatum Warnst. = *Sphagnum planifolium* var. *angustilimbatum* (59: 148)

Sphagnum arbogastii Renauld & Cardot = *Sphagnum perichaetiale* (59: 83)

Sphagnum australe Mitt. = *Sphagnum lacteolum* Besch. [59] (= *Sphagnum strictum* ssp. *pappeanum*)

Sphagnum austromolle Müll.Hal. = *Sphagnum capense* (59: 124)

Sphagnum balfourianum Warnst. = *Sphagnum perichaetiale* (59: 83)

Sphagnum bernieri Besch. ex Renauld & Cardot = *Sphagnum cuspidatum* (59: 137)

Sphagnum bescherelei Warnst. = *Sphagnum strictum* ssp. *pappeanum* (59: 157)

Sphagnum bessonii Warnst. = *Sphagnum planifolium* var. *planifolium* (59: 146)

Sphagnum beyrichianum Warnst. = *Sphagnum pycnocladum* (59: 130)

Sphagnum borbonicum Warnst. = *Sphagnum violascens* (59: 90)

Sphagnum bordasii Besch. = *Sphagnum truncatum* var. *bordasii* (59: 106)

Sphagnum bourbonense H.A.Crum REU(1632).

Sphagnum bourbonense P.Beauv. ex Steud., *nom. inval. in synon.* = *Sphagnum cymbifolium* var. *bourbonense* [1521] (= *Sphagnum perichaetiale*)

Sphagnum capense Hornsch. MDG(59), MLW(59,67), MOZ(357), REU(59),

SAF(59,1531,7766,8328), ZIM(59).

Sphagnum capense var. *austromolle* (Müll.Hal.) Warnst. = *Sphagnum capense* (59: 124)

Sphagnum capense var. *mollissimum* (Müll.Hal.) Warnst. = *Sphagnum capense* (59: 124)

Sphagnum capense var. *multiporosum* Warnst. = *Sphagnum capense* (59: 124)

Sphagnum capillifolium ssp. ***capillifolium*** (Ehrh.) Hedw. REU(105).

Sphagnum cardotii Warnst. = *Sphagnum planifolium* var. *planifolium* (59: 146)

Sphagnum ceylonicum Mitt. ex Warnst. KEN(59), MDG(59), REU(59), TAN(259),

UGA(59), ZAI(65).

Sphagnum chevalieri Warnst. = *Sphagnum davidi* (59: 124)

Sphagnum clandestinum P.Beauv., *nom. nud.* = *Leucobryum javense* [7230: 88]

Sphagnum condensatum Brid. Note: not treated by Eddy (59), but included in Crosby *et al.* (40), and shown by *Index Muscorum* (1521) as present in Africa-3.

Sphagnum condensatum Brid. REU(105).

Sphagnum congoanum Warnst. ex Renauld & Cardot = *Sphagnum planifolium* var. *angustilimbatum* (59: 148)

Sphagnum contortum var. *algerianum* (Cardot) Warnst. = *Sphagnum auriculatum* (59: 99)

Sphagnum convolutum Warnst. = *Sphagnum truncatum* [1911: 132; 59: 101]

Sphagnum coranatum Müll.Hal. ex Geh., *nom. nud. err.* = *Sphagnum coronatum* [1510] (= *Sphagnum truncatum*)

Sphagnum cordemoyi Warnst. = *Sphagnum violascens* (59: 90)

Sphagnum coronatum Müll.Hal. = *Sphagnum truncatum* (59: 101)

Sphagnum coronatum var. *cuspidatum* Rehmann ex Warnst. = *Sphagnum truncatum* (59: 101)

Sphagnum coronatum var. *falcatum* Müll.Hal. ex Warnst. = *Sphagnum truncatum* (59: 101)

Sphagnum coronatum var. *fluctuans* Rehmann ex Dixon & A.Gepp = *Sphagnum truncatum* (59: 101)

Sphagnum cuspidatum Müll.Hal. MDG(59), RWA(59).

Sphagnum cuspidatum Renauld, *hom. illeg.* (1897) = *Sphagnum bernieri* [8239: 260] (= *Sphagnum cuspidatum* (1796))

Sphagnum cuspidatum var. ***cuspidatum*** Hoffm. CON(59), GAB(59), MDG(59),

REU(8282), RWA(59,65), UGA(59), ZAI(59,65).

Sphagnum cuspidatum var. *latetruncate* Warnst., *nom. nud. in synon.* = *Sphagnum truncatum* [1911: 132; 59: 101]

Sphagnum cymbifolium (Ehrh.) Hedw. = *Sphagnum palustre* [1521]. Excluded: see *Sphagnum palustre*.

Sphagnum cymbifolium ssp. *papillosum* (Lindb.) Warnst. = *Sphagnum papillosum* [1521]. Excluded: listed by *Index Muscorum* for sub-Saharan Africa, but no records have been found.

Sphagnum cymbifolium var. *bourbonense* P.Beauv. = *Sphagnum perichaetiale* (59: 83)
Sphagnum cymbifolium var. *patens* (Brid.) Brid., *nom. illeg. incl. spec. prior.* = *Sphagnum cymbifolium* var. *bourbonense* [1521] (= *Sphagnum perichaetiale*)
Sphagnum cymbifolium var. *tenellum* (Hoffm.) Brid. = *Sphagnum papillosum* [1521]. Excluded: listed by *Index Muscorum* for sub-Saharan Africa, but no records have been found.
Sphagnum davidii var. *brachydasycladum* Warnst. = *Sphagnum davidii* (59: 121)
Sphagnum davidii var. *flavo-fuscescens* Warnst. = *Sphagnum davidii* [59: 121]
Sphagnum davidii var. *viride* Warnst. = *Sphagnum davidii* [59: 121]

Sphagnum daviddii Warnst. CMN(59), IVO(59), KEN(59,3412,5315), MLW(59,67), NGA(59), REU(59), RWA(59,65), SIE(59), TAN(59), UGA(59), ZAI(59,65).

Sphagnum drouhardii Cardot = *Sphagnum perichaetiale* (59: 83)
Sphagnum ericetorum Besch., *hom. illeg.* = *Sphagnum violascens* (59: 90)

Sphagnum ericetorum Brid. MDG(59), REU(59).

Sphagnum eschowensis Warnst.. = *Sphagnum truncatum* var. *bordasii* (59: 106)

Sphagnum fimbriatum var. ***fimbriatum*** Wilson SAF(59,1531,8328).

Sphagnum flaccirameum Müll.Hal. ex Cardot, *nom. nud. in synon.* = *Sphagnum pallidum* [8304: 64] (= *Sphagnum rutenbergii*)

Sphagnum flavirameum Müll.Hal. ex Warnst. = *Sphagnum rutenbergii* (59: 108)

Sphagnum fluctuans Müll.Hal. = *Sphagnum truncatum* [1911: 132; 59: 101]

Sphagnum gabonense Besch. ex Warnst.. = *Sphagnum cuspidatum* (59: 137)

Sphagnum glaucum ssp. *papillosum* Warnst. = *Sphagnum papillosum* [1521]. Excluded: listed by *Index Muscorum* for sub-Saharan Africa, but no records have been found.

Sphagnum glaucum var. *papillosum* Schimp. ex Warnst. = *Sphagnum papillosum* [1521]. Excluded: listed by *Index Muscorum* for sub-Saharan Africa, but no records have been found.

Sphagnum goetzeanum Warnst. = *Sphagnum pycnocladum* (59: 130)

Sphagnum grandirete Warnst. = *Sphagnum magellanicum* ssp. *grandirete* (59: 87)

Sphagnum helenicum Warnst. STH(1296).

Sphagnum hildebrandtii Müll.Hal. = *Sphagnum tumidulum* var. *tumidulum* (59: 117)

Sphagnum humbertii Cardot = *Sphagnum capense* (59: 124)

Sphagnum humidulum Besch. ex Müll.Hal. *err.* = *Sphagnum tumidulum* [anon., in ms. (2787: 102)]

Sphagnum hypnoides Schimp. ex Warnst., *nom. inval. in synon.* = *Sphagnum truncatum* [1911: 126; 59: 103]

Sphagnum ikongense Warnst. = *Sphagnum cuspidatum* (59: 137)

Sphagnum imbricatum Schimp. ex Warnst. = *Sphagnum tumidulum* var. *tumidulum* (59: 117)

Sphagnum iridans Brid., *nom. illeg. incl. spec. prior.* = *Leucobryum javense* [1521]

Sphagnum islei Warnst. = *Sphagnum capense* (59: 124)

Sphagnum keniae Dixon = *Sphagnum ceylonicum* (59: 135)

Sphagnum kerstenii Hampe = *Sphagnum ceylonicum* (59: 135)

Sphagnum laceratum sensu Garside = *Sphagnum violascens* (59: 90)

Sphagnum lacteolum Besch. = *Sphagnum strictum* ssp. *pappeanum* (59: 155)

Sphagnum latelimbatum Müll.Hal. ex Warnst., *nom. nud. in synon.* = *Smatophyllum truncatum* [1911: 132]

Sphagnum laxirete Thér. = *Sphagnum pappeanum* Müll.Hal. [8233: 186] (= *Sphagnum strictum* ssp. *pappeanum*)

Sphagnum lingulatum Warnst., *nom. nud. in synon.* = *Sphagnum bordasii* [7971: 25] (= *Sphagnum truncatum* var. *bordasii*)

Sphagnum macromolluscum Dixon = *Sphagnum planifolium* var. *rugegense* (59: 148)

Sphagnum madegassum Müll.Hal. = *Sphagnum planifolium* var. *planifolium* (59: 146)

Sphagnum magellanicum Müll.Hal. *auct. afr.* = *Sphagnum magellanicum* ssp. *grandirete* (59)

Sphagnum magellanicum ssp. ***grandirete*** (Warnst.) A.Eddy MDG(59).

Sphagnum marginatum Schimp. ex Warnst. = *Sphagnum truncatum* [1911: 132; 59: 103]

Sphagnum marginatum var. *convolutum* (Warnst.) Warnst. = *Sphagnum truncatum* [1911: 132; 59: 103]

Sphagnum marginatum var. *fluctuans* Hampe ex Müll.Hal. = *Sphagnum truncatum* [1911: 132; 59: 103]

Sphagnum marlothii Warnst. = *Sphagnum perichaetiale* (59: 83)

Sphagnum mathieui var. *subsquarrosum* Warnst. Excluded: not mentioned by Eddy (59)

Sphagnum mathieui Warnst. = *Sphagnum truncatum* var. *bordasii* (59: 106)

Sphagnum mauritianum Warnst., 1891 = *Sphagnum rutenbergii* (59: 108)

Sphagnum mauritianum Warnst., 1911 = *Sphagnum truncatum* var. *bordasii* (59: 106)

Sphagnum meridense (Hampe) Müll.Hal. Excluded: this is an American taxon, not known in Africa (59). The synonym of this name given in Crosby *et al.* (40) is *Sphagnum cymbifolium* var. *patens* (Brid.) Brid., *nom. illeg.*, but this is treated by Eddy (59) as *nomina ambigua*, as there is no specimen and the description is "inadequate for positive identification".

Sphagnum mildbraedii Warnst. = *Sphagnum strictum* ssp. *pappeanum* [8232: 100; 59: 157]

Sphagnum mollissimum Müll.Hal. = *Sphagnum capense* (59: 124)

Sphagnum mollissimum var. *elongatum* Rehmann ex Warnst. = *Sphagnum capense* (59: 124)

Sphagnum mucronatum Müll.Hal., *hom. illeg.* = *Sphagnum tumidulum* var. *tumidulum* (59: 117)

Sphagnum nemoreum Scop. = *Sphagnum capillifolium* [7879]

Sphagnum obovatum Warnst. = *Sphagnum rutenbergii* (59: 108)

Sphagnum obtusifolium var. *capense* Sw. Excluded: not mentioned by Eddy [59].

Sphagnum obtusifolium Warnst., nom. inval. Excluded: this taxon is listed for Madagascar and the Mascarenes (40), but is not treated by Eddy (59) or *Index Muscorum*, and may be a mis-spelling of *Sphagnum obtusiusculum*, as the two synonyms of '*Sphagnum obtusifolium* Warnst.' given in Crosby & Schultze-Motel (40) are both now synonyms of *Sphagnum violascens* (59: 90).

Sphagnum obtusiusculum Lindb. ex Warnst. = *Sphagnum violascens* (59: 90)

Sphagnum obtusiusculum var. *pallescens* Warnst. = *Sphagnum violascens* [59: 90]

Sphagnum obtusiusculum var. *purpurascens* Warnst. = *Sphagnum violascens* [59: 90]

Sphagnum oligodon Rehmann ex Müll.Hal. = *Sphagnum truncatum* var. *bordasii* (59: 106)

Sphagnum oligodon var. *bachmanii* Warnst. = *Sphagnum truncatum* var. *bordasii* [59: 106]

Sphagnum oligodon var. *beyrichii* Warnst. = *Sphagnum truncatum* var. *bordasii* [59: 106]

Sphagnum oxycladum var. *mauritianum* (Warnst.) Warnst. = *Sphagnum truncatum* var. *bordasii* (59: 106)

Sphagnum oxycladum Warnst.. = *Sphagnum truncatum* (59: 103)

Sphagnum pallidum Warnst. = *Sphagnum rutenbergii* (59: 108)

Sphagnum palustre L. Excluded: omitted from Eddy (59), but included in Crosby *et al.* (40) for Réunion, although not shown in *Index Muscorum* (1521) for Africa.

Sphagnum palustre ssp. *papillosum* (Lindb.) Russ. = *Sphagnum papillosum* [1521]. Excluded: reported from sub-Saharan Africa by *Index Muscorum*, but no records found.

Sphagnum palustre var. *cuspidatum* (Hoffm.) Lilj. = *Sphagnum cuspidatum* [1521]

Sphagnum panduraefolium Müll.Hal. = *Sphagnum capense* (59: 124)

Sphagnum pappeani Breutel ex Warnst. = *Sphagnum capense* (59: 124)

Sphagnum pappeanum Müll.Hal. = *Sphagnum strictum* var. *pappeanum* (82)

Sphagnum pappeanum var. *sparsifolium* (Warnst.) Warnst. = *Sphagnum strictum* ssp. *pappeanum* (59: 157)

Sphagnum pappeanum var. *subsquarrosum* Warnst. Excluded: not mentioned by Eddy [59].

Sphagnum patens Besch. = *Sphagnum strictum* ssp. *pappeanum* (59: 155)

Sphagnum patens Besch., hom. illeg. = *Sphagnum strictum* var. *pappeanum* [59: 155]

Sphagnum perichaetiale Hampe ANG(59), MAU(59,5916), MDG(59), REU(59), SAF(59,1531,8328).

Sphagnum perrieri Thér. MDG(40).

Sphagnum perrieri Thér. Note: not dealt with by Eddy (59), although shown as valid for Africa-3 in *Index Muscorum* (1521), and included in Crosby *et al.* (40).

Sphagnum planifolium var. ***angustilimbatum*** (Warnst.) A.Eddy MDG(59), TAN(59), UGA(59), ZAI(65), ZIM(59).

Sphagnum planifolium var. *congoanum* (Warnst.) Warnst. = *Sphagnum planifolium* var. *angustilimbatum* [59: 148]

Sphagnum planifolium var. ***planifolium*** Müll.Hal. CMN(59), GAB(59), IVO(59), KEN(59), MDG(59), RIM(4639), RWA(65), SAF(59), TAN(59), UGA(59), ZAI(59,65), ZAM(59), ZIM(59).

Sphagnum planifolium var. ***ruegense*** (Warnst.) A.Eddy KEN(59), RWA(65), TAN(59), UGA(59), ZAI(65), ZAM(59).

Sphagnum potieri H.K.G.Paul = *Sphagnum planifolium* var. *angustilimbatum* (59: 148)

Sphagnum pseudocuspidatum Warnst. = *Sphagnum madagassum* [1521] (= *Sphagnum planifolium* var. *planifolium*)

Sphagnum pugionatum Müll.Hal. ex Warnst. = *Sphagnum tumidulum* var. *tumidulum* (59: 117)

Sphagnum pulchricoma Müll.Hal. Excluded: only known from America (confused with *pulchricoma* Warnst., hom. illeg.).

Sphagnum pulchricoma Warnst., hom. illeg. = *Sphagnum planifolium* var. *planifolium* (59: 146)

Sphagnum purpureum Schimp. ex Warnst. = *Sphagnum violascens* (59: 90)

Sphagnum pycnocladulum Müll.Hal. MLW(59,67), RWA(59), SAF(59,1531,8328), ZIM(7623).

Sphagnum pycnocladulum var. *fuscescens* Warnst. = *Sphagnum pycnocladulum* [59: 130]

Sphagnum pycnocladulum var. *viride* Warnst. = *Sphagnum pycnocladulum* [59: 130]

Sphagnum recurvatum Warnst. ex Mildbr. = *Sphagnum planifolium* var. *ruegense* (59: 148)

Sphagnum recurvum P.Beauv. Excluded: reported from sub-Saharan Africa by *Index Muscorum*, but no records found.

Sphagnum recurvum var. *cuspidatum* (Hoffm.) Hartm. = *Sphagnum cuspidatum* [1521]

Sphagnum recurvum var. *pulchricoma* (Müll.Hal.) Warnst. Excluded: see under *Sphagnum pulchricoma* Müll.Hal.

Sphagnum rehmannii Warnst. = *Sphagnum truncatum* (59: 103)

Sphagnum rigidiforme Warnst. ex Cardot, nom. nud. in synon. = *Sphagnum pappeanum* [8304: 143]

Sphagnum rodriguezii Renauld & Cardot ex Warnst., nom. nud. in synon. = *Sphagnum violascens* [59: 90]

Sphagnum ruegense var. *gracilescens* Warnst. Excluded: not mentioned by Eddy [59]

Sphagnum ruegense Warnst. ex Mildbr. = *Sphagnum planifolium* var. *ruegense* (59: 148)

Sphagnum rutenbergii Müll.Hal. MAU(59), MDG(59), REU(59).

Sphagnum ruwenzorense Negri = *Sphagnum planifolium* var. *ruegense* (59: 148)

Sphagnum salvani Warnst. = *Sphagnum rutenbergii* (59: 108)

Sphagnum scotiae Cardot = *Sphagnum violascens* (59: 90)

Sphagnum slooveri A.Eddy BUR(59).

Sphagnum sparsifolium Warnst. = *Sphagnum strictum* ssp. *pappeanum* (59: 157)

Sphagnum strictum* ssp. *pappeanum (Müll.Hal.) A.Eddy MDG(59), REU(59), RWA(59), SAF(59,1531,8328), TAN(59), UGA(59), ZAI(59,65).

Sphagnum strictum Sull. Note: this taxon appeared in error in previous lists for *S. strictum* var. *pappeanum*.

Sphagnum stuhlmannii Warnst. = *Sphagnum planifolium* var. *angustilimbatum* (59: 148)

Sphagnum submucronatum Müll.Hal. ex Warnst., nom. nud. in synon. = *Sphagnum tumidulum* var. *tumidulum* (59: 117)

Sphagnum subrotundifolium Müll.Hal. = *Sphagnum capense* (59: 124)

Sphagnum tenellum Ehrh. Ex Hoffm. Excluded: reported for Africa [1521], but excluded (regarded as boreal) by Eddy [59: 116]

Sphagnum transvaaliense Müll.Hal. ex Warnst. = *Sphagnum truncatum* (59: 103)

Sphagnum truncatum var. ***bordasii*** (Besch.) A.Eddy BUR(59,65), MAU(59), MDG(59), REU(59), SAF(59).

Sphagnum truncatum var. ***truncatum*** Hornsch. MOZ(59), SAF(59,1531,8328), SWZ(1531), ZIM(7623).

Sphagnum tumidulum var. ***confusum*** A.Eddy REU(59).

Sphagnum tumidulum var. *macrophyllum* Warnst. = *Sphagnum tumidulum* var. *tumidulum* (59: 117)

Sphagnum tumidulum var. *microphyllum* Warnst. = *Sphagnum tumidulum* var. *tumidulum* (59: 117)

Sphagnum tumidulum var. ***tumidulum*** Besch. MAU(59), MDG(59), REU(59).

Sphagnum ugandense J.Taylor & A.Thompson = *Sphagnum ceylonicum* (59: 135)

Sphagnum vandenbroeckii Naveau = *Sphagnum ceylonicum* (59: 135)

Sphagnum violascens Müll.Hal. ASC(5329,5334,5340), MAU(59,5916), MDG(59), MLW(59,67), MOZ(59,357), REU(59), SAF(59,1531,8328).

Sphagnum wenckei Roell = *Sphagnum capense* (59: 124)

Splachnobryum acutifolium Thér. = *Bryum acutifolium* (2383)

Splachnobryum aquaticum Müll.Hal. CHA(51), SOM(50,2383,6215).

Splachnobryum boivinii Müll.Hal. = *Splachnobryum obtusum* (2383)

Splachnobryum brotheri Paris = *Splachnobryum gracile* (2383)

Splachnobryum crenulatum Cardot = *Splachnobryum obtusum* [265: 283; 2383]

Splachnobryum erosulum Müll.Hal. ex Dusén = *Gymnostomiella erosulum* (4669)

Splachnobryum gracile Besch. CAF(47,2383,6215), CMN(2383,6215),

COM(40,2383,6215), GAB(47,2383,6215), GUI(47,2383,6215), IVO(4928), MDG(40), MLW(67), NGA(334,2383,5176,6215), SIE(6215), TAN(2383,6215), ZAI(2383,6215).

Splachnobryum inundatum Müll.Hal. = *Splachnobryum obtusum* (2383)

Splachnobryum obtusum (Brid.) Müll.Hal. BIO(2383,6215), BOT(2383,6215), CAF(47),

CHA(2383,6215), CMN(47), GAB(47,2383,6215), GAM(2383,6215), GHA(5925,6215), GUI(47,2383,6215), IVO(4928,6215), MDG(40,2383,6215), MTN(6996), NGA(2383,4314,5176,6215), REU(8028), SIE(47), SOM(2383,6215),

ZAI(65,2383,6215).

Splachnobryum rostratum Broth. & Paris = *Splachnobryum gracile* (2383)

Splachnobryum subjulaceum Cardot = *Splachnobryum gracile* (2383)

Splachnobryum subjulaceum var. *laxifolium* P.de la Varde = *Splachnobryum gracile* (2383)

Splachnobryum subjulaceum var. *subspatulifolium* P.de la Varde = *Splachnobryum gracile* (2383)

Splachnobryum suborbifolium (Paris & Broth.) Müll.Hal. = *Splachnobryum obtusum* (2383)

Splachnobryum tenerum Müll.Hal. ex Dusén = *Gymnostomiella vernicosa* var. *tenerum* (4669)

Splachnum adolphi-friedericici Broth. UGA(6624), ZAI(65).

Spoggodera cavallii (G.Negri) G.L.Sm. = *Oligotrichum cavallii* (2869)

Spoggodera cavallii (G.Negri) P.de la Varde & Thér., comb. inval. = *Oligotrichum cavallii* [2869]

Sporledera brevipes (Hook.) Müll.Hal. = *Bruchia brevipes* [1521]

Sporledera eckloniana (Müll.Hal.) Hampe ex A.Jaeger = *Bruchia eckloniana* [1521]

Sporledera ecklonii Hampe ex Kindb., nom. illeg. incl. spec. prior. = *Bruchia eckloniana* [1521]

Sporledera elegans (Hornsch.) Müll.Hal., nom. inval. in synon. = *Bruchia brevipes* [8020: 92]

Sporledera laxifolia Renaud & Cardot = *Pseudephemerum nitidum* (285)

Sporledera longifolia (Cardot) Broth. = *Nanomitriopsis longifolia* (3054)

Sporledera rehmanni Müll.Hal. = *Pleuridium pappeanum* [53: 22]

Squamidium biforme (Hampe) Broth. = *Squamidium brasiliense* (93)

Squamidium biforme var. *congesta* (Renauld & Cardot) Een = *Squamidium brasiliense* (93)

Squamidium biforme var. *densirameum* (Broth.) Bizot = *Squamidium brasiliense* (93)

Squamidium brasiliense (Hornsch.) Broth. COM(40,93), ETH(93,111),

KEN(46,93,5315,6614,7065), MDG(40,93,1925), MOZ(93), REU(93,105,1925),

RWA(65), SAF(1531,4897,7766,8328), SWZ(1531), TAN(46,93,1406), UGA(46,93),

ZAI(65,93), ZIM(7623).

- Squamidium chlorothrix* (Müll.Hal.) Broth. = *Squamidium brasiliense* (93)
Squamidium densirameum (Broth.) Broth. = *Squamidium brasiliense* (93)
Squamidium rehmannii (Müll.Hal.) Broth. = *Squamidium brasiliense* [1519: 578]
Stableria aethiopica (Müll.Hal.) Broth. = *Orthodontium gracile* [616: 22]
Stableria gracilis (Bruch & Schimp.) Lindb. ex Braithw. = *Orthodontium gracile* [1521]
Stableria ruwenzorense Thér. & Naveau = *Orthodontium ruwenzorense* (1663).
Stableria tenella (Mitt.) Broth. = *Orthodontium gracile* [8312: 117]
Stenocarpidiopsis perfilaris Müll.Hal. ex M.Fleisch., nom. nud. Excluded: an undescribed collection from Ethiopia [50: 240].
Stenocarpidium perfilaris M.Fleisch., nom. nud. = *Stenocarpidiopsis perfilaris* (1521). Excluded: see *Stenocarpidiopsis perfilaris*.
Stenomitrium erosum Mitt. = *Zygodon erosus* (1521)
Stereodon abyssinicus (Müll.Hal.) Mitt. = *Pylaisiobryum abyssinicum* [1521]
Stereodon aduncoides (Brid.) Broth. = *Hypnum aduncoides* [1521] (= *Hypnum macrogynum*)
Stereodon afrocupressiformis Broth. ex Paris, nom. nud. = *Hypnum cupressiforme* var. *ericetorum* [1848: 456] (= *Hypnum jutlandicum*)
Stereodon alboalaris Broth. = *Rhacopilopsis variegata* (4720)
Stereodon algirianus (Schrad.) Brid. = *Rhynchostegiella tenella* [8151: 209]
Stereodon auberti (Schwaegr.) Brid., comb. inval. = *Catagonium nitens* ssp. *nitens* [8103: 300]
Stereodon barteri Mitt. = *Erythrodontium barteri* [1521]
Stereodon basalticus (Müll.Hal.) Broth. ex Paris = *Hypnum aduncoides* [1911: 423] (= *Hypnum macrogynum*)
Stereodon borbonicus (Bél.) Mitt. = *Trichosteleum borbonicum* [1521] (= *Radulina borbonica*)
Stereodon brachycarpus Mitt. = *Sematophyllum brachycarpum* [1521]
Stereodon caespitosum (Hedw.) Mitt. = *Sematophyllum caespitosum* [1521] (= *Sematophyllum subpinnatum*)
Stereodon crassicaulis (Müll.Hal.) Broth. ex Paris = *Ectropothecium regulare* [1911: 425]
Stereodon cupressiformis (Hedw.) Brid. ex Mitt. = *Hypnum cupressiforme* (1521)
Stereodon cupressiformis var. *aduncoides* (Brid.) Brid. = *Hypnum aduncoides* [1521] (= *Hypnum macrogynum*)
Stereodon cupressiformis var. *brevisetus* (Schimp.) Braithw. = *Hypnum cupressiforme* [4926: 670]
Stereodon cupressiformis var. *ericetorum* (Bruch & Schimp.) C.E.O.Jensen = *Hypnum jutlandicum* [162]
Stereodon cupressiformis var. *tectorum* (Brid.) Braithw. Excluded: although this taxon is listed for Africa [1521], no records have been found.
Stereodon cupressiformis var. *vaucherii* (Lesq.) Lindb. & Arn. = *Hypnum vaucherii* (1521)
Stereodon denticulatus (Hedw.) Mitt. = *Plagiothecium denticulatum* [1521]. Note: see *Plagiothecium denticulatum*.
Stereodon diffusus Mitt. = *Ectropothecium diffusum* [1521]
Stereodon ericetorum (Bruch & Schimp.) Loeske = *Hypnum cupressiforme* var. *ericetorum* [1521] (= *Hypnum jutlandicum*)
Stereodon flavescens (Hook.) Mitt. = *Campylodontium flavescens* [1521] (= *Mesonodon flavescens*)
Stereodon fluitans (Hedw.) Brid., comb. inval. = *Drepanocladus fluitans* [1521] (= *Warnstorffia fluitans*)
Stereodon frondosus Mitt. = *Mittenothamnium frondosum* [1521] (= *Chryso-hypnum frondosum*)
Stereodon fruticellus Mitt. = *Mittenothamnium fruticellum* [1521] (= *Mittenothamnium reptans*)
Stereodon gratus (P.Beauv.) Brid. = *Thuidium gratum* [1521] (= *Pelekium gratum*)
Stereodon guineensis (Broth. & Paris) Paris = *Heterophyllum guineense* [1521] (= *Rhacopilopsis variegata*)
Stereodon hoehnelii (Müll.Hal.) Lindb. ex Engl. = *Hypnum cupressiforme* [10: 1071]
Stereodon homalophyllum Mitt. = *Taxithelium homalophyllum* [1521]
Stereodon inflexus (Harv.) Mitt. = *Trachypodium inflexus* [1521]
Stereodon julicaulis (Broth. & Paris) Paris = *Heterophyllum julicaule* [1521] (= *Rhacopilopsis variegata*)
Stereodon juliformis Mitt., nom. illeg. incl. spec. prior. = *Erythrodontium julaceum* [1521]
Stereodon leptorrhynchus Brid., comb. inval. = *Rhaphidorhynchium amoenum* [4340: 308] (= *Warburgiella leptorrhyncha*)
Stereodon mollicellus Mitt. = *Ectropothecium mollicellum* [1521]
Stereodon nepalensis (Schwaegr.) Mitt. = *Taxithelium nepalense* [1521]. Excluded: listed for sub-Saharan Africa by Index Muscorum, but no records found.
Stereodon nitidifolius Mitt. = *Plagiothecium nitidifolium* [1521]
Stereodon planus (Brid.) Mitt. = *Taxithelium planum* [1521]
Stereodon pseudoreptans (Müll.Hal.) Mitt. = *Mittenothamnium pseudoreptans* [1521]
Stereodon reptans (Hedw.) Mitt. = *Mittenothamnium reptans* [1521]
Stereodon riparius (Hedw.) Mitt. = *Leptodictyum riparium* [1521] (= *Amblystegium riparium*)
Stereodon rugosus (Hedw.) Brid., comb. inval. = *Rhytidium rugosum* [1521]
Stereodon semirevolutus (Müll.Hal.) Broth. ex Paris = *Hypnum cupressiforme* [10: 1071]
Stereodon spiniformis (Hedw.) Brid., comb. inval. = *Rhizogonium spiniforme* [1521] (= *Pyrrhobryum spiniforme*)
Stereodon uncinatus (Hedw.) Brid., comb. inval. = *Drepanocladus uncinatus* [1521] (= *Sanionia uncinata*)
Stereodon variegatus (Welw. & Duby) Broth. = *Rhachopilopsis variegata* (4720)
Stereodon vaucherii (Lesq.) Lindb. ex Broth. = *Hypnum vaucherii* (1521)
Stereohypnum afroelegantulum (Broth.) M.Fleisch. = *Mittenothamnium horridulum* [1911: 419]
Stereohypnum frondosum (Mitt.) Broth. in Mildbr. = *Mittenothamnium frondosum* [1521] (= *Chryso-hypnum frondosum*)
Stereohypnum glabrefolium (Müll.Hal.) Broth. in Mildbr. = *Mittenothamnium pseudoreptans* [5142: 329]
Stereohypnum patens (Hampe) Broth. = *Mittenothamnium patens* [1521]
Stereohypnum patens var. *kilimandscharicum* Broth. = *Mittenothamnium patens* var. *kilimandscharicum* (45)
Stereohypnum pseudoreptans (Müll.Hal.) Broth. = *Mittenothamnium pseudoreptans* [1521]

Stereohypnum reptans var. *pseudoreptans* (Müll.Hal.) M.Fleisch. = *Mittenothamnium pseudoreptans* [1521]

Stereohypnum serratum (A.Jaeger) M.Fleisch. = *Mittenothamnium serratum* [1521] (= *Mittenothamnium reptans*)

Stereohypnum subpatens Broth. = *Mittenothamnium subpatens* (45)

Stereophyllum acutum var. *acutum* Broth. & Paris ex Paris = *Entodontopsis tenuinervis* (719)

Stereophyllum acutum var. *viride* Broth. & Paris ex Paris = *Entodontopsis tenuinervis* (719)

Stereophyllum andungense (Welw. & Duby) A.Gepp ANG(46), CAF(47), GHA(47),

NGA(334), TOG(1878), UGA(46).

Stereophyllum auriculatum A.Gepp = *Entodontopsis leucostega* (1349)

Stereophyllum bassaeanum Müll.Hal. ex Paris, *nom. nud.* Excluded: an undescribed collection (*Dusén* 7) from Cameroon.

Stereophyllum brunnthaleri Broth. Excluded: probably a synonym of *Stereophyllum radiculosum* (719).

Stereophyllum buettneri Broth., *nom. nud.* = *Stereophyllum rivulare* [25: 329; 47: 516] (= *Stereophyllum radiculosum*)

Stereophyllum combaniense Besch. = *Stereophyllum linguaefolium* [4140: 47] (= *Entodontopsis nitens*)

Stereophyllum combaniense var. *nossibeicum* Thér. & P.de la Varde ex Thér. = *Entodontopsis nitens* (719)

Stereophyllum conterminum Cardot = *Entodontopsis nitens* (65)

Stereophyllum decolorans (Welw. & Duby) Broth. ex Paris = *Stereophyllum andungense* [1433: 307]

Stereophyllum favoroi Tosco & Piovano KEN(46).

Stereophyllum flavobrunneum Müll.Hal. ex Paris, *nom. nud.* Excluded: an undescribed collection (*Dusén* 50) from Cameroon; an error in [47: 516] mistakenly attributes the collection to Senegambia.

Stereophyllum guineense Paris & Broth. = *Stereophyllum radiculosum* (719)

Stereophyllum guineense var. *crassinerve* Paris, *nom. nud.* Excluded: no description or specimens are provided, nor the location in Guinea [4141: 41]

Stereophyllum indicum (Bél.) Mitt. = *Stereophyllum radiculosum* (1349)

Stereophyllum laetevirens Broth. = *Entodontopsis nitens* (1349)

Stereophyllum laxirete Broth. & P.de la Varde CAF(47).

Stereophyllum leptapes Müll.Hal. ex Paris, *nom. nud.* Excluded: an undescribed collection (*Dusén* 67) from Cameroon.

Stereophyllum leptotapes Müll.Hal., *nom. nud.* Excluded: an undescribed collection (*Dusén* 67) from Cameroon.

Stereophyllum leucomioides Broth. & Paris = *Entodontopsis tenuinervis* (719)

Stereophyllum limnobiooides Renaud. Excluded: probably a synonym of *Stereophyllum radiculosum* (719).

Stereophyllum linguaefolium (Welw. & Duby) A.Gepp in Hiern = *Entodontopsis nitens* (1349)

Stereophyllum loseanum Broth. & Paris = *Entodontopsis tenuinervis* (719)

Stereophyllum macrocarpum J.Taylor & P.de la Varde ETH(719).

Stereophyllum microcarpum Thér. = *Entodontopsis tenuinervis* (719)

Stereophyllum natalense Sim = *Stereophyllum radiculosum* (719)

Stereophyllum nitens Mitt. = *Entodontopsis nitens* (719)

Stereophyllum odontocalyx (Müll.Hal.) A.Jaeger & Sauerb. = *Stereophyllum radiculosum* (719)

Stereophyllum omalosekos (Welw. & Duby) A.Jaeger & Sauerb. Excluded: probably a synonym of *Stereophyllum radiculosum* (719).

Stereophyllum pallidifolium Renaud & Cardot = *Entodontopsis nitens* (1349)

Stereophyllum pobeguinii Broth. & Paris ex Paris = *Entodontopsis nitens* (1349)

Stereophyllum radiculosum (Hook.) Mitt. ANG(46), BEN(6128), CAF(47), CMN(47),

ETH(50), GUI(47), IVO(44,63,1458), KEN(46,6614), MAU(105), MDG(40), MLW(67), NGA(47,334,4314,5148,5176,6263), REU(105), SAF(1531,7766,8328), SWZ(1531), TAN(46), TOG(47), UGA(392), ZAI(65,719), ZAM(46,62), ZIM(46,61).

Stereophyllum reclinatum Paris & Broth. ex Paris. Excluded: probably a synonym of *Stereophyllum radiculosum* (719).

Stereophyllum rhynchosstegioides Broth. & Paris = *Entodontopsis rhynchosstegioides* (719)

Stereophyllum rigescens Broth. Excluded: probably a synonym of *Stereophyllum radiculosum* (719).

Stereophyllum rivale P.de la Varde = *Stereophyllum radiculosum* (1349)

Stereophyllum rivulare Mitt. = *Stereophyllum radiculosum* (1349)

Stereophyllum robustum Cardot = *Stereophyllum radiculosum* (65: 260)

Stereophyllum rufescens Broth. & Paris = *Entodontopsis rufescens* (719)

Stereophyllum tenuinerve Broth. & Paris = *Entodontopsis tenuinervis* (719)

Stereophyllum tisserantii Broth. & P.de la Varde in P.de la Varde = *Stereophyllum radiculosum* (1349)

Stereophyllum virens Cardot = *Stereophyllum reclinatum* [1521]. Note: this synonymy is taken from *Index Muscorum*, but the reference given is incorrect, and the correct reference is unknown.

Stereophyllum wageri Broth. ex Dixon, *nom. nud. in synon.* = *Stereophyllum odontocalyx* [4800: 212] (= *Stereophyllum radiculosum*)

Stereophyllum woodii (Sim) Magill in Magill & Schelpe Excluded: probably a synonym of *Stereophyllum radiculosum* (719)

Stereophyllum zuluense Broth. & Bryhn in Bryhn = *Entodontopsis nitens* (1349)

Stoneobryum mirum (Lewinsky) D.H.Norris & H.Rob. SAF(347,1531,7766,8328).

Streblotrichum convolutum (Hedw.) P.de la Varde = *Barbula convoluta* (2185)

Streblotrichum gracile Paris, *nom. inval. in synon. err.* = *Streblotrichum humile* [1521] (= *Tortella humilis*)

Streblotrichum humile (Hedw.) P.Beauv. = *Tortella humilis* [1521]

Streblotrichum piliferum (Hook.) Hilp. = *Tortella pilifera* [1521] (= *Pseudocrossidium crinitum*)

- Strephidium hygrometricum* (Hedw.) P.Beauv. ex Brid., *nom. inval. in synon.* = *Funaria hygrometrica* [1521]
Streptocalypta pulchriretis (Dixon) R.H.Zander SAF(1531,8328).
Streptopogon calympères Müll.Hal. ex Geh. BIO(8180), MDG(40), RWA(65), UGA(4282), ZAI(65).
Streptopogon calympérifolius Paris, *nom. illeg. incl. spec. prior.* = *Streptopogon calympères* [1521]
Streptopogon calympéroïdes Demaret & P.de la Varde = *Streptopogon calympères* (6959)
Streptopogon elimbatus 'Cardot in P.de la Varde'. Excluded: the reference provided by *Index Muscorum* does not contain this name; it is possibly a mistake for *Streptopogon subelimbatus*.
Streptopogon erythrodontus (Taylor) Wilson BIO(8180), CMN(47), ETH(111), KEN(46), LES(4897), MDG(40,1925), RWA(65), SAF(4897,8328), TAN(46), UGA(46), ZAI(65).
Streptopogon erythrodontus var. *rutenbergii* (Müll.Hal. ex Geh.) E.S.Salmon = *Streptopogon erythrodontus* (6959)
Streptopogon hildebrandtii Müll.Hal. = *Streptopogon erythrodontus* (6959)
Streptopogon lindigia Müll.Hal., *nom. nud.* Excluded: no specimen or locality given.
Streptopogon mavegeanensis Besch. ex Paris, *nom. nud.* = *Funaria mayottensis* [5051: 109]
Streptopogon mayottensis Besch. = *Funaria mayottensis* [1521]
Streptopogon parkeri Mitt. ex C.H.Wright, *nom. nud.* = *Streptopogon erythrodontus* (6959)
Streptopogon rigidus Mitt. ex Broth. = *Streptopogon calympères* [1848: 222]
Streptopogon rutenbergii Müll.Hal. ex Geh. = *Streptopogon erythrodontus* (6959)
Streptopogon stenophyllum P.de la Varde & Thér. = *Streptopogon erythrodontus* (6959)
Streptopogon subelimbatus Cardot = *Streptopogon erythrodontus* (6959)
Streptotheca palustre Arnott ex Limpr., *nom. inval. in synon.* = *Aulacomnium palustre* [1521]
Streptotheca turgida Arnott ex Limpr., *nom. inval. in synon.* = *Aulacomnium turgidum* [1521]
Stylostegium caespiticium (F.Weber & D.Mohr) Bruch. & Schimp. Excluded: this taxon, currently known as *Blindia caespiticia*, is reported by *Index Muscorum* as being present in sub-Saharan Africa, but no record has been found.
Swartzia capillacea (Hedw.) Brid. = *Distichium capillaceum* [1521]
Swartzia montana Lindb., *nom. illeg. incl. spec. prior.* = *Distichium capillaceum* (1521)
Swartzia trifaria (Hedw.) P.Beauv. = *Didymodon trifarius* [1521]. Note: see *Didymodon trifarius*.
Symblepharis circinata Besch. = *Chionoloma bombayense* [7961: 36]
Symblepharis rhacomitrioides Dixon = *Grimmia abyssinica* (7442)
Symblepharis socotrana Mitt. = *Weissia artocosana* [1420]
Symblepharis usambarica Broth. = *Chionoloma bombayense* [7961: 36]
Symphydodon pygmaeus (Broth.) S.He & Snider ETH(1927), MDG(40,5631), MLW(6087), MOZ(357,5631), REU(357,5631).
Syntrichia alpestris (Dixon in Herzog) R.H.Zander KEN(46).
Syntrichia ammoniana (H.A.Crum & L.E.Anderson) Ochyra LES(1531,4897), NAM(1531,7155), REU(8028), SAF(1531,3411,4897,7766,8287,8328), ZIM(8287).
Syntrichia amphidiacea (Müll.Hal.) R.H.Zander CVI(2666,6453), SAF(6400), TAN(46), UGA(4282,4304), ZIM(61).
Syntrichia antarctica (Hampe in Müll.Hal.) R.H.Zander LES(1863), SAF(1863,8328).
Syntrichia austroafricana (Kramer) R.H.Zander LES(1863,4897), SAF(1863,8328).
Syntrichia cavallii (G.Negri) Ochyra ETH(1158,1927), KEN(46,136,3412,5315), RWA(65), TAN(46), UGA(46), ZAI(65).
Syntrichia chisosa (Magill, Delgad. & L.R.Stark) R.H.Zander LES(1531), NAM(1531,8024), SAF(1531,8328).
Syntrichia erythroneura (Müll.Hal.) Sim, *nom. inval. in synon.* = *Tortula ruralis* [1911: 227] (= *Syntrichia ruralis*)
Syntrichia fragilis (Taylor) Ochyra CAF(47), CVI(2666,6453), DJI(1569), ERI(50), ETH(50,1927,6137), KEN(46,5315,6615,7251), LES(1531,4897), MOZ(46), NAM(1531), REU(8028), RWA(65), SAF(1531,3411,4897,7766,8328), SOC(5613,6049), SOM(50), SWZ(1531), TAN(46), UGA(46), ZAI(65,5319), ZIM(46,61).
Syntrichia intermedia var. *calva* (Durieu & Sagot) Delogne = *Syntrichia montana* var. *calva* [7729]
Syntrichia intermedia var. *intermedia* Brid. CHA(4507).
Syntrichia laevipila var. *laevipila* Brid. CVI(2666), ETH(1927), KEN(411).
Syntrichia leucostega var. *leucostega* (Müll.Hal.) R.H.Zander LES(1863), SAF(1863,8328).
Syntrichia leucostega var. *trachyneura* (Dixon) R.H.Zander SAF(1863,8328).
Syntrichia magilliana L.E.Anderson SAF(3618,8328).
Syntrichia mollis (Bruch & Schimp. ex Müll.Hal.) R.H.Zander ETH(50).
Syntrichia montana var. *calva* (Durieu & Sagot ex Bruch & Schimp.) J.J.Amann CHA(4507).

Syntrichia norvegica F.Weber LES(1863,4304,4897), SAF(1863,4304,8328).

Syntrichia pagorum (Milde) J.J.Amann KEN(7251), LES(4897), SAF(1531,7766,8328), SWZ(1531), ZIM(61).

Syntrichia pagorum (Milde) J.J.Amann. Note: the differences between this taxon and *Syntrichia laevipila* may be too slight to justify retention of this taxon (Sollman, pers. comm.).

Syntrichia papillosa (Wilson in Spruce) Jur. KEN(411), LES(4897), NAM(4418,8024), SAF(1531,7766,8328).

Syntrichia princeps (De Not.) Mitt. Note: material called by this name from the southern hemisphere may belong to *Syntrichia antarctica* (Sollman, pers. comm.), and it is possible that *Syntrichia princeps* does not occur in sub-Saharan Africa.

Syntrichia princeps (De Not.) Mitt. SAF(1531,8328).

Syntrichia rubella (Hook.f. & Wilson) R.H.Zander SAF(1863,8328).

Syntrichia ruralis ssp. ***ruraliformis*** (Besch.) Husn. ex T.Durand ETH(1927).

Syntrichia ruralis ssp. ***ruralis*** (Hedw.) F.Weber & D.Mohr CHA(4507), ETH(1865), LES(1531,1863,4897), NAM(7155), SAF(1531,7766,8328), SUD(1419).

Syntrichia ruralis var. *arenicola* (Braithw.) J.J.Amann = *Syntrichia ruraliformis* (4793)

Syntrichia subaristata (Broth. & Schimp. ex Müll.Hal.) R.H.Zander ERI(50), ETH(50,1927).

Syrrhopodon Schwägr. Note: all records previously recorded for the genus *Calymperopsis* have now been transferred to this genus (see note under *Calymperopsis*). As Reese's revisions do not discuss the African distribution in detail, the data shown here for subgenus *Pseudocalymperes* should be treated with caution (considering previous misunderstanding of the subgenus) until the distribution has been revised. The distributions of *Syrrhopodon africanus* var. *africanus* and *Syrrhopodon subdisciformis* are most likely to be suspect.

Syrrhopodon acrodontus Demaret & V.Leroy = *Syrrhopodon gaudichaudii* (24: 175)

Syrrhopodon aculeatoserratus Besch. = *Syrrhopodon gardneri* (132)

Syrrhopodon aculeoserratus Besch. ex Paris, nom. inval. orthogr. = *Syrrhopodon aculeatoserratus* [1521]

Syrrhopodon africanus ssp. *africanus* (Mitt.) Paris. Note: see comments under *Syrrhopodon* about distribution data for this taxon.

Syrrhopodon africanus var. ***africanus*** (Mitt.) Paris BEN(400), CMN(47,1708), CON(47), GAB(47), GUI(47,1458), MDG(40), NGA(47,5148,5176), REU(8028), RIM(4639), SIE(47), TAN(46), UGA(7353), ZAI(65,1125).

Syrrhopodon africanus var. ***mandrakensis*** (Tixier) W.D.Reese MDG(1346,6908), RWA(2675), ZAI(2675).

Syrrhopodon afrociliatus Müll.Hal. ex Dusén = *Syrrhopodon armatus* (24: 175)

Syrrhopodon afrotristichus Müll.Hal. ex Dusén, nom. nud. in synon. = *Syrrhopodon lamprocarpus* [4087: 17]

Syrrhopodon albidus ssp. ***integrifolius*** (E.B.Bartram) L.T.Ellis MDG(6908), MLW(7995), SEY(2033,2353,7995).

Syrrhopodon apertifolius Besch. MAU(7995), MDG(7995), REU(7995).

Syrrhopodon aristifolius Mitt. SOC(2738).

Syrrhopodon armatissimus W.D.Reese MDG(1375,4637).

Syrrhopodon armatus fo. *rubrotomentosus* (Cardot) Demaret & V.Leroy = *Syrrhopodon armatus* (24: 175)

Syrrhopodon armatus Mitt. BIO(2662), CMN(47), CON(47), GAB(47), GUI(363), IVO(44), NGA(47,5148), RIM(4639), ZAI(65,363,5319).

Syrrhopodon armatus ssp. ***insularis*** (Bizot & Onr.) Orbán & W.D.Reese MDG(361), REU(361), SEY(361,2033,2353), TAN(46,361), ZAI(1125).

Syrrhopodon armatus var. *latifolius* P.de la Varde = *Syrrhopodon armatus* [1473: 208]

Syrrhopodon asper Mitt. GAB(24), KEN(46,6615,7065), MDG(105), MLW(67,6087,6813), MOZ(46,6813), REU(105), RIM(4639), RWA(65), SAF(1531,8328), TAN(46,362,6813), UGA(6813), ZAI(65,363), ZAM(62), ZIM(61).

Syrrhopodon brevicaulis E.B.Bartram = *Syrrhopodon prolifer* var. *prolifer* (6232: 31)

Syrrhopodon brevifolius Broth. & P.de la Varde = *Syrrhopodon gardneri* (24: 171)

Syrrhopodon brevifolius var. *overlaetii* (Thér. & Naveau) Dixon & Thér. = *Syrrhopodon gardneri* (24: 171)

Syrrhopodon brevivaginans Demaret & V.Leroy = *Syrrhopodon incompletus* var. *incompletus* (132)

Syrrhopodon chenagonii Renauld & Cardot = *Serpotortella chenagonii* [1474: 234]

Syrrhopodon chevalieri P.de la Varde = *Syrrhopodon planifolius* (24: 176)

Syrrhopodon chlorothrix (Müll.Hal.) Broth. Note: this name, which appeared in Born *et al.* (65), is a transcription error for *Squamidium chlorothrix* (= *Squamidium brasiliense*).

Syrrhopodon cirrifolius Schimp. ex A.Jaeger = *Syrrhopodon uncinifolius* [1911: 264] (= *Syrrhopodon gaudichaudii*)

Syrrhopodon congolensis Besch. Excluded: see Orbán (24).

Syrrhopodon crenulatus (Tixier) W.D.Reese BIO(2662), GAB(47), REU(8028).

Syrrhopodon croceus Mitt. SEY(1926,2033,2353).

Syrrhopodon cryptocarpus Dozy & Molk. = *Heliconema cryptocarpus* (Dozy & Molk.) Ellis & Eddy, nom. inval. (755)
 (= *Chameleion cryptocarpus*)

Syrrhopodon cuneifolius Thér. MDG(24,40,6908).

Syrrhopodon curranii Broth. = *Syrrhopodon gardneri* [2740: 87]

Syrrhopodon cyrtophyllus Besch. = *Serpotortella cyrtophylla* [1474: 232]

Syrrhopodon decipiens P.de la Varde = *Syrrhopodon planifolius* (24)

Syrrhopodon dimorphophyllus L.T.Ellis MDG(7995), MLW(7995).

Syrrhopodon disciformis Dusén CAF(47), CMN(47,1708), GAB(47), IVO(1880),

NGA(47,5148,5176), RIM(4639), ZAI(400).

Syrrhopodon dregei Hornsch. = *Hypodontium dregei* (1521)

Syrrhopodon dusenii Müll.Hal. ex Dusén, nom. nud. in synon. = *Calymeropsis disciformis* [4087: 17] (= *Syrrhopodon subdisciformis*)

Syrrhopodon erectifolius Müll.Hal. = *Syrrhopodon obliquirostris* (1911: 263) (= *Syrrhopodon gaudichaudii*)

Syrrhopodon floridanus Sull. in Sull. & Lesq. = *Syrrhopodon incompletus* var. *incompletus* [5547: 48]

Syrrhopodon gabonensis Broth. & P.de la Varde = *Syrrhopodon gardneri* (24: 171)

Syrrhopodon gabonensis var. *aspericuspis* P.de la Varde = *Syrrhopodon asper* (24: 172)

Syrrhopodon gardneri (Hook.) Schwägr. ANG(46,6813), BIO(8180), BUR(65), CMN(24), COM(40), ETH(111), GAB(24,47), GUI(24,363), IVO(4928), MDG(24,40,6813,6908), MLW(67,6087,6813), NGA(5148,5176), REU(24,105), RWA(65), SAO(24), SIE(24), TAN(24,46,4637), UGA(4282,6813), ZAI(65,363,6813).

Syrrhopodon gaudichaudii Mont. BIO(8180), COM(24), GAB(24), GUI(24,363), IVO(4928), MDG(24,40,7995), MLW(67,6087,7995), MOZ(46), REU(24,7995), SAF(1531,4897,7766,7995,8328), STH(4626), SWZ(1531), TAN(46,362), UGA(46,363,7995), ZAI(65,363), ZIM(24).

Syrrhopodon geminifolius Renauld & Cardot ex Paris, nom. inval. err. = *Syrrhopodon graminifolius* [1521]

Syrrhopodon glaucophyllus Renauld & Cardot = *Syrrhopodon prolifer* var. *acanthoneuros* (6232: 36)

Syrrhopodon glaucophyllus var. *rufus* Renauld & Cardot = *Syrrhopodon prolifer* var. *acanthoneuros* (6232: 36)

Syrrhopodon glaucovirens Mitt. = *Syrrhopodon croceus* [1579: 246]

Syrrhopodon gomesii P.de la Varde = *Syrrhopodon asper* (24: 172)

Syrrhopodon grainvillei P.de la Varde ex Thér. = *Syrrhopodon gaudichaudii* (6232: 37)

Syrrhopodon graminifolius Renauld & Cardot MAU(1375), MDG(24,40).

Syrrhopodon guineensis Broth. & Paris = *Syrrhopodon africanus* ssp. *africanus* (1909)

Syrrhopodon hispidocostatus Renauld & Cardot in Renauld MAU(1375,7995),

MDG(24,40,6908,7345,7995), MLW(6087,7345), REU(24,7995), SEY(2033,2353,7345).

Syrrhopodon incompletus var. *incompletus* Schwägr. TAN(46,362), UGA(7353), ZAI(24,65).

Syrrhopodon insularis Bizot & Onr. = *Syrrhopodon armatus* var. *insularis* (132)

Syrrhopodon integrifolius E.B.Bartram = *Syrrhopodon prolifer* var. *prolifer* (6232: 38)

Syrrhopodon involutus Schwägr. CAF(47), CGS(5699,8220), DIE(2005), MAU(24),

MDG(24,40), REU(24), SEY(24,2033,2353), ZAI(24,65).

Syrrhopodon isleanus Besch. = *Syrrhopodon prolifer* var. *prolifer* (1344)

Syrrhopodon islei Besch. ex Kindb., nom. illeg. incl. spec. prior. = *Syrrhopodon islaeanaus* [1521]

Syrrhopodon jacobi Besch. ex Renauld = *Serpotortella chenagonii* (1474)

Syrrhopodon lamprocarpus Mitt. BIO(47,2662,3414), CMN(47), CON(24), GAB(47),

RIM(4639), RWA(65), SAO(47), UGA(4282), ZAI(65).

Syrrhopodon lepervanchei Besch. = *Syrrhopodon gaudichaudii* (24: 175)

Syrrhopodon leptodontoides Besch. = *Serpotortella cyrtophylla* (1474)

Syrrhopodon lindae P.de la Varde = *Syrrhopodon gaudichaudii* (24: 175)

Syrrhopodon lineafolius P.de la Varde = *Syrrhopodon cryptocarpa* (24: 173) (= *Chameleion cryptocarpus*)

Syrrhopodon linealis Dixon & Thér. = *Syrrhopodon gaudichaudii* (132)

Syrrhopodon lisowskii Orbán = *Syrrhopodon gardneri* (6813)

Syrrhopodon littoralis Müll.Hal. = *Syrrhopodon prolifer* var. *acanthoneuros* (6232: 40)

Syrrhopodon macowani Müll.Hal. ex Kindb., nom. nud. = *Hypodontium pomiforme* [1911: 262]

Syrrhopodon macowanianus Müll.Hal., nom. nud. in synon. = *Hypodontium pomiforme* [1911: 262]

Syrrhopodon madagascariensis Thér. = *Syrrhopodon parasiticus* [1909: 143]

Syrrhopodon mahensis var. *levis* Orbán SEY(2033,2353).

Syrrhopodon mahensis var. *mahensis* Besch. REU(105),

SEY(24,1618,1926,1941,1945,1946,1947,1950,2030,2033,2328,2353,4899,4932).

Syrrhopodon mahensis var. **palmarum** Orbán SEY(2033,2353).

Syrrhopodon malouinensis Ångstr. ex Besch. = *Syrrhopodon mauritianus* (6232: 41)

Syrrhopodon mauritianus Müll.Hal. ex Ångstr. COM(24), MAU(24,362), MDG(24,40,362), REU(24,362), TAN(46,362).

Syrrhopodon maveganensis Besch. = *Syrrhopodon gardneri* [24: 171; 6232: 42]

Syrrhopodon maveganensis var. *crispatus* Thér. = *Syrrhopodon gardneri* [24: 171; 6232: 42]

Syrrhopodon microblepharis P.de la Varde = *Syrrhopodon gardneri* (132)

Syrrhopodon microbolaceus Müll.Hal. ex Kindb., nom. inval. err. = *Syrrhopodon microbolax* [1521] (= *Syrrhopodon involutus*)

Syrrhopodon microbolax Müll.Hal. ex Besch. = *Syrrhopodon involutus* [2737: 198; 6232: 42]

Syrrhopodon microundulatus Dixon = *Mitthyridium microundulatum* [1801: 434]

Syrrhopodon mildbraedii Broth. in Mildbr. = *Syrrhopodon asper* (24: 172)

Syrrhopodon mildbraedii var. *parvifolius* P.de la Varde = *Syrrhopodon asper* (24: 172)

Syrrhopodon nossi-beanus Besch. = *Calymperes taitense* [4776: 207]

Syrrhopodon nossi-beanus var. *borbonicus* Renauld & Cardot in Renauld. Excluded: not recorded in subsequent literature.

Syrrhopodon obliquirostris Müll.Hal. = *Syrrhopodon gaudichaudii* (24: 175)

Syrrhopodon obscurus Rehmann ex Geh., nom. nud. = *Tortula hildebrandtii* [4872: 14] (= *Syntrichia fragilis*)

Syrrhopodon obtusus (Brid.) Schwaegr. = *Splachnobryum obtusum* [1521]

Syrrhopodon obuduensis Eguyomé & Olar. = *Syrrhopodon africanus* ssp. *africanus* (1909)

Syrrhopodon overlaetii Thér. & Naveau = *Syrrhopodon gardneri* (24: 171)

Syrrhopodon oxyphyllus P.de la Varde = *Syrrhopodon gaudichaudii* (24: 175)

Syrrhopodon parasiticus (Sw. ex Brid.) Besch. CMN(1708), MDG(40), REU(6859).

Syrrhopodon patentifolius P.de la Varde, nom. nud. Note: this taxon was named as a new species in a 1955 list (6231) including several other new species, all of which (apart from this one) were also described in an earlier 1950 paper (191). However, *Syrrhopodon patulifolius* was described in the 1950 paper and is the only one (apart from two *Schlotheimia* varieties) not to appear also in the 1955 paper, and from the description could be the same taxon. It appears that a transcription error is to blame, and this name is an orthographic error for *Syrrhopodon patulifolius* (= *Syrrhopodon prolifer* var. *prolifer*).

Syrrhopodon patulifolius P.de la Varde, hom. illeg. = *Syrrhopodon vardei* [7995: 164]

Syrrhopodon paucifimbriatus Müll.Hal. ex Dusén = *Syrrhopodon armatus* [24: 176]

Syrrhopodon perdusenii W.D.Reese CMN(1711), UGA(7353).

Syrrhopodon perichaetalis Bruch ex Krauss = *Hypodontium dregei* (82: 170)

Syrrhopodon phragmidaceus Müll.Hal. Excluded: see Orbán (24)

Syrrhopodon pintasii Broth. ex Müll.Hal., nom. inval. err. = *Syrrhopodon quintasii* [1521] (= *Syrrhopodon gardneri*)

Syrrhopodon piriformis Müll.Hal. ex Kindb. = *Hypodontium pomiforme* [6224: 108]

Syrrhopodon planifolius fo. *subaciliatus* P.de la Varde. Excluded: any records for this form have been associated with the owning species.

Syrrhopodon planifolius P.de la Varde BKN(24,7345), GAB(24,47), GUI(24,5041,7345), IVO(1458), NGA(24,7345).

Syrrhopodon pobeguinii Paris & Broth. = *Syrrhopodon gaudichaudii* (24: 175)

Syrrhopodon pomiformis (Hook.) Hampe = *Hypodontium pomiforme* (82: 172)

Syrrhopodon pomiformis var. *macowanianus* (Müll.Hal.) Paris = *Hypodontium pomiforme* [1911: 262]

Syrrhopodon pomiformis var. *truncicola* Rehmann ex Paris, nom. nud. = *Hypodontium pomiforme* [1911: 262]

Syrrhopodon pottoides Orbán MDG(4637), REU(8033).

Syrrhopodon prolifer var. **acanthoneuros** (Müll.Hal.) Müll.Hal. COM(24,40),

MAU(24,7345), MDG(24,40,7345), REU(24,7345), RIM(4639), TAN(46).

Syrrhopodon prolifer var. **prolifer** Schwägr. COM(105), MAU(105), MDG(24,40,1925), MLW(6087), REU(105), SEY(24,1946,2033,2353,4899), TAN(46).

Syrrhopodon prolifer var. **scaber** (Mitt.) W.D.Reese SEY(2033,2353).

Syrrhopodon prolifer var. *seychellarum* Orbán = *Syrrhopodon albidus* var. *integrifolius* [7995]

Syrrhopodon pulcher W.D.Reese MDG(4637).

Syrrhopodon pulvinaris Paris = *Syrrhopodon gaudichaudii* (24: 175)

Syrrhopodon puniformis Hampe ex J.Shaw, nom. inval. err. = *Hypodontium pomiforme* [1521]

Syrrhopodon quintasii Broth. = *Syrrhopodon gardneri* (361)

Syrrhopodon recurvifolius Hornsch. = *Orthotrichum recurvifolium*, hom. illeg. [1521]

Syrrhopodon reinwardtii Hornsch. = *Zygodon reinwardtii* [1521]

Syrrhopodon revolutus Dozy & Molk. = *Syrrhopodon involutus* (1579)

Syrrhopodon rodriguezii Renauld & Cardot REU(24).

Syrrhopodon rodriguezii var. *sublaevis* Renauld & Cardot = *Syrrhopodon rodriguezii* (24: 172)

Syrrhopodon rubrotomentosus Cardot = *Syrrhopodon armatus* (24: 175)

Syrrhopodon rubrotomentosus var. *subaciliatus* P.de la Varde = *Syrrhopodon armatus* (24: 175)

Syrrhopodon rubrotomentosus var. *sublaevis* P.de la Varde = *Syrrhopodon armatus* [277: 221; 24: 175]

Syrrhopodon rufus Renauld & Cardot, nom. nud. in synon. = *Syrrhopodon glaucophyllum* var. *rufus* [1521] (= *Syrrhopodon prolifer* var. *acanthoneuros*)

Syrrhopodon scabrosus Müll.Hal., nom. nud. Excluded: an undescribed collection from Madagascar.

Syrrhopodon seignaci Besch. = *Syrrhopodon gaudichaudii* (6232: 48)

Syrrhopodon semicircularis Müll.Hal. Excluded: see Orban [24: 177].

Syrrhopodon sparsus Renauld & Cardot = *Syrrhopodon mauritianus* (40: 206)

Syrrhopodon spiralis Renauld & Cardot MDG(7995), MLW(7995), TAN(7995).

Syrrhopodon spiralis Renauld & Cardot = *Syrrhopodon prolifer* var. *prolifer* (1344)

Syrrhopodon spuriodisciformis Dusén = *Syrrhopodon africanus* var. *africanus* [1909: 143]

Syrrhopodon stuhlmannii Broth. ex Orbán TAN(46,361).

Syrrhopodon subdisciformis Dusén BEN(400), CMN(47,1708), GAB(47), GHA(47),

LBR(47), NGA(47,5148,5160), TAN(46), ZAI(400).

Syrrhopodon subdisciformis Dusén. Note: see comments above under *Syrrhopodon* about distribution data for this taxon.

Syrrhopodon subflavus Renauld & Cardot. = *Mitthyridium subflavum* [3432: 434]

Syrrhopodon subleucophanoides P.de la Varde = *Syrrhopodon gaudichaudii* (24: 175)

Syrrhopodon subspiralis Cardot in Grandid. = *Syrrhopodon prolifer* var. *prolifer* (6232: 51)

Syrrhopodon tenellifolius (Dusén) Besch. = *Syrrhopodon armatus* (24)

Syrrhopodon tixeri W.D.Reese MDG(1346).

Syrrhopodon tortelloides Broth. ex Cardot in Grandid., nom. nud. in synon. = *Thyridium chenagonii* [1848: 182] (= *Serpotortella chenagonii*)

Syrrhopodon tortuosus Hornsch. = *Amphidium tortuosum* (1519: 487)

Syrrhopodon uncinifolius Müll.Hal. = *Syrrhopodon gaudichaudii* [24: 175]

Syrrhopodon uncinifolius var. *anomalus* Müll.Hal. = *Syrrhopodon gaudichaudii* [24: 175]

Syrrhopodon usambaricus Broth. ex Orbán = *Syrrhopodon asper* (6813)

Syrrhopodon vardei L.T.Ellis MDG(7995).

Syrrhopodon viguieri Thér. = *Syrrhopodon parasiticus* [1909: 142]

Syrrhopodon virgulicola W.D.Reese CMN(1711).

Syrrhopodon welwitschii Duby = *Syrrhopodon gardneri* (24: 171)

Systegium tetragonum (Hook.) Paris = *Tetrapherum tetragonum* [1521]

Systegium unguiculatum Mitt. = *Trichostomum unguiculatum* (1420)

Tamariscella djuriensis Müll.Hal., nom. nud. in synon. Excluded: see note under *Thuidium djuriense*.

Tamariscella involvens (Hedw.) Müll.Hal., comb. inval. = *Thuidium involvens* [1521] (= *Thuidium involvens* ssp. *thomeanum*)

Tamariscella loricalycina Müll.Hal. Note: see under *Thuidium loricalycina*.

Tamariscella nabambissensis Müll.Hal., comb. inval. = *Thuidium nabambissensis* [1521] (= *Pelekium gratum*)

Tamariscella promontorii Müll.Hal. = *Thuidium promontorii* [1521] (= *Thuidium assimile*)

Taxicaulis byssicladus Müll.Hal., nom. nud. in synon. Excluded: an undescribed collection (Dusén 128) from Cameroon.

Taxicaulis compressicaule Müll.Hal., nom. nud. in synon. = *Taxithelium compressicaule* [1521]

Taxicaulis conangius Müll.Hal. ex Broth., nom. nud. in synon. = *Isopterygium conangium* [1521]

Taxicaulis erythrangiis Müll.Hal., nom. nud. Excluded: an undescribed collection (Dusén 763) from Cameroon.

Taxicaulis gemmigerus Müll.Hal., nom. nud. Excluded: an undescribed collection (Dusén 43) from Cameroon.

Taxicaulis lepturus Müll.Hal., nom. nud. Excluded: an undescribed collection (Dusén 248) from Cameroon.

Taxicaulis leucoglaucum Müll.Hal., nom. nud. Excluded: an undescribed collection (Dusén 848) from Cameroon.

Taxicaulis leucopyxis Müll.Hal. ex Paris, nom. inval. err. = *Isopterygium leucopsis* [1521]

Taxicaulis microplumula Müll.Hal., nom. nud. Excluded: an undescribed collection (Dusén 922) from Cameroon.

Taxicaulis nivescens Müll.Hal. ex Broth., nom. nud. in synon. = *Isopterygium nivescens* [1521]

Taxicaulis ochrangius Müll.Hal., nom. nud. Excluded: an undescribed collection (Dusén 355) from Cameroon.

Taxicaulis pallido-imbricatus Müll.Hal., nom. nud. Excluded: an undescribed collection (Dusén 876) from Cameroon.

Taxicaulis planosquarrosus (Broth.) Müll.Hal. ex Paris = *Mittenothamnium planosquarrosum* [1521] (= *Rhacopilopsis trinitensis*)

Taxicaulis planulus Müll.Hal. ex Grandid., nom. nud. in synon. = *Ectropothecium tamatavense* [1845: 453]

Taxicaulis plumirameus Müll.Hal., nom. nud. = *Ectropothecium plumigerum* [7533: 167]

Taxicaulis virentirameus Müll.Hal., nom. nud. Excluded: an undescribed collection (Dusén 771) from Cameroon.

Taxiphyllum gabonense Broth. & P.de la Varde CAF(47), CON(47), GAB(47), IVO(1880),

SIE(47), TAN(46), ZAI(65).

Taxiphyllum gabonense var. *ectropothecioides* P.de la Varde CAF(47), GAB(47).

Taxiphyllum gabonense var. *plagiothecioides* P.de la Varde CAF(47), GAB(47), TAN(46), ZAI(65).

Taxiphyllum laxalare W.R.Buck ZAI(65).

Taxiphyllum maniae (Renauld & Paris) M.Fleisch. = *Taxiphyllum taxirameum* (7353)

Taxiphyllum schweinfurthii (Müll.Hal.) W.R.Buck CAF(268,3072), SUD(3076).

Taxiphyllum taxirameum (Mitt.) M.Fleisch. CGS(5699,8220), COM(40), MDG(40), UGA(7353,7981).

Taxithelium afro-acuminatum Paris, nom. illeg. orthogr. = *Taxithelium afro-acuminatum* [1521]

Taxithelium afro-acuminatum Kindb., nom. illeg. incl. spec. prior. = *Taxithelium afro-acuminatum* [1521]

Taxithelium afro-acuminatum (Müll.Hal.) Paris CMN(47).

Taxithelium andongense A.Gepp ANG(46), CAF(47).

Taxithelium argyrophyllum Renauld & Cardot MDG(40).

Taxithelium callicostelloides Paris, nom. nud. Excluded: an undescribed collection (*Dusén* a 18) from Cameroon.

Taxithelium chloropterum (Müll.Hal.) Renauld & Cardot BIO(47).

Taxithelium compressicaule Broth. CAF(47), CMN(47), GAB(47), IVO(1880), LBR(47).

Taxithelium confusum Cardot MDG(40).

Taxithelium decolor (Besch.) Renauld & Cardot = *Acanthorrhynchium decolor* [1521] (= *Acanthorrhynchium papillatum*)

Taxithelium glabratum Broth. & Geh. ZAI(8243).

Taxithelium glabriusculum Broth. CAF(47), CMN(47), GAB(47), LBR(47), SIE(47,3216), TOG(47,58).

Taxithelium glaucophyllum Besch. MDG(40).

Taxithelium glaucovirens Cardot ZAI(65).

Taxithelium guineense Broth. & Paris GUI(47), ZAI(1552).

Taxithelium hemicuspis Paris, nom. nud. Excluded: an undescribed collection (*Dusén* 800) from Cameroon.

Taxithelium hirtellum Paris & Renauld MDG(40).

Taxithelium homalophyllum (Mitt.) Broth. NGA(47), SIE(3216).

Taxithelium instratum (Brid.) Broth. SEY(1926,2353).

Taxithelium kuilui (Müll.Hal.) Renauld & Cardot CON(47).

Taxithelium laetum Renauld & Cardot = *Taxithelium planulum* [1848: 470]

Taxithelium latiruncatum Cardot in Grandid. = *Phylodon truncatulus* (6809) Note: see *Phylodon truncatus*.

Taxithelium leptopunctatum Broth. LBR(47), SIE(3216).

Taxithelium loucoubense (Besch.) Cardot = *Acanthorrhynchium loucoubense* [2737: 1335] (= *Acanthorrhynchium papillatum*)

Taxithelium micrangium Paris, nom. nud. Excluded: an undescribed collection by Dusén from Cameroon.

Taxithelium nigerianum Broth. & Paris MLI(47).

Taxithelium nossianum Besch. MAU(3072), MDG(40).

Taxithelium nossibeanum Kindb., nom.illeg. incl. spec. prior. = *Taxithelium nossianum* [1521]

Taxithelium octodiceras Paris, nom. illeg. incl. spec. prior. = *Taxithelium octodiceroides* [1521] (= *Taxiphyllum schweinfurthii*)

Taxithelium octodiceroides (Müll.Hal.) A.Jaeger = *Taxiphyllum schweinfurthii* (268)

Taxithelium orthodiceroides (Müll.Hal.) A.Jaeger ex Renauld & Cardot, nom. inval. = *Taxithelium octodiceroides* [1521] (= *Taxiphyllum schweinfurthii*)

Taxithelium ovalifolium (Besch.) Broth. = *Glossadelphus ovalifolius* [1521] (= *Ectropothecium ovalifolium*)

Taxithelium perglabrum Broth. & Paris CAF(47), GAB(47), GUI(47), RIM(4639).

Taxithelium perminutulum Paris, nom. nud. Excluded: an undescribed collection (*Dusén* 465) from Cameroon.

Taxithelium perminutum Broth. CMN(47).

Taxithelium perpapillosum Cardot ex Broth., nom. nud. Excluded: an unspecified collection from D.R. Congo.

Taxithelium perplanicaule Broth. = *Phylodon perplanicaulis* [6809]

Taxithelium planulum Besch. COM(40), MDG(40), SEY(1926,2353).

Taxithelium planum (Brid.) Mitt. ASC(1296,5340), NGA(47), RIM(4639).

Taxithelium pobeguinii Broth. & Paris CAF(47), GAB(47), GUI(47), SIE(47), ZAI(3072).

Taxithelium pseudo-amoenum (Bél.) Renauld MAU(105), REU(105).

Taxithelium ramivagum Broth. CAF(47), CMN(47), CON(47), GAB(47), GUI(47), IVO(47,1880), NGR(3072), SIE(47).

Taxithelium ramivagum var. *elongatum* P.de la Varde GAB(47).

Taxithelium raphidostegioides (Broth.) Broth. TAN(46).

Taxithelium raphidostegioides var. *pallidum* (Broth.) Kis TAN(46).

Taxithelium raphidostegioides var. *viride* (Broth.) Kis TAN(46).

Taxithelium rotundatulum Broth. CAF(47), CMN(47), GAB(47), GUI(47), IVO(47,1880), LBR(47), SIE(47).

Taxithelium rotundatum var. *minus* Broth. ex Corb. CAF(47).

Taxithelium schweinfurthii (Müll.Hal.) A.Jaeger = *Taxiphyllum schweinfurthii* (268)

Taxithelium scutellifolium Besch. = *Glossadelphus scutellifolius* [1521] (= *Phylodon scutellifolius*)

Taxithelium serratum Renauld & Cardot = *Acanthorrhynchium serratum* [1521] (= *Acanthorrhynchium papillatum*)

Taxithelium stenosekos (Welw. & Duby) Broth. ANG(46).

Taxithelium suboctodiceras Broth. & Paris CAF(47), CON(47), GAB(47), GUI(47), MLI(47,4504), SIE(3072).

Taxithelium subrotundatum Broth. & Paris CAF(47), CMN(47), CON(47), GAB(47), GUI(47), IVO(1880), TAN(46), ZAI(65,7863).

Taxithelium theriotii P.de la Varde = *Taxithelium ramivagum* [3821: 207]

Taxithelium truncatum (Welw. & Duby) Broth. = *Glossadelphus truncatus* (1521) (= *Phyllodon truncatus*)

Taxithelium variegatum (Welw. & Duby) A.Jaeger = *Rhacopilopsis variegata* (4720)

Taxithelium voeltzkowii Broth. MAU(105).

Tayloria bequaertii Thér. & Naveau = *Tayloria solitaria* (123)

Tayloria borbonica Broth., nom. illeg. incl. spec. prior. = *Tayloria orthodonta* [1521; 123]

Tayloria boryana Mitt., nom. illeg. incl. spec. prior. = *Tayloria orthodonta* [1521; 123]

Tayloria boryana var. *brevipes* Thér. = *Tayloria orthodonta* (40: 211)

Tayloria cameruniae (Dusén) Broth. = *Tayloria orthodonta* (123)

Tayloria cameruniae var. *brevipes* Thér. = *Tayloria orthodonta* (123)

Tayloria erythrodonta (Taylor) Spruce = *Streptopogon erythrodontus* [1521]

Tayloria imerinensis Cardot in Grandid. = *Tayloria thomeana* (123) (= *Brachymitrium moritzianum*)

Tayloria immersa (Goffinet) Goffinet, A.J.Shaw & C.Cox CMN(4819).

Tayloria indica Mitt. MAS(40), MDG(40).

Tayloria isleana (Besch.) Broth. MDG(40), REU(123), SAF(1531,8328), TAN(46), ZIM(1547).

Tayloria jamesonii (Taylor) Müll.Hal. = *Brachymitrium jamesonii* (2730)

Tayloria kilimandscharica Broth. KEN(136), RWA(65,6620), TAN(46), UGA(46), ZAI(65,5319).

Tayloria limbata Dixon, hom. illeg. Excluded: the annotation on the type (from Kenya) in BM reads: "not Splachnaceae. det. Aune Koponen 1981." No alternative identification is offered, although Dixon (16) considers Bryaceae as a possible alternative family.

Tayloria orbispatulata Müll.Hal. ex Dusén, nom. nud. in synon. = *Brachymitrium moritzianum* (123)

Tayloria orthodon Spruce, nom. illeg. incl. spec. prior. = *Tayloria orthodonta* (123)

Tayloria orthodonta (P.Beauv.) Wijk & Margad. BIO(8180), CMN(47), ETH(111), GUI(47), KEN(46), MDG(40,6908), MLW(67,6087), REU(123), RWA(65,6620), SAF(1531,8328), SIE(47), TAN(46), UGA(4282), ZAI(65,6620), ZIM(46,61).

Tayloria pobeguini Broth. & Paris = *Tayloria solitaria* (123)

Tayloria pocsii A.Kop. = *Brachymitrium pocsii* (1951)

Tayloria serrata var. *tenuis* (With.) Bruch, Schimp. & W.Gümbel = *Tayloria tenuis* (4927)

Tayloria solitaria (Hedw.) T.J.Kop & W.Weber ANG(46,123), CMN(47,123), GUI(47), MDG(40,123,6908), MLW(6087), SAO(47), TAN(46,123), UGA(46,123), ZAI(65,5319).

Tayloria subintegra Demaret & P.de la Varde = *Tayloria kilimandscharica* (123)

Tayloria tenuis (Dicks.) Schimp. KEN(46), UGA(46).

Tayloria thomeana (Broth.) Broth. = *Brachymitrium moritzianum* (1951)

Tetraplodon bryoides Lindb. = *Tetraplodon mnioides* [8313: 19]

Tetraplodon mnioides (Hedw.) Bruch, Schimp. & W.Gümbel KEN(46), TAN(46), UGA(46), ZAI(65).

Tetrapterum capense Hampe ex A.Jaeger, nom. illeg. incl. spec. prior. = *Tetrapterum tetragonum* [1521]

Tetrapterum tetragonum (Hook.) Andrews SAF(1531,8328).

Thamniopsis cheiloneura (Müll.Hal. ex Broth.) W.R.Buck CMN(47).

Thamniopsis pappeana (Hampe) W.R.Buck = *Thamniopsis utacamundiana* (3362)

Thamniopsis rostrifolia Müll.Hal., nom. nud. = *Renauldia hoehnelii* [2864: 98] (= *Calyptothecium hoehnelii*)

Thamniopsis utacamundiana (Mont.) W.R.Buck ANG(46), KEN(411), MAU(105), SAF(1531,7766,8328), SWZ(1531), TAN(46), UGA(46), ZAI(65).

Thamniopsis versicolor (Mitt.) W.R.Buck BIO(47,2662), CMN(47), GAB(47), KEN(46), TAN(46), UGA(46), ZIM(61).

Thamnium africanum (Welw. & Duby) A.Jaeger = *Pinnatella africana* (1521) (= *Pinnatella minuta*)

Thamnium afrum Müll.Hal. = *Porothamnium comorense* [1911: 402] (= *Porothamnium stipitatum*)

Thamnium borbonicum Kindb. ex Syd., nom. inval. = *Porothamnium natalense* ssp. *borbonicum* [1521] (= *Porotrichum molliculum*)

Thamnium capense Broth. & Dixon = *Porothamnium capense* [1521] (= *Thamnobryum capense*)

Thamnium caudatum (Broth.) Kindb. = *Porotrichum caudatum* [1521]

Thamnium caudatum var. *eurydictyon* (Broth.) Kindb. = *Porotrichum eurydictyon* [1521] (= *Porotrichum quintasii*)

- Thamnium caudatum* var. *laurentii* (Renauld & Cardot) Kindb. = *Porotrichum laurentii* [1521] (= *Porotrichum elongatum*)
Thamnium comorensense (Müll.Hal.) Kindb. = *Porothamnium comorensense* [1521] (= *Porotrichum elongatum*)
Thamnium comorensense ssp. *corticola* Kindb. = *Porothamnium comorensense* ssp. *corticola* [1521] (= *Thamnobryum corticola*)
Thamnium complanatum Schimp. ex A.Jaeger, nom. nud. = *Porothamnium comorensense* [1911: 402] (= *Porotrichum elongatum*)
Thamnium decolorans (Welw. & Duby) A.Jaeger = *Stereophyllum andungense* [8236: 307]
Thamnium elongatum (Welw. & Duby) Kidb. = *Porotrichum elongatum* [1521]
Thamnium eurydictyon Kindb. ex Syd. = *Porotrichum eurydictyon* [1521] (= *Porotrichum quintasii*)
Thamnium exiguum (Bosch & Sande Lac.) Kindb. = *Homalioidendron exiguum* [1521]
Thamnium fluviaticum Müll.Hal. ex Dusén = *Porothamnium stipitatum* [1911: 402; 15]
Thamnium geheebei (Müll.Hal.) Kindb. = *Pinnatella geheebei* [1521] (= *Pinnatella minuta*)
Thamnium hildebrandii (Müll.Hal.) A.Jaeger = *Porothamnium comorensense* [1911: 402] (= *Porotrichum elongatum*)
Thamnium hildebrandii fo. *confertum* Besch. = *Porothamnium comorensense* [40: 230] (= *Porotrichum elongatum*)
Thamnium latidens Müll.Hal. ex Kindb., nom. nud. in synon. = *Porothamnium comorensense* [1911: 402] (= *Porotrichum elongatum*)
Thamnium laxum ssp. *engleri* (Broth.) Kindb. = *Pinnatella engleri* [1521]
Thamnium leptopteris Müll.Hal. ex Dusén = *Porothamnium comorensense* [2097: 181] (= *Porotrichum elongatum*)
Thamnium leptopteris var. *rivularis* Müll.Hal. ex Dusén = *Porothamnium stipitatum* [15: 135]
Thamnium madagassum (Besch.) Kindb. = *Porothamnium comorensense* [1911: 402] (= *Porotrichum elongatum*)
Thamnium madagassum ssp. *chauvetii* (Renauld & Cardot) Kindb. = *Porothamnium comorensense* [1911: 402] (= *Porotrichum elongatum*)
Thamnium malgachum Cardot = *Thamnobryum malgachum* (1663)
Thamnium minutum Broth. & Paris = *Porothamnium minutum* [1521] (= *Porotrichum caudatum*)
Thamnium moenkemeyeri (Müll.Hal.) Kindb. = *Porothamnium stipitatum* [15: 135]
Thamnium molleri (Müll.Hal.) Kindb. = *Porothamnium comorensense* [1911: 402] (= *Porotrichum elongatum*)
Thamnium molliculum (Broth.) Kindb. = *Porotrichum molliculum* [15: 117]
Thamnium natalense (Müll.Hal.) Kindb. = *Porothamnium natalense* [1521] (= *Porotrichum usagarum*)
Thamnium natalense ssp. *bordonicum* Kindb. = *Porothamnium natalense* ssp. *bordonicum* [1521] (= *Porotrichum usagarum*)
Thamnium natalense ssp. *subanisopleuron* Kindb. Excluded: a doubtful taxon [15: 148] that doesn't seem to have been referred to since its publication.
Thamnium pechuelii (Müll.Hal.) Kindb. = *Pinnatella pechuelii* [1521] (= *Pinnatella minuta*)
Thamnium pennaeforme Kindb. = *Porothamnium comorensense* [1911: 402] (= *Porotrichum elongatum*)
Thamnium pennaeforme var. *brachiphyllum* Dixon = *Porotrichum usagarum* (1519: 597)
Thamnium pennaefrondeum (Müll.Hal.) Kindb. = *Porothamnium comorensense* [1911: 402] (= *Porotrichum elongatum*)
Thamnium planissimum Müll.Hal. ex Dusén = *Porothamnium comorensense* var. *planissimum* [1521] (= *Porotrichum stipitatum*)
Thamnium pobeguinii Paris & Broth. = *Porotrichum pobeguinii* [1521] (= *Porotrichum elongatum*)
Thamnium profusum Müll.Hal. ex Dusén, nom. nud. in synon. = *Porothamnium comorensense* [2097: 181] (= *Porotrichum elongatum*)
Thamnium punctulatum (Dusén) Kindb. = *Porotrichum punctulatum* [1521] (= *Porotrichum caudatum*)
Thamnium rodriguezii Müll.Hal., nom. nud. = *Porothamnium comorensense* [1911: 402] (= *Porotrichum elongatum*)
Thamnium rotundifrondeum (Müll.Hal.) Kindb. = *Pinnatella rotundifrondea* [1521] (= *Pinnatella minuta*)
Thamnium ruficaule (Müll.Hal.) Kindb. = *Porotrichum ruficaule* [1521] (= *Porotrichum madagassum*)
Thamnium scariosum Broth. = *Porothamnium scariosum* [1521] (= *Porothamnium stipitatum*)
Thamnium serpenticaule Müll.Hal. ex Dusén = *Porothamnium stipitatum* [15: 135]
Thamnium stipitatum (Mitt.) Broth. ex Paris = *Porothamnium stipitatum* [15: 134]
Thamnium subpennaiforme (Müll.Hal.) Kindb. Excluded: a doubtful taxon [15: 148] that doesn't seem to have been referred to since its publication.
Thamnium suspectum Müll.Hal. ex Dusén = *Porothamnium comorensense* [1911: 402] (= *Porothamnium stipitatum*)
Thamnium tamariscinum (Hampe) Kindb. = *Pinnatella tamariscina* [1521] (= *Homalioidendron piniforme*)
Thamnium tamariscinum var. *braunii* (Broth.) Kindb. = *Pinnatella braunii* [1521] (= *Homalioidendron piniforme*)
Thamnium tamariscinum var. *chalaropteris* (Dusén) Kindb. = *Pinnatella chalaropteris* [1521] (= *Homalioidendron piniforme*)
Thamnium toccae (Sull. & Lesq.) Kindb. = *Herpetineuron toccae* [1521]
Thamnium variifolium (Welw. & Duby) A.Gepp in Hiern = *Porothamnium comorensense* [1911: 402] (= *Porothamnium stipitatum*)
Thamnobryum capense (Broth. & Dixon) Enroth SAF(781).
Thamnobryum corticola (Kindb.) De Sloover BIO(15), SAO(15).
Thamnobryum malgachum (Cardot) O'Shea MDG(40).
Thuidiopsis sparsa (Hook.f. & Wilson) Broth. COM(6647).
Thuidium abyssinicum Besch. ex Paris, nom. illeg. incl. spec. prior. = *Haplocladium jacquemontii* [1521]
Thuidium aculeoserratum Renauld & Cardot MDG(32,40), REU(32).
Thuidium afrociliatum Broth. = *Haplocladium angustifolium* [5268: 267]
Thuidium amplexicaule Müll.Hal. = *Haplocladium angustifolium* [1911: 384; 32: 190]

Thuidium angolense Welw. & Duby in Duby = *Thuidium ramusculosum* (32: 181) (= *Pelekium ramusculosum*)

Thuidium angustifolium (Hampe & Müll.Hal.) A.Jaeger = *Haplocladium angustifolium* [1521; 32: 190]

Thuidium annobonense Broth. in Mildbr., nom. nud. = *Thuidium gratum* (32: 156) (= *Pelekium gratum*). Note: the only collection is cited by Touw (32: 156), although the name is omitted from the paper's list of synonyms.

***Thuidium assimile* (Mitt.) A.Jaeger** COM(32,40), KEN(46,3412,4112,5315),

LES(32,1531,4897), MDG(32,40), MLW(6087), REU(32,287),

SAF(32,1531,3411,4897,7766,8328), TAN(46), UGA(46), ZIM(61).

Thuidium borbonicum Besch. = *Thuidium versicolor* (32: 163) (= *Pelekium versicolor*)

Thuidium byssoidaeum Besch. = *Pelekium investe* (6489: 203)

Thuidium caudicaule Müll.Hal. ex Renauld & Cardot in Thér. = *Thuidium matarumense* (32: 145) (= *Thuidium assimile*)

Thuidium chenagonii fo. *laxifolia* Cardot in Renauld & Cardot in Grandid. = *Thuidium varians* (32: 174) (= *Pelekium varians*)

Thuidium chenagonii Müll.Hal. ex Renauld & Cardot = *Pelekium chenagonii* (6489: 203)

Thuidium chenagonii var. *campyloneuron* Renauld & Paris in Paris = *Thuidium chenagonii* (32: 179) (= *Pelekium chenagonii*)

Thuidium chloropsis (Müll.Hal.) Paris = *Thuidium gratum* (32: 155) (= *Pelekium gratum*)

Thuidium chloropus Müll.Hal. ex Kindb., nom. inval. err. = *Thuidium chloropsis* [1521] (= *Pelekium gratum*)

Thuidium cooperi Mitt. ex Sim, nom. nud., ex parte = *Thuidium versicolor* (32: 163) (= *Pelekium versicolor*)

Thuidium djuriense (Müll.Hal.) A.Jaeger. Excluded: no material of this taxon described from Sudan was found by Touw [32: 189], but judging from the description he thought it was near *Thuidium versicolor* (= *Pelekium versicolor*)

Thuidium ferricola (Müll.Hal.) A.Jaeger = *Thuidium gratum* (32: 155) (= *Pelekium gratum*)

Thuidium filiferum A.Gepp, nom. nud. Note: this is probably *Pinnatella dupuisii* (32: 190) (= *Pinnatella minuta*)

Thuidium filiforme Welw. & Duby in Duby. Note: this is probably *Pinnatella dupuisii* (32: 190) (= *Pinnatella minuta*)

Thuidium fuciforme (Brid.) Besch. = *Pinnatella fuciforme* (32: 190) (= *Leptodon fuciformis*)

Thuidium gratum (P.Beauv.) A.Jaeger = *Pelekium gratum* (6489: 203)

Thuidium gratum ssp. *gratum* (P.Beauv.) Touw = *Pelekium gratum* (6647: 107)

Thuidium gratum ssp. *subscissum* (Müll.Hal. ex Besch.) Touw = *Pelekium gratum* (6647: 107)

Thuidium integricalyx Müll.Hal. ex Renauld, nom. nud. = *Thuidium chenagonii* [4250: 1278; 32: 177] (= *Pelekium chenagonii*)

Thuidium intricatum A.Jaeger = *Pelekium intricatum* (6489: 203)

Thuidium involvens ssp. *involvens* (Hedw.) Mitt. Excluded: this is an American taxon (now *Pelekium involvens*) and all African collections given this name are *Thuidium involvens* ssp. *thomeanum* [32: 174]

***Thuidium involvens* ssp. *thomeanum* (Broth.) Touw** ANG(46), CAF(32,355), CMN(32),

CON(32), GAB(32), GHA(32), IVO(32), NGA(32), RIM(4639), SAO(32),

TOG(58,1878,2851), ZAI(32,5319).

Thuidium involvens ssp. *thomeanum* (Broth.) Touw. Note: this taxon was not considered by Touw (6489), but presumably should, like the species, belong to *Pelekium*.

Thuidium jacquemontii (Müll.Hal.) A.Jaeger = *Haplocladium jacquemontii* [1521; 32: 190]

Thuidium kiaerii Müll.Hal. ex A.Jaeger, nom. nud. = *Hypnum aduncoides* (32: 190) (= *Hypnum macrogynum*)

Thuidium konkourae fo. *minor* Tosco & Piovano, ex parte, exclud. lectotype = *Thuidium versicolor* (32: 163) (= *Pelekium versicolor*)

Thuidium konkourae fo. *minor* Tosco & Piovano, ex parte, exclud. syntypes = *Thuidium ramusculosum* (32: 183) (= *Pelekium ramusculosum*)

Thuidium konkourae Paris & Broth. = *Thuidium varians* (32: 174) (= *Pelekium varians*)

Thuidium laevipes Mitt. = *Thuidium varians* (32: 174) (= *Pelekium varians*)

Thuidium loricalycinum (Müll.Hal.) Kindb. Note: the type of this taxon was not seen by Touw (32: 189), but he thought from the diagnosis that it might be conspecific with *Thuidium aculeoserratum*. However, all the subsequent collections given this name belong to *Thuidium matarumense* (= *Thuidium assimile*) and have been transferred there in this checklist.

Thuidium mascarenicum A.Jaeger = *Thuidium tamariscinum* (32: 149)

Thuidium matarumense Besch. = *Thuidium assimile* (6647: 11)

Thuidium micropteris Müll.Ha. ex Paris, nom. nud. = *Thuidium gratum* [5063: 39] (= *Pelekium gratum*)

Thuidium minusculum (Mitt.) A.Jaeger = *Pelekium minusculum* (6489: 204)

Thuidium nabambissense (Müll.Hal.) A.Jaeger = *Thuidium gratum* (32: 155) (= *Pelekium gratum*)

Thuidium natalense Sim, nom. nud. in synon. = *Rhynchostegiella zeyheri* [1911: 376; 32: 190]

Thuidium nigerianum (Mitt.) Paris = *Thuidium involvens* var. *thomeanum* (32: 169)

Thuidium pallidisetum Dixon = *Thuidium chenagonii* (32 179) (= *Pelekium chenagonii*)

Thuidium perbyssaceum Müll.Hal. ex Broth. ex parte = *Thuidium tenuissimum* [2849: 108; 32:151] (= *Pelekium investe*)

Thuidium perintricatum (Müll.Hal. ex Paris) Paris, nom. nud. = *Pseudoleskea dispersa* (32: 190) (= *Hylocomiopsis cylindricarpa*)

Thuidium perscissum (Müll.Hal.) A.Jaeger Excluded: all specimens given this name have proved to be other taxa. It is probably a synonym of *Thuidium chenagonii* (= *Pelekium chenagonii*), but the diagnosis gives insufficient information to confirm this (32: 190).

Thuidium petradeiphys Müll.Hal. ex Büttner, nom. nud. = *Thuidium varians* (32: 174) (= *Pelekium varians*)

Thuidium pinnatum Rehmann ex Geh. nom. nud. = *Haplocladium angustifolium* [1911: 384; 32: 190]

Thuidium promontorii (Müll.Hal.) Paris = *Thuidium matarumense* (32: 145) (= *Thuidium assimile*)

***Thuidium pseudoinvolutens* (Müll.Hal.) A.Jaeger** COM(32,40), MAU(32), MDG(32,40), TAN(46).

Thuidium pycnangiellum Müll.Hal. ex Broth. = *Thuidium chenagonii* (32: 177) (= *Pelekium chenagonii*)
Thuidium ramulosum (Mitt.) A.Jaeger = *Pelekium ramulosum* (6489: 204)
Thuidium rehmanni Sauerb. ex A.Jaeger, nom. nud. = *Haplocladium angustifolium* [1911: 384]
Thuidium sigmatella (Müll.Hal.) A.Jaeger = *Thuidium varians* (32: 174) (= *Pelekium varians*)
Thuidium splendens (Hedw.) Brockm. = *Hylocomium splendens* [1521]
Thuidium spurio-involutens Broth. and Paris = *Thuidium varians* (32: 174) (= *Pelekium varians*)
Thuidium strangulatum P.de la Varde = *Thuidium tenuissimum* (32: 151) (= *Pelekium investe*)
Thuidium struthiopteris Müll.Hal. ex Kindb., nom. nud. = *Thuidium aculeoserratum* (32: 149)
Thuidium subfalcatum (Mitt.) Paris = *Thuidium involvens* var. *thomeanum* (32: 169)
Thuidium sublaevipes Dixon = *Thuidium ramulosum* (32: 183) (= *Pelekium ramulosum*)
Thuidium subperscissum Müll.Hal., nom. nud. = *Thuidium pseudoinvolutens* (32: 159)
Thuidium subpetradelphus Broth. ex Lindau, nom. nud. = *Thuidium varians* (32: 174) (= *Pelekium varians*)
Thuidium subscissum Müll.Hal. ex Besch., nom. nud. = *Thuidium gratum* var. *subscissum* (32: 158) (= *Pelekium gratum*)
Thuidium subserratum Renaud & Cardot = *Thuidium matarumense* (32: 145) (= *Thuidium assimile*)
Thuidium tamariscellum (Müll.Hal.) Bosch & Sande Lac. = *Pelekium versicolor* (6647: 74)

***Thuidium tamariscinum* (Hedw.) Bruch, Schimp. & W.Gümbel** ETH(1927), REU(32,287), TAN(46), UGA(5696).

Thuidium tenellum Schimp. ex A.Jaeger, nom. nud. = *Thuidium versicolor* (32: 163) (= *Pelekium versicolor*)
Thuidium tenuisetum Welw. & Duby = *Thuidium varians* (32: 174) (= *Pelekium varians*)
Thuidium tenuissimum Welw. & Duby in Duby = *Pelekium investe* (6647: 100)
Thuidium thamniopsis Rehmann ex Sim = *Rigodium kilimandscharicum* (32: 190) (= *Rigodium toxarium*)
Thuidium thomeanum Broth., nom. nud. in synon. = *Thuidium involvens* var. *thomeanum* [1521]
Thuidium torrentium Müll.Hal. = *Thuidium versicolor* (32: 163) (= *Pelekium versicolor*)
Thuidium trachynotum Renaud & Paris = *Thuidium ramulosum* (32: 181) (= *Pelekium ramulosum*)
Thuidium transvaicense (Müll.Hal.) Paris = *Haplocladium angustifolium* (32: 190)
Thuidium ulugurensis Broth., nom. nud. = *Thuidium tamariscinum* (32: 149)
Thuidium varians Welw. & Duby = *Pelekium varians* (6489: 205)
Thuidium venustum Besch. Excluded: the record of this taxon (TAN(46)) is doubtful (Touw, pers. comm.).
Thuidium versicolor (Müll.Hal.) A.Jaeger = *Pelekium versicolor* (6489: 205)
Thyridium africanum Mitt. = *Syrrhopodon africanus* var. *africanus* [1909: 143]
Thyridium chenagonii (Renaud & Cardot) Kindb. = *Serpotortella chenagonii* [1474: 234]
Thyridium cyrtophyllum (Besch.) Broth. = *Serpotortella cyrtophyllum* [1474: 232]
Thyridium guineense (Broth. & Paris) W.Schultze-Motel = *Syrrhopodon africanum* var. *africanum* (1909)
Thyridium letestui Thér. & P.de la Varde = *Mitthyridium letestui* (80) (= *Mitthyridium undulatum*)
Thyridium letestui var. *scalariforme* Demaret & V.Leroy = *Mitthyridium flavum* [1473: 207]
Thyridium micro-undulatum (Dixon) E.B.Bartram = *Mitthyridium undulatum* [3432: 434]
Thyridium revolutum (Dozy & Molk.) Kindb. = *Syrrhopodon revolutus* [1521]
Thyridium subflavum (Renaud & Cardot) Broth. = *Mitthyridium subflavum* [3432: 433]
Thysanomitrion - see *Campylopus*
Thysanomitrion amplirete (Müll.Hal.) Broth. = *Campylopus lepidophyllus* [1911: 171] (= *Campylopus introflexus*)
Thysanomitrion atrosordidum (Broth.) Broth. = *Campylopus atrosordidus* [1521] (= *Campylopus pilifer*)
Thysanomitrion brevisetum (Brid.) Arnott = *Leucoloma bifidum* [77: 751]
Thysanomitrion capillaceum (Brid.) Arnott. Excluded: no specimens found [44: 195]
Thysanomitrion chevalieri (Broth. & Thér.) Broth. = *Campylopus chevalieri* [1521]
Thysanomitrion consociatum (Thér.) Broth. = *Campylopus consociatus* [1521] (= *Campylopus flaccidus*)
Thysanomitrion crateris (Besch.) Broth. = *Campylopus crateris* [1521]
Thysanomitrion delagoae (Müll.Hal.) Broth. = *Campylopus stenopelma* [1911: 174] (= *Campylopus thwaitesii*)
Thysanomitrion filiforme (P.Beauv.) Arnott = *Aongstroemia filiformis* [1521]
Thysanomitrion flaccidum (Renaud & Cardot) Cardot in Grandid. = *Campylopus flaccidus* [1521]
Thysanomitrion flexuosum (Hedw.) Arnott = *Campylopus flexuosus* [1521]
Thysanomitrion fuscolutescens (Renaud & Cardot) Broth. = *Campylopus fuscolutescens* [1521] (= *Campylopus thwaitesii*)
Thysanomitrion inandae (Müll.Hal.) Broth. = *Campylopus purpurascens* [1911: 176] (= *Campylopus pilifer*)
Thysanomitrion nivalis (Brid.) Arnott = *Campylopus nivalis* var. *nivalis* [1521]
Thysanomitrion olivaceonigrans (Müll.Hal.) Broth. = *Campylopus flaccidus* [54: 71]
Thysanomitrion orzeskoanum (Renaud & Cardot) Cardot in Grandid. = *Campylopus crateris* [54: 60]
Thysanomitrion transvaicense Herzog & Dixon ex Sim = *Campylopus ampliretis* (82: 140) (= *Campylopus flaccidus*)

***Timmiella anomala* (Bruch, Schimp. & W.Gümbel)** Limpr. KEN(411), TAN(46).

Timmiella barbula Limpr., nom. illeg. incl. spec. prior. = *Timmiella barbuloides* [1521; 1420]

***Timmiella barbuloides* (Brid.) Moenk.** CHA(4508,4534,4565), CVI(1296,2666,6453), DJI(1569), ERI(50), ETH(6137), SUD(207).

Timmiella brevidens Dixon UGA(46).

Timmiella cameruniae Broth. CMN(47), TAN(46).

Timmiella pelindaba Magill LES(1531), SAF(1531,4418,8328), ZIM(61).

Tisserantiella pulchella (Thér. & Hilp.) R.H.Zander CMN(47), ZAI(3058).

Tisserantiella spathulata P.de la Varde = *Tisserantiella pulchella* (1420)

Tortella afrocaespitosa (Müll.Hal.) Broth. = *Tortella humilis* [1912: 251; 82: 256]

Tortella aprica (Müll.Hal.) Broth. SUD(3076).

Tortella beccarii (Venturi) Paris = *Pleurochaete squarrosa* var. *squarrosa* (1420)

Tortella brachydontia (Bruch) C.E.O.Jensen = *Trichostomum brachydontium* (1521)

Tortella caespitosa (Schwägr.) Limpr. = *Tortella humilis* [1912: 251; 82: 256]

Tortella caespitosa var. *angustifolia* Paris, nom. nud. = *Tortella humilis* [6568: 220; 82: 256]

Tortella calycina (Schwägr.) Dixon = *Barbula calycina* (82: 240)

Tortella corticola (Renauld & Cardot) Broth. = *Trichostomum soulae* [1420]

Tortella crispula (Bruch) C.E.O.Jensen = *Trichostomum crispulum* var. *crispulum* [1521]

Tortella cylindrica (Brid.) Loeske = *Oxystegus cylindricus* [1521] (= *Trichostomum tenuirostre*)

Tortella eckendorffii (P.de la Varde) R.H.Zander CAF(47).

Tortella eutrichostoma (Müll.Hal.) Broth. = *Tortella humilis* (82: 256)

Tortella fragilis (Hook.f. & Wilson) Limpr. LES(1531,4897), RWA(65), SAF(1531,8328), ZAI(65).

Tortella fragillima P.de la Varde TAN(46).

Tortella humilis (Hedw.) Jenn. DJI(1569), ETH(111), KEN(46), LES(1531), MAU(1637), MDG(40), MOZ(46), REU(4928), SAF(1531,4897,7766,8328), SOC(40,2374,5613), STH(1296,4202,5331), SWZ(1531), TAN(46), UGA(46), ZAI(65,5319), ZIM(46).

Tortella involutifolia Dixon ZAI(4229).

Tortella malacophylla Müll.Hal. = *Pleurochaete malacophylla* (1521)

Tortella natalensiscaespitosa (Müll.Hal.) Broth. = *Tortella humilis* (82: 256)

Tortella nitida (Lindb.) Broth. CVI(2666,6453), SOC(5040,5613), SUD(207).

Tortella obtusifolia Dixon = *Barbula umtaliensis* (53: 25)

Tortella opaca Dixon = *Weissia opaca* (53: 25)

Tortella opacifolia Dixon ex Sim, nom. nud. in synon. = *Tortella opaca* [1911: 240] (= *Weissia opaca*)

Tortella petrieana Sim = *Tortella humilis* [1912: 251; 82: 256]

Tortella rufiseta (Müll.Hal.) Broth. = *Tortella xanthocarpa* (82: 255)

Tortella ruvenzorense Broth. = *Trichostomum ruvenzorense* (1521)

Tortella smithii C.C.Towns. SOC(40,1626,2374,5613).

Tortella somaliae (Müll.Hal.) R.H.Zander SOM(50).

Tortella squarrosa (Brid.) Limpr. = *Pleurochaete squarrosa* var. *squarrosa* (1521)

Tortella syrrhopodontoides Dixon = *Chionoloma bombayense* [7961: 36]

Tortella theriotii Broth. & P.de la Varde = *Tortella humilis* (1420)

Tortella theriotii var. *angustata* Dixon & P.de la Varde = *Tortella humilis* (1420)

Tortella torquescens (Schimp.) Broth. = *Tortula pilifera* [6557: 234] (= *Pseudocrossidium crinitum*)

Tortella tortuloides (Sull. & Lesq.) Broth. = *Tortella xanthocarpa* (82: 255)

Tortella tortuosa (Hedw.) Limpr. MLW(67).

Tortella tortuosa (Hedw.) Limpr. Note: Sollman (pers. comm.) believes that this taxon is unlikely in Africa, but has yet to examine the collection.

Tortella vernicosa (Renauld & Cardot) Broth. REU(105).

Tortella viridula C.E.O.Jensen, nom. illeg. incl. spec. prior. = *Weissia controversa* var. *controversa* [1521]

Tortella xanthocarpa (Müll.Hal.) Broth. KEN(2661), LES(1531,4897), NAM(1531,7155), SAF(1531,3411,4897,7766,8328), SWZ(1531), ZIM(61).

Tortula abyssinica De Not. ETH(50).

Tortula afroruralis (Müll.Hal.) Broth. = *Tortula ruralis* [4800: 180; 82: 219] (= *Syntrichia ruralis*)

Tortula alpestris Dixon = *Syntrichia alpestris* (1420)

Tortula ammoniana H.A.Crum & L.E.Anderson = *Syntrichia ammoniana* (1420)

Tortula amphidiacea (Müll.Hal.) Broth. = *Syntrichia amphidiacea* [1420]

Tortula atrovirens (Sm.) Lindb. CHA(4507), CVI(2666,6453), ERI(50), KEN(411,2661), LES(1531,4897), NAM(1531,7155,8024), SAF(1531).

Tortula atrovirens var. *edentula* (Bruch, Schimp. & W.Gümbel) Schimp. = *Tortula atrovirens* (6531)

Tortula australasiae Hook. & Grev. = *Trichostomopsis australasiae* (82: 232) (= *Didymodon australasiae*)

Tortula barbuloides (Brid.) Mitt. ex Godm. = *Timmiella barbuloides* [1521]

Tortula bifrons De Not. = *Aloina bifrons* (82: 193)

Tortula bogosica (Müll.Hal.) R.H.Zander CVI(2666), ERI(50), ETH(1865,1927), KEN(46), SAF(411,1531,8328), SUD(1419,1707).

Tortula brachyaichne (Müll.Hal.) Broth. = *Tortula hildebrandtii* [4872: 14] (= *Syntrichia fragilis*)

Tortula brevimucronata (Müll.Hal.) Broth. = *Syntrichia fragilis* [1912: 252; 1420]

Tortula brevitubulosa Broth. = *Tortula schmidii* (82: 215) (= *Syntrichia fragilis*)
Tortula caespitosa (Schwägr.) Hook. & Grev. = *Tortella humilis* [1912: 252]

***Tortula canescens* Mont. CVI(6453).**

***Tortula cardotii* Thér. & Naveau in Naveau ZAI(5967).**

Tortula cavallii Negri = *Syntrichia cavallii* (1420)

Tortula chisosa Magill, Delgad. & L.R.Stark = *Syntrichia chisosa* (1420)

***Tortula cochlearifolia* P.de la Varde TAN(46).**

Tortula crispula (Bruch.) Mitt. in Mell. = *Trichostomum crispulum* [1521]

***Tortula cuneifolia* (Dicks.) Turner CVI(2666).**

***Tortula cuspidatissima* (Müll.Hal.) Broth. ASC(1296,5340).**

Tortula cylindrica (Brid.) Mitt. = *Oxystegus cylindricus* [1521] (= *Trichostomum tenuirostre*)

Tortula deserta (Müll.Hal.) Broth. = *Hennediella longipedunculata* (1420)

Tortula erubescens (Mitt.) Mitt. = *Bryoerythrophyllum recurvirostrum* var. *recurvirostrum* [8107: 125]

Tortula erubescens (Müll.Hal.) Broth., hom illeg. = *Tortula fragilis* [65] (= *Syntrichia fragilis*)

Tortula erythroneura (Müll.Hal.) Broth. = *Tortula ruralis* [1911: 227; 82: 219] (= *Syntrichia ruralis*)

Tortula eubryum (Müll.Hal.) Broth. = *Barbula eubryum* (1420)

Tortula exesa (Müll.Hal.) Broth. = *Tortula hildebrandtii* [4872: 14] (= *Syntrichia fragilis*)

Tortula flexuosa Hook., hom. illeg (non Brid.) = *Barbula calycina* (82: 240)

Tortula fragilis Taylor = *Syntrichia fragilis* (1420)

Tortula fusco-mucronata (Müll.Hal.) Broth. = *Pseudocrossidium replicatum* (1419)

Tortula hildebrandtii (Müll.Hal.) Broth. = *Syntrichia fragilis* (1420)

Tortula hildebrandtii var. *papillosa* (Broth.) Wijk & Margad. Excluded: the owning species has been made a synonym of *Syntrichia fragilis*, but this variety has not been dealt with.

Tortula humilis (Hedw.) Turn. = *Tortella humilis* [1521]

Tortula hyalinoblasta Broth. ex Micheletti, nom. nud. Excluded: an undescribed collection from Eritrea [1686: 155; 50: 226].

Tortula hystricosa Dixon ex Sim, nom. nud. in synon. = *Tortula papillosa* [1911: 226] (= *Syntrichia papillosa*)

Tortula incerta (Mitt.) Broth. = *Trichostomum incertum* (1420)

Tortula indica Hook. = *Barbula indica* (82: 243)

Tortula inserta Broth., err. = *Tortula incerta* [1521] (= *Trichostomum incertum*)

Tortula irregularis Sim = *Syntrichia fragilis* (1420)

Tortula kerensis Broth. ex Micheletti, nom. nud. Excluded: an undescribed collection from Eritrea [1686: 155; 50: 226].

Tortula khartoumensis Pettet = *Tortula bogosica* (1420)

Tortula laevipila var. *laevipila* (Brid.) Schwägr. = *Syntrichia laevipila* var. *laevipila* (1420)

Tortula laevipila var. *wachteri* Barkm. = *Syntrichia laevipila* var. *laevipila* [8086]

Tortula laxiretis Broth. ex Micheletti, nom. nud. Excluded: an undescribed collection from Eritrea [1686: 155; 50: 226].

Tortula leikipiae (Müll.Hal.) Broth. = *Tortula hildebrandtii* [4872: 14] (= *Syntrichia fragilis*)

***Tortula leiostomoides* P.de la Varde UGA(46).**

Tortula le-testui P.de la Varde ex Wijk, Margad. & Florsch., err. = *Trematodon le-testui* [1521]

***Tortula leucochlora* Müll.Hal. ASC(1296,5334,5340).**

Tortula leucostega (Müll.Hal.) Broth. = *Tortula princeps* (82: 219) (= *Syntrichia princeps*)

Tortula limbata Mitt. = *Hennediella limbata* (1420)

Tortula longipedunculata (Müll.Hal.) Broth. = *Hennediella longipedunculata* (1420)

Tortula longirostris (Müll.Hal.) Broth., hom. illeg. = *Barbula longirostris* (1420) (= *Hennediella limbata*)

Tortula lurida (Hornschr.) Mitt. = *Didymodon trifarius* [8151: 549]

Tortula lusitanica Brid. = *Timmiella barbuloides* [3491: 493]

Tortula macowaniana (Müll.Hal.) Broth. = *Tortula hildebrandtii* [1911: 227] (= *Syntrichia fragilis*)

***Tortula madagassa* Dixon MDG(40).**

***Tortula marginata* ssp. *limbata* (Lindb.) Podp. CVI(2666,6453).**

Tortula meruensis (Müll.Hal.) Broth. = *Tortula hildebrandtii* [4872: 14] (= *Syntrichia fragilis*)

Tortula meruensis var. *papillosa* Broth. = *Tortula hildebrandtii* var. *papillosa* [1521]. Excluded: see note under this taxon.

Tortula microtricha Broth. ex Micheletti, nom. nud. Excluded: an undescribed collection from Eritrea [1686: 155; 50: 226].

***Tortula minor* (Müll.Hal.) R.H.Zander ERI(50).**

***Tortula minor* var. *elatior* (Müll.Hal.) R.H.Zander ERI(50).**

Tortula mollis (Broth. & Schimp.) Broth. = *Syntrichia mollis* (1420)

Tortula muelleri Hook.f. & Wilson, nom. illeg. = *Tortula princeps* (82: 219) (= *Syntrichia princeps*)

Tortula muralis var. *brevipedunculatus* Sim. Note: all South African *Tortula muralis* is referred to the type variety.

Tortula muralis var. *incana* (Bruch & Schimp.) Limpr. = *Tortula muralis* [8258: 14]

***Tortula muralis* var. *madagascariensis* Thér. MDG(40).**

***Tortula muralis* var. *muralis* Hedw. ETH(6137), NAM(1531,7155,8024),**

SAF(1531,1882,7766,8328), ZAI(5319).

Tortula muralis var. *obcordata* (Schimp.) Moenk. ZAI(65).*Tortula mutica* Mitt., hom. illeg. = *Trichostomum muticum* [1521]*Tortula nana* (Müll.Hal.) Broth. = *Barbula nana* (1521) (= *Trichostomum brachydontium*)**Tortula omissa** Thér. MDG(40).*Tortula oranica* (Müll.Hal.) Broth. = *Tortula hildebrandtii* [4872: 14] (= *Syntrichia fragilis*)*Tortula pagorum* (Milde) De Not. = *Syntrichia pagorum* (1420)*Tortula papillosa* Wilson ex Spruce = *Syntrichia papillosa* (1420)*Tortula parvula* Hook. & Grev. = *Desmatodon convolutus* (82: 209) (= *Tortula atrovirens*)*Tortula pertorquata* Broth. ex Micheletti, nom. nud. Excluded: an undescribed collection from Eritrea [1686: 155; 50: 226].*Tortula pierrotii* Bizot = *Bryoerythrophyllum inaequalifolium* (2666)*Tortula pilifera* Hook. = *Pseudocrossidium crinitum* (1420)*Tortula pilifera* var. *longifolia* Sim. = *Barbula crinita* [82: 237] (= *Pseudocrossidium crinitum*)*Tortula porphyreoneura* (Müll.Hal.) C.C.Towns. = *Pseudocrossidium porphyreoneurum* (1420)*Tortula pretoriensis* Sim, nom. nud. in synon. = *Semibarbula stuhlmanni* [1911: 237] (= *Barbula indica*)*Tortula princeps* De Not. = *Syntrichia princeps* (1420)*Tortula recurvata* Hook. = *Desmatodon convolutus* (82: 209) (= *Tortula atrovirens*)*Tortula recurvata* var. *aristatula* Paris, nom. nud. = *Desmatodon convolutus* [1911: 233] (= *Tortula atrovirens*)*Tortula rehmanni* (Müll.Hal.) Sim = *Barbula rehmanni* (82) (= *Barbula indica*)*Tortula reticularia* (Müll.Hal.) Broth. = *Tortula papillosa* (53: 25) (= *Syntrichia papillosa*)*Tortula revoluta* (Brid.) Schrad. = *Barbula revoluta* [1521]*Tortula revoluta* var. *hornschorchiana* (Schultz) De Not. = *Barbula hornschorchiana* [1521] (= *Pseudocrossidium hornschorchianum*)*Tortula rhizophylla* (Sak.) Z.Iwats. & K.Saito = *Phascum leptophyllum* (68) (= *Chenia leptophylla*)*Tortula rigida* (Hedw.) Schrad. ex Turn. = *Aloina rigida* [1521]**Tortula rufa** (Besch.) Broth., hom. illeg. MAU(105).*Tortula ruralis* ssp. *ruralis* (Hedw.) Gaertn. = *Syntrichia ruralis* var. *ruralis* (1420)**Tortula sabinae** C.C.Towns. SUD(1419).*Tortula schmidii* (Müll.Hal.) Broth. = *Syntrichia fragilis* (1420)**Tortula solmsii** (Schimp.) Limpr. CVI(2666,5762,6453).*Tortula solmsii* var. *minor* G.Roth = *Tortula solmsii* (2666)**Tortula splachnoides** (Hornsch.) R.H.Zander SAF(1531,8328).*Tortula squarrosa* (Brid.) De Not. = *Pleurochaete squarrosa* [1521]*Tortula subaristata* (Broth. & Schimp.) Broth. = *Syntrichia subaristata* (1420)*Tortula subaristata* fo. *robusta* Dixon ex Herzog. Excluded: any records for this form have been associated with *Syntrichia subaristata*, to which name the owning species has transferred.*Tortula subcaroliniana* Bizot = *Tortula amphidiacea* [2666] (= *Syntrichia amphidiacea*)**Tortula subrufa** Cardot MDG(40).*Tortula subspathulata* (Müll.Hal.) Broth. = *Syntrichia fragilis* (1621)*Tortula subtorquatifolia* Dixon = *Tortula atrovirens* (1420)**Tortula subulata** var. *subulata* Hedw. CHA(4507).*Tortula tanganyikae* Dixon = *Syntrichia amphidaceus* (1420)*Tortula torquatifolia* (Geh.) Dixon = *Pseudocrossidium porphyreoneurum* (1420)**Tortula toutonii** Bizot ETH(1886).*Tortula trachyneura* Dixon = *Tortula ruralis* (82: 219) (= *Syntrichia ruralis*)*Tortula verticillata* (Brid.) Mitt. = *Eucladium verticillatum* [1521]*Trachycarpidium novae-valesiae* Broth. ex Roth = *Bryobartramia novae-valesiae* (82: 269)**Trachycarpidium tisserantii** Dixon & P.de la Varde CAF(47), NGA(334,5148), UGA(46).*Trachyloma stipitatum* Mitt. = *Porothamnium stipitatum* (1519: 595)*Trachymitrium revolutum* (Dozy & Molk.) Hampe = *Syrrhopodon revolutus* [1521] (= *Syrrhopodon involutus*)**Trachyphylloides borgenii** (Renauld & Cardot) Broth. MDG(12,40,4764).*Trachyphylloides curvifolium* (Mitt.) A.Gepp = *Trachyphylloides inflexum* (12)*Trachyphylloides dilatatum* (Renauld) Renauld = *Trachyphylloides inflexum* (12)**Trachyphylloides dusenii** (Broth.) Broth. BIO(2662), CAF(12,47), CMN(12,47),

GHA(12,4764), GUI(12,1458), IVO(1880), MLI(12), MLW(4764), MOZ(357),

NGA(12,334,4764,5176), NGR(12), SAF(7766,8328), SEN(12), SIE(12,3216),

TOG(1878), ZAI(12,65), ZAM(12,46,62), ZIM(61).

Trachyphylloides fabronioides (Besch.) A.Gepp in Hiern = *Trachyphylloides inflexum* (12)*Trachyphylloides fabronioides* fo. *comorense* Besch. = *Trachyphylloides inflexum* (12)*Trachyphylloides fabronioides* var. *comorense* Broth. ex Voeltzk. = *Trachyphylloides inflexum* (12)*Trachyphylloides fabronioides* var. *ferriezii* (Marie) Thér. = *Trachyphylloides inflexum* [2737: 1143]*Trachyphylloides fabronioides* var. *imbricatum* (Renauld & Paris) Cardot = *Trachyphylloides inflexum*. Note: this is not included as a synonym by Buck (12), but in his discussion of *Trachyphylloides inflexum* (12: 382), it is clear that this variety should be included here.

- Trachyphllum ferricola* (Müll.Hal.) A.Gepp in Hiern = *Trachyphllum inflexum* [715: 131]
Trachyphllum ferriezii (Marie) A.Gepp in Hiern = *Trachyphllum inflexum* [2737: 1143; 715: 131]
Trachyphllum ferriezii var. *abbreviatum* (Renauld & Cardot) Renauld & Cardot = *Trachyphllum inflexum* [715: 131]
- Trachyphllum gastrodes*** (Duby) A.Gepp in Hiern ANG(12,46), MLW(12,67,4764),
 SAF(12,1531,8328), SEN(47), SWZ(1531), ZAI(12), ZAM(12,46,62), ZIM(12,46).
- Trachyphllum inflexum*** (Harv.) A.Gepp in Hiern ALD(12,2041,2353), COM(12,40),
 KEN(2661), MAU(12), MDG(12,40), MLW(4764), MOZ(357), REU(12),
 ROD(12,105,4931), SUD(12,3076), TAN(12,46), UGA(5696), ZAM(62).
Trachyphllum maximum Dixon = *Trachyphllum gastrodes* [715: 131]
Trachyphllum pinnatum (Broth. & Paris) Broth. = *Trachyphllum dusenii* (12)
Trachypodopsis eriocladoides M.Fleisch., nom. nud. Excluded: an undescribed specimen from Mozambique.
- Trachypodopsis laxoalaris*** Broth. MLW(67), UGA(46), ZAI(65,344).
- Trachypodopsis normandii*** (Broth. & Paris) M.Fleisch. GUI(47,344), SIE(47,344).
Trachypodopsis normandii fo. *viridis* Paris, nom. nud. Excluded: any records for this form have been associated with the owning species.
Trachypodopsis pintasiana M.Fleisch., nom. nud. = *Trachypodopsis serrulata* var. *serrulata* [10: 832]
Trachypodopsis quintasiana Broth. ex Paris, nom. nud. = *Trachypodopsis serrulata* var. *serrulata* [10: 832; 47: 503]
Trachypodopsis rutenbergii (Müll.Hal.) M.Fleisch. = *Trachypodopsis serrulata* var. *serrulata* [10: 832; 344]
- Trachypodopsis serrulata*** var. *crispatula* (Hook.) Zanten CMN(47), NGA(47,5148),
 TAN(46), UGA(4282).
- Trachypodopsis serrulata*** var. *serrulata* (P.Beauv.) M.Fleisch. BIO(47,2662), CMN(47),
 COM(40,344), ETH(111), IVO(44,1880), KEN(46,3412,5315), MDG(40,344,6908),
 MLW(67,6087), NGA(47,344,5148,5176), REU(105,344,3410), RWA(65,2675),
 SAF(344,1531,8328), SAO(47), TAN(46), UGA(46), ZAI(65), ZIM(46).
- Trachypus appendiculatus*** (Renauld & Cardot) Broth. MDG(40,344), TAN(46).
- Trachypus bicolor*** var. *bicolor* Reinw. & Hornsch. SAF(1531,8328), TAN(46).
- Trachypus bicolor*** var. *hispidus* (Müll.Hal.) Cardot GUI(47,344,3410), REU(3410),
 TAN(46,344).
- Trachypus bicolor*** var. *viridulus* (Mitt.) Zanten MDG(40,344), REU(105), SAF(344,8328),
 SAO(47,344), TAN(46).
Trachypus eriocladoides Müll.Hal., nom. nud. Excluded: an undescribed specimen from Mozambique.
Trachypus hispidus (Müll.Hal.) Paris = *Trachypus bicolor* var. *hispidus* [1521]
Trachypus laetus (Renauld & Cardot) M.Fleisch. = *Trachypus bicolor* var. *viridulus* [344: 499]
Trachypus molleri (Müll.Hal.) Broth. = *Trachypus bicolor* var. *viridulus* [344: 499]
Trachypus molliculus Broth. & Paris = *Trachypus bicolor* var. *hispidus* [344: 497]
Trachypus nodicaulis (Müll.Hal.) Besch. = *Trachypodopsis serrulata* var. *serrulata* [5492: 67; 40: 224]
Trachypus normandii Broth. & Paris = *Trachypodopsis normandii* [1521]
Trachypus nudicaulis Besch. ex Sim, nom. inval. in synon. err. = *Trachypodopsis serrulata* var. *serrulata* [5492: 67; 40:
 224]
Trachypus perichaetialis (Hampe) Besch. = *Papillaria perichaetialis* [1521]
Trachypus quintasianus Müll.Hal. ex Broth., nom. nud. in synon. = *Trachypodopsis serrulata* [10: 832]
Trachypus rutenbergii Müll.Hal. = *Trachypodopsis serrulata* var. *serrulata* [10: 832; 40: 224]
Trachypus serratulus Besch. ex Wager, orthogr. err. = *Trachypodopsis serrulatus* [1521]
Trachypus serrulatus (P.Beauv.) Besch. = *Trachypodopsis serrulatus* var. *serrulatus* (1521)
Trachypus sublaetus Broth. ex Zant., nom. nud. in synon. = *Trachypus bicolor* var. *viridulus* [344: 500]
Trachypus usambaricus Broth. ex Zant., nom. nud. in synon. = *Trachypus bicolor* var. *viridulus* [344: 497]
Trachypus viridulus (Mitt.) Broth. = *Trachypus bicolor* var. *viridulus* (1519: 563)
- Trachythecium le-testui*** Thér. & P.de la Varde in P.de la Varde CAF(47), CMN(47),
 GAB(47), IVO(1880), UGA(3072).
Trematodon aequicollis Renauld & Cardot = *Trematodon divaricatus* (82: 115)
Trematodon africanus Wager & Dixon = *Trematodon longicollis* (82: 115)
- Trematodon angolensis*** Welw. ex Duby ANG(46).
- Trematodon borbonicus*** Besch. REU(105).
Trematodon boryanus (Schwaegr.) Spreng., nom. illeg. incl. spec. prior. = *Dicranoloma billardierei* [1911: 162]
- Trematodon congolensis*** V.Leroy ZAI(65).
- Trematodon curvicollis*** Cardot in Grandid MDG(40).
- Trematodon decaryi*** Thér. MDG(40).
- Trematodon dentatus*** Broth. & P.de la Varde CAF(47).
- Trematodon divaricatus*** Bruch MLW(67), MOZ(46), SAF(1531,4418,8328), SAO(47),

TAN(46), ZAI(65).

Trematodon firmifolius Muell.Hal., nom. nud. Excluded: an undescribed specimen of unknown origin.

Trematodon flexifolius Müll.Hal. = *Trematodon divaricatus* [1911: 156]

***Trematodon hildebrandtii* Müll.Hal. COM(40).**

Trematodon intermedius var. *nanus* Welw. & Duby. = *Trematodon paradoxus* var. *nanus* [1521]

Trematodon intermedius Welw. & Duby. = *Trematodon paradoxus* [1911: 153]

***Trematodon lacunosus* Renauld & Cardot MDG(40).**

Trematodon latifolius Müll.Hal., nom. nud. Excluded: an undescribed collection from Madagascar.

***Trematodon le-testui* P.de la Varde GAB(47).**

Trematodon ligulatus Rehmann ex G.Roth = *Trematodon mayottensis* [1911: 154]

Trematodon linguaeformis Besch. ex Paris, nom. nud. Excluded: an undescribed collection (*Marie 221*) from Mayotte.

***Trematodon longicollis* Michx. BIO(8180), COM(40), KEN(411), MDG(40),**

MLW(67,411), RWA(65), SAF(1531,4418,4897,8328), TAN(411), UGA(46),

ZAI(65,5319), ZIM(46,61).

Trematodon macleai Rehmann ex Kindb., nom. nud. = *Trematodon paradoxus* [1911: 153]

***Trematodon mayottensis* Besch. COM(40), MLW(67), SAF(1531,8328), TAN(46),**

ZAM(62,411), ZIM(46,5525).

Trematodon minutissimus Müll.Hal., nom. nud. Excluded: an undescribed specimen from Réunion.

***Trematodon minutulus* Müll.Hal. ex Dusén CMN(47), ZAI(65).**

***Trematodon nudus* Müll.Hal. ex Dusén CMN(47).**

Trematodon obtusifolius Mitt. ex Sim, nom. nud. in synon. = *Trematodon africanus* [1911: 154] (= *Trematodon longicollis*)

Trematodon pallidens Müll.Hal. = *Trematodon longicollis* (82: 115)

Trematodon pallidisetus (Brid.) Spreng. = *Microdus pallidisetus* [1521] (= *Leptotrichella pallidiseta*)

Trematodon pallidus Müll.Hal. ex Broth., nom. inval. = *Trematodon pallidens* (1521) (= *Trematodon longicollis*)

***Trematodon paradoxus* Hornsch. ANG(46), BIO(2662), MLW(67), NAM(1531,7155),**

REU(105), RWA(65), SAF(1531,8328), SWZ(1531), UGA(46), ZAI(65), ZAM(62,411),
ZIM(46,61,5525).

***Trematodon paradoxus* var. *nanus* (Welw. & Duby) Sim ANG(46), CAF(47), TAN(46),**

UGA(46), ZAI(65), ZIM(46).

Trematodon pechuelii Müll.Hal. = *Trematodon paradoxus* var. *nanus* [1911: 153]

***Trematodon pillansii* Dixon ex Sim SAF(1531,8328).**

***Trematodon platybasis* Müll.Hal. MDG(40).**

***Trematodon reticulatus* Müll.Hal. ex Geh. MDG(40).**

Trematodon schroederi Broth. = *Trematodon victoriae* [1521]

***Trematodon subambiguus* Besch. MAU(105), REU(105).**

***Trematodon tisserantii* Broth. & P.de la Varde CAF(47).**

Trematodon tortilis Rehmann ex Dixon & A.Gepp., nom. nud. Excluded: an undescribed collection (*Rehmann 23*) from Natal, South Africa).

Trematodon transvaaliensis Wager & Broth. ex Dixon, nom. nud. in synon. = *Trematodon pallidens* [4800: 181] (= *Trematodon longicollis*)

***Trematodon usambaricus* Broth. TAN(46).**

***Trematodon victoriae* Müll.Hal. ex Dusén CMN(47), MLW(67), TAN(46), ZAI(65).**

***Trematodon viguieri* Cardot COM(40), MDG(40).**

***Trichosteleum adhaerens* (Besch.) Kindb. REU(105).**

Trichosteleum albescens Broth., nom. nud. in synon. = *Trichosteleum subpycno cylindricum* [4233: 184] (= *Radulina borbonica*)

Trichosteleum andongense Gepp. in Hiern = *Taxithelium andongense* [1521]

Trichosteleum aoraton (Duby) A.Jaeger = *Isopterygium intortum* [2195: 316]

***Trichosteleum asselii* Tixier IVO(1880).**

Trichosteleum borbonicum (Bél.) A.Jaeger = *Radulina borbonica* [717]

Trichosteleum borbonicum var. *brachycarpum* Renauld & Cardot = *Radulina borbonica* [6808: 31]

Trichosteleum buettnerianum (Müll.Hal.) Broth. = *Radulina borbonica* [717]

Trichosteleum chloropterum (Müll.Hal.) Kindb. = *Taxithelium chloropterum* [1521]

***Trichosteleum chrysophyllum* P.de la Varde ANG(3072), CAF(47), GAB(47), GHA(3072), IVO(1880).**

***Trichosteleum constrictum* (Brid.) Renauld REU(105).**

***Trichosteleum debettei* (Besch.) Kindb. REU(105), SEY(1941,2353).**

Trichosteleum debettei var. ***laevisetum*** Cardot MDG(40).

Trichosteleum decolor (Besch.) Kindb. = *Acanthorrhynchium decolor* [1521] (= *Acanthorrhynchium papillatum*)

Trichosteleum dicranelloides Broth. LBR(47), SAO(47).***Trichosteleum dimorphum*** Dixon IVO(1880), SIE(47).***Trichosteleum fuscovirescens*** Paris & Broth. GUI(47).***Trichosteleum gabonense*** Broth. & P.de la Varde GAB(47), GUI(47,5041), IVO(1880).***Trichosteleum grossepapillosum*** Paris & Broth. CAF(47), GAB(47), GUI(47,1458),

IVO(1880), LBR(47), NGA(1492), SIE(3216).

Trichosteleum guineense A.Jaeger, *nom. nud.* Excluded: the collections are from New Guinea, not Guinea.

Trichosteleum heterophyllum Bizot & Onr. MDG(40).***Trichosteleum hornschuchii*** (Hampe) A.Jaeger IVO(1458).***Trichosteleum humbertii*** P.de la Varde BUR(65), KEN(46), RWA(2675), TAN(46), ZAI(65).

Trichosteleum inclinatum Kiaer ex C.H.Wright, *nom. nud.* = *Mittenothamnium microthamnioides* [1848: 444]

Trichosteleum jaegeri P.de la Varde SIE(47).***Trichosteleum jonesii*** Bizot ex Pócs TAN(46,109).

Trichosteleum kuilui (Müll.Hal.) Kindb. = *Taxithelium kuilui* [1521]

Trichosteleum lachmanii Bizot IVO(47,109,1880).

Trichosteleum laetum (Renauld & Cardot) Paris = *Taxithelium planulum* [1848: 470]

Trichosteleum laeviusculum Renauld & Cardot ex Broth., *nom. illeg. orthogr.* = *Trichosteleum leviusculum* [1521]

Trichosteleum lamprophyllum (Mitt.) W.R.Buck = *Acporium lamprophyllum* Mitt. (3283)

Trichosteleum leptorrhynchum (A.Jaeger) Renauld = *Warburgiella leptorrhyncha* (1521)

Trichosteleum leptorrhynchum var. *madagassum* Renauld & Cardot = *Warburgiella leptorrhyncha* (40: 242)

Trichosteleum leptorrhynchum var. *subintegritifolium* Thér. & P.de la Varde = *Warburgiella leptorrhyncha* (4015)

Trichosteleum le-testui P.de la Varde CON(47), GAB(47).***Trichosteleum leviusculum*** Renauld & Cardot CMN(3072), MDG(40).***Trichosteleum lorifolium*** P.de la Varde GAB(47).

Trichosteleum loucoubense (Besch.) Kindb. = *Acanthorrhynchium loucoubense* [1521] (= *Acanthorrhynchium papillatum*)

Trichosteleum madagassum A.Jaeger, *nom. nud.* Excluded: an undescribed collection from Madagascar [3076: 465; 5087: 267; 40: 242].

Trichosteleum mammillipes Broth. = *Radulina borbonica* (717)

Trichosteleum microcalyx Renauld & Cardot GAB(47), NGA(5148,5160,5176), ZAI(65).***Trichosteleum microdontum*** (Besch.) Renauld MAU(3072), MDG(40).***Trichosteleum microdontum*** var. ***megapterum*** Renauld & Cardot MDG(40).

Trichosteleum microductum Renauld ex Paris, *nom. inval. err.* = *Trichosteleum microdontum* [1521]

Trichosteleum niam-niamiae (Müll.Hal.) A.Jaeger = *Henicodium niam-niamiae* [1521] (= *Henicodium geniculatum*)

Trichosteleum ovale (Hedw.) Roehl., *nom. inval. in synon.* = *Grimmia ovalis* [1521]

Trichosteleum ovatum P.Beauv., *nom. illeg. incl. spec. prior.* = *Grimmia ovalis* [1521]

Trichosteleum papillosum (Hornschr.) A.Jaeger NGA(47,6263).***Trichosteleum perchlorosum*** Broth. & Bryhn SAF(1531,7766,8328), ZIM(46).

Trichosteleum perhamosum Broth. = *Radulina borbonica* (717)

Trichosteleum permixtum Cardot MDG(40).***Trichosteleum perrotii*** (Renauld & Cardot) Renauld & Cardot MAU(105), MDG(40).***Trichosteleum perrotii*** var. ***curydictyon*** Renauld & Cardot MDG(40).***Trichosteleum pervilleanum*** (Müll.Hal. ex Geh.) W.R.Buck MDG(40), REU(3410),

ZAI(65).

Trichosteleum pobeguinii Paris & Broth. CAF(47), GUI(47), IVO(1880).

Trichosteleum pseudo-amoenum (Bél.) A.Jaeger = *Taxithelium pseudo-amoenum* [1521]

Trichosteleum punctatum (Geh.) Broth. = *Trichosteleum borbonicum* var. *brachycarpum* [1848: 503] (= *Radulina borbonica*)

Trichosteleum replicatum (Besch.) Broth. ex Paris = *Sematophyllum caespitosum* [2520: 88] (= *Sematophyllum subpinnatum*)

Trichosteleum staudtii Broth. CMN(47), GAB(47), GHA(3072), IVO(1880).***Trichosteleum staudtii*** var. ***densirameum*** P.de la Varde GAB(47).

Trichosteleum stenosekos (Welw. & Duby) A.Gepp in Hiern = *Taxithelium stenosekos* [1521]

Trichosteleum stictum (Besch.) Kindb. GHA(3072), SEY(1926,1941,1945,1946,2328,2353).***Trichosteleum sublaeve*** P.de la Varde CAF(47), IVO(1880).

- Trichosteleum subpycnocylindricum* Broth. = *Radulina borbonica* (717)
- Trichosteleum subrhinophyllum*** (Müll.Hal.) A.Jaeger BIO(3072).
- Trichosteleum subscabrisetulum*** (Müll.Hal.) A.Jaeger COM(40).
- Trichosteleum subulatum*** (Müll.Hal.) A.Jaeger COM(40), RWA(65), ZAI(65).
- Trichosteleum tisserantii*** P.de la Varde CAF(47), IVO(1880).
- Trichosteleum trachypyxis*** (Geh.) Renauld & Cardot MDG(40).
- Trichosteleum truncatum* (Welw. & Duby) A.Gepp = *Phyllodon truncatus* (268)
- Trichosteleum usambaricum*** Broth. CMN(3072), TAN(46).
- Trichostomopsis australasiae* (Hook. & Grev.) H.Rob. = *Didymodon australasiae* (1420)
- Trichostomopsis brevifolia* E.B.Bartram = *Didymodon australasiae* (1420)
- Trichostomopsis trivialis* (Müll.Hal.) H.Rob. = *Didymodon trivialis* (1420)
- Trichostomum abyssinicum*** (Thér.) R.H.Zander ETH(3094).
- Trichostomum acutiusculum*** (Broth.) R.H.Zander TAN(46).
- Trichostomum afrofontanum* Müll.Hal. = *Barbula afrofontana* (82: 246) (= *Barbula bolleana*)
- Trichostomum afrophaea* Rehmann ex Geh., nom. nud. = *Hyophila afrophaea* [1521] (= *Trichostomum brachydontium*)
- Trichostomum afrum* Müll.Hal. = *Didymodon ceratodonteus* [1911: 256; 82: 233]
- Trichostomum apiculatum* (Renauld) Müll.Hal., hom. illeg. = *Barbula kiaeri* [10: 409] (= *Barbula indica*)
- Trichostomum arbustorum* Brid. = *Macromitrium pallidum* [5362: 132]
- Trichostomum atrovirens* Rehmann ex Müll.Hal. = *Hyophila involuta* (1420)
- Trichostomum ayresianum* Besch. = *Trichostomum brachydontium* (2653)
- Trichostomum ayresii* Schimp. ex Kindb., nom. illeg. incl. spec. prior. = *Trichostomum ayresianum* [1521] (= *Trichostomum brachydontium*)
- Trichostomum bainsii* Rehmann ex Kindb., nom. nud. = *Trichostomum brachydontium* [1811: 242]
- Trichostomum barbula* Schwägr., nom. illeg. incl. spec. prior. = *Timmiella barbuloides* [1521]
- Trichostomum barbuloides* Brid. = *Timmiella barbuloides* (1521)
- Trichostomum barbuloides* Schimp. ex Muell.Hal., nom. nud. = *Trichostomum barbula* [4250: 1318] (= *Timmiella barbuloides*)
- Trichostomum bifidum* (Brid.) Brid. = *Leucoloma bifidum* (7101: 532)
- Trichostomum bolleanum* (Müll.Hal.) Müll.Hal. = *Barbula bolleana* (2666)
- Trichostomum borbonicum* Een = *Trichostomum cardotii* (80)
- Trichostomum brachydontium*** ssp. ***mutable*** (Bruch) Giacom. REU(105).
- Trichostomum brachydontium*** var. ***brachydontium*** Bruch ANG(46), BOT(1531), CAF(47), CVI(1296,2666,6453), ERI(50), GUI(47), IVO(1458), KEN(46,411,5315,6615,7065), LES(1531,4897), MAU(105,2653), MDG(40), MLW(67,411,6087), MOZ(46), NAM(1531,7155,8024), NGA(334), REU(105,2653), SAF(1531,4897,7766,8328), SOC(2374,5613), STH(4626), SUD(3076), SWZ(1531), TAN(46), ZAI(65), ZAM(62), ZIM(46,61).
- Trichostomum breutelii* Schimp. ex Müll.Hal., nom. nud. Excluded: an undescribed collection from Cape, South Africa.
- Trichostomum brotheri* Renauld & Paris = *Hydrogonium brotheri* [1521] (= *Barbula bolleana*)
- Trichostomum calcareum* (Nees & Hornsch.) Lindb. = *Gymnostomum calcareum* [1521]
- Trichostomum calymparaceum*** Broth. & Paris GUI(47).
- Trichostomum cameruniae* (Broth.) Paris = *Timmiella cameruniae* [1521]
- Trichostomum capillaceum* (Hedw.) Sm. = *Distichium capillaceum* [1521]
- Trichostomum cardotii*** Bizot REU(105).
- Trichostomum chrysopus* Müll.Hal. ex Paris, nom. nud. = *Ditrichum madagassum* [1848: 60]
- Trichostomum circinatum* (Besch.) Broth. = *Chionoloma bombayense* [7961: 36]
- Trichostomum circinnatum* Broth. ex Voeltzk. = *Pseudosymblepharis circinnatula* (1420) (= *Chionoloma bombayense*)
- Trichostomum convolutum* Brid. = *Desmatodon convolutus* (82: 209) (= *Tortula atrovirens*)
- Trichostomum corticicola* (Renauld & Cardot) Cardot in Grandid. = *Chionoloma bombayense* [7961: 36]
- Trichostomum corticicola* var. *brevifolium* Cardot in Grandid., nom. illeg. = *Chionoloma bombayense* [7961: 36]
- Trichostomum crispulum*** Bruch CHA(4508,4534,4565), CVI(1296,2666,6453), DJI(1569), REU(5440), SOC(7778), STH(1296,4202,4626,5331), TAN(46).
- Trichostomum cyathiforme* Dixon = *Hypodontium dregei* (82: 170)
- Trichostomum cylindricum* (Brid.) Müll.Hal., hom. illeg. = *Trichostomum tenuirostre* [71: 623]
- Trichostomum decurvifolium* Paris & Broth. = *Trichostomum brachydontium* (1158)
- Trichostomum dentatum* Rehmann ex Kindb., nom. nud. = *Hyophila atrovirens* [1911: 222] (= *Hyophila involuta*)
- Trichostomum difficile* Duby ex Moritzi = *Ditrichum difficile* (1521)
- Trichostomum distans*** Hampe in Müll.Hal. ETH(50).
- Trichostomum ehrenbergii* Lorentz = *Barbula bolleana* (2666)
- Trichostomum ehrenbergii* var. *denticuspis* Broth. = *Trichostomum ehrenbergii* (46) (= *Barbula bolleana*)
- Trichostomum eperistomatum* Dixon ex Sim, nom. nud. in synon. = *Hyophila zeyheri* [1911: 221] (= *Trichostomum brachydontium*)

Trichostomum epunctatum Müll.Hal., nom. illeg. incl. spec. prior. = *Leptodontium viticulosoides* (1521)
Trichostomum erosum Rehmann ex Kindb., nom. nud. = *Hyophila erosa* [1521] (= *Oreoweisia erosa*)
Trichostomum ferrugineum Brid. = *Leucoloma longifolia* [2584: 355]
Trichostomum flagilifolium Dixon = *Chionoloma bombayense* [7961: 37]
Trichostomum flavescens Dixon = *Trichostomum brachydontium* (2653)
Trichostomum fontanum Müll.Hal. = *Barbula meidensis* (50: 225)
Trichostomum fontanum Müll.Hal. ex Paris, err. = *Trichostomum afrofontanum* [1521] (= *Barbula bolleana*)
Trichostomum fuscomucronatum Müll.Hal. = *Pseudocrossidium replicatum* (6803)
Trichostomum glaucescens Hedw. = *Saelania glaucescens* (1521)
Trichostomum glaucoviride Renaud & Cardot, hom. illeg. = *Trichostomum cardotii* (109)
Trichostomum humile (Hedw.) Guim. = *Tortella humilis* [1521]

Trichostomum incertum (Mitt.) R.H.Zander ROD(105).

Trichostomum indicum Schwaegr., hom. illeg. = *Semibarbula orientalis* [2584: 1849] (= *Barbula indica*)
Trichostomum lanuginosum Hedw. = *Racomitrium lanuginosum* (82: 278)
Trichostomum leikipiae Müll.Hal. = *Trichostomum brachydontium* (1158)
Trichostomum leiodontium Müll.Hal. = *Tortella xanthocarpa* [10: 397]
Trichostomum leptocarpum Müll.Hal., nom. illeg. incl. spec. prior. = *Didymodon distans* [1521] (= *Trichostomum distans*)
Trichostomum leucoloma Schwaegr., nom. illeg. incl. spec. prior. = *Leucoloma bifidum* [1521]

Trichostomum ligulaefolium (Broth. & Paris) R.H.Zander CAF(47), GUI(47), SIE(3216), TOG(1878).

Trichostomum longifolium Brid. = *Leucoloma longifolium* [1521]
Trichostomum longifolium var. *humile* Brid. = *Leucoloma longifolium* [2584: 355; 40: 201]

Trichostomum lorifolium Broth. & Paris CAF(47), GUI(47), MLW(6087), NGA(334), TAN(46), ZAI(65).

Trichostomum luridum (Spreng.) Spruce = *Didymodon trifarius* [8248: 549]
Trichostomum mahalismontanum Rehmann ex Kindb., nom. nud. = *Trichostomum brachydontium* [1191: 243]
Trichostomum murale Schimp. ex Müll.Hal., nom. nud. Excluded: an undescribed specimen from Ethiopia.
Trichostomum mutable Bruch = *Trichostomum brachydontium* ssp. *mutable* (1420)

Trichostomum muticum Paris ROD(105).

Trichostomum oocarpum Rehmann ex Kindb., nom. nud. = *Hyophila zeyheri* [1911: 221] (= *Trichostomum brachydontium*)
Trichostomum oocarpum var. *lanceolatum* Rehmann ex Paris, nom. nud. Excluded: see note under *Hyophila zeyheri* var. *lanceolatum*.
Trichostomum orientale F.Weber = *Barbula indica* (82: 243)
Trichostomum pallidum Hedw. = *Ditrichum pallidum* [1521]
Trichostomum pennequinii Renaud & Cardot ex Broth., nom. illeg. orthogr. = *Trichostomum pennequinii* [8305: 175]

Trichostomum pennequinii Renaud & Paris MDG(40).

Trichostomum perplexum P.de la Varde = *Chionoloma bombayense* [7961: 37]

Trichostomum perrieri Thér. MDG(40).

Trichostomum pulicare (Besch.) R.H.Zander COM(40).

Trichostomum pulvinatum (Hedw.) F.Weber & D.Mohr = *Grimmia pulvinata* [1521]
Trichostomum pumilum Müll.Hal. = *Leptodontium pungens* (290)
Trichostomum pungens (Mitt.) Paris = *Leptodontium pungens* [1521]
Trichostomum recurvirostre (Hedw.) Lindb. = *Bryoerythrophyllum recurvirostre* [1521]
Trichostomum rehmannii Sim = *Tortella xanthocarpa* (82: 255)
Trichostomum renauldii Thér. = *Trichostomum sparsifolium* [4361: 89]
Trichostomum repens Müll.Hal. = *Leptodontium repens* (1521)
Trichostomum rhodesiae Broth. = *Chionoloma bombayense* [7961: 37]
Trichostomum rigidulum (Hedw.) Turn. = *Didymodon rigidulus* var. *rigidulus* [1521]
Trichostomum riparium Rehmann ex Geh., nom. nud. = *Hyophila atrovirens* [1911: 222] (= *Hyophila involuta*)
Trichostomum rufisetum Müll.Hal. = *Tortella xanthocarpa* (82: 255)

Trichostomum ruvenzorense (Broth.) Broth. KEN(46), TAN(46), UGA(46), ZAI(65).

Trichostomum soulae (Müll.Hal. ex Renaud & Cardot) R.H.Zander = *Chionoloma bombayense* [7961: 36]
Trichostomum soulae var. *corticicola* (Renaud & Cardot) R.H.Zander = *Chionoloma bombayense* [7961: 36]
Trichostomum sparsifolium (Renaud & Cardot) Cardot = *Trichostomum brachydontium* [1158]

Trichostomum sporophyllum (Renaud & Cardot) Cardot MDG(40).

Trichostomum squarrosum (Brid.) Brid. = *Leptodontium viticulosoides* [5362: 85; 82: 189]
Trichostomum stellatum (Brid.) Müll.Hal. = *Leptodontium stellatum* [1521] (= *Leptodontium longicaule* ssp. *stellatum*)
Trichostomum subintegrum (Broth.) Broth. = *Chionoloma bombayense* [7961: 36]
Trichostomum sulphureum Rehmann ex Kindb., nom. nud. = *Trichostomum rehmannii* [1911: 244] (= *Tortella xanthocarpa*)

Trichostomum tenuirostre var. *gemmae* (Schimp.) R.H.Zander REU(8028).

Trichostomum tenuirostre var. *tenuirostre* (Hook. & Taylor) Lindb. ANG(46), BIO(2662),

CMN(47), COM(40), CVI(6453), LES(1531,4897), MAU(105), MDG(40), MLW(67), REU(105), RWA(46,65), SAF(1531,4418,4897,7766,8328), SIE(3216), TAN(46), UGA(46), ZAI(65,5319), ZAM(62).

Trichostomum torquescens (Müll.Hal.) Schimp. ex Müll.Hal. = *Tortula pilifera* Hook. [6557: 234] (= *Pseudocrossidium crinitum*)

Trichostomum tortuloides Sull. & Lesq. = *Tortella xanthocarpa* (82: 255)

Trichostomum trifarium (Hedw.) Sm. = *Didymodon trifarius* [1521] (= *Saelania glaucescens*)

Trichostomum trirete Dixon = *Trichostomum brachydontium* (2653)

Trichostomum unguiculatum (Mitt.) R.H.Zander CAF(47), IVO(4304),

MLW(67,4304,6087), SAF(1531,8328), TAN(46), ZAM(62), ZIM(61).

Trichostomum usambaricum (Broth.) Broth. = *Chionoloma bombayense* [7961: 36]

Trichostomum vallis-gratiae Hampe ex Muell.Hal., nom. nud. Excluded: an undescribed collection from Cape, South Africa.

Trichostomum vernicosum Renauld & Cardot = *Tortella vernicosa* [1521]

Trichostomum villaumei Thér. MDG(40).

Trichostomum wilmsianum Muell.Hal., nom. nud. Excluded: an undescribed specimen from Transvaal, South Africa.

Trichostomum xanthocarpum Schimp ex Müll.Hal. = *Tortella xanthocarpa* (82: 255)

Trichostomum leptototella (Müll.Hal.) Broth. = *Chionoloma bombayense* [7961: 36]. Note: see under *Barbula leptototella*.

Triquetrella strictissima Müll.Hal. = *Triquetrella tristicha* [2734: 301; 82: 187]

Triquetrella tristicha (Müll.Hal.) Müll.Hal. ETH(50), LES(1531,4897),

SAF(1531,7766,8328).

Trismegistia afronemorosa Müll.Hal., nom. nud. Excluded: no original specimen stated, but probably related to *Rhacopilopsis*.

Trismegistia monodii (P.de la Varde) Ando = *Wijkia monodii* [8360]

Trismegistia rigidicaulis (Broth.) Broth. = *Wijkia monodii* [8360]

Trismegistia subpilotrichella Müll.Hal. ex Paris, nom. nud. Excluded: no published description or specimen.

Trismegistia subtrichocolea Müll.Hal. ex Paris, nom. nud. = *Wijkia trichocoleoides* [717]

Tristichiopsis mirabilis Mueel.Hal. = *Tristichium mirabile* [1521]

Tristichium mirabile (Müll.Hal.) Herzog KEN(146), LES(146,1531,4897),

SAF(1531,4897,8328), TAN(146).

Ulea welwitschii (Duby) Broth. = *Rhachithecium welwitschii* (1420)

Uleobryum occultum G.Roth. ZIM(5298,5525).

Ulota crispata (Hedw.) Sw. ex Hook. & Grev., nom. inval. in synon. = *Ptychomitrium crispatum* [1521]

Ulota dura Muell.Hal. ex Paris, nom. nud. Excluded: an undescribed collection (*Dusén 351*) from Cameroon.

Ulota ecklonii (Hornschr.) A.Jaeger SAF(1531,8328).

Ulota fulva Brid. MAU(105), MDG(40), REU(105).

Ulota plicata (P.Beauv.) Brid. = *Leiomitrium plicatum* [1521]

Ulota tanganyikae P.de la Varde TAN(46).

Vesicularia alboviridis (Renauld) Broth. MAU(105), SEY(1926,2353).

Vesicularia alboviridis var. ***rufula*** (Renauld & Cardot) Cardot in Grandid. MDG(40).

Vesicularia angustifolia Dixon ZAI(65).

Vesicularia annobonensis Broth. in Mildbr., nom. nud. = *Vesicularia strephomischos* (4930)

Vesicularia ayresii (Besch.) Broth. MAU(105), MDG(40), ROD(4931).

Vesicularia bescherellei (Renauld) Broth. MAU(105,3410).

Vesicularia boivinii (Besch.) Broth. = *Vesicularia galericulata* [1848: 480]

Vesicularia bryocarpa Müll.Hal. ex Paris, nom. nud. Excluded: undescribed taxon, based on *Dusén 311* from Cameroon.

Vesicularia campylosciadis Müll.Hal., nom. nud. Excluded: an undescribed specimen (*Dusén 366*) from Cameroon.

Vesicularia cataractarum (Besch.) Broth. = *Vesicularia hygrobria* [1848: 482]

Vesicularia codonopyxis (Müll.Hal.) Broth. BIO(47).

Vesicularia combae (Renauld & Cardot) Broth. MDG(40).

Vesicularia crassiramea (Renauld & Cardot) Broth. COM(40), MDG(40), SEY(1926,2353).

Vesicularia crassiramea var. ***laxifolia*** (Renauld & Paris in Paris) Cardot in Grandid.

MDG(40).

Vesicularia densiramea Broth. ex Naveau, nom. nud. Excluded: an undescribed collection from Uganda [22: 74; 46: 132].

Vesicularia fonticola P.de la Varde GAB(47).

Vesicularia galerulata (Duby) Broth. AGA(40,1506,2195,2328,2331), ANG(46), CMN(47), COM(40), ETH(111), GAB(47), IVO(63,1880), MAU(105,3410), MDG(40), NAM(4418),

NGA(334), REU(105), SAF(1531,8328), SWZ(1531), TAN(46), UGA(46,7981), ZAI(65), ZAM(62), ZIM(61).

Vesicularia galerulata var. *subpiligera* (Renauld & Paris) Wijk & Margad. MDG(40).

Vesicularia glaucissima (Müll.Hal.) Broth. COM(40).

Vesicularia glaucula (Broth.) Broth. CAF(47), CMN(47), CON(47), GAB(47), IVO(1880), SAO(47), TOG(1878), ZAI(65).

Vesicularia golungensis (Welw. & Duby) Broth. ANG(46).

Vesicularia hapalyptera (Müll.Hal.) Broth. GAB(47).

Vesicularia hygrobium (Besch.) Broth. MAS(40), MDG(40).

Vesicularia immunda (Renauld) Cardot in Grandid. MDG(40).

Vesicularia ischyropterus (Broth.) Müll.Hal. CAF(47), CMN(47), GAB(47), GHA(47), NGA(5176), TOG(1878), UGA(3072).

Vesicularia latiramea Broth. CAF(47), GAB(47), IVO(1880), RIM(4639), TAN(46).

Vesicularia lepervanchei (Besch.) Broth. COM(40,3410), MAU(3410), REU(105).

Vesicularia longofluitans (Broth.) Broth. CMN(47).

Vesicularia longofluitans var. *latifolia* P.de la Varde CAF(47).

Vesicularia mayumbensis (Besch.) Broth. CAF(47), CMN(47), CON(47), GAB(47), GUI(47,5041).

Vesicularia mayumbensis (Besch.) Broth. Note: there has been some doubt about the relationship between this taxon and *Ectropothecium brachycladulum*: see note under the latter name.

Vesicularia montagnei (Bél.) Broth. = *Vesicularia vesicularis* var. *vesicularis* (4252)

Vesicularia nanocarpa (Müll.Hal.) Broth. GAB(6152).

Vesicularia nigeriana Broth. & Paris CAF(47), MLI(47), TAN(46), UGA(46), ZAI(65).

Vesicularia oreadelphus (Broth.) Broth. CAF(47), CMN(47), CON(47), GAB(47), GUI(47), IVO(47), RWA(65), SIE(3216), TAN(46), UGA(7981), ZAI(65).

Vesicularia oreadelphus var. *glaucoviridis* (Broth.) Paris IVO(47).

Vesicularia oreadelphus var. *sulphureoflava* (Broth.) Broth. CMN(47).

Vesicularia perpallida (Broth.) Broth. CMN(47), ZAI(65).

Vesicularia reimersiana Bizot & P.de la Varde MLI(51,262).

Vesicularia rodriguezii (Renauld & Cardot) Broth. REU(105).

Vesicularia rootii (Paris & Broth.) Broth. MLI(47).

Vesicularia sarcoblasta (Broth.) Broth. CAF(47), CMN(47).

Vesicularia scaturigina (Brid.) Broth. BIO(47), NGA(47), PRI(47), REU(105), ROD(105).

Vesicularia sigmangia (Broth.) Broth. CMN(47), RWA(65).

Vesicularia soyauxii (Müll.Hal.) Broth. CON(47), GAB(47), NGA(5148), UGA(7981).

Vesicularia sphaerocarpa (A.Jaeger) Broth. = *Vesicularia galerulata* [1848: 480]

Vesicularia sphaerocarpa var. *subpiligera* (Renauld & Cardot) Cardot in Grandid. = *Vesicularia galerulata* var. *subpiligera* [1521]

Vesicularia strephomischos (Welw. & Duby) Broth. ANG(46), ANN(47).

Vesicularia subenervis (Mitt.) Broth. ROD(105).

Vesicularia subsarcoblasta (Broth.) Broth. CMN(47).

Vesicularia subsphaerica (Müll.Hal.) Broth. REU(105).

Vesicularia sulfureoflava Müll.Hal. ex Paris, *nom. nud.* = *Vesicularia oreadelphus* var. *sulphureoflava* [1521]

Vesicularia tenaci-inserta (Müll.Hal.) Broth. CAF(47), CON(47), GAB(47), IVO(1880).

Vesicularia tenuatipes (Müll.Hal.) Broth. CAF(47), GAB(47), IVO(1880), NGA(47,5176).

Vesicularia terrestris (Müll.Hal.) Broth. BIO(47).

Vesicularia thollonii (Besch.) Broth. CON(47).

Vesicularia vesicularis var. *vesicularis* (Schwägr.) Broth. AGA(40,2327).

Vesicularia virentipinnata (Müll.Hal.) Broth. = *Vesicularia galerulata* [1848: 480]

Vittia pachyloma (Mont.) Ochyra SAF(1531,8328).

Warburgiella adhaerens (Besch.) Broth. = *Trichosteleum adhaerens* (4015)

Warburgiella leptorrhyncha (A.Jaeger) Broth. ETH(1927), KEN(46), MAU(105),

MDG(40), REU(105), TAN(46), ZAI(65).

Wardia hygrometrica Harv. & Hook. SAF(1531,8328).

Warnstorffia exannulata (Bruch, Schimp. & W.Gümbel) Loeske KEN(46), RWA(65), ZAI(65).

Warnstorffia fluitans var. ***fluitans*** (Hedw.) Loeske BIO(47,3418), RWA(46,65), UGA(46).

Warnstorffia sarmentosa (Wahlenb.) Hedenäs KEN(46,4112,5315), TAN(1403).

Webera afrocruda (Müll.Hal.) Kindb. = *Pohlia afrocruda* (1521)

Webera afronutans (Müll.Hal.) Paris = *Pohlia nutans* [10: 549; 83: 353]

Webera albicans Schimp., nom. illeg. = *Pohlia wahlenbergii* (2185)

Webera annotina var. *decurrens* (Renauld & Cardot) Renauld & Cardot = *Pohlia baronii* [4267: 25; 83: 349]

Webera brachymeniacea Müll.Hal. ex Geh. = *Bryum brachymeniacea* [1911: 333] (= *Bryum pseudotriquetrum*)

Webera bulbillicaulis (Müll.Hal.) Kindb. = *Bryum bulbillicaulis* (1521)

Webera cavifolia Bruch & Schimp. ex Paris, nom. nud. Excluded: an undescribed collection (*Schimper* 459) from Ethiopia.

Webera chrysoblasta Thér. & Naveau = *Pohlia chrysoblasta* (748)

Webera cratericola (Broth.) Broth. = *Pohlia cratericola* (1521)

Webera cruda (Hedw.) Fuernr. = *Pohlia cruda* (83: 350)

Webera cygnicolla Schimp ex Paris, nom. nud. = *Anomobryum cygnicollum* (50: 230)

Webera decurrens Renauld & Cardot = *Pohlia baronii* [4267: 25; 83: 348]

Webera decurrens var. *gracilicaulis* Cardot in Grandid. = *Pohlia baronii* [4267: 25]

Webera depauperata Sim = *Pohlia cruda* (83: 350)

Webera eckloniana (Müll.Hal.) A.Jaeger = *Pohlia nutans* [4800: 200]

Webera ecklonii Müll.Hal. ex Kindb., nom. illeg. incl. spec. prior. = *Pohlia nutans* [4800: 200]

Webera elongata (Hedw.) Schwägr. = *Pohlia elongata* (1521)

Webera enselini Rehmann ex Dixon & A.Gepp, nom. nud. = *Pohlia elongata* [1911: 322]

Webera glandiformis Rehmann ex Dixon & A.Gepp., nom. nud. Excluded: an undescribed collection (*Rehmann* 225) from Cape Town, South Africa.

Webera grammophylla Besch. = *Pohlia grammophylla* [1521]

Webera gregaria Rehmann ex Kindb., nom. nud. = *Pohlia mielichhoferiacea* [1911: 322]

Webera gromieri Thér. = *Pohlia gromieri* (45)

Webera gymnophylla Müll.Hal. ex Paris, nom. inval. err. = *Bryum grammophyllum* [1521] (= *Pohlia grammophylla*)

Webera halleriana Hedw., nom. inval. = *Bartramia halleriana* [1521]

Webera heribaudii (Renauld & Cardot) Cardot in Grandid. = *Pohlia heribaudii* [1521] (= *Pseudopohlia microstoma*)

Webera heribaudii var. *madagassa* (Renauld & Cardot) Cardot in Grandid. = *Pohlia heribaudii* var. *madagassa* [1521]

Webera juniperina Paris, nom. nud. Excluded: this undescribed collection is from Himalaya.

Webera kenyae Dixon = *Pohlia kenyae* (45)

Webera lacouturei Thér. = *Pohlia lacouturei* (1663)

Webera leptoblepharum (Müll.Hal.) A.Jaeger = *Pohlia elongata* (83: 351)

Webera linealis (Renauld & Cardot) Cardot in Grandid. = *Pohlia elongata* (23)

Webera macleai Rehmann ex Sim = *Pohlia macleai* (Sim) Schelpe. Excluded: appears to be a mixed specimen (83: 354)

Webera mielichhoferia (Müll.Hal.) Paris = *Pohlia elongata* (83: 351)

Webera montis-cavi Rehmann ex Kindb., nom. nud. = *Pohlia mielichhoferiacea* [1911: 322]

Webera nutans Hedw. = *Pohlia nutans* (83: 353)

Webera philibertii Paris, nom. nud. Excluded: a name recorded for Ethiopia, but with no specimen associated.

Webera philonotula (Müll.Hal.) Paris = *Pohlia philonotula* [1521]

Webera plumella (Müll.Hal.) Broth. = *Pohlia plumella* [1521]

Webera pyriformis Hedw. = *Leptobryum pyriforme* (83: 357)

Webera revoluta Sim, hom. illeg. = *Bryum alpinum* (83: 371)

Webera wahlenbergii (F.Weber & D.Mohr) Fuernr. = *Mniobryum wahlenbergii* [1521] (= *Pohlia wahlenbergii*)

Webera woodii Rehmann ex Kindb., nom. nud. = *Pohlia mielichhoferiacea* [1911: 322]

Weisiopsis involuta Magill = *Plaubelia involuta* (1420)

Weisiopsis nigeriana (Egunyomi & Olar.) R.H.Zander IVO(4304), NGA(5176), TAN(46), ZAM(46).

Weisiopsis plicata (Mitt.) Broth. MDG(40), MLW(6087), SAF(1531,8328), TAN(46), ZAM(62), ZIM(46,61).

Weisiopsis pulchella Thér. & Naveau in Thér. & Hilp., nom. nud. in synon. = *Hyophila pulchella* [1521] (= *Tisserantiella pulchella*)

Weisiopsis pulchritetis Dixon = *Streptocalypta pulchritetis* (1420)

Weissia abyssinica Thér. = *Trichostomum abyssinicum* (1420)

Weissia apiculata Kiaer in Wright, nom. nud. = *Barbula indica* var. *indica* (7069: 105)

Weissia artocosana R.H.Zander SOC(40,1626,2374,5613).

Weissia ayresii Schimp. in Besch. MAU(105), MDG(40), REU(105), RWA(65).

Weissia bergiana Hornsch. = *Funaria bergiana* (83: 323) (= *Entosthodon bergianus*)

Weissia bizotii R.H.Zander TAN(46,109).

Weissia borbonica (Bizot & Onr. ex Onr.) Arts REU(8028).

Weissia brachycarpa Müll.Hal., nom. nud. = *Weissia dieterlenii* (82: 263)

Weissia brachycarpa var. ***brachycarpa*** (Nees & Hornsch.) M.O.Hill CVI(2666).

Weissia brachypelma Müll.Hal. KEN(46).

Weissia brachypelma Müll.Hal. = *Hymenostomum brachypelma* [1521] (= *Weissia brachypelma*)

Weissia brachypoma C.C.Towns. TAN(46).

Weissia campylocarpa Hook. & Arnott in Hook. = *Mielichhoferia campylocarpa* [1521]

Weissia cirrata var. *cylindrica* (Brid.) Huebener = *Oxystegus cylindricus* [1521] (= *Trichostomum tenuirostre*)

Weissia comosa Hampe ex Paris, nom. nud. in synon. = *Garccea phascooides* [2584: 424] (= *Garccea flexuosa*)

Weissia condensa (Voit) Lindb. CVI(6453), SOC(7778).

Weissia controversa var. ***controversa*** Hedw. CVI(2666,6453), KEN(46), LES(1531,4897), NGA(334,5176,5745), REU(105), SAF(1531,7766,8328), TAN(46), UGA(46), ZAI(5319), ZIM(46).

Weissia controversa var. ***gymnostoma*** (Dixon) Sainsbury TAN(46).

Weissia controversa var. ***macrophylla*** (Thér. & P.de la Varde) Wijk & Margad. KEN(46).

Weissia controversa var. *pillansii* Schelpe = *Weissia dieterlenii* (82: 263)

Weissia controversa var. ***wimmeriana*** Sendtn. TAN(7833).

Weissia crispata (Nees & Hornsch.) Müll.Hal. = *Weissia fallax* (4926: 188) (= *Weissia controversa*)

Weissia cucullata Müll.Hal. SAF(1531,8328).

Weissia cucullata P.de la Varde nom. inval. (non Müll.Hal.) = *Trichostomum crispulum* (2666)

Weissia curvirostris Lam. & DC., nom. illeg. incl. spec. prior. = *Bryoerythrophyllum recurvirostrum* [1521]

Weissia curvirostris Müll.Hal., hom. illeg. = *Hymenostylium recurvirostrum* [1521]

Weissia cylindrica Bruch ex Brid. = *Trichostomum tenuirostre* (82: 259)

Weissia dieterlenii Thér., nom. inval. err. = *Weissia dieterlenii* [1521]

Weissia dieterlenii Thér. LES(1531,4897), SAF(1531,8328).

Weissia edentula Mitt. BEN(4302), ROD(4931).

Weissia erosa Hampe ex Müll.Hal. = *Oreoweisia erosa* (82: 127)

Weissia fallax Sehlm. = *Weissia controversa* (71: 623)

Weissia fugax Hedw. = *Rhabdoweisia fugax* (1519: 527)

Weissia gracilis Wager & Dixon, hom. illeg. = *Didymodon ceratodonteus* (82: 233)

Weissia hildebrandtii Müll.Hal. = *Gyroweisia hildebrandtii* (1521) (= *Hymenostylium hildebrandtii*)

Weissia humicola Müll.Hal. LES(4897), SAF(1531,8328), TAN(46), ZIM(46,5525).

Weissia hyophloides Wager & Broth. ex Sim, nom. nud. = *Hyophila zeyheri* [1911: 474] (= *Trichostomum brachydontium*)

Weissia incerta Mitt. = *Tortula incerta* [1521] (= *Trichostomum incertum*)

Weissia inserta Paris, nom. inval. err. = *Tortula incerta* [1521] (= *Trichostomum incertum*)

Weissia kilimandscharica Broth., nom. nud. Excluded: an undescribed collection from Tanzania [22: 67; 46:56].

Weissia latiuscula Müll.Hal. LES(4897), MOZ(46), NAM(1531,7155,8024),

SAF(1531,8328), ZAM(62), ZIM(46,61,5525).

Weissia latiuscula Müll.Hal. = *Weissia fallax* [1911: 252] (= *Weissia controversa*)

Weissia lineaefolia Müll.Hal. CAF(47), SUD(3076).

Weissia linearifolia Müll.Hal. ex Paris, nom. inval. in synon. err. = *Hymenostomum lineaefolium* [1521] (= *Weissia lineaefolia*)

Weissia lingualata J.Shaw = *Weissia controversa* (82: 265)

Weissia mauritiana Schimp. ex Besch. = *Weissia ayresii* (1294)

Weissia nivalis Brid. = *Campylopus nivalis* (54:124)

Weissia obtusa Brid. = *Splachnobryum obtusum* [1521]

Weissia opaca (Dixon) Magill in Magill & Schelpe TAN(46), ZAM(62), ZIM(46,61).

Weissia oranica Müll.Hal. = *Weissia crispata* (1911: 252) (= *Weissia controversa*)

Weissia pallidiseta Brid. = *Microdus pallidisetus* [1521] (= *Leptotrichella pallidiseta*)

Weissia papillosa Dixon & Naveau ANG(46), ZAI(65).

Weissia pentasticha (Brid.) Hedw. ex Brid., nom. inval. in synon. err. = *Conostomum pentastichum* [1521]

Weissia phascooides (Hook.) Hampe = *Garccea phascooides* [1521] (= *Garccea flexuosa*)

Weissia pomiformis Hook. = *Hypodontium pomiforme* (82: 172)

Weissia pulicaris Besch., nom. nud. = *Hymenostomum pulicare* [1521] (= *Trichostomum pulicare*)

Weissia punctulata Mitt. = *Hyophila punctulata* [4250: 1366]

Weissia recurvirostris (Hedw.) Dixon = *Bryoerythrophyllum recurvirostrum* (82: 248)

Weissia reticulata Hook. Excluded: this taxon was described from collections from Ethiopia, but was then included by Müller in a new taxon *Mielichhoferia clavata* Bruch & Schimp. ex Müll.Hal. which now additionally included collections from South Africa. *Index Muscorum* treats these as two separate taxa, but there does not appear to be any conclusion as to the accuracy of the distribution data, and there is still taxonomic activity in this area. See Sim [1911: 317] for other synonyms. A conclusion is still awaited.

Weissia ricciae Brid. REU(105).

- Weissia rigescens* Müll.Hal. = *Hymenostylium rigescens* (1521)
Weissia roscheri (Lorentz) Mitt. = *Semibarbula orientalis* [1509: 135] (= *Barbula indica*)
Weissia rutilans (Hedw.) Lindb. ETH(50).
Weissia socotrana Mitt. ETH(50), KEN(46), SOC(40,2374,5613), ZIM(46).
Weissia tenella Schimp. ex Paris, *nom. nud.* Excluded: an undescribed collection from Cape, South Africa.
Weissia termittidarum Müll.Hal. SUD(3076).
Weissia tophacea Paris, *nom. inval., err.* = *Gyroweisia tophicola* [1521] (= *Hymenostylium recurvirostrum*)
Weissia tophicola Müll.Hal. = *Gyroweisia tophicola* (1521) (= *Hymenostylium recurvirostrum*)
Weissia tortilis Spreng. = *Weissia controversa* [2584: 651]
Weissia tortilis var. *fallax* (Sehlm.) Moenk. = *Weissia fallax* [1521] (= *Weissia controversa*)
Weissia uncinata Brid. = *Macromitrium fimbriatum* [77: 309]
Weissia unguiculata (Mitt.) Crundw. & Nyholm = *Trichostomum unguiculatum* (1420)
Weissia vaginans Brid., *nom. illeg. incl. spec. prior.* = *Holomitrium cylindraceum* (40: 197)
Weissia vallis-gratiae Müll.Hal. = *Weissia controversa* (82: 265)
Weissia vardei Bizot = *Trichostomum crispulum* (2666)
Weissia verticillata Brid., *nom. illeg. incl. spec. prior* = *Eucladium verticillatum* [1521]
Weissia viridula Hedw. ex Brid., *nom. illeg. incl. spec. prior.* = *Weissia controversa* (1521)
Weissia viridula var. *brachycarpa* (Müll.Hal.) Dixon (*non* Nees & Hornsch.) = *Weissia dieterlenii* (82: 263)
Weissia viridula var. *longifolia* Broth. & Wager = *Weissia controversa* (82: 265)
Weissia viridula var. *longifolia* Thér. & P.de la Varde, *hom. illeg.* = *Weissia controversa* var. *macrophylla* (1521)
Weissia viridula var. *macrophylla* Thér. & P.de la Varde, *hom. illeg.* = *Weissia controversa* var. *macrophylla* [1521]
Weissia viridula var. *mucronata* Müll.Hal. = *Weissia rutilans* [2584: 652]
Weissia viridula var. *nitida* Renauld & Cardot = *Weissia controversa* [3492: 68]
Weissia viridula var. *sclerodonta* Hampe ex Wager = *Weissia controversa* [5362: 38]
Weissia viridula var. *stereodon* Müll.Hal. ex Paris, *nom. nud.* = *Weissia controversa* [3492: 68]
Weissia viridula var. *tortilis* (Spreng.) Wager = *Weissia controversa* [2584: 651]
Weissia vulcanica Brid., *nom. illeg. incl. spec. prior.* = *Aongstroemia filiformis* (82: 118)
Wijkia albescens (Thér. & P.de la Varde) H.A.Crum CAF(47), GAB(47).
Wijkia bessonii (Renauld & Cardot) H.A.Crum MDG(40).
Wijkia cuynetii (Bizot) W.Schultze-Motel CMN(47), IVO(44), KEN(46), TAN(46).
Wijkia jungneri (Broth.) H.A.Crum BUR(65), CMN(47), ETH(1927), GAB(47), IVO(1880), TAN(46), ZAI(65).
Wijkia letestui (Thér. & P.de la Varde) H.A.Crum GAB(47).
Wijkia madagassa (Thér.) H.A.Crum MDG(40).
Wijkia monodii (P.de la Varde) H.Akiyama CMN(47,8360), SAO(47,8360).
Wijkia protensa (Renauld & Cardot) H.A.Crum REU(105,3410).
Wijkia rutenbergii (Müll.Hal.) H.A.Crum MDG(40), TAN(46).
Wijkia rutenbergii var. *eflagellaris* (Cardot) H.A.Crum MDG(40).
Wijkia trichocolea (Müll.Hal.) H.A.Crum BIO(8180), ETH(111,1927), GAB(47), KEN(46,4112,7065), LES(1531), MOZ(46), RIM(4639), RWA(65), SAF(1531,8328), TAN(46), TOG(1878), UGA(46), ZAI(65), ZAM(62), ZIM(46).
Wijkia trichocolea ssp. *subintegritifolia* (Thér. & P.de la Varde) H.A.Crum GAB(47).
Wijkia trichocoleoides (Müll.Hal.) H.A.Crum BIO(8180), CMN(47), KEN(46,5315), NGA(5160), RWA(65), SAO(47), TAN(46), ZAI(65).
Wijkeniella kenyae Bizot & Lewinsky KEN(46).
Wilsoniella crispidens Müll.Hal. ex Broth. CMN(47).
Zelometeoriump ambiguum (Hornsch. in Mart.) Manuel ZAI(1890).
Zygodon affinis Rehmann ex Dixon & A.Gepp, *nom. nud.* = *Zygodon erosus* [1077: 103]
Zygodon africanus Sim = *Zygodon erosus* [1077: 63; 1519: 485]
Zygodon argutidens Broth. in Mildbr. = *Zygodon reinwardtii* var. *reinwardtii* [1077: 119]
Zygodon barbuloides Broth. ex Malta TAN(46).
Zygodon bolleanus Müll.Hal. = *Anoectangium aestivum* [2666]
Zygodon bollei Müll.Hal. ex Kindb., *nom. illeg. incl. spec. prior.* = *Anoectangium aestivum* [2666]
Zygodon borbonicus Besch. = *Zygodon reinwardtii* [1077: 119]
Zygodon borbonicus var. *ruwenzorensis* Thér. & Naveau = *Zygodon reinwardtii* var. *ruwenzorensis* [1521]
Zygodon brownii Schwaegr. = *Zygodon intermedius* [1077: 75, 78]
Zygodon cernuus Müll.Hal. Excluded: type specimen (only collection) not located (1519: 486)
Zygodon commutatus Müll.Hal., *nom. nud. in synon.* = *Zygodon schimperi* [1077: 58]
Zygodon compactus Müll.Hal., *hom. illeg.* = *Amphidium aestivum* [2584: 683]
Zygodon conoideus (Dicks.) Hook. & Taylor CVI(2666,6453).

Zygodon conoideus var. *latifolius* Brid. MAU(105).

Zygodon cyathicarpus Mont. = *Amphidium tortuosum* (1519: 487)

Zygodon dioicus Broth. RWA(65), TAN(46), UGA(4282), ZAI(65).

Zygodon dusenii Müll.Hal. ex Paris, *nom. nud.* = *Zygodon intermedius* var. *dusenii* [1521]

Zygodon elatum (Dixon) Goffinet KEN(46).

Zygodon erosus Mitt. KEN(46), SAF(1531,4897,8328), TAN(46), ZAI(65).

Zygodon erosus var. *circinatifolius* Thér. & Naveau ZAI(65).

Zygodon fragilifolius var. *fragilifolius* Broth. ex Malta RWA(65), TAN(46), UGA(46), ZAI(65).

Zygodon fragilifolius var. *papillosum* Goffinet ETH(111), KEN(46,136), RWA(65), TAN(46), UGA(46), ZAI(65).

Zygodon gemmaceus Dixon ex Kis, *orthog. err.* = *Zygodon microgemmae*. Note: transcription error in (46).

Zygodon hirsutus G.Negri UGA(46).

Zygodon intermedius Bruch, Schimp. & W.Gümbel BIO(8180), CMN(47), ETH(1927), KEN(46,136,3412,5315), LES(4897), REU(758), RWA(65), SAF(1531,7766,8328), TAN(46), UGA(46), ZAI(65), ZAM(62).

Zygodon intermedius var. *dusenii* Malta CMN(47).

Zygodon intermedius var. *strictifolius* Thér. RWA(65), UGA(46), ZAI(65).

Zygodon johnstonii Broth. ex Malta TAN(46).

Zygodon kilimandscharicus Müll.Hal. = *Amphidium cyathicarpum* [4872: 17] (= *Amphidium tortuosum*)

Zygodon lapponicus (Hedw.) Bruch, Schimp. & W.Gümbel = *Amphidium lapponicum* (1519: 489)

Zygodon laxifolius Thér. MDG(40).

Zygodon leptobolax Müll.Hal. SAF(1531,8328).

Zygodon leptocarpus Thér. MDG(40).

Zygodon macleanus Rehmann ex Kindb., *nom. nud.* = *Amphidium cyathicarpum* [1911: 267] (= *Amphidium tortuosum*)

Zygodon macrocarpum (Dixon) Goffinet KEN(46).

Zygodon madagassus Schimp. ex C.H.Wright, *nom. nud.* = *Zygodon reinwardtii* var. *madagassus* [1521]

Zygodon microgemmae Dixon UGA(46).

Zygodon mildbraedii Broth. = *Zygodon trichomitrius* var. *mildbraedii* [1521]

Zygodon obtusifolius Hook. = *Bryomaltaea obtusifolia* (4605)

Zygodon perpusillus Thwaites & Mitt. = *Rhachithecium perpusillum* (1519: 459)

Zygodon perreflexus Müll.Hal. Excluded: type not located, and a contemporary specimen given this name is *Zygodon leptobolax*.

Zygodon preissianus Hampe = *Triquetrella papillata* (1420)

Zygodon pungens Müll.Hal. = *Codonoblepharon pungens* (4605)

Zygodon rehmannii Müll.Hal. ex Geh., *nom. nud.* = *Zygodon trichomitrius* [4378: 115]

Zygodon reinwardtii var. *madagassus* Cardot MDG(40).

Zygodon reinwardtii var. *reinwardtii* (Hornschr.) A.Braun BIO(8180), KEN(46), MDG(40), REU(105), RWA(46), TAN(46), UGA(46), ZAI(65).

Zygodon reinwardtii var. *ruwenzorensis* (Thér. & Naveau) Demaret ZAI(65).

Zygodon robustus Broth. ex Malta TAN(46).

Zygodon roccatii G.Negri RWA(65), UGA(46).

Zygodon roccatii var. *diffusus* G.Negri UGA(46).

Zygodon rugifolius Müll.Hal. ex Geh., *nom. nud.* = *Macromitrium schlotheimiaeforme* [6793: 241] (= *Cardotiella secunda*)

Zygodon runcinatus Müll.Hal. SAF(1531,8328), TAN(46).

Zygodon schimperi Hampe ex Müll.Hal. ETH(50).

Zygodon semitortus Mitt. CMN(47), ZAI(65).

Zygodon seriatus Thér. & Naveau ETH(50,1927), KEN(46), RWA(46,65), TAN(46), UGA(46), ZAI(65).

Zygodon simii Dixon = *Leptodontium viticulosoides* [2763: 317; 82: 189]

Zygodon strictissimus Rehmann ex Geh., *nom. nud.* = *Triquetrella tristicha* [2734: 301]

Zygodon subaffinis Rehmann ex Geh., *nom. nud. err.* = *Zygodon erosus* [1077: 63]

Zygodon subcyathicarpus Müll.Hal., *nom. nud.* = *Amphidium cyathicarpum* [6568: 202]

Zygodon torquatus Broth. ex Engl., *nom. nud.* = *Anoectangium torquatum*, *nom. nud.* [1521] (= *Anoectangium brotherusii*)

Zygodon transvaalensis Rehmann ex Sim = *Zygodon intermedius* (1519: 481)

Zygodon trichomitrius Hook. & Wilson SAF(1531,3411,4897,7766,8328), TAN(46), ZIM(61).

Zygodon trichomitrius var. **mildbraedii** Broth. RWA(65), TAN(46), UGA(46), ZAI(65)

Zygodon tristichus Müll.Hal. = *Triquetrella tristicha* (82: 187)

Zygodon viridatus Müll.Hal. = *Ceratodon viridatus* (1521) (= *Ceratodon purpureus* var. *stenocarpus*)

Zygodon volkensii Broth. = *Zygodon reinwardtii* [1077: 119]

Zygodon welwitschii Duby = *Ulea welwitschii* (1521) (= *Rhachithecium welwitschii*)

Zygodon wilmsianus Müll.Hal. = *Anoectangium wilmsianum* (82: 181)

Zygodon wolkensi Broth. ex Paris, *nom. inval. err.* = *Zygodon reinwardtii* [1077: 119]

References

Use this table to translate the numeric references given in the text of this paper to the 'author + year' equivalent. As the references are identified uniquely by a number, suffices are not added when author+date are not unique (e.g. nos. 1 & 2, Argent 1973). All references after number (7487) were added for this version and any lower number references added for this version are marked with an asterisk (*). The alphabetic list of references follows the table. 395 references are added in this version to the 455 in version 4, less one deleted, to give 849 in total.

1	Argent 1973	73	Bruggeman-Nannenga <i>et al.</i> 1990
2	Argent 1973	74	Bizot <i>et al.</i> 1979
4	Bizot 1976	75	Pursell 1979
6	Bizot <i>et al.</i> 1974	76	Pursell <i>et al.</i> 1992
* 9	Brotherus 1897	77	Bridel-Bideri 1827
* 10	Brotherus 1901-1909	79	Tixier 1981
* 11	Brotherus 1924-1925	80	Crosby <i>et al.</i> 1992
12	Buck 1979	81	Delgadillo M. 1973
15	De Sloover 1983	82	Magill 1981
16	Dixon 1938	83	Magill 1987
19	Frahm 1982	85	Pursell 1987
21	Mohamed 1979	89	Bruggeman-Nannenga 1978
22	Lindau 1895	90	Bruggeman-Nannenga 1993
23	Ochi 1972	92	Allen 1987
24	Orbán 1981	93	Allen <i>et al.</i> 1986
* 25	Paris 1904-1906	94	Allen <i>et al.</i> 1986
28	Richards <i>et al.</i> 1968	105	Een 1993b
30	Snider 1975	107	Bizot <i>et al.</i> 1980
32	Touw 1976	108	Bizot <i>et al.</i> 1982
33	Vitt 1980	109	Bizot 1974
34	Zander 1972	111	Bizot <i>et al.</i> 1978
40	Crosby <i>et al.</i> 1983	113	Bremer 1980
44	Frahm 1984	114	Buck 1980
45	Kis 1984	115	O'Shea 1993
46	Kis 1985	116	Dirkse <i>et al.</i> 1993
47	Schultze-Motel 1975	123	Koponen <i>et al.</i> 1972
50	Cufodontis 1951	132	Orbán <i>et al.</i> 1986
51	Jelenc 1955	134	Pócs 1993
52	Jelenc 1967	136	Pócs <i>et al.</i> 1993
53	Magill <i>et al.</i> 1979	146	Ochyra <i>et al.</i> 1988
54	Frahm 1985	162	Ando 1985
56	Hyvönen 1989	169	Ando 1989
57	Edwards 1980	* 174	Bowers 1974
58	Schultze-Motel 1979	175	Buck <i>et al.</i> 1986
59	Eddy 1985	178	De Sloover 1973
61	Best 1990	182	Griffin III <i>et al.</i> 1989
62	Phiri <i>et al.</i> 1985	191	Potier de la Varde 1950
63	Prendergast 1984	194	Potier de la Varde 1951
64	El-Saadawi <i>et al.</i> 1977	207	Imam <i>et al.</i> 1972
65	Born <i>et al.</i> 1993	225	Griffin III 1989
66	O'Shea 1994	* 243	Müller 1858
67	O'Shea 1993	255	Bizot 1968 [?1969]
68	Arts <i>et al.</i> 1990 [1993]	258	Bizot <i>et al.</i> 1979
70	Townsend 1991	259	Bizot <i>et al.</i> 1986
71	Corley <i>et al.</i> 1981	262	Bizot <i>et al.</i> 1952
72	Bruggeman-Nannenga <i>et al.</i> 1990	267	Buck 1977

268	Buck 1987	759	Egunyomi 1978
272	Crosby 1976	761	Egunyomi <i>et al.</i> 1982
273	Crum 1972 [1973]	762	Egunyomi <i>et al.</i> 1977
276	Demaret 1955	765	Ellis 1991
* 278	Demaret <i>et al.</i> 1951	767	Ellis 1991
279	Demaret <i>et al.</i> 1952	773	Enroth 1989
282	De Sloover 1975	* 774	Enroth 1990
283	De Sloover 1975	780	Enroth 1991
285	De Sloover 1976	781	Enroth 1991
286	De Sloover 1977	785	Enroth 1993
287	De Sloover 1977	787	Enroth 1993
288	De Sloover 1979	804	Frahm 1993
289	De Sloover 1986	829	Griffin III 1992
290	De Sloover 1987	924	He <i>et al.</i> 1992
298	Een 1989	926	Higuchi 1985
299	Enroth 1991	1036	Koponen 1981
301	Enroth 1992	1065	Lewinsky <i>et al.</i> 1990
302	Enroth 1992	1074	Magill 1987b
333	Jones 1985	1077	Malta 1926
334	Jones 1985	1082	Menzel <i>et al.</i> 1990
344	Van Zanten 1959	1124	Ochyra 1993
347	Lewinsky 1978	1125	Orbán 1993
348	Lin 1983	* 1137	Potier de la Varde 1943
349	Long 1986	1149	Salazar Allen 1993
354	Ochi 1973	1157	Sollman 1990
355	Ochyra <i>et al.</i> 1982	1158	Sollman 1993
357	Ochyra <i>et al.</i> 1985 [1987]	1202	Zomlefer 1993
359	Onraedt 1976	1291	Manuel 1977
360	Onraedt 1977	1294	Een 1976
361	Orbán 1977	1295	Hedenäs 1992
362	Orbán 1978	1296	Geheeb 1910
363	Orbán 1987	1300	Enroth 1990
392	Potier de la Varde 1956	1336	Koponen 1993
* 393	Potier de la Varde 1957	1338	Sharp <i>et al.</i> 1994
398	Richards 1984	1339	Buck 1989
400	Richards <i>et al.</i> 1972	1341	Whittemore <i>et al.</i> 1989
407	Tosco <i>et al.</i> 1956	1344	Orbán <i>et al.</i> 1990
408	Stark 1987	1346	Tixier 1992
409	Nishimura 1985	1347	Ochyra <i>et al.</i> 1992
411	Townsend 1987	1349	Ireland <i>et al.</i> 1994
453	Tuomikoski <i>et al.</i> 1979	1350	Whitehouse <i>et al.</i> 1991
459	Murray 1988	1357	Corley <i>et al.</i> 1991
465	Padberg <i>et al.</i> 1985	1370	Ellis 1987
481	Frahm 1982	1371	Ellis 1988
489	Crundwell <i>et al.</i> 1962	1372	Ellis 1988
506	Giese <i>et al.</i> 1985	1373	Ellis 1989
507	Giese <i>et al.</i> 1985	1374	Ellis 1989
510	Enroth <i>et al.</i> 1994	1375	Reese 1991
580	Dirkse <i>et al.</i> 1991	1386	Enroth 1989
581	Fife 1985	1393	Frey <i>et al.</i> 1988
595	Kiaer 1883	1403	Ochyra <i>et al.</i> 1992
* 608	Koponen 1968	1404	Ochyra <i>et al.</i> 1992
* 616	Meyer 1952	1405	Ochyra <i>et al.</i> 1992
679	Ando 1993	1406	Ochyra <i>et al.</i> 1992
687	Bartram 1949	1407	Ochyra <i>et al.</i> 1993
715	Buck 1980	1408	Ochyra <i>et al.</i> 1993
717	Buck 1993	1409	Ochyra <i>et al.</i> 1993
719	Buck <i>et al.</i> 1985	1410	Ochyra <i>et al.</i> 1993
* 747	Demaret <i>et al.</i> 1955	1419	Townsend 1984 [1985]
748	Demaret <i>et al.</i> 1977	1420	Zander 1993
755	Eddy 1990	1421	Sollman 1983
758	Een 1993	1423	Prendergast 1983

1424	Vitt 1980	1629	De Sloover 1982
1433	Gepp 1901	1631	Townsend 1978
1437	Stevenson 1992	1632	Crum 1992
1438	Van Rooy 1990	1635	Anon 1994
1439	Mattila <i>et al.</i> 1990	1637	Een 1978
1442	Ochyra 1989	1639	Bisby <i>et al.</i> 1983
1447	Van Rooy <i>et al.</i> 1992	1640	Ochyra 1982
1448	Van Rooy 1991	1641	Frahm 1981
1458	Frahm <i>et al.</i> 1994	1642	Vitt 1981
1460	Sollman 1994	1644	Crosby <i>et al.</i> 1994
1470	Pursell <i>et al.</i> 1993	1660	Ros <i>et al.</i> 1994
1471	Snider 1987	1663	O'Shea 1995
1473	Reese 1987	1677	Tan 1979
1474	Reese <i>et al.</i> 1987	1680	Fife 1982
1475	Frahm 1986	1686	Micheletti 1909
1477	Fife 1986	1707	Pettet 1967
1485	Reese <i>et al.</i> 1985	1708	Reese 1994
1487	Shaw 1985	1711	Reese 1994
1492	Egunyomi 1984	1713	Reese <i>et al.</i> 1994
1494	Van Rooy 1991	1714	Buck 1994
1497	Spence <i>et al.</i> 1988	1748	Bruggeman-Nannenga <i>et al.</i> 1994
1500	Ochyra <i>et al.</i> 1985	1749	Bizot <i>et al.</i> 1990
1502	Touw 1983	1750	Menzel 1992
* 1503	Fleischer 1917	1751	Frahm 1987
* 1505	Potier de la Varde 1940	1752	Crosby <i>et al.</i> 1977
1506	Müller (C) 1851	1801	Robinson 1975
* 1509	Hooker 1820	1830	Enroth 1994
1511	Ellis 1991	1848	Renauld <i>et al.</i> 1915
1517	Crosby <i>et al.</i> 1993	1862	Touw 1992
1518	Ellis 1995	1863	Kramer 1988
1519	Magill <i>et al.</i> 1998	1865	Miehe <i>et al.</i> 1994
1520	Syed 1973	1878	Tixier 1989
1521	Wijk <i>et al.</i> 1959-1969	1880	Bizot <i>et al.</i> 1987
1527	Beever <i>et al.</i> 1992	1881	Lin 1985
1531	Perold <i>et al.</i> 1993	1882	Kanda 1987
1532	Shaw <i>et al.</i> 1984	1883	Ochyra 1983
1533	Ochyra 1994	1884	Ochyra 1990
1547	Van Rooy 1992	1885	Ochyra 1991
1552	Leonard 1993	1886	Bizot 1973
1554	Catcheside <i>et al.</i> 1980	1890	Manuel 1977
1562	Frahm 1994	1892	Iwatsuki <i>et al.</i> 1982
1565	Crosby 1969	1896	Salazar Allen 1993
* 1566	Fleischer 1922	1898	Bruggeman-Nannenga 1982
1567	Potier de la Varde 1939	1908	Eakin 1976
1569	Kürschner <i>et al.</i> 1990	1909	Reese 1995
1579	Mohamed <i>et al.</i> 1985	1911	Sim 1926
1589	Burley <i>et al.</i> 1990	* 1912	Lindberg 1864
1591	Manuel 1980	1913	Ando 1995
1593	Vitt 1984	1914	Vitt <i>et al.</i> 1988
1595	Churchill <i>et al.</i> 1982	1915	Ochyra <i>et al.</i> (in press)
1601	Menzel 1992	1925	Delgadillo 1995
1608	Frey <i>et al.</i> 1988	1926	Onraedt 1994
1617	LaFarge-England 1992	1927	Miehe <i>et al.</i> 1994
1618	Renauld 1891	1941	Tixier 1993
* 1619	Mildbraed 1922	1945	Bescherelle 1879
1620	Saito 1975	1946	Bartram 1950
1621	Ochyra 1992	1947	Dixon 1929
1624	Reese <i>et al.</i> 1986	1950	Potier de la Varde 1957
1625	Bescherelle 1895	1951	Koponen A 1977
1626	Townsend 1969	1982	Buck 1988
1627	Mitten 1887 [1888]	2005	Townsend 1971
1628	Mitten 1887	2030	De Sloover 1995

2033	Orbán 1995	* 2713	Mitten 1869
2041	Townsend 1980	2730	Delgadillo <i>et al.</i> 1995
2059	Cano <i>et al.</i> 1993	2733	Tixier 1988
2079	Touw <i>et al.</i> 1978	* 2734	Mitten 1886
2083	O'Shea 1995	2737	Fleischer 1900-1927
2084	Frahm <i>et al.</i> 1996	2738	Miller <i>et al.</i> 1978
2088	Pursell <i>et al.</i> 1980	* 2740	Bartram 1939
2094	Ochi 1980	2741	Miller <i>et al.</i> 1963
2097	Potier de la Varde 1955	2743	Buck 1982
2124	Arts 1995	2746	Dixon 1922
2125	Arts <i>et al.</i> 1995	2751	Crum 1971
2135	Arts 1995	2759	Buck 1994
2169	Allen 1992	2762	Chen 1941
2185	Ignatov <i>et al.</i> 1992	2763	Chen 1941
* 2193	Müller (C) 1876	2769	Gangulee 1969-1980
2195	Bescherelle 1880	* 2787	Müller 1900
2220	Kruijer 1997	2797	Ochi 1985
2231	Grolle 1995	2817	Buck 1987
2267	Anderson <i>et al.</i> 1990	2819	Wigginton <i>et al.</i> 1996
2269	Frahm 1994	2849	Potier de la Varde 1928
2322	Bescherelle 1891	2851	Tixier 1983
2323	Brotherus 1916	2852	Delgadillo 1975
2324	Cardot 1904	2857	Lin 1984
2325	Fosberg <i>et al.</i> 1996	2860	Ochyra <i>et al.</i> 1988
2326	Levier 1901	* 2864	Reimers 1924
2327	Montagne 1841	* 2866	Reimers 1935
2328	Renauld 1898	2869	Smith 1971
2330	Thériot 1923	* 3001	Crum 1956
2331	Bescherelle 1880	3007	Goffinet 1996
2332	Montagne 1856	3012	Greven 1996
* 2350	Thériot 1923	3040	Stone 1996
2351	Seaward <i>et al.</i> 1996	3054	Iwatsuki 1980
2352	Frahm 1996	3055	Potier de la Varde 1926
2353	O'Shea <i>et al.</i> 1996	3058	Hilpert 1933
2365	O'Shea 1997	3069	O'Shea 1997
2374	Al-Gifri <i>et al.</i> 1995	3070	O'Shea 1997
2383	Arts 1996	3072	O'Shea <i>et al.</i> 1997
2386	Hodgetts 1996	3075	Touw 1993
2387	Enroth <i>et al.</i> 1996	3076	Müller (C) 1875
2396	Enroth 1996	3093	Thériot 1926
2407	Greven 1995	3094	Thériot 1928
2415	Chuah-Petiot 1995	3097	Fleischer 1914
2445	Crosby <i>et al.</i> 1985	3209	He 1997
2476	Bruggeman-Nannenga <i>et al.</i> 1996	3210	Tangney 1997
2514	Sollman 1995	3212	Bruggeman-Nannenga 1997
2520	Dixon 1920	3216	Enroth 1996
2545	Frahm 1989	3243	Hedenäs 1997
* 2584	Müller (C) 1849	3260	Stark <i>et al.</i> 1986
2588	Noguchi 1976	3283	Tan 1994
2602	O'Shea 1997	3299	Hofmann 1997
* 2609	Nyholm 1971	3346	Tixier 1993
2653	Sollman <i>et al.</i> 1996	3362	Lin <i>et al.</i> 1995
2658	Kis 1996	3395	Rohrer 1985
2659	Heras Perez <i>et al.</i> 1996	3410	Een 1997
2660	Chuah-Petiot 1996	3411	Dilg <i>et al.</i> 1997
2661	Chuah-Petiot 1996	3412	Chuah-Petiot 1997
2662	Müller (F) 1996	3414	Infante <i>et al.</i> 1997
2663	Frahm <i>et al.</i> 1996	3418	Potier de la Varde 1953
2666	Frahm <i>et al.</i> 1996	3419	Buck 1983
2675	Tixier 1995	* 3420	Dixon 1916
2695	Welch 1960	* 3432	Robinson 1975
2707	Mitten 1859	3434	Shaw 1987

3447	Koponen <i>et al.</i> 1996	4314	Egunyomi 1980
3487	Montagne 1838	* 4325	Jaeger 1873
3488	Wickens 1976	* 4328	Jaeger 1874
* 3491	Bridel 1826	* 4329	Jaeger 1875
* 3492	Hedwig 1801	* 4340	Dixon 1929
3514	Murray 1984	4361	Thériot 1924
3515	Delgadillo 1976	* 4362	Thériot 1930
3531	Stone 1997	* 4363	Thériot 1932
3618	Anderson 1997	4368	Potier de la Varde 1947
3641	Goffinet 1998	* 4378	Müller (C) 1899
3649	Crosby <i>et al.</i> 1997	* 4382	Bridel 1806
3660	Virtanen 1997	* 4383	Brizi 1893
3699	Margadant <i>et al.</i> 1973	4385	Hedenäs 1998
3747	Ochyra 1997	4395	Goffinet 1998
3765	Buck 1984	4418	Van Rooy 1997
* 3771	Bescherelle 1877	4454	Ignatov <i>et al.</i> 1998
3804	Hodgetts <i>et al.</i> 1998	4464	Granzow 1997
3821	Potier de la Varde 1932	4500	Flowers 1952
* 3970	Jaeger 1878	4504	Hariot 1913
3978	Smith 1997	* 4505	Hollis <i>et al.</i> 1992
3986	Van Rooy 1997	4507	Jelenc 1958
4000	Matteri 1997	4508	Jelenc 1959
4005	Bizot 1968	4527	Quezel 1965
4015	O'Shea 1998	4534	Schultze-Motel 1969
4049	Tan 1993	4537	Whitehouse <i>et al.</i> 1992
4059	Bizot 1963	4565	Ros <i>et al.</i> 1999
4060	Stone 1982	4579	Eakin 1998
* 4087	Dusén 1895	4592	Rushing 1986
* 4088	Renauld <i>et al.</i> 1905	4605	Goffinet <i>et al.</i> 1998
* 4097	Renauld 1909	4625	Potier de la Varde 1931
* 4098	Müller (C) 1886	4626	Müller (F) 1999
4112	Chuah-Petiot 1995	4637	Orbán 1995
* 4117	Müller (C) 1886	4639	Infante <i>et al.</i> 1998
4138	Menzel 1991	4669	Arts 1998
4139	Dixon 1929	4670	Arts 1998
* 4140	Cardot 1909	* 4691	Ochyra 1987
* 4141	Paris 1906	* 4692	Cardot 1916
4143	Ando 1973	4711	Hofmann 1998
4146	Higuchi 1986	4720	Watling <i>et al.</i> 2000
4159	Whitehouse 1978	4743	O'Shea 2000
4161	Townsend 1978	4750	Bruggeman-Nannenga 1999
* 4202	Mitten in Melliss 1875	* 4756	Zomlefer <i>et al.</i> 1990
4210	Frahm 1998	* 4763	Potier de la Varde 1925
4221	Ochyra 1997	4764	O'Shea 1999
4222	Ochyra 1997	4768	Tongiorgi 1939
4223	Ochyra <i>et al.</i> 1997	4771	Ochyra 1998
4224	Ochyra 1997	* 4776	Reese 1998
* 4229	Dixon 1932	4777	Shaw <i>et al.</i> 1998
* 4232	Kindberg 1888-1891	4778	Thériot 1929
* 4233	Brotherus 1890	* 4779	Müller (C) 1855
* 4250	Paris 1894-1898	* 4780	Fleischer 1920
4252	Buck 1998	* 4791	Shaw 1981
* 4256	Dixon 1915	4793	Blockeel <i>et al.</i> 1998
* 4267	Van der Wijk 1961	4800	Dixon 1920
4274	Sim <i>et al.</i> 1922	4819	Goffinet 1999
4281	O'Shea 1999	4822	Snider <i>et al.</i> 1999
4282	Porley <i>et al.</i> 1999	4853	Pócs 1999
4283	Frahm 1997	* 4863	Chevalier 1920
* 4284	Schwägrichen 1824-1827	4866	Ochyra 1989
4302	Frahm <i>et al.</i> 1998	4872	Dixon 1918
4304	Sollman 1998	4892	Muñoz 1998
4310	Eggers <i>et al.</i> 1998	4897	Hodgetts <i>et al.</i> 1999

4899	O'Shea 2000	5544	Dixon 1913
4900	Muñoz 1999	* 5545	Dixon 1922
4902	Nyholm 1998	5546	O'Shea <i>et al.</i> 2000
4903	Ochyra <i>et al.</i> 1990	* 5547	Reese 1993
4924	Brummitt <i>et al.</i> 1992	* 5556	Dixon 1916
4926	Podpera 1954	5564	Van Zanten <i>et al.</i> 1999
4927	Frey <i>et al.</i> 1995	* 5567	Müller (C) 1897
4928	Müller (F) <i>et al.</i> 1999	5604	Ochyra 2001
4930	Heras <i>et al.</i> 1999	5613	Kürschner 2000
4931	Een <i>et al.</i> 1999	5631	He <i>et al.</i> 2000
4932	Een <i>et al.</i> 1999	5637	Orbán 2000
* 4951	Paris 1901	5669	Guo <i>et al.</i> 2000
4975	Robinson 1967	5696	Wigginton <i>et al.</i> 2001
4977	Ellis <i>et al.</i> 1999	5698	O'Shea 2001
* 4981	Seppelt 1982	5699	Seaward 1999
4983	Thériot 1930	5745	Egunyomi 1982
4988	Potier de la Varde 1930	5762	Long <i>et al.</i> 1982
* 4997	Frahm 1999	* 5765	Dixon 1941
5022	Dixon 1919	* 5845	Müller (C) 1843
5040	Kürschner <i>et al.</i> 1999	5916	Een 2000
5041	Potier de la Varde 1941	5919	Sollman 2000
5043	Crosby 1999	5920	Ochyra <i>et al.</i> 2000
* 5051	Salmon 1903	5922	Frahm <i>et al.</i> 2000
* 5063	Salmon 1901	5925	Müller (F) <i>et al.</i> 2000
* 5064	Potier de la Varde 1920	5956	Guerra <i>et al.</i> 2000
* 5065	Potier de la Varde 1921	* 5967	Naveau 1927
5082	Brotherus 1912	* 5983	Dixon 1933
* 5087	Wright 1888	* 5994	Smith (GL) 1969
5116	Kürschner 1998	6049	Kürschner 1999
5139	Guo <i>et al.</i> 1999	6072	Crosby 2000
* 5143	Dixon 1922	6084	Virtanen 1999
* 5144	Arnott 1827	6087	O'Shea <i>et al.</i> 2001
5148	Egunyomi 1979	* 6099	Buck & Goffinet 2002
5160	Egunyomi <i>et al.</i> 1979	6128	Dilg <i>et al.</i> 2000
5176	Egunyomi 1981	6130	Sollman 2000
5201	Longton 1981	6137	Wigginton 2001
5214	O'Shea 2000	* 6152	Müller (C) 1890
5221	Eakin <i>et al.</i> 1999	6209	Kis 2001
5237	O'Shea 1997	* 6215	Arts 2001
5238	O'Shea 1999	6217	Pedersen <i>et al.</i> 2001
5268	Reimers 1937	* 6224	Geheeb 1902
5298	Zander <i>et al.</i> 1999	6230	Dixon <i>et al.</i> 1929
* 5315	Chuah-Petiot 1995	6231	Potier de la Varde 1955
5319	Müller (F) 1995	6232	O'Shea 2001
5320	Touw 1995	6263	Oyesiku <i>et al.</i> 2001
5329	Cardot 1912	6268	Shaw <i>et al.</i> 1994
5331	Mitten 1885	6309	O'Shea <i>et al.</i> 2001
5334	Rudmose Brown 1906	6314	Abou Salama 1998
5335	Coppey 1909	* 6349	Dixon 1932
5340	Cardot 1911	6353	Rolfe <i>et al.</i> 1919
* 5362	Bridel 1819	6372	Zander 1997
5414	Dixon 1920[1921]	6398	Hedenäs 2001
5440	Müller (F) 2000	6400	Blockeel <i>et al.</i> 2001
5453	Muñoz <i>et al.</i> 2000	6417	Shabbara <i>et al.</i> 1999
* 5458	Müller (C) 1872	6453	Muhle 1982
5474	Crosby 1970	6458	Bizot 1969
* 5485	Dixon 1927	6489	Touw 2001
* 5486	Dixon 1927	* 6500	Dixon 1912
5490	Dixon 1937	6530	Brugues 2000
* 5492	Fleischer 1906	6531	Dixon 1915
5525	During <i>et al.</i> 1999	* 6557	Dixon 1924
* 5540	Renauld <i>et al.</i> 1891	6568	Dixon <i>et al.</i> 1924

6609	Arts 2001	* 7430	O'Shea 2004
6614	Rao 2001	7442	Price <i>et al.</i> 2003
* 6615	Chuah-Petiot 2001	* 7444	O'Shea 2003
6620	Boecker 2001	* 7449	Potier de la Varde 1922
6625	Ellis 2001	* 7465	Hedenäs 2003
6637	Cao <i>et al.</i> 2002	7468	Koponen 2003
6647	Touw 2001	7482	Matcham <i>et al.</i> 2003
* 6653	Sainsbury 1955	7484	Frahm <i>et al.</i> 2003
6661	Robinson <i>et al.</i> 2001	7486	Ochyra <i>et al.</i> 2003
6686	Crum <i>et al.</i> 1981	7487	Daniels <i>et al.</i> 1985
6705	Kruijer 2002	****	*****(end of version 4 refs) ****
6733	O'Shea 2002	7577	Enroth 2004
6765	Blockeel <i>et al.</i> 2002	7580	O'Shea <i>et al.</i> 2005
* 6793	Paris 1900	7601	Dismier 1910
6798	Mannheimer 1999	7630	Kungu <i>et al.</i> 2003
6802	Ochi 1976	7683	Allen <i>et al.</i> 2003
6803	Frey <i>et al.</i> 1988	7718	Fleischer 1905
6809	Kis 2002	7772	Schwägrichen 1827-1829
6813	Ellis 2002	7834	Blockeel <i>et al.</i> 2004
6873	Ochi 1971	7870	Goffinet <i>et al.</i> 2004
* 6894	Schwägrichen 1829-1830	7878	Mies 1994
6908	Pócs <i>et al.</i> 2002	7879	Crum 1984
6913	Orange 1995	7882	Goffinet <i>et al.</i> 2004
6936	Ochi 1970	7901	He 2004
6959	Casado 2000	7971	Warnstorf 1891
6989	Ochyra <i>et al.</i> 2002	7972	Braun <i>et al.</i> 2004
6990	Churchill 1988	7984	Blockeel <i>et al.</i> 2005
6996	González-Mancebo <i>et al.</i> 2002	7995	Ellis 2005
* 7007	Thériot 1911	8019	Jiminez <i>et al.</i> 2005
7013	Vitt 1973	8020	Roth 1913
7045	Ochi 1969	8024	Burke <i>et al.</i> 2004
7059	Blockeel <i>et al.</i> 2003	8028	Arts 2005
7065	Bytebier <i>et al.</i> 2002	8033	Ah Peng <i>et al.</i> 2005
7068	Arts <i>et al.</i> 2002	8086	Gallego 2005
7069	Sollman 2002	8103	Schwägrichen 1816
7091	Price 2002	8107	Dixon 1923
7095	O'Shea 2003	8151	Limprecht 1895-1903
7099	Ochyra <i>et al.</i> 2002	8168	Steudel 1824
7101	La Farge 2002	8172	Lindberg 1863
7102	La Farge 2002	8180	Ando 1972
7103	La Farge 2002	8199	Potier de la Varde <i>et al.</i> 1947
* 7142	Mitten 1888	8203	Brotherus 1900
7150	Tongiorgi 1938	8215	Grout 1936-1939
7155	Russell <i>et al.</i> 1988	8227	Blockeel <i>et al.</i> 2006
7157	O'Shea 2003	8232	Andrews 1941
7168	Argent 1969	8234	Warnstorf 1900
7173	Kürschner 2003	8239	Warnstorf 1911
* 7180	Cardot 1901	8240	Frahm <i>et al.</i> 2006
7181	Potier de la Varde 1930	8248	Limprecht 1885-1889
* 7230	Palisot de Beauvoir 1805	8249	Limprecht 1890-1894
7251	Chuah-Petiot <i>et al.</i> 2003	8250	Moenkemeyer 1927
7265	Zijlstra 1998	8251	Hampe 1862
7273	Blockeel <i>et al.</i> 2003	8254	Hooker <i>et al.</i> 1818
7280	Stone 1977	8258	Sapehin 1911
* 7306	Renauld <i>et al.</i> 1900	8259	Hampe 1862
* 7330	Buck 2003	8261	Schrader 1803
7345	Ellis 2003	8263	Broteri 1805
7352	Wigginton 2002	8268	Grout 1933-1940
7353	O'Shea <i>et al.</i> 2003	8271	Braithwaite 1887
7364	El Saadawi 2003	8282	Blockeel <i>et al.</i> , 2006
7385	Tixier 1979	8292	Smith 1804
7416	Magombo 2003	8293	Brotherus 1920

- 8295 Juel 1918
8296 Schwägrichen 1811
8303 Sprengel 1828
8304 Cardot 1897
8310 Hill 2006
8311 Warnstorf *et al.* 1914
8313 Lindberg 1879
8320 Shaw (J) 1878
8328 Van Rooy *et al.* 2006
8332 Brotherus 1893
8333 Johnston 1895
8358 Blockeel *et al.* 2006
8367 Wigginton 2004

- 6314 **Abou Salama, U.Y.** 1998. Mosses of the Egyptian Conservation Areas: 1 - Gebel Elba Protectorate. *Phytomorphology* **50**: 47-58.
- 8033 **Ah-Peng, C., Bardat, J. & Ellis, L.** 2005. Additions to the bryoflora of Réunion Island (France). *Lindbergia* **30**: 43-45.
- 2374 **Al-Gifri, A.N., Kürschner, H. & Mies, B.** 1995. New records, additions and a new species, *Sematophyllum socotrense* Buck (Sematophyllaceae, Musci) to the bryophyte flora of Socotra (Yemen). Studies in Arabian bryophytes 19. *Nova Hedwigia* **61**: 467-480
- 92 **Allen, B.H.** 1987. A revision of the genus *Leucomium* (Leucomiaceae). *Memoirs of the New York Botanical Garden* **45**: 661-677.
- 2169 **Allen, B.H.** 1992. A revision of *Ochrobryum* (Leucobryaceae). *Contributions of the University of Michigan Herbarium* **18**: 113-130.
- 93 **Allen, B.H. & Crosby, M.R.** 1986. Revision of the genus *Squamidium* (Musci: Meteoriaceae). *Journal of the Hattori Botanical Laboratory* **61**: 423-476.
- 94 **Allen, B.H., Crosby, M.R. & Magill, R.E.** 1986. *Jaegerina retrosquarrosa*, species nova (Pterobryaceae: Musci) with comments on the species of *Jaegerina* from Mauritius. *Cryptogamie: Bryologie, Lichenologie* **7**: 47-52.
- 7683 **Allen, B. & Magill, R.E.** 2003. A revision of *Pilotrichella* (Lembophyllaceae: Musci). *Acta Academiae Paedagogicae Agriensis, Sect. Biol.* **24**: 43-83.
- 3618 **Anderson, L.E.** 1997. *Syntrichia magilliana* (Pottiaceae), a new species from South Africa. *Journal of the Hattori Botanical Laboratory* **82**: 15-18.
- 2267 **Anderson, L.E., Crum, H.A. & Buck, W.R.** 1990. List of the mosses of North America north of Mexico. *Bryologist* **93**: 448-499.
- 8180 **Ando, H.** 1972. Distribution and speciation in the genus *Hypnum* in the circum-pacific region. *Journal of the Hattori Botanical Laboratory* **35**: 68-98.
- 4143 **Ando, H.** 1973. Révision des espèce africaines de *Gollania* (Hypnaceae). *Revue Bryologique et Lichenologique* **39**: 529-538.
- 162 **Ando, H.** 1985. *Hypnum cupressiforme* Hedw. and its close allies in Europe. *Abstracta Botanica* **9**, Suppl. **2**: 11-18.
- 169 **Ando, H.** 1989. Studies in the genus *Hypnum* Hedw. (VI). *Hikobia* **10**: 269-291.
- 679 **Ando, H.** 1993. Taxonomic Results of the BRYOTROP expedition to Rwanda and Zaire. 25. *Hypnum. Tropical Bryology* **8**: 219-222.
- 1913 **Ando, H.** 1995. What is '*Hypnum aduncoides*' (Musci, Hypnaceae) from Africa? *Fragmenta Floristica et Geobotanica* **40**: 189-196.
- 8232 **Andrews, A.L.** 1941. Notes on the Warnstorf Sphagnum herbarium II. The Section Malacosphaignum. *Bryologist* **44**: 97-102.
- 1635 **Anon.** 1994. List of PRE holdings for Lesotho. (Computer diskette with file dated 25/03/1994).
- 7168 **Argent, G.C.G.** 1969. A taxonomic study of West African mosses. The families Pterobryaceae and Meteoriaceae. PhD thesis, Bangor University.
- 1 **Argent, G.C.G.** 1973. A taxonomic study of African Pterobryaceae and Meteoriaceae I. Pterobryaceae. *Journal of Bryology* **7**: 353-378.
- 2 **Argent, G.C.G.** 1973. A taxonomic study of African Pterobryaceae and Meteoriaceae II. Pterobryaceae - continued. *Journal of Bryology* **7**: 563-602.
- 5144 **Arnott, G.A.W.** 1827. Nouvelle disposition methodique des especes de mousses. *Mémoires de la Société Linnéenne de Paris* **5**: 205-324.
- 2124 **Arts, T.** 1995. *Pohlia integra* (Card.) Shaw, a neglected species, recorded from southern Africa and South America. *Journal of Bryology* **18**: 791-796.
- 2135 **Arts, T.** 1995. *Bryum sauteri* BS&G recorded from Chile, Ecuador and South Africa, new to the Americas and continental Africa. *Journal of Bryology* **18**: 830.
- 2383 **Arts, T.** 1996. The genus *Splachnobryum* in Africa, with new combinations in *Bryum* and *Gymnostomiella*. *Journal of Bryology* **19**: 65-78.
- 4669 **Arts, T.** 1998. A revision of the moss genus *Gymnostomiella* Fleisch. *Journal of Bryology* **20**: 411-427.
- 4670 **Arts, T.** 1998. A contribution to the moss flora of the Cape Provinces. *Journal of Bryology* **20**: 429-448.
- 6609 **Arts, T.** 2001. The moss genus *Leptobryum* and the identity of *Pohlia integra*. *Journal of Bryology* **23**: 325-330.
- 6215 **Arts, T.** 2001. A revision of the Splachnobryaceae (Musci). *Lindbergia* **26**: 77-96.
- 8028 **Arts, T.** 2005. A contribution to the bryophyte flora of Réunion (Mascarene Islands). *Systematics and Geography of Plants* **75**: 117-158.
- 2125 **Arts, T., Crundwell, A.C. & Whitehouse, H.L.K.** 1995. *Bryum valparaisense* Ther, an earlier name for *B. pyriferum* Crundw. & Whiteh. *Journal of Bryology* **18**: 797-802.
- 68 **Arts, T. & Sollman, P.** 1990 [1993]. Remarks on *Phascum leptophyllum* C.Müll., an earlier name for *Tortula rhizophylla* (Sak.) Z.Iwats. & K.Saito. *Lindbergia* **17**: 20-27.

- 7068 **Arts, T. & Sollman, P.** 2002. *Gymnostomiella tuberculosa* (Renauld & Paris) Arts & P.Sollm. comb. nov. *Tropical Bryology* **21**: 103.
- 2740 **Bartram, E.B.** 1939. Mosses of the Philippines. *Philippine Journal of Science* **68**: 1-437.
- 687 **Bartram, E.B.** 1949. Mosses of Guatemala. *Fieldiana* **25**: 1-442.
- 1946 **Bartram, E.B.** 1950. Mosses collected by Dr. John Eriksson during the Swedish 'Albatross' expedition 1947-48. *Acta Horti Gothoburgensis* **18**: 267-273.
- 1527 **Beever, J., Allison, K.W. & Child, J.** 1992. *The mosses of New Zealand* (Second edition). Dunedin: University of Otago Press.
- 3771 **Bescherelle, E.** 1877. Bibliographie exotique. *Revue Bryologique* **4**: 12-15.
- 1945 **Bescherelle, E.** 1879. Florule bryologique de la Réunion et des autres îles austro-africaine de l'Océan Indien. *Annales des Sciences Naturelles, Botanique*, sér. 6, **9**: 291-380.
- 2195 **Bescherelle, E.** 1880. Florule Bryologique de la Réunion et des autres îles austro-africaine de l'Océan indien (Deuxième partie). *Annales des Sciences Naturelles, Botanique*, sér. 6, **10**: 233-332.
- 2331 **Bescherelle, E.** 1880. Florule bryologique de l'île de Nossi-Bé. *Revue Bryologique* **7**: 17-40.
- 2322 **Bescherelle, E.** 1891. Selectio novorum muscorum. *Journal de Botanique (Morot)* **5**: 142-148.
- 1625 **Bescherelle, E.** 1895. Essai sur le genre *Calymperes*. *Annales des Sciences Naturelles, Botanique*, sér. 7 **8**: 247-308.
- 61 **Best, E.B.** 1990. The Bryophytes of Zimbabwe - an annotated check-list. *Kirkia* **13(2)**: 293-318.
- 1639 **Bisby, F.A., Russell, G.F. & Pankhurst, R.J.** 1983. *Designs for a global plant species information system*. Systematics Association Special Volume No. 48. Clarendon Press, Oxford.
- 4059 **Bizot, M.** 1963. *Nanobryum gladiolum* (Mitt.) Biz. comb. nov. *Revue Bryologique et Lichénologique* **32**: 82-83.
- 4005 **Bizot, M.** 1968. Mousses récoltées par Mr. Gillis Een dans les îles Maurice et de La Réunion. *Svensk Botanisk Tidskrift* **62(3)**: 471-481.
- 255 **Bizot, M.** 1968[?1969]. Observations sur deux *Fissidens africans*. *Revue Bryologique et Lichénologique* **36**: 105-108.
- 6458 **Bizot, M.** 1969. Mousses des îles du Cap Vert. *Svensk Botanisk Tidskrift* **63(4)**: 441-454.
- 1886 **Bizot, M.** 1973. Mousses africaines récoltées par M. Dénes Balázs. *Acta Botanica Academiae Scientiarum Hungaricae* **18**: 7-28.
- 109 **Bizot, M.** 1974. Enumeratio muscorum novarum. *Revue Bryologique et Lichénologique* **40**: 101-138.
- 4 **Bizot, M.** 1976. Enumeratio muscorum novarum, II. *Revue Bryologique et Lichénologique* **42**: 843-855.
- 111 **Bizot, M., Friis, I., Lewinsky, J. & Pócs, T.** 1978. East African bryophytes IV. Danish collections. *Lindbergia* **4**: 259-284.
- 1749 **Bizot, M., Pierrot, R.B. & Tixier, P.** 1990. Reliquiae Bizotianae Nanobryaceae et Fissidentaceae (Bryophyta) en République Centrafricaine, recoltes du R.P.E. Assel. *Bulletin de l'Institut Fondamental d'Afrique Noire* **46A**: 250-273.
- 259 **Bizot, M., Pócs, T. & Sharp, A.J.** 1986. Results of a bryogeographical expedition to East Africa in 1968, III. *Bryologist* **88**: 135-142.
- 6 **Bizot, M. & Pócs, T.** 1974. East African Bryophytes. I. *Acta Academicae Paedagogicae Agriensis n.s.* **12**: 383-449.
- 74 **Bizot, M. & Pócs, T.** 1979. East African Bryophytes III. *Acta Botanica Academicae Scientiarum Hungaricae* **24**: 58-64.
- 107 **Bizot, M. & Pócs, T.** 1980. East African Bryophytes, IV. *Acta Botanica Academicae Scientiarum Hungaricae* **25**: 223-261.
- 108 **Bizot, M. & Pócs, T.** 1982. East African Bryophytes, V. *Acta Botanica Academicae Scientiarum Hungaricae* **28**: 15-64.
- 258 **Bizot, M., Pócs, T. & Sharp, A.J.** 1979. Results of a bryogeographical expedition to East Africa in 1968, II. *Journal of the Hattori Botanical Laboratory* **45**: 145-165.
- 262 **Bizot, M. & Potier de la Varde, R.** 1952. Sur l'existence du genre *Vesicularia* en Afrique du Nord. *Revue Bryologique et Lichénologique* **21**: 226-228.
- 1880 **Bizot, M. & Tixier, P.** 1987. Reliquiae Bizotianae. Récoltées bryologique du R.P. Assel dans la région d'Abidjan (Côte d'Ivoire). *Annales de l'Université d'Abidjan, Science et Techniques, Sci. Nat. et Biol.* **22B**: 33-58.
- 7273 **Blockeel, T.L., Abay, G., Çetin, B., Bednarek-Ochyra, H., Ochyra, R., Lewis Smith, R.I., Matteri, C.M., Farias, R.M., Novotný, I., Rao, P., Enroth, J., van Rooy, J., Schiavone, M.M. & Váňa, J.** 2003. New national and regional bryophyte records, 7. *Journal of Bryology* **25**: 141-144.
- 7059 **Blockeel, T.L., Arts, T., Bruggeman-Nannenga, M.A., Brusa, G., Hedenäs, L., Novotny, I., Ochyra, R., Sabovljević, M.A. & Townsend, C.C.** 2003. New national and regional bryophyte records, 6. *Journal of Bryology* **24**: 329-332.
- 8282 **Blockeel, T.L., Bednarek-Ochyra, H., Ochyra, R., Hájková, P., Hájek, M., Kučera, J., Kürschner, H., Müller, F., Oliván, G., Parolly, G., Porley, R.D., Rams, S., Séneca, A., Sérgio, C., Townsend, C.C., Tyshchenko, O. & Vieira, C.** 2006. New national and regional bryophyte records, 13. *Journal of Bryology* **28**: 151-155.

- 8227 **Blockeel, T.L., Chlebicki, A., Hájková, P., Hájek, M., Hradilek, Z., Kürschner, H., Ochyra, R., Parolly, G., Plášek, V., Quandt, D., Townsend, C.C., & Vanderpoorten, A.** 2006. New national and regional bryophyte records, 12. *Journal of Bryology* **28**: 68-70.
- 8358 **Blockeel, T.L., Enroth, J., Ertz, D., Hedderson, T.A.J., Holz, I., Jafari, M., Kürschner, H., Lara, F., Mazimpaka, V., Medina, R., Ramel, G., Schäfer-Verwimp, A., Shirzadian, S., Sotiaux, A. & O., Stebel, A. & Tavili, A.** 2006. New national and regional bryophyte records, 14. *Journal of Bryology* **28**: 271-275.
- 6765 **Blockeel, T.L., Duckett, J.G., Fernández Ordóñez, M.C., Hébrard, J.-P., Matcham, H.W., Porley, R.D., Ochyra, R., Bednarek-Ochyra, H., Soldán, Z. & Townsend, C.C.** 2002. New national and regional bryophyte records, 5. *Journal of Bryology* **24**: 88-91.
- 4793 **Blockeel, T.L. & Long, D.G.** 1998. *A check-list and census catalogue of British and Irish bryophytes*. Cardiff: British Bryological Society.
- 6400 **Blockeel, T.L., Matcham, H.W., Ochyra, R., Bednarek-Ochyra, H., Schumacker, R. & Vanderpoorten, A.** 2001. New national and regional bryophyte records, 4. *Journal of Bryology* **23**: 149-152.
- 7834 **Blockeel, T.L., et al (12 authors)** 2004. New national and regional bryophyte records, 10. *Journal of Bryology* **26**: 305-309.
- 7984 **Blockeel, T.L., et al (9 authors)** 2005. New national and regional bryophyte records, 11. *Journal of Bryology* **27**: 163-168.
- 6620 **Boecker, M.** 2001. Taxonomic results of the BRYOTROP Expedition to Zaire and Rwanda. 33. *Splachnaceae, Tayloria*. *Tropical Bryology* **20**: 71-72.
- 65 **Born, S., Frahm, J.-P. & Pócs, T.** 1993. A new checklist of the mosses of Central Africa. *Tropical Bryology* **8**: 223-273.
- 174 **Bowers, F.D.** 1974. The mosses reported from Costa Rica. *Bryologist* **77**: 150-171.
- 8271 **Braithwaite, R.** 1887. *The British Moss-Flora. Acrocarpi I.* pp. 1-315. . London: L. Reeve & Co., Covent Garden.
- 7972 **Braun, K.P., Dlamini, Mdladla, Methule, Dlamini & Dlamini** 2004. Swaziland Flora Checklist. *SABONET Report* **27**: 1-113.
- 113 **Bremer, B.** 1980. A taxonomic revision of the genus *Schistidium* (Grimmiaceae, Bryophyta), 2. *Lindbergia* **6**: 89-117.
- 4382 **Bridel, S.E.** 1806. *Muscologiae recentiorum supplementum seu species muscorum, Pars 1*.
- 5362 **Bridel, S.E.** 1819[1818]. *Muscologiae recentiorum supplementum pars IV, seu mantissa generum specierumque muscorum frondosorum universa*. Gotha: A. Ukertum.
- 3491 **Bridel-Brideri, S.E.** 1826. *Bryologia Universa seu systematica ad novam methodum disposito, historia et descriptio omnium muscorum frondosorum hucusque cognitorum cum synonymia ex auctoribus probatissimis*. Vol. 1. Lipsiae: sumptibus Joan.Ambuos.Barth.
- 77 **Bridel-Brideri, S.E.** 1827. *Bryologia Universa seu systematica ad novam methodum disposito, historia et descriptio omnium muscorum frondosorum hucusque cognitorum cum synonymia ex auctoribus probatissimis*. Vol. 2. Lipsiae: sumptibus Joan.Ambuos.Barth.
- 4383 **Brizi, U.** 1893. Bryophytæ abyssinicae a Cl. Prof. O. Penzig collectæ. *Malpighia* **7**: 295-297.
- 8263 **Broteri, F.A.** 1804. *Flora Lusitanica II. Ordo II. Musci.* (pp. 403-425). Olisipone: Ex typographia regia.
- 4233 **Brotherus, V.F.** 1890. Musci novi insularum guineensium. *Boletin da Sociedade Broteriana* **8**: 173-190.
- 8332 **Brotherus, V.F.** 1893. Musci. In: Büttner, R. Zur Flora des Togolandes. *Mitteilungen von Forschungsreisenden und Gelehrten aus den Deutschen Schutzgebieten* **6**: 235.
- 9 **Brotherus, V.F.** 1897. Musci Africani. II, in A. Engler, Beiträge zur Flora von Afrika. XIV. *Botanische Jahrbücher für Systematik* **24**: 232-284.
- 8203 **Brotherus, V.F.** 1900. Musci frondosi. (In: Engler, A., Berichte über die botanischen Ergebnisse der Nyassa-See und Kinga-Gebirgs-Expedition). *Botanische Jahrbücher für Systematik, Pflanzengeschichte und Pflanzengeographie* **28**: 337-339.
- 10 **Brotherus, V.F.** 1901-1909. Andreeaceae: Bryales. In: Engler, A. & Prantl, K. *Die natürlichen Pflanzenfamilien* **1(3)**: 265-1239.
- 5082 **Brotherus, V.F.** 1912. Laubmoose. In: Schroeder, B. Zellpflanzen Ostafrikas, gesammelt auf der Akademischen Studienfahrt 1910. *Hedwigia* **52**: 307-315.
- 2323 **Brotherus, V.F.** 1916. Musci. In: Voeltzkow, A. Flora und Fauna der Comoren. *Reise in Ost-Afrika in dem Jahren 1903-1905. Wissenschaftliche Ergebnisse* **3**: 434-435.
- 8293 **Brotherus, V.F.** 1920. Musci novi japonici. *Oefversigt af Förfhandlingar Finska Vetenskaps-Societeten* **62**: 1-55.
- 11 **Brotherus, V.F.** 1924-1925. Musci (Laubmoose). In: Engler, A. & Prantl, K. *Die Natürlichen Pflanzenfamilien* **10** (1924) & **11** (1925).
- 89 **Bruggeman-Nannenga, M.A.** 1978. A new species of *Fissidens* from Tanzania. *Proceedings of the Koninklijke Nederlandse Akademie van Wetenschappen (ser. C)* **81**: 249-251.
- 1898 **Bruggeman-Nannenga, M.A.** 1982. The section *Pachylomidium* (genus *Fissidens*) III. The *F. crassipes*-subcomplex (*F. bryoides*-complex), *F. sublineaefolius* (Pot. Varde) Brugg.-Nann. and *F. fluitans* (Pot. Varde) Brugg.-Nann. *Proceedings of the Koninklijke Nederlandse Akademie van Wetenschappen (ser. C)* **85**: 85-104.

- 90 **Bruggeman-Nannenga, M.A.** 1993. Taxonomic Results of the BRYOTROP expedition to Rwanda and Zaire. 15. Fissidentaceae. *Tropical Bryology* **8**: 141-148.
- 3212 **Bruggeman-Nannenga, M.A.** 1997. Notes on Fissidens VI. New synonyms, new combinations and validation of some names. *Journal of the Hattori Botanical Laboratory* **81**: 155-174.
- 4750 **Bruggeman-Nannenga, M.A.** 1999. Notes on Seychelles mosses. 2. A revision of the Fissidentaceae. *Bryobrothera* **5**: 65-75.
- 72 **Bruggeman-Nannenga, M.A. & Berendsen, W.** 1990. On the peristome types found in the Fissidentaceae and their importance for the classification. *Journal of the Hattori Botanical Laboratory* **68**: 193-234.
- 73 **Bruggeman-Nannenga, M.A. & Pursell, R.A.** 1990. The *Fissidens radicans* complex (Section Amblothalia) in the neotropics and palaeotropics. *Bryologist* **93**(3): 332-340.
- 2476 **Bruggeman-Nannenga, M.A. & Pursell, R.A.** 1996. Notes on *Fissidens* V. *Lindbergia* **20**: 49-55.
- 1748 **Bruggeman-Nannenga, M.A., Pursell, R.A. & Iwatsuki, Z.** 1994. A re-evaluation of *Fissidens* subgenus Serridium section Amblyothallia. *Journal of the Hattori Botanical Laboratory* **77**: 255-271.
- 6530 **Brugues, M.** 2000. Two nomenclatural changes in *Entosthodon*. *Orsis* **15**: 115.
- 4924 **Brummitt, R.K. & Powell, C.E.** 1992. *Authors of Plant Names*. Kew: Royal Botanic Gardens.
- 267 **Buck, W.R.** 1977. A taxonomic investigation of *Juratzkaea* Lor. and *Juratzkaella* Gen. Nov. *Revue Bryologique et Lichenologique* **43**: 309-325.
- 12 **Buck, W.R.** 1979. A revision of the moss genus *Trachyphyllum* Gepp (Thuidiaceae). *Brittonia* **31**(3): 379-394.
- 114 **Buck, W.R.** 1980. A re-interpretation of the Fabroniaceae: additions and corrections. *Journal of the Hattori Botanical Laboratory* **47**: 45-56.
- 715 **Buck, W.R.** 1980. A generic revision of the Entodontaceae. *Journal of the Hattori Botanical Laboratory* **48**: 71-159.
- 2743 **Buck, W.R.** 1982. On *Meiothecium* (Sematophyllaceae). *Contributions from the University of Michigan Herbarium* **15**: 137-140.
- 3419 **Buck, W.R.** 1983. Nomenclatural and taxonomic notes on West Indian Sematophyllaceae. *Brittonia* **35**: 309-311.
- 3765 **Buck, W.R.** 1984. *Bryosedgwickia*, a new synonym of *Platygyriella* (Hypnaceae). *Brittonia* **36**: 86-88.
- 268 **Buck, W.R.** 1987. Notes on Asian Hypnaceae and associated taxa. *Memoirs of the New York Botanical Garden* **45**: 519-527.
- 2817 **Buck, W.R.** 1987. Taxonomic and nomenclatural rearrangement in the Hookeriales with notes on West Indian taxa. *Brittonia* **39**: 210-224.
- 1982 **Buck, W.R.** 1988. *Donnellia* (Sematophyllaceae) resurrected and refound in Florida after 110 years. *Bryologist* **91**: 134-135.
- 1339 **Buck, W.R.** 1989. *Henicodium* replaces *Leucodontopsis* (Pterobryaceae). *Bryologist* **92**: 534.
- 717 **Buck, W.R.** 1993. Taxonomic Results of the BRYOTROP expedition to Rwanda and Zaire. 24. Leskeaceae, Plagiotheciaceae, Entodontaceae, Sematophyllaceae, Hypnaceae (except *Hypnum*). *Tropical Bryology* **8**: 199-218.
- 1714 **Buck, W.R.** 1994. The resurrection of *Orthostichella*. *Bryologist* **97**: 434-435.
- 2759 **Buck, W.R.** 1994. A new attempt at understanding the Meteoriaceae. *Journal of the Hattori Botanical Laboratory* **75**: 51-72.
- 4252 **Buck, W.R.** 1998. Pleurocarpous mosses of the West Indies. *Memoirs of the New York Botanical Garden* **82**: 1-400.
- 7330 **Buck, W.R.** 2003. Guide to the plants of Central French Guiana. Part 3. Mosses. *Memoirs of the New York Botanical Garden* **76**(3): 1-167.
- 6099 **Buck, W.R. & Goffinet, B.** 2000. Morphology and classification of mosses, pp. 71-123. In: *Bryophyte Biology*. Cambridge University Press: Cambridge.
- 719 **Buck, W.R. & Ireland, R.R.** 1985. A reclassification of the Plagiotheciaceae. *Nova Hedwigia* **41**: 89-125.
- 175 **Buck, W.R. & Vitt, D.H.** 1986. Suggestions for a new familial classification of pleurocarpous mosses. *Taxon* **35**: 21-60.
- 8024 **Burke, A. & Mannheimer, C.** 2004. Plant species of the Sperrgebiet (Diamond Area 1). *Dinteria* **29**: 79-109.
- 1589 **Burley, J.S. & Pritchard, N.M.** 1990. A revision of the genus *Ceratodon* (Bryophyta). *Harvard Papers in Botany* **2**: 17-76.
- 7065 **Bytebier, B. & Chuah-Petiot, M.** 2002. A preliminary checklist of the bryoflora of the Taita Hills, Kenya. *Tropical Bryology* **22**: 55-66.
- 2059 **Cano, M.J., Guerra, J. & Ros, R.M.** 1993. A revision of the moss genus *Crossidium* (Pottiaceae) with the description of the new genus *Microcrossidium*. *Plant Systematics and Evolution* **188**: 213-235.
- 6637 **Cao, T., Guo, S. & Zhang, Y.** 2002. Distribution of *Ptychomitrium muelleri* (Bryopsida), with its synonyms. *Bryologist* **104**: 522-526.
- 8304 **Cardot, J.** 1897. *Repertoire Sphagnologique*. Autun: Dejussieu pere et fils.
- 7180 **Cardot, J.** 1901. Recherches anatomiques sur les Leucobryacees. *Mémoires de la Société des Sciences Naturelles de Cherbourg* **32**: 1-84

- 2324 **Cardot, J.** 1904. Les Leucobryacées de Madagascar et des autres îles austro-africaines de l'océan indien. *Bulletin de l'Herbier Boissier*, sér. 2, **4**: 97-118.
- 4140 **Cardot, J.** 1909. Diagnoses préliminaire de Mousses du Congo Belge et de l'Afrique occidentale (3e article). *Revue Bryologique* **36**: 46-51.
- 5340 **Cardot, J.** 1911. Les mousses de l'expédition nationale antarctique écossaise. *Transactions of the Royal Society of Edinburgh* **48**: 67-82.
- 5329 **Cardot, J.** 1912. Les mousses de l'expédition nationale antarctique écossaise. In: Bruce, W.S. (ed.) *Scottish National Antarctic Expedition. Report of the Scientific Results of the Voyage of SY Scotia*. Edinburgh: Scottish Oceanographical Laboratory. pp 55-68.
- 4692 **Cardot, J.** 1916. Note sur des mousses de Kerguelen. *Bulletin du Muséum National d'Histoire Naturelle* **22**: 336-341.
- 6959 **Casado, C.M.** 2000. A taxonomic revision of *Streptopogon* Wils. (*Pottiaceae*). M.Sc. dissertation, University of Missouri-St. Louis. Ann Arbor: UMI Dissertation Services.
- 1554 **Catcheside, D.G. & Stone, I.G.** 1980. The peristome of *Ischyrodon lepturus* (Taylor) Schelpe. *Journal of Bryology* **11**: 99-104.
- 2762 **Chen, P.-C.** 1941. Studien über die ostasiatischen Arten der Pottiaceae *Hedwigia* **80**: 1-76.
- 2763 **Chen, P.-C.** 1941. Studien über die ostasiatischen Arten der Pottiaceae *Hedwigia* **80**: 141-322.
- 4863 **Chevalier, A.** 1920. *Exploration botanique de l'Afrique occidentale française. Tome 1. Enumeration des plantes recoltees*. Paris: Paul Lechevalier.
- 2415 **Chuah-Petiot, M.S.** 1995. Growth forms of bryophytes from Mt. Kenya. *East Africa Natural History Society Bulletin* **25**: 6-10.
- 4112 **Chuah-Petiot, M.S.** 1995. Western Mount Kenya bryophytes - III. *Journal of East African Natural History* **84**: 39-65.
- 5315 **Chuah-Petiot, M.S.** 1995. Data to the bryoflora of Mount Kenya, Kenya. *Tropical Bryology* **10**: 41-54.
- 2660 **Chuah-Petiot, M.S.** 1996. Taxonomic Results of the BRYOTROP Expedition to Zaire and Rwanda. 32. Bryaceae. *Tropical Bryology* **12**: 59-62.
- 2661 **Chuah-Petiot, M.S.** 1996. Bryophytes from the Saiwa Swamp National Park, Kenya. *Tropical Bryology* **12**: 63-74.
- 3412 **Chuah-Petiot, M.S.** 1997. Contributions towards a bryoflora of the Aberdare Range, Kenya. *Tropical Bryology* **13**: 57-64.
- 6615 **Chuah-Petiot, M.S.** 2001. Contribution to the bryoflora of Kenya. *Tropical Bryology* **20**: 31-37.
- 7251 **Chuah-Petiot, M.S. & Pócs, T.** 2003. East African bryophytes XIX. A contribution to the bryoflora of Kenya. *Acta Botanica Hungarica* **45**: 53-64.
- 6990 **Churchill, S.P.** 1988. A revision of the moss genus *Lepidostylus* (*Callichloraceae*). Ann Arbor: UMI Dissertation Services.
- 1595 **Churchill, S.P. & Buck, W.R.** 1982. A taxonomic investigation of *Leptotheca* (Rhizogoniaceae). *Brittonia* **34**: 1-11.
- 5335 **Coppey, A.** 1909. Deuxième contribution à l'étude de muscinées de La Grèce. *Bulletin de la Société des Sciences de Nancy*, sér. 3, **10**: 83-129.
- 1357 **Corley, M.F.V., & Crundwell, A.C.** 1991. Additions and amendments to the mosses of Europe and the Azores. *Journal of Bryology* **16**: 337-356.
- 71 **Corley, M.F.V., Crundwell, A.C., Düll, R., Hill, M.O. & Smith, A.J.E.** 1981[1982]. Mosses of Europe and the Azores; an annotated list of species with synonyms from the recent literature. *Journal of Bryology* **11**: 609-689.
- 1565 **Crosby, M.R.** 1969. A revision of the tropical American moss genus *Pilotrichum*. *Bryologist* **72**: 275-343.
- 5043 **Crosby, M.R.** 1999. *Vade Mecum Bryologiae I. Abbreviations for bryological nomenclatural literature with full titles and other useful information*. St. Louis: Hedwigan Soc.
- 5474 **Crosby, M.R.** 1970. Some remarks on the genus *Drepanophyllum* Schwägr. *Revue Bryologique et Lichenologique* **37**: 345-353.
- 272 **Crosby, M.R.** 1976. Trois mousses (Hookeriacees) nouvelle pour la flore malgache. *Revue Bryologique et Lichenologique* **42**: 711-734.
- 6072 **Crosby, M.R.** 2000. Index of Mosses. 1996-1998. *Monographs in Systematic Botany from the Missouri Botanical Garden* **80**: 1-65.
- 2445 **Crosby, M.R., Allen, B.H. & Magill, R.E.** 1985. A review of the moss genus *Hypnella*. *Bryologist* **88**: 121-129.
- 1517 **Crosby, M.R., Grolle, R. & Zijlstra, G.** 1993. Bryophyte family names in current use. *Regnum Vegetabile* **126**: 61-70.
- 1752 **Crosby, M.R. & Magill, R.E.** 1977. *A Dictionary of Mosses*. St. Louis: Missouri Botanical Garden,
- 1644 **Crosby, M.R. & Magill, R.E.** 1994. Index of Mosses 1990-1992. *Monographs in Systematic Botany from the Missouri Botanical Garden* **50**: 1-87.
- 3649 **Crosby, M.R. & Magill, R.E.** 1997. Index of Mosses 1993-1995. *Monographs in Systematic Botany from the Missouri Botanical Garden* **62**: 1-106.

- 80 **Crosby, M.R., Magill, R.E. & Bauer, C.R.** 1992. Index of Mosses 1963-1989. *Monographs in Systematic Botany from the Missouri Botanical Garden* **42**: 1-646.
- 40 **Crosby, M.R. & Schultze-Motel, U. & W.** 1983. Katalog der Laubmose von Madagaskar und dem umliegenden Inseln. *Willdenowia* **13**: 187-255.
- 3001 **Crum, H.** 1956. Notes on *Hypnodon*, a genus of Orthotrichaceae new to North America. *Bryologist* **59**: 26-34.
- 2751 **Crum, H.** 1971. Nomenclatural changes in the Musci. *Bryologist* **74**: 165-174.
- 273 **Crum, H.** 1972 [1973]. A taxonomic account of the Erpodiaceae. *Nova Hedwigia* **23**: 201-224.
- 7879 **Crum, H.** 1984. Part 11. Sphagnopsida, Sphagnaceae. (North American Flora, series 2): 1-180. Bronx: New York Botanical Garden.
- 1632 **Crum, H.** 1992. Miscellaneous notes on the genus *Sphagnum*. 1-2. *Bryologist* **95**: 274-279.
- 6686 **Crum, H.A. & Anderson, L.E.** 1981. *Mosses of Eastern North America* (Vols. 1 & 2). 1-1328. New York: Columbia University Press.
- 489 **Crundwell, A.C. & Nyholm, E.** 1962. A study of *Campylium hispidulum* and related species. *Transactions of the British Bryological Society* **4**: 194-200.
- 50 **Cufodontis, G.** 1951. Vorläufige Aufzählung der Laubmose Äthiopiens. *Österreichische Botanische Zeitschrift* **98**: 217-244.
- 7487 **Daniels, R.E. & Eddy, A.** 1985. *Handbook of European Sphagna*. Huntingdon, United Kingdom: Institute of Terrestrial Ecology.
- 178 **De Sloover, J.L.** 1973. Note de bryologie africaine I. *Brachydontium, Atractylocarpus, Amphidium, Rhabdoweisia, Tayloria, Rhacocarpus, Trachypodopsis*. *Bulletin du Jardin Botanique National de Belgique* **43**: 333-348.
- 282 **De Sloover, J.L.** 1975. Note de bryologie africaine IV. *Breutelia*. *Bulletin du Jardin Botanique National de Belgique* **45**: 237-271.
- 283 **De Sloover, J.L.** 1975. Note de bryologie africaine V. *Anacolia, Leiomela, Cyathophorella*. *Bulletin du Jardin Botanique National de Belgique* **45**: 313-321.
- 285 **De Sloover, J.L.** 1976. Note de bryologie africaine. VII. *Pseudephemerum, Bryohumbertia, Eucladium, Streptopogon, Ptychomitrium, Rhachithecium, Antitrichia, Pterogonium, Lindigia, Distichophyllum*. *Bulletin du Jardin Botanique National de Belgique* **46**: 427-447.
- 286 **De Sloover, J.L.** 1977. Note de bryologie africaine VIII. *Neckera, Neckeropsis*. *Bulletin du Jardin Botanique National de Belgique* **47**: 31-48.
- 287 **De Sloover, J.L.** 1977. Note de bryologie africaine IX. *Andreaea, Racomitrium, Gymnostomiella, Thuidium*. *Bulletin du Jardin Botanique National de Belgique* **47**: 155-181.
- 288 **De Sloover, J.L.** 1979. Note de bryologie africaine. X. *Blindia, Pilopogon, Bryoerythrophyllum, Orthodontium, Orthostichidium, Oligotrichum*. *Bulletin du Jardin Botanique National de Belgique* **49**: 393-408.
- 1629 **De Sloover, J.L.** 1982. *Homaliodendron scalpellifolium* (Mitt.) Fleisch. a l'isle Maurice. *Bulletin du Jardin Botanique National de Belgique* **52**: 245.
- 15 **De Sloover, J.L.** 1983. Note de bryologie africaine XII. *Porotrichum et Porothamnium*. *Bulletin du Jardin Botanique National de Belgique* **53**: 97-152.
- 289 **De Sloover, J.L.** 1986. Note de bryologie africaine XIII. Polytrichaceae. *Bulletin du Jardin Botanique National de Belgique* **56**: 241-300.
- 290 **De Sloover, J.L.** 1987. Note de briologie africaine XIV. *Leptodontium*. *Bulletin du Jardin Botanique National de Belgique* **57**: 425-451.
- 2030 **De Sloover, J.L.** 1995. Bryophytes de La Digue (Seychelles). *Cryptogamie: Bryologie, Lichenologie* **16**: 213-217.
- 81 **Delgadillo M., C.** 1973. A new species, nomenclatural changes and generic limits in *Aloina*, *Aloinella* and *Crossidium*. *Bryologist* **76**: 271-278.
- 2852 **Delgadillo M., C.** 1975. Taxonomic Revision of *Aloina*, *Aloinella* and *Crossidium* (Musci). *Bryologist* **78**: 245-303.
- 3515 **Delgadillo M., C.** 1976. *Indusiella andersonii* sp. nov. in Northern Africa. *Bryologist* **79**: 98-100.
- 1925 **Delgadillo M., C.** 1995. LATMOSS database, received 4 March 1995.
- 2730 **Delgadillo M., C., Bello, B. & Cardenas S., A.** 1995. LATMOSS. A Catalogue of Neotropical Mosses. *Monographs in Systematic Botany from the Missouri Botanical Garden* **56**: 1-191.
- 276 **Demaret, F.** 1955. Étude préliminaire des Hookeriaceae africaines intertropicales. *Bulletin du Jardin Botanique de l'État* **25**: 375-390.
- 278 **Demaret, F. & Potier de la Varde, R.** 1961. Les espèces africaines de genre *Cyclodictyon* Mitt. *Bulletin du Jardin Botanique de l'État* **31**: 11-59.
- 279 **Demaret, F. & Potier de la Varde, R.** 1952. Les espèces africaines du genre *Callicostella* (C.Muell.) Jaeg. *Bulletin du Jardin Botanique de l'État* **22**: 323-396.
- 747 **Demaret, F. & Potier de la Varde, R.** 1955. Deux Hookeriaceae nouvelles du Ruwenzori (Congo Belge). *Bulletin du Jardin Botanique de l'État* **25**: 353-357.
- 748 **Demaret, F. & Potier de la Varde, R.** 1977. Contribution à l'étude des mousses du Ruwenzori. *Bulletin du Jardin Botanique National de Belgique* **47**: 409-434.

- 3411 **Dilg, C. & Frahm, J.-P.** 1997. Untersuchen zur Flora der epiphytischen Moose der südlichen Drakensberge (Südafrika). *Tropical Bryology* **13**: 35-45
- 6128 **Dilg, C. & Frahm, J.-P.** 2000. Ein Beitrag zur Mossflora von Benin. *Tropical Bryology* **19**: 1-6.
- 116 **Dirkse, G.M., Bouman, A.C. & Losada-Lima, A.** 1993. Bryophytes of the Canary Islands, an annotated checklist. *Revue Bryologique et Lichénologique* **14**: 1-47.
- 580 **Dirkse, G.M., Bruggeman-Nannenga, M.A. & Bouman, A.C.** 1991. *Fissidens papillosum* Lac., new to the Canary Islands. *Cryptogamie: Bryologie, Lichénologie* **12**(4): 451-454.
- 7601 **Dismier, G.** 1910. Revision des *Philonotis* de l'Amérique. *Mémoirs de la Société Botanique de France* **17**: 1-37.
- 6500 **Dixon, H.N.** 1912. On some mosses of New Zealand. *Journal of the Linnean Society, Botany* **40**: 433-459.
- 5544 **Dixon, H.N.** 1913. Miscellanea bryologica - II. *Journal of Botany* **51**: 324-330.
- 4256 **Dixon, H.N.** 1915. Miscellanea bryologica. IV. *Journal of Botany* **53**: 16-23.
- 6531 **Dixon, H.N.** 1915. *Tortula atrovirens* var. *edentula* (B. & S.). *Journal of Botany* **53**: 217-218
- 3420 **Dixon, H.N.** 1916. New and rare African mosses from Mitten's herbarium and other sources. *Bulletin of the Torrey Botanical Club* **43**: 63-81.
- 5556 **Dixon, H.N.** 1916. Miscellanea bryologica. V. *Journal of Botany* **54**: 352-359.
- 4872 **Dixon, H.N.** 1918. The mosses collected by the Smithsonian African Expedition, 1909-10. *Smithsonian Miscellaneous Collections* **69**(2): 1-28.
- 5022 **Dixon, H.N.** 1919. Miscellanea bryologica. VI. *Journal of Botany* **57**: 73-80.
- 2520 **Dixon, H.N.** 1920. *Rhaphidostegium caespitosum* (Sw.) and its affinities. *Journal of Botany* **58**: 81-89.
- 4800 **Dixon, H.N.** 1920. New and interesting South African mosses. *Transactions of the Royal Society of South Africa* **8**: 179-224.
- 5414 **Dixon, H.N.** 1920[1921]. Reports upon two collections of mosses from British East Africa I. The mosses of the Dümmer-Maclennan Expedition to Mount Elgon, 1918.. *Smithsonian Miscellaneous Collections* **72**(3): 1-20.
- 2746 **Dixon, H.N.** 1922. *Rhacopilopsis trinitensis* E.G.Britt. et Dixon. *Journal of Botany* **60**: 86-88.
- 5545 **Dixon, H.N.** 1922. Miscellanea bryologica. VIII. *Journal of Botany* **60**: 281-291
- 5143 **Dixon, H.N.** 1922. Contributions to the moss flora of Southern Rhodesia and Portuguese Gaza-land. *South Africa Journal of Science* **18**: 298-335.
- 8107 **Dixon, H.N.** 1923. Studies in the bryology of New Zealand. *New Zealand Institute Bulletin* **3**: 75-152.
- 6557 **Dixon, H.N.** 1924. Miscellanea bryologica. IX. *Journal of Botany* **62**: 226-236.
- 5486 **Dixon, H.N.** 1927. Miscellanea bryologica. - X. *Journal of Botany* **65**: 5-11.
- 5485 **Dixon, H.N.** 1927. *Hymenostylium xanthocarpum* (Hook.) Brid. *Bryologist* **30**: 106-109.
- 1947 **Dixon, H.N.** 1929. On a small collection of mosses from the Seychelles. *Annales Bryologici* **2**: 5-9.
- 4139 **Dixon, H.N.** 1929. Critical mosses. *Revue Bryologique, n. s.* **2**: 21-29.
- 4340 **Dixon, H.N.** 1929. Studies in the bryology of New Zealand. *New Zealand Institute Bulletin* **3**(6): 299-372.
- 4229 **Dixon, H.N.** 1932. African mosses collected by O.A. Hoeg. *Det K. Norske Videnskabers Selskabs Skrifter* **1932**(4): 3-27.
- 6349 **Dixon, H.N.** 1932. Contributions to the moss flora of Sumatra. *Annales Bryologici* **5**: 17-50.
- 5983 **Dixon, H.N.** 1933. The nomenclature of the Species Muscorum. *Revue Bryologique et Lichénologique* **6**: 93-115.
- 5490 **Dixon, H.N.** 1937. Notulae bryologicae. - I. *Journal of Botany* **75**: 121-129.
- 16 **Dixon, H.N.** 1938. Tropical East African Mosses. Part 1. Acrocarpi. *Journal of Botany* **76**: 217-228, 249-261.
- 5765 **Dixon, H.N.** 1941. Additions to the mosses of North Queensland. *Proceedings of the Royal Society of Queensland* **53**: 23-40.
- 6568 **Dixon, H.N. & Gepp, A.** 1924. Rehmann's South African mosses. *Bulletin of Miscellaneous Information Kew 1923 (Kew Bulletin)* **6**: 193-238.
- 6230 **Dixon, H.N. & Wager, H.A.** 1929. New and noteworthy mosses from South Africa. *Transactions of the Royal Society of South Africa* **18**: 247-261.
- 5525 **During, H.J. & Moyo, C.** 1999. The diasporic bank of bryophytes in a Zimbabwean savanna. *Haussknechtia Beiheft* **9**: 111-114.
- 4087 **Dusén, P.** 1895. New and some little known mosses from the west coast of Africa. *Kongliga Svenska Vetenskapsakademiens Handligar* **28**: 1-56.
- 1908 **Eakin, D.A.** 1976. A taxonomic revision of the moss genera *Rhegmatodon* and *Macrohymenium*. Ann Arbor: University Microfilms International.
- 4579 **Eakin, D.A.** 1998. A taxonomic revision of the moss genus *Regmatodon*. *Nova Hedwigia* **67**: 139-152.
- 5221 **Eakin, D.A. & Allen, B.** 1999. A nomenclatural note on *Regmatodon*. *Nova Hedwigia* **69**: 311-312.
- 59 **Eddy, A.** 1985. A revision of African Sphagnales. *Bulletin of the British Museum (Natural History) Botany* **12**: 77-162.
- 755 **Eddy, A.** 1990. *Handbook of Malesian Mosses*. Vol 2: Leucobryaceae to Buxbaumiaceae. London: Natural History Museum Publications.

- 57 **Edwards, S.R.** 1980. A revision of West tropical African Calymperaceae I. Introduction and *Calymperes*. *Journal of Bryology* **11**: 49-93.
- 1294 **Een, G.** 1976. Mosses from the Mascarenes. *Lindbergia* **3**: 213-217.
- 1637 **Een, G.** 1978. Mosses from the Mascarenes - 2. *Lindbergia* **4**: 219-213.
- 298 **Een, G.** 1989. Mosses from the Mascarenes - 3. *Tropical Bryology* **1**: 55-62.
- 758 **Een, G.** 1993a. Mosses from the Mascarenes - 4. *Tropical Bryology* **7**: 47-54.
- 105 **Een, G.** 1993b. Mosses from Africa 3 sensu Index Muscorum. (Manuscript on disk, dated 22/07/1993).
- 3410 **Een, G.** 1997. Mosses from the Mascarenes - 6. *Tropical Bryology* **13**: 21-34.
- 5916 **Een, G.** 2000. Bryophytes collected in Mauritius by Gunnar Erdtman. *Tropical Bryology* **18**: 87-90.
- 4932 **Een, G. & Kristoferson, L.** 1999. A small collection of bryophytes from the Seychelles. *Tropical Bryology* **17**: 35-38.
- 4931 **Een, G. & Thingsgaard, K.** 1999. Mosses from the Mascarenes - 7. A small collection from Rodrigues. *Tropical Bryology* **16**: 10.
- 4310 **Eggers, J., Frahm, J.-P. & Pursell, R.A.** 1998. New bryophyte taxon records for tropical countries II. *Tropical Bryology* **14**: 81-84.
- 759 **Egunyomi, A.** 1978. The distribution of the pantropical moss *Octoblepharum albidum* Hedw. in Africa with special reference to Nigeria. *Revue Bryologique et Lichenologique* **44**: 141-148.
- 5148 **Egunyomi, A.** 1979. A checklist of mosses in southwestern Nigeria. *Nigerian Journal of Science* **13**: 483-492.
- 4314 **Egunyomi, A.** 1980. Mosses from Nigeria III: new records from the middle-belt area. *Journal of the Hattori Botanical Laboratory* **48**: 187-193.
- 5176 **Egunyomi, A.** 1981. Checklist of mosses in Northern and Southeastern Nigeria. *Nigerian Journal of Forestry* **11**: 63-68.
- 5745 **Egunyomi, A.** 1982. Eight mosses new to Nigeria. *Bryologist* **85**: 110-111.
- 1492 **Egunyomi, A.** 1984. New records for the moss flora of Nigeria. *Bryologist* **87**: 369-370.
- 762 **Egunyomi, A., Harrington, A.J. & Olarinmoye, S.O.** 1977. Is *Octoblepharum brevisetum* a distinct species? *Journal of Bryology* **9**: 525-527.
- 5160 **Egunyomi, A. & Olarinmoye, S.O.** 1979. Mosses from Nigeria II. Collections from the Obudu Cattle Ranch. *Bryologist* **82**: 76-77.
- 761 **Egunyomi, A. & Olarinmoye, S.O.** 1982. *Syrrhopodon obuduensis*, a new moss species from Nigeria. *The Bryologist* **85**: 312-314.
- 64 **El-Saadawi, W. & Badawi, A.** 1977. The moss flora of Egypt. I. Order Pottiales. *Publications of Cairo University Herbarium* **7-8**: 181-206.
- 7364 **El Saadawi, W., Shabbara, H.M., Refai, M.S. & Abou-Salama, U.Y.** 2003. Mosses of different phytogeographical territories of Egypt. *Bocconea* **16**: 133-146.
- 1370 **Ellis, L.T.** 1987. Taxonomic notes on *Calymperes*. *Journal of Bryology* **14**: 681-690.
- 1371 **Ellis, L.T.** 1988. Taxonomic notes on *Calymperes*, 2. *Journal of Bryology* **15**: 127-140.
- 1372 **Ellis, L.T.** 1988. Typification of *Calymperes laevifolium* Mitt. and *C. pallidum* Mitt. *Journal of Bryology* **15**: 233.
- 1373 **Ellis, L.T.** 1989. A taxonomic revision of *Calymperes* in southern India and neighbouring islands. *Journal of Bryology* **15**: 697-732.
- 1374 **Ellis, L.T.** 1989. *Calymperes norrkettii* (Muscii: Calymperaceae), a new species from the Seychelles. *Journal of Bryology* **15**: 733-735.
- 765 **Ellis, L.T.** 1991. *Calymperes loucoubense* Besch., a distinct species from Madagascar. *Journal of Bryology* **16**: 393-396.
- 767 **Ellis, L.T.** 1991. Taxonomic notes on the family Calymperaceae. *Journal of Bryology* **16**: 595-599.
- 1511 **Ellis, L.T.** 1991. The typification and identity of *Calymperes crassilimbatum* Renaud & Cardot (Muscii: Calymperaceae). *Bulletin of the British Museum (Natural History). Botany* **21**: 193-194.
- 1518 **Ellis, L.T.** 1995. Taxonomic notes on some species of *Calymperes* occurring in the islands of the western Indian Ocean. *Journal of Bryology* **18**: 824-827.
- 6625 **Ellis, L.T.** 2001. The identity of *Calymperes campylopodioides* Müll.Hal. ex Besch. *Tropical Bryology* **20**: 101-102.
- 6813 **Ellis, L.T.** 2002. Taxonomic notes on some African species in the family Calymperaceae (Muscii). *Bulletin of the Natural History Museum, London (Botany)* **32**: 1-5.
- 7345 **Ellis, L.T.** 2003. A revised synonymy for *Syrrhopodon trachyphyllus* (Calymperaceae, Musci) and some related Old World taxa. *Systematics and Biodiversity* **1**: 159-172.
- 7995 **Ellis, L.T.** 2005. A revision of some Old World moss taxa in the *Syrrhopodon prolifer* complex (Muscii: Calymperaceae), and a new species from Malawi. *Systematics and Biodiversity* **3**: 159-178.
- 4977 **Ellis, L.T. & Tan, B.C.** 1999. The moss family Calymperaceae (Muscii) in the Philippines. *Bulletin of the Natural History Museum, London (Botany)* **29**: 1-46.
- 1386 **Enroth, J.** 1989. *Homaliodendron decompositum* (Brid.) Wagn. reduced to synonymy with *H. flabellatum* (Sm.) Fleisch. *Journal of Bryology* **15**: 805.
- 773 **Enroth, J.** 1989. Bryophyte flora of the Huon Peninsula, Papua New Guinea. XXVII. Neckeraceae (Muscii). *Acta Botanica Fennica* **137**: 41-80.

- 774 **Enroth, J.** 1990. Bryophyte flora of the Huon Peninsula, Papua New Guinea. XXXVI. Leucobryaceae (Musci). *Acta Botanica Fennica* **139**: 65-120.
- 1300 **Enroth, J.** 1990. Notes on the Neckeraceae (Musci). 3-7. *Homaliodendron piniforme* comb. nov. and new synonyms in *Porotrichum*, *Himantocladium* and *Neolindbergia*. *Nova Hedwigia* **51**: 551-559.
- 299 **Enroth, J.** 1991. Notes on the Neckeraceae (Musci). 9. *Porotrichum usagarium*, a neglected Tanzanian endemic, with a note on the growth pattern in the Neckeraceae. *Annales Botanici Fennici* **28**: 197-200.
- 780 **Enroth, J.** 1991. Notes on the Neckeraceae (Musci). 10. The taxonomic relationships of *Pinnatella marie* with the description of *Caduciella* (Leptodontaceae). *Journal of Bryology* **16**: 611-618.
- 781 **Enroth, J.** 1991. *Thamnobryum capense* (Dix.) Enroth comb. nov. (Neckeraceae, Musci). *Novon* **1**: 110.
- 301 **Enroth, J.** 1992. Corrections to *Cryptoleptodon*, *Forsstroemia* and *Leptodon* (Leptodontaceae, Musci). *Journal of the Hattori Botanical Laboratory* **71**: 75-82.
- 302 **Enroth, J.** 1992. Notes on the Neckeraceae (Musci). 13. Taxonomy of the genus *Himantocladium*. *Annales Botanici Fennici* **29**: 79-88.
- 787 **Enroth, J.** 1993. Notes on the Neckeraceae (Musci). 17. A taxonomic study on the genus *Neckeropsis* in Africa. *Journal of the Hattori Botanical Laboratory* **73**: 159-173.
- 785 **Enroth, J.** 1993. Taxonomic Results of the BRYOTROP expedition to Rwanda and Zaire. 23. Neckeraceae, Pterobryaceae, Hypopterygiaceae. *Tropical Bryology* **8**: 193-198.
- 1830 **Enroth, J.** 1994. A taxonomic monograph of the genus *Pinnatella* (Neckeraceae, Bryopsida). *Acta Botanica Fennica* **151**: 1-90.
- 2396 **Enroth, J.** 1996. The Neckeraceae (Musci) collected by Mr Frank Müller in Bioko (Equatorial Guinea) in 1994. *Journal of Bryology* **19**: 189-191.
- 3216 **Enroth, J.** 1996. The mosses collected by Vladi Marmo in Sierra Leone, 1953-55. *Hikobia* **12**: 137-146.
- 7577 **Enroth, J.** 2004. Two new combinations in *Porotrichum* (Neckeraceae). *Annales Botanici Fennici* **41**: 77.
- 2387 **Enroth, J. & Hodgetts, N.** 1996. British Bryological Society Expedition to Mulanje Mountain, Malawi. 5. Neckeraceae (Musci). *Journal of Bryology* **19**: 135-142.
- 510 **Enroth, J. & Magill, R.E.** 1994. *Neckeropsis pocsii* (Neckeraceae, Musci), a new species from Comoro Islands. *Bryologist* **97**: 171-173.
- 1680 **Fife, A.J.** 1982. Taxonomic and nomenclatural observations on the Funariaceae. 2. Lectotypification of *Physcomitrium* subg. *Cryptotaxydis* (C.Müll.) Broth. *Lindbergia* **8**: 75-76.
- 581 **Fife, A.J.** 1985. A generic revision of the Funariaceae (Bryophyta: Musci). Part I. *Journal of the Hattori Botanical Laboratory* **58**: 149-196.
- 1477 **Fife, A.J.** 1986. Taxonomic and nomenclatural observations on the Funariaceae. 4. A review of *Entosthodon laxus* with incidental notes on *E. obtusifolius*. *Bryologist* **89**: 302-309.
- 2737 **Fleischer, M.** 1900-1927. *Die Musci der Flora von Buitenzorg*. Leiden: E.J. Brill.
- 7718 **Fleischer, M.** 1905. Neue Gattungen und Arten, herausgegeben in Exs. Musci Archipelagi Indici Serie VII (1904). *Hedwigia* **44**: 301-329.
- 5492 **Fleischer, M.** 1906. Neue Familien, Gattungen und Arten der Laubmoose. *Hedwigia* **45**: 53-87.
- 3097 **Fleischer, M.** 1914. Kritische Revision von Carl Müllerschen Laubmoosgattungen. *Hedwigia* **55**: 280-285.
- 1503 **Fleischer, M.** 1917. Kritische Revision von Carl Müllerschen Laubmoosgattungen. II. *Hedwigia* **59**: 212-219.
- 4780 **Fleischer, M.** 1920. Kritische Revision der Carl Müllerschen Laubmoosgattungen. III. *Hedwigia* **61**: 402-408.
- 1566 **Fleischer, M.** 1922. Kritische Revision der Carl Müllerschen Laubmoosgattungen. IV. *Hedwigia* **63**: 209-216.
- 4500 **Flowers, S.** 1952. Monograph of the genus *Anacolia*. *Bulletin of the Torrey Botanical Club* **79**: 161-185.
- 2325 **Fosberg, F.R. & Renouf, S.A.** 1970. Plants of Desroches Island. In: Stoddart, D.L. (ed.), Coral Islands of the Western Indian Ocean. *Atoll Research Bulletin* **136**: 167-170.
- 1641 **Frahm, J.-P.** 1981. Taxonomische Notizen zur Gattung *Campylopus* X. *Lindbergia* **7**: 27-31.
- 481 **Frahm, J.-P.** 1982. A reinterpretation of *Bryohumbertia* P.de la Varde et Thér. *Cryptogamie, Bryologie, Lichenologie* **3**(4): 365-369.
- 19 **Frahm, J.-P.** 1982. Grossdisjunktionen von Arealen südamerikanischer und afrikanischer Campylopus-Arten. *Lindbergia* **8**: 45-52.
- 44 **Frahm, J.-P.** 1984. Ergänzungen zur Laubmoosflora der Elfenbeinküste. *Cryptogamie: Bryologie, Lichenologie* **5**(3): 281-283.
- 54 **Frahm, J.-P.** 1985. Afrikanische Campylopus-Arten (Dicranaceae, Musci). *Bryophytorum Bibliotheca* **31**: 1-216.
- 1475 **Frahm, J.-P.** 1986. A review of *Sphaerothecium* Hampe. *Bryologist* **89**: 152-154.
- 1751 **Frahm, J.-P.** 1987. A revised list of the *Campylopus* species of the world. *Bryologische Beiträge* **7**: 1-117.
- 2545 **Frahm, J.-P.** 1989. The genus *Chorisodontium* (Dicranaceae, Musci) in the Neotropics. *Tropical Bryology* **1**: 11-24.

- 804 **Frahm, J.-P.** 1993. Taxonomic Results of the BRYOTROP expedition to Rwanda and Zaire. 17. Andraeaceae, Bruchiaceae, Dicranaceae, Rhizogoniaceae, Bartramiaceae, Rhacocarpaceae, Hedwigiaceae, Cryphaeaceae, Leucodontaceae. *Tropical Bryology* **8**: 153-169.
- 1562 **Frahm, J.-P.** 1994. Taxonomische Notizen zur Gattung *Campylopus* XVI. *Nova Hedwigia* **59**: 147-155.
- 2269 **Frahm, J.-P.** 1994. The affinities between the *Campylopus* flora of Sri Lanka and Madagascar, or: which species survived Noah's Arc. *Hikobia* **19**: 371-376.
- 2352 **Frahm, J.-P.** 1996. Revision der Gattung *Rhacocarpus* Lindb. (Musci). *Cryptogamie: Bryologie, Lichenologie* **17**: 39-65.
- 4283 **Frahm, J.-P.** 1997. A taxonomic revision of *Dicranodontium* (Musci). *Annales Botanici Fennici* **34**: 179-204.
- 4210 **Frahm, J.-P.** 1998. Taxonomische Notizen zur Gattung *Campylopus* XVII. *Cryptogamie: Bryologie, Lichenologie* **19**: 27-34.
- 4997 **Frahm, J.-P.** 1999. A type catalogue of Campylopodioideae and Paraleucobryoideae (Musci, Dicranaceae), Part II, *Campylopus*. *Tropical Bryology* **16**: 17-102.
- 5922 **Frahm, J.-P., Ahmed, J., Hagen, M. & Peles, M.** 2000. Revision der Gattung *Rhabdoweisia* (Musci, Dicranaceae). *Tropical Bryology* **18**: 161-172.
- 2663 **Frahm, J.-P., Borner, H., Streiber, N., Wallau, B. & Weitkus, S.** 1996. Revision der Gattung *Conostomum* (Musci, Bartramiaceae). *Tropical Bryology* **12**: 97-114.
- 2666 **Frahm, J.-P., Lindlar, A., Sollman, P. & Fischer, E.** 1996. Bryophytes from the Cape Verde Islands. *Tropical Bryology* **12**: 123-154.
- 2084 **Frahm, J.-P. & O'Shea, B.J.** 1996. British Bryological Society Expedition to Mulanje, Malawi. 4. Dicranaceae: Campylopodioideae (*Atractylocarpus*, *Bryohumbertia*, *Campylopus*, *Microcampylopus*). *Journal of Bryology* **19**: 119-134.
- 1458 **Frahm, J.-P. & Porembski, S.** 1994. Moose von Inselbergen aus Westafrika. *Tropical Bryology* **9**: 59-68.
- 4302 **Frahm, J.-P. & Porembski, S.** 1998. Moose von Inselbergen in Benin. *Tropical Bryology* **14**: 3-9.
- 7484 **Frahm, J.-P., Rembold, K., Roever, T. & Schamell, T.** 2003. Synopsis der Gattung *Pyrrhobryum* (Musci, Rhizogoniaceae). *Tropical Bryology* **24**: 115-127.
- 8240 **Frahm, J.-P. & Stech, M.** 2006. The taxonomic status of intermediate forms of *Campylopus introflexus* (Hedw.) Brid. and *C. pilifer* Brid. (Dicranaceae, Bryopsida) newly discovered in Europe. *Cryptogamie, Bryologie* **27** (2): 213-223.
- 4927 **Frey, W., Frahm, J.-P., Fischer, E. & Lobin, W..** 1995. Die Moos- und Farne pflanzen Europas, in Gams, H. (ed.), *Kleine Kryptogamenflora. Band IV* (6th edition). Stuttgart: Gustav Fischer Verlag.
- 1393 **Frey, W. & Kürschner, H.** 1988. Re-evaluation of *Crossidium geheebii* (Broth.) Broth. (Pottiaceae) from Sinai, a Xerothermic Pangaean element. *Journal of Bryology* **15**: 123-126.
- 1608 **Frey, W. & Kürschner, H.** 1988. Bryophytes of the Arabian Peninsula and Socotra. Floristics, phytogeography and definition of the Xerothermic Pangaean element. Studies in Arabian Bryophytes 12. *Nova Hedwigia* **46**: 37-120.
- 6803 **Frey, W. & Kürschner, H.** 1988. *Pseudocrossidium replicatum* (Taylor) Zander replaces *Barbula acutata* C.Müll. A note on its synonymy, distribution and the xeropottiod life syndrome. *Cryptogamie, Bryologie, Lichenologie* **9**: 95-102.
- 8086 **Gallego, M.T.** 2005. A taxonomic study of the genus *Syntrichia* Brid. (Pottiaceae, Musci) in the Mediterranean region and Macronesia. *Journal of the Hattori Botanical Laboratory* **98**: 47-122.
- 2769 **Gangulee, H.C.** 1969-1980. *Mosses of Eastern India and adjacent regions*. Calcutta: H.C. Gangulee.
- 6224 **Gehee, A.** 1902. Zur Aufklärung einiger exotischer Laubmoose, welche als 'species nova' in dir Litteratur Eingang fanden, jedoch auf bereits bekannte Arten zurückzuführen sind. *Beihefte zum Botanischen Centralblatt* **13**: 105-111.
- 1296 **Gehee, A.** 1910. *Bryologia Atlantica*. Die Laubmose der atlantischen Inseln. *Bibliotheca Botanica* **73**: 1-71.
- 1433 **Gepp, A.** 1901. Mosses. In: Hiern (ed.) *Catalogue of the African Plants collected by Dr. Friedrich Welwitsch in 1853-61*. Vol II Part II. London: British Museum (Natural History).
- 507 **Giese, M. & Frahm, J.-P.** 1985. A revision of *Microcampylopus* (C.Müll.) Fleisch. *Lindbergia* **11**: 114-124.
- 506 **Giese, M. & Frahm, J.-P.** 1985. A revision of *Campylopodium* (C.Müll.) Besch. *Lindbergia* **11**: 125-133.
- 3007 **Goffinet, B.** 1996. *Cardotella elimbata* (Thér.) Goffinet, comb. nov., and *C. appendiculata* new to Mauritius (Musci, Orthotrichaceae). *Bryologist* **99**: 390-396.
- 3641 **Goffinet, B.** 1998. The Rhachitheciaceae: revised circumscription and ordinal affinities. *Bryologist* **100**: 425-439.
- 4395 **Goffinet, B.** 1998. *Jonesiobryum sphaerocarpum* Allen and Pursell (Musci: Rhachitheciaceae) new to the Central African Republic. *Journal of Bryology* **20**: 242-243.
- 4819 **Goffinet, B.** 1999. *Brachymitrium immersum* (Splachnaceae, Musci) a new species from Cameroon. *Bryologist* **102**: 108-111.
- 7882 **Goffinet, B. & Buck, W.R.** 2004. Systematics of the Bryophyta (mosses): from molecules to a revised classification. *Monographs in Systematic Botany from the Missouri Botanical Garden* **98**: 205-239.

- 7870 **Goffinet, B., Shaw, J.A. & Cox, C.J.** 2004. Phylogenetic inferences in the dung-moss family Splachnaceae from analyses of cpDNA sequence data and implications for the evolution of entomophily. *American Journal of Botany* **91**: 748-759.
- 4605 **Goffinet, B. & Vitt., D.H.** 1998. Revised generic classification of the Orthotrichaceae based on molecular phylogeny and comparative morphology. In: Bates, J.E., Ashton, N. & Duckett, J.G. (eds). *Bryology for the 21st Century*. Leeds: Maney Publishing & British Bryological Society.
- 6996 **González-Mancebo, J.M. & Ros, R.M.** 2002. Some interesting bryophytes from the Adrar massif (Mauritania). *Cryptogamie, Bryologie* **23**: 263-270.
- 4464 **Granzow-de la Cerda, I.** 1997. Revision and phylogeny of *Anomodon* and *Herpetineuron* (Anomodontaceae, Musci). *Contributions from the University of Michigan Herbarium* **21**: 205-275.
- 2407 **Greven, H.** 1995. *Grimmia Hedw. (Grimmiaceae, Musci) in Europe*. Leiden: Backhuys Publishing.
- 3012 **Greven, H.** 1996. *Grimmia maida* and *Grimmia sanii*, two new species from Africa. *Bryologist* **99**: 428-432.
- 225 **Griffin III, D.** 1989. *Oreoweisia erosa* (C.Müll.) Kindb., an African-neotropical disjunct. *Cryptogamie: Bryologie, Lichénologie* **10(4)**: 297-300.
- 829 **Griffin III, D.** 1992. The distribution and synonyms of *Breutelia microdonta* (Mitt.) Broth. with additional notes on certain taxa of *Breutelia*. *Tropical Bryology* **5**: 55-59.
- 182 **Griffin III, D. & Buck, W.R.** 1989. Taxonomic and phylogenetic studies in the Bartramiaceae. *Bryologist* **92**: 368-380.
- 2231 **Grolle, R.** 1995. The Hepaticae and Anthocerotae of the East African Islands. An annotated catalogue. *Bryophytorum Bibliotheca* **48**: 1-178.
- 8215 **Grout, A.J.** 1939. *Moss Flora of North America*. 1-264. Newfane, Vermont: A.J. Grout.
- 8268 **Grout, A.J.** 1940. *Moss Flora of North America*. 1-285. Newfane, Vermont: A.J. Grout.
- 5956 **Guerra, J. & Cano, M.J.** 2000. A taxonomic contribution on the European cleistocarpous species of Pottiaceae (Musci). *Journal of Bryology* **22**: 91-98.
- 5139 **Guo, S. & Cao, T.** 1999. Two neglected species of *Ptychomitrium* (Musci) with new synonyms. *Bryologist* **102**: 404-408.
- 5669 **Guo, S. & Cao, T.** 2000. Two new synonyms of *Ptychomitrium sellowianum* (C.Müll.) Jaeg. (Musci). *Journal of Bryology* **22**: 63-65.
- 8251 **Hampe, E.** 1862. Beitrag zu einer Moosflora von Neu-Granada. *Flora* **45**: 449-458.
- 8259 **Hampe, E.** 1862. Species novas Muscorum, ab Dr. Alexandro Lindigio in Nova-Granada mensibus Julio et Augusto a. 1861 collectatas. *Linnaea* **31**: 518-532.
- 4504 **Hariot, M.P.** 1913. Quelques cryptogames du Sahara et des régions voisines. *Bulletin du Muséum d'Histoire Naturelle* **2**: 1-3.
- 3209 **He, S.** 1997. A revision of *Homalia* (Musci:Neckeraceae). *Journal of the Hattori Botanical Laboratory* **81**: 1-52.
- 7901 **He, S.** 2005. A revision of the genus *Leptopterygynandrum* (Bryopsida, Leskeaceae). *Journal of the Hattori Botanical Laboratory* **97**: 1-38.
- 924 **He, S. & Snider, J.** 1992. A preliminary survey of the moss genus *Symphyodon* (Symphyodontaceae, Musci). *Bryobrothera* **1**: 283-287.
- 5631 **He, S. & Snider, J.** 2000. A taxonomic revision of *Symphyodon* (Musci: Symphyodontaceae). *Bryologist* **103**: 52-81.
- 1295 **Hedenäs, L.** 1992. Flora of Madeiran pleurocarpous mosses (Isobryales, Hypnobryales, Hookeriales). *Bryophytorum Bibliotheca* **44**: 1-165.
- 3243 **Hedenäs, L.** 1997. A partial generic revision of *Campylium* (Musci). *Bryologist* **100**: 65-88.
- 4385 **Hedenäs, L.** 1998. An overview of the *Drepanocladus sendtneri* complex. *Journal of Bryology* **20**: 83-102.
- 6398 **Hedenäs, L.** 2001. The identity of *Isopterygium sericifolium* Dixon. *Journal of Bryology* **23**: 145-146.
- 7465 **Hedenäs, L.** 2003. Amblystegiaceae (Musci). *Flora Neotropica Monograph* **89**: 1-107.
- 3492 **Hedwig J.** 1801. *Species Muscorum Frondosorum*. Lipsiae: Joannis Ambrosii Barthii.
- 2659 **Heras Pérez, P. & Infante Sánchez, M.** 1996. Bryophytes from the Republic of Equatorial Guinea (West-Central Africa). I. Introduction and preliminary checklist. *Tropical Bryology* **12**: 41-58.
- 4930 **Heras Pérez, P. & Infante Sánchez, M.** 1999. Bryophytes from the Republic of Equatorial Guinea (West Central Africa). IV. Notes on some *nomina nuda* from Annobón. *Tropical Bryology* **16**: 127-129.
- 926 **Higuchi, M.** 1985. A taxonomic revision of the genus *Gollania* Broth. (Musci). *Journal of the Hattori Botanical Laboratory* **59**: 1-77.
- 4146 **Higuchi, M.** 1986. A new combination of an African species, *Gollania demarettii* P.de la Varde with *Chrysos-hypnum*. *Hikobia* **9**: 335-338.
- 8310 **Hill, M.O. et al.** 2006. An annotated checklist of the mosses of Europe and Macaronesia. *Journal of Bryology* (in press). [18 authors].
- 3058 **Hilpert, F.** 1933. Studien zur Systematik der Trichostomaceen. *Beihete zum Botanischen Centralblatt* **50(2)**: 585-706.
- 2386 **Hodgetts, N.** 1996. British Bryological Society Expedition to Mulanje Mountain, Malawi. 3. Erpodiaceae (Musci). *Journal of Bryology* **19**: 113-118.

- 3804 **Hodgetts, N.G. & Goffinet, B.** 1998. *Hypnodontopsis mexicana* (Thér.) H.Rob., a genus and species new to Africa. *Journal of Bryology* **20**: 251-252.
- 4897 **Hodgetts, N.G., Matcham, H.W. & Duckett, J.G.** 1999. Bryophytes collected in Lesotho, the Natal Drakensberg and the Orange Free State, southern Africa. *Journal of Bryology* **21**: 133-155.
- 3299 **Hofmann, H.** 1997. A monograph of the genus *Palamocladium* (Brachytheciaceae, Musci). *Lindbergia* **22**(1): 3-20.
- 4711 **Hofmann, H.** 1998. A monograph of the genus *Homalothecium* (Brachytheciaceae, Musci). *Lindbergia* **23**(3): 119-159.
- 4505 **Hollis, S. & Brummitt, R.K.** 1992. *World Geographical scheme for recording plant distributions. Plant taxonomic database standards 2.* Pittsburgh: Hunt. Institute for Botanical Documentation.
- 1509 **Hooker, W.J.** 1820. *Musci Exotici*, Vol. 2. 1-30. London: Longman.
- 8254 **Hooker, W.J. & Taylor, T.** 1818. *Muscologica Britannica; containing the mosses of Great Britain and Ireland, systematically arranged and described; with plates illustrative of the characters of the genera and species.* London: Longman, Hurst, Rees, Orme and Brown, Paternoster Row.
- 56 **Hyvönen, J.** 1989. A synopsis of genus *Pogonatum* (Polytrichaceae, Musci). *Acta Botanica Fennica* **138**: 1-87.
- 2185 **Ignatov, M.S. & Afonina, O.M.** 1992. Check-list of mosses of the former USSR. *Arctoa* **1**: 1-85.
- 4454 **Ignatov, M.S. & Pavlov, V.N.** 1998. *Calliergonella cuspidata* (Hedw.) Loeske (Musci) - a new genus for tropical Africa. *Arctoa* **7**: 81-82.
- 207 **Imam, M. & Ghabbour, S.I.** 1972. A Contribution to the Moss Flora of Egypt. *Botaniska Notiser* **125**: 518-522.
- 4639 **Infante S., M. & Heras P., P.** 1998. Bryophytes from the Republic of Equatorial Guinea (West Central Africa). III. Contributions to the bryoflora of Rio Muni (Continental Region). *Tropical Bryology* **15**: 1-14.
- 3414 **Infante, M., Heras, P. & Buck, W.R.** 1997. Bryophytes from the Republic of Equatorial Guinea (West-Central Africa). II. Bryophytes collected by Emilio Guinea (1907-1985) in the Island of Bioco in 1947. *Tropical Bryology* **13**: 131-136.
- 1349 **Ireland, R.R. & Buck, W.R.** 1994. Stereophyllaceae. *Flora Neotropica* **65**: 1-50.
- 3054 **Iwatsuki, Z.** 1980. Notes on genera *Pseudephemerum* (Lindb.) Hag. and *Nanomitriopsis* Card. *Miscellanea Bryologica et Lichenologica* **8**: 129-133.
- 1892 **Iwatsuki, Z. & Suzuki, T.** 1982. A taxonomic revision of the Japanese species of *Fissidens* (Musci). *Journal of the Hattori Botanical Laboratory* **51**: 329-508.
- 4325 **Jaeger, A.** 1873. Genera et species muscorum systematicae disposita. *Bericht über die Thätigkeit der St. Gallischen Naturwissenschaftlichen Gesellschaft 1871-72.* **13**: 309-490.
- 4328 **Jaeger, A.** 1874. Genera et species muscorum systematicae disposita. *Bericht über die Thätigkeit der St. Gallischen Naturwissenschaftlichen Gesellschaft 1872-73.* **14**: 61-236.
- 4329 **Jaeger, A.** 1875. Genera et species muscorum systematicae disposita. *Bericht über die Thätigkeit der St. Gallischen Naturwissenschaftlichen Gesellschaft 1873-74.* **15**: 53-278.
- 3970 **Jaeger, A.** 1878. Genera et species muscorum systematicae disposita. *Bericht über die Thätigkeit der St. Gallischen Naturwissenschaftlichen Gesellschaft 1876-77.* **18**: 211-454.
- 51 **Jelenc, F.** 1955. Muscinées de l'Afrique du Nord (Algérie, Tunisie, Maroc, Sahara). Extrait du *Bulletin de la Société de Géographie et d'Archéologie de la Province d'Oran* **72-76**: 1-152.
- 4507 **Jelenc, F.** 1958. Contribution à l'étude de la flore bryologique du Tibesti. In. Quezel, P. ed. Mission botanique au Tibesti. *Memoires de l'Université Algérie Institut Res. Sahariennes* **4**: 83-88.
- 4508 **Jelenc, F.** 1959. Contribution à la étude de la flore bryologique du Tibesti (2e fascicule). *Bulletin de la Société d'Histoire Naturelle de l'Afrique du Nord* **50**: 262-269.
- 52 **Jelenc, F.** 1967. Muscinées de l'Afrique du Nord. (Supplément). *Revue Bryologique et Lichénologique* **36**: 186-215.
- 8019 **Jiminez, J.A., Ros, R.M., Cano, M.J. & Guerra, J.** 2005. A revision of *Didymodon* section Fallaces (Musci, Pottiaceae) in Europe, North Africa, Macaronesia and southwest and central Asia. *Annals of the Missouri Botanical Garden* **92**: 225-247.
- 8333 **Johnston, H.H.** 1895. Additions to the flora of Mauritius, as recorded in Baker's "Flora of Mauritius and the Seychelles". *Transactions and Proceedings of the Botanical Society of Edinburgh* **59**: 391-407. (Bryophytes 405-406).
- 333 **Jones, E.W.** 1985. *Rhachithecium perpusillum* (Thwaites & Mitt.) Broth. in Africa. *Cryptogamie: Bryologie, Lichénologie* **6**: 47-50.
- 334 **Jones, E.W.** 1985. Bryophytes of forest and savanna in northern Nigeria. *Cryptogamie: Bryologie, Lichénologie* **6**: 259-277.
- 8295 **Juel, H.O.** 1918. Plantae Thunbergianae. Bryophyta. *Arbeten utgivna med af Vilhelm Ekman* Universitetsfond, Uppsala **21**: 52-54.
- 1882 **Kanda, H.** 1987. *Catalog of moss specimens from Antarctica and adjacent regions.* National Institute of Polar Research, Tokyo. 186pp.
- 595 **Kjaer, F.C.** 1883. Genera muscorum *Macrohymenium* et *Rhegmatodon* revisa specieque nova aucta exposuit. *Forhandlinger i Videnskabs-Selskabet i Kristiania* 1882 **24**: 1-53.
- 4232 **Kindberg, N.C.** 1888-1891. *Enumeratio Bryinarum Exoticarum.* Sweden: Hammarstroem. 3 vols., 1-198.

- 45 **Kis, 1984.** Checklist of the mosses of south-east tropical Africa. pp 217-282. In: Váňa, J. (ed.) *Proceedings of the Third Meeting of the Bryologists from Central and East Europe, Praha 1982.*
- 46 **Kis, G. 1985.** *Mosses of South-East Tropical Africa. An annotated list with distributional data.* Institute of Ecology and Botany of the Hungarian Academy of Sciences, Vácrátót, Hungary.
- 2658 **Kis, G. 1996.** Taxonomic Results of the BRYOTROP expedition to Zaire and Rwanda 31. The Andean *Daltonia latolimbata* Broth. in Herzog in Africa. *Tropical Bryology* **12:** 35-40.
- 6209 **Kis, G. 2001.** Observations on Hookeriales, I. The taxonomic status of African species of *Sauloma* (Hook.f. & Wils.) Mitt. (Hookeriales). *Cryptogamie, Bryologie* **22:** 19-22.
- 6809 **Kis, G. 2002.** Comments on some African species of the moss genus *Glossadelphus* M.Fleisch. *Cryptogamie, Bryologie* **23:** 157-169.
- 608 **Koponen, T. 1968.** Generic revision of Mniaceae Mitt. (Bryophyta). *Annales Botanici Fennici* **5:** 117-151.
- 1951 **Koponen, A. 1977.** *Tayloria* subgen. *Pseudotetraplodon*, subgen. nov., and new combinations in *Brachymitrium*, *Moseniella* and *Tayloria* (Splachnaceae, Musci). *Annales Botanici Fennici* **14:** 193-196.
- 1036 **Koponen, T. 1981.** A synopsis of Mniaceae (Bryophyta). V. Taxa in Africa south of the Sahara. *Annales Botanici Fennici* **18:** 105-111.
- 1336 **Koponen, T. 1993.** Miscellaneous notes on the Mniaceae XVI. *Plagiomnium undulatum* in Ethiopia. *Bulletin du Jardin Botanique de l'État* **62:** 397-402.
- 7468 **Koponen, T. 2003.** Notes on *Philonotis* (Musci, Bartramiaceae), 5. *P. caespitosa* and *P. falcata* in South Africa, and status of *P. afrocapillaris*. *Acta Academiae Paedagogicae Agriensis [Az Egri Tanárképző Föiskola Tudományos Közleményei], Sect. Biol.* **24:** 29-42.
- 3447 **Koponen, T. & Norris, D.H. 1996.** Bryophyte flora of the Huon Peninsula, Papua New Guinea. LVII. *Fleischnerobryum* and *Philonotis* (Bartramiaceae, Musci). *Acta Botanica Fennica* **156:** 1-21.
- 123 **Koponen, T. & Weber, W.A. 1972.** A revision of African Tayloriae (Splachnaceae), including *Bryomnium*. *Annales Botanici Fennici* **9:** 126-134.
- 1863 **Kramer, W. 1988.** Beiträge zur Systematik und Bryogeographie einiger Sippen von *Tortula* Hedw. sect. *Ruralis* De Not. (Pottiaceae, Musci) unter besonderer Berücksichtigung der Südhemisphäre. *Journal of the Hattori Botanical Laboratory* **65:** 81-144.
- 2220 **Kruijer, J.D. 1997.** British Bryological Society Expedition to Mulanje Mountain, Malawi. 6. Hypopterygiaceae (Musci). *Journal of Bryology* **19:** 515-520.
- 6705 **Kruijer, J.D. 2002.** Hypopterygiaceae of the World. *Blumea, Supplement* **13:** 1-388.
- 7630 **Kungu, E.M., Bonner, L. & Longton, R.E. 2003.** Patterns of peristome reduction and ornamentation in African Entodontaceae. *Journal of the Hattori Botanical Society* **93:** 223-246.
- 5116 **Kürschner, H. 1998.** *Hymenostylium hildebrandtii* (C.Muell.) Zander (Pottiaceae, Musci), and further new and interesting records to the moss flora of Yemen and Socotra. Studies in Arabian bryophytes 22. *Nova Hedwigia* **67:** 457-467.
- 6049 **Kürschner, H. 1999.** New moss records for Socotra and the Yemen mainland. Studies in Arabian bryophytes 24. *Nova Hedwigia* **69:** 399-405.
- 5613 **Kürschner, H. 2000.** Bryophyte flora of the Arabian Peninsula and Socotra. *Bryophytorum Bibliotheca* **55:** 1-131.
- 7173 **Kürschner, H. 2003.** Further new bryophytes to Socotra and the Yemen mainland, including *Papillaria crocea* (Hampe) A.Jaeger (Meteoriaceae, Bryopsida), a palaeotropical Asian species. *Nova Hedwigia* **76:** 257-267.
- 5040 **Kürschner, H. & Boer, B. 1999.** New records of bryophytes from the southern Musandam Peninsula and Jebel Hafit (United Arab Emirates). Studies in Arabian bryophytes 23. *Nova Hedwigia* **68:** 409-419.
- 1569 **Kürschner, H. & Onraedt, M. 1990.** Quelque bryophytes de la République de Djibouti (territoire français des Afars et des Issas). *Nova Hedwigia* **50:** 181-189.
- 7101 **La Farge, C. 2002.** *Leucoloma* I: A revision of subgenus *Leucoloma* (Dicranaceae, Bryopsida) in Africa and Madagascar. *Bryologist* **105:** 509-590.
- 7102 **La Farge, C. 2002.** *Leucoloma* II: A revision of *Leucoloma* series *Holomitrioidea* (Dicranaceae). *Bryologist* **105:** 591-605.
- 7103 **La Farge, C. 2002.** *Leucoloma* III: A species synopsis: typification, synonymy and excluded names. *Bryologist* **105:** 606-624.
- 1617 **LaFarge-England, C. 1992.** *Leucoloma crosbyi* (Dicranaceae), a new species endemic to northern Madagascar. *Novon* **2:** 119-122.
- 1552 **Leonard, J. 1993.** Étude phytosociologique des chutes de la Tshopo (Kisangani - Zaire). *Bulletin du Jardin Botanique National de Belgique* **62:** 283-347.
- 2326 **Levier, E. 1901.** Contribution à la flore bryologique et lichénologique de Madagascar. *Revue Bryologique* **28:** 88-97.
- 347 **Lewinsky, J. 1978.** The Genus *Orthotrichum* Hedw. (Musci) in Africa South of the Tropic of Cancer. *Botanisk Tidskrift* **72:** 61-85.
- 1065 **Lewinsky, J. & van Rooy, J. 1990.** New species and a new record of *Orthotrichum* from southern Africa: *O. incurvomarginatum* sp. nov., *O. armatum* sp. nov., *O. oreophilum* sp. nov. and *O. firmum* Vent. *Journal of Bryology* **16:** 67-78.

- 8248 **Limprecht, K.G.** 1890. *Die Laubmoose Deutschlands, Oesterreichs und der Schweiz*. Part 1. (pp 1-836). Leipzig: Eduard Kummer.
- 8249 **Limprecht, K.G.** 1894. *Die Laubmoose. Deutschlands, Oesterreichs und der Schweiz*. Part 2. (pp 1-853). Leipzig: Eduard Kummer.
- 8151 **Limprecht, K.G.** 1895. *Die Laubmoose. Deutschlands, Oesterreichs und der Schweiz*. Part 3. (pp. 1-864). Leipzig: Eduard Kummer.
- 3362 **Lin, P.-J. & Tan, B.C.** 1995. Contribution to the flora of China (12): a taxonomic revision of Chinese Hookeriaceae (Musci). *Harvard Papers in Botany* 7: 25-68.
- 348 **Lin, S.-H.** 1983. A Taxonomic Revision of the Phyllogoniaceae (Bryopsida). Part I. *Journal of Taiwan Museum* 36(2): 37-86.
- 2857 **Lin, S.-H.** 1984. A taxonomic revision of Phyllogoniaceae (Bryopsida). Part 2. *Journal of Taiwan Museum* 37: 1-54.
- 1881 **Lin, S.-H.** 1985. Mosses of the Phyllogoniaceae and other related families deposited in the Rijksherbarium. *Yushania* 2: 17-24.
- 22 **Lindau, G.** 1895. Abtheilung: Embryophyta Zoidiogama, Unterabtheilung: Bryophyta, pp. 62-77. In: Engler, A (ed.) *Die Pflanzenwelt Ost-Afrikas und der Nachgebiete*. D. Reimer.
- 8172 **Lindberg, S.O.** 1863. Bidrag till mossornas synonymi. *Oefvers af Förfhandlingar: Kongl Svenska Vetenskaps Akademien* 20: 385-418.
- 1912 **Lindberg, S.O.** 1864. Om de Europeiska Trichostomeae. *Öfversigt af Förfhandlingar: Kongl Svenska Vetenskaps-Akademien* 21: 213-254.
- 8313 **Lindberg, S.O.** 1879. *Musci Scandinavici in systemate novo naturali dispositi*. pp. 1-50.
- 349 **Long, D.G.** 1986. Some Socotran mosses collected by Schweinfurth. Studies in Arabian bryophytes 5. *Nova Hedwigia* 43: 443-445.
- 5762 **Long, D.G. & Hill, M.O.** 1982. *Tortula solmsii* (Schimp.) Limpr. in Devon and Cornwall, newly recorded in the British Isles. *Journal of Bryology* 12: 159-170.
- 5201 **Longton, R.E.** 1981. Interpopulation variation in morphology and physiology in the cosmopolitan moss *Bryum argenteum* Hedw. *Journal of Bryology* 11: 501-520.
- 82 **Magill, R.E.** 1981. Bryophyta. Part 1. Mosses. Fasc. I. Sphagnaceae - Grimmiaceae *in Flora of Southern Africa* ed. O.A. Leistner, Republic of South Africa.
- 83 **Magill, R.E.** 1987. Bryophyta. Part 1. Mosses. Fasc. II. Gigaspermaceae - Bartramiaceae *in Flora of Southern Africa* ed. O.A. Leistner, Republic of South Africa.
- 1074 **Magill, R.E.** 1987. Musci Austro-Africana III. Alpine mosses of Lesotho. *Journal of Bryology* 14: 527-530.
- 53 **Magill, R.E. & Schelpe, E.A.C.L.E.** 1979. The bryophytes of Southern Africa, an annotated checklist. *Memoirs of the Botanical Survey of South Africa* 43: 1-39.
- 1519 **Magill, R.E. & van Rooy, J.** 1998. Bryophyta. Part 1. Mosses. Fasc. III. Erpodiaceae - Hookeriaceae *in Flora of Southern Africa* ed. O.A. Leistner, Republic of South Africa.
- 7416 **Magombo, Z.L.K.** 2003. Taxonomic revision of the moss family Diphysciaceae M.Fleisch. (Musci). *Journal of the Hattori Botanical Laboratory* 94: 1-86.
- 1077 **Malta, N.** 1926. Die Gattung *Zygodon* Hook. et Taylor Eine monographische Studie. *Latvijas Universitatis Botaniska Darza Darbi*: 1-184.
- 6798 **Mannheimer, C.** 1999. Bryophyta. In: Craven, P. & Kolberg, H. A checklist of Namibian plant species. *SABONET Report* 7: 5-10.
- 1890 **Manuel, M.G.** 1977. A monograph of the genus *Zelometeorioides* Manuel, gen. nov. (Bryopsida: Meteoriaceae). *Journal of the Hattori Botanical Laboratory* 43: 107-126.
- 1291 **Manuel, M.G.** 1977. Studies in the Cryphaeaceae, IV. New combinations in *Schoenobryum*. *The Bryologist* 80: 522-524.
- 1591 **Manuel, M.G.** 1980. Miscellanea bryologica II. Classification of *Rhizogonium* Brid., *Penzigella hookeri* Gangulee, and some *nomina nuda*. *Cryptogamie: Bryologie, Lichénologie*, 1: 67-72.
- 3699 **Margadant, W.D. & Norkett, A.H.** 1973. The nomenclatural tangle of *Garckea phascooides*. *Journal of Bryology* 7: 439-441.
- 7482 **Matcham, H.W. & Duckett, J.G.** 2003. Two mosses new to the Republic of South Africa and the moss *Neckera valentiniana* Besch. new to the Kingdom of Lesotho. *Tropical Bryology* 24: 5-6.
- 4000 **Matteri, C.M.** 1997. *Leiomela* (Bartramiaceae, Musci), a new genus for Argentina. *Journal of the Hattori Botanical Laboratory* 83: 251-255.
- 1439 **Mattila, P. & Enroth, J.** 1990. *Pinnatella mariei* (Besch.) Broth. newly recorded for the African continent and Tanzania. *Journal of Bryology* 16: 117-124.
- 4138 **Menzel, M.** 1991. A taxonomic review of the genera *Lindigia* Hampe (Meteoriaceae, Leucodontales) and *Aerolindigia* gen. nov. (Brachytheciaceae, Hypnales), Bryopsida. *Nova Hedwigia* 52: 319-335.
- 1750 **Menzel, M.** 1992. Preliminary checklist of the mosses of Peru (Studies on Peruvian Bryophytes IV). *Journal of the Hattori Botanical Laboratory* 71: 175-254.
- 1601 **Menzel, M.** 1992. Nomenklaturalische Notizen zu Eddy's "Handbook of Malesian Mosses" (Band 2). *Willdenowia* 22: 197-200.
- 1082 **Menzel, M. & Schultze-Motel, W.** 1990. The bryophytes of Sabah (N. Borneo) with special reference to the BRYOTROP transect of Mt. Kinabalu. XI. Calymperaceae (Bryopsida). *Willdenowia* 19: 475-542.

- 616 **Meijer, W.** 1951. The genus *Orthodontium*. *Acta Botanica Neerlandica* **1**: 3-80.
- 1686 **Micheletti, L.** 1909. Muschi dell'Eritrea. *Bulletino della Società Botanica Italiana* **7**: 154-156.
- 1865 **Miehe, G. & Miehe, S.** 1994. East African Bryophytes, XII. Bryophytes from the Bale Mountains of SE Ethiopia. 1. Phytoecological introduction. *Fragmenta Floristica et Geobotanica* **39**: 165-219.
- 1927 **Miehe, S. & Miehe, G.** 1994. *Ericaceous Forests and Heathlands in the Bale Mountains of South Ethiopia*. Hamburg: Stiftung Walderhaltung in Afrika.
- 7878 **Mies, B.** 1994. Checkliste der Gefäßpflanzen, Moose und Flechten und botanische Bibliographie der Insel Sokotra und des Sokotrinischen Archipels (Jemen, Indischer Ozean). *Senckenbergiana Biologica* **74**: 213-258.
- 1619 **Mildbraed, J.** 1922. *Wissenschaftliche Ergebnisse der zweiten Deutschen Zentral-Afrika Expedition 1910-11. Band 2. Botanik*: 158-159.
- 2741 **Miller, H.A., Whittier, H.O. & Bonner, C.E.B.** 1963. Bryoflora of the atolls of Micronesia. *Beihefte zur Nova Hedwigia* **11**: 1-89.
- 2738 **Miller, H.A., Whittier, H.O. & Whittier, B.A.** 1978. Prodromus Florae Muscorum Polynesiae. *Bryophytorum Bibliotheca* **16**: 1-334.
- 2707 **Mitten, W.** 1859. Musci Indiae Orientalis. An enumeration of the mosses of the East Indies. *Journal of the Proceedings of the Linnean Society (Supplement)* **1**: 1-171.
- 2713 **Mitten, W.** 1869. Musci Austro-American. *Journal of the Linnean Society, Botany* **12**: 1-659.
- 4202 **Mitten, W.** 1875. Musci (mosses) . In: Mellis, J.C. *St. Helena: a physical, historical, and topographical description of the island, including its geology, fauna, flora and meteorology*. London: L. Reeve & Co.
- 5331 **Mitten, W.** 1885. Musci. In: Hemsley, W.B. (ed.) *Voyage of HMS Challenger. Botany* **1**: 1-108. [p1. 31-34 - intro; pp 42-45 Ascension; pp 49-61, 101-108 St. Helena]
- 2734 **Mitten, W.** 1886. The mosses and hepaticae collected in Central Africa by the late Right Rev. James Hannington, Bishop of Mombasa, F.L.S, F.G.S. &c., with some others, including those gathered by Mr. H.H. Johnston on Kilimanjaro. *Journal of the Linnean Society of London. Botany* **22**: 298-329.
- 1628 **Mitten, W.** 1887. Musci.: pp. 339-340. In: Hemsley, W.B. (ed), Report on the vegetation of Diego Garcia. *Journal of the Linnean Society, Botany* **22**.
- 1627 **Mitten, W.** 1887[1888]. Muscineae. In: Balfour, I.B.: The botany of Socotra. *Transactions of the Royal Society of Edinburgh* **31**: 330-336.
- 7142 **Mitten, W.** 1888. Musciniae. Supplement. *Transactions of the Royal Society of Edinburgh* **31**: 445-446.
- 8250 **Mönkemeyer, W.** 1927. Die Laubmose Europas IV. Andreaeales-Bryales. pp. 1-960. In: *Dr. L. Rabenhorsts Kryptogamen-Flora von Deutschland, Oesterreich und der Schweiz*. Leipzig: Akad. Verlagsgesellschaft mbH.
- 1579 **Mohamed, H. & Reese, W.D.** 1985[1986]. *Syrrhopodon* (Mosci: Calymperaceae) in Malaysia and adjacent regions. *Bryologist* **88**: 223-254.
- 21 **Mohamed, M.A.H.** 1979. A taxonomic study of *Bryum billardieri* Schwägr. and related species. *Journal of Bryology* **10**: 401-465.
- 3487 **Montagne, C.** 1838. Centurie de plantes cellulaires exotique nouvelle, Suite. *Annales des Sciences Naturelles, Botanique*, sér. 2, **9**: 38-57.
- 2327 **Montagne, C.** 1841. Seconde centurie de plantes cellulaire exotiques nouvelles. *Annales des Sciences Naturelles, Botanique*, sér. 2, **16**: 266-282.
- 2332 **Montagne, C.** 1856. *Sylloge generum specierumque cryptogamarum*. Paris.
- 6453 **Muhle, H.** 1982. A checklist of mosses of the Cap Verde Islands. *Courier Forschungsinstitut Senckenberg* **52**: 277-281.
- 5845 **Müller, C.** 1843. De muscis frondosis nonnullis novis vel minus cognitis. *Linnaea* **17**: 581-601.
- 2584 **Müller, C.** 1849. *Synopsis muscorum frondosorum omnium hucusque cognitorum. Pars prima*. Berolini: Alb. Foerstner.
- 1506 **Müller, C.** 1851. *Synopsis muscorum frondosorum omnium hucusque cognitorum. Pars secunda*. Berolini: Alb. Foerstner.
- 4779 **Müller, C.** 1855. De muscis novis, incomplete descriptis, neglectis criticisve. *Botanische Zeitung* **13**: 782-789.
- 243 **Müller, C.** 1858. Additamenta nova ad *Synopsis muscorum*. *Botanische Zeitung* **16**: 154-172.
- 5458 **Müller, C.** 1872. Musci Indici novi adjectis nonnullis allii exoticis *Linnaea* **37**: 163-182.
- 3076 **Müller, C.** 1875. Musci Schweinfurthiani in itineribus duobus in Africam centralem per annos 1868-1871 collecti, determinati et expositi. *Linnaea* **39**: 325-474.
- 2193 **Müller, C.** 1876. Musci Hildebrandtiani in Archipelago Comorensi et in Somalia littoris Africani anno 1875 ab I.M. Hildebrandt lecti. *Linnaea* **40**: 225-326.
- 4098 **Müller, C.** 1886. Bryologia insulae S. Thome Africae occid. tropicae. *Flora* **69**: 275-286.
- 4117 **Müller, C.** 1886. Beitraege zu einer Bryologie West Afrikas. *Flora* **69**: 499-525.
- 6152 **Müller, C.** 1890. Musci frondosi. In: **Buettner, R.** Neue Arten von Guinea, dem Kongo und dem Quango. *Verhandlungen des Botanischen Vereins für die Provinz Brandenburg* **31**: 67-68.
- 5567 **Müller, C.** 1897. *Synopsis generis Harrisonia*. *Oesterreichische Botanische Zeitschrift* **47**: 417-420.
- 4378 **Müller, C.** 1899. Contributions ad briologiam austro-afram. *Hedwigia* **38**: 52-155.
- 2787 **Müller, C.** 1900. *Genera Muscorum Frondosorum*. Leipzig: E. Kummer.

- 5319 Müller, F. 1995. Neue und bemerkenswerte Moosfunde aus Zaire. *Tropical Bryology* **10**: 81-90.
- 2662 Müller, F. 1996. Beitrag zur Moosflora der Insel Bioko (=Fernando Po), Aequatorial Guinea. *Tropical Bryology* **12**: 75-96.
- 4626 Müller, F. 1999. Contribution to the bryoflora and bryogeography of St. Helena (South Atlantic Ocean). *Tropical Bryology* **16**: 131-138.
- 5440 Müller, F. 2000. Additions to the bryophyte flora of Réunion (East African Islands). *Tropical Bryology* **18**: 91-95.
- 4928 Müller, F. & Schäfer-Verwimp, A. 1999. New bryophyte taxon records for tropical countries III. *Tropical Bryology* **16**: 195-210.
- 5925 Müller, F., Wigginton, M.J. & O'Shea, B.J. 2000. New bryophyte records for tropical countries. IV. *Tropical Bryology* **18**: 199-202.
- 4892 Muñoz, J. 1998. Materials towards a revision of *Grimmia* (Musci: Grimmiaceae): nomenclature and taxonomy of *Grimmia longirostris*. *Annals of the Missouri Botanical Garden* **85**: 352-363.
- 4900 Muñoz, J. 1999. A revision of *Grimmia* (Musci, Grimmiaceae) in the Americas. 1: Latin America. *Annals of the Missouri Botanical Garden* **86**: 118-191.
- 5453 Muñoz, J. & Pando, F. 2000. A world synopsis of the genus *Grimmia*. *Monographs in Systematic Botany from the Missouri Botanical Garden* **83**: 1-133.
- 3514 Murray, B.M. 1984. A revision of the monotypic genera *Indusiella*, *Aligrimnia* and *Coscinodontella* (Musci: Grimmiaceae), with comments on convergent xeromorphological features. *Bryologist* **87**: 24-36.
- 459 Murray, B.M. 1988. The genus *Andreaea* in Britain and Ireland. *Journal of Bryology* **15**: 17-82.
- 5967 Naveau, R. 1927. Musci Bequaerti. I. *Bulletin de la Société Royale de Botanique de Belgique* **60**: 11-56.
- 409 Nishimura, N. 1985. A revision of the genus *Ctenidium* (Musci). *Journal of the Hattori Botanical Laboratory* **58**: 1-82.
- 2588 Noguchi, A. 1976. A taxonomic revision of the family Meteoriaceae of Asia. *Journal of the Hattori Botanical Laboratory* **41**: 231-357.
- 2609 Nyholm, E. 1971. Studies in the genus *Atrichum* P.Beauv. A short survey of the genus and species. *Lindbergia* **1**: 1-33.
- 4902 Nyholm, E. 1998. *Illustrated Flora of Nordic Mosses* **4**: 320. Copenhagen & Lund: Nordic Bryological Society.
- 7045 Ochi, H. 1969. Notes on moss flora VI. *Hikobia* **5**: 153-171.
- 6936 Ochi, H. 1970. A revision of the subfamily Bryoideae in Australia, Tasmania, New Zealand and the adjacent islands. *Journal of the Faculty of Education, Tottori University, Natural Science* **21**: 7-61.
- 6873 Ochi, H. 1971. Notes on moss flora VIII. *Journal of Japanese Botany* **46**: 117-125.
- 23 Ochi, H. 1972. A revision of the African Bryoideae, Musci (first part). *Journal of the Faculty of Education, Tottori University* **23**: 1-126.
- 354 Ochi, H. 1973. A revision of the African Bryoideae, Musci (second part). *Journal of the Faculty of Education, Tottori University* **24**: 23-50.
- 6802 Ochi, H. 1976. Notes on moss flora (IX). *Journal of Japanese Botany* **51**: 65-69.
- 2094 Ochi, H. 1980. A revision of the neotropical Bryoideae, Musci (First part). *Journal of the Faculty of Education, Tottori University* **29**: 49-154.
- 2797 Ochi, H. 1985. An annotated list of mosses of the Subfamily Bryoideae in South, Southeast and East Asia. *Journal of the Faculty of Education, Tottori University* **34**: 41-96.
- 1640 Ochyra, R. 1982. *Kindbergia* (Brachytheciaceae, Musci), a new name for *Stokesiella* (Kindb.) Robins., hom. illeg. *Lindbergia* **8**: 53-54.
- 1883 Ochyra, R. 1983. The rediscovery of *Loiseaubryum ephemerooides* Bizot (Musci: Funariaceae) in Nigeria. *Acta Botanica Hungarica* **29**: 173-179.
- 4691 Ochyra R. 1987. A revision of the moss genus *Sciaromium* (Mitt.) Mitt. II. The section *Limbidium* Dusén, with a description of *Vittia* gen. nov. (Vittiaceae fam. nov.). *Journal of the Hattori Botanical Laboratory* **62**: 387-415.
- 1442 Ochyra, R. 1989. The alleged occurrence of *Bryum perl limbatum* Card. (Musci, Bryaceae) in South Africa. *Journal of Bryology* **15**: 551-553.
- 4866 Ochyra, R. 1989. Animadversions on the moss genus *Cratoneuron* (Sull.) Spruce. *Journal of the Hattori Botanical Laboratory* **67**: 203-242.
- 1884 Ochyra, R. 1990. The identity of *Calliergon keniae* (Musci). *Bulletin du Jardin Botanique National de Belgique* **60**: 111-117.
- 1885 Ochyra, R. 1991. Validation of *Rhizofabronia persoonii* var. *sphaerocarpa* (Musci, Fabroniaceae). *Fragmenta Floristica et Geobotanica* **36**: 279-280.
- 1621 Ochyra, R. 1992. New combinations in *Syntrichia* and *Warnstorffia* (Musci). *Fragmenta Floristica et Geobotanica* **37**: 211-214.
- 1124 Ochyra, R. 1993. Taxonomic Results of the BRYOTROP expedition to Rwanda and Zaire. 20. Grimmiaceae, Funariaceae, Bartramiaceae (*Philonotis*), Amblystegiaceae, Plagiotheciaceae. *Tropical Bryology* **8**: 181-188.
- 1533 Ochyra, R. 1994. African mosses: I. *Cratoneuron* (Cratoneuraceae). *Fragmenta Floristica et Geobotanica* **39**: 137-146.

- 4221 **Ochyra, R.** 1997. A reinterpretation of *Conostomum crassinervium* (Musci, Bartramiaceae) from East Africa. *Fragmenta Floristica et Geobotanica* **42**(2): 555-558.
- 4222 **Ochyra, R.** 1997. *Leptotrichella* replaces *Microdus* (Musci, Dicranaceae). *Fragmenta Floristica et Geobotanica* **42**(2): 559-565.
- 3747 **Ochyra, R.** 1997. *Eurhynchiella decurrentis* is conspecific with *Kindbergia africana* (Musci, Brachytheciaceae). *Fragmenta Floristica et Geobotanica* **42**: 579-582.
- 4224 **Ochyra, R.** 1997. Nomenclatural notes on mosses: 16. New combinations in African *Eurhynchium* (Brachytheciaceae). *Fragmenta Floristica et Geobotanica* **42**: 583-584.
- 4771 **Ochyra, R.** 1998. *The Moss Flora of King George Island, Antarctica*. Crakow, Poland: W. Szafer Institute of Botany.
- 5604 **Ochyra, R.** 2001. Does the family Meesiaceae (Musci) occur in Africa? *Cryptogamie, Bryologie* **22**: 23-28.
- 1915 **Ochyra, R. et al.** (in press). (*Racomitrium* revision).
- 4223 **Ochyra, R. & Bednarek-Ochyra, H.** 1997. The type specimen of *Leptotrichum praealtum* (Musci, Ditrichaceae). *Fragmenta Floristica et Geobotanica* **42**: 567-570.
- 7099 **Ochyra, R. & Bednarek-Ochyra, H.** 2002. *Pleurozium schreberi* (Musci, Hylocomiaceae) recorded for tropical Africa. *Cryptogamie, Bryologie* **23**: 355-360.
- 1347 **Ochyra, R., Bednarek-Ochyra, H., Pócs, T. & Crosby, M.R.** 1992. The moss *Adelothecium bogotense* in Continental Africa, with a review of its world range. *Bryologist* **95**: 287-295.
- 4903 **Ochyra, R. & Hertel, H.** 1990. Contribution to the moss flora of the subantarctic island Marion. *Polish Botanical Studies* **1**: 19-34.
- 5920 **Ochyra, R., Kempa, R. & Buck, W.R.** 2000. *Plagiothecium lucidum* (Hook.f. & Wils.) Paris in tropical Africa. *Tropical Bryology* **18**: 147-152.
- 1500 **Ochyra, R. & Newton, M.E.** 1985. The taxonomy and distribution if *Dicranella carlotii* (R. Br. ter.) Dix., an addition to the moss flora of Antarctica. *Lindbergia* **11**: 94-98.
- 355 **Ochyra, R. & Pócs, T.** 1982. East African Bryophytes VI. Polish collections. *Acta Botanica Academicae Scientiarum Hungaricae* **28**: 361-389.
- 357 **Ochyra, R. & Pócs, T.** 1985 [1987]. East African Bryophytes, XI. Dr. L. Péntek's collection from Mozambique. *Abstracta Botanica* **9**, Suppl, **2**: 63-86.
- 1403 **Ochyra, R. & Pócs, T.** 1992. *Bryophyta Africana Selecta I* (no. 1-25). [exsiccatum]
- 1404 **Ochyra, R. & Pócs, T.** 1992. *Bryophyta Africana Selecta II* (no. 26-50). [exsiccatum]
- 1405 **Ochyra, R. & Pócs, T.** 1992. *Bryophyta Africana Selecta III* (no. 51-75). [exsiccatum]
- 1406 **Ochyra, R. & Pócs, T.** 1992. *Bryophyta Africana Selecta IV* (no. 76-100). [exsiccatum]
- 1407 **Ochyra, R. & Pócs, T.** 1993. *Bryophyta Africana Selecta V* (no. 101-125). [exsiccatum]
- 1408 **Ochyra, R. & Pócs, T.** 1993. *Bryophyta Africana Selecta VI* (no. 126-150). [exsiccatum]
- 1409 **Ochyra, R. & Pócs, T.** 1993. *Bryophyta Africana Selecta VII* (no. 151-175). [exsiccatum]
- 1410 **Ochyra, R. & Pócs, T.** 1993. *Bryophyta Africana Selecta VIII* (no. 176-200). [exsiccatum]
- 146 **Ochyra, R. & Sharp, A.J.** 1988. Results of a bryogeographical expedition to East Africa in 1968, IV. *Journal of the Hattori Botanical Laboratory* **65**: 335-377.
- 2860 **Ochyra, R., Sérgio, C. & Schumacker, R.** 1988. *Racomitrium lamprocarpum* (C.Müll.) Jaeg., an austral moss disjunct in Portugal, with taxonomic and phytogeographic notes. *Bulletin du Jardin Botanique National de Belgique* **58**: 225-258.
- 6989 **Ochyra, R., Wesche, K., Miehe, G. & Miehe, S.** 2002. New records of pleurocarpous mosses for Africa and Uganda. *Journal of Bryology* **24**: 256-258.
- 7486 **Ochyra, R., Zarnowiec, J. & Bednarek-Ochyra, H.** 2003. *Census Catalogue of Polish Mosses*. Kraków: Polish Academy of Sciences, Institute of Botany.
- 359 **Onraedt, M.** 1976. Bryophytes des îles mascareno-malgaches et Seychelles I et II. *Bulletin du Jardin Botanique National de Belgique* **46**: 351-378.
- 360 **Onraedt, M.** 1977. Bryophytes des îles mascareno-malgaches et Seychelles III. Hepaticae: Bazzania. *Bulletin du Jardin Botanique National de Belgique* **47**: 139-144.
- 1926 **Onraedt, M.** 1994. Contribution à la flore bryologique des Seychelles. *Cryptogamie: Bryologie, Lichenologie*. **15**: 215-223.
- 6913 **Orange, A.** 1995. Riparian taxa of *Schistidium* in the British Isles. *Bulletin of the British Bryological Society* **65**: 51-58.
- 361 **Orbán, S.** 1977. Studies on African Calymperaceae I. *Acta Botanica Academicae Scientiarum Hungaricae* **23**: 167-177.
- 362 **Orbán, S.** 1978. Studies on African Calymperaceae II. *Acta Botanica Academicae Scientiarum Hungaricae* **24**: 113-120.
- 24 **Orbán, S.** 1981. Studies in African Calymperaceae III. Conspectus of the African species of *Syrrhopodon* Schwägr. *Acta Botanica Academicae Scientiarum Hungaricae* **27**: 169-177.
- 363 **Orbán, S.** 1987. Studies on African Calymperaceae V. *Syrrhopodon* species collected by S. Lisowski in tropical Africa. *Acta Academicae Paedagogicae Agriensis* **18**(2): 81-87.
- 1125 **Orbán, S.** 1993. Taxonomic Results of the BRYOTROP expedition to Rwanda and Zaire. 18. Calymperaceae. *Tropical Bryology* **8**: 171-173.

- 2033 **Orbán, S.** 1995. East African Bryophytes, XV. Calymperaceae species collected in Seychelles Islands in 1993. *Fragmenta Floristica et Geobotanica* **40**: 279-287.
- 4637 **Orbán, S.** 1995. Studies on African Calymperaceae, VI. New data to Continental Africa and Madagascar. *Acta Botanica Hungarica* **39**: 227-234.
- 5637 **Orbán, S.** 2000. *Calymperes venezuelanum*, a newly discovered American-African disjunct element in the flora of Madagascar. *Bryologist* **103**: 145-146.
- 132 **Orbán, S. & Reese, W.D.** 1986. Notes on the taxonomy of African *Syrrhopodon*. *Abstracta Botanica* **10**: 349-355.
- 1344 **Orbán, S. & Reese, W.D.** 1990. *Syrrhopodon prolifer* (Muscii: Calymperaceae): a world view. *Bryologist* **93**: 438-444.
- 67 **O'Shea, B.J.** 1993. British Bryological Society Expedition to Mulanje Mountain, Malawi. 2. Checklist of Malawi bryophytes. *Journal of Bryology* **17**: 645-670.
- 115 **O'Shea, B.J.** 1993. The TAXA computer system - a taxonomic, distribution and herbarium management database. *Bryological Times* **73**: 1-2.
- 66 **O'Shea, B.J.** 1994. Checklist of Malawi Bryophytes - Addendum, and other new records for African countries. (manuscript).
- 1663 **O'Shea, B.J.** 1995. Checklist of the mosses of sub-Saharan Africa. *Tropical Bryology* **10**: 91-198.
- 2083 **O'Shea, B.J.** 1995. BBS Tropical Bryology Group - Progress in 1994. *Bulletin of the British Bryological Society* **65**: 44-45.
- 2602 **O'Shea, B.J.** 1997. The mosses of sub-Saharan Africa. 1. A review of taxonomic progress. *Journal of Bryology* **19**: 509-513.
- 2365 **O'Shea, B.J.** 1997. The mosses of sub-Saharan Africa. 2. Endemism and biodiversity. *Tropical Bryology* **13**: 75-85.
- 3070 **O'Shea, B.J.** 1997. A revision of *Acanthorrhynchium* (Sematophyllaceae: Musci) in Africa. *Tropical Bryology* **13**: 125-130.
- 5237 **O'Shea, B.J.** 1997. *Checklist of the mosses of sub-Saharan Africa* (version 2, 7/97). <http://www.oshea.demon.co.uk/tbr/afrchk-2.zip>, pp. 1-127.
- 3069 **O'Shea, B.J.** 1997. British Bryological Society Expedition to Mulanje Mountain, Malawi. 9. Regmatodontaceae, Rhachitheciaeae, Rhacocarpaceae, Rhizogoniaceae. *Journal of Bryology* **19**: 805-813.
- 4015 **O'Shea, B.J.** 1998. Notes on Seychelles mosses. 3-4. A revision of *Papillidiopsis* (Broth.) Buck & Tan, *Rhaphidostichum* Fleisch. and *Warburgiella* Müll.Hal. ex Broth. (Sematophyllaceae, Bryopsida) in Africa. *Tropical Bryology* **15**: 75-88.
- 4281 **O'Shea, B.J.** 1999. Bryophytes of Uganda. 3. *Phylloidon truncatus* (Müll.Hal.) Buck is replaced in Africa by *Phylloidon truncatus* (Welw. & Duby) Buck (Hypnaceae, Bryopsida). *Tropical Bryology* **16**: 203-204.
- 4764 **O'Shea, B.J.** 1999. British Bryological Society Expedition to Mulanje Mountain, Malawi. 11. Pterigynandraceae M.Fleisch. and Rigodiaceae H.A.Crum (Bryopsida) in Africa. *Journal of Bryology* **21**: 323-327.
- 5238 **O'Shea, B.J.** 1999. Checklist of the mosses of sub-Saharan Africa (version 3, 11/99). *Tropical Bryology Research Reports* **1**: 1-133.
- 4899 **O'Shea, B.J.** 2000. Notes on Seychelles mosses. 5. The mosses of Frégate Island. *Tropical Bryology* **19**: 7-9.
- 5214 **O'Shea, B.J.** 2000. Taxonomic notes on *Anomodon* (Anomodontaceae, Bryopsida) in Africa. *Journal of Bryology* **22**: 241-242.
- 4743 **O'Shea, B.J.** 2000. Notes on Seychelles mosses. 6. A generic revision of *Clastobryophilum* M.Fleisch. (Sematophyllaceae, Bryopsida). *Tropical Bryology* **18**: 97-105.
- 5698 **O'Shea, B.J.** 2001. *Felipponea* (Leucodontaceae, Musci), a new genus for Africa, to include '*Leucodon maritimus*' and *L. assimilis*. *Tropical Bryology* **20**: 43-49.
- 6232 **O'Shea, B.J.** 2001. A synopsis of the non-leucobryoid Calymperaceae (Musci). *Tropical Bryology Research Reports* **2**: 1-99.
- 6733 **O'Shea, B.J.** 2002. Further notes on the genus *Rhacopilopsis* Renauld & Cardot (Hypnaceae, Bryopsida). *Journal of Bryology* **25**: 63-64.
- 7095 **O'Shea, B.J.** 2003. A review of *Gammieella* Broth. in Africa, with a range extension to the East African islands and southern Africa. *Tropical Bryology* **24**: 7-10.
- 7157 **O'Shea, B.J.** 2003. A revision of *Schoenobryum* (Cryphaeaceae, Bryopsida) in Africa. British Bryological Society Expedition to Mulanje Mountain, Malawi, 16. *Tropical Bryology* **24**: 147-159.
- 7444 **O'Shea, B.J.** 2003. Checklist of the mosses of sub-Saharan Africa (version 4, 12/03). *Tropical Bryology Research Reports* **4**: 1-182.
- 7430 **O'Shea, B.J.** 2004. The mosses described by Carl Müller from Georg Schweinfurth's collections in Sudan and D.R. Congo in 1869-1871, with a new checklist of Sudan mosses. *Cryptogamie, Bryologie* **25(2)**: 107-116.
- 6309 **O'Shea, B.J. & Buck, W.R.** 2001. Bryophytes of Uganda. 5. *Bryocrumia* L.E.Anderson (Hypnaceae, Musci), a monotypic genus new to Africa. *Tropical Bryology* **20**: 103-107.
- 3072 **O'Shea, B.J., Eggers, J., Pursell, R.A., Sollman, P. & Stevenson, C.R.** 1997. New bryophyte taxon records for tropical countries. 1. *Tropical Bryology* **13**: 175-183.

- 2353 **O'Shea, B.J., Frahm, J.-P. & Porembski, S.** 1996. Die Laubmoosflora der Seychellen. *Tropical Bryology* **12**: 169-191.
- 7580 **O'Shea, B.J. & Matcham, H.W.** 2005. The genus *Levierella* (Fabroniaceae, Bryoposida) in Africa, and a review of the genus worldwide. *Journal of Bryology* **27**: 97-103.
- 5546 **O'Shea, B.J. & Ochyra, R.** 2000. Families and genera of mosses no longer believed to occur in sub-Saharan Africa. *Tropical Bryology* **18**: 119-127.
- 7353 **O'Shea, B.J., Wigginton, M.J., Bruggeman-Nannenga, M.A., Hedenäs, L., Matcham, H.W., Frahm, J.-P., Porley, R.D., Ellis, L.T., Watling, M.C. & Bates, J.W.** 2003. Bryophytes of Uganda. 6. New and additional records, 3. *Tropical Bryology* **24**: 161-168.
- 6087 **O'Shea, B.J., Wigginton, M.J., Bruggeman-Nannenga, M.A., Hodgetts, N.G. & Porley, R.D.** 2001. British Bryological Society Expedition to Mulanje Mountain, Malawi. 13. New and other unpublished records. *Tropical Bryology* **20**: 1-26.
- 6263 **Oyesiku, O.O. & Egunyomi, A.** 2001. Savanna bryophytes from the upper Ogun, south-western Nigeria. *Journal of Bryology* **23**: 67-69.
- 465 **Padberg, M. & Frahm, J.-P.** 1985. Monographie der Gattung *Atractylocarpus* Mitt. (Dicranaceae). *Cryptogamie: Bryologie, Lichénologie* **4**: 315-341.
- 7230 **Palisot de Beauvois, A.M.F.J.** 1805. *Prodrome des cinquième et sixième familles de l'aetheogamie. Les Mousse*. Paris: De Fournier Fils.
- 4250 **Paris, E.-G.** 1894-1898. *Index Bryologicus*. Paris: Paul Klincksieck.
- 6793 **Paris, E.-G.** 1900. *Index Bryologicus - Supplement*. Genève & Bale: Georg & Co.
- 4951 **Paris, E.-G.** 1901. Muscinées de la Côte de l'Ivoire et du Quang Tcheu Wan. *Revue Bryologique* **28**: 15-17.
- 25 **Paris, E.-G.** 1906. *Index Bryologicus*, ed. 2. (5 volumes). Paris: Librairie Scient. A. Hermann.
- 4141 **Paris, E.-G.** 1906. Muscinées de l'Afrique occidentale française (8e article). *Revue Bryologique* **33**: 38-42.
- 6217 **Pedersen, N. & Hedenäs, L.** 2001. Phylogenetic relationships within the Plagiotheciaceae. *Lindbergia* **26**: 62-76.
- 1531 **Perold, S.M. & van Rooy, J.** 1993. Bryophyta. in Plants of Southern Africa: names and distribution. *Memoirs of the Botanical Survey of South Africa* **62**: 4-46.
- 1707 **Pettet, A.** 1967. Bryophytes of the Sudan I. Khartoum Province. *Transactions of the British Bryological Society* **5**: 316-331.
- 62 **Phiri, P.S.M. & Ochyra, R.** 1985. A preliminary account of the mosses of Zambia. *Journal of Bryology* **15**: 177-197.
- 134 **Pócs, T.** 1993. *Brothera leana* (Sull.) C.Müll., a Laurasian species in tropical Africa. *Bulletin du Jardin Botanique National de Belgique* **62**: 221-224.
- 4853 **Pócs, T.** 1999. Bryophyte speciation and diversity in East African mountains. *Bryobrothera* **5**: 237-246.
- 6908 **Pócs, T. & Geissler, P.** 2002. [Chapter 3.] The bryophytes collected in the Réserve Spéciale de Manongarivo, Madagascar. *Boissiera* **59**: 41-76. [In: Gautier, L. & Goodman, S.M. (eds.) Inventaire floristique et faunistique de la Réserve Spéciale de Manongarivo (NW Madagascar).]
- 136 **Pócs, T. & Szabo, A.** 1993. The epiphytic vegetation on the endemic giant groundsel (*Senecio barbatipes*) of Mt. Elgon, Kenya. *Opera Botanica* **121**: 189-194.
- 4926 **Podpera, J.** 1954. *Conspectus Muscorum Europaeorum*. Prague: Nakladatelství Československé Akademie Věd.
- 4282 **Porley, R.D., O'Shea, B.J., Wigginton, M.J., Matcham et al.** 1999. Bryophytes of Uganda. 2. New and interesting records. *Tropical Bryology* **16**: 179-193.
- 5064 **Potier de la Varde, R.** 1920. Contribution à la flore bryologique du Kikouyou (Afrique orientale anglaise). *Revue Bryologique* **47(4)**: 49-54.
- 5065 **Potier de la Varde, R.** 1921. *Hildebrandtiella soulii* Broth. et P. de la V. (sp. nov. usambarica). *Revue Bryologique* **48**: 9-11.
- 4763 **Potier de la Varde, R.** 1925. Nouvelles herborisations dans le Sud de l'Inde (1er note). *Revue Bryologique* **52**: 37-43.
- 3055 **Potier de la Varde, R.** 1926. *Rhachitheciopsis* P. de la V., genre nouveau d'Orthotrichacees de l'Afrique tropicale. *Bulletin de la Société Botanique de France* **73**: 74-76.
- 7449 **Potier de la Varde, R.** 1927. *Hookeriopsis mittenii* nom. mutat. *Archives de Botanique, Bulletin Mensuel* **1**: 138-139.
- 2849 **Potier de la Varde, R.** 1928. Mousses de l'Oubangui. *Archives de Botanique* **1(3)**: 1-152.
- 7181 **Potier de la Varde, R.** 1930. Additions aux mousses de l'Oubangui (2e note). *Archives de Botanique* **4(2)**: 17-23.
- 4988 **Potier de la Varde, R.** 1930. Musci novi africani. *Annales de Cryptogamie Exotique* **3**: 43-49.
- 4625 **Potier de la Varde, R.** 1931. Etudes préliminaire de quelques espèces africaines du genre *Fissidens*. II. La section *Semilimbidium*. *Annales de Cryptogamie Exotique* **4**: 5-52.
- 3821 **Potier de la Varde, R.** 1932. Novitates africaneae. *Revue Bryologique* **5**: 202-209.
- 7448 **Potier de la Varde, R.** 1933. Recoltes bryologiques aux environs de Bozoum. *Revue Bryologique et Lichenologique* **5**: 83-90.

- 1567 **Potier de la Varde, R.** 1939. Nouvelle contribution à la flore de l'Oubangui d'après les récoltes de M. J. Eckendorff et du R. P. C. Tisserant. *Revue Bryologique* **11**: 182.
- 1505 **Potier de la Varde, R.** 1940. Mousses nouvelle recoltées en Afrique équatoriale par M. H. Humbert au cours de sa mission en 1929. *Bulletin de la Société Botanique de France* **87**: 351-363.
- 5041 **Potier de la Varde, R.** 1941. Contribution à la Flore Bryologique de la Guinée Française. *Bulletin du Muséum d'Histoire Naturelle*, sér. 2, **13**: 207-211.
- 1137 **Potier de la Varde, R.** 1943. Récoltes bryologiques de M. H. Humbert en Afrique Équatoriale (suite). *Bulletin du Muséum National d'Histoire Naturelle (Sér. 2)* **15**: 129-133.
- 4368 **Potier de la Varde, R.** 1947. Recoltes bryologiques de M.M. R.E. Fries, Th.C.E. Fries et E. Lonnberg en Afrique orientale anglaise. *Svensk Botanisk Tidskrift* **41**: 1-16.
- 191 **Potier de la Varde, R.** 1950. Espèces et variétés nouvelles récoltées à Madagascar par M. le Professeur H. Humbert au cours de son 6e et de son 7e voyage. *Revue Bryologique et Lichénologique* **19**: 145-154.
- 194 **Potier de la Varde, R.** 1951. Contribution à la flore bryologique africaine. *Revue Bryologique et Lichénologique* **20**: 243-245.
- 3418 **Potier de la Varde, R.** 1953. Petite contribution à la flore bryologique de Fernando Poo. *Bulletin de l'Institut Français d'Afrique Noire* **15**: 483-486.
- 6231 **Potier de la Varde, R.** 1955. Les muscinées du massif du Marojejy et des montagnes environnantes. *Memoires de l' Institut Scientifique de Madagascar*, sér. B, **6**: 213-218.
- 2097 **Potier de la Varde, R.** 1955. Mousses récoltées par M. le Dr. Olov Hedberg, en Afrique orientale, au cours de la mission suédoise de 1948. *Arkiv för Botanik* **3**: 125-204.
- 392 **Potier de la Varde, R.** 1956. Contribution à la flore bryologique africaine (8e article). *Revue Bryologique et Lichénologique* **25**: 211-233.
- 393 **Potier de la Varde, R.** 1957. Contribution a la flore bryologique africaine (9e article). *Revue Bryologique et Lichénologique* **26**: 1-7.
- 1950 **Potier de la Varde, R.** 1957. Contribution à la Flore Bryologique des Seychelles. *Svensk Botanisk Tidskrift* **51**: 159-162.
- 8199 **Potier de la Varde, R. & Theriot, I.** 1947. A propos de la nomenclature de *Lepidopilum Dusenii* C. M. et d'*Actinodontium Dusenii* Broth. *Revue Bryologique et Lichénologique* **16**: 15-16.
- 1423 **Prendergast, H.D.V.** 1983. Three mosses new to Upper Volta. *Bryologist* **86**: 270.
- 63 **Prendergast, H.D.V.** 1984. Bryophytes of Lamto, Ivory Coast. *Cryptogamie: Bryologie, Lichénologie* **5(3)**: 285-288.
- 7091 **Price, M.J.** 2002. Designation of a lectotype for *Weissia calycina* Hedw. (*Holomitrium calycinum* (Hedw.) Mitt.) (Musci). *Candollea* **57**: 45-53.
- 7442 **Price, M., Maier, E., & Ellis, L.** 2003. Identity of the moss *Symblepharis rhacomitrioides* Dixon (= *Grimmia abyssinica* (Müll.Hal.) Mitt.), and a discussion of the status of *Grimmia abyssinica*. *Candollea* **58**: 289-295.
- 75 **Pursell, R.A.** 1979. On *Fissidens*. Nomenclatural and distributional notes on some American species. *The Bryologist* **82**: 58-64.
- 85 **Pursell, R.A.** 1987. A taxonomic revision of *Fissidens* subgenus *Octodiceras* (Fissidentaceae). *Memoirs of the New York Botanical Garden* **45**: 639-660.
- 76 **Pursell, R.A., Bruggeman-Nannenga, M.A. & Iwatsuki, Z.** 1992. Species of *Fissidens* (Fissidentaceae, Musci) common to the neotropics, Asia and Africa. *Bryobrothera* **1**: 49-55.
- 1470 **Pursell, R.A., Bruggeman-Nannenga, M.A. & Iwatsuki, Z.** 1993. The identity of *Fissidens gardneri* and *Fissidens minutus*. *Bryologist* **96**: 626-628.
- 2088 **Pursell, R.A. & Reese, W.D.** 1980. The taxonomic status of the Nanobryaceae (Bryopsida). *Bryologist* **83**: 559-562.
- 4527 **Quezel, P.** 1965. *La vegetation du Sahara*. Fischer Verlag.
- 6614 **Rao, P.** 2001. Taxonomic studies on *Cryphaea* (Cryphaeaceae, Bryopsida). 3. Revision of European, African, Australian and Oceanian, and American species. *Bryobrothera* **7**: 37-111.
- 1473 **Reese, W.D.** 1987. Nomenclature of palaeotropical Calymperaceae, with description of *Syrrhopodon meijeri*, sp. nov. *Bryologist* **90**: 210-211.
- 1375 **Reese, W.D.** 1991. *Syrrhopodon armatissimus* sp. nov. from Madagascar, with comments on the Calymperaceae from the Madagascar region. *Bryologist* **94**: 217-220.
- 5547 **Reese, W.D.** 1993. Calymperaceae. *Flora Neotropicana Monograph* **58**: 1-102.
- 1708 **Reese, W.D.** 1994. Per Dusén's African species of *Syrrhopodon* subgenus *Pseudo-calymperes*. *Bryologist* **97**: 371-376.
- 1711 **Reese, W.D.** 1994. A new name and a new species in *Syrrhopodon* subgenus *Pseudo-calymperes* from Cameroon. *Bryologist* **97**: 416-419.
- 1909 **Reese, W.D.** 1995. Synopsis of *Syrrhopodon* Subgenus *Pseudocalymperes*. *Bryologist* **98**: 141-145.
- 4776 **Reese, W.D.** 1998. Architecture, anatomy and functional morphology of the pseudopetiolate species of *Calymperes* and *Syrrhopodon* (Musci, Calymperaceae). *Bryologist* **101**: 594-599.
- 1713 **Reese, W.D., Magill, R.E. & Pócs, T.** 1994. *Mithyridium micro-undulatum* subsp. *comoroensis* subsp. nov. from Mayotte. *Bryologist* **97**: 430-431.
- 1485 **Reese, W.D. & Mohamed, H.** 1985. A synopsis of *Calymperes* (Musci, Calymperaceae) in Malaysia and adjacent regions. *Bryologist* **88**: 98-109.

- 1624 **Reese, W.D., Koponen, T. & Norris, D.H.** 1986. Bryophyte Flora of the Huon Peninsula, Papua New Guinea. XIX. *Calymperves*, *Syrrhopodon* and *Mitthyridium* (Calympaceae, Musci). *Acta Botanica Fennica* **133**: 151-202.
- 1474 **Reese, W.D. & Zander, R.H.** 1988. Serpotortellaceae, a new family of mosses (Musci) from Madagascar and Réunion. *Bryologist* **90**: 230-236.
- 2864 **Reimers, H.** 1924. Revision der Pterobryaceen: Gattungen *Renaudia* und *Hildebrandtiella*. *Notizblatt des Botanischen Gartens und Museums zu Berlin-Dahlem* **9**: 91-113.
- 2866 **Reimers, H.** 1935. Die Laubmoosgattung *Leiomela* in Africa. *Notizblatt des Botanischen Gartens und Museums zu Berlin-Dahlem* **12**: 405-407.
- 5268 **Reimers, H.** 1937. Die europäischen *Haplocladum*-Arten mit besonderer Berücksichtigung ihrer aussereuropäischen Verbreitung und ihrer Verwandtschaft. *Hedwigia* **76**: 191-298.
- 1618 **Renauld, F.** 1891. Documents nouveaux sur les muscinées des îles austro-africaine de l'Océan indien. *Revue de Botanique, Bulletin Mensuel* **8**: 209-229.
- 2328 **Renauld, F.** 1898. *Prodrome de la flore bryologique de Madagascar, des Mascareignes et des Comores*. Monaco.
- 4097 **Renauld, F.** 1909. *Prodrome de la flore bryologique de Madagascar des Mascareignes et des Comores*. Supplement. Monaco.
- 5540 **Renauld, F. & Cardot, J.** 1891. Musci exotici novi vel minus cogniti. II. *Bulletin de la Société Royale de Botanique de Belgique* **30**(2): 161-207.
- 7306 **Renauld, F. & Cardot, J.** 1900. Materiaux pour la flore du Congo. *Bulletin de la Société Royale de Botanique de Belgique* **39**: 106-112.
- 4088 **Renauld, F. & Cardot, J.** 1905. Musci exotici novi vel minus cogniti, X. *Bulletin de la Société Royale de Botanique de Belgique* **41**: 7-122.
- 1848 **Renauld, F. & Cardot, J.** 1915. Les mousses de Madagascar. In Grandidier, A. & G. (eds.) *Histoire physique, naturelle et politique de Madagascar (Mousses)* **39**: 1-560.
- 398 **Richards, P.W.** 1984. The bryologically under-worked regions of the world, with special reference to west Africa, and a proposal for a *Bryologia Africana*. *Journal of the Hattori Botanical Laboratory* **55**: 165-172.
- 28 **Richards, P.W. & Argent, G.C.G.** 1968. Notes on African mosses IV. New and interesting species, mostly from Nigeria and the Cameroons. *Transactions of the British Bryological Society* **5**: 573-586.
- 400 **Richards, P.W. & Edwards, S.R.** 1972. Notes on African mosses V. *Journal of Bryology* **7**: 47-60.
- 4975 **Robinson, H.** 1967. Preliminary studies in the bryophytes of Colombia. *Bryologist* **70**: 1-61.
- 1801 **Robinson, H.** 1975. The mosses of Juan Fernandez islands. *Smithsonian Contributions to Botany* **27**: i-iv, 1-88.
- 3432 **Robinson, H.** 1975. A new name for the moss genus *Thyridium*. *Phytologia* **32**: 432-435.
- 6661 **Robinson, H., Allen, B. & Magill, R.E.** 2001. The synonymy of the African moss genus *Quathlamba* with the American genus *Neosharpieilla*. *Evansia* **18**: 133-136.
- 3395 **Rohrer, J.R.** 1985. A generic revision of the Hylocomiaceae. *Journal of the Hattori Botanical Laboratory* **59**: 241-278.
- 6353 **Rolle, Hutchinsin, Wright, Stapf & Dixon, H.N.** 1919. Diagnoses africanae: LXXII. *Bulletin of Miscellaneous Information Kew* **919**: 263-267. [NB - no initials given for authors.]
- 1660 **Ros, R.M., Cano, M.J. & Guerra, J.** 1994. *Barbula nana* C.Müll., a new synonym of *Trichostomum brachydontium* Brid. *Journal of Bryology* **18**: 375-376.
- 4565 **Ros, R.M., Cano, M.J. & Guerra, J.** 1999. Bryophyte checklist of Northern Africa. *Journal of Bryology* **21**: 207-244.
- 8020 **Roth, G.** 1913. Nachtrag I zu Band I der aussereuropaeischen Laubmose von 1910/11. *Hedwigia* **53**: 81-98.
- 5334 **Rudmose Brown, R.N.** 1906. Contributions towards the botany of Ascension. *Transactions & Proceedings of the Botanical Society of Edinburgh* **23**: 199-204.
- 4592 **Rushing, A.E.** 1986. A revision of the genus *Bruchia* Schwägr. (Musci). *Journal of the Hattori Botanical Laboratory* **60**: 35-83.
- 7155 **Russell, S. & Van Rooy, J.** 1988. The bryoflora of Namibia. *Monographs in Systematic Botany from the Missouri Botanical Garden* **25**: 453-460.
- 6653 **Sainsbury, G.O.K.** 1955. A handbook of the New Zealand mosses. *Royal Society of New Zealand Bulletin* **5**: 1-490.
- 1620 **Saito, K.** 1975. A monograph of the Japanese Pottiaceae (Musci). *Journal of the Hattori Botanical Laboratory* **39**: 373-537.
- 1896 **Salazar Allen, N.** 1993. A revision of the pantropical moss genus *Leucophanes* Brid. *Bryophytorum Bibliotheca* **46**.
- 1149 **Salazar Allen, N.** 1993. Taxonomic Results of the BRYOTROP expedition to Rwanda and Zaire. 16. Leucophanaceae. *Tropical Bryology* **8**: 149-152.
- 5063 **Salmon, E.S.** 1901. Bryological Notes. 16-20. *Journal of Botany* **39**: 357-365.
- 5051 **Salmon, E.S.** 1903. A monograph of the genus *Streptopogon*, Wils. *Annals of Botany* **17**: 107-150.

- 8258 **Sapehin, A.A.** 1911. Laubmoose des Krimgebirges in oekologischer, geographischer und floristischer Hinsicht. II. *Beiblatt zu den Botanischen Jahrbüchern* **46**: 1-34.
- 8261 **Schrader, O.A.** 1803. [Review] *Muscologia recentiorum seu analysis, historia et descriptio methodica omnium muscorum hucusque cognitorum ad normam Hedwigii. Journal für die Botanik* 1: 188-205.
- 4534 **Schultze-Motel, W.** 1969. Eine Mossensammlung aus dem Tibesti-Gebirge (Nordafrika). *Willdenowia* **5**: 217-220.
- 47 **Schultze-Motel, W.** 1975. Katalog der Laubmoose von West-Afrika. *Willdenowia* **7**: 473-535.
- 58 **Schultze-Motel, W.** 1979. Die Laubmoose von Togo, West-Africa. *Lindbergia* **5**: 89-92.
- 8296 **Schwägrichen, F.** 1811. *Species Muscorum fondosorum*, Suppl. 1, vol. 1.
- 8103 **Schwägrichen, F.** 1816. *Species Muscorum Supplementum* vol. 1 part 2.
- 4284 **Schwägrichen, F.** 1824-1827. *Species muscorum frondosorum* (Suppl. 2, vol. 2). Lipsiae: Barth.
- 7772 **Schwägrichen, F.** 1827. *Species muscorum frondosorum* (Suppl. 3, vol. 1).
- 6894 **Schwägrichen, F.** 1829-1830. *Species muscorum frondosorum* (Suppl. 3, vol. 2).
- 5699 **Seaward, M.R.D.** 1999. Cryptogamic flora of the Chagos Archipelago. Chapter 16, in: Sheppard, C.R.C. & Seaward, M.R.D. (eds.) *Ecology of the Chagos Archipelago. Linnean Society Occasional Publication* **2**: 207-224.
- 2351 **Seaward, M.R.D., Hamblen, C. & Aptroot, A.** 1996. Bryophytes and Lichens of Aldabra. *Tropical Bryology* **12**: 29-33.
- 4981 **Seppelt, R.D.** 1982. A monographic revision of the genus *Ditrichum* (Musci: Ditrichaceae). I. Australian and New Zealand species. *Journal of the Hattori Botanical Laboratory* **55**: 91-150.
- 6417 **Shabbara, H.M., Ghanem, N.A. & El-Saadawi, W.** 1999. New records to the bryoflora of the Sudan Republic. *Taeckholmia* **19**: 17-25.
- 1338 **Sharp, A.J., Crum, H. & Eckel, P.M.** 1994. The Moss Flora of Mexico. *Memoirs of the New York Botanical Garden* **69**: 1-1113.
- 4791 **Shaw, A.J.** 1981. A taxonomic revision of the propaguliferous species of *Pohlia* (Musci) in North America. *Journal of the Hattori Botanical Laboratory* **50**: 1-81.
- 1487 **Shaw, A.J.** 1985. Nomenclatural changes in the Bryaceae subfamily Mielichhoferioideae. *Bryologist* **88**: 28-30.
- 3434 **Shaw, A.J.** 1987. Systematic studies in the Bryaceae. *Memoirs of the New York Botanical Garden* **45**: 682-690.
- 4777 **Shaw, A.J., Allen, B. & Buck, W.R.** 1998. New species of Bryaceae (*Mielichhoferia*, *Brachymenium*) from Costa Rica and Réunion. *Bryologist* **101**: 600-604.
- 6268 **Shaw, A.J. & Buck, W.R.** 1994. *Brachymenium deceptivum* sp. nov. (Bryaceae) from Ethiopia. *Brittonia* **46**: 95-98.
- 1532 **Shaw, A.J. & Crum, H.** 1984. Peristome homology in *Mielichhoferia* with a taxonomic account of the North American species. *Journal of the Hattori Botanical Laboratory* **57**: 363-381.
- 8320 **Shaw, J.** 1878. Catalogue of the mosses of Cape Colony, on the basis of Müller's 'Synopsis Muscorum Frondosorum', with short descriptions of new species. *Cape Monthly Magazine* **103**: 311-383.
- 1911 **Sim, T.R.** 1926. The bryophyta of South Africa. *Transactions of the Royal Society of South Africa* **15**: 1-475.
- 4274 **Sim, T.R. & Dixon, H.N.** 1922. Bryophyta of Southern Rhodesia. *South African Journal of Science* **18**: 294-335.
- 3978 **Smith, A.J.E.** 1997. The *Hypnum cupressiforme* complex in the British Isles. *Journal of Bryology* **19**: 751-774.
- 5994 **Smith, G.L.** 1969. New combinations in Polytrichaceae. *Phytologia* **18(7)**: 403.
- 2869 **Smith, G.L.** 1971. A conspectus of the genera of Polytrichaceae. *Memoirs of the New York Botanical Garden* **21**: 1-83.
- 8292 **Smith, J.E.** 1804. *Flora Britannica*. London: J. White, Fleet St.
- 30 **Snider, J.A.** 1975. A revision of the genus *Archidium* (Musci). *Journal of the Hattori Botanical Laboratory* **39**: 105-201.
- 1471 **Snider, J.A.** 1987. A revision of the moss genus *Astomiopsis* (Ditrichaceae). *Bryologist* **90**: 309-320.
- 4822 **Snider, J., Yip, K.L. & Clark, J.** 1999. *Astomiopsis magilliana* (Ditrichaceae, Musci) sp. nov. from Natal. *Bryologist* **102**: 119-121.
- 1421 **Sollman, P.** 1983. Notes on pottiaceous mosses, I. *Bryologist* **86**: 271-272.
- 1157 **Sollman, P.** 1990[1991]. Some new synonyms in tropical pottiaceous mosses. *Lindbergia* **16**: 22-24.
- 1158 **Sollman, P.** 1993. Taxonomic Results of the BRYOTROP expedition to Rwanda and Zaire. 19. Pottiaceae. *Tropical Bryology* **8**: 175-179.
- 1460 **Sollman, P.** 1994. New and noteworthy records and new synonyms in pottiaceous mosses, mostly from SE Asia. *Tropical Bryology* **9**: 75-78.
- 2514 **Sollman, P.** 1995. Studies on Australian pottiaceous mosses. *Lindbergia* **20**: 144-146.
- 4304 **Sollman, P.** 1998. Several mosses (Pottiales) new or rarely collected in Africa. *Tropical Bryology* **14**: 21-24.
- 5919 **Sollman, P.** 2000. A taxonomic revision of *Pseudosymbblepharis* Broth. (Musci: Pottiaceae) in Asia. *Tropical Bryology* **18**: 129-146.

- 6130 **Sollman, P.** 2000. Studies on *Barbula consanguinea* (Thér. & Mitt.) Jaeg. sensu Eddy, a pantropical species. *Tropical Bryology* 19: 17-24.
- 7069 **Sollman, P.** 2002. *Pottia apiculata* Muell.Hal. ex Renauld (*Barbula kiaerii* Broth., nom. nud.) is identical with *Barbula indica* (Hook.) Spreng. *Tropical Bryology* 22: 105.
- 2653 **Sollman, P. & Een, G.** 1996. Mosses from the Mascarenes - 5. *Tropical Bryology* 12: 1-4.
- 1497 **Spence, J.R. & Mahaney, W.C.** 1988. *Calliergon stramineum* (Brid.) Kindb. new to Africa from Mount Kenya. *Lindbergia* 14: 67-68.
- 8303 **Sprengel, A.** 1828. Tentamen supplementi ad Systematis vegetabilium Linnaeani editionem decimam sextam. Dissertatio botanica quam consensu amplissimi ordinis philosophorum Halensis pro facultate docendi rite obtinenda die XX. Sept. MDCCCXXVIII publice defendet. 1-32.
- 408 **Stark, L.R.** 1987. A taxonomic monograph of *Forsstroemia* Lindb. (Bryopsida: Leptodontaceae). *Journal of the Hattori Botanical Laboratory* 63: 133-218.
- 3260 **Stark, L.R. & Buck, W.R.** 1986. Corrections to *Forsstroemia* including *Bryonorrisia*, gen. nov. (Anomodontaceae). *Brittonia* 38: 48-54.
- 8168 **Steudel, E.** 1824. Nomenclator Botanicus enumerans ordine alphabetico nomina atque synonyma tum generica tum specifica et a Linnaeo et recentioribus de re botanica scriptoribus Plantis Cryptogamis imposita. Nomenclator Botanicus enumerans ordine alphabetico nomine attque synonyma. Stuttgardiae: J. G. Cottae.
- 1437 **Stevenson, R.** 1992. *Cladophascum gymnomitrioides* (Dix.) Dix. ex Sim new to Tanzania. *Journal of Bryology* 17: 373-374.
- 7280 **Stone, I.G.** 1977. Some morphological and anatomical features of the monotypic genus *Bryobartramia* Sainsbury (Musci). *Australian Journal of Botany* 25: 141-157.
- 4060 **Stone, I.G.** 1982. *Nanobryum thorsbornei*, a remarkable new moss from Australia. *Journal of Bryology* 12: 199-208.
- 3040 **Stone, I.G.** 1996. A revision of Ephemeralaceae in Australia. *Journal of Bryology* 19: 279-296.
- 3531 **Stone, I.G.** 1997. A revision of Erpodiaceae with particular reference to Australian taxa. *Journal of Bryology* 19: 485-502.
- 1520 **Syed, H.** 1973. A taxonomic study of *Bryum capillare* Hedw. and related species. *Journal of Bryology* 7: 265-326.
- 1677 **Tan, B.C.** 1979. A new classification for the genus *Physcomitrella*. *Journal of the Hattori Botanical Laboratory* 46: 327-336.
- 4049 **Tan, B.C.** 1993. Noteworthy range extension of Malesian mosses. *Journal of the Hattori Botanical Laboratory* 74: 227-233.
- 3283 **Tan, B.C.** 1994. The bryophytes of Sabah (North Borneo) with special reference to the BRYOTROP transect of Mount Kinabalu. XIX. The genus *Acporium* (Sematophyllaceae, Musci) in Borneo, with notes on species of Java and the Philippines. *Willdenowia* 24: 255-294.
- 3210 **Tangney, R.S.** 1997. A taxonomic revision of the genus *Camptochaete* Reichardt, Lembophyllaceae (Musci). *Journal of the Hattori Botanical Laboratory* 81: 53-122.
- 7007 **Thériot, I.** 1911. *Holomitrium vaginatum* (Hook.) et especes affines. *Bulletin de la Société Botanique de Genève, ser. 2* 3: 245-252.
- 2330 **Thériot, I.** 1923. Une curieuse meprise a propos *Taxithelium decolor* (Besch.) R.G. *Bulletin du Muséum d'Histoire Naturelle* 29: 620-621.
- 2350 **Thériot, I.** 1923. Troisième contribution a la flore bryologique de Madagascar. *Recueil des Publications de la Société Havraise d'Etudes Diverses* 1923: 3-26.
- 4361 **Thériot, I.** 1924. Quatrième contribution a la flore bryologique de Madagascar. *Recueil des Publications de la Société Havraise d'Études Diverses* 1924: 81-96.
- 3093 **Thériot, I.** 1926. Cinquième contribution a la flore bryologique de Madagascar. *Recueil des Publications de la Société Havraise d'Études Diverses* 1925: 3-32.
- 3094 **Thériot, I.** 1928. Musci novi africani (2é Note). *Bulletin du Muséum d'Histoire Naturelle*. 34: 115-118.
- 4778 **Thériot, I.** 1929. Le genre *Pseudoleskeopsis*. *Annales de Cryptogamie Exotique* 2: 5-22.
- 4983 **Thériot, I.** 1930. Le genre *Haplocladium* en Asie et en Afrique. Essai de revision. *Annales de Cryptogamie Exotique* 3: 57-100.
- 4362 **Thériot, I.** 1930. Septième contribution a la flore bryologique de Madagascar. *Recueil des Publications de la Société Havraise d'Etudes Diverses* 1929: 99-121.
- 4363 **Thériot, I.** 1932. Huitième contribution a la flore bryologique de Madagascar. *Recueil des Publications de la Société Havraise d'Etudes Diverses* 1932: 132-154.
- 7385 **Tixier, P.** 1979. A propos de quelques mousses nouvelle pour le Sud de Madagascar. *Bryologist* 82: 598-599.
- 79 **Tixier, P.** 1981. Mosses of the Republic of Niger - A Contribution to the Knowledge of Sudano-Sahelian Moss Flora. *Bryologist* 84(4): 556.
- 2851 **Tixier, P.** 1983. Bryophyta Exotica VII. Les montagnes du Togo, compléments bryologiques. *Annales de l'Université d'Abidjan, Sér. C*, 19: 321-326.
- 2733 **Tixier, P.** 1988. Le genre *Glossadelphus* Fleisch. (Sematophyllaceae, Musci) et sa valeur. *Nova Hedwigia* 46: 319-356.

- 1878 **Tixier, P.** 1989. Bryophyta exotica - 8. Récoltées de J.-F. Brunel au Togo (1983-1985). *Candollea* **44:** 493-511.
- 1346 **Tixier, P.** 1992. Deux espèces nouvelles Malgache du genre *Calymperopsis* (Musci). *Bryologist* **95:** 284-286.
- 1941 **Tixier, P.** 1993. Bryophyta exotica récoltes de F. Friedman aux Seychelles (1987). *Proceedings of the Royal Society of Arts & Science of Mauritius* **5:** 41-48.
- 3346 **Tixier, P.** 1993. Bryophytes nouveaux pour la science et l'île Maurice. *Proceedings of the Royal Society of Arts & Science of Mauritius* **5:** 49-54.
- 2675 **Tixier, P.** 1995. Résultats taxonomiques de l'expédition BRYOTROP au Zaïre et Rwanda. 30. Bryophytes épiphytiques (récoltes de E. Fischer). *Tropical Bryology* **11:** 11-76.
- 7150 **Tongiorgi, E.** 1938. Schedulae bryologicae Africæ Orientalis Italicae: V - *Neckera remota* Br. et Sch. var. *laxa* Br. et Sch. *Nuovo Giornale Botanico Italiano* **45:** 406-407.
- 4768 **Tongiorgi, E.** 1939. Neckeraceae dell'Africa Orientale Italiana dalle collezioni del R. Erbario Coloniale di Firenze. *Nuovo Giornale Botanico Italiano* **46:** 177-196.
- 407 **Tosco, U. & Piovano, G.** 1956. Le raccolte briologiche dei Missionari della Consolata in Etiopia, Kenya e Tanganyika (I). *Allionia* **3:** 111-186.
- 32 **Touw, A.** 1976. A taxonomic revision of *Thuidium*, *Pelekium* and *Rauiella* in Africa South of the Sahara. *Lindbergia* **3:** 135-195.
- 1502 **Touw, A.** 1983. The identity of *Rhodobryum spathulatum* (Hornschr.) Pócs. *Lindbergia* **9:** 151-152.
- 1862 **Touw, A.** 1992. A survey of the mosses of the Lesser Sunda Islands (Nusa Tenggara), Indonesia. *Journal of the Hattori Botanical Laboratory* **71:** 289-366.
- 3075 **Touw, A.** 1993. *Bryowijkia madagassa* sp. nov. (Musci), a second species of a genus hitherto known from Continental Asia. *Bulletin du Jardin Botanique National de Belgique* **62:** 453-461.
- 5320 **Touw, A.** 1995. Taxonomic results of the BRYOTROP Expedition to Zaïre and Rwanda. 29. Thuidiaceae, *Thuidium*. *Tropical Bryology* **10:** 199.
- 6489 **Touw, A.** 2001. A review of the Thuidiaceae (Musci) and a realignment of taxa traditionally accommodated in *Thuidium* sensu amplio (*Thuidium* Schimp., *Thuidiopsis* (Broth.) M.Fleisch., and *Pelekium* Mitt.), including *Aequatoriella* gen. nov. and *Indothuidium* gen. nov. *Journal of the Hattori Botanical Laboratory* **90:** 167-209.
- 6647 **Touw, A.** 2001. A taxonomic revision of the Thuidiaceae (Musci) of tropical Asia, the western Pacific, and Hawaii. *Journal of the Hattori Botanical Laboratory* **91:** 1-136.
- 2079 **Touw, A. & Knol, H.J.** 1978. A note on Hedwig's plants of *Hypnum praelongum* and *H. hians*. *Lindbergia* **4:** 197-198.
- 1626 **Townsend, C.C.** 1969. Bryophytes from Socotra. *Transactions of the British Bryological Society* **5:** 790-796.
- 2005 **Townsend, C.C.** 1971. List of Diego Garcia Bryophyta. *Atoll Research Bulletin* **149:** 161-162.
- 4161 **Townsend, C.C.** 1978. Notes on mosses from Ceylon and India, 1-5. *Journal of Bryology* **10:** 125-137.
- 1631 **Townsend, C.C.** 1978. A new moss to Rodrigues, with a reduction in synonymy. *Journal of Bryology* **10:** 212-213.
- 2041 **Townsend, C.C.** 1980. Mosses. Kew Bulletin Additional Series VII: 343-344. In: *The flora of Aldabra and neighbouring islands*. Ed: Fosberg, F.R. & Renvoize, S.A. Publ: HMSO.
- 1419 **Townsend, C.C.** 1984 [1985]. A small collection of mosses from Jebel Marra, Sudan Republic. *Lindbergia* **10:** 175-180.
- 411 **Townsend, C.C.** 1987. Mosses new to various African countries. *Lindbergia* **13:** 67-71.
- 70 **Townsend, C.C.** 1991. Notes on mosses from Ceylon and India. 8. Another moss with three names on three continents. *Journal of Bryology* **16:** 601-605.
- 453 **Tuomikoski, R. & Koponen, T.** 1979. On the generic taxonomy of *Calliergon* and *Drepanocladus* (Musci, Amblystegiaceae). *Annales Botanici Fennici* **16:** 213-227.
- 4267 **Van der Wijk, R. & Margadant, W.D.** 1961. New combinations in mosses VI. *Taxon* **10:** 24-26.
- 1438 **Van Rooy, J.** 1990. A new species and a new record of *Macromitrium* (Orthotrichaceae) from southern Africa: *M. lebomboense* sp. nov. and *M. richardii* Schwägr. *Journal of Bryology* **16:** 209-214.
- 1494 **Van Rooy, J.** 1991. The genus *Amphidium* Schimp. in southern Africa. *Lindbergia* **17:** 59-63.
- 1448 **Van Rooy, J.** 1991. The genus *Rhabdoweisia* in southern Africa: *R. crispata* new to South Africa, and *R. fugax*. *Bryologist* **94:** 409-412.
- 1547 **Van Rooy, J.** 1992. Notes on the moss flora of Zimbabwe. *Bothalia* **22:** 196.
- 3986 **Van Rooy, J.** 1997. Distribution of *Bryum viguieri* Thér. (Bryaceae), a new record for the moss flora of southern Africa. *Journal of Bryology* **19:** 830-832.
- 4418 **Van Rooy, J.** 1997. Notes on African plants. New and interesting records of mosses in the Flora of Southern Africa area: 4. New records and geographic regions. *Bothalia* **27:** 136-137.
- 8328 **Van Rooy, J. & Perold, S.M.** 2006. Bryophyta. In: A checklist of South African plants (ed. Germishuizen, G., Meyer, N.L., Steenkamp, Y. & Keith, M.) *South African Botanical Diversity Network Report* **41:** 1-52.
- 1447 **Van Rooy, J. & van Wijk, A.E.** 1992. A conspectus of the sub-family Macromitrioideae (Bryopsida: Orthotrichaceae) in Southern Africa. *Bryologist* **95:** 205-215.
- 344 **Van Zanten, B.O.** 1959. Trachypodaceae. A critical revision. *Blumea* **9:** 477-575.

- 5564 **Van Zanten, B.O. & Townsend, C.C.** 1999. A re-evaluation of the genus *Diaphanodon* Renaud & Cardot (Trachypodaceae, Bryopsida). *Haussknechtia Beiheft* **9**: 399-409.
- 3660 **Virtanen, V.** 1997. The genus *Breutelia* (Bartramiaceae, Musci) in southeast Asia and Oceania. *Bryologist* **100**: 324-348.
- 6084 **Virtanen, V.** 1999. Bryophyte flora of the Huon Peninsula, Papua New Guinea. LX. *Bartramia, Conostomum* and *Leiomela* (Bartramiaceae, Musci). *Acta Botanica Fennica* **165**: 1-16.
- 7013 **Vitt, D.H.** 1973. A revisionary study of the genus *Macrocoma*. *Revue Bryologique et Lichenologique* **39**: 205-220.
- 33 **Vitt, D.H.** 1980. The Genus *Macrocoma* I. Typification of names and taxonomy of the species. *Bryologist* **83**: 405-436.
- 1424 **Vitt, D.H.** 1980. The nomenclature and taxonomy of *Macrocoma lycopodioides* (Schwägr.) Vitt. *Journal of Bryology* **11**: 219-230.
- 1642 **Vitt, D.H.** 1981. The genera *Leiomitrium* and *Cardiotiella* gen. nova (Orthotrichaceae). *Journal of the Hattori Botanical Laboratory* **49**: 93-113. [Omitted in error from version 2 - referred to in distribution data but not shown in list of reference numbers, and not in list of references.]
- 1593 **Vitt, D.H.** 1984. Classification of the Bryopsida. In Schuster, R.M. (ed.) *New Manual of Bryology* **2**: 696-759. Hattori Botanical Laboratory, Nichinan.
- 1914 **Vitt, D.H. & Marsh, C.** 1988. Population variation and phytogeography of *Racomitrium lanuginosum* and *R. pruiniosum*. *Beihefte von Nova Hedwigia* **90**: 235-260.
- 7971 **Warnstorff, C.** 1891. Beiträge zur Kenntnis exotischer Sphagna. *Hedwigia* **30**: 12-46.
- 8234 **Warnstorff, C.** 1900. Weitere Beiträge zur Kenntnis der Torfmoose. *Botanisches Centralblatt* **82**: 7-14.
- 8239 **Warnstorff, C.** 1911. Sphagnales - Sphagnaceae, in Engler, A. (ed.) *Das Pflanzenreich*. pp. 1-546.
- 8311 **Warnstorff, C., Mönkemeyer, W. & Schiffner, V.** 1914. Bryophytes. In: Pascher, A. (ed.) *Die Süßwasser Flora Deutschlands, Oesterreichs und die Schweiz*.
- 4720 **Watling, M.C. & O'Shea, B.J.** 2000. British Bryological Society Expedition to Mulanje Mountain, Malawi. 11. A revision of the genus *Rhacopilopsis* Renaud & Cardot (Hypnaceae, Bryopsida). *Journal of Bryology* **22**: 207-216.
- 2695 **Welch, W.H.** 1960. *A monograph of the Fontinalaceae*. The Hague: Martinus Nijhoff.
- 4159 **Whitehouse, H.L.K.** 1978. *Bryum cruegeri* Hampe: a tuber-bearing moss new to Africa. *Journal of Bryology* **10**: 113-115.
- 1350 **Whitehouse, H.L.K. & Crundwell, A.C.** 1991. *Gymnostomum calcareum* Nees & Hornsch. and allied plants in Europe, North Africa and the Middle East. *Journal of Bryology* **16**: 561-560.
- 4537 **Whitehouse, H.L.K. & Crundwell, A.C.** 1992. *Gymnostomum calcareum* Nees & Hornsch. and *G. viridulum* Brid. in Europe, North Africa and the Middle East. *Bulletin of the British Bryological Society* **59**: 35-50.
- 1341 **Whittemore, A. & Allen, B.** 1989. The systematic position of *Adelothecium* Mitt. and the familial classification of the Hookeriales. *Bryologist* **92**: 261-272.
- 3488 **Wickens, G.E.** 1976. The flora of Jebel Marra (Sudan Republic) and its geographical affinities. *Kew Bulletin Additional Series V.* (Mosses on p. 190, identified by A.H. Norkett.)
- 6137 **Wigginton, M.J.** 2001. A small collection of bryophytes from Ethiopia. *Tropical Bryology* **20**: 27-29.
- 7352 **Wigginton, M.J.** 2002. Checklist and distribution of the liverworts and hornworts of sub-Saharan Africa, including the East African Islands. *Tropical Bryology Research Reports* **3**: 1-88.
- 8367 **Wigginton, M.J.** 2004. Checklist and distribution of the liverworts and hornworts of sub-saharan Africa, including the East African Islands (edition 2, September 2004). *Tropical Bryology Research Reports* **5**: 1-102.
- 2819 **Wigginton, M.J. & Grolle, R.** 1996. Catalogue of the Hepaticae and Anthocerotae of sub-Saharan Africa. *Bryophytorum Bibliotheca* **50**: 1-267.
- 5696 **Wigginton, M.J., O'Shea, B.J., Porley, R.D. & Matcham, H.W.** 2001. Bryophytes of Uganda. 4. New and additional records, 2. *Tropical Bryology* **20**: 55-62.
- 1521 **Wijk, R. van der, Margadant, W.D. & Florschütz, P.A.** 1959-1969. *Index Muscorum*. Utrecht, Netherlands.
- 5087 **Wright, C.H.** 1888. Mosses of Madagascar. *Journal of Botany* **26**: 263-268.
- 34 **Zander, R.H.** 1972. Revision of the Genus *Leptodontium* (Musci) in the New World. *Bryologist* **75**: 213-280.
- 6372 **Zander, R.H.** 1977. The Tribe Pleuroveisieae (Pottiaceae, Musci) in Middle America. *Bryologist* **80**: 233-269.
- 1420 **Zander, R.H.** 1993. Genera of the Pottiaceae: mosses of harsh environments. *Bulletin of the Buffalo Society of Natural Sciences* **32**: 1-378.
- 5298 **Zander, R.H. & During, H.J.** 1999. *Neophoenix* (Pottiaceae), a new African moss genus found through soil diaspore bank analysis. *Taxon* **48**: 657-66.
- 7265 **Zijlstra, G.** 1998. Report of the Committee for Bryophyta: 4. *Taxon* **47**: 859-862.
- 1202 **Zomlefer, W.B.** 1993. A Revision of *Rigodium* (Musci: Rigodiaceae). *Bryologist* **96**: 1-72.
- 4756 **Zomlefer, W.B. & Buck, W.R.** 1990. A reassessment of four *Rigodium* types. *Bryologist* **93**: 303-308.

Appendix A - Country Abbreviations and totals

There are 65 countries, part-countries or islands on the list. The 'Group / *Index Muscorum* zone' column indicates the Index Muscorum zone (e.g. Africa-2), together with the group name to which it belongs in the 'Full name' column, if relevant. You can't calculate a group total (e.g. Seychelles) from the data here, as the same species may occur in more than one of the constituents. The South African divisions are no longer included, following the increase in number of these, and the production of a new country-wide checklist. Some of these totals have fallen since the last version, due to *nomina nuda* etc. being removed from accepted status.

Abb.	Full name	No. of taxa	Group/ <i>Index Muscorum</i> zone
AGA	Agalega Islands	6	Seychelles (Africa-3)
ALD	Aldabra	5	Seychelles (Africa-3)
AMI	Amirante Islands	1	Seychelles (Africa-3)
ANG	Angola	123	Africa-2
ANN	Annobón Is.	17	Equatorial Guinea (Africa-2)
ASC	Ascension Is.	28	Africa-2
BEN	Benin	25	Africa-2
BIO	Fernando Po (Bioko)	189	Equatorial Guinea (Africa-2)
BKN	Burkina Faso	12	Africa-2
BOT	Botswana	25	Africa-4
BUR	Burundi	73	Africa-2
CAB	Cabinda	2	Angola (Africa-2)
CAF	Central African Rep.	277	Africa-2
CGS	Chagos Archipelago	10	Africa-3
CHA	Chad	63	Africa-2
CMN	Cameroon	368	Africa-2
COM	Comoros	190	Africa-3
CON	Congo-Brazzaville	76	Africa-2
CVI	Cape Verde	119	Africa-2
DIE	Diego Garcia	6	Chagos Arch. (Africa-3)
DJI	Djibouti	25	Africa-2
EQG	Equatorial Guinea	231	Africa-2
ERI	Eritrea	66	Africa-2
ETH	Ethiopia	274	Africa-2
GAB	Gabon	244	Africa-2
GAM	Gambia	1	Senegambia (Africa-2)
GHA	Ghana	67	Africa-2
GNB	Guinea Bissau	1	Africa-2
GUI	Guinea	193	Africa-2
IVO	Ivory Coast	191	Africa-2
KEN	Kenya	493	Africa-2
LBR	Liberia	56	Africa-2
LES	Lesotho	227	Africa-4
MAS	Mascarene Islands	567	Africa-3
MAU	Mauritius	253	Mascarenes (Africa-3)
MDG	Madagascar	728	Africa-3
MLI	Mali	19	Africa-2
MLW	Malawi	271	Africa-2
MOZ	Mozambique	80	Africa-2
MTN	Mauritania	7	Africa-2
NAM	Namibia	76	Africa-4
NGA	Nigeria	180	Africa-2
NGR	Niger	8	Africa-2
PRI	Príncipe	14	Africa-2

REU	Réunion	428	Mascarenes (Africa-3)
RIM	Rio Muni	71	Equatorial Guinea (Africa-2)
ROD	Rodrigues	42	Mascarenes (Africa-3)
RWA	Rwanda	286	Africa-2
SAF	South Africa	581	Africa-4
SAO	São Tomé	76	Africa-2
SEG	Senegambia	21	Africa-2
SEN	Senegal	20	Senegambia (Africa-2)
SEY	Seychelles	110	Africa-3
SIE	Sierra Leone	102	Africa-2
SOC	Socotra	50	Africa-2
SOM	Somalia	21	Africa-2
STH	St. Helena	33	Africa-2
SUD	Sudan	96	Africa-2
SWZ	Swaziland	107	Africa-4
TAN	Tanzania	764	Africa-2
TOG	Togo	89	Africa-2
UGA	Uganda	481	Africa-2
ZAI	Zaire (Dem. Rep. Congo)	599	Africa-2
ZAM	Zambia	143	Africa-2
ZIM	Zimbabwe	270	Africa-2

Appendix B - Family Placement

There are 78 families and 362 genera on the checklist. The allocation of genera to families changes frequently with the current activity in molecular phylogenetics, and some of the changes made in the last version have been reversed, and of course new changes have been added. On the whole, family placement is based on Buck & Goffinet (6099), but some changes have been made based on Goffinet & Buck (7882). There are five new genera: *Aptychopsis*, *Bryoxiphium*, *Chionoloma*, *Ischyrodon*, *Pseudotaxiphyllum*; four replacements: *Porothamnium* being replaced by *Porotrichum*, *Pseudosymblepharis* by *Chionoloma*, *Pylaisia* by *Platygyriella*, *Felipponea* by *Pterogoniadelphus* and one (*Stenocardiopsis*) is excluded. Reasons for these changes are in the checklist annotations.

The comparatively neutral, alphabetical view ties in with the forthcoming *Guide to bryophytes of sub-Saharan Africa*. The figures indicate the number of species for each genus found in sub-Saharan Africa.

Adelotheciaceae		<i>Oxyrrhynchium</i>	3		
<i>Adelothecium</i>	1	<i>Palamocladium</i>	1	Cinclidotaceae	
		<i>Platyhypnidium</i>	4	<i>Cinclidotus</i>	1
		<i>Pseudoscleropodium</i>	1		
Amblystegiaceae		<i>Rhynchostegiella</i>	14	Cryphaeaceae	
<i>Amblystegium</i>	4	<i>Rhynchostegium</i>	24	<i>Cryphaea</i>	5
<i>Campyliadelphus</i>	1	<i>Schimperella</i>	2	<i>Schoenobryum</i>	1
<i>Campylium</i>	1	<i>Scleropodium</i>	1		
<i>Cratoneuron</i>	1	<i>Scorpiurium</i>	2	Daltoniaceae	
<i>Drepanocladus</i>	5	<i>Squamidium</i>	1	<i>Calyptrochaeta</i>	2
<i>Hygrohypnum</i>	1	<i>Zelometeoriun</i>	1	<i>Daltonia</i>	18
<i>Limprichtia</i>	1			<i>Distichophyllum</i>	1
<i>Sanionia</i>	1			<i>Distichophyllum</i>	7
<i>Vittia</i>	1	Bruchiaceae			
		<i>Bruchia</i>	3	Dicranaceae	
		<i>Trematodon</i>	24	<i>Anisothecium</i>	4
Andreaeaceae				<i>Aongstroemia</i>	4
<i>Andreaea</i>	14	Bryaceae		<i>Aongstroemiopsis</i>	1
		<i>Anomobryum</i>	11	<i>Atractylocarpus</i>	2
Anomodontaceae		<i>Brachymenium</i>	34	<i>Brothera</i>	1
<i>Anomodon</i>	2	<i>Bryum</i>	92	<i>Bryotestua</i>	2
<i>Herpetineuron</i>	1	<i>Perssonia</i>	1	<i>Campylopodium</i>	1
Archidiaceae		<i>Plagiobryum</i>	3	<i>Campylopus</i>	50
<i>Archidium</i>	13	<i>Rhodobryum</i>	5	<i>Cladophascum</i>	1
				<i>Dicranella</i>	25
Aulacomniaceae		Bryobartramiaceae		<i>Dicranoloma</i>	6
<i>Aulacomnium</i>	3	<i>Bryobartrania</i>	1	<i>Dicranum</i>	6
				<i>Holomitrium</i>	14
Bartramiaceae		Bryoxiphiaceae		<i>Hymenoloma</i>	1
<i>Anacolia</i>	6	<i>Bryoxiphium</i>	1	<i>Leptotrichella</i>	10
<i>Bartramia</i>	16			<i>Leucoloma</i>	90
<i>Breutelia</i>	18	Calliergonaceae		<i>Microcampylopus</i>	1
<i>Conostomum</i>	2	<i>Warnstorffia</i>	3	<i>Oreoweisia</i>	1
<i>Flowersia</i>	1			<i>Paraleucobryum</i>	1
<i>Leiomela</i>	1	Calymperaceae		<i>Pilopogon</i>	1
<i>Philonotis</i>	73	<i>Calymperes</i>	20	<i>Platyneurum</i>	1
<i>Plagiopus</i>	1	<i>Chameleion</i>	1	<i>Pocsiella</i>	1
Brachytheciaceae		<i>Leucophanes</i>	9	<i>Pseudephemерum</i>	1
<i>Aerolindigia</i>	1	<i>Mitthyridium</i>	7	<i>Sphaerothecium</i>	1
<i>Brachythecium</i>	34	<i>Octoblepharum</i>	3		
<i>Eurhynchium</i>	12	<i>Syrrhopodon</i>	40	Diphysciaceae	
<i>Homalothecium</i>	1			<i>Diphyscium</i>	1
<i>Kindbergia</i>	5	Catagoniaceae			
		<i>Catagonium</i>	2		

Ditrichaceae		<i>Neosharpiaella</i>	1	<i>Leptopterigynandrum</i>	1
<i>Astomopsis</i>	2	<i>Oedipodiella</i>	1	<i>Leskea</i>	3
<i>Ceratodon</i>	2			<i>Leskeella</i>	1
<i>Cheilotricha</i>	2			<i>Lindbergia</i>	4
<i>Chrysoblastella</i>	1	Grimmiaceae		<i>Pseudoleskea</i>	10
<i>Distichium</i>	2	<i>Grimmia</i>	22	<i>Pseudoleskeopsis</i>	4
<i>Ditrichum</i>	11	<i>Indusiella</i>	1	<i>Schwetschkea</i>	7
<i>Eccremidium</i>	1	<i>Leucoperichaetium</i>	1		
<i>Garckea</i>	5	<i>Racomitrium</i>	6		
<i>Kleioweisiopsis</i>	1	<i>Schistidium</i>	8		
<i>Pleuridium</i>	6			Leucobryaceae	
<i>Saelania</i>	1	Hedwigiaaceae		<i>Leucobryum</i>	34
<i>Tristichium</i>	1	<i>Braunia</i>	8	<i>Ochrobryum</i>	3
<i>Wilsoniella</i>	1	<i>Bryowijkia</i>	1		
		<i>Hedwigia</i>	2	Leucodontaceae	
Encalyptaceae		<i>Hedwigidium</i>	1	<i>Antitrichia</i>	1
<i>Encalypta</i>	6			<i>Leucodon</i>	6
		Hookeriaceae		<i>Pterogoniadelphus</i>	1
Entodontaceae		<i>Hookeria</i>	2	<i>Pterogonium</i>	3
<i>Campylodontium</i>	1				
<i>Entodon</i>	21	Hylocomiaceae		Leucomiaceae	
<i>Erythrodontium</i>	14	<i>Hylocomium</i>	1	<i>Leucomium</i>	1
<i>Mesonodon</i>	1	<i>Leptohymenium</i>	1		
<i>Pylaisiobryum</i>	1	<i>Loeskeobryum</i>	1	Meesiaceae	
		<i>Pleurozium</i>	1	<i>Leptobryum</i>	2
Ephemeraceae					
<i>Ephemerum</i>	6	Hypnaceae		Meteoriaceae	
<i>Micromitrium</i>	3	<i>Bryocrumia</i>	1	<i>Aerobryopsis</i>	3
<i>Nanomitriopsis</i>	1	<i>Bryosedgwickia</i>	1	<i>Barbella</i>	3
		<i>Calliergonella</i>	1	<i>Diaphanodon</i>	1
Erpodiaceae		<i>Chryso-hypnum</i>	3	<i>Floribundaria</i>	6
<i>Erpodium</i>	12	<i>Ectropothecium</i>	50	<i>Papillaria</i>	11
		<i>Entodontella</i>	1	<i>Trachypodopsis</i>	4
Eustichiaceae		<i>GammIELLA</i>	1	<i>Trachypus</i>	4
<i>Eustichia</i>	1	<i>Glossadelphus</i>	3		
		<i>Herzogiella</i>	3	Mniaceae	
Fabroniaceae		<i>Hypnum</i>	16	<i>Epipterygium</i>	3
<i>Anacamptodon</i>	3	<i>Isopterygiopsis</i>	2	<i>Mielichhoferia</i>	15
<i>Dimerodontium</i>	2	<i>Mittenothamnium</i>	19	<i>Mniobryum</i>	4
<i>Fabronia</i>	35	<i>Phyllodon</i>	3	<i>Plagiomnium</i>	4
<i>Ischyrodon</i>	1	<i>Platygyriella</i>	2	<i>Pohlia</i>	23
<i>Leptoischyrodon</i>	1	<i>Pseudotaxiphyllum</i>	1	<i>Pseudopohlia</i>	1
<i>Levierella</i>	1	<i>Rhacopilopsis</i>	2	<i>Schizymenium</i>	8
<i>Rhizofabronia</i>	3	<i>Taxiphyllum</i>	6		
		<i>Vesicularia</i>	46	Myriiniaceae	
Fissidentaceae		<i>Wijkeniella</i>	1	<i>Helicodontium</i>	5
<i>Fissidens</i>	151				
		Hypopterygiaceae		Neckeraceae	
Fontinalaceae		<i>Cyatophorum</i>	1	<i>Caduciella</i>	1
<i>Fontinalis</i>	4	<i>Hypopterygium</i>	1	<i>Cryptoleptodon</i>	2
		<i>Lopidium</i>	1	<i>Himantocladium</i>	2
Funariaceae				<i>Homaliodendron</i>	3
<i>Cygnicollum</i>	1	Lembophyllaceae		<i>Neckera</i>	9
<i>Entosthodon</i>	27	<i>Orthostichella</i>	3	<i>Neckeropsis</i>	8
<i>Funaria</i>	17	<i>Pilotrichella</i>	36	<i>Pinnatella</i>	2
<i>Goniomitrium</i>	2			<i>Porotrichum</i>	9
<i>Loiseaubryum</i>	1	Leptodontaceae		<i>Thamnobryum</i>	3
<i>Physcomitrella</i>	1	<i>Leptodon</i>	3		
<i>Physcomitrellopsis</i>	1	<i>Forsstroemia</i>	1	Orthodontiaceae	
<i>Physcomitrium</i>	11			<i>Orthodontium</i>	4
		Leskeaceae			
Gigaspermaceae		<i>Bryohaplocladium</i>	1	Orthotrichaceae	
<i>Chamaebryum</i>	1	<i>Claopodium</i>	1	<i>Bryomaltaea</i>	1
<i>Gigaspermum</i>	1	<i>Haplocladium</i>	2	<i>Cardotiella</i>	5

<i>Leiomitrium</i>	1	<i>Pottia</i>	2	<i>Tisserantiella</i>	1
<i>Macrocoma</i>	4	<i>Pseudocrossidium</i>	4		
<i>Macromitrium</i>	51	<i>Pterygoneurum</i>	1	Rhacocarpaceae	
<i>Orthotrichum</i>	17	<i>Scopelophila</i>	2	<i>Rhacocarpus</i>	2
<i>Schlotheimia</i>	53	<i>Splachnobryum</i>	3		
<i>Stoneobryum</i>	1	<i>Streptocalypta</i>	1	Rhizogoniaceae	
<i>Ulota</i>	3	<i>Streptopogon</i>	2	<i>Leptotheca</i>	1
<i>Zygodon</i>	31	<i>Syntrichia</i>	23	<i>Pyrrhobryum</i>	4
		<i>Tetrapterum</i>	1		
Phyllogoniaceae		<i>Timmiella</i>	5	Rhytidiaeae	
<i>Phyllogonium</i>	3	<i>Tortella</i>	12	<i>Rhytidium</i>	1
		<i>Tortula</i>	25		
Pilotrichaceae		<i>Trachycarpidium</i>	1	Rigodiaceae	
<i>Actinodontium</i>	2	<i>Trichostomum</i>	21	<i>Rigodium</i>	1
<i>Callicostella</i>	27	<i>Triquetrella</i>	1		
<i>Cyclodictyon</i>	24	<i>Uleobryum</i>	1	Rutenbergiaceae	
<i>Hookeriopsis</i>	8	<i>Weisiopsis</i>	2	<i>Neorutenbergia</i>	1
<i>Lepidopilidium</i>	15	<i>Weissia</i>	24	<i>Rutenbergia</i>	6
<i>Lepidopilum</i>	5				
<i>Thamniopsis</i>	3				
		Prionodontaceae		Seligeriaceae	
Plagiotheciaceae		<i>Prionodon</i>	3	<i>Blindia</i>	2
<i>Plagiothecium</i>	12	Pterigynandraceae		<i>Brachydontium</i>	1
		<i>Trachyphyllum</i>	4		
Polytrichaceae		Pterobryaceae		Sematophyllaceae	
<i>Atrichum</i>	1	<i>Calyptothecium</i>	9	<i>Acanthorrhynchium</i>	1
<i>Oligotrichum</i>	3	<i>Henicodium</i>	1	<i>Acporium</i>	15
<i>Pogonatum</i>	10	<i>Hildebrandtiella</i>	5	<i>Aptychopsis</i>	1
<i>Polytrichastrum</i>	1	<i>Jaegerina</i>	10	<i>Clastobryophilum</i>	1
<i>Polytrichum</i>	14	<i>Orthostichidium</i>	2	<i>Donnellia</i>	3
		<i>Orthostichopsis</i>	9	<i>Macrohymenium</i>	4
Pottiaceae		<i>Pterobryon</i>	2	<i>Meiothecium</i>	9
<i>Acaulon</i>	4	<i>Pterobryopsis</i>	2	<i>Papillidiopsis</i>	2
<i>Aloina</i>	3	<i>Renaudlia</i>	5	<i>Radulina</i>	1
<i>Anoectangium</i>	25			<i>Rhaphidorrhynchium</i>	8
<i>Astomum</i>	1	Ptychomitriaceae		<i>Rhaphidostichum</i>	1
<i>Barbula</i>	26	<i>Ptychomitriopsis</i>	2	<i>Sematophyllum</i>	61
<i>Bellibarbula</i>	1	<i>Ptychomitrium</i>	11	<i>Trichosteleum</i>	40
<i>Bryocephalospora</i>	1			<i>Warburgiella</i>	1
<i>Bryoerythrophyllum</i>	6				
<i>Chionoloma</i>	1	Pylaisiadelpheaceae		Serpotortellaceae	
<i>Crossidium</i>	4	<i>Heterophyllum</i>	3	<i>Serpotortella</i>	2
<i>Didymodon</i>	23	<i>Isopterygium</i>	64		
<i>Eucladium</i>	1	<i>Taxithelium</i>	35	Sphagnaceae	
<i>Gymnostomiella</i>	4	<i>Wijkia</i>	13	<i>Sphagnum</i>	27
<i>Gymnostomum</i>	9				
<i>Gyroweisia</i>	1	Racopilaceae		Splachnaceae	
<i>Hennediella</i>	3	<i>Racopilum</i>	32	<i>Brachymitrium</i>	3
<i>Husnotiella</i>	1			<i>Splachnum</i>	1
<i>Hymenostomum</i>	1	Regmatodontaceae		<i>Tayloria</i>	7
<i>Hymenostylium</i>	9	<i>Regmatodon</i>	1	<i>Tetraplodon</i>	1
<i>Hyophila</i>	28				
<i>Hypodontium</i>	2	Rhabdoweisiaceae		Stereophyllaceae	
<i>Leptodontium</i>	14	<i>Amphidium</i>	4	<i>Entodontopsis</i>	5
<i>Leptophascum</i>	1	<i>Cynodontium</i>	1	<i>Juratzaea</i>	1
<i>Luisierella</i>	1	<i>Dicranoweisia</i>	1	<i>Stereophyllum</i>	5
<i>Microbryum</i>	3	<i>Rhabdoweisia</i>	4		
<i>Microcrossidium</i>	1			Symphyodontaceae	
<i>Molendoa</i>	2	Rhachitheciaceae		<i>Chaetomitrium</i>	4
<i>Neophoenix</i>	1	<i>Hypnodontopsis</i>	1	<i>Symphyodon</i>	1
<i>Phascum</i>	1	<i>Jonesiobryum</i>	2	<i>Trachythecium</i>	1
<i>Plaubelia</i>	1	<i>Rhachitheciopsis</i>	1		
<i>Pleurochaete</i>	3	<i>Rhachithecium</i>	2	Thuidiaceae	
				<i>Abietinella</i>	1

<i>Pelekium</i>	10	<i>Thuidium</i>	5	<i>Wardia</i>	1
<i>Rauiella</i>	1				
<i>Thuidiopsis</i>	1	Wardiaceae			

