PARASITOLOGY

PARASITOLOGY

(Founded by G. H. F. Nuttall, F.R.S.)

EDITOR

The late H. D. CROFTON

EDITORIAL BOARD

GWENDOLEN REES, F.R.S. (Chairman)

D. R. ARTHUR

J. LLEWELLYN

S. COHEN

W. F. MAI

C. ELLENBY

B. A. NEWTON

L. G. GOODWIN

C. P. READ

C. A. HOPKINS

S. R. SMITHERS

D. L. LEE*

P. TATE

EDITORIAL PANEL

The Editor is also assisted in the refereeing and editing of papers by the following:

R. A. AVERY

BRIDGET M. OGILVIE

D. A. ERASMUS

M. ELAINE ROSE

L. P. JOYNER

G. SALT, F.R.S.

ELSPETH W. McCONNACHIE

G. I. SHARPE

J. SMART

VOLUME 65, 1972

CAMBRIDGE
AT THE UNIVERSITY PRESS
1972

^{*} representing the British Society for Parasitology

PUBLISHED BY

THE SYNDICS OF THE UNIVERSITY PRESS

Bentley House, 200 Euston Road, London NW1 2BD American Branch: 32 East 57th Street, New York, N.Y. 10022

© Cambridge University Press, 1972

CONTENTS

(All rights reserved)

Part 1, August 1972

	PAGE
MILES, M. A. Trypanosoma cruzi – milk transmission of infection and immunity from mother to young	1
MISHRA, A. C., BHAT, H. R. and KULKARNI, S. M. Hoplopleura ramgarh sp.nov. and Hoplopleura sinhgarh sp.nov. (Anoplura: Hoplopleuridae), parasitizing Mus spp. (Rodentia: Muridae) in India. (With 18 Figures in the Text)	11
PURNELL, R. E., LEDGER, M. A. and OBATRE, J. B. Some effects of irradiation on <i>Theileria parva</i> in the salivary glands of the tick <i>Rhipicephalus appendiculatus</i> . (With 1 Plate)	23
Gassouma, M. S. S. Microsporidan parasites of Simulium ornatum Mg. in South England. (With 6 Plates and 7 Figures in the Text)	27
Segun, A. O. Distribution of acephaline gregarines of British earthworms and their comparison with those of other neighbouring European countries .	47
Kusel, J. R. Protein composition and protein synthesis in the surface membranes of <i>Schistosoma mansoni</i> . (With 1 Plate and 8 Figures in the Text)	55
Lee, D. L. Changes in the ultrastructure of the caecum of chickens caused by <i>Trichomonas gallinarum</i> . (With 5 Plates)	71
McVicar, A. H. The ultrastructure of the parasite-host interface of three tetraphyllidean tapeworms of the elasmobranch <i>Raja naevus</i> . (With 4 Plates and 3 Figures in the Test)	77
HAWKING, FRANK. Entopolypoides macaci, a Babesia-like parasite in Cerco-pithecus monkeys. (With 5 Figures in the Text)	89
HOPKINS, C. ADRIAN, SUBRAMANIAN, G. and STALLARD, HELEN. The effect of immunosuppressants on the development of <i>Hymenolepis diminuta</i> in mice. (With 5 Figures in the Text)	111
Kennaugh, J. H. Some observations on the cuticle of the larvae of <i>Hypoderma bovis</i> and <i>Hypoderma diana</i> (Oestridae). (With 1 Plate and 1 Figure in the Text)	121
KLIMES, B., ROOTES, D. G. and TANIELIAN, ZABEL. Sexual differentiation of merozoites of <i>Eimeria tenella</i> . (With 2 Plates)	131
GOODALL, R. IAN. The growth of <i>Hymenolepis microstoma</i> in the laboratory rat. (With 3 Figures in the Text)	137
Rogers, A., Kenyanjui, E. N. and Wiggwah, A. K. A high infection rate of Trypanosoma brucei subgroup in Glossina fuscipes	143
Ho, Ju-Shey. Copepods of the family Chondracanthidae (Cyclopoida) parasitic on South African marine fishes. (With 7 Figures in the Text)	147

vi Contents

	PAGE
LINGARD, ANN M. and CROMPTON, D. W. T. Observations on the establishment of <i>Polymorphus minutus</i> (Acanthocephala) in the intestines of domestic ducks. (With 2 Figures in the Text)	159
Leahy, Sr. Mary Gerald and Galun, Rachel. Effect of mating on oogenesis and oviposition in the tick <i>Argas persicus</i> (Oken). (With 7 Figures in the	
Text)	176
Part 2, October 1972	
WARREN, E. G. Two new species of Toxocara from viverrid hosts	179
HAWKING, F., GAMAGE, K. and Worms, M. J. The asexual and sexual circadian rhythms of <i>Plasmodium vinckei chabaudi</i> , of <i>P. berghei</i> and of <i>P. gallinaceum</i> . (With 8 Figures in the Text)	189
JEYARASASINGHAM, U., HEYNEMAN, D., HOK-KAN LIM and MANSOUR, N. Life cycle of a new echinostome from Egypt, <i>Echinostoma liei</i> sp.nov. (Trematoda: Echinostomatidae). (With 1 Plate and 16 Figures in the Text)	203
$\label{eq:heyneman} \begin{array}{l} \text{Heyneman, D., Lim, HK. and Jeyarasasingham, U. Antagonism of } \textit{Echinostoma} \\ \textit{liei} \text{ (Trematoda: Echinostomatidae) against the trematodes } \textit{Paryphostomum} \\ \textit{segregatum} \text{ and } \textit{Schistosoma mansoni} \\ \end{array}.$	223
Gray, J. S. The effect of host age on the course of infection of Raillietina cesticillus (Molin, 1858) in the fowl. (With 5 Figures in the Text)	235
Gray, J. S. Studies on the course of infection of the poultry cestode $Raillietina$ $cesticillus$ (Molin, 1858) in the definitive host. (With 5 Figures in the Text) .	243
BAKER, J. R., GREEN, SHEILA, M., CHALONER, LISBETH, A. and GABORAK, MARIA. Trypanosoma (Schizotrypanum) dionisii of Pipistrellus pipistrellus (Chiroptera): intra- and extracellular development in vitro. (With 2 Plates and 2 Figures in the Text).	251
TRIGG, P. I. and GUTTERIDGE, W. E. A rational approach to the serial culture of malaria parasites: evidence for a deficiency in RNA synthesis during the first cycle in vitro	265
Rose, M. Elaine. Immunity to coccidiosis: maternal transfer in <i>Eimeria maxima</i> infections	273
Kennedy, C. R. The effects of temperature and other factors upon the establishment and survival of <i>Pomphorhynchus laevis</i> (Acanthocephala) in goldfish <i>Carassius auratus</i> . (With 6 Figures in the Text)	283
Nappi, A. J. and Stoffolano Jr., J. G. Haemocytic changes associated with the immune reaction of nematode-infected larvae of <i>Orthellia caesarion</i> . (With 5 Plates)	295
Lackie, J. M. and Rotheram, Susan. Observations on the envelope surrounding <i>Moniliformis dubius</i> (Acanthocephala) in the intermediate host, <i>Periplaneta americana</i> . (With 3 Plates)	303
Lee, D. L. and Millard, B. J. Fine structural changes in <i>Eimeria tenella</i> from infections in chick embryos and chickens, after exposure to the anticoccidial drug robenidene. (With 5 Plates)	309

<i>i</i> + • •		
Contents	•	VII

	PAGE
McLaren, Diane J. Ultrastructural studies on microfilariae (Nematoda: Filario-idea). (With 6 Plates and 1 Figure in the Text)	317
HUTCHINSON, G. W., LEE, E. H. and FERNANDO, M. A. Effects of variations in temperature on infective larvae and their relationship to inhibited development of <i>Obeliscoides cuniculi</i> in rabbit. (With 2 Figures in the Text)	333
Beer, R. J. S. A rapid technique for the concentration and collection of Helminth eggs from large quantities of faeces. (With 2 Figures in the Text)	343
BRUCE, A. J. Filophryxus dorsalis gen.nov., sp.nov., an unusual bopyrid parasite from eastern Australia	351 359
Part 3, December 1972	
LACKIE, J. M. The effect of temperature on the development of <i>Moniliformis dubius</i> (Acanthocephala) in the intermediate host, <i>Periplaneta americana</i> . (With 1 Plate and 1 Figure)	371
Cox, F. E. G. Protective heterologous immunity between <i>Plasmodium atheruri</i> and other <i>Plasmodium</i> spp. and <i>Babesia</i> spp. in mice. (With 3 Figures in the Text)	379
Cox, F. E. G. Immunity to malaria and piroplasmosis in mice following low level infections with <i>Anthemosoma garnhami</i> (Piroplasmea: Dactylosomidae). (With 5 Figures in the Text)	389
Cox, F. E. G. Absence of immunity between <i>Trypanosoma musculi</i> and intraerythrocytic protozoa in mice	399
HILTON, DONALD, F. J. and MAHRT, JEROME L. Taxonomy of trypanosomes (Protozoa: Trypanosomatidae) of <i>Spermophilus</i> spp. (Rodentia: Sciuridae). (With 9 Figures in the Text)	403
HILTON, DONALD, F. J. and MAHRT, JEROME L. Prevalence of Trypanosoma oto- spermophili (Protozoa: Trypanosomatidae) in five species of Spermophilus (Rodentia: Sciuridae). (With 3 Figures in the Text)	427
Wilson, R. A. Gland cells in the redia of Fasciola hepatica. (With 1 Plate and 1 Figure in the Text)	433
Long, P. L. and Rose, M. Elaine. Immunity to coccidiosis: effect of serum antibodies on cell invasion by sporozoites of <i>Eimeria in vitro</i>	437
Snow, Keith R. Larvae of the British Metastriata (Ixodoidea: Ixodidae). (With 18 Figures in the Text)	447
MATTHEWS, B. E. Invasion of skin by larvae of the cat hookworm, Ancylostoma tubaeforme. (With 1 Plate and 4 Figures in the Text)	457
LONDT, J. G. H. and WHITEHEAD, G. B. Ecological studies of larval ticks in South Africa (Acarina: Ixodidae). (With 11 Figures in the Text)	469
Sprent, J. F. A. Toxocara vajrasthirae sp.nov. from the hog-badger (Arctonyx collaris) of Thailand. (With 17 Figures in the Text)	491

	PAGE
Lee, D. L. Penetration of the skin by the infective larva of Nippostrongylus brasiliensis. (With 4 Plates).	499
McLaren, Diane J. Ultrastructural and cytochemical studies on the sensory organelles and nervous system of <i>Dipetalonema viteae</i> (Nematoda: Filarioidea). (With 4 Plates and 1 Figure in the Text)	507
PHILLIPS, R. S., TRIGG, P. I., SCOTT-FINNIGAN, T. J. and BARTHOLOMEW, R. K. Culture of <i>Plasmodium falciparum in vitro</i> : a subculture technique used for demonstrating antiplasmodial activity in serum from some Gambians, resident in an endemic malarious area. (With 1 Plate and 1 Figure in the Text)	525
Reader, Trevor A. J. Ultrastructural and cytochemical observations on the body wall of the redia of <i>Sphaeridiotrema globulus</i> (Rudolphi, 1819). (With 4 Plates and 1 Figure in the Text).	537
Jenkins, D. Conwil. Nippostrongylus brasiliensis: observations on the comparative immunogenicity of adult worms from primary and immune-adapted infections	547

NOTES FOR CONTRIBUTORS

CONTRIBUTIONS will be welcomed from scientists of all nationalities, but must be written in English. Papers should be sent to The Editors, The Molteno Institute, Downing Street, Cambridge CB2 3EE. side the illustrations. Each illustration must have the name of the author and figure number pencilled on the back. Plates and diagrams should be numbered separately and their approximate positions

GENERAL. Submission of a paper will be taken to imply that it is unpublished and is not being considered for publication elsewhere. Papers published in *Parasitology* may not be reprinted or published in translation without permission from the Editorial Board. Papers should be as concise as clarity permits, and illustrations kept as few as possible. Attention to the following instructions will assist rapid publication:

TYPESCRIPTS. Papers should be typewritten with double spacing, on one side of quarto paper leaving a margin of about 4 cm. on the left-hand side of each sheet. Sheets should be numbered consecutively. Heavily corrected typescripts may have to be returned to the author for retyping. Papers should state the name of the author and the address to which proofs are to be sent. The address of the laboratory at which the work was carried out will be printed with the author's names at the head of the paper. A short title, not exceeding 44 letters, should be supplied for running headlines.

The general arrangement of the paper should be as follows: Introduction; Methods; Results; Discussion; Summary of results; References. Tables, explanations of text-figures or plates, and keys to the abbreviations used on figures should where necessary be on separate sheets (see below).

SYMBOLS, SIGNS AND ABBREVIATIONS Used should be those listed in the booklet *Symbols, Signs and Abbreviations recommended for British Scientific Publications* (The Royal Society, 1969).

PLATES should only be included where they are absolutely essential. Authors may be required to bear part of the cost if an unduly large number is required. Photographs should be sharp glossy prints, trimmed and mounted on white card and grouped and numbered as they are required to appear in print (oversea contributors may prefer to submit unmounted prints with a sketch to indicate the proposed grouping). The area of a group cannot exceed 20 by 12-5 cm., after reduction (if any). Lettering is best indicated on an overlay or separate sketch.

TEXT FIGURES should not be more than about twice the size of the finished block, and the thickness of lines and size of points, stipples, etc. determined accordingly. The maximum size of any one group of figures, after reduction, is 20 by 12-5 cm. They must be drawn in Indian ink on white Bristol Board, heavy drawing paper or tracing paper; graph paper ruled in pale blue (but not other colours) is also acceptable. Explanatory lettering should be lightly inserted in blue pencil, with tally lines showing the position of the feature to which it refers, so that the printer may put in the finished lettering. Lettering should be limited to features essential to the understanding of the drawing or photograph, and abbreviations should be avoided wherever possible so that the details can be readily understood without reference to an explanatory key. Properly prepared scraperboard drawings may be suitable for reproduction as line drawings, but drawings with graduations of shading (e.g. washdrawings) are not. Please try to avoid creasing or folding illustrations. Legends to illustrations must be given on a separate sheet of paper, but scales of magnification should be given along-

side the illustrations. Each illustration must have the name of the author and figure number pencilled on the back. Plates and diagrams should be numbered separately and their approximate positions indicated in the margin of the typescript. It is very convenient if photographs of illustrations are sent with the papers in addition to the original figures; they are essential when the originals are very large, so that they may be sent through the post to referees.

TABLES should be kept to a minimum and the duplication of information in tables and graphs, avoided. They should be typed on separate sheets of paper and their approximate positions indicated in the margin of the typescript. Each table should be numbered and be designed to be printed in the normal orientation of the text with the data so grouped as to make the use of rules unnecessary, whenever possible.

NOMENCLATURE. Authors should follow the *International Rules of Nomenclature* in the names of organisms. When new names are introduced the recommendations of the *International Code of Zoological Nomenclature*, 1964, should be strictly adhered to, especially with regard to the designation of types and statements as to where such types are deposited.

REFERENCES should be given only when cited in the text and should be listed in alphabetical order at the end of the paper, in the following form:

Surname of author(s), initials; year of publication; title of paper; title of journal *in full*; volume number; first and last page numbers of the work cited. When books are listed, the title of the book should be underlined and it should be followed by the town of publication and the name of the publisher.

Where there is more than one reference to a particular author or group of authors with the same date, references should be distinguished by letters placed after the date, the letter *a* being used for the first reference cited and so on.

PROOFS sent to authors are already in page form and only essential corrections should be made on them. Excessive alterations, other than corrections of printers' errors, may be disallowed or charged to the author; they are in any case liable to delay publication. Correction should be made using the symbols in British Standard 1219: 1958, or its shortened version B.S. 1219C: 1958 (British Standards Institution, 2 Park Street, London, W.I). After correction, the printers' marked proof should be returned to the Editor.

OFFPRINTS. Twenty-five offprints of each paper are provided free of charge. Additional offprints may be ordered on the form sent out with proofs, provided this is returned within seven days of receipt.

MORE DETAILED INFORMATION on the preparation of manuscripts for publication is to be found in the following:

NUTTALL, G. H. F. (1940). Notes on the Preparation of papers for Publication in the *Journal of Hygiene* and in *Parasitology, Parasitology* 32, 1-62 and /. *Hyg., Camb.* 40, 1-62. (Now out of print and also out of date in some respects.)

The Journal of Physiology (1966). Suggestions to Authors 182,1-33, Cambridge University Press.
THE ROYAL SOCIETY published a second edition of General Notes on the Preparation of Scientific Papers in 1965. (The Royal Society, 6 Carlton House Terrace, London S.W.I.)

PARASITOLOGY

Volume 65, Part 3, December 1972

CONTENTS

	PAGE
LACKIE, J. M. The effect of temperature on the development of <i>Moniliformis dubius</i> (Acanthocephala) in the intermediate host, <i>Periplaneta americana</i> . (With 1 Plate and 1 Figure in the Text)	.371
Cox, F. E. G. Protective heterologous immunity between <i>Plasmodium atheruri</i> and other	
Plasmodium spp. and Babesia spp. in mice. (With 3 Figures in the Text) Cox, F. E. G. Immunity to malaria and piroplasmosis in mice following low level infec-	379
tions with Anthemosoma garnhami (Piroplasmea: Dactylosomidae). (With 5 Figures in the Text).	.389
Cox, F. E. G. Absence of immunity between <i>Trypanosoma musculi</i> and intra-ery throcytic	
protozoa in mice. HELTON, DONALD F. J. and MAHRT, JEROME L. Taxonomy of trypanosomes (Protozoa: Trypanosomatidae) of <i>Spermophilus</i> spp. (Rodentia: Sciuridae). (With 9 Figures	.399
in the Text).	.403
HILTON, DONALD F. J. and MAHRT, JEROME L. Prevalence of <i>Trypanosoma otospermophili</i> (Protozoa: Trypanosomatidae) in five species of <i>Spermophilus</i> (Rodentia: Sciuridae). (With 3 Figures in the Text).	427
WILSON, R. A. Gland cells in the redia of Fasciola hepatica. (With 1 Plate and 1 Figure	
in the Text).	.433
LONG, P. L. and ROSE, M. ELAINE. Immunity to coccidiosis: effect of serum antibodies on	407
cell invasion by sporozoites of <i>Eimeria in vitro</i> .	.437
SNOW, KEITH R. Larvae of the British Metastriata (Ixodoidea: Ixodidae). (With 18 Figures in the Text).	.447
MATTHEWS, B. E. Invasion of skin by larvae of the cat hookworm, Ancylostoma tubae-	
forme. (With 1 Plate and 4 Figures in the Text).	.457
LONDT, J. G. H. and WHTTEHEAD, G. B. Ecological studies of larval ticks in South Africa (Acarina: Ixodidae). (With 11 Figures in the Text).	469
SPRENT, J. F. A. <i>Toxocara vajrasthirae</i> sp.nov. from the hog-badger (<i>Arctonyx collaris</i>)	
of Thailand. (With 17 Figures in the Text).	491
LEE, D. L. Penetration of the skin by the infective larva of <i>Nippostrongylus brasiliensis</i> .	
(With 4 Plates).	499
MCLAREN, DIANE J. Ultrastructural and cytochemical studies on the sensory organelles and nervous system of <i>Dipetalonema viteae</i> (Nematoda: Filarioidea). (With 4 Plates	507
and 1 Figure in the Text). PHILLIPS, R. S., TRIGG, P. L, SCOTT-FINNIGAN, T. J. and BARTHOLOMEW, R. K. Culture of <i>Plasmodium falciparum in vitro</i> : a subculture technique used for demonstrating antiplasmodial activity in serum from some Gambians, resident in an endemic	.507
malarious area. (With 1 Plate and 1 Figure in the Text). READER, TREVOR A. J. Ultrastructural and cytochemical observations on the body wall	.525
of the redia of <i>Sphaeridiotrema globulus</i> (Rudolphi, 1819). (With 4 Plates and 1 Figure in the Text)	.537
JENKINS, D. CONWIL. Nippostrongylus brasiliensis: observations on the comparative	
immunogenicity of adult worms from primary and immune-adapted infections	547

© Cambridge University Press, 1972

Printed in Great Britain at the University Printing House, Cambridge