

Supplement No. 2

June 1994


ISSN 0007-4853
ISBN 0 85198 941 1

BULLETIN of ENTOMOLOGICAL RESEARCH
SUPPLEMENT SERIES

Supplement No. 2

**The *Bactrocera dorsalis* complex of fruit flies
(Diptera: Tephritidae: Dacinae) in Asia**

R.A.I. Drew and D.L. Hancock



CAB INTERNATIONAL



INTERNATIONAL INSTITUTE OF ENTOMOLOGY

An Institute of CAB INTERNATIONAL

Bulletin of Entomological Research

The *Bulletin of Entomological Research* is a quarterly journal published by CAB International and edited by the CAB International Institute of Entomology. The Supplement series is published occasionally.

Supplement Series Editor

Annette K. Walker

International Institute of Entomology, 56 Queen's Gate, London, SW7 5JR, UK. (Tel: 071 584 0067, 071 938 9307. Fax: 071 938 9309. Telex: 9312102251 IE G. Email: a.walker@nhm.ac.uk

Series Editorial Board

R. Blackman, The Natural History Museum, London, UK.
A.G. Cook, Natural Resources Institute, Chatham, UK.
C.P. Haines, Natural Resources Institute, Chatham, UK.
M.J.R. Hall, Natural History Museum, London, UK.
J.D. Holloway, International Institute of Entomology, London, UK.
S.R. Leather, Imperial College at Silwood Park, Ascot, UK.
N.J. Mills, University of California, Albany, USA.
A.R. McCaffrey, University of Reading, Reading, UK.
S.E. Reynolds, University of Bath, Bath, UK.
H. Townson, Liverpool School of Tropical Medicine, Liverpool, UK.
A. Polaszek, International Institute of Entomology, London, UK.
M.R. Wilson, National Museum of Wales, Cardiff, UK.
I.P. Woiwod, Rothamsted Experimental Station, Harpenden, UK.

Series Advisory Board

T.N. Ananthakrishnan, Entomology Research Institute, Loyola College, Madras, India.
R. Gámez, Instituto Nacional de Biodiversidad, Costa Rica.
T. Jones, International Institute of Entomology, London, UK.
R.P. Lane, Natural History Museum, London, UK.
O. Mochida, National Agriculture Research Centre, Japan.
B. Napompeth, National Biological Control Research Center, Bangkok, Thailand.
T.R. Odhiambo, International Centre of Insect Physiology and Ecology, Nairobi, Kenya.
I.D. Oka, Bogor Research Institute for Food Crops, Bogor, Indonesia.
G.H.L. Rothschild, Australian Center for International Agricultural Research, Canberra, Australia.

The supplement series of the *Bulletin of Entomological Research* is issued free to subscribers of the *Bulletin of Entomological Research* and is distributed at no extra cost with a *Bulletin* issue.
The supplement will be published on an occasional basis.

Orders and enquiries concerning sales of individual supplements or subscriptions to the *Bulletin of Entomological Research* should be sent to:

Marketing and Sales Division,
CAB INTERNATIONAL,
Wallingford, Oxon, OX10 8DE, UK.
Telephone: Wallingford (0491) 832111
Telex: 847964 (COMAGG G)
Fax: (0491) 833508
Telecom Gold/International Dialcom: 84: CAU001

Cover illustration: *Bactrocera* (*Bactrocera*) *dorsalis* (Hendel), artist Meredith Romig

**The *Bactrocera dorsalis*
complex of fruit flies
(Diptera : Tephritidae : Dacinae)
in Asia**

Bulletin of Entomological Research: Supplement Series
Number 2. in Supplement 2. 1994

R.A.I. Drew and D.L. Hancock



CAB INTERNATIONAL

Published by:
CAB International
Wallingford
Oxon OX10 8DE UK

Tel: Wallingford 0491 832111
Telex: 847964 (COMAGG G)
Telecom Gold/Dialcom: 84: CAU001
Fax: 0491 833508

Edited by:
Annette K. Walker
International Institute of Entomology
56, Queen's Gate
London SW7 5JR UK

Tel: 071 584 0067, 071 938 9307
Fax: 071 938 9309
Telex: 9312102251 IE G
Email: a.walker@nhm.ac.UK

ISSN 0007-4853
ISBN 0 85198 941 1

© CAB International 1994. All rights reserved. No part of this publication may be reproduced in any form or by any means, electronically, mechanically, by photocopying, recording or otherwise, without the prior permission of the copyright owners.

A catalogue record for this book is available from the British Library


Disclaimer

The information contained herein, including any expression of opinion and any projection or forecast, has been obtained from or is based upon sources believed by us to be reliable but is not guaranteed as to accuracy or completeness. The information is supplied without obligation and on the understanding that any person who acts upon it or otherwise changes his/her position in reliance thereon does so entirely at his/her own risk.

Typeset by BPC Digital Techset, Exeter. UK
Printed by Information Press, Eynsham, Oxford. UK



Bactrocera carambolae, the carambolae fly. Photographed in Malaysia by C. S. Ooi.



Bactrocera (Bactrocera) dorsalis (Hendel)
Artist—Meredith Romig

R.A.I. Drew and D.L. Hancock
Agricultural Production, Department of Primary Industries,
Indooroopilly, Queensland 4068, Australia

Acknowledgements

A considerable amount of the material and biological data for this study has been obtained through the Australian Centre for International Agricultural Research (ACIAR) fruit fly projects in south-east Asia. ACIAR has made a major contribution through its financial support. The art work was produced by Meredith Romig (MCR) and Clare Bremner (CB) and the Scanning Electron Microscopy by Dr M.M. Elson-Harris. Meredith Romig and Carol Sweatman carried out considerable editing and proof reading. Dr D.E. Hardy (University of Hawaii), Dr I.M. White (International Institute of Entomology) and the Directors and staff of The Natural History Museum, London, and the Bernice P. Bishop Museum, Honolulu, made facilities available for on-site research. Many institutions (noted in the text) provided specimens for study and many collaborating institutions and their staff provided support for field work in south-east Asia. In particular, the support of MARDI Malaysia; Department of Agriculture and the Prince of Songkla University, Thailand; Ministry of Plant Industry, Philippines; Departments of Agriculture in Sabah and Sarawak and the University of Agricultural Sciences, Bangalore, India assisted greatly in obtaining excellent field collections. All this support is gratefully acknowledged.

Contents

Acknowledgements	
Abstract	1
Introduction.....	1
Material, terminology and abbreviations.....	2
Definition of <i>Bactrocera dorsalis</i> complex	2
Key to species in the <i>Bactrocera dorsalis</i> complex.....	4
<i>Bactrocera</i> (<i>Bactrocera</i>) <i>affinidorsalis</i> (Hardy) comb. nov.	7
<i>Bactrocera</i> (<i>Bactrocera</i>) <i>arecae</i> (Hardy & Adachi)	8
<i>Bactrocera</i> (<i>Bactrocera</i>) <i>atrifemur</i> sp. n.	9
<i>Bactrocera</i> (<i>Bactrocera</i>) <i>bimaculata</i> sp. n.	10
<i>Bactrocera</i> (<i>Bactrocera</i>) <i>carambolae</i> sp. n.	11
<i>Bactrocera</i> (<i>Bactrocera</i>) <i>caryeae</i> (Kapoor).....	13
<i>Bactrocera</i> (<i>Bactrocera</i>) <i>cibodasae</i> sp. n.	15
<i>Bactrocera</i> (<i>Bactrocera</i>) <i>cognata</i> (Hardy & Adachi) comb. nov.	16
<i>Bactrocera</i> (<i>Bactrocera</i>) <i>collita</i> sp. n.	16
<i>Bactrocera</i> (<i>Bactrocera</i>) <i>dorsalis</i> (Hendel).....	17
<i>Bactrocera</i> (<i>Bactrocera</i>) <i>dorsaloides</i> (Hardy & Adachi) comb. nov.	20
<i>Bactrocera</i> (<i>Bactrocera</i>) <i>floresiae</i> sp. n.	22
<i>Bactrocera</i> (<i>Bactrocera</i>) <i>fulvifemur</i> sp. n.	23
<i>Bactrocera</i> (<i>Bactrocera</i>) <i>fuscitibia</i> sp. n.	24
<i>Bactrocera</i> (<i>Bactrocera</i>) <i>gombokensis</i> sp. n.	24
<i>Bactrocera</i> (<i>Bactrocera</i>) <i>holtmanni</i> (Hardy) comb. nov.	25
<i>Bactrocera</i> (<i>Bactrocera</i>) <i>indonesiae</i> sp. n.	26
<i>Bactrocera</i> (<i>Bactrocera</i>) <i>infulata</i> sp. n.	27
<i>Bactrocera</i> (<i>Bactrocera</i>) <i>involuta</i> (Hardy) comb. nov.	28
<i>Bactrocera</i> (<i>Bactrocera</i>) <i>irvingiae</i> sp. n.	29
<i>Bactrocera</i> (<i>Bactrocera</i>) <i>kanchanaburi</i> sp. n.	30
<i>Bactrocera</i> (<i>Bactrocera</i>) <i>kandiensis</i> sp. n.	31
<i>Bactrocera</i> (<i>Bactrocera</i>) <i>kinabalu</i> sp. n.	33
<i>Bactrocera</i> (<i>Bactrocera</i>) <i>lateritaenia</i> sp. n.	34
<i>Bactrocera</i> (<i>Bactrocera</i>) <i>latilineola</i> sp. n.	35

<i>Bactrocera</i> (<i>Bactrocera</i>) <i>lombokensis</i> sp. n.	36
<i>Bactrocera</i> (<i>Bactrocera</i>) <i>makilingensis</i> sp. n.	36
<i>Bactrocera</i> (<i>Bactrocera</i>) <i>malaysiensis</i> sp. n.	37
<i>Bactrocera</i> (<i>Bactrocera</i>) <i>melastomatos</i> sp. n.	38
<i>Bactrocera</i> (<i>Bactrocera</i>) <i>merapiensis</i> sp. n.	40
<i>Bactrocera</i> (<i>Bactrocera</i>) <i>minuscule</i> sp. n.	41
<i>Bactrocera</i> (<i>Bactrocera</i>) <i>mui</i> (Hardy & Adachi) comb. nov.	42
<i>Bactrocera</i> (<i>Bactrocera</i>) <i>neocognata</i> sp. n.	43
<i>Bactrocera</i> (<i>Bactrocera</i>) <i>neopropinqua</i> sp. n.	44
<i>Bactrocera</i> (<i>Bactrocera</i>) <i>occipitalis</i> (Bezzi).....	45
<i>Bactrocera</i> (<i>Bactrocera</i>) <i>osbeckiae</i> sp. n.	46
<i>Bactrocera</i> (<i>Bactrocera</i>) <i>papayae</i> sp. n.	48
<i>Bactrocera</i> (<i>Bactrocera</i>) <i>pedestris</i> (Bezzi).....	50
<i>Bactrocera</i> (<i>Bactrocera</i>) <i>penecognata</i> sp. n.	51
<i>Bactrocera</i> (<i>Bactrocera</i>) <i>philippinensis</i> sp. n.	52
<i>Bactrocera</i> (<i>Bactrocera</i>) <i>propinqua</i> (Hardy & Adachi) comb. nov.	54
<i>Bactrocera</i> (<i>Bactrocera</i>) <i>pyrifoliae</i> sp. n.	55
<i>Bactrocera</i> (<i>Bactrocera</i>) <i>quasipropinqua</i> sp. n.	56
<i>Bactrocera</i> (<i>Bactrocera</i>) <i>raiensis</i> sp. n.	57
<i>Bactrocera</i> (<i>Bactrocera</i>) <i>sembaliensis</i> sp. n.	58
<i>Bactrocera</i> (<i>Bactrocera</i>) <i>sulawesiensis</i> sp. n.	59
<i>Bactrocera</i> (<i>Bactrocera</i>) <i>sumbawaensis</i> sp. n.	60
<i>Bactrocera</i> (<i>Bactrocera</i>) <i>thailandica</i> sp. n.	61
<i>Bactrocera</i> (<i>Bactrocera</i>) <i>unimacula</i> sp. n.	62
<i>Bactrocera</i> (<i>Bactrocera</i>) <i>usitata</i> sp. n.	63
<i>Bactrocera</i> (<i>Bactrocera</i>) <i>verbascifoliae</i> sp. n.	64
<i>Bactrocera</i> (<i>Bactrocera</i>) <i>vishnu</i> sp. n.	65
Methods used to determine some sibling species	66
Male pheromones	66
Enzyme electrophoresis.....	66
DNA studies.....	67
Host-plant records	67
Larval morphology	67
Adult morphometrics.....	67
References	67