## CARNEGIE MUSEUM OF NATURAL HISTORY

## Land Snails and Slugs of the Mid-Atlantic and Northeastern United States

Home

Pennsylvania Species Virg

Virginia Species L

Land Snail Ecology

Resources

Contact

# Virginia Land Snails

## Mesomphix cupreus (Rafinesque, 1831)

Family: Zonitidae

Common name: Copper Button

Identification

Width: 22 -25 mm Height: 12 - 15 mm Whorls: 4+

The shell of *Mesomphix cupreus* is large, glossy, and robust. Its color is golden-brown to deep brown, and it typically has a very dark aperture edge. The shell microsculpture lacks papillae and instead may have a fine sandpaper texture, sometimes with spiral grooves (striae). The umbilicus is small. Similar shells of large immature polygyrids are more transparent (in live animals), have fine radial ridges, and lack the dark lip edge. Virginia specimens tend to be larger than those from farther north.

#### **Ecology**

This species is a denizen of damp forest leaf litter, sometimes near logs, in mature upland forests. Walton (*in* Pilsbry, 1948) reports it feeding upon other land snails.

#### Taxonomy

Synonyms for M. cupreus are: Helix fuliginosa, Mesomphix cupreus politus, Omphalina cuprea, O. fuliginosa, Zonites cupreus form sinistrorsus, and Zonites fuliginosus.

## Distribution

The range of *M. cupreus* extends from western New England, New York, and Michigan, south to Tennessee and North Carolina. In the Mid-Atlantic it is not found near the coast. In Virginia it is found in the western mountains and hills.

NatureServe Global Rank: G5 NatureServe State Rank: S4








Photo(s): Live Mesomphix cupreus by Bill Frank ©, and shell by Dan Dourson ©

Click photo(s) to enlarge.

Ken Hotopp, Greg Kimber 7/2012

### Range Map









Return to Mollusks at Carnegie Museum of Natural History | One of the four Carnegie Museums of Pittsburgh