

A long-exposure photograph of a road curving along a lake at sunset. The sky is a gradient of orange and red, and the water reflects the light. Multiple bright, curved light trails in shades of orange and yellow streak across the road, suggesting motion. The text "Fast Track" is overlaid in white on the right side of the image.

Fast Track

Cisco Fast Track Promotion

Top Konditionen für SMB Lösungen
mit über 180 SMB Produkten*

Gültig ab 27. Januar 2008

A horizontal strip of the same long-exposure photograph of a road at sunset, showing light trails and the "Fast Track" text.

Fast Track

Cisco Catalyst 2960 Serie

Bei den Intelligent Ethernet Switches der Cisco Catalyst® 2960 Serie handelt es sich um festkonfigurierte Switches mit Fast Ethernet und Gigabit Ethernet Anschlüssen. Integrierte Sicherheit einschliesslich Network Admission Control, erweiterte Quality of Service Merkmale sowie Ausfallsicherheit kennzeichnen diese Serie. Sie sind geeignet für Unternehmen mittlerer Grösse, als Einsteiger-Switch für grosse Unternehmen sowie für Niederlassungen. Neu hinzugekommen sind 2 lüfterlose Modelle in Compact Form Factor Ausführung. Diese verfügen über 7 x 10/100/1000 oder 8 x 10/100 Ports sowie jeweils 1 Dual Purpose Gigabit Ethernet Small Form-Factor Pluggable (SFP) Uplink Port.



Part Number	Part Description
WS-X3500-XL	GigaStack Stacking GBIC and 50cm cable
WS-G5486=	1000BASE-LX/LH long haul GBIC (singlemode or
WS-G5484=	1000BASE-SX Short Wavelength GBIC (Multimode only)
WS-G5483=	1000BASE-T GBIC
WS-CE520G-24TC-K9	24 port 10/100/1000 + 2 Uplink
WS-CE520-8PC-K9	Catalyst Express 520 8 10/100 PoE + 1 GE Combo Port
WS-CE520-24TT-K9	24 port 10/100 + 2 uplink
WS-CE520-24PC-K9	24 10/100 PoE ports + 2 10/100/1000BASE-T or SFP ports
WS-CE520-24LC-K9	24 port partial power + 2 Uplink Ports
WS-CE500G-12TC	8 10/100/1000BT and 4 10/100/1000BT or SFPs, GUI
WS-CE500-24TT	24 10/100 and 2 10/100/1000BT uplinks, GUI software
WS-CE500-24PC	24 10/100 (24PoE) and 2 10/100/1000BT or SFP uplinks,
WS-CE500-24LC	24 10/100 (4 PoE) and 2 10/100/1000BT or SFP uplinks,
WS-C2960G-8TC-L	Catalyst 2960 7 10/100/1000 + 1 T/SFP LAN Base
WS-C2960G-48TC-L	Catalyst 2960 48 10/100/1000, 4 T/SFP LAN Base Image
WS-C2960G-24TC-L	Catalyst 2960 24 10/100/1000, 4 T/SFP LAN Base Image
WS-C2960-8TC-L	Catalyst 2960 8 10/100 + 1 T/SFP LAN Base Image
WS-C2960-48TT-L	Catalyst 2960 48 10/100 + 2 1000BT LAN Base Image
WS-C2960-48TC-S	Catalyst 2960 48 10/100 + 2 T/SFP LAN Lite Image
WS-C2960-48TC-L	Catalyst 2960 48 10/100 + 2 T/SFP LAN Base Image
WS-C2960-24TT-L	Catalyst 2960 24 10/100 + 2 1000BT LAN Base Image
WS-C2960-24TC-S	Catalyst 2960 24 10/100 + 2 T/SFP LAN Lite Image
WS-C2960-24TC-L	Catalyst 2960 24 10/100 + 2 T/SFP LAN Base Image
WS-C2960-24-S	Catalyst 2960 24 10/100 LAN Lite Image
WS-C2940-8TT-S	8 10/100 Ethernet ports and 1 10/100/1000 Ethernet port
WS-C2940-8TF-S	8 10/100 Ethernet ports and 1 100BASE-FX Ethernet port
WIC-1SHDSL-V3	One port G.shdsl WIC with 4-wire support
WIC-1ADSL-I-DG	1-port ADSLolSDN Wan Interface Card
WIC-1ADSL	1-port ADSL WAN Interface Card
VVIC-1MFT-E1	1-Port RJ-48 Multiflex Trunk - E1
VIC2-2FXS	Two-port Voice Interface Card - FXS
VIC2-2FXO	Two-port Voice Interface Card - FXO (Universal)
VIC2-2BRI-NT/TE	Two-port Voice Interface Card - BRI (NT and TE)
VIC-2BRI-NT/TE	^Two-port Voice Interface Card - BRI (NT and TE)
UC520W-8U-4FXO-K9	8U CME Base, CUE and Phone FL w/4FXO, 1VIC WIFI
UC520W-8U-2BRI-K9	8U CME Base, CUE and Phone FL w/2BRI, 1VIC WIFI
UC520W-16U-2BRI-K9	16U CME Base, CUE and Phone FL w/2BRI, 1VIC WIFI
UC520-8U-4FXO-K9	8U CME Base, CUE and Phone FL w/4FXO, 1VIC
UC520-8U-2BRI-K9	8U CME Base, CUE and Phone FL w/2BRI, 1VIC
UC520-48U-T/E/F-K9	48U CME Base, CUE and Phone FL w/ 4FXO, T1/E1, 1VIC
UC520-48U-T/E/B-K9	48U CME Base, CUE and Phone FL w/ 2BRI, T1/E1, 1VIC
UC520-48U-6BRI-K9	48U CME Base, CUE and Phone FL w/6BRI
UC520-48U-12FXO-K9	48U CME Base, CUE and Phone FL w/12FXO
UC520-32U-8FXO-K9	32U CME Base, CUE and Phone FL w/8FXO, 1VIC
UC520-32U-4BRI-K9	32U CME Base, CUE and Phone FL w/4BRI, 1VIC
UC520-16U-4FXO-K9	16U CME Base, CUE and Phone FL w/4FXO, 1VIC
UC520-16U-2BRI-K9	16U CME Base, CUE and Phone FL w/2BRI, 1VIC
SW-IPCOMM-E1=	Cisco IP Communicator - Communications Client
SW-CCME-UL-IPCOMM=	Single CallManager Express Unit License for IP
SW-CCM-UL-IPCOMM-E	CUCM 3.x/4.x RTU license for single IP Communicator
SCUE-LIC-50CME	Unity Express License 50 Voice Mailbox-Auto Attendant-
SCUE-LIC-25CME	Unity Express License 25 Voice Mailbox-Auto Attendant-
SCUE-LIC-100CME	Unity Express License 100 Voice Mailbox-Auto Attendant-
PWR-2821-51-AC-IP	Cisco 2821/51 AC/IP power supply
PWR-2801-AC-IP	Cisco 2801 AC/IP power supply
NM-CUE	Cisco Unity Express Network Module (includes SCUE-12-
NM-AIR-WLC6-K9=	6-AP WLAN Controller NM for Cisco 2800/3800 Series
MON-STD-5-LIC-K9	Cisco Monitor Manager, Ext STD Package, 5 MON 1 Year
MON-STD-25-LIC-K9	Cisco Monitor Manager, Ext STD Package, 25 MON 1 Year
MON-STD-15-LIC-K9	Cisco Monitor Manager, Ext STD Package, 15 MON 1 Year
MON-STD-10-LIC-K9	Cisco Monitor Manager, Ext STD Package, 10 MON 1 Year
MON-LTD-5-LIC-K9	Cisco Monitor Manager, Ext LTD Package, 5 MON 1 Year
MON-LTD-25-LIC-K9	Cisco Monitor Manager, Ext LTD Package, 25 MON 1 Year
MON-LTD-15-LIC-K9	Cisco Monitor Manager, Ext LTD Package, 15 MON 1 Year
MON-LTD-10-LIC-K9	Cisco Monitor Manager, Ext LTD Package, 10 MON 1 Year

Cisco Smart Business Communications System

Jetzt können KMU's von erstklassiger Kommunikation profitieren, und zwar mit einer Komplettlösung speziell für die Herausforderungen von heute. Das [Cisco SBSCS \(Smart Business Communications System\)](#) führt Sprache, Daten, Video, Sicherheit und Wireless auf einer einzelnen, preisgünstigen Plattform zusammen. Es arbeitet mit den vertrauten Geschäftsanwendungen wie Kalender, Email und CRM (Customer Relationship Management) zusammen. Das Cisco Smart Business Communications System wurde speziell für die Anforderungen von kleinen Unternehmen konzipiert und unterstützt acht bis 48 Telefone. Es umfasst folgende Komponenten:

- Cisco Unified Communications 500 Serie (UC500) mit Communications Manager Express und Unity Express
- Catalyst Express 520 Serie (CE520)
- Cisco Unified IP Telefone
- Cisco Mobility Express



Cisco Integrated Services Router - 2800 Series

Integrierte Sicherheitsdienste, um ein Vielfaches höhere Leistungswerte, die Möglichkeit bis zu 96 IP-Telefone anzuschließen und eine Reihe neuartiger Steckplätze für neue Module und Schnittstellenkarten – das sind die Highlights der [Cisco Integrated Services Router 2800 Serie](#), die für kleine und mittlere Unternehmen ausgelegt ist.



MON-1.1-STD-K9	Cisco Monitor Manager 1.1.2 SW, Perpetual 70 Device SM
MON-1.1-LTD-K9	Cisco Monitor Manager 1.1.2 SW, Perpetual 25 Device SM
LL-C2960G=	Software License for Catalyst 2960 Gigabit Ethernet
LL-C2960=	Software License for Catalyst 2960 Fast Ethernet Switches
HWIC-4ESW-POE	4-Port Ethernet Switch HWIC with Power Over Ethernet
HWIC-4ESW	Four port 10/100 Ethernet switch interface card
GLC-T=	1000BASE-T SFP
DIR-1.1-STD-K9	Cisco Monitor Director Combo, 1 DIR, 5 STD MON 1 Year
DIR-1.1-LTD-K9	Cisco Monitor Director Combo, 1 DIR, 5 LTD MON 1 Year
CP-PWR-CUBE-3	IP Phone power transformer for the 7900 phone series
CP-PWR-CORD-UK	7900 Series Transformer Power Cord, United Kingdom
CP-PWR-CORD-CE	7900 Series Transformer Power Cord, Central Europe
CP-7971G-GE=	Cisco IP Phone 7971G-GE, Global, Gig Ethernet
CP-7970G=	Spare Cisco IP Phone 7970G, Global
CP-7961G=	Cisco IP Phone 7961, spare
CP-7961G	Cisco IP Phone 7961
CP-7960G=	Cisco IP Phone 7960G, Global, Spare
CP-7960G-CCME	7960 IP Phone With One CallManager Express Station
CP-7942G-CH1	Cisco Unified IP Phone 7942 with 1 RTU License
CP-7941G=	Cisco IP Phone 7941, spare
CP-7941G	Cisco IP Phone 7941
CP-7940G=	Cisco IP Phone 7940G, Global, Spare
CP-7940G-CCME	7940 IP Phone With One CallManager Express Station
CP-7931G=	Cisco IP phone 7931G
CP-7921G-W-K9=	Cisco 7921G Rest of World, Battery/Power Supply Not
CP-7921G-E-K9=	Cisco 7921G ETSI; Battery/Power Supply Not Included
CP-7914=	7914 IP Phone Expansion Module
CP-7911G=	Cisco IP Phone 7911G
CP-7911G-CH1	Cisco IP Phone 7911G with 1 RTU License
CP-7906G=	Cisco IP Phone 7906G
CP-7906G-CCME	Cisco IP Phone 7906G with 1 CCME RTU License
CISCO8107-K9	Cisco Small Business 107 ADSL Broadband Router
CISCO878W-G-E-K9	G.SHDSL Security Router with wireless 802.11g ETSI
CISCO878-SEC-K9	Cisco 878 Security Bundle with Plus Feature Set
CISCO878-K9	G.SHDSL Security Router
CISCO877W-G-E-K9	ADSL Security Router with wireless 802.11g ETSI
CISCO877-SEC-K9	Cisco 877 Security Bundle with Advanced IP Services
CISCO877-K9	ADSL Security Router
CISCO876W-G-E-K9	ADSLoISDN Security Router w/wireless 802.11g ETSI
CISCO876-SEC-K9	Cisco 876 Security Bundle with Advanced IP Services
CISCO876-SEC-I-K9	Cisco 876 Security Bundle with Advanced Enterprise
CISCO876-K9	ADSLoISDN Security Router
CISCO871W-G-E-K9	Dual E Security Router with 802.11g ETSI Compliant
CISCO871-SEC-K9	Cisco 871 Security Bundle with Advanced IP Services
CISCO871-K9	Dual Ethernet Security Router
CISCO857W-G-E-K9	ADSL SOHO Security Router with 802.11g
CISCO857-K9	ADSL SOHO Security Router
CISCO851W-G-E-K9	Dual E Security Router with 802.11g ETSI Compliant
CISCO851-K9	Ethernet SOHO Security Router
CISCO2851-CCME/K9	2851 Voice Bundle w/ PVDM2-48,FL-CCME-96,SP
CISCO2821-CCME/K9	2821 Voice Bundle w/ PVDM2-32,FL-CCME-48,SP
CISCO2811-CCME/K9	2811 Voice Bundle w/ PVDM2-16,FL-CCME-36,SP
CISCO2801-CCME/K9	2801 Voice Bundle w/ PVDM2-8,FL-CCME-24, SP
CISCO1841-T1	1841 bundle w/WIC-1DSU-T1-V2, IP Base, 32FL/128DR
CISCO1841-SHDSL-V3	1841 bundle, WIC-1SHDSL-V3, IPBB, 32F/128D
CISCO1841-SEC/K9	1841 Security Bundle,Adv.Security,64FL/256DR
CISCO1841-HSEC/K9	1841 Bundle w/AIM-VPN/SSL-1,Adv. IP Svcs,10 SSL
CISCO1841-ADSL	1841 ADSLoPOTS Bdle,IP Broadband,32FL/128DR
CISCO1841	Modular Router w/2xFE, 2 WAN slots, 32 FL/128 DR
CISCO1812W-AG-E/K9	Security Router with 802.11a-g ETSI Compliant and ISDN
CISCO1812/K9	Dual Ethernet Security Router with ISDN S/T Backup
CISCO1811/K9	Dual Ethernet Security Router with V.92 Modem Backup
CISCO1803/K9	G.SHDSL Router with Firewall/IDS and IPSEC
CISCO1801W-AG-E/K9	ADSL/POTS Router with 802.11a-g ETSI Compliant and
CISCO1801/K9	ADSL/POTS Router with Firewall/IDS and IPSEC 3DES
C2801-SHDSL-V3/K9	2801 bundle, WIC-1SHDSL-V3,SP Svcs, 64F/192D

Cisco ASA 5500

Die Cisco ASA 5500 Series Adaptive Security Appliance ist eine hochperformante All-in-One Security Appliance die Firewall, IPS, Network Anti-Virus und VPN Dienste in einem Gerät vereint. Als Kernstück des Cisco Self-Defending Network bietet sie wirkungsvolle Gefahrenabwehr und verhindert so die Ausbreitung von Bedrohungen im gesamten Netzwerk.



ASA5510-SSL50-K9	ASA 5510 VPN Edition w/ 50 SSL User License, 3DES/AES
ASA5510-SSL100-K9	ASA 5510 VPN Edition w/ 100 SSL User License,
ASA5510-SEC-BUN-K9	ASA 5510 Security Plus Appl with SW, HA, 2GE+3FE,
ASA5510-K8	ASA 5510 Appliance with SW, 5FE, DES
ASA5510-DC-K8	ASA 5510 Appliance with DC power, SW, 5FE, DES
ASA5510-CSC20-K9	ASA 5510 Appl w/ CSC20, SW, 500 Ushr AV/Spy, 1 YR
ASA5510-CSC10-K9	ASA 5510 Appl w/ CSC10, SW, 50 Ushr AV/Spy, 1 YR
ASA5510-CSC10-K8	ASA 5510 Appl w/ CSC10, SW,50 Ushr AV/Spy, 1 YR
ASA5510-BUN-K9	ASA 5510 Appliance with SW, 5FE, 3DES/AES
ASA5510-AIP10-K9	ASA 5510 Appliance with AIP-SSM-10, SW, 5FE,
ASA5510-AIP10-K8	ASA 5510 Appliance with AIP-SSM-10, SW, 5FE, DES
ASA5510-AIP10-DCK9	ASA 5510 Appl. w/ AIP10, DC Pwr, SW, 5FE, 3DES/AES
ASA5505-UL-BUN-K9	ASA 5505 Appliance with SW, UL Users, 8 ports,
ASA5505-UL-BUN-K8	ASA 5505 Appliance with SW, UL Users, 8 ports, DES
ASA5505-SW-50-UL=	ASA 5505 50-to-Unlimited User upgrade software license
ASA5505-SW-10-UL=	ASA 5505 10-to-Unlimited User upgrade software license
ASA5505-SW-10-50=	ASA 5505 10-to-50 User upgrade software license
ASA5505-SW-10	ASA 5505 10 User software license
ASA5505-SSL25-K9	ASA 5505 VPN Edition w/ 25 SSL Users, 50 FW Users,
ASA5505-SSL25-K8	ASA 5505 VPN Edition w/ 25 SSL Users, 50 Firewall Users,
ASA5505-SSL10-K9	ASA 5505 VPN Edition w/ 10 SSL Users, 50 FW Users,
ASA5505-SSL10-K8	ASA 5505 VPN Edition w/ 10 SSL Users, 50 Firewall Users,
ASA5505-SEC-BUN-K9	ASA 5505 Sec Plus Appliance with SW, UL Users, HA,
ASA5505-SEC-BUN-K8	ASA 5505 Sec Plus Appliance with SW, UL Users, HA, DES
ASA5505-K8	ASA 5505 Appliance with SW, 10 Users, 8 ports, DES
ASA5505-BUN-K9	ASA 5505 Appliance with SW, 10 Users, 8 ports, 3DES/AES
ASA5505-50-BUN-K9	ASA 5505 Appliance with SW, 50 Users, 8 ports, 3DES/AES
ASA5505-50-BUN-K8	ASA 5505 Appliance with SW, 50 Users, 8 ports, DES
AIR-WLC526-K9	Cisco WLC526 Mobility Express Controller
AIR-WLC4402-50-K9	4400 Series WLAN Controller for up to 50 Lightweight APs
AIR-WLC4402-25-K9	4400 Series WLAN Controller for up to 25 Lightweight APs
AIR-WLC4402-12-K9	4400 Series WLAN Controller for up to 12 Lightweight APs
AIR-WLC2106-K9	2100 Series WLAN Controller for up to 6 Lightweight APs
AIR-LAP521G-E-K9	802.11g LWAPP AP Integrated Antennas ETSI Cnfg
AIR-LAP521G-A-K9	802.11g LWAPP AP Integrated Antennas FCC Cnfg
AIR-LAP1242AG-E-K9	802.11ag LWAPP AP Dual 2.4/5GHz RP-TNC ETSI Cnfg
AIR-LAP1232AG-E-K9	802.11ag Modular LWAPP AP Dual 2.4, 5GHz RP-TNC
AIR-LAP1231G-E-K9	802.11g LWAPP AP Dual RP-TNC:Avail CBus Slot ETSI
AIR-LAP1131AG-E-K9	802.11ag LWAPP AP Integrated Antennas ETSI Cnfg
AIR-LAP1131AG-C-K9	802.11ag LWAPP AP Integrated Antennas China Cnfg
AIR-LAP1131AG-A-K9	802.11ag LWAPP AP Integrated Antennas FCC Cnfg
AIR-AP521G-E-K9	802.11g Auto AP, Int Radios, Ants, ETSI Cnfg
AIR-AP521G-A-K9	802.11g Auto AP, Int Radios, Ants, FCC Cnfg
AIR-AP1242AG-E-K9	802.11a/g Non-modular IOS AP; RP-TNC; ETSI Cnfg
AIR-AP1232AG-E-K9	802.11a/g dual radio IOS AP, ETSI cfg
AIR-AP1231G-E-K9	802.11g IOS AP w/Avail CBus Slot, ETSI Cnfg
AIR-AP1231G-A-K9	802.11g IOS AP w/Avail CBus Slot, FCC Cnfg
AIR-AP1131AG-N-K9	802.11a, .11g AP, Int Radios, Ants, Non-FCC Cnfg
AIR-AP1131AG-E-K9	802.11a, .11g AP, Int Radios, Ants, ETSI Cnfg
AIR-AP1131AG-C-K9	802.11a, .11g AP, Int Radios, Ants, China Cnfg
AIR-AP1131AG-A-K9	802.11a, .11g AP, Int Radios, Ants, FCC Cnfg
AIR-AP1121G-E-K9	802.11g AP, Single MPCl Radio, Int Ant, ETSI Cnfg
AIR-AP1121G-A-K9	802.11g AP, Single MPCl Radio, Int Ant, FCC Cnfg
AIR-AP1030-E-K9	1000 Series 802.11a/b/g RemoteEdgeAP w/IntAnt RP-
AIR-AP1020-E-K9	1000 Series 802.11a/b/g AP w/Int Ant and RP-TNC, ETSI
AIR-AP1010-E-K9	1000 Series 802.11a/b/g AP w/ Int Antennas, ETSI config
AIM-CUE	Unity Express AIM -price includes 12 mailbox

*Zum Bezug der Cisco Fast Track-Produkte zu Promotionspreisen wenden Sie sich bitte an Ihren Distributor.