

A long-exposure photograph of a winding road at sunset. The sky is a gradient of orange and red. Light trails from cars create vibrant streaks of orange and yellow that curve along the road. In the background, there are silhouettes of trees and mountains.

Fast Track

## Cisco Fast Track Promotion

Top Konditionen für SMB Lösungen  
mit über 300 SMB Produkten\*

Gültig ab 26. Januar 2009

A horizontal strip of light trails from a sunset, similar to the top image, with vibrant orange and yellow streaks.

Fast Track

## Cisco ASA 5500 Adaptive Security Appliance

Die Cisco ASA 5500 Series Adaptive Security Appliance ist eine hoch-performante All-in-One Security Appliance die Firewall, IPS, Network Anti-Virus und VPN Dienste in einem Gerät vereint. Als Kernstück des Cisco Self-Defending Network bietet sie wirkungsvolle Gefahrenabwehr und verhindert so die Ausbreitung von Bedrohungen im gesamten Netzwerk.



Part Number	Part Description
AIR-AP1131AG-A-K9	802.11a, .11g AP, Int Radios, Ants, FCC Cnfg
AIR-AP1131AG-E-K9	802.11a, .11g AP, Int Radios, Ants, ETSI Cnfg
AIR-AP1131AG-I-K9	802.11ag AP Integrated Antennas Israel Cnfg
AIR-AP1131AG-N-K9	802.11a, .11g AP, Int Radios, Ants, Non-FCC Cnfg
AIR-AP1232AG-E-K9	802.11a/g dual radio IOS AP, ETSI cfg
AIR-AP1242AG-E-K9	802.11a/g Non-modular IOS AP; RP-TNC; ETSI Cnfg
AIR-AP1242AG-I-K9	802.11a/g Non-modular IOS AP; RP-TNC; EU2 Cnfg
AIR-AP521G-A-K9	802.11g Auto AP, Int Radios, Ants, FCC Cnfg
AIR-AP521G-E-K9	802.11g Auto AP, Int Radios, Ants, ETSI Cnfg
AIR-LAP1131AG-A-K9	802.11ag LWAPP AP Integrated Antennas FCC Cnfg
AIR-LAP1131AG-E-K9	802.11ag LWAPP AP Integrated Antennas ETSI Cnfg
AIR-LAP1131AG-I-K9	802.11ag LWAPP AP Integrated Antennas Israel Cnfg
AIR-LAP1141N-A-K9	802.11g/n Fixed Unified AP; Int Ant; FCC Cfg
AIR-LAP1141N-E-K9	802.11g/n Fixed Unified AP; Int Ant; ETSI Cfg
AIR-LAP1142N-A-K9	802.11a/g/n Fixed Unified AP; Int Ant; FCC Cfg
AIR-LAP1142N-E-K9	802.11a/g/n Fixed Unified AP; Int Ant; ETSI Cfg
AIR-LAP1231G-E-K9	802.11g LWAPP AP Dual RP-TNC;Avail Cbus Slot ETSI Cnfg
AIR-LAP1232AG-E-K9	802.11ag Modular LWAPP AP Dual 2.4, 5GHz RP-TNC ETSI Cnfg
AIR-LAP1232AG-I-K9	802.11ag Modular LWAPP AP Dual 2.4,5GHz RP-TNC Israel Cnfg
AIR-LAP1242AG-E-K9	802.11ag LWAPP AP Dual 2.4,5GHz RP-TNC ETSI Cnfg
AIR-LAP1242AG-I-K9	802.11ag LWAPP AP Dual 2.4,5GHz RP-TNC EU2 Cnfg
AIR-LAP521G-A-K9	802.11g LWAPP AP Integrated Antennas FCC Cnfg
AIR-LAP521G-E-K9	802.11g LWAPP AP Integrated Antennas ETSI Cnfg
AIR-WLC2106-K9	2100 Series WLAN Controller for up to 6 Lightweight APs
AIR-WLC2112-K9	2100 Series WLAN Controller for up to 12 Lightweight APs
AIR-WLC2125-K9	2100 Series WLAN Controller for up to 25 Lightweight APs
AIR-WLC4402-12-K9	4400 Series WLAN Controller for up to 12 Lightweight APs
AIR-WLC526-K9	Cisco WLC526 Mobility Express Controller
ASA5505-50-BUN-K8	ASA 5505 Appliance with SW, 50 Users, 8 ports, DES
ASA5505-50-BUN-K9	ASA 5505 Appliance with SW, 50 Users, 8 ports, 3DES/AES
ASA5505-BUN-K9	ASA 5505 Appliance with SW, 10 Users, 8 ports, 3DES/AES
ASA5505-K8	ASA 5505 Appliance with SW, 10 Users, 8 ports, DES
ASA5505-SEC-BUN-K8	ASA 5505 Sec Plus Appliance with SW, UL Users, HA, DES
ASA5505-SEC-BUN-K9	ASA 5505 Sec Plus Appliance with SW, UL Users, HA, 3DES/AES
ASA5505-SSL10-K8	ASA 5505 VPN Edition w/ 10 SSL Users, 50 Firewall Users, DES
ASA5505-SSL10-K9	ASA 5505 VPN Edition w/ 10 SSL Users, 50 FW Users, 3DES/AES
ASA5505-SSL25-K8	ASA 5505 VPN Edition w/ 25 SSL Users, 50 Firewall Users, DES
ASA5505-SSL25-K9	ASA 5505 VPN Edition w/ 25 SSL Users, 50 FW Users, 3DES/AES
ASA5505-SW-10	ASA 5505 10 User software license
ASA5505-SW-10-50=	ASA 5505 10-to-50 User upgrade software license
ASA5505-SW-10-UL=	ASA 5505 10-to-Unlimited User upgrade software license
ASA5505-SW-50-UL=	ASA 5505 50-to-Unlimited User upgrade software license
ASA5505-UL-BUN-K8	ASA 5505 Appliance with SW, UL Users, 8 ports, DES
ASA5505-UL-BUN-K9	ASA 5505 Appliance with SW, UL Users, 8 ports, 3DES/AES
ASA5510-AIP10-DCK9	ASA 5510 Appl. w/ AIP10, DC Pwr, SW, 5FE, 3DES/AES
ASA5510-AIP10-K8	ASA 5510 Appliance with AIP-SSM-10, SW, 5FE, DES
ASA5510-AIP10-K9	ASA 5510 Appliance with AIP-SSM-10, SW, 5FE, 3DES/AES
ASA5510-AIP10SP-K8	ASA 5510 Sec Plus with AIP-SSM-10, 2GE+3FE, SW, HA, DES
ASA5510-AIP10SP-K9	ASA 5510 with AIP-SSM-10, 2GE+3FE, SW, HA,3DES/AES, SEC PLUS
ASA5510-AIP20SP-K8	ASA 5510 Appliance with AIP-SSM-20, SW, 5FE, DES, SEC PLUS
ASA5510-AIP20SP-K9	ASA 5510 with AIP-SSM-20, 2GE+3FE, SW, HA,3DES/AES, SEC PLUS
ASA5510-BUN-K9	ASA 5510 Appliance with SW, 5FE,3DES/AES
ASA5510-CSC10-K8	ASA 5510 Appl w/ CSC10, SW,50 Ushr AV/Spy, 1 YR Subscript,DES

## Cisco Router 2800 Integrated Services Router

Integrierte Sicherheitsdienste, um ein Vielfaches höhere Leistungswerte, die Möglichkeit bis zu 96 IP-Telefone anzuschließen und eine Reihe neuartiger Steckplätze für neue Module und Schnittstellenkarten – das sind die Highlights der **Cisco Integrated Services Router 2800 Serie**, die für kleine und mittlere Unternehmen ausgelegt ist.



ASA5510-CSC10-K9	ASA 5510 Appl w/ CSC10, SW, 50 Usr AV/Spy, 1 YR Subscript
ASA5510-CSC20-K9	ASA 5510 Appl w/ CSC20, SW, 500 Usr AV/Spy, 1 YR Subscript
ASA5510-DC-K8	ASA 5510 Appliance with DC power, SW, 5FE, DES
ASA5510-K8	ASA 5510 Appliance with SW, 5FE, DES
ASA5510-SEC-BUN-K9	ASA 5510 Security Plus Appl with SW, HA, 2GE+3FE, 3DES/AES
ASA5510-SSL100-K9	ASA 5510 VPN Edition w/ 100 SSL User License, 3DES/AES
ASA5510-SSL50-K9	ASA 5510 VPN Edition w/ 50 SSL User License, 3DES/AES
ASA-SSM-AIP-10-K9=	ASA 5500 AIP Security Services Module-10
ASA-SSM-AIP-20-K9=	ASA 5500 AIP Security Services Module-20
C1841-3G-G	1841 bundle w/HWIC-3G-GSM, IP Base, 64FL/128DR
C1841-3G-G-SEC/K9	Cisco 1841, HWIC-3G-GSM, 64MB FL /256MB DRAM, Adv Security
C2811-3G-G-SEC/K9	Cisco 2811, HWIC-3G-GSM, 64MB FL /256MB DRAM, Adv Security
CAB-SFP-50CM=	Catalyst 3560 SFP Interconnect Cable, 50cm
CISCO1801/K9	ADSL/POTS Router with Firewall/IDS and IPSEC 3DES
CISCO1801W-AG-E-K9	ADSL/POTS Router with 802.11a+g ETSI Compliant and Security
CISCO1802/K9	ADSL/ISDN Router with Firewall/IDS and IPSEC 3DES
CISCO1803/K9	G.SHDSL Router with Firewall/IDS and IPSEC
CISCO1811/K9	Dual Ethernet Security Router with V.92 Modem Backup
CISCO1812/K9	Dual Ethernet Security Router with ISDN S/T Backup
CISCO1812W-AG-E-K9	Security Router with 802.11a+g ETSI Compliant and ISDN S/T
CISCO1841	Modular Router w/2xFE, 2 WAN slots, 32 FL/128 DR
CISCO1841-ADSL	1841 ADSLoPOTS Bdle,IP Broadband,32FL/128DR
CISCO1841-HSEC/K9	1841 Bundle w/AIM-VPN/SSL-1,Adv. IP Svcs,10 SSL lic,64F/256D
CISCO1841-SEC/K9	1841 Security Bundle,Adv.Security,64FL/256DR
CISCO1841-SHDSL-V3	1841 bundle, WIC-1SHDSL-V3, IPBB, 32F/128D
CISCO1841-T1	1841 bundle w/WIC-1DSU-T1-V2, IP Base, 32FL/128DR
CISCO2801	2801 w/AC PWR,2FE,4slots(2HWIC),2PVDM,2AIM,IP BASE,64F/128D
CISCO2801-AC-IP	2801 Router with inline power,2FE,4slots,IP BASE,64F/128D
CISCO2801-ADSL/K9	2801 DSL Bundle,WIC-1ADSL(ADSLoPOTS),SP Serv,64F/192D
CISCO2801-ADSL2/K9	2801 bundle, HWIC-1ADSL, SP Svcs, 64F/192DR
CISCO2801-HSEC/K9	2801 Bundle w/AIM-VPN/SSL-2,Adv. IP Serv,10 SSL lic,64F/256D
CISCO2801-SEC/K9	2801 Security Bundle,Adv Security,64F/256D
CISCO2811	2811 w/ AC PWR,2FE,4HWICs,2PVDMs,1NME,2AIMS,IP BASE,64F/256D
CISCO2811-AC-IP	2811 w/ AC+POE,2FE,4HWICs,2PVDMs,1NME,2AIMS,IP BASE,64F/256D
CISCO2811-ADSL/K9	2811 with WIC-1ADSL (ADSLoPOTS), SP Ser IOS, 64F/256D
CISCO2811-ADSL2/K9	2811 bundle, HWIC-1ADSL, SP Svcs, 64FL/256DR
CISCO2811-DC	2811 w/ DC PWR,2FE,4HWICs,2PVDMs,1NME,2AIMS,IP BASE,64F/256D
CISCO2811-HSEC/K9	2811 Bundle w/AIM-VPN/SSL-2,Adv. IP Serv,10 SSL lic,64F/256D
CISCO2811-SEC/K9	2811 Security Bundle,Adv Security,64F/256D
CISCO2821	2821 w/ AC PWR,2GE,4HWICs,3PVDM,1NME-X,2AIM,IP BASE,64F/256D
CISCO2821-AC-IP	2821 w/ AC+POE,2GE,4HWIC,3PVDM,1NME-X,2AIM,IP BASE,64F/256D
CISCO2821-DC	2821 w/ DC PWR,2GE,4HWIC,3PVDM,1NME-X,2AIM,IP BASE,64F/256D
CISCO2821-HSEC/K9	2821 Bundle w/AIM-VPN/SSL-2,Adv. IP Serv,10 SSL lic,64F/256D
CISCO2821-SEC/K9	2821 Security Bundle,Adv Security,64F/256D
CISCO2851	2851 w/ AC PWR,2GE,4HWIC,3PVDM,1NME-XD,2AIM,IP BASE,64F/256D
CISCO2851-AC-IP	2851 w/ AC+POE,2GE,4HWIC,3PVDM,1NME-XD,2AIM,IP BASE,64F/256D
CISCO2851-DC	2851 w/ DC PWR,2GE,4HWIC,3PVDM,1NME-XD,2AIM,IP BASE,64F/256D
CISCO2851-HSEC/K9	2851 Bundle w/AIM-VPN/SSL-2,Adv. IP Serv,10 SSL lic,64F/256D
CISCO2851-SEC/K9	2851 Security Bundle,Adv Security,64F/256D
CISCO851-K9	Ethernet SOHO Security Router
CISCO851W-G-E-K9	Dual E Security Router with 802.11g ETSI Compliant
CISCO857-K9	ADSL SOHO Security Router
CISCO857W-G-E-K9	ADSL SOHO Security Router with 802.11g
CISCO861-K9	Cisco 861 Ethernet Security Router

## Cisco SBCS Smart Business Communications System

Jetzt können KMU's von erstklassiger Kommunikation profitieren, und zwar mit einer Komplettlösung speziell für die Herausforderungen von heute. Das Cisco SBCS (Smart Business Communications System) führt Sprache, Daten, Video, Sicherheit und Wireless auf einer einzelnen, preisgünstigen Plattform zusammen. Es arbeitet mit den vertrauten

Geschäftsanwendungen wie Kalender, Email und CRM (Customer Relationship Management) zusammen. Das Cisco Smart Business Communications System wurde speziell für die Anforderungen von kleinen Unternehmen konzipiert und unterstützt acht bis 48 Telefone.

- Cisco Unified Communications 500 Serie (UC500) mit Communications Manager Express und Unity Express
- Catalyst Express 520 Serie (CE520)
- Cisco Unified IP Telefone
- Cisco Mobility Express



CISCO861W-GN-A-K9	Cisco 861 Ethernet Security Router 802.11n FCC Compliant
CISCO861W-GN-E-K9	Cisco 861 Ethernet Security Router 802.11n ETSI Compliant
CISCO871-K9	Dual Ethernet Security Router
CISCO871-SEC-K9	Cisco 871 Security Bundle with Advanced IP Services
CISCO871W-G-E-K9	Dual E Security Router with 802.11g ETSI Compliant
CISCO876-K9	ADSLoSDN Security Router
CISCO876-SEC-I-K9	Cisco 876 Security Bundle with Advanced Enterprise features
CISCO876-SEC-K9	Cisco 876 Security Bundle with Advanced IP Services
CISCO876W-G-E-K9	ADSLoSDN Security Router w/wireless 802.11g ETSI compliant
CISCO877-K9	ADSL Security Router
CISCO877-SEC-K9	Cisco 877 Security Bundle with Advanced IP Services
CISCO877W-G-E-K9	ADSL Security Router with wireless 802.11g ETSI compliant
CISCO878-K9	G.SHDSL Security Router
CISCO878-SEC-K9	Cisco 878 Security Bundle with Plus Feature Set
CISCO878W-G-E-K9	G.SHDSL Security Router with wireless 802.11g ETSI compliant
CISCO881GW-GN-E-K9	Cisco 881G Ethernet Sec Router w/ 3G B/U 802.11n ETSI Comp
CISCO881-K9	Cisco 881 Ethernet Sec Router
CISCO881-SEC-K9	Cisco 881 Ethernet Sec Router w/ Adv IP Services
CISCO881W-GN-A-K9	Cisco 881 Ethernet Sec Router 802.11n FCC Comp
CISCO881W-GN-E-K9	Cisco 881 Ethernet Sec Router 802.11n ETSI Comp
CISCO888G-K9	Cisco 888 G.SHDSL Sec Router w/ 3G B/U
CISCO888GW-GN-E-K9	Cisco 888 G.SHDSL Sec Router w/ 3G B/U 802.11n ETSI Comp
CISCO888-K9	Cisco888 G.SHDSL Sec Router w/ ISDN B/U
CISCO888-SEC-K9	Cisco888 G.SHDSL Sec Router w/ ISDN B/U w/ Adv IP Services
CISCO888W-GN-A-K9	Cisco888 G.SHDSL Sec Router ISDN B/U 802.11n FCC Comp
CISCO888W-GN-E-K9	Cisco888 G.SHDSL Sec Router ISDN B/U 802.11n ETSI Comp
CP-3911=	Cisco SIP Phone 3911
CP-521SG=	Cisco IP Phone 521SG
CP-524SG=	Cisco IP Phone 524SG
CP-7906G=	Cisco IP Phone 7906G
CP-7911G=	Cisco IP Phone 7911G
CP-7914=	7914 IP Phone Expansion Module
CP-7921G-E-K9=	Cisco 7921G ETSI; Battery/Power Supply Not Included
CP-7921G-W-K9=	Cisco 7921G Rest of World; Battery/Power Supply Not Included
CP-7931G=	Cisco IP phone 7931G
CP-7940G=	Cisco IP Phone 7940G, Global, Spare
CP-7941G	Cisco IP Phone 7941
CP-7941G=	Cisco IP Phone 7941, spare
CP-7941G-GE=	Cisco IP Phone 7941G-GE, Global, Gig Ethernet, spare
CP-7942G=	Cisco Unified IP Phone 7942, spare
CP-7945G=	Cisco IP Phone 7945, Gig Ethernet, Color, spare
CP-7960G=	Cisco IP Phone 7960G, Global, Spare
CP-7961G	Cisco IP Phone 7961
CP-7961G=	Cisco IP Phone 7961, spare
CP-7962G=	Cisco Unified IP Phone 7962, spare
CP-7965G=	Cisco Unified IP Phone 7965, Gig Ethernet, Color, spare
CP-PWR-CORD-CE=	7900 Series Transformer Power Cord, Central Europe
CP-PWR-CORD-UK=	7900 Series Transformer Power Cord, United Kingdom
CP-PWR-CUBE-3=	IP Phone power transformer for the 7900 phone series
DIR-1.1-LTD-K9	Cisco Monitor Director Combo, 1 DIR, 5 LTD MON 1 Year Lic
DIR-1.1-STD-K9	Cisco Monitor Director Combo, 1 DIR, 5 STD MON 1 Year Lic
FL-WEBVPN-10-K9	Feature License IOS SSL VPN Up To 10 Users (Incremental)
FL-WEBVPN-10-K9=	Feature License IOS SSL VPN Up To 10 Users (Incremental)
GLC-GE-100FX=	100BASE-FX SFP for GE SFP port on 3750,3560,2970,2960

## Cisco Network Attached Storage NSS 2000

### 2 Bay NAS Chassis mit hoher Performance

Das NSS2000 ist ein professionelles 2 Bay NAS für kleinere und mittlere Betriebe. Die Haupteinsatzbereiche sind File-Server, Daten-Backup und Speicher für Video-Überwachung. Dazu stehen RAID 0 (Striping) und RAID 1 (Mirroring) bzw. JBOD (lineare Aneinanderreihung) zur Auswahl.



GLC-LH-SM=	GE SFP, LC connector LX/LH transceiver
GLC-SX-MM=	GE SFP, LC connector SX transceiver
GLC-T=	1000BASE-T SFP
GLC-ZX-SM=	1000BASE-ZX SFP
HWIC-1ADSLI=	1-port ADSLoSDN HWIC
HWIC-3G-GSM	3GWWAN HWIC-HSDPA/UMTS/EDGE/GPRS-850/900/1800/1900/2100MHz
HWIC-3G-GSM=	3GWWAN HWIC-HSDPA/UMTS/EDGE/GPRS-850/900/1800/1900/2100MHz
HWIC-4ESW=	Four port 10/100 Ethernet switch interface card
HWIC-4ESW-POE=	4-Port Ethernet Switch HWIC with Power Over Ethernet
HWIC-4T=	4-Port Serial HWIC
L-ASA5505-10-50=	ASA 5505 10-to-50 User Upgrade License
L-ASA5505-10-UL=	ASA 5505 10-to-Unlimited User Upgrade License
L-ASA5505-50-UL=	ASA 5505 50-to-Unlimited User Upgrade License
L-ASA5505-SEC-PL=	ASA 5505 Sec. Plus Lic. w/ HA, DMZ, VLAN trunk, more conns.
L-ASA-SSL-10=	ASA 5500 SSL VPN 10 User License
L-ASA-SSL-100=	ASA 5500 SSL VPN 100 User License
L-ASA-SSL-25=	ASA 5500 SSL VPN 25 User License
L-ASA-SSL-250=	ASA 5500 SSL VPN 250 User License
L-ASA-SSL-50=	ASA 5500 SSL VPN 50 User License
LL-C2960=	Software License for Catalyst 2960 Fast Ethernet Switches
LL-C2960G=	Software License for Catalyst 2960 Gigabit Ethernet Switches
MON-1.1-LTD-K9	Cisco Monitor Manager 1.1.2 SW, Perpetual 25 Device SM Lic
MON-1.1-STD-K9	Cisco Monitor Manager 1.1.2 SW, Perpetual 70 Device SM Lic
MON-LTD-10-LIC-K9	Cisco Monitor Manager, Ext LTD Package, 10 MON 1 Year Lic
MON-LTD-15-LIC-K9	Cisco Monitor Manager, Ext LTD Package, 15 MON 1 Year Lic
MON-LTD-25-LIC-K9	Cisco Monitor Manager, Ext LTD Package, 25 MON 1 Year Lic
MON-LTD-5-LIC-K9	Cisco Monitor Manager, Ext LTD Package, 5 MON 1 Year Lic
MON-STD-10-LIC-K9	Cisco Monitor Manager, Ext STD Package, 10 MON 1 Year Lic
MON-STD-15-LIC-K9	Cisco Monitor Manager, Ext STD Package, 15 MON 1 Year Lic
MON-STD-25-LIC-K9	Cisco Monitor Manager, Ext STD Package, 25 MON 1 Year Lic
MON-STD-5-LIC-K9	Cisco Monitor Manager, Ext STD Package, 5 MON 1 Year Lic
NM-CUE=	Cisco Unity Express Network Module
NME-AIR-WLC25-K9	25-AP WLAN Controller NM for Cisco 2800/3800 Series
NME-AIR-WLC25-K9=	25-AP WLAN Controller NM for Cisco 2800/3800 Series
NME-AIR-WLC6-K9	6-AP WLAN Controller NM for Cisco 2800/3800 Series
NME-AIR-WLC6-K9=	6-AP WLAN Controller NM for Cisco 2800/3800 Series
PWR-2801-AC-IP	Cisco 2801 AC/IP power supply
PWR-2801-AC-IP=	Cisco 2801 AC/IP power supply
PWR-2811-AC-IP=	Cisco 2811 AC/IP power supply
PWR-2821-51-AC-IP	Cisco 2821/51 AC/IP power supply
PWR-2821-51-AC-IP=	Cisco 2821/51 AC/IP power supply
SCUE-LIC-100CME	Unity Express License 100 Voice Mailbox-Auto Attendant-CCME
SCUE-LIC-25CME	Unity Express License 25 Voice Mailbox-Auto Attendant-CCME
SCUE-LIC-50CME	Unity Express License 50 Voice Mailbox-Auto Attendant-CCME
SR216-UK	16-Port 10/100 Switch
SR224-UK	24-Port 10/100 Switch
SR520-ADSLI-K9	ADSLoSDN Secure Router
SR520-ADSL-K9	ADSLoPOTS Secure Router
SR520-FE-K9	Fast Ethernet Secure Router
SR520W-ADSLI-K9	ADSLoSDN Secure Router with 802.11g radio
SR520W-ADSL-K9	ADSLoPOTS Secure Router with 802.11g radio
SR520W-FE-K9	Fast Ethernet Secure Router with 802.11g radio
UC520-16U-2BRI-K9	16U CME Base, CUE and Phone FL w/2BRI, 1VIC
UC520-16U-4FXO-K9	16U CME Base, CUE and Phone FL w/4FXO, 1VIC

## Cisco Catalyst 2960 Intelligent Ethernet Switch

Bei den Intelligent Ethernet Switches der Cisco® Catalyst® 2960 Serie handelt es sich um festkonfigurierte Switches mit Fast Ethernet und Gigabit Ethernet Anschlüssen. Integrierte Sicherheit einschliesslich Network Admission Control, erweiterte Quality of Service Merkmale sowie Ausfallsicherheit kennzeichnen diese Serie. Sie sind geeignet für Unternehmen mittlerer Grösse, als Einsteiger-Switch für grosse Unternehmen sowie für Niederlassungen. Neu hinzugekommen sind 2 lüfterlose Modelle in Compact Form Factor Ausführung. Diese verfügen über 7 x 10/100/1000 oder 8 x 10/100 Ports sowie jeweils 1 Dual Purpose Gigabit Ethernet Small Form-Factor Pluggable (SFP) Uplink Port.



UC520-24U-4BRI-K9	24U CME Base, CUE and Phone FL with 4 BRI, 1 VIC
UC520-24U-8FXO-K9	24U CME Base, CUE and Phone FL with 8 FXO, 1 VIC
UC520-32U-4BRI-K9	32U CME Base, CUE and Phone FL w/4BRI, 1VIC
UC520-32U-8FXO-K9	32U CME Base, CUE and Phone FL w/8FXO, 1VIC
UC520-48U-12FXO-K9	48U CME Base, CUE and Phone FL w/12FXO
UC520-48U-6BRI-K9	48U CME Base, CUE and Phone FL w/6BRI
UC520-48U-T/E/B-K9	48U CME Base, CUE and Phone FL w/ 2BRI, T1/E1, 1VIC
UC520-48U-T/E/F-K9	48U CME Base, CUE and Phone FL w/ 4FXO, T1/E1, 1VIC
UC520-8U-2BRI-K9	8U CME Base, CUE and Phone FL w/2BRI, 1VIC
UC520-8U-4FXO-K9	8U CME Base, CUE and Phone FL w/4FXO, 1VIC
UC520W-16U-2BRI-K9	16U CME Base, CUE and Phone FL w/2BRI, 1VIC WIFI
UC520W-16U-4FXO-K9	16U CME Base, CUE and Phone FL w/4FXO, 1VIC WIFI
UC520W-8U-2BRI-K9	8U CME Base, CUE and Phone FL w/2BRI, 1VIC WIFI
UC520W-8U-4FXO-K9	8U CME Base, CUE and Phone FL w/4FXO, 1VIC WIFI
VIC2-2BRI-NT/TE=	Two-port Voice Interface Card - BRI (NT and TE)
VIC2-2FXO=	Two-port Voice Interface Card - FXO (Universal)
VIC2-2FXS=	Two-port Voice Interface Card - FXS
VIC-2BRI-NT/TE=	^Two-port Voice Interface Card - BRI (NT and TE)
VWIC-1MFT-E1	1-Port RJ-48 Multiflex Trunk - E1
VWIC-1MFT-E1=	1-Port RJ-48 Multiflex Trunk - E1
VWIC2-1MFT-T1/E1=	1-Port 2nd Gen Multiflex Trunk Voice/WAN Int. Card - T1/E1
WIC-1ADSL=	1-port ADSL WAN Interface Card
WIC-1ADSL-I-DG=	1-port ADSLolSDN Wan Interface Card
WIC-1B-S/T-V3=	1-Port ISDN WAN Interface Card (dial and leased line)
WIC-1DSU-T1-V2=	1-Port T1/Fractional T1 DSU/CSU WAN Interface Card: Ver. 2
WIC-1SHDSL-V3=	One-port G.shdsl WIC with 4-wire support
WIC-1T=	1-Port Serial WAN Interface Card
WIC-2T=	2-Port Serial WAN Interface Card spare
WS-C2940-8TF-S	8 10/100 Ethernet ports and 1 100BASE-FX Ethernet port
WS-C2940-8TT-S	8 10/100 Ethernet ports and 1 10/100/1000 Ethernet port
WS-C2960-24LT-L	Catalyst 2960 24 10/100 (8 PoE)+ 2 1000BT LAN Base Image
WS-C2960-24PC-L	Catalyst 2960 24 10/100 PoE + 2 T/SFP LAN Base Image
WS-C2960-24-S	Catalyst 2960 24 10/100 LAN Lite Image
WS-C2960-24TC-L	Catalyst 2960 24 10/100 + 2T/SFP LAN Base Image
WS-C2960-24TC-S	Catalyst 2960 24 10/100 + 2 T/SFP LAN Lite Image
WS-C2960-24TT-L	Catalyst 2960 24 10/100 + 2 1000BT LAN Base Image
WS-C2960-48PST-L	Catalyst 2960 48 10/100 PoE + 2 1000BT +2 SFP LAN Base Image
WS-C2960-48TC-L	Catalyst 2960 48 10/100 + 2 T/SFP LAN Base Image
WS-C2960-48TC-S	Catalyst 2960 48 10/100 + 2 T/SFP LAN Lite Image
WS-C2960-48TT-L	Catalyst 2960 48 10/100 + 2 1000BT LAN Base Image
WS-C2960-48TT-S	Catalyst 2960 48 10/100 + 2 1000BT LAN Lite Image
WS-C2960-8TC-L	Catalyst 2960 8 10/100 + 1 T/SFP LAN Base Image
WS-C2960-8TC-S	Catalyst 2960 8 10/100 + 1 T/SFP LAN Lite Image
WS-C2960G-24TC-L	Catalyst 2960 24 10/100/1000, 4 T/SFP LAN Base Image
WS-C2960G-48TC-L	Catalyst 2960 48 10/100/1000, 4 T/SFP LAN Base Image
WS-C2960G-8TC-L	Catalyst 2960 7 10/100/1000 + 1 T/SFP LAN Base
WS-C2960PD-8TT-L	Catalyst 2960 Powered Device 8 10/100 + 1 1000BT LAN Base
WS-C3560-24PS-E	Catalyst 3560 24 10/100 PoE + 2 SFP + IPS Image
WS-C3560-24PS-S	Catalyst 3560 24 10/100 PoE + 2 SFP + IPB Image
WS-C3560-24TS-E	Catalyst 3560 24 10/100 + 2 SFP + IPS Image
WS-C3560-24TS-S	Catalyst 3560 24 10/100 + 2 SFP IPB Image
WS-C3560-48PS-E	Catalyst 3560 48 10/100 PoE + 4 SFP IPS Image
WS-C3560-48PS-S	Catalyst 3560 48 10/100 PoE + 4 SFP IPB Image
WS-C3560-48TS-E	Catalyst 3560 48 10/100 + 4 SFP IPS Image

WS-C3560-48TS-S	Catalyst 3560 48 10/100 + 4 SFP IPB Image
WS-C3560-8PC-S	Catalyst 3560 Compact 8 10/100 PoE + 1 T/SFP; IP Base Image
WS-C3560G-24PS-E	Catalyst 3560 24 10/100/1000T PoE + 4 SFP + IPS Image
WS-C3560G-24PS-S	Catalyst 3560 24 10/100/1000T PoE + 4 SFP + IPB Image
WS-C3560G-24TS-E	Catalyst 3560 24 10/100/1000T + 4 SFP + IPS Image
WS-C3560G-24TS-S	Catalyst 3560 24 10/100/1000T + 4 SFP + IPB Image
WS-C3560G-48PS-E	Catalyst 3560 48 10/100/1000T PoE + 4 SFP + IPS Image
WS-C3560G-48PS-S	Catalyst 3560 48 10/100/1000T PoE + 4 SFP + IPB Image
WS-C3560G-48TS-E	Catalyst 3560 48 10/100/1000T + 4 SFP + IPS Image
WS-C3560G-48TS-S	Catalyst 3560 48 10/100/1000T + 4 SFP + IPB Image
WS-CE500-24LC	24 10/100 (4 PoE) and 2 10/100/1000BT or SFP uplinks, GUI
WS-CE500-24PC	24 10/100 (24PoE) and 2 10/100/1000BT or SFP uplinks, GUI sw
WS-CE500-24TT	24 10/100 and 2 10/100/1000BT uplinks, GUI software
WS-CE500G-12TC	8 10/100/1000BT and 4 10/100/1000BT or SFPs, GUI software
WS-CE520-24LC-K9	24 port partial power + 2 Uplink Ports
WS-CE520-24PC-K9	24 10/100 PoE ports + 2 10/100/1000BASE-T or SFP ports
WS-CE520-24TT-K9	24 port 10/100 + 2 uplink
WS-CE520-8PC-K9	Catalyst Express 520 8 10/100 PoE + 1 GE Combo Port
WS-CE520G-24TC-K9	24 port 10/100/1000 + 2 Uplink
WS-G5483=	1000BASE-T GBIC
WS-G5484=	1000BASE-SX Short Wavelength GBIC (Multimode only)
WS-G5486=	1000BASE-LX/LH long haul GBIC (singlemode or multimode)

\*Zum Bezug der Cisco Fast Track-Produkte zu Promotionspreisen wenden Sie sich bitte an Ihren Distributor.

