

BULGARIA
IMPAS 56 Ltd.
67 Cherni Vrah Blvd.
1407 Sofia
Tel.: +(359 2) 862 47 18
Fax: +(359 2) 868 95 70
e-mail: info@impas56.com

CYPRUS
ANGELOS RADIO CO., LTD.
80, Digenis Akritas Avenue,
Nicosia 1061
Tel.: +357 22 765487 / 22 460099
Fax: +357 22 757664
e-mail: angelosradio@cytanet.com.cy

ESTONIA
R & P GRUPP OÜ
Kadaka tee 1
10621 Tallinn
Tel.: +372 6 50 74 74
Fax: +372 6 50 74 75
e-mail: clarion@clarion.ee

LITHUANIA
ALTAS SECURITY CORP. 
Kalnieciu 104
50184 Kaunas
Tel.: +370 69 803 830
Fax: +370 37 797 705
e-mail: clarion@clarion.lt

MACEDONIA
MTDE
Lerinska 55b
Skopje 1000
Tel.: +389 2 2040618
Fax: +389 2 2040618
e-mail: dusica@on.net.mk

MALAYSIA
Clarion (Malaysia) Sdn., Bhd.
Phase 1, Free Industrial Zone,
11900 Bayan Lepas, Penang, Malaysia
Tel.: +60-4-6148-400
Fax: +60 4 6439108, +60 4 6438763
www.clarion.com/my

MALTA
DOUBLESIN & ZAMMIT LTD. 
53, Nicolo Isouard Street
Sliema, SLM 2084
Tel.: +356 21 331294
Fax: +356 21 319576
e-mail: info@doublesinandzammit.com

CLARION EUROPE S.A.S.
Le Pré à Varois
54670 Custines
FRANCE
Tel.: +33 3 83 49 44 00
Fax: +33 3 83 24 17 62
e-mail: info@clarion.fr

clarion

2011-2012

Your Clarion dealer can tell you more.

Clarion
www.clarion.com

• Specifications and design are subject to change without notice. • Photos are non-binding. The manufacturer and importer do not take responsibility for any printing errors. • Dolby, Dolby Surround, Pro Logic and the double-D symbol are trademarks of Dolby Laboratories. • "Made for iPod," and "Made for iPhone" mean that an electronic accessory has been designed to connect specifically to iPod, or iPhone, respectively, and has been certified by the developer to meet Apple performance standards. • Apple is not responsible for the operation of this device or its compliance with safety and regulatory standards. • Please note that the use of this accessory with iPod or iPhone may affect wireless performance. • iPhone and iPod are trademarks of Apple Inc., registered in the U.S. and other countries. • The trademark and the Bluetooth® logo are owned by Bluetooth® SIG, Inc. and any utilisation of these trademarks by Clarion is carried out under licence. • DivX®, DivX® Certified, and associated logos are trademarks of DivX, Inc. and are used under licence. • DivX Certified® to play DivX® video, including premium content. • Covered by one or more of the following U.S. patents: 7,295,673; 7,460,668; 7,515,710; 7,519,274 • Manufactured under licence from BBE Sound, Inc. • Licensed by BBE Sound, Inc. under one or more of the following US patents: 5510752, 5736897. BBE and the BBE symbol are registered trademarks of BBE Sound, Inc. • All other trademarks are the property of their respective owners. • All units in this catalogue are primarily intended for installation in passenger cars. Use in lorries, tractors, off-road vehicles, construction machinery, boats (except Marine models), and other special-purpose vehicles or on motorcycles is not recommended. • It may not be possible to resume iPod Video playback. Whenever ACC is turned OFF/ON, playback will commence from the beginning of the file. • There's no guarantee that all units in this catalogue can play CCCD (Copy Control CD), Hybrid SACD (Super Audio CD), CD-R/RW and DVD±R/RW. • The driver should be aware and abide by the laws of the country when operating any multimedia/navigational equipment • LCD panels use the latest high-tech components and boast an effective pixel rate of 99.99%. However, be aware that 0.01% or less of the pixels may be defective. • The SD logo is a trademark of the SD Card Association. • Navigation system should not be used as a substitute for your own judgement. Any route suggestions made by navigation system may never override any local traffic regulations, your own judgement, and/or knowledge of safe driving practices.



Made for iPod iPhone



NX501 E
2-DIN DVD MULTIMEDIA STATION WITH 6.2-inch TOUCH PANEL & BUILT-IN NAVIGATION



Made for iPod iPhone



NZ501 E
DVD MULTIMEDIA STATION WITH 7-inch TOUCH PANEL & BUILT-IN NAVIGATION

Navigation and entertainment come together at your fingertips

Interactive GUI with flick operation

The NX501E/NZ501E's touch screen GUI (Graphical User Interface) supports flick operation, so you can quickly scroll to another menu page. Feature icons are animated for an enhanced appearance, and they can be dragged and dropped into different positions to customise the screen.



Made for iPod® and Made for iPhone®

Made for iPod and Made for iPhone certified so you can enjoy the convenience of iPod/iPhone ABC Search to quickly access tunes, and simple control mode to allow operation using the iPod/iPhone controls. Album Artwork is displayed to visually enhance the interactivity.



* For audio playback, please use the USB cable provided with your iPod / iPhone.
* For video playback, an optional CCA748 cable is required.
* Please see our website for details of compatible iPod / iPhone models.

Parrot Bluetooth® module

Parrot Bluetooth offers extremely comprehensive compatibility with a variety of mobile phones. Enjoy hands-free communication using the built-in microphone and Phonebook access. Play music stored on your mobile phone with Bluetooth audio streaming. A wide range of protocols are supported: HFP/HSP/A2DP/AVRCP/PBAP/OPP. Firmware updates are possible via USB connection.



Easy navigation map updates

It is easy to keep the navigation system up-to-date. Simply download new map data from Clarion's dedicated portal site, store them on a microSD card and insert it into the NX501E/NZ501E via the front card slot. Unpleasant surprises are now avoided as navigation maps will correspond to the real world.




Latest Map Guarantee (LMG):

The user can download the latest map data from our dedicated portal site. The first download is free of charge, and possible within 30 calendar days after the unit receives the first GPS signals. Thanks to this, the user has the guarantee to be navigated with the very latest map data release.


Notice: In order to let the data download possible the unit must first be registered at our portal site. The availability of the latest data depends on their release by the map data provider. Thus there is no guarantee from Clarion that the data available on the portal site are always fully updated.

Navigate your way with an enhanced sense of reality


Smart, simple and direct control on touch-panel display




Text to speech



Rich POI database



RDS-TMC traffic information



Sophisticated and efficient navigation graphics




Roads, junctions and bridges with elevations



Signpost information

Elevation modelling and 3D rendering for a realistic view



Topographical view



Terrain modelling in 3D

GUI & VOICE GUIDANCE

■ **Navigation menu (31 languages):** Arabic, Bulgarian, Catalan, Croatian, Czech, Danish, Dutch, English, Estonian, Finnish, Flemish, French, German, Greek, Hebrew, Hungarian, Italian, Latvian, Lithuanian, Norwegian, Polish, Portuguese, Romanian, Russian, Serbian, Slovak, Slovenian, Spanish, Swedish, Turkish, Ukrainian

■ **Navigation voice guidance (38 languages):** Arabic, Bulgarian, Catalan, Chinese (Cantonese / Mandarin), Croatian, Czech, Danish, Dutch, English (UK / US), Estonian, Finnish, Flemish, French, German, Greek, Hebrew, Hungarian, Indonesian, Italian, Japanese, Korean, Latvian, Lithuanian, Norwegian, Polish, Portuguese, Romanian, Russian, Serbian, Slovak, Slovenian, Spanish, Swedish, Thai, Turkish, Ukrainian

■ **Text to speech voice (11 languages):** Catalan, Dutch, English, French, German, Greek, Italian, Polish, Portugal, Spanish, Swedish

<https://clarion.naviextras.com/shop/portal>

microSD card for updates
In addition to pre-installed data, new maps and content updates can be downloaded from Clarion's dedicated portal site.

For more detailed information concerning installation possibilities, please refer to the CIP (Clarion Installer Programme) on page 15

	MEDIA				CONNECTION							NAVIGATION				AUDIO				GENERAL				
	DVD VIDEO	COMPACT DISC DIGITAL AUDIO TEXT	MP3/WMA	DOLBY DIGITAL	FM/MW	Bluetooth	Parrot more wireless	Made for iPod iPhone	USB	2-ZONE Entertainment	4V/6ch output	Rear Vision Camera	AUX INPUT	TMC	Built-in navigation	Subwoofer level control	N-BASS EX	24bit	BeatEQ	LFE/HFPE	50Wx4	TOUCH PANEL	TOUCH SENSOR	OEM
NX501E	●	●	●	●	18 FM, 6 MW	Built-in*1	●	USB (Audio) or CCA748 (Video)*2	Rear	●+3	●	●+4	●+5	●	●+6	●	●	●	●	●+7	●	●	●	●
NZ501E	●	●	●	●	18 FM, 6 MW	Built-in*1	●	USB (Audio) or CCA748 (Video)*2	Rear	●+3	●	●+4	●+5	●	●+6	●	●	●	●	●+7	●	●	—	●

*1 Please see our website for details of compatible Bluetooth models *2 Please see our website for iPod compatibility *3 Front and rear seat entertainment

*4 Rear vision camera sold separately *5 2 AV inputs-front mini jack / rear RCA *6 8 GB microSD card stores entire Navigation application and map coverage for 44 countries, and enables direct data updating *7 Low Pass / High Pass Filters



MP3/WMA Bluetooth



VX401E 2-DIN DVD MULTIMEDIA STATION WITH 6.2-inch TOUCH PANEL CONTROL



MP3/WMA Bluetooth



VZ401E DVD MULTIMEDIA STATION WITH 7-inch TOUCH PANEL CONTROL

Add visual excellence to your mobile communication

Touch screen controlled GUI



The GUI (Graphical User Interface) displays large, highly visible icons that are easily recognisable at a glance. And thanks to the touch screen display, accessing each function is as simple as placing your finger on the corresponding icon.

iPod® and iPhone® connectivity for seamless enjoyment


You can connect your iPod or iPhone to the main unit's USB connector and access your music and videos. Your device can be operated from the main unit's control panel, with sound audible through the car's speaker system. The USB connector also supports playback of MP3 and WMA files, as well as DivX files.



* For audio playback, please use the USB cable provided with your iPod / iPhone.
* For video playback, an optional CCA748 cable is required.
* Please see our website for details of compatible iPod / iPhone models.

24-bit D/A converter for superb sound reproduction

The digital realm is made up of unnaturally square sound waves, as opposed to the smoothly undulating sound waves characteristic of the real-world environment. This is why Clarion's 24-bit D/A (Digital-to-Analogue) converter over-samples the digital signal to recreate the natural nuances and expressions lost during the sound reproduction process.



6-channel audio pre-out


Equipped with 2 channels for Front (L/R), 2 channels for Rear (L/R) and 2 channels for subwoofers, the full set of RCA line outputs allows integration into a wide range of potential systems, and is ready to support future system expansions.



Built-in Bluetooth® hands-free

With a Bluetooth compatible head set, you can wirelessly connect your Bluetooth capable mobile phone to the main unit in order to listen to calls through your car's audio system. HFP/OPP/A2DP/AVRCP protocols are supported. The mobile phone's contact list can be synchronised with the main unit*. You can then dial the required phone number directly from the multimedia station.

* Dependent on mobile phone.
* Please see our website for details of compatible Bluetooth mobile phones.



WVGA digital LCD display

VX401E/VZ401E are both equipped with a high-resolution WVGA LCD screen. This high resolution capability provides more comfortable viewing of your favourite videos.



DivX® compatible

DivX is a common media language that delivers a pure digital experience. DivX enriched video files deliver superior video quality and enable storage of more information on a single disc or a USB memory. DivX compatibility in the source unit means that DivX encoded files transcoded on your PC can be viewed and enjoyed in your car, just like you'd be able to at home.

For more detailed information concerning installation possibilities, please refer to the CIP (Clarion Installer Programme) on page 15

DIGITAL TV TUNER Easily upgrade your system for digital TV reception

DTX501E DVB-T DIGITAL TV TUNER


For NX501E, NZ501E, VX401E, VZ401E, NX700E, MAX688RBT, VRX888RBT, NX509E, VZ409E, VZ509E, VZ709E & VX709E



- High performance MPEG-2 digital diversity tuner
- Remote control included
- Intelligent touch screen operation with NX501E & NZ501E
- 2 active antennas included
- 1 RCA Audio Video output (2ch stereo audio, 1ch video)

- Compatibility with PAL
- Fully compliant with DVB-T standards
- Auto/Manual channel search, Auto save
- Favourite channel list editing Supports EPG, Teletext, Subtitles
- Frequency Range: 177.5-226.5 MHz/474-858 MHz
- Dimensions: 148,5 (L) x 76,8 (W) x 30,3 (H) mm

System example



* NX501E/NZ501E control connection is required.

	MEDIA					CONNECTION					AUDIO					GENERAL		
	DivX	DVD VIDEO	COMPACT DISC DIGITAL AUDIO TEXT	MP3/WMA	DOLBY DIGITAL	FM/MW	Bluetooth	Made for iPod iPhone	USB	2V/6ch OUTPUT	Rear Vision Camera	AUX INPUT	Subwoofer level control	24bit	LPF	40Wx4 HIGH POWER	TOUCH PANEL	OEM
VX401E	●	●	●	●	●	18 FM, 6 MW	Built-in*1	USB (Audio) or CCA748 (Video)*2	Rear	●	●*3	●*4	●	●	●*5	●	●	●
VZ401E	●	●	●	●	●	18 FM, 6 MW	Built-in*1	USB (Audio) or CCA748 (Video)*2	Rear	●	●*3	●*4	●	●	●*5	●	●	●

*1 Please see our website for details of compatible Bluetooth models *2 Please see our website for iPod compatibility *3 Rear vision camera sold separately *4 2 AV inputs-front mini jack / rear RCA *5 Low Pass Filter (100Hz fixed)



MAP790 / MAP690 PORTABLE NAVIGATION

MP3/WMA Bluetooth



COMPACT SIZE (mm):
127,2 (W) x 82,2 (H) x 20 (D)

Overhead monitors deliver front-row entertainment to your rear seat passengers



Enjoy home theatre in your car

Offering a variety of overhead monitors ranging from 8-inch to 15-inch, with built-in DVD players and wireless headphone transmitters, Clarion can make even your long journeys a pleasure-filled experience.



OHM888VD / VT1010E / OHM1588VD features
 • Universal slim profile • MPEG 1/2, MP3 and WMA playback
 • MPEG 4, DivX (VT1010E) • Adjustable display modes: Wide/Normal • Infrared remote control with on-screen display
 • 2 Audio/Video inputs for external devices (RCA connector for OHM888VD and OHM1588VD; 1 RCA + 1 mini jack for VT1010E) • 1 Audio/Video output for multiple monitor applications • Built-in LED dome light • 2 sets of headphones are supplied with the OHM1588VD and the VT1010E, 1 set of headphones is supplied with the OHM888VD • Slot-in DVD mechanism • USB/SD/MMC (VT1010E)



VT1010E
 10,2" OVERHEAD MONITOR WITH DVD/USB/SD PLAYER WITH TWO SETS OF IR HEADPHONE

OHM888VD
 8" OVERHEAD MONITOR WITH DVD PLAYER WITH ONE SET OF IR HEADPHONE

More than a navigator: a leader

GENERAL:

- High Definition 4,3" non-reflective LCD display for crystal clear viewing
- Built-in RDS-TMC tuner for traffic information
- Built-in Bluetooth® interface for Hands-free and Audio Streaming (A2DP)
- SiRF III GPS module with 20-channel receiver
- External GPS antenna
- 400 MHz CPU
- 2 GB flash memory
- SD card slot with up to 8 GB capacity
- Lithium ion rechargeable battery
- Equipped with postcode search (handles 5-digit & 8-digit codes for UK)

PACKAGE CONTENT:

AC adapter, Car charger, USB cable, Vibration-free mounting kit, TMC antenna, Stylus, Backup DVD and Quick start guide

NAVIGATION:

- 360° 3D display mode for: 3D city maps, 3D landmarks, 3D terrain
- Simple mode or Advanced mode operation
- Toll-free TMC traffic information reception
- Signpost information
- Lane indicator
- Spoken street and city names
- Rich POI database
- Trip computer
- Speed limit information
- Speed camera compatible
- Navigation programme languages: 31
- Voice guidance languages: 38
- TTS voice languages: 6

*Speed camera warning may be prohibited in some countries. *3D information is not available everywhere. *Setting and Bluetooth menus only available in 18 languages. *Toll-Free or Free to Air Traffic information is not available in some countries e.g. United Kingdom

Map data included

<44 countries map coverage>

Albania, Andorra, Austria, Belarus, Belgium, Bosnia-Herzegovina, Bulgaria, Croatia, Czech Republic, Denmark, Estonia, Finland, France, Germany, Gibraltar, Greece, Hungary, Ireland, Italy, Latvia, Liechtenstein, Lithuania, Luxembourg, Macedonia, Malta, Moldova, Monaco, the Netherlands, Norway, Portugal, Poland, Romania, San Marino, Serbia, Montenegro, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey, Ukraine, United Kingdom and the Vatican



Functions spanning the full spectrum of usability

NAVIGATION




ENTERTAINMENT



COMMUNICATION



Navigation with expressive graphics



MP3/WMA



OHM1588VD
 15,4" OVERHEAD MONITOR WITH DVD PLAYER WITH TWO SETS OF IR HEADPHONE INCLUDED

"In flight" entertainment for back seat passengers

VMA773 / VMA573 features

- 2 A/V inputs (line-in from rear pigtail and front minijack input)
- Dual channel IR audio output transmitter for WH253H
- Headrest mounting bracket included
- Minijack headphone output



VMA773
 7"/16:9 HEADREST/STAND-ALONE MONITOR
 • Ultra compact housing for easy headrest installation
 • Outside dimensions of bracket: 192,7 (W) x 133,5 (H) x 32,5 (D) mm • Dimensions of monitor: 177,8 (W) x 118,5 (H) x 27,5 (D) mm



VMA573
 5,6"/16:9 HEADREST/STAND-ALONE MONITOR
 • Ultra compact housing for easy headrest installation
 • Outside dimensions of bracket: 160,8 (W) x 111,8 (H) x 32,5 (D) mm • Dimensions of monitor: 150 (W) x 101 (H) x 27 (D) mm

Our gateway to the convenient world of car navigation

NP509E


HIDE-AWAY MEMORY NAVIGATION SYSTEM

- Direct connection with VZ509E • VX709E / VZ709E requires CCB509 interface
- System integration: Touchscreen operation, AV interruption, navigation voice guidance and audio mix
- Stand-alone mode available (optional SA509 required)
- Stand-alone mode optimised user interface with drop-down menu for remote control operation
- Built-in 4 GB flash memory for navigation
- SD card slot for map updating
- Content updates can be downloaded from Clarion's dedicated portal site-Naviextra
- SiRF III GPS module with 20-channel receiver
- Built-in RDS-TMC tuner for Toll-Free or Free to Air Traffic information
- No speed pulse connection required
- Toll-Free or Free to Air Traffic information is not available in some countries e.g. United Kingdom

CCB509

CeNET CONVERTER FOR NP509E


CeNET converter box to connect NP509E with VX709E, VZ709E, VRX888RBT, MAX688RBT, VRX878RVD, MAX678RVD, VRX868RVD and MAX668RVD



SA509

STAND-ALONE ACCESSORY KIT FOR NP509E

- IR remote control and remote eye
- External speaker for voice guidance
- RCA video cable



Optional SD cards with map data. The way to navigate.

SD690EEU Eastern Europe package to be used with MAP690 or MAP790	SD690RUS SD690RUS to be used with MAP690 or MAP790	SD691 TRK SD691 TRK to be used with MAP690 or MAP790
<ul style="list-style-type: none"> • TeleAtlas maps from TeleAtlas and local providers for more detailed coverage • Rich POI database • 3D landmarks and petrol stations • 3D city maps (Hungary only) 	<ul style="list-style-type: none"> • Cross border routing in Eastern Europe • Major road network for Western Europe 	<ul style="list-style-type: none"> • Up-to-date TeleAtlas coverage for Russia • 3D landmarks • 3D petrol stations • Lane indicator
<ul style="list-style-type: none"> • Software supports vehicle specification (height, weight, length, hazardous goods) • Route calculation respects physical and legal truck restrictions • Truck-specific Points of Interest 		

PORTABLE NAVIGATION ACCESSORIES

CMK002 Vibration-free mounting bracket including self-adhesive disc connector MAP790, 690, 780, 680, 770, 670, 370, 560, 360	PBK431 PND socket for CMK002 For MAP790, 690	PBK350 PND socket for CMK002 For MAP560, 370, 360	PNC432 Protection case For MAP790, 690	FM9 External TMC receiver For MAP560, 370, 360	AC709 Active cradle For MAP690 and MAP790
	PBK430 PND socket for CMK002 For MAP780, 680, 770, 670	BMK001 Bicycle mount kit For MAP780, 680, 770, 670, 370, 560, 360	PNC431 Protection case For MAP780, 680, 770, 670	PCC001 Car charger For MAP790, 690, 780, 680, 770, 670, 370, 560, 360	GPA001 External GPS antenna For MAP790, 690, 780, 680, 770, 670, 370, 560, 360

MULTIMEDIA ACCESSORIES

VA700
 VIDEO DISTRIBUTION AMPLIFIER
 • 1 composite video input • 7 buffered 75-ohm composite video outputs • Stable video signal for up to 7 LCD monitors

WH253H
 DUAL CHANNEL INFRARED WIRELESS, SINGLE SET OF HEADPHONES
 Dual channel, infrared, wireless, single set of headphones. To be used in conjunction with rear entertainment systems based on one overhead monitor or two headrest monitors. Suitable for adults and children. Auto power off function.

BLT583
 CeNET BLUETOOTH INTERFACE ADAPTER

RCB199
 OPTIONAL EXTERNAL MICROPHONE
 For all Bluetooth units equipped with mini jack for microphone

RCB204
 OPTIONAL EXTERNAL MICROPHONE
 For CZ501E/EG/ER, CZ301E, FZ501E, CZ500E, CX609E and FZ709E



Enjoy music, pictures and videos thanks to a SD/SDHC Memory Card slot.

Cool design and hot performance deliver satisfaction

CZ501E BLUETOOTH CD/USB/MP3/ WMA RECEIVER



MP3/WMA Bluetooth

Made for

iPod iPhone



Built-in Bluetooth® for hands-free calling with embedded microphone, as well as music streaming.



Direct iPod® and iPhone® connectivity with front USB memory device.



Front USB input for playing music stored on a USB memory device. Optional CCA755 cable can be used to connect USB memory.



4-volt / 6-channel audio pre-out for superior system expandability and versatility.



CZ501EG



CZ501ER

CZ301E BLUETOOTH CD/USB/MP3/ WMA RECEIVER



MP3/WMA Bluetooth



Built-in Bluetooth® for hands-free calling with embedded microphone, as well as music streaming.



Front USB input for playing music stored on a USB memory device. Optional CCA755 cable can be used to connect USB memory.



Front auxiliary input for connection of portable audio players and other equipment.



2-volt / 2-channel audio pre-out with switchable rear / subwoofer control.



MOS-FET power amp
CZ series and CX501E are equipped with a MOS-FET (Metal Oxide Semiconductor Field Effect Transistor) power amplifier capable of delivering high quality sound with superior linearity and less distortion than conventional power amps - even with the volume cranked up.

CZ201E CD/USB/MP3/WMA RECEIVER



MP3/WMA

Made for

iPod iPhone



Direct iPod® and iPhone® connectivity with front USB connector.



Front USB input for playing music stored on a USB memory device.

Optional CCA755 cable can be used to connect USB memory.



Front auxiliary input for connection of portable audio players or other equipment.



2-volt / 4-channel audio pre-out for connection to multi-speaker system.



CZ201EG



CZ201ER

CZ101E CD/MP3/WMA RECEIVER



MP3/WMA



Front auxiliary input for connection of portable audio players and other equipment.



Advanced H.M.I. for safety and enjoyment.



2-volt / 2-channel audio pre-out with switchable rear / subwoofer control.



Beat EQ for user customisable sound and Magna Bass EX to intelligently boost ultra-low frequencies.



CZ101EG



CZ101ER

08

09

CX501E 2-DIN BLUETOOTH CD/ USB/MP3/WMA RECEIVER



(Optional)



MP3/WMA



Made for

iPod iPhone



Built-in Bluetooth® for hands-free calling with embedded microphone, as well as music streaming.



Front USB input for playing music stored on a USB memory device. Optional CCA755 cable can be used to connect USB memory.



Front auxiliary input for connection of portable audio players and other equipment.



2-volt / 2-channel audio pre-out with switchable rear / subwoofer control.



MOS-FET power amp
CZ series and CX501E are equipped with a MOS-FET (Metal Oxide Semiconductor Field Effect Transistor) power amplifier capable of delivering high quality sound with superior linearity and less distortion than conventional power amps - even with the volume cranked up.



Built-in Bluetooth® for hands-free calling with embedded microphone, as well as music streaming.



Direct iPod® and iPhone® connectivity with rear USB connector.



Rear USB connector also supports playback of WMA/MP3 files.



728-variable colour illumination and buttons allow aesthetical integration with instrument panel or personal preference.

For more detailed information concerning installation possibilities, please refer to the CIP (Clarion Installer Programme) on page 15

	MEDIA		CONNECTION							AUDIO							GENERAL							
	COMPACT DIGITAL AUDIO	COMPACT DIGITAL AUDIO TEXT	MP3/WMA	FM/MW/LW	Bluetooth	Bluetooth Ready	Made for iPod iPhone	USB	4V/6ch OUTPUT	2V/4ch OUTPUT	2V/2ch OUTPUT	FRONT AUX Input	Subwoofer level control	M-BASS EX	Beat EQ	LPF/HPF	LPF	High Visibility LCD	Integral Rotary Volume	MOS-FET 50Wx4	MOS-FET 45Wx4	728c	OEM Preamps	DCP
CZ501E	●	—	●	18 FM, 6 MW, 6 LW	Built-in*1	—	USB (Audio/Video)*2	Front	●	—	—	●	●	●+5	●+6	●+7	—	●+9	●	●	—	—	●	●
CZ301E	●	—	●	18 FM, 6 MW, 6 LW	Built-in*1	—	—	Front	—	—	●+4	●	●	●+5	●+6	—	●+8	●+10	●	—	●	—	●	●
CZ201E	●	—	●	18 FM, 6 MW, 6 LW	—	Optional BLT373	USB (Audio/Video)*2	Front	—	●+3	—	●	●	●+5	●+6	—	●+8	●+10	●	—	●	—	●	●
CZ101E	●	—	●	18 FM, 6 MW, 6 LW	—	Optional BLT373	—	—	—	—	●+4	●	●	●+5	●+6	—	●+8	●+10	●	—	●	—	●	●
CX501E	—	●	●	18 FM, 6 MW/LW	Built-in*1	—	USB (Audio/Video)*2	Rear	—	●+3	—	●	●	●+5	●+6	●+7	—	●+9	●	●	—	●	●	—

*1 Please see our website for details of compatible Bluetooth models *2 Optional USB cable (Video): CCA748: Please see our website for iPod compatibility *3 Front 2-channel + Rear 2-channel or subwoofer *4 Rear 2-channel or Subwoofer

*5 Boost ultra-low frequency *6 Bass boost, Impact, Excite, Custom *7 Low Pass / High Pass Filters *8 Low Pass Filter *9 13-Seg x 10 2-Line *10 13-Seg x 10 Single-Line

Multifunctional media control for a touch of fun

FZ501E

BLUETOOTH USB/MP3/WMA RECEIVER

MP3/WMA Bluetooth

Made for iPod iPhone

USB




7-way rotary volume control and 20 key remote

This large, multi-functional volume control knob, combined with the ergonomically symmetrical design of the unit, helps to provide comfortable operation even while driving. Push, tilt and turn it to access a wide variety of functions just like an iPod wheel. Tiny details can be set with ease, using the 20 key remote control provided.



FZ501E 7-way operation



Superior iPod® and iPhone® connectivity


Enjoy the familiar operational feel of your iPod and iPhone, with ALBUM/ARTIST/SONG LIST on screen display and LIST BACK operation. The simple control mode enables easy operation of the system using just the iPod / iPhone controls, including ABC search to quickly access tracks.

* For audio playback, please use the USB cable provided with your iPod / iPhone.
* Please see our website for details of compatible iPod / iPhone models.



Beat EQ for user customisable sound

In addition to providing 3 preset equalisation patterns — BASS BOOST, IMPACT and EXCITE — Clarion's Beat EQ allows you the freedom to customise the level and range of the bass, midrange and treble portions of each pattern. You can adjust the sound to your liking, depending on the genre of music, for a more fulfilling listening experience.



4 x 50 watt with MOS-FET power amp

FZ501E features a MOS-FET (Metal Oxide Semiconductor Field Effect Transistor) power amplifier capable of delivering 4 x 50 watt of high quality sound with superior linearity and less distortion than conventional power amps - even with the volume cranked up.



Built-in Bluetooth® hands-free and audio streaming

FZ501E's built-in wireless Bluetooth interface supports HFP/PBAP for hands-free operation and phonebook download. You can easily communicate with the outside world by listening to phone calls through the car's audio system and talking through the embedded microphone. And with A2DP/AVRCP support, you can enjoy music streamed from your mobile phone.



* Please see our website for details of compatible Bluetooth mobile phones.

Engineered for the marine environment

CMV1

WATERTIGHT MARINE DVD/CD/USB RECEIVER



CMD6

WATERTIGHT MARINE CD/USB RECEIVER



DIVX DVD VIDEO COMPACT DISC DIGITAL AUDIO TEXT MP3/WMA/AAC Made for iPod USB



Superior iPod and iPod touch connectivity.



3.5" monitor for comfortable viewing.



Engineered to withstand water and salt.

COMPACT DISC DIGITAL AUDIO TEXT MP3/WMA/AAC Made for iPod USB



Direct USB iPod control.



Flip-down panel and loading slot for CD/MP3/WMA/AAC playback.



6-channel and 2-channel fixed audio pre-out for system expansion.

MARINE SOUND SYSTEM PERFORMANCE SERIES



CMQ2510W
25 CM (10") WATER RESISTANT PERFORMANCE SERIES SUBWOOFER



CMQ1720R
17 CM (7") WATER RESISTANT PERFORMANCE SERIES COAXIAL SPEAKER



CMQ1620R
16,5 CM (6-1/2") WATER RESISTANT PERFORMANCE SERIES COAXIAL SPEAKER



CM1625
16,5 CM (6-1/2") COAXIAL 2-WAY WATER RESISTANT SPEAKER

OPTIONAL ACCESSORIES



MW1
WATERTIGHT MARINE REMOTE CONTROL WITH LCD FOR CMV1/CMD6



MW2
WATERTIGHT MARINE REMOTE CONTROL FOR CMV1/CMD6



CCA USB
USB EXTENSION CABLE



CCA AUX
RCA / 3,5 MM AUX INPUT CABLE



MWRXCRET
10 M MARINE REMOTE EXTENSION CABLE FOR MW1/2



MWRYCRET
REMOTE Y-CABLE FOR MW1/2

	MEDIA								CONNECTION						AUDIO						GENERAL										
	DIVX	DVD VIDEO	COMPACT DISC DIGITAL AUDIO TEXT	MP3/WMA/AAC	MP3/WMA	DOLBY DIGITAL	FM/MW/LW	FM/AM	Bluetooth	Made for iPod iPhone	Made for iPod	USB	2V/6ch OUTPUT	2V/4ch OUTPUT	AUX INPUT	ACA Video Input	Fixed Audio pre-out	BBE/MP	M-BASS/EX	Subwoofer level control	24bit	BeatEQ	LPEX/HPE	7way	High Visibility LCD	FLIP DOWN CONSOLE	MOS-FET 50Wx4	50Wx4	TFT Color LCD Monitor	Wired Remote Ready	OEM
FZ501E	-	-	-	-	●	-	18 FM, 6 MW, 6 LW	-	Built-in *2	● *3	-	Front *4	-	● *5	Front	-	-	-	● *6	●	-	● *7	● *8	●	● *9	-	●	-	-	-	●
CMV1	●	●	●	●	-	●	-	● *1	Optional BLT373	-	● *3	Rear	●	-	2 AV(Rear)	●	2-channel	●	-	-	●	-	-	-	●	-	●	-	3,5-inch	MW1/2	-
CMD6	-	-	●	●	-	-	-	● *1	Optional BLT373	-	USB (Audio)	Rear	●	-	2 Audio (Rear)	-	2-channel	●	-	-	-	-	-	● *9	●	-	●	-	-	MW1/2	-

*1 Switchable tuner for Europe / USA (18 FM, 6 AM) *2 Please see our website for details of compatible Bluetooth models
*3 USB (Audio), Optional USB cable - CCA748 (Video): Please see our website for iPod compatibility *4 Front USB with slide cover *5 Front 2-channel + Rear 2-channel or subwoofer

*6 Boost ultra-low frequency *7 Bass boost, Impact, Excite, Custom *8 Low Pass / High Pass Filters *9 13-seg x 10 2-Line

APA SERIES

CLASS AB AMPLIFIERS

- High-fidelity sound performance
- Full featured crossover settings

APA4360
720 W 4/3/2-CHANNEL
HIGH SOUND QUALITY
POWER AMPLIFIER



APA2180
360 W 2/1-CHANNEL HIGH SOUND
QUALITY POWER AMPLIFIER



APX SERIES

CLASS AB AMPLIFIERS

- High maximum music power
- Selectable bass boost

APX1301E
420 W MONO POWER
AMPLIFIER



APX4241E
400 W 4/3/2-CHANNEL
POWER AMPLIFIER



APX2121E
200 W 2/1-CHANNEL
POWER AMPLIFIER



HX SUBWOOFER

- Double-stacked powerful strontium magnets
- 30 cm TM-MIPP cone with rubber surround



SRM3093HX
30 CM (12") SINGLE 4-OHM VOICE
COIL HIGH-CLASS SUBWOOFER


- 30 cm titanium metallised MIPP cone woofer with rubber surround
- Double-stacked powerful strontium magnets
- Seamless parabolic cone structure for dynamic bass response
- Aluminium die-cast frame and cooling spacer for high power handling
- Rear-vented pole piece
- Music peak power: 1.200 W
- Continuous power: 300 W
- Frequency response: 15 ~ 1.500 Hz
- Efficiency: 93 dB/W/m
- Fs: 29 Hz
- Fs: 29 Hz
- Qts: 0,55
- Vas: 135,6 Litres

SRV SRV SERIES

- Dual voice coil counter drive woofer with dual-neodymium magnet
- 120 W high power amplifier with low pass filter



Stick wired remote control



SRV313
SLIM DESIGN 17 CM (6-3/4")
COUNTER DRIVE ACTIVE SUBWOOFER

- Dual voice coil
- 120 W high power amplifier with low pass filter
- Maxx Bass circuit for virtual bass enhancer
- 17 cm (6-3/4") counter drive woofer with dual neodymium magnet
- Air compression structure with aluminium die-cast enclosure
- Remote control for gain control / Low Pass Filter (selectable 50/75/100/120 Hz) / phase select
- Blue LED power indicator
- RCA line level input / speaker level input
- Music peak power: 120 W
- Continuous power: 60 W
- Frequency response: 30 ~ 200 Hz

***Maxx Bass** is a patent of KS-Wares.
***Maxx Bass** is a registered trademark of KS-Wares.


SW SERIES

- Dual strontium ferrite magnet
- Rear-vented pole piece

SW3012
30 CM (12") SINGLE 4-OHM
VOICE COIL SUBWOOFER





SW3013B
30 CM (12") SUBWOOFER
WITH BASS-REFLEX BOX



SW2512
25 CM (10") SINGLE 4-OHM
VOICE COIL SUBWOOFER



SW2513B
25 CM (10") SUBWOOFER
WITH BASS-REFLEX BOX




AMPLIFIER FEATURES	APA4360	APA2180	APX4241E	APX2121E	APX1301E
Number of channels	4/3/2	2/1	4/3/2	2/1	1
Maximum power output (W)	720	360	400	200	420
MOS-FET power supply	•	•	•	•	•
into 4 ohms (RMS power)	4 x 90 W	2 x 90 W	4 x 60 W	2 x 60 W	1 x 300 W
into 2 ohms (RMS power)	4 x 130 W	2 x 130 W	4 x 80 W	2 x 80 W	1 x 400 W
Bridged	2 x 260 W	1 x 260 W	2 x 100 W	1 x 100 W	—
Bass Extender: 0 ~ +15 dB @ 45 Hz	•	•	•	•	•
Independent front/rear adjustable crossover frequencies (HP/LP): 55 ~ 550 Hz or 550 ~ 5.500 Hz	•	•	•	•	•
Adjustable crossover frequency(HP/LP): 55 ~ 550 Hz or 550 ~ 5.500 Hz	•	•	•	•	•
Independent front/rear adjustable -12 dB/oct. High/Low Pass Crossover, 50 ~ 300 Hz	•	•	•	•	•
Selectable bass boost: 0/6/12 dB @ 50 Hz	•	•	•	•	•
Adjustable line level input: 200 mV up to 6 V	•	•	•	•	•
Adjustable -12 dB/oct. High/Low Pass Crossover, 50 ~ 300 Hz	•	•	•	•	•
Adjustable Low Pass Crossover @ 30 ~ 300 Hz	•	•	•	•	•
2-ohm stable	•	•	•	•	•
2-ohm mono stable	•	•	•	•	•
Variable bass boost control	•	•	•	•	•
Gold-plated connectors	•	•	•	•	•
Speaker level input	•	•	•	•	•
Soft mute On/ Off circuitry	•	•	•	•	•
Dimensions (W x H x D) (mm)	165 x 56 x 407	165 x 56 x 285	280 x 55 x 300	280 x 55 x 180	280 x 55 x 300

SUBWOOFER FEATURES	SW3012	SW2512	SW3013B	SW2513B
Reproduction system	Subwoofer	Subwoofer	Bass-Reflex Subwoofer	Bass-Reflex Subwoofer
Speaker size (mm)	311	263	311	263
4-ohm voice coil	•	•	•	•
Polypyrilene electronic spun aluminium dust cap	•	•	•	•
Fibreglass / paper cone design	•	•	•	•
Nitrile butadiene rubber high excursion surround	•	•	•	•
Dual strontium ferrite magnets	•	•	•	•
Hyper-extended vented pole piece	•	•	•	•
Rear-vented pole piece	•	•	•	•
Dual gold-plated terminal blocks	•	•	•	•
Linear cotton spider with integrated tinsel leads	•	•	•	•
Custom stamped steel powder coated chassis	•	•	•	•
Impedance: 3,6 Ω ± 5%	•	•	•	•
Music peak power (W)	700	600	700	600
Continuous power (W)	350	300	350	300
Frequency response (Hz)	30 ~ 1 k	32 ~ 1 k	30 ~ 1 k	32 ~ 1 k
Efficiency (dB / W / m)	89	87	89	87
Total weight (kg)	4,25	4,1	—	—
Box dimensions (W x H x D) (mm)	—	—	480 x 385 x 415	435 x 325 x 365

ULTRA SERIES

- Titanium-plated fibreglass cone woofer with powerful strontium magnet
- Titanium-plated silk dome tweeter with neodymium magnet



SRU1720S 400 W Max.
16,5 CM (6-1/2") 2-WAY
COMPONENT SYSTEM

SRU310H 300 W Max.
2,5 CM (1") SILK DOME TWEETER



PLATINUM SERIES

- Wide frequency range
- TM-GF / titanium wire composite cone woofer with rubber surround



SRP1721S 350 W Max.
16,5 CM (6-1/2") 2-WAY
COMPONENT SYSTEM

SRP1321S 300 W Max.
13 CM (5-1/4") 2-WAY
COMPONENT SYSTEM




SRE SERIES

- PMI-PP cone woofer with powerful strontium magnet
- Metallised PEI balanced-drive tweeter with neodymium magnet

SRE1721S 250 W Max.
16,5 CM (6-1/2") 2-WAY
COMPONENT SYSTEM



SRE1321S 200 W Max.
13 CM (5-1/4") 2-WAY
COMPONENT SYSTEM



SRE SERIES — 3-way



400 W Max.
SRE2031R
20 CM (8") MULTIAXIAL 3-WAY



350 W Max.
SRE6931R
15 CM x 23 CM (6" x 9") MULTIAXIAL 3-WAY



250 W Max.
SRE1731R
16,5 CM (6-1/2") MULTIAXIAL 3-WAY



200 W Max.
SRE1331R
13 CM (5-1/4") MULTIAXIAL 3-WAY

SRE SERIES — 2-way



300 W Max.
SRE6921R
15 CM x 23 CM (6" x 9") COAXIAL 2-WAY



200 W Max.
SRE1721R
16,5 CM (6-1/2") COAXIAL 2-WAY



160 W Max.
SRE1321R
13 CM (5-1/4") COAXIAL 2-WAY



140 W Max.
SRE1021R
10 CM (4") COAXIAL 2-WAY



250 W Max.
SRE5721C
13 CM x 18 CM (5" x 7") CUSTOM-FIT COAXIAL 2-WAY



150 W Max.
SRE4621C
10 CM x 15 CM (4" x 6") CUSTOM-FIT COAXIAL 2-WAY



200 W Max.
SRE211H
2,5 CM (1") BALANCED-DRIVE TWEETER

AMPLIFIERS / SUBWOOFERS

12

SPEAKERS

13

Made for safer driving Rear vision cameras & Monitor systems

Clarion makes your drive more enjoyable and safer. Choose from the full selection of Rear vision cameras and monitor units to meet your specific needs. Take the guesswork out of reversing into tight spaces. Drive and park with confidence instead.

COLOUR LCD MONITORS

CJ7300G 7" WIDE COLOUR LCD QUAD MONITOR

- Camera shutter independent control function when switching between CAM1 and CAM4
- Camera power supplies are built-in
- Automatic video switching with reverse gear and turn signal link
- Dimmer function (Auto)
- Composite video input & audio input
- Seven language display selection
- Wireless remote control is included
- True/mirror image switching function
- On-screen distance marker setting



CJ7000E/CJ7100E 7" WIDE COLOUR LCD MONITOR

- Camera shutter independent control function when switching between CAM1 and CAM2 (CJ7100E)
- Camera power supplies are built-in
- Automatic video switching with reverse gear and turn signal link
- Convenient true/mirror image switching function
- Dimmer function (Manual)
- Composite video input & audio input
- Seven language display selection
- Wireless remote control is included




CJ5600E 5,6" COLOUR LCD MONITOR

- Camera power supplies are built-in
- Automatic video switching with reverse gear and turn signal link
- Dimmer function (Manual)
- Seven language display selection
- True/mirror image switching function



CMOS COLOUR CAMERA

CC4001U CMOS COLOUR CAMERA



NZ501E/NX501E/VZ401E/VX401E/NX700E/VZ709E/VX709E/VZ509E/VZ409E or all other monitors with NTSC video input and reverse gear connection

IR ILLUMINATED COLOUR CCD CAMERA

CC3000E IR ILLUMINATED COLOUR CCD CAMERA



- Illumination is provided by the camera's infrared LED light, making it especially convenient when reversing at night
- Built-in microphone so you can hear any sounds behind your vehicle
- Built-in pre-heater ensures the camera is ready for use at all times
- No optional power box required

Direct connection to RCA video input is possible, without the need for an extra power box (only for 12V vehicles)



HEAVY DUTY COLOUR CCD CAMERAS

CC2001F HEAVY DUTY COLOUR CCD CAMERA WITH SHUTTER (WIDE-ANGLE/MIRROR IMAGE)



CC2000E HEAVY DUTY COLOUR CCD CAMERA (WIDE-ANGLE/MIRROR IMAGE)



CC2002E HEAVY DUTY COLOUR CCD CAMERA (NARROW-ANGLE/TRUE IMAGE)

CC2003E HEAVY DUTY COLOUR CCD CAMERA (WIDE-ANGLE/TRUE IMAGE)

ULTRA COMPACT COLOUR CCD CAMERAS

CC2011E ULTRA COMPACT COLOUR CCD CAMERA (WIDE-ANGLE / MIRROR IMAGE)



CC2015E ULTRA COMPACT COLOUR CCD CAMERA WITH STAINLESS BRACKET (WIDE-ANGLE / MIRROR IMAGE)



CC1030E COMPACT COLOUR CCD CAMERA (MIRROR IMAGE)



ACCESSORIES

EA1246A POWER BOX FOR CJ981E

- Three camera direct inputs
- Three signal connections for indicator lights and reverse gear
- Compatible wired remote control for Iris/Zoom/Select function (RCB174)
- AUX video input (NTSC/PAL)
- 12 V/24 V compatible

EA1232A POWER BOX FOR CJ981E

- One camera direct input
- Signal connection for indicator lights or reverse gear
- Includes wired remote control for Iris & Zoom settings
- AUX video input (NTSC/PAL)
- 12 V/24 V compatible

RCB174 WIRED REMOTE CONTROL For EA1246A

CAA188 POWER BOX FOR CCD CAMERA

- 8-pin mini-DIN output for MAX983HD
- Reverse gear connection
- Manual on/off switch
- 12 V compatible

CAA185 POWER BOX FOR CCD CAMERA

- NTSC video line-out for NX501E, NZ501E, VX401E, VZ401E, NX700E, VX709E, VZ709E & VZ509E
- NTSC video line-out for all other LCD monitors with NTSC input
- 12 V compatible

PQE033 OPTIONAL COVER FOR CC2011E/CC2012E

Trailer accessories for heavy duty camera

- Trailer "break point" to camera cable

HEAVY-DUTY CAMERA CABLES

For CC2001F, CC2000E, CC2003E and CC2002E

- CCA416 (5 m/16 ft)
- CCA392 (7 m/23 ft)
- CCA393 (10 m/33 ft)
- CCA435 (13 m/42 ft)
- CCA394 (15 m/49 ft)
- CCA436 (18 m/59 ft)
- CCA395 (20 m/65 ft)
- CCA437 (23 m/75 ft)

COMPACT CAMERA CABLES

For CC2011 series and CC1030E cameras

- CCA532 (7 m/23 ft)
- CCA533 (10 m/33 ft)
- CCA534 (15 m/49 ft)

CAMERA EXTENSION CABLES

For heavy duty cameras

- CCA439 (0.9 m/3 ft)
- CCA391 (5 m/16 ft)
- CCA415 (10 m/33 ft)

CAMERA CABLES FOR CC3000E

For connecting CJ981E

- CCA728 (20 m/65 ft)

For connecting CJ5600E/CJ7000E/CJ7100E

- CCA729 (20 m/65 ft)

For connecting general-purpose AV monitor with video input terminal

- CCA730

• Only for 12 V vehicles

Trailer accessories for heavy duty camera

- CCA453 (15 m/49 ft)
- CCA452 (20 m/65 ft)
- CCA451 (5 m/16 ft)
- Cabin (monitor) to trailer break cable
- CCA454 (15 m/49 ft)



CIP (Clarion Installer Programme) offers the most professional fitting accessories to connect your Clarion device simply and safely to more than 200 different car models.

www.clarion.com/cip

Please visit www.clarion.com/cip to view the latest range of professional Clarion installation accessories online.

CAN-bus converter



New cars increasingly rely upon proprietary data bus techniques that are not compatible with commercial audio products. Clarion, however, using its unprecedented expertise, Clarion has developed an extensive range of solutions that effectively overcome such complications. Our CAN converter interfaces can enable the use of a superior Clarion audio system within CAN-bus equipped cars.

- | | | |
|--------|--------|--------------------|
| NX501E | CZ501E | CX501E |
| NZ501E | CZ301E | Rear vision camera |
| VX401E | CZ201E | |
| VZ401E | CZ101E | |
| NP509E | FZ501E | |



2-DIN installation bracket



More than 60% of all new vehicles sold in Europe have an extra large installation space in the dashboard for mobile entertainment products, known as 2-DIN. This space allows the owner to radically and easily upgrade the original fitted equipment without compromising the integrated feel of the dash. In order to preserve the dashboard's original allure, Clarion has developed an impressive range of car-specific mounting brackets with this goal in mind. Each bracket comes complete with instructions, diagrams and fixing materials.

- | | |
|--------|--------|
| NX501E | CX501E |
| VX401E | |



OEM steering wheel remote control



More and more new cars are sold with a radio that can be operated from convenient controls located on the vehicle's steering wheel. Clarion has successfully introduced interfaces that enable its range of products to deliver the exact same level of control and safety.

- Adaptor with wire connection
Compatible with all previous Clarion models with minijack steering wheel remote control input.
- Adaptor with infrared connection
Compatible with all previous Clarion models with infrared sensor.

- Adaptor with wire connection
Compatible with all Clarion models with minijack steering wheel remote control input.

- | | | |
|--------|--------|--------|
| NX501E | CZ501E | CX501E |
| NZ501E | CZ301E | |
| VX401E | CZ201E | |
| VZ401E | CZ101E | |
| | FZ501E | |



AUX Bluetooth® interface with hands-free and audio streaming capability.

BLT373 Bluetooth AUDIO STREAMING AND HANDS-FREE INTERFACE FOR AUX INPUT

- For CZ201E, CZ201EG, CZ201ER, CZ101E, CZ101EG, CZ101ER, VZ509E, VZ409E, CZ200E, CZ200EG, CZ200ER, CZ100E, CZ100EG, CZ100ER and FZ409E



- Headset and hands-free profile (HSP and HFP)
- Bluetooth audio streaming and remote control capability (A2DP and AVRCP)
- Built-in microphone for hands-free use



ACCESSORIES

Direct iPod connection

CCA692 iPod AUDIO AND VIDEO CONNECTING CABLE

For MAX983HD & MAX973HD

CCA748 iPod VIDEO CONNECTING CABLE

For NX501E, NZ501E, VX401E, VZ401E, CZ501E/EG/ER, CZ201E/EG/ER, FZ501E, CX501E, NX700E, VX709E, VZ709E, VZ509E, FZ709E, FZ409E and CMV1

Remote controls

- | | |
|---|---|
| RCB198
OPTIONAL REMOTE CONTROL
For NX700E | RCB176
INFRARED REMOTE CONTROL
For audio model (except CZ309E, CZ301E, CZ201E and CZ101E) |
| RCB187
INFRARED AV REMOTE CONTROL
For MAX973HD and MAX983HD | RCB147
INFRARED JOYSTICK REMOTE CONTROL
For all models (except CZ309E, VZ409E, CZ301E, CZ201E and CZ101E) |

EA1276E iPod CONNECTION INTERFACE

For full operation of iPod when connected to '07 CeNET models: DXZ778RUSB, DXZ578RUSB, DXZ378RMP & CMD5

EA1251E iPod CONNECTION INTERFACE

For basic operation of iPod when connected to WXZ468RMP and all other CeNET models

FMB63 8-CHANNEL FM MODULATOR

CD magazine
CAA397
6-DISC MAGAZINE
For DCZ628, DC628 & VCZ628

Cables CCA519 MULTILINK Y-CABLE FOR CeNET CHANGERS

- | | |
|--|---|
| CCA520
CeNET CABLE, 2,5 M | CCA389
AV ADAPTER CABLE, 2,5 M 8-PIN → RCA (1 VIDEO/2 AUDIO) |
| CCA521
CeNET EXTENSION CABLE, 0,6 M | For VRX848RVD, VRX743R & CeNET TV TUNER A/V INPUT |