

UNITED KINGDOM
Clarion GB Ltd.
Unit 5C, Interface Business Park
Bincknoll Lane
Royal Wootton Bassett
Wiltshire
SN4 8QQ
Tel.: +44 (0) 1793 859560
Fax: +44 (0) 1793 859598
e-mail: amsales@clarion.co.uk

CLARION EUROPE S.A.S.
Z.I. du Pré à Varois
Route de Pompey
54670 CUSTINES
Tel.: +33 (0) 3 83 49 44 00
Fax: +33 (0) 3 83 49 45 99
e-mail: info@clarion.fr

Please find
more information
about 2012 line-up



Your Clarion dealer can tell you more.

clarion
www.clarion.com

• Specifications and design are subject to change without notice. • Photos are non-binding. The manufacturer and importer do not take responsibility for any printing errors. • Dolby, Dolby Surround, Pro Logic and the double-D symbol are trademarks of Dolby Laboratories. • "Made for iPod," and "Made for iPhone" mean that an electronic accessory has been designed to connect specifically to iPod, or iPhone, respectively, and has been certified by the developer to meet Apple performance standards. • Apple is not responsible for the operation of this device or its compliance with safety and regulatory standards. • Please note that the use of this accessory with iPod or iPhone may affect wireless performance. • iPhone and iPod are trademarks of Apple Inc., registered in the U.S. and other countries. • The trademark and the Bluetooth® logo are owned by Bluetooth® SIG, Inc. and any utilisation of these trademarks by Clarion is carried out under licence. • DivX®, DivX Certified® and associated logos are trademarks of Rovi Corporation or its subsidiaries and are used under license. • DivX Certified® to play DivX® video, including premium content. • Covered by one or more of the following U.S. patents: 7,295,673; 7,460,668; 7,515,710; 7,519,274 • All units in this catalogue are primarily intended for installation in passenger cars. Use in lorries, tractors, off-road vehicles, construction machinery, boats (except Marine models), and other special-purpose vehicles or on motorcycles is not recommended. • It may not be possible to resume iPod Video playback. Whenever ACC is turned OFF/ON, playback will commence from the beginning of the file. • There's no guarantee that all units in this catalogue can play CCCD (Copy Control CD), Hybrid SACD (Super Audio CD), CD-R/RW and DVD±R/RW. • The driver should be aware and abide by the laws of the country when operating any multimedia/navigational equipment • LCD panels use the latest high-tech components and boast an effective pixel rate of 99.99 %. However, be aware that 0.01 % or less of the pixels may be defective. • The SD logo is a trademark of the SD Card Association. • Navigation systems should not be used as a substitute for your own judgement. Route suggestions made by any navigation system may override any local traffic regulations, therefore please use your own judgement, and/or knowledge of safe driving practices.

clarion

2012 - 2013




All-in-one multimedia and navigation

NX702E

2-DIN DVD MULTIMEDIA STATION WITH BUILT-IN NAVIGATION & 7-INCH HIGH RESOLUTION DISPLAY



728 variable-colour key illumination for just the right look for your car



Motorised sloping console & disc slot



Please find more information about NX702E



Smooth flicking operation

Interactive GUI with flick operation

The NX702E's touch screen GUI (Graphical User Interface) supports flick operation, so you can quickly scroll to another menu page. Feature icons are animated for an enhanced appearance, they can be dragged and dropped into different positions to customise the screen.



Parrot Bluetooth® for hands-free communication, access to phonebook and audio streaming

Built-in Parrot Bluetooth provides hands-free telephone communication, with comprehensive compatibility with a variety of mobile phones. With a built-in microphone and Phonebook access, you can safely talk and drive at the same time. Play music stored on your mobile phone with Bluetooth audio streaming.

* Dependent on mobile phone.
* Please see our website for details of compatible Bluetooth mobile phones.



Made for iPod® and Made for iPhone® for seamless integration


Made for iPod and Made for iPhone certified, so you can enjoy the convenience of iPod/iPhone ABC Search to quickly access tunes, and simple control tools to allow operation using the iPod/iPhone controls. Album Artwork is displayed to visually enhance interactivity.



Built-in DVB-T (Digital Video Broadcasting - Terrestrial)

For TV entertainment in your car that's crystal clear and rock solid, NX702E is equipped with a built-in tuner for DVB-T reception. Less susceptible to noise interference than analogue TV broadcasting, DVB-T broadcasts will let you fill your drive with audiovisual entertainment — especially enjoyable for your passengers during long trips. And since it's built-in, there's nothing extra to buy!

Advanced settings create the ideal listening environment



Digital time alignment

Digital time alignment with 3-way crossover

Digital Time Alignment assures that the sound from each speaker reaches the listener at the same time for perfect sonic imaging. The 3-way crossover separates the sound into different bands to match each speaker's output range.

2-zone entertainment


Allows rear seat passengers to enjoy a DVD movie or iPod Video while the front seat passengers enjoy their favorite radio station or music from a USB memory device.

Beat EQ Plus for user customisable sound


In addition to providing 4 preset equalisation patterns — BASS BOOST, IMPACT and EXCITE — Clarion's Beat EQ Plus allows you freedom to customise each pattern by dividing the sound spectrum into 5 bands. You can finely adjust the sound to your liking, depending on the genre of music, for a more fulfilling listening experience.

Navigate your way with an enhanced sense of reality


Smart, simple and direct control on touch-panel display



Intelligent Navigation




Rich POI database



Night Mode



Sophisticated and efficient navigation graphics




Highway mode



Signpost information

Elevation modelling and 3D rendering for a realistic view



Green Route



Terrain modelling in 3D

GUI & VOICE GUIDANCE

Navigation menu (31 languages): Arabic, Bulgarian, Catalan, Croatian, Czech, Danish, Dutch, English, Estonian, Finnish, Flemish, French, German, Greek, Hebrew, Hungarian, Italian, Latvian, Lithuanian, Norwegian, Polish, Portuguese, Romanian, Russian, Serbian, Slovak, Slovenian, Spanish, Swedish, Turkish, Ukrainian

Navigation voice guidance (38 languages): Arabic, Bulgarian, Catalan, Chinese (Cantonese / Mandarin), Croatian, Czech, Danish, Dutch, English (UK / US), Estonian, Finnish, Flemish, French, German, Greek, Hebrew, Hungarian, Indonesian, Italian, Japanese, Korean, Latvian, Lithuanian, Norwegian, Polish, Portuguese, Romanian, Russian, Serbian, Slovak, Slovenian, Spanish, Swedish, Thai, Turkish, Ukrainian

Text to speech voice (11 languages): Catalan, Dutch, English, French, German, Greek, Italian, Polish, Portugal, Spanish, Swedish

<https://clarion.naviextras.com/shop/portal>

microSD card for updates
In addition to pre-installed data, new maps and content updates can be downloaded from Clarion's dedicated portal site.

DIGITAL RADIO TUNER



DAB302E

DAB RECEIVER

- For NX702E, NX502E & CZ702E
- DAB, DAB+, DMB-A
- Band-III, L-Band supported
- Ensemble/Service Seek, PTY/TA
- Ensemble/Service Label, Dynamic Label supported
- Service Link (DAB-DAB/DAB-RDS)
- Antenna included

System example



NX702E, NX502E & CZ702E

For more detailed information concerning installation possibilities, please refer to the CIP (Clarion Installer Programme) on page 15

	MEDIA							CONNECTION					NAVIGATION					AUDIO					GENERAL							
	DivX	DVD VIDEO	DISC TEXT	MP3/WMA	MPEG4	DOLBY DIGITAL	FM/MW	Bluetooth	Parrot	Made for iPod/iPhone	Rear USB	4V/6ch	Rear Vision Camera	AUX	DVB-T	DAB	TUNE	Built-in navigation	Hard Storage	Subwoofer level control	24bit	DSP	BeatEQ	LPEX/HPF	MOS-FET	728 color key	TOUCH PANEL	TOUCH SENSOR	OEM	
NX702E	●	●	●	●	●	●	18FM, 6MW	Built-in*1	●	CCA750*2	●	●*3	●	●*4	Rear	●	Optional DAB302E	●	●*5	●	●	●	●	●	●	●	●	●	●	●

*1 Please see our website for details of compatible Bluetooth models *2 Please see our website for iPod compatibility *3 Front and rear seat entertainment *4 Rear vision camera sold separately

*5 8GB microSD card stores entire Navigation application and map coverage for 44 countries

A Variety of car navigation solutions

Enjoy your favourite discs



New mechanism-free design



NX502E

2-DIN DVD MULTIMEDIA STATION WITH BUILT-IN NAVIGATION & 6.2-INCH HIGH RESOLUTION DISPLAY



Please find more information about NX502E



NX302E

2-DIN MULTIMEDIA STATION WITH BUILT-IN NAVIGATION & 6.2-INCH HIGH RESOLUTION DISPLAY



Please find more information about NX302E



NZ502E

DVD MULTIMEDIA STATION WITH BUILT-IN NAVIGATION & 7-INCH HIGH RESOLUTION DISPLAY

Interactive GUI with flick operation



Parrot Bluetooth® module

Parrot Bluetooth offers extremely comprehensive compatibility with a variety of mobile phones. Enjoy hands-free communication using the built-in microphone and Phonebook access. Play music stored on your mobile phone with Bluetooth audio streaming. A wide range of protocols are supported: HFP/HSP/A2DP/AVRCP/PBAP. Firmware updates are possible via USB connection.


* Dependent on mobile phone.
* Please see our website for details of compatible Bluetooth mobile phones.

Latest Map Guarantee (LMG)

Owners can download the latest map data from our dedicated web portal. The first download is free of charge, providing it is done within 30 days of the product receiving its first GPS signal. This guarantees that you will be using the most up to date map data available for route planning and guidance.

Notice: In order to make this download possible, the product must first be registered on naviextra.com website.

2-zone entertainment



NX502E

DAB ready. Optional DAB302E tuner (sold separately) is required



NX502E

Made for iPod® and Made for iPhone® for seamless integration

Made for iPod and Made for iPhone certified, so you can enjoy the convenience of iPod/iPhone ABC search to quickly access tunes, and a simple control mode to allow operation using the iPod/iPhone controls. Album Artwork is displayed to visually enhance interactivity.

* For audio playback, please use the USB cable provided with your iPod / iPhone.
* For video playback, an optional CCA750 cable is required.
* Please see our website for details of compatible iPod / iPhone models.



NX502E / NX302E

Interactive GUI with flick operation


The NX502E / NX302E's touch screen GUI (Graphical User Interface) supports flick operation, so you can quickly scroll to another menu page. Feature icons are animated for an enhanced appearance, they can be dragged and dropped into different positions to customise the screen.



NX502E / NX302E

SDHC card compatible

The NX502E supports a wide variety of media to bring video and audio entertainment into the car. And with SDHC card compatibility, you can enjoy even more portability with playback of files stored on this commonly available high-capacity memory card.



NX502E / NX302E

A full all-in-one multimedia system in a 1-Din unit



Easy navigation map updates



microSD card slot

Made for iPod and Made for iPhone



Please find more information about NZ502E

TV-TUNER



DTX502E DVB-T RECEIVER

For NX501E, NZ501E, NZ502E, VX402E & VZ402E


Stand-alone operation
The DTX502E can directly be connected to any already existing monitor or main unit in the car, to turn it easily into an in-car television

- **DIGITAL-TV**
 - Stores over 1,000 TV & Radio programmes
 - OSD (On-screen display)
 - EPG (Electronic Programme Guide)
 - PIG (Picture in Graphic) support
 - Teletext
 - Subtitle function
 - Editing of favourite channel list
 - Video aspect ratio 4:3/16:9
 - Video system PAL/NTSC
 - Fast scan for cross difference area
 - Tuner frequency bands
 - UHF: 470MHz ~ 805MHz
 - VHF: 170MHz ~ 240MHz

- **AUDIO & VIDEO**
 - 1 output to the head unit
 - 2 RCA Audio output
 - 1 RCA Video output
- **GENERAL**
 - MPEG2/MPEG4 digital diversity tuner
 - Good reception even in high speed driving

- Compact housing
- Remote controller included
- IR receiver
- 2 active antennas (+20db) with male F connector included
- Direct control from the head unit display

System example



For more detailed information concerning installation possibilities, please refer to the CIP (Clarion Installer Programme) on page 15

	■ MEDIA							■ CONNECTION										■ NAVIGATION						■ AUDIO						■ GENERAL					
	DivX	DVD VIDEO	DISC	MP3/WMA	MPEG4	DOLBY DIGITAL	FM/MW	Bluetooth	Parrot	Made for iPod iPhone	Rear USB	2 Zone	4V/6ch	2V/2ch	Rear Vision Camera	AUX	DVB-T	DAB	TMS	Built-in navigation	8GB	Subwoofer level control	MP3/FX	24bit	BeatEQ	LPV/HPF	MDS-FET	MDS-FET	728 color key	TOUCH PANEL	Touch sensor	OEM			
NX502E	●	●	●	●	●	●	18FM, 6MW	Built-in*1	●	CCA750*2	●	●*3	●	—	●*4	Front/Rear	—	Optional DAB302E	●	●*5	●	●	●	●	●	●*6	●	—	●	●	●	●	●		
NZ502E	●	●	●	●	●	●	18FM, 6MW	Built-in*1	●	CCA750*2	●	●*3	●	—	●*4	Front/Rear	Optional DTX502E	—	●	●*5	●	●	●	●	●	●*6	●	—	—	●	—	●	●		
NX302E	—	—	—	●	●	—	18FM, 6MW	Built-in*1	●	CCA750*2	●	—	—	●*4	Front	—	—	●	●*5	●	●	●	●	●	●*6	—	●	—	●	—	●	●			

*1 Please see our website for details of compatible Bluetooth models *2 Please see our website for iPod compatibility *3 Front and rear seat entertainment *4 Rear vision camera sold separately

*5 8GB microSD card stores entire Navigation application and map coverage for 44 countries *6 Low Pass / High Pass Filters

Comprehensive multimedia enjoyment



VX402E

2-DIN DVD MULTIMEDIA STATION WITH 6.2-INCH HIGH RESOLUTION DISPLAY

Interactive GUI with touch screen



VX402E / VZ402E

Navigation touch screen operation

The NP402E hide-away navigation system can be connected to the VX402E/VZ402E directly and controlled through its touch screen. So with this multimedia station, you can upgrade to a car navigation system at any time. Count on voice guidance messages and high-resolution map displays to get you safely to your destination.



Connectivity includes; Parrot Bluetooth wireless Technology for hands-free phone communication, USB for iPod / iPhone, and auxiliary input.



Easily add digital TV functionality to the system by installing the optional module DTX502E.



Built-in Parrot Bluetooth® for hands-free calling and stereo music streaming.



VZ402E

DVD MULTIMEDIA STATION WITH 7-INCH HIGH RESOLUTION DISPLAY



Easily add navigation to your system

NP402E

FLASH MEMORY NAVIGATION SYSTEM


- Touch screen operation (VX402E / VZ402E)
- 12 million built-in POIs
- microSD card slot for updates
- 360° 3D display mode / 2D display mode
- 3D buildings, landmarks and elevation view.




GUI & VOICE GUIDANCE

- Navigation menu (31 languages): Arabic, Bulgarian, Catalan, Croatian, Czech, Danish, Dutch, English, Estonian, Finnish, Flemish, French, German, Greek, Hebrew, Hungarian, Italian, Latvian, Lithuanian, Norwegian, Polish, Portuguese, Romanian, Russian, Serbian, Slovak, Slovenian, Spanish, Swedish, Turkish, Ukrainian
- Navigation voice guidance (38 languages): Arabic, Bulgarian, Catalan, Chinese (Cantonese / Mandarin), Croatian, Czech, Danish, Dutch, English (UK / US), Estonian, Finnish, Flemish, French, German, Greek, Hebrew, Hungarian, Indonesian, Italian, Japanese, Korean, Latvian, Lithuanian, Norwegian, Polish, Portuguese, Romanian, Russian, Serbian, Slovak, Slovenian, Spanish, Swedish, Thai, Turkish, Ukrainian
- Text to speech voice (11 languages): Catalan, Dutch, English, French, German, Greek, Italian, Polish, Portugal, Spanish, Swedish

Intelligent navigation



Navigation system example



For more detailed information concerning installation possibilities, please refer to the CIP (Clarion Installer Programme) on page 15

Overhead monitors deliver front-row entertainment to your rear seat passengers



Enjoy theatre in your car

We have a choice of overhead monitors 8-inch or 10,2-inch, with built-in DVD players and wireless headphone transmitters, Clarion can make even your long journeys a pleasure-filled experience.



OHM888VD / VT1010E features

- Universal slim profile
- MPEG 1/2, MP3 and WMA playback
- MPEG 4, DivX (VT1010E)
- Adjustable display modes: Wide/Normal
- Infrared remote control with on-screen display
- Audio/Video inputs for external devices (1 RCA connector for OHM888VD; 1 RCA + 1 jack for VT1010E)
- 1 Audio/Video output for multiple monitor applications
- Built-in LED dome light
- 2 sets of headphones are supplied with the VT1010E, 1 set of headphones is supplied with the OHM888VD
- Slot-in DVD mechanism
- USB/SD/MMC (VT1010E)

VT1010E 10,2" OVERHEAD MONITOR WITH DVD/USB/SD PLAYER WITH TWO SETS OF IR HEADPHONE



Front USB and SD/MMC slots support playback of MPEG(1/2/4) and MP3/WMA files.



OHM888VD 8" OVERHEAD MONITOR WITH DVD PLAYER WITH ONE SET OF IR HEADPHONE




3.5mm AUX input connection

A jack connector on the front of the unit allows quick and easy connection of an external source for viewing on the overhead monitor. This is a great way to temporarily hook-up a portable game or other product to keep your passengers entertained along the way.

MULTIMEDIA ACCESSORIES

VA700 VIDEO DISTRIBUTION MPLIFIER
 • 1 composite video input • 7 buffered 75-ohm composite video outputs
 • Stable video signal for up to 7 LCD monitors



WH253H DUAL CHANNEL INFRARED WIRELESS HEADPHONE
 Dual channel, infrared, wireless, single set of headphones. To be used in conjunction with rear entertainment systems based on one overhead monitor or two headrest monitors. Suitable for adults and children. Auto power off function.



	MEDIA					CONNECTION							AUDIO					GENERAL				
	DIVX	DVD VIDEO	COMPACT DISC DIGITAL AUDIO	MP3/WMA	DOLBY DIGITAL	DVB-T Ready	FM/MW	Bluetooth	Parrot	Made for iPod iPhone	Rear USB	Navi. Direct Connection	2V/6ch OUTPUT	Rear Vision Camera	AUX INPUT	Subwoofer level control	24bit	PEQ	LFP	40Wx4	TOUCH PANEL	OEM
VX402E/VZ402E	●	●	●	●	●	●	18FM, 6MW	Built-in*1	●	CCA750*2	●	Optional NP402E	●	●+3	Front/Rear	●	●	●+4	●+5	●	●	●

*1 Please see our website for details of compatible Bluetooth models *2 Please see our website for iPod compatibility
 *3 Rear vision camera sold separately *4 2-band PEQ *5 (100Hz fixed)

Easy integration with functional design




CZ702E

BLUETOOTH CD/USB/MP3/WMA RECEIVER WITH ADVANCED SOUND SETTINGS




728 variable-colour illumination for just the right look for your car



Digital time alignment with 3-way crossover

Digital time alignment with 3-way crossover Thanks to the Time Alignment function, the synchronisation of different loudspeakers can be perfectly adjusted to suit their positioning in the vehicle. This brings the sound to the listener's ears in just the way the artist intended, at the precise millisecond, and therefore avoids any audio offsetting.



Parrot Bluetooth for hands-free communication

Parrot Bluetooth offers extremely comprehensive compatibility with a variety of mobile phones. Enjoy hands-free communication using the built-in microphone and Phonebook access. Play music stored on your mobile phone with Bluetooth audio streaming. A wide range of protocols are supported: HFP/ HSP/ A2DP/ AVRCP/PBAP. Firmware updates are possible via USB connection.



* Please see our website for details of compatible Bluetooth mobile phones.

Audio streaming

Wireless connection of mobile phones and other devices to the main unit. Bluetooth audio streaming. (A2DP) and show music information. (AVRCP) RCB199 (External Bluetooth microphone) is the perfect way to go hands-free with your Bluetooth-connectible mobile phone.



Please find more information about CZ702E

For more detailed information concerning installation possibilities, please refer to the CIP (Clarion Installer Programme) on page 15

The easy way to enjoy digital music files in your car.



CZ302E

BLUETOOTH CD/USB/MP3/WMA RECEIVER



Parrot Bluetooth for hands-free communication

Built-in Parrot Bluetooth® provides hands-free telephone communication, with comprehensive compatibility to a variety of mobile phones. With a built-in microphone and Phonebook access, you can safely talk and drive at the same time. Play music stored on your mobile phone with Bluetooth audio streaming.



* Please see our website for details of compatible Bluetooth mobile phones.

Seamless enjoyment with superior iPod and iPhone connectivity


Enjoy the familiar operational feel of your iPod® and iPhone®, with ALBUM/ARTIST/SONG LIST on screen display and List back operation. The simple control mode enables easy operation of the system using just your iPod / iPhone controls, including ABC search to quickly access tracks.




* Please see our website for details of compatible iPod / iPhone models. iPod Video can be viewed by connecting CZ302E to an external universal monitor with RCA video input and by connecting a suitable iPod / iPhone via the optional CCA748 cable.



Front USB input for cable-linked MP3/WMA playback



Beat EQ for user customisable sound



Superb sound elements including MOS-FET power Amp.



4-channel 2V audio pre-out.



Please find more information about CZ302E

CZ202E

CD/USB/MP3/WMA RECEIVER



CZ202EG



CZ202ER



Advanced H.M.I. for safety and enjoyment. Easy to read display with bright illumination and very user friendly.



Direct iPod and iPhone connectivity with front USB connector. (CZ202E)



Front auxiliary input for connection of portable audio players and other equipment.



Beat EQ for customisable sound and Magna Bass EX to boost ultra-lows.

CZ102E


CD/MP3/WMA RECEIVER



CZ102EG



CZ102ER



CZ102EA



Please find more information about CZ202E



Please find more information about CZ102E

	MEDIA			CONNECTION						AUDIO								GENERAL										
	COMPACT disc DIGITAL AUDIO	MP3/WMA	FM/MW/LW	Bluetooth	Parrot	Made for iPod/iPhone	USB	5V/6ch output	2V/4ch output	2V/2ch output	FRONT AUX Input	DAB Ready	Subwoofer level control	M-BASS EX	Beat EQ	Beat EQ	HARMONIC IMAGE	DIGITAL SWAY X-OVER	LPA/HFPE	LPE	High Visibility LCD	Integral Rotary Volume	MOS-FET 50Wx4	MOS-FET 45Wx4	728c	OEM	DCP	
CZ702E	●	●	18FM, 6MW, 6LW	Built-in*1	●	CCA750*2	Rear	●	—	—	●	Optional DAB302E	●	—	●	—	●	●	●	●	●	●	●	—	●	●	●	●
CZ302E	●	●	18FM, 6MW, 6LW	Built-in*1	●	CCA748*2	Front	—	●*3	—	●	—	●	●*5	—	●*6	—	—	●	—	—	●*8	●	—	●	—	●	●
CZ202E	●	●	18FM, 6MW, 6LW	—	—	CCA748*2	Front	—	●*3	—	●	—	●	●*5	—	●*6	—	—	—	—	●	●*8	●	—	●	—	●	●
CZ102E	●	●	18FM, 6MW, 6LW	—	—	—	—	—	—	●*4	●	—	●	●*5	—	●*6	—	—	—	—	●	●*8	●	—	●	—	●	●

*1 Please see our website for details of compatible Bluetooth models *2 Please see our web site for iPod compatibility *3 Front 2-channel + Rear 2-channel or subwoofer *4 Rear 2-channel or Subwoofer

*5 Boost ultra-low frequency *6 Bass boost, Impact, Excite, Custom *7 13 x 10 2-Line *8 13 x 10 Single-Line

Cutting edge design made mechanism-free

FZ502E
BLUETOOTH USB/MP3/WMA RECEIVER



7-way rotary volume control and 20 key remote



Mechanism free design is less susceptible to shocks and vibrations, contributing to superior durability and longer life.
Built-in Parrot Bluetooth® for hands-free calling with built-in microphone, as well as music streaming.
Slide cover - protected front USB and front auxiliary input connectors for easy, versatile connection.
Superb sound elements including MOS-FET power Amp.



USB integration for digital collaboration

CX501E
2-DIN BLUETOOTH CD/USB/MP3/WMA RECEIVER



Built-in Bluetooth® for hands-free calling with integrated microphone, as well as music streaming.
Direct iPod® and iPhone® connectivity with rear USB connector.
Rear USB connector also supports playback of WMA/MP3 files.
728-variable colour illumination and buttons allow aesthetic integration with instrument panel or personal preference.

CZ301E
BLUETOOTH CD/USB/MP3/WMA RECEIVER



For more detailed information concerning installation possibilities, please refer to the CIP (Clarion Installer Programme) on page 15

SOURCE UNITS	MEDIA										CONNECTION										AUDIO										GENERAL									
	Compact Disc Digital Audio	MP3/WMA	FM/MW/LW	Bluetooth	Parrot	Made for iPod/iPhone	USB	2V/4ch Output	2V/2ch Output	FRONT AUX Input	Subwoofer level control	M-BASS EX	BeatEQ	LINEAR PHASE LPF/HPE	LPF	7Watt	High Visibility LCD	Integral Rotary Volume	MOS-FET 50Wx4	MOS-FET 45Wx4	728c	OEM	DCP																	
FZ502E	—	●	18FM, 6MW, 6LW	Built-in*1	●	CCA748*2	Front	●*3	—	●	●	●*5	●*6	●	—	●	●*7	—	—	●	—	●	—																	
CX501E	—	●	18FM, 6MW, 6LW	Built-in*1	—	CCA750*2	Rear	●*3	—	●	●	●*5	●*6	●	—	—	●*7	●	●	—	●	●	—																	
CZ301E	●	—	18FM, 6MW, 6LW	Built-in*1	—	—	Front	—	●*4	●	●	●*5	●*6	—	●	—	●*8	●	●	—	●	●	—																	

MARINE AUDIO	MEDIA										CONNECTION										AUDIO										GENERAL									
	DIVX	DVD VIDEO	Compact Disc Digital Audio	MP3/WMA/AAC	DOLBY DIGITAL	FM/AM	Bluetooth	Made for iPod	USB	2V/6ch Output	AUX Input	RCA Video Input	Fixed Audio pre-out	MP3	24bit	High Visibility LCD	FLIP DOWN CONSOLE	50Wx4	TFT Color LCD Monitor	Wired Remote Ready																				
CMV1	●	●	●	●	●	●	Optional BLT373	CCA750*2	Rear	●	2 AV (Rear)	●	2-channel	●	●	—	●	●	3.5-inch	MW1/2																				
CMD6	—	—	●	●	—	●	Optional BLT373	CCA750*2	Rear	●	2 Audio (Rear)	—	2-channel	●	—	●*7	●	●	—	MW1/2																				

*1 Please see our website for details of compatible Bluetooth models or subwoofer *2 Please see our web site for iPod compatibility *3 Front 2-channel + Rear 2-channel *4 Rear 2-channel or Subwoofer

Engineered for the marine environment



CMV1 WATERTIGHT MARINE DVD/CD/USB RECEIVER



CMD6 WATERTIGHT MARINE CD/USB RECEIVER



Engineered to withstand water and salt

Water is a marine source unit's worst enemy and salt can be a nightmare. Our CMV1/CMD6 source units have been IPX5 tested and certified to offer the highest water intrusion protection and salt resistance. Rubber gaskets stop water in its tracks, with integrated drainage channels to keep water.



XC6410
600W 4/3/2-CHANNEL POWER AMPLIFIER

Dimensions (W x H x D) (approx mm): 222 x 56 x 175




XC6210
350W 2/1-CHANNEL POWER AMPLIFIER

Dimensions (W x H x D) (approx mm): 162 x 56 x 175



CMQ2510W
25 CM (10") WATER RESISTANT PERFORMANCE SERIES SUBWOOFER



CMQ1720R
17 CM (7") WATER RESISTANT PERFORMANCE SERIES COAXIAL SPEAKER



CMQ1620R
16.5 CM (6-1/2") WATER RESISTANT PERFORMANCE SERIES COAXIAL SPEAKER



CM1625
16.5 CM (6-1/2") COAXIAL 2-WAY WATER RESISTANT SPEAKER



Release the power from within



XR2120
570W MONO
POWER
AMPLIFIER



XC6410
600W 4/3/2-CHANNEL
POWER AMPLIFIER



XR2420
480W 4/3/2-CHANNEL
POWER
AMPLIFIER



XR2220
280W 2/1-CHANNEL
POWER
AMPLIFIER



XC6210
350W 2/1-CHANNEL
POWER AMPLIFIER



AMPLIFIERS FEATURES	XC6410	XC6210	XR2120	XR2420	XR2220
Class	D	D	AB	AB	AB
Maximum power output (W)	600	350	570	480	280
4-Ohm	4 x 85 W	2 x 85 W	1 x 280 W	4 x 60 W	2 x 65 W
2-Ohm	2 x 125 W	2 x 125 W	1 x 400 W	4 x 90 W	2 x 95 W
Bridged@ 4-Ohm	2 x 250 W	1 x 250 W	—	2 x 180 W	1 x 190 W
Number of channels	4/3/2	2/1	1	4/3/2	2/1
Bass Extender: 0 ~ +15 dB @ 45 Hz	•	•	•	•	•
MOS-FET power supply	•	•	•	•	•
2-Ohm stereo stable	•	•	•	•	•
2-Ohm mono stable	•	•	•	•	•
Selectable bass boost: 0/6/12dB @ 50Hz	•	•	•	•	•
Independent front/rear adjustable frequency, high/low pass electronic crossover	•	•	•	4 Channel	•
Adjustable crossover frequency, high/low pass electronic crossover	•	•	•	•	•
Independent Front / Rear adjustable - 12db/Oct. High/Low Pass electronic crossover	30Hz-250Hz (5 Channel)	•	•	•	•
Adjustable frequency, High/Low Pass electronic crossover, 50-300Hz	•	•	•	•	•
Adjustable frequency, Low Pass electronic crossover @ 30-300Hz	•	•	•	•	•
Gold-plated connectors; RCA / Speaker / Power	•	•	•	•	•
Speaker Level Input	•	•	2-Channel	4-Channel	2-Channel
Variable bass boost control	•	•	•	•	•
Soft mute On/ Off circuitry	•	•	•	•	•
Dimensions (W x H x D) (approx mm)	222 x 56 x 175	162 x 56 x 175	354 x 55 x 216	354 x 55 x 216	294 x 55 x 216

More gravity for the bass line





SW3012
30 CM (12") SINGLE 4-OHM
VOICE COIL SUBWOOFER




SW2512
25 CM (10") SINGLE 4-OHM
VOICE COIL SUBWOOFER



SW3013B
30 CM (12") SUBWOOFER
WITH BASS-REFLEX BOX



SW2513B
25 CM (10") SUBWOOFER
WITH BASS-REFLEX BOX



SUBWOOFER FEATURES	SW3012	SW2512	SW3013B	SW2513B
Reproduction system	Subwoofer	Subwoofer	Bass-Reflex Subwoofer	Bass-Reflex Subwoofer
Speaker size (mm)	311.2	257.3	311.2	257.3
4-ohm voice coil	Single	Single	Single	Single
Polypropylene electronic spun aluminium dust cap	•	•	•	•
Fibreglass / paper cone design	•	•	•	•
Nitrile butadiene rubber high excursion surround	•	•	•	•
Dual strontium ferrite magnets	•	•	•	•
Hyper-extended vented pole piece	•	•	•	•
Rear-vented pole piece	•	•	•	•
Dual gold-plated terminal blocks	•	•	•	•
Linear cotton spider with integrated tinsel leads	•	•	•	•
Custom stamped steel powder coated chassis	•	•	•	•
Impedance: 3.6 Ω ± 5 %	•	•	•	•
Music peak power (W)	700	600	700	600
Continuous power (W)	350	300	350	300
Frequency response (Hz)	30 ~ 1 k	32 ~ 1 k	30 ~ 1 k	32 ~ 1 k
Efficiency (dB / W / m)	89	87	89	87
Total weight (kg)	4,25	4,1	—	—
Box dimensions (W x H x D) (mm)	—	—	480 x 385 x 415	435 x 325 x 365

Technology resonating with savvy



350 W Max.
SRP1722S
16,5 CM (6-1/2")
2-WAY COMPONENT
SYSTEM



300 W Max.
SRP1322S
13 CM (5-1/4") 2-WAY
COMPONENT
SYSTEM



SRE SERIES — Component system

300 W Max.
SRE1722S
16,5 CM (6-1/2") 2-WAY
COMPONENT SYSTEM



250 W Max.
SRE1322S
13 CM (5-1/4") 2-WAY
COMPONENT SYSTEM



SRE SERIES — 5, 4-way

600 W Max.
SRE6952R
15 CM x 23 CM (6" x 9")
MULTIAXIAL 5-WAY



550 W Max.
SRE6942R
15 CM x 23 CM (6" x 9")
MULTIAXIAL 4-WAY



SRE SERIES — 3-way



400 W Max.
SRE6932R
15 CM x 23 CM (6" x 9")
MULTIAXIAL 3-WAY



400 W Max.
SRE2032R
20 CM (8") MULTIAXIAL 3-WAY



300 W Max.
SRE1732R
16,5 CM (6-1/2") MULTIAXIAL 3-WAY



250 W Max.
SRE1332R
13 CM (5-1/4") MULTIAXIAL 3-WAY



200 W Max.
SRE1032R
10 CM (4") COAXIAL 3-WAY



300 W Max.
SRE6832C
15 CM x 20 CM (6" x 8")
CUSTOM-FIT COAXIAL 3-WAY



250 W Max.
SRE5732C
13 CM x 18 CM (5" x 7")
CUSTOM-FIT COAXIAL 3-WAY

SRE SERIES — 2-way, Balanced-drive tweeter



280 W Max.
SRE1722R
16,5 CM (6-1/2") COAXIAL 2-WAY



230 W Max.
SRE1322R
13 CM (5-1/4") COAXIAL 2-WAY



180 W Max.
SRE1022R
10 CM (4") COAXIAL 2-WAY



200 W Max.
SRE4622C
10 CM x 15 CM (4" x 6")
CUSTOM-FIT COAXIAL 2-WAY



200 W Max.
SRE212H
2.5 CM (1") BALANCED-DRIVE
TWEETER

Made for safer driving

Clarion makes your drive more enjoyable and safer. Choose from the full selection of Rear vision cameras and monitor units to meet your specific needs. Take the guesswork out of reversing into tight spaces. Drive and park with confidence instead.

REAR VISION CAMERAS & MONITOR SYSTEMS

COLOUR LCD MONITORS

CJ7300G
7" WIDE COLOUR LCD QUAD MONITOR

- Camera shutter independent control function when switching between CAM1 and CAM4
- Camera power supplies are built-in
- Automatic video switching with reverse gear and turn signal link
- Dimmer function (Auto)
- Composite video input & audio input
- Seven language display selection
- Wireless remote control is included
- True/mirror image switching function
- On-screen distance marker setting



CJ7000E/CJ7100E
7" WIDE COLOUR LCD MONITOR

- Camera shutter independent control function when switching between CAM1 and CAM2 (CJ7100E)
- Camera power supplies are built-in
- Automatic video switching with reverse gear and turn signal link
- Convenient true/mirror image switching function
- Dimmer function (Manual)
- Composite video input & audio input
- Seven language display selection
- Wireless remote control is included




CJ5600E
5.6" COLOUR LCD MONITOR

- Camera power supplies are built-in
- Automatic video switching with reverse gear and turn signal link
- Dimmer function (Manual)
- Seven language display selection
- True/mirror image switching function



CMOS COLOUR CAMERA

CC4001U
CMOS COLOUR CAMERA




IR ILLUMINATED COLOUR CCD CAMERA

CC3000E
IR ILLUMINATED COLOUR CCD CAMERA



- Illumination is provided by the camera's infrared LED light, making it especially convenient when reversing at night
- Built-in microphone so you can hear any sounds behind your vehicle
- Built-in pre-heater ensures the camera is ready for use at all times
- No optional power box required
- * Microphone function is available only in combination with the CJ7000E/CJ7100E

Direct connection to RCA video input is possible, without the need for an extra power box (only for 12V vehicles)



HEAVY DUTY COLOUR CCD CAMERAS

CC2001F
HEAVY DUTY COLOUR CCD CAMERA WITH SHUTTER (WIDE-ANGLE/ MIRROR IMAGE)



CC2000E
HEAVY DUTY COLOUR CCD CAMERA (WIDE-ANGLE/MIRROR IMAGE)



CC2002E
HEAVY DUTY COLOUR CCD CAMERA (NARROW-ANGLE/TRUE IMAGE)

CC2003E
HEAVY DUTY COLOUR CCD CAMERA (WIDE-ANGLE/TRUE IMAGE)

ULTRA COMPACT COLOUR CCD CAMERAS

CC2011E
ULTRA COMPACT COLOUR CCD CAMERA (WIDE-ANGLE / MIRROR IMAGE)



CC2015E
ULTRA COMPACT COLOUR CCD CAMERA WITH STAINLESS BRACKET (WIDE-ANGLE / MIRROR IMAGE)



CC1030E
COMPACT COLOUR CCD CAMERA (MIRROR IMAGE)



ACCESSORIES

<p>EA1246A POWER BOX FOR CJ981E</p> <ul style="list-style-type: none"> • Three camera direct inputs • Three signal connections for indicator lights and reverse gear • Compatible wired remote control for Iris/Zoom/Select function (RCB174) • AUX video input (NTSC/PAL) • 12 V/24 V compatible 	<p>EA1232A POWER BOX FOR CJ981E</p> <ul style="list-style-type: none"> • One camera direct input • Signal connection for indicator lights or reverse gear • Includes wired remote control for Iris & Zoom settings • AUX video input (NTSC/PAL) • 12 V/24 V compatible 	<p>RCB174 WIRED REMOTE CONTROL For EA1246A</p>	<p>CCA692 iPod AUDIO AND VIDEO CONNECTING CABLE For MAX983HD & MAX973HD</p>	<p>CCA748 iPod VIDEO CONNECTING CABLE For CZ302E, CZ202E/EG/ER, FZ502E</p>	<p>CCUIPOD3E iPod AUDIO / VIDEO CONNECTING CABLE For VZ409E</p>	<p>RCB198 OPTIONAL REMOTE CONTROL For NX700E</p>	<p>RCB176 INFRARED REMOTECONTROL For audio model (except CZ309E, CZ301E, CZ201E and CZ101E)</p>		
<p>CAA188 POWER BOX FOR CCD CAMERA</p> <ul style="list-style-type: none"> • 8-pin mini-DIN output for MAX983HD • Reverse gear connection • Manual on/off switch • 12 V compatible 	<p>CAA185 POWER BOX FOR CCD CAMERA</p> <ul style="list-style-type: none"> • NTSC video line-out for NX702E, NX502E, NX302E, NZ502E, VX402E, VZ402E, NX501E, NZ501E, VX401E, VZ401E, NX700E, VX709E, VZ709E & VZ509E • NTSC video line-out for all other LCD monitors with NTSC input • 12 V compatible 	<p>PQE033 OPTIONAL COVER FOR CC2011E/CC2012E</p>	<p>Trailer accessories for heavy duty camera</p> <ul style="list-style-type: none"> ■ Trailer "break point" to camera cable 	<p>CCA673 iPod AUDIO AND VIDEO CONNECTING CABLE For MAX678RVD, VRX878RVD, MAX668RVD & VRX868RVD</p>	<p>CCA750 iPod / iPhone VIDEO CONNECTING CABLE For NX702E, NX502E, NZ502E, NX302E, VX402E, VZ402E, CZ702E, CX501E, CZ302E, CZ202E</p>	<p>RCB187 INFRARED AV REMOTE CONTROL For MAX973HD and MAX983HD</p>	<p>RCB147 INFRARED JOYSTICK REMOTE CONTROL For all models (except CZ309E, VZ409E, CZ301E, CZ201E and CZ101E)</p>		
<p>HEAVY-DUTY CAMERA CABLES</p> <p>For CC2001F, CC2000E, CC2003E and CC2002E</p> <ul style="list-style-type: none"> CCA416 (5 m/16 ft) CCA392 (7 m/23 ft) CCA393 (10 m/33 ft) CCA435 (13 m/42 ft) CCA394 (15 m/49 ft) CCA436 (18 m/59 ft) CCA395 (20 m/65 ft) CCA437 (23 m/75 ft) 	<p>COMPACT CAMERA CABLES</p> <p>For CC2011 series and CC1030E cameras</p> <ul style="list-style-type: none"> CCA532 (7 m/23 ft) CCA533 (10 m/33 ft) CCA534 (15 m/49 ft) 	<p>CAMERA EXTENSION CABLES</p> <p>For heavy duty cameras</p> <ul style="list-style-type: none"> CCA439 (0.9 m/3 ft) CCA391 (5 m/16 ft) CCA415 (10 m/33 ft) 	<p>CAMERA CABLES FOR CC3000E</p> <p>For connecting CJ981E</p> <ul style="list-style-type: none"> CCA728 (20 m/65 ft) <p>For connecting CJ5600E/CJ7000E/CJ7100E</p> <ul style="list-style-type: none"> CCA729 (20 m/65 ft) <p>For connecting general-purpose AV monitor with video input terminal</p> <ul style="list-style-type: none"> CCA730 <p>• Only for 12 V vehicles</p>	<p>CCA453 (15 m/49 ft)</p> <p>CCA452 (20 m/65 ft)</p> <p>CCA451 (5 m/16 ft)</p>	<p>EA1276E iPod CONNECTION INTERFACE For full operation of iPod when connected to '07 CeNET models: DXZ778RUSB, DXZ578RUSB, DXZ378RMP & CMD5</p>	<p>EA1251E iPod CONNECTION INTERFACE For basic operation of iPod when connected to WXZ468RMP and all other CeNET models</p>	<p>CCA519 MULTILINK Y-CABLE For CeNET CHANGERS</p>	<p>CCA520 CeNET CABLE, 2.5 M CCA521 CeNET EXTENSION CABLE, 0.6 M</p>	<p>CCA389 AV ADAPTER CABLE, 2.5 M 8-PIN → RCA (1 VIDEO/2 AUDIO) For VRX848RVD, VRX743R & CeNET TV TUNER A/V INPUT</p>
<p>BLT583 CeNET BLUETOOTH INTERFACE ADAPTER</p>	<p>RCB199 / 204 OPTIONAL EXTERNAL MICROPHONE For all Bluetooth units equipped with mini jack for microphone</p>	<p>FM863 8-CHANNEL FM MODULATOR</p>	<p>CAA397 6-DISC MAGAZINE For DCZ628, DC628 & VCZ628</p>						



CIP (Clarion Installer Programme) offers the most professional fitting accessories to connect your Clarion device simply and safely to more than 200 different car models.

www.clarion.com/cip

Please visit www.clarion.com/cip to view the latest range of professional Clarion installation accessories online.

CAN-bus converter



New cars increasingly rely upon proprietary data bus techniques that are not compatible with commercial audio products. Clarion, however, using its unprecedented expertise, Clarion has developed an extensive range of solutions that effectively overcome such complications. Our CAN converter interfaces can enable the use of a superior Clarion audio system within CAN-bus equipped cars.

- NX702E CZ702E CX501E
- NX502E CZ302E Rear vision camera
- NZ502E CZ202E
- VX402E CZ102E
- VZ402E FZ502E
- NX302E
- NP402E

2-DIN installation bracket



More than 60% of all new vehicles sold in Europe have an extra large installation space in the dashboard for mobile entertainment products, known as 2-DIN. This space allows the owner to radically and easily upgrade the original fitted equipment without compromising the integrated feel of the dash. In order to preserve the dashboard's original allure, Clarion has developed an impressive range of car-specific mounting brackets with this goal in mind. Each bracket comes complete with instructions, diagrams and fixing materials.

- NX702E VX402E
- NX502E CX501E
- NX302E

OEM steering wheel remote control



More and more new cars are sold with a radio that can be operated from convenient controls located on the vehicle's steering wheel. Clarion has successfully introduced interfaces that enable its range of products to deliver the exact same level of control and safety.

• Adaptor with wire connection
Compatible with all Clarion models with minijack steering wheel remote control input.



• Adaptor with infrared connection
Compatible with all previous Clarion models with infrared sensor.

- NX702E VZ402E FZ502E
- NX502E CZ702E CX501E
- NZ502E CZ302E
- NX302E CZ202E
- VX402E CZ102E