

# Report of a birding trip to Suriname

February 16<sup>th</sup> – March 4<sup>th</sup> 2023



**Authors:**

Hans Groot (general text) and Wim van Splunder (species list)

**Checklist where to find specific species:**

Wim van Splunder

**Completion list:**

Ferdy Hieselaar

**Pictures:**

Hans Groot (HG), Ferdy Hieselaar (FH), Jeroen Bijleveld (JB), Wim van Splunder (WvS)

**Sound recordings and videos:**

Hans Groot

## Introduction

Suriname is a really great destination for a birding holiday in South America. OK, it does have fewer species than (much larger) countries such as Colombia, Peru and Brazil. But the quality of the species list is high due to the occurrence of 50 so-called Guiana shield endemics<sup>1</sup>. In addition, Suriname is relatively small and most good birding areas are within a short distance of each other. That is, the accessible areas, because a large part of the country still consists of untouched rainforest and can only be reached by boat or plane.

Moreover, it is special for us Dutchmen to visit Suriname because of the special (precarious) bond with The Netherlands, as a result of the colonial past and all the abuses that took place at the time. The consequences of this are still visible and it is therefore good that the Dutch government and the king have apologized for this and announced numerous measures to tackle the consequences of the history of slavery. Nevertheless, it remains very special that Dutch is the official language and that, in the middle of the tropics, we were able to read all the inscriptions and communicate with our guide in our native language!

## Logistics

At the beginning of 2020 we (Wim van Splunder, Ferdy Hieselaar, Jeroen Bijleveld, Chris Winter and Hans Groot) made plans to undertake a birding trip to Suriname the following year, just before Covid-19 broke out worldwide. As a result, we ultimately had to postpone our trip to 2023. In 2022 we contacted Fred Pansa from Fred Ecotours again to organize the trip for us. We really wanted Fred to guide us as he has an excellent reputation. And, it must be said, it is absolutely true; Fred Pansa is the best bird guide we've ever had! He is incredibly sharp, sees birds in the vegetation with his naked eye long before we could find them, quickly points them out with his laser pointer ("kijk naar mijn lichtje") by making a circle around the bird or underneath it, next to or above it. He also knows how to place birds in his telescope in no time, often through a tangle of branches high in the canopy, so that everyone can quickly score the species and then look for it themselves. He ensures that everyone can see the bird in question and remembers if someone has yet to see a certain species. His hearing is also phenomenal, an absolute requirement in the jungle, where many birds make their presence known vocally. He uses tape luring appropriately, i.e. species are not being taped too often or too loud. He also regularly plays the sound of Amazonian Pygmy Owl, which attracts many birds. In addition, he usually knows exactly where certain species emerge: low above the ground, in the middle story or in the canopy. He has good stake-outs for many species. What we also appreciated is that Fred is self-critical of his own determinations in difficult species. He immediately checked the Merlin app and consulted us about the observed characteristics. In a number of cases this led to different conclusions regarding the species. We have experienced guides who tried to bluff their way through such situations. He enters his observations on eBird. Above all, Fred is just a super nice guy with a good sense of humor.

We booked our international return flights between Amsterdam and Paramaribo (with KLM) ourselves. Unfortunately, Chris was ultimately unable to join us on the trip. Fred arranged the accommodations, the domestic flight to Kabalebo and drove us around in his van or 4WD. Where possible, we drove with an open sliding door on the side to maximize bird discovery and to get outside as quickly as possible. All the meals and water were included, so we only had to pay for the (non)alcoholic drinks. At all accommodations the Surinamese brand Parbo Beer was available, except in Colakreek Recreation Park (here we bought drinks at the nearby supermarket).

---

<sup>1</sup> The Guiana Shield is a geological shield (an area where very old rocks lie on the Earth's surface) in northeastern South America. It extends over the territory of Guyana, Suriname, French Guiana, parts of Colombia, Venezuela up to the Orinoco and northern Brazil up to the Amazon. The Guiana Shield is part of the Amazon Craton. It is formed by Proterozoic rocks and is between 2.5 and 1.9 billion years old (source: Wikipedia).



*Fred Pansa (HG)*




*Wim van Splunder (JB)*



*Ferdy Hieselaar (JB)*



*Jeroen Bijleveld (HG)*



*Hans Groot (JB)*

Fred provided us with plenty of water and snacks (cookies, banana chips) throughout the day and also made good breakfasts during our stay at Colakreek. We stayed four nights at his famous Zintete Lodge near Fredberg and birded briefly on our last day at his second lodge in Seliba. Only during our stay in Kabalebo did Fred not accompany us, because Kabalebo works with its own nature guides. Fred also suggested not to go along with us to keep the costs somewhat under control.

## Preparation

Although we trusted that we were in good hands with Fred, we left little to chance. As always, Wim made an overview in Excell of which species (regularly) occur in which area, based on a large number of trip reports on the internet (see the appendix). This helped us focus on the target species for each area so we could discuss with Fred where to go to find specific species. To be on the safe side, we also brought along a collection of bird sounds from [Xeno Canto](#), made available by Remco Hofland, for which we are grateful! The excellent Merlin<sup>2</sup> app also provides both recordings of song and calls for most species, so we mainly used our own collection as a backup.

We also took note of various trip reports that can be found on [Cloudbirders](#) and we watched YouTube videos about birds in Suriname. The following websites or web articles provide valuable information about birding in Suriname:

- [Birding In Suriname](#)
- [Birds in Suriname](#) (unsecured website)
- [Fredberg - Suriname is een nieuwe toplocatie rijker. - Dutch Birding](#) (in Dutch)

The field guides we used:

- Field Guide to the Birds of Suriname, revised and updated second edition (2018) by Arie L. Spaans, Otte H. Ottema, Jan Hein J.M. Ribot, color plates by Ber van Perlo, (Brill).
- Birds of Northern South America, an identification guide (2006) by Robin Restall, Clemencia Rodner, Miguel Lentino (Helm)
- For mammals: [http://www.ethnobiobase.act-suriname.org/wp-content/uploads/2015/12/ACT\\_FieldCompanion\\_Mammals\\_10122015.pdf](http://www.ethnobiobase.act-suriname.org/wp-content/uploads/2015/12/ACT_FieldCompanion_Mammals_10122015.pdf)

Suriname is known for the occurrence of annoying insects, such as grass lice. These are barely noticeable to the naked eye, but their bites can cause unbearable itching. They crawl up your legs and attach themselves somewhere in your skin with their hooked jaws. We had been warned and had taken precautions by wearing leech socks and impregnating them with Care Plus with 40% DEET. Nevertheless, Jeroen and Ferdy in particular fell victim to grass lice, in Peperpot Nature Park and later also in Kabalebo. Jeroen still suffered from itchy bumps eight weeks after returning...

We only brought one telescope with a tripod, because Fred also carries one with him all the time. We had binoculars and cameras with us and Hans also brought a recorder (Olympus LS 11). Furthermore, headlamps and strong flashlights were useful for evening trips. It is advisable to bring rain gear and an umbrella and, for Brownsberg, a sweater. Good walking shoes with a good profile are indispensable. If the trails are very wet, rubber boots are really useful, but they can also be bought in Suriname. We donated the one we purchased to Fred.

---

<sup>2</sup> During our stay the sound ID tool in this app didn't function yet.

## Trip itinerary



*Locations where we stayed*

### **Day 1 – February 16 Amsterdam -> Paramaribo -> white sand savannah area, Colakreek**

Arrival at Johan Pengel International Airport, also known as Zanderij, at 1:35 pm. Birding in the surroundings of the airport (Berlin) and overnight at Colakreek Recreation Park.

### **Day 2 – February 17 Colakreek, Zanderij, white sand savannah area**

Morning birding at Colakreek, Airport Zanderij and the white sand savannah area. Lunch at Colakreek. In the afternoon again birding at Colakreek, Airport Zanderij and the white sand savannah area. Overnight at Colakreek Recreation Park.

### **Day 3 – February 18 Colakreek, Zanderij -> Peperpot Nature Park**


Morning birding in the surroundings of the Airport Zanderij and the white sand savannah area. Lunch at Colakreek. In the afternoon drive to Peperpot Nature Park near Paramaribo, birding on the way and near Peperpot Boutique Hotel. Overnight at Peperpot Boutique Hotel.

### **Day 4 – February 19 Peperpot Nature Park, Weg naar Zee**

Morning birding in Peperpot Nature Park and surroundings. Lunch at Peperpot Boutique Hotel. In the afternoon birding at the Weg naar Zee area. Overnight at Peperpot Boutique Hotel.

### **Day 5 – February 20 Peperpot Nature Park, boatsafari Bakki (Warappakreek area)**

Morning birding in Peperpot Nature Park and surroundings. End of the morning trip to Nieuw Amsterdam, boat trip to Bakki (lunch at the museum). In the afternoon boat trip in the mangroves to the sea (Warappakreek area). Overnight at Peperpot Boutique Hotel.



*Weg naar Zee area (northwest of Paramaribo)*

*Bakkie and Warappakreek (east of Paramaribo)*

**Day 6 – February 21 Paramaribo -> Kabalebo**

Morning birding in the Verlengde Komperstraat area, outskirts of Paramaribo. At 11:40 am domestic flight from airport Zorg en Hoop to Kabalebo Resort. Arrival at 12:40 pm. Lunch at Kabalebo Nature Resort. Birding at the resort grounds and at 3:30 pm a boat trip at the Kabalebo River. Overnight at Kabalebo Nature Resort (rooms in the main building).

**Day 7 – February 22 Kabalebo**

Easy birding at the resort in the morning. Lunch at the resort. At 3:00 pm boat trip at the river. Overnight in the river cabana's.

**Day 8 – February 23 Kabalebo**

After the rain birding at the trail near the lodge. Lunch at the resort and birding near our cabana's. In the afternoon again a boat trip at the river. After dinner short walk for the Rufous Potoo near the staff cabins. Overnight in the river cabana's.

**Day 9 – February 24 Kabalebo**

Boat trip in the morning and afternoon. Lunch at the resort. Overnight in the river cabana's.

**Day 10 - February 25 Kabalebo**

Heavy rains in the morning, cancelled flight to Paramaribo. Lunch at the resort, some birding near the main building and a last boat trip in the afternoon. Overnight in Inspiration Point (luxury rooms).

**Day 11 - February 26 Kabalebo -> Paramaribo -> Fredberg**

Short birding walk at the trail near the resort. Departure at 10:30 am; arrival at domestic airport Zorg en Hoop at 11:30 am. Lunch in the van (bought at a roadside snackbar). Birding at Onverwacht (for Blue-backed Manakin) and drive to Fredberg. Overnight at Zintete Lodge, in the communal dormitory.

**Day 12 - February 27 Fredberg**

Early morning start for the Zigzag Heron at the lodge. In the morning birding at the rails near the lodge. Lunch at the lodge. In the afternoon and early evening birding at the trails and along the logging road. Overnight in the cabins.

**Day 13 - February 28 Fredberg**

Birding the trails and the logging road in the morning. Lunch at the lodge. In the afternoon and evening birding at the logging road with the van. Overnight in the cabins.

**Dag 14 - March 1 Fredberg**

Birding the trail at the base of Fredberg, packed lunch in the field. In the late afternoon birding at the lodge. Overnight in the cabins.

**Day 15 - March 2 Fredberg -> Brownsberg Nature Park**

Birding with the van at the logging road on the road to Brownsberg. Lunch in the restaurant of the park and birding the trails in the afternoon. Overnight in the Tapir Lodge.

**Day 16 - March 3 Brownsberg Nature Park**

Birding the trails all day. Lunch at the restaurant. Overnight in the Tapir Lodge.

**Day 17 - March 4 Brownsberg Nature Park -> Seliba -> Airport -> Amsterdam**

Birding on the road to Seliba Lodge. Lunch at the lodge. Drive to the International Airport Johan Pengel. Departure at 6:00 pm.

**Day 18 - March 5 Amsterdam**

Arrival at 6:15 am at Schiphol Airport, Amsterdam.



Seliba (HG)

## Day to day report



*Arrival at the international airport Johan Pengel (Zanderij) (HG)*

### **February 16                      Amsterdam -> Paramaribo -> white sand savannah area, Colakreek**

We met in the early morning in departure hall 2 of Schiphol Airport, Amsterdam. After a good 9-hour flight with KLM, we arrived in Suriname at Johan Pengel International Airport near the village of Zanderij, more than 50 km south of Paramaribo, at 1:45 pm local time. It took a very long time to get through customs, even though only one flight had arrived. We were happy when we finally walked through the exit at 3:45 pm and were welcomed by our guide Fred Pansa! He handed us bottles of water at his van, after which we immediately started birding in the area surrounding the airport, along the JFK Highway, south of Berlin. This is an open savannah area with ponds, streams and patches of forest. We drove slowly with the side door open to be able to see and hear a lot and to get out of the car quickly. Fred makes a lot of calls while driving, but remains alert and interrupts a telephone conversation immediately when he sees or hears a good species. It was a nice start with many common species such as Great Kiskadee, Black and Turkey Vulture, Tropical Mockingbird, Red-breasted Meadowlark, Fork-tailed Palmswift, Blue-gray Tanager, Silver-beaked Tanager, Palm Tanager, Rusty-margined Flycatcher, Tropical Kingbird, Bananaquit. Also present were White-winged Swallow, Ruddy Ground Dove, Yellow-rumped and Red-rumped Cacique, Green and Crested Oropendola, Shiny and Giant Cowbird, Swallow-winged Puffbird, Black-faced and Blue Dacnis, Purple and Red -legged Honeycreeper, Black-faced Tanager, White-headed Marsh Tyrant. Best species were a pair of Rose-breasted Chats, which showed themselves with great patience, two Cayenne Jays flying over, a male Guianan Streaked Antwren, a Yellow-bellied Elaenia, and a White-vented Euphonia. We also heard our first Crested Bobwhite and Red-legged and Great Tinamou. When we drove to Colakreek we saw a Burrowing Owl sitting on a little hill and a Lesser Nighthawk flying over the road.

In a supermarket in Zanderij we bought ice-cold liter bottles of Parbo beer (€2.50 per bottle). Fred bought stuff for breakfast. We arrived at 7:00 pm at Colakreek Recreation Park, an area with vacation homes, a playground, restaurant and a coke-colored creek for swimming. Upon arrival we were presented boxes with dinner from the café. Our vacation home had a large covered veranda, two bedrooms (4 pax) with air conditioning and mesh as a window (Fred slept in his hammock on the veranda), an open kitchen with cooking utensils, refrigerator, freezer, toilet, cold water shower, electricity (for Dutch plugs!). No WiFi. There are almost no other guests in the



park. We had our delicious meals at the picnic table on the veranda: fried rice with chicken and long beans. The Parbo beer tasted great with it!



*Our vacation home at Colakreek Nature Park (HG)*

At 8:15 pm we went out again with the van in search of nocturnal birds. The atmosphere was great: you could hear frogs and crickets calling everywhere. The evening was successful with a beautiful Common Potoo that Fred taped in. What a wonderful call! In addition, we saw two splendid calling Striped Owls and a Black-Banded Owl at the entrance of the Colakreek Recreation Park in the spotlights. A White-tailed Nightjar sat two meters away from us in the flashlight. When we returned to our vacation home at 9:45 pm we heard and saw a Tropical Screech Owl. It was still quite warm, but it cooled down a bit during the night. What a great start to our trip!



*White-tailed Nightjar (HG)*



*Upland Sandpiper (HG)*

## **February 17                      Colakreek, Zanderij, white sand savannah area**

After quite a good night we got up at 6:00 am. The Tropical Screech Owl calls already at dusk. Fred makes us a delicious breakfast: pancakes, fried eggs, white bread, instant coffee and orange juice. He also brings a large box with, among other things, peanut butter and jam. We are lucky with the weather: until we arrived it was very rainy, but now it is very beautiful and quiet. Lovely how the park wakes up with bird sounds from all directions! We set off just after 7:00 am and start birding in the recreation park. Birds are everywhere!

The target species is quickly in the pocket: two Point-tailed Palmcreepers show themselves well from a distance in the scope. Dozens of Red-shouldered and Red-bellied Macaws fly by and land in the nearby trees. We see Variegated, Sulfury and Boat-billed Flycatchers, a Grey-crowned Flatbill, beautiful Turquoise Tanagers, Orange-winged Parakeets flying overhead and a Glittering-throated Emerald and we hear our first of many Yellow-crowned Tyrannulets (“three beer”). Then we drive slowly in our van towards the airport.



*Colakreek Recreation Park (HG)*



*Birding at Colakreek Recreation Park, from left to right: Fred Pansa, Jeroen Bijleveld, Ferdy Hieselaar and Wim van Splunder (HG)*

Along the way, a Pale-breasted Spinetail shows up well at a little marsh, as do some Burnished-buff Tanagers. A nice surprise is the beautiful Upland Sandpiper that Hans discovers at the airport, through the fence. After a while it flies up calling and lands on a football field. A lifer for Jeroen, Ferdy and Fred! We enjoy a pair of

Burrowing Owls with four juveniles that have a nest hole just behind the airport fence. The parents sit on lampposts and sound the alarm when we get too close with our van; the juveniles then quickly run into their den! Also on the fence are two Lesser Yellow-headed Vultures. Fred spots a Pearl Kite in a tree in the distance and puts it in the scope in no time. Typical species of this area are Grassland Sparrow, Red-breasted and Eastern Meadowlark, Plain-crested and Rufous-crowned Elaenia, Black-faced Tanager, Barred Antshrike. Wattled Jacanas and Solitary Sandpipers can be found in the puddles created by the rainfall of the past few days. Some White-tailed Hawks hover in the air. In a small bush, Fred manages to find two beautiful Lesser Nighthawks.



*Burrowing Owl (HG)*



*Lesser Nighthawk (HG)*

Then we walk a wide trail in a beautiful forest south of the airport and here everything goes wild! We can tick off one good species after another. Ruddy Quail-Dove, Helmeted Pygmy-Tyrant (heard only), Saffron-crested Tyrant-manakin, Northern Slaty Antshrike, Guianan and Green-backed Trogon, a female Black Manakin and a male Golden-headed Manakin, Dusky Purpletuft (heard only), Rufous-bellied Antbird, a nice Rufous-tailed Flatbill, Spotted and Guianan Puffbird (both in the scope), Forest Elaenia, many lovely Pygmy Antwrens, Straight-billed and Reddish Hermit, two beautiful Painted Tody Flycatchers, Greyish Mourner, two females Spangled Cotingas, Flame-crested Tanager, a Guianan Tyrannulet and a Lemon-chested Greenlet. Suddenly Fred discovered an army swarm where a stunning male White-plumed Antbird showed up, as well as a beautiful Rufous-throated Antbird, another ant swarm follower. We scored two species high on our wish list, but we didn't expect to get them here, but only in Fredberg! The two birds played a bit of hide and seek; they always appeared briefly and disappeared again quickly (too fast to get decent pictures). We also see our first monkeys, the Midas (Golden-handed) Tamarin. What a great morning!

At 1:30 pm we returned to Colakreek Recreation Park, where we had a nice lunch on the terrace of the café: fries with fried chicken and cole slaw with a special ginger lemonade (spicy and very sweet). We have the impression that we are almost the only guests in the park. During an hour of relaxation at our vacation home we admire a very beautiful male American Pygmy Kingfisher. We hit the road again at 3:30 pm, after a short rain shower. First Fred tries to lure a Russet-crowned Crake into view with tape near our vacation home. The bird answered harshly, but did not emerge. We also see our first Guianan Squirrel Monkey and our only Black-throated Mango. We drive to the airport again and now take the road on the other side. In addition to a number of the same species as this morning, we see the desired Campina Thrush (a recent split from Black-billed Thrush).



*Birding the forest south of the airport (HG)*

We enjoy a beautiful pair of White-fringed Antwren and a Green-tailed Goldenthrout, which proved to be our only ones of the whole trip. In the distance we see a Grey-lined Hawk in a tree. We also see our first Spectacled Thrush and two Short-tailed Swifts. But unfortunately we dip on two target species. We walk in vain through a wet field to find Pantanal (South American) Snipe. And in several places Fred tries to lure a Pale-bellied Mourner with tape, but there is no response. The Pale-bellied Mourner is a specialist of the white sand savannah and the airport area is one of the best places in the world to see this species. We give up at 7:00 pm. It cools down a bit and some mosquitoes appear. Fred wanted to show us Crested Bobwhite, but that didn't work either. When we return to Colakreek we receive boxes of hot food from the café: rice, spinach, fish, tomato with a tasty soy-ginger sauce. While eating the meals we get worried text messages from our family in The Netherlands. There are riots and looting in Paramaribo, due to inflation, high prices and corruption. Although we are not far from Paramaribo, we hardly notice this. However, shops and petrol stations are closed (but orders could still be placed through the bars of the supermarket). After a nightcap (Speyburn whiskey that Jeroen bought at Schiphol) and a cold shower we went to sleep at 10:15 pm.

**February 18**

**Colakreek, Zanderij, white sand savanna area and Peperpot Nature Park**

We got up at 6:00 am and Fred served us a nice breakfast again (pancakes, fried eggs, white bread, instant coffee). A Green-tailed Jacamar calls near our house. We also see our first Variegated Flycatcher. We drive again to the south side of the airport and the white sand savannah area. This consists of low vegetation, higher forests here and there and indeed, white sand. It is quite warm, 28 degrees Celsius, with two rain showers. The birdlife is enormous, including: Blue-black Grassquit, Yellow-crowned, Plain- and Rufous-crested Elaenias, Grey-headed and Double-toothed Kites, a beautiful Cayenne Jay, Marail Guans, a flying Dusky Parrot, Purple-throated Fruitcrows, a beautiful White-lored Tyrannulet and a flying overhead, calling Green Ibis. We hear our only Little Tinamou of the trip. We are happy to be able to tape in a specialty of the area: a Bronzy Jacamar. It shows himself briefly, but good enough. Another species we need to score in this area, Black Manakin, flies across the trail. Pompadour Cotingas, including two stunning males, pop up. They are most beautiful in flight, when they show their white underwings. We can also add Spangled Cotinga, a pair. We hear an Ochre-bellied Flycatcher and see 4 Paradise Jacamars in a dead tree in the distance.



*Typical white sand savannah (HG)*

At the end of the airport runway we make another attempt to hunt down a Pantanal Snipe by walking in line through a damp field. Fred, Ferdie and Hans walk in front and bump into one, but Wim and Jeroen are walking too far away from them to see it. Fortunately, we see approximately where the bird has landed and we manage to get two more birds out. Happy to have this one in the pocket! But the grand prize is yet to come. In the white sand savannah south-east of the airport, Fred plays the sound of a Pale-bellied Mourner again. We see a bird flying into a bush... Of course Fred is the first to spot it: it is a Pale-bellied Mourner! The bird remains silent in the tree, but is clearly visible in the scope. That's a real boost!

After this we visit the beautiful forest southeast of the airport again. When Fred hears Dusky Purpletufts, he plays their calls and in no time two beautiful Dusky Purpletufts land in a tree above us! A male Mouse-colored Antshrike shows off nicely. A Ferruginous-backed Antbird is calling. We also see three beautiful White-faced Sakis. As we drive back to Colakreek, 10 Crested Bobwhites, including chicks, cross the road!



*Searching for Pantanal Snipe (HG)*



*Pale-bellied Mourner (HG)*



*Dusky Purpletufts (HG)*

At 12:45 pm we are back in Colakreek Recreation Park, where we are served a delicious lunch on the covered terrace of the cafeteria: Surinamese noodles, soy chicken and finely chopped long beans. It starts to rain again. After packing our luggage, we leave for our next destination, Peperpot Nature Park, directly east of Paramaribo, on the other side of the Suriname River. A curfew has been imposed in the center of Paramaribo due to yesterday's riots (during which the parliament building was stormed and shops were looted). Today all shops and gas stations are closed by the government, but some supermarkets are still selling through the bars. However, we don't have to go to Peperpot via the center of Paramaribo, so we are not affected by these measures (although it is of course annoying for the residents). The first part of our drive is on a largely deserted four-lane highway. It is so quiet with traffic that Fred parks our van at various places along the road so that we can do some birding, even crossing the highway over the guardrail in the central reservation. Unfortunately this doesn't yield a Sungrebe that we were looking for, but we have some other nice species, such as Green Kingfisher, Wing-barred and Rusty-breasted Seedeaters, Greater Ani's, a nice pair of Masked Yellowthroats and our only Muscovy Duck (a male).



*No Sungrebe here (HG)*

After driving over the iconic Wijdenbosch bridge, we arrive at the fantastic Peperpot Boutique Hotel around 5:00 pm. The last stretch of the (very bad) road runs past the former plantation on one side and the Suriname River on the other. Just before the entrance of the hotel we stop for our first Arrowhead Piculet, the only (almost) endemic in the country. We also see our only two Hooded Tanagers here and some splendid Green-rumped Parrotlets and Buff-throated Saltators. We hear a Straight-billed Woodcreeper and an Ashy-headed Greenlet. Fred manages to find both types of sloths with his sharp eyes; we see three Pale-throated Tree-toed Sloths and two Linnaeus's Two-toed Sloths.

The hotel consists of several detached colonial houses with beautiful, luxurious rooms, a swimming pool and a restaurant. We have our rooms in the Koffiehuis (Coffeeshouse), with air conditioning, bathroom with hot shower, WiFi. Fred leaves for his family in Paramaribo and has to be at home before 6:00 pm due to the curfew. We stroll around the hotel grounds, to the jetty near the very wide Suriname river, with oil refineries on the other side. Here we think we hear a Rufous-sided Crake in the reeds, but in the end it turns out to be the song of the here seemingly common Yellow-chinned Spinetail... We can't bird without a local guide for a moment 😊. Semipalmated Sandpipers and Semipalmated Plovers forage in a swampy field. Two Laughing Falcons show themselves and, above all, are very vocally. We also find a nice Spot-breasted Woodpecker.





*Arrowhead Piculet (HG)*



*Green-backed Trogon (HG)*

In the evening we enjoy a fine dinner (a la carte) on the veranda on the first floor of the restaurant (vegetarian spring rolls, bread with garlic butter and tapenade as a starter and the main course “I love Su”, a combination of the traditional Surinamese dishes pom and chicken pie, rice and vegetables). The ice-cold draught Parbo beers taste delicious. The service is very good. We go to bed around 11:00 pm.

### **February 19            Peperpot Plantage en Weg naar Zee**

After a good night in a wonderful bed, we get up at 6:00 am. We drink instant coffee in the room and then collect our packed breakfast at the restaurant. At 7:15 am Fred picks us up in a small car. He was unable to refuel his van because of the long queues at the petrol stations, now that they are open again. However, we start walking along the access road, towards the back entrance of Peperpot Nature Park. The first 200 meters are very rich in birds! We observe, among others, the following species: Peregrine, Green-throated Mango (Peperpot is the only place where we find this hummingbird), Barred, Great and Black-crested Antshrike, Pale-tipped Inezia, Blackish Antbird, (a cute) Little Cuckoo, Black-capped Donacobius, Savannah Hawk, Plain-crowned Spinetail, White-winged Becard, Yellow-breasted and Spot-crested Flycatcher, Greyish Saltator and our only Little Hermit. A Cream-coloured Woodpecker puts on a beautiful show, but this is even bettered by a specialty of the area, a Blood-coloured Woodpecker, which Fred tapes successfully in. The only Lesser Yellowlegs of the holiday flies overhead, and six Blue-winged Teals migrate across the river to their breeding grounds in the US (another new species for Fred!). Unfortunately, the back entrance to the park is closed, so Fred went to get the small car that we managed to fold into with some difficulty. We arrive at the main entrance of the park at 10:00 am.



*Koffiehuis at Boutique Hotel Peperpot (HG)*



*Cream-coloured Woodpecker (HG)*

*Blood-colored Woodpecker (HG)*

While Fred starts a long discussion with the park manager about closing the back entrance, we visit the small exhibition center about the history of the plantation, where, among other things, coffee was cultivated. The plantation is now completely overgrown and has become a true jungle. However, the trees here are not as tall as in the primary rainforest. There is a good network of paths, where you can go for both walking and cycling. There are also many watercourses (dug at the time for the drainage of the plantation; some can be canoed on). After half an hour we enter the park. It is warm, but there is a nice breeze and plenty of shade. We walk up and down one long straight trail and encounter Suriname's other top guide, Sean Dilrosun, with some Dutch clients. He tips us off that there is a Crane Hawk further up. This does respond to Fred's tape, but unfortunately is not freely visible. We also see beautiful White-browed Antbirds, White-flanked Antwrens, Yellow-olive and Ochre-ored Flatbills, a very cooperative Yellow-crowned Elaenia, a male Amazonian Royal Flycatcher (with flat crest) and Rufous-breasted Hermit. We met in the parking lot Anouk, Fred's Dutch wife, and their two children Jaylin and Tristan. Anouk stood in line for two hours this morning to fill up the van....



Entrance of Peperpot Nature Park (JB)




Yellow-olive Flatbill (HG)



*Yellow-crowned Elaenia (HG)*



*Sean Dilrosun and Fred Pansa (HG)*



*Peperpot Plantage (Nature Park)*

We have lunch at 1:15 pm with the Pansa family on the terrace of our hotel, where delicious cassava soup with chicken, coconut milk and rice is served. After this we hit the road again at 2:30 pm with new energy, towards Weg naar Zee (Road to See). We drive through the suburbs of Paramaribo, where we still see long queues at gas stations. Furthermore, we no longer notice the disturbances of a few days ago. The Weg naar Zee runs through a predominantly agricultural area with marshes. Snail Kites are very common here, but we are happier with a fantastic dark male Long-winged Harrier passing close by. In the distance the only Limpkin of the trip flies by. The first Striped Cuckoo shows up. Other relevant species include Yellow Warbler, Bicoloured Conebill, Spotted Tody-flycatcher and Gray Kingbird. Unfortunately, when we arrive at the sea, it is high tide, so it is difficult to watch waders. They all rest on the roots of mangrove trees or on jetties. The main stock consists of Semipalmated Sandpipers and Grey Plovers, supplemented with Ruddy Turnstones, Semipalmated Plovers, Red Knots, Spotted Sandpipers and Short-billed Dowitchers. Fred finds a Northern Scrub Flycatcher, which unfortunately is only seen by Jeroen in the scope before it moves on. We find our first Rufous Crab Hawks and a beautiful Black-collared Hawk, many Gull-billed Terns and quite a few Royal Terns, a Tricolored Heron, many Snowy Egrets and Little Blue Herons. From a great distance we see two Scarlet Ibises in a tree.

We are back at our hotel at 6:45 pm. After exchanging some messages with our family in The Netherlands and a refreshing shower, we sit down for another delicious dinner at 7:45 pm. The mini rice table (yellow rice, bami goreng, chicken satay, chicken leg, spring roll and vegetables) is very tasty, as are the cold beers! We update our lists and logs and study the species for the coming days. It is an atmospheric evening because of the many frogs and insects calling.



*Long-winged Harrier (HG)*

## **February 20**

### **Peperpot Plantage, Bakkie and Warappakreek area**

The alarm goes off again at 6:00 am. We could pick up our breakfast boxes at 6:30 am, but no one was in the restaurant yet. We didn't receive them until 7:00 am. It's a bit of a shame about the precious birding time, but the people here are so nice that we don't dare to blame them. Fred picked us up in his van and we drove to the main entrance of Peperpot Nature Park. We birded here until 10:30 am. It is cloudy, with some sunshine now and then and it's quite hot. This time we also walk some narrower trails, at a good pace. It is rather quiet in the

forest, so we do not score many new species, but we do tick off a few ‘rammers’ (as we say in Dutch). The only Fuscous Flycatcher gives away decent views. A young Collared Forest Falcon responds to the call Fred plays and appears briefly. We try hard to spot a Riverbank Warbler, but we have to settle for it’s call. Fred knows a lek of Crimson-hooded Manakin, of which we get to see a nice male and hear some other birds. We also add Plain Xenops, Cinnamon Atilla, Green-and-rufous Kingfisher, Black-chinned Antbird and an obligatory Spotted Puffbird to our list.



*Spotted Puffbird (HG)*



*Crimson-hooded Manakin (HG)*



*Looking at White-browed Antbirds in Peperpot NP (HG)*

At 10:30 am we left in our van for Nieuw Amsterdam, for a boat trip through the vast mangrove forests (Warappakreek area). We got here into a large wooden canoe with a shelter and outboard motor at 11:00 am. The first part of the trip was on the very wide Commewijne river. Ospreys were common and a group of hundreds of Laughing Gulls were swimming in the middle of the river. Among the Royals Terns on wooden poles we encountered the only three Large-billed Terns of the trip. Via a narrower tributary we moored at Bakkie around 12:45 pm, where we were welcomed by the Dutch Bas Spek and his wife Marsha. They manage the Bakkie museum with associated lodge and restaurant, in a beautiful tropical setting. They served us a delicious lunch consisting of soto (soup) with vegetables, rice with Tardoen (local fish) in soy sauce and carrots and beans. For dessert a nice cake on a banana leaf. Because we have to wait for high tide to be able to sail into the mangroves (otherwise it is too shallow), there is time for a tour by Bas in his museum, a room in the old director's house of the former plantation. Very interesting, but also shameful because of the many illustrations and attributes on display of the oppression of the enslaved who had to work on the plantation. At 3:00 pm we get back on the boat and sail over narrow waterways through beautiful mangrove forest to the sea. It is very quiet with birds (mosquitoes and gadflies, on the other hand, are abundant). Of course, the afternoon is not the best time for birding, but we hoped to find White Woodpecker here. However, this did not work. We did see, among others, a Brown-crested Flycatcher and a Striped Woodcreeper.

When we arrived at the sea, we took a tour on the open water. Here too, many waders (mainly Semipalmated Sandpipers) were sitting on the roots of the mangroves due to high tide. We also noted Willets and Hudsonian Whimbrels. Herons were very common, with Yellow-crowned and Black-crowned Night Herons among many Little Blue Herons and Snowy Egrets. We observed several Scarlet Ibises. On the way back, hundreds of Cattle Egrets flew to their roost, as well as dozens of Orange-winged Parrots. At 7:00 pm we were back in Nieuw Amsterdam, where we saw from the quay with the telescope, a few Magnificent Frigatebirds and Black Skimmers at the mouth of the Commewijne river. Fred had another surprise in store: two juvenile Great Horned Owls were sitting in a large tree looking down at us. We drove back to the hotel in the dark, but the birding was not over yet. From the slowly moving van, Fred scanned the area with his spotlight on the access road to the hotel. That resulted in a Pauraque and a Great Potoo!



*Museum Bakkie (HG)*



*Roosting Semipalmated Sandpipers (HG)*

We didn't get back to the hotel until 8:00 pm, where we immediately went to dinner. This time we really liked the Peperpot stew, a nice spicy stew with beef shank and boneless pork crabs, with bad fries (like everywhere outside The Netherlands and Belgium) and steamed vegetables. The service is really very nice and personable here. Back in our room we have to repack our stuff. To our dismay, Fred informed us this evening that we were only allowed to take 7 kilos of luggage on the small plane to Kabalebo the next day. Only the bare essentials can be taken along, but Hans' camera and lens, for example, already weigh 3 kilos.





*Enjoying the delicious dinner in Boutique Hotel Peperpot*

## **February 21                      Outskirts Paramaribo and Kabalebo**

Once again we got up at 6:00 am. During our packed breakfast (two white sandwiches every day, cheese, egg, jam, yogurt; the breakfast buffet doesn't open until later) we see our first Slender-billed Kite and hear Guianan Red Howlers. Fred will pick us up at 7 o'clock to go birding in the area of the Verlengde Komperstraat, on the north side of Paramaribo. A new residential area is planned here; the infrastructure is already there, but the building plots are still overgrown with bushes and reed fields. It is cloudy, 25 degrees with some rain. Fred has a stake-out here for a Least Bittern, which unfortunately does not appear. We are happy with two Plain-bellied Emeralds, because this is our last chance to see this hummingbird. We also observe our only Yellow-hooded Blackbirds (all female types). After seeing Orange-winged Parrots flying overhead, we are finally able to get a good look at them perched. Here as well we see a Blood-colored Woodpecker and hear an Arrowhead Piculet.



*Airport Zorg and Hoop (HG)*

At 10:30 am Fred drops us off at the domestic airport with the ambivalent name Zorg en Hoop (Sorrow and Hope), for our flight to Kabalebo, in the western interior of Suriname. Fred takes our large bagsto his home; we packed our things for Kabalebo in small backpacks and plastic bags. Fred is not coming with us to Kabalebo, because that resort works with its own guides. When we get out we are greeted by an extremely friendly lady from Kabalebo Resort. She tells us that on Tuesdays, ten kg of luggage is allowed, instead of seven. Above that you have to pay extra. We don't know how many kilos we ultimately have with us, so it was exciting when all the stuff was put together on the scale (Hans holds his camera with lens around his neck). At 35.5 kilos we remain pretty well below the permitted 40. After that we also have to get on the scale ourselves (camera off 😊). Anyway, we are allowed to continue and are first led to the Kabalebo VIP lounge, a room with sofas, air conditioning, toilet, fruit juice and cake! Two more Dutch people join us, Henk and Anneke from Groningen, and at 11:40 am we take off in a small propeller plane with one pilot. Once past the Paramaribo area, we only see seemingly unspoiled, continuous jungle below us, with a meandering river here and there. We fly at an altitude of 2500 meters, between and below the clouds, so we can see everything well.




*Our plane at the airstrip of Kabalebo, with golf cart (HG)*

After a one hour flight, a light green stripe appears in the jungle, the airstrip of Kabalebo Resort! We are welcomed by the manager Jerry, with guava juice. After this we meet our guide for our stay, Armida Madngisa, or “Ari”. She is the operations manager of the resort and has a (not so) tame Peach-fronted Parakeet, Kitty. First we have a buffet lunch, with vegetable soup, rice, chicken, two types of vegetables, cucumber and tomato. Water and soft drinks, local fruit juices and coffee and tea are freely available throughout the day. There is cold beer in the refrigerator, which you tick on a list and pay for after your stay. The resort consists of a main building with a large covered veranda as a restaurant and a number of bedrooms with bathroom and fan (no air conditioning). In addition, there are a number of separate buildings with more luxurious rooms and there are three beautiful river cabanas along the Kabalebo river. There is also a swimming pool. WiFi is available for a fee (€32.50 per device; the staff will turn on the WiFi on your phone). Calling is only possible from a resort telephone. After lunch, Ari shows us a Blackpoll Warbler that winters in a tree next to the main building. There is also a beautiful Red-and-green Macaw and a White-chinned Sapphire.



*Birding at the airstrip of Kabalebo, with guide Ari (HG)*

After this we are taken onto the airstrip in a golf cart to see a group of Guianan Red Howlers, including a female with a baby on her back. At 3:30 pm we leave for our first of a total of six boat trips on the river. The search for birds and mammals here is mainly done from the water; there are only a few trails. We have two desired species for the area: Harpy Eagle and Jaguar. We sail downstream in a wooden canoe with motor ('korjaal'), without a shelter, but with nice camping chairs instead of wooden benches. In addition to the boatswain, a boy with binoculars comes along to help look for wildlife. It is a great trip through pristine forest, far away from civilization. There is a strong current. After a while the boatswain turns off the engine and we glide silently through the water, enjoying all the sounds from the forest (including the first Screaming Pihas) and the noisy, flying overhead Scarlet and Blue-and-yellow Macaws and the many White-throated Toucans. Magic! Officially it is the short dry season, but due to the heavy rainfall the water level is higher than normal. We see Swallow-tailed and Double-toothed Kites, Black and Red-throated Caracaras, Great Black Hawk, Red-fan Parrots, Blue-headed Parrots, Black-crowned Tityra, Black Nunbirds, Band-rumped Swifts and Blue-throating Piping Guans. Common species include Blue-and-white and White Banded Swallow, Blue-Gray, Palm and Silverbeaked Tanager, Swallow-winged Puffbird, Giant Cowbird, Buff-throated Wren and Crested Oropendola. On the shore opposite the resort lies a large Spectacled Cayman. The highlight of the afternoon is the sighting of 5 Giant Otters, who seem to bark indignantly at us.



*At the Kabalebo River (HG)*



*Birding the resort grounds at Kabalebo (JB)*



*Main building at Kabalebo Resort (HG)*

We return at the resort at 7:00 pm, where we sit down for dinner at 7:30 pm, buffet style. Bami, fried rice, two types of chicken (BBQ and soy), cauliflower, broccoli, peanut sauce. Delicious, with ice-cold Parbo. A group of 16 rowdy American seniors are also dining on the veranda. After dinner, Ari discusses the program for the coming days with us: a mix of mainly boat trips and some walking. Ari is quite good at identifying birds, but obviously does not have such phenomenal knowledge as Fred. She doesn't know all the sounds, so we record sounds ourselves in order to check them later. After dinner, the four of us walk a bit through the resort grounds and hear and see (in our spotlights) some Pauragues foraging above the airstrips. After a cold shower (a plumber will be flown in tomorrow to fix it) we go to sleep around 11:00 pm.

**February 22**

**Kabalebo**

We don't have to get up until 6:45 am (breakfast is standard from 7:15 am). Wim and Jeroen were awake for a while at 6:00 am and then heard a Rufous Nightjar and a Ladder-tailed Nightjar. The Rufous later turns out to be the only one on the trip. We enjoy a delicious breakfast buffet: scrambled eggs, toast, white rolls, sausages, warm corned beef, tuna salad. It will be a warm day with lots of sun, little wind and one shower in the afternoon. In the morning we take an easy walk with Ari across the resort grounds and pause for a long time at flowering shrubs to wait for hummingbirds. There are feeders near the main building, but they attract few hummingbirds. They prefer the nectar from the flowers here. We see Grey-breasted Sabrewing, an immature male Crimson Topaz, Fork-tailed Woodnymph, Rufous-breasted and Long-tailed Hermit, White-chinned and Rufous-throated Sapphire. Ari also carries a telescope and camera. She is funny and laconic; great company. Also worth mentioning are Dusky Parrot, a distant Black Hawk-Eagle and a beautiful Black-and-white Hawk Eagle, Plumbeous Kite, Epaulet Oriole, Yellow-tufted Woodpecker, Long-tailed Tyrant, a flying Bat Falcon, Southern Beardless Tyrannulet, calling Thrush-like Antpitta's, White-necked Thrush, two beautiful Ferruginous-backed Antbirds, Black Curassow and the only Lesser Kiskadee. A Green-tailed Jacamar caught and demolished a Blue Morpho.



*Black-and-white Hawk-eagle (HG)*

At 12.30 pm we are back at the main building for lunch (same dishes as yesterday), after which we are taken by golf carts to the river cabanas where we will stay for the next three nights (<https://youtu.be/PnfMTVjS3us>). These are built high on stilts (due to high water) along the river, about 2 kilometers from the main building. There is a walkie-talkie in each cabana for emergencies. The cabanas do have air conditioning and a refrigerator packed with beer, wine, soft drinks and water. There are also bags of chips, peanuts and cookies. There is even room service; the beds are made every day. The doors cannot be locked from the outside (they can be locked from the inside), but there is a safe to store any valuables (not that there are many potential thieves around here now).



*Green-tailed Jacamar with Blue Morpho (HG)*



*The river cabanas at Kabalebo Resort (HG)*

At 3:00 pm we are picked up by canoe for a boat trip, this time upstream and also on a tributary, Zandkreek. It is very hot in the bright sun; despite factor 50 sunscreen, we almost get burned on our arms. After a shower it cools down a bit. In terms of birds it is quiet, but we note as new species Chestnut-bellied Seed-finch, Brown Jacamar and King Vulture. The mammals steal the show: nine Giant Otters, six Greater Capybaras and, as a

highlight, a swimming Lowland Tapir. As we approached it, it first dived and then quickly climbed onto the bank to disappear into the vegetation.



*Brown Jacamars (HG)*

At 6:50 pm we are back at the resort for dinner (rice, mashed potatoes, chicken breast, fried fish, okra, spinach – delicious!). At 9:00 pm we are taken to the river cabanas in two golf carts. You are not allowed to walk to the cabanas at night, due to the risk of pumas and jaguars walking around! We have another beer on the balcony of our cabana and enjoy the evening atmosphere. There are a lot of bats flying around. We successfully tape a Spectacled Owl, which moves in the trees behind the cabanas, but does not come into view. After a lukewarm shower, we go to bed at 10:45 pm, with the air conditioning on intermittently (which gets on when it gets too hot!). Excellent beds.

## **February 23            Kabalebo**

Got up at 6:15 am; it is still pitch black. We have a coffee on the balcony of the cabanas and enjoy the awakening jungle. A Pauraque sings and the Spectacled Owl also calls again (spontaneously). It is cloudy and after a while it starts to rain. At 7:15 am we are picked up with two golf carts for breakfast. Because of the rain we cannot leave immediately after breakfast, but we sit nice and dry on the veranda. As soon as it dries out we try the trail that runs from the main building to the river, but we have to return quickly because it starts to rain heavily again. There is a broken sports plane in the jungle. At 10:45 am we make another attempt. We see a beautiful poison dart frog and come across a flock of birds. Ari plays Chestnut-bellied Gnatcatcher and for a moment we think one is responding, but after examining our recording it turns out that it was a White-browed Antbird that responded (the songs of both species are very similar). It is difficult to bird, we mainly hear species that neither Ari nor we can name. Species that we can name include Little Chachalaca, White-necked Thrush,

Grey-fronted Dove (many), Buff-throated Wren, Wedge-billed Woodcreeper, Green-backed Trogon, Rufous-bellied Peppershrike, Ferruginous-backed Antbird, Amazonian Barred Woodcreeper. We see several Black-crested Antshrikes that strongly resemble the dark subspecies *fumosus* but according to both Handbook of the Birds of the World and IOC they don't occur in Suriname. The best species in the flock are Mouse-colored and Amazonian Antshrike, Dot-winged and White-flanked Antwren.



*Beautiful scenery at the Kabalebo river (HG)*

At 1:00 pm we are back for lunch: chicken with kidney beans ('bruine bonen'), rice, lettuce, cucumber, tomatoes, with lime lemonade. Everything is delicious! After this we are taken to our cabanas where we walk around the beautiful surroundings, including the trail from the airstrip through a thin strip of jungle to the cabanas. Here we see a beautiful Red-necked Woodpecker, Green-tailed Jacamar, Black Nunbird, Slender-billed Xenops, Wing-barred Piprites. A gorgeous King Vulture circles above our balcony. At 3:00 pm the boat docks with us again for another trip on the river, downstream. There are still a few drizzle showers. The boatswain occasionally casts out his fishing rod as we drift with the motor off (see <https://youtu.be/WPOFm6Djg70>). He manages to catch a Pacu, a relative of the Piranha, but puts it back because this species has too many bones. The journey is majestic. We search all the tall trees to find a Harpy, but we are unfortunate. We have been satisfied with many species that we have previously observed during the boat trips, plus a beautiful Pied Puffbird, Black-tailed Tityra and a Ringed Woodpecker that Ari cleverly spots. She has a sharp eye and often discovers nice species by sight in the trees along the river. We had a lot of discussion regarding the determination of a bird of prey that perches briefly in the mangrove near the water. In the end we concluded it was a Bicolored Hawk. The Giant Otters are present again and we hear a Red-faced Black Spider Monkey.

We are dropped off at our cabanas at 6:30 pm. We try to see and hear some nocturnal birds at the airstrip, but we only see a few Pauragues. When we drive to the main building at 7:30 pm we see 25 pairs of flickering eyes of nightjars in our flashlights on the airstrip. The dinner buffet is good: noodles, rice, chicken tjap choi, fish sweet and sour, pak choi, melon. At 9:00 pm we walk with Ari to the start of this morning's trail in an attempt to hear Rufous Potoo. This species was discovered here only a few years ago as a new breeding bird for Suriname. Two pairs nested here in 2022. Although it is not the best time of year for this species, we play its call through the JBL box of Hans. To our surprise and great delight we hear a bird responding in the distance! Unfortunately it doesn't come any closer, but this stunner is in the pocket! One of the tame Lowland Tapirs ('Mathilda') walks near the main building and is fed with fruit. Nice to see, but we are happy that we saw a shy, wild one yesterday. Ari shows us a Tarantula in a hole in the ground. We have a drink at our cabanas. It's raining again. After a hot shower we retire at 11:15 pm.





*Black Nunbird (HG)*

**February 24**      **Kabalebo**

Today is Ferdy's birthday! We get up again at 6:15 am. It is dry and in the far distance Guianan Red Howlers are calling. Two golf carts pull up at 7:00 pm. What a luxury, to be transported like this every time. We enjoy the abundant breakfast buffet again, with a beautiful view over the airstrip and the forest. From the veranda we hear a Lined Forest Falcon calling. There is no fixed program; we can discuss with Ari every day what we want to do. We choose to do a boat trip this morning as well, to maximize our chance of seeing Harpy. But this time too, we are unable to spot this enigmatic bird of prey. It is regularly seen along the river, but there is no known nest or reliable stake-out. Due to a necessary sanitary stop, we moor briefly on a less steep stretch of bank. Normally there are many more beaches, but the water is much higher this year. That minimizes our chance of seeing a Jaguar, which often frequents the flat banks. We now know the avifauna of the river quite well: Cocoli Heron, Anhinga, White-throated Toucan (very common), Amazon and Ringed Kingfisher, Green Ibis, Orange-winged, Mealy, Red Fan and Blue-headed Parrot, Scarlet and Blue-and-yellow Macaw, Bat Falcon, Silvered Antbird, Yellow-rumped Cacique, White-winged Swallow. A female Ladder-tailed Nightjar resting on a mangrove branch still causes some headaches, even though she flies up a few times. Nightjars are easier to identify by sound...



*Blue-and-yellow Macaw (HG)*

On the way back, upstream, we moor again, on the other side, to walk a beautiful trail parallel to the river. Diego, a boy who comes along to help look for wildlife, catches a scorpion and shows it to us by holding the spine! On the way back we walk past a wonderful small waterfall. It is very quiet birdwise, but we do hear a Tawny-bellied Screech Owl, a Black-throated Trogon and a Painted Parakeet.

We return at 1:00 pm for a very good lunch: spaghetti with chicken cream sauce, carrots, cauliflower, parmesan cheese. Wim and Hans walk the trail near the main building. It is also quiet here, but we do find our first Guianan Warbling Antbird, a male that shows up well. At 3:15 pm we go sailing again, for the fifth time, this time upstream, onto the Kabalebo River. It is very hot and there is almost no wind, so the umbrella's protects us against the bright rays of the sun! The best species is the first heard only Variegated Tinamou. The boat trip ends in a beautiful place, where the river widens, with rocks and trees in the water. On the way back we are treated to a long, gigantic downpour. When we return to our cabanas at 6:30 pm, we first put on dry clothes (despite our umbrellas and raincoats). It is still raining when we are picked up for dinner at 7:30 pm. Happy Birthday balloons and streamers for Ferdy hang above our table. The food is good again: fried rice, noodles, BBQ chicken, chicken soy sauce, various vegetables with good peanut sauce. At dessert the lights went out and the staff came, singing, with an apple cake with candles on it for Ferdy. At 9:00 pm we drive to our cabanas in the rain, to shave, take a shower and go to bed at 10:45 pm.

## **February 25                      Kabalebo**

When we get out of bed at 6:15 am, it is still raining non-stop. We pack our luggage because would fly back to Paramaribo today. At 7:15 am the carts arrive and we are taken to the main building. Jerry is gloomy about our chances of getting out. If the weather stays like this, the plane cannot land because the visibility of the airstrip is too poor due to the low clouds. Take-off also becomes a problem, because the runway may be too wet to gain sufficient speed. Moreover, we are already worried about being able to reach our next destination,

Brownsberg. The access road there is legendary bad and probably impassable after all the rain. There is nothing to do but wait, drink coffee, study sounds on the Merlin app. What a great app this is. However, our courage sinks because so many species make similar sounds: ascending or descending trills, speeding up or slowing down. We have early lunch at 11.30 am (delicious curry soup, rice, chicken and so on) anticipating a possible departure at 12:30 pm, but in the end this does not work out. National air traffic control did not allow all domestic flights due to low cloud cover and the poor condition of many other short airstrips.

According to Jerry, we could have depart from here, because Kabalebo has a longer airstrip (one kilometer) than elsewhere. Moreover, the water quickly drained away from the track. So we have to stay another night in Kabalebo, at the expense of our stay in Brownsberg. Very lenient is that we do not have to pay for an extra night and dinner and breakfast. We even get an upgrade in lodge Inspiration Point, next to the main building. At 1:00 pm the rain finally stops. First we walk around the resort grounds, which brings us the only Yellow-bellied Seedeaters, and at 3:15 pm we make a sixth and final attempt to score a Harpy on a boat trip. We first sail upstream, via Zandkreek and then partly downstream. Unfortunately again without success; a total of more than 20 hours on the river did not yield the much desired eagle... The trip this afternoon is beautiful again, with a bit of sun and a wonderful temperature. A splendid Black Curassow sits in a tree along the river. But we actually mainly see species that we have observed here (many times) before. The dinner buffet is at 7:45 pm: rice, mashed potatoes, fish, chicken, long beans, pak choi, cake as dessert. All very tasty. Once again a Lowland Tapir visits the resort grounds, this time 'Brutus' (<https://youtu.be/7ha13U4Lj2c>). We go to bed at 10:00 pm. It was a bit of a wasted day, which produced little news, despite our extra chance of a Harpy.

## **February 26 Kabalebo -> Fredberg**

Hans and Ferdy get up at 5:50 am, hoping to catch up with the Rufous Nightjar, but the bird did not show up. After packing our things and having breakfast we take a last short walk with Ari on the trail from the main building. It is completely cloudy, but later on it clears up. It is dry, but the water level in the river has risen further; the jetty is completely flooded. We see and hear a typical cross-section of the avifauna here: Little Chachalaca, Cinereous Tinamou (heard only), Black-crested Antshrike, Common Tody Flycatcher, Great Black Hawk, Spotted Sandpiper, Black Caracara, Channel-billed Toucan, Fork-tailed Woodnymph, Grey-breasted Sabrewing, Blue-throated Piping Guan, Buff-breasted Wren, Buff-throated Saltator, Green-tailed Jacamar, Amazonian Pygmy-owl (heard only), Green Aracari, Guianan Warbling Antbird etc. Time to move on!

At 10:15 am two planes land, a small Cessna and a larger Grand Caravan from the Gum Air company. We pay for the Parbo beers consumed, internet and laundry service and say goodbye to the fantastic staff! We take off in the Grand Caravan at 10:30 am. Kabalebo is a wonderful place, with an excellent resort and a very nice staff. We saw a lot, but because we missed Harpy and Jaguar, we feel like we didn't get the most out of this place. At 11:30 am we land again at airport Zorg en Hoop in Paramaribo. We had to wait a while for Fred, because he had received a different arrival time for us from Kabalebo Resort. After a text message from us, he quickly arrived in a different van than the first days (and with Fred's cousin as driver). That van crashed into an electricity pole this morning because the driver (Fred's niece) had fallen asleep... Along the way we got some tasty food from a restaurant, which we ate in the van. Chicken satay, potato croquettes, spring roll, plantains, cold cola. In the area of Lelydorp, near the village with the beautiful name Onverwacht ("Unexpected"), we made a vain attempt for Blue-backed Manakin. Here we see some beautiful Green-backed Trogons and hear a Northern Slaty Antshrike.

A little further on we stopped at a supermarket/department store (like almost everywhere else, Chinese owned) to buy rubber boots (€14 per pair). Fred highly recommended this to us, because of the muddy trails we were going to walk at Brownsberg and Fredberg. As we drive further it starts to rain again for a long time. We fear the worst for the infamous access road to Brownsberg National Park... This road indeed appears to be impassable. The driver can still drive through the first, bad part of greasy, orange clay (without passengers), but soon after this passage comes an even worse part that is impossible to get through (<https://youtu.be/TNqomVpQG6Q>). Fred is already busy arranging things. At first a jeep might come down from

Brownsberg to pick us up, but eventually the plan was changed. We go to Fredberg, where we would end up in our original itinerary. We first take a break in the village of Brownsberg, where Fred's crashed van got a new tire so that it could be driven to Paramaribo by another driver, despite the broken windshield.



*Jeroen inspecting the access road to Brownsberg NP (HG)*



*Fixing the crashed van (WvS)*



*The communal dormitory at Zintete Lodge (FH)*

Two Grey-lined Hawks show themselves well. While we are waiting, a Chinese man slides on his moped on the oil-slick road. He is covered in blood, but refuses help and, cursing and ranting, throws his broken fender onto the street and continues on his way, leaving some of his groceries (cans of beer) on the street. Another cousin of Fred arrives to drive our van to Fredberg. This is a long ride from 5:30 pm to 7:40 pm, of which the last 16 kilometers took over an hour, due to the very bad logging road (again greasy clay and potholes). In the headlights we see a Blackish Nightjar on the road, and some Pauraques. After a lot of bumping around we are happy to arrive at the Zintete Lodge, Fred's lodge near the mountain named after him. The lodge is very basic, but has a beautiful location in the jungle, next to a small river. There is an open restaurant and bar, with a communal dormitory with double beds with mosquito nets on the first floor. We sleep here the first night, because our program has been changed and other guests sleep in the cabanas. Next to this main building are the toilets and cold showers. The lodge recently had power, so we were able to charge our devices, and there is even cold beer in a large refrigerator (until recently you had to bring your own beer). At 8:30 pm we enjoy a delicious meal with noodles, chicken, raw vegetables and pak choi. After this we go to bed at 10:00 pm. It is a

bit noisy at first because we sleep above the restaurant where a group of Dutch girlfriends is having their last evening with guitar and singing.

## **February 27 Fredberg**

Get up at 6:00 am. We first have coffee with delicious banana cake and then walk to the creek behind the lodge. Here Fred tapes in a fantastic Zigzag Heron. First two birds answer a few times and suddenly one sits on a branch above us, in the spotlight! Unfortunately we didn't bring a camera with us (it was still completely dark), but Hans is able to make an audio recording. A Barred Forest Falcon also calls and we see two Cocoa Thrushes. What a nice observation, after the 'heard only' in Ecuador in 2005! We enjoy breakfast afterwards: cheese bread, banana cake, soy egg, cucumber, tomato. Then we are going to experience it: birding with Fred in his famous own grounds, the best birding spot in Suriname. We start in the clearing next to the Zintete Lodge. This is where it all starts right! There are two calling Short-tailed Nighthawks flying around, as well as a Sapphire-rumped Parrotlet. After this we walk various trails around the lodge, including the access road from the logging road. It's a beautiful area, full of tall trees, palms, banana trees. The boots do their job, because it is very muddy. The weather is nice: partly cloudy, sunny, little wind and a maximum of 30 degrees Celsius. Fred is incredibly sharp again. He hears and sees everything, quickly puts birds in the scope, plays sounds via two telephones at the same time, hands out cookies from his backpack and points out birds flawlessly with his laser pointer. What an exceptional guide!



*Zintete Lodge, on the ground floor the restaurant and on the first floor the communal dormitory (HG)*

We see various flocks of different species (often high in the canopy) and we also marvel at the beautiful butterflies, including Blue Morphos. The best species this morning are: Capuchinbird (1 flying over and 3 high in a tree, at a distance, unfortunately silent). Yellow-throated, Chestnut and Golden-collared Woodpecker, Yellow-throated Flycatcher, Lilac-tailed Parrotlet, Straight-billed Hermit, Common Scale-backed and Gray Antbird (sounds like a 'squeaking honeymoonbed' according to Fred), Rufous-bellied Antwren (heard only), Cinereous and Fasciated Antshrike, Long-winged and Spot-tailed Antwren, Slate-colored Grosbeak, Chapman's Swift, Rufous-capped Antthrush (3 heard and 1 nicely seen), Buff-cheeked Greenlet, Waved Woodpecker, Guianan and Chestnut-rumped Woodcreeper, Brown-bellied Stiplethroat, two nice Yellow-billed Jacamars, Rudy Spinetail (what a skulker!), Ruddy-tailed Flycatcher, Red-billed Pied Tanager, Bay-headed Tanager, Gray Antwren, Dusky-throated Antshrike (nice pair), Amazonian Motmot, Great Jacamar, Tiny Tyrant-Manakin, Black-throated Trogon (nice male), Spotted Antpitta (in scope), Collared Puffbird (in scope), Opal-rumped and Paradise Tanager, Todd's Antwren (heard two) and Dusky-chested Flycatcher. What an incredibly rich area this is!



*Creek at Zintete Lodge (JB)*



*Yellow-billed Jacamars (HG)*




*Rufous-capped Antthrush (HG)*

At 12:30 pm we are back at the lodge for a delicious lunch: moksi alesi with beef and rice, potato and carrots. Prepared by the cheerful chefs; It's amazing how they cook so wonderful in a rather simple kitchen, far away from the nearest town. At 2:30 pm we go birding again to the logging road, which we walk a bit in southerly direction. We stay there until it gets dark, waiting in vain for nocturnal birds and walk back to the lodge in the rain, where we don't arrive until 8:00 pm. It is a tough trip, but it does yield a few nice sightings: the only Yellow-margined Flatbill, Guianan Toucanet, a sighting of two calling Amazonian Pygmy-Owls, Cinnamon-throated Woodcreeper, Yellow-green Grosbeak and Green-backed Becard. From the bridge over the river that also runs

past the lodge, we enjoy for a long time some adult and immature male Crimson Topaz's that sit in the vegetation along the water.



*Amazonian Pygmy-Owl (HG)*



*The logging road near Fredberg (HG)*

Just past the bridge, a Mc Connell's Spinetail calls in the dense vegetation, without showing itself. We sit for a while in a place where Long-tailed Potoo should be, but it does not respond to the tape. We now see a

Spectacled Owl and in a small creek the eyes of a Spectacled Cayman reflect in the spotlight. When we arrive at the lodge after the long trip, we are immediately served a delicious meal: salty soto. First you put rice, potato fries, bean sprouts, pulled chicken in a bowl and then pour the broth and soy sauce over it. Very tasty! We pack our things from the dormitory. Hans sees in the dark something creeping away from his suitcase. Flashlight on the phone: it's a big black Tarantula. According to Fred 'not that poisonous'... We move into the cabanas. These are pretty basic, but serve their intended purpose (mainly sleeping). There are reasonably good beds with a mosquito net, there is electricity, sockets and a bathroom with a cold shower. Only the toilet doesn't always flush. Jeroen and Ferdy ask for and receive another cabana, because they have no running water and the toilet seat is missing. Fred will have that fixed. Went to bed exhausted at 11:00 pm.



*Tarantula (HG)*



*Cabana at Zintete Lodge (HG)*

## **February 28**

## **Fredberg**

After a good night we get up at 6:00 am; the electricity is not working (the generator is not yet switched on). At 6.30 am we have a nice breakfast with a sandwich with scrambled eggs, tomato, cucumber, a sweet roll, instant coffee and tea. It is warm, there is almost no wind and it is partly cloudy. The humidity is high, so it's quite tough. We first walk a beautiful trail through the forest, then a part of the logging road and then another trail. The advantage of the wide logging road is that you have more visibility, but you also miss the shade of the forest, so when the sun shines it quickly becomes very hot! We hear a total of four Amazonian Pygmy-Owls. Fred often plays their sound to attract flocks, but the owls often respond too! Our first two Caica Parrots and then our only White-eyed Parakeet fly overhead. We hear two Black-faced Antthrushes, but they refuse to emerge. We are happy with our only two Black-faced Hawks, Black-spotted Barbets, Fulvous-crested Tanagers, two beautiful Chivi Vireos, and a Black-capped Becard high in a tree. We see a beautiful Capuchin Bird and a Capped Heron settles down in a puddle next to the logging road. Other good species include Black-bellied Cuckoo, Golden-sided Euphonia, Double-banded Pygmy Tyrant, Cinnamon-rumped Foliage-gleaner, a lovely White-crowned Manakin and an Ornate Hawk-Eagle that responded while circling high when Fred played it's call!

At 12.30 pm we are back at the lodge for lunch, this time a delicious pasta with chicken, vegetables and cheese. Four more (German) birdwatchers have arrived, who are accompanied by guide Ralph. Fred has to make some phone calls for his business. This is only possible from a certain point on the logging road (there is no phone coverage at Zintete Lodge), so he drives there with an employee. During that ride, a Jaguar crosses the road in front of his van.... How much we would have loved to have been there too!





*Capuchin Bird (HG)*

At 3:00 pm we walk back onto the trail into the forest. It is very quiet with birds, so we turn around and take the van down the logging road at 4:00 pm. We are lucky with two flocks that Fred more or less created himself. He knew that some species make a circuit at some point next to the logging road. There he played the call of Amazonian Pygmy-Owl and, holy f\*ck incredibly, within seconds the 'rammers' burst in! A pair of Blue-backed and Yellow-backed Tanagers, two Todd's Sirystes's, Flame-crested Tanager, Red-billed Pied Tanager, Yellow-throated Flycatcher, Glossy-backed Becard, Golden-spangled Piculet, Dusky Purpletuft and more. The birds stay high, but mainly in bare treetops and are therefore quite easy to see. Unfortunately, the cotingas do not cooperate. The logging road is also the best place to see Crimson Fruitcrow, Guianan Red Cotinga and Purple-breasted Cotinga, but these are totally absent... A little further on, a pickup truck was stuck in the orange clay. Fred wanted to try to pull it out with his van. No chance, we thought. But our superhero can also manage this! After this we bumped and slid over the terribly bad road towards Brownsveg, to post in the dark at three spots for nocturnal birds. This was very successful! In one spot, two White-winged Potoos responded to Fred's tape. One of them showed up well in the spotlight. Photographing was not possible, but an audio recording was. Fred only recently discovered this species in his area. Several Pauraques and a Common Potoo also called out. It's a real shame that we don't hear the Long-tailed Potoo that Fred only hears, otherwise we would have scored five species of potoos this trip! At another place we saw a Blackish Nightjar in the spotlight. This one gave better views than the one we briefly saw upon our arrival when driving the logging road. A Crested Owl also called here (in the distance). At the third spot we heard two Tawny-bellied Screech-Owls, one of which we saw nicely. After a long day we returned to the lodge at 9:15 pm, where we immediately received a fantastic cassava soup with rice, coconut milk and chicken. After a cold shower, we roll into bed very tired at 10:30 pm.

**March 1**

**Fredberg**

The alarm went off early this morning, at 5:40 am. It's going to be a tough day again! We have breakfast with a boiled egg, pancake, bread, cheese, fruit and instant coffee and tea. We drive with the van on the logging road to the place where the pickup truck was stuck yesterday. From here we continue walking and see our only Golden-green Woodpecker of the trip. After 2 km we turn off to a trail into the forest. This is the base of Fredberg, the mountain that Fred discovered when he flew over the jungle and suddenly saw a high rock sticking out of the forest. The story is well known; he decided to climb this mountain and cut his way from the logging road to the mountain that is now named after him. Fred has made several trails around the mountain in the truly beautiful jungle. The attraction here is the lek of the Guianan Cock-of-the-Rock, where Fred has made a shelter. The forest is quiet, but we come across two great flocks with many species. Best species are: White-eyed Tody-Tyrant, Whiskered Myiobius (aka Sulphur-rumped Flycatcher), our only Great-billed Hermit, Olivaceous Flatbill, Gray Antwren, a beautiful Short-billed Leaf-tosser, Rufous-rumped and Rufous-tailed Foliage-gleaner, Tawny-crowned Greenlet, Cinereous Mourner, Fulvous Shrike-Tanager, Spotted Tanager, Ash-winged Antwren, and after some effort, a beautiful White-chested Puffbird. We are also delighted to hear the bizarre call of two Capuchin Birds. An Indigo Snake slithers in front of us. And a really cute squirrel, the Neotropical Pygmy Squirrel, with white ear tufts, makes us melt. At one point Fred hears the beautiful, melodious song of a Red-and-black Grosbeak and after some searching we stand underneath this beautiful bird, which we can extensively film, photograph and sound-record. We'll hear another one some time later. And we see and hear no fewer than eight Chestnut Woodpeckers!



*Short-billed Leaf-tosser (HG)*

Fred carries lunch for five people, plus a camera and his scope on a tripod. Such a heavy load! We have lunch in a beautiful place, along a creek (peanut butter sandwich, pancake, egg, cake). At 3:30 pm we are at the cock-of-the-rock lek. In total we see five adult and one immature males and two females from the shelter. The males work hard, but are difficult to photograph.



*Lunch Fred took into the forest (JB)*



*The forest at Fredberg (HG)*



*Guianan Cock-of-the-Rock (HG)*

After this we walk back to the logging road, where we are picked up by Fred's second cousin in another van. Crazy logistics! We are back at the lodge at 5:00 pm. We are quite tired; it was hot and humid today (lots of sweating!). We get watermelon and plantains with peanut sauce. Tasty! However, birding is not over yet; in the clearing we observe a female Tufted Coquette among flowering plants. Dinner follows at 7:00 pm, this time tasty brown bean soup, eggs, chicken and rice. Hans and Jeroen drink another whiskey from their own bottle and at 10:00 pm we go to bed, because we have to get up early tomorrow!

## March 2 Fredberg -> Brownsberg

Indeed: the alarm goes off at 4:45 am! The idea is to make a third attempt for Long-tailed Potoo. It's raining heavily, but we're going out anyway (appointment = appointment 😊). However, Fred does not appear; he probably assumed that we would also stay in our beds because of the rain. Anyway, we return to bed and finally get up at 7:00 am (still raining). We have breakfast with a sandwich, fried egg, delicious warm cake, tomato, cucumber, watermelon, grapefruit, coffee and tea. We quietly pack our things and load them into the van to go to our last destination: Brownsberg NP. We are quite anxious: could we reach this location this time? And can we leave there again to catch our plane back home? We leave from Zintete Lodge at 9:20 am; luckily the rain stops. We have another long stretch of the hellish logging road (<https://youtu.be/ipR2rTzJTDM>). Along the way we stop at a few places to look for Crimson Fruitcrow, but unfortunately to no avail. The sun finally breaks through. We see, among other things, our only Spot-winged Antbirds, a Capped Heron and our first Finch's Euphonia.



*Tapir Lodge at Brownsberg NP (JB)*

In the village of Brownsweg we change into a 4WD; we all just fit in there with our luggage. The road to Brownsberg goes well, to our great relief! Fred expertly manages to get through the worst parts. At 1:00 pm we arrive in Brownsberg NP, at an altitude of almost 500 meters. We move into the Tapir Lodge here. We had already read that it's faded glory here. Once a beautiful lodge, overlooking the Brokopondo lake. But apparently there are not enough guests and it is no longer maintained. Yet our house is not too bad for us. There is a spacious living room with tiled floors and leather sofas. There is a kitchen (not really in use anymore), refrigerator and the bedrooms have spacious bunk beds. Two toilets and showers with cold water. There is also

electricity and limited range for telephones. We have lunch in the café of the resort. There are several houses, all unoccupied; as far as we can judge our Tapir Lodge is the best accommodation. We get rice, chops and amsoi, a kind of slightly bitter endive. Quite tasty, with a cold cola. After this we walk some trails in the beautiful jungle. The temperature is pleasant due to the higher elevation. It is quiet in terms of birds, but we still observe some good species, such as Spot-backed Antbird, Red-and-black Grosbeak (two heard only), Rufous-throated Antbird, White-fronted Manakin, White-necked Thrush, Short-tailed and Broad-winged Hawk. A beautiful White Hawk reacted, to our surprise, on tape and perched in a tree! The top species of the area is the Grey-winged Trumpeter, a group of which is being fed here. We see four birds at the lodge. Near our house an Amazonian Grosbeak is singing.

At 5:15 pm we return to the lodge where we relax for a while on our spacious veranda. It's actually cooling down and we have to wear a sweater for the first time this holiday. At 7:00 pm we walk to the cafe for dinner. So we are the only guests here; only birdwatchers and researchers still come here. At most, tourists come on a day trip to the waterfalls, but the access road and accommodations are too poor to operate a profitable lodge. A sweet lady prepared dinner for us (she watches television the rest of the day). After dinner we take the car down a wide trail for owling. This produced three calling Foothill Screech Owls. However, we did not get these ones in sight. When we wanted to drive back, the car (Toyota 4WD) stopped working... It turned out that the coolant had leaked because the hose was out. We left the car and had to walk back (a short distance). In our Tapir Lodge we drank another glass of our whiskey and went to sleep at 11 pm.

### **March 3                      Brownsberg**

The alarm goes off at 6 am; it's our last full day! We were supposed to have breakfast at 6:30 am, but it is raining heavily again. So we take it easy and join the café at 7:15 am for white bread with egg and cheese. We start birding at 7:45 am. It is very foggy, but the temperature is pleasant. It's hard working this morning, because it's fairly quiet in the forest. One flock of birds passes by; but we do see a number of excellent species that we have not seen anywhere else: Dusky Antbirds, Plain-brown Woodcreepers, a pair of Black-throated Antshrikes (which prove hard to see), a beautiful Wing-banded Antbird (we are very happy with this one), two White-throated Manakins and a Pectoral Sparrow. To hear the latter species you need to have good ears. Even though it is close to the trail, the very high-pitched beeping sound is barely noticeable. With some effort we get a good look at the bird, hopping across the forest floor. Unfortunately, we are unable to find Band-tailed Antshrike and (oddly enough) Musician Wren.



*Birding at Brownsberg NP (HG)*

We have lunch in the cafe at 12:30 pm. Quite bizarre that this is only open to us. We eat the delicious noodles with fish cakes, beans and peanut sambal. Four Grey-winged Trumpeters frolic among the buildings (<https://youtu.be/LUL1HgpOIE>). In the meantime, Fred repairs the car's cooling hose. At 2:30 pm we set out again, on foot. We find a pair of Red-and-black Grosbeak. With Fredberg, Brownsberg is the place in Suriname for this species. Two Black Curassows emit their bizarre call, a very low hum. Our only Golden-Olive Woodpecker of the trip shows up. In this way we still score a few new species, and we also observe a whole range of species of which we have only a few observations elsewhere. We walk to the spot where the very rare White-throated Pewee is occasionally seen, but it starts to rain heavily again, so we give up at 4:30 pm. It is still a long walk back to the lodge and despite the raincoats we get soaking wet. Wearing dry clothes, we have our last dinner at 7:00 pm: rice, stew, spinach, with half a liter of Parbo beer. We go to sleep at 10:00 pm.



*Grey-winged Trumpeter (HG)*

#### **March 4 Brownsberg -> Seliba -> Airport**

We wake up at 6:30 am. It is foggy again, but dry, after a wet and windy night. After breakfast (sandwiches with egg and coffee and tea) we leave at 8:00 am. The way back goes well again, we even take the difficult parts with absorbing mud without any problems. Every now and then Fred checks the cooling water level (stable all the time). While birding we drive to Seliba, the glamping lodge of which Fred is half co-owner. Along the way we add Bran-colored Flycatcher, Ash-throated and Grey-breasted Crake. Two Tayras (mammals) cross the road in front of our car.

Seliba is a beautiful lodge, located on the western bank of the Suriname River. It is more luxurious than Colakreek, Zintete Lodge (Fredberg) and Tapir Lodge (Brownsberg). There are nice tents on deckings, a restaurant and a communal area, a swimming pool and a hot tub. The young manager, a Dutchman, welcomes us warmly. We enjoy Surinamese food for the last time: of course rice with chicken chops, long beans and a delicious tomato sauce. We should originally stay here the first two nights, but Fred changed it to Colakreek so

that we would be closer to the good birding spots in the white savannah area. Still, Seliba wouldn't be a bad choice either. In the short time that we spend birding around the lodge we see, among others, a Smoky-fronted Tody Flycatcher, a perching Crane Hawk, a Collared Plover, three Bare-necked Fruitcrows (two flying overhead and a female in a tree on the other side of the river, visible with the scope), Golden-collared Woodpecker, two Bat Falcons and a White Hawk. We also hear Golden-headed and White-bearded Manakins, a Bright-rumped Atila, a Guianan Puffbird and a Great Antshrike.

At 1:10 pm we get in the car to drive to the airport, along the deserted Desi Bouterse highway. After an hour we arrive at the airport where we say goodbye to our super guide Fred. We quickly change clothes in the departure hall, because our clothes are covered in mud. We already checked in online yesterday, so the baggage drop-off is going smoothly. But then, just like upon arrival, the endless wait for the customs and security check began. There are only two counters open and one security scanner is broken. It will take us 2.5 hours to get through this! Fortunately, Fred knew this, which is why he dropped us off well in time. We immediately board the plane, but because there are so many passengers coming after us, the flight slows down considerably and we don't take off until 6:00 pm for the flight that will take us to the Netherlands in more than 8 hours.

It was a great trip, in a beautiful country with fantastic bird and animal life. We recorded 446 different bird species (of which 14 only heard), including 40 of the 50 Guianan Shield Endemics! The food is fine and, when it doesn't rain, the climate is quite pleasant. We can wholeheartedly recommend everyone to go birding in Suriname. And be sure to take Fred Pansa as your guide!



*White-throated Toucan (HG)*

## **BIRD LIST (Nomenclature: IOC v13.1)**

The hyperlinks lead to the recordings of calls and songs of 98 different species Hans published on the magnificent website Xeno Canto (<https://xeno-canto.org/>)

### **1. Great Tinamou/Tinamus major major**

Heard only (HO): 1 Zanderij 16.2, 1 Kabalebo 22.2, 2 Kabalebo 23.2, 1 Kabalebo 26.2

<https://xeno-canto.org/812876>

<https://xeno-canto.org/812877>

### **2. Cinereous Tinamou/Crypturellus cinereus**

HO. 1 Zanderij 18.2, 1 Peperpot 19.2, 2 Peperpot 20.2, 2 Kabalebo 23.2, 1 Kabalebo 24.2, 2 Kabalebo 25.2, 2 Kabalebo 26.2, 1 Fredberg 27.2, 5 Fredberg 28.2, 3 Fredberg 1.3

<https://xeno-canto.org/812645>

### **3. Little Tinamou/Crypturellus soui soui**

HO. 1 Zanderij 18.2

### **4. Red-legged Tinamou/Crypturellus erythropus erythropus**

HO. 1 Zanderij 16.2, 1 Zanderij 17.2, 1 Zanderij 18.2

### **5. Variegated Tinamou/Crypturellus variegatus**

HO. 1 Kabalebo 24.2, 2 Fredberg 27.2, 4 Fredberg 28.2, 6 Fredberg 1.3, 1 Brownsberg 2.3

### **6. Blue-winged Teal/Spatula discors**

A flock of 6 flying by along the Suriname river at Peperpot Boutique hotel 19.2

### **7. Muscovy Duck/Cairina moschata**

1 male at Para (along the main road from Zanderij to Paramaribo) 18.2

### **8. Marail Guan/Penelope marail marail**

2 Zanderij 18.2, 1 Fredberg 1.3, 1 Brownsberg 3.3

### **9. Spix's Guan/Penelope jacquacu granti**

1 Kabalebo 24.2, 2 Kabalebo 25.2

### **10. Blue-throated Piping Guan/Pipile cumanensis**

Daily seen at Kabalebo: 2 on 21.2, 1 on 22.2, 2 on 23.2, 5 on 24.2, 4 on 25.2 and 2 on 26.2

### **11. Little Chachalaca/Ortalis motmot**

1 Peperpot 19.2, 1 Peperpot 20.2, 1 Kabalebo 21.2, 4 Kabalebo 22.2, 2 Kabalebo 23.2, 7 Kabalebo 26.2





(HG)

**12. Black Curassow/Crax alector alector**

2 Kabalebo 22.2, 1 Kabalebo 25.2, 1 Fredberg 1.3, 2 Brownsberg 3.3



(HG)

**13. Crested Bobwhite/Colinus cristatus sonnini**

2 Zanderij area 16.2 and a flock 10 birds near the airport on 18.2

**14. Magnificent Frigatebird/*Fregata magnificens rothschildi***

4 Nieuw Amsterdam 20.2

**15. Anhinga/*Anhinga anhinga anhinga***

Only seen at Kabalebo, probably involving just two birds: 1 on 21.2, 1 on 22.2, 1 on 23.2 and 1 on 24.2



(HG)

**16. Cocoi Heron/*Ardea cocoi***

Solely reported at Kabalebo: 2 on 21.2, 3 on 22.2, 2 on 23.2, 6 on 24.2 and 3 on 25.2

**17. Great Egret/*Ardea alba egretta***

c.10 Weg naar Zee 19.2, 1 boat trip to Bakkie 20.2

**18. Zigzag Heron/*Zibralus undulatus***

2 Fredberg 27.2, one lured in at dawn near the far end of the cabanas.

<https://xeno-canto.org/824302>

**19. Striated Heron/*Butorides striata striata***

3 Zanderij 17.2, 3 Zanderij 18.2, 1 en route to Paramaribo 18.2, 1 Peperpot 18.2, 3 Peperpot 19.2, 2 Weg naar Zee 19.2, 1 boat trip to Bakkie 20.2, 1 Peperpot 21.2, 3 Paramaribo outskirts 21.2, 1 Kabalebo 23.2, 1 Kabalebo 24.2, 1 Fredberg 28.2

**20. Western Cattle Egret/*Bubulcus ibis***

Common (many tens) at Paramaribo/Peperpot, very common (hundreds) at the coastal area north(east) of Paramaribo.

**21. Capped Heron/*Pilherodius pileatus***

Just three sightings: 2 Fredberg 28.2 and 1 Fredberg 2.3

**22. Tricolored Heron/*Egretta tricolor tricolor***

1 Weg naar Zee 19.2 and 6 boat trip to Bakkie 20.2

**23. Snowy Egret/*Egretta thula thula***

Tens at Paramaribo/Peperpot. Hundreds at Weg naar Zee 19.2 and during the boat trip to Bakkie 20.2

**24. Little Blue Heron/*Egretta caerulea***

4 Peperpot 18.2, 1 Peperpot 19.2, c.25 Weg naar Zee 19.2, c.100 boat trip to Bakkie 20.2

**25. Black-crowned Night-Heron/*Nycticorax nycticorax hoactli***

4 Nieuw Amsterdam 20.2, c 40 boat trip to Bakkie 20.2, 1 Peperpot 21.2

**26. Yellow-crowned Night-Heron/*Nyctanassa violacea cayennensis***

c.10 boat trip to Bakkie 20.2

**27. Scarlet Ibis/*Eudocimus ruber***

2 in a heron rookery at Weg naar Zee 19.2 and c.35 during the boat trip beyond Bakkie 20.2

**28. Green Ibis/*Mesembrinibis cayennensis***

1 Zanderij 18.2, 1 Kabalebo 21.2, 3 Kabalebo 22.2, 16 Kabalebo 24.2, 3 Kabalebo 25.2, 1 Fredberg 27.2

**29. Turkey Vulture/*Cathartes aura ruficollis***

Locally common in the coastal and savanna belts.

**30. Lesser Yellow-headed Vulture/*Cathartes burrovianus urubutinga***

6 Zanderij 17.2, 1 Zanderij 18.2, 1 Weg naar Zee 19.2, 1 Onverwacht 26.2



(HG)

**31. Greater Yellow-headed Vulture/Cathartes melambrotus**

4 Zanderij 16.2, 2 Zanderij 17.2, 1 Zanderij 18.2, 1 boat trip to Bakkie 20.2, 5 Kabalebo 21.2, c.25 Kabalebo 22.2, c.10 Kabalebo 24.2, 6 Kabalebo 25.2, 1 Kabalebo 26.2, 2 Fredberg 27.2, 9 Fredberg 28.2, 1 Fredberg 1.3

**32. Black Vulture/Coragyps atratus**

Common throughout.

**33. King Vulture/Sarcoramphus papa**

2 Kabalebo 22.2, 1 Kabalebo 23.2, 4 Kabalebo 25.2, 4 Fredberg 28.2, 1 Fredberg 1.3

**34. Osprey/Pandion haliaetus carolinensis**

1 Peperpot 19.2, 7 Weg naar Zee 19.2, 12 boat trip to Bakkie 20.2, 1 Peperpot 21.2, 1 Paramaribo outskirts 21.2, 2 Kabalebo 22.2, 3 Kabalebo 24.2, 3 Kabalebo 25.2

**35. Snail Kite/Rostrhamus sociabilis sociabilis**

4 en route to Paramaribo 18.2, 1 Peperpot 18.2, 5 Peperpot 19.2, 50+ Weg naar Zee 19.2, 3 Peperpot 21.2, 1 Paramaribo outskirts 21.2



(FH)

**36. Slender-billed Kite/Helicolestes hamatus**

1 Boutique Hotel Peperpot 21.2

**37. Double-toothed Kite/Harpagus bidentatus bidentatus**

2 Zanderij 18.2, 2 Kabalebo 21.2, 2 Kabalebo 24.2, 1 Fredberg 27.2, 1 Brownsberg 3.3

**38. Pearl Kite/Gampsonyx swainsonii leonae**

1 Zanderij 17.2

**39. Swallow-tailed Kite/Elanoides forficatus yetaba**

1 airport 16.2, 2 Zanderij 17.2, 1 en route to Paramaribo 18.2, 3 Kabalebo 21.2, 2 Kabalebo 22.2, 2 Kabalebo 23.2, 3 Kabalebo 25.2, 8 Brownsberg 2.3, 7 Brownsberg 3.3, 3 en route to Seliba 4.3



(HG)

**40. Plumbeous Kite/Ictinia plumbea**

1 Zanderij 16.2, 1 Zanderij 17.2, 2 Kabalebo 21.2, 6 Kabalebo 22.2, 3 Kabalebo 23.2, 1 Kabalebo 24.2, 7 Kabalebo 25.2, 4 Fredberg 27.2, 1 Fredberg 28.2, 5 Fredberg 2.3, 2 en route to Seliba 4.3, 1 Seliba 4.3, 1 near airport 4.3

**41. Black-and-white Hawk-Eagle/Spizaetus melanoleucus**

Three sightings at Kabalebo: 1 on 22.2, 1 on 24.2 and 1 on 25.2

**42. Black Hawk Eagle/Spizaetus tyrannus serus**

1 Kabalebo 22.2, 2 Kabalebo 24.2, 2 Fredberg 27.2

**43. Ornate Hawk-Eagle/Spizaetus ornatus ornatus**

1 Fredberg 28.2

**44. Black-collared Hawk/Busarellus nigricollis nigricollis**

1 Weg naar Zee 19.2 and 2 during the boat trip to Bakkie 20.2

**45. Roadside Hawk/Rupornis magnirostris magnirostris**

3 Zanderij 17.2, 2 Zanderij 18.2, 1 Peperpot 19.2, 1 Weg naar Zee 19.2, 2 Peperpot 20.2, 2 boat trip to Bakkie 20.2

**46. Broad-winged Hawk/Buteo platypterus platypterus**

1 Brownsberg 2.3 and 2 Brownsberg 3.3

**47. Grey-lined Hawk/Buteo nitidus nitidus**

1 Zanderij 17.2, 2 Zanderij 18.2, 2 Kabalebo 25.2, 2 Brownsdorp 26.2, 1 Fredberg 26.2, 2 Fredberg 28.2, 1 Fredberg 2.3

**48. Grey-headed Kite/Leptodon cayanensis cayanensis**

3 Zanderij 18.2, 1 Brownsdorp 26.2, 2 Fredberg 2.3

<https://xeno-canto.org/823534>

**49. Long-winged Harrier/Circus buffoni**

2 Weg naar Zee 19.2

**50. Bicolored Hawk/Accipiter bicolor bicolor**

1 Kabalebo 23.2

**51. Rufous Crab Hawk/Buteogallus aequinoctialis**

5 Weg naar Zee 19.2 and 4 boat trip to Bakkie 20.2



*Adult (HG)*



*Immature (FH)*

**52. Great Black Hawk/Buteogallus urubitinga urubitinga**

1 en route to Paramaribo 18.2, 3 Kabalebo 21.2, 1 Kabalebo 22.2, 3 Kabalebo 23.2, 2 Kabalebo 24.2, 2 Kabalebo 25.2, 3 Kabalebo 26.2



*(HG)*

**53. Savanna Hawk/Butegallus meridionalis**

3 Peperpot 19.2, 1 Weg naar Zee 19.2, 1 Peperpot 20.2, 1 Paramaribo outskirts 21.2

**54. Crane Hawk/Geranospiza caerulescens caerulescens**

1 Peperpot 19.2 and 2 Seliba 4.3

**55. Black-faced Hawk/Leucopternis melanops**

2 Fredberg 27.2

**56. White Hawk/Pseudastur albicollis albicollis**

1 Brownsberg 2.3, 1 Brownsberg 3.3, 1 Seliba 4.3

**57. Short-tailed Hawk/Buteo brachyurus brachyurus**

1 Brownsberg 2.3

**58. White-tailed Hawk/Geranoaetus albicaudatus colonus**

Seen at the Zanderij on three consecutive days: 1 on 16.2, 4 on 17.2 and 2 on 18.2

**59. Limpkin/Aramus guarauna guarauna**

1 Weg naar Zee 19.2

**60. Grey-winged Trumpeter/Psophia crepitans crepitans**

A flock of 4 at Brownsberg 1.3 & 2.3, both at the settlement as well as in the forest.

**61. Russet-crowned Crane/Rufirallus viridis viridis**

HO: 1 Colakreek 17.2 & 18.2 and 1 Peperpot 19.2

<https://xeno-canto.org/823847>

**62. Grey-breasted Crane/Laterallus exilis**

1 en route to Seliba 4.3

**63. Ash-throated Crane/Mustelirallus albicollis typhoea**

4 en route to Seliba 4.3

**64. Wattled Jacana/Jacana jacana jacana**

A few at Zanderij: 1 on 16.2, 3 on 17.2 and 4 on 18.2. Common at Peperpot, Paramaribo and Weg naar Zee.

**65. Grey Plover/Pluvialis squatarola cynosurae**

c.200 Weg naar Zee 19.2, 2 boat trip to Bakkie 20.2

**66. Semipalmated Plover/Charadrius semipalmatus**

c.10 Peperpot 18.2, 3 Weg naar Zee 19.2, 2 Peperpot 20.2, 1 boat trip to Bakkie 20.2

**67. Collared Plover/Charadrius collaris**

1 Seliba 4.3

**68. Pantanal Snipe/Gallinago paraguaiiae**

We did put quite some effort in this one: we finally flushed 3 near the airport on 18.2

**69. Short-billed Dowitcher/Limnodromus griseus griseus**

5 Weg naar Zee 19.2

**70. Hudsonian Whimbrel/Numenius hudsonicus hudsonicus**

1 Weg naar Zee 19.2 and c.10 boat trip to Bakkie 20.2

**71. Upland Sandpiper/*Bartramia longicauda***

1 at the airport on 17.2 was quite a surprise!

**72. Lesser Yellowlegs/*Tringa flavipes***

1 Peperpot 19.2

**73. Solitary Sandpiper/*Tringa solitaria* (ssp unknown)**

3 Zanderij 17.2, 3 Zanderij 18.2, 5 Peperpot 18.2, 1 Fredberg 28.2, 1 en route to Seliba 4.3

<https://xeno-canto.org/823852>

**74. Spotted Sandpiper/*Actitis macularius***

8 Peperpot 18.2, 3 Peperpot 19.2, 2 Weg naar Zee 19.2, 1 Peperpot 20.2, c.60 boat trip to Bakkie 20.2, 2 Kabalebo 22.2, 1 Kabalebo 23.2, 2 Kabalebo 24.2, 5 Kabalebo 25.2, 1 Kabalebo 26.2

**75. Willet/*Tringa semipalmata semipalmata***

c.30 boat trip to Bakkie 20.2

**76. Ruddy Turnstone/*Arenaria interpres morinella***

c.50 Weg naar Zee 19.2, c.40 boat trip to Bakkie 20.2

**77. Red Knot/*Calidrus canutus rufa***

4 Weg naar Zee 19.2

**78. Semipalmated Sandpiper/*Calidris pusilla***

8 Peperpot 18.2, 500+ Weg naar Zee 19.2, hundreds boat trip to Bakkie 20.2

**79. Black Skimmer/*Rynchops niger intercedens***

4 Nieuw Amsterdam 20.2

**80. Laughing Gull/*Leucophaeus atricilla* (ssp unknown)**

Numerous (hundreds) during the boat trip to Bakkie 20.2, especially near Nieuw Amsterdam.



(HG)



**81. Large-billed Tern/Phaetusa simplex**

3 boat trip to Bakkie 20.2

**82. Gull-billed Tern/Gelochelidon nilotica (ssp unknown)**

c.75 Weg naar Zee 19.2

**83. Royal Tern/Thalasseus maximus**

c.25 Weg naar Zee 19.2, c.35 boat trip to Bakkie 20.2

**84. Scaled Pigeon/Patagioenas speciosa**

11 Zanderij 16.2, 3 Zanderij 17.2, 5 Zanderij 18.2, 5 Fredberg 27.2, 2 Fredberg 2.3

**85. White-tipped Dove/Leptotila verreauxi brasiliensis**

c.15 Zanderij 17.2, c.10 Zanderij 18.2, 2 Kabalebo 22.2, 2 Kabalebo 26.2

**86. Grey-fronted Dove/Leptotila rufaxilla rufaxilla**

Fairly common at Peperpot, Kabalebo, Fredberg and Brownsberg with a maximum of 20 birds a day.

<https://xeno-canto.org/823533>

**87. Ruddy Quail-Dove/Geotrygon montana montana**

1 Zanderij 17.2

**88. Common Ground Dove/Columbina passerine griseola**

c.25 Zanderij 17.2, 3 Zanderij 18.2, 4 Fredberg 28.2

**89. Ruddy Ground Dove/Culumbina talpacoti talpacoti**

4 Zanderij 17.2, 1 en route to Paramaribo 18.2, 8 Peperpot 18.2, c.20 Peperpot 19.2, c.10 Weg naar Zee 19.2, 1 Nieuw Amsterdam 20.2, c.10 Paramaribo outskirts 21.2, 3 Onverwacht 26.2, 8 en route to Seliba 4.3

**90. Pale-vented Pigeon/Patagioenas cayennensis cayennensis**

3 Zanderij 16.2, 1 Zanderij 17.2, 4 Zanderij 18.2, 3 Peperpot 18.2, 8 Peperpot 19.2, 6 Weg naar Zee 19.2, c.10 Peperpot 20.2, c.10 Peperpot 21.2, c.10 Paramaribo outskirts 21.2

**91. Ruddy Pigeon/Patagioenas subvinacea purpureotincta**

3 Kabalebo 24.2, 3 Brownsberg 3.3

**92. Plumbeous Pigeon/Patagioenas plumbea wallacei**

4 Zanderij 17.2, 5 Fredberg 27.2, 8 Fredberg 28.2, c.20 Fredberg 1.3

**93. Squirrel Cuckoo/Piaya cayana cayana**

1 Zanderij 17.2, 1 Zanderij 18.2, 1 Kabalebo 21.2, 1 Kabalebo 25.2, 1 Fredberg 27.2, 1 Fredberg 2.3

**94. Little Cuckoo/Coccyzua minuta minuta**

1 Peperpot 19.2, 2 Paramaribo outskirts 21.2, 1 Kabalebo 25.2, 1 Fredberg 28.2

<https://xeno-canto.org/823759>



(HG)

**95. Black-bellied Cuckoo/Piaya melanogaster**

2 Fredberg 28.2

**96. Striped Cuckoo/Tapera naevia**

1 Weg naar Zee 19.2, 4 Paramaribo outskirts 21.2

**97. Smooth-billed Ani/Crotophaga ani**

Regular and widespread, e.g. at Peperpot, Weg naar Zee, Paramaribo outskirts, Kabalebo and Fredberg.

**98. Greater Ani/Crotophaga major**

4 en route to Paramaribo 18.2, 1 Peperpot 18.2, 2 Peperpot 19.2

**99. Tropical Screech Owl/Megascops choliba crusiger**

1 Zanderij 16.2 & 17.2, 1 Peperpot 18.2

Call: <https://xeno-canto.org/824274>

Song: <https://xeno-canto.org/824275>

**100. Tawny-bellied Screech Owl/Megascops watsonii watsonii**

1 Kabalebo 24.2, 1 Fredberg 27.2, 4 Fredberg 28.2, 1 Fredberg 1.3

<https://xeno-canto.org/824267>

**101. Foothill Screech Owl/Megascops roraimae roraimae**

3 Brownsberg 2.3

<https://xeno-canto.org/812872>

**102. Amazonian Pygmy-Owl/*Glaucidium hardyi***

1 Kabalebo 26.2, 2 Fredberg 27.2, 4 Fredberg 28.2, 1 Fredberg 1.3

<https://xeno-canto.org/810261>

**103. Burrowing Owl/*Athene cunicularia minor***

Seen at two locations: 1 proved to be quite sedentary along the road from the airport to Colakreek and a family of 6 (2 adults & 4 juveniles) at the airport.

**104. Striped Owl/*Asio clamator clamator***

2 near Zanderij airport 16.2

<https://xeno-canto.org/823870>

**105. Crested Owl/*Laphostrix cristata cristata***

HO: 1 heard Fredberg 28.2

**106. Spectacled Owl/*Pulstratrix perspicillata perspicillata***

1 Kabalebo 22.2, 2 Kabalebo 23.2, 1 Fredberg 27.2

<https://xeno-canto.org/823853>

**107. Great Horned Owl/*Bubo virginianus nacurutu***

2 juveniles Nieuw Amsterdam 20.2

**108. Black-banded Owl/*Ciccaba huhula huhula***

1 at the entrance gate at Colakreek on 16.2 & 17.2

**109. Great Potoo/*Nyctibius grandis***

1 Peperpot 20.2

**110. Common Potoo/*Nyctibius griseus griseus***

1 Zanderij 16.2, 1 Fredberg 28.2

<https://xeno-canto.org/812662>

<https://xeno-canto.org/812663>

**111. White-winged Potoo/*Nyctibius leucopterus***

2 Fredberg 28.2

<https://xeno-canto.org/824292>

<https://xeno-canto.org/824293>

**112. Rufous Potoo/*Plyllaemulor bracteatus***

HO: heard at Kabalebo near the main lodge on 23.2. In 2022 two pairs bred in this area.

<https://xeno-canto.org/823828>

With a little bit of luck we could have credited no less than five potoos on our trip list as Fred briefly heard a Long-Tailed Potoo during spotlighting at Fredberg as well, but unfortunately none of us heard it.

**113. Short-tailed Nighthawk/*Lurocalis semitorquatus semitorquatus***

Solely observed at Fredberg: 2 on 27.2 and 1 on 1.3

**114. Lesser Nighthawk/*Chordeiles acutipennis acutipennis***

Seen at the Zanderij: 1 on 16.2, 27 on 17.2 and 1 on 18.2

**115. Pauraque/*Nyctidromus albicollis albicollis***

1 Peperpot 20.2, 2 Kabalebo 21.2, 2 Kabalebo 22.2, c.30 Kabalebo 23.2, 5 Kabalebo 24.2, c.10 Kabalebo 25.2, 1 Kabalebo 26.2, 3 Fredberg 26.2, 3 Fredberg 27.2, 5 Fredberg 28.2

<https://xeno-canto.org/812658>

**116. Rufous Nightjar/*Antrostomus rufus rufus***

HO: 1 heard at dawn at Kabalebo 22.2

**117. White-tailed Nightjar/*Hydropsalis cayennensis cayennensis***

2 Zanderij 16.2, including a perched bird we could approach very closely.

**118. Blackish Nightjar/*Nyctipolus nigrescens***

Seen at Fredberg: 2 on 26.2 and 1 on 28.2

**119. Ladder-tailed Nightjar/*Hydropsalis climacocerca schomburgki***

1 heard Kabalebo lodge 22.2, 1 female along the river Kabalebo 24.2

**120. Band-rumped Swift/*Chaetura spinicaudus spinicaudus***

Daily up to 50 at Kabalebo. Also seen at Fredberg and Brownsberg (common).

**121. Chapman's Swift/*Chaetura chapmani chapmani***

Seen a couple of times at Fredberg: c.10 on 27.2 and 28.2

**122. Short-tailed Swift/*Chaetura brachyura brachyura***

Common at Peperpot, Paramaribo and Nieuw Amsterdam. Further, 4 Zanderij 17.2 and 2 Brownsdorp 26.2

**123. Fork-tailed Palm-Swift/*Tachornis squamata squamata***

Common around the Zanderij . Besides, 1 at Kabalebo 24.2

**124. Crimson Topaz/*Topaza pella pella***

1 immature male Kabalebo 22.2 & 25.2, 5 adult males Fredberg 27.2 (4 at the bridge and 1 at Zintete Lodge).

**125. White-necked Jacobin/*Florisuga mellivora mellivora***

1 Peperpot 19.2, 1 Fredberg 28.2, 1 Fredberg 1.3

**126. Rufous-breasted Hermit/*Glaucis hirsutus hirsutus***

1 Peperpot 19.2, 3 Kabalebo 22.2, 4 Kabalabo 23.2, 1 Kabalebo 25.2

**127. Little Hermit/*Phaethornis longuemareus***

1 Peperpot 19.2

**128. Reddish Hermit/*Phaethornis ruber ruber***

1 Zanderij 16.2, 3 Zanderij 17.2, 1 Kabalebo 24.2, 1 Fredberg 27.2, 5 Fredberg 28.2, 3 Fredberg 1.3, 1 Seliba 4.3

**129. Straight-billed Hermit/*Phaethornis bourcieri bourcieri***

1 Zanderij 17.2, 3 Fredberg 27.2, 4 Fredberg 1.3

<https://xeno-canto.org/823865>

**130. Long-tailed Hermit/*Phaethornis superciliosus superciliosus***

2 Kabalebo 22.2, 3 Kabalebo 23.2, 1 Fredberg 27.2, 1 Fredberg 28.2, 3 Brownsberg 2.3, 5 Brownsberg 3.3

<https://xeno-canto.org/823760>

**131. Great-billed Hermit/*Phaethornis malaris malaris***

1 Fredberg 1.3

**132. Black-eared Fairy/*Heliostyris auritus auritus***

1 Zanderij 17.2, 1 Fredberg 27.2, 1 Fredberg 28.2, 2 Fredberg 1.3

**133. Green-tailed Goldenthrroat/*Polytmus theresiae theresiae***

1 Zanderij 17.2

**134. Green-throated Mango/Anthracothorax viridigula**

Apparently a Peperpot speciality: c.10 on 19.2 and 2 on 20.2

**135. Black-throated Mango/Anthracothorax nigricollis nigricollis**

1 near Zanderij airport 17.2

**136. Tufted Coquette/Lophornis ornatus**

1 female in the garden of Zintete Lodge Fredberg 1.3

**137. Grey-breasted Sabrewing/Campylopterus largipennis largipennis**

1 Kabalebo 22.2, 2 Kabalebo 24.2, 2 Kabalebo 25.2, 1 Kabalebo 26.2, 3 Fredberg 27.2, 4 Fredberg 28.2, 2 Fredberg 1.3, 1 Brownsberg 2.3, 1 Brownsberg 3.3

**138. Fork-tailed Woodnymph/Thalurania furcate furcata**

3 Kabalebo 22.2, 1 Kabalebo 23.2, 1 Kabalebo 24.2, 1 Kabalebo 25.2, 2 Kabalebo 26.2, 7 Fredberg 27.2, 7 Fredberg 28.2, 4 Fredberg 1.3, 1 Brownsberg 2.3, 2 Brownsberg 3.3

**139. Plain-bellied Emerald/Chrysuronia leucogaster leucogaster**

2 Paramaribo outskirts 21.2

**140. Glittering-throated Emerald/Chionomesa fimbriata fimbriata**

3 Zanderij 17.2, 4 Zanderij 18.2, 6 Peperpot 19.2, 1 Weg naar Zee 19.2, 1 Bakkie 20.2

**141. Rufous-throated Sapphire/Hylocharis sapphirina**

1 Kabalebo 22.2, 2 Kabalebo 24.2, 5 Kabalebo 25.2, 1 Fredberg 28.2

**142. White-chinned Sapphire/Chlorestes cyanus viridiventris**

1 Kabalebo 21.2, 2 Kabalebo 22.2, 1 Fredberg 1.3

**143. Black-tailed Trogon/Trogon melanurus melanurus**

Three observations at Fredberg: 1 on 27.2 and 2 Fredberg on 28.2

**144. Green-backed Trogon/Trogon viridis**

1 Zanderij 17.2, 2 Zanderij 18.2, 1 en route to Paramaribo 18.2, 1 Peperpot 18.2, 3 Peperpot 20.2, 1 Kabalebo 22.2, 3 Kabalebo 23.2, 3 Kabalebo 24.2, 2 Kabalebo 26.2, 3 Onverwacht 26.2, 1 Fredberg 28.2, 3 Brownsberg 3.3

<https://xeno-canto.org/812878>

**145. Guianan Trogon/Trogon violaceus**

2 Zanderij 17.2, 1 Kabalebo 23.2, 1 Fredberg 1.3

<https://xeno-canto.org/823748>

<https://xeno-canto.org/823751>

**146. Black-throated Trogon/Trogon rufus rufus**

1 Kabalebo 24.2, 1 Fredberg 27.2, 1 Brownsberg 3.3

**147. Ringed Kingfisher/Megaceryle torquata torquata**

1 Colakreek 17.2, 2 Kabalebo 22.2, 1 Kabalebo 23.2, 4 Kabalebo 24.2, 1 Fredberg 28.2, 1 Fredberg 1.3

**148. Amazon Kingfisher/Chloroceryle amazona**

1 Kabalebo 21.2, c.15 Kabalebo 22.2, 2 Kabalebo 23.2, 6 Kabalebo 24.2, 6 Kabalebo 25.2, 3 Fredberg 28.2

**149. Green Kingfisher/Chloroceryle americana americana**

1 en route to Paramaribo 18.2, 4 Kabalebo 21.2, 7 Kabalebo 22.2, 6 Kabalebo 23.2, 1 Kabalebo 24.2



(HG)

**150. Green-and-rufous Kingfisher/Chloroceryle inda inda**

1 Peperpot 20.2, 1 Fredberg 27.2.

**151. American Pygmy Kingfisher/Chloroceryle aenea aenea**

1 Colakreek 17.2, 1 Peperpot 19.2, 1 Peperpot 20.2, 1 Kabalebo 22.2

<https://xeno-canto.org/810262>

**152. Amazonian Motmot/Momotus momota momota**

4 Fredberg 27.2, 4 Fredberg 28.2, 4 Fredberg 1.3, 1 Brownsberg 2.3

**153. Brown Jacamar/Brachygalba lugubris lugubris**

3 Kabalebo 22.2, 3 Kabalebo 24.2, 4 Kabalebo 25.2, 2 Fredberg 27.2, 2 Fredberg 28.2

**154. Yellow-billed Jacamar/Galbula albirostris albirostris**

2 Fredberg 27.2

**155. Bronzy Jacamar/Galbula leucogastra**

1 Zanderij 18.2

<https://xeno-canto.org/810443>

<https://xeno-canto.org/810445>

**156. Green-tailed Jacamar/Galbula galbula**

2 Zanderij 18.2, 1 Peperpot 19.2, 1 Peperpot 20.2, 4 Kabalebo 22.2, 1 Kabalebo 23.2, 5 Kabalebo 24.2, 2 Kabalebo 26.2



(HG)

**157. Paradise Jacamar/Galbula dea dea**

1 Zanderij 17.2, 4 Zanderij 18.2, 1 Kabalebo 21.2, 1 Kabalebo 25.2, 3 Fredberg 27.2, 3 Fredberg 28.2, 1 Fredberg 1.3, 1 Fredberg 2.3



(HG)

**158. Great Jacamar/Jacamerops aureus aureus**

Only observed at Fredberg: 2 on 27.2 and 1 on 1.3. So a clean Jacamar-sweep it was!

**159. Guianan Puffbird/Notharchus macrorhynchos**

1 Zanderij 17.2, 1 Seliba 4.3



(HG)

**160. Pied Puffbird/Notharchus tectus tectus**

Three times seen from the boat at Kabalebo: singles on 23.2, 24.2 & 25.2

**161. Spotted Puffbird/Bucco tamatia tamatia**

1 Zanderij 17.2, 1 Peperpot 20.2

**162. Collared Puffbird/Bucco capensis**

1 Fredberg 27.2

**163. White-chested Puffbird/Malacoptila fusca**

It took some effort, but we finally found 2 at Fredberg 1.3

**164. Black Nunbird/Monasa atra**

4 Kabalebo 21.2, 3 Kabalebo 22.2, 4 Kabalebo 23.2, 3 Kabalebo 24.2, 7 Kabalebo 25.2, 1 Fredberg 27.2, 2 Fredberg 28.2, 1 Fredberg 1.3

**165. Swallow-winged Puffbird/Chelidoptera tenebrosa tenebrosa**

Fairly common at Zanderij, common at Kabalebo and Fredberg.





(HG)

**166. Black-spotted Barbet/Capito niger**

Just 2 at Fredberg 28.2

**167. White-throated Toucan/Ramphastos tucanus tucanus**

Common at Kabalebo (daily up to 50+ birds). Moreover, 1 Zanderij 17.2, 2 Zanderij 18.2, 1 Peperpot 20.2, 4 Fredberg 27.2, 5 Fredberg 28.2, 3 Fredberg 1.3, 2 Seliba 4.3

**168. Channel-billed Toucan/Ramphastos vitellinus vitellinus**

6 Zanderij 18.2, 5 Kabalebo 21.2, 3 Kabalebo 23.2, 1 Kabalebo 24.2, 2 Kabalebo 25.2, 2 Kabalebo 26.2, 1 Onverwacht 26.2, 3 Fredberg 27.2, 4 Fredberg 28.2, 4 Fredberg 1.3

<https://xeno-canto.org/812145>

**169. Guianan Toucanet/Selenidera piperivora**

1 Fredberg 27.2, 2 Fredberg 28.2, 2 Fredberg 1.3, 1 Brownsberg 3.3

<https://xeno-canto.org/823539>

**170. Green Aracari/Pteroglossus viridis**

2 Kabalebo 22.2, 2 Kabalebo 23.2, 1 Kabalebo 24.2, 1 Kabalebo 26.2, 2 Fredberg 27.2, 2 Fredberg 28.2, 1 Fredberg 2.3

**171. Black-necked Aracari/Pteroglossus aracari atricollis**

1 Zanderij 18.2, 1 Peperpot 19.2, 4 Kabalebo 23.2, 3 Fredberg 27.2, 2 Fredberg 28.2, 1 Fredberg 2.3

**172. Golden-spangled Piculet/Picumnus exilis buffonii**

1 Fredberg 28.2

**173. Arrowhead Piculet/*Picumnus minutissimus***

1 Peperpot 18.2, 3 Peperpot 19.2, 1 Paramaribo outskirts 21.2. Near endemic.

**174. Yellow-tufted Woodpecker/*Melanerpes cruentatus***

3 Kabalebo 22.2, 3 Fredberg 27.2, 6 Fredberg 28.2, 2 Fredberg 2.3

**175. Golden-collared Woodpecker/*Veniliornis cassini***

3 Fredberg 27.2, 3 Fredberg 28.2, 1 Seliba 4.3

**176. Blood-colored Woodpecker/*Veniliornis sanguineus***

1 Peperpot 19.2, 1 Peperpot 20.2, 1 boat trip to Bakkie 20.2, 1 Paramaribo outskirts 21.2

**177. Yellow-throated Woodpecker/*Piculus flavigula flavigula***

3 Fredberg 27.2, 2 Fredberg 28.2, 1 Brownsberg 3.3

**178. Golden-green Woodpecker/*Piculus chrysochloros capistratus***

1 Fredberg 1.3

**179. Golden-olive Woodpecker/*Colaptes rubiginosus nigriceps***

1 Brownsberg 3.3

**180. Spot-breasted Woodpecker/*Colaptes punctigula punctigula***

1 Peperpot 18.2, 1 Peperpot 19.2, 2 Weg naar Zee 19.2

**181. Waved Woodpecker/*Celeus undatus undatus***

1 Fredberg 27.2

**182. Chestnut Woodpecker/*Celeus elegans hellmayri***

3 Fredberg 27.2, 8 Fredberg 1.3

**183. Cream-colored Woodpecker/*Celeus flavus flavus***

2 Peperpot 19.2, 1 Peperpot 20.2, 1 Fredberg 1.3

<https://xeno-canto.org/812665>

<https://xeno-canto.org/812666>

**184. Ringed Woodpecker/*Celeus torquatus torquetus***

1 Kabalebo 23.2, 1 Fredberg 27.2, 1 Brownsberg 3.3

**185. Lineated Woodpecker/*Dryocopus lineatus lineatus***

4 Zanderij 18.2, 3 Kabalebo 21.2, 4 Kabalebo 22.2, 3 Kabalebo 23.2, 5 Kabalebo 24.2, 1 Fredberg 28.2, 2 en route to Seliba 4.3



(HG)

- 186. Red-necked Woodpecker/*Campephilus rubricollis rubricollis***  
1 Kabalebo 23.2, 1 Kabelebo 24.2, 1 Fredberg 27.2, 1 Fredberg 28.2, 2 Fredberg 1.3, 1 Brownsberg 2.3
- 187. Crimson-crested Woodpecker/*Campephilus melanoleucos melanoleucos***  
1 Zanderij 17.2, 2 Zanderij 18.2, 1 Peperpot 19.2, 2 Peperpot 20.2, 1 Kabalebo 24.2, 1 Fredberg 28.2
- 188. Laughing Falcon/*Herpetotheres cachinnans cachinnans***  
2 Peperpot 18.2, 1 Peperpot 19.2, 1 Kabalebo 25.2, 2 en route to Seliba 4.3  
<https://xeno-canto.org/823755>
- 189. Barred Forest-Falcon/*Micrastur ruficollis concentricus***  
HO at Fredberg 27.2
- 190. Lined Forest-Falcon/*Micrastur gilvicollis***  
1 Kabalebo 24.2, 3 Brownsberg 3.3  
<https://xeno-canto.org/823756>  
<https://xeno-canto.org/823757>
- 191. Collared Forest-Falcon/*Micrastur semitorquatus semitorquatus***  
1 Peperpot 20.2, 1 Paramaribo outskirts 21.2, 1 Fredberg 28.2
- 192. Crested Caracara/*Caracara plancus cheriway***  
Jus a few at Zanderij; 1 on 16.2, 3 on 17.2
- 193. Red-throated Caracara/*Ibycter americanus***  
c.10 Kabalebo 21.2, 3 Kabalebo 22.2, 1 Kabalebo 23.2, 1 Kabalebo 24.2, 1 Kabalebo 25.2, 3 Fredberg 27.2, 5 Fredberg 28.2, 2 Fredberg 2.3. More often heard than seen.
- 194. Black Caracara/*Daptrius ater***  
2 Kabalebo 21.2, 1 Kabalebo 22.2, 3 Kabalebo 23.2, 4 Kabalebo 24.2, 4 Kabalebo 25.2, 1 Kabalebo 26.2, 2 Fredberg 27.2
- 195. Yellow-headed Caracara/*Milvago chimachima cordata***  
8 Zanderij 17.2, 3 Zanderij 18.2, 2 Paramaribo 18.2, 1 Peperpot 18.2, 1 Peperpot 19.2, 4 Weg naar Zee 19.2, 5 Peperpot 21.2, 1 Paramaribo outskirts 21.2, 1 Paramaribo 26.2
- 196. Bat Falcon/*Falco ruficularis ruficularis***  
1 Kabalebo 21.2, 1 Kabalebo 22.2, 1 Kabalebo 23.2, 2 Kabalebo 24.2, 1 Fredberg 1.3, 3 Seliba 4.3
- 197. Peregrine Falcon/*Falco peregrinus tundrius***  
1 Peperpot 19.2, 1 Peperpot 20.2, 2 boat trip to Bakkie 20.2, 1 Paramaribo outskirts 21.2
- 198. Green-rumped Parrotlet/*Forpus passerines passerinus***  
6 Peperpot 18.2, c.25 Peperpot 19.2, 6 Weg naar Zee 19.2, 4 Peperpot 20.2, 1 Nieuw Amsterdam 20.2, c.20 Paramaribo outskirts 21.2
- 199. Golden-winged Parakeet/*Brotogeris chrysoptera chrysoptera***  
c.20 Colakreek 17.2, 1 Zanderij 18.2, 5 Kabalebo 21.2, 5 Kabalebo 22.2, 1 Kabalebo 23.2, 5 Kabalebo 24.2, 4 Kabalebo 25.2, 1 Fredberg 27.2, 1 Fredberg 1.3
- 200. Lilac-tailed Parrotlet/*Touit batavicus***  
c.30 Fredberg 27.2, 4 Fredberg 28.2
- 201. Sapphire-rumped Parrotlet/*Touit purpuratus purpuratus***

4 Fredberg 27.2

**202. Black-headed Parrot/*Pionites melanocephalus melanocephalus***

2 Fredberg 28.2, 3 Fredberg 1.3

**203. Caica Parrot/*Pyrilia caica***

2 Fredberg 28.2, 2 Fredberg 1.3

**204. Red-fan Parrot/*Deropterus accipitrinus accipitrinus***

3 Colakreek 18.2, 9 Kabalebo 21.2, 1 Kabalebo 22.2, 1 Kabalebo 23.2, 4 Kabalebo 24.2, 1 Kabalebo 25.2, c.10 Fredberg 27.2, c.20 Fredberg 28.2, 3 Fredberg 2.3

<https://xeno-canto.org/823810>

**205. Blue-headed Parrot/*Pionus menstruus menstruus***

8 Kabalebo 21.2, 6 Kabalebo 22.2, c.25 Kabalebo 23.2, c.15 Kabalebo 24.2, 4 Kabalebo 25.2, c.25 Fredberg 27.2, c.10 Fredberg 28.2, 2 Brownsberg 3.3

<https://xeno-canto.org/810434>

**206. Dusky Parrot/*Pionus fuscus***

1 Zanderij 18.2, 2 Kabalebo 22.2, 4 Kabalebo 25.2, 2 Onverwacht 26.2, 1 Fredberg 27.2, 7 Fredberg 1.3, 1 Brownsberg 3.3

**207. Southern Mealy Amazon/*Amazona farinosa***

2 Kabalebo 21.2, 2 Kabalebo 24.2, 1 Fredberg 27.2, 3 Fredberg 1.3, 1 Fredberg 2.3

**208. Orange-winged Parrot/*Amazona amazonica***

Widespread: c.10 Zanderij 17.2, 3 Zanderij 18.2, 1 en route to Paramaribo 18.2, 6 Peperpot 19.2, 3 Weg naar Zee 19.2, c.10 Peperpot 20.2, c.75 boat trip to Bakkie 20.2, 2 Peperpot 21.2, 50+ Paramaribo outskirts 21.2, c.50 Kabalebo 21.2, c.20 Kabalebo 22.2, c.10 Kabalebo 23.2, 50+ Kabalebo 24.2, c.40 Kabalebo 25.2, 6 Fredberg 27.2, 5 Fredberg 1.3, 6 Fredberg 2.3

<https://xeno-canto.org/823766>

<https://xeno-canto.org/823767>

**209. White-eyed Parakeet/*Psittacara leucophthalmus leucophthalmus***

1 Fredberg 28.2

**210. Brown-throated Parakeet/*Eupsittula pertinax surinama***

c.25 Zanderij 16.2, 7 Zanderij 17.2, c.25 Zanderij 18.2, 2 Weg naar Zee 19.2, c.25 boat trip to Bakkie 20.2

**211. Painted Parakeet/*Pyrrhura picta picta***

1 Kabalebo 24.2, c.30 Fredberg 28.2, 5 Fredberg 1.3, c.10 Fredberg 2.3

**212. Blue-and yellow Macaw/*Ara ararauna***

The most numerous macaw at Kabalebo: c.15 on 21.2, c.50 on 22.2, c.20 on 23.2, c.30 on 24.2, and c.10 on 25.2

<https://xeno-canto.org/810424>

**213. Scarlet Macaw/*Ara macao macao***

Regular at Kabalebo: c.15 on 21.2, c.15 on 22.2, c.10 on 23.2, c.15 on 24.2 and c.10 on 25.2



**214. Red-and-green Macaw/Ara chloropterus**

5 Kabalebo 21.2, c.15 Kabalebo 22.2, 5 Kabalebo 24.2, 9 Kabalebo 25.2, 2 Fredberg 1.3

<https://xeno-canto.org/823817>



(FH)

**215. Chestnut-fronted Macaw/*Ara severus***

c.15 Kabalebo 22.2, 6 Kabalebo 23.2, 2 Kabalebo 25.2. Kabalebo turned out to be macaw galore!

**216. Red-bellied Macaw/*Orthopsittaca manilatus***

1 Zanderij 16.2, c.20 Zanderij 17.2, c.10 Zanderij 18.2

**217. Red-shouldered Macaw/*Diopsittaca nobilis nobilis***

Common at Colakreek/Zanderij.

**218. Fasciated Antshrike/*Cymbilaimus lineatus lineatus***

Solely recorded at Fredberg: 2 on 27.2, 2 on 28.2 and 1 on 1.3. A subcanopy species.

<https://xeno-canto.org/812864>

**219. Black-throated Antshrike/*Frederickena viridis***

2 (mf) Brownsberg 3.3

**220. Great Antshrike/*Taraba major semifasciatus***

1 Peperpot 19.2, 1 Peperpot 20.2, 7 Kabalebo 21.2, 2 Kabalebo 25.2, 1 Seliba 4.3

**221. Black-crested Antshrike/*Sakesphorus canadensis canadensis* (and *fumosus*?)**

Ssp *canadensis* seen at Peperpot: 4 on 19.2 and 1 on 20.2. The subspecies seen at Kabelabo resembled *fumosus* but according to both Handbook of the Birds of the World and IOC they don't occur in Suriname.

Anyhow, we saw 4 there on 21.2, 8 on 22.2, c.10 on 23.2, c.15 on 24.2, 4 on 25.2 and 3 on 26.2

**222. Barred Antshrike/*Thamnophilus doliatus doliatus***

2 Zanderij 17.2, 6 Peperpot 19.2, 3 Peperpot 20.2, 1 Paramaribo outskirts 21.2, 1 en route to Seliba 4.3. 2 Seliba 4.3



**223. Mouse-colored Antshrike/*Thamnophilus murinus murinus***

1 Zanderij 17.2, 3 Zanderij 18.2, 2 Kabalebo 23.2, 1 Kabalebo 24.2, 3 Fredberg 27.2, 4 Fredberg 28.2, 4 Fredberg 1.3

<https://xeno-canto.org/823762>

<https://xeno-canto.org/823763>

<https://xeno-canto.org/823765>

- 224. Northern Slaty Antshrike/*Thamnophilus punctatus punctatus***  
2 Zanderij 17.2, 1 Onverwacht 26.2
- 225. Amazonian Antshrike/*Thamnophilus amazonicus divaricatus***  
4 Kabalebo 23.2, 1 Fredberg 1.3  
<https://xeno-canto.org/810256>
- 226. Dusky-throated Antshrike/*Thamnomanes ardesiacus obidensis***  
2 Fredberg 27.2, 1 Fredberg 1.3, 3 Brownsberg 3.3
- 227. Cinereous Antshrike/*Thamnomanes caesius glaucus***  
2 Fredberg 27.2, 1 Fredberg 28.2, 4 Fredberg 1.3, 2 Brownsberg 2.3, 4 Brownsberg 3.3
- 228. Brown-bellied Stipplethroat/*Epinecrophylla gutturalis***  
Three sightings at Fredberg: 2 on 27.2 and 1 on 1.3
- 229. Pygmy Antwren/*Myrmotherula brachyura***  
Regular at Zanderij: c.10 on 17.2 and 3 on 18.2  
<https://xeno-canto.org/823806>
- 230. Guianan Streaked Antwren/*Myrmotherula surinamensis***  
1 Zanderij 16.2, 2 Kabalebo 21.2, 2 Kabalebo 22.2, 1 Kabalebo 24.2
- 231. Rufous-bellied Antwren/*Isleria guttata***  
1 Zanderij 17.2, 1 Fredberg 27.2
- 232. White-flanked Antwren/*Myrmotherula axillaris axillaris***  
1 Zanderij 17.2, 2 Peperpot 19.2, 4 Kabalebo 23.2, 2 Fredberg 27.2, 2 Fredberg 28.2, 1 Brownsberg 2.3
- 233. Long-winged Antwren/*Myrmotherula longipennis longipennis***  
4 Fredberg 27.2, 1 Fredberg 1.3, 2 Brownsberg 3.3
- 234. Grey Antwren/*Myrmotherula menetriesii cinereiventris***  
Seen at Fredberg on 27.2 (4) and 1.3 (7).
- 235. Spot-tailed Antwren/*Herpsilochmus sticturus***  
2 Fredberg 27.2
- 236. Todd's Antwren/*Herpsilochmus stictocephalus***  
2 Fredberg 27.2, 2 Fredberg 28.2, 3 Fredberg 1.3, 1 Brownsberg 2.3, 1 Brownsberg 3.3
- 237. Dot-winged Antwren/*Microrhoptias quixensis microstictus***  
5 Kabalebo 23.2, 1 Fredberg 27.2
- 238. Southern White-fringed Antwren/*Formicivora grisea grisea***  
2 Zanderij 17.2
- 239. Guianan Warbling Antbird/*Hypnocnemis cantator***  
1 Kabalebo 24.2, 4 Kabalebo 26.2, 4 Fredberg 27.2, c.10 Fredberg 1.3, 2 Fredberg 3.3  
<https://xeno-canto.org/823752>  
<https://xeno-canto.org/823753>
- 240. Ash-winged Antwren/*Euchrepomis spodioptila spodioptila***  
2 Fredberg 1.3



- 241. Grey Antbird/*Cercomacra cinerascens immaculata***  
4 Fredberg 27.2, 3 Fredberg 28.2, 4 Fredberg 1.3, 1 Brownsberg 3.3  
<https://xeno-canto.org/823528>  
<https://xeno-canto.org/823530>
- 242. Dusky Antbird/*Cercomacroides tyrannina saturator***  
2 Brownsberg 3.3  
<https://xeno-canto.org/812671>
- 243. Blackish Antbird/*Cercomacroides nigrescens nigrescens***  
3 Peperpot 19.2  
<https://xeno-canto.org/810266>
- 244. White-browed Antbird/*Myrmoborus leucophrys angustirostris***  
1 Zanderij 16.2, 3 Peperpot 19.2, c.10 Peperpot 20.2, 3 Kabalebo 23.2, 1 Kabalebo 24.2, 1 Kabalebo 26.2  
Song: <https://xeno-canto.org/824279>  
Song: <https://xeno-canto.org/824280>  
Song: <https://xeno-canto.org/824282>  
Call: <https://xeno-canto.org/824283>
- 245. Black-chinned Antbird/*Hypnocnemoides melanopogon melanopogon***  
2 Peperpot 20.2, 1 boat trip to Bakkie 20.2, 1 Kabalebo 24.2
- 246. Silvered Antbird/*Sclateria naevia naevia***  
2 Zanderij 16.2, 1 Peperpot 19.2, 3 Peperpot 20.2, 1 Paramaribo outskirts 21.2, c.10 Kabalebo 21.2, c.5 Kabalebo 23.2, 3 Kabalebo 24.2, 1 Fredberg 28.2  
<https://xeno-canto.org/823851>
- 247. Black-headed Antbird/*Pernostola rufifrons rufifrons***  
1 Kabalebo 22.2, 2 Fredberg 1.3, 8 Brownsberg 3.3  
<https://xeno-canto.org/810265>
- 248. Spot-winged Antbird/*Myrmelastes leucostigma leucostigma***  
2 Fredberg 2.3
- 249. Ferruginous-backed Antbird/*Myrmoderus ferrugineus ferrugineus***  
1 Zanderij 18.2, 2 Kabalebo 22.2, 1 Kabalebo 23.2, 1 Fredberg 28.2, 2 Fredberg 1.3, 1 Brownsberg 3.3  
Song: <https://xeno-canto.org/812870>  
Song: <https://xeno-canto.org/812868>  
Call: <https://xeno-canto.org/812867>
- 250. Black-throated Antbird/*Myrmophylax atrothorax atrothorax***  
1 Zanderij 17.2, 1 Zanderij 18.2, 1 Peperpot 19.2, 3 Peperpot 20.2, 1 Fredberg 1.3, 1 en route to Seliba 4.3  
<https://xeno-canto.org/810417>  
<https://xeno-canto.org/810420>
- 251. Wing-banded Antbird/*Myrmornis torquata torquata***  
1 Brownsberg 3.3
- 252. White-plumed Antbird/*Pithys albifrons albifrons***  
1 Zanderij 17.2, 1 Fredberg 1.3  
<https://xeno-canto.org/824290>

- 253. Rufous-throated Antbird/*Gymnopithys rufigula rufigula***  
1 Zanderij 17.2, 1 Fredberg 1.3, 2 Brownsberg 2.3  
<https://xeno-canto.org/823846>
- 254. Common Scale-backed Antbird/*Willisornis poecilinotus poecilinotus***  
2 Fredberg 27.2
- 255. Spot-backed Antbird/*Hylophylax naevius naevius***  
3 Brownsberg 3.3
- 256. Rufous-capped Antthrush/*Formicarius colma colma***  
1 Kabalebo 23.2, 4 Fredberg 27.2, 1 Brownsberg 3.3  
<https://xeno-canto.org/823835>  
<https://xeno-canto.org/823843>
- 257. Black-faced Antthrush/*Formicarius analis crissalis***  
**HO:** 2 Fredberg 28.2, 1 Brownsberg 3.3. Hard to tape in.
- 258. Spotted Antpitta/*Hylopezus macularius macularius***  
1 seen at Fredberg 27.2 and 1 heard there 1.3  
<https://xeno-canto.org/823863>  
<https://xeno-canto.org/823859>
- 259. Thrush-like Antpitta/*Myrmothera campanisona campanisona***  
**HO:** 7 Kabalebo 22.2, 8 Kabalebo 23.2, 4 Kabalebo 24.2, 2 Kabalebo 25.2, 2 Kabalebo 26.2, 4 Fredberg 27.2, 6 Fredberg 28.2, 3 Fredberg 1.3, 1 Brownsberg 2.3, 1 Brownsberg 3.3  
<https://xeno-canto.org/824269>
- 260. Variegated Antpitta/*Grallaria varia varia***  
1 heard Fredberg 27.2
- 261. Short-billed Leaf-tosser/*Sclerurus rufigularis fulvularis***  
1 Fredberg 1.3
- 262. Pale-breasted Spinetail/*Synallaxis albescens josephinae***  
1 Zanderij 17.2, 2 en route to Seliba 4.3  
<https://xeno-canto.org/823782>
- 263. Ruddy Spinetail/*Synallaxis rutilans dissors***  
2 Fredberg 27.2
- 264. McConnell's Spinetail/*Synallaxis macconnelli obscurior***  
Brief views near the bridge at Fredberg on 27.2 (1), 28.2 (2) and 2.3 (1).
- 265. Plain-crowned Spinetail/*Synallaxis gujanensis gujanensis***  
1 Peperpot 19.2, 1 Peperpot 20.2, 2 Kabalebo 25.2  
<https://xeno-canto.org/823805>
- 266. Yellow-chinned Spinetail/*Certhiaxis cinnamomeus cinnamomeus***  
c.10 Peperpot 18.2, 1 Peperpot 19.2, 8 Weg naar Zee 19.2, 2 Paramaribo outskirts 21.2  
<https://xeno-canto.org/824296>
- 267. Point-tailed Palmcreeper/*Berlepschia rikeri***  
2 Colakreek 17.2, 1 Zanderij 17.2

- 268. Plain-brown Woodcreeper/Dendrocincla fuliginosa fuliginosa**  
2 Brownsberg 3.3  
<https://xeno-canto.org/823803>
- 269. Wedge-billed Woodcreeper/Glyphorhynchus spirurus spirurus**  
1 Zanderij 17.2, 2 Kabalebo 23.2, 1 Fredberg 27.2, 1 Fredberg 28.2, 3 Fredberg 1.3, c.10 Brownsberg 3.3  
<https://xeno-canto.org/824277>
- 270. Cinnamon-throated Woodcreeper/Dendrexetastes rufigula rufigula**  
1 Fredberg 27.2, 2 Fredberg 28.2
- 271. Amazonian Barred Woodcreeper/Dendrocolaptes certhia certhia**  
4 Kabalebo 21.2, 2 Kabalebo 23.2, 3 Kabalebo 26.2, 2 Fredberg 1.3  
<https://xeno-canto.org/810258>
- 272. Straight-billed Woodcreeper/Dendroplex picus picus**  
1 Peperpot 18.2, 1 Peperpot 19.2, 2 Paramaribo outskirts 21.2  
<https://xeno-canto.org/823868>
- 273. Striped Woodcreeper/Xiphorhynchus obsoletus obsoletus**  
1 Zanderij 16.2, 1 Peperpot 19.2, 1 boat trip to Bakkie 20.2
- 274. Chestnut-rumped Woodcreeper/Xiphorhynchus pardalotus pardalotus**  
5 Fredberg 27.2, 6 Fredberg 1.3, 1 Brownsberg 2.3, 4 Brownsberg 3.3
- 275. Buff-throated Woodcreeper/Xiphorhynchus guttatus polystictus**  
1 Zanderij 16.2, 1 Peperpot 20.2, 1 Kabalebo 21.2, Kabalebo 22.2, 1 Fredberg 28.2, 2 Brownsberg 2.3, 4 Brownsberg 3.3  
<https://xeno-canto.org/812142>  
<https://xeno-canto.org/812143>
- 276. Guianan Woodcreeper/Lepidocolaptes albolineatus**  
2 Fredberg 27.2
- 277. Rufous-tailed Foliage-gleaner/Anabacerthia ruficaudata flavipectus**  
1 Fredberg 1.3
- 278. Rufous-rumped Foliage-gleaner/Philydor erythrocerum erythrocerum**  
1 Fredberg 1.3
- 279. Cinnamon-rumped Foliage-gleaner/Philydor pyrrhodes**  
1 Fredberg 28.2
- 280. Slender-billed Xenops/Xenops tenuirostris hellmayri**  
1 Kabalebo 23.2
- 281. Plain Xenops/Xenops minutus ruficaudus**  
1 Peperpot 20.2, 1 Fredberg 27.2, 1 Fredberg 1.3, 1 Brownsberg 3.3
- 282. Yellow-crowned Tyrannulet/Tyrannulus elatus**  
Fairly common (tens) at Zanderij on 17.2, 5 Zanderij 18.2, 1 Kabalebo 21.2, 3 Kabalebo 22.2, 1 Kabalebo 23.2, 2 Fredberg 28.2, 1 Brownsberg 3.3  
<https://xeno-canto.org/824298>  
<https://xeno-canto.org/824299>

- 283. Forest Elaenia/Myiopagis gaimardii guianensis**  
1 Zanderij 17.2, 1 Zanderij 18.2, 3 Fredberg 28.2, 1 Seliba 4.3
- 284. Yellow-crowned Elaenia/Myiopagis flavivertex**  
1 Peperpot 19.2, 2 Peperpot 20.2
- 285. Yellow-bellied Elaenia/Elaenia flavogaster flavogaster**  
1 Zanderij 16.2, 2 Peperpot 19.2, 1 Peperpot 21.2
- 286. Plain-crested Elaenia/Elaenia cristata cristata**  
A savanna species: 4 Zanderij 17.2, 2 Zanderij 18.2
- 287. Rufous-crowned Elaenia/Elaenia ruficeps**  
Another species only encountered at Zanderij: 5 on 17.2 and 1 on 18.2  
<https://xeno-canto.org/823845>
- 288. White-lored Tyrannulet/Ornithion inermis**  
1 Zanderij 18.2  
<https://xeno-canto.org/824287>
- 289. Southern Beardless Tyrannulet/Camptostoma obsoletum napaeum**  
3 Zanderij 17.2, 1 Kabalebo 22.2, 1 Kabalebo 24.2  
<https://xeno-canto.org/823808>
- 290. Guianan Tyrannulet/Zimmerius acer**  
1 Zanderij 17.2, 1 Fredberg 1.3, 1 Seliba 4.3
- 291. Ochre-bellied Flycatcher/Mionectes oleagineus oleagineus**  
HO: 1 Zanderij 18.2
- 292. McConnell's Flycatcher/Mionectes macconnelli macconnelli**  
1 Fredberg 27.2, 2 Fredberg 28.2
- 293. Northern Scrub-Flycatcher/Sublegatus arenarum glaber**  
1 Weg naar Zee 19.2
- 294. Pale-tipped Inezia/Inezia caudata caudata**  
1 Peperpot 19.2, 1 Paramaribo outskirts 21.2
- 295. Double-banded Pygmy Tyrant//Lophotriccus vitiosus guianensis**  
2 Fredberg 28.2, 1 Seliba 4.3  
<https://xeno-canto.org/812669>
- 296. Helmeted Pygmy Tyrant/Lophotriccus galeatus**  
1 Zanderij 17.2, 1 Brownsberg 3.3
- 297. White-eyed Tody-Tyrant/Hemitriccus zosterops zosterops**  
5 Fredberg 1.3  
<https://xeno-canto.org/824284>
- 298. Smoky-fronted Tody-Flycatcher/Poecilotriccus fumifrons penardi**  
1 Seliba 4.3
- 299. Spotted Tody-Flycatcher/Todirostrum maculatum maculatum**  
3 Weg naar Zee 19.2, 2 Paramaribo outskirts 21.2

**300. Common Tody-Flycatcher/Todirostrum cinereum cinereum**

1 Colakreek 17.2, c.10 Peperpot 19.2, 2 Peperpot 20.2, 1 Peperpot 21.2, 4 Kabalebo 21.2, c.5 Kabalebo 22.2, 4 Kabalebo 23.2, 2 Kabalebo 25.2, 3 Kabalebo 26.2

**301. Painted Tody-Flycatcher/Todirostrum pictum**

2 Zanderij 17.2

<https://xeno-canto.org/823780>

**302. Ochre-lored Flatbill/Tolmomyias flaviventris aurulentus**

1 Peperpot 19.2, 1 Peperpot 20.2

**303. Yellow-margined Flatbill/Tolmomyias assimilis examinatus**

1 Fredberg 27.2

**304. Yellow-olive Flatbill/Tolmomyias sulphurescens cherriei**

3 Peperpot 19.2, 1 Peperpot 20.2

<https://xeno-canto.org/824301>

**305. Grey-crowned Flatbill/Tolmomyias poliocephalus sclateri**

1 Zanderij 17.2, 1 Zanderij 18.2, 1 Brownsberg 3.3

**306. Olivaceous Flatbill/Rhynchocyclus olivaceus guianensis**

1 Fredberg 1.3

**307. Amazonian Royal Flycatcher/Onychorhynchus coronatus coronatus**

1 Peperpot 19.2

**308. Bran-colored Flycatcher/Myiophobus fasciatus fasciatus**

1 en route to Seliba 4.3

**309. Whiskered Myiobius/Myiobius barbatus barbatus**

1 Fredberg 1.3

**310. Ruddy-tailed Flycatcher/Terenotriccus erythrurus erythrurus**

1 Fredberg 27.2

**311. Fuscous Flycatcher/Cnemotriccus fuscatus fumosus**

1 Peperpot 20.2

**312. Long-tailed Tyrant/Colonia colonus poecilonota**

1 Kabalebo 22.2, 2 Fredberg 27.2, 3 Fredberg 28.2

**313. Pied Water Tyrant/Fluvicola pica**

Regularly observed in the coastal belt: c.15 Peperpot 18.2, 5 Peperpot 19.2, c.10 Weg naar Zee 19.2, 6 Peperpot 20.2, 1 Peperpot 21.2, 5 Paramaribo outskirts 21.2



(HG)

**314. White-headed Marsh Tyrant/Arundinicola leucocephala**

1 Zanderij 16.2, 7 Zanderij 17.2, 3 Zanderij 18.2, 3 en route to Paramaribo 18.2, 1 Onverwacht 26.2



(HG)

**315. Piratic Flycatcher/Legatus leucophaeus leucophaeus**

3 Zanderij 16.2, 2 Peperpot 19.2

**316. Rusty-margined Flycatcher/Myiozetetes cayanensis cayanensis**

Locally common (e.g. at Zanderij, Peperpot, Kabalebo, Brownsberg).

**317. Dusky-chested Flycatcher/Myiozetetes luteiventris septentrionalis**

2 Fredberg 27.2

<https://xeno-canto.org/812674>

**318. Great Kiskadee/Pitangus sulphuratus sulphuratus**

Common. Also at Kabalebo.

<https://xeno-canto.org/812873>

**319. Lesser Kiskadee/Philohydor lictor lictor**

1 Kabalebo 22.2.

**320. Yellow-throated Flycatcher/Conopias parvus**

7 Fredberg 27.2, 4 Fredberg 28.2, 1 Brownsberg 3.3

**321. Boat-billed Flycatcher/Megarynchus pitangua pitangua**

1 Zanderij 16.2, 1 Zanderij 17.2, 1 Zanderij 18.2, 2 Peperpot 19.2, 1 Weg naar Zee 19.2, 1 Peperpot 20.2, 1 Fredberg 28.2, 1 Seliba 4.3

**322. Sulphury Flycatcher/Tyrannopsis sulphurea**

Only encountered in Moriche Palm habitat at Zanderij: 4 on 16.2, 2 on 17.2 and 2 there on 18.2

**323. Variegated Flycatcher/Empidonomus varius rufinus**

4 Colakreek 17.2, 1 Zanderij 18.2

**324. Tropical Kingbird/Tyrannus melancholicus melancholicus**

Common throughout.

<https://xeno-canto.org/824273>



(FH)

**325. Grey Kingbird/Tyrannus dominicensis dominicensis**

1 Weg naar Zee 19.2, 1 Paramaribo outskirts 21.2

**326. Rufous-tailed Flatbill/Ramphotrigon ruficauda**

1 Zanderij 17.2

**327. Cinnamon Attila/Attila cinnamomeus**

2 Peperpot 20.2, 1 Kabalebo 21.2, 2 Kabalebo 22.2, 2 Kabalebo 23.2, 1 Kabalebo 24.2, 1 Fredberg 28.2

<https://xeno-canto.org/812648>

**328. Bright-rumped Attila/Attila spadiceus spadiceus**

2 Fredberg 27.2, 2 Fredberg 1.3, 1 Seliba 4.3

<https://xeno-canto.org/810441>

**329. Todd's Sirystes/Sirystes subcanescens**

2 Fredberg 28.2

**330. Pale-bellied Mourner/Rhytipterna immunda**

Finally 1 at the white sand forest at Zanderij on 18.2 after quite some searching.

**331. Greyish Mourner/Rhytipterna simplex frederici**

1 Zanderij 17.2, 2 Fredberg 27.2, 1 Fredberg 28.2

**332. Dusky-capped Flycatcher/Myiarchus tuberculifer tuberculifer**

3 Zanderij 17.2, 1 Peperpot 18.2, 1 Kabalebo 24.2, 2 Kabalebo 25.2, 1 Fredberg 27.2, 3 Brownsberg 3.3

**333. Short-crested Flycatcher/Myiarchus ferox ferox**

1 Zanderij 17.2, 1 Peperpot 18.2, 1 Peperpot 19.2, 2 Peperpot 20.2, 2 Paramaribo outskirts 21.2, 2 Kabalebo 22.2

**334. Brown-crested Flycatcher/Myiarchus tyrannulus tyrannulus**

1 boat trip to Bakkie 20.2, 1 Paramaribo outskirts 21.2

**335. Guianan Cock-of-the-rock/Rupicola rupicola**

8 (5 adult males, 1 immature male, 2 females) at the famous lek at Fredberg 1.3. Besides, 2 heard at other places along the trail on the same date.

Song: <https://xeno-canto.org/823537>

Call: <https://xeno-canto.org/823536>

**336. Purple-throated Fruitcrow/Querula purpurata**

2 Zanderij 18.2, 2 Fredberg 28.2

**337. Capuchinbird/Perissocephalus tricolor**

4 Fredberg 27.2, 1 Fredberg 28.2, 3 Fredberg 1.3

**338. Spangled Cotinga/Cotinga cayana**

2 Zanderij 17.2, 2 Zanderij 18.2, 1 Fredberg 27.2

**339. Screaming Piha/Lipaugus vociferans**

Fairly common at Kabalebo (up to 10 daily), common at Fredberg and Brownsberg.

<https://xeno-canto.org/823849>

**340. Pompadour Cotinga/Xipholena punicea**

1 male Zanderij 17.2, 3 (2m,1f) Zanderij 18.2, 1 female Fredberg 27.2, 2 males Fredberg 28.2, 1 Fredberg 1.3



- 341. Bare-necked Fruitcrow/*Gymnoderus foetidus***  
3 Seliba 4.3
- 342. Saffron-crested Tyrant-Manakin/*Neopelma chrysocephalum***  
1 Zanderij 17.2  
<https://xeno-canto.org/823848>
- 343. Tiny Tyrant-Manakin/*Tyranneutes virescens***  
1 Fredberg 27.2, 1 Fredberg 28.2, 4 Fredberg 1.3  
<https://xeno-canto.org/824271>
- 344. White-throated Manakin/*Corapipo gutturalis***  
2 Brownsberg 3.3
- 345. White-fronted Manakin/*Lepidothrix serena***  
3 Brownsberg 2.3, 5 Brownsberg 3.3  
<https://xeno-canto.org/824286>
- 346. White-bearded Manakin/*Manacus manacus manacus***  
1 female Fredberg 28.2, 1 heard Seliba 4.3
- 347. Black Manakin/*Xenopipo atronitens***  
1 Zanderij 17.2, 4 Zanderij 18.2
- 348. White-crowned Manakin/*Pseudopipra pipra pipra***  
3 Fredberg 28.2, 1 Fredberg 1.3
- 349. Crimson-hooded Manakin/*Pipra aureola aureola***  
4 Peperpot 20.2  
<https://xeno-canto.org/812668>
- 350. Golden-headed Manakin/*Ceratopipra erythrocephala erythrocephala***  
1 Zanderij 17.2, 1 Fredberg 1.3, 4 Seliba 4.3
- 351. Black-crowned Tityra/*Tityra inquisitor erythrogenys***  
1 Kabalebo 23.2
- 352. Black-tailed Tityra/*Tityra cayana cayana***  
1 Kabalebo 21.2, 4 Kabalebo 24.2, 6 Fredberg 27.2, 1 Fredberg 2.3
- 353. Cinereous Mourner/*Laniocera hypopyrra***  
1 Fredberg 1.3, 2 Brownsberg 3.3  
<https://xeno-canto.org/812147>
- 354. Dusky Purpletuft/*Iodopleura fusca***  
1 Zanderij 17.2, 2 Zanderij 18.2, 1 Fredberg 28.2
- 355. White-winged Becard/*Pachyramphus polychopterus tristis***  
1 Peperpot 19.2, 2 Peperpot 20.2
- 356. Green-backed Becard/*Pachyramphus viridis griseigularis***  
2 Fredberg 27.2, 1 Fredberg 28.2
- 357. Glossy-backed Becard/*Pachyramphus surinamus***  
1 Fredberg 28.2

- 358. Black-capped Becard/Pachyramphus marginatus nanus**  
1 Fredberg 28.2
- 359. Wing-barred Piprites/Piprites chloris chlorion**  
1 Kabelebo 27.2, 1 Brownsberg 3.3
- 360. Rufous-browed Peppershrike/Cyclarhis gujanensis gujanensis**  
7 Kabalebo 23.2, 4 Kabalebo 24.2, 2 Kabalebo 25.2, 2 Fredberg 27.2, 6 Fredberg 28.2. More often heard than seen.  
<https://xeno-canto.org/823831>  
<https://xeno-canto.org/823832>
- 361. Chivi Vireo/Vireo chivi vividior**  
2 Fredberg 28.2. A resident species.
- 362. Lemon-chested Greenlet/Hylophilus thoracicus griseiventris**  
1 Zanderij 17.2, 1 Peperpot 19.2, 1 Kabalebo 22.2, 2 Fredberg 27.2, 1 Fredberg 28.2, 1 Fredberg 1.3
- 363. Ashy-headed Greenlet/Hylophilus pectoralis**  
1 Peperpot 18.2, 2 Peperpot 19.2, 1 Paramaribo outskirts 21.2
- 364. Buff-cheeked Greenlet/Pachysylvia muscicapina muscicapina**  
5 Fredberg 27.2, 2 Fredberg 28.2, 1 Fredberg 1.3, 1 Brownsberg 3.3
- 365. Tawny-crowned Greenlet/Tunchiornis ochraceiceps luteifrons**  
1 Fredberg 1.3, 1 Brownsberg 3.3
- 366. Cayenne Jay/Cyanocorax cayanus**  
2 Zanderij 16.2, 3 Zanderij 17.2, 1 Zanderij 18.2
- 367. Blue-and-white Swallow/Pygochelidon cyanoleuca cyanoleuca**  
Regular at Kabalebo: 8 on 21.2, 1 on 22.2, 2 on 23.2
- 368. White-banded Swallow/Atticora fasciata**  
c.60 Kabalebo 21.2, 50+ Kabalebo 22.2, 2 Fredberg 27.2, 4 Fredberg 28.2
- 369. White-winged Swallow/Tachycineta albiventer**  
Regularly seen: c.5 Zanderij area 16.2, c.20 Zanderij 17.2, c.10 Zanderij 18.2, 3 en route to Paramaribo 18.2, c.10 Peperpot 18.2, c.10 Peperpot 19.2, c.10 boat trip to Bakkie 20.2 and daily up to 30 at Kabalebo.
- 370. Grey-breasted Martin/Progne chalybea chalybea**  
Numerous and widespread.  
<https://xeno-canto.org/823532>
- 371. Brown-chested Martin/Progne tapera tapera**  
2 Zanderij 18.2, 3 Peperpot 18.2, 2 Peperpot 19.2
- 372. Southern Rough-winged Swallow/Stelgidopteryx ruficollis ruficollis**  
1 Zanderij 16.2, 4 Zanderij 17.2, 1 en route to Seliba 4.3
- 373. Barn Swallow/Hirundo rustica erythrogaster**  
2 Zanderij 17.2, 2 Zanderij 18.2, 2 Weg naar Zee 19.2, 1 Kabalebo 25.2
- 374. House Wren/Troglodytes aedon clarus**

1 Peperpot 19.2, 1 Peperpot 20.2, 2 Kabalebo 22.2, 1 en route to Seliba 4.3

**375. Coraya Wren/Pheugopedius coraya coraya**

1 Zanderij 17.2, 1 Zanderij 18.2, 1 Kabalebo 21.2, 2 Kabalebo 22.2, 2 Kabalebo 24.2, 1 Fredberg 1.3, 1 Brownsberg 3.3

**376. Buff-breasted Wren/Cantorchilus leucotis albipectus**

1 Zanderij 17.2, 1 Peperpot 19.2, 2 Peperpot 20.2, c.10 Kabalebo 21.2, c.10 Kabalebo 22.2, 6 Kabalebo 23.2, c.20 Kabalebo 24.2, c.10 Kabalebo 25.2, 2 Kabalebo 26.2, 2 Seliba 4.3

<https://xeno-canto.org/810448>

**377. White-breasted Wood-Wren/Henicorhina leucosticte leucosticta**

2 Fredberg 27.2, 2 Brownsberg 2.3, 6 Brownsberg 3.3

<https://xeno-canto.org/824278>

**378. Trilling Gnatwren/Ramphocaenus melanurus albiventris**

1 Fredberg 27.2, 2 Fredberg 28.2, 3 Fredberg 1.3

**379. Tropical Gnatcatcher/Polioptila plumbea plumbea**

2 Colakreek 17.2, 2 Peperpot 18.2, 1 Kabalebo 22.2, 1 Kabalebo 23.2, 1 Kabalebo 25.2, 1 Fredberg 28.2

**380. Black-capped Donacobius/Donacobius atricapilla atricapilla**

5 Peperpot 19.2, 2 Weg naar Zee 19.2, 2 Peperpot 20.2

<https://xeno-canto.org/810264>



(HG)

**381. Pale-breasted Thrush/Turdus leucomelas albiventer**

Only seen in the first days: 2 Zanderij 16.2, 6 Zanderij 17.2, 4 Zanderij 18.2, 1 Para 18.2, 4 Peperpot 18.2, c.15 Peperpot 19.2, c.20 Peperpot 20.2

<https://xeno-canto.org/823783>

**382. Cocoa Thrush/Turdus fumigatus fumigatus**

1 Kabalebo 21.2, 1 Kabalebo 23.2, 2 Kabalebo 24.2, 4 Fredberg 27.2, 2 Fredberg 28.2, 1 Fredberg 1.3

<https://xeno-canto.org/812654>

**383. Spectacled Thrush/Turdus nudigenis nudigenis**

1 Zanderij 17.2, 2 Peperpot 18.2, 5 Peperpot 19.2

<https://xeno-canto.org/823857>

**384. Campina Thrush/Turdus arthuri**

1 Zanderij 17.2, close to the airport.

**385. White-necked Thrush/Turdus albicollis phaeopygus**

3 Kabalebo 22.2, 1 Kabalebo 22.2, 1 Fredberg 27.2, 2 Brownsberg 2.3, 1 Brownsberg 3.3

<https://xeno-canto.org/824288>

<https://xeno-canto.org/824289>

**386. Tropical Mockingbird/Mimus gilvus gilvus**

Locally common (for instance Zanderij and Peperpot). Just a few at Kabalebo

**387. Black-faced Tanager/Schistochlamys melanopsis melanopsis**

1 Zanderij 16.2, 3 Zanderij 17.2

**388. Red-billed Pied-Tanager/Lamprospiza melanoleuca**

5 Fredberg 27.2, 9 Fredberg 28.2

**389. Hooded Tanager/Nemosia pileate surinamensis**

2 Peperpot 18.2

**390. Flame-crested Tanager/Loriotus cristatus intercedens**

2 Zanderij 17.2, 1 Fredberg 28.2

**391. Fulvous-crested Tanager/Tachyphonus surinamus surinamus**

2 Fredberg 28.2

**392. White-lined Tanager/Tachyphonus rufus**

Common at Peperpot. Moreover, 2 Zanderij 16.2, 4 Weg naar Zee 19.2, c.20 Paramaribo outskirts 21.2, 1 Kabalebo 25.2, 2 en route to Seliba 4.3

**393. Red-shouldered Tanager/Tachyphonus phoenicius**

5 Zanderij 17.2, 4 Zanderij 18.2

**394. Fulvous Shrike-Tanager/Lanio fulvus fulvus**

4 Fredberg 1.3, 2 Brownsberg 3.3

**395. Silver-beaked Tanager/Ramphocelus carbo carbo**

Common throughout. The most common tanager.

<https://xeno-canto.org/823850>

**396. Blue-grey Tanager/Thraupis episcopus episcopus**

Locally common.

**397. Palm Tanager/Thraupis palmarum melanoptera**

Locally common.

- 398. Blue-backed Tanager/*Cyanicterus cyanicterus***  
2 (mf) Fredberg 28.2, 1 Brownsberg 3.3
- 399. Burnished-buff Tanager/*Stilpnia cayana cayana***  
4 Zanderij 17.2, 2 Zanderij 18.2
- 400. Spotted Tanager/*Ixothraupis punctata punctata***  
1 Fredberg 1.3
- 401. Paradise Tanager/*Tangara chilensis paradisea***  
2 Fredberg 27.2
- 402. Opal-rumped Tanager/*Tangara velia velia***  
2 Fredberg 27.2, 3 Fredberg 28.2
- 403. Turquoise Tanager/*Tangara mexicana mexicana***  
2 Colakreek 17.2, 4 Zanderij 18.2, 2 Peperpot 19.2, 2 Kabalebo 22.2, 6 Fredberg 27.2, 4 Fredberg 28.2, 1 Seliba 4.3
- 404. Bay-headed Tanager/*Tangara gyrola gyrola***  
1 Fredberg 27.2
- 405. Black-faced Dacnis/*Dacnis lineata***  
2 Zanderij 16.2, 2 Fredberg 27.2
- 406. Blue Dacnis/*Dacnis cayana cayana***  
1 Zanderij 16.2, 1 Zanderij 17.2, 2 Zanderij 18.2, 6 Fredberg 27.2, c.10 Fredberg 28.2, 4 Fredberg 1.3
- 407. Purple Honeycreeper/*Cyanerpes caeruleus caeruleus***  
1 Zanderij 16.2, 2 Zanderij 17.2, 2 Fredberg 27.2, 4 Fredberg 28.2, 4 Brownsberg 3.3
- 408. Red-legged Honeycreeper/*Cyanerpes cyaneus cyaneus***  
2 Zanderij 16.2, 3 Zanderij 17.2, 3 Fredberg 27.2, c.20 Fredberg 28.2, 4 Fredberg 1.3  
<https://xeno-canto.org/823821>
- 409. Green Honeycreeper/*Chlorophanes spiza spiza***  
2 Zanderij 17.2, 2 Zanderij 18.2, 2 Fredberg 27.2, 6 Fredberg 28.2, 2 Fredberg 1.3, 2 Seliba 4.3
- 410. Yellow-backed Tanager/*Hemithraupis flavicollis flavicollis***  
2 Fredberg 28.2
- 411. Bicolored Conebill/*Conirostrum bicolor bicolor***  
1 Weg naar Zee 19.2
- 412. Bananaquit/*Coereba flaveola guianensis***  
2 Zanderij 16.2, c.10 Zanderij 17.2, c.10 Zanderij 18.2, 1 Peperpot 20.2, 2 Kabalebo 21.2, 1 Kabalebo 22.2, 2 Kabalebo 23.2, 2 Fredberg 27.2, 9 Fredberg 28.2, 3 Fredberg 1.3
- 413. Slate-colored Grosbeak/*Saltator grossus grossus***  
2 Fredberg 27.2, 2 Fredberg 28.2, 5 Fredberg 1.3
- 414. Buff-throated Saltator/*Saltator maximus maximus***  
2 Peperpot 18.2, 3 Peperpot 19.2, 2 Kabalebo 26.2, 1 Fredberg 28.2

**415. Olive-grey Saltator/Saltator olivascens olivascens**

1 Peperpot 19.2, 1 Peperpot 21.2, 3 Paramaribo outskirts 21.2, 1 Fredberg 27.2

**416. Grassland Sparrow/Ammodramus humeralis humeralis**

Only seen at the vicinity of the Zanderij airport: c.15 on 17.2 and 5 on 18.2

**417. Blue-back Grassquit/Volatinia jacarina splendens**

2 Zanderij 18.2, 2 Peperpot 18.2, c.10 Peperpot 19.2, 6 Weg naar Zee 19.2, 3 Peperpot 20.2, 1 Peperpot 21.2, c.20 Paramaribo outskirts 21.2, 3 Brownsdorp 26.2, 4 Fredberg 27.2, 6 Fredberg 28.2, c.20 en route to Seliba 4.3

**418. Wing-barred Seedeater/Sporophila americana americana**

Locally common at e.g. Kabalebo and the greater Paramaribo area.

**419. Yellow-bellied Seedeater/Sporophila nigricollis nigricollis**

3 Kabalebo 25.2

**420. Ruddy-breasted Seedeater/Sporophila minuta minuta**

1 Zanderij 17.2, 2 en route to Paramaribo 18.2, 2 en route to Seliba 4.3

**421. Chestnut-bellied Seed Finch/Sporophila angolensis torrida**

5 Kabalebo 22.2, 3 Kabalebo 24.2

<https://xeno-canto.org/812146>

**422. Pectoral Sparrow/Arremon taciturnus taciturnus**

1 Brownsberg 3.3, 1 Seliba 4.3

<https://xeno-canto.org/823789>

<https://xeno-canto.org/823790>

**423. Rose-breasted Chat/Granatellus pelzelni pelzelni**

It took us a while, but in the end we had good views of a pair at the Berlijn area on 16.2.

**424. Yellow-green Grosbeak/Caryothraustes canadensis canadensis**

1 Fredberg 27.2, 2 Fredberg 28.2, 1 Fredberg 1.3, 1 Seliba 4.3

**425. Red-and-black Grosbeak/Periporphyrus erythromelas**

2 males Fredberg 1.3, 2 heard Brownsberg 2.3, 2 mf Brownsberg 3.3

<https://xeno-canto.org/823813>

<https://xeno-canto.org/823815>

<https://xeno-canto.org/823816>



(HG)

**426. Amazonian Grosbeak/*Cyanoloxia rothschildii***

2 Kabalebo 23.2, 1 Brownsberg 2.3, 1 Seliba 4.3

<https://xeno-canto.org/810425>

**427. American Yellow Warbler/*Setophaga aestiva* (ssp unknown)**

5 Weg naar Zee 19.2

<https://xeno-canto.org/824294>

**428. Blackpoll Warbler/*Setophaga striata***

1 Kabalebo 21.2

**429. Riverbank Warbler/*Myiothlypis rivularis mesoleuca***

HO: Peperpot 20.2

**430. Masked Yellowthroat/*Geothlypis aequinoctialis***

2 (mf) at Para 18.2

**431. Green Oropendola/*Psarocolius viridis***

c.15 Zanderij 16.2, 3 Zanderij 18.2, 3 Kabalebo 24.2, 5 Fredberg 27.2, c.10 Fredberg 28.2, c.10 Fredberg 1.3, c.15 Fredberg 2.3

**432. Crested Oropendola/*Psarocolius decumanus decumanus***

c.20 Zanderij 16.2, 9 Zanderij 17.2, c.25 Zanderij 18.2, c.15 Peperpot 18.2, c.10 Peperpot 19.2, c.10 Peperpot 20.2, 4 Peperpot 21.2, c.10 Kabalebo 21.2, c.25 Kabalebo 22.2, c.15 Kabalebo 24.2, c.10 Kabalebo 25.2, 10 Onverwacht 26.2, c.10 Seliba 4.3

**433. Yellow-rumped Cacique/Cacicus cela cela**

Fairly common at Zanderij and Kabalabo.. Further, c.10 Peperpot 18.2, 2 Peperpot 20.2, 7 boat trip to Bakkie 20.2, 3 Fredberg 28.2

**434. Red-rumped Cacique/Cacicus haemorrhous haemorrhous**

c.15 Zanderij 16.2, c.15 Zanderij 17.2, 5 Zanderij 18.2

**435. Epaulet Oriole/Icterus cayanensis cayanensis**

1 Kabalebo 22.2, 2 Fredberg 27.2, 1 Fredberg 28.2, 2 Fredberg 1.3

**436. Yellow Oriole/Icterus nigrogularis nigrogularis**

3 Weg naar Zee 19.2, 2 Paramaribo outskirts 21.2, 1 Kabalebo 21.2



(HG)

**437. Giant Cowbird/Molothrus oryzivorus oryzivorus**

1 Zanderij 16.2, 4 Zanderij 17.2, 2 Zanderij 18.2, c.15 Kabalebo 21.2, 6 Kabalebo 22.2, 5 Kabalebo 23.2, 10 Kabalebo 24.2, 6 Kabalebo 25.2, 3 en route to Brownsberg 2.3

**438. Shiny Cowbird/Molothrus bonariensis minimus**

1 Zanderij 16.2, 2 Paramaribo 18.2, 2 Peperpot 18.2, 1 Peperpot 19.2, c.40 Paramaribo 19.2, 1 en route to Seliba 4.3

**439. Yellow-hooded Blackbird/Chrysomus icterocephalus icterocephalus**

12 Paramaribo outskirts 21.2

**440. Red-breasted Blackbird/Leistes militaris**

Common at Zanderij, also 3 Weg naar Zee 19.2

<https://xeno-canto.org/823818>

**441. Eastern Meadowlark/Sturnella magna praticola**

4 Zanderij 17.2, 2 Zanderij 18.2

**442. House Sparrow/Passer domesticus domesticus**



2 Weg naar Zee 19.2

**443. Finsch's Euphonia/Euphonia finschi**

1 Fredberg 2.3, 1 Brownsberg 3.3

**444. Violaceous Euphonia/Euphonia violacea violacea**

2 Zanderij 16.2, 5 Zanderij 17.2, 6 Kabalebo 22.2, 3 Kabalebo 23.2, 1 Kabalebo 24.2

**445. White-vented Euphonia/Euphonia minuta minuta**

1 Zanderij 16.2, 2 Zanderij 17.2, 1 Zanderij 18.2

**446. Golden-sided Euphonia/Euphonia cayenensis**

1 Fredberg 28.2, 2 Fredberg 1.3, 1 Brownsberg 3.3

**MAMMAL LIST (Nomenclature: Handbook of the mammals of the world)**

**1. Brown Four-eyed Opossum/Metachirus nudicaudatus nudicaudatus**

1 Brownsberg 2.3

**2. Pale-throated Three-toed Sloth/Bradypus tridactylus**

3 Peperpot 18.2, 1 Peperpot 19.2, 2 Peperpot 20.2

**3. Linnaeus's Two-toed Sloth/Choloepus didactylus**

1 Peperpot 18.2



(HG)

**4. Guianan Brown Capuchin/Sapajus apella**

1 Peperpot 19.2, 4 Peperpot 20.2, 2 Kabalebo 21.2, 5 Kabalebo 23.2, 1 Fredberg 27.2, c.15 Brownsberg 2.3, c.15 Brownsberg 3.3

**5. Midas Tamarin/Saguinus midas**

4 Zanderij 17.2, 9 Zanderij 18.2, c.10 Fredberg 27.2, 1 Fredberg 28.2, 3 Fredberg 1.3

**6. Guianan Squirrel Monkey/Saimiri sciureus**

2 Zanderij 17.2, 2 Peperpot 20.2, 5 Kabalebo 22.2

**7. White-faced Saki/Pithecia Pithecia pithecia**

3 Zanderij 18.2, 1 Kabalebo 22.2

**8. Guianan Bearded Saki/Chiropotes sagulatus**

2 Fredberg 1.3, 1 Brownsberg 3.3

**9. Guianan Red Howler/Alouatta macconnelli**

Heard in all forested areas we visited, especially at dusk. Just two groups seen well: 4 at Kabalebo 21.2 and 4 at Brownsberg 3.3

**10. Red-faced Black Spider Monkey/Ateles paniscus**

Heard only: Kabalebo 23.2, Fredberg 27.2 & 1.3, Brownsberg 2.3

**11. Neotropical Pygmy Squirrel/Sciurillus pusillus pusillus**

1 Fredberg 1.3



(HG)

**12. Greater Capybara/Hydrochoerus hydrochaeris**

6 Kabalebo 22.2

**13. Common Red-rumped Agouti/Dasyprocta leporina**

2 Peperpot 20.2, 1 Kabalebo 21.2, 4 Kabalebo 22.2, 4 Kabalebo 23.2, 3 Kabalebo 24.2, 1 Kabalebo 25.2, 2 Brownsberg 3.3



(HG)

**14. Giant Otter/Pteronura brasiliensis**

5 Kabalebo 21.2, 9 Kabalebo 22.2, 4 Kabalebo 23.2



(HG)

**15. Tayra/Eira barbara poliocephala**

2 en route to Seliba 4.3

**16. Lowland Tapir/Tapirus terrestris terrestris**

1 Kabalebo river 22.2, 1 Kabalebo lodge 23.2 (Mathilda), 1 Kabalebo Lodge 25.2 (Brutus)

**17. Common Red Brocket/Mazama americana**

1 Fredberg 1.3, 1 Brownsberg 3.3

**18. Amazonian Brown Brocket/Mazama nemorivaga**

1 Fredberg 1.3

**VARIOUS**

**Spectacled Cayman**

1 Kabalebo 21.2, 3 Kabalebo 22.2, 1 Kabalebo 23.2, 1 Fredberg 27.2, 1 Fredberg 28.2



(HG)

Also seen:

Green Iguana

Harlequin Racerunner

Giant Ameiva

Rainbow Whiptail

Golden/Black Tegu

Peters' Lava Lizard

Cane Toad

Three-striped Poison Arrow Frog

Amazon Coachwhip

Brown Vine Snake



(HG)

Indigo Snake  
Boddaert's Tropical Racer



(HG)

**CHECKLIST** where to find specific species (based on various trip reports and occasional observations in eBird (e) and Observado (o)).

**v = regular**

**a = common**

**z = rare**

**h = sound is important**

		Colacreek/Zanderij/Powaka	Brownsberg	Fredberg	Peperpot/Chocopot/Cultuurtuin	Weg naar Zee/Warappa Creek	Kabalebo	
<u>Scientific name</u>	<u>English name</u>							
<i>Tinamus major</i>	Great Tinamou	v	v	v	v		v	h
<i>Crypturellus cinereus</i>	Cinereous Tinamou			v	v		a	h
<i>Crypturellus soui</i>	Little Tinamou	v		v	v		v	h
<i>Crypturellus erythropus</i>	Red-legged Tinamou	v					v	h
<i>Crypturellus variegatus</i>	Variegated Tinamou		v	v			v	h
	Rusty Tinamou			e				
<i>Dendrocygna bicolor</i>	Fulvous Whistling-Duck					o		
<i>Dendrocygna autumnalis</i>	Black-bellied Whistling-Duck					e		
<i>Cairina moschata</i>	Muscovy Duck	v						
<i>Spatula discors</i>	Blue-winged Teal					e		
<i>Anas bahamensis</i>	White-cheeked Pintail			e		e		
<i>Nomonyx dominicus</i>	Masked Duck						e	
<i>Penelope marail</i>	Marail Guan	v	v	v			v	h
<i>Penelope jacquacu</i>	Spix's Guan						v	
<i>Pipile cumanensis</i>	Blue-throated Piping-Guan						v	
<i>Ortalis motmot</i>	Variable Chachalaca	v		v	v		v	h
<i>Crav alector</i>	Black Curassow		v	v			v	h
<i>Colinus cristatus</i>	Crested Bobwhite	v						h
<i>Odontophorus gujanensis</i>	Marbled Wood-Quail	v	v	v				h

		Colacreek/Zanderij/Powaka	Brownsberg	Fredberg	Peperpot/Chocopot/Cultuurtuin	Weg naar Zee/Warappa Creek	Kabalebo	
<i>Phoenicopterus ruber</i>	American Flamingo					e		
<i>Tachybaptus dominicus</i>	Least Grebe	v			v			
<i>Podilymbus podiceps</i>	Pied-billed Grebe				e		e	
<i>Patagioenas speciosa</i>	Scaled Pigeon	v		v				
<i>Patagioenas cayennensis</i>	Pale-vented Pigeon	a			v			h
<i>Patagioenas plumbea</i>	Plumbeous Pigeon	v	v	v	v			h
<i>Patagioenas subvinacea</i>	Ruddy Pigeon		v	v				h
<i>Geotrygon montana</i>	Ruddy Quail-Dove		v					
<i>Geotrygon violacea</i>	Violaceous Quail-Dove		v					h
<i>Leptotila verreauxi</i>	White-tipped Dove	v	v	v			v	
<i>Leptotila rufavilla</i>	Gray-fronted Dove		a	v	a		a	h
<i>Zenaida auriculata</i>	Eared Dove	v					v	
<i>Claravis pretiosa</i>	Blue Ground Dove	v		v			v	
<i>Columbina passerina</i>	Common Ground Dove	v		v				
<i>Columbina minuta</i>	Plain-breasted Ground Dove						v	
<i>Columbina talpacoti</i>	Ruddy Ground Dove	v			a	v	v	
<i>Crotophaga major</i>	Greater Ani				a	v	v	
<i>Crotophaga ani</i>	Smooth-billed Ani	v		v	v	v	a	
<i>Tapera naevia</i>	Striped Cuckoo					v		h
<i>Coccyzua minuta</i>	Little Cuckoo			v	v		v	
<i>Piaya cayana</i>	Squirrel Cuckoo		v	v	v		v	h
<i>Piaya melanogaster</i>	Black-bellied Cuckoo	v		v				
<i>Coccyzus minor</i>	Mangrove Cuckoo					e		
<i>Nyctibius grandis</i>	Great Potoo				v		v	
<i>Nyctibius aethereus</i>	Long-tailed Potoo		o	e			e	
<i>Nyctibius griseus</i>	Common Potoo	v		v			v	h
<i>Nyctibius leucopterus</i>	White-winged Potoo		z					

		Colacreek/Zanderij/Powaka	Brownsberg	Fredberg	Peperpot/Chocopot/Cultuurtuin	Weg naar Zee/Warappa Creek	Kabalebo	
<i>Phyllaemulor bracteatus</i>	Rufous Potoo						z	
<i>Chordeiles nacunda</i>	Nacunda Nighthawk						e	
<i>Chordeiles acutipennis</i>	Lesser Nighthawk	v						h
<i>Lurocalis semitorquatus</i>	Short-tailed Nighthawk		v	v				
<i>Nyctipolus nigrescens</i>	Blackish Nightjar	v	v	v				
<i>Nyctidromus albicollis</i>	Common Pauraque	v		v	v		v	h
<i>Hydropsalis cayennensis</i>	White-tailed Nightjar	v		v				h
<i>Hydropsalis maculicaudus</i>	Spot-tailed Nightjar	e		o			o	
<i>Hydropsalis climacocerca</i>	Ladder-tailed Nightjar						a	
<i>Antrostomus rufus</i>	Rufous Nightjar						v	
<i>Cypseloides cryptus</i>	White-chinned Swift							
<i>Streptoprocne zonaris</i>	White-collared Swift		e				e	
<i>Chaetura spinicaudus</i>	Band-rumped Swift	v	a	a			a	11
<i>Chaetura chapmani</i>	Chapman's Swift		v	v				13
<i>Chaetura meridionalis</i>	Sick's Swift		o		e	e		
<i>Chaetura brachyura</i>	Short-tailed Swift		v		a	a		
<i>Tachornis squamata</i>	Fork-tailed Palm-Swift	a			v			
<i>Panyptila cayennensis</i>	Lesser Swallow-tailed Swift	v	v	v				
<i>Topaza pella</i>	Crimson Topaz			v			v	
<i>Florisuga mellivora</i>	White-necked Jacobin	v	v	v	v		v	
<i>Glaucis hirsutus</i>	Rufous-breasted Hermit			v	a		v	
<i>Threnetes leucurus</i>	Pale-tailed Barbthroat			v			v	
<i>Phaethornis longuemareus</i>	Little Hermit			v	v		v	
<i>Phaethornis ruber</i>	Reddish Hermit	v	v	v			v	
<i>Phaethornis bourcierii</i>	Straight-billed Hermit		v	v			v	h
<i>Phaethornis superciliosus</i>	Long-tailed Hermit	v	a	v			v	
<i>Phaethornis malaris</i>	Great-billed Hermit						v	



		Colacreek/Zanderij/Powaka	Brownsberg	Fredberg	Peperpot/Chocopot/Cultuurtuin	Weg naar Zee/Warappa Creek	Kabalebo	
<i>Colibri delphinae</i>	Brown Violetear		o					
<i>Heliostyris auritus</i>	Black-eared Fairy	v	v	v			v	
<i>Polytmus gainumbi</i>	White-tailed Goldenthrout			v				
<i>Polytmus theresiae</i>	Green-tailed Goldenthrout	v		v			v	
	Fiery-tailed Aowlbill		o	e				
<i>Chrysolampis mosquitos</i>	Ruby-topaz Hummingbird	v						
<i>Anthracothorax viridigula</i>	Green-throated Mango				v			
<i>Anthracothorax nigricollis</i>	Black-throated Mango	v		v	v		v	
<i>Discosura longicauda</i>	Racket-tipped Thorntail		v	v				
<i>Lophornis ornatus</i>	Tufted Coquette		v	v				
<i>Helimaster longirostris</i>	Long-billed Starthroat	v			v			
<i>Calliphlox amethystina</i>	Amethyst Woodstar	v		v				
<i>Chlorostilbon mellisugus</i>	Blue-tailed Emerald						v	
<i>Campylopterus largipennis</i>	Gray-breasted Sabrewing	v	v	a			v	
<i>Thalurania furcata</i>	Fork-tailed Woodnymph	v	v	v			a	
<i>Eupetomena macroura</i>	Swallow-tailed Hummingbird							
<i>Saucerottia viridigaster</i>	Green-bellied Hummingbird						v	
<i>Chrysuronia brevirostris</i>	White-chested Emerald						v	
<i>Chrysuronia leucogaster</i>	Plain-bellied Emerald				v		v	
<i>Chionomesa fimbriata</i>	Glittering-throated Emerald	v			v			
<i>Hylocharis sapphirina</i>	Rufous-throated Sapphire	v	v	v			v	
<i>Chlorestes cyanus</i>	White-chinned Sapphire	v	v	v			a	
<i>Chlorestes notata</i>	Blue-chinned Sapphire				v		v	
<i>Opisthocomus hoazin</i>	Hoatzin							
<i>Aramus guarauna</i>	Limpkin					v		
<i>Psophia crepitans</i>	Gray-winged Trumpeter		v	v			v	h
<i>Rallus longirostris</i>	Mangrove Rail					e		

		Colacreek/Zanderij/Powaka	Brownsberg	Fredberg	Peperpot/Chocopot/Cultuurtuin	Weg naar Zee/Warappa Creek	Kabalebo	
<i>Porphyrio martinica</i>	Purple Gallinule				v		v	
<i>Porphyrio flavirostris</i>	Azure Gallinule	e			e	e		
<i>Anurolimnas viridis</i>	Russet-crowned Crake	v						h
<i>Laterallus melanophaius</i>	Rufous-sided Crake				v			h
<i>Laterallus evilis</i>	Gray-breasted Crake	e	o			e		
<i>Mustelirallus albicollis</i>	Ash-throated Crake	v	v					h
<i>Mustelirallus erythroptus</i>	Paint-billed Crake						v	
<i>Pardirallus maculatus</i>	Spotted Rail		o		e			
<i>Aramides cajaneus</i>	Gray-cowled Wood-Rail		v				v	
<i>Aramides avillaris</i>	Rufous-necked Wood-Rail							
<i>Porzana flaviventer</i>	Yellow-breasted Crake	e			e			
<i>Gallinula galeata</i>	Common Gallinule							
<i>Heliornis fulica</i>	Sungrebe				v			
<i>Pluvialis dominica</i>	American Golden-Plover						v	
<i>Pluvialis squatarola</i>	Black-bellied Plover					v		
<i>vanellus cayanus</i>	Pied Lapwing						v	
<i>vanellus chilensis</i>	Southern Lapwing							
<i>Charadrius semipalmatus</i>	Semipalmated Plover				v	v	v	
<i>Charadrius wilsonia</i>	Wilson's Plover				e	e		
<i>Charadrius collaris</i>	Collared Plover						v	
<i>Himantopus mevicanus</i>	Black-necked Stilt					e		
<i>Bartramia longicauda</i>	Upland Sandpiper						v	
<i>Numenius phaeopus</i>	Whimbrel					v		
<i>Limosa haemastica</i>	Hudsonian Godwit					e		
<i>Arenaria interpres</i>	Ruddy Turnstone					v		
<i>Calidris canutus</i>	Red Knot					e		
<i>Calidris himantopus</i>	Stilt Sandpiper					e		

		Colacreek/Zanderij/Powaka	Brownsberg	Fredberg	Peperpot/Chocopot/Cultuurtuin	Weg naar Zee/Warappa Creek	Kabalebo	
<i>Calidris alba</i>	Sanderling					e		
<i>Calidris minutilla</i>	Least Sandpiper				o	v		
<i>Calidris fuscicollis</i>	White-rumped Sandpiper					e	o	
<i>Calidris melanotos</i>	Pectoral Sandpiper	e			v			
<i>Calidris pusilla</i>	Semipalmated Sandpiper					a		
<i>Calidris mauri</i>	Western Sandpiper					e		
<i>Limnodromus griseus</i>	Short-billed Dowitcher					e		
<i>Gallinago undulata</i>	Giant Snipe	e						
<i>Gallinago paraguaiae</i>	South American Snipe	v						
<i>Actitis macularius</i>	Spotted Sandpiper	v			v	v	v	
<i>Tringa solitaria</i>	Solitary Sandpiper	v			v	v	v	
<i>Tringa melanoleuca</i>	Greater Yellowlegs					v		
<i>Tringa semipalmata</i>	Willet					v		
<i>Tringa flavipes</i>	Lesser Yellowlegs					v	v	
<i>Jacana jacana</i>	Wattled Jacana				a	v	v	
<i>Rynchops niger</i>	Black Skimmer				v	v		
<i>Chroicocephalus ridibundus</i>	Black-headed Gull							
<i>Leucophaeus atricilla</i>	Laughing Gull				v	v		
<i>Larus fuscus</i>	Lesser Black-backed Gull				v			
<i>Onychoprion fuscatus</i>	Sooty Tern							
<i>Sternula antillarum</i>	Least Tern					v		
<i>Sternula superciliaris</i>	Yellow-billed Tern					e		
<i>Phaetusa simplex</i>	Large-billed Tern				o	e		
<i>Gelochelidon nilotica</i>	Gull-billed Tern					e		
<i>Chlidonias niger</i>	Black Tern							
<i>Sterna hirundo</i>	Common Tern					e		
<i>Sterna dougallii</i>	Roseate Tern							

		Colacreek/Zanderij/Powaka	Brownsberg	Fredberg	Peperpot/Chocopot/Cultuurtuin	Weg naar Zee/Warappa Creek	Kabalebo	
<i>Thalasseus sandvicensis</i>	Sandwich Tern					e		
<i>Thalasseus mavimus</i>	Royal Tern					v		
<i>Eurypyga helias</i>	Sunbittern	v					v	
<i>Ciconia maguari</i>	Maguari Stork							
<i>Jabiru mycteria</i>	Jabiru					e		
<i>Mycteria americana</i>	Wood Stork					v		
<i>Fregata magnificens</i>	Magnificent Frigatebird					v		
<i>Anhinga anhinga</i>	Anhinga						v	
<i>Phalacrocorax brasilianus</i>	Neotropic Cormorant						v	
<i>Pelecanus occidentalis</i>	Brown Pelican					v		
<i>Tigrisoma lineatum</i>	Rufescent Tiger-Heron	v			v		v	
<i>Tigrisoma fasciatum</i>	Fasciated Tiger-Heron			e			e	
<i>Agamia agami</i>	Agami Heron				e		e	
<i>Cochlearius cochlearius</i>	Boat-billed Heron				v		v	
<i>Zebrilus undulatus</i>	Zigzag Heron			v			v	h
<i>Botaurus pinnatus</i>	Pinnated Bittern	e			e			
<i>Ivobrychus evilis</i>	Least Bittern					v		
<i>Ivobrychus involucris</i>	Stripe-backed Bittern				e	o		
<i>Nycticorax nycticorax</i>	Black-crowned Night-Heron					v	v	
<i>Nyctanassa violacea</i>	Yellow-crowned Night-Heron					v		
<i>Butorides striata</i>	Striated Heron	v	v		v	v	v	
<i>Bubulcus ibis</i>	Cattle Egret				v	v	v	
<i>Ardea cocoi</i>	Cocoi Heron					v	v	
<i>Ardea alba</i>	Great Egret				v	v	v	
<i>Pilherodius pileatus</i>	Capped Heron			v			v	
<i>Egretta tricolor</i>	Tricolored Heron					v	v	
<i>Egretta thula</i>	Snowy Egret				v	v	v	

		Colacreek/Zanderij/Powaka	Brownsberg	Fredberg	Peperpot/Chocopot/Cultuurtuin	Weg naar Zee/Warappa Creek	Kabalebo	
<i>Egretta caerulea</i>	Little Blue Heron				v	v	v	
<i>Eudocimus ruber</i>	Scarlet Ibis					v		
<i>Mesembrinibis cayennensis</i>	Green Ibis	v		v			v	h
<i>Platalea ajaja</i>	Roseate Spoonbill					v		
<i>Sarcoramphus papa</i>	King Vulture	v	v	v			v	
<i>Coragyps atratus</i>	Black Vulture	a	v		v	a	v	
<i>Cathartes aura</i>	Turkey Vulture	v			v		v	
<i>Cathartes burrovianus</i>	Lesser Yellow-headed Vulture	a			v			
<i>Cathartes melambrotus</i>	Greater Yellow-headed Vulture	v	a	a	v		v	
<i>Pandion haliaetus</i>	Osprey				v	v	v	
<i>Elanus leucurus</i>	White-tailed Kite				o	e		
<i>Gampsonyx swainsonii</i>	Pearl Kite		v					
<i>Chondrohierax uncinatus</i>	Hook-billed Kite	v			v			
<i>Leptodon cayanensis</i>	Gray-headed Kite	v	v	v			v	h
<i>Elanoides forficatus</i>	Swallow-tailed Kite	v	a	v			v	
<i>Morphnus guianensis</i>	Crested Eagle		o	z	o		o	
<i>Harpia harpyja</i>	Harpy Eagle		o	e			z	h
<i>Spizaetus tyrannus</i>	Black Hawk-Eagle	v		v			v	h
<i>Spizaetus melanoleucus</i>	Black-and-white Hawk-Eagle		v	v				
<i>Spizaetus ornatus</i>	Ornate Hawk-Eagle		v	v				h
<i>Busarellus nigricollis</i>	Black-collared Hawk				v	v		
<i>Rostrhamus sociabilis</i>	Snail Kite				v	v		
<i>Helicolestes hamatus</i>	Slender-billed Kite	v			a			
<i>Harpagus bidentatus</i>	Double-toothed Kite	v	v	v			v	
<i>Harpagus diodon</i>	Rufous-thighed Kite							
<i>Ictinia plumbea</i>	Plumbeous Kite	v	v	a	v		v	
<i>Circus buffoni</i>	Long-winged Harrier				v	v		

		Colacreek/Zanderij/Powaka	Brownsberg	Fredberg	Peperpot/Chocopot/Cultuurtuin	Weg naar Zee/Warappa Creek	Kabalebo	
<i>Accipiter poliogaster</i>	Gray-bellied Hawk		o	z				
<i>Accipiter superciliosus</i>	Tiny Hawk			v	v			
<i>Accipiter bicolor</i>	Bicolored Hawk						v	
<i>Geranospiza caerulescens</i>	Crane Hawk	v			v			
<i>Buteogallus anthracinus</i>	Common Black Hawk							
<i>Buteogallus aequinoctialis</i>	Rufous Crab Hawk				v	v		
<i>Buteogallus meridionalis</i>	Savanna Hawk					v		
<i>Buteogallus urubitinga</i>	Great Black Hawk			v	v	v	v	
<i>Rupornis magnirostris</i>	Roadside Hawk	v	v		v	v		
<i>Geranoaetus albicaudatus</i>	White-tailed Hawk	v	e	e			e	
<i>Pseudastur albicollis</i>	White Hawk		v	v			v	
<i>Leucopternis melanops</i>	Black-faced Hawk	v		v				h
<i>Buteo nitidus</i>	Gray-lined Hawk	v		v	v		v	
<i>Buteo platypterus</i>	Broad-winged Hawk		v					
<i>Buteo brachyurus</i>	Short-tailed Hawk		v					
<i>Buteo albonotatus</i>	Zone-tailed Hawk		v		v	v		
<i>Tyto alba</i>	Barn Owl	v			v			
<i>Megascops choliba</i>	Tropical Screech-Owl	v						
<i>Megascops roraimae</i>	Foothill Screech-Owl (Roraima)		v					h
<i>Megascops watsonii</i>	Tawny-bellied Screech-Owl		v	v			v	
<i>Lophostriv cristata</i>	Crested Owl	v		v				h
<i>Pulsatriv perspicillata</i>	Spectacled Owl	v	v	v			v	
<i>Bubo virginianus</i>	Great Horned Owl							
<i>Ciccaba virgata</i>	Mottled Owl	e	e	e	e			
<i>Ciccaba huhula</i>	Black-banded Owl	v						
<i>Glaucidium hardyi</i>	Amazonian Pygmy-Owl			v			v	h
<i>Glaucidium brasilianum</i>	Ferruginous Pygmy-Owl				e			

		Colacreek/Zanderij/Powaka	Brownsberg	Fredberg	Peperpot/Chocopot/Cultuurtuin	Weg naar Zee/Warappa Creek	Kabalebo	
<i>Athene cunicularia</i>	Burrowing Owl	v						
<i>Asio clamator</i>	Striped Owl	v						h
<i>Asio stygius</i>	Stygian Owl						o	
<i>Asio flammeus</i>	Short-eared Owl							
<i>Trogon melanurus</i>	Black-tailed Trogon	v	v	v				h
<i>Trogon viridis</i>	Green-backed Trogon	v	v	v	v		v	h
<i>Trogon violaceus</i>	Guianan Trogon (Violaceous Tr)	v	v	v	v		v	h
<i>Trogon rufus</i>	Black-throated Trogon		v	v				
<i>Trogon collaris</i>	Collared Trogon		v					h
<i>Momotus momota</i>	Amazonian Motmot		v	v			v	h
<i>Megaceryle torquata</i>	Ringed Kingfisher	v		v	v		v	
<i>Megaceryle alcyon</i>	Belted Kingfisher					o		
<i>Chloroceryle amazona</i>	Amazon Kingfisher			v			a	
<i>Chloroceryle aenea</i>	American Pygmy Kingfisher				v	v		
<i>Chloroceryle americana</i>	Green Kingfisher	v		v			a	
<i>Chloroceryle inda</i>	Green-and-rufous Kingfisher			v	v		v	
<i>Brachygalba lugubris</i>	Brown Jacamar	v		v			v	
<i>Galbula albirostris</i>	Yellow-billed Jacamar			v			v	h
<i>Galbula galbula</i>	Green-tailed Jacamar	v			v		v	h
<i>Galbula leucogastra</i>	Bronzy Jacamar	v					v	
<i>Galbula dea</i>	Paradise Jacamar	v		v			v	
<i>Jacamerops aureus</i>	Great Jacamar		v	v				h
<i>Notharchus macrorhynchos</i>	Guianan Puffbird		v	v			v	
<i>Notharchus tectus</i>	Pied Puffbird	v	v	v			v	
<i>Bucco tamatia</i>	Spotted Puffbird	v			v			
<i>Bucco capensis</i>	Collared Puffbird		v	v			v	
<i>Malacoptila fusca</i>	White-chested Puffbird			v				h

		Colacreek/Zanderij/Powaka	Brownsberg	Fredberg	Peperpot/Chocopot/Cultuurtuin	Weg naar Zee/Warappa Creek	Kabalebo	
<i>Nonnula rubecula</i>	Rusty-breasted Nunlet			v			v	h
<i>Monasa atra</i>	Black Nunbird			v			v	
<i>Chelidoptera tenebrosa</i>	Swallow-winged Puffbird	a		v	v		v	
<i>Capito niger</i>	Black-spotted Barbet	v	v	v	v		v	
<i>Ramphastos toco</i>	Toco Toucan					z		
<i>Ramphastos tucanus</i>	White-throated Toucan	v	v	v			v	h
<i>Ramphastos vitellinus</i>	Channel-billed Toucan	v	v	v			a	h
<i>Aulacorhynchus whitelianus</i>	Tepui Toucanet							
<i>Selenidera piperivora</i>	Guianan Toucanet		v	v			v	h
<i>Pteroglossus viridis</i>	Green Aracari		v	a			v	h
<i>Pteroglossus aracari</i>	Black-necked Aracari	v	v	v	v		v	
<i>Picumnus evilis</i>	Golden-spangled Piculet	v		v			v	
<i>Picumnus minutissimus</i>	Arrowhead Piculet				v	v		
<i>Melanerpes candidus</i>	White Woodpecker					z		
<i>Melanerpes cruentatus</i>	Yellow-tufted Woodpecker	v		a			v	
<i>Melanerpes rubricapillus</i>	Red-crowned Woodpecker					v		
<i>veniliornis cassini</i>	Golden-collared Woodpecker	v	v	v			v	
<i>veniliornis sanguineus</i>	Blood-colored Woodpecker				v	v		
<i>Campephilus rubricollis</i>	Red-necked Woodpecker	v	v	v			v	
<i>Campephilus melanoleucos</i>	Crimson-crested Woodpecker	v		v	v		v	
<i>Dryocopus lineatus</i>	Lineated Woodpecker	v		v			v	
<i>Celeus torquatus</i>	Ringed Woodpecker		v	v			v	h
<i>Celeus undatus</i>	Waved Woodpecker		v	v				h
<i>Celeus flavus</i>	Cream-colored Woodpecker	v		v	v		v	
<i>Celeus elegans</i>	Chestnut Woodpecker		v	v			v	
<i>Piculus flavigula</i>	Yellow-throated Woodpecker		v	v			v	
<i>Piculus chrysochloros</i>	Golden-green Woodpecker		e	e			e	



		Colacreek/Zanderij/Powaka	Brownsberg	Fredberg	Peperpot/Chocopot/Cultuurtuin	Weg naar Zee/Warappa Creek	Kabalebo	
<i>Colaptes rubiginosus</i>	Golden-olive Woodpecker		v					
<i>Colaptes punctigula</i>	Spot-breasted Woodpecker					v		
<i>Colaptes campestris</i>	Campo Flicker							
<i>Herpetotheres cachinnans</i>	Laughing Falcon	v			v	v	v	
<i>Micrastur ruficollis</i>	Barred Forest-Falcon						v	h
<i>Micrastur gilvicollis</i>	Lined Forest-Falcon		v	v				h
<i>Micrastur mirandollei</i>	Slaty-backed Forest-Falcon		v					h
<i>Micrastur semitorquatus</i>	Collared Forest-Falcon			v				h
<i>Caracara cheriway</i>	Crested Caracara	v						
<i>Ibycter americanus</i>	Red-throated Caracara		v	v			v	h
<i>Daptrius ater</i>	Black Caracara	v	v	v			v	
<i>Milvago chimachima</i>	Yellow-headed Caracara	v			v			
<i>Falco sparverius</i>	American Kestrel					e		
<i>Falco columbarius</i>	Merlin							
<i>Falco ruficularis</i>	Bat Falcon	v	v	v	v		v	
<i>Falco deiroleucus</i>	Orange-breasted Falcon			v				
<i>Falco femoralis</i>	Aplomado Falcon	v						
<i>Falco peregrinus</i>	Peregrine Falcon				v			
<i>Touit batavicus</i>	Lilac-tailed Parrotlet	v	v	v				
<i>Touit huetii</i>	Scarlet-shouldered Parrotlet							
<i>Touit purpuratus</i>	Sapphire-rumped Parrotlet			v				
<i>Nannopsittaca panychlora</i>	Tepui Parrotlet			o				
<i>Brotogeris chrysoptera</i>	Golden-winged Parakeet	a	a	a			v	
<i>Pyrilia caica</i>	Caica Parrot			v				
<i>Pionus fuscus</i>	Dusky Parrot	v	v	v			v	h
<i>Pionus menstruus</i>	Blue-headed Parrot		a	a			a	
<i>Amazona dufresniana</i>	Blue-cheeked Parrot		e	e			o	

		Colacreek/Zanderij/Powaka	Brownsberg	Fredberg	Peperpot/Chocopot/Cultuurtuin	Weg naar Zee/Warappa Creek	Kabalebo	
<i>Amazona ochrocephala</i>	Yellow-crowned Parrot						v	
<i>Amazona farinosa</i>	Mealy Parrot			v			v	h
<i>Amazona amazonica</i>	Orange-winged Parrot	v		v	a		a	
<i>Forpus modestus</i>	Dusky-billed Parrotlet			v				
<i>Forpus passerinus</i>	Green-rumped Parrotlet	v			a		v	
<i>Pionites melanocephalus</i>	Black-headed Parrot		v	v			v	
<i>Deroptus accipitrinus</i>	Red-fan Parrot		v	v			v	h
<i>Pyrrhura picta</i>	Painted Parakeet			a			v	
<i>Eupsittula aurea</i>	Peach-fronted Parakeet							
<i>Eupsittula pertinax</i>	Brown-throated Parakeet	v		v		v		
<i>Aratinga maculata</i>	Sulphur-breasted Parakeet							
<i>Orthopsittaca manilatus</i>	Red-bellied Macaw	a						
<i>Ara ararauna</i>	Blue-and-yellow Macaw						v	
<i>Ara macao</i>	Scarlet Macaw			v			v	
<i>Ara chloropterus</i>	Red-and-green Macaw			v			v	
<i>Ara severus</i>	Chestnut-fronted Macaw						v	
<i>Diopsittaca nobilis</i>	Red-shouldered Macaw	v						
<i>Psittacara leucophthalmus</i>	White-eyed Parakeet	v	v	v			a	
<i>Euchrepomis callinota</i>	Rufous-rumped Antwren			v				
<i>Euchrepomis spodioptila</i>	Ash-winged Antwren		v	v				h
<i>Cymbilaimus lineatus</i>	Fasciated Antshrike		v	v			v	h
<i>Frederickena viridis</i>	Black-throated Antshrike		v	v				h
<i>Taraba major</i>	Great Antshrike			v	v		v	
<i>Sakesphorus canadensis</i>	Black-crested Antshrike				a	v	v	h
<i>Thamnophilus doliatus</i>	Barred Antshrike	v		v	v			h
<i>Thamnophilus murinus</i>	Mouse-colored Antshrike	v	a	v			a	h
<i>Thamnophilus punctatus</i>	Northern Slaty-Antshrike	v		v	v			h

		Colacreek/Zanderij/Powaka	Brownsberg	Fredberg	Peperpot/Chocopot/Cultuurtuin	Weg naar Zee/Warappa Creek	Kabalebo	
<i>Thamnophilus melanothorax</i>	Band-tailed Antshrike		v	v				
<i>Thamnophilus amazonicus</i>	Amazonian Antshrike		a	v			a	
<i>Thamnomanes ardesiacus</i>	Dusky-throated Antshrike		v	v			v	
<i>Thamnomanes caesius</i>	Cinereous Antshrike	v	v	v			a	h
<i>Isleria guttata</i>	Rufous-bellied Antwren		v	v				
<i>Pygiptila stellaris</i>	Spot-winged Antshrike		v				v	
<i>Epinecrophylla gutturalis</i>	Brown-bellied Stipplethroat		v	v			v	
<i>Myrmotherula brachyura</i>	Pygmy Antwren	v	v	v			v	
<i>Myrmotherula surinamensis</i>	Guianan Streaked-Antwren			v	v		v	
<i>Myrmotherula avillaris</i>	White-flanked Antwren		v	v	v		a	
<i>Myrmotherula longipennis</i>	Long-winged Antwren		v	a			v	
<i>Myrmotherula menetriesii</i>	Gray Antwren		v	v			v	
<i>Herpsilochmus sticturus</i>	Spot-tailed Antwren	v		v				h
<i>Herpsilochmus stictocephalus</i>	Todd's Antwren	v	v	v				h
<i>Microrhopias quivensis</i>	Dot-winged Antwren			v			a	
<i>Formicivora grisea</i>	White-fringed Antwren	v	v	v				
	Rusty-backed Antwren			o			e	
<i>Hypocnemis cantator</i>	Guianan Warbling-Antbird	v	a	a	v		a	h
<i>Cercomacroides tyrannina</i>	Dusky Antbird		v	v			a	h
<i>Cercomacroides nigrescens</i>	Blackish Antbird	v			v		v	
<i>Cercomacra cinerascens</i>	Gray Antbird	v	v	v			a	h
<i>Myrmoborus leucophrys</i>	White-browed Antbird			v	v		a	h
<i>Hypocnemoides melanopogon</i>	Black-chinned Antbird		v		v			
<i>Sclateria naevia</i>	Silvered Antbird		v	v	v		v	h
<i>Percnostola rufifrons</i>	Black-headed Antbird	v	a	v			v	h
<i>Myrmelastes leucostigma</i>	Spot-winged Antbird			v			v	
<i>Myrmoderus ferrugineus</i>	Ferruginous-backed Antbird		v	v			v	h

		Colacreek/Zanderij/Powaka	Brownsberg	Fredberg	Peperpot/Chocopot/Cultuurtuin	Weg naar Zee/Warappa Creek	Kabalebo	
<i>Myrmophylax atrothorax</i>	Black-throated Antbird	v		v	v		v	
<i>Myrmornis torquata</i>	Wing-banded Antbird			v				h
<i>Pithys albifrons</i>	White-plumed Antbird		v	v			v	h
<i>Gymnophylax rufigula</i>	Rufous-throated Antbird		v	v			v	
<i>Hylophylax naevius</i>	Spot-backed Antbird		v	v				
<i>Willisornis poecilinotus</i>	Common Scale-backed Antbird		v	v			v	
<i>Conopophaga aurita</i>	Chestnut-belted Gnateater		o				e	
<i>Grallaria varia</i>	Variiegated Antpitta			v				h
<i>Hylopezus macularius</i>	Spotted Antpitta		v	v			v	h
<i>Myrmothera campanisona</i>	Thrush-like Antpitta	v	v	v			a	h
<i>Formicarius colma</i>	Rufous-capped Antthrush		v	v	v		v	h
<i>Formicarius analis</i>	Black-faced Antthrush		v	v				
<i>Sclerurus mevicanus</i>	Tawny-throated Leaf-tosser			v			v	
<i>Sclerurus rufularis</i>	Short-billed Leaf-tosser			v				
<i>Sclerurus caudatus</i>	Black-tailed Leaf-tosser		e					
<i>Certhiasomus stictolaemus</i>	Spot-throated Woodcreeper			o			o	
<i>Deconychura longicauda</i>	Long-tailed Woodcreeper	e	e	o			o	
<i>Dendrocincla merula</i>	White-chinned Woodcreeper			v				
<i>Dendrocincla fuliginosa</i>	Plain-brown Woodcreeper			v				h
<i>Glyphorhynchus spirurus</i>	Wedge-billed Woodcreeper		a	v	a		a	
<i>Dendrovetastes rufigula</i>	Cinnamon-throated Woodcreeper	v		v			v	h
<i>Dendrocolaptes certhia</i>	Amazonian Barred-Woodcreeper		v	v			v	
<i>Dendrocolaptes picumnus</i>	Black-banded Woodcreeper		v				v	
<i>Hylevetastes perrotii</i>	Red-billed Woodcreeper		z	z				
<i>Xiphorhynchus obsoletus</i>	Striped Woodcreeper				v			
<i>Xiphorhynchus pardalotus</i>	Chestnut-rumped Woodcreeper		v	v			v	
<i>Xiphorhynchus guttatus</i>	Buff-throated Woodcreeper	v	v	v			a	h

		Colacreek/Zanderij/Powaka	Brownsberg	Fredberg	Peperpot/Chocopot/Cultuurtuin	Weg naar Zee/Warappa Creek	Kabalebo	
<i>Dendroplev picus</i>	Straight-billed Woodcreeper				v			
<i>Campylorhamphus procurvoides</i>	Curve-billed Scythebill		e	e			o	
<i>Lepidocolaptes albolineatus</i>	Guianan Woodcreeper		v	v			v	
<i>Xenops tenuirostris</i>	Slender-billed Xenops			v			v	
<i>Xenops minutus</i>	Plain Xenops	v	v	a			v	
<i>Berlepschia rikeri</i>	Point-tailed Palmcreeper	v						h
<i>Microvenops milleri</i>	Rufous-tailed Xenops		e	e			o	
<i>Philydor erythrocercum</i>	Rufous-rumped Foliage-gleaner		v	v				
<i>Philydor pyrrhodes</i>	Cinnamon-rumped Foliage-gleaner			v				
<i>Anabacerthia ruficaudata</i>	Rufous-tailed Foliage-gleaner		v	v				
<i>Clibanornis rubiginosus</i>	Ruddy Foliage-gleaner						v	
<i>Automolus rufipileatus</i>	Chestnut-crowned Foliage-gleaner			v				
<i>Automolus ochrolaemus</i>	Buff-throated Foliage-gleaner			v				h
<i>Automolus infuscatus</i>	Olive-backed Foliage-gleaner		v	v				
<i>Cranioleuca gutturata</i>	Speckled Spinetail						o	
<i>Certhiavis cinnamomeus</i>	Yellow-chinned Spinetail				v	v		
<i>Synallaxis gujanensis</i>	Plain-crowned Spinetail				v		v	
<i>Synallaxis macconnelli</i>	McConnell's Spinetail			v				
<i>Synallaxis albescens</i>	Pale-breasted Spinetail	v			v			h
<i>Synallaxis rutilans</i>	Ruddy Spinetail			v			v	h
<i>Tyranneutes virescens</i>	Tiny Tyrant-Manakin			v				h
<i>Neopelma chrysocephalum</i>	Saffron-crested Tyrant-Manakin	v						h
<i>Chiroviphia pareola</i>	Blue-backed Manakin				v			
<i>Corapipo gutturalis</i>	White-throated Manakin		a	v				h
<i>venopipo atronitens</i>	Black Manakin	v						h
<i>Lepidothriv serena</i>	White-fronted Manakin		v	v				h
<i>Manacus manacus</i>	White-bearded Manakin	v		v			v	h

		Colacreek/Zanderij/Powaka	Brownsberg	Fredberg	Peperpot/Chocopot/Cultuurtuin	Weg naar Zee/Warappa Creek	Kabalebo	
<i>Pipra aureola</i>	Crimson-hooded Manakin				v			
<i>Diviphia pipra</i>	White-crowned Manakin	v		v				h
<i>Ceratopipra erythrocephala</i>	Golden-headed Manakin	v	v	v				h
<i>Phoenicircus carnifex</i>	Guianan Red-Cotinga		v	v				
<i>Rupicola rupicola</i>	Guianan Cock-of-the-rock			v				
<i>Haematoderus militaris</i>	Crimson Fruitcrow			z				h
<i>Querula purpurata</i>	Purple-throated Fruitcrow	v	v	v			v	h
<i>Perissocephalus tricolor</i>	Capuchinbird		v	v				h
<i>Cotinga cotinga</i>	Purple-breasted Cotinga			v				
<i>Cotinga cayana</i>	Spangled Cotinga	v	v	v				
<i>Lipaugus vociferans</i>	Screaming Piha		v	a			v	h
<i>Procnias albus</i>	White Bellbird		z					
<i>Xipholena punicea</i>	Pompadour Cotinga	v	v	v				
<i>Gymnoderus foetidus</i>	Bare-necked Fruitcrow						v	
<i>Tityra inquisitor</i>	Black-crowned Tityra			v			v	
<i>Tityra cayana</i>	Black-tailed Tityra	v	v	v	v		v	
<i>Schiffornis olivacea</i>	Olivaceous Schiffornis	v	v	v				h
<i>Laniocera hypopyrra</i>	Cinereous Mourner	v	v					
<i>Iodopleura fusca</i>	Dusky Purpletuft		o	z				
<i>Pachyramphus viridis</i>	Green-backed Becard			z				
<i>Pachyramphus rufus</i>	Cinereous Becard	v		v	v			
<i>Pachyramphus polychopterus</i>	White-winged Becard				v			
<i>Pachyramphus marginatus</i>	Black-capped Becard	v	v	v			z	
<i>Pachyramphus surinamus</i>	Glossy-backed Becard	v		v				
<i>Pachyramphus minor</i>	Pink-throated Becard	v		v			v	
<i>Ovyrunucus cristatus</i>	Sharpbill		v					h
<i>Onychorhynchus coronatus</i>	Royal Flycatcher				v			

		Colacreek/Zanderij/Powaka	Brownsberg	Fredberg	Peperpot/Chocopot/Cultuurtuin	Weg naar Zee/Warappa Creek	Kabalebo	
<i>Terenotriccus erythrurus</i>	Ruddy-tailed Flycatcher	v		v			v	
<i>Myiobius barbatus</i>	Sulphur-rumped Flycatcher	v		v			v	
<i>Piprites chloris</i>	Wing-barred Piprites		v	v				
<i>Neopipo cinnamomea</i>	Cinnamon Manakin-Tyrant			v				
<i>Platyrinchus saturatus</i>	Cinnamon-crested Spadebill		v					
<i>Platyrinchus coronatus</i>	Golden-crowned Spadebill			v				
<i>Platyrinchus platyrhynchos</i>	White-crested Spadebill			v				
<i>Corythopis torquatus</i>	Ringed Antpipit			v				
<i>Phylloscartes virescens</i>	Olive-green Tyrannulet		e		e			
<i>Mionectes oleagineus</i>	Ochre-bellied Flycatcher	v			v			
<i>Mionectes macconnelli</i>	McConnell's Flycatcher		v	v				
<i>Leptopogon amaurocephalus</i>	Sepia-capped Flycatcher		v					
<i>Rhynchocyclus olivaceus</i>	Olivaceous Flatbill			v				
<i>Tolmomyias sulphurescens</i>	Yellow-olive Flycatcher				v			
<i>Tolmomyias assimilis</i>	Yellow-margined Flycatcher		v	v				h
<i>Tolmomyias poliocephalus</i>	Gray-crowned Flycatcher		v	v	z		v	h
<i>Tolmomyias flaviventris</i>	Yellow-breasted Flycatcher	v		v	v			
<i>Myiornis ecaudatus</i>	Short-tailed Pygmy-Tyrant		v	v				
<i>Lophotriccus vitiosus</i>	Double-banded Pygmy-Tyrant	v		v			v	h
<i>Lophotriccus galeatus</i>	Helmeted Pygmy-Tyrant	v	v	v			v	h
<i>Hemitriccus josephinae</i>	Boat-billed Tody-Tyrant			z				
<i>Hemitriccus zosterops</i>	White-eyed Tody-Tyrant		v					
<i>Poecilatriccus fumifrons</i>	Smoky-fronted Tody-Flycatcher	v		v				
<i>Todirostrum maculatum</i>	Spotted Tody-Flycatcher				v			
<i>Todirostrum cinereum</i>	Common Tody-Flycatcher	v			v		v	
<i>Todirostrum pictum</i>	Painted Tody-Flycatcher	v		v	v			h
<i>Hirundinea ferruginea</i>	Cliff Flycatcher			v				

		Colacreek/Zanderij/Powaka	Brownsberg	Fredberg	Peperpot/Chocopot/Cultuurtuin	Weg naar Zee/Warappa Creek	Kabalebo	
<i>Zimmerius acer</i>	Guianan Tyrannulet		a	v				h
<i>Inezia caudata</i>	Pale-tipped Tyrannulet					v		
<i>Ornithion inerme</i>	White-lored Tyrannulet	v	v				v	h
<i>Camptostoma obsoletum</i>	Southern Beardless-Tyrannulet	v			v		v	
<i>Elaenia flavogaster</i>	Yellow-bellied Elaenia	v			v		v	h
	Small-billed Elaenia		o		e			
<i>Elaenia cristata</i>	Plain-crested Elaenia	v						
<i>Elaenia chiriquensis</i>	Lesser Elaenia	v						
<i>Elaenia ruficeps</i>	Rufous-crowned Elaenia	v						
<i>Tyrannulus elatus</i>	Yellow-crowned Tyrannulet	v	v	v	v		v	h
<i>Myiopagis gaimardii</i>	Forest Elaenia	v	v		v			h
<i>Myiopagis caniceps</i>	Gray Elaenia			z				
<i>Myiopagis flavivertex</i>	Yellow-crowned Elaenia	v			v			
<i>Capsiempis flaveola</i>	Yellow Tyrannulet		e		o			
<i>Phyllomyias griseiceps</i>	Sooty-headed Tyrannulet		e	e				
<i>Phaeomyias murina</i>	Mouse-colored Tyrannulet	v						
<i>Attila cinnamomeus</i>	Cinnamon Attila	v			v		v	h
<i>Attila spadiceus</i>	Bright-rumped Attila	v	v	v			v	h
<i>Legatus leucophaeus</i>	Piratic Flycatcher	v			v			
<i>Ramphotrigon ruficauda</i>	Rufous-tailed Flatbill	v	v					
<i>Pitangus sulphuratus</i>	Great Kiskadee	v	v	v	a	v	v	
<i>Pitangus lictor</i>	Lesser Kiskadee	v			v		v	
<i>Tyrannopsis sulphurea</i>	Sulphury Flycatcher	v		v				
<i>Megarynchus pitangua</i>	Boat-billed Flycatcher	v		v	a			
<i>Myiozetetes cayanensis</i>	Rusty-margined Flycatcher	a		a	a		v	
<i>Myiozetetes luteiventris</i>	Dusky-chested Flycatcher			v			v	
<i>Conopias parvus</i>	Yellow-throated Flycatcher	v	v	v				



		Colacreek/Zanderij/Powaka	Brownsberg	Fredberg	Peperpot/Chocopot/Cultuurtuin	Weg naar Zee/Warappa Creek	Kabalebo	
	Streaked Flycatcher	e			e	e	e	
<i>Empidonomus varius</i>	Variegated Flycatcher	v						
<i>Tyrannus albogularis</i>	White-throated Kingbird				e		e	
<i>Tyrannus melancholicus</i>	Tropical Kingbird	a		a	v		v	
<i>Tyrannus savana</i>	Fork-tailed Flycatcher	e	e	e	e	e	e	
<i>Tyrannus tyrannus</i>	Eastern Kingbird					e		
<i>Tyrannus dominicensis</i>	Gray Kingbird				v	v		
<i>Rhytipterna simplev</i>	Grayish Mourner	v	v	v			v	h
<i>Rhytipterna immunda</i>	Pale-bellied Mourner	z						
<i>Sirystes subcanescens</i>	Todd's Sirystes			v				
<i>Myiarchus tuberculifer</i>	Dusky-capped Flycatcher	v	v	v	v			
<i>Myiarchus swainsoni</i>	Swainson's Flycatcher	e	e		e			
<i>Myiarchus ferov</i>	Short-crested Flycatcher	v			v		v	h
<i>Myiarchus tyrannulus</i>	Brown-crested Flycatcher				v			
<i>Colonia colonus</i>	Long-tailed Tyrant			a			v	
<i>Myiophobus fasciatus</i>	Bran-colored Flycatcher				v		v	
<i>Sublegatus arenarum</i>	Northern Scrub-Flycatcher					v		
<i>Sublegatus obscurior</i>	Amazonian Scrub-Flycatcher				o	e		
<i>Fluvicola pica</i>	Pied Water-Tyrant				a	a		
<i>Arundinicola leucocephala</i>	White-headed Marsh Tyrant	v			v	v		
<i>volmis cinereus</i>	Gray Monjita							
<i>Ochthornis littoralis</i>	Drab Water Tyrant							
	Amazonian Black-Tyrant		e				e	
<i>Cnemotriccus fuscatus</i>	Fuscous Flycatcher				v			
<i>Lathrotriccus euleri</i>	Euler's Flycatcher		v					
<i>Contopus cooperi</i>	Olive-sided Flycatcher			v				
<i>Contopus cinereus</i>	Tropical Pewee			o	o	o		

		Colacreek/Zanderij/Powaka	Brownsberg	Fredberg	Peperpot/Chocopot/Cultuurtuin	Weg naar Zee/Warappa Creek	Kabalebo	
<i>Contopus albogularis</i>	White-throated Pewee		v					h
<i>Cyclarhis gujanensis</i>	Rufous-browed Peppershrike			v			v	h
<i>Hylophilus pectoralis</i>	Ashy-headed Greenlet				v	v		h
<i>Hylophilus thoracicus</i>	Lemon-chested Greenlet	v		v	v		v	
<i>vireolanius leucotis</i>	Slaty-capped Shrike-Vireo		v	v				h
<i>Tunchiornis ochraceiceps</i>	Tawny-crowned Greenlet		v	v				
<i>Pachysylvia muscicapina</i>	Buff-cheeked Greenlet		v	v				h
<i>Vireo chivi</i>	Chivi Vireo		v	v				h
<i>Cyanocorav cayanus</i>	Cayenne Jay	v						
<i>Pygochelidon cyanoleuca</i>	Blue-and-white Swallow						v	
<i>Pygochelidon melanoleuca</i>	Black-collared Swallow			e			e	
<i>Atticora fasciata</i>	White-banded Swallow		v	v			a	
<i>Atticora tibialis</i>	White-thighed Swallow						v	
<i>Stelgidopteryx ruficollis</i>	Southern Rough-winged Swallow	v				v		
<i>Progne tapera</i>	Brown-chested Martin	v						
<i>Progne subis</i>	Purple Martin	o	e		e		e	
<i>Progne dominicensis</i>	Caribbean Martin	o				o		
<i>Progne chalybea</i>	Gray-breasted Martin	a	v	v	a	v	v	
	Southern Martin	e				e		
<i>Tachycineta albiventer</i>	White-winged Swallow	v			a		v	
<i>Riparia riparia</i>	Bank Swallow						v	
<i>Hirundo rustica</i>	Barn Swallow					a		
<i>Microcerculus bambla</i>	Wing-banded Wren		e				o	
<i>Troglodytes aedon</i>	House Wren	v			a			
<i>Pheugopedius coraya</i>	Coraya Wren	v	v	v	v		v	h
<i>Cantorchilus leucotis</i>	Buff-breasted Wren	v		v	v		v	h
<i>Henicorhina leucosticta</i>	White-breasted Wood-Wren		v	v				h

		Colacreek/Zanderij/Powaka	Brownsberg	Fredberg	Peperpot/Chocopot/Cultuurtuin	Weg naar Zee/Warappa Creek	Kabalebo	
<i>Cyphorhinus arada</i>	Musician Wren	v	v					h
<i>Microbates collaris</i>	Collared Gnatwren			v			v	h
<i>Ramphocaenus melanurus</i>	Long-billed Gnatwren		v	v			v	
<i>Polioptila plumbea</i>	Tropical Gnatcatcher	v		v	v		v	
<i>Polioptila guianensis</i>	Guianan Gnatcatcher		e		e		o	
<i>Donacobius atricapilla</i>	Black-capped Donacobius				v			
<i>Catharus minimus</i>	Gray-cheeked Thrush		z					
<i>Turdus leucomelas</i>	Pale-breasted Thrush	v			a			
<i>Turdus fumigatus</i>	Cocoa Thrush			v	v		v	
<i>Turdus nudigenis</i>	Spectacled Thrush	v			a			
<i>Turdus arthuri</i>	Campina Thrush	v						
<i>Turdus albicollis</i>	White-necked Thrush		v	v			v	h
<i>Mimus gilvus</i>	Tropical Mockingbird	v			a			
<i>Euphonia plumbea</i>	Plumbeous Euphonia	v						
<i>Euphonia chlorotica</i>	Purple-throated Euphonia		v					
<i>Euphonia finschi</i>	Finsch's Euphonia	v	v	v				h
<i>Euphonia violacea</i>	Violaceous Euphonia	v		v	v		v	
<i>Euphonia cyanocephala</i>	Golden-rumped Euphonia		o	o				
<i>Euphonia chrysopasta</i>	Golden-bellied Euphonia	e	e	e			e	
<i>Euphonia minuta</i>	White-vented Euphonia	v						
<i>Euphonia cayennensis</i>	Golden-sided Euphonia		v	v				
<i>Ammodramus humeralis</i>	Grassland Sparrow	v						h
<i>Arremon taciturnus</i>	Pectoral Sparrow		v	v	v			h
<i>Zonotrichia capensis</i>	Rufous-collared Sparrow						o	
<i>Dolichonyx oryzivorus</i>	Bobolink						e	
<i>Sturnella magna</i>	Eastern Meadowlark	v						
<i>Leistes militaris</i>	Red-breasted Meadowlark	v			v	v		

		Colacreek/Zanderij/Powaka	Brownsberg	Fredberg	Peperpot/Chocopot/Cultuurtuin	Weg naar Zee/Warappa Creek	Kabalebo	
<i>Psarocolius viridis</i>	Green Oropendola	v	v	a			v	h
<i>Psarocolius decumanus</i>	Crested Oropendola	v			a		a	
<i>Cacicus cela</i>	Yellow-rumped Cacique	v		a	v		v	
<i>Cacicus haemorrhous</i>	Red-rumped Cacique	v		a	v		v	h
<i>Icterus cayanensis</i>	Epulet Oriole/Morioche Oriole	v		v			v	h
<i>Icterus nigrogularis</i>	Yellow Oriole					v	v	
<i>Molothrus oryzivorus</i>	Giant Cowbird	v		v	v		a	
<i>Molothrus bonariensis</i>	Shiny Cowbird	v			v			
<i>Quiscalus lugubris</i>	Carib Grackle					v		
<i>Chrysomus icterocephalus</i>	Yellow-hooded Blackbird					v		
<i>Geothlypis aequinoctialis</i>	Masked Yellowthroat					v		
<i>Setophaga pitiaiyumi</i>	Tropical Parula		v					
<i>Setophaga petechia</i>	Yellow Warbler	v			v	v		
<i>Setophaga striata</i>	Blackpoll Warbler				z			
	Northern Waterthrush	o			e			
<i>Myiothlypis rivularis</i>	Riverbank Warbler				v			h
<i>Piranga flava</i>	Hepatic Tanager		v					
<i>Piranga rubra</i>	Summer Tanager		v					
<i>Granatellus pelzelni</i>	Rose-breasted Chat	v		v			v	h
<i>Caryothraustes canadensis</i>	Yellow-green Grosbeak			v				h
<i>Periporphyrus erythromelas</i>	Red-and-black Grosbeak		z	z				
<i>Cyanoloxia rothschildii</i>	Amazonian Grosbeak		v	v				h
<i>Cyanicterus cyanicterus</i>	Blue-backed Tanager		v	v				h
<i>Nemosia pileata</i>	Hooded Tanager				v	v		
<i>Chlorophanes spiza</i>	Green Honeycreeper	v	v	v				
<i>Hemithraupis guira</i>	Guira Tanager	v		v			v	
<i>Hemithraupis flavicollis</i>	Yellow-backed Tanager			v				

		Colacreek/Zanderij/Powaka	Brownsberg	Fredberg	Peperpot/Chocopot/Cultuurtuin	Weg naar Zee/Warappa Creek	Kabalebo	
<i>Conirostrum bicolor</i>	Bicolored Conebill					<		
<i>Conirostrum speciosum</i>	Chestnut-vented Conebill	e			e			
<i>Sicalis citrina</i>	Stripe-tailed Yellow-Finch							
<i>Sicalis luteola</i>	Grassland Yellow-Finch				o			
<i>volatinia jacarina</i>	Blue-black Grassquit	v			v	v	a	
<i>Loriotus cristatus</i>	Flame-crested Tanager	v	v	v				
<i>Loriotus luctuosus</i>	White-shouldered Tanager	e	e	e	e		e	
<i>Tachyphonus surinamus</i>	Fulvous-crested Tanager	v	v	v				
<i>Tachyphonus rufus</i>	White-lined Tanager	a		v	v			
<i>Tachyphonus phoenicius</i>	Red-shouldered Tanager	v		v				
<i>Eucometis penicillata</i>	Gray-headed Tanager	o			o		e	
<i>Ramphocelus carbo</i>	Silver-beaked Tanager	a	v	a	a		v	
<i>Lanio fulvus</i>	Fulvous Shrike-Tanager		v	v				
<i>Cyanerpes nitidus</i>	Short-billed Honeycreeper	e	e	e				
<i>Cyanerpes caeruleus</i>	Purple Honeycreeper	v	v	v				
<i>Cyanerpes cyaneus</i>	Red-legged Honeycreeper	v	v	a				
	Green Honeycreeper	e	e	e			o	
<i>Tersina viridis</i>	Swallow Tanager			o			e	
<i>Dacnis lineata</i>	Black-faced Dacnis		v	v				
<i>Dacnis cayana</i>	Blue Dacnis	v	v	v				
<i>Sporophila bouvronides</i>	Lesson's Seedeater	e			e	o	e	
	Lined Seedeater	e		e	e	e	e	
<i>Sporophila castaneiventris</i>	Chestnut-bellied Seedeater	e	e		e		e	
<i>Sporophila minuta</i>	Ruddy-breasted Seedeater	v						
<i>Sporophila bouvreuil</i>	Copper Seedeater	o					o	
<i>Sporophila angolensis</i>	Chestnut-bellied Seed-Finch			v			v	
<i>Sporophila crassirostris</i>	Large-billed Seed-Finch						o	

		Colacreek/Zanderij/Powaka	Brownsberg	Fredberg	Peperpot/Chocopot/Cultuurtuin	Weg naar Zee/Warappa Creek	Kabalebo	
<i>Sporophila americana</i>	Wing-barred Seedeater	v			a	v	a	
<i>Sporophila nigricollis</i>	Yellow-bellied Seedeater						v	
<i>Sporophila schistacea</i>	Slate-colored Seedeater							
<i>Sporophila plumbea</i>	Plumbeous Seedeater	e					o	
<i>Saltator mavimus</i>	Buff-throated Saltator	v		v			v	
<i>Saltator coerulescens</i>	Grayish Saltator			v	v			
<i>Saltator grossus</i>	Slate-colored Grosbeak	v	v	v				h
<i>Emberizoides herbicola</i>	Wedge-tailed Grass-Finch	v						
<i>Cypsnagra hirundinacea</i>	White-rumped Tanager							
<i>Coereba flaveola</i>	Bananaquit	v	v	v	v		v	h
<i>Paroaria gularis</i>	Red-capped Cardinal						v	
<i>Schistochlamys melanopsis</i>	Black-faced Tanager	v						
<i>Cissopis leverianus</i>	Magpie Tanager						o	
	White-banded Tanager				e			
<i>Stilpnia cayana</i>	Burnished-buff Tanager	v		v				
	Blue-backed Tanager		e	e	e		o	
<i>Tangara mevicana</i>	Turquoise Tanager	v	v	a	v		v	
<i>Tangara chilensis</i>	Paradise Tanager			a				
<i>Tangara velia</i>	Opal-rumped Tanager			v				
<i>Tangara gyrola</i>	Bay-headed Tanager		v	v				
<i>Thraupis episcopus</i>	Blue-gray Tanager	a	v	a	a		v	
<i>Thraupis palmarum</i>	Palm Tanager	a	v	a	a	v	v	
<i>Ivothraupis varia</i>	Dotted Tanager							
<i>Ivothraupis guttata</i>	Speckled Tanager			v				
<i>Ivothraupis punctata</i>	Spotted Tanager	v	v	v				
<i>Lamprospiza melanoleuca</i>	Red-billed Pied Tanager		v	a			v	
<i>Passer domesticus</i>	House Sparrow				v			

		Colacreek/Zanderij/Powaka	Brownsberg	Fredberg	Peperpot/Chocopot/Cultuurtuin	Weg naar Zee/Warappa Creek	Kabalebo	
	Tayra	v		v				
	Giant River Otter						v	
	South American Coati		v					
	Jaguarundi			v				
	Ocelot			v			v	
	Jaguar			v			v	
	Red-rumped Agouti		v	v			v	
	Red Acouchy							
	Kinkajou		v					
	Capybara						v	
	Red Brocket Deer		v	v				
	White-tailed Deer						v	
	Golden-handed Tamarin	v	v	v			v	
	Common Squirrel Monkey				v		v	
	Wedge-capped Capuchin		v					
	Brown Capuchin		?		v		v	
	Red Howler		v	v	v		v	
	Guianan Saki Monkey		v	v				
	Guianan Spider Monkey		v	v			z	
	White-faced Saki		v	v			v	
	Southern Two-toed Sloth		v	v	v			
	Pale-throated Three-toed Sloth		v	v	v			
	Common Opossum	v	v	v				
	White-lipped Peccary		v					
	Guianan Squirrel			v				
	Neotropical Pymgy Squirrel		v	v				

		Colacreek/Zanderij/Powaka	Brownsberg	Fredberg	Peperpot/Chocopot/Cultuurtuin	Weg naar Zee/Warappa Creek	Kabalebo	
	<b>Nine-banded Armadillo</b>	v	v					
	<b>Brazilian Porcupine</b>		v		v			
	<b>Spectacled Caiman</b>	v			v		v	
	<b>Black Tegu/ Golden Tegu</b>		v		v			
	<b>Tunrip-tailed Gecko</b>		v					
	<b>Small Gecko spec.</b>							
	<b>Green Iguana</b>		v					
	<b>Harlequin Racerunner</b>			v				
	<b>Giant Ameiva</b>		v		v		v	
	<b>Rainbow Whiptail</b>			v	v			
	<b>Green Anaconda</b>						v	
	<b>Red-tailed Boa/Boa Constrictor</b>	v		v				
	<b>Common Lancehead</b>		v					
	<b>Checkerbelly Liana Snake</b>		v					
	<b>Fer-de-Lance</b>		v					
	<b>Green Parrot Snake</b>			v				
	<b>Blunt-headed Tree Snake</b>		v					
	<b>Zidok's Ground Snake</b>		v					
	<b>Cane Toad</b>	v	a		v			
	<b>Granular Toad</b>	v			v			
	<b>Smooth-sided Toad</b>		v					
	<b>Red-snouted Treefrog</b>				v			
	<b>Three-striped Poison Arrow Frog</b>		v				v	
	<b>Smoky Jungle Frog</b>							



# Completion list Suriname

Best to import this in Excell

E = endemic, NE = near-endemic  
(Guiana Sheld region)

**English name**

**Scientific name**

**Dates**

Great Tinamou

Tinamus major

Cinereous Tinamou

Crypturellus cinereus

Little Tinamou

Crypturellus soui

Red-legged Tinamou

Crypturellus erythropus

Variegated Tinamou

Crypturellus variegatus

Rusty Tinamou

Crypturellus brevirostris

Horned Screamer

Anhima cornuta

White-faced Whistling Duck

Dendrocygna viduata

Black-bellied Whistling Duck

Dendrocygna autumnalis

Fulvous Whistling Duck

Dendrocygna bicolor

Muscovy Duck

Cairina moschata

American Wigeon

Anas americana

Blue-winged Teal

Anas discors

White-cheeked Pintail

Anas bahamensis

Northern Pintail

Anas acuta

Southern Pochard

Netta erythrophthalma

Lesser Scaup

Aythya affinis

Masked Duck

Nomonyx dominicus

Little (Variable) Chachalaca

Ortalis motmot

Marail Guan - NE

Penelope marail

Spix's Guan

Penelope jacquacu

Blue-throated Piping Guan

Pipile cumanensis

Black Curassow - NE

Crax alector

Crested Bobwhite

Colinus cristatus

Marbled Wood Quail

Odontophorus gujanensis

Least Grebe

Tachybaptus dominicus

Pied-billed Grebe

Podilymbus podiceps

American Flamingo	Phoenicopterus ruber																		
Red-billed Tropicbird	Phaethon aethereus																		
Wood Stork	Mycteria americana																		
Maguari Stork	Ciconia maguari																		
Jabiru	Jabiru mycteria																		
Green Ibis	Mesembrinibis cayennensis																		
American White Ibis	Eudocimus albus																		
Scarlet Ibis	Eudocimus ruber																		
Roseate Spoonbill	Platalea ajaja																		
Rufescent Tiger Heron	Tigrisoma lineatum																		
Fasciated Tiger Heron	Tigrisoma fasciatum																		
Agami Heron	Agamia agami																		
Boat-billed Heron	Cochlearius cochlearius																		
Zigzag Heron	Zebrilus undulatus																		
Pinnated Bittern	Botaurus pinnatus																		
Stripe-backed Bittern	Ixobrychus involucris																		
Least Bittern	Ixobrychus exilis																		
Black-crowned Night Heron	Nycticorax nycticorax																		
Yellow-crowned Night Heron	Nyctanassa violacea																		
Green Heron	Butorides virescens																		
Striated Heron	Butorides striata																		
Western Cattle Egret	Bubulcus ibis																		
Cocoi Heron	Ardea cocoi																		
Great Egret	Ardea alba																		
Capped Heron	Pilherodius pileatus																		
Tricolored Heron	Egretta tricolor																		
Little Blue Heron	Egretta caerulea																		
Snowy Egret	Egretta thula																		
Little Egret	Egretta garzetta																		
Brown Pelican	Pelecanus occidentalis																		
Magnificent Frigatebird	Fregata magnificens																		
Neotropic Cormorant	Phalacrocorax brasilianus																		
Anhinga	Anhinga anhinga																		

Turkey Vulture	<i>Cathartes aura</i>																			
Lesser Yellow-headed Vulture	<i>Cathartes burrovianus</i>																			
Greater Yellow-headed Vulture	<i>Cathartes melambrotus</i>																			
Black Vulture	<i>Coragyps atratus</i>																			
King Vulture	<i>Sarcoramphus papa</i>																			
Western Osprey	<i>Pandion haliaetus</i>																			
White-tailed Kite	<i>Elanus leucurus</i>																			
Pearl Kite	<i>Gampsonyx swainsonii</i>																			
Grey-headed Kite	<i>Leptodon cayanensis</i>																			
Hook-billed Kite	<i>Chondrohierax uncinatus</i>																			
Swallow-tailed Kite	<i>Elanoides forficatus</i>																			
Crested Eagle	<i>Morphnus guianensis</i>																			
Harpy Eagle	<i>Harpia harpyja</i>																			
Black Hawk-Eagle	<i>Spizaetus tyrannus</i>																			
Black-and-white Hawk-Eagle	<i>Spizaetus melanoleucus</i>																			
Ornate Hawk-Eagle	<i>Spizaetus ornatus</i>																			
Double-toothed Kite	<i>Harpagus bidentatus</i>																			
Rufous-thighed Kite	<i>Harpagus diodon</i>																			
Tiny Hawk	<i>Accipiter superciliosus</i>																			
Grey-bellied Hawk	<i>Accipiter poliogaster</i>																			
Bicolored Hawk	<i>Accipiter bicolor</i>																			
Long-winged Harrier	<i>Circus buffoni</i>																			
Plumbeous Kite	<i>Ictinia plumbea</i>																			
Black-collared Hawk	<i>Busarellus nigricollis</i>																			
Snail Kite	<i>Rostrhamus sociabilis</i>																			
Slender-billed Kite	<i>Helicolestes hamatus</i>																			
Crane Hawk	<i>Geranospiza caerulescens</i>																			
Common Black Hawk	<i>Buteogallus anthracinus</i>																			
Rufous Crab Hawk	<i>Buteogallus aequinoctialis</i>																			
Savanna Hawk	<i>Buteogallus meridionalis</i>																			
Great Black Hawk	<i>Buteogallus urubitinga</i>																			
Roadside Hawk	<i>Rupornis magnirostris</i>																			
White-tailed Hawk	<i>Geranoaetus albicaudatus</i>																			

White Hawk	Pseudastur albicollis																		
Black-faced Hawk	Leucopternis melanops																		
Grey-lined Hawk	Buteo nitidus																		
Broad-winged Hawk	Buteo platypterus																		
Short-tailed Hawk	Buteo brachyurus																		
Zone-tailed Hawk	Buteo albonotatus																		
Sunbittern	Eurypyga helias																		
Sungrebe	Heliornis fulica																		
Ocellated Crake	Micropygia schomburgkii																		
Russet-crowned Crake	Laterallus viridis																		
Rufous-sided Crake	Laterallus melanophaius																		
Grey-breasted Crake	Laterallus exilis																		
Mangrove Rail	Rallus longirostris																		
Rufous-necked Wood Rail	Aramides axillaris																		
Grey-necked Wood Rail	Aramides cajaneus																		
Uniform Crake	Amaurolimnas concolor																		
Ash-throated Crake	Porzana albicollis																		
Yellow-breasted Crake	Porzana flaviventer																		
Paint-billed Crake	Neocrex erythrops																		
Spotted Rail	Pardirallus maculatus																		
Purple Gallinule	Porphyrio martinica																		
Azure Gallinule	Porphyrio flavirostris																		
Common Gallinule	Gallinula galeata																		
Grey-winged Trumpeter	Psophia crepitans																		
Limpkin	Aramus guarauna																		
Black-necked Stilt	Himantopus mexicanus																		
Southern Lapwing	Vanellus chilensis																		
American Golden Plover	Pluvialis dominica																		
Grey (Black-bellied) Plover	Pluvialis squatarola																		
Semipalmated Plover	Charadrius semipalmatus																		
Wilson's Plover	Charadrius wilsonia																		
Collared Plover	Charadrius collaris																		
Pied Plover (Lapwing)	Hoploxypterus cayanus																		

Wattled Jacana	Jacana jacana																		
Wilson's Snipe	Gallinago delicata																		
South American Snipe	Gallinago paraguaiiae																		
Giant Snipe	Gallinago undulata																		
Short-billed Dowitcher	Limnodromus griseus																		
Hudsonian Godwit	Limosa haemastica																		
Whimbrel	Numenius phaeopus																		
Upland Sandpiper	Bartramia longicauda																		
Greater Yellowlegs	Tringa melanoleuca																		
Lesser Yellowlegs	Tringa flavipes																		
Solitary Sandpiper	Tringa solitaria																		
Willet	Tringa semipalmata																		
Spotted Sandpiper	Actitis macularius																		
Ruddy Turnstone	Arenaria interpres																		
Red Knot	Calidris canutus																		
Sanderling	Calidris alba																		
Semipalmated Sandpiper	Calidris pusilla																		
Western Sandpiper	Calidris mauri																		
Least Sandpiper	Calidris minutilla																		
White-rumped Sandpiper	Calidris fuscicollis																		
Baird's Sandpiper	Calidris bairdii																		
Pectoral Sandpiper	Calidris melanotos																		
Stilt Sandpiper	Calidris himantopus																		
Buff-breasted Sandpiper	Tryngites subruficollis																		
Wilson's Phalarope	Phalaropus tricolor																		
Black Skimmer	Rynchops niger																		
Black-legged Kittiwake	Rissa tridactyla																		
Black-headed Gull	Chroicocephalus ridibundus																		
Laughing Gull	Leucophaeus atricilla																		
Lesser Black-backed Gull	Larus fuscus																		
Gull-billed Tern	Gelochelidon nilotica																		
Royal Tern	Thalasseus maximus																		
Sandwich Tern	Thalasseus sandvicensis																		

Least Tern	<i>Sternula antillarum</i>																				
Yellow-billed Tern	<i>Sternula superciliaris</i>																				
Bridled Tern	<i>Onychoprion anaethetus</i>																				
Sooty Tern	<i>Onychoprion fuscatus</i>																				
Roseate Tern	<i>Sterna dougallii</i>																				
Common Tern	<i>Sterna hirundo</i>																				
Black Tern	<i>Chlidonias niger</i>																				
Large-billed Tern	<i>Phaetusa simplex</i>																				
Scaled Pigeon	<i>Patagioenas speciosa</i>																				
Pale-vented Pigeon	<i>Patagioenas cayennensis</i>																				
Plumbeous Pigeon	<i>Patagioenas plumbea</i>																				
Ruddy Pigeon	<i>Patagioenas subvinacea</i>																				
Common Ground Dove	<i>Columbina passerina</i>																				
Plain-breasted Ground Dove	<i>Columbina minuta</i>																				
Ruddy Ground Dove	<i>Columbina talpacoti</i>																				
Blue Ground Dove	<i>Claravis pretiosa</i>																				
Ruddy Quail-Dove	<i>Geotrygon montana</i>																				
Violaceous Quail-Dove	<i>Geotrygon violacea</i>																				
White-tipped Dove	<i>Leptotila verreauxi</i>																				
Grey-fronted Dove	<i>Leptotila rufaxilla</i>																				
Mourning Dove	<i>Zenaida macroura</i>																				
Eared Dove	<i>Zenaida auriculata</i>																				
Hoatzin	<i>Opisthocomus hoazin</i>																				
Greater Ani	<i>Crotophaga major</i>																				
Smooth-billed Ani	<i>Crotophaga ani</i>																				
Striped Cuckoo	<i>Tapera naevia</i>																				
Pavonine Cuckoo	<i>Dromococcyx pavoninus</i>																				
Little Cuckoo	<i>Coccyza minuta</i>																				
Squirrel Cuckoo	<i>Piaya cayana</i>																				
Black-bellied Cuckoo	<i>Piaya melanogaster</i>																				
Dark-billed Cuckoo	<i>Coccyzus melacoryphus</i>																				
Yellow-billed Cuckoo	<i>Coccyzus americanus</i>																				
Pearly-breasted Cuckoo	<i>Coccyzus euleri</i>																				

Mangrove Cuckoo	Coccyzus minor																			
Western Barn Owl	Tyto alba																			
Tropical Screech Owl	Megascops choliba																			
Tawny-bellied Screech Owl	Megascops watsonii																			
Vermiculated Screech Owl	Megascops vermiculatus																			
Great Horned Owl	Bubo virginianus																			
Mottled Owl	Strix virgata																			
Black-banded Owl	Strix huhula																			
Crested Owl	Lophotrix cristata																			
Spectacled Owl	Pulsatrix perspicillata																			
Amazonian Pygmy Owl	Glaucidium hardyi																			
Ferruginous Pygmy Owl	Glaucidium brasilianum																			
Burrowing Owl	Athene cunicularia																			
Striped Owl	Pseudoscops clamator																			
Stygian Owl	Asio stygius																			
Short-eared Owl	Asio flammeus																			
Oilbird	Steatornis caripensis																			
Great Potoo	Nyctibius grandis																			
Long-tailed Potoo	Nyctibius aethereus																			
Common Potoo	Nyctibius griseus																			
White-winged Potoo	Nyctibius leucopterus																			
Nacunda Nighthawk	Chordeiles nacunda																			
Least Nighthawk	Chordeiles pusillus																			
Lesser Nighthawk	Chordeiles acutipennis																			
Short-tailed Nighthawk	Lurocalis semitorquatus																			
Blackish Nightjar	Nyctipolus nigrescens																			
(Common) Pauraque	Nyctidromus albicollis																			
White-tailed Nightjar	Hydropsalis cayennensis																			
Spot-tailed Nightjar	Hydropsalis maculicaudus																			
Ladder-tailed Nightjar	Hydropsalis climacocerca																			
Scissor-tailed Nightjar	Hydropsalis torquata																			
Rufous Nightjar	Antrostomus rufus																			
White-chinned Swift	Cypseloides cryptus																			

White-collared Swift	Streptoprocne zonaris																											
Band-rumped Swift	Chaetura spinicaudus																											
Sick's Swift	Chaetura meridionalis																											
Chapman's Swift	Chaetura chapmani																											
Short-tailed Swift	Chaetura brachyura																											
White-tipped Swift	Aeronautes montivagus																											
Neotropical (Fork-tailed) Palm Swift	Tachornis squamata																											
Lesser Swallow-tailed Swift	Panyptila cayennensis																											
Common Swift	Apus apus																											
Rufous-breasted Hermit	Glaucis hirsutus																											
Pale-tailed Barbthroat	Threnetes leucurus																											
Long-tailed Hermit	Phaethornis superciliosus																											
Great-billed Hermit	Phaethornis malaris																											
Straight-billed Hermit	Phaethornis bourcieri																											
Sooty-capped Hermit	Phaethornis augusti																											
Little Hermit	Phaethornis longuemareus																											
Reddish Hermit	Phaethornis ruber																											
Grey-breasted Sabrewing	Campylopterus largipennis																											
Swallow-tailed Hummingbird	Eupetomena macroura																											
White-necked Jacobin	Florisuga mellivora																											
Brown Violetear	Colibri delphinae																											
Green-throated Mango	Anthracothorax viridigula																											
Black-throated Mango	Anthracothorax nigricollis																											
Fiery-tailed Aowlbill	Avocettula recurvirostris																											
Crimson Topaz	Topaza pella																											
Ruby-topaz Hummingbird	Chrysolampis mosquitus																											
Tufted Coquette	Lophornis ornatus																											
Racket-tailed Coquette	Discosura longicaudus																											
Blue-chinned Sapphire	Chlorestes notata																											
Blue-tailed Emerald	Chlorostilbon mellisugus																											
Fork-tailed Woodnymph	Thalurania furcata																											
Rufous-throated Sapphire	Hylocharis sapphirina																											
White-chinned Sapphire	Hylocharis cyanus																											



White-tailed Goldenthrout	<i>Polytmus guainumbi</i>																		
Green-tailed Goldenthrout	<i>Polytmus theresiae</i>																		
Plain-bellied Emerald	<i>Amazilia leucogaster</i>																		
White-chested Emerald	<i>Amazilia brevirostris</i>																		
Glittering-throated Emerald	<i>Amazilia fimbriata</i>																		
Green-bellied Hummingbird	<i>Amazilia viridigaster</i>																		
<b>Velvet-browed Brilljant - NE</b>	<i>Heliodoxa xanthogonys</i>																		
Black-eared Fairy	<i>Heliiothryx auritus</i>																		
Horned Sungem	<i>Heliactin bilophus</i>																		
Long-billed Starthroat	<i>Heliomaster longirostris</i>																		
Amethyst Woodstar	<i>Calliphlox amethystina</i>																		
Black-tailed Trogon	<i>Trogon melanurus</i>																		
Green-backed Trogon	<i>Trogon viridis</i>																		
Guianan Trogon	<i>Trogon violaceus</i>																		
Black-throated Trogon	<i>Trogon rufus</i>																		
Collared Trogon	<i>Trogon collaris</i>																		
American Pygmy Kingfisher	<i>Chloroceryle aenea</i>																		
Green-and-rufous Kingfisher	<i>Chloroceryle inda</i>																		
Green Kingfisher	<i>Chloroceryle americana</i>																		
Amazon Kingfisher	<i>Chloroceryle amazona</i>																		
Ringed Kingfisher	<i>Megaceryle torquata</i>																		
Belted Kingfisher	<i>Megaceryle alcyon</i>																		
Amazonian Motmot	<i>Momotus momota</i>																		
Brown Jacamar	<i>Brachygalba lugubris</i>																		
<b>Yellow-billed Jacamar - NE</b>	<i>Galbula albirostris</i>																		
Green-tailed Jacamar	<i>Galbula galbula</i>																		
Bronzy Jacamar	<i>Galbula leucogastra</i>																		
Paradise Jacamar	<i>Galbula dea</i>																		
Great Jacamar	<i>Jacamerops aureus</i>																		
<b>Guianan Puffbird - NE</b>	<i>Notharchus macrorhynchos</i>																		
Pied Puffbird	<i>Notharchus tectus</i>																		
Spotted Puffbird	<i>Bucco tamatia</i>																		
Collared Puffbird	<i>Bucco capensis</i>																		

White-chested Puffbird	Malacoptila fusca																		
Rusty-breasted Nunlet	Nonnula rubecula																		
Black Nunbird - <b>NE</b>	Monasa atra																		
Swallow-winged Puffbird	Chelidoptera tenebrosa																		
Black-spotted Barbet - <b>NE</b>	Capito niger																		
Tepui Toucanet - <b>NE</b>	Aulacorhynchus whitelianus																		
Green Aracari - <b>NE</b>	Pteroglossus viridis																		
Black-necked Aracari	Pteroglossus aracari																		
Guianan Toucanet - <b>NE</b>	Selenidera piperivora																		
Channel-billed Toucan	Ramphastos vitellinus																		
Toco Toucan	Ramphastos toco																		
White-throated Toucan	Ramphastos tucanus																		
Golden-spangled Piculet	Picumnus exilis																		
Arrowhead Piculet - <b>E</b>	Picumnus minutissimus																		
White Woodpecker	Melanerpes candidus																		
Yellow-tufted Woodpecker	Melanerpes cruentatus																		
Red-crowned Woodpecker	Melanerpes rubricapillus																		
Blood-colored Woodpecker - <b>NE</b>	Veniliornis sanguineus																		
Golden-collared Woodpecker - <b>NE</b>	Veniliornis cassini																		
Yellow-throated Woodpecker	Piculus flavigula																		
Golden-green Woodpecker	Piculus chrysochloros																		
Golden-olive Woodpecker	Colaptes rubiginosus																		
Spot-breasted Woodpecker	Colaptes punctigula																		
Campo Flicker	Colaptes campestris																		
Waved Woodpecker	Celeus undatus																		
Chestnut Woodpecker	Celeus elegans																		
Cream-colored Woodpecker	Celeus flavus																		
Ringed Woodpecker	Celeus torquatus																		
Lineated Woodpecker	Dryocopus lineatus																		
Red-necked Woodpecker	Campephilus rubicollis																		
Crimson-crested Woodpecker	Campephilus melanoleucos																		
Black Caracara	Daptrius ater																		
Red-throated Caracara	Ibycter americanus																		

Northern Crested Caracara	Caracara cheriway																		
Yellow-headed Caracara	Milvago chimachima																		
Laughing Falcon	Herpetotheres cachinnans																		
Barred Forest Falcon	Micrastur ruficollis																		
Lined Forest Falcon	Micrastur gilvicollis																		
Slaty-backed Forest Falcon	Micrastur mirandollei																		
Collared Forest Falcon	Micrastur semitorquatus																		
American Kestrel	Falco sparverius																		
Aplomado Falcon	Falco femoralis																		
Merlin	Falco columbarius																		
Bat Falcon	Falco rufigularis																		
Orange-breasted Falcon	Falco deiroleucus																		
Peregrine Falcon	Falco peregrinus																		
Lilac-tailed Parrotlet	Touit batavicus																		
Scarlet-shouldered Parrotlet	Touit huetii																		
Sapphire-rumped Parrotlet	Touit purpuratus																		
<b>Tepui Parrotlet - NE</b>	Nannopsittaca panychlora																		
Golden-winged Parakeet	Brotogeris chrysoptera																		
<b>Caica Parrot - NE</b>	Pyrilia caica																		
Dusky Parrot	Pionus fuscus																		
Blue-headed Parrot	Pionus menstruus																		
Blue-cheeked Amazon (Parrot)	Amazona dufresniana																		
Yellow-crowned Amazon (Parrot)	Amazona ochrocephala																		
Southern Mealy Amazon (Parrot)	Amazona farinosa																		
Orange-winged Amazon (Parrot)	Amazona amazonica																		
Dusky-billed Parrotlet	Forpus modestus																		
Green-rumped Parrotlet	Forpus passerinus																		
<b>Black-headed Parrot - NE</b>	Pionites melanocephalus																		
Red-fan Parrot	Deropterus accipitrinus																		
Painted Parakeet	Pyrrhura picta																		
Peach-fronted Parakeet	Eupsittula aurea																		
Brown-throated Parakeet	Eupsittula pertinax																		
<b>Sulphur-breasted Parakeet - NE</b>	Aratinga maculata																		

Red-bellied Macaw	<i>Orthopsittaca manilatus</i>																		
Blue-and-yellow Macaw	<i>Ara ararauna</i>																		
Scarlet Macaw	<i>Ara macao</i>																		
Red-and-green Macaw	<i>Ara chloropterus</i>																		
Chestnut-fronted Macaw	<i>Ara severus</i>																		
Red-shouldered Macaw	<i>Diopsittaca nobilis</i>																		
White-eyed Parakeet	<i>Psittacara leucophthalmus</i>																		
Pale-breasted Spinetail	<i>Synallaxis albescens</i>																		
Ruddy Spinetail	<i>Synallaxis rutilans</i>																		
<b>McConnell's Spinetail - NE</b>	<i>Synallaxis macconnelli</i>																		
Plain-crowned Spinetail	<i>Synallaxis gujanensis</i>																		
Speckled Spinetail	<i>Cranioleuca gutturata</i>																		
Yellow-chinned Spinetail	<i>Certhiaxis cinnamomeus</i>																		
Point-tailed Palmcreeper	<i>Berlepschia rikeri</i>																		
Rufous-tailed Foliage-gleaner	<i>Philydor ruficaudatum</i>																		
Rufous-rumped Foliage-gleaner	<i>Philydor erythrocerum</i>																		
Cinnamon-rumped Foliage-gleaner	<i>Philydor pyrrhodes</i>																		
Buff-throated Foliage-gleaner	<i>Automolus ochrolaemus</i>																		
Olive-backed Foliage-gleaner	<i>Automolus infuscatus</i>																		
Ruddy Foliage-gleaner	<i>Automolus rubiginosus</i>																		
Chestnut-crowned Foliage-gleaner	<i>Automolus rufipileatus</i>																		
Tawny-throated Leaf-tosser	<i>Sclerurus mexicanus</i>																		
Short-billed Leaf-tosser	<i>Sclerurus ruficularis</i>																		
Black-tailed Leaf-tosser	<i>Sclerurus caudacutus</i>																		
Rufous-tailed Xenops	<i>Microxenops milleri</i>																		
Slender-billed Xenops	<i>Xenops tenuirostris</i>																		
Plain Xenops	<i>Xenops minutus</i>																		
Plain-brown Woodcreeper	<i>Dendrocincla fuliginosa</i>																		
White-chinned Woodcreeper	<i>Dendrocincla merula</i>																		
Long-tailed Woodcreeper	<i>Deconychura longicauda</i>																		
Spot-throated Woodcreeper	<i>Deconychura stictolaema</i>																		
Wedge-billed Woodcreeper	<i>Glyphorynchus spirurus</i>																		
Cinnamon-throated Woodcreeper	<i>Dendrexetastes rufigula</i>																		

Red-billed Woodcreeper	<i>Hylexetastes perrotii</i>																		
Strong-billed Woodcreeper	<i>Xiphocolaptes promeropirhynchus</i>																		
Amazonian Barred Woodcreeper	<i>Dendrocolaptes certhia</i>																		
Black-banded Woodcreeper	<i>Dendrocolaptes picumnus</i>																		
Straight-billed Woodcreeper	<i>Dendroplex picus</i>																		
Striped Woodcreeper	<i>Xiphorhynchus obsoletus</i>																		
Chestnut-rumped Woodcreeper - NE	<i>Xiphorhynchus pardalotus</i>																		
Buff-throated Woodcreeper	<i>Xiphorhynchus guttatus</i>																		
Narrow-billed Woodcreeper	<i>Lepidocolaptes angustirostris</i>																		
Guianan Woodcreeper - NE	<i>Lepidocolaptes albolineatus</i>																		
Curve-billed Scythebill	<i>Campylorhamphus procurvoides</i>																		
Fasciated Antshrike	<i>Cymbilaimus lineatus</i>																		
Black-throated Antshrike - NE	<i>Frederickena viridis</i>																		
Great Antshrike	<i>Taraba major</i>																		
Black-crested Antshrike	<i>Sakesphorus canadensis</i>																		
Band-tailed Antshrike - NE	<i>Thamnophilus melanothorax</i>																		
Barred Antshrike	<i>Thamnophilus doliatus</i>																		
Mouse-colored Antshrike	<i>Thamnophilus murinus</i>																		
Northern Slaty Antshrike	<i>Thamnophilus punctatus</i>																		
Amazonian Antshrike	<i>Thamnophilus amazonicus</i>																		
White-streaked Antwren	<i>Dysithamnus leucostictus</i>																		
Dusky-throated Antshrike	<i>Thamnomanes ardesiacus</i>																		
Cinereous Antshrike	<i>Thamnomanes caesius</i>																		
Spot-winged Antshrike	<i>Pygoptila stelleris</i>																		
Brown-bellied Antwren - NE	<i>Epinecrophylla gutturalis</i>																		
Rufous-bellied Antwren - NE	<i>Isleria guttata</i>																		
Pygmy Antwren	<i>Myrmotherula brachyura</i>																		
Guianan Streaked Antwren - NE	<i>Myrmotherula surinamensis</i>																		
White-flanked Antwren	<i>Myrmotherula axillaris</i>																		
Long-winged Antwren	<i>Myrmotherula longipennis</i>																		
Plain-winged Antwren	<i>Myrmotherula behni</i>																		
Grey Antwren	<i>Myrmotherula menetriesii</i>																		
Spot-tailed Antwren - NE	<i>Herpsilochmus sticturus</i>																		

Todd's Antwren - <b>NE</b>	<i>Herpsilochmus stictocephalus</i>																		
Rufous-winged Antwren	<i>Herpsilochmus rufimarginatus</i>																		
Dot-winged Antwren	<i>Microrhoptias quixensis</i>																		
Southern White-fringed Antwren	<i>Formicivora grisea</i>																		
Rusty-backed Antwren	<i>Formicivora rufa</i>																		
Rufous-rumped Antwren	<i>Terenura callinota</i>																		
Ash-winged Antwren	<i>Terenura spodioptila</i>																		
Grey Antbird	<i>Cercomacra cinerascens</i>																		
Dusky Antbird	<i>Cercomacra tyrannina</i>																		
Blackish Antbird	<i>Cercomacra nigrescens</i>																		
White-browed Antbird	<i>Myrmoborus leucophrys</i>																		
Guianan Warbling Antbird - <b>NE</b>	<i>Hypocnemis cantator</i>																		
Black-chinned Antbird	<i>Hypocnemoides melanopogon</i>																		
Silvered Antbird	<i>Sclateria naevia</i>																		
Black-headed Antbird - <b>NE</b>	<i>Percnostola rufifrons</i>																		
Spot-winged Antbird	<i>Schistocichla leucostigma</i>																		
White-bellied Antbird	<i>Myrmeciza longipes</i>																		
Ferruginous-backed Antbird	<i>Myrmeciza ferruginea</i>																		
Black-throated Antbird	<i>Myrmeciza atrothorax</i>																		
Wing-banded Antbird	<i>Myrmornis torquata</i>																		
White-plumed Antbird	<i>Pithys albifrons</i>																		
Rufous-throated Antbird - <b>NE</b>	<i>Gymnopithys rufigula</i>																		
Spot-backed Antbird	<i>Hylophylax naevius</i>																		
Common Scale-backed Antbird	<i>Willisornis poecilinotus</i>																		
Rufous-capped Antthrush	<i>Formicarius colma</i>																		
Black-faced Antthrush	<i>Formicarius analis</i>																		
Short-tailed Antthrush	<i>Chamaeza campanisona</i>																		
Variiegated Antpitta	<i>Grallaria varia</i>																		
Spotted Antpitta	<i>Hylopezus macularius</i>																		
Thrush-like Antpitta	<i>Myrmothera campanisona</i>																		
Chestnut-belted Gnateater	<i>Conopophaga aurita</i>																		
Wing-barred Piprites	<i>Piprites chloris</i>																		
Sooty-headed Tyrannulet	<i>Phyllomyias griseiceps</i>																		

Yellow-crowned Tyrannulet	<i>Tyrannulus elatus</i>																		
Forest Elaenia	<i>Myiopagis gaimardii</i>																		
Grey Elaenia	<i>Myiopagis caniceps</i>																		
Yellow-crowned Elaenia	<i>Myiopagis flavivertex</i>																		
Greenish Elaenia	<i>Myiopagis viridicata</i>																		
Yellow-bellied Elaenia	<i>Elaenia flavogaster</i>																		
Small-billed Elaenia	<i>Elaenia parvirostris</i>																		
Plain-crested Elaenia	<i>Elaenia cristata</i>																		
Lesser Elaenia	<i>Elaenia chiriquensis</i>																		
Rufous-crowned Elaenia	<i>Elaenia ruficeps</i>																		
White-lored Tyrannulet	<i>Ornithion inerme</i>																		
Southern Beardless Tyrannulet	<i>Camptostoma obsoletum</i>																		
Suiriri Flycatcher	<i>Suiriri suiriri</i>																		
Mouse-colored Tyrannulet	<i>Phaeomyias murina</i>																		
Yellow Tyrannulet	<i>Capsiempis flaveola</i>																		
Bearded Tachuri	<i>Polystictus pectoralis</i>																		
Ringed Antpipit	<i>Corythopis torquatus</i>																		
Rufous-sided Pygmy Tyrant	<i>Euscarthmus rufomarginatus</i>																		
<b>Guianan Tyrannulet - NE</b>	<i>Zimmerius acer</i>																		
<b>Olive-green Tyrannulet - NE</b>	<i>Phylloscartes virescens</i>																		
Ochre-bellied Flycatcher	<i>Mionectes oleagineus</i>																		
McConnell's Flycatcher	<i>Mionectes macconnelli</i>																		
Sepia-capped Flycatcher	<i>Leptopogon amaurocephalus</i>																		
Northern Scrub Flycatcher	<i>Sublegatus arenarum</i>																		
Amazonian Scrub Flycatcher	<i>Sublegatus obscurior</i>																		
Southern Scrub Flycatcher	<i>Sublegatus modestus</i>																		
Pale-tipped Inezia (Tyrannulet)	<i>Inezia caudata</i>																		
Bran-colored Flycatcher	<i>Myiophobus fasciatus</i>																		
<b>Boat-billed Tody-Tyrant - NE</b>	<i>Hemitriccus josephinae</i>																		
White-eyed Tody-Tyrant	<i>Hemitriccus zosterops</i>																		
Pelzel's Tody-Tyrant	<i>Hemitriccus inornatus</i>																		
Short-tailed Pygmy Tyrant	<i>Myiornis ecaudatus</i>																		
Double-banded Pygmy Tyrant	<i>Lophotriccus vitiosus</i>																		

Helmeted Pygmy Tyrant	Lophotriccus galeatus																		
Smoky-fronted Tody-Flycatcher	Poecilatriccus fumifrons																		
Black-chested Tyrant	Taeniotriccus andrei																		
Spotted Tody-Flycatcher	Todirostrum maculatum																		
Common Tody-Flycatcher	Todirostrum cinereum																		
Painted Tody-Flycatcher - NE	Todirostrum pictum																		
Olivaceous Flatbill	Rhynchocyclus olivaceus																		
Yellow-olive Flatbill (Flycatcher)	Tolmomyias sulphureus																		
Zimmer's Flatbill/Yellow-margined Flyc	Tolmomyias assimilis																		
Yellow-margined Flatbill (Flycatcher)	Tolmomyias flavotectus																		
Grey-crowned Flatbill (Flycatcher)	Tolmomyias poliocephalus																		
Ochre-ored Flatbill (Yellow-br. Flycatcher)	Tolmomyias flaviventris																		
Cinnamon-crested Spadebill	Platyrinchus saturatus																		
Golden-crowned Spadebill	Platyrinchus coronatus																		
White-crested Spadebill	Platyrinchus platyrhynchos																		
Cinnamon Neopipo (Manakin-Tyrant)	Neopipo cinnamomea																		
Cliff Flycatcher	Hirundinea ferruginea																		
Euler's Flycatcher	Lathrotriccus euleri																		
Fuscous Flycatcher	Cnemotriccus fuscatus																		
Olive-sided Flycatcher	Contopus cooperi																		
Tropical Pewee	Contopus cinereus																		
White-throated Pewee - NE	Contopus albogularis																		
Amazonian Black Tyrant	Knipolegus poecilocercus																		
Rufous-tailed Tyrant	Knipolegus poecilurus																		
Drab Water Tyrant	Ochthornis littoralis																		
Grey Monjita	Xolmis cinereus																		
Pied Water Tyrant	Fluvicola pica																		
White-headed Marsh Tyrant	Arundinicola leucocephala																		
Long-tailed Tyrant	Colonia colonus																		
Piratic Flycatcher	Legatus leucophaeus																		
Rusty-margined Flycatcher	Myiozetetes cayanensis																		
Dusky-chested Flycatcher	Myiozetetes luteiventris																		
Great Kiskadee	Pitangus sulphuratus																		



Lesser Kiskadee	Philohydor lictor																		
Yellow-throated Flycatcher	Conopias parvus																		
Streaked Flycatcher	Myiodynastes maculatus																		
Boat-billed Flycatcher	Megarynchus pitangua																		
Sulphury Flycatcher	Tyrannopsis sulphurea																		
Variegated Flycatcher	Empidonomus varius																		
White-throated Kingbird	Tyrannus albogularis																		
Tropical Kingbird	Tyrannus melancholicus																		
Fork-tailed Flycatcher	Tyrannus savana																		
Eastern Kingbird	Tyrannus tyrannus																		
Grey Kingbird	Tyrannus dominicensis																		
Greyish Mourner	Rhytipterna simplex																		
Pale-bellied Mourner	Rhytipterna immunda																		
<b>Todd's Sirystes - NE</b>	Sirystes subcanescens																		
Dusky-capped Flycatcher	Myiarchus tuberculifer																		
Swainson's Flycatcher	Myiarchus swainsoni																		
Short-crested Flycatcher	Myiarchus ferox																		
Brown-crested Flycatcher	Myiarchus tyrannulus																		
Large-headed Flatbill	Ramphotricon megacephalum																		
Rufous-tailed Flatbill	Ramphotricon ruficauda																		
Cinnamon Attila	Attila cinnamomeus																		
Bright-rumped Attila	Attila spadiceus																		
<b>Guianan Cock-of-the-rock - NE</b>	Rupicola rupicola																		
Guianan Red Cotinga	Phoenicircus carnifex																		
Purple-breasted Cotinga	Cotinga cotinga																		
Spangled Cotinga	Cotinga cayana																		
White Bellbird	Cotinga albus																		
Screaming Piha	Lipaugus vociferans																		
Pompadour Cotinga	Xipholena punicea																		
Bare-necked Fruitcrow	Gymnoderus foetidus																		
Purple-throated Fruitcrow	Querula purpurata																		
Crimson Fruitcrow	Haematoderus militaris																		
<b>Capuchinbird - NE</b>	Perissocephalus tricolor																		

Tiny Tyrant-Manakin - <b>NE</b>	<i>Tyranneutes virescens</i>																		
Saffron-crested Tyrant-Manakin - <b>NE</b>	<i>Neopelma chrysocephalum</i>																		
Pale-bellied Tyrant-Manakin	<i>Neopelma pallescens</i>																		
Blue-backed Manakin	<i>Chiroxiphia pareola</i>																		
White-throated Manakin - <b>NE</b>	<i>Corapipo gutturalis</i>																		
Black Manakin	<i>Xenopipo atronitens</i>																		
White-fronted Manakin - <b>NE</b>	<i>Lepidothrix serena</i>																		
White-bearded Manakin	<i>Manacus manacus</i>																		
Crimson-hooded Manakin	<i>Pipra aureola</i>																		
White-crowned Manakin	<i>Pseudopipra pipra</i>																		
Golden-headed Manakin	<i>Ceratopipra erythrocephala</i>																		
Sharpbill	<i>Oxyruncus cristatus</i>																		
Amazonian Royal Flycatcher	<i>Onychorhynchus coronatus</i>																		
Whiskered Myiobius (Sulph.-rump. Flyc.)	<i>Myiobius barbatus</i>																		
Ruddy-tailed Flycatcher	<i>Terentotriccus erythrurus</i>																		
Black-crowned Tityra	<i>Tityra inquisitor</i>																		
Black-tailed Tityra	<i>Tityra cayana</i>																		
Guianan (Olivaceous) Schiffornis - <b>NE</b>	<i>Schiffornis olivacea</i>																		
Cinereous Mourner	<i>Laniocera hypopyrra</i>																		
Dusky Purpleuft - <b>NE</b>	<i>Iodopleura fusca</i>																		
Green-backed Becard	<i>Pachyramphus viridis</i>																		
Cinereous Becard	<i>Pachyramphus rufus</i>																		
White-winged Becard	<i>Pachyramphus polychopterus</i>																		
Black-capped Becard	<i>Pachyramphus marginatus</i>																		
Glossy-backed Becard	<i>Pachyramphus surinamus</i>																		
Pink-throated Becard	<i>Pachyramphus minor</i>																		
Rufous-browed Peppershrike	<i>Cyclarhis gujanensis</i>																		
Slaty-capped Shrike-Vireo	<i>Vireolanius leucotis</i>																		
Tepui Vireo - <b>NE</b>	<i>Vireo sclateri</i>																		
Red-eyed Vireo	<i>Vireo olivaceus</i>																		
Black-whiskered Vireo	<i>Vireo altiloquus</i>																		
Lemon-chested Greenlet	<i>Hylophilus thoracicus</i>																		
Ashy-headed Greenlet	<i>Hylophilus pectoralis</i>																		

Buff-cheeked Greenlet	Hylophilus muscicapinus															
Tawny-crowned Greenlet	Hylophilus ochraceiceps															
<b>Cayenne Jay - NE</b>	Cyanocorax cayanus															
Sand Martin/Bank Swallow	Riparia riparia															
White-winged Swallow	Tachycineta albiventer															
Purple Martin	Progne subis															
Caribbean Martin	Progne dominicensis															
Grey-breasted Martin	Progne chalybea															
Southern Martin	Progne elegans															
Brown-chested Martin	Progne tapera															
Blue-and-white Swallow	Notiochelidon cyanoleuca															
White-banded Swallow	Atticora fasciata															
Black-collared Swallow	Atticora melanoleuca															
White-thighed Swallow	Neochelidon tibialis															
Southern Rough-winged Swallow	Stelgidopteryx ruficollis															
Barn Swallow	Hirundo rustica															
American Cliff Swallow	Petrochelidon pyrrhonota															
Black-capped Donacobius	Donacobius atricapilla															
Coraya Wren	Pheugopedius coraya															
Buff-breasted Wren	Cantorchilus leucotis															
House Wren	Troglodytes aedon															
White-breasted Wood Wren	Henicorhina leucosticta															
Wing-banded Wren	Microcerculus bambla															
Musician Wren	Cyphorhinus arada															
<b>Collared Gnatwren - NE</b>	Microbates collaris															
Long-billed Gnatwren	Ramphocaenus melanurus															
Tropical Gnatcatcher	Polioptila plumbea															
Guianan Gnatcatcher	Polioptila guianensis															
Tropical Mockingbird	Mimus gilvus															
Chalk-browed Mockingbird	Mimus saturninus															
Rufous-brown Solitaire	Cichlopsis leucogenys															
Grey-cheeked Thrush	Catharus minimus															
Pale-eyed Thrush	Turdus leucops															

Black-hooded Thrush	Turdus olivater																		
Pale-breasted Thrush	Turdus leucomelas																		
Black-billed Thrush	Turdus ignobilis																		
Cocoa Thrush	Turdus fumigatus																		
Spectacled Thrush	Turdus nudigenis																		
White-necked Thrush	Turdus albicollis																		
House Sparrow	Passer domesticus																		
Yellowish Pipit	Anthus lutescens																		
Plumbeous Euphonia	Euphonia plumbea																		
Purple-throated Euphonia	Euphonia chlorotica																		
<b>Finsch's Euphonia - NE</b>	Euphonia finschi																		
Violaceous Euphonia	Euphonia violacea																		
Golden-rumped Euphonia	Euphonia cyanocephala																		
White-lored (Golden-bellied) Euphonia	Euphonia chrysopasta																		
White-vented Euphonia	Euphonia minuta																		
<b>Golden-sided Euphonia - NE</b>	Euphonia cayennensis																		
Northern Waterthrush	Parkesia noveboracensis																		
Prothonotary Warbler	Protonotaria citrea																		
Masked Yellowthroat	Geothlypis aequinoctialis																		
American Redstart	Setophaga ruticilla																		
Tropical Parula	Setophaga pitiayumi																		
Blackburnian Warbler	Setophaga fusca																		
American Yellow Warbler	Setophaga aestiva																		
Blackpoll Warbler	Setophaga striata																		
Riverbank Warbler	Myiothlypis rivularis																		
Bobolink	Dolichonyx oryzivorus																		
Eastern Meadowlark	Sturnella magna																		
Red-breasted Blackbird	Sturnella militaris																		
Crested Oropendola	Psarocolius decumanus																		
Green Oropendola	Psarocolius viridis																		
Yellow-rumped Cacique	Cacicus cela																		
Red-rumped Cacique	Cacicus haemorrhous																		
Yellow Oriole	Icterus nigrogularis																		

Epaulet Oriole	Icterus cayanensis																		
Giant Cowbird	Molothrus oryzivorus																		
Shiny Cowbird	Molothrus bonariensis																		
Carib Grackle	Quiscalus lugubris																		
Yellow-hooded Blackbird	Chrysomus icterocephalus																		
Bananaquit	Coereba flaveola																		
Rufous-collared Sparrow	Zonotrichia capensis																		
Grassland Sparrow	Ammodramus humeralis																		
Pectoral Sparrow	Arremon taciturnus																		
Red-capped Cardinal	Paroaria gularis																		
Black-faced Tanager	Schistochlamys melanopis																		
Magpie Tanager	Cissopis leverianus																		
Red-billed Pied Tanager	Lamprospiza melanoleuca																		
Hooded Tanager	Nemosia pileata																		
White-rumped Tanager	Cypsnagra hirundinacea																		
Grey-headed Tanager	Eucometis penicillata																		
Flame-crested Tanager	Tachyphonus cristatus																		
Fulvous-crested Tanager	Tachyphonus surinamus																		
White-shouldered Tanager	Tachyphonus luctuosus																		
White-lined Tanager	Tachyphonus rufus																		
Red-shouldered Tanager	Tachyphonus phoenicius																		
Fulvous Shrike-Tanager	Lanio fulvus																		
Silver-beaked Tanager	Ramphocelus carbo																		
Blue-grey Tanager	Thraupis episcopus																		
Palm Tanager	Thraupis palmarum																		
<b>Blue-backed Tanager - NE</b>	Cyanicterus cyanicterus																		
Shrike-like (White-banded) Tanager	Neothraupis fasciata																		
Turquoise Tanager	Tangara mexicana																		
Paradise Tanager	Tangara chilensis																		
Spotted Tanager	Tangara punctata																		
Speckled Tanager	Tangara guttata																		
Dotted Tanager	Tangara varia																		
Bay-headed Tanager	Tangara gyrola																		

Burnished-buff Tanager	<i>Tangara cayana</i>																		
Opal-rumped Tanager	<i>Tangara velia</i>																		
Swallow Tanager	<i>Tersina viridis</i>																		
Black-faced Dacnis	<i>Dacnis lineata</i>																		
Blue Dacnis	<i>Dacnis cayana</i>																		
Short-billed Honeycreeper	<i>Cyanerpes nitidus</i>																		
Purple Honeycreeper	<i>Cyanerpes caeruleus</i>																		
Red-legged Honeycreeper	<i>Cyanerpes cyaneus</i>																		
Green Honeycreeper	<i>Chlorophanes spiza</i>																		
Guira Tanager	<i>Hemithraupis guira</i>																		
Yellow-backed Tanager	<i>Hemithraupis flavicollis</i>																		
Chestnut-vented Conebill	<i>Conirostrum speciosum</i>																		
Bicolored Conebill	<i>Conirostrum bicolor</i>																		
Red Pileated (Red Crested) Finch	<i>Coryphospingus cucullatus</i>																		
Stripe-tailed Yellow Finch	<i>Sicalis citrina</i>																		
Saffron Finch	<i>Sicalis flaveola</i>																		
Grassland Yellow Finch	<i>Sicalis luteola</i>																		
Wedge-tailed Grass Finch	<i>Emberizoides herbicola</i>																		
Slate-colored Grosbeak	<i>Saltator grossus</i>																		
Buff-throated Saltator	<i>Saltator maximus</i>																		
Greyish Saltator	<i>Saltator coerulescens</i>																		
Blue-black Grassquit	<i>Volatinia jacarina</i>																		
Slate-colored Seedeater	<i>Sporophila schistacea</i>																		
Plumbeous Seedeater	<i>Sporophila plumbea</i>																		
Wing-barred Seedeater	<i>Sporophila americana</i>																		
Lesson's Seedeater	<i>Sporophila bouvronides</i>																		
Lined Seedeater	<i>Sporophila lineola</i>																		
Yellow-bellied Seedeater	<i>Sporophila nigricollis</i>																		
White-bellied Seedeater	<i>Sporophila leucoptera</i>																		
Copper Seedeater	<i>Sporophila bouvreuil</i>																		
Ruddy-breasted Seedeater	<i>Sporophila minuta</i>																		
Chestnut-bellied Seedeater	<i>Sporophila castaneiventris</i>																		
Chestnut-bellied Seed Finch	<i>Oryzoborus angolensis</i>																		

Large-billed Seed Finch	<i>Oryzoborus crassirostris</i>																		
Red (Hepatic) Tanager	<i>Piranga flava</i>																		
Summer Tanager	<i>Piranga rubra</i>																		
Rose-breasted Chat	<i>Granatellus pelzelni</i>																		
Yellow-green Grosbeak	<i>Caryothraustes canadensis</i>																		
Red-and-black Grosbeak	<i>Periporphyrus erythromelas</i>																		
Dickcissel	<i>Spiza americana</i>																		
Rothschild's (Blue-black) Grosbeak	<i>Cyanocompsa cyanoides</i>																		
Common Opossum	<i>Didelphis marsupialis</i>																		
Nine-banded Armadillo	<i>Dasybus novemcinctus</i>																		
Pale-throated Three-toed Sloth	<i>Bradypus tridactylus</i>																		
Linnaeus' Two-toed Sloth	<i>Choloepus didactylus</i>																		
Golden(Red)-handed Tamarin	<i>Saguinus midas</i>																		
Guianan Red Howler Monkey	<i>Alouatta macconnelli</i>																		
Black-capped Capuchin	<i>Sapajus apella</i>																		
Guianan Weeper Capuchin	<i>Cebus olivaceus</i>																		
Common Squirrel Monkey	<i>Saimiri sciureus</i>																		
White-faced Saki	<i>Pithecia pithecia</i>																		
Guiana Spider Monkey	<i>Ateles paniscus</i>																		
Neotropical Pygmy Squirrel	<i>Sciurillus pusillus</i>																		
Guianan squirrel	<i>Sciurus aestuans</i>																		
Red-rumped Agouti	<i>Dasyprocta leporina</i>																		
Probiscus Bat	<i>Rhynchonycteris naso</i>																		
Giant Otter	<i>Pteronura brasiliensis</i>																		
Tayra	<i>Eira barbara</i>																		
Kinkajou	<i>Potos flavus</i>																		

