

# Endosee® Advance

See now. Know now.™

Single-Use Instruments for Endosee® Advance

CooperSurgical is pleased to offer two additional disposable instruments for use with the Endosee® Advance direct visualization system. The systems integrated working channel enables the introduction of these specialized instruments to perform diagnostic and therapeutic procedures during in-office uterine assessment exams. Choose from a selection of sterile single-use tools or reusable stainless steel instruments based on procedure or preference.









Single Action Scissors

## Sterile, Disposable, Convenient

- · Single-use, sterile design for optimal convenience
- Enables a range of diagnostic and therapeutic procedures
- Ergonomic handle design for more control
- Use under direct visualization with Endosee® Advance







## Endosee® Advance

See now. Know now.™

### More Instruments for In-Office Procedures

Endosee Advance's working channel enables a wide range of visually-guided exams and procedures including polypectomy, biopsy and transection of adhesions.





#### **Ordering Information**

NUMBER	DESCRIPTION
ES9000	Endosee Advance Display Module (1 unit)
ESPX5	Endosee Advance Cannula, Compatible with ES9000 only (5 per Box)
ES-BPSY	Biopsy Forceps
ES-LNGR	Spoon Forceps, Long Serrated
ES-FBGR	Foreign Body Grasper, Fenestrated
ES-SCIS	Scissors, Single Action
ES-DISP-AGR	Disposable Alligator Grasper Forceps, 5 Fr, 460 mm (5/pack)
ES-DISP-SCS	Disposable Single Action Scissors, 5 Fr, 460 mm
ES-DISP-BPY	Disposable Biopsy Forceps, 5 Fr, 460 mm

Request an Endosee Advance Demo



#### IMPORTANT SAFETY INFORMATION

Endosee Advance Direct Visualization System is indicated for viewing the cervical canal, uterine cavity, or female urinary tract, for the purpose of performing diagnostic and therapeutic procedures. Hysteroscopy is contraindicated in patients with known or suspected pelvic inflammatory disease. Hysteroscopy may be contraindicated in patients with inability to distend the uterus, cervical stenosis, cervical/vaginal infection, uterine bleeding or menses, known pregnancy, invasive carcinoma of the cervix, recent uterine perforation, or intolerance to anesthesia. Cystoscopy is contraindicated in patients with severe coagulopathy or febrile patients with urinary tract infection. Please refer to Instructions for Use for more information.

800.243.2974 | www.coopersurgical.com 75 Corporate Drive, Trumbull, CT 06611

