

HP LaserJet Enterprise P3015 Printer series



Get advanced security features and expand with your changing business needs.

Get fast, high-performance printing with advanced security features.¹ Expand as your business needs change, using an open EIO slot, open memory slot, two internal accessory ports for connecting HP and partner solutions and optional paper trays.



Count on HP for performance and durability.

- Help prevent unauthorized network admission with 802.1X, which provides device authentication prior to admission.²
- All-in-one Original HP print cartridges with built-in intelligence deliver reliable, consistently outstanding results, page after page, cartridge after cartridge. Get more out of each cartridge with the optional high capacity toner cartridge.³
- Save time and reduce costs and your environmental impact. Print high-quality, two-sided documents and use up to 50 percent less paper using automatic, two-sided printing.¹ This device uses up to 13 percent less energy per page than previous models.
- Twenty-five years of continuous innovation and reliable, professional-quality printing – HP LaserJet remains the brand businesses count on.

Get peace of mind with advanced security features.

- Help secure business-critical data using IPSec and other advanced security features.
- Easily retrieve stored confidential print jobs. Retrieve a list of stored jobs using the "menu" button and enter your PIN using the 10-number key pad on the printer's control panel.¹
- Add a secure hard disk to the printer's open EIO slot. The optional HP High-Performance Secure EIO Hard Disk provides advanced security features to protect sensitive data at rest on HP printers and MFPs – without impacting device performance.³

Gain the flexibility to expand with your business.

- Improve your productivity. Get the capacity to do more with a 1600-sheet maximum input capacity.⁴ Add an optional 500-sheet paper tray for better paper handling.³
- Meet your business needs with robust paper handling. Automatically print on different types and sizes of media – up to A6 – with easy-to-load, adjustable paper trays.

Easy to use and manage.

- Get convenient, walk-up printing, using the front-panel Hi-Speed host USB 2.0 port.⁵ Increase your manageability with a full portfolio of innovative HP Certified Partner solutions that integrate easily into your existing infrastructure.
- Reduce calls to IT. Users may easily use and maintain the printer with convenient features like the four-line LCD control panel and the "Show-Me-How" menu.
- Easily setup and manage your print fleet with industry leading, award winning HP Web Jetadmin, and the HP Universal Print Driver. Easily install, configure, monitor, troubleshoot and manage your printing devices from anywhere on the network.²
- Enjoy easy recycling – cartridges returned via HP Planet Partners are recycled responsibly.⁶



2-sided printing



Multiple paper sizes



Auto On/Off Technology




Network printing

Product walkaround

HP LaserJet P3015X printer shown:

1. Intuitive control panel with four-line LCD display, 10-number key pad and "Show-Me-How" menu
2. 250-sheet top output bin
3. One-door access to the easy-to-install print cartridge
4. 100-sheet multipurpose tray handles a variety of special papers
5. Two 500-sheet input trays for a 1,100-sheet total input capacity
6. Hardware integration pocket for connecting optional HP or partner solutions
7. Host USB 2.0 port for walk-up USB printing
8. HP Jetdirect 10/100/1000 Ethernet embedded print server
9. 128 MB memory expandable to 640 MB, and a 540 MHz processor
10. One open EIO slot
11. Hi-Speed USB 2.0 port for direct connection to printer
12. 100-sheet straight-through path supports special papers
13. Built-in automatic two-sided printing



Series at a glance



Model	HP LaserJet Enterprise P3015d Printer	HP LaserJet Enterprise P3015dn Printer	HP LaserJet Enterprise P3015x Printer
Product number	CE526A	CE528A	CE529A
Print speeds	Up to 40 ppm A4	Up to 40 ppm A4	Up to 40 ppm A4
Control panel	4-line LCD display, 10-key pad	4-line LCD display, 10-key pad	4-line LCD display, 10-key pad
Hardware Integration Pocket	Yes	Yes	Yes
100-sheet multipurpose tray 1, 500 sheet tray 2	Yes	Yes	Yes
500-sheet tray 3	Optional	Optional	Yes
500-sheet tray 4	Optional	Optional	Optional
250-sheet output bin	Yes	Yes	Yes
Automatic two-sided printing	Yes	Yes	Yes
Memory	128 MB (expandable up to 640 MB)	128 MB (expandable up to 640 MB)	128 MB (expandable up to 640 MB)
Blue Angel certified	Yes	Yes	Yes

Accessories, Supplies and Support

Supplies	CE255A HP 55A Black Original LaserJet Toner Cartridge 6,000 pages
	CE255X HP 55X High Yield Black Original LaserJet Toner Cartridge 12,500 pages (HP LaserJet Enterprise P3015 and Pro 500 MFP M521) or 13,500 (HP LaserJet Enterprise Pro 500 MFP M525).
	CE255XD HP 55X 2-pack High Yield Black Original LaserJet Toner Cartridges Per cartridge: 12,500 to 13,500 pages
Accessories	CE530A HP LaserJet 500-sheet Feeder/Tray
	CE483A HP 512 MB 144-pin x32 DDR2 DIMM
	J8019A HP High-Performance Secure EIO Hard Disk
	J7972G HP 1284B Parallel Card
Connectivity	CE981A HP Hardware Integration Pocket Cable
	J7934G HP Jetdirect 620n Fast Ethernet Print Server
	J7961G HP Jetdirect 635n IPv6/IPsec Print Server
	J8021A HP Jetdirect ew2500 802.11b/g Wireless Print Server
	CE981A HP Hardware Integration Pocket Cable
Service and support	UT948E HP 3 year Next Business Day Onsite with Defective Media Retention LaserJet P3015 Hardware Support
	UT975E HP 4 year Next Business Day Onsite with Defective Media Retention LaserJet P3015 Support
	UU856E HP 5 year Next Business Day Onsite with Defective Media Retention LaserJet P3015 Support
	UT947PE HP 1 year Post Warranty Next Business Day Onsite with Defective Media Retention LaserJetP3015 Support

Technical specifications

Model	HP LaserJet Enterprise P3015d Printer	HP LaserJet Enterprise P3015dn Printer	HP LaserJet Enterprise P3015x Printer
Product number	CE526A	CE528A	CE529A
Print speed	Up to 40 ppm black (A4)		
First page out time	As fast as 7.5 sec black (A4, ready)		
Print resolution	Up to 1200 x 1200 dpi black		
Print technology	Monochrome Laser		
Print Area	Print margins: Top: 6 mm; Bottom: 6 mm; Left: 5 mm; Right: 5 mm; Maximum print area		
Print languages	HP PCL 5e, HP PCL 6, HP Postscript level 3 emulation, direct PDF (v 1.4) printing		
Monthly duty cycle	Up to 100000 pages (A4), Recommended monthly page volume: 1500 to 5000		
Duplex printing	Automatic (standard)		
Fonts and typefaces	PCL: 103 internal font set (plus Greek, Hebrew, Cyrillic, Arabic); PS: 93 internal font set (plus Greek, Hebrew, Cyrillic, Arabic)		
Processor speed	540 MHz		
Display	2.29 x 5.33 cm 4 line LCD display, 3 light-emitting diode (LED) indicator lights (Ready, Data, Attention), buttons (10 numeric keys, Information, Return, Stop/Cancel, OK, Toggle up/down)		
Wireless	Optional, enabled with purchase of a hardware accessory		
Connectivity	Standard: 1 Hi-Speed USB 2.0, 1 external Host USB, 2 internal Accessory ports for HP and partner solutions, 1 EIO slot; Optional: HP Jetdirect EIO internal print servers, HP Jetdirect external print servers, HP 802.11b/g wireless print servers, HP EIO Parallel Port Adaptor	Standard: 1 Hi-Speed USB 2.0; 1 HP Jetdirect 10/100/1000T Ethernet embedded print server; 1 EIO; 1 Host USB 2.0 (front-panel); 2 internal Accessory (for connecting HP or partner solutions); Optional: HP Jetdirect EIO internal print servers, HP Jetdirect external print servers, HP 802.11b/g wireless print servers, HP EIO Parallel Port Adaptor	Standard: 1 Hi-Speed USB 2.0; 1 HP Jetdirect 10/100/1000T Ethernet embedded print server; 1 EIO; 1 Host USB 2.0 (front-panel); 2 internal Accessory (for connecting HP or partner solutions); Optional: HP Jetdirect EIO internal print servers, HP Jetdirect external print servers, HP 802.11b/g wireless print servers, HP EIO Parallel Port Adaptor
Network ready	Optional	Standard (built-in Gigabit Ethernet)	Standard (built-in Gigabit Ethernet)
Memory	Maximum: 640 MB		
Hard disk	Optional, HP High-Performance Secure EIO Hard Disk (EIO Hard Drive)		
Functions	Print		
Media types	Paper (bond, colour, letterhead, plain, preprinted, prepunched, recycled, rough), envelopes, labels, cardstock, transparencies, user-defined		
Paper size	Multipurpose tray: 76 x 127 to 216 x 356 mm; tray 2 and optional 500-sheet feeder/tray (3 and 4): 105 x 148 to 216 x 356 mm		
Paper handling	Standard input: 100-sheet multipurpose tray (Tray 1), one 500-sheet input tray (Tray 2), automatic duplex printing Standard output: 250-sheet output bin, 100-sheet rear output bin Optional/Input: Two optional 500-sheet paper trays (Tray 3 and 4)	Standard input: 100-sheet multipurpose tray (Tray 1), one 500-sheet input tray (Tray 2), automatic duplex printing Standard output: 250-sheet output bin, 100-sheet rear output bin Optional/Input: Two optional 500-sheet paper trays (Tray 3 and 4)	Standard input: 100-sheet multipurpose tray (Tray 1), two 500-sheet input trays (Tray 2 and 3), automatic duplex printing Standard output: 250-sheet output bin, 100-sheet rear output bin Optional/Input: Optional 500-sheet paper tray (Tray 4)
Input capacity	Tray 1: sheets: 100, envelopes: 10, transparencies: 75 Tray 2: sheets: 500 Tray 3: sheets: 500 Maximum: Up to 1600		
Output capacity	Up to 250 sheets Transparencies		
Paper weight	Tray 1: 60 to 199 g/m ² (straight through paper path for special media); tray 2, 3: 60 to 120 g/m ²		
What's in the box	Printer, right-angled power cord, control panel overlay, software and documentation on CD-ROM, print Cartridge CE255A, Getting Started Guide, support flyer	Printer, right-angled power cord, control panel overlay, software and documentation on CD-ROM, print Cartridge CE255A, Getting Started Guide, support flyer	Printer, 500-sheet Feeder/Tray, right-angled power cord, control panel overlay, software and documentation on CD-ROM, print Cartridge CE255A, Getting Started Guide, support flyer

Model	HP LaserJet Enterprise P3015d Printer	HP LaserJet Enterprise P3015dn Printer	HP LaserJet Enterprise P3015x Printer
Product number	CE526A	CE528A	CE529A
Compatible operating systems	Windows 10 (for more information go to http://support.hp.com/us-en/document/c04658195), Windows 8 through the HP Universal Print Driver (for more information go to http://h20000.www2.hp.com/bizsupport/TechSupport/Document.jsp?objectID=c03365145), Windows 7, Windows Vista, Windows Vista x64, Windows 2000 (SP4), Windows Server 2008, Windows Server 2003; Mac OS X v10.3.9, v10.4, v10.5, v10.6; Novell NetWare; Red Hat Linux 7.x or higher, SuSE Linux 8.x or higher, Linux (see hplip.net)		
Minimum system requirements	Windows: Windows 10 (for more information go to: http://support.hp.com/us-en/document/c04658195), Windows 8 through the HP Universal Print Driver (for more information go to http://h20000.www2.hp.com/bizsupport/TechSupport/Document.jsp?objectID=c03365145), Windows 7, Windows Vista, Windows Server 2003, Windows 2000 (SP4); 200 MB available hard disk space, CD-ROM drive, USB 2.0 port or IEEE 1284-4 compliant parallel port Mac: Mac OS X v 10.3.9; v 10.4.3; v 10.5; v 10.6; 200 MB available hard disk space; USB (compatible with USB 2.0 specifications) port or IEEE 1284-B compliant parallel port; CD-ROM drive		
Software included	EVO Discrete PCL 6 (based on EVO 4.7); Product specific Universal Print Drivers Postscript, static install (based on EVO 4.7)		
Security management	Management Security: SNMPv3, SSL/TLS, WPA2-Enterprise, 802.1X authentication (EAP-PEAP, EAP-TLS), IPP over TLS, IPsec/Firewall with Certificate, Pre-Shared Key Authentication, and Kerberos Authentication. Support for WJA-10 IPsec Configuration using IPsec Plug-in		
Printer management	HP Web Jetadmin, HP LaserJet Utility, HP Embedded Web Server, HP Easy Printer Care		
Control panel	2.29 x 5.33 cm 4 line LCD display, 3 light-emitting diode (LED) indicator lights (Ready, Data, Attention), buttons (10 numeric keys, Information, Return, Stop/Cancel, OK, Toggle up/down)		
Printer dimensions (W x D x H)	Minimum: 448 x 412 x 316 mm	Minimum: 448 x 412 x 316 mm	Minimum: 448 x 412 x 480 mm
Package dimensions (W x D x H)	600 x 500 x 439 mm	600 x 500 x 439 mm	618 x 518 x 735 mm
Printer Weight	15.9 kg	15.9 kg	21.2 kg
Package weight	19.9 kg	19.9 kg	28.5 kg
Operating environment	Temperature: 15 to 32.5° C, Humidity: 30 to 70% RH		
Storage	Temperature: -20 to 40° C, Humidity: 10 to 90% RH		
Acoustics	Acoustic power emissions: 6.8 B(A); Acoustic pressure emissions: 54 dB(A)		
Power	Requirements: Input voltage: 220 to 240 VAC (+/- 10%), 50/60 Hz (+/- 2 Hz) Consumption: 780 watts (active), 14.5 watts (ready), 3.94 watts (sleep), 0.6 watts (off). Typical electricity consumption (TEC) 2.325 kWh/Week Power supply type: Internal		
Certifications	CISPR 22: 2005/EN 55022: 2006 Class B, EN 61000-3-2: 2006, EN 61000-3-3: 1995+A1+A2, EN 55024: 1998+A1+A2, FCC Title 47 CFR, G89254-1998, EMC Directive 2004/108/EC with CE Marking (Europe), other EMC approvals as required by individual countries Blue Angel		
Warranty	One year on-site warranty. Optional HP Care Pack services available. Warranty and support options vary by product, country and local legal requirements.		

Footnotes

¹For d, dn and x printer models only. The HP LaserJet Enterprise P3015d printer includes the features of the HP LaserJet Enterprise P3015 printer, plus automatic two-sided printing, a 10-number key pad and a hardware integration pocket. The HP LaserJet Enterprise P3015dn printer includes the features of the HP LaserJet Enterprise P3015d printer, plus networking. The HP LaserJet Enterprise P3015x printer includes the features of the HP LaserJet Enterprise P3015dn printer, plus a 500-sheet input tray for a 1,100-sheet total input capacity.; ²For dn and x models only. The HP LaserJet Enterprise P3015dn printer includes the features of the HP LaserJet Enterprise P3015d printer, plus networking. The HP LaserJet Enterprise P3015x printer includes the features of the HP LaserJet Enterprise P3015dn printer, plus a 500-sheet input tray for a 1100-sheet total input capacity.; ³Not included, please purchase separately.; ⁴Base, d and dn models have a 600-sheet standard input capacity, and the option to add two 500-sheet trays; x model has an 1100-sheet standard input capacity, plus the option to add a 500-sheet tray.; ⁵Supports PDF, PRN and PS file extensions.; ⁶Available in select countries. For more information visit: <http://www.hp.com/recycle>.



<http://www.hp.com/uk>

The product could differ from the images shown. © Copyright 2015 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Published in EMEA 4AA2-7078EEE, November 2015

