

WEEDDak Cotyledon ID

This guide contains plants frequently found found in within Australian Cotton farmings systems.

Identification of weeds at this stage will improve management decisions

The weeds are ordered by cotyledon shape and then by length

Click the basic shapes below to view examples of plants with that leaf shape.























Weed status key



Index of common Names




Go to Navigation button




Go Home - Here


Images and information in this document compiled by Graham Charles, NSW DPI, unless otherwise acknowledged.

















Names: Cowvine (I. lonchophylla), Common morning glory (I. purpurea), and Desert cowvine (I. diamantinensis). These species can be distin-

guished by:



Cotyledon length: 24 Shape: Bi-lobed


Names: Common morning glory, Morning glory,



Polymeria take-all

Polymeria longifolia Convolvulaceae (Bindweed family). Cotyledon length: 17.5 Shape: Bi-lobed

Names: Polymeria take-all, Clumped bindweed, Erect bindweed, Peak Downs curse, Polymeria.



Canola

Brassica x napus var. napus Brassicaceae (Cabbage family). Cotyledon length: 11 Shape: Bi-lobed

Names: Canola, Rape, Coleseed.

Wild radish

Raphanus raphanistrum Brassicaceae (Cabbage family).


Rapistrum rugosum Brassicaceae (Cabbage family). Cotyledon length: 11 Shape: Bi-lobed Names: Turnip weed, Ball turnip, Giant mustard, Rapistrum weed, Short-fruited turnip, Short-fruited wild turnip, Wild turnip.

Turnip weed

Names: Annual polymeria, Polymeria.

Annual polymeria


Polymeria pusilla Convolvulaceae (Bindweed family). Cotyledon length: 10 Shape: Bi-lobed



Australian bindweed

Convolvulus erubescens





Bilobed

Deltoid











Yellow-flowered Devil's claw

Ibicella lutea

Martyniaceae (Devil's claw family) **Cotyledon length:** 37 **Shape**: Deltoid



Names: Yellow-flowered devil's claw, Devil's grip, Double claw, Eagle's claw, Elephant tusks, Goat's head, Pumpkin vine, Ram's horn, Unicorn plant.





Small-flowered mallow

Malva parviflora

Malvaceae (Hibiscus family).

Cotyledon length: 8.75 Shape: Deltoid



Names: Small-flowered mallow, Egyptian mallow, Little mallow, Marshmallow, Ring-leaf mallow, Small-flowered marshmallow, Whorl-flowered mallow, Whorl mallow.





Mint weed

Salvia reflexa

Lamiaceae (Mint family).

Cotyledon length: 6 Shape: Deltoid



Names: Mintweed, Lance-leaf sage, Narrow-leaf sage, Wild mint.





Corrugated sida

Sida corrugata

Malvaceae (Hibiscus family).

Cotyledon length: 3.5 Shape: Deltoid



Names: Corrugated sida, Dwarf sida, Native sida, Sage weed, Variable sida.




Bilobed





















Vigna radiata Fabaceae (Pea family). Cotyledon length: 70 Shape: Elliptic

Mung bean

Names: Mung bean, Celera bean, Golden gram,

Green gram, Moong bean.







Cotyledon length: 37.5 Shape: Elliptic Names: Noogoora burr, Beach cockleburr, Burrweed, Clotburr, Cockleburr, European cockle-

burr, Large cockleburr, Italian cockleburr, Rough cockleburr, Sheep's burr.

Cajanus cajan

















Californian burr

Xanthium orientale Asteraceae (Daisy family). Cotyledon length: 19.5 Shape: Elliptic

rweed, Clotburr, Cockleburr, European cockleburr, Italian cockleburr, Large cockleburr, Rough cockleburr, Sheep's burr.

Names: Californian burr, Beach cockleburr, Bur-

Velvety tree pear Opuntia tomentosa Cactaceae (Cactus family). Cotyledon length: 12 Shape: Elliptic Names: Velvet tree pear.

Climbing saltbush

Einadia nutans subsp. oxycarpa Chenopodiaceae (Saltbush family). Cotyledon length: 7.5 Shape: Elliptic

Names: Climbing saltbush, Berry saltbush, Nod-



ding saltbush.

saltbush.

WONS



Cotyledon length: 7 Shape: Elliptic

Names: Annual saltbush, Mueller's saltbush, Green saltbush, Lagoon saltbush, Queensland

Fathen


Chenopodium album Chenopodiaceae (Saltbush family). Cotyledon length: 7 Shape: Elliptic

Names: Fathen, Blueweed, Fat hen, Giant fathen, Goosefoot, Lamb's quarters, White goosefoot.


Willow primrose Ludwigia octovalvis

Names: Willow primrose.


Onagraceae (Evening primrose family). Cotyledon length: 5 Shape: Elliptic




Deltoid
















Ammi majus Apiaceae (Carrot family).









Black bindweed

Fallopia convolvulus

Khaki weed

Alternanthera pungens Amaranthaceae (Amaranth family). Cotyledon length: 7.5 Shape: Elongated ovate

Dwarf marigold

Schkuhria pinnata var. abrotanoides Asteraceae (Daisy family). Cotyledon length: 6.5 Shape: Elongated ovate Names: Dwarf marigold, Curious weed,

Pigweed


Portulaca oleracea

Hairy pigweed

Portulaca pilosa Portulaceae (Portulaca family). Cotyledon length: 5 Shape: Elongated ovate


Names: Hairy pigweed.

Names: Khaki weed, Creeping chaffweed, Khaki





Schkuhria.

burr.


























Commelina ensifolia Commelinaceae (Dayflower family).

Cotyledon length: 32.5 Shape: Linear

Names: Scurvy grass, Scurvy weed, Wandering

Jew.






Cotyledon length: 32.5 Shape: Linear

Names: Soft roly-poly, Buckbush, Prickly roly-po-

ly, Prickly Russian thistle, Prickly saltwort, Roly-poly, Russian thistle, Saltwort, Tumbleweed.







Names: Maloga bean, Native bean, Parsnip bean, Vigna take-all.










Names: Mexican poppy, Biniguy thistle, Devil's fig, Golden thistle-of-Peru, Mexican thistle, Prickly poppy, White thistle, Yellow poppy.

Cotyledon length: 26 Shape: Linear











Names: Fierce thornapple, Castor oil, False castor oil, Long-spined thornapple, Long-spurred

Datura ferox Solanaceae (Tomato family). Cotyledon length: 24 Shape: Linear

thornapple, Thornapple.









Apiaceae (Carrot family). Cotyledon length: 16.5 Shape: Linear

Names: Fennel, Anise, Aniseed, Aniseed weed,

weed, Wild poinsettia, Yellow spurge.



Dill, Sweet anise.


Gomphrena celoioides Amaranthaceae (Amaranth family).

Cotyledon length: 15 Shape: Linear


Names: Gomphrena weed, Soft khaki weed,

Gomphrena weed

White-eye.







Ovate



Sunflower

Helianthus annuus Asteraceae (Daisy family). Cotyledon length: 17.5 Shape: Oblong

Names: Sunflower, Annual sunflower, Common

sunflower.

Sesbania

Sesbania canabina Fabaceae (Pea family). Cotyledon length: 17.5 Shape: Oblong

Names: Sesbania, Danchi, Dhaircha, Nardoo, Peabush, Sesbania pea, Yellow peabush.



Names: Purple-flowered devil's-claw, Devil's claw, Elephant tusks, Goat's head, Proboscis flower, Ram's horn, Unicorn plant.

Proboscidea Iouisianica Martyniaceae (Devil's claw family). Cotyledon length: 15 Shape: Oblong

Purple-flowered

Butterfly pea Clitoria ternatea Fabaceae (Pea family).

Cotyledon length: 14 Shape: Oblong

Bunga biru.


Names: Butterfly pea, Blue pea, Blue vine,



Cotyledon length: 14 Shape: Oblong

sionfruit, Wild passionfruit.

Names: Stinking passionflower, Love-in-a-mist passionflower, Mossy passionflower, Stinking pas-



Smooth sen

Senna clavigera Caesalpiniaceae (Cassia family).

Mimosa bush Acacia farnesiana Fabaceae (Pea family).

Cotyledon length: 12.5 Shape: Oblong

bush, North-west curara, Perfumed wattle, Prickly bush, Prickly mimosa, Prickly mimosa bush, Prickly Moses, Sheep's briar, Sponge flower, Sponge wattle, Sweet acacia, Thorny acacia, Thorny feather-wattle, Thorny wattle

Names: Mimosa bush, Briar bush, Cassie, Cassie flower, Cassy, Dead finish, Downs mimosa, Ellington curse, False mesquite, Farnese wattle, Mimosa, Mimosa wattle, Needle bush, Needle-

Grey rattlepod

Crotalaria dissitiflora Fabaceae (Pea family). Cotyledon length: 12 Shape: Oblong

Names: Grey rattlepod, Crotalaria takeall,

Wild cotton

Gomphocarpus fruticosus Asclepiadaceae (Milkweed family). Cotyledon length: 11.5 Shape: Oblong

Names: Wild cotton, Arghel of Syria, Balloon cotton, Balloon cotton bush, Cape cotton,

Cotton bush, Duck bush, Milkweed, Narrow-leaf cotton bush, Swan plant, Wild cotton bush.

Plains rattlepod, Wild liquorice.

flower.

Burr medic Medicago polymorpha

Fabaceae (Pea family). Cotyledon length: 11 Shape: Oblong

Trefoil clover.

Names: Burr medic, Burr clover, Burr trefoil, Creeping burr, Medic clover, Medic burr, Native trefoil, Rough medic, Shinnier's burr medic, Toothed burr clover, Toothed medic, Trefoil,

St. Barnaby's thistle

Centaurea solstitialis Asteraceae (Daisy family). Cotyledon length: 8 Shape: Oblong

Names: St. Barnaby's thistle, Golden star thistle, yellow centaurea thistle, Yellow cockspur,

Budda pea

Aeschynomene indica Fabaceae (Pea family). Cotyledon length: 9 Shape: Oblong

Names: Budda pea, Butter pea.

Yellow vine

Tribulus micrococcus Zygophyllaceae Cotyledon length: 8 Shape: Oblong

Names: Yellow vine, Native yellow vine, Spine-

Yellow star thistle.




less caltrop.

Tribulus terrestris Zygophyllaceae. Cotyledon length: 8 Shape: Oblong vine.



Names: Cathead, Bindyi, Burnut, Bullhead, Bull's head, Caltrop, Cat's head, Devil's thorn, Goathead, Goat head burr, Goat's head, Puncture Linear Ovate Oblong













Woolly pod vetch

Vicia villosa subsp. eriocarpaFabaceae (Pea family).

Cotyledon length: 9 Shape: Pinnate



Names: Woollypod vetch.





Chickpea

Cicer arietinum


Fabaceae (Pea family).

Cotyledon length: 4 Shape: Pinnate




Names: Chickpea, Garbanzo bean, Gram.






















Macroptilium atropurpureum Fabeaceae (Pea family). Cotyledon length: 11 Shape: Round

Siratro

Names: Siratro, Purple bean.










Chinese lantern.
























Tarvine

Boerhavia dominii Nyctaginaceae (Tarvine family). Cotyledon length: 3.5 Shape: Round

Names: Tarvine, Common spiderling, Hogweed,

llygoat weed

Ageratum conyzoides Asteraceae (Daisy family). Cotyledon length: 3 Shape: Round

Sonchus oleraceus Asteraceae (Daisy family). Cotyledon length: 4.5 Shape: Round

Sowthistle, Thalaak.

Names: Common sowthistle, Annual sowthistle, Common milk thistle, Milk thistle, Milkweed,



Giotcho, Murra, Tah-vine.

Names: Billygoat weed, Blue bonnet, Bluetop, Goatweed.



phorbia drummondii.

Round

Spatulate



Names: Caustic weed, Caustic creeper, Creeping spurge, Doily weed, Flat spurge, Mat spurge, Milkweed, Spurgewort. Formerly named Eu-

















Saffron thistle Carthamus lanatus Asteraceae (Daisy family).

Cotyledon length: 14.5 Shape: Spatulate Names: Saffron thistle, Distaff thistle, False star

thistle, Woolly safflower, Woolly star thistle,



Woolly thistle, Yellow star thistle.







Spotted golden thistle Scolymus maculatus Asteraceae (Daisy family). Cotyledon length: 12.5 Shape: Spatulate Names: Spotted golden thistle, Spotted thistle.






Chicory

Cichorium intybus Asteraceae (Daisy family). Cotyledon length: 10 Shape: Spatulate

succory, Witloof.

Names: Chicory, Belgian endive, Succory, Wild





Asteraceae (Daisy family). Cotyledon length: 9.5 Shape: Spatulate Names: White flatweed, Dandelion, Flatweed, White-flowered flatweed.

White flatweed



Capeweed

Arctotheca calendula Asteraceae (Daisy family). Cotyledon length: 8 Shape: Spatulate

Names: Capeweed, African marigold, Cape



Vireweed

Polygonum aviculare Polygonaceae (Dock family). Cotyledon length: 8.5 Shape: Spatulate

weed, Prostrate knotweed.

Names: Wireweed, Hogweed, Ironweed, Knot-



dandelion.



Twiggy mullein

Verbascum virgatum Scrophulariaceae (Figwort family). Cotyledon length: 4.5 Shape: Spatulate

Names: Twiggy mullein, Green mullein, Slender



mullein.

African turnip weed

Sisybrium thellingii Brassicaceae (Cabbage family). Cotyledon length: 4.5 Shape: Spatulate

Names: African turnip weed.

Sisybrium thellingii Brassicaceae (Cabbage family).

Cotyledon length: 4.5 Shape: Spatulate


Names: African turnip weed.

African turnip weed



Phylla canescens Verbenaceae (Verbena family). Cotyledon length: 2.5 Shape: Spatulate Names: Lippia, Carpetweed, Fog fruit.






Velvet dock, Wild tobacco.

leaf, Jacob's staff, Shepherd's club, Torches,

Verbascum thapsus subsp. Thapsus Scrophulariaceae (Figwort family).







Common Names African turnip weed African turnip weed **Annual polymeria Annual saltbush Anoda Australian bindweed Australian cranesbill** Bathurst burr **Bellvine** Billygoat weed Bishop's weed **Blackberry nightshade Black bindweed Black pigweed Budda** pea **Burr medic Butterfly pea Californian burr** Canola **Capeweed Castor oil plant Cathead Caustic weed** Chickpea **Chicory** Climbing saltbush **Common heliotrope Common joyweed Common morning glory Common sowthistle Corrugated sida** Cotton **Cowvine Curled dock** David's spurge **Deadnettle Desert cowvine** Downy thornappie **Dwarf amaranth Dwarf marigold Dwarf nettle Elephant creeper** Emu foot (broad leaf type) Faba bean **Fathen** Fennel Fierce thornapple Flaxleaf fleabane Gomphrena weed **Great mullein Green amaranth Grey rattlepod Hairy pigweed** Hare's foot clover **Hogweed Indian hedge mustard** Italian cockleburr Khaki weed Lippia Littlebell Lucerne Maloga bean Maltese cockspur Mexican poppy ochroleuca **Milkweed** Mimosa bush Mint weed Mung bean Narrow-leaf bladder ketmia **Native rosella** Native sensitive plant Noogoora burr **Onion vine Ox-tongue** Pale knotweed **Parthenium weed** Patterson's curse Pepper-leaf senna **Phasey bean** Pigeon pea **Pigweed Plains spurge** Polymeria take-all **Prickly lettuce** Purple-flowered devil's claw **Purpletop Redroot amaranth** Ryncho **Safflower** Saffron thistle **Scarlet pimpernel** Scurvy grass Sesbania Shepherd's purse **Siratro Small-flowered mallow** Smooth senna **Soft roly-poly** Spear thistle Spiny emex Spotted golden thistle Stagger weed St. Barnaby's thistle Stinking passionflower **Sunflower Tarvine Tridax Turnip weed** Twiggy mullein Variegated thistle **Velvetleaf** Velvety tree pear Vigna takeall White clover White flatweed Wide-leaf bladder ketmia Wild cotton Wild gooseberry Wild melon Wild radish Wild sunflower Willow primrose Wireweed **Woolly pod vetch** Yellow-flowered Devil's claw **Yellow vine**

Declaration Icons for Weedpak Seedling ID Guide



Native



Exotic



Exotic NSW C3 Declaration



Exotic NSW C4 Declaration



Exotic NSW C5 Declaration



Exotic WONS, Qld C2, Declaration



Native WONS, NSW C1, Qld C2 Declaration



Resistance confirmed in this species



Explaination of NSW weed control classes The characteristics of each class are as follows:

Class 1 noxious weeds are plants that pose a

potentially serious threat to primary production or the environment and are not present in the State or are present only to a limited extent. Class 2 noxious weeds are plants that pose a

potentially serious threat to primary production or the environment of a region to which the order applies and are not present in the region or are present only to a limited extent. Class 3 noxious weeds are plants that pose

a serious threat to primary production or the environment of an area to which the order applies, are not widely distributed in the area and are likely to spread in the area or to another area. Class 4 noxious weeds are plants that pose a threat

to primary production, the environment or human health, are widely distributed in an area to which the order applies and are likely to spread in the area or to another area. Class 5 noxious weeds are plants that are likely,

by their sale or the sale of their seeds or movement within the State or an area of the State, to spread in the State or outside the State. For more information on NSW weed declarations visit:

weeds/definition

http://www.dpi.nsw.gov.au/agriculture/pests-weeds/

Explaination of Queensland weed control classes

A Class 1 pest is one that has the potential to

become a very serious pest in Queensland in the future. We need to prevent the introduction, possession and sale of these species so that they can't escape to become pests. All landholders are required by law to keep their land free of Class 1 pests. It is a serious offence to introduce, keep, release or sell Class 1 pests without a permit. A Class 2 pest is one that has already spread over

substantial areas of Queensland, but its impact is so serious that we need to try and control it and avoid further spread onto properties that are still free of the pest. By law, all landholders must try to keep their land free of Class 2 pests and it is an offence to

possess, sell or release these pests without a permit. A Class 3 pest is one that is commonly established in parts of Queensland. Landholders are not required to control a Class 3 declared pest plant on their land unless a pest control notice is issued by a local government because the pest is causing or has potential to cause an negative impact on an adjacent environmentally significant area. It is an offence to

supply a Class 3 pest. A permit for specific purposes may be issued by Biosecurity Queensland. Species not declared under the Land Protection (Pests and Stock Route Management) Act 2002 may still be declared at

a local government level under local laws. For more information on Queensland weed

declarations visit:

http://www.daff.qld.gov.au/plants/weeds-pest-animals-ants/weeds/declared-plants

