




Crug  
Farm  
Plants

Established 1990



PLANT LIST  
2016

European mail order website  
[www.crug-farm.co.uk](http://www.crug-farm.co.uk)

Welcome to our 2016 list hope we can tempt you with plenty of our old favourites as well as some exciting new plants that we have searched out on our travels.

There has been little chance of us standing still with what has been going on here in 2015. The year started well with the birth of our sixth grandchild. January into February had Sue and I in Colombia for our first winter/early spring expedition. It was exhilarating, we were able to travel much further afield than we had previously, as the mountainous areas become safer to travel. We are looking forward to working ever closer with the Colombian institutes, such as the Medellin Botanic Gardens whom we met up with. Consequently we were absent from the RHS February Show at Vincent Square. We are finding it increasingly expensive participating in the London shows, while re-branding the RHS February Show as a potato event hardly encourages our type of customer base to visit. A long standing speaking engagement and a last minute change of date, meant that we missed going to Fota near Cork last spring, no such problem this coming year. We were pleasantly surprised at the level of interest at the Trgrehan Garden Rare Plant Fair, in Cornwall. Hopefully this will become an annual event for us, as well as the Cornwall Garden Society show in April.

Poor Sue went through the wars having to have a rush hysterectomy in June, after some timely results revealed future risks. This naturally took the wind out of her sails, forcing her to take it easy for quite some time. At least my housekeeping skills have been honed as a result. Pleased to announce that she is fighting fit six months on. It seemed a good time to present her with a replacement puppy, to replace Lahlu who finally gave up her fight not long after our return from Colombia. By contrast Ming-Mah is jet black and very lively.

Moving fast forward to the autumn, the Murabilia Show in Lucca Italy is a real highlight. Where we are meeting more and more contacts who want our plants in their gardens. We had a fabulously successful autumn collecting trip, which took us to Hong Kong, Taiwan and Japan. Conforming with CBD we contacted the Chinese authorities for permission to collect in Hong Kong. While in Taiwan we worked the entire time there on joint collections with the Taiwan National Museum of Natural Science in Taichung. This was very rewarding all round as we were able to help them every bit as much as they helped us. Hopefully we can publish the new *Sarcococca* from there soon, as we will be offering it. Japan despite only having time for a brief visit, was equally productive. As we were running out of so many seed grown collections, but also finding hitherto elusive and shy-fruited ones too. Luckily it was a good year for seed.

Please note our OPENING HOURS reflecting the need to open our gates earlier in the day for visitors staying locally. For those of our customers who

are unable to visit the nursery we are offering an online shopping experience, with deliveries throughout the UK and EU, from [www.mailorder.crug-farm.co.uk](http://www.mailorder.crug-farm.co.uk). Where there are search facilities by many criteria (i.e. colour), as well as by plant name, while indicating availability, pot sizes and prices. Our new carrier, DelSol (APC) offer an overnight fragile service, which should have your plants delivered in fresh condition before 5.30pm the following day to dispatch (UK). Unfortunately since the demise of City Link none of the national carriers will accept anything over 1.2m tall, unless on a pallet then it is still only 2m. Our carriage charges are **by the box**, (volume not weight) hence please consider ordering enough plants to fill a box, rather than one plant as the carriage charge would be the same. There is no minimum charge for the plants purchased. For additional queries on plant availability etc contact Sue at [mailorder@crug-farm.co.uk](mailto:mailorder@crug-farm.co.uk). We try our best to reply to any queries, a brief e-mail can be the surest way of a prompt reply. For any other information visit our nursery website via [www.crug-farm.co.uk](http://www.crug-farm.co.uk) where there is additional information on our events, accommodation and some seasonal plantings.

Please note the lay-out of the following list avoiding repetition of collected plants, (**etc** signifying multiple collections available) the full list and descriptions are on our mailorder web-site where space is unlimited. Here there are not only descriptions of all of our plants, but photographs of most as well, this information is also accessible on the computer in our sales-area. We should forewarn our customers that as the season progresses many of our lines will be out of stock. Conversely new lines highlighted **bold** on this list, will be offered from January 1<sup>st</sup> on as they become available. Please note that some of the plants are ordinarily only available bare rooted, ✿ indicating those plants.

## Remember that we offer a mail order service throughout Europe

You can place your order online  
at [www.mailorder.crug-farm.co.uk](http://www.mailorder.crug-farm.co.uk)

Or if you prefer, telephone  
**01248 670232**



Small box



Medium box



Large box

## Collector's References

These combination of initials and numbers are accession numbers that are assigned to collections we and others gather from wild populations from all over the world. These are assigned to each collection as they are made to enable interested parties to track their origins.

B&L	C.D. Brickell & A.C. Leslie
BSWJ	Bleddyn & Sue Wynn-Jones
BWJ	Bleddyn Wynn-Jones
CWJ	Finlay Colley & Bleddyn Wynn-Jones
DJH	Daniel J. Hinkley (followed by country and year code)
EDHCH	Eric Hammond China 1997
FMWJ	A. Floden, T. Mitchell & B. Wynn-Jones, Vietnam 2011
GWJ	Sally Goddard, B. & S. Wynn-Jones
GUIZ	Guizhou Expedition (1985)
HWJ	Crûg-Heronswood Joint Expeditions, Vietnam
HWJCM	Crûg-Heronswood Joint Expedition, E. Nepal 1995
HWJK	Crûg-Heronswood Joint Expedition, E. Nepal 2002
KR	Keith Rushforth
KWJ	Crûg-World of Ferns Joint Expedition Vietnam 2007
MF	Maurice Foster
PBR	Pascal Bruggeman
RH	M. Rickard & R. Hayward
RWJ	Crûg-Rickard's Ferns Joint Expedition to Taiwan 2003
SEP	Swedish Expedition to Pakistan
WJC	Crûg-Rare Plants Ireland Joint Expedition Sikkim 2013
WWJ	Peter Wharton & Bleddyn Wynn-Jones, Vietnam 2006-7
Yu	Tse-tsun Yu

## Abbreviations

aff.	affinity to (bearing a similarity to)
cf.	compare to
etc	additional collections available
f.	forma
sp.	species
ssp.	subspecies
×	hybrid
v.	variety
✿	plants only available bare root (open ground)
-	-

*For that  
special occasion ...  
why not give one  
of our  
Gift Vouchers?*

**A**

(Araliaceae)	Acanthopanax	see <i>Eleutherococcus</i>
(Aceraceae)	Acer	albopurpurascens CWJ12361
	-	buergerianum BSWJ12676
	-	- v. formosanum CWJ12477
	-	campbellii ssp. campbellii GWJ9360
	-	- v. fansipanense see <i>pectinatum</i> ssp. <i>pectinatum</i>
	-	carpinifolium BSWJ10955 etc
	-	caudatifolium BSWJ12403
	-	caudatum GWJ9279 etc ☼
	-	- ssp. ukurunduense BSWJ8658 ☼
	-	circinatum BSWJ9565 ☼
	-	cissifolium BSWJ10801
	-	crataegifolium BSWJ11036 etc
	-	erythranthum BSWJ11733 etc
	-	fabri WWJ11614
	-	forrestii BWJ7515 ☼
	-	heptaphlebium BSWJ11713 etc
	-	<b>japonicum BSWJ12847 etc ☼</b>
	-	kawakamii BSWJ6734 etc
	-	laevigatum BSWJ11684 etc
	-	<b>laurinum KWJ12232 etc</b>
	-	mandshuricum BSWJ12592
	-	morifolium BSWJ11473 ☼
	-	morrisonense BSWJ6710 etc
	-	<b>negundo BSWJ14060</b>
	-	okamotoanum see <i>pictum</i> ssp. <i>okamotoanum</i>
	-	oliverianum ssp. formosanum CWJ12437 etc
	-	palmatum ssp. amoenum BSWJ10916 etc ☼
	-	- v. coreanum BSWJ8606 ☼
	-	- v. matsumurae BSWJ11100 etc ☼
	-	- v. micro-sieboldianum BSWJ8766 ☼
	-	pectinatum GWJ9354 ☼
	-	- ssp. pectinatum BSWJ8270 etc
	-	pictum ssp. okamotoanum BSWJ12623
	-	pseudosieboldianum BSWJ8746 etc ☼
	-	reticulatum BSWJ11698
	-	rubescens BSWJ12438
	-	serrulatum CWJ12437 etc
	-	shirasawanum v. tenuifolium BSWJ11096
	-	sieboldianum BSWJ11049 etc

<i>(Aceraceae)</i>	Acer	sieboldianum v. tsushimense BSWJ10962
	-	sikkimense from northern Vietnam BSWJ11613 etc
	-	<b>- from from Sikkim WJC13674 etc</b>
	-	stachyophyllum BSWJ8101 ☼
	-	takesimense BSWJ8500 etc
	-	tonkinense ssp. liquidambarifolium DJHV06173
	-	truncatum v. barbinerve BSWJ8806 ☼
	-	tschonokii ssp. koreanum BSWJ12583 etc ☼
<i>(Berberidaceae)</i>	Achlys	japonica
	-	triphylla
<i>(Ranunculaceae)</i>	Aconitum	arcuatum BSWJ774
	-	austroyunnanense BSWJ7902
	-	bartlettii BSWJ337
	-	chiisanense BSWJ4446
	-	episcopale
	-	ferox from Nepal HWJK2217 ☼
	-	- from Northern India GWJ9403
	-	fischeri BSWJ8809
	-	formosanum BSWJ3057
	-	fukutomei BSWJ337
	-	hemsleyanum
	-	jaluense BSWJ8741
	-	japonicum ssp. montanum BSWJ5507
	-	- ssp. subcuneatum BSWJ6228
	-	kitadakense BSWJ11173
	-	laciniatum GWJ9254 etc
	-	loczyanum BSWJ11529
	-	napiforme BSWJ943
	-	proliferum BSWJ4107
	-	pseudolaeva v. erectum BSWJ8466
	-	senanense v. incisum BSWJ11032
	-	- ssp. paludicola BSWJ10866
	-	seoulense BSWJ694 etc
	-	spicatum GWJ9394
	-	uchiyamai BSWJ1005 etc
	-	vilmorinianum BSWJ8055
	-	violaceum v. robustum GWJ9393
	-	yamazaki
	-	aff. zigzag v. ryohakuense BSWJ8906
<i>(Ranunculaceae)</i>	Actaea	alba <i>see pachypoda</i>
	-	americana <i>see podocarpa</i>

<i>(Ranunculaceae)</i>	Aconitum	arizonica
-		asiatica from China BWJ8174 etc
-		- from Japan BSWJ6351 etc
-		- from Korea BSWJ4546 etc
-		bitermata BSWJ11190 etc
-		dahurica BSWJ8613 etc
-		<b>aff. foetida WJC13720</b>
-		japonica BSWJ5828 etc
-		- from Cheju Do BSWJ8758a etc
-		- v. acutiloba BSWJ6257
-		mairei BWJ7939 etc ✿
-		matsumurae BSWJ11528 etc
-		pachypoda
-		podocarpa
-		rubra
-		rubra BSWJ9555
-		- f. neglecta
-		simplex BSWJ8664 etc
-		spicata
-		- native form
-		taiwanensis BSWJ3413 etc
-		yesoensis BSWJ6355 etc
<i>(Actinidiaceae)</i>	Actinidia	arguta BSWJ4592 etc
-		- 'Shoko' (F) BSWJ569
-		- 'Unchae' (M) BSWJ569
-		hypoleuca BSWJ5942 etc ✿
-		kolomikta
-		- 'Tomoko' (F) BSWJ4243
-		- 'Yazuaki' (M) BSWJ4243
-		petelotii FMWJ13137 <b>etc</b>
-		pilosula <i>see tetramera v. maloides</i>
-		polygama from Japan BSWJ5444 etc
-		- from Korea BSWJ8544 etc
-		setosa BSWJ3563
-		sp. from China BWJ8161
-		aff. strigosa HWJK2367 ✿
-		tetramera v. maloides
<i>(Campanulaceae)</i>	Adenophora	capillaris ssp. leptosepala BWJ7986
-		aff. coelestis BWJ7998
-		aff. divaricata BSWJ11018
-		grandiflora BSWJ8555 etc
-		lamarckii BSWJ8738
-		maximowicziana BSWJ11008

(Campanulaceae)	Adenophora	morrisonensis RWJ10008 etc
	-	<b>nikoensis BSWJ11201</b>
	-	remotiflora BSWJ11016 etc
	-	takedae BSWJ11424
	-	triphylla BSWJ10936
	-	- v. japonica BSWJ10933
	-	uehatae BSWJ126 etc
	-	verticillata BSWJ8608
(Adiantaceae)	Adiantum	andicola BSWJ10448
	-	aff. fimbriatum BWJ 8184
(Hippocastanaceae)	Aesculus	wangii WWJ11886
(Lamiaceae)	Agastache	rugosa 'Korean Zest' BSWJ735
(Simaroubaceae)	Ailanthus	altissima v. tanakae BSWJ6777 etc
(Asteraceae)	Ainsliaea	apiculata v. acerifolia BSWJ6059
	-	chapaensis BSWJ11720
	-	latifolia FMWJ13426
	-	nervosa BSWJ11344
	-	petelotii FMWJ13427
	-	tonkinensis BSWJ11819
	-	uniflora BSWJ11336
(Lardizabalaceae)	Akebia	longeracemosa BSWJ3606
	-	× pentaphylla BSWJ2829
	-	quinata BSWJ4102 etc
	-	- 'White Chocolate' BSWJ8415
	-	- white flowered form
	-	trifoliata BSWJ5063 etc
(Alliaceae)	Allium	tuberosum BSWJ8881
(Styracaceae)	Alniphyllum	tuberosum FMWJ13013
	-	aff. eberhardtii FMWJ13121
(Betulaceae)	Alnus	maximowiczii ❀
	-	pendula BSWJ10895
	-	sieboldiana ❀
(Zingiberaceae)	Alpinia	japonica BSWJ8889
	-	aff. zerumbet BSWJ11512
(Hamamelidaceae)	Altingia	poilanei BSWJ11756
(Araceae)	Amorphophallus	kiusianus BSWJ4845
(Vitaceae)	Ampelocissus	sikkimensis HWJK2066
(Vitaceae)	Ampelopsis	aconitifolia BSWJ12982
	-	arborea
	-	brevipedunculata 'Citrulloides' BSWJ4138
	-	glandulosa v. hancei BSWJ1793

(Gesneriaceae)	Ancylostemon	convexus BSWJ6624 etc
(Ranunculaceae)	Anemone	chapaensis HWJ631
	-	hupehensis BWJ8190 etc ☼
	-	- v. japonica BSWJ4886 ☼
	-	keiskeana
	-	leveillei
	-	leveillei BWJ7919
	-	× lipsiensis
	-	pseudoaltaica
	-	rivularis from China BWJ7611
	-	rivularis from India BSWJ13944
	-	sumatrana BSWJ11265
	-	vitifolia WJC13743 etc
(Ranunculaceae)	Anemonopsis	macrophylla
	-	- 'White Swan'
(Apiaceae)	Angelica aff.	acutiloba v. iwatensis BSWJ11197
	-	anomala BSWJ10968
	-	<b>breweri BSWJ14083</b>
	-	cartilaginomarginata BSWJ12663
	-	cyclocarpa WJC13658
	-	decursiva BSWJ5746
	-	edulis BSWJ10886
	-	gigas BSWJ4170
	-	japonica BSWJ11480 etc
	-	morii RWJ9802
	-	nubigena WJC13763
	-	pubescens BSWJ5593 etc
	-	ursina
(Solanaceae)	Anisodus	carniolicoides BWJ7501 ☼
(Papilionaceae)	Apios	americana
(Ranunculaceae)	Aquilegia	buergeriana v. oxysepala BSWJ4775 etc ☼
	-	<b>eximia BSWJ14053</b>
	-	<b>formosa v. formosa BSWJ13543</b>
	-	<b>- v. truncata BSWJ14072</b>
	-	rockii BWJ7965 ☼
(Davalliaceae)	Araiostegia	parvipinnata BSWJ1608
	-	pulchra HWJ1007
(Araliaceae)	Aralia	apioides EDHCH9720
	-	armata BSWJ6916
	-	bipinnata RWJ10101
	-	cachemirica

(Araliaceae)	Aralia	californica
-	-	chapaensis HWJ1013 etc
-	-	aff. chinensis BWJ8102
-	-	continentalis BSWJ8437
-	-	cordata BSWJ5596 etc
-	-	- v. sachalinensis BSWJ4773
-	-	- from Ullüngdö BSWJ8524
-	-	decaisneana BSWJ6794 etc
-	-	elata BSWJ 5480
-	-	foliolosa BSWJ8360
-	-	kansuensis BWJ7650 etc
-	-	racemosa BSWJ9570
-	-	aff. searelliana BSWJ11376
-	-	vietnamensis BSWJ12349e
		<i>woody non spiny climbing see Pentapanax</i>
(Myrsinaceae)	Ardisia	japonica BSWJ1032
-	-	- v. minor BSWJ3809 etc
(Araceae)	Arisaema	<b>angustatum v. peninsulæ BSWJ8639</b>
-	-	consanguineum BSWJ071
-	-	formosanum BSWJ280 etc
-	-	grapsospadix BSWJ7000
-	-	<b>griffithii v. pradhanii WJC13660</b>
-	-	kelung-insulare BSWJ256 etc
-	-	petelotii BSWJ9706
-	-	ringens f. sieboldii BSWJ551 etc
-	-	taiwanense BSWJ269 etc
-	-	- f. cinereum BSWJ1912 etc
-	-	thunbergii ssp. autumnale BSWJ1425 etc
(Iridaceae)	Aristea	ecklonii
(Aristolochiaceae)	Aristolochia	californica BSWJ13511
-	-	cucurbitifolia BSWJ7043
-	-	fimbriata BSWJ13612
-	-	kaempferi BSWJ293
-	-	manshuriensis BSWJ12557
-	-	moupiniensis BWJ8181
-	-	<b>sempervirens BSWJ13600</b>
(Rosaceae)	Aruncus	aethusifolius 'Little Gem' BSWJ 4475
-	-	asiaticus BSWJ8624
(Aristolochiaceae)	Asarum	canadense
-	-	caudatum
-	-	- 'Album'
-	-	- deciduous form

(Aristolochiaceae)	Asarum	maculatum BSWJ1114 etc
	-	sieboldii
(Asparagaceae)	Asparagus	aff. meioladus BSWJ8309
	-	schoberioides BSWJ8814 ✿
(Asparagaceae)	Aspidistra	<b>attenuata 'Dongpu Dazzler' BSWJ377</b>
	-	<b>- 'Xitou Starlet' BSWJ2001</b>
	-	daibuensis 'Taiwan Stars' BSWJ312b
	-	- 'Tidy Trim' BSWJ6866
	-	- 'Totally Dotty' BSWJ3236
	-	<b>- 'Yuli Yummy' BSWJ6863</b>
	-	<b>aff. mushaensis 'Spotty Dotty' BSWJ1949</b>
	-	<b>sutepensis 'Pha-hom Pok-adot' BSWJ6645</b>
	-	tonkinensis
	-	zongbayi 'Uan Fat Lady'
(Asteraceae)	Aster	albescens WJC13657
(Saxifragaceae)	Astilbe	chinensis BWJ8178 ✿
	-	- v. davidii BSWJ8583 etc ✿
	-	koreana BSWJ8611 etc ✿
	-	longicarpa BSWJ6711
	-	microphylla BSWJ11085
	-	rivularis GWJ9366 etc ✿
	-	- v. myriantha BWJ8076a
	-	thunbergii v. congesta BSWJ10961 ✿
	-	- v. aff. formosa BSWJ10946 ✿
	-	- v. hachijoensis BSWJ5622 ✿
	-	- v. okuyamae BSWJ10975 ✿
	-	- v. sikokiana BSWJ11164
	-	- v. sikokumontanum BSWJ11534
	-	- v. terrestris BSWJ6125
(Apiaceae)	Astrantia	'Buckland'
	-	minor
(Aucubaceae)	Aucuba	aff. chlorascens BSWJ11815
	-	himalaica v. dolichophylla Oq95038
	-	japonica v. borealis female CWJ12898
	-	- 'Dentata'
	-	- 'Lance Leaf'
	-	- f. longifolia
	-	- 'Salicifolia'
	-	- viridis
	-	omeiensis BWJ8048 etc

**B**

( <i>Ranunculaceae</i> )	Beesia	calthifolia
( <i>Begoniaceae</i> )	Begonia	annulata HWJK2424
	-	'Candy Floss' BWJ7858
	-	chapaensis HWJ642
	-	chitoensis BSWJ1954
	-	grandis ssp. evansiana
	-	- - 'Pink Parasol' BSWJ5702
	-	- 'Sapporo'
	-	panchtharensis BSWJ2692
	-	pedatifida DJHC98473
	-	putii BSWJ7245
	-	sinensis BWJ8133
	-	- 'Red Undies' BWJ8011
	-	taliensis EDHCH042
	-	'Wild Swan' BWJ7772
	-	wynn-jonesiae 'Pink Lady' BWJ8119
( <i>Iridaceae</i> )	Belamcanda	chinensis 'Crüg Colossal' BSWJ11373
( <i>Berberidaceae</i> )	Berberis	amurensis v. latifolia BSWJ8539 etc
	-	goudotii BSWJ10769
	-	insignis v. insignis BSWJ2432 etc
	-	macrosepala BSWJ2124
	-	subacuminata FMWJ13290
	-	aff. verticillata BSWJ10672
	-	virescens BSWJ2646d
( <i>Saxifragaceae</i> )	Bergenia	pacumbis BSWJ2693
( <i>Betulaceae</i> )	Betula	alleghaniensis
	-	dahurica BSWJ8462 ☼
	-	ermanii BSWJ12600 ☼
	-	<b>insignis ssp. fansipanensis BSWJ11751 etc</b>
	-	michauxii KA 23
	-	utilis GWJ9259 etc ☼
( <i>Blechnaceae</i> )	Blechnum	chilense
( <i>Rutaceae</i> )	Boenninghausenia	albiflora BSWJ1479 etc
	-	- pink tinged BSWJ3112
( <i>Alstroemeriaceae</i> )	Bomarea	aff. acuminata BSWJ10617
	-	<b>andreaana BSWJ14310 etc</b>
	-	boliviensis
	-	caldasii
	-	costaricensis BSWJ10467
	-	edulis BSWJ9017

<i>(Alstroemeriaceae)</i>	Bomarea	hirsuta BSWJ10774 <b>etc</b>
	-	multiflora BSWJ10681 <b>etc</b>
<i>(Lardizabalaceae)</i>	Boquila	trifoliolata
<i>(Saxifragaceae)</i>	Boykinia	aconitifolia
	-	occidentalis ✿
	-	rotundifolia ✿
<i>(Gesneriaceae)</i>	Briggsia	kurzii GWJ9342 <i>see Loxostigma</i>
<i>(Buddlejaceae)</i>	Buddleja	asiatica BSWJ11278
	-	colvilei BSWJ2121 <b>etc</b>
	-	cordata BSWJ10433
	-	curviflora f. venenifera BSWJ6036 <b>etc</b>
	-	davidii BWJ8083
	-	delavayi (heliophylla)
	-	fallowiana BWJ7803
	-	forrestii BWJ8020 <b>etc</b>
	-	japonica BSWJ8912
	-	aff. lindleyana BSWJ11478
	-	macrostachya HWJ602 <b>etc</b>
	-	megalcephala BSWJ9106
	-	nivea from Sikkim BSWJ2679
	-	nivea v. yunnanensis BWJ8146
	-	paniculata from Sikkim GWJ9286
	-	venenifera f. calvescens BSWJ895
<b><i>(Apiaceae)</i></b>	<b>Bupleurum</b>	<b>fruticosum</b>

**C**

<i>(Asteraceae)</i>	Cacalia	<i>see Parasenecio</i>
<i>(Verbenaceae)</i>	Callicarpa	japonica BSWJ12621
	-	-v. luxurians BSWJ8521
	-	aff. tikusikensis BSWJ7127
<b><i>(Theaceae)</i></b>	<b>Camellia</b>	<b>pitardii HWJ1037 <b>etc</b></b>
<i>(Campanulaceae)</i>	Campanula	alliarifolia DHTU0126 ✿
	-	punctata v. microdonta BSWJ5553 ✿
	-	'Sarastro'
<i>(Capparaceae)</i>	Capparis	spinosa v. inermis BSWJ13626
<i>(Cruciferae)</i>	Cardamine	bulbifera
	-	californica
	-	diphylla
	-	-'Eco Cut Leaf'
	-	-'Eco Moonlight'

<i>(Cruciferae)</i>	Cardamine	<i>glanduligera</i>
	-	<i>heptaphylla</i>
	-	<i>laciniata</i>
	-	<i>macrophylla</i> 'Bright and Bronzy' BSWJ2165a
	-	<i>maxima</i>
	-	<i>pentaphylla</i>
	-	<i>quinquefolia</i>
	-	<i>trifolia</i>
	-	<i>waldsteinii</i>
	-	<i>yezoensis</i> BSWJ4659 ☼
<i>(Hydrangeaceae)</i>	Cardiandra	<i>alternifolia</i> BSWJ5845 etc
	-	- 'Pink Geisha' BSWJ2803
	-	<i>amamiohshimensis</i>
	-	<i>formosana</i> BSWJ2005 etc
	-	- 'Crùg's Abundant' BSWJ3632
	-	- 'Fenghuangshan' BSWJ3615
	-	- 'Hsitou' BSWJ7022
	-	- 'Hsitou Splendour' BSWJ3618
<i>(Liliaceae)</i>	Cardiocrinum	<i>cordatum</i> BSWJ2812 etc
	-	- <i>v. glehnii</i> BSWJ4758 etc
	-	<i>giganteum</i>
	-	<i>giganteum</i> BSWJ2419 etc
	-	- <i>v. yunnanense</i> BSWJ8180
<i>(Cyperaceae)</i>	Carex	<i>scaposa</i> KWJ12304
<i>(Corylaceae)</i>	Carpinus	<i>japonica</i> BSWJ10803 etc
	-	<i>kawakamii</i> CWJ12412 etc
	-	<i>laxiflora</i> BSWJ10809 etc
	-	- <i>v. longispica</i> BSWJ8772 ☼
	-	<i>pubescence</i> FMWJ13421
	-	<i>rankanensis</i> RWJ9839
	-	<i>tschonokii</i> BSWJ10800 ☼
<i>(Zingiberaceae)</i>	Caulokaempferia	<i>petelotii</i> BSWJ11818 etc
<i>(Berberidaceae)</i>	Caulophyllum	<i>thalictroides</i>
	-	- <i>ssp. robustum</i>
<i>(Zingiberaceae)</i>	Cautleya	<i>cathcartii</i> 'Tenzing's Gold' BSWJ2281
	-	<i>gracilis</i> 'Crùg Gold' BSWJ7186
	-	<i>spicata</i> 'Arun Flame' HWJK2172
	-	- 'Bleddyn's Beacon' BSWJ2408
	-	- 'Crùg Canary' BSWJ2103
	-	- 'Crùg Compact' BSWJ2690
	-	- 'Robusta'
<i>(Vitaceae)</i>	Cayratia	<i>japonica</i> BSWJ6636
<i>(Celastraceae)</i>	Celastrus	<i>flagellaris</i> BSWJ8572
	-	<i>hookeri</i> BSWJ11667

<i>(Celastraceae)</i>	Celastrus	kusanoi CWJ12445
	-	orbiculatus v. papillosus BSWJ591
	-	paniculatus CWJ12478
	-	punctatus CWJ12439
	-	stephanotifolius BSWJ4727
	-	aff. stylosus WJC13746
<i>(Ulmaceae)</i>	Celtis	choseniana BSWJ12774
<i>(Campanulaceae)</i>	Centropogon	cordifolius BSWJ10282
	-	costaricae BSWJ10455
	-	ferrugineus BSWJ10665
	-	willdenowianus BSWJ10657
<b><i>(Cephalotaxaceae)</i></b>	<b>Cephalotaxus</b>	<b>fortunei</b>
<i>(Plumbaginaceae)</i>	Ceratostigma	asperrimum BSWJ7260
	-	willmottianum BWJ8140
<i>(Caesalpiniaceae)</i>	Cercis	chinensis BSWJ12665
<i>(Solanaceae)</i>	<b>Cestrum</b>	<b>buxifolium BSWJ14395</b>
	-	roseum BSWJ10255
<i>(Rosaceae)</i>	Chaenomeles	cathayensis
<i>(Gesneriaceae)</i>	Chirita	speciosa 'Crüg Cornetto' HWJ1056
<i>(Chloranthaceae)</i>	Chloranthus	glaber BSWJ11102
	-	japonicus
	-	oldhamii BSWJ2019
	-	serratus
<i>(Anthericaceae)</i>	Chlorophytum	nepalense BSWJ2528
<i>(Asteraceae)</i>	Chrysanthemum	aff. yezoense BSWJ10872
<i>(Saxifragaceae)</i>	Chrysosplenium	davidianum
	-	lanuginosum v. formosanum BSWJ6979
	-	macrophyllum
<i>(Asteraceae)</i>	Cicerbita	sp. from China BWJ7891
<i>(Vitaceae)</i>	Cissus	aff. pedata BSWJ2371
<i>(Ranunculaceae)</i>	Clematis	chiisanensis BSWJ4560
	-	connata BSWJ2956 etc
	-	fasciculiflora KWJ12160
	-	fasciculiflora L657
	-	fusca v. coreana see flabellata
	-	flabellata BSWJ8431
	-	gracilifolia BWJ8002
	-	henryi BSWJ3403
	-	- v. morii BSWJ1668
	-	ianthina v. kuripoensis BSWJ700
	-	japonica BSWJ11204

<i>(Ranunculaceae)</i>	Clematis	koreana
	-	montana from Taiwan BSWJ6930 etc
	-	<b>- from the Himalayas WJC13713</b>
	-	napaulensis
	-	parviloba v. bartlettii BSWJ6788 etc
	-	patens 'Korean Moon' BSWJ583
	-	psilandra CWJ12377
	-	serratifolia from Korea BSWJ8458 etc
	-	aff. smilacifolia BSWJ11767 etc
	-	sp. from China BWJ7630 etc
	-	stans BSWJ5073 etc
	-	szuyuanensis BSWJ6791 etc
	-	tashiroi BSWJ7005
	-	- 'Yellow Peril' BSWJ1423
	-	terniflora BSWJ5751 etc
	-	tongluensis GWJ9358 etc
	-	urticifolia BSWJ8640 etc
<i>(Verbenaceae)</i>	Clerodendrum	colebrookianum BSWJ6651
	-	aff. subscaposum BSWJ11735
	-	trichotomum 'Shiro' BSWJ4896
<i>(Clethraceae)</i>	Clethra	barbinervis BSWJ11562
	-	fabri BSWJ11702 <b>etc</b>
<i>(Liliaceae)</i>	Clintonia	udensis
	-	udensis from Nepal HWJK2339
	-	umbellulata
<i>(Menispermaceae)</i>	Cocculus	orbiculatus BSWJ535
<i>(Campanulaceae)</i>	Codonopsis	affinis HWJCM70 etc
	-	bentharii from Sikkim GWJ9352
	-	convolvulacea v. hirsuta BWJ7812
	-	dicentrifolia HWJCM267
	-	forrestii BWJ7532 etc
	-	grey-wilsonii
	-	- 'Himal Snow'
	-	inflata GWJ9442
	-	aff. javanica FMWJ13329
	-	kawakamii BSWJ6975 etc
	-	lanceolata BSWJ5437
	-	rotundifolia v. angustifolia
	-	species from China BWJ8145
	-	- from Nepal HWJK2105
	-	viridiflora
	-	viridis HWJK2435 etc

(Nyctaginaceae)	Colignonia	ovalifolia BSWJ10644
(Araceae)	Colocasia	formosana BSWJ6909
(Lamiaceae)	Colquhounia	coccinea v. mollis BSWJ7222
(Commelinaceae)	Commelina	tuberosa BSWJ10353
(Gesneriaceae)	Conandron	ramondioides BSWJ8929 etc
(Ranunculaceae)	Coptis	chinensis BSWJ12865
	-	japonica
	-	- v. dissecta
	-	- v. major
	-	<b>laciniata BSWJ12863</b>
	-	omeiensis BSWJ7366
	-	quinquefolia BSWJ1677
	-	- v. ramosa
	-	ramosa BSWJ6000 etc
	-	trifolia
(Coriariaceae)	Coriaria	arborea
	-	intermedia BSWJ019
	-	japonica BSWJ2833 etc
	-	- ssp. intermedia BSWJ3877
	-	kingiana
	-	microphylla BSWJ8999
	-	myrtifolia BSWJ14003
	-	nepalensis BSWJ7755 etc
	-	pteridoides
	-	ruscifolia HCM98178
	-	sarmentosa etc
	-	terminalis v. xanthocarpa GWJ9204 etc
	-	<b>- f. fructu-rubro</b>
(Cornaceae)	Cornus	capitata
	-	hongkongensis BSWJ11700 etc
	-	- v. aff. gigantea KWJ12225
	-	- v. tonkinensis BSWJ11791
	-	kousa BSWJ12610
	-	macrophylla
	-	walteri BSWJ8776 🌸
(Poaceae)	Cortaderia	richardii
(Papaveraceae)	Corydalis	elata
	-	flexuosa 'Blue Panda'
	-	- 'China Blue' CD&R528c
	-	- 'Père David' CD&R528b
	-	siamense BSWJ7200
	-	stipulata BSWJ2951
(Corylaceae)	Corylus	sieboldiana BSWJ11056

<i>(Rosaceae)</i>	Cotoneaster	ganghobaensis B&L12234
	-	hualiensis BSWJ3143
	-	moupinensis BWJ8167
<i>(Iridaceae)</i>	Crocsmia	'Emily McKenzie'
	-	'Mrs Geoffrey Howard'
	-	'Star of the East'
<i>(Stemonaceae)</i>	Croomia	heterosepala
<i>(Rubiaceae)</i>	Crusea	coccinea 'Crûg Crimson' BSWJ10254
<i>(Hypoxidaceae)</i>	Curculigo	crassifolia BSWJ2318
	-	- from Vietnam HWJ683
<i>(Menispermaceae)</i>	Cyclea	polypetala KWJ12157
<i>(Athyriaceae)</i>	Cystopteris	moupinensis BSWJ6767

**D**

<i>(Papaveraceae)</i>	Dactylicapnos	lichiangensis <i>see ventii</i>
	-	macrocapnos
	-	scandens GWJ9438 etc
	-	- f. thalictrifolia
	-	ventii GWJ9376 <b>etc</b>
<i>(Asteraceae)</i>	Dahlia	australis BSWJ 10358
	-	excelsa 'Penelope Sky' BSWJ10233 etc
	-	imperialis BSWJ8997
	-	<b>- f. albiflora BSWJ14341</b>
	-	pinnata BSWJ10240
	-	aff. purpusii BSWJ10321
	-	<b>white sp. from Colombia BSWJ14340</b>
<i>(Ruscaceae)</i>	Danae	racemosa
<i>(Thymelaeaceae)</i>	Daphne	arisanensis BSWJ6983
	-	bholua from India GWJ9436
	-	bholua from Vietnam BSWJ8275
	-	retusa
	-	sp. from China DJHC98164
<i>(Daphniphyllaceae)</i>	Daphniphyllum	aff. angustifolium BSWJ8225 etc
	-	chartaceum KWJ12313 etc
	-	kengii BSWJ7119
	-	aff. longeracemosum BSWJ11788
	-	macropodum from Cheju-Do BSWJ8763 etc
	-	- from Ullüngdö BSWJ8507
	-	- from Yakushima BSWJ11489
	-	- v. humile BSWJ11232 etc
	-	majus BSWJ11744
	-	oldhamii BSWJ6872

( <i>Daphniphyllaceae</i> )	Daphniphyllum	paxianum BSWJ9755
	-	pentandrum BSWJ6888 etc
	-	teysmannii from Japan BSWJ11112 etc
	-	aff. teysmannii from Taiwan CWJ12350
( <i>Saxifragaceae</i> )	Darmera	peltata ☼
( <i>Urticaceae</i> )	Debregeasia	longifolia BSWJ11686
( <i>Lardizabalaceae</i> )	Decaisnea	fargesii BWJ8070 etc
	-	insignis WJC13740
( <i>Hydrangeaceae</i> )	Decumaria	barbara
	-	sinensis
( <i>Hydrangeaceae</i> )	Deinathe	bifida BSWJ5436 etc
	-	- 'Pink-Kii' BSWJ5012
	-	- 'Pink-Shi' BSWJ5655
	-	caerulea
	-	- × bifida 'Blue Blush'
( <i>Ranunculaceae</i> )	Delphinium	glaciale HWJK2299
( <i>Araliaceae</i> )	Dendropanax	trifidus BSWJ11230
	-	<b>cf. kwangsiensis FMWJ13274</b>
( <i>Loganiaceae</i> )	Desfontainia	spinosa 'Harold Comber'
( <i>Hydrangeaceae</i> )	Deutzia	bhutanensis HWJK2180
	-	calycosa BWJ8007
	-	cordatula BSWJ6917 etc
	-	<b>corymbosa GWJ9202 etc ☼</b>
	-	crenata BWJ8886 etc ☼
	-	- v. heterotricha BSWJ5805
	-	- v. nakaiana BSWJ11184
	-	<b>discolor 'Major'</b>
	-	glabrata BSWJ617 etc
	-	glomeruliflora BWJ7742 ☼
	-	gracilis BSWJ8927
	-	- v. ogatae BSWJ8911 etc
	-	maximowicziana BSWJ11567
	-	aff. monbeigii BWJ7728
	-	paniculata BSWJ8592
	-	parviflora v. barbinervis BSWJ8478 ☼
	-	- v. amurensis BSWJ8690 ☼
	-	prunifolia BSWJ8588
	-	pulchra BSWJ3870 etc
	-	purpurascens BWJ7859
	-	scabra BSWJ11127 etc
	-	taiwanensis BSWJ12443 etc
( <i>Papaveraceae</i> )	Dicentra	formosa alba

( <i>Papaveraceae</i> )	Dicentra	'Langtrees'
	-	lichiangensis
	-	macrantha
	-	macrocapnos
	-	scandens GWJ9438 etc
	-	- f. thalictrifolia
	-	ventii GWJ9376
		yellow climbing see <i>Dactylicapnos</i>
( <i>Hydrangeaceae</i> )	Dichroa	cynea BSWJ2367 etc
	-	febrifuga BSWJ9734 etc
	-	hirsuta from Lao BSWJ8371
	-	- from Vietnam BSWJ8207
	-	versicolor BSWJ6565 etc
		see also × <i>Didrangea</i>
( <i>Hydrangeaceae</i> )	× <i>Didrangea</i>	ytiensis BSWJ11790
( <i>Dioscoreaceae</i> )	Dioscorea	quinqueloba
( <b><i>Ebenaceae</i></b> )	<b>Diospyros</b>	<b>lotus FMWJ13164</b>
( <i>Berberidaceae</i> )	Diphylleia	cymosa
	-	grayi
	-	sinensis
( <i>Cornaceae</i> )	Diplopanax	stachyanthus BSWJ11803
( <i>Dipsacaceae</i> )	Dipsacus	japonicus HWJ695
( <i>Annonaceae</i> )	Disepalum	petelotii BSWJ11690
( <i>Asparagaceae</i> )	Disporopsis	arisanensis BSWJ1864 etc
	-	aspera
	-	aspera tall form
	-	<b>bodinieri KWJ12277</b>
	-	fusco-picta
	-	longifolia BSWJ5284 etc
	-	luzoniense BSWJ3891
	-	pernyi
	-	taiwanensis BSWJ3388 etc
	-	aff. undulata
( <i>Colchicaceae</i> )	Disporum	aff. austrosinense BSWJ9777 etc
	-	cantonense BSWJ9715
	-	- v. cantoniense BSWJ5181
	-	- - f. brunneum BSWJ5290 etc
	-	- v. kawakamii BSWJ1424 etc
	-	- v. multiflorum BSWJ11252 etc
	-	- v. sikkimense BSWJ2337 etc
	-	- v. y-tiense HWJ1045 etc
	-	flavens BSWJ872 etc

(Colchicaceae)	Disporum	hookeri <i>etc see Prosartes</i>
	-	- v. oreganum <i>etc see Prosartes</i>
	-	lanuginosum <i>etc see Prosartes</i>
	-	leschenaultianum BSWJ9484 <i>etc</i>
	-	leucanthum BSWJ2389 <i>etc</i>
	-	longistylum L1564 <i>etc</i>
	-	lutescens
	-	maculatum <i>etc see Prosartes</i>
	-	megalanthum
	-	nantauense BSWJ359 <i>etc</i>
	-	sessile BSWJ2824 <i>etc</i>
	-	- 'Aureovariegatum'
	-	- f. macrophyllum BSWJ4316
	-	- 'Variegatum'
	-	smilacinum BSWJ713 <i>etc</i>
	-	- 'Aureovariegatum'
	-	- pink
	-	smithii <i>etc see Prosartes</i>
	-	taiwanense BSWJ1513 <i>etc</i>
	-	tonkinensis BSWJ11814 <i>etc</i>
	-	trabeculatum
	-	- 'Nakafu'
	-	uniflorum BSWJ651 <i>etc</i>
	-	viridescens BSWJ4598 <i>etc</i>
(Winteraceae)	Drimys	winteri v. chilensis
	-	lanceolata

## E

(Iridaceae)	Echeandia	formosa BSWJ9147
(Crassulaceae)	<b>Echeveria</b>	<b>bicolor BSWJ14388</b>
	-	maxonii BSWJ10396
	-	montana BSWJ10277
(Elaeagnaceae)	Elaeagnus	umbellata CWJ12835
(Araliaceae)	Eleutherococcus	divaricatus BSWJ5027
	-	giraldii BWJ8091
	-	hypoleucus BSWJ5532
	-	senticosus v. koreanus BSWJ4568
	-	sessiliflorus BSWJ4528 <i>etc</i> ☼
	-	trifoliatus RWJ10108
(Scrophulariaceae)	Ellisiophyllum	pinnatum BSWJ197
(Proteaceae)	Embothrium	coccineum 'Norquinco Form'

<i>(Papaveraceae)</i>	Eomecon	chionantha
<i>(Phytolaccaceae)</i>	Ercilla	volubilis
<i>(Apiaceae)</i>	Eryngium	cymosum BSWJ10267
	-	gracile BSWJ10441 etc
	-	guatemalense BSWJ10397
	-	<b>humboldtii BSWJ14342</b>
	-	<b>aff. humboldtii BSWJ14367</b>
	-	humile BSWJ10464
	-	longirameum BSWJ10351
<i>(Liliaceae)</i>	Erythronium	revolutum
	-	- Johnsonii
<i>(Escalloniaceae)</i>	Escallonia	<b>myrtilloides BSWJ14329</b>
<i>(Asteraceae)</i>	Espeletia	<b>argentea BSWJ14322</b>
	-	<b>killipii BSWJ14319</b>
	-	aff. killipii DCB
	-	<b>aff. lopezii BSWJ14374</b>
	-	aff. summapacis DCB
	-	<b>uribei B&amp;SWJ 14339</b>
<i>(Hyacinthaceae)</i>	Eucomis	pole-evansii
	-	'Stars & Stripes'
<i>(Eucryphiaceae)</i>	Eucryphia	glutinosa
<i>(Celastraceae)</i>	Euonymus	alatus BSWJ8794 ☘
	-	- f. subtriflorus BSWJ11051
	-	americana v. angustifolius BSWJ12905
	-	bungeanus BSWJ8782
	-	- v. semipersistens
	-	carnosus CWJ12425
	-	clivicola L
	-	europaeus from Slovakia
	-	forbesiana HWJ890
	-	fortunei 'Kewensis'
	-	<b>frigidus KWJ12275</b>
	-	- v. elongatus GWJ9378
	-	hamiltonianus ssp. sieboldianus BSWJ10941
	-	japonicus BSWJ11159
	-	kachinensis BSWJ11668
	-	latifolius DJHTu0109
	-	laxiflorus GWJ9351
	-	morrisonensis BSWJ3700
	-	oxyphyllus BSWJ10815

<i>(Celastraceae)</i>	Euonymus	planipes BSWJ8660
	-	porphyreus GWJ9377 <b>etc</b>
	-	sachalinensis BSWJ10835
	-	sieboldianus BSWJ11386
	-	- v. sanguineus BSWJ11140
	-	spraguei BSWJ12446
<i>(Asteraceae)</i>	Eupatorium	chinense v. simplicifolium BSWJ8449
	-	lindleyanum v. trisectifolium BSWJ12742
	-	sp. from Guatemala BSWJ9052 🌸
	-	- nova from Vietnam FMWJ13428
<i>(Euphorbiaceae)</i>	Euphorbia	cornigera
	-	donii HWJK2405
	-	griffithii 'Dixter'
	-	- 'Fireglow'
	-	- 'King's Capel'
	-	mellifera
	-	pallasii BSWJ8575
	-	schillingii
	-	sikkimensis
	-	- 'Crûg Contrast' GWJ9214
	-	stygiana
<i>(Staphyleaceae)</i>	Euscaphis	japonica BSWJ11359
<b><i>(Hamamelidaceae)</i></b>	<b>Exbucklandia</b>	<b>tonkinensis KWJ12209</b>

## F

<b><i>(Gentianaceae)</i></b>	<b>Fagraea</b>	<b>ceilanica FMWJ13099</b>
<i>(Polygonaceae)</i>	Fallopia	multiflora v. hypoleuca BSWJ120
<i>(Asteraceae)</i>	Farfugium	japonicum BSWJ884
	-	- double flowered
<i>(Araliaceae)</i>	Fatsia	polycarpa BSWJ7144 etc
	-	- polycarpa deeply cut leaf BWJ12499
<i>(Apiaceae)</i>	Ferula	communis ssp. glauca BSWJ12999
	-	tingitana BSWJ14005
<i>(Rosaceae)</i>	Filipendula	camtschatica BSWJ10987
	-	kiraishiensis BSWJ1571
	-	multijuga BSWJ10950
	-	purpurea
	-	rubra 'Venusta' 🌸
	-	rufinervis BSWJ8469 etc
	-	yezoensis BSWJ10828

<b>(Rhamnaceae)</b>	<b>Frangula</b>	<b>californica BSWJ14057</b>
(Oleaceae)	Fraxinus	× chiisanensis BSWJ12719
(Liliaceae)	Fritillaria	camschatcensis
	-	verticillata
(Onagraceae)	Fuchsia	arborescens BSWJ10475
	-	cordata BSWJ9095 etc
	-	hemsleyana BSWJ10478
	-	- 'Silver Lining' BSWJ10478
	-	michoacanensis BSWJ9027 etc
	-	microphylla BSWJ10331
	-	- ssp. aprica BSWJ9101
	-	- - 'Dolly's Dress' BSWJ9101
	-	nigricans BSWJ10664
	-	paniculata
	-	petiolaris BSWJ10675
	-	splendens BSWJ10469

Some notes on our 2016 introductions :-

### Herbaceous

This season there are several more collections from our Himalayan expedition of 2013, starting with *Actaea aff. foetida* WJC13720 a scarce species in cultivation, which we found growing on the edge of a forested area at 3400m elevation after making our way up the Lachung Valley in eastern Sikkim. A medium sized perennial species to 1.2m tall, with divided basal leaves, composed of foetid leaflets. With short branched inflorescences of yellowish flowers, late summer into autumn. The seed capsules turning purple on this collection. From the nearby valley of Lachen at a loftier 3950m we found an intriguing umbellifer, *Angelica nubigena* WJC13763. We could hardly believe our eyes on seeing the sturdy short stems to around 1.2m tall, topped by a wide umbel composed of several 30cm wide umbells July to September, resulting in the flat rounded seed we were collecting. The basal leaves, which were dormant at that time, are renowned as being 1m wide ovate in outline, 3-pinnately divided lobed and serrated, with conspicuously large petiole wings, more so on the upper leaves. Some consider it to be a high altitudinal form of *A. cyclocarpa*, only time will tell. Another species we are introducing is *Angelica breweri* BSWJ14083 from the other side of the globe in California, trust this species will run the test of time too, as we have no experience in growing it as yet. Back to the Lachung Valley for *Arisaema griffithii v. pradhanii* WJC13660, a dramatic if only short species. With large trifoliate leaves, which are red or purple rimmed, with a spathe larger than the type, being incurved and reticulated with purple and white. The peculiar spadix is long and thin even thread-like to 50cm long. A second species *A. angustatum v. peninsulae* BSWJ8639 has been with us for quite some time, from a 2001 collection gathered from a colony growing on a steep hillside at 485m on the cold mountain of Woraksan, part of the central mountains of South Korea. With taller purple mottled stems to 90cm, bearing up to two pedate leaves, divided into 7-13, leaflets. The spathe is dark purple striped white, arching over the cylindrical spadix. We saw plenty of *Cardiocrinum giganteum* while in Sikkim, hence we could afford to be a bit picky. Both collections WJC13661 & 13698 were from Sikkim and

from 3m tall specimens. We also found plenty of different species of *Impatiens*, but as always only a few survived the passage of time. *I. aff. corchorifolia* BSWJ13927 grew on moist ground by a fast flowing stream at 2625m at Garibash on the Singalila Ridge, West Bengal. Forming a colony of well branched stems clothed with narrow foliage and bearing dumpy yellow red veined flowers with short curved spurs. The naming is somewhat tentative, as I can only find reference to this species from China. *Ligularia aff. atkinsonii* WJC13663 was also plentiful in the Lachung Valley, while our second introduction of this genus is one of Dan Hinkley's collections from China. We found *L. wilsoniana* growing in one of his friend's garden, as its requirements are quite specific, cool shaded and moist, then it will flourish to a tall plant with wonderful architectural foliage. Our final Himalayan offering is merely a re-ident, apparently our Nepalese collections from 2002 of *Selinum* are *S. carvifolium* HWJK2347, all the same it's a very popular earlier flowering species. *Disporopsis bodinieri* KWJ12277 from the lofty mountains of northern Vietnam, was initially described as a new species, but soon found to be this previously described, although not cultivated species, by Aaron Floden. It is a distinct species with taller stems than most with distinct foliage far more numerous with undulating margins bearing larger flowers. *Heteropolygonatum urceolatum* will enter cultivation with the wrong name too, again Aaron has been at it correcting this to a new species of *Polygonatum*. This was found in our friend Finlay Colley's nursery in Dublin which he had acquired from the notorious Chinese nursery of Chen-Yi as *Polygonatum* sp. S-222. It is a short arching evergreen species of this terribly mixed up group closely related to *Polygonatum punctatum* that Aaron is wading his way through. Back in Vietnam we are finally introducing the true long known about *Hedychium forrestii* Diels KWJ12314. It is quite common around the area of Sapa up in the north, but late flowering, hence little chance of flowering as far north as we are, but well worth it further south, where you have the summer heat to initiate the long succession of white scented flowers from the imbricate bracts. This collection was gathered from the highest population we could find in that area, at 1750m. *H. wardii* will also be added this coming season, taking us a little while to build up our stock of this easily grown yellow flowering species. *Ophiopogon malcolmsonii* BSWJ7271 will be new to cultivation, although we have been growing this Thai species for some time. It will naturally require some shelter originating from such tropical latitudes, but nothing drastic as it is a collection from above 2,000m from the mountains in the north of the country. Where it formed large clumps of strap shaped leaves with short flowering scapes only 15cm tall. Encouraged by our friend Tony Avent from North Carolina we are working our way through our collections of *Aspidistra* applying cultivar names, which we will do at the end of this plant list. Although *A. daibuensis* 'Yuli Yummy' BSWJ6863 will be an additional collection from Yuli in southern Taiwan. While on the subject, we were in Taiwan this past autumn, where we were given a copy of a paper revising the species in Taiwan, which confirmed all of our previous identifications of *A. attenuata* and *A. daibuensis*. Hence some of the affinity of (aff.) have disappeared from the list. From the iconic Fuji-San in Japan comes *Adenophora nikoensis* f. *linearifolia* BSWJ11201, with willowy foliage on short stems. Quite alpine in its habit, but nothing too demanding as long as it has ample light and reasonable drainage.

Moving from Asia to South America we start with a couple of white flowering species of *Dahlia* from Colombia, *D. imperialis* f. *albiflora* BSWJ14341 is impressive to say the least, a stunning perennial where we saw it as we were coming down from the Paramo, back towards Bogotá at 2760m. Here it formed sturdy plants only 3m tall in the relatively exposed conditions well clothed with white flowers. We have seen it previously in a more sheltered site where it easily gained 5m, but without seed. With similar white flowers, but usually with a splash of pale pink, is the *Dahlia* species from Colombia BSWJ14340, which also grew in the Bogotá basin, here generally forming sizeable colonies of 1.6m tall sturdy plants similar in habit to *D. excelsa* all be it shorter. *Eryngium humboldtii* BSWJ14342 was from a much higher altitude at 3565m, from

a fair ways south, where this particularly spiny species formed bronzy plants to 75cm tall with dumpy flowers. Another collection *E. aff. humboldtii* BSWJ14367 was not so easy to identify, lacking the bronzyiness and stature of the previous as well as bearing many more side branches of smaller flowers. This collection was from El Cocuy, much further north getting close to the Venezuelan border. Here at a lofty 4100m altitude grew *Echeveria bicolor* BSWJ14388 strewn around a boulder covered terrain, with more choice plants that will be mentioned later. We selected the smaller more silvery form, not being a 100% sure if it was all one species, with fleshy rosettes and scaly scapes of orange flowers. This area proved to be a real hot bed for the species rich *Espeletia*, *E. aff. lopezii* BSWJ14374 formed a sizeable colony of plants at 3780m, with wide trunks covered with the old inflorescences of many years, to around 3m tall. Topped by narrowly elliptic silvery foliage surrounding the woolly scapes of yellow ray-flowers with large central discs, just protruding above the foliage. From another Paramo which proved very diverse at 3730m elevation, but closer to Bogota, *E. killipii* BSWJ14319 was a striking species, this time with only a short trunk, forming rosettes of broadly elliptic-lanceolate silvery-white woolly leaves. Meanwhile equally woolly long arching stems bore yellow shortly rayed-flowers in continuous succession. In contrast *E. uribei* BSWJ14339 was a species that formed a very tall slender trunk to 4m high, but with similar silvery white woolly foliage that was quite broad on this species. While bearing sizeable ray-flowers on long scapes. This species grew at 3400m. While lower down at 3090m as we were still climbing there were huge colonies of *E. argentea* BSWJ14322 a rosette forming species forming wide clumps of (as their name suggests) very silvery slender long leaves. The colonies could be measured by the acre, but long finished flowering when we saw them, only leaving us with the small numerous seed heads to gather. We were also very pleased to find seed of the very popular *Senecio niveoaurus* BSWJ14320 in the same area, growing in a wet patch. Here it formed a tightly packed colony of stems to 1.5m tall well clothed in silvery-white lanceolate leaves with its sizeable showy yellow ray-flowers held in congested terminal spikes. No wonder the Colombians are always trying to grow this native species in their gardens. Ray flowers or composite flowers may predominate these lofty altitudes, but are far from the only types of plants that we find here. *Myrrhidendron glaucescens* BSWJ14252 is part of the umbellifer tribe of perennials, even woody trees in Costa Rica. Although on Volcán El Ruiz in southern Colombia at 4,000m altitude they formed very attractive bright white and contrasting bright green clumps of this perennial species forming small colonies only 1.5m across in the Paramo, of stems no taller than 1m. Bearing broad divided leaves on petioles that clasped the stems, topped by broad fleshy umbels 20cm across, of white aging to bright green flowers, followed by the characteristic upright elongated seed. While at a lower altitude *M. pennellii* BSWJ14240 was quite woody at its base with purplish stems 1.5m long, growing on a steep bank mixed with small trees and shrubs. We found a short red flowering species of *Salvia* in El Cocuy, initially at a medium altitude, but then more of it as we gained altitude and reaching the Paramo. Here it formed sizeable colonies of short stems to around 30cm tall, which were entirely clothed with brown seed protecting bracts, which had born the red flowers earlier in the season. This we later identified as *S. rubescens* BSWJ14368, but what must be a variety of that species. By contrast we also found a little charmer, *S. scutellarioides* BSWJ14273 a woodland creeping species. Growing at the edge of dense woodland forming a dense carpet of triangular or hastate overlapping foliage, studded with short spikes of bright blue wide-lipped flowers with contrasting white centers. On our way up to Ruiz we found a wonderful form of *Phytolacca bogotensis* BSWJ14221 just growing on the verge, which has a low creeping habit with thick sprawling pinkish stems with generous quantities of dumpy pink upright flowering spikes. The habit could easily be attributed to the lofty 3,650m altitude we gathered its seed from.

*Thalictrum podocarpum* BSWJ14297 by contrast was found growing amongst the forest edge in an area attributed to Armenia. Here they formed a sizeable colony of sprawling plants on

a steep bank with thick purple stems with clasping (amplexicaul) bloomy bracts at the base of each branch. While the foliage was silvery, the wide leaves composed of numerous small leaflets. Before leaving South America a mention must be made of yet another name change thrust upon us, *Libertia chilensis Elegans Group* is a new name for what we have been offering as *L. grandiflora* for many years. In recent years our travelling has taken us to North America, where we are finding plenty of plants worth growing. ***Aquilegia formosa v. formosa* BSWJ13543** is fairly well known, but we could not resist growing this again. Encountering it on one of the treks we made with Dan Hinkley on his home territory on Mt. Townsend, in the summer of 2013, while we were there for his wedding. On our return the following year on a speaking tour of The Pacific North West, we made sure that there was plenty of time to collect. *A. eximia* BSWJ14053 was yet another species we were lucky to still find seed of, this time much further south in California is an isolated canyon. Whereas *Aquilegia formosa v. truncata* BSWJ14072 was from northern California this time in the company of Sean Hogan. Sean seems to know his way around the mountains of these parts so well. He pointed out *Keckiella corymbosa* BSWJ14096 to us at Serpentine Point, southern Oregon, at 4,400 feet growing on a steep dry bank, looking like a bright red *Penstemon* to our eyes. No mistaking which family the following two species were from, *Rudbeckia californica* BSWJ14105 and *Wyethia mollis* BSWJ14067 were both collected from this region of the mountains straddling the border between northern California and southern Oregon. While our final offering from North America was from cultivation in Japan, where they appear to value the evergreen foliage of *Coptis laciniata* BSWJ12863 more than on the other side of the Pacific, or at least enough to offer it for sale.

G

(Araliaceae)	Gamblea	pseudoevodiifolia BSWJ11707
	-	innovans
(Ericaceae)	Gaultheria	forrestii BWJ7809
(Geraniaceae)	Geranium	'Anne Thomson'
	-	aristatum ☼
	-	canariense
	-	× cantabrigiense ☼
	-	- 'Biokovo'
	-	- 'St Ola'
	-	'Chantilly'
	-	christensenianum BWJ8022
	-	clarkei 'Mount Stewart' ☼
	-	clarum BSWJ10246
	-	collinum ☼
	-	dalmaticum
	-	'Dilys' ☼
	-	erianthum ☼
	-	- 'Calm Sea'
	-	- 'Neptune'
	-	gracile ☼

(Geraniaceae)	Geranium	
		<b>gymnocaulon</b> ✿
	-	<b>hayatanum</b> BSWJ164
	-	<b>himalayense</b> 'Baby Blue' ✿
	-	- 'Gravetye'
	-	- 'Irish Blue' ✿
	-	- 'Plenum' ✿
	-	<b>ibericum</b> ssp. <b>jubatum</b> ✿
	-	'Ivan'
	-	'Johnson's Blue' ✿
	-	'Khan' ✿
	-	<b>kishtvariense</b>
	-	<b>koraiense</b> BSWJ797 etc
	-	<b>koreanum</b> BSWJ602
	-	<b>krameri</b> BSWJ1142
	-	<b>macrorrhizum</b> 'Album'
	-	- 'Czakar'
	-	- 'Ingwersens Variety' ✿
	-	- 'Lohfelden'
	-	- 'Pindus' ✿
	-	- 'Ridsko' ✿
	-	- 'Velbit' ✿
	-	- 'White-Ness'
	-	<b>maculatum</b>
	-	- f. <b>albiflorum</b>
	-	× <b>magnificum</b>
	-	<b>malviflorum</b>
	-	× <b>monacense</b>
	-	'Nimbus'
	-	<b>nodosum</b> 'Svelte Lilac'
	-	- 'Swish Purple'
	-	- 'Whiteleaf'
	-	'Orion'
	-	'Orkney Blue' ✿
	-	× <b>oxonianum</b> 'A. T. Johnson' ✿
	-	- 'Crûg Star'
	-	- 'Fran's Star'
	-	- 'Miriam Rundle'
	-	- 'Old Rose'
	-	- 'Rebecca Moss'
	-	- 'Rose Clare'
	-	- 'Rosenlicht'
	-	- 'Southcombe Star' ✿
	-	- 'Summer Surprise'
	-	- 'Susie White'
	-	- f. <b>thurstonianum</b> ✿

(Geraniaceae)	Geranium	× oxonianum 'Trevor's White'
-	-	- 'Wageningen'
-	-	- 'Walter's Gift'
-	-	- 'Wargrave Pink'
-	-	<b>palmatum</b>
-	-	'Patricia'
-	-	<b>phaeum</b> 'David Bromley'
-	-	- 'Joan Baker'
-	-	- 'Mourning Widow'
-	-	- 'Rose Madder'
-	-	- 'Samobor'
-	-	'Phillippe Vapelle'
-	-	<b>platyanthum</b>
-	-	- v. reinii
-	-	<b>platypetalum</b> ✿
-	-	- 'Georgia Blue'
-	-	<b>pratense</b> 'Cluden Sapphire'
-	-	- 'Galactic'
-	-	- 'Mrs Kendall Clark'
-	-	- 'Plenum Violaceum'
-	-	- 'Rose Queen' ✿
-	-	- <b>stewartianum</b> 'Elizabeth Yeo' ✿
-	-	- 'Yorkshire Queen'
-	-	<b>procurrans</b>
-	-	<b>psilostemon</b>
-	-	- 'Bressingham Flair'
-	-	<b>rectum</b> ✿
-	-	<b>reflexum</b> ✿
-	-	<b>regelii</b> ✿
-	-	<b>richardsonii</b>
-	-	× <b>riversleaianum</b> 'Mavis Simpson'
-	-	<b>rosthornii</b>
-	-	<b>rubescens</b> <i>see yeoi</i>
-	-	<b>rubifolium</b>
-	-	<b>sanguineum</b> 'Album' ✿
-	-	- 'Ankum's Pride'
-	-	-- 'Belle Of Herterton' ✿
-	-	- 'Cedric Morris' ✿
-	-	- 'Elsbeth' ✿
-	-	- 'Jubilee Pink'
-	-	- 'Nyewood' ✿
-	-	- 'Shepherd's Warning' ✿
-	-	- v. <b>striatum</b> 'Reginald Farrer'
-	-	-- 'Splendens'
-	-	<b>shikokianum</b> v. <b>kaimontanum</b>

<i>(Geraniaceae)</i>	Geranium	shikokianum v. quelpaertense 'Crûg's Cloak' BSWJ1234
	-	'Sirak'
	-	soboliferum
	-	'Spinners'
	-	'Sue Crûg'
	-	'Sue's Sister'
	-	suzukii BSWJ016
	-	sylvaticum f. albiflorum ✿
	-	- 'Amy Doncaster' ✿
	-	- 'Baker's Pink' ✿
	-	- 'Mayflower' ✿
	-	- 'Silva' ✿
	-	- wanneri ✿
	-	versicolor 'Snow White'
	-	wallichianum 'Buxton's Variety' (Blue)
	-	- pink form
	-	'Wisley Hybrid/Khan' ✿
	-	wlassovianum
	-	yeoi
	-	yesoense v. nipponicum ✿
<i>(Ginkgoaceae)</i>	Ginkgo	biloba BSWJ8753 ✿
<i>(Iridaceae)</i>	Gladiolus	cardinalis
	-	papilio
<i>(Glaucidiaceae)</i>	Glaucidium	palmatum
<i>(Zingiberaceae)</i>	Globba	hookeri HWJCM471
<i>(Gunneraceae)</i>	Gunnera	killipiana BSWJ9009
<i>(Cucurbitaceae)</i>	Gynostemma	pentaphyllum BSWJ570

## H

<i>(Araliaceae)</i>	Hedera	hibernica 'Digitata Crûg Gold'
	-	sinensis v. sinensis KWJ12345
<i>(Zingiberaceae)</i>	Hedychium	brevicaule BSWJ7171
	-	coccineum BSWJ5238
	-	coronarium BSWJ3745 ✿
	-	densiflorum
	-	- 'Assam Orange'
	-	<b>forrestii Diels KWJ12314</b>
	-	gardnerianum ✿
	-	-from the Azores BSWJ12533
	-	gracle ✿

<i>(Zingiberaceae)</i>	Hedychium	greenii
	-	'Helen Dillon'
	-	maximum BSWJ8261 etc
	-	× moorei 'Tara'
	-	'Raffillii' ✿
	-	spicatum BSWJ7231 etc
	-	- 'Liberty' BWJ8116
	-	- 'Singalila' BSWJ2303
	-	stenopetalum BSWJ7155
	-	tengchongense 'Trum Trom' BSWJ7155
	-	thyrsiforme ✿
	-	urophyllum HWJ604
	-	villosum v. tenuiflorum KWJ12305
	-	<b>wardii</b>
	-	yunnanense BWJ7900 etc
<i>(Melanthiaceae)</i>	Heloniopsis	acutifolia BSWJ218 etc
	-	kawanoi BSWJ11148
	-	koreana BSWJ4173
	-	- 'Temple Blue' BSWJ956
	-	leucantha
	-	orientalis BSWJ6380 etc
	-	- v. breviscapa BSWJ5873 etc
	-	- v. -'A-so' BSWJ5850
	-	- v. flavida BSWJ11400
	-	- variegated
	-	tubiflora BSWJ822 etc
	-	umbellata BSWJ1839 etc
<i>(Hemerocallidaceae)</i>	Hemerocallis	aff. dumortieri BSWJ1283 ✿
	-	fulva v. kwanso BSWJ6328 ✿
	-	- v. longituba BSWJ8647 ✿
	-	longituba BSWJ4576 etc ✿
	-	minor BSWJ8841 ✿
<i>(Asparagaceae)</i>	<b>Heteropolygonatum</b>	<b>urceolatum</b>
<i>(Lardizabalaceae)</i>	Holboellia	angustifolia
	-	- ssp. linearifolia BWJ8004
	-	- ssp. obtusa DJHC506
	-	brachyandra HWJ1023
	-	aff. chapaensis BSWJ7250
	-	coriacea
	-	coriacea BSWJ2818
	-	fargesii
	-	aff. grandiflora BSWJ8223 etc

<i>(Lardizabalaceae)</i>	Holboellia	latifolia HWJK2014 etc
	-	- v. angustifolia from Nepal HWJK2419
	-	- v. - from Sikkim WJC13784
	-	- <b>ssp. chartacea dark flowered HWJK2213d</b>
	-	- <b>ssp. - pale flowered HWJK2213c</b>
	-	species from Vietnam FMWJ13171
-	- from Vietnam FMWJ13333	
<i>(Asparagaceae)</i>	Hosta	'Big Daddy' ❀
	-	capitata BSWJ588 ❀
	-	'Frances Williams' ❀
	-	'Golden Tiara' ❀
	-	longipes BSWJ10806
	-	minor BSWJ1209 etc
	-	montana BSWJ4796 etc
	-	'Purple Dwarf' ❀
	-	aff. rhodifolia BSWJ10862
	-	'Saishu Jima'
	-	'Snowden'
	-	'Sum and Substance' ❀
	-	ventricosa from Sichuan BWJ8160
	-	venusta BSWJ4389 ❀
	-	yingeri BSWJ546
	<i>(Rhamnaceae)</i>	Hovenia
<i>(Hydrangeaceae)</i>	Hydrangea	angustipetala BSWJ3454 etc
	-	- f. formosa BSWJ7097
	-	- f. macrosepala BSWJ3476 etc
	-	- f. obovatifolia BSWJ3487b etc
	-	- from Yakushima BSWJ6038 etc
	-	anomala ssp. anomala BWJ8052 etc
	-	-- 'Winter Glow' BSWJ2411
	-	- ssp. glabra BSWJ6804
	-	-- 'Crüg Coral' BSWJ3117
	-	- ssp. petiolaris BSWJ6337 etc
	-	-- v. cordifolia BSWJ6081 etc
	-	-- v. megaphylla BSWJ4400 etc
	-	-- v. ovalifolia BSWJ8799 etc
	-	-- from Yakushima BSWJ11487 etc
	-	aspera
	-	- Kawakamii BSWJ6827 etc
	-	-- 'August Abundance' BSWJ1420
	-	-- 'Formosa' BSWJ7025
	-	-- 'September Splendour' BSWJ3462
	-	- 'Macrophylla'
-	- 'Mauvette'	
-	- ssp. robustum Himalayan form GWJ9430 <b>etc</b>	

( <i>Hydrangeaceae</i> )	Hydrangea	aspera ssp. robustum blue flowering WWJ11888
	-	- ssp. sargentiana
	-	- ssp. strigosa BSWJ 8201
	-	- ssp. villosa
	-	asterolasia BSWJ10481
	-	chinensis f. formosana BSWJ1488
	-	- 'Golden Crane' DJHC0499
	-	- from Sichuan BSWJ8000 etc
	-	- from Taiwan BSWJ3410 etc
	-	davidii BSWJ11717 etc
	-	- f. purpurascens KWJ12233b
	-	glabrifolia BSWJ3942
	-	glandulosa BSWJ4031
	-	aff. gracilis BSWJ3869
	-	heteromalla Bretschneideri
	-	- from China BSWJ7657
	-	- 'Fan Si Pan' BSWJ8311
	-	- from India BSWJ2142 etc ☼
	-	- 'Morrey's Form' ☼
	-	- from Nepal HWJK2127 etc ☼
	-	- from Sikkim BSWJ2602 etc ☼
	-	- from Vietnam HWJ526
	-	- f. xanthoneura 'Wilsonii' ☼
	-	- 'Yalung Ridge'
	-	hirta BSWJ5000 etc
	-	indochinensis BSWJ8307 etc
	-	integrifolia BSWJ022 etc
	-	involuta BSWJ4790
	-	- dwarf form
	-	- 'Hortensis'
	-	- v. izuensis
	-	- 'Multiplex'
	-	- 'Plenissima'
	-	- 'Sterilis'
	-	- 'Viridescens'
	-	- 'Yoraku'
	-	kawagoeana grosseserrata BSWJ11500 etc
	-	lingii see × <i>Didranea ytiensis</i> BSWJ11790
	-	lobbii from Taiwan BSWJ3214 etc
	-	- from Philippines BSWJ3942 etc
	-	longipes
	-	- v. fulvescens BSWJ8188
	-	luteovenosa BSWJ5602 etc
	-	aff. mangshanensis BSWJ 8120
	-	<b>oerstedii BSWJ10750</b>

<i>(Hydrangeaceae)</i>	Hydrangea	paniculata from Japan BSWJ5413 etc ✿
	-	- 'Pink Diamond'
	-	- 'Praecox' ✿
	-	- from Taiwan BSWJ3556 etc ✿
	-	- 'Unique' ✿
	-	- 'Yuan-Yang' BSWJ3804
	-	scandens BSWJ5523 etc
	-	- ssp. liukiuensis BSWJ11471
	-	serrata BSWJ6184
	-	- ssp. angustata
	-	- 'Chiba Cherry-lips' BSWJ4817
	-	- 'Chiri-san Sue' BSWJ4595
	-	- 'Crûg Bicolor' BSWJ6241c
	-	- 'Crûg Caerulean' BSWJ6241d
	-	- 'Crûg Cobalt' BSWJ6241a
	-	- 'Crûg Sô Cool' BSWJ6241b
	-	- 'Kiyosumi'
	-	- v. thunbergii 'Plena'
	-	serratifolia HCM98056
	-	sikokiana BSWJ5601 etc
	-	<b>steymarkii BSWJ10501</b>
	-	stylosa
	-	<b>aff. zhewanensis MF93117</b>
<i>(Papaveraceae)</i>	Hylomecon	erectum
	-	hylomeconoides
<i>(Clusiaceae)</i>	Hypericum	aff. uralum HWJ520
<b>I</b>		
<i>(Salicaceae)</i>	Idesia	polycarpa CWJ12837
<i>(Aquifoliaceae)</i>	<b>Ilex</b>	<b>chapaensis HWJ946</b>
	-	cornuta BSWJ8756
	-	aff. gagnepainiana FMWJ13168
	-	perado ssp. azorica BSWJ12526
	-	sugerokii v. <b>longipedunculata</b> BSWJ10856
<i>(Illiciaceae)</i>	<b>Illicium</b>	<b>anisatum BSWJ8411</b>
	-	aff. griffithii WWJ11911
	-	aff. lanceolatum KWJ12245
	-	<b>macranthum BSWJ11809</b>
	-	aff. majus KWJ12017
	-	<b>merrillianum HWJ1015</b>
	-	<b>philippinense CWJ12466</b>
	-	majus WWJ11919
	-	simonsii BWJ8024

<i>(Balsaminaceae)</i>	<b>Impatiens</b>	<b>aff. corchorifolia BSWJ13927</b>
	-	aff. langbianensis HWJ1054
	-	macrophylla BSWJ10157
	-	omeiana
	-	omeiana DJHC98492
	-	- 'Ice Storm'
	-	polineae BSWJ9722
	-	puberula HWJK2063
<i>(Bignoniaceae)</i>	<b>Incarvillea</b>	compacta BWJ7620
	-	zhongdianensis BWJ7692 etc
<i>(Papilionaceae)</i>	<b>Indigofera</b>	balfouriana BWJ7851
	-	cassioides
	-	howellii
	-	pendula BWJ7741
<i>(Asteraceae)</i>	<b>Inula</b>	hookeri GWJ9033 ☼
<i>(Iridaceae)</i>	<b>Iris</b>	barbatula BWJ7663 etc
	-	bulleyana BWJ7912
	-	chrysographes black form
	-	clarkei BSWJ2122
	-	ensata v. spontanea BSWJ1103 etc ☼
	-	formosana BSWJ1951
	-	japonica BSWJ8921
	-	orientalis
	-	pseudacorus from Japan BSWJ5018 ☼
	-	tectorum BWJ8191
	-	wattii KWJ12172
<i>(Lamiaceae)</i>	<b>Isodon</b>	longitubus BSWJ11027
<i>(Ranunculaceae)</i>	<b>Isopyrum</b>	dicarpon BSWJ11555
	-	nipponicum
	-	stoloniferum
<b>J</b>		
<i>(Hydrangeaceae)</i>	<b>Jamesia</b>	americana
<i>(Oleaceae)</i>	<b>Jasminum</b>	fruticans ☼
	-	humile f. wallichianum BSWJ2559 ☼
	-	officinale 'Crüg's Collection' BSWJ2987
<i>(Berberidaceae)</i>	<b>Jeffersonia</b>	diphylla
	-	dubia
<i>(Juglandaceae)</i>	<b>Juglans</b>	cathayensis from Taiwan BSWJ6778 etc
	-	aff. cathayensis from China BWJ8097
	-	mandschurica v. sieboldiana BSWJ11026

**K**

<i>(Schisandraceae)</i>	Kadsura	coccinea BSWJ11793 <b>etc</b>
	-	heteroclita FMWJ13385 etc
	-	japonica BSWJ4463 etc
<i>(Araliaceae)</i>	Kalopanax	septemlobus v. magnificus BSWJ10900
<b><i>(Plantaginaceae)</i></b>	<b>Keckiella</b>	<b>corymbosa BSWJ14096</b>
<i>(Hydrangeaceae)</i>	Kirengeshoma	palmata
	-	- v. koreana
<i>(Asphodelaceae)</i>	Kniphofia	caulescens
	-	northiae

**L**

<i>(Lythraceae)</i>	Lagerstroemia	subcostata CWJ12352
	-	indica BSWJ12660
<i>(Lamiaceae)</i>	Lamium	orvala
<i>(Lardizabalaceae)</i>	Lardizabala	funaria
<i>(Asteraceae)</i>	Leontodon	rigens BSWJ12527
<i>(Solanaceae)</i>	Leucophysalis	sinense BWJ8093
<i>(Lamiaceae)</i>	Leucosceptum	canum GWJ9424
	-	japonicum BSWJ10981etc
	-	stellipilum v. formosanum BSWJ1804 etc
	-	- v. tosaense BSWJ8892
<b><i>(Iridaceae)</i></b>	<b>Libertia</b>	<b>chilensis Elegans Group</b>
<i>(Asteraceae)</i>	<b>Ligularia</b>	<b>aff. atkinsonii WJC13663</b>
	-	'Cheju Charmer' BSWJ1158
	-	fischeri from India BSWJ2570 🌸
	-	- from Japan BSWJ5653 etc 🌸
	-	- from Korea BSWJ4478 🌸
	-	- v. megalorhiza 'Cheju Charmer' BSWJ1158
	-	hodgsonii BSWJ10855
	-	japonica 'Rising Sun' BSWJ6293
	-	sibirica BSWJ4383 🌸
	-	- v. speciosa BSWJ5841 etc 🌸
	-	<b>wilsoniana BSWJ14195</b>
<i>(Liliaceae)</i>	Lilium	auratum v. platyphyllum BSWJ4824
	-	canadense
	-	columbianum BSWJ9564
	-	davidii
	-	- v. willmottiae
	-	distichum BSWJ794

<i>(Liliaceae)</i>	Lilium	duchartrei
	-	formosanum BSWJ1589 etc
	-	hansonii BSWJ4756 etc
	-	henryi
	-	lancifolium ( <i>tigrinum</i> ) BSWJ4352 etc
	-	- 'Flore Pleno'
	-	- v. fortunei BSWJ539
	-	lankongense BWJ7691 etc
	-	leichtlinii v. maximowiczii CWJ12825
	-	leucanthum v. centifolium BWJ8130
	-	longiflorum BSWJ11376
	-	aff. majoense KWJ12064
	-	medeoloides BSWJ4184 etc
	-	nanum
	-	nepalense BSWJ2985 etc
	-	pardalinum
	-	poilanei HWJ681 etc
	-	rosthornii
	-	speciosum BSWJ4847 etc
	-	superbum
-	taliense	
-	tsingtauense BSWJ519 etc	
-	vollmeri	
-	wigginsii	
-	xanthellum var. luteum	
<i>(Lauraceae)</i>	Lindera	angustifolia FMWJ13156
	-	<b>assamica BSWJ13984 etc</b>
	-	erythrocarpa BSWJ6271 etc
	-	lancea BSWJ11118 etc
	-	metcalfiana v. dictyophylla KWJ12312
	-	obtusiloba BSWJ11054
	-	praecox BSWJ10802
	-	- southern form BSWJ11125
	-	sericea BSWJ11141 etc
	-	tonkinensis FMWJ13123 etc
	-	triloba BSWJ5570 etc
	-	umbellata BSWJ10881
-	-v. membranaceae BSWJ10837	
<i>(Asparagaceae)</i>	Liriope	koreana BSWJ8821
	-	minor BSWJ8933

(Asparagaceae)	Liriope	platyphylla BSWJ561 etc
(Campanulaceae)	Lobelia	montana BSWJ8220 etc
	-	sessilifolia BSWJ8875
	-	tupa
(Proteaceae)	Lomatia	ferruginea
(Caprifoliaceae)	Lonicera	acuminata BSWJ3480 etc
	-	alseuosmoides
	-	glabrata BSWJ2150
	-	henryi BWJ8109
	-	japonica BSWJ4423
	-	lanceolata BWJ7935 ✿
	-	macrantha BSWJ11606 etc
	-	similis v. delavayi
	-	tomentella BSWJ2654
(Gesneriaceae)	Loxostigma	kurzii GWJ9342
(Myrtaceae)	Luma	apiculata
(Philesiaceae)	Luzuriaga	polyphylla HCM98202
	-	radicans
	-	radicans RH0602
(Caryophyllaceae)	Lychnis	cognata BSWJ4234 etc
(Solanaceae)	Lycianthes	biflorum FMWJ13059
(Primulaceae)	Lysimachia	clethroides
	-	vulgaris ssp. davurica BSWJ8632
(Gesneriaceae)	Lysionotus	gamosepalus BSWJ7241
	-	kuangsiensis HWJ643 etc
	-	pauciflorus BSWJ189 etc
	-	serratus HWJK2426

## M

(Moraceae)	Maclura	tricuspidata BSWJ12755
(Myrsinaceae)	Maesa	japonica CWJ12371
(Magnoliaceae)	Magnolia	cathcartii HWJ874 etc
	-	chevalieri HWJ533 etc
	-	<b>doltsopa BSWJ13996</b>
	-	fansipanensis FMWJ13054 etc
	-	floribunda v. tonkinensis WWJ12003 etc
	-	- <b>'Fansipan Furry' FMWJ13384 etc</b>
	-	foveolata WWJ11929 etc
	-	hypoleuca BSWJ10836

( <i>Magnoliaceae</i> )	Magnolia	insignis WWJ11854
	-	kobus v. borealis BSWJ12751
	-	obovata BSWJ12626
	-	sapaensis FMWJ13315
	-	sieboldii ssp. sieboldii BSWJ12553
( <i>Berberidaceae</i> )	Mahonia	eurybracteata
	-	gracilipes
	-	leschenaultii BSWJ9535
	-	nervosa BSWJ13580
	-	nitens
	-	oiwakensis BSWJ3660 etc
	-	<b>- from Hong Kong PBR371</b>
( <i>Asparagaceae</i> )	Maianthemum	amoenum BSWJ10390
	-	atropurpureum
	-	bifolium
	-	- ssp. kamtschaticum BSWJ4360 etc
	-	- ssp. kamtschaticum small form
	-	canadense
	-	comaltepecense BSWJ10215
	-	flexuosum BSWJ9069 etc
	-	aff. flexuosum BSWJ9026 etc
	-	- v. erubescens BSWJ10403
	-	formosanum BSWJ349 etc
	-	forrestii
	-	fuscum
	-	- v. cordatum
	-	gigas BSWJ10470 etc
	-	henryi BSWJ7616 etc
	-	japonicum BSWJ1179 etc
	-	- v. mandshurica BSWJ7306
	-	laxiflorum BSWJ10305
	-	oleraceum BSWJ2148 etc
	-	paniculatum BSWJ9137 etc
	-	- purple flowered form BSWJ9137
	-	racemosum
	-	aff. salvinii BSWJ9000 etc
	-	scilloideum BSWJ10407 etc
	-	- v. roseum BSWJ10355
	-	stellatum
	-	szechuanicum
	-	tatsienense

<i>(Rosaceae)</i>	Malus	sikkimensis BSWJ2431
<i>(Asparagaceae)</i>	Manfreda	variegata BSWJ10234
<i>(Asclepiadaceae)</i>	Marsdenia	formosana CWJ12354
<i>(Woodsiaceae)</i>	Matteuccia	struthiopteris ☼
<i>(Papaveraceae)</i>	Meconopsis	chelidoniifolia
	-	napaulensis BSWJ13952
	-	wallichii BSWJ13922
<i>(Lamiaceae)</i>	Meehania	urticifolia BSWJ1210
<b><i>(Meliosmaceae)</i></b>	<b>Meliosma</b>	<b>myriantha v. discolor MF97132</b>
<b><i>(Araliaceae)</i></b>	<b>Merrillioanax</b>	<b>alpinus BSWJ13939</b>
<i>(Celastraceae)</i>	Microtropis	petelotii HWJ719
<i>(Poaceae)</i>	Miscanthus	chejuensis BSWJ8803
	-	floridulus HWJ522 etc
	-	nepalensis 'Shikola' BSWJ2302
<i>(Rubiaceae)</i>	Mitchella	repens
	-	undulata BSWJ10928
	-	- f. quelpartensis BSWJ4402
<i>(Saxifragaceae)</i>	Mitella	acerina BSWJ11029
	-	formosana BSWJ125
	-	furusei v. subramosa BSWJ11097
	-	× inamii BSWJ11122
	-	japonica BSWJ4971 etc
	-	kiusiana BSWJ5401
	-	makinoi BSWJ4992
	-	pauciflora BSWJ6361
	-	stylosa BSWJ5669
	-	yoshinagae BSWJ4893 etc
<i>(Apiaceae)</i>	Molopospermum	peloponnesiacum
<i>(Morinaceae)</i>	Morinda	umbellata BSWJ11688
<b><i>(Apiaceae)</i></b>	<b>Myrrhidendron</b>	<b>glaucescens BSWJ14252</b>
	-	<b>pennellii BSWJ14240</b>

## N

<i>(Berberidaceae)</i>	Nandina	domestica BSWJ11113
<i>(Rosaceae)</i>	Neillia	thyriflora v. tonkinensis HWJ505 ☼
<i>(Lauraceae)</i>	Neolitsea	aff. polycarpa KWJ12309
	-	sericea CWJ12800 etc
	-	<b>- with yellow fruit CWJ12830</b>
<i>(Euphorbiaceae)</i>	Neoshirakia	japonica BSWJ8744
	-	sebiferum CWJ12819

(Lamiaceae)	Nepeta	subsessilis
(Amaryllidaceae)	Nerine	bowdenii 'Mollie Cowie'
(Liliaceae)	Nomocharis	aperta
(Nyssaceae)	Nyssa	aff. shweliensis FMWJ13122

O

(Onagraceae)	Oenothera	epilobiifolia 'Finlay's Fancy' BSWJ9043
(Iridaceae)	Olsynium <i>previously Sisyrinchium</i>	aff. trinerva BSWJ10459
(Woodsiaceae)	Onoclea	sensibilis ☼
(Asparagaceae)	Ophiopogon	caulescens BSWJ8230 etc
	-	aff. caulescens BSWJ11287 etc
	-	clavatus KWJ12267
	-	formosanus BSWJ3659 etc
	-	intermedius BSWJ8244 etc
	-	<b>parviflorus HWJK2093 etc</b>
	-	japonicus BSWJ1871
	-	aff. latifolius KWJ12031
	-	<b>malcolmsonii BSWJ7271</b>
	-	scaber BSWJ1842 etc
	-	wallichianus v. pauciflorus GWJ9387
(Araliaceae)	Oplopanax	horridus BSWJ9551
	-	japonica
(Gesneriaceae)	Oreocharis	aurea BSWJ11718
(Araliaceae)	Oreopanax	incisus BSWJ10669
	-	xalapensis BSWJ10444
(Apiaceae)	Osmorhiza	aristata BSWJ1607 etc
(Osmundaceae)	Osmunda	asiatica
(Oxalidaceae)	Oxalis	oregana
	-	- f. smalliana

P

(Cruciferae)	Pachyphragma	macrophyllum
(Buxaceae)	Pachysandra	axillaris 'Crüg's Cover' BWJ8032
(Paeoniaceae)	Paeonia	delavayi BWJ7775
(Araliaceae)	Panax	japonicus BWJ7932 etc
(Asteraceae)	Parasenecio	auriculata v. kamtschatica BSWJ12574
	-	delphiniifolia BSWJ11189 etc
	-	farfarifolia CWJ12844
	-	- v. acerinus BSWJ11541
	-	- v. bulbifera

<i>(Asteraceae)</i>	Parasenecio	maximowiczianus BSWJ11468
	-	mortoni GWJ9419
	-	tebakoensis BSWJ11536
<i>(Trilliaceae)</i>	Paris	chinensis
	-	- from Taiwan BSWJ265 etc
	-	delavayi
	-	fargesii
	-	- v. brevipetalata
	-	forrestii
	-	incompleta
	-	japonica
	-	lancifolia
	-	- from Taiwan BSWJ3044 etc
	-	mairei
	-	polyphylla
	-	polyphylla BSWJ2125 etc
	-	- v. stenophylla
	-	quadrifolia
	-	tetraphylla
	-	thibetica
	-	verticillata
	-	- 'Ryokutei'
<i>(Vitaceae)</i>	Parthenocissus	henryana
	-	himalayana v. rubrifolia
	-	quinquefolia 'Guy's Garnet'
	-	semicordata BSWJ6551
	-	thomsonii BWJ8123
	-	tricuspidata 'Crüg Compact' BSWJ1162
<b><i>(Passifloraceae)</i></b>	<b>Passiflora</b>	<b>manicata BSWJ14284</b>
<i>(Valerianaceae)</i>	Patrinia	gibbosa BSWJ876
	-	rupestris BSWJ12654
	-	scabiosifolia BSWJ8740
<i>(Scrophulariaceae)</i>	Paulownia	kawakamii BSWJ9909
	-	tomentosa coreana from Ullüngdö BSWJ8503
<i>(Asparagaceae)</i>	Peliosanthes	arisanensis BSWJ3639
	-	caesia BSWJ5183
	-	teta ssp. humilis RWJ10044
<i>(Saxifragaceae)</i>	Peltoboykinia	watanabei
<i>(Poaceae)</i>	Pennisetum	alopecuroides f. erythrochaetum 'Ferris' BSWJ8413 🌻
<i>(Scrophulariaceae)</i>	Penstemon	aff. gentianoides BSWJ10249 etc

(Araliaceae)	Pentapanax	castanopsicola CWJ12411
	-	leschenaultii BSWJ9515
	-	longepedunculatus BSWJ11789
	-	subcordatus HWJK2385
	-	verticillatus BSWJ11797
(Lauraceae)	Persea	indica BSWJ12535
	-	japonica BSWJ8410
	-	thunbergii BSWJ12747
(Polygonaceae)	Persicaria	amplexicaulis v. pendula HWJK2255
	-	milletii
	-	tenuicaulis ☼
	-	virginiana 'Painters Palette'
(Asteraceae)	Petasites	japonicus v. giganteus ☼
(Gesneriaceae)	Petrocosmea	kerrii 'Crème de Crüg' BWJ6634
(Rutaceae)	Phellodendron	amurense BWJ11000 ☼
	-	japonicum BSWJ11175
(Hydrangeaceae)	Philadelphus	aff. calvescens BWJ8005
	-	delavayi v. purpurascens BWJ7540
	-	aff. incanus BSWJ8616
	-	mexicanus BSWJ10253 etc
	-	myrtoidea BSWJ10436 etc
	-	satsumi BSWJ10811 etc
	-	schrenkii BSWJ8616
	-	tomentosus BSWJ2707 etc ☼
(Philesiaceae)	Philesia	magellanica
(Lamiaceae)	Phlomis	atropurpurea BWJ7922
	-	breviflora HWJCM250
(Rosaceae)	Photinia	lucida
	-	microphylla HWJ564 etc
	-	niitakayamensis CWJ12435
	-	villosa BSWJ8665
	-	- v. coreana BSWJ8789 ☼
	-	- v. laevis BSWJ8877 ☼
	-	- v. zollingeri BSWJ8903
(Solanaceae)	Physalis	campanula BSWJ10409
(Phytolaccaceae)	Phytolacca	acinosa HWJ647
	-	americana BSWJ1000 etc
	-	<b>bogotensis BSWJ14221</b>
	-	icosandra BSWJ8988 etc
	-	- purpurescens BSWJ11251

<i>(Phytolaccaceae)</i>	Phytolacca	japonica BSWJ4897 etc
	-	octandra BSWJ9514 etc
	-	rivinoidea BSWJ10264
	-	rugosa BSWJ10263
<i>(Ericaceae)</i>	Pieris	formosa BSWJ2257 ☼
<i>(Hydrangeaceae)</i>	Pileostegia	viburnoides BSWJ3565 etc
<i>(Araceae)</i>	Pinellia	cordata
	-	ternata BSWJ3532
	-	tripartita BSWJ1102
	-	- 'Purple Face' BSWJ4850
<i>(Piperaceae)</i>	Piper	heydei BSWJ10445
<i>(Pittosporaceae)</i>	Pittosporum	daphniphyloides BSWJ6789 etc
	-	glabratum BSWJ11685
	-	<b>- v. neriifolium B&amp;SWJ 11685</b>
	-	illicioides BSWJ6712 etc
	-	- v. angustifolium BSWJ6771 etc
	-	<b>napaulense</b>
	-	aff. oblongilimbum DJHV06137etc
	-	tobira BSWJ12758
<i>(Hydrangeaceae)</i>	Platycrater	arguta BSWJ6266 etc
<i>(Lamiaceae)</i>	Plectranthus	longitubus BSWJ11027
<i>(Apiaceae)</i>	Pleurospermum	aff. amabile BWJ7886
	-	benthamii BSWJ2988
	-	camtschaticum BSWJ12627
	-	yunnanensis BWJ7952a
<i>(Berberidaceae)</i>	Podophyllum	difforme
	-	hexandrum chinensis
	-	- chinensis BWJ7908
	-	peltatum
	-	pleianthum
	-	- from Taiwan BSWJ282
	-	- short form
	-	versipelle
<i>(Asparagaceae)</i>	Polygonatum	alte-lobatum BSWJ286 etc
	-	<b>annamense BSWJ9752</b>
	-	arisanense BSWJ271 etc
	-	biflorum
	-	cathcartii BSWJ2429
	-	- yellow flowered BSWJ2429
	-	cirrhifolium
	-	<b>costatum BSWJ6599</b>

(Asparagaceae)	Polygonatum	cryptanthum
	-	curvistylum
	-	cyrtanema
	-	desoulavii v. yezoense BSWJ764
	-	falcatum 'Shikoku Silver' BSWJ5101 etc
	-	filipes
	-	fuscum
	-	geminiflorum
	-	graminifolium
	-	hirtum
	-	- 'Robustum'
	-	hookeri
	-	humile
	-	× hybridum ✿
	-	- 'Striatum'
	-	inflatum BSWJ922 etc
	-	involucratum BSWJ4285 etc
	-	kingianum yellow flowering variety BSWJ6562 etc
	-	lasianthum BSWJ671 etc
	-	mengtzensis HWJ588 etc
	-	- f. tonkinensis BSWJ8231 etc
	-	multiflorum
	-	- 'Ramosissima'
	-	nodosum
	-	odoratum
	-	- 'Flatmate' BSWJ857
	-	- v. maximowiczii
	-	- v. pluriflorum 'Variegatum'
	-	- 'Red Stem'
	-	- v. thunbergii
	-	oppositifolium BSWJ2537
	-	prattii
	-	pubescens
	-	punctatum BSWJ2395
	-	roseum
	-	sibiricum
	-	singalilense
	-	stenanthum BSWJ5727 etc
	-	stenophyllum
	-	tonkinensis <i>see mengtzensis</i>
	-	verticillatum BSWJ2147
	-	- 'Rubrum'

( <i>Asparagaceae</i> )	<i>Polygonatum</i>	zanlanscianense
( <i>Polygonaceae</i> )	<i>Polygonum</i>	chinense BSWJ11268
( <i>Theaceae</i> )	<i>Polyspora</i>	axialis CWJ12363
	-	longicarpa WWJ11604 etc
	-	speciosa BSWJ11750 etc
( <i>Dryopteridaceae</i> )	<i>Polystichum</i>	munitum
	-	aff. neolobatum BWJ8182
( <i>Primulaceae</i> )	<i>Primula</i>	jesoana BSWJ618
	-	kisoana
	-	smithiana BSWJ13951
( <i>Liliaceae</i> )	<i>Prosartes</i>	hookeri v. oregana
	-	lanuginosa
	-	maculata
	-	smithii
( <i>Rosaceae</i> )	<i>Prunus</i>	maximowiczii BSWJ10967
	-	grayana BSWJ10903
( <i>Papaveraceae</i> )	<i>Pteridophyllum</i>	racemosum
( <i>Pteridaceae</i> )	<i>Pteris</i>	angustipinna BSWJ6738 etc
( <i>Styracaceae</i> )	<i>Pterostyrax</i>	corymbosa BSWJ11535 etc

### More notes on our 2016 introductions :-

#### Woodies: primarily from our own wild seed collections

There are new collections of several species of *Acer* being added this season. So this is your opportunity to obtain smaller plants while they last, of *A. erythranthum* FMWJ13157, *A. laevigatum* FMWJ13439, and two collections of *A. laurinum* FMWJ13412 & KWJ12232 all from northern Vietnam. The last species being a re-identification from *A. oblongum*, shame there are no labels on the trees we collect from. There is also a recent collection of *A. japonicum* CWJ12840 from the cold high mountains of Shikoku Island, as well as a new species for us *A. negundo* BSWJ14060 from The Russian River, California from our 2014 trip. While there is also a new collection of *A. sikkimense* FMWJ13166 from northern Vietnam, we are also able to offer a remarkably different form that is more conventionally deciduous as *A. sikkimense* from Sikkim WJC13674. It was John Hillier that commented on *Betula insignis* ssp. *fansipanensis* FMWJ13149 when he visited our growing fields last spring, that it has the best foliage of any species. Which is hardly surprising when you become acquainted with this Vietnamese subspecies, as they are bronzy from spring through to autumn on a handsome leaf to-boot. *Camellia pitardii* from Vietnam WWJ11925 is also unusual on account of its flower colour in this collection, not that I am acquainted with the species before, its getting close to a terracotta. We used to offer *Bupleurum fruticosum* some time ago, but for some reason we could no longer get our seed to ripen, well that has been rectified. One of the perks we have participating in the Murabilia Flower Show in Lucca every year, is the offer of helping ourselves to seed from the Botanic Gardens who organise the show. *Cephalotaxus fortunei* was so tempting that we could not resist when we saw the large handsome shrub that it forms there heavy in its plum-like fruit. We had great difficulty in identifying *Cestrum buxifolium*

BSWJ14395 firstly on account that there is not a Flora covering Colombia. The genus was no problem at all, but our identification kept on going back to this species, but always with yellow flowers, until that is I finally tracked down a pressed specimen with bicoloured flowers as is the case in this collection. An exceptionally attractive high altitude small shrub in the wild with the characteristic tubular flowers held in profusion from the leaf axils close to the ends of the branches. *Escallonia myrtilloides* BSWJ14329 may not have been from a lofty 4,000m as the previous, but 3,300m is quite good going, where it formed wide shrubs with the most intriguing of top-shaped flowers. We offered a collections of *Clethra fabri* FMWJ13037 for the first time last season, just as well we waited until we had a back up stock of this exquisite species with bright red young growth, as it sold out very quickly considering how large they were. Also from the north of Vietnam and collected from within spitting distance of the previous, is *Dendropanax cf. kwangsiensis* FMWJ13274. As supply is limited I am tempted not to say too much as the demand for this genus is high, it would appear every Botanic Garden in Europe would like one. I suppose the same applies to *Exbucklandia tonkinensis* KWJ12209, but these will be for collection only as they have already reached a fair size, while as yet nobody can propagate them from cuttings. Still in this same area of Vietnam, we were puzzled by our encounter of *Fagraea ceilanica* FMWJ13099. A beautiful medium sized tree peppered with yellow aubergine-like fruit with small seed scattered therein. Why Gentian family of course! *Ilex chapaensis* HWJ946 again from Vietnam, has been here for a while as we originally collected the seed back in 2003, not even being sure that it was a holly until it flowered. Some of our plants have endured the worse of the weather during the cold winter of 2010/11 merely shrugging off -15C in a cold spot in one of our fields. *Illicium merrillianum* HWJ1015 fared well that winter too, but in a more sheltered garden situation. At long last we have plants to offer of this red flowering Vietnamese species, which flowers for us from the end of May. *I. macranthum* BSWJ11809 has been too scarce to risk our only stock plant, therefore has not had the same test, but we are confident of its hardiness. Looks to be close to *I. simonsii* to me, but larger flowers on longer peduncles. Destined to be popular. Our collection of *I. anisatum* BSWJ8411 has taken us far too long to build up stocks, but I feel that most will be well acquainted with this species we collected from Japan. Whereas *I. philippinense* CWJ12466 was listed in my copy of The Flora of Taiwan Second Edition as the previous. Which puzzled us greatly as it was obviously a different species only having a similar spring flowering period in common. There will be additional Vietnamese *Magnolia* collections added, including a collection of *M. foveolata* and some *M. floribunda*, which includes a form FMWJ 13384 with exceptionally hairy stems from the slopes of Fansipan, that we are applying the cultivar name of 'Fansipan Furry' at the end of this list. From a bit further north bordering Yunnan Province we found the distinct seed capsules of *Pittosporum glabratum v. neriifolium* BSWJ11685. This variety is a great addition, yet another evergreen shrub with linear evergreen leaves that always fit into the garden so well, contrasting with so many elliptic leaves. *Ternstroemia* are not well known in cultivation in the UK, I have the distinct feeling that *T. kwangtungensis* FMWJ13402 will speed up this transition period. As this was an attractive and tidy small shrub where we found it growing on an exposed ridge almost in China on the Vietnamese border. Finally from this area are a couple of additional collections of *Rhodoleia* in the form of FMWJ13155 & FMWJ13422, just hope we can find more room in the garden for yet two more collections of these showy members of the *Hamamelis* family. I had been on the lookout for *Coriaria terminalis f. fructu-rubro* for some time, Michael Wickenden finally came up with it from one of his collections in China. A form with more orange fruit rather than a real red, shame we do not have his collection number to go with it. Our collection of *Daphne bholua* from India GWJ9436 has been in our garden for quite some time. It flowers through the winter during milder winters or early spring in harder winters, with flowers every bit as good as named forms, or am I bias? These are all seed raised, we find that you have a better root system that way. We will also be offering a new collection of *Daphniphyllum*

*macropodum* BSWJ12691, this time from South Korea collected while there in 2010. The keen eyed may spot *Deutzia corymbosa* on our list, this is again another re-identification from *D. compacta*. Our book did not mention that species for Sikkim. We will also be offering *D. discolor* 'Major' as seen dotted about our gardens, thanks that is to Chris Sanders for giving us a positive identification on this old cultivar. Speaking of old, we have a collection joining our list of *Deutzia pulchra* from the Philippines BSWJ3948 which we collected in 1996. *Diospyros* species from Vietnam FMWJ13164 was initially identified as *D. lotus*, but I am disagreeing with that, hence it will take a bit more time for me to look into it. The foliage is softly pubescent while the fruits were small with a large calyx. From the same mountain *Euonymus frigidus* KWJ12275 displays purple four-merous flowers in vast quantities, set off by pale green crenate foliage. The foliage of *E. porphyreus* BSWJ13914 is unmistakable, narrow and willowy is how we found it in West Bengal in 2013 in pockets of remnant forest on the Singalila Ridge. *Lindera assamica* BSWJ13984 was a collection gathered on our descent from small trees full of flower buds ready for the spring display. As was *Magnolia doltsopa* BSWJ13996 with upright spikes of fruit, with oblong-lanceolate leaves growing in the shelter of the valley. One of our primary target plants from our Himalayan expeditions of 2013, was *Merrillioanax alpinus* BSWJ13939, which we had collected on previous occasions, but only resulting in only a few plants (remember our RHS Chelsea displays). A determined effort has produced enough plants to offer, from three successful accessions. Although hardly known in cultivation, we are confident that this will change, when the paddle-like leaves of this deciduous long lived tree or large shrub is seen in gardens. *Pittosporum napaulense* is also from that neck of the woods albeit from a lower elevation, rather than a collection this was given to us, hence we have no first hand experience of growing this species. I am told it requires some shelter from low temperatures. We were really pleased with ourselves for finding *Tetradium fraxinifolium* WJ13750 in the Lachen Valley of Sikkim. We had seen some of the fruit offered for sale in some of the local markets there, without identifying it while separated from its distinct pinnate foliage. Quite different from what was identified for us in Vietnam, I can see another re-identification on the horizon. Finding *Tetracentron sinense* v. *himalense* WJ13818 was not only memorable, but one of the highlights of our Sikkim expedition. I'll never forget looking up into the trees through my binoculars and seeing the distinct catkin-like spikes and blurring out its name, as I had no idea there was a Himalayan form of it. Needless to say our guides have been pointing it out to all and sundry ever since, as one of the rarest trees.

Moving on to the Far East we are adding our most recent collection, of the long awaited re-identified endemic *Sorbus* from the remote South Korean island of Ullungdō. *S. ullungdoensis* BSWJ12640 is a very distinct chunky species long incorporated in *S. commixta*, always distinct in its fiery autumn foliage. While from the north of Japan we have *Gamblea innovans* which can be seen for miles in the autumn due to its bright yellow trifoliate leaves, easily associated with the ginseng family when seen in fruit as is *Merrillioanax*, but again virtually unknown in British horticulture. We aim to educate. A contrasting evergreen are *Neolitsea sericea* BSWJ12738, which we found both in Korea and Japan. The emerging foliage can set the heart alight of even the most conservative of growers, not to mention the display of red fruit. Even more tempting is a yellow fruiting collection from southern Japan, *N. sericea* with yellow fruit CWJ12830. Then not far from that collection the penny finally dropped as to which of the many names assigned to *Zanthoxylum armatum* CWJ12824 was correct. A wide ranging species with the usual spicy seed, but with distinct winged foliage that looks as it should be evergreen. There is also a collection FMWJ13091 from Vietnam being added. It also occurs in the Himalayas, although we have not come across it there, but we are adding the scandent *Z. tomentellum* BSWJ13903 from West Bengal. From China comes *Meliosma myriantha* v. *discolor* MF97132 a much admired shrub in our garden, on account of its handsome herring-bone foliage adorned with panicles of small creamy-white flowers in the summer. A

gratefully received gift from Maurice Foster. Moving south to our oldest happy hunting ground of Taiwan, we are adding another collection of the elegant *Schefflera taiwaniana* AGM BSWJ3788. Keeping true to our original introduction, this form is of the smaller more shrubby well branching style, from the Central Mountains. *Turpinia ternata* CWJ12360 also hails from this magical isle, is an evergreen from the *Staphylea* family, which hit the headlines for the wrong reason, when someone broke into the nursery to steal one. *Sarcococca taiwaniana* RWJ9999 a star feature in the television program that followed us for a year, accompanying us to Taiwan in 2003. Which was when we gathered our original collection of this unidentified species, then having to ceremoniously burn our one and only plant on camera, to funeral music. Luckily we had gathered a bit of seed, but plan B had also kicked into play. Our co-collectors, The Taiwan National Museum of Natural Science, had also collected plants and had de-bugged them. Presenting us with a replacement plant from the same collection on our return there in 2007. It has yet to be officially named as the above. So what I want to know is, who is going to be the first person to complain about the price? Before leaving Taiwan a mention ought to be made of the currently accepted name for *Viburnum arboricolum* as *V. odoratissimum* v. *arboricola*, of which we still have three excellent collections growing. While *Viburnum triphyllum* BSWJ14298 is a fresh collection of this chunky Colombian species with large black fruit. *Mahonia oiwakensis* from Hong Kong PBR371 was another gratefully received gift from Holland. So far it looks different enough from our Taiwanese collections to be distinguished. No sign of it in the areas of Hong Kong we were in this last autumn. *Frangula californica* BSWJ14057 was collected as a *Rhamnus*, from a hidden valley under the name of The Cedars, just an hour's drive from San Francisco, California at 1,300 feet. Where there were only a small amount of its black fruit left. Which brings me to our final introduction for this season from much closer to home, *Ruscus × microglossum* BSWJ14041 Will be a new name to many, but we have seen the plants in cultivation here in the UK under the species name of one of its parents. It is thought to be a natural female hybrid between the eastern Mediterranean species of *R. hypoglossum* and the western Mediterranean species *R. hypophyllum*. Traditionally grown in countries such as Italy in those gaps that appear at ground level under evergreen hedges or surrounding specimen shrubs that are surrounded by lawns.

## R

(Berberidaceae)	Ranzania	japonica
(Styracaceae)	Rehderodendron	indochinensis BSWJ11841 etc
-	-	aff. indochinensis WWJ11983
-	-	kwangtungense WWJ11940
-	-	kweichowense WWJ12019 etc
-	-	macrocarpum BSWJ11841 etc
(Asparagaceae)	Reineckea	carnea
-	-	- from Japan BSWJ4808 ☘
-	-	- 'Baoxing Booty' BWJ8096
-	-	- 'Crûg's Broadleaf' BWJ8096
-	-	incurva 'Crûg's Linearleaf' BWJ8029
(Araceae)	Remusatia	hookeriana BSWJ2529
(Rhamnaceae)	Rhamnus	dahurica BSWJ12609
	<b>also see <i>Frangula</i></b>	
(Rosaceae)	Rhaphiolepis	indica BSWJ8405
-	-	umbellata f. ovata BSWJ8401

<i>(Polygonaceae)</i>	Rheum	acuminatum HWJCM252 etc
	-	delavayi BWJ7592
	-	palmatum 'Atrosanguineum'
	-	ribes
<i>(Crassulaceae)</i>	Rhodiola	chrysanthemifolia WJC13669
	-	cretinii HWJK2283
	-	fastigiata BWJ7544
	-	himalensis WJC13723
	-	sinuata HWJK2318 etc
	-	wallichiana HWJK2352 etc
	-	yunnanensis BWJ7941
<i>(Ericaceae)</i>	Rhododendron	arborescens BSWJ2244 ✿
	-	- ssp. cinnamomeum WJC13821 ✿
	-	barbatum BSWJ2237 etc ✿
	-	brachycarpum ssp. fauriei BSWJ4326 ✿
	-	campanulatum HWJCM195 ✿
	-	hodgsonii BSWJ2656 ✿
	-	macrophyllum BSWJ9561 ✿
	-	mucronulatum BSWJ786 ✿
	-	- v. taquetii BSWJ4486 ✿
	-	niveum BSWJ2675 ✿
	-	oldhamii BSWJ3742 ✿
	-	pseudochrysanthum alpine form RWJ9807 ✿
	-	racemosum BWJ7811 ✿
	-	thomsonii BSWJ2638 ✿
<i>(Hamamelidaceae)</i>	Rhodoleia	championii BSWJ11603 etc
	-	aff. henryi BSWJ11782 etc
	-	parvipetala FMWJ13422 <b>etc</b>
	-	aff. parvipetala WWJ11943 etc
<i>(Rosaceae)</i>	Rhodotypos	scandens ✿
<i>(Anacardiaceae)</i>	Rhus	ambigua BSWJ3656 etc
	-	- large leafed BSWJ10884
<i>(Grossulariaceae)</i>	Ribes	griffithiana GWJ9331 ✿
<i>(Saxifragaceae)</i>	Rodgersia	henrici KW21015
	-	nepalensis HWJK2140
	-	nepalensis 'High Flier' HWJK2121
	-	pinnata 'Crûg Cardinal'
	-	- 'Shangri-La' BWJ7741a
	-	- pink
	-	- white
	-	podophylla
	-	- 'Crûg Colossus' BSWJ10909

<i>(Saxifragaceae)</i>	Rodgersia	podophylla from north Japan BSWJ10818
	-	sambucifolia BWJ7899
<i>(Asparagaceae)</i>	Rohdea	japonica BSWJ4853 etc
	-	tonkinensis HWJ562
	-	watanabei BSWJ1911 etc
<i>(Rosaceae)</i>	Rosa	macrophylla BSWJ2603 etc
	-	sericea v. morrisonensis BSWJ7139
	-	- ssp. omeiensis BWJ7550
<i>(Zingiberaceae)</i>	Roscoea	alpina
	-	- short form
	-	auriculata BSWJ2594 etc
	-	- early form
	-	- late form
	-	- × purpurea pale
	-	australis
	-	× beesiana
	-	× beesiana pale flowered
	-	cangshanensis BWJ7848
	-	cautleyoides
	-	- 'Crŭg's Late Lemon' BWJ7781
	-	purpurea HWJK2020 etc
	-	- 'Brown Peacock'
	-	- f. rubra 'Gurkha Redstem'
	-	- tall form
	-	- 'Vannin' HWJK2406
	-	scillifolia f. atropurpurea
	-	- f. scillifolia (pink)
	-	tibetica BWJ7878 etc
	-	- f. atropurpurea BWJ7640
	-	- f. rosea
	-	tumjensis HWJK2211
<i>(Rosaceae)</i>	Rubus	alceifolius BSWJ1833
	-	buergeri BSWJ5555
	-	formosensis BSWJ1798
	-	henryi
	-	lineatus
	-	- from Nepal HWJK2045
	-	- from Sumatra BSWJ11261
	-	- from Vietnam HWJ892
	-	pectinellus v. trilobus BSWJ1669b
	-	pentalobus BSWJ3878
	-	rolfei BSWJ3066
	-	splendidissimus BSWJ2361 etc
	-	swinhoei BSWJ1735

(Rosaceae)	Rubus	taiwanicola CWJ12400
	-	treutleri BSWJ2139
	-	trilobus BSWJ9096
<b>(Asteraceae)</b>	<b>Rudbeckia</b>	<b>californica BSWJ14105</b>
<b>(Ruscaceae)</b>	<b>Ruscus</b>	<b>× microglossum BSWJ14041</b>

**S**

(Salicaceae)	Salix	fargesii
(Lamiaceae)	Salvia	campanulata GWJ9294 etc
	-	- aff. var. hirtella GWJ9397
	-	glabrescens BSWJ11152
	-	- v. robustum BSWJ11147
	-	aff. iodochroa BSWJ10252
	-	koyamae BSWJ10919
	-	nipponica BSWJ5829 ☼
	-	omeiana 'Crûg Thundercloud' BWJ8062
	-	przewalskii BWJ7920 etc
	-	<b>rubescens v. BSWJ14368</b>
	-	<b>scutellarioides BSWJ14273</b>
(Caprifoliaceae)	Sambucus	mexicana BSWJ10349
(Rosaceae)	Sanguisorba	hakusanensis BSWJ8709
(Euphorbiaceae)	Sapium	sebiferum CWJ12819 <i>also see Neoshirakia</i>
(Buxaceae)	Sarcococca	balansae BSWJ7285 etc
	-	brevifolia GWJ9480
	-	confusa
	-	coriacea HWJK2428
	-	hookeriana HWJK2393
	-	- v. digyna 'Purple Stem'
	-	- v. digyna 'Schillingii'
	-	- v. hookeriana BSWJ2585 etc
	-	- v. humilis
	-	ruscifolia
	-	- v. chinensis
	-	- v. 'Dragon Gate'
	-	saligna MFP2056
	-	<b>taiwaniana RWJ9999</b>
	-	trinervia BSWJ9500 etc
	-	vagans BSWJ9760 etc
	-	wallichii BSWJ2291 etc
	-	zeylanica BSWJ10199 etc
(Aristolochiaceae)	Saruma	henryi

<i>(Asteraceae)</i>	Saussurea	japonica BSWJ12672
<i>(Saxifragaceae)</i>	Saxifraga	'Cuscutiformis'
	-	epiphylla 'Little Piggy'
	-	- 'Precious Piggy' BWJ7750
	-	- 'Purple Piggy'
	-	fortunei BSWJ6346
	-	- f. alpina from Hokkaido
	-	- 'Fumiko' BSWJ6124
	-	- v. koraiensis BSWJ8688
	-	- f. partita
	-	- v. pilosissima BSWJ8557 etc
	-	- 'Rubrifolia'
	-	hirsuta
	-	imparilis
	-	mertensiana
	-	nipponica 'Pink Pagoda'
	-	rufescens BWJ7510 etc
	-	sendaica
	-	stolonifera BSWJ4972
	-	- 'Hime'
	-	- 'Kinki Purple' BSWJ4972
<i>(Araliaceae)</i>	Schefflera	alpina BSWJ11827 etc
	-	aff. brevipedicellata HWJ870 etc
	-	aff. chapana BSWJ11833 etc
	-	delavayi
	-	enneaphylla HWJ1018
	-	fantsipanensis BSWJ11666 etc
	-	gracilis HWJ622 etc
	-	hoi BSWJ11747
	-	kornasii BSWJ11830
	-	macrophylla WWJ11681 etc
	-	microphylla BSWJ3872
	-	multinervia BSWJ11727
	-	pauciflora WWJ11999
	-	aff. myriocarpa BSWJ11828
	-	petelotii <i>see macrophylla</i>
	-	rhododendrifolia GWJ9375
	-	taiwaniana BSWJ7096 etc
	-	taiwaniana × gracilis
	-	vietnamensis <i>see kornasii</i>
<i>(Schisandraceae)</i>	Schisandra	arisanensis BSWJ3050
	-	chinensis BSWJ4611 etc

<i>(Schisandraceae)</i>	Schisandra	<i>grandiflora</i> BSWJ2245 <b>etc</b>
	-	- <b>aff. grandiflora WJC13817</b>
	-	- 'Jamu' (m) BSWJ2245
	-	- 'Lhalu' (f) BSWJ2245
	-	- <i>henryi</i> v. <i>yunnanensis</i> BSWJ6546
	-	- <i>incarnata</i> BSWJ7898
	-	- <i>nigra</i> BSWJ5897 <b>etc</b>
	-	- <i>perulata</i> FMWJ13100
	-	- <i>aff. plena</i> BSWJ664
	-	- <i>propinqua</i> v. <i>sinensis</i> BWJ8148 <b>etc</b>
	-	- <i>repanda</i> BSWJ11455
	-	- <i>rubriflora</i> 'Bodnant Redberry'
	-	- × <i>grandiflora</i>
	-	- × <i>incarnata</i>
	<i>(Hydrangeaceae)</i>	Schizophragma
-		- <i>hydrangeoides</i> BSWJ5954 <b>etc</b>
-		- v. <i>concolor</i> BSWJ5954
-		- - 'Moonlight'
-		- 'Roseum'
-		- v. <i>taqueti</i> BSWJ8771
-		- - 'Cheju's Early' BSWJ1160
-		- v. <i>ullungdoense</i> BSWJ8505 <b>etc</b>
-		- v. <i>yakushimense</i> BSWJ6119
-		- <i>integrifolium</i> BWJ8150
-	- <i>molle</i> WWJ11905 <b>etc</b>	
<i>(Hyacinthaceae)</i>	Scilla	<i>scilloides</i> BSWJ8812
<i>(Solanaceae)</i>	Scopolia	<i>anomala</i> HWJK2252
-	-	<i>carniolica</i>
<i>(Lamiaceae)</i>	Scutellaria	<i>maekawae</i> BSWJ5557a
<i>(Crassulaceae)</i>	Sedum	<i>beauverdii</i> ssp. <i>vietnamense</i> HWJ824
-	-	<i>cryptomerioides</i> BSWJ054
-	-	<i>kamtschaticum</i> BSWJ10870
-	-	- v. <i>ellacombeanum</i> BSWJ8853
-	-	<i>morrisonense</i> BSWJ7078
-	-	<i>takesimense</i> BSWJ8518 <b>etc</b>
-	-	<i>ussuriense</i> 'Chuwangsan' BSWJ723
-	-	<i>viviparum</i> BSWJ8480 <b>etc</b>
<i>(Apiaceae)</i>	Selinum	<i>candollei</i> HWJK2329
-	-	- <b>carvifolium HWJK2347 etc</b>
-	-	- <i>cryptotaenium</i> FMWJ13250 <b>etc</b>
-	-	- <i>wallichianum</i> WJC13656

( <i>Bambusoideae</i> )	Semiarundinaria	fastuosa v. viridis
( <i>Asteraceae</i> )	Senecio	formosoides BSWJ10736 etc
	-	formosus BSWJ10700 etc
	-	gerberifolius BSWJ10357 etc
	-	<b>niveoaurus BSWJ14320</b>
( <i>Asteraceae</i> )	Serratula	coronata v. insularis BSWJ8698
( <i>Poaceae</i> )	Setaria	aff. palmifolia BWJ8132
( <i>Lardizabalaceae</i> )	Sinofranchetia	chinensis DJHS4117
( <i>Iridaceae</i> )	Sisyrinchium	convolutum BSWJ9117 etc
	-	aff. trinerva BSWJ10459
	<i>also see Olsynium</i>	
	-	unispathaceum BSWJ10683
( <i>Rutaceae</i> )	Skimmia	anquetilia female
	-	- anquetilia male
	-	arborescens BSWJ11799
	-	- ssp. nitida BSWJ8239
	-	arisanensis BSWJ7114 etc
	-	black fruiting species from northern Vietnam BSWJ8259
	-	× confusa 'Kew Green'
	-	japonica female BSWJ5053
	-	- male BSWJ5053
	-	- v. distincte-venulosa BSWJ3544
	-	- v. intermedia f. repens BSWJ5560 etc
	-	- ssp. reevesiana BSWJ3763 etc
	-	laureola ssp. laureola HWJK2095 etc
	-	- v. multinerva GWJ9374
	<i>Smilacina see Maianthemum</i>	
( <i>Smilacaceae</i> )	Smilax	aspera
	-	china BSWJ4427etc
	-	glaucophylla BSWJ2971
	-	nipponica BSWJ4331
	-	sieboldii BSWJ744 etc
( <i>Solanaceae</i> )	<b>Solanum</b>	<b>aerial rooting climbing species BSWJ14398</b>
	-	aff. stenophyllum BSWJ10744
( <i>Rosaceae</i> )	Sorbus	alnifolia BSWJ10948 etc
	-	bissetii Yu14299
	-	brevipetiolata BSWJ11771
	-	bulleyana KR2809
	-	caloneura GUIZ80 ☼
	-	carmesina B&L12545
	-	-aff. cashmiriana Berger5712
	-	commixta BSWJ10839 etc

<i>(Rosaceae)</i>	Sorbus	commixta v. rufro ferruginea from Yakushima BSWJ11486
	-	- v. sachalinensis <i>see ullungdoensis</i>
	-	corymbifera WWJ11860 etc
	-	discolor MF97103
	-	aff. filipes KR6453
	-	hedlundii WJC13806
	-	japonica BSWJ10813 etc
	-	koehneana 5015
	-	ligustrifolia WWJ12004
	-	meliosmifolia BSWJ11709
	-	microphylla GWJ9252
	-	pseudovilmorinii
	-	randaiensis BSWJ3202
	-	rosea SEP492
	-	sargentiana EGM291
	-	'Showa' KR5585
	-	subulata HWJ925 etc
	-	thompsonii WWJ12004
	-	tianshanica
	-	<b>ullungdoensis BSWJ12640</b>
	-	vestita (AGS/ES347) ☼
	-	aff. vilmorinii KR6453
<i>(Asparagaceae)</i>	Speirantha	convallarioides
<i>(Dennstaedtiaceae)</i>	Sphenomeris	chinensis BSWJ6108
<i>(Rosaceae)</i>	Spiraea	blumei CWJ12829
	-	formosana BSWJ1597
	-	hayatana RWJ10003 etc ☼
<i>(Stachyuraceae)</i>	Stachyurus	himalaicus HWJK 2035
	-	<b>- ssp. purpureus HWJK2052</b>
	-	lancifolius BSWJ5690 etc
	-	praecox BSWJ8898 etc
	-	- v. matsuzakii BSWJ11229
	-	sigeyosii BSWJ6915 etc
	-	aff. szechuanensis BWJ8153
<i>(Staphyleaceae)</i>	Staphylea	bumalda BSWJ11053 etc
<i>(Lardizabalaceae)</i>	Stauntonia	aff. chinensis DJHV06175
	-	hexaphylla BSWJ4858
	-	aff. libera KWJ12218
	-	aff. maculata FMWJ13055
	-	obovatifoliola BSWJ3685
	-	obovata CWJ12353

( <i>Lardizabalaceae</i> )	Stauntonia	purpurea BSWJ3690 etc
	-	species nova from Vietnam FMWJ13177
	-	yaoshanensis BSWJ8223 etc
( <i>Menispermaceae</i> )	Stephania	japonica CWJ12823
	-	longa KWJ12163
	-	aff. tetrandra WWJ11896
( <i>Theaceae</i> )	Stewartia	pseudocamellia BSWJ11044
	-	pteropetiolata BSWJ11726 etc
	-	serrata
( <i>Liliaceae</i> )	Streptopus	amplexicaulis
	-	roseus (lanceolatus)
( <i>Acanthaceae</i> )	Strobilanthes	attenuata
	-	flexicaulis BSWJ354
	-	aff. inflatus BSWJ7754
	-	rankanensis BSWJ1771
	-	wallichii
( <i>Papaveraceae</i> )	Stylophorum	diphyllum
	-	lasiocarpum
( <i>Styracaceae</i> )	Styrax	formosana v. formosana BSWJ6797 etc
	-	- v. hayatiana BSWJ6823 ☼
	-	japonica BSWJ8770 etc
	-	obassia BSWJ10890
	-	tonkinensis FMWJ13134
( <i>Caprifoliaceae</i> )	Symphoricarpos	guatemalensis BSWJ10316
( <i>Boraginaceae</i> )	Symphytum	'Hidcote Blue'
( <i>Asteraceae</i> )	Syneilesis	aconitifolia BSWJ879
	-	palmeta BSWJ4149 etc
	-	subglabrata BSWJ298

**T**

( <i>Saxifragaceae</i> )	Tanakaea	radicans
( <i>Proteaceae</i> )	Telopea	truncata
( <i>Theaceae</i> )	Ternstroemia	aff. chapaensis WWJ11918
	-	gymnanthera
	-	<b>kwangtungensis FMWJ13402</b>
	-	aff. luteoflora FMWJ13360
( <i>Trochodendraceae</i> )	<b>Tetracentron</b>	<b>sinense v. himalense WJC13818</b>
( <i>Rutaceae</i> )	Tetradium	aff. fraxinifolium WWJ11615 etc
	-	glabrifolium BSWJ6882 etc
	-	ruticarpum BSWJ3541 <b>etc</b>

(Araliaceae)	Tetrapanax	papyrifera 'Rex' BSWJ1925
(Ranunculaceae)	Thalictrum	actaeifolium BSWJ4664 etc
	-	- v. brevistylum BSWJ8819
	-	aquilegifolium v. intermedium BSWJ10965
	-	- v. sibiricum BSWJ11007
	-	chelidonii HWJK2216
	-	delavayi BWJ7903 etc
	-	- purple stemmed form BWJ7748
	-	- v. acuminatum BWJ7535 etc
	-	- v. decorum BWJ7770
	-	- v. mucronatum DJHC473
	-	diffusiflorum
	-	filamentosum BSWJ777 etc
	-	- v. yakusimense BSWJ6094
	-	honanense BWJ7962
	-	ichangense BSWJ8203
	-	- v. minus 'Chinese Chintz'
	-	javanicum BSWJ9506
	-	- v. puberulum BSWJ6770
	-	johnstonii BSWJ9127
	-	minus v. hypoleucum BWJ10932 ☼
	-	omeiense BWJ8049
	-	osmundifolium
	-	platycarpum HWJCM367 ☼
	-	<b>podocarpum BSWJ14297</b>
	-	przewalskii
	-	punctatum BSWJ1272
	-	ramosum BWJ8126
	-	reniforme BSWJ2610 etc
	-	rochebruneanum
	-	rubescens BSWJ10006
	-	simplex v. brevipes BSWJ8883 ☼
	-	tenuisubulatum BWJ7929 ☼
	-	tuberiferum BSWJ10999
	-	urbaini BSWJ7085
	-	yunnanense
(Apiaceae)	Thapsia	maxima BSWJ12989
(Asclepiadaceae)	Thunbergia	coccinea BSWJ7166
	-	aff. fragrans GWJ9441
(Saxifragaceae)	Tiarella	polyphylla
	-	- 'Baoting Pink' BWJ8085
(Iridaceae)	Tigridia	immaculata BSWJ10393

<i>(Iridaceae)</i>	<i>Tigridia</i>	orthantha 'Red-Hot Tiger' BSWJ10244
<i>(Apiaceae)</i>	<i>Tilingia</i>	ajanensis BSWJ11202
<i>(Melanthiaceae)</i>	<i>Tofieldia</i>	coccinea
<i>(Apocynaceae)</i>	<i>Trachelospermum</i>	'Wilsonii' W776
<i>(Boraginaceae)</i>	<i>Trachystemon</i>	orientalis ✨
<i>(Ranunculaceae)</i>	<i>Trautvetteria</i>	caroliniensis v. japonica
	-	- v. japonica BSWJ10861
	-	- v. occidentalis
<i>(Liliaceae)</i>	<i>Tricyrtis</i>	affinis BSWJ5640 etc
	-	- 'Early Bird' BSWJ5525
	-	flava
	-	formosana BSWJ355 etc
	-	- v. glandosa BSWJ7084
	-	- v. - 'Blu-Shing Toad' BSWJ052
	-	- v. grandiflora 'Long-Jen Violet' RWJ10095
	-	- v. - 'W-Ho-Ping Toad' BSWJ6905
	-	- 'Small Wonder' BSWJ306
	-	- 'Spotted Toad' BSWJ1769
	-	- v. stolonifera BSWJ7046
	-	- 'Taroko Toad' BSWJ6705
	-	- 'Tiny Toad' BSWJ7071
	-	- 'Variegata'
	-	- 'Velvet Toad' RWJ10104
	-	hirta BSWJ2827etc
	-	- v. masamunei
	-	ishiana
	-	- v. surugensis
	-	lasiocarpa BSWJ3635 etc
	-	- 'Royal Toad' BSWJ7014
	-	latifolia BSWJ10996
	-	'Lilac Towers'
	-	macrantha
	-	- ssp. macranthopsis
	-	- - 'Juro'
	-	macropoda from Japan BSWJ5847 etc
	-	- from Korea BSWJ1271 etc
	-	maculata HWJCM470 etc
	-	nana BSWJ11399
	-	ohsumiensis
	-	perfoliata
	-	- 'Spring Shine' (v)
	-	ravenii BSWJ3229 etc
	-	setouchiensis BSWJ4701
	-	suzukii RWJ10111 etc
<i>(Trilliaceae)</i>	<i>Trillium</i>	chloropetalum v. giganteum

<i>(Trilliaceae)</i>	Trillium	taiwanensis BSWJ3411
<i>(Caprifoliaceae)</i>	Triostemon	himalayanum BWJ7907
<i>(Gentianaceae)</i>	Tripterospermum	lanceolatum BSWJ085 etc
<i>(Celastraceae)</i>	Tripterygium	doianum BSWJ11467
	-	aff. doianum CWJ12852 etc
	-	hypoglauca BWJ7852 etc
	-	regelii BSWJ5453 etc
	-	- v. occidentale BSWJ10921
	-	wilfordii WWJ12009
<i>(Trochodendraceae)</i>	Trochodendron	aralioides from Japan BSWJ6080
	-	-from Taiwan BSWJ1651 etc
<i>(Tropaeolaceae)</i>	Tropaeolum	ciliatum
	-	speciosum
<i>(Asparagaceae)</i>	Tupistra	aurantiaca BSWJ2267 etc
	-	grandistigma BSWJ11773
	-	tonkinensis HWJ562
	-	wattii BSWJ8297
<b><i>(Staphyleaceae)</i></b>	<b>Turpinia</b>	<b>ternata CWJ12360</b>

## U

<i>(Hamamelidaceae)</i>	Uocodendron	whartonii BSWJ11706
<i>(Colchicaceae)</i>	Uvularia	grandiflora
	-	- v. pallida
	-	- 'Susie Lewis'
	-	perfoliata
	-	sessilifolia
	-	- 'Cobblewood Gold'

## V

<i>(Ericaceae)</i>	Vaccinium	consanguineum BSWJ10486
	-	dunalianum v. caudatifolium BSWJ6816 ☘
	-	- v. megaphyllum HWJ515
<i>(Berberidaceae)</i>	Vancouveria	hexandra
	-	planipetala
<i>(Melanthiaceae)</i>	Veratrum	album
	-	- v. flavum
	-	- v. oxysepalum
	-	formosanum BSWJ1575 etc
	-	grandiflorum BSWJ4416 etc
	-	longibracteatum

<i>(Melanthiaceae)</i>	Veratrum	maackii v. japonicum
	-	- v. maackii BSWJ5831 etc
	-	nigrum
	-	schindleri BSWJ4068
	-	stamineum
	-	ussuriense BSWJ4450
	-	viride LIL127-01
<i>(Scrophulariaceae)</i>	Veronicastrum	japonicum v. australe BSWJ11009
	-	aff. latifolium BWJ8158
	-	sibiricum BSWJ6352
<i>(Caprifoliaceae)</i>	Viburnum	arboricolum BSWJ6913 etc
	-	atrocyaneum BSWJ7272 etc
	-	awabuki BSWJ8404
	-	- from Wabuka BSWJ11374
	-	betulifolium 'Hohuanshan' BSWJ3200
	-	brachyandrum BSWJ5784 etc
	-	buddlejifolium ☼
	-	carlesii BSWJ8838
	-	chingii ☼
	-	aff. calvum WWJ12012
	-	coriaceum BSWJ9719
	-	cylindricum
	-	- 'Chino-Crüg' BWJ7778
	-	- from Nepal HWJCM434
	-	- from Thailand BSWJ6479 etc
	-	dilatatum BSWJ5844 etc ☼
	-	erosum BSWJ8735 etc ☼
	-	erubescens HWJK2163
	-	fansipanense BSWJ8302
	-	foetidum v. rectangulatum BSWJ3451 etc ☼
	-	formosanum CWJ12460
	-	furcatum BSWJ5939 etc
-	harryanum	
-	hoanglienense BSWJ8281 etc	
-	japonicum BSWJ5968	
-	kansuense BWJ7737	
-	koreanum BSWJ4231	
-	aff. lautum BSWJ10290	
-	luzonicum BSWJ3637	
-	- v. formosana BSWJ3585	
-	- v. oblongum BSWJ3549	
-	- v. sinuatum BSWJ4009	

( <i>Caprifoliaceae</i> )	<i>Viburnum</i>	mullaha BSWJ2251a etc ✿
	-	nervosum BSWJ2241
	-	aff. odoratissimum BSWJ3913
	-	odoratissimum RWJ10046
	-	opulus v. calvescens BSWJ10844
	-	parvifolium BSWJ6768 etc
	-	phlebotrichum BSWJ11058 etc
	-	pinchinchense BSWJ10660
	-	propinquum CWJ12426
	-	prunifolium ✿
	-	sambucinum HWJ838
	-	- v. tomentosum HWJ733
	-	sargentii BSWJ8695
	-	setigerum HMJG11037
	-	sieboldii BSWJ2837 ✿
	-	taiwanianum BSWJ3009 etc
	-	<b>treleasei BSWJ12544</b>
	-	<b>triphylum BSWJ14298 etc</b>
	-	aff. venustum BSWJ10477
	-	wrightii BSWJ5871 etc ✿
	-	- v. stipellatum BSWJ8780a etc ✿
( <i>Violaceae</i> )	<i>Viola</i>	verecunda BSWJ604a
( <i>Vitaceae</i> )	<i>Vitis</i>	amurensis BSWJ4138
	-	coignetiae BSWJ4744 etc
	-	- v. glabrescens BSWJ8537
	-	- from Japan BSWJ10882 etc
	-	- from Korea BSWJ4550 etc
	-	flexuosa BSWJ5568 etc
	-	- v. choii BSWJ4101
	-	- f. parvifolia BSWJ1946
	-	piasezkii v. pagnuccii
	-	× pulchra
	-	'Spetchley Red'
	-	thunbergii BSWJ4702

## W

( <i>Rosaceae</i> )	<i>Waldsteinia</i>	ternata
( <i>Caprifoliaceae</i> )	<i>Weigela</i>	aff. decora BSWJ10834 ✿
	-	floribunda BSWJ10831 ✿
	-	florida BSWJ8439 ✿
	-	aff. hortensis BSWJ10808

( <i>Caprifoliaceae</i> )	Weigela	middendorffiana ✿
	-	praecox BSWJ8705
	-	subsessilis BSWJ1056 etc ✿
( <i>Ericaceae</i> )	Wittsteinia	vacciniacea
( <i>Blechnaceae</i> )	Woodwardia	orientalis v. formosana BSWJ6865
( <i>Asteraceae</i> )	Wyethia mollis	BSWJ14067

**Y**

( <i>Melanthiaceae</i> )	Ypsilandra	thibetica
	-	- narrow leaf

**Z**

( <i>Araceae</i> )	Zantedeschia	aethiopica 'Crowborough'
	-	- 'Luzon Lovely' BSWJ3959
( <i>Rutaceae</i> )	Zanthoxylum	acanthopodium WJC13653
	-	ailanthoides from Korea BSWJ8535
	-	- from Japan BSWJ11115 etc
	-	- f. inermis RWJ10048
	-	armatum BSWJ12753 <b>etc</b>
	-	bungeanum Sichuan Pepper BWJ8040
	-	faurei BSWJ11523
	-	laetum WWJ11678 etc
	-	myriacanthum BSWJ11844
	-	oxyphyllum GWJ9428 etc
	-	piperitum BSWJ8543
	-	- v. inermis BSWJ10934
	-	schinifolium from Korea BSWJ8593
	-	- from Japan BSWJ11391 etc
	-	tomentellum BSWJ13903
	-	aff. yuanjiangense FMWJ13498
( <i>Ulmaceae</i> )	Zelkova	serrata BSWJ8491 ✿
( <i>Zingiberaceae</i> )	Zingiber	mioga 'Crŭg's Zing' BSWJ4379

**More notes on our 2016 introductions :-****Climbers primarily from our own wild seed collections**

*Aristolochia sempervirens* has worked extremely well for us on a small piece of roughly south facing wall mixed with *Hydrangea anomala* ssp. *glabra* 'Crûg Coral'. Here it fills in the gaps, if there ever are such things, keeping the lower meter or so permanently clothed while displaying its curious yellow and brown flowers through the summer months well into winter. **BSWJ13600** is raised from seed we gathered in the south of France. We found some really interesting plants in the countryside surrounding Medellin, the old drugs capital of Colombia. Rio Negro was particularly rich in plants that stretched my imagination, although not at an elevation that would be hardy in many cases. Not that would be of a great concern with *Bomarea andreana* **BSWJ14310** as we plant these tuberous rooted twinning climbers under the protection of shrubs in our gardens, where they seem to thrive as long as the drainage is adequate. This collection had unusual rusty-red tubular flowers, a colour that we only saw the once. We also came across an orange flowering species, which is supposed to be *B. andreana* **BSWJ14376**, but from a lofty 3670m at El Cocuy. We had heard of this area of how beautiful it was, we certainly were not disappointed. Here it was scrambling up scrub on fairly open mountain sides. *B. hirsuta* **BSWJ14442** in contrast was well sheltered in the sub-Paramo forest of La Callera. This species should also have orange flowers, although we did not see any in close proximity, only the resulting large fruiting heads. *B. multiflora* **BSWJ14419** should have yellowish flowers, this was from a different part of El Cocuy, but from a similar altitude. This species usually has larger flowers. *Hydrangea oerstedii* **BSWJ10750** evokes wonderful memories of our 2004 expedition to Valle de Cocora, an area more renowned for its tall palms. Where we were billeted at an old ranch house just below the dense forest. Where our collecting was only possible on horseback, just as well as it gave us the vantage point to spot young seedlings of this otherwise hidden evergreen climber at 2640m. We are also releasing another collection from that same year of *H. steymarkii* **BSWJ10501**, but this time from a Costa Rican collection. We were very grateful of the help we received there on our search for *Maianthemum*, which is how we were given permission to make collections from the Monteverde Cloud Forest Reserve. This species can have red flowers, although our plants have not had the space to flower as yet. *Passiflora manicata* **BSWJ14284** could well be from the same plant as we collected from in 2004, in the upper reaches of the Valle de Cocora. Where this spectacular tendrilled climber smothered some low growing shrubs in full sun. Unmissable by the bright red complex flowers with a contrasting central purple ruff adorning the bright green lobed leaves. Our last offering from Colombia is a puzzler, as it is a new species according to a consulted *Solanaceae* expert. As it is a *Solanum* aerial rooting climbing species **BSWJ14398**, with bright orange fruit held close to the adhering stems. Which were relatively large and conspicuous, especially when compared to the small white flowers.

The so called climbing *Dicentra Dactylicapnos ventii* **WJC13786** is our second collection of this bright yellow flowering species from the eastern Himalayas. It appears to be little known in cultivation despite its outstanding qualities of bearing flowers for a long period on a compact plant with elegant bronzed foliage. The inflated seed capsules are also a talking point. Our fresh collection of *Clematis montana* from Sikkim **WJC13712** should also not to be ignored. Our previous collection had a white base colour to the flowers with a purple splash at the base of the sepals, we live in hope. We have had to alter the name of *Holboellia latifolia* ssp. *chartacea* dark flowered **HWJK2213d**, on account of its deciduous habit after establishing itself in our garden. It is nothing short of remarkable and completely changes the ornamental qualities of this subspecies, as the evergreen looking leaves drop just as the whole plant is coming into flower in spring. For those that are familiar with this species it will

not be much of a surprise to learn that the climber is literally smothered in flowers (on an established plant), but without being hidden by the leaves in this subspecies. The impact is similar to a good form of Wisteria. We should not forget the hardiness either, it is a complete game changer for this species in cultivation, with the prospect of opening it out to a much wider audience. There is a pale pink flowered form too, listed as *H. latifolia* ssp. *chartacea* **pale flowered HWJK2213c**, enjoy. It will be interesting to watch *Schisandra grandiflora* **WJC13666** develop as our latest collections are from quite a different area from our previous. It is a variable species, which we have grown and valued for many years, with much larger flowers (the name gives that away), but is it not the only species that has highly scented flowers too? Not forgetting *S. aff. grandiflora* **WJC13817** this is also going to be interesting to watch, as the fruit were dark ox-blood red, so different to our previous collections, as well as yet another remote location.

### ***New cultivar names we are allocating 2016***

Not only as we have done in the past to conform with international nomenclature rules, but to conform with The Convention on Biological Diversity (CBD) and The Nagoya Protocol. We are only allowed to apply cultivar names to collected material or their progeny including hybrids, with the agreement of the host country. Hence this year the emphasis is on *Aspidistra*, as we have an agreement with Taiwan.

#### ***Aspidistra attenuata 'Dungpu Dazzler'***

Possibly the most floriferous selection of any species in cultivation, of this so familiar evergreen perennial arising from thickened creeping scaly rhizomes. Originating from a collection BSWJ377 we gathered on our first expedition to Taiwan in 1992, from a very well drained densely shady area near the village of Dungpu (Tungpu). Situated at the base of Yushan, Taiwan's highest mountain, which is part of their Central Mountain Range. Where it forms dense colonies of long petioles, bearing long glossy deep green, yellow to white spotted leaves to around a meter tall by 10-15cm wide. In this form the pale yellow tubular-campanulate flowers with 7-8 reflexed lobes are produced in ridiculous quantities, capable of carpeting the ground in warm conditions October to January. The flowers like most other species are borne just above ground level and can be followed by large globose rough textured berries. The stigma of this species is easily identifiable looking like a blown out umbrella.

#### ***Aspidistra attenuata 'Xitou Starlet'***

Originating from one of our collections BSWJ2001 from the Xitou (Hsitou old spelling) (pronounced Shi-toe) Experimental Forest, part of The Taiwan National University during the winter of 1993. Where it formed a large colony which enveloped a huge boulder, only obtaining moisture from the debris and leafmould accumulated above its rhizomes. With faintly spotted and streaked leaves to around 1m long held on short petioles encased in a purple sheath, bearing purple-yellow edged flowers at ground level.

#### ***Aspidistra daibuensis 'Taiwan Stars'***

Evergreen perennial, arising from strong creeping densely scaly rhizomes, in time forming dense colonies of broadly lanceolate glossy deep green leaves, with few sometimes pale yellow spots, to around a meter tall. Originating from one of our collections BSWJ312b from a very well drained densely shady area on the South Cross Highway, in Taiwan on our first expedition there in 1992. Annually producing yellowish tinted campanulate purple-pink 8-rayed flowers at ground level, followed by a globose green berry. Flowering in early winter for us, as well as in North Carolina (Tony Avent), where the flowering is abundant in their hotter climate.

***Aspidistra daibuensis* 'Yuli Yummy'**

From one of our collections BSWJ6863, gathered from Yuli in southern Taiwan in 1999. This form was distinct amongst the many colonies we found growing in the shaded areas of the dry valley, by the tall to 1m long oblong-lanceolate leaves being more heavily spotted and streaked in white than any others in this area. Bearing its unusual red-purple 8-lobbed starry flowers with dark interiors and creamy tipped lobes at ground level in mid to late-winter for us.

***Aspidistra sutepensis* 'Pha-Hom Pok-Adot'**

Originating from one of our collections BSWJ6645 gathered in 1998. From almost at the summit of the remote Doi Pha-Hom Pok, Thailand's second highest peak at 2250m, straddling the border with Myanmar, all within the infamous Golden Triangle. Where it formed a large scattered colony of unusually lightly mottled and faintly striped leaves, which only had short petioles bearing the broadly elliptic arching leaves. Spreading from a thick rhizome with the distinct purple 8-9 lobbed campanulate flower at ground level August to October for us, sometimes followed by large orbicular fruit.

***Crusea coccinea* 'Crûg Crimson'**

From a family of plants seldom seen as possessing any hardiness in the UK, *Rubiaceae*. A low growing creeping woodlander with fresh green small ribbed leaves on slender rooting reddish stems. Bearing bright red long trumpet-flowers in axillary clusters for month during the summer. Originating from one of our collections BSWJ10254 gathered from the high mountain forests of Oaxaca southern Mexico in 2004. Easily grown in full to part shade in a freely drained soil with some humus for moisture retention, or in a container.

***Magnolia floribunda* 'Fansipan Furry'**

Looking to us like a completely different species, when we found this unusual form with exceptionally hairy young stems, but we have been reassured that is within the scope of this species. From our collection FMWJ13384 gathered from a remote valley in the Hoang Lien Mountain Range in northern Vietnam in the autumn of 2011, on a trail leading to Fansipan, the highest mountain in northern Vietnam.

**Remember that  
we offer  
a mail order service  
throughout Europe**

You can place your order online  
at

**[www.mailorder.crug-farm.co.uk](http://www.mailorder.crug-farm.co.uk)**

Or if you prefer,  
telephone **01248 670232**




Small box

Medium box

Large box

***For that  
special occasion ...  
why not give one of our  
Gift Vouchers?***



**To visit in person, our gardens and nursery are open  
April – September, Thursday – Saturday 9.30\_4.30pm**

Guided visits most welcome

Check website for dates and events

We are also open by prior appointment at mutually convenient times.



Crûg Farm Plants, Griffith's Crossing,  
Caernarfon, Gwynedd, LL55 1TU

Tel (+44) 01248 670232

[mailorder@crug-farm.co.uk](mailto:mailorder@crug-farm.co.uk)

[www.crug-farm.co.uk](http://www.crug-farm.co.uk)