

PM43, PM43C, PM23c Configuration/Migration Guide




Content

- Main Models
- UI Part Numbering Differentiation
- Configuration Structure
- Part Number Migration
- Accessories

Main Models

PM43




PM43 Icon
Tamper-proof Icon UI version



PM43 Color Touch
Tamper-proof - Password protected Color Touch UI

PM43c



PM43C Color Touch
Compact Tamper - Proof - Password protected Color Touch UI



PM43C Icon
Tamper-proof Icon UI version

PM23c



PM23C Color Touch
Compact Tamper - Proof - Password protected Color Touch UI



PM23C Icon
Tamper-proof Icon UI version

Main Models

User Interface



PM43 Icon
PM43A0.....



PM43 Color Touch
PM43A1.....





PM43C and PM23C Color Touch
PM43CA1..... PM23CA1.....



PM43C and PM23c Icon
PM43CA0..... PM23CA0.....


PM43 Configuration Structure

PM43





PM43C Configuration Structure

PM43c




PM23C Configuration Structure

PM23c



PM4i to PM43 Base Configuration




Last digit represents power cord
1=USA, 2 = EU

PM4i to PM43 Configuration Bridge

Most Common PM4i Configurations	Replacement PM43 Configurations	Last add-on digit = Power Cord	PM43 Description
PM4D010000000020 PM4, Ethernet, TT, 203dpi	PM43A1100000020_	1 or 2	PM43, LCD Touch Panel, Ethernet, TT, 203dpi
	PM43A0100000020_	1 or 2	PM43, Icon, Ethernet, TT, 203dpi
	PM43A1100000021_	1 or 2	PM43, LCD Touch Panel, Ethernet, DT, 203dpi
	PM43A0100000021_	1 or 2	PM43, Icon, Ethernet, DT, 203dpi
PM4D010000005020 PM4, Ethernet, TT, 203dpi, Label Dispenser / Rewind	PM43A1100004020_	1 or 2	PM43, LCD Touch Panel, Ethernet, TT, 203dpi, Label Dispenser/Rewinder
	PM43A0100004020_	1 or 2	PM43, Icon, Ethernet, TT, 203dpi, Label Dispenser/Rewinder
PM4D010000000030 PM4, Ethernet, TT, 300dpi	PM43A1100000030_	1 or 2	PM43, LCD Touch Panel, Ethernet, TT, 300dpi
	PM43A0100000030_	1 or 2	PM43, Icon, Ethernet, TT, 300dpi
PM4D020000000020 PM4, TT, 203dpi, wireless	PM43A1200000020_	1 or 2	PM43, LCD Touch Panel, TT, 203dpi, wireless
	PM43A1200000040_	1 or 2	PM43, LCD Touch Panel, TT, 406dpi, wireless
PM4D010000000040 PM4, Ethernet, TT, 406dpi	PM43A1100000040_	1 or 2	PM43, LCD Touch Panel, Ethernet, TT, 406dpi
PM4D010000005120 PM4, Ethernet, TT, 203dpi, Label Dispenser / Rewind, RTC	PM43A1100004121_	1 or 2	PM43, LCD Touch Panel, Ethernet, DT, 203dpi, Label Dispenser/Rewinder, RTC
	PM43A0100004121_	1 or 2	PM43, Icon, Ethernet DT, 203dpi, Label Dispenser/Rewinder, RTC
	PM43A1100004020_ Add RTC (Available soon)	1 or 2	PM43, LCD Touch Panel, Ethernet, TT, 203dpi, Label Dispenser/Rewinder + Order RTC Separately
PM4D011000000020 PM4, Ethernet, TT, 203dpi, Parallel port	PM43A1101000021_	1 or 2	PM43, LCD Touch Panel, Ethernet, DT, 203dpi, Parallel
	PM43A1100000020_ Add Parallel (270-188-001)	1 or 2	PM43, LCD Touch Panel, Ethernet, TT, 203dpi + Order Parallel port separately
	PM43A0100000020_ Add Parallel (270-188-001)	1 or 2	PM43, Icon, Ethernet, TT, 203dpi + Order Parallel port separately
PM4D010500005120 PM4, Ethernet, TT, 203dpi, RFID EU, Label Dispenser / Rewind, RTC	PM43A11EU004120_	2	PM43, LCD Touch Panel, Ethernet, TT, 203dpi, Label Dispenser/Rewinder, RTC, RFID EU
PM4D011000005020 PM4, Ethernet, TT, 203dpi, Parallel port, Label Dispenser / Rewind, LTS	PM43A1101004021_	1 or 2	PM43, LCD Touch Panel, DT, 203dpi, parallel, Label Dispenser/Rewinder
	PM43A1100004020_ Add Parallel (270-188-001)	1 or 2	PM43, LCD Touch Panel, Ethernet, TT, 203 dpi, Label Dispenser/Rewinder + Order Parallel Port separately
PM4D011400005120 PM4, Ethernet, TT, 203dpi, RFID US, Label Dispenser / Rewind, RTC	PM43A11NA004120_	1	PM43, LCD Touch Panel, Ethernet, TT, 203dpi, Label Dispenser/Rewinder, RTC, RFID US

PM43C Part Number Transition




Last digit represents power cord
1=USA, 2 = EU

PF4i to PM43C Configuration Bridge

Most common PF4i Configurations	PM43C Configurations	Last add-on digit = Power Cord 1 = US 2 = EU	PM43C Description
PF4ID00100000020PF4, TT, 203dpi, Normal door	PM43CA113000020_	1 or 2	PM43c, LCD Touch Panel, Ethernet, TT, 203dpi
	PM43CA010000020_	1 or 2	PM43c, Icon, Ethernet, TT, 203dpi
PF4ID00100000021 PF4, DT, 203dpi, Normal door	PM43CA113000021_	1 or 2	PM43c, LCD Touch Panel, Ethernet, DT, 203dpi
	PM43CA010000021_	1 or 2	PM43c, Icon, Ethernet, DT, 203dpi
PF4ID00100001021 PF4, DT, 203dpi, Normal door, Label dispenser,	PM43CA113004021_	1 or 2	PM43c, LCD Touch Panel, Ethernet, DT, 203dpi, Rewinder
	PM43CA010004021_	1 or 2	PM43c, Icon, Ethernet, DT, 203dpi, Rewinder
PF4ID00100001120 PF4, TT, 203dpi, Normal door, Label dispenser, RTC	PM43CA113004120_	1 or 2	PM43c, LCD Touch Panel, Ethernet, TT, 203dpi, Rewinder, RTC
	PM43CA114004120_	1 or 2	PM43, LCD Touch Panel, Ethernet, TT, 203dpi, Short Door, Rewinder, RTC
PF4ID00100001020 PF4, TT, 203dpi, Normal door, self-strip	PM43CA113004020_	1 or 2	PM43c, LCD Touch Panel, Ethernet, TT, 203dpi, Rewinder
PF4ID00110000021 PF4, DT, 203dpi, Normal door, parallel	PM43CA010010021_	1 or 2	PM43c, Icon, Ethernet, DT, 203dpi, parallel port
PF4ID01100000021 PF4, DT, 203dpi, Short door	PM43CA011010021_	1 or 2	PM43c, Icon, Ethernet, DT, 203dpi, Short door
PF4ID01100001120 PF4, TT, 203dpi, Short door, Label dispenser, RTC	PM43CA114004120_	1 or 2	PM43c, LCD Touch Panel, Ethernet, TT, 203dpi, Short door, Rewinder, RTC
PF4ID01100001121 PF4, DT, 203dpi, Short door, Label dispenser, RTC	PM43CA114004121_	1 or 2	PM43c, LCD Touch Panel, Ethernet, DT, 203dpi, Short door, Rewinder, RTC
PF4ID011000001130 PF4, TT, 300dpi, Short door, Label dispenser, RTC	PM43CA114004130_	1 or 2	PM43c, LCD Touch Panel, Ethernet, TT, 300dpi, Short door, Rewinder, RTC
PF4ID01200010021 PF4, DT, 203dpi, Short door, Wireless, Rewinder	PM43CA123004021_	1 or 2	PM43c, LCD Touch Panel, DT, 203dpi, Rewinder, Wireless
	PM43CA020000021_	1 or 2	PM43c, Icon, DT, 203dpi, Wireless
PF4ID02100000020 PF4, TT, 203dpi, Dome door	PM43CA115000020_	1 or 2	PM43c, LCD Touch Panel, TT, 203dpi, Dome door
PF4ID03100030020 PF4, TT, 203dpi, Industrial door			

PM23C Part Number Transition



Last digit represents power cord
1=USA, 2 = EU

3240, PF2i to PM23c Configuration Bridge

Including Airline Specific Configurations

	PF2i and 3240 Non-Airline configuration		PM23c Non-Airline configurations		Last digit = power cord 1=US, 2=EU 3=UK...
1	PF2ID00100001121	PF2i, Long Door,Rewinder,RTC,DT203	PM23C Icon, Long Door, Rewinder, RTC, DT, 203 dpi	PM23CA010002121_	1 or 2
2			PM23C Full Touch, Long Door, Rewinder, RTC, DT, 203 dpi	PM23CA110002121_	1 or 2
3	PF2ID00100000020	PF2i, Long Door,TT203	PM23C Icon, Long Door, TTR, 203 dpi	PM23CA010000020_	1 or 2
4			PM23C Full Touch, Long Door, TTR, 203 dpi	PM23CA110000020_	1 or 2
5	PF2ID00100000021	PF2i, Long Door, DT203	PM23C Icon, Long Door, DT, 203 dpi	PM23CA010000021_	1 or 2
6	PF2ID01100000020	PF2i, Short Door, TT203	PM23C Icon, Short Door, TT, 203 dpi	PM23CA011000020_	1 or 2
7	3240B0010000	3240B,US115,No Internet,128KI,Std	PM23C Full Touch, Dome Door, Rewinder, RTC, TTR, 406 dpi	PM23CA112002140_	1 or 2
8	No Equivalent Legacy Configuration		PM23C Full Touch, Long Door, Rewinder, RTC, TTR, 300dpi	PM23CA110002130_	1 or 2
9	No Equivalent Legacy Configuration		PM23C Full Touch, Touchless, Dome Door, Rewinder, RTC, TTR, 406 dpi (Demo ONLY)	PM23CA112002240_	1 or 2
	PF2i and PF4i Airline configuration (Airline Configuration are specials - Not in Price Guide) XX= Airline app (A1 = AEA, S1 or 2 = Sita, M1 or 2 = Amadeus, R1 or 2 = ARINC...)		PM23c Airline configurations (Airline Configuration are specials - Not in Price Guide) XX= Airline app (A1 = AEA, S1 = Sita, M1 = Amadeus, R1 = ARINC...)		
10	PF2TE810000221XX	PTR,PF2T,US,SH,HGR,LTS,DT,203,XX = Airline app.	PM23TA,Icon,ETH,Short Door,FAD,,LTS,HGR,DT203,,EU+RTC	PM23TA0400121XX_	1, 2, 3...
11	PF2TE820000221XX	PTR,PF2T,US,DOME,HGR,LTS,DT,203,XX = Airline app.	PM23TA,Icon,ETH,BT,FAD,,LTS,HGR,DT203,,EU+RTC	PM23TA0500121XX_	1, 2, 3...
12	PF2TE810000221XX	PTR,PF2T,US,SH,HGR,LTS,DT,203,XX = Airline app.	PM23TA,FT,ETH,SH,FAD,,LTS,HGR,DT203,,EU+RTC	PM23TA1400121XX_	1, 2, 3...
13	PF2TE820510221XX	PTR,PF2T,DOME,RFID ETSI,LH,LTS,DT,203, XX = Airline app	PM23TA,FT,ETH,BT,FAD,RFID EU,LTS,HGR,DT203,,EU+RTC	PM23TA15EU121XX_	1, 2, 3...
14	PF4TE810000223XX	PTR,PF4T,US,HALF,HGR,LTS,DT,203,S2	PM23TA, FT, ETH, Short Door, DT 203 dpi	PM43TA1100121XX_	1, 2, 3...
15			PM23TA, Icon, ETH, Short Door, DT 203 dpi	PM43TA1100121XX_	1, 2, 3...

SAP Configuration Abbreviation Description

- OB = One Button or Icon User Interface
- FT = Full Touch or Touch User Interface
- China = Simplified Chinese UI
- NEA = North East Asia (Korean, Traditional and Simplified Chinese)
- ROW = Rest of the World (All other languages)
- ETH = Ethernet
- HGR = Media Hanger (Fixed Hanger)
- PI = Parallel Port
- WIFI = WiFi and Bluetooth
- REW = Rewinder
- LTS = Label Taken Sensor
- RTC = Real Time Clock
- HGR + R = Media Hanger + RTC (On PM43C ONLY)
- TT = Thermal Transfer
- DT = Direct Thermal
- 203 = 203 dots per inch
- 300 = 300 dots per inch
- 406 = 406 dots per inch
- LG = Long Door (on PM43C ONLY)
- SH = Short Door (on PM43C ONLY)
- DM = Dome Door (on PM43C ONLY)