

Virginia's Precious Heritage

*A Report on the Status of
Virginia's Natural Communities,
Plants and Animals, and a
Plan for Preserving Virginia's
Natural Heritage Resources*



Virginia's Precious Heritage:

A Report on the Status of Virginia's Natural Communities, Plants, and Animals, and a Plan for Preserving Virginia's Natural Heritage Resources

A project of the Virginia Department of Conservation and Recreation

Produced by:
Virginia Natural Heritage Program
217 Governor Street
Richmond, Virginia 23219

This report should be cited as follows:

Wilson, I.T. and T. Tuberville. 2003. Virginia's Precious Heritage: A Report on the Status of Virginia's Natural Communities, Plants, and Animals, and a Plan for Preserving Virginia's Natural Heritage Resources. Natural Heritage Technical Report 03-15. Virginia Department of Conservation and Recreation, Division of Natural Heritage, 217 Governor Street, 3rd Floor, Richmond, Virginia. 82 pages plus appendices.

Dear Fellow Virginians:

Most of us are familiar with Virginia's rich cultural heritage. But Virginia also has an incredibly diverse and precious natural heritage – a heritage that preceded and profoundly influenced our culture and is essential to our future.

We share the Old Dominion with more than 32,000 native species of plants and animals. They carpet our hills and valleys with green, they swim in our rivers and lurk in our deepest caves. A few play obviously important roles in our economy, such as the tree species that support our forest products industry, and the fishes and shellfish that are essential to the Chesapeake Bay's seafood businesses. Many more species are vital for clean air and water – indeed every green plant ensures our very existence by replenishing our supply of oxygen.

Virginia's vast array of species makes our lives rich in more subtle ways, too. Everyone who has ever savored a wild blackberry, enjoyed a Robin's song, inhaled the aroma of a water-lily blossom or feasted on the spectrum of red and gold of an autumn forest understands how natural diversity is vital to our souls. Natural diversity brings us satisfaction, often when we are unaware, and it is infused into our sense of place.

While most of us can name only a handful of species and identify how they serve our needs, it is important to remember that all life forms are interdependent. If we only focus on preserving the species that are pretty, or smell nice, or help us pay the bills, we may be dooming many of them to an unintended fate. It has been estimated that for every organism that becomes extinct, as many as 30 more, whose lives are intertwined, will follow. Because we may never understand all of the relationships between species, it is essential that we preserve all elements of our biodiversity and that we protect the land and waters that our native species require for survival.

Article XI of Virginia's constitution says state government is responsible for protecting our natural heritage:

"To the end that the people have clean air, pure water, and the use and enjoyment for recreation of adequate public lands, waters, and other natural resources, it shall be the policy of the commonwealth to conserve, develop and utilize its natural resources . . . to protect its atmosphere, lands and waters from pollution, impairment, or destruction, for the benefit, enjoyment and general welfare of the people of the commonwealth."

We look to the Virginia Department of Conservation and Recreation and its Natural Heritage Program to lead the way in fulfilling this constitutional mandate as it pertains to preserving the Commonwealth's natural diversity of biological resources. However, we all must be informed and involved if we are to succeed. This report on the status and conservation needs of our natural heritage is intended to guide land conservation efforts and to safeguard Virginia's biodiversity.

This report is intended to give us – Virginia's government and citizens – some tools for better understanding and protecting our natural heritage. I encourage you to use this report. Mark it up. Copy it. And ask questions. Most of all, I urge you to get involved in natural resource conservation for the benefit of all present and future Virginians.

Please join me in protecting Virginia's precious natural heritage.

Sincerely,



W. Tayloe Murphy, Jr.
Secretary of Natural Resources
Commonwealth of Virginia

Preface

Joseph H. Maroon

Director, Virginia Department of Conservation and Recreation

It is no easy task to define the Virginia Department of Conservation and Recreation. Suffice it to say DCR's programs and activities – state parks, soil and water conservation, dam safety, land conservation, environmental education, and Virginia's Natural Heritage Program – touch virtually every Virginian.

It is also no easy task to quantify how biological diversity enhances our quality of life. True, we depend on biological resources for food, shelter and health. In addition, though we may be unaware, they have value for society's emotional and psychological well being. It would follow that understanding, quantifying and conserving these heritage resources enhances our lives. Failure to do so diminishes them. These resources need stewards. As they are better protected, their importance becomes much clearer to everyone – not just scientists and conservationists.

Virginians – all of us – “touch” virtually every species, habitat and natural community since our actions impact natural resources. Each organism has its own place in the scheme of the natural world and is valuable to and dependent upon the others. The most proactive approach to species conservation is assuring these organisms never become rare. We have benefited from them and we are entrusted with them. And our stewardship of them reflects our stewardship of creation.

In 1986 Virginia took a significant step toward conserving the state's heritage resources by establishing the Natural Heritage Program. In the 17 years since, that step has led to many advances in conservation as staff documented occurrences of more than 9,500 natural heritage resources, mapped 1,500 conservation sites, answered more than 35,000 information requests and established 38 natural area preserves totaling more than 35,000 acres. Much of the credit for this progress goes to Tom Smith, DCR's Natural Heritage director, and his dedicated, enthusiastic and ever-professional staff. We appreciate the many citizens, businesses and organizations that have made a difference in these endeavors.

The program has been named best in the Western Hemisphere by The Nature Conservancy; that is evidenced by the staff each day and through the compilation and production of this document. Almost daily, data contained within *Virginia's Precious Heritage* changes – we have more of it, we use it to answer questions or, perhaps, we protect an additional species or habitat. Almost daily, Virginia's biodiversity is better understood, quantified, monitored and protected.

I trust that you will find this document a useful tool for learning about, understanding or even becoming involved in conserving Virginia's rich natural heritage resources for our generation and the next.

CONTENTS

Acknowledgements viii

Executive Summary ix

- 1 OVERVIEW OF THE VIRGINIA NATURAL HERITAGE PROGRAM 1-1**
 - Strength of a Network 1-1
 - The Fine and Coarse Filter Approaches to Biodiversity Protection 1-1
 - Operational Structure 1-2
 - Natural Heritage Inventory 1-2
 - Information Management 1-3
 - Natural Area Protection 1-5
 - Stewardship 1-7
 - A Sound Investment 1-9
 - Operational Funding 1-9
 - Natural Area Preserve Funding 1-10
- 2 VIRGINIA'S RICH NATURAL HERITAGE 2-1**
 - Virginia Compared with the Nation 2-1
 - What the Virginia Natural Heritage Program Monitors 2-1
 - Virginia's Endemic Species 2-1
 - Virginia's Lost Natural Heritage 2-2
 - Threatened and Endangered Species Status 2-3
- 3 FROM ELEMENTS TO CONSERVATION SITES 3-1**
 - The Element Approach 3-1
 - Ranking Elements: Global and State Conservation Status 3-1
 - Ranking Occurrences: Element Occurrence Ranks 3-2
 - Ranking Conservation Sites: Biodiversity Ranks 3-3
 - Conservation Site Boundaries 3-3
 - Stream Conservation Units 3-3
- 4 VIRGINIA'S NATURAL AREA PRESERVE SYSTEM 4-1**
 - Criteria for Establishing Natural Area Preserves 4-1
 - Deed of Dedication 4-1
 - Preserve Management 4-2
 - Public Use of Natural Area Preserves 4-5
 - What Preserves Protect 4-7
- 5 VIRGINIA'S PARTNERS IN LAND MANAGEMENT 5-1**
 - State Agencies 5-4
 - Virginia Department of Conservation and Recreation, Natural Area Preserves 5-4
 - Virginia Department of Conservation and Recreation, State Parks 5-5
 - Virginia Department of Game and Inland Fisheries 5-6
 - Virginia Department of Forestry 5-7
 - Virginia Outdoors Foundation 5-8

- U. S. Government Agencies 5-9
 - U. S. Department of Agriculture, Forest Service 5-9
 - U. S. Department of Interior, National Park Service 5-10
 - U. S. Department of Interior, Fish and Wildlife Service 5-11
 - U. S. Department of Defense 5-12
- Other Land Managers 5-13
 - Local Governments 5-13
 - The Nature Conservancy 5-14
 - Corporations 5-15

6 THREATS TO BIODIVERSITY 6-1

- Habitat Loss and Degradation 6-1
- Habitat Fragmentation 6-1
- Invasive Exotic Species 6-2
- Fire Exclusion 6-3
- Nonpoint Source Pollution 6-3

7 BIODIVERSITY CONSERVATION PRIORITIES BY PHYSIOGRAPHIC PROVINCE 7-1

- Chapter Overview 7-1
- Cumberland Mountains Physiographic Province 7-2
- Ridge and Valley and Allegheny Mountains Physiographic Provinces 7-5
- Northern Blue Ridge Physiographic Province 7-9
- Southern Blue Ridge Physiographic Province 7-12
- Northern Piedmont Physiographic Province 7-15
- Southern Piedmont Physiographic Province 7-18
- Northern Coastal Plain Physiographic Province 7-21
- Southern Coastal Plain Physiographic Province 7-24
- Outer Coastal Plain Physiographic Province 7-28

8 BIODIVERSITY CONSERVATION GOALS FOR THE NEXT DECADE 8-1

APPENDICES

- Appendix A Glossary A-1
- Appendix B Virginia Natural Area Preserves Act B-1
- Appendix C Natural Heritage Program Publications and Technical Reports C-1
- Appendix D Natural Area Preserve Management Guidelines D-1
- Appendix E Virginia's Natural Heritage Resources – Lists of Rare Plants, Animals, and Significant Natural Communities E-1
- Appendix F Virginia's Endemic Species F-1
- Appendix G Virginia's Historic, Extirpated and Extinct Species G-1
- Appendix H Invasive Alien Plant Species of Virginia H-1
- Appendix I Virginia Endangered Species Act I-1
- Appendix J Virginia Endangered Plant and Insect Species Act J-1
- Appendix K Scorecard for Candidate Natural Area Preserves K-1
- Appendix L Land Trusts that Operate in Virginia L-1

ACKNOWLEDGEMENTS

Virginia's Precious Heritage results from the work of many hands, feet, backs, ears, eyes and minds. It is the product of the scores of people who have contributed to the Natural Heritage Program over the course of its 14 years existence – the people who have braved hordes of hungry flies and ticks, struggled through miles of brambles, slithered into the deepest, darkest caves, dangled from mountainsides and waded through neck-deep muck, all in search of Virginia's rarest plants and animals. There are also those who have endured hours of tedium, carefully documenting minute and endless details and processing great volumes of data. And there are those who have labored to make sense of all that information, finding the patterns and asking fresh questions in order to develop some understanding of the condition of Virginia's precious natural heritage. Although space will not permit listing them all here by name, they are the people who created the foundation for this report.

Many individuals also contributed to the actual production of *Virginia's Precious Heritage*, and hopefully we have named them all below. Unless otherwise noted, all contributed while employees of the Virginia Department of Conservation and Recreation's Natural Heritage Program. Tracey Tuberville and Irvine Wilson were the principal authors and project coordinators. Tom Smith, Steve Carter-Lovejoy, Gary Fleming, Chris Ludwig, Rick Myers, Wil Orndorff, Steve Roble, Megan Rollins, Larry Smith and Johnny Townsend made major contributions to the text. Mark Bradford served as the principal mapmaker and data-analyzer. Kevin Heffernan executed design and layout. Megan Rollins and private artist, Donna Smith, did the drawings. Gary Fleming, Curtis Hutto, Irvine Wilson, Rebecca Wilson and Claiborne Woodall provided

photographs. Lois delBueno, Public Relations Specialist for the Virginia Department of Conservation and Recreation was the editor. Special thanks also go to the following individuals who provided vital input: Matthew Bley, Land Conservation Officer, Virginia Department of Conservation and Recreation; JoBeth Brown, Public Affairs Officer, George Washington and Jefferson National Forests; Mike Foreman, Stewardship Forester, Virginia Department of Forestry; Leslie Grayson, Director, Northern Virginia Office, Virginia Outdoors Foundation; Nancy J. Ross, Planning Team Leader, George Washington and Jefferson National Forests; Warren Wahl, Assistant Director, Virginia State Parks; and Daniel White, Director of Communications, Virginia Chapter of The Nature Conservancy.

A special thank you goes to NatureServe and the authors and editors of the book *Precious Heritage: The State of Biodiversity in the United States* (Stein, et al. 2000), whose work provided vital inspiration and information.

Photo credits

Gary Fleming: cover: top: Spy Rock, George Washington-Jefferson National Forest, Pedlar District; middle: Potomac Gorge; bottom: False Cape State Park and Natural Area Preserve; Figures 1, 5.1, 5.5, 5.7, 5.11, 5.13, 5.16, 5.18, 5.20
Curtis Hutto: Figure 6.5
Steve Roble: cover: Regal Fritillary
Irv Wilson: cover: Smooth Coneflower; Figures 3, 1.1, 1.5, 2.1, 5.9, 5.22, 5.24, 5.26
Rebecca Wilson: Figure 5.27
Claiborne Woodall: Figures 1.4, 6.3

Illustration credits

Megan Rollins: Figures 1.3, 7.4, 7.6, 7.7, 7.11, 7.13, 7.15, 7.17
Donna Smith: Figure 6.2

Executive Summary

In Virginia, pristine barrier islands line the Eastern Shore; expansive tidal marshes rim the Chesapeake Bay's creeks and rivers; dense blackwater swamps cover lowlands in the southeast; thousands of caves form secret chambers beneath western hills and valleys; and mile-high summits reach into the clouds in the southwest. From Brown Pelicans diving for mullet behind Atlantic breakers to Fraser firs swaying in the breeze at the top of Mount Rogers, a remarkable diversity of life occupies every conceivable niche across the state. These life forms, their natural communities and ecosystems are Virginia's very precious natural heritage - precious because they are unique and precious because, if not cared for, they may disappear. Furthermore, these natural treasures make Virginia a special place for people to call home.



Figure 1. Basic mesic forest, Stafford County.

Humans have an innate need for open space and natural diversity; almost any natural area that people consider beautiful or restful is a diversified, healthy system. When species are endangered, it is often an indicator that something is wrong with the quality of

the environment. It is estimated that for every organism that becomes extinct, as many as 30 or more will follow because their lives are intertwined. There are many other reasons for protecting Virginia's biodiversity, but the most compelling justification for preserving the state's natural heritage may be simply the privilege of existing with a vast array of other living things.

The Virginia Natural Heritage Program, a component of the Virginia Department of Conservation and Recreation, is charged with preserving the Commonwealth's great diversity of biological resources, focusing specifically on natural heritage resources. These are defined as the habitats of rare, threatened or endangered plant and animal species, rare or state significant natural communities and similar features of scientific interest.

Virginia's Natural Heritage Program began in 1986 and is staffed by biologists, zoologists, ecologists, botanists, data managers and conservation professionals. Within *Virginia's Precious Heritage* their mission and methods are explained in detail, and their accomplishments are highlighted.

Virginia's Precious Heritage evaluates the current status of Virginia's natural heritage resources and identifies conservation targets for the upcoming decade. Among the major topics discussed are the collection, storage and analysis of natural heritage resource information, application of this information to the protection and management of significant natural areas in Virginia and development of new conservation initiatives. The many tables, maps and appendices in this publication display much of the data the program has collected to date.

Specific uses of *Virginia's Precious Heritage* include:

- ▶ Selection of local, regional and statewide land conservation priorities
- ▶ Selection of nodes in greenway and migration corridors
- ▶ Identification of mitigation sites
- ▶ Development project planning and site selection

- ▶ Outdoor recreational planning
- ▶ Prioritization of biological survey needs
- ▶ Local comprehensive planning
- ▶ Conservation biology reference

The Virginia Natural Heritage Program's systematic and scientific approach seeks answers to vital questions: What are the important elements of Virginia's natural heritage? What are the common and rare species and natural communities within the state's borders? Where do they occur, what is their conservation status, which are thriving and which are on the brink of extinction? Where are Virginia's best remaining natural areas and who owns them? Supplied with answers to these questions, the Natural Heritage Program seeks to protect the state's most significant habitats by educating landowners and policy-makers, by guiding land use decisions and by establishing a system of natural area preserves to provide permanent homes for many of the state's most imperiled species and natural communities.

The Natural Heritage Program staff evaluate information in several ways to focus their efforts and assign priorities for conserving Virginia's biological diversity. Using an internationally standardized methodology – which was developed and is maintained by NatureServe and the 75 member programs – they assess and rank the conservation needs of species and natural communities at a state and global level, the quality of individual natural heritage resource occurrences and the biodiversity significance of the areas that support one or more occurrences of rare species or natural community elements.

Each of the state's natural heritage resources is an element tracked by the Natural Heritage Program. An element's rarity status is described with a ranking system, which indicates its rarity and conservation status throughout its entire range – its G-rank – and within Virginia – its S-rank. For example the Shenandoah Salamander is ranked G1/S1. This Virginia endemic is known only from a single locality in Shenandoah National Park and is considered critically imperiled in the state and globally. Aside from ranking the status of each natural heritage resource, Natural Heritage Program staff scientists rank the quality, condition, viability and defensibility

of each element occurrence. The occurrence is the area of land or water in which a species is, or was, present. Using both status ranks and occurrence ranks, it is possible to assess the biodiversity significance of conservation sites – areas that support one or more occurrences of rare species elements – across the state. By focusing on conservation sites that support the most viable occurrences of the rare elements in the state, an important part of the Commonwealth's conservation agenda can be established.

Another way to prioritize conservation actions is to concentrate on species and natural communities that are imperiled within the regions of the state that share common geology, landform and soils – areas referred to as physiographic provinces. Because plants, animals and natural communities are interdependent and are closely associated with the landscape, focusing on needs within physiographic provinces results in a systematic approach for determining conservation needs within the entire state. The physiographic provinces that occur, at least in part, within Virginia are: Cumberland Mountains, Ridge and Valley, Allegheny Mountains, Northern Blue Ridge, Southern Blue Ridge, Northern Piedmont, Southern Piedmont, Northern Coastal Plain, Southern Coastal Plain, and Outer Coastal Plain. The natural heritage resource elements found within each physiographic province have been reviewed to determine the most pressing needs for inventory, protection and stewardship and these highest priority elements are identified in this report for each physiographic province.

For all physiographic provinces *Virginia's Precious Heritage* contains information on a total of 6,289 element occurrences, 2,796 of which exist on protected lands, as of October 2003. These occurrences are located on approximately 1,800 conservation sites that occupy nearly 1,115,000 acres. Approximately one-third of the total conservation site acreage is currently protected in some fashion. Two-hundred-six rare species and natural communities are identified as top priorities for statewide inventory efforts. A total of 125 species and exemplary natural communities have been identified as likely to be lost from the state if specific conservation action is not taken in the next five to 10

years. The chapter detailing the provinces summarizes the natural heritage resources contained within each, as well as identifies elements that require immediate attention for inventory, protection and stewardship.

Virginia's biological diversity is subject to many significant threats. The greatest of these comes from habitat loss and habitat fragmentation as land is converted from agricultural, forest and open space uses to more intensive uses such as residential and commercial development, at the rate of 52,200 acres/year from 1982 to 1987 according to the USDA Natural Resources Inventory. Of the approximately 2,500 vascular plant species and nearly 740 vertebrate species native to Virginia, the Natural

significant habitats, by participating in local and statewide land-use planning efforts, by educating the public and by intensively managing certain rare species habitats.

Data maintained by the Natural Heritage Program and contained within this document should interest anyone involved with land conservation, land planning or conservation biology, or who has an affinity for Virginia's rich natural history and the diversity of the living world. *Virginia's Precious Heritage* will serve as a valuable source for that information, but it is important to understand that natural heritage resource data are updated regularly and answers to conservation questions change with new information. This publication presents

information at statewide and regional scales. Information at finer-than-regional scales, such as counties and individual sites, is available from the Natural Heritage Program upon request.

Natural heritage data can assist local, state and federal agencies, and private conservation organizations in identifying protection priorities and implementing policies to conserve the full range of natural biological diversity throughout the state. Data are also used to help educate the public about a wide range of topics including how and where to protect important watersheds, how to identify certain rare species and how to control invasive species.




Figure 2. Numbers of vascular plant and vertebrate species in Virginia.

Heritage Program considers nearly a quarter of each to be rare. The program monitors the populations of these and more than 680 invertebrate species, as well as 145 natural community types. (Vascular plants include most green plants except the mosses; vertebrates include the fishes, amphibians, reptiles, birds and mammals; invertebrates include all other animal species – worms, mollusks, insects, spiders, etc.; and natural communities are assemblages of plants and animals living in close association with each other.) Only a fraction of the species considered rare by DCR has an official federal or state “threatened” or “endangered” species status. Natural Heritage Program staff help mitigate threats by sharing research and information on the locations of

To date, the Virginia Natural Heritage Program has accomplished a great deal, including developing the only comprehensive list of Virginia's rare, threatened and endangered vascular plants, vertebrates and major invertebrate groups. The current list totals more than 1,300 species, and directs major conservation action by the program and its partners. Program staff have documented the location and population status of almost 10,000 rare species and significant natural communities in Virginia through fieldwork, literature review, consulting with experts and museum research. Using data from more than 3,000 sampling sites across the state, Natural Heritage Program staff have classified 120 ecological community groups and related vegetation types occurring in the state. All the

while, they have furthered the understanding of Virginia's natural history, rare species and biodiversity with 253 technical reports, 125 scientific papers and a comprehensive web site.

Compared with other states, Virginia clearly stands out for its native species diversity – 10th for vertebrates and 13th for vascular plants. It ranks 8th in the U.S. for globally rare animals and 14th for globally rare plants. Unfortunately, it is the 8th state in the nation for plant and animal extinctions; 13 vertebrate (three bird, six mammal, four fish) and 13 mussel species are considered extirpated from Virginia. Of the several thousand species that occur naturally in the state, some occur only here - five vertebrate species, five vascular plants and a host of invertebrates. The Southern Appalachian Mountains, including Southwest Virginia, are one of six biodiversity hotspots in the country; within that, the nation's leading hotspot of aquatic diversity is the Clinch and Powell rivers. Virginia is also second in the U. S. for dragonfly diversity.

Funds and resources will always be limited for natural heritage inventory, information management, protection and stewardship work – therefore setting appropriate priorities is a key to success. Five key goals for conserving Virginia's biological diversity are set forth within *Virginia's Precious Heritage*. These are:

1. Secure a broad-based stable funding source for land conservation, including lands that support natural heritage resources.
 - ▶ Fully fund the Virginia Land Conservation Foundation.
 - ▶ Enhance the awareness of and delivery of conservation tools and tax incentives for private landowners who voluntarily conserve priority conservation sites or manage their land to benefit rare species and natural communities.
 - ▶ Expand efforts to encourage donations to the Conservation and Recreation Open Space Tax Check-off and Natural Area Preservation Fund to enhance natural area conservation efforts by localities and DCR.

2. Expand the existing network of conservation lands by securing more lands for natural area dedication, promoting more land conservation by local governments and encouraging greater investment by private conservation organizations.
 - ▶ Secure natural area preserve dedication and administrative public land designations for 200 high priority natural areas across Virginia by 2006.
 - ▶ Inform and promote land conservation at the local government level to meet the ever-increasing demand for open space lands.
 - ▶ Encourage increased investment in land protection by private conservation organizations.
3. Target conservation actions on the best opportunities and measure the success of the funds spent and actions taken.
 - ▶ Provide baselines which inform overall land conservation priorities and are a starting point to measure future progress.
 - ▶ Identify priority lands to meet current conservation needs.
 - ▶ Identify lands that meet multiple conservation goals.
 - ▶ Provide a continuous monitoring mechanism for re-evaluation of conservation needs.
 - ▶ Clearly and continuously track and document the progress of the Virginia Land Conservation Foundation.
4. Enhance natural resource information and expand the public awareness and understanding of natural resource conservation by expanding efforts to inventory natural heritage resources, enhancing cooperation with other conservation agencies and increasing the availability of natural heritage data for the general public, conservation organizations and government agencies.
 - ▶ Enhance and expand plant, animal and natural community inventory efforts across Virginia. There remains much to learn and the time to find and conserve these precious resources is rapidly dwindling.

- ▶ Work with localities to complete natural area inventories in regions of Virginia with high concentrations of natural heritage resources and/or high levels of threat. Such inventories will assist localities in their comprehensive planning and protection of natural areas.
 - ▶ Enhance awareness of the importance of establishing natural areas to meet the needs of citizens.
 - ▶ Create natural area conservation site information layers, which can be made available in a safe and informed manner to public and private conservation agencies and organizations at the local, regional and state level.
 - ▶ Expand types of natural heritage information available to users via the Internet.
 - ▶ Increase public awareness of significant karst (limestone regions with underground streams, sinkholes, and caves) features harboring natural heritage resources.
 - ▶ Continue and enhance strong cooperation with the Virginia Department of Game and Inland Fisheries for efficient collection, exchange, and dissemination of information about Virginia's biological resources.
5. Promote more biodiversity-friendly resource management on Virginia's public and private lands.
- ▶ Provide natural heritage resource management assistance to public and private land managers and owners with natural heritage resources on their properties and to DCR natural areas.
 - ▶ Write and implement management plans for public lands that set priorities for biodiversity conservation, expand the use of such common practices as prescribed burning, and provide alternative sites for conflicting land use issues.
 - ▶ Focus greater efforts on managing invasive alien species. These should include determining their distribution, status and effective control measures, and increasing public agency and private organizations' efforts to combat what has become a clear and present danger to native habitats throughout Virginia.

If these conservation goals are put into action, if individuals, agencies and organizations work together, and adjust their actions by objectively evaluating successes and failures, Virginia can meet its constitutional mandate to conserve its precious natural heritage for present and future generations.



Figure 3. American lotus (*Nelumbo lutea*).

Virginia Natural Heritage Program Mission:

*Conserving Virginia's biodiversity through inventory,
protection and stewardship.*

Chapter 1

Overview of the Virginia Natural Heritage Program

In 1986 the Commonwealth of Virginia entered into a cooperative agreement with The Nature Conservancy to establish the Virginia Natural Heritage Program. This was the state's first step toward developing a comprehensive approach for conserving Virginia's rare plant and animal populations, and natural communities – what are referred to as natural heritage resources.

In July of 1988, the Virginia Natural Heritage Program came under the direction of the Department of Conservation and Recreation (DCR) and in 1989 the General Assembly passed the Virginia Natural Area Preserves Act, formally naming DCR the agency responsible for the program. The act (see Appendix B) charges DCR with the responsibilities of conserving the biological diversity of Virginia, inventorying natural heritage resources, maintaining a data bank of the information gathered through this inventory, and establishing a system of preserves dedicated to protecting natural heritage resources. Virginia's Natural Heritage Program has developed into one of the leading programs in the nation and supports as comprehensive approach to natural heritage conservation and management.

countries – a total of 75 independent member programs collecting, managing and sharing standardized biological data. Thus DCR's decisions are not based just upon Virginia data, but a global information system. A nonprofit organization called NatureServe (www.natureserve.org) acts as the hub of the network. NatureServe assists natural heritage programs by establishing standards for data collection and information management. Furthermore, NatureServe maintains a central database of information on rare species and natural communities, which has been compiled from existing sources (e.g., museum specimens, scientific publications) and from inventories conducted by natural heritage scientists throughout the network

Strength of a Network

A key strength of the Virginia Natural Heritage Program is its participation in an international network of similar programs committed to preserving biodiversity. The Natural Heritage Network has members based in all 50 U. S. states, the Navajo Nation, most Canadian provinces, and 14 Latin American and Caribbean

The Fine and Coarse Filter Approaches to Biodiversity Protection

The Virginia Natural Heritage Program uses two approaches to protect the state's natural communities and plant and animal species. The more widely understood approach is to focus on protecting individual rare species. Sometimes referred to as the "fine filter" approach, it is effective in preserving biodiversity because often several rare species are found in close asso-

ciation with each other, plus many common species are protected with the rare ones. Another approach, which is considered the “coarse filter,” is to protect the best-known examples of Virginia’s natural community types. By protecting natural communities – such as oak forests, pine-scrub oak sandhills, bald cypress-tupelo swamps, and sea level fens – most of the state’s flora and fauna will be protected, even species that are as yet undiscovered or not recognized as rare. The utility of the fine filter-coarse filter approach was succinctly stated in a motto by Robert Jenkins, The Nature Conservancy’s first director of science and the individual responsible for creating the natural heritage network: “Protect the last of the least and the best of the rest.”

Operational Structure

Since its inception, the Virginia Natural Heritage Program has been collecting, organizing, analyzing and providing information about the Commonwealth’s natural heritage resources. The work of the program is carried out by staff organized in four sections: natural heritage inventory, information management, natural area protection and natural area stewardship. It is the day-to-day integration of these four sections that has made the Virginia Natural Heritage Program so successful at collecting data on natural heritage resources and using those data to provide recommendations and to develop strategies for the protection of Virginia’s biodiversity. Responsibilities of each section are discussed below.

Natural Heritage Inventory

The Natural Heritage Program’s inventory section is responsible for identifying, locating and assessing the status of the state’s natural heritage resources. A dedicated team of botanists, zoologists and ecologists carries out this job, which requires systematically searching habitats across Virginia. Currently, natural heritage scientists collect site-specific information on 145 natural community types, 186 vertebrates, 682 invertebrates, and 641 plant species. The program maintains records on 9,735 rare species populations, significant natural communities and other significant biological and geological features that have been found in Virginia. (check numbers)

The inventory process begins by determining which species are rare and which natural communities are significant. This is an ongoing process, which relies on many informational sources for the status of each species and community type in the state and across their ranges. Those that are considered the most imperiled typically receive the highest priority for inventory. Scientists, using their knowledge of a species’ or community’s habitat requirements, rely on geologic maps, soils maps, topographic maps and aerial photographs to help focus their search. Once potential habitat is identified, landowner permission is secured and staff members conduct an inventory of the site. Because several rare species and communities may be found in association with each other, a thorough search may require visits at various times of the year by different staff representing a wide range of expertise.

Inventory staff conduct much of its work under contract to public and private organizations. One major client is the federal government. Recent inventories have included Virginia’s National Park Service lands, the George Washington and Jefferson National Forests, and major Department of Defense facilities. Other inventories have been conducted along the entire Appalachian Trail and at selected state parks.

Inventory work is not finished with the completion of site visits. The location and condition of natural heritage resources must be thoroughly and consistently documented for uses both within and outside the Natural Heritage Program. Contract work usually requires detailed reports and staff make frequent contributions to scientific journals (see Appendix C for a list of reports and journal contributions). The inventory staff is also called upon to comment on potential impacts from proposed development projects and to re-

Natural Community Inventory

A natural community is an assemblage of co-existing, interacting species – considered together with the physical environment and associated ecological processes – that has undergone minimal human disturbance. The Virginia Natural Heritage Program collects and maintains information on the status, distribution and ecology of natural communities. Identifying and protecting excellent examples of all natural community types ensures the protection of the majority of native plant and animal species, including rare and poorly known species.

spond to queries from other scientists and the public.

Inventory ecologists are in the midst of a multi-year project to develop a hierarchical classification system for Virginia's natural communities. To date, descriptions of 120 natural community groups have been completed and published in Natural Heritage Technical Report 01-1. This report can be obtained by contacting the Virginia Natural Heritage Program or by visiting the website:

www.dcr.state.va.us/dnh.

Information Management

The Virginia Natural Heritage Program places great importance on having reliable, accurate and up-to-date information readily accessible for decision-making. The information management section is responsible for incorporating inventory



Figure 1.1. Natural Heritage Program zoologist searching for rare insects.

data into a database system that maintains comprehensive data from a variety of sources on the location and condition of Virginia's plants, animals, natural communities and geological features, as well as on environmental, political and land ownership factors that influence biodiversity in Virginia.

Major Inventory Achievements

1. Developed the only comprehensive list of Virginia's rare, threatened and endangered vascular plants, vertebrates and major invertebrate groups. Currently including 641 plant and 868 animal species, these lists direct major conservation action by the Natural Heritage Program and its conservation partners.
2. Classified 120 ecological community groups and related vegetation types occurring in Virginia. This classification process is supported by comprehensive plot data collected at more than 3,000 sampling sites across the state.
3. Documented the location and population status of 9,735 rare species and significant natural communities in Virginia by gathering data through fieldwork, literature review, consultation with experts and museum research.
4. Mapped boundaries for 1,800 conservation sites and significant stream reaches that support natural heritage resources. These maps help direct development away from vital habitats and inform conservation partners about areas needing protection.
5. Furthered the understanding of Virginia's natural history, its rare species and significant natural communities, and the conservation needed to protect the state's biodiversity by preparing 261 technical reports, authoring 146 scientific papers and preparing a comprehensive web site.

Since 1987 Virginia has used the *Biological and Conservation Data System* (BCD) to maintain its natural heritage resources information. BCD is a data management application used by most members of the Natural Heritage Network. BCD maintains data in an integrated, accessible system of manual files, computer files, and a geographic information system (GIS). Since 2001 the Natural Heritage Program has been migrating from BCD to an integrated GIS data management system called the Biotics that will be used throughout the Natural Heritage Network. The system

currently contains Virginia's records for more than 7,797 elements of biodiversity, 9,735 natural heritage resources occurrences, 1,319 managed area properties, 1,828 conservation sites, 35,000 data requests and 20,045 separate information sources.

and the Virginia Department of Environmental Quality rely on natural heritage data in their permitting

This cache of data informs all of the work done by Natural Heritage staff – for example, determining rarity ranks, inventory needs and prospects, land protection priorities, potential conservation partners




Figure 1.2. Locations of conservation sites and stream conservation units in Virginia.

and stewardship needs. It is also a key resource for others – public and private land owners and land managers, researchers, conservation organizations, and students and teachers. Natural heritage resource data are especially useful for making land management decisions. Regulatory agencies such as the U.S. Fish and Wildlife Service, the U.S. Army Corps of Engineers

processes, and private developers and consultants and public development agencies such as the Virginia Department of Transportation use natural heritage resource data proactively in project planning to avoid or minimize negative environmental impacts. The Natural Heritage Program handles approximately 3,500 requests annually for information and project review.

Virginia Natural Heritage Program data are widely used by program staff, other land and resource managers, and citizens in the Commonwealth to:

- › establish and refine the lists of Virginia's natural heritage resources
- › set biological diversity protection priorities for 1,800 identified conservation sites
- › assist public and private landowners and land managers to provide good stewardship for natural heritage resources on their lands
- › review impacts on natural heritage resources of individual projects (about 3,500 requests per year) submitted by landowners, private consultants, and local, state and federal agencies
- › provide scientific direction for local, regional and statewide land planning
- › meet the research needs of scientists in government and academia
- › fill requests for information from teachers and students, naturalists and other interested citizens
- › be assembled with datasets from other states, through NatureServe, to meet regional and national natural heritage resource information needs

The Natural Heritage Program has recently created two new GIS coverages: the Conservation Lands Database and the Conservation Sites Database. The Conservation Lands Database includes boundaries and attributes for public and certain private lands in Virginia that have potential significance for serving a variety of conservation, recreation and open-space roles. Included are most federal and state lands, regional and interstate lands such as water and park authorities, parks and undeveloped lands owned by localities, lands owned as preserves by non-profit conservation organizations such as The Nature Conservancy and local land trusts, and conservation easements held by the Virginia Outdoors Foundation and other non-profit organizations. Public access to this da-

tabase will be provided through the DCR website in 2003.

The Conservation Site Database holds information on key areas of the landscape worthy of protection and stewardship action because of the natural heritage resources and habitat they support. Each site has a boundary that encompasses one or more rare plant or animal population, or natural community and its associated habitat and other adjacent land thought necessary for the element's conservation. Conservation sites are ranked based on the rarity, quality and number of element occurrences they contain. This coverage will be made available to licensed users through password access to an Internet web site and will have two key uses: to identify priority lands for conservation actions, and to help with the design and review of development projects.

Natural Area Protection

Natural area protection staff select and implement strategies to protect the conservation sites identified through the inventory process. Natural area protection requires an understanding of the many factors that may affect the quality of a site, landowner attitudes and interests, which resource protection tools would be most appropriate and what may be accomplished with the resources available. The staff's primary responsibilities encompass three distinct roles: 1) natural area conservation planning; 2) natural area protection using a variety of tools; and 3) cave and karst protection.

Natural area conservation planning begins by gathering information about the site, including natural heritage resources, geology, hydrology, landscape features, ecological processes, threats, and economic and social factors influencing the site. After information is gathered and analyses are completed, site conservation boundaries are delineated. These boundaries are

Major Information Management Achievements

1. Collected, managed and made accessible in a variety of formats information for more than 9,600 occurrences of rare species and exemplary communities.
2. Identified, and made available as a GIS coverage, boundaries and conservation needs for 1,800 conservation sites containing one or more natural heritage resources.
3. Ensured the use of natural heritage resource data statewide as an integral part of environmental review processes, and responded to more than 35,000 requests for project reviews and natural heritage resource data.
4. Created and distributed Virginia's first comprehensive GIS database of public and private conservation lands.
5. Developed a long-term conservation plan for the Southern Watersheds of Virginia Beach and Chesapeake, identifying a range of options to maintain landscape connectivity through conservation corridors.

not regulatory zones or acquisition areas, but they guide protection and stewardship activities for natural areas and the natural heritage resources that they support. Conservation boundaries encompass areas within which land protection or landowner contacts are recommended. They may also address management needs such as areas required for the safe implementation of prescribed burns.

The ultimate goal of natural area protection is to secure habitats of natural heritage resources. The planning process guides the protection staff in determining which protection tools are most appropriate for a site. The most commonly used tools are:

- ◆ **The Virginia Registry of Natural Areas**, which encourages voluntary preservation of important natural lands in private and public ownership. This is a non-binding, non-regulatory program designed to recognize property owners who act voluntarily to safeguard natural areas.
- ◆ **Administrative designations** on federal lands such as special interest area, special management area and research natural area.
- ◆ **Conservation easements**, which allow landowners to protect land in perpetuity while re-

Virginia Conservation Lands Assessment

The Natural Heritage Program is taking a leading role in a new statewide project called the Virginia Conservation Lands Assessment (VCLA). This is a GIS-organized tool that models and maps priority conservation lands in the state. The VCLA is based on land use/land cover data derived from satellite imagery, augmented by such datasets as heritage conservation sites, existing public conservation lands, under-represented natural communities, unfragmented landscapes, natural floodplains and riparian forests, functional wetlands and significant viewsheds. The key use of the VCLA will be to direct land conservation toward the highest priorities, maximizing the achievement of multiple conservation goals, for

- biodiversity
- water quality
- recreation
- greenways
- agriculture
- historic/cultural resources

Other potential uses for this assessment include:

- Prioritize other resource management actions – e.g. invasive species control
- Identify priority potential restoration sites
- Provide data for local governments to use in planning for their future open space and growth needs

taining ownership. With a conservation easement, the landowner sells or donates certain rights for future land use. Easements are recorded on the deed and often landowners can benefit through local, state and federal tax incentives. The landowner retains rights to use the land in ways compatible with conservation goals.

- ◆ **Natural area dedication** as a state natural area preserve, which is the strongest protection tool available for natural areas, and involves the recording of a legally binding deed of dedication stating the intended use, management and development of the property. Dedicated natural area preserves may be owned by the Department of Conservation and Recreation, other state agencies, local governments, conservation organizations and private landowners.

The Natural Area Protection section, in addition to pursuing the protection of natural areas in general, plays an active role in protecting Virginia’s karst ar-

reas. Karst is a landscape characterized by sinkholes, sinking streams, springs and caves that have formed in areas where mildly acidic groundwater has dissolved soluble rocks such as limestone. Virginia is rich in cave and karst resources, with more than 4000 known caves, located primarily west of the Blue Ridge Mountains. More than 150 cave organisms are tracked by the Virginia Natural Heritage Program due to their rarity – many are found in only one or two caves. Because of the abundance of karst areas in western Virginia, their importance as drinking water supplies, their sensitivity to environmental disturbance

and their exceptional ecological diversity, karst areas warrant focused protection and pollution prevention efforts. The Virginia Natural Heritage Program is actively involved in the following cave and karst area protection initiatives:

Karst Groundwater Protection Program plays a leading role in cave and karst area education, monitoring and management in western Virginia. The program has developed forestry Best Management Practices (BMPs) for groundwater protection, BMPs for storm water management on karst areas and recommendations for preserve design in karst landscapes. In cooperation with other conservation organizations, the program has cleaned up of sinkhole dumps. The program also hosts training workshops and educational field trips. Program staff assist with project review and provide technical support to DCR’s soil and water conservation division and other government agencies involved in groundwater protection and karst-related conservation issues.

Project Underground is a national environmental education program on cave and karst resources. Project Underground provides lesson plans, games and hands-on projects to teach students in kindergarten

through high school about caves and karst ecology. The program is available through training workshops for teachers who wish to incorporate karst concepts into their curriculum. The *Project Underground* addresses many Standards of Learning across all grade levels.

The *Virginia Cave Board*, a collegial body of DCR, was established in 1979 to conserve and protect caves and karst lands of the Commonwealth and to advocate for the wise use of these resources. Eleven members of the 12-member board are appointed by the governor for four-year terms and are selected for their activity and knowledge in the conservation, exploration, study and management of caves. The Virginia Cave Board serves Virginia by advising agencies and private landowners on cave and karst-related matters, providing cave management expertise, preparing and presenting educational material, identifying significant caves, and recommending conservation and preservation measures for cave resources within the Commonwealth.

Stewardship

Conservation of natural areas does not end with land protection. After DCR acquires and/or dedicates natural areas of statewide significance, these areas are then actively managed to retain and enhance conservation values. *Natural area stewardship* is the long-term management of land and water to sustain natural heritage resources. The primary goals are (1) to restore and enhance habitat conditions suitable for rare species, and (2) to sustain the inherent biodiversity and beauty of natural communities. The Natural Heritage Program's Stewardship section focuses on maintaining the natural values of

land areas and waterways to conserve biological diversity, both by managing state-owned lands as well as by advising public and private landowners about techniques for managing natural areas. The program's approach to natural area stewardship is summarized in the Natural Area Management Guidelines (see Appendix D). Stewardship of dedicated natural area preserves in Virginia consists of six major components:



Figure 1.3. Gray's lily (*Lilium grayi*), a very rare species protected by Virginia's Natural Area Preserve System.

I. Management Planning. Natural Area Preserve Management Plans are developed to guide stewardship by establishing management goals for dedicated natural areas and formulating methods by which those goals will be achieved and management success measured. Plans include a wide array of supporting information and developed strategies for long-term protection, maintenance and enhancement of natural heritage resources supported on natural area preserves.

II. Biological Resource Management. Management actions are taken to return human-altered land or vegetation to a condition that supports continued existence of rare species and/or natural communities by reinstating required processes or abating stresses. The primary objective is to restore ecosystem functions and maintain or enhance environmental conditions required to perpetuate rare species and natural communities. By taking actions

Major Protection Achievements

1. Oversaw establishment of 36 natural area preserves, totaling 27,899 acres.
2. Established the nation's only cave and karst protection program.
3. Secured \$6.4 million in federal grants for the acquisition of natural area preserves.
4. Described for the U. S. Forest Service 174 conservation sites, encompassing 127,079 acres to be considered for special interest area designation.
5. Made direct contact with more than 100 private landowners of conservation sites to inform them of the significance of their property, to explain conservation measures that are appropriate for the natural heritage resources found there and to describe land protection options that may be available to them.

such as invasive species control or restoring natural hydrology, natural area stewards can improve habitat conditions for rare species and maintain the integrity (composition and structure) of natural communities.

III. Operations Management. Site operations are a crucial aspect of natural areas stewardship. Especially on public lands, some recreational uses are compatible with the primary natural heritage resource management objectives while others are not. Natural area stewards design and maintain infrastructure such as trails, signs and observation areas in order to provide high quality visitor experiences while protecting natural heritage resources from adverse human effects. Routine management activities include boundary



Figure 1.4. Prescribed burn conducted on Cowbane Prairie Natural Area Preserve.

line and access road maintenance, site security, visitor safety and law enforcement. These actions all fall under the operations component of natural area stewardship.

IV. Fire Management. Prescribed burning is a specialized management activity that is essential in natural areas supporting occurrences of fire-maintained natural heritage resources. Prescribed fire is needed to perpetuate many species and communities that depend on fire but have become rare. Species rarity is often attributable to the fact that natural fire has been mostly eliminated as a landscape process by effective wildfire suppression and prevention programs. Prescribed fire is a unique component of steward-

Major Stewardship Achievements

1. Established five regional field offices across the state with full-time staff to provide effective, science-based stewardship for the natural area preserves in each region.
2. Established the Natural Heritage Fire Management Program with a full-time natural areas fire manager, rigorous training and performance standards, and a cache of specialized equipment – making fire a key tool of preserve management in Virginia.
3. Initiated invasive species control efforts on 16 preserves and ecological restoration projects on nine preserves. One major project underway is the restoration of more than one square mile of Piedmont grasslands and open woodlands at Difficult Creek Natural Area Preserve, featuring extensive habitat for the endangered smooth coneflower.
4. Developed strong alliances with conservation organizations, landowners and other agencies to restore vital habitats throughout Virginia. Partners include The Nature Conservancy, Virginia Native Plant Society, Old Dominion University, City of Newport News, City of Bedford, International Paper and Virginia Department of Forestry.
5. Developed public access facilities at 12 natural area preserves. Facilities include parking, trails, boardwalks, observation decks and interpretive signs.

ship, requiring expertise in biology, fire ecology and fire operations to safely and effectively mimic the process of natural fire under highly controlled conditions.

V. Research. Research to improve understanding of natural history, biology and population dynamics of rare species and ecosystem functions is needed for sound and defensible management planning. Scientific studies are conducted in-house or sponsored through funding support in order to inform stewardship decisions and actions.

VI. Monitoring. Natural area stewards use a variety of monitoring techniques to assess change in natural community composition and rare species population status. Monitoring can determine if natural processes essential to natural heritage resource health are occurring and whether or not management actions have been effective. Monitoring is also used to document and measure the effects of human activity on natural heritage resources protected within natural areas.

A Sound Investment

The Virginia Natural Heritage Program's efforts to identify and conserve Virginia's biological diversity represent a sound investment. In the 14 years since it became part of state government, the program has documented the occurrences of more than 9,500 natural heritage resources, mapped 1,500 conservation sites, answered more than 35,000 requests for information on rare species and established 36 natural area preserves, totaling nearly 28,000 acres. The State Natural Area Preserve System supports the greatest protected concentration of endangered species and exemplary natural communities in Virginia. The Nature Conservancy has recognized the Virginia Natural Heritage Program as the "Outstanding Natural Heritage Program in the Western Hemisphere" and it is regularly cited as a model in the International Natural Heritage Network. These accomplishments have been reached using only a minute fraction of the state government's total budget. Furthermore, the Natural Heritage Program's staff have raised approximately one third of the program's funding from sources outside state government through grants, contracts, donations and fees. Roughly half of the program's expenditures have gone toward the operation of the program – determining what the rare resources are, where they are, and working to conserve them – and half toward the acquisition of natural area preserves. A general breakdown of these two major expense categories follows.



Figure 1.5. Vegetation monitoring at Northwest River Natural Area Preserve.

Operational Funding

To date, the Natural Heritage Program has spent \$14 million in state general funds for the overall operation of the program. Additionally, the staff have raised \$6.4 million in non-general funds by winning competitive contracts and grants, and by charging nominal fees for some services. In effect, for every dollar invested by the state, an additional 46 cents have been brought to the program for conducting natural heritage resource inventories, for managing rare species habitats, for storing and retrieving vital data on rare species,

and for providing advice to the private and public sectors on how best to avoid impacts to rare species.

Much of the program's "soft money" is raised from a variety of sources to inventory natural communities and rare species populations. The largest outside funding support has come from the National Park Service, allowing Natural Heritage Program staff to conduct inventories in every National Park Service unit in Virginia. This funding has also allowed staff to provide various national parks with conservation planning products and detailed vegetation maps. The U.S. Forest Service has funded several major projects including inventories of forest districts and habitat types as well as a regional analysis and classification of vegetation types in Virginia's mountains. The Department of Defense has provided funding for inventories at almost all Virginia military bases, including the three largest, Fort A.P. Hill, Quantico and Fort Pickett. Other Federal partners, including the Environmental Protection Agency and the U.S. Fish and Wildlife Service, have provided major funding for a variety of projects such as inventory and recovery work on federal endangered species and regional vegetation mapping projects.

The Natural Heritage Program's project review function has drawn a small but steady stream of funding. One of the major external uses of the program's comprehensive databases is to identify potential impacts to natural heritage resources from proposed development projects and activities. Developers and consultants pay the program to review their projects and, when conflicts exist, to make recommendations on how to avoid or minimize impacts to natural heritage resources. The program's biggest project review client is the Virginia Department of Transportation, which has provided substantial funding assistance (from federal sources) for development of database enhancements.

Natural Area Preserve Funding

As of January 2003, \$19.3 million have been invested in the State Natural Area Preserve System, which contains 36 preserves and totals 27,889 acres. From the very start, the Virginia Department of Conservation and Recreation recognized that to generate the funding required for natural area protection, a variety of public and private partnerships would be necessary. Natural area preserves have been purchased with gen-

eral tax dollars, donations from private organizations and individuals, Virginia income tax check-off funds, federal grants and state bond funds. For each dollar of state funds that has been spent to purchase natural area preserve lands, an additional 40 cents has been raised from non-state funding sources.

In 1988, the General Assembly appropriated \$1.5 million to be matched by \$500,000 from The Nature Conservancy to create the Partners In Conservation Program, the first effort to acquire and dedicate lands to the Virginia Natural Area Preserve System. The Nature Conservancy, on behalf of the Department of Conservation and Recreation, purchased properties that became the first natural area preserves – North Landing River, Bethel Beach, Poor Mountain, Johnsons Creek, the Pinnacle and Big Spring Bog.

The Open Space Recreation and Conservation Fund is financed by Virginia tax payers who donate a portion of their state income tax refund for parks and natural areas protection and management. The fund does not receive large revenues annually but it has been used to purchase all or parts of properties at Bush Mill Stream, North Landing River and Poor Mountain natural area preserves. This fund has also been used to improve public access at a number of natural area preserves across the state.

Several Virginia landowners have made gifts of land or gifts of easements on dedicated natural area preserves. Some have been outright gifts of the natural area property; others have been partial gifts of land or donated easements. The value of gifts made to the Commonwealth for natural area dedication exceeds \$1.2 million. Natural area preserves protected through gifts to the Commonwealth include Wm. B. Trower Bayshore, Grassy Hill, Folly Mills Fen and Grafton Ponds.

In 1992 Virginia voters approved the Parks and Recreational Facilities Bond. Included within this bond was \$11.475 million for natural area acquisition and \$675,000 for development of public access facilities on existing natural area preserves. Sixteen new preserves and additions to two existing preserves resulted from the expenditure of these general obligation bonds. These bond funds were used as match to leverage nearly \$5 million in federal grants. Forty-four tracts, totaling 11,200 acres were purchased with these

bond and grant funds.

The Virginia Land Conservation Fund (VLCF) is a grant fund administered by DCR and the Virginia Land Conservation Foundation board. Grants have been given to private conservation organizations for a variety of land protection efforts including the purchase lands for natural areas and parks and for the preservation of open space, farmland, forestland and historic sites. One natural area preserve and additions to two existing preserves have been purchased with \$661,000 of VLCF grants and an equal amount of private dollars. One additional VLCF funded natural area protection project in Northern Virginia is underway.

sought to increase the capacity of the department's land conservation effort. In the first few months since the passage of these bonds, the Natural Heritage Program secured two competitive federal grants, totaling \$1 million, which will go to match the bond funds and negotiations are underway to purchase new preserves.

In November of 2002, Virginia voters, with a 69% majority, approved the passage of the Parks and Natural Areas Bond that will provide \$13.2 million in funding for natural area preserve acquisition. These funds, plus an additional \$6.8 million in bond funds approved by the Virginia General Assembly that same year, will result in substantive additions to the Virginia Natural Area Preserve System. As before, new preserves will be acquired, additions will be made to existing preserves and outside matching funds will be




Figure 1.6. Expenditures by source for Natural Area Preserves.

Virginia's Rich Natural Heritage

Virginia supports a rich diversity of plants, animals and natural communities. There are 2,546 species of vascular plants and 737 species of vertebrates known to be native to the state. While there is no accurate count of invertebrates, one conservative estimate places the number at 30,000 terrestrial and aquatic invertebrates species.

The exact number of natural communities is also unknown but the Virginia Natural Heritage Program has defined 120 broad ecological community groups, which are composed of several hundred community types. To comprehend the significance of this great biodiversity it is useful to see how Virginia compares with the rest of the nation and to understand some of the different ways of classifying rarity.

Virginia Compared with the Nation

When compared with other states in the U. S., Virginia is a clear standout for biodiversity. For overall native species diversity, the Commonwealth ranks 10th for vertebrates and 13th for vascular plants. Virginia ranks 8th in the U.S. for globally rare animals and 14th for globally rare plants. The Southern Appalachians, which includes southwest Virginia, was identified as one of six biodiversity hotspots in the United States by The Nature Conservancy and NatureServe in their joint publication *Precious Heritage: The Status of Biodiversity in the United States* (2000). The nation's leading hotspot of aquatic diversity is Virginia's Clinch and Powell rivers, and Virginia is ranked second in the U. S. for dragonfly diversity.

What the Virginia Natural Heritage Program Monitors

The Virginia Natural Heritage Program monitors the state's rare plants and animals and its recognized natural communities. Currently these total 1,660 elements – 186 vertebrates, 682 invertebrates, 609 vascular plants, 32 nonvascular plants, 145 natural community groups, and six other types of natural heritage resources. These numbers represent approximately a quarter of Virginia's known vascular plant and vertebrate species. Chapter 3 explains how species are selected for monitoring. For a complete list of natural communities, rare plants and rare animals tracked by the Virginia Natural Heritage Program see Appendix E.

Virginia's Endemic Species

Of the several thousand species that naturally occur in the state, some species have only been found in the Commonwealth—these are considered endemic to Virginia. Five vertebrate species and five vascular plant species are classified as such. Determining which of

the thousands of invertebrate species are endemic is a difficult endeavor, due to both the overwhelming task of surveying for them across the state and the varying levels of survey effort being conducted by other heritage programs in adjacent states. Currently, 129 invertebrate species have been documented only from Virginia, but this list will continue to be refined as inventory work continues. For a complete list of Virginia's endemic species, see Appendix F.



Figure 2.1. Addison's leatherflower (*Clematis addisonii*), a Virginia endemic.

Virginia's Lost Natural Heritage

Unfortunately, some species that were known to occur in Virginia can no longer be found in the state, despite intensive surveys. A species is considered extirpated from Virginia when it no longer exists in the wild within the Commonwealth. Some extirpated species are extinct, meaning there are none of its kind living anywhere, as is the case with the Passenger Pigeon and the Carolina Parakeet. Other species extirpated from Virginia still exist in the wild, but only outside of the Commonwealth, such as bison, elk, and gray wolf.

extirpated and those that have simply not been observed for many years is sometimes difficult and uncertain. However, the Virginia Natural Heritage Program currently considers 26 vertebrate and mussel species or subspecies to be extirpated from the Commonwealth, including eight species and two subspecies that are also considered globally extinct. These animals have not been documented in recent years despite thorough inventories of their preferred habitat.

Distinguishing between species that have truly been

Some of Virginia's Endemic Species*

Plants
 Virginia round-leaf birch (*Betula uber*)
 Addison's leatherflower (*Clematis addisonii*)
 Virginia white-haired leatherflower (*Clematis coactilis*)
 Millboro leatherflower (*Clematis viticaulis*)
 Peter's Mountain-mallow (*Iliamna corei*)

Vertebrates

Fish
 Clinch sculpin (*Cottus sp 4*)
 roughhead shiner (*Notropis semperasper*)
 Roanoke logperch (*Percina rex*)

Amphibians
 Shenandoah salamander (*Plethodon shenandoah*)
 Peaks of Otter salamander (*Plethodon hubrichti*)

*There are 127 species of endemic invertebrates known for Virginia. For a complete list see Appendix F.

Species are classified as historic to Virginia when they have not been observed in the wild for an extended period of time – typically 15 to 20 years – but there remains some likelihood that it will be rediscovered. Species stay in this category until there is a documented occurrence in the wild, or sufficient evidence is found to consider the species extirpated. A total of 115 species are classified as historic to the state: five birds, one fish, one mammal, 39 invertebrates, and 67 plant species. For a complete summary of historic species, see Appendix H.

Threatened and Endangered Species Status

In the realm of conservation biology, the term “threatened and endangered species” typically refers to a formal legal status given to selected rare species and subspecies. Both the federal government and the Commonwealth of Virginia have enacted endangered species laws in an effort to save species from extinction and both entities maintain their own lists. Some Virginia species appear on the federal list, some only on the state list and some on both. “Endangered species” are considered more imperiled than “threatened species” but both groups have similar legal protection.

The U. S. Fish and Wildlife Service and the National Marine Fisheries Service have enforcement authority for the federal act. The Virginia Department of Game and Inland Fisheries has responsibility for all of the state’s threatened and endangered animals, except insects. The Virginia Department of Agriculture is responsible for the state’s threatened and endangered plants and insects. While the Virginia Natural Heritage Program data are often used for assigning threatened and endangered status, the agency is not responsible for making those determinations. Furthermore, only a fraction of the species considered rare by the Natural Heritage Program have threatened or endangered status. Appendix E shows the federal and state legal status of the plants and animals that are monitored by the Virginia Natural Heritage Program. The Virginia Endangered Species Acts are provided in Appendices I and J. The federal Endangered Species Act can be accessed on the web at:

<http://endangered.fws.gov/esa.html>

Vertebrate and mussel species believed to be extirpated from Virginia

Birds

Carolina Parakeet (*Conuropsis carolinensis*)*
 Bachman's Warbler (*Vermivora bachmani*)
 Passenger Pigeon (*Ectopistes migratorius*)*

Mammals

bison (*Bos bison*)
 eastern cougar (*Puma concolor cougar*)
 gray wolf (*Canis lupus*)
 red wolf (*Canis rufus*)
 porcupine (*Erethizon dorsatum*)
 wapiti or elk (*Cervus elaphus*)

Fish

blackside darter (*Percina maculata*)
 harelip sucker (*Moxostoma lacerum*)*
 shortnose sturgeon (*Acipenser brevirostrum*)
 trout-perch (*Percopsis omiscomaycus*)

Mussels

acornshell (*Epioblasma haysiana*)*
 Cumberland bean (*Villosa trabalis*)
 Cumberland leafshell (*Epioblasma stewardsonii*)*
 elephant ear (*Elliptio crassidens*)
 forkshell (*Epioblasma lewisii*)*
 green-blossom pearl mussel (*Epioblasma torulosa gubernaculum*)**
 narrow catspaw (*Epioblasma lenior*)*
 Ohio pigtoe (*Pleurobema cordatum*)
 pink mucket (*Lampsilis abrupta*)
 rayed bean (*Villosa fabalis*)
 rough pigtoe (*Pleurobema plenum*)
 sugarspoon (*Epioblasma arcaeformis*)*
 yellow-blossom pearl mussel (*Epioblasma florentina florentina*)**

* *Species is extinct*

** *Subspecies is extinct*

From Elements to Conservation Sites

Funds and resources will always be limited for natural heritage inventory, information management, protection and stewardship work, thus setting the proper priorities is a key to success. The methodology developed within the natural heritage network provides a framework to assess and rank the conservation needs of species and natural communities at a state and global level, the quality of individual natural heritage resource occurrences and the biodiversity significance of the conservation sites that support the rare elements of the state.

This chapter will summarize the methodology used to assess and prioritize the conservation needs for species and natural communities and conservation sites.

The Element Approach

Natural heritage resources are the individual elements tracked by the Natural Heritage Program. The term natural heritage resource is defined in the Natural Area Preserves Act as the habitat for the rare native plant and animal species in Virginia as well as rare or significant natural community types, biologically significant caves, and the other significant biological features such as great blue heron colonies or mussel concentration sites. For each natural heritage resource, or element, data are gathered on distribution, rarity, relevant threats, existing level of protection, and unmet protection and management needs. Standardized Natural Heritage Program methodology is used to determine the conservation status of each element, evaluate the quality and ecological significance of each of its occurrences, and rank elements in terms of their protection needs. The elements in greatest peril become the highest priorities for further inventory, protection and stewardship efforts.

Ranking Elements: Global and State Conservation Status

Each element is assigned a global and state rank, which relates to its conservation status on these levels (see **Definitions of Natural Heritage State Conservation Status Ranks** sidebar). The global rank, or G-rank, indicates the element's rarity and conservation status throughout its entire range, while the state rank, or S-rank, indicates the same within a particular state. In most cases, an element is ranked using a five-point scale that represents its conservation status (1 = critically imperiled, 5 = widespread and secure) based on the number of occurrences, total overall abundance of the element and degree of threat to the element. When a specific conservation status cannot be assigned or is uncertain for an element, a combination rank can be assigned, e.g., S1S2.

In some cases it may be necessary to use special ranks, such as when an element is believed to be extirpated or extinct. When a global rank is applied to a subspecies, the rank of the full species is noted along with that of the subspecies, e.g., G3T1.

Global and state conservation status ranks are used by

Definitions of Natural Heritage State Conservation Status Ranks (S-ranks)

- S1 Critically imperiled** with five or fewer occurrences or few remaining individuals in Virginia; or because of some factor(s) making it especially vulnerable to extirpation in Virginia.
- S2 Imperiled** with six to 20 occurrences or few remaining individuals in Virginia; or because of some factor(s) making it vulnerable to extirpation in Virginia.
- S3 Vulnerable** in Virginia with between 20 and 100 occurrences; may have fewer occurrences if found to be common or abundant at some of these locations; may be somewhat vulnerable to extirpation in Virginia.
- S4 Apparently secure**, uncommon but not rare with more than 100 occurrences; may have fewer occurrences with numerous large populations.
- S5 Secure**, very common and widespread in Virginia.
- SX Apparently extirpated** from Virginia with virtually no likelihood of rediscovery. **GX** the element is presumed extinct and has not been located despite intensive searches.
- SH Historically known** from Virginia with the expectation that it may be rediscovered. **GH** the element is possibly extinct but there still is some hope of rediscovery.
- SU Status uncertain**, often because of low search effort or cryptic nature of the resource.
- SZ Regularly occurring migrants, transients or non-breeding seasonal residents** whose occurrences are too irregular, transitory and dispersed to be reliably identified, mapped and protected.
- SA Accidental** in the state.
- SE Exotic**; not native to Virginia.

Global Ranks: Global ranks (G-ranks) for conservation status are similar to state ranks, but refer to the status of a species throughout its entire range rather than just within a state.

Natural Heritage Program staff to identify the rarest species in Virginia, set conservation priorities and to plan status survey work. Elements with the highest conservation status ranks are given greatest priority. For example, the Shenandoah salamander (*Plethodon shenandoah*), a Virginia endemic known only from a single locality in the Shenandoah National Park, has a rank of G1/S1 and is critically imperiled in the state and globally. Although the pygmy salamander (*Desmognathus wrighti*) is imperiled in Virginia (ranked S2) it is apparently secure over its entire range (G4) and receives somewhat lower priority. The red-backed salamander (*Plethodon cinereus*) is demonstrably secure and common throughout its range (G5/S5). As such, this species is not actively monitored by the Virginia Natural Heritage Program.

Ranking Occurrences: Element Occurrence Ranks

In addition to ranking the conservation status of each natural heritage resource, staff scientists also rank the quality of each element occurrence (EO rank) on a qualitative scale that represents the quality and condition of the occurrence. An element occurrence is an area of land or water in which a species or natural community is currently, or was once, present. A rank is assigned to each element occurrence using the best and most current information available.

Element occurrences are ranked according to their quality (size, maturity and vigor of population or community), condition (natural quality of habitat), viability (likelihood of long-term survival of resource), and

Element Occurrence Ranks

- A** excellent estimated viability
- B** good estimated viability
- C** fair estimated viability
- D** poor estimated viability
- E** verified as extant, still existing
- H** historical
- F** failed to find a previously documented occurrence but habitat still present
- X** extirpated

defensibility (extent to which occurrence can be protected from anthropogenic damage). The Natural Heritage Network has developed criteria for ranking element occurrences for most elements. The criteria vary from element to element, but are used by all natural heritage programs, ensuring consistent ranking across the range of the element. By ranking both the element and each of its occurrences, protection efforts can be focused not only on the rarest natural heritage resources, but also the best examples of each.

the long-term viability of the elements present. The additional area around the natural heritage resource occurrences includes areas of water quality concern, water recharge zones and buffers to reduce threats from adjoining areas, and may include lands necessary to implement certain management actions such as prescribed burning. The boundaries of a conservation site may change over time as new information is gathered about the site, its natural heritage resources and the surrounding area. Figure 3.1 shows a typical conservation site.

Ranking Conservation Sites: Biodiversity Ranks

The Natural Heritage Program uses conservation status ranks (G-ranks and S-ranks) and element occurrence ranks (EO-ranks) to assess the biodiversity significance of conservation sites across the state. A conservation site is an area that supports one or more occurrences of rare species or natural community elements of the state. The biodiversity rank (B-rank) for a conservation site is based on the conservation status rank of the natural heritage resources found there and the quality rank of each occurrence. Biodiversity ranks establish the relative significance of conservation sites across the state. These ranks are used to help develop the conservation agenda of the Commonwealth by focusing efforts on conservation sites that support the most viable occurrences of the rarest elements in the state. Each conservation site is assigned a biodiversity rank on a five-point scale. (See the sidebars **Definitions of Biodiversity Ranks** and **Determining Biodiversity Ranks for Conservation Sites**.)

Conservation Site Boundaries

The Natural Heritage Program draws conservation site boundaries for occurrences of natural heritage resources that are found on land or small, confined water bodies. These areas, referred to as conservation sites, are designed to include the rare plant or animal population, or natural community, their associated habitats and additional lands judged necessary for

Stream Conservation Units

A different approach is necessary to develop conservation boundaries for natural heritage resource elements that live in streams, rivers and other large bodies of water. For these aquatic elements it is unrealistic to draw boundaries that would encompass expansive uplands surrounding the aquatic elements to ensure their protection, since in some cases that boundary would include all or major portions of the watershed above the element occurrence. Instead, the conservation sites for rare plant and animal occurrences in streams and rivers are delineated on the stream reaches where they occur. Called a stream conservation unit, or SCU, each is drawn to include the waterway and its perennial tributaries two miles upstream and one mile downstream of the element occurrence. If two SCUs are within one stream mile of each other, the two units are joined together. B-ranks are assigned to stream conservation units using the methodology used for terrestrial conservation sites. The Virginia Natural Heritage Program monitors more than 240 species that occur in streams and rivers. These SCU species include mussels, fish, reptiles, amphibians, dragonflies, damselflies, other invertebrates and a few aquatic plants. Figure 3.2 shows a typical SCU.




Figure 3.1. A typical conservation site boundary map.




Figure 3.2. A typical stream conservation unit map.

**Definitions of Biodiversity Ranks
(B-ranks)**

B1 Outstanding significance: only known site for a natural heritage resource or an excellent occurrence of a G1 species;

B2 Very high significance: the best example of any natural community type, a good occurrence of a G1 species, or an excellent occurrence of a G2 or G3 species;

B3 High significance: excellent example of any natural community type or a good occurrence of a G3 species;


B4 Moderate significance: a good example of a rare natural community type, a fair occurrence of a G3 species, or an excellent or good occurrence of a S1 or S2 species;

B5 General significance: fair to poor occurrence of a rare natural community or an S1 or S2 species, any excellent or good occurrence of an S3 species, or any natural area of general biodiversity or open space interest.

Conservation sites that support four or more natural heritage resources may have their B-rank raised to a level higher than that which would be indicated by the presence of any one of the resources. For example, a natural area containing good occurrences of four different G3 species would be ranked B2, rather than B3.

Table 3.1. Determining Biodiversity Ranks for Conservation Sites.

ELEMENT OCCURRENCE RANKS	GLOBAL AND STATE RANKS							Any community without a G-Rank
	G1	G2	G3	G4/ S1	G5/ S1	G4 or G5/ S2	G4 or G5/ S3	
A	B1	B2	B2	B4	B4	B4	B5	B3
4 OR MORE w/ A RANK	B1	B1	B2	B3	B3	B4	B4	B2
B	B2	B2	B3	B4	B4	B5	B5	B4
4 OR MORE w/ B RANK	B1	B1	B2	B3	B3	B4	B5	B3
C	B2	B3	B4	B5	B5	B5		B5
4 OR MORE w/ C RANK	B2	B2	B3	B5	B5	B5		
D	B2	B3	B5	B5	B5	B5		



- | | | |
|--------------------------------|-----------------------------------|----------------------|
| 1 Bush Mill Stream | 13 Grafton Ponds | 25 Cowbane Prairie |
| 2 Hickory Hollow | 14 Dendron Swamp | 26 Goshen Pass |
| 3 Dameron Marsh | 15 Chub Sandhill | 27 Johnsons Creek |
| 4 Hughlett Point | 16 Antioch Pines | 28 Pedlar Hills |
| 5 Parkers Marsh | 17 Blackwater Ecological Preserve | 29 Poor Mountain |
| 6 Bethel Beach | 18 Northwest River | 30 Grassy Hill |
| 7 New Point Comfort | 19 North Landing River | 31 Difficult Creek |
| 8 Savage Neck Dunes | 20 False Cape State Park | 32 Buffalo Mountain |
| 9 Cape Charles Coastal Habitat | 21 Chotank Creek | 33 Big Spring Bog |
| 10 William B. Trower Bayshore | 22 Bull Run Mountains | 34 Pinnacle |
| 11 Wreck Island | 23 Deep Run Ponds | 35 Cleveland Barrens |
| 12 Cumberland Marsh | 24 Folly Mills Creek Fen | 36 The Cedars |

Figure 4.1. Locations of Virginia's Natural Area Preserves.

Virginia's Natural Area Preserve System

The *Virginia Natural Area Preserves Act* authorizes the Virginia Department of Conservation and Recreation to acquire and manage a statewide system of natural area preserves. This system of protected lands includes some of the finest forests, barrens, natural ponds, swamps and marshes in Virginia. The first component of the system was 1,200 acres of wind-tide marsh and pocosin on the North Landing River, which was dedicated as a natural area preserve in October 1990. As of April 2003, the system includes a statewide network of 36 dedicated preserves covering 27,899 acres. The system is actively growing with new preserves and additions to existing preserves added each year.

Criteria for Establishing Natural Area Preserves

The public and private lands that have been dedicated as natural area preserves have been selected to protect some of the rarest and most threatened elements of Virginia's natural heritage. A basic requirement is that each natural area must support viable occurrences of natural heritage resources. Dedication is used only for those natural areas that support Virginia's most significant natural heritage resources. The criteria used to determine if a natural area qualifies for dedication include:

1. The natural heritage significance of the conservation site.
2. Whether the size and condition of the site are adequate to meet protection and management needs of the elements present.
3. The degree to which the elements present on the conservation site are adequately protected on other lands.
4. The number and quality of rare species populations.
5. The number and quality of exemplary natural

communities.

6. The physical or functional proximity of the conservation site to other protected lands.
7. The potential costs of managing the site and of restoring conditions favorable for natural heritage resources.
8. The level of threats to natural heritage resources from invasive species and other factors.

By assigning scores to these attributes, conservation sites that are candidates for natural area dedication may be evaluated and compared. See Appendix X for the complete Conservation Site Scorecard.

Deed of Dedication

Natural area preserves are permanently protected through a legal instrument called a deed of dedication. The deed of dedication restricts certain uses and activities and allows others to occur depending on the management and protection needs for the natural area. Permissible activities would be those appropriate and compatible with the protection goals for the area. The protection offered to the property is perpetual. On

VIRGINIA DEPARTMENT OF CONSERVATION AND RECREATION

Table 4.1. Virginia Natural Area Preserve System. For map, see Figure 4.3.

NATURAL AREA PRESERVE	LOCALITY	ACRES	OWNER	NATURAL HERITAGE RESOURCE SIGNIFICANCE
Antioch Pines	Isle of Wight	400	DCR	Mature loblolly pine-turkey oak sandhills along the Blackwater River
Bethel Beach	Mathews	104	DCR	Rare plants, beach and marsh nesting birds and northeastern beach tiger beetle
Big Spring Bog	Grayson	50	DCR	Rare wetland community and pitch pine barrens; globally rare plants
Blackwater Ecological Preserve	Isle of Wight	318	ODU	One of Virginia's last longleaf pine-turkey oak barrens
Buffalo Mountain	Floyd	1,000	DCR	Balds, prairie-like openings, and magnesium rich seeps; 18+ rare species
Bull Run Mountains	Fauquier/ Prince William	2,486	VA Outdoors Foundation	Significant forest, cliff and swamp communities
Bush Mill Stream	Northumber- land	103	DCR	Mature hardwood forest and Great Blue Heron foraging area
Cape Charles Coastal Habitat	Northampton	29	Northamp- ton County	Coastal beach, dune and maritime forests; migratory songbird habitat
Chotank Creek	King George	1,108	Private	Coastal plain forest, swamp and tidal marsh systems, Bald Eagle nesting and feeding habitat
Chub Sandhill	Sussex	387	DCR	Rare sandhill community with five rare plants
Cowbane Prairie	Augusta	63	DCR	Wet prairie community with many rare plants
Cleveland Barrens	Russell	943	DCR & TNC	Limestone barrens with rare plants and animals
Cumberland Marsh	New Kent	1,193	TNC	Exemplary freshwater marsh, globally rare plants and animals
Dameron Marsh	Northumber- land	316	DCR	Exemplary Chesapeake Bay marsh and bird nesting area; federally listed animal
Deep Run Ponds	Rockingham	668	DCR	Shenandoah Valley sinkhole ponds system
Dendron Swamp	Sussex	179	DCR	Old-growth bald cypress / tupelo swamp forest; state listed animal
Difficult Creek	Halifax	653	DCR	Piedmont pine-hardwood barrens
False Cape State Park	Virginia Beach	3,573	DCR	Five maritime community types, approx. 20 rare plants and 2 rare animals

dedicated natural area preserves that are not owned by the Commonwealth, the deed of dedication works very much like a conservation easement. Like an easement, certain uses and activities of the natural area are relinquished by the landowner and restricted forever. At this time, most of the natural area preserves are owned by the Virginia Department of Conservation and Recreation, but dedicated preserves can remain in private ownership by individuals, groups or corporations or in state or local government ownership. Federal lands cannot be dedicated as natural area preserves.

Preserve Management

All natural area preserves are managed to provide habitat for rare or declining species and to protect rare or exemplary natural communities. While every preserve requires some form of active management, the level of activity required to appropriately maintain and protect each preserve varies. At the minimum, preserve boundaries must be posted and the preserves must be monitored for encroachment from inappropriate human activities and for environmental changes that might adversely affect natural heritage resources. Some

VIRGINIA'S PRECIOUS HERITAGE

Table 4.1. Virginia Natural Area Preserve System (continued from previous page). For map, see Figure 4.3.

NATURAL AREA PRESERVE	LOCALITY	ACRES	OWNER	NATURAL HERITAGE RESOURCE SIGNIFICANCE
Folly Mills Creek Fen	Augusta	29	Private	Calcareous wetland supporting many rare plants
Goshen Pass	Rockbridge	936	DCR	Chestnut forest community, several rare plants and a rare animal
Grafton Ponds	York	375	Newport News	Virginia's finest coastal plain sinkhole pond system; many rare plants and animals
Grassy Hill	Franklin	1,295	DCR	Grassland communities and rare species habitats
Hickory Hollow	Lancaster	254	Northern Neck Audubon	Seepage swamp community, rare plant
Hughlett Point	Northumberland	204	DCR	Coastal marsh, beach, and dune system, northeastern beach tiger beetle
Johnsons Creek	Alleghany	99	DCR	Exemplary shale barren, shale barren rockcress, and several other rare plants
New Point Comfort	Mathews	95	TNC	Chesapeake Bay beach and northeastern beach tiger beetle
North Landing River	City of Virginia Beach	3,441	DCR	Wind-tide marshes, swamp, and pocosin; 30+ rare animals and plants
Northwest River	City of Chesapeake	2,418	DCR & TNC	Freshwater marsh, swamp, and upland forest; many rare animals and plants
Parkers Marsh	Accomack	759	DCR	Coastal marsh, beach, and dune system, northeastern beach tiger beetle
Pedlar Hills Glades	Montgomery	522	DCR	Dolomite glades, globally rare plants
Pinnacle	Russell	554	DCR	Limestone glades with state and globally rare plants and animals
Poor Mountain	Roanoke	925	DCR	Montane pine and hardwood forest; globally rare piratebush
Savage Neck Dunes	Northampton	299	DCR	Coastal beach, dune and maritime forest system; migratory songbird habitat; rare species
The Cedars	Lee	709	DCR	Caves and limestone glade and woodland communities; globally rare species
Wm. B. Trower Bayshore	Northampton	35	DCR	Coastal beach and dune system; state and globally rare plants and animals
Wreck Island	Northampton	1,380	DCR	Nesting habitat for endangered shorebirds, coastal grasslands
Total acres		27,899		

preserves require frequent, hands-on management because a variety of factors threaten the rare species and special communities the preserves were established to protect. (See Appendix D for complete Natural Area Preserve Management Guidelines.)

In some cases, the rare species populations and natural communities within preserves are declining and are mere vestiges of what once occurred at these sites. Often this is the result of decades or even centuries of previous land-use activities and steps must be taken to restore or mimic the original natural processes that once maintained these habitats. Some habitat restoration can

be accomplished in a few seasons and at relatively small expense – such as by reseeding former agricultural fields with native grasses, or by plugging old drainage ditches to restore former wetlands. Other projects may be more long-term and labor intensive – such as using prescribed burns to re-establish fire-dependent communities.

Invasive exotic species are another significant management issue, which requires a great deal of stewardship attention. Preserves must be routinely monitored for the establishment and spread of invasive species. Controlling invasive species is often costly and labor-

Table 4.2 Natural Heritage Resources Protected on Virginia's Natural Area Preserves

<p>Fish <i>Fundulus lineolatus</i> (lined topminnow) <i>Percina rex</i> (Roanoke logperch)</p>	<p><i>Sorex longirostris fisheri</i> (Dismal Swamp southeastern shrew)</p>
<p>Amphibians <i>Ambystoma mabeei</i> (Mabee's salamander) <i>Cryptobranchus alleganiensis</i> (hellbender) <i>Necturus punctatus</i> (dwarf waterdog) <i>Hyla gratiosa</i> (barking treefrog)</p>	<p>Insects <i>Basilia boardmanni</i> (southeastern myotis bat fly) <i>Cicindela dorsalis dorsalis</i> (northeastern beach tiger beetle) <i>Cicindela trifasciata</i> (a tiger beetle) <i>Calopteryx angustipennis</i> (Appalachian jewelwing) <i>Euchloe olympia</i> (Olympia marble) <i>Puto kozstarabi</i> (Buffalo Mountain mealybug) <i>Pyrgus wyandot</i> (Appalachian grizzled skipper) <i>Telebasis byersi</i> (duckweed firetail)</p>
<p>Reptiles <i>Crotalus horridus atricaudatus</i> (canebrake rattlesnake) <i>Ophisaurus ventralis</i> (eastern glass lizard) <i>Tantilla coronata</i> (southeastern crowned snake)</p>	<p>Millipedes <i>Brachoria cedra</i> (cedar millipede) <i>Brachoria falcifera</i> (Big Cedar Creek millipede) <i>Okeanobates americanus</i> (a millipede)</p>
<p>Birds <i>Ammodramus caudacutus</i> (Saltmarsh Sharp-tailed Sparrow) <i>Ardea alba</i> (Great Egret) <i>Charadrius melodus</i> (Piping Plover) <i>Charadrius wilsonia</i> (Wilson's Plover) <i>Egretta caerulea</i> (Little Blue Heron) <i>Egretta thula</i> (Snowy Egret) <i>Egretta tricolor</i> (Tricolored Heron) <i>Eudocimus albus</i> (White Ibis) <i>Haliaeetus leucocephalus</i> (Bald Eagle) <i>Plegadis falcinellus</i> (Glossy Ibis) <i>Rallus elegans</i> (King Rail) <i>Rynchops niger</i> (Black Skimmer) <i>Sterna nilotica</i> (Gull-billed Tern)</p>	<p>Mussels <i>Fusconaia cuneolus</i> (fine-rayed pigtoe)</p>
<p>Mammals <i>Corynorhinus rafinesquii macrotis</i> (eastern big-eared bat) <i>Myotis austroriparius</i> (southeastern myotis)</p>	<p>Plants <i>Aeschynomene virginica</i> (sensitive joint-vetch) <i>Arabis hirsuta</i> var. <i>adpressipilis</i> (hairy rockcress) <i>Arabis serotina</i> (shale-barren rockcress) <i>Astragalus neglectus</i> (Cooper's milkvetch) <i>Buchnera americana</i> (blue-hearts) <i>Buckleya distichophylla</i> (piratebush) <i>Calycanthus floridus</i> var. <i>floridus</i> (sweet-shrub) <i>Camassia scilloides</i> (wild hyacinth) <i>Campanula rotundifolia</i> (American harebell) <i>Carex buxbaumii</i> (brown bog sedge) <i>Carex crawei</i> (Craw's sedge)</p>

[continued on next pg]

intensive. Some examples of invasive species control activities that are conducted within natural area preserves include aerial spraying to control gypsy moth infestations, manually cutting and spraying multiflora rose thickets, and reducing common reed populations with aerial application of herbicide followed by prescribed burning. Managing for invasive species is an ongoing process because it is usually impossible to completely eradicate their populations within and near preserves. Also, new invasive species arrive periodically, posing new management challenges.

Human activities within preserves also may pose significant threats to natural heritage resources. Impacts may result from deliberate destruction or theft of native plants, from poaching wildlife or from joy riding

with off-road vehicles. Other impacts may result from legitimate activities and may be as innocent as the accidental introduction of invasive species brought into a preserve on the shoes of a hiker. Managing for human impacts, particularly from trespass, is a difficult task because most preserves are widely scattered and isolated and they lack full-time staff or residents. The stewardship staff must rely largely on volunteers and preserve neighbors to monitor for illegal activities. Impacts from law-abiding citizens can often be mitigated by educational efforts, signs, gates and carefully designed visitor use facilities.

Another aspect of natural area preserve management involves building a thorough understanding of the processes required to sustain the rare species and

Table 4.2 Natural Heritage Resources Protected on Virginia's Natural Area Preserves (continued from previous pg).

Plants (continued)	
<i>Carex cristatella</i> (crested sedge)	<i>Fimbristylis perpusilla</i> (Harper's fimbristylis)
<i>Carex decomposita</i> (epiphytic sedge)	<i>Gentianella quinquefolia ssp occidentalis</i> (western stiff gentian)
<i>Carex interior</i> (inland sedge)	<i>Helenium brevifolium</i> (shortleaf sneezeweed)
<i>Carex prairea</i> (prairie sedge)	<i>Helenium virginicum</i> (Virginia sneezeweed)
<i>Carex reniformis</i> (reniform sedge)	<i>Helianthemum bicknellii</i> (plains frostweed)
<i>Carex sterilis</i> (sterile sedge)	<i>Hierochloe odorata ssp arctica</i> (vanilla grass)
<i>Carphephorus bellidifolius</i> (sandy-woods chaffhead)	<i>Hottonia inflata</i> (featherfoil)
<i>Carphephorus tomentosus</i> (wooly chaffhead)	<i>Houstonia canadensis</i> (Canada bluets)
<i>Chamaesyce bombensis</i> (southern beach spurge)	<i>Huperzia appalachiana</i> (Appalachian fir-clubmoss)
<i>Chrysopsis gossypina</i> (cottony golden-aster)	<i>Hydrocotyle bonariensis</i> (coastal-plain penny-wort)
<i>Cirsium carolinianum</i> (Carolina thistle)	<i>Hypericum boreale</i> (northern st. john's-wort)
<i>Cladium jamaicense</i> (sawgrass)	<i>Isoetes melanopoda</i> (blackfoot quillwort)
<i>Clematis addisonii</i> (Addison's leatherflower)	<i>Iva imbricata</i> (sea-coast marsh-elder)
<i>Coreopsis falcata</i> (pool coreopsis)	<i>Juncus abortivus</i> (pine-barren rush)
<i>Crataegus pruinosa</i> (a hawthorn)	<i>Juncus balticus var. littoralis</i> (Baltic rush)
<i>Cyperus engelmannii</i> (Engelmann's umbrella-sedge)	<i>Juncus brachycephalus</i> (small-head rush)
<i>Cypripedium kentuckiense</i> (Kentucky lady's slipper)	<i>Juncus elliotii</i> (bog rush)
<i>Desmodium sessilifolium</i> (sessile-leaf tick-trefoil)	<i>Juncus megacephalus</i> (big-head rush)
<i>Desmodium strictum</i> (pineland tick-trefoil)	<i>Juncus nodosus</i> (knotted rush)
<i>Dichantherium consanguineum</i> (blood witchgrass)	<i>Kalmia angustifolia</i> (sheep-laurel)
<i>Echinacea laevigata</i> (smooth coneflower)	<i>Kalmia carolina</i> (Carolina sheep-laurel)
<i>Echinodorus tenellus</i> (dwarf burhead)	<i>Lathyrus palustris</i> (vetchling)
<i>Eleocharis compressa</i> (flat-stemmed spike-rush)	<i>Lilaeopsis carolinensis</i> (Carolina lilaeopsis)
<i>Eleocharis intermedia</i> (matted spikerush)	<i>Lilium grayi</i> (Gray's lily)
<i>Eleocharis halophila</i> (salt-marsh spikerush)	<i>Lipocarpha maculata</i> (a lipocarpha)
<i>Eleocharis melanocarpa</i> (black-fruited spikerush)	<i>Lithospermum carolinense</i> (golden puccoon)
<i>Erigeron vernus</i> (white-top fleabane)	<i>Litsea aestivalis</i> (pondspice)
<i>Eriocaulon decangulare</i> (ten-angle pipewort)	<i>Lobelia elongata</i> (elongated lobelia)
<i>Eryngium yuccifolium var. yuccifolium</i> (rattlesnake-master)	<i>Liparis loeselii</i> (Loesel's twayblade)
<i>Erysimum capitatum var. capitatum</i> (western wallflower)	<i>Ludwigia alata</i> (winged seedbox)
<i>Eupatorium incarnatum</i> (pink thoroughwort)	<i>Ludwigia brevipes</i> (Long Beach seedbox)
<i>Euphorbia purpurea</i> (glade spurge)	<i>Lycopodiella inundata</i> (northern bog clubmoss)
<i>Filipendula rubra</i> (queen-of-the-prairie)	

[cont. on next pg]

natural communities within each preserve. In many cases little is known about the biology of rare species, thus research and careful record keeping are important in order to develop successful management strategies and prescriptions.

Because each preserve is unique and must be managed with continuity over time, each natural area preserve must have a written management plan. The Natural Heritage Program staff prepare these plans with input from many organizations and agencies, including specialists in rare species biology, regulatory agencies and partners who have assisted with the establishment of the preserves. Each management plan spells out specific objectives and action recommendations, and addresses all aspects of preserve management, from

habitat restoration to visitor use facilities to rare species monitoring.

Public Use of Natural Area Preserves

While natural area preserves are intended primarily for the protection of natural heritage resources, they may also meet other public needs such as for light recreation, nature study and environmental education. Technically, all natural area preserves that are owned by the Virginia Department of Conservation and Recreation are open for public visitation except for temporary closures to allow for management activities. However, each preserve is unique and the resources it supports can tolerate varying levels of hu-

Table 4.2 Natural Heritage Resources Protected on Virginia's Natural Area Preserves (continued from previous pg) .

Plants (continued)	
<i>Lysimachia quadriflora</i> (four-flowered loosestrife)	<i>Quercus hemisphaerica</i> (Darlington's oak)
<i>Lythrum alatum</i> (winged-loosestrife)	<i>Quercus laevis</i> (turkey oak)
<i>Malvastrum hispidum</i> (hispid falsemallow)	<i>Ranunculus laxicaulis</i> (Mississippi buttercup)
<i>Manfreda virginica</i> (false aloe)	<i>Rhamnus alnifolia</i> (alderleaf buckthorn)
<i>Marshallia obovata</i> var. <i>obovata</i> (obovate marshallia)	<i>Rhamnus lanceolata</i> var. <i>glabrata</i> (smooth lance-leaved buckthorn)
<i>Menyanthes trifoliata</i> (buckbean)	<i>Rhynchospora alba</i> (white beakrush)
<i>Micranthemum umbrosum</i> (shade mudflower)	<i>Rhynchospora colorata</i> (white-topped sedge)
<i>Minuartia groenlandica</i> (mountain sandwort)	<i>Rhynchospora fascicularis</i> var. <i>fascicularis</i> (fasciculate beak-rush)
<i>Mitreola petiolata</i> (lax hornpod)	<i>Salix discolor</i> (pussy willow)
<i>Muhlenbergia glomerata</i> (marsh muhly)	<i>Sanguisorba canadensis</i> (Canada burnet)
<i>Oligoneuron rigidum</i> var. <i>rigidum</i> (stiff goldenrod)	<i>Sarracenia purpurea</i> ssp <i>venosa</i> (southern purple pitcher-plant)
<i>Onosmodium virginianum</i> (Virginia false-gromwell)	<i>Saxifraga caroliniana</i> (carolina saxifrage)
<i>Packera millefolia</i> (yarrow-leaved ragwort)	<i>Scleria verticillata</i> (whorled nutrush)
<i>Dichanthelium annulum</i> (ringed panic grass)	<i>Scutellaria parvula</i> var. <i>parvula</i> (small skullcap)
<i>Parnassia grandifolia</i> (large-leaved grass-of-parnassus)	<i>Seymeria cassioides</i> (seymeria)
<i>Paronychia virginica</i> var. <i>virginica</i> (yellow nailwort)	<i>Sibbaldiopsis tridentata</i> (three-toothed cinquefoil)
<i>Paspalum distichum</i> (joint paspalum)	<i>Sisyrinchium albidum</i> (white blue-eyed-grass)
<i>Paxistima canbyi</i> (Canby's mountain-lover)	<i>Solidago randii</i> (Rand's goldenrod)
<i>Pediomelum canescens</i> (hoary scurfpea)	<i>Solidago uliginosa</i> var. <i>uliginosa</i> (bog goldenrod)
<i>Phlox buckleyi</i> (sword-leaved phlox)	<i>Spartina pectinata</i> (freshwater cordgrass)
<i>Phyla nodiflora</i> (common frog-fruit)	<i>Sphagnum macrophyllum</i> var. <i>macrophyllum</i> (large-leaf peatmoss)
<i>Physalis walteri</i> (sticky ground-cherry)	<i>Sphagnum quinquefarium</i> (five-rowed peatmoss)
<i>Physostegia leptophylla</i> (slender-leaved dragon-head)	<i>Spiranthes lucida</i> (shining ladies'-tresses)
<i>Pinus palustris</i> (long-leaf pine)	<i>Spiranthes magnicamporum</i> (great plains ladies'-tresses)
<i>Poa palustris</i> (fowl bluegrass)	<i>Sporobolus neglectus</i> (small dropseed)
<i>Poa saltuensis</i> (a bluegrass)	<i>Stachys aspera</i> (rough hedge-nettle)
<i>Polygonella polygama</i> (October-flower)	<i>Stillingia sylvatica</i> ssp <i>sylvatica</i> (queen's delight)
<i>Polygonum glaucum</i> (sea-beach knotweed)	<i>Symphotrichum elliotii</i> (Elliott's aster)
<i>Porteranthus stipulatus</i> (American ipecac)	<i>Symphotrichum pratense</i> (barrens silky aster)
<i>Pycnanthemum setosum</i> (awned mountain-mint)	<i>Talinum mengesii</i> (Menge's fame-flower) [cont. on next pg]
<i>Pyxidantha barbulate</i> var. <i>barbulate</i> (flowering pixie-moss)	
<i>Quercus incana</i> (blue jack oak)	

man activity. Some preserves contain extremely fragile habitats and species that are damaged by even low levels of visitation; others are more resilient and may be capable of sustaining higher levels of public use. Also, the costs of providing for visitor access and visitor safety must be balanced with other stewardship needs.

Visitor activities within preserves fall into various categories of appropriateness. Activities that are sustainable at most preserves include birding, wildlife watching, wildflower and native plant observation, photography, hiking, ecological research and environmental education. Some preserves may sustain activities with slightly greater potential for impacts to natural resources such as picnicking, canoeing, fishing

and hunting. Camping, swimming, and bicycling are permitted at False Cape State Park/Natural Area Preserve but not at other preserves. Some activities are normally inappropriate for all natural area preserves. These include horseback riding, rock climbing, caving, collecting plants, animals, minerals or artifacts, allowing pets to run loose within the preserve and operating vehicles off designated roadways. However, some of these activities may be allowed with special permission or during organized events.

Currently, 17 natural area preserves have facilities to accommodate public access. Generally, the access facilities are minimal and consist of a small gravel entrance road, parking area, trails and interpretive signs. Some preserves may be closed seasonally but open for

VIRGINIA'S PRECIOUS HERITAGE

Table 4.2 Natural Heritage Resources Protected on Virginia's Natural Area Preserves (continued from previous pg) .

<p>Plants (continued) <i>Tillandsia usneoides</i> (Spanish moss) <i>Trifolium calcaricum</i> (running glade clover) <i>Trillium pusillum</i> var. <i>virginianum</i> (Virginia least trillium) <i>Utricularia purpurea</i> (purple bladderwort) <i>Vaccinium crassifolium</i> (creeping blueberry) <i>Vaccinium macrocarpon</i> (large cranberry) <i>Veronica scutellata</i> (marsh-speedwell) <i>Viola walteri</i> (prostrate blue violet) <i>Vitis rupestris</i> (sand grape) <i>Xyris caroliniana</i> (Carolina yellow-eyed-grass) <i>Xyris laxifolia</i> var. <i>iridifolia</i> (irisleaf yellow-eyed-grass) <i>Zigadenus leimanthoides</i> (death-camass) <i>Zornia bracteata</i> (viparina)</p> <p>Communities bald cypress - tupelo swamp basic oak - hickory forest calcareous spring marsh/muck fen chestnut oak forest central Appalachian shale barren coastal plain/piedmont bottomland forest coastal plain depression pond high elevation outcrop barren interdune pond limestone/dolomite barren low elevation basic outcrop barren low elevation boulderfield forest/woodland mafic fen/seep mafic woodland seep maritime dune grassland maritime dune woodland maritime evergreen forest maritime mixed forest</p>	<p>maritime scrub maritime swamp forest maritime wet grassland montane dry calcareous forest/woodland peatland Atlantic white cedar forest piedmont/mountain basic woodland pine/scrub oak sandhill pine-oak/heath woodland pond pine woodland/pocosin salt scrub Shenandoah Valley sinkhole pond tidal bald cypress forest/woodland tidal mesohaline/polyhaline marsh tidal oligohaline marsh tidal shrub swamp wet prairie/prairie fen wind-tidal oligohaline marsh</p> <p>Other Elements bird nesting colony mussel concentration site significant great blue heron colony significant karst area</p>
--	---

visitor use at specific times of year. At others, visitation may be restricted to specific areas – such as along a designated trail or boardwalk. The owner controls access to preserves not owned by DCR. Some encourage visitation and provided public access facilities, while other, privately owned natural area preserves, are closed to the public.

What Preserves Protect

The purpose of the natural area preserve system is to protect natural heritage resources of Virginia. Except for national forest and national park lands in Virginia, natural area preserves support the greatest number of rare species and significant natural communities. Approximately 400 natural heritage resource occurrences

fall within preserve boundaries. Of these, 265 different natural heritage resources are represented, including 151 rare plant and 37 rare animal species, 36 exemplary natural communities and four other natural heritage resources. Table 4.1 lists each natural area preserve, its location, ownership and the resources it protects. Table 4.2 lists all of the natural heritage resources currently protected by the natural area preserve system.

Virginia's Partners in Land Management

The previous chapter discussed Virginia's Natural Area Preserve System and the role it plays in protecting natural heritage resources. Natural area preserves alone, however, cannot ensure the long-term viability of the natural systems that sustain the state's biodiversity. This chapter describes the other major landholders in Virginia, how they contribute to natural resources conservation and how the Natural Heritage Program works in partnership with them. Numerous other conservation organizations and agencies play very significant roles in biodiversity conservation in Virginia.

Appendix L lists many of the land trusts that operate in Virginia and provides contact information for each. Additional information on land protection in Virginia can be found at the Virginia Department of Conservation and Recreation's land conservation web page at www.dcr.state.va.us/olc


This chapter provides for simple comparisons of Virginia's major landholders including DCR's Natural Area Preserve System. The figures provided here are approximate and are best used for relative comparisons because the acreages and number of elements known for these properties are subject to frequent revision. The primary purpose of

the maps is to illustrate the regions of the state where the various organizations have properties. The boundaries of these properties are slightly enlarged in order to make small parcels visible at this scale. It is also important to note that there is some overlap in coverage because some properties fall under multiple jurisdictions – for example some properties shown as Natural Area Preserves also appear as properties for The Nature Conservancy, local governments, State Parks or the Virginia Outdoors Foundation.




Figure 5.1. Pine-oak heath woodland, Blackwater Ecological Preserve.

Figure 5.2 shows the percentages of Virginia's conservation lands that are managed by the major agencies discussed in this chapter. Figure 5.3 illustrates the relative importance of these lands as places that support natural heritage resources.



DCR - VA Dept. of Conservation & Recreation
DGIF - VA Dept. of Game & Inland Fisheries
DOD - U. S. Department of Defense
DOF - VA Dept. of Forestry
Local - Local Governments
NPS - National Park Service
TNC - The Nature Conservancy
USFS - U. S. Forest Service
USFWS - U. S. Fish & Wildlife Service
VOF - VA Outdoors Foundation

Figure 5.2. Percent of managed conservation lands by agency.



- Federal - all federal lands combined
- USFS - U. S. Forest Service
- NPS - National Park Service
- DOD - U. S. Department of Defense
- USFWS - U. S. Fish & Wildlife Service
- State - all state lands combined
- DCR - VA Dept. of Conservation & Recreation lands combined
- Nat. Area - DCR natural area preserves
- State Parks - DCR state park lands
- DGIF - VA Dept. of Game & Inland Fisheries
- DOF - VA Dept. of Forestry
- VOF - VA Outdoors Foundation
- Private - major private conservation lands combined
- TNC - The Nature Conservancy
- Local - Local Governments

Figure 5.3. Elements and element occurrences (EO's) on managed conservation lands in Virginia.

State Agencies



Figure 5.4. Dedicated Natural Area Preserves in Virginia.

Virginia Department of Conservation and Recreation, Natural Area Preserves

Acres – 27,899

Natural heritage resource occurrences - 401

Protection status of land – All dedicated natural area preserves have the highest degree of legal protection available for land in Virginia. Except to improve access, these properties may not be developed and are managed for the benefit of the natural heritage resources that they support.

Role in biodiversity protection – Natural area preserves are established with the expressed purpose of protecting, managing and restoring habitat for Virginia’s rare plants and animals and the best examples of the state’s natural communities. Only the national forests and national parks – which occupy approximately 70 and 10 times the land area, respectively – are known to host greater numbers of natural heritage resources.



Figure 5.5. Tidal flat and aquatic bed, Northwest River Natural Area Preserve.



Figure 5.6. Virginia State Parks.

Virginia Department of Conservation and Recreation, State Parks

Acres – 63,572

Natural heritage resource occurrences – 165

Protection status of land – State park lands are subject to limited development for outdoor recreational facilities. Some lands have special designations to protect natural heritage resources.

Role in biodiversity protection – Virginia’s state parks are managed to preserve open space and to provide recreational opportunities in outdoor settings. The typical state park has its visitor use facilities concentrated in relatively small areas and is designed to minimize impacts to the surrounding landscape. Because state parks are somewhat evenly distributed across the state, they offer a degree of protection to a wide sampling of Virginia’s habitat types and some state park lands are managed specifically to benefit the rare species and significant communities found there. State parks place a strong emphasis on environmental education and natural history interpretation, thus providing many opportunities for the public to learn about Virginia’s natural heritage. State parks and natural heritage staff cooperate on many projects, including prescribed burns, invasive species control and public education efforts, which promote biodiversity protection in Virginia.



Figure 5.7. Maritime evergreen forest, False Cape State Park.

State Agencies



Figure 5.8. Virginia Department of Game and Inland Fisheries lands.

Virginia Department of Game and Inland Fisheries

Acres – 184,291

Natural heritage resource occurrences - 94

Protection status of land – These lands are protected from development and are managed primarily for game species and to provide public hunting and fishing opportunities. There are no specific designations to protect natural heritage resources.

Role in biodiversity protection – The Department of Game and Inland Fisheries (DGIF) plays a key role in biodiversity protection. It is charged with the mission of managing Virginia’s wildlife and inland fish to maintain optimum populations of all species to serve the needs of the Commonwealth. It is the state agency with statutory authority to protect Virginia’s threatened and endangered fish and wildlife. DGIF conducts and supports research on many non-game and rare animal species; reviews and comments on development projects that might impact their populations; conducts many public outreach programs that promote the conservation of game and non-game species; and enforces state and federal laws that apply to threatened and endangered animals. DGIF also oversees Virginia’s wildlife management areas, which provide the public with hunting and fishing opportunities. Because these lands are located across the state and are managed in various stages of natural succession, wildlife management areas provide habitats for a wide range of native species, including some natural heritage resources. DGIF and natural heritage staff routinely cooperate on projects such as species surveys and wetland restoration. DGIF game wardens and biologists assist natural heritage stewards with law enforcement and deer population control measures on natural area preserves.



Figure 5.9. Narrow-leaved spatterdock (*Nuphar sagittifolia*) on the Chickahominy River, Game Farm Marsh Wildlife Management Area.



Figure 5.10. Virginia Department of Forestry lands.

Virginia Department of Forestry

Acres – 55,442

Natural heritage resource occurrences - 9

Protection status of land – These lands are largely protected from development. They are managed primarily for application of sound forestry practices, research, watershed protection and outdoor recreation. There are no special designations to protect natural heritage resources.

Role in biodiversity protection – The Virginia Department of Forestry (DOF) is the lead agency for protecting the state's forest lands. State foresters work throughout the Commonwealth, providing advice and assistance to non-industrial private forest landowners. DOF directly manages 14 state forests and other state lands. State forests are known to support a few natural heritage resources. The agency coordinates the state's Forest Legacy Program, a federal/state partnership designed to protect environmentally sensitive forests through fee simple acquisition and purchased conservation easements. DOF and natural heritage staff cooperate on a variety of projects including prescribed burns, training and landowner contacts.



Figure 5.11. Basic oak-hickory forest, Cumberland State Forest.

State Agencies




Figure 5.12. Lands protected by the Virginia Outdoors Foundation.

Virginia Outdoors Foundation

Acres – 196,889

Natural heritage resource occurrences - 72

Protection status of land – Lands protected by Virginia Outdoors Foundation easements allow little or no development but most permit the continuation of agricultural and forestal land uses. A few lands have restrictions designed to protect natural heritage resources.

Role in biodiversity protection – The Virginia Outdoors Foundation (VOF) was created by the General Assembly in 1966 to promote the preservation of the state’s open space lands. It does this primarily through the use of conservation easements but it may also hold full title to properties. VOF currently holds easements on 193,379 acres, with most of this land remaining in private ownership. VOF owns approximately 3,510 acres, including the 2,486-acre Bull Run Mountains Natural Area Preserve. Some of the properties protected by VOF support natural heritage resources and two of these properties are dedicated natural area preserves. The Natural Heritage Program and VOF cooperate regularly on land protection projects, especially by sharing information on important areas to target for preservation.



Figure 5.13. Pine-oak-heath woodlands, Bull Run Mountains

The federal government holds the most publicly owned land in Virginia – more than 2.3 million acres. These properties include lands managed as national forests, national parks, wildlife refuges and military bases. The vast majority of this land is maintained as open space, though the protected status of these properties varies with the mission of the agency.




Figure 5.14. National forest lands in Virginia.

U. S. Department of Agriculture, Forest Service

Acres – 1,785,663

Natural heritage resource occurrences - 838

Protection status of land – This varies according to the administrative designation outlined in the forest plans for each forest. The George Washington Revised Forest Plan was approved in 1993. The Jefferson Forest Plan was approved in 1985 and is currently under revision. Most of the areas that support natural heritage resources have special protective designations or are being considered for special protection in the Jefferson Forest Plan Revision.

Role in biodiversity protection – The USDA Forest Service (USFS) is the caretaker of the largest resource landbase under one ownership in Virginia. While the agency maintains these lands for a variety of uses – including timber production, wildlife management, water quality protection, mineral extraction and outdoor recreation – it is a very important partner in biodiversity protection in the western third of the state. The forest service has contracted the Natural Heritage Program to conduct numerous surveys for rare plants and animals and significant communities in the George Washington and Jefferson National Forests. Much of the information provided by those surveys is used to guide activities in the forests. The George Washington National Forest used these surveys to designate 38 special biological areas encompassing approximately 60,000 acres. The national forest also provides large blocks of unfragmented habitat managed primarily by natural processes including roughly 44,000 acres of wilderness, 141,000 acres of remote highlands and an additional 60,000 acres in other special management designations. The Jefferson National Forest is also using the Natural Heritage Program surveys in the planning process and is considering the designation of 95 sites as rare communities (7,300 acres), old growth communities (29,000 acres), and special interest areas (46,000 acres). Jefferson National Forest currently includes almost 60,000 acres of wilderness and is considering recommendation of more than 24,000 additional acres, as well as almost 119,000 acres for back-country recreation.

US Government Agencies



Figure 5.15. National park lands in Virginia.

U. S. Department of Interior, National Park Service

Acres – 299,642

Natural heritage resource occurrences - 449

Protection status of land – Most national park lands are protected from intensive development though many areas are managed to provide public recreational opportunities. There are no specific designations to protect natural heritage resources.

Role in biodiversity protection – Of the federal agencies, the National Park Service (NPS) manages land that supports the second largest number of natural heritage resources in Virginia. National park lands are managed to meet multiple public needs, with a strong focus on providing outdoor recreational opportunities. The National Park Service has a clear mandate to protect biodiversity. It has contracted with the Natural Heritage Program to locate natural heritage resources in all national parks in Virginia and seeks the staff’s assistance with classifying and mapping natural communities, and managing rare species habitat. NPS also provides opportunities for the public to learn about the significance of biodiversity and other aspects of Virginia’s natural heritage through interpretive programming offered in the national parks.



Figure 5.16. High-elevation outcrop barren, Shenandoah National Park.



Figure 5.17. Fish and Wildlife Service lands in Virginia.

U. S. Department of Interior, Fish and Wildlife Service

Acres – 128,310

Natural heritage resource occurrences - 156



Figure 5.18. Interdune pond, Chincoteague National Wildlife Refuge.

Protection status of land – Most of these lands are protected from development as national wildlife refuges. Some areas are subject to habitat manipulation for the benefit of wildlife and waterfowl species. There are no specific designations to protect natural heritage resources.

Role in biodiversity protection – As the agency with statutory authority for enforcement of the U. S. Endangered Species Act, the Fish and Wildlife Service (USFWS) has an essential role in protecting Virginia’s biodiversity. In addition to enforcing the act, USFWS administers grants directed at protecting endangered and threatened species. Currently seven of Virginia’s natural area preserves have been protected, at least in part, with USFWS grants. Another important role of the USFWS is to administer the National Wildlife Refuge System. The primary purpose of most national wildlife refuges in Virginia is to provide habitat for waterfowl. The refuges also are managed for passive outdoor recreation and environmental education, and they harbor a significant number of rare species and natural communities. USFWS has contracted with the Natural Heritage Program to conduct numerous surveys on their refuges in Virginia. The Natural Heritage Program and USFWS also cooperate on land management functions such as invasive species control and prescribed burning.

US Government Agencies



Figure 5.19. U.S. Department of Defense lands in Virginia.

U. S. Department of Defense

Acres – 271,535

Natural heritage resource occurrences - 249

Protection status of land – There is no formal protection for Department of Defense lands because these properties are intended to support national defense.

Role in biodiversity protection – The Department of Defense (DOD) plays a significant role in protecting Virginia’s biodiversity in three important ways: First, DOD is a major landowner. Three military bases alone – Quantico, A. P. Hill and Pickett – cover more than 166,000 acres in the Piedmont and Northern Coastal Plain, and most of this land is open space. Because the military must have the flexibility to manage its properties in the interest of national defense, these lands cannot be counted as fully protected. Nevertheless, they remain important refuges for rare species and significant natural communities. Second, DOD actively seeks to understand the biodiversity significance of its lands and, when feasible, manages it in ways that benefit natural heritage resources. Natural Heritage Program staff have conducted inventories on all of the military bases in Virginia, as well as on lands around Kerr Reservoir, which are administered by the Army Corps of Engineers. As a result of these inventories, the Natural Heritage Program staff have provided management recommendations to the base managers. Third, the civilian arm of the Army Corps of Engineers has statutory authority to enforce the nation’s wetland protection laws. This is a highly significant role because wetlands support not only many of the state’s natural heritage resources, but are also essential to many common species of plants and animals.



Figure 5.20. Pine savanna, Fort Pickett Military Reservation.




Figure 5.21. Lands owned by local governments in Virginia.

Local Governments

Acres – 92,074

Natural heritage resource occurrences - 146

Protection status of land – This varies considerably. Many local park lands are managed intensively to provide public recreation, some are managed as natural open space and a few are managed to protect natural heritage resources.



Role in biodiversity protection – Localities, especially in and around major population centers, play an ever-increasing role in protecting biodiversity through zoning decisions, enforcement of environmental regulations, and acquisition and management of parks and natural areas. Natural Heritage Program staff assist local governments by conducting field surveys, helping with stewardship actions and by sharing data on the locations of natural heritage resources. Two localities currently each own dedicated natural area preserves.

Figure 5.22. Piedmont/mountain basic woodland, Fairfax County Park Authority property.

Other Land Managers



Figure 5.23. The Nature Conservancy lands in Virginia.

The Nature Conservancy

Acres – 86,000

Natural heritage resource occurrences - 325

Protection status of land – All lands protected by The Nature Conservancy prohibit development. All lands that support natural heritage resources are managed to protect them. Some lands are in private ownership with conservation easements held by the conservancy.

Role in biodiversity protection – The Nature Conservancy’s mission is “to preserve the plants, animals and natural communities that represent the diversity of life on Earth by protecting the lands and waters they need to survive.” With a strong presence in Virginia, the conservancy clearly is a leader in protecting the state’s biodiversity. The Natural Heritage Program partners with the conservancy in a wide array of projects including data sharing, natural area acquisitions, training and stewardship activities.



Figure 5.24. The Nature Conservancy’s Fortunes Cove Preserve in Nelson County.




Figure 5.25. Some major corporate landholdings in Virginia.

Corporations

Acres – 442,048 (for the major corporate lands shown here)

Natural heritage resource occurrences – 157

Protection status of land – Most corporate lands are not protected from development.

Role in biodiversity protection – Timber companies manage much of Virginia's forestlands. While their activities on the land are by necessity profit-driven, they play an important role in protecting the state's biodiversity. Not



only do corporate properties support many natural heritage resources, these forests are essential for supporting large populations of many common native plants and animals and for maintaining water quality. Several corporations have taken special steps to protect natural heritage resources on their properties. Two notable examples are Westvaco and International Paper, which have invited Natural Heritage Program staff to conduct field surveys and to provide management advice. One International Paper property, Cherry Orchard Bog in Sussex County, is on the Virginia Registry of Natural Areas and is cooperatively managed with DCR.

Figure 5.26. Long-leaf pine woodland, International Paper property.

Chotank Creek Natural Area Preserve: A Case Study in Partnerships

One great example of a broad-based cooperative effort to protect a highly significant conservation site is the story of Cedar Grove Farm in King George County. Stretching for two miles along the Potomac River, this 1,431-acre property has vast tidal marshes along Chotank Creek and supports hundreds of acres of mature upland and bottomland hardwood forests.

Many, including landowner James Nash, had long recognized the natural values of the property so it is not surprising that this protection project evolved into an eight-way partnership. The Trust for Public Land, a national nonprofit land conservation organization, took the lead role in bringing the parties together and negotiating the deal with Mr. Nash to purchase the development rights for the property. DCR secured the primary funding by applying for a grant from the U. S. Fish and Wildlife Service. Additional funds were provided by DCR, the Virginia Outdoors Foundation (VOF) and the Army Corps of Engineers' Wetlands Restoration Trust Fund. The Nature Conservancy agreed to oversee the restoration of approximately 35 acres of pasture back into wetland. VOF and the Chesapeake Bay Foundation, a regional nonprofit conservation organization, jointly hold the conservation easement on the farm, while the Department of Conservation and Recreation dedicated 1,107 acres of the property as the Chotank Creek Natural Area Preserve. Mr. Nash still owns the farm, and raises cattle and hay on portions of the property.

When combined with the adjoining Caledon Natural Area, this cooperative effort resulted in more than five and a half miles of continuous Potomac River shoreline, and more than 4,000 acres being protected from development. The properties support four different significant community types and eight bald eagle nests. The area is one of the most important summer gathering places for bald eagles on the East Coast, with more than 60 eagles spotted here at one time.



Figure 5.27. Depression pond, Chotank Creek Natural Area Preserve.

Chapter 6

Threats to Biodiversity

Virginia's biodiversity faces many threats. Some of these threats can be mitigated by actions of the Natural Heritage Program, while others are beyond the scope of the program. This chapter will discuss the greatest threats to Virginia's biodiversity and what the Natural Heritage Program is doing to address these threats.

Habitat Loss and Degradation

The greatest threat to Virginia's biodiversity comes from the loss and degradation of suitable habitat. Across the state, land is being converted to more intensive uses. In particular woodlands and pastures are being converted to subdivisions and shopping centers, and new roads and utility corridors are being constructed to service them. Current estimates indicate that over 93,000 acres of Virginia's open space lands are converted to non-renewable uses each year.

The Virginia Natural Heritage Program contributes in a number of ways to help protect sensitive habitats from these threats. The most direct method is through land acquisition for the Natural Area Preserve System. This is especially effective for rare species and communities – such as limestone barrens – that can persist in small isolated pockets and that are not greatly affected by activities beyond the boundaries of the preserve. Land acquisition is less effective for many aquatic and cave habitats because they are often affected by events throughout large watersheds. DCR's project review process plays an important role in protecting these and other sensitive habitats. By reviewing development proposals the Natural Heritage Program offers guidance on the location and design of projects to help

avoid or minimize impacts to natural heritage resources. The program's karst protection staff help reduce impacts to cave systems by educating the public on the sensitive nature of these resources and by providing guidance to localities on matters such as storm water drainage systems.

Habitat Fragmentation

Development and the accompanying infrastructure, such as roads and power line rights-of-way, may threaten biodiversity through habitat fragmentation. Although suitable habitat may remain intact, the populations of some species such as forest nesting neotropical migrant birds will decline due to several factors. First, some species instinctively seek large undisturbed tracts for breeding – without large enough habitat, they simply will not breed. Second, when some plant and animal populations become isolated, they may suffer from problems associated with inbreeding. Third, the species that remain in small patches of habitat are often vulnerable to predation or invasion from "edge species." For example, opossums and raccoons that thrive at the edge of a forest may prey heavily on the eggs and nestlings of forest birds whose habitat has been reduced to small patches. And fourth, habitat fragmentation opens up new avenues




Figure 6.1. Aerial view of fragmented landscape at Cowbane Prairie Natural Area Preserve.

and opportunities for the introduction of invasive species.

The Virginia Natural Heritage Program plays a vital role in reducing the effects of habitat fragmentation. With its extensive database on the locations of critical habitats, its GIS capabilities, and the expertise of its staff, the Natural Heritage Program can help guide development and land protection efforts, in order to preserve the biological integrity of large areas. One recent example is the Natural Heritage Program's contribution to the Southern Watershed Area Management Program (SWAMP), which identified significant conservation corridors for the cities of Virginia Beach and Chesapeake.

Invasive Exotic Species

The second greatest threat to Virginia's natural heritage resources comes from invasive exotic species. New species have been arriving in Virginia from foreign lands since the settlement of Jamestown, and continue to arrive with the ongoing rise in global commerce.

Some exotic species were introduced into the state and spread intentionally, as with multiflora rose and autumn olive which have been used widely as wildlife plantings. Others were established by accident, as with Japanese stilt grass which probably arrived as packing material for porcelain from China. Most new introductions wither away unnoticed but some, in the absence of their native predators, diseases and competitors, rapidly exploit their new habitats. Exotic species may threaten the survival of native species in several ways. Some exotics, such as kudzu, out compete natives some, such as the gypsy moth, prey heavily on natives that have not evolved adequate defenses; and others, such as the

Chinese chestnut, are seemingly harmless, but may be the source of disease (chestnut blight, in this case) that devastates native species.

Slowing the introduction and spread of exotic species is a monumental task that far exceeds the scope of the Virginia Natural Heritage Program. However, the agency contributes to the process in several important ways. When invasive exotic species threaten natural heritage resources, steps are taken to control or eradicate them. With invasive plants, this typically involves using



Figure 6.2. Japanese honeysuckle (*Lonicera japonica*).

herbicides, mechanical efforts and/or prescribed burning. The program's extensive data on the distribution of plants across the state are useful for analyzing the spread of exotic species. For example, information gathered in routine vegetation sampling has been used to identify some of Virginia's most invasive species. To help educate the public natural heritage staff, in cooperation with the Virginia Native Plant Society and others, have developed a list of invasive plant species (see Appendix H) and have published fact sheets on the 30 most invasive species. This list and the invasive fact sheets are available on the Natural Heritage website (<http://www.dcr.state.va.us/dnh/pdflist.htm>). Natural heritage scientists participate in numerous interagency efforts to better understand and control exotic species. One recent example is a symposium on common reed (*Phragmites australis*) co-hosted by DCR and the Chesapeake Bay Commission, in which experts were brought together from across the country to share information on this serious wetland invasive.

Fire Exclusion

Prior to the 20th Century, fire occurred regularly in some parts of Virginia. Both Native Americans and settlers used fire to clear land and to improve habitat for game. Also there were fewer manmade firebreaks, such as roads and large agricultural fields, thus permitting accidental and lightning induced fires to sweep across large areas. Consequently, much of Virginia's original native flora and fauna were adapted to and often dependent upon fire. Since modern concerns require that wildfires be extinguished as rapidly as possible, many of Virginia's fire-adapted species and natural communities have declined.

The inventory process of the Natural Heritage Program has helped identify many of the remnant populations of fire-dependent species and communities. Some of these sites have been acquired for the Natural Area Preserve System and landowners of some other sites are cooperating to ensure their long-term protection. Natural heritage staff are using prescribed fire to restore these sites and are carefully monitoring the results.



Figure 6.3. Prescribed burn at Blackwater Ecological Preserve.

Nonpoint Source Pollution

One particularly troublesome threat to biodiversity comes from nonpoint source pollution of surface waterways and groundwater. Nonpoint source pollution is basically pollution that doesn't come from the end of a pipe. Some examples are petroleum products and salts washed off roads, nutrients from excess fertilizers spread on lawns, soil particles eroded from agricultural fields and acid precipitation derived from the combustion of fossil fuels.

DCR is the lead state agency for nonpoint source pollution and the Natural Heritage Program works closely with DCR's soil and water conservation division to help address nonpoint source pollution threats. Natural heritage data are used to help identify high priority waterways to help direct state and federal funds, which are used to reduce nonpoint source pollution. Natural Heritage Karst Program staff work with industries and localities to address problems associated with cave and groundwater pollution and are especially active in public education efforts. Natural heritage staff members provide information to landowners on best management practices and on government cost-share programs that can help reduce pollution, which results from agricultural and timber harvesting activities.

Natural Heritage Program Leads Long-term Efforts in Lee County Cave Isopod Recovery

The Lee County cave isopod (*Lirceus usdagalun*) is a very rare crustacean that lives in streams within just a few caves in Virginia's most southwestern county. In the mid-1980s, scientists studying the isopod discovered a sawmill operation overlying one of the caves that was dumping sawdust into the cave's entrance sinkhole. Rain and surface water draining through the sawdust and into the cave was polluting the isopod's habitat and causing a steep decline in the population of this and other cave invertebrates. This event spurred the listing of the Lee County cave isopod as endangered under both the Virginia and Federal Endangered Species Acts.

The Virginia Cave Board worked with the sawmill operator to



Figure 6.4. Lee County cave isopod (*Lirceus usdagalun*).

remove debris from the entrance sinkhole in the late 1980s, but toxic runoff from several hundred thousand cubic yards of sawdust continued and the isopod was not observed in the cave throughout the 1990s. From 1996 to 1998, Karst Program staff worked with the Virginia Water Resources Research Center to characterize the contamination of the cave and

downstream springs in order to develop a remediation strategy for the site. This report, in combination with their own study, spurred the Virginia Department of Environmental Quality to enter into an agreement with the sawmill operator to begin cleanup efforts.

While the operator quickly found an economically viable way to dispose of newly generated sawdust, older material remained a problem. In fall 2000, Karst Program staff devised a plan to incorporate the decayed sawdust into coal mine reclamation soils. Through the generous support of the Cave Conservancy of the Virginias, the Tennessee Valley Authority and the U. S. Fish and Wildlife Service, the Natural Heritage Program was able to arrange for the transport of sawdust to mine sites in Lee County where it is used to enhance reclamation soil.

Renewed efforts at monitoring the cave have revealed a surprisingly resilient ecosystem. On Thanksgiving Day 2001, staff and volunteers entered the cave and discovered large populations of several cave species, but no Lee County cave isopods. The following February, however, a few of the isopods were observed in the cave, and in June more than 50 individuals were present. The return of the Lee County cave isopod to this cave suggests that long-term prospects for the species are good, assuming the cleanup of this site continues and the water quality can be maintained in the other caves where it occurs.



Figure 6.5. Natural areas steward girdling tree of heaven (*Ailanthus altissima*), a significant invasive species at Pedlar Hills Natural Area Preserve.




Figure 7.1. Virginia's physiographic provinces.

Biodiversity Conservation Priorities by Physiographic Province

When considering the biodiversity conservation priorities for Virginia, it is useful to divide the state into physiographic provinces, which are land areas that share common geology, landform and soils. Because plants, animals and natural communities are interdependent and are closely associated with the soils and landforms of their native habitat, focusing on physiographic provinces helps direct conservation efforts towards keeping whole ecological systems intact. Geologists and ecologists have developed several variations of dividing the state into physiographic regions.

Chapter Overview

This chapter focuses on each physiographic province for the state and discusses the priorities for biodiversity conservation for each. Each section is divided as follows:

Description This section explains where the province is located in Virginia and describes its predominant geological and biological features.

Conservation Site Summary This section and an accompanying table provide statistics on the conservation sites and stream conservation units within the province. These statistics include total site acreage, the proportion that occurs on protected lands and the number of sites that occur under each of five biodiversity rankings.

Natural Heritage Resource Targets This section provides basic data on the natural heritage resources that are known to occur within the prov-

ince. An accompanying table gives statistics on the total number of occurrences, the number of different kinds of elements, the number of populations of federal and state-listed species, and the number of populations of these elements that occur on protected land. Additional tables list the natural heritage resources most in need of inventory, habitat protection and stewardship attention. The inventory targets are determined by considering the elements' global and state rarity, past survey efforts and the presence or potential presence of appropriate habitat. The protection and stewardship targets are elements likely to disappear from the province within the next five to ten years if not given adequate attention for habitat protection and stewardship.




Figure 7.2. Cumberland Mountains Physiographic Province.

Cumberland Mountains Physiographic Province

Description

The Cumberland Mountains encompass the extreme southwestern portion of Virginia and are part of the Appalachian Plateaus, which extend from Alabama to northern Pennsylvania. Horizontal beds of sedimentary rocks – primarily sandstone and shale – and uniform summits indicate that the Cumberland Mountains were carved from a former plateau. The landscape is intricately dissected by narrow, ever-branching valleys and elevations range from about 1,000 to more than 4,200 feet above sea level. Most of the region drains into the Clinch, Powell and Big Sandy rivers. This area of Virginia is rich in coal, natural gas and petroleum deposits.

The upland vegetation for the Cumberland Mountains

is predominantly mixed mesophytic forest expressed as an intricate mosaic of rich cove forest, acidic cove forest and montane oak-hickory forest associations. These forests may have many tree species as co-dominants, including American beech (*Fagus grandifolia*), sugar maple (*Acer saccharum*), eastern hemlock (*Tsuga canadensis*), tulip-poplar (*Liriodendron tulipifera*), basswood (*Tilia americana*), cucumber tree (*Magnolia acuminata*), yellow buckeye (*Aesculus flava*), white ash (*Fraxinus americana*), birches (*Betula* spp.), northern red oak (*Quercus rubra*), white oak (*Quercus alba*), and several hickories (*Carya* spp.). Small patches of northern hardwoods (beech-birch-maple) occur at the highest elevations, while linear patches of dry calcareous woodlands occupy a mid-slope band of Greenbrier limestone on Powell and Stone mountains. Oak/heath and pine-oak/heath vegetation types are generally restricted to shallow, rocky soils of caprock outcrops,

VIRGINIA'S PRECIOUS HERITAGE

Table 7.1. Conservation site and stream conservation unit summary for the Cumberland Mountains Physiographic Province.

Type	Count	Total acres	Proportion of conservation site land area protected	Site biodiversity ranks				
				B1	B2	B3	B4	B5
Conservation sites	52	24,910	60%	4	6	9	12	21
Stream conservation units	10	1,147	3%	2	1	3	4	0
Totals	62	26,057	58%	6	7	12	16	21

Table 7.2. Number and status of natural heritage resources found in the Cumberland Mountains Physiographic Province.

	No. of Elements	Element occurrences	Occurrences of federally listed species	Occurrences of state listed species	Occurrences on protected areas
Animals	25	40	6	9	26
Plants	35	60	5	5	46
Communities	21	47	-	-	37
Biologically significant caves	1	12	-	-	5
Totals	82	159	11	14	114

ridge crests and upper south or west-facing slopes.

Conservation Site Summary

Current natural heritage data indicate that the Cumberland Mountains support 62 conservation sites and stream conservation units. The combined acreage for these sites is less than three percent of the land area of the Cumberland Mountains. Fifty-eight percent of the land area of these sites is on property that offers some level of natural resource protection – the majority being within the Jefferson National Forest. Table 7.1 gives an overview of the status of conservation sites and stream conservation units for the province, including their biodiversity rankings.

Natural Heritage Resource Targets

The Cumberland Mountains Physiographic Province supports approximately 159 occurrences of 82 rare species and significant natural community types. Of these occurrences, 11 represent populations of federally threatened or endangered species and 14 are state-listed. A summary of these natural heritage resources is provided in Table 7.2. The elements that require immediate attention for inventory, protection and stewardship are listed in Tables 7.3 – 7.4.

VIRGINIA DEPARTMENT OF CONSERVATION AND RECREATION

Table 7.3. Natural heritage resource inventory targets for the Cumberland Mountains Physiographic Province.

Plants	
<i>Botrychium jenmanii</i>	Alabama grape-fern
<i>Rudbeckia triloba</i> var. <i>pinnatifida</i>	pinnate-lobed coneflower
<i>Silene ovata</i>	ovate catchfly
Animals	
<i>Cambarus veteranus</i>	a crayfish
<i>Erythroecia hebardii</i>	Hebard's noctuid moth
<i>Myotis grisescens</i>	gray bat
<i>Myotis sodalis</i>	Indiana bat
<i>Nannaria</i> sp. 1	Roaring Branch Nannaria millipede
<i>Paravitrea septadens</i>	brown supercoil
<i>Pseudotremia</i> sp. 2	Roaring Branch pseudotremia millipede
<i>Pyrgus wyandot</i>	Appalachian grizzled skipper
<i>Thryomanes bewickii altus</i>	Appalachian Bewick's Wren
Natural Communities	
acidic cove forest	
eastern hemlock forest	
limestone and dolomite barren	
low-elevation acidic outcrop barren	
low-elevation boulderfield forest and woodland	
montane acidic woodland	
piedmont / low mountain alluvial forest	
pine – oak / heath woodland	
rich cove and slope forest	
Appalachian bog	
calcareous fens and seep	
mountain / piedmont acidic seepage swamp	
spray cliff	

Table 7.4. Natural heritage resource protection and stewardship targets for the Cumberland Mountains Physiographic Province.

Protection Targets	
Plants	
<i>Spiraea virginiana</i>	Virginia spiraea
Animals	
<i>Myotis grisescens</i>	gray bat
<i>Myotis leibii</i>	small-footed bat
<i>Myotis sodalis</i>	Indiana bat
<i>Pseudanophthalmus cordicollis</i>	Little Kennedy Cave beetle
Stewardship Target	
Plant	
<i>Silphium terebinthinaceum</i>	prairie rosinweed




Figure 7.3. Ridge and Valley and Allegheny Mountains Physiographic Provinces.

Ridge and Valley and Allegheny Mountains Physiographic Provinces

Description

The Ridge and Valley Physiographic Province encompasses most of western Virginia and is composed of long parallel ridges and intervening valleys. Rivers in both the Atlantic and Gulf drainages cut transversely across the province to form "gaps" in the ridges. From south to north, the drainage systems are the upper Tennessee River system, New River, Roanoke River, James River and Shenandoah River. The sedimentary rocks that form the province are of the same origin as those forming the Cumberland Mountains, but in the Ridge and Valley, the rock layers have been folded and faulted. Differential rates of weathering of the rock layers determine local topographic relief. The linear ridges are usually underlain by more resistant sand-

stones and quartzites, while the valleys are typically underlain by less resistant shales and soluble, carbonate-rich limestone and dolomite. The carbonate-rich rocks are dissolved by groundwater to form a topography called karst, which is characterized by sinkholes, springs and caves. The Ridge and Valley has more than 4,000 caves, many of them significant for the biological features they contain.

The province is often subdivided into the eastern Great Valley of Virginia (or Shenandoah Valley), and the western Ridge and Valley, which has higher, more closely spaced ridges. Elevations in the province range from less than 1,000 feet in the Great Valley portion to more than 4,500 feet on a few of the higher ridges such as Clinch and Shenandoah mountains. The northern portion of the Great Valley is divided by the Massanutten Mountains, an isolated range with peaks

VIRGINIA DEPARTMENT OF CONSERVATION AND RECREATION

Table 7.5. Conservation site and stream conservation unit summary for the Ridge and Valley and Allegheny Mountains Physiographic Provinces.

Type	Count	Total acres	Proportion of conservation site land area protected	Site biodiversity ranks					
				B1	B2	B3	B4	B5	B?
Conservation sites	394	272,248	53%	21	119	117	66	70	2
Stream conservation	87	5,638	4%	7	23	19	18	19	0
Totals	481	277,886	52%	28	142	136	84	89	2

Table 7.6. Number and status of natural heritage resources found in the Ridge and Valley and Allegheny Mountains Physiographic Provinces.

	No. of elements	Element occurrences	Occurrences of federally listed species	Occurrences of state listed species	Occurrences on protected areas
Animals	239	1004	158	342	277
Plants	213	843	138	129	436
Communities	48	320	-	-	189
Biologically significant caves	1	200	-	-	26
Other	1	9	-	-	3
Totals	503	2376	296	471	931

that exceed 3,000 feet elevation.

The typical upland vegetation for the Ridge and Valley Physiographic Province is oak-dominated forest ranging from oak/heath communities characterized by chestnut oak (*Quercus prinus*), scarlet oak (*Quercus coccinea*), and heath-family shrubs to more mixed forests of white oak (*Quercus alba*), black oak (*Quercus velutina*), northern red oak (*Quercus rubra*) and various hickories (*Carya* spp.). Large patches of pine-oak/heath woodlands occur on dry spur ridges and cliff tops, while white pine-oak forests cover extensive areas on low shale knobs and slopes. At around 3,500 to 4,000 feet in elevation (varying with aspect) these communities tend to be replaced by forests dominated by northern red oak, black and yellow birches (*Betula lenta* and *B. alleghaniensis*) and sugar maple (*Acer saccharum*). On a few of the highest peaks, the vegetation takes on a boreal nature with red spruce (*Picea rubens*) dominating. Many significant plant and animal habitats occur in the Ridge and Valley Province. Among them are the significant mussel

concentrations of the Upper Tennessee River drainage, red spruce forests, caves, limestone barrens, shale barrens, calcareous seepage wetlands and Shenandoah Valley sinkhole ponds.

To the west of the Ridge and Valley lies the Allegheny Mountains Physiographic Province. Like the Cumberland Mountains, the Allegheny Mountains are part of the Appalachian Plateaus region and constitute a plateau-like erosional landscape that is intricately dissected by streams. This province covers a very small land area in Virginia, where it is restricted to the eastern flank and summit of Allegheny Mountain in Alleghany, Bath and Highland counties. Elevations in this area range from about 2000 to more than 4,500 feet in Highland County. Vegetation of the Allegheny Mountains is predominantly mixed mesophytic forest at elevations below 3,200 feet and northern hardwood forest (beech-birch-maple-cherry) at elevations above 3,200 feet. Special small-patch communities of the province include red spruce forests, red spruce-hemlock swamps and bogs.

VIRGINIA'S PRECIOUS HERITAGE

Table 7.7. Natural heritage resource inventory targets for the Ridge and Valley and Allegheny Mountains Physiographic Provinces.

Plants		Animals	
<i>Botrychium jenmanii</i>	Alabama grape-fern	<i>Etheostoma osburni</i>	candy darter
<i>Carex juniperorum</i>	juniper sedge	<i>Noturus flavipinnis</i>	yellowfin madtom
<i>Carex roanensis</i>	Roan Mountain sedge	<i>Phoxinus tennesseensis</i>	Tennessee dace
<i>Carex schweinitzii</i>	Schweinitz's sedge	<i>Pituophis melanoleucus</i>	pine snake
<i>Corallorhiza bentleyi</i>	Bentley's coralroot	<i>Lanius ludovicianus</i>	Loggerhead Shrike
<i>Heuchera alba</i>	white alumroot	<i>Thryomanes bewickii altus</i>	Appalachian Bewick's Wren
<i>Iliamna remota</i>	Kankakee globe-mallow	<i>Corynorhinus townsendii virginianus</i>	eastern big-eared bat
<i>Isoetes virginica</i>	Virginia quillwort	<i>Myotis grisescens</i>	gray myotis (bat)
<i>Lycopodiella margueritiae</i>	northern prostrate clubmoss	<i>Myotis sodalis</i>	Indiana myotis (bat)
<i>Napaea dioica</i>	glade mallow	<i>Fontigens morrisoni</i>	Virginia springsnail
<i>Paronychia virginica</i> var. <i>virginica</i>	yellow nailwort	<i>Helicodiscus diadema</i>	shaggy coil
<i>Platanthera leucophaea</i>	prairie fringed orchid	<i>Helicodiscus lirellus</i>	rubble coil
<i>Potamogeton hillii</i>	Hill's pondweed	<i>Holsingeria unthanksensis</i>	an aquatic cavesnail
<i>Potamogeton tennesseensis</i>	Tennessee pondweed	<i>Polygyriscus virginianus</i>	Virginia fringed mountain snail
<i>Rudbeckia triloba</i> var. <i>pinnatifida</i>	pinnate-lobed coneflower	<i>Alasmidonta varicosa</i>	brook floater
<i>Scutellaria arguta</i>	sharp-leaved skullcap	<i>Fusconaia masoni</i>	Atlantic pigtoe
<i>Sida hermaphrodita</i>	Virginia mallow	<i>Lampsilis cariosa</i>	yellow lampmussel
<i>Silene ovata</i>	ovate catchfly	<i>Lexingtonia subplana</i>	Virginia pigtoe
<i>Vitis rupestris</i>	sand grape	<i>Pleurobema collina</i>	James spiny mussel
		<i>Caecidotea bowmani</i>	Natural Bridge cave isopod
		<i>Lirceus culveri</i>	Rye Cove isopod
		<i>Lirceus usdagalun</i>	Lee County cave isopod
		<i>Cambarus jezerinaci</i>	Powell River crayfish
		<i>Cambarus monongalensis</i>	a crayfish
		<i>Brachoria</i> sp. 1	Powell Mountain millipede sp. 1
		<i>Brachoria</i> sp. 2	Powell Mountain millipede sp. 2
		<i>Calopteryx aequabilis</i>	river jewelwing
		<i>Arigomphus furcifer</i>	lilypad clubtail
		<i>Ophiogomphus alleghaniensis</i>	Allegheny snaketail
		<i>Stylurus scudderii</i>	zebra clubtail
		<i>Appalachia hebardii</i>	Appalachian grasshopper
		<i>Isoperla major</i>	big stripetail stonefly
		<i>Pseudanopthalmus deceptivus</i>	deceptive cave beetle
		<i>Pseudanopthalmus longiceps</i>	long-headed cave beetle
		<i>Pseudanopthalmus pontis</i>	Natural Bridge cave beetle
		<i>Pseudanopthalmus praetermissus</i>	overlooked cave beetle
		<i>Pseudanopthalmus quadratus</i>	Straley's cave beetle
		<i>Pseudanopthalmus virginicus</i>	Maiden Spring cave beetle
		<i>Callophrys irus</i>	frosted elfin
		<i>Phyciodes batesii batesii</i>	tawny crescent spot
		<i>Speyeria idalia</i>	regal fritillary
		<i>Atrytone arogos arogos</i>	arogos skipper
			continued on next page




Figure 7.4. Indiana myotis (*Myotis sodalis*).

Conservation Site Summary

Current natural heritage data indicate that the Ridge and Valley and Allegheny Mountains support 481 conservation sites and stream conservation units. The combined acreage for these areas is slightly more than four percent of the land area of the provinces. About 52 percent of the land area of these sites is on property with some level of natural resource protection. Table 7.5 gives an overview of the status of the conservation sites and stream conservation units for the province, including their biodiversity rankings.

Natural Heritage Resource Targets

The Ridge and Valley Province and Allegheny Mountains support one of the highest concentrations of rare species and significant natural communities for the state. Natural Heritage data list 2,376 occurrences of 503 rare species and significant natural community types. Of these occurrences, 296 represent populations of federally threatened or endangered species and 471 are state-listed. A summary of these natural heritage resources is provided in Table 7.6. The elements that require immediate attention for inventory, protection and stewardship are listed in Tables 7.7 – 7.9.

Table 7.7. Natural heritage resource inventory targets for the Ridge and Valley and Allegheny Mountains Physiographic Provinces (continued).

Animals—continued	
<i>Erynnis persius persius</i>	Persius duskywing
<i>Pyrgus wyandot</i>	Appalachian grizzled skipper
<i>Apamea Smythi</i>	Smyth's Apamea moth
<i>Erythroecia hebardii</i>	Hebard's noctuid moth
<i>Hypomecis buchholzarzia</i>	Buchholz's gray moth
<i>Papaipema astute</i>	yellow stoneroot borer moth
<i>Papaipema duplicata</i>	dark stoneroot borer moth
Natural Communities	
southern Appalachian red spruce forest	
central Appalachian red spruce forest	
northern red oak forest	
acidic cove forest	
eastern hemlock forest	
eastern arborvitae slope forest	
acidic oak – hickory forest	
montane oak – hickory forest	
eastern white pine – hardwood forest	
Carolina hemlock forest	
montane acidic woodland	
low-elevation acidic outcrop barren	
low-elevation basic outcrop barren	
limestone and dolomite barren	
riverside outcrop barren	
piedmont / mountain swamp forest	
piedmont / low mountain alluvial forest	
riverside prairie	
river-scour woodland	
mountain / piedmont acidic seepage swamp	
Appalachian bog	
high-elevation seep	
calcareous fens and seep	
mesic and wet-mesic prairie	
wet prairie and prairie fen	
calcareous spring marshes and muck fen	
spray cliff	
inland salt marsh	

Table 7.8. Natural heritage resource protection targets for the Ridge and Valley and Allegheny Mountains Physiographic Provinces.

Plants	
<i>Equisetum fluviatile</i>	water horsetail
<i>Helenium virginicum</i>	Virginia sneezeweed
<i>Iliamna remota</i>	Kankakee globe-mallow
<i>Scirpus ancistrochaetus</i>	northeastern bulrush
<i>Scutellaria galeuculata</i>	hooded skullcap
Animals	
<i>Helicodiscus diadema</i>	shaggy coil
<i>Helicodiscus lirellus</i>	rubble coil
<i>Holsingeria unthinksensis</i>	an aquatic cavesnail
<i>Lirceus culveri</i>	Rye Cove isopod
<i>Lirceus usdagalun</i>	Lee County cave isopod
<i>Isoperla major</i>	big stripetail stonefly
<i>Pseudanophthalmus holsingeri</i>	Holsinger's cave beetle
<i>Pseudanophthalmus thomasi</i>	Thomas' cave beetle
Natural Communities	
rich cove and slope forest	
Shenandoah Valley sinkhole pond	
calcareous fens and seep	
wet prairie and prairie fen	
inland salt marsh	

Table 7.9. Natural heritage resource stewardship targets for the Ridge and Valley and Allegheny Mountains Physiographic Provinces.

Plants	
<i>Carex roanensis</i>	Roan Mountain sedge
<i>Desmodium sessilifolium</i>	sessile-leaf tick-trefoil
<i>Iliamna remota</i>	Kankakee globe-mallow
<i>Malvastrum hispidum</i>	hispid falsemallow
<i>Panicum hemitomon</i>	maidencane
Animals	
<i>Pseudanophthalmus holsingeri</i>	Holsinger's cave beetle
<i>Pseudanophthalmus thomasi</i>	Thomas' cave beetle
<i>Speyeria idalia</i>	regal fritillary
Natural Communities	
eastern hemlock forest	
Carolina hemlock forest	
piedmont / mountain bottomland forest	
riverside prairie	
calcareous fen and seep	
wet prairie and prairie fen	
inland salt marsh	




Figure 7.5. Northern Blue Ridge Physiographic Province.

Northern Blue Ridge Physiographic Province

Description

The Northern Blue Ridge Physiographic Province is located between the Ridge and Valley to the west and the Northern Piedmont to the east, and is the portion of the Blue Ridge Mountains occurring north of the Roanoke River. The Northern Blue Ridge is drained by fast-flowing headwater streams of the Atlantic drainage. Within the province, the Blue Ridge Mountains occur in a narrow (approximately five-mile-wide) chain of irregularly weathered, rugged peaks with steep slopes. Elevation ranges from about 1,000 feet to higher than 4,000 feet, with the highest peak at Apple Orchard Mountain (4,225 feet). The province is underlain by a core of resistant granites and metabasalts (greenstone), with resistant metasedimentary rocks exposed along the western flank.

The prevalent vegetation for this region is mixed oak and oak-hickory forest dominated by chestnut oak (*Quercus prinus*), white oak (*Quercus alba*), black oak (*Quercus velutina*), northern red oak (*Quercus rubra*), tulip-poplar (*Liriodendron tulipifera*) and various hickories (*Carya* spp.). At higher elevations, chestnut oak drops out and northern red oak dominates the ridges exclusively. Xeric oak/heath and pine-oak/heath communities are more widespread on the meta-sedimentary bedrock areas, while rich cove forests, hemlock forests, northern hardwood forests and other mesophytic communities occupy smaller-scale niche habitats throughout. Some unusual and rare communities include mafic fens, various cliff and outcrop communities, seepage swamps and high-elevation boulderfields.

Table 7.10. Conservation site and stream conservation unit summary for the Northern Blue Ridge Physiographic Province

Type	Count	Total acres	Proportion of conservation site land area protected	Site biodiversity ranks				
				B1	B2	B3	B4	B5
Conservation sites	107	97,067	82%	5	23	18	23	38
Stream conservation units	16	280	14%	0	12	2	2	0
Totals	123	97,347	82%	5	35	20	25	38

Table 7.11. Number and status of natural heritage resources found in the Northern Blue Ridge Physiographic Province

	No. of elements	Element occurrences	Occurrences of federally listed species	Occurrences of state listed species	Occurrences on protected areas
Animals	21	62	19	24	45
Plants	79	201	13	17	185
Communities	29	124	-	-	107
Biologically significant caves	1	2	-	-	1
Totals	130	389	32	41	338

Conservation Site Summary

Current natural heritage data indicate that the Northern Blue Ridge supports 123 conservation sites and stream conservation units. The combined acreage for these areas is approximately six percent of the land area of the Northern Blue Ridge. Eighty-two percent of the land area of these sites is on property managed for conservation purposes – primarily on Shenandoah National Park. Table 7.10 gives an overview of the status of conservation sites and stream conservation units for the province, including their biodiversity rankings.

Natural Heritage Resource Targets

The Northern Blue Ridge Physiographic Province supports approximately 389 occurrences of 130 rare species and significant natural community types. Of these occurrences, 32 represent populations of federally threatened or endangered species and 41 are state-listed. A summary of these natural heritage resources is provided in Table 7.11. The elements that require immediate attention for inventory, protection and stewardship are listed in Tables 7.12 – 7.13.




Figure 7.6. From left to right: wild ginger (*Asarum canadense*), bunchberry (*Cornus canadensis*), sharp-lobed hepatica (*Hepatica acutiloba*), and foam-flower (*Tiarella cordifolia*).

VIRGINIA'S PRECIOUS HERITAGE

Table 7.12. Natural heritage resource inventory targets for the Northern Blue Ridge Physiographic Province.

Plants	
<i>Vitis rupestris</i>	sand grape
Animals	
<i>Plethodon shenandoah</i>	Shenandoah salamander
<i>Pituophis melanoleucus</i>	pine snake
<i>Lampsilis cariosa</i>	yellow lampmussel
<i>Pleurobema collina</i>	James spiny mussel
<i>Stygobromus</i> sp. 18	Big Levels spring amphipod
<i>Calopteryx aequabilis</i>	river jewelwing
<i>Pyrgus wyandot</i>	Appalachian grizzled skipper
<i>Erythroecia hebardei</i>	Hebard's noctuid moth
<i>Papaipema astute</i>	yellow stoneroot borer moth
<i>Papaipema duplicata</i>	dark stoneroot borer moth
Natural Communities	
eastern hemlock forest	
Carolina hemlock forest	
high-elevation seep	
mafic fen and seep	
spray cliff	

Table 7.13. Natural heritage resource protection and stewardship targets for the Northern Blue Ridge Physiographic Province.

Protection Target	
Animal	
<i>Plethodon hubrichti</i>	Peaks of Otter salamander
Stewardship Targets	
Plant	
<i>Cornus canadensis</i>	bunchberry
Natural Communities	
eastern hemlock forest	
piedmont / mountain bottomland forest	
riverside prairie	




Figure 7.7. Shenandoah salamander (*Plethodon shenandoah*).




Figure 7.8. Southern Blue Ridge Physiographic Province.

Southern Blue Ridge Physiographic Province

Description

The Southern Blue Ridge physiographic province is the portion of the Blue Ridge Mountains occurring south of the Roanoke River at Roanoke Gap. The province is flanked by the Ridge and Valley to the west and the Southern Piedmont to the east. The geologic composition and history of the province is similar to that of the Northern Blue Ridge. However, the Southern Blue Ridge is wider – about 50 miles wide – and a significant portion of the province consists of a high plateau rather than mountainous terrain. Mostly lower gradient streams of the New River watershed drain the province. Elevations average 3,000 to 3,500 feet. However, the Balsam Mountains in Grayson, Smyth and Washington Counties constitute Virginia’s highest landmass, lying almost completely above 4,000

feet and containing the state’s two highest peaks – Mount Rogers (5,729 feet) and Whitetop Mountain (5,520 feet).

Because of variations in topography and elevation, vegetation of the Southern Blue Ridge is more complex than that of other provinces. Mixed oak, oak-hickory and mixed mesophytic communities form mosaics in the lower-elevation parts of the region. White pine (*Pinus strobus*) is the predominant early successional species at lower elevations and, in established forests, tends to dominate north slopes and mesic coves where soils are acidic. Very locally, ultramafic bedrock is exposed or close to the surface in this province, resulting in harsh soil that is high in magnesium and iron. The few plants that can survive in these conditions are often rare or disjunct species. Stunted woodlands and prairie-like openings typify mafic soils

VIRGINIA'S PRECIOUS HERITAGE

Table 7.14. Conservation site and stream conservation unit summary for the Southern Blue Ridge Physiographic Province.

Type	Count	Total acres	Proportion of conservation site land area protected	Site biodiversity ranks				
				B1	B2	B3	B4	B5
Conservation sites	93	42,180	58%	10	12	27	29	15
Stream conservation units	25	1,633	7%	0	5	2	10	8
Totals	118	42,813	57%	10	17	29	39	23

Table 7.15. Number and status of natural heritage resources found in the Southern Blue Ridge Physiographic Province.

	No. of elements	Element occurrences	Occurrences of federally listed species	Occurrences of state listed species	Occurrences on protected areas
Animals	37	130	62	72	60
Plants	67	206	5	15	94
Communities	31	57	-	-	35
Biologically significant caves	1	4	-	-	1
Totals	136	397	67	87	190

under dry conditions. A complex of naturally rare mafic wetlands occurs in an area south of Galax known as The Glades. These wetlands support a large number of state-rare plants and provide habitat for the federally threatened bog turtle (*Glyptemys muhlenbergii*). Northern hardwood forests (birch-beech-maple-buckeye) form the matrix forest cover of the Balsam Mountains, which also support large relict stands of red spruce (*Picea rubens*) and Fraser fir (*Abies fraseri*) on the highest slopes and summits. Other rare, noteworthy communities of the Balsam Mountains include high-elevation boulderfields, grass and shrub balds and high-elevation bogs.

Conservation Site Summary

Current natural heritage data indicate that the Southern Blue Ridge Physiographic Province supports 118 conservation sites and stream conservation units. The combined acreage for these sites is approximately three percent of the land area of the province. Fifty-seven percent of the land area of these sites is on property currently managed for conservation. Table 7.14 gives an overview of the status of conservation sites and stream conservation units for the province, including their biodiversity rankings.

Natural Heritage Resource Targets

The Southern Blue Ridge Physiographic Province supports approximately 397 occurrences of 136 rare species and significant natural community types. Of these occurrences, 67 represent populations of federally threatened or endangered species and 87 are state-listed. A summary of these natural heritage resources is provided in Table 7.15. The elements that require immediate attention for inventory, protection and stewardship are listed in Tables 7.16 – 7.18.

VIRGINIA DEPARTMENT OF CONSERVATION AND RECREATION

Table 7.16. Natural heritage resource inventory targets for the Southern Blue Ridge Physiographic Province.

Plants	
<i>Carex manhartii</i>	Manhart's sedge
<i>Scutellaria arguta</i>	sharp-leaved skullcap
Animals	
<i>Glyptemys muhlenbergii</i>	bog turtle
<i>Pituophis melanoleucus</i>	pine snake
<i>Fusconaia masoni</i>	Atlantic pigtoe
<i>Lampsilis cariosa</i>	yellow lampmussel
<i>Macromia margarita</i>	mountain river cruiser
<i>Ophiogomphus alleghaniensis</i>	Allegheny snaketail
<i>Stylurus amnicola</i>	riverine clubtail
<i>Stylurus scudderii</i>	zebra clubtail
<i>Taeniopteryx nelsoni</i>	cryptic willowfly
<i>Neonympha mitchellii francisci</i>	Saint Francis' satyr
<i>Phycodes batesii batesii</i>	tawny crescentspot
<i>Erythroecia hebardii</i>	Hebard's noctuid moth
Natural Communities	
high-elevation boulderfield forests and woodland	
northern red oak forest	
rich cove and slope forest	
acidic cove forest	
eastern hemlock forest	
Carolina hemlock forest	
pine – oak / heath woodland	
ultramafic woodland	
low-elevation boulderfield forests and woodland	
ultramafic barren	
piedmont / low mountain alluvial forest	
riverside prairie	
Appalachian bog	
high-elevation seep	
mafic fen and seep	
mafic woodland seep	
spray cliff	

Table 7.17. Natural heritage resource protection targets for the Southern Blue Ridge Physiographic Province.

Plants	
<i>Fimbristylis puberula</i> var. <i>puberula</i>	hairy fimbry
<i>Glyceria laxa</i>	northern mannagrass
<i>Scleria verticillata</i>	whorled nutrush
<i>Tofieldia glutinosa</i>	sticky false-asphodel
Animals	
<i>Neonympha mitchellii francisci</i>	Saint Francis' satyr
Natural Communities	
ultramafic barren	
mafic fen and seep	
mafic woodland seep	

Table 7.18. Natural heritage resource stewardship targets for the Southern Blue Ridge Physiographic Province.

Natural Communities	
ultramafic barren	
mafic fen and seep	




Figure 7.9. Northern Piedmont Physiographic Province.

Northern Piedmont Physiographic Province

Description

The Northern Piedmont is the portion of the Piedmont occurring north of the James River located between the Fall Line and the Blue Ridge escarpment. The province is dominated by rifted and folded metamorphic and igneous rock. Both elevation and topographic relief decrease across the Piedmont from west to east. Near the Blue Ridge escarpment, the base elevation is 1,000 feet, but isolated peaks called monadnocks of resistant rock may rise to 2,000 feet. The gently rolling topography in the east ranges from 200-300 feet and ends abruptly in a series of falls and rapids at the Fall Line. In the central portion, a large, nearly level Mesozoic basin (the Culpeper Basin) is underlain by metasedimentary rocks and intrusive diabase of Jurassic and Triassic age. There has been a long

history of intensive farming in the Piedmont. As a result, much of the original vegetation cover has been removed and most of the topsoil eroded away.

When upland areas are left undisturbed, the natural vegetation in the Northern Piedmont tends to succeed to mixed oak or mixed hardwood forest, dominated by beech (*Fagus grandifolia*), white oak (*Quercus alba*), chestnut oak (*Quercus prinus*), northern red oak (*Quercus rubra*), tulip-poplar (*Liriodendron tulipifera*) and various hickories (*Carya* spp.). Locally, eastern hemlock forests are scattered on sheltered, north-facing stream bluffs and ravines. In the Culpeper Basin, the nearly flat landscape and clay-rich soils favor the formation of hardpans and the prevalence of drier, more stunted oak and oak-hickory-ash forests, as well as isolated upland depression wetlands. In the pre-settlement era, some of the region's hardpan soils may

VIRGINIA DEPARTMENT OF CONSERVATION AND RECREATION

Table 7.19. Conservation site and stream conservation unit summary for the Northern Piedmont Physiographic Province.

Type	Count	Total acres	Proportion of conservation site land area protected	Site biodiversity ranks				
				B1	B2	B3	B4	B5
Conservation sites	88	44,011	28%	3	10	24	12	39
Stream conservation units	47	812	3%	0	21	19	2	5
Totals	135	44,823	28%	3	31	43	14	44

Table 7.20. Number and status of natural heritage resources found in the Northern Piedmont Physiographic Province.

	No. of elements	Element occurrences	Occurrences of federally listed species	Occurrences of state listed species	Occurrences on protected areas
Animals	19	106	20	32	21
Plants	64	166	22	22	95
Communities	24	66	-	-	44
Biologically significant caves	2	2	-	-	0
Totals	108	340	42	54	160

have supported oak savannas and prairies. Very locally, diabase outcrops are exposed on monadnocks or stream-fronting slopes and support a rare barrens community characterized by prickly-pear cactus (*Opuntia humifusa*), fameflower (*Talinum teretifolium*), long-awn hairgrass (*Muhlenbergia capillaris*), Kate's-mountain clover (*Trifolium virginicum*), nine-bark (*Physocarpus opulifolius*), eastern redcedar (*Juniperus virginiana*), and fragrant sumac (*Rhus aromatica*).

cies and significant natural community types. Of these occurrences, 42 represent populations of federally threatened or endangered species and 54 are state-listed. A summary of these natural heritage resources is provided in Table 7.20. The elements that require immediate attention for inventory, protection and stewardship are listed in Tables 7.21-7.23.

Conservation Site Summary

Current natural heritage data indicate that the Northern Piedmont Physiographic Province supports 135 conservation sites and stream conservation units. The combined acreage for these sites is approximately one percent of the land area of the province. Twenty-eight percent of the land area of these sites is on property currently managed for conservation. Table 7.19 gives an overview of the status of conservation sites and stream conservation units for the province, including their biodiversity rankings.

Natural Heritage Resource Targets

The Northern Piedmont Physiographic Province supports approximately 340 occurrences of 108 rare spe-

VIRGINIA'S PRECIOUS HERITAGE

Table 7.21. Natural heritage resource inventory targets for the Northern Piedmont Physiographic Province.

Plants	
<i>Agalinis auriculata</i>	earleaf foxglove
<i>Baptisia cinerea</i>	hairy wild-indigo
<i>Sida hermaphrodita</i>	Virginia mallow
<i>Vitis rupestris</i>	sand grape
Animals	
<i>Bartramia longicauda</i>	Upland Sandpiper
<i>Alasmidonta heterodon</i>	dwarf wedgemussel
<i>Alasmidonta varicosa</i>	brook floater
<i>Elliptio lanceolata</i>	yellow lance
<i>Fusconaia masoni</i>	Atlantic pigtoe
<i>Lampsilis cariosa</i>	yellow lampmussel
<i>Pleurobema collina</i>	James spiny mussel
<i>Stygobromus kenki</i>	rock creek groundwater amphipod
<i>Stygobromus phreaticus</i>	northern Virginia well amphipod
<i>Stygobromus sp. 21</i>	Rappahannock spring amphipod
<i>Enallagma weewa</i>	blackwater bluet
<i>Arigomphus furcifer</i>	lily pad clubtail
<i>Ladona exusta</i>	white corporal skimmer
<i>Acroneuria flinti</i>	Manassas stonefly
<i>Sigara depressa</i>	Virginia piedmont water boatman
<i>Euphyes bimaculata</i>	two-spotted skipper
<i>Euphyes conspicua</i>	black dash
Natural Communities	
basic oak-hickory forest	
piedmont / mountain basic woodland	
eastern hemlock forest	
piedmont hardpan forest	
coastal plain / piedmont bottomland forest	
floodplain pond and pool	
piedmont / mountain swamp forest	
piedmont / low mountain alluvial forest	
river-scour woodland	
upland depression swamp	

Table 7.22. Natural heritage resource protection targets for the Northern Piedmont Physiographic Province.

Plants	
<i>Agalinis auriculata</i>	earleaf foxglove
Animals	
<i>Bartramia longicauda</i>	Upland Sandpiper
Natural Communities	
basic oak-hickory forests	
piedmont / mountain basic woodlands	

Table 7.23. Natural heritage resource stewardship targets for the Northern Piedmont Physiographic Province.

Plants	
<i>Agalinis auriculata</i>	earleaf foxglove
Animals	
<i>Bartramia longicauda</i>	Upland Sandpiper
Natural Communities	
eastern hemlock forest	
piedmont / mountain basic woodland	
riverside prairie	
coastal plain / piedmont seepage bog	




Figure 7.10. Southern Piedmont Physiographic Province.

Southern Piedmont Physiographic Province

Description

The Southern Piedmont is located between the Fall Line to the east and the Blue Ridge escarpment to the west and is the portion of the Piedmont occurring south of the James River. The Southern Piedmont is very similar to the Northern Piedmont in geologic and topographic characteristics. Many rivers and streams in the Southern Piedmont are bordered by habitats more typically associated with the Coastal Plain. The Southern Piedmont is drained by portions of the Roanoke, James and Chowan river system, which is composed of the Blackwater, Nottoway and Meherrin rivers.

The typical upland vegetation of the Southern Piedmont is mixed oak or mixed hardwood forest domi-

nated by white oak (*Quercus alba*), black oak (*Quercus velutina*), southern red oak (*Quercus falcata*), northern red oak (*Quercus rubra*), beech (*Fagus grandifolia*), tulip-poplar (*Liriodendron tulipifera*), sweetgum (*Liquidambar styraciflua*) and hickories (*Carya* spp.). Pines, especially shortleaf (*Pinus echinata*) and Virginia (*Pinus virginiana*), are abundant in early successional stands; loblolly pine (*Pinus taeda*) occurs naturally only in the easternmost counties but is extensively planted throughout the region. At scattered locations are some unusual plant communities, which are associated with stressful growing conditions. Among these are granite flatrock communities, Piedmont hardpan forests, mafic barrens and Piedmont savannas. Eastern hemlock forests occur on a few north-facing river bluffs and ravines across the Southern Piedmont.

VIRGINIA'S PRECIOUS HERITAGE

Table 7.24. Conservation site and stream conservation unit summary for the Southern Piedmont Physiographic Province.

Type	Count	Total acres	Proportion of conservation site land area protected	Site biodiversity ranks				
				B1	B2	B3	B4	B5
Conservation Sites	147	62,374	52%	8	18	23	40	58
Stream conservation units	39	1,750	14%	1	14	11	6	7
Totals	186	63,123	51%	9	32	34	46	65

Table 7.25. Number and status of natural heritage resources found in the Southern Piedmont Physiographic Province.

	No. of elements	Element occurrences	Occurrences of federally listed species	Occurrences of state listed species	Occurrences on protected areas
Animals	33	121	35	69	19
Plants	88	201	25	4	62
Communities	25	93	-	-	47
Other	1	2	-	-	1
Totals	147	417	60	73	129

Conservation Site Summary

Current natural heritage data indicate that the Southern Piedmont Physiographic Province supports 186 conservation sites and stream conservation units. The combined acreage for these sites is less than one percent of the land area of the province. Fifty-one percent of the land area of these sites is on property currently managed for conservation. Table 7.24 gives an overview of the status of conservation sites and stream conservation units for the province, including their biodiversity rankings.

Natural Heritage Resource Targets

The Southern Piedmont Physiographic Province supports approximately 417 occurrences of 147 rare species and significant natural community types. Of these occurrences, 60 represent populations of federally threatened or endangered species and 73 are state-listed. A summary of these natural heritage resources is provided in Table 7.25. The elements that require immediate attention for inventory, protection and stewardship are listed in Tables 7.26-7.28.




Figure 7.11. American chaffseed (*Schwalbea americana*).

VIRGINIA DEPARTMENT OF CONSERVATION AND RECREATION

Table 7.26. Natural heritage resource inventory targets for the Southern Piedmont Physiographic Province.

Plants	
<i>Cardamine micranthera</i>	small-anthered bittercress
<i>Desmodium ochroleucum</i>	creamflower tick-trefoil
<i>Isoetes hyemalis</i>	winter quillwort
<i>Isoetes piedmontana</i>	piedmont quillwort
<i>Isoetes virginica</i>	Virginia quillwort
<i>Juncus caesariensis</i>	New Jersey rush
<i>Pycnanthemum clinopodioides</i>	basil mountain-mint
<i>Rhus michauxii</i>	Michaux's sumac
<i>Schwalbea americana</i>	chaffseed
<i>Sida elliotii</i>	Elliott sida
<i>Talinum mengesii</i>	Menge's fame-flower
Animals	
<i>Aimophila aestivalis</i>	Bachman's Sparrow
<i>Paravitrea hera</i>	spirit supercoil
<i>Alasmidonta heterodon</i>	dwarf wedgemussel
<i>Alasmidonta varicosa</i>	brook floater
<i>Elliptio lanceolata</i>	yellow lance
<i>Elliptio roanokensis</i>	Roanoke slabshell
<i>Fusconaia masoni</i>	Atlantic pigtoe
<i>Lampsilis cariosa</i>	yellow lampmussel
<i>Lexingtonia subplana</i>	Virginia pigtoe
<i>Pleurobema collina</i>	James spinymussel
<i>Orconectes virginianus</i>	Chowanoke crayfish
<i>Siphloplecton costalense</i>	Spieth's great speckled olive mayfly
<i>Enallagma weewa</i>	blackwater bluet
<i>Gomphus apomyius</i>	banner clubtail
<i>Gomphus septima</i>	Septima's clubtail
<i>Somatochlora georgiana</i>	coppery emerald
<i>Sigara depressa</i>	Virginia piedmont water boatman
Natural Communities	
eastern hemlock forest	
Carolina hemlock forest	
piedmont hardpan forest	
low-elevation basic outcrop barren	
granitic flatrock	
ultramafic barren	
coastal plain / piedmont bottomland forest	
floodplain ponds and pool	
piedmont / mountain swamp forest	
piedmont / low mountain alluvial forest	
upland depression swamp	

Table 7.27. Natural heritage resource protection targets for the Southern Piedmont Physiographic Province.

Plants	
<i>Cardamine micranthera</i>	small-anthered bittercress
Natural Communities	
low-elevation basic outcrop barren	
granitic flatrock	
ultramafic barren	
coastal plain/piedmont seepage bog	

Table 7.28. Natural heritage resource stewardship targets for the Southern Piedmont Physiographic Province.

Plants	
<i>Aletris aurea</i>	golden colicroot
<i>Amphicarpum purshii</i>	blue maiden-cane
<i>Calamovilfa brevifolia</i> var. <i>calvipes</i>	pine barrens reedgrass
<i>Coreopsis linifolia</i>	Atlantic tickseed
<i>Ctenium aromaticum</i>	toothache grass
<i>Eriocaulon decangulare</i>	ten-angle pipewort
<i>Eryngium integrifolium</i>	savanna eryngo
<i>Eryngium yuccifolium</i> var. <i>yuccifolium</i>	rattlesnake-master
<i>Helenium brevifolium</i>	shortleaf sneezeweed
<i>Hypericum adpressum</i>	creeping st. john's-wort
<i>Hypericum setosum</i>	a St. John's-wort
<i>Juncus elliotii</i>	bog rush
<i>Lachnocaulon anceps</i>	bog-buttons
<i>Ludwigia hirtella</i>	Rafinesque's seedbox
<i>Mitreola sessilifolia</i>	sessile-leaved hornpod
<i>Paspalum praecox</i>	early paspalum
<i>Platanthera blephariglottis</i> var. <i>conspicua</i>	large white fringed orchid
<i>Pycnanthemum torrei</i>	Torrey's mountain mint
<i>Rhynchospora cephalantha</i> var. <i>attenuata</i>	small capitate beakrush
<i>Rhynchospora cephalantha</i> var. <i>pleiocephala</i>	many-headed bunched beakrush
<i>Rhynchospora perplexa</i> var. <i>virginiana</i>	a beakrush
<i>Sabatia campanulata</i>	slender marsh rose-pink
<i>Sarracenia flava</i>	yellow pitcher-plant
<i>Scleria minor</i>	slender nutrush
<i>Sporobolus junceus</i>	purple dropseed
<i>Tetragonotheca helianthoides</i>	pineland squarehead
<i>Tofieldia racemosa</i>	coastal false-asphodel
<i>Xyris difformis</i> var. <i>curtissii</i>	Curtiss' yellow-eyed-grass
<i>Zigadenus glaberrimus</i>	large-flowered camas
Natural Communities	
eastern hemlock forest	
ultramafic barren	
piedmont / mountain bottomland forest	
riverside prairie	
coastal plain / piedmont seepage bog	




Figure 7.12. Northern Coastal Plain Physiographic Province.

Northern Coastal Plain Physiographic Province

Description

The Virginia Coastal Plain consists of a series of terraces sloping downward toward the coast, with each terrace or scarp representing a former shoreline. The Coastal Plain is the youngest physiographic region and consists of sedimentary deposits of sand, clay, marl and shell. In general, the Coastal Plain is characterized by low topographic relief, extensive marshes, and large, tidally influenced rivers. The Northern Coastal Plain Physiographic Province is bounded by the Fall Line to the west and the James River to the south. Topographic relief decreases from west to east and also from north to south. The boundary between the Northern Coastal Plain and the Outer Coastal Plain to the east is not very well defined but generally follows a change

in elevation gradient along the outer terrace of the Northern Neck, the Middle Peninsula and the Lower Peninsula. The Northern Coastal Plain is entirely within the Chesapeake Bay watershed.

Most of the original upland vegetation of the Northern Coastal Plain was cleared for agriculture, and the remaining forests were cut repeatedly. Today, the natural upland vegetation of the Northern Coastal Plain varies from secondary mixed oak/heath forest on the ridges to mixed hardwood forest (beech-oak-tulip poplar) on mesic slopes and ravines. Pines, especially loblolly pine (*Pinus taeda*), are abundant in secondary succession and are also extensively planted. Steep, gravelly bluffs and ravine slopes are often dominated by oak-beech/heath forests with dense undergrowths of mountain-laurel (*Kalmia latifolia*). In very

VIRGINIA DEPARTMENT OF CONSERVATION AND RECREATION

Table 7.29. Conservation site and stream conservation unit summary for the Northern Coastal Plain Physiographic Province.

Type	Count	Total acres	Proportion of conservation site land area protected	Site biodiversity ranks					
				B1	B2	B3	B4	B5	B?
Conservation sites	339	209,775	20%	1	16	54	23	244	1
Stream conservation	9	228	0%	0	1	2	2	4	0
Totals	348	210,003	20%	1	17	56	25	248	1

Table 7.30. Number and status of natural heritage resources found in the Northern Coastal Plain Physiographic Province.

	No. of elements	Element occurrences	Occurrences of federally listed species	Occurrences of state listed species	Occurrences on protected areas
Animals	36	396	334	348	111
Plants	65	228	53	53	108
Communities	21	96	-	-	59
Other	3	8	-	-	7
Totals	125	728	387	401	285

local habitats where streams have downcut into Tertiary shell deposits or limesands, rare mesic and dry calcareous forest communities occur. A great variety of palustrine and estuarine wetlands occupy low-lying habitats of the province. Among the wetland communities of conservation concern are seepage swamps, seepage bogs, Coastal Plain depression ponds, tidal swamp forests and tidal freshwater marshes.

Conservation Site Summary

Current natural heritage data indicate that the Northern Coastal Plain Physiographic Province supports 348 conservation sites and stream conservation units. The combined acreage for these sites is approximately eight percent of the land area of the province. Twenty percent of the land area of these sites is on property currently managed for conservation. Table 7.29 gives an overview of the status of conservation sites and stream conservation units for the province, including their biodiversity rankings.

Natural Heritage Resource Targets

The Northern Coastal Plain Physiographic Province supports approximately 728 occurrences of 125 rare species and significant natural community types. Of these occurrences, 387 represent populations of federally threatened or endangered species and 401 are

state-listed. A summary of these natural heritage resources is provided in Table 7.30. The elements that require immediate attention for inventory, protection and stewardship are listed in Tables 7.31-7.33.




Figure 7.13. Swamp pink (*Helonias bullata*).

VIRGINIA'S PRECIOUS HERITAGE

Table 7.31. Natural heritage resource inventory targets for the Northern Coastal Plain Physiographic Province.

Plants	
<i>Aeschynomene virginica</i>	sensitive joint-vetch
<i>Cypripedium kentuckiense</i>	Kentucky lady's-slipper
<i>Desmodium ochroleucum</i>	creamflower tick-trefoil
<i>Hypericum adpressum</i>	creeping St. John's-wort
<i>Juncus caesariensis</i>	New Jersey rush
<i>Micranthemum micranthemoides</i>	Nuttall's micranthemum
Animals	
<i>Regina rigida</i>	glossy crayfish snake
<i>Myotis austroriparius</i>	southeastern myotis (bat)
<i>Alasmidonta heterodon</i>	dwarf wedgemussel
<i>Alasmidonta varicosa</i>	brook floater
<i>Elliptio lanceolata</i>	yellow lance
<i>Fusconaia masoni</i>	Atlantic pigtoe
<i>Lampsilis cariosa</i>	yellow lampmussel
<i>Crangonyx sp. 5</i>	Lancaster County amphipod
<i>Stygobromus phreaticus</i>	northern Virginia well amphipod
<i>Stygobromus sp. 21</i>	Rappahannock spring amphipod
<i>Enallagma weewa</i>	blackwater bluet
<i>Celithemis ornata</i>	faded pennant
<i>Ladona exusta</i>	white corporal skipper
<i>Problema bulenta</i>	rare skipper
Natural Communities	
coastal plain dry calcareous forest and woodland	
fluvial terrace woodland	
coastal plain / piedmont bottomland forest	
floodplain pond and pool	
coastal plain depression pond	
non-riverine wet hardwood forest	
coastal plain basic seepage swamp	
interdune pond	
tidal shrub swamp	
tidal bald cypress forest and woodland	
tidal hardwood swamp	

Table 7.32. Natural heritage resource protection targets for the Northern Coastal Plain Physiographic Province.

Plants	
<i>Aeschynomene virginica</i>	sensitive joint-vetch
<i>Cypripedium kentuckiense</i>	Kentucky lady's-slipper
<i>Helonias bullata</i>	swamp pink
Natural Communities	
coastal plain dry calcareous forest and woodland	
coastal plain depression pond	
tidal freshwater marsh	

Table 7.33. Natural heritage resource stewardship targets for the Northern Coastal Plain Physiographic Province.

Plants	
<i>Hypericum setosum</i>	a St. John's-wort
<i>Juncus caesariensis</i>	New Jersey rush
<i>Mimosa quadrivalvis</i> var. <i>angustata</i>	little-leaf sensitive-briar
<i>Sabatia campanulata</i>	slender marsh rose-pink
<i>Stachys eplingii</i>	Epling's hedgenettle
Natural Communities	
coastal plain / piedmont seepage bog	




Figure 7.14. Southern Coastal Plain Physiographic Province.

Southern Coastal Plain Physiographic Province

Description

The Southern Coastal Plain is similar to the Northern Coastal Plain in geologic origin and composition but generally exhibits less topographic relief. Virginia's Southern Coastal Plain is bordered by the Fall Line to the west, the James River to the north, the Virginia-North Carolina state line to the south, and the Suffolk scarp to the east. The Suffolk scarp marks the boundary between the Southern Coastal Plain and the Outer Coastal Plain and runs along the western side of the Great Dismal Swamp.

Authors have identified the James River as a natural feature marking the transition between two great vegetational / climatic regions (Braun 1950). The poten-

tial natural vegetation of the Southern Coastal Plain is broadly referred to as the southeastern evergreen forest. Originally, fire-dependent longleaf pine (*Pinus palustris*) and pond pine (*Pinus serotina*) were dominant trees of the more level uplands, with mesophytic hardwoods (beech-oak-hickory) in ravines and a variety of baldcypress-tupelo swamps and other wetland communities in the bottomlands. Today, loblolly pine (*Pinus taeda*) is the dominant upland species, occurring both naturally and on tree farms. Bottomlands are still dominated by baldcypress (*Taxodium distichum*), water tupelo (*Nyssa aquatica*), swamp black gum (*Nyssa biflora*) and other hardwoods. Special, small-patch communities include headwater seepage bogs, calcareous ravine forests, Coastal Plain depression ponds and remnant pine-scrub oak sandhills.

VIRGINIA'S PRECIOUS HERITAGE

Table 7.34. Conservation site and stream conservation unit summary for the Southern Coastal Plain Physiographic Province.

Type	Count	Total acres	Proportion of conservation site land area protected	Site biodiversity ranks				
				B1	B2	B3	B4	B5
Conservation sites	182	150,822	6%	0	9	20	33	120
Stream conservation units	23	400	2%	1	4	3	5	10
Totals	205	151,222	6%	1	13	23	38	130

Table 7.35. Number and status of natural heritage resources found in the Southern Coastal Plain Physiographic Province.

	No. of elements	Element occurrences	Occurrences of federally listed species	Occurrences of state listed species	Occurrences on protected areas
Animals	35	166	83	119	30
Plants	123	338	1	0	56
Communities	14	38	-	-	14
Other	2	2	-	-	2
Totals	174	544	84	119	102

Conservation Site Summary

Current natural heritage data indicate that the Southern Coastal Plain Physiographic Province supports 205 conservation sites and stream conservation units. The combined acreage for these sites is approximately nine percent of the land area of the province. Six percent of the land area of these sites is on property currently managed for conservation. Table 7.34 gives an overview of the status of conservation sites and stream conservation units for the province, including their biodiversity rankings.

Natural Heritage Resource Targets

The Southern Coastal Plain Physiographic Province supports approximately 544 occurrences of 174 rare species and significant natural community types. Of these occurrences, 84 represent populations of federally threatened or endangered species and 119 are state-listed. A summary of these natural heritage resources is provided in Table 7.35. The elements that require immediate attention for inventory, protection and stewardship are listed in Tables 7.36-7.38.

VIRGINIA DEPARTMENT OF CONSERVATION AND RECREATION

Table 7.36. Natural heritage resource inventory targets for the Southern Coastal Plain Physiographic Province.

Plants	
<i>Desmodium ochroleucum</i>	creamflower tick-trefoil
<i>Juncus caesariensis</i>	New Jersey rush
<i>Pycnanthemum clinopodioides</i>	basil mountain-mint
<i>Rudbeckia heliopsisidis</i>	sun-facing coneflower
<i>Schwalbea americana</i>	chaffseed
<i>Scirpus flaccidifolius</i>	reclining bulrush
<i>Sida elliotii</i>	Elliott sida
<i>Tridens chapmanii</i>	Chapman's redtop
Animals	
<i>Bufo quercicus</i>	oak toad
<i>Deirochelys reticularia</i>	chicken turtle
<i>Picoides borealis</i>	Red-cockaded Woodpecker
<i>Myotis austroriparius</i>	southeastern myotis (bat)
<i>Alasmidonta heterodon</i>	dwarf wedgemussel
<i>Elliptio lanceolata</i>	yellow lance
<i>Elliptio roanokensis</i>	Roanoke slabshell
<i>Fusconaia masoni</i>	Atlantic pigtoe
<i>Lampsilis cariosa</i>	yellow lampmussel
<i>Caecidotea attenuatus</i>	Dismal Swamp isopod
<i>Caecidotea phreatica</i>	phreatic isopod
<i>Siphonoplecton costalense</i>	Spieth's great speckled olive mayfly
<i>Enallagma weewa</i>	blackwater bluet
<i>Epitheca costalis</i>	stripe-winged baskettail
<i>Epitheca semiaquea</i>	mantled baskettail
<i>Epitheca spinosa</i>	robust baskettail
<i>Chlorochroa dismalia</i>	Dismal Swamp green stink bug
<i>Cicindela abdominalis</i>	orange-bellied tiger beetle
<i>Cicindela gratiosa</i>	a tiger beetle
<i>Calephelis virginianensis</i>	little metalmark
<i>Callophrys hesseli</i>	Hessel's hairstreak
<i>Problema bulenta</i>	rare skipper
<i>Papaipema sp. 3</i>	southeastern cane borer moth
Natural Communities	
basic mesic forest	
coastal plain dry calcareous forest and woodland	
fluvial terrace woodland	
coastal plain / piedmont bottomland forest	
floodplain pond and pool	
coastal plain depression pond	
non-riverine wet hardwood forest	
coastal plain basic seepage swamp	
streamhead pocosin	
tidal shrub swamp	
tidal bald cypress forests and woodland	
tidal hardwood swamp	

Table 7.37. Natural heritage resource protection targets for the Southern Coastal Plain Physiographic Province.

Plants	
<i>Chrysopsis gossypina</i>	cottony golden-aster
<i>Eleocharis melanocarpa</i>	black-fruited spikerush
<i>Eleocharis tricostata</i>	Robbins spikerush
Animals	
<i>Ambystoma maybeei</i>	Mabee's salamander
<i>Ambystoma tigrinum</i>	tiger salamander
<i>Hyla gratiosa</i>	barking treefrog
<i>Deirochelys reticularia</i>	chicken turtle
Natural Communities	
coastal plain depression pond	
coastal plain / piedmont seepage bog	
streamhead pocosin	

Table 7.38. Natural heritage resource stewardship targets for the Southern Coastal Plain Physiographic Province.

Plants	
<i>Aletris aurea</i>	golden colicroot
<i>Buchnera americana</i>	blue-hearts
<i>Calamovilfa brevipilis</i> var. <i>calvipes</i>	pine barrens reedgrass
<i>Cirsium virginianum</i>	Virginia thistle
<i>Cleistes divaricata</i>	spreading pogonia
<i>Coelorachis rugosa</i>	wrinkled jointgrass
<i>Ctenium aromaticum</i>	toothache grass
<i>Desmodium tenuifolium</i>	slim-leaf tick-trefoil
<i>Dichantherium consanguineum</i>	blood panic grass
<i>Dichantherium strigosum</i>	rough-hair panic grass
<i>Eriocaulon decangulare</i>	ten-angle pipewort
<i>Eryngium yuccifolium</i> var. <i>yuccifolium</i>	rattlesnake-master
<i>Gentiana autumnalis</i>	pine-barren gentian
<i>Helenium brevifolium</i>	shortleaf sneezeweed
<i>Hypericum setosum</i>	a St. John's-wort
<i>Lachnocaulon anceps</i>	bog-buttons
<i>Lilium catesbaei</i> var. <i>longii</i>	southern red lily
<i>Ludwigia ravenii</i>	Raven's seedbox
<i>Pediomelum canescens</i>	hoary scurfpea
<i>Platanthera blephariglottis</i> var. <i>conspicua</i>	large white fringed orchid
<i>Prenanthes autumnalis</i>	slender rattlesnake-root
<i>Rhexia petiolata</i>	ciliate meadow-beauty
<i>Rhynchospora cephalantha</i> var. <i>attenuata</i>	small capitate beakrush
<i>Rhynchospora debilis</i>	savannah beakrush
<i>Rhynchospora fascicularis</i> var. <i>distans</i>	fasciculate beakrush
<i>Rhynchospora perplexa</i> var. <i>virginiana</i>	a beakrush
<i>Sabatia campanulata</i>	slender marsh rose-pink
<i>Saccharum brevibarbe</i> var. <i>brevibarbe</i>	short-beard plumegrass
<i>Sarracenia flava</i>	yellow pitcher-plant
<i>Solidago gracillima</i>	southern bog goldenrod
<i>Trichostema setaceum</i>	narrow-leaved blue-curls
<i>Xyris platylepis</i>	tall yellow-eyed-grass
<i>Zigadenus densus</i>	dense-flowered camas
Animals	
<i>Picoides borealis</i>	Red-cockaded Woodpecker
Natural Communities	
non-riverine pine – hardwood forests	
coastal plain / piedmont seepage bogs	



Figure 7.15. Red-cockaded Woodpecker (*Picoides borealis*).




Figure 7.16. Outer Coastal Plain Physiographic Province.

Outer Coastal Plain Physiographic Province

Description

Virginia's Outer Coastal Plain encompasses the Eastern Shore, the outer terrace of the Northern Neck and the Middle and Lower Peninsulas, and lands east of the Suffolk Scarp in the southeast corner of the state. Unlike the higher and more dissected Northern and Southern Coastal Plain provinces, the Outer Coastal Plain has virtually no topographic relief and is dominated by flat-lying forests, salt marshes, barrier islands, beaches and dunes of the Chesapeake Bay and Atlantic Coast.

The natural vegetation types of the Outer Coastal Plain vary widely across the province, dependent largely upon the proximity to the shore, tidal influences and other hydrologic regimes. Maritime upland

forests of the Chesapeake Bay and Eastern Shore are dominated by loblolly pine (*Pinus taeda*) or, on sheltered back dunes, by loblolly pine and deciduous oaks (*Quercus* spp.). Similar forests of Back Bay and the Atlantic shore are characterized by loblolly pine and live oak (*Quercus virginiana*). Occurring throughout the province and dominating the region around the Great Dismal Swamp are non-riverine wetland forests occupying large, saturated to seasonally flooded terraces. Tidal salt marshes border much of the Chesapeake Bay and its tributaries, as well as the areas between the barrier islands and the mainland of the Eastern Shore. High-energy beaches and coastal dunes form the eastern-most edge of the province along the Atlantic shore. Some notable rare communities of the province include Atlantic white cedar swamps, pocosins, wind-tidal marshes, interdune ponds and sea-level fens.

VIRGINIA'S PRECIOUS HERITAGE

Table 7.39. Conservation site and stream conservation unit summary for the Outer Coastal Plain Physiographic Province.

Type	Count	Total acres	Proportion of conservation site land area protected	Site biodiversity ranks				
				B1	B2	B3	B4	B5
Conservation sites	231	382,587	23%	0	26	33	34	138
Stream conservation units	2	35	11%	0	0	0	1	1
Totals	233	382,622	23%	0	26	33	35	139

Table 7.40. Number and status of natural heritage resources found in the Outer Coastal Plain Physiographic Province.

	No. of elements	Element occurrences	Occurrences of federally listed species	Occurrences of state listed species	Occurrences on protected areas
Animals	62	544	300	266	261
Plants	88	241	1	2	178
Communities	38	115	-	-	85
Other	2	39	-	-	23
Totals	190	939	301	268	547

Conservation Site Summary

Current natural heritage data indicate that the Outer Coastal Plain Physiographic Province supports 233 conservation sites and stream conservation units. The combined acreage for these sites is approximately 22 percent of the land area of the province. Twenty-three percent of the land area of these sites is on property currently managed for conservation. Table 7.39 gives an overview of the status of conservation sites and stream conservation units for the province, including their biodiversity rankings.

Natural Heritage Resource Targets

The Outer Coastal Plain Physiographic Province supports approximately 939 occurrences of 190 rare species and significant natural community types. Of these occurrences, 301 represent populations of federally threatened or endangered species and 268 are state-listed. A summary of these natural heritage resources is provided in Table 7.40. The elements that require immediate attention for inventory, protection and stewardship are listed in Tables 7.41-7.43.




Figure 7.17. Piping Plover (*Charadrius melodus*).

VIRGINIA DEPARTMENT OF CONSERVATION AND RECREATION

Table 7.41. Natural heritage resource inventory targets for the Outer Coastal Plain Physiographic Province.

Plants	
<i>Amaranthus pumilus</i>	seabeach amaranth
<i>Polygonum glaucum</i>	sea-beach knotweed
<i>Tridens chapmanii</i>	Chapman's redbtop
Animals	
<i>Regina rigida</i>	glossy crayfish snake
<i>Laterallus jamaicensis</i>	Black Rail
<i>Myotis austroriparius</i>	southeastern myotis (bat)
<i>Sylvilagus floridanus hitchensi</i>	Smith Island cottontail
<i>Caecidotea attenuatus</i>	Dismal Swamp isopod
<i>Epitheca costalis</i>	stripe-winged baskettail
<i>Epitheca semiaquea</i>	mantled baskettail
<i>Epitheca spinosa</i>	robust baskettail
<i>Chlorochroa dismalia</i>	Dismal Swamp green stink bug
<i>Calephelis virginiensis</i>	little metalmark
<i>Callophrys hesseli</i>	Hessel's hairstreak
<i>Euphyes pilatka</i>	saw-grass skipper
<i>Problema bulenta</i>	rare skipper
<i>Apamea sp. 1</i>	a noctuid moth
<i>Papaipema sp. 3</i>	southeastern cane borer moth
Natural Communities	
maritime dune woodland	
maritime evergreen forest	
coastal plain / piedmont bottomland forest	
floodplain ponds and pool	
coastal plain depression pond	
non-riverine wet hardwood forest	
maritime swamp forest	
interdune pond	
estuarine fringe pine forest	
tidal freshwater marsh	
tidal shrub swamp	
tidal bald cypress forest and woodland	
tidal hardwood swamp	
estuarine fringe swamp forest	
salt flat	

Table 7.42. Natural heritage resource protection targets for the Outer Coastal Plain Physiographic Province.

Plants	
<i>Eleocharis equisetoides</i>	horse-tail spikerush
<i>Eriocaulon aquaticum</i>	seven-angled pipewort
<i>Nymphoides aquatica</i>	big floating-heart
Animals	
<i>Charadrius melodus</i>	Piping Plover
<i>Crotalus horridus atricaudatus</i>	canebrake rattlesnake
<i>Cicindela dorsalis dorsalis</i>	northeastern beach tiger beetle
Natural Communities	
maritime dune woodland	
maritime mixed forest	
coastal plain depression pond	
sea-level fen	
tidal freshwater marsh	

Table 7.43. Natural heritage resource stewardship targets for the Outer Coastal Plain Physiographic Province.

Plants	
<i>Amphicarpum purshii</i>	blue maiden-cane
<i>Helianthemum propinquum</i>	low frostweed
<i>Pycnanthemum setosum</i>	awned mountain-mint
<i>Rhynchospora cephalantha</i> var. <i>pleiocephala</i>	many-headed bunched beakrush
Natural Communities	
non-riverine pine – hardwood forest	
coastal plain / piedmont seepage bog	
pond pine woodland and pocosin	
sea-level fen	

Chapter 8

Biodiversity Conservation Goals for the Next Decade

As documented throughout *Virginia's Precious Heritage*, Virginia is extremely rich in its diversity of life. The state's rare plants, animals and natural communities are declining but highly valued components of our native flora and fauna. Their condition serves as a direct measure of changes in the natural landscape and a barometer of the condition of open space across the state. Many of Virginia's elements of biodiversity have national or even international significance.

For example, the maritime resources of Virginia's sea-side and Chesapeake Bay and the migratory neo-tropical songbird corridor on the Eastern Shore are systems vital to life throughout the western hemisphere. The rich slope forests and limestone barrens along the upper Tennessee River system in southwest Virginia are vitally important to the nationally significant mussel diversity and other freshwater fauna found there. Furthermore, protecting the plants, animals and natural communities found only in Virginia is only Virginia's responsibility. If not protected here, they will vanish from the earth.

Virginia ranks 12th in the United States for the number of native plant and animal species, and Virginia is second in the nation for the number of dragonfly species. The leading hotspot of aquatic diversity in the United States is found in the mist-shrouded Appalachian Mountains of southwestern Virginia. Virginians have inherited a tremendous wealth of natural resources, and with it a tremendous responsibility to pass on to future generations the same treasure chest of life.

The quality of life enjoyed by Virginia residents is directly tied to the quality of natural resources. Virginia ranked fourth in the nation in 2002 for being the most livable state, as rated by Morgan Quitno Press. Virginia has millions of acres of beautiful mountains, rivers and beaches and offers abundant outdoor opportunities in its many local, state, federal and privately protected parks, forests and natural areas. People gain great satisfaction by visiting healthy forests and clean rivers for bird watching, hiking, wildflower viewing, camping, hunting, fishing and other outdoor activities. An equal or greater number also benefit on a daily basis by simply knowing those resources are close at hand when they want to experience them.

Virginia's diversity of life and the outdoor opportunities are outstanding, however the challenges these resources and the current generation face are greater. Virginia is the eighth state in the nation for plant and animal extinctions. Recent analysis by the Virginia Department of Forestry and the U.S.D.A. National Resources Inventory show Virginia losing forestland at a rate of 49,000 acres per year, and developed land increasing at a rate of 52,200 acres per year. Alien in-

vasive species are the second leading threat to natural diversity. The best conservative estimate of costs to Virginians of alien invasive species is \$1.4 - \$3 billion per year. [Pimentel, D. et al. 2000. Environmental and Economic costs associated with non-indigenous species in the United States. *Bioscience* 50(1) 53-65 (15 Dec. 2000).] They threaten two-thirds of all endangered species, and literally know no boundaries. Invasive species such as garlic mustard, common reed, kudzu, Japanese stilt grass, Japanese honeysuckle, tree-of-heaven and many more have decimated Virginia's floodplains, forests and grasslands.

While natural resource land is being converted at a significant rate, there is strong citizen support for land conservation. A 2001 poll conducted by The Tarrance Group and The Kitchens Group found that 89% of Virginia's voters rate open space conservation a top priority, and that 82% of those polled believe that Virginia's natural areas soon will be lost forever unless there is immediate action to save them. In November 2002, 69% of the voters approved the \$119 million Park and Natural Areas General Obligation Bond Referendum.

With such strong public support, Virginia can successfully protect its biological diversity. The following are some key goals that, if achieved, will help secure Virginia's rich natural heritage for future generations.

Goal 1: Secure a broad-based stable funding source for land conservation

A critical element in protecting land and the resources it supports is public funding for land conservation. Virginia has never had a dedicated and reliable state funding source for land conservation, and the state trails its East Coast neighbors. North Carolina devotes nearly \$60 million annually to conservation efforts. In December 1999, Pennsylvania approved a five-year legislative package that will provide \$645.9 million for natural resource protection and enhanced recreational opportunities. The Maryland state expenditure for public land preservation totaled more than \$300 million for fiscal years 1992 through 1999. During the same eight-year period, Virginia expended \$23.5 million in state funds, about eight percent of the Maryland total, for public land preservation efforts

(Chesapeake Bay Commission and Trust for Public Land, 2001). Some steps to achieve this goal include:

- ◆ Fully fund the Virginia Land Conservation Foundation. In 1992, the Commonwealth established this foundation, a citizen appointed board whose mission is to serve as a coordinating and planning body for state land conservation interests and as a vehicle for state funding for a variety of related purposes. To date, the Virginia Land Conservation Foundation has awarded more than \$10.5 million in state grants (matched by recipients) and protected an estimated 9,157 acres. Unfortunately, the foundation has not received any state funding for the last few years. When available, monies allocated to the foundation are spent according to the following formula: 25% is transferred to the Virginia Outdoors Foundation for providing landowner assistance grants and the remaining 75% is divided equally among (i) natural area protection; (ii) open spaces and parks; (iii) farmlands and forest preservation; and (iv) historic area preservation. At least one-third must be used to secure easements to be held or co-held by a public body.
- ◆ Enhance the awareness of and delivery of conservation tools and tax incentives for private landowners who voluntarily conserve priority conservation sites or manage their land to benefit rare species and natural communities.
- ◆ Expand efforts to encourage donations to the Conservation and Recreation Open Space tax check-off and Natural Area Preservation Fund to enhance natural area conservation efforts by localities and DCR.

Goal 2: Expand the existing network of conservation lands

Many of Virginia's rare species and significant community types are only known to exist on unprotected lands and probably very few of the other rarities have enough protected habitat to sustain them far into the future. Therefore all of the Commonwealth's partners in land conservation must work together to protect more vital habitat. And because not all elements of

biodiversity can be protected on a species-by-species basis, a special focus should be given to protecting healthy sustainable examples of all Virginia's natural community types. Some steps to achieve this goal include:

- ◆ Secure natural area preserve dedication and administrative public land designations for 200 high priority natural areas across Virginia by 2006.
- ◆ Inform and promote land conservation at the local government level to meet the ever-increasing demand for open space lands.
- ◆ Encourage increased investment in land protection by private conservation organizations.

Goal 3: Target conservation actions on the best opportunities and measure success of land conservation efforts

When Virginia moves forward with land conservation, it should have in place an objective, science-based analysis tool using the best statewide data currently available, or that can be developed in the next 12-18 months. This system would rank resources according to their ecosystem values, vulnerability, geographic distribution, and their relationship to resource-based land uses that have been identified in the Virginia Land Conservation Foundation Act as needing increased conservation attention. Statewide data would be collected or generated for resource types such as natural heritage conservation areas; significant viewsheds, greenways and conservation corridors; under-represented natural communities; large relatively-unfragmented landscape areas; natural floodplains and riparian forests; surface waters; functional wetlands; natural resource-based recreation lands; significant archaeological and historic lands; sustainable forest lands; and significant agricultural lands. The geographic data for these resource types would be compared with existing public conservation lands and proposed conservation land acquisition projects to evaluate the protection status of these resource types and to guide decisions about future land conservation efforts. Such a system could be expanded from a project currently being developed by DCR called the Virginia

Conservation Lands Assessment. (See the sidebar on Virginia Conservation Lands Assessment in Chapter 1.) Proposed outcomes of this assessment are:

- ◆ Provide baselines which inform overall land conservation priorities and are a starting point to measure future progress.
- ◆ Identify priority lands to meet current conservation needs.
- ◆ Identify lands that meet multiple conservation goals.
- ◆ Provide a continuous monitoring mechanism for re-evaluation of conservation needs.
- ◆ Clearly and continuously track and document the progress of the Virginia Land Conservation Foundation.

Goal 4: Enhance natural resource information and expand public awareness and understanding of natural resource conservation

Increasing the public's awareness and understanding of natural resources is essential for protecting biodiversity. This can be achieved, in part, by enhancing natural heritage resource information and making it available to more people. Some steps to help reach this goal include:

- ◆ Enhance and expand plant, animal and natural community inventory efforts across Virginia. There remains much to learn and the time to find and conserve these precious resources is rapidly dwindling.
- ◆ Work with localities to complete natural area inventories in regions of Virginia with high concentrations of natural heritage resources and/or high levels of threat. Such inventories will assist localities in their comprehensive planning and protection of natural areas.
- ◆ Enhance awareness of the importance of establishing natural areas to meet the needs of citizens.
- ◆ Create natural area conservation site information layers, which can be made available in a safe and in-

formed manner to public and private conservation agencies and organizations at the local, regional and state level.

- ◆ Expand types of natural heritage information available to users via the Internet.
- ◆ Increase public awareness of significant karst (limestone regions with underground streams, sinkholes, and caves) features harboring natural heritage resources.
- ◆ Continue and enhance cooperation with the Virginia Department of Game and Inland Fisheries for efficient collection, exchange, and dissemination of information about Virginia's biological resources.

These are ambitious goals, outlining a path for the conservation of Virginia's precious natural heritage. Virginia can be successful if individuals, organizations and agencies work together, to put these goals into action and apply their collective conservation knowledge to today's conservation problems and challenges. Then, with open minds they should evaluate successes and failures, adjusting future actions accordingly. Considering the immense value of Virginia's natural heritage much will be lost if no action is taken now. Virginia must succeed for the sake of present and future generations.

Goal 5: Promote more biodiversity-friendly resource management

Maintaining Virginia's biodiversity requires protecting core significant natural areas and managing them appropriately. It must also include a broad range of conservation practices, land uses and management practices on public and private lands that make up the matrix of Virginia's natural and semi-natural landscape. Some steps to help achieve this goal include:

- ◆ Provide natural heritage resource management assistance to public and private land managers and owners with natural heritage resources on their properties and to DCR natural areas.
- ◆ Write and implement management plans for public lands that set priorities for biodiversity conservation, expand the use of such common practices as prescribed burning, and provide alternative sites for conflicting land use issues.
- ◆ Focus greater efforts on managing invasive alien species. These should include determining their distribution, status and effective control measures, and increasing public agency and private organizations' efforts to combat what has become a clear and present danger to native habitats throughout Virginia.

Appendix A

Glossary

biodiversity (also called biological diversity): the full variety of species and habitats, their variability, and the processes affecting them

conservation site: an area that includes one or more viable occurrences of natural heritage resources and the land believed necessary to sustain them

conservation easement: a legal agreement recorded with the property deed that allows landowners to retain ownership while protecting land in perpetuity by agreeing to permanently restrict certain uses of the property

dedicated natural area: a natural area that has been formally placed into Virginia's Natural Area Preserve System; most dedicated natural areas are owned by the Virginia Department of Conservation and Recreation, but some are owned by other entities

dedication (natural area dedication): the strongest protection tool available for natural areas, which involves the recording of a legally binding agreement that states the intended use, management and development of the property, and designates oversight of these conditions to DCR; the landowner may elect to retain ownership, as well as the right to sell or transfer the property, but relinquishes specific rights to use the land in ways that are incompatible with the conservation goal of perpetuating occurrences of natural heritage resources

element: the individual natural heritage resource monitored by a natural heritage program; elements include native plant and animal species, natural community types, significant caves and

other significant biological and geological features

element occurrence: single unit of a natural heritage resource; a specific location where a species' population or a natural community stand occurs

exotic species: also known as alien, non-native or non-indigenous species; species intentionally or accidentally introduced by human activity into a region in which they did not naturally occur

extirpated: no longer occurring in the wild within a specified region (e.g., extirpated from Virginia)

extinct: no longer occurring anywhere

Geographic Information System (GIS): a computer system capable of capturing, organizing, analyzing and displaying geographically referenced information

invasive species: a species which rapidly populates new areas and displaces other species; most invasive species are exotic and may spread unchecked by natural controls such as disease, predation and competition

karst: a landscape characterized by sinkholes, sinking streams, springs, and caves that have formed in areas where mildly acidic groundwater has dissolved soluble rocks such as limestone, dolostone, marble or gypsum

natural area: any area of land, water, or both land and water, whether publicly or privately owned, that retains or has reestablished its natural character, though it need not be completely natural and undisturbed; or which is important in preserving rare or vanishing flora, fauna, native ecological systems, geological, natural, historical, scenic or similar features of scientific or educational value benefiting the citizens of the Commonwealth (from *Code of Virginia*)

Natural Area Preserve System: the statewide network of dedicated natural areas

natural community: an assemblage of co-existing, interacting species, considered together with the physical environment and associated ecological processes, that has undergone minimal human disturbance

Natural Heritage Network: an international association of natural heritage programs dedicated to gathering, organizing and distributing high quality biodiversity information

Natural Heritage Plan: a statewide action plan for the protection, acquisition, and management of natural areas as mandated in the *Code of Virginia*

natural heritage resources: the habitat of rare, threatened, or endangered plant and animal species, rare or state significant natural communities or geological sites, and similar features of scientific interest benefiting the welfare of the citizens of the commonwealth (from *Code of Virginia*)

physiographic province: a large land area that shares common geologic history, landform and soil types

stewardship: long-term management of land to maintain or enhance natural heritage resources and conserve regional biodiversity

stream conservation unit (SCU): a section of a waterway with one or more viable occurrences of natural heritage resources and all stretches of that waterway and its tributaries for two miles upstream and one mile downstream from the known extent of the occurrence

Virginia Registry of Natural Areas: a non-binding, non-regulatory program that encourages voluntary preservation of important natural lands in private and public ownership; this program recognizes property owners who act voluntarily to safeguard natural areas

Virginia Natural Area Preserves Act

Code of Virginia

Article 3.

Virginia Natural Area Preserves Act.

§ 10.1-209. Definitions. – Whenever used or referred to in this article, unless a different meaning clearly appears from the text:

"*Fund*" means the Natural Area Preservation Fund.

"*Dedication*" means the transfer to the Commonwealth of an estate, interest, or right in a natural area by any manner authorized in § 10.1-213. "*Instrument of dedication*" means any written document by which an estate, interest, or right in a natural area conveys formal dedication as a natural area preserve pursuant to the provisions of § 10.1-213.

"*Natural area*" means any area of land, water, or both land and water, whether publicly or privately owned, that retains or has reestablished its natural character, though it need not be completely natural and undisturbed; or which is important in preserving rare or vanishing flora, fauna, native ecological systems, geological, natural historical, scenic or similar features of scientific or educational value benefiting the citizens of the Commonwealth.

"*Natural area preserve*" means a natural area that has been dedicated pursuant to § 10.1-213.

"*Natural heritage resources*" means the habitat of rare, threatened, or endangered plant and animal species, rare or state significant natural communities or geologic sites, and similar features of scientific interest benefiting the welfare of the citizens of the Commonwealth.

"*Program*" means the Virginia Natural Heritage Program.

"*Owner*" means any individual, corporation, partnership, trust or association, and all governmental units except the state, its department, agencies or institutions.

"*Registry*" means an agreement between the Director and the owner of a natural area to protect and

manage the natural area for its specified natural heritage resource values.

"*System*" means the state system of natural area preserves established under § 10.1-214. (1989, c. 553.)

§ 10.1-210. Additional powers of the Department. – In addition to other powers conferred by law and subject to the provisions of this article, the Department shall have the power, which may be delegated by the Director:

1. To establish criteria for the selection, registration and dedication of natural areas and natural area preserves.
2. To purchase, lease or otherwise acquire in the name of the Commonwealth, using moneys from the Natural Area Preservation Fund, lands suitable for natural area preserves.
3. To acquire by gift, devise, purchase, or otherwise, absolutely or in trust, and to hold and, unless otherwise restricted by the terms of a gift or devise, to encumber, convey or otherwise dispose of, any real property, any estate or interests therein, or products on or derived from such real property, as may be necessary and proper in carrying into effect the provisions of this article.
4. To accept, hold and administer gifts and bequests of money, securities, or other property, absolutely or in trust, made for purposes of this article. Unless otherwise restricted by the terms of the gift or bequest, the Department may sell, exchange or otherwise dispose of such money, securities or other property given or bequeathed to the Department. The principal of such funds, together with the income and all revenues derived therefrom, shall be placed in the Natural Area Preservation Fund. (1989, c. 553.)

§ 10.1-211. Additional duties of the Department. – In addition to other duties conferred by law, the Department shall, subject to the provisions of this article:

1. Preserve the natural diversity of biological resources of the Commonwealth.
2. Maintain a Natural Heritage Program to select and nominate areas containing natural heritage resources for registration, acquisition, and dedication of natural areas and natural area preserves.
3. Develop and implement a Natural Heritage Plan that shall govern the Natural Heritage Program in the creation of a system of registered and dedicated natural area preserves.
4. Publish and disseminate information pertaining to natural areas and natural area preserves.
5. Grant permits to qualified persons for the conduct of scientific research and investigations within natural area preserves.
6. Provide recommendations to the Commissioner of the Department of Agriculture and Consumer Services and to the Board of Agriculture and Consumer Services on species for listing under the Virginia Endangered Plant and Insect Act, prior to the adoption of regulations therefor.
7. Provide recommendations to the Executive Director of the Department of Game and Inland Fisheries and to the Board of Game and Inland Fisheries on species for listing under the Virginia Endangered Species Act, prior to the adoption of regulations therefor.
8. Cooperate with other local, state and federal agencies in developing management plans for real property under their stewardship that will identify, maintain and preserve the natural diversity of biological resources of the Commonwealth.
9. Provide for management, development and utilization of any lands purchased, leased or otherwise acquired and enforce the provisions of this article governing natural area preserves, the stewardship thereof, the prevention of trespassing thereon, or other actions deemed necessary to carry out the provisions of this article. (1989, c. 553.)

§ 10.1-212. Virginia Natural Heritage Program. – A. The Virginia Natural Heritage Program is hereby established and shall be administered by the Department.

B. For purposes of this Program the Department shall:

1. Produce an inventory of the Commonwealth's natural heritage resources, including their location and ecological status.
2. Maintain a natural heritage data bank of inventory data and other relevant information for ecologically significant sites supporting natural heritage resources. Information from this data bank will be made available to public agencies and may be made available to private institutions or individuals for environmental assessment and land management purposes.
3. Develop a Natural Heritage Plan which establishes priorities for the protection, acquisition and management of registered and dedicated natural areas and natural area preserves.

C. The Program shall include other functions as may be assigned by the Director for the registration, dedication, protection and stewardship of natural areas and natural area preserves.

(1989, c. 553.)

§ 10.1-213. Dedication of natural area preserves. –

A. The Director may, in the name of the Department, accept the dedication of natural areas on lands deemed by the Director to qualify as natural area preserves under the provisions of this article. Natural area preserves may be dedicated by voluntary act of the owner. The owner of a qualified natural area may transfer fee simple title or other interest in land to the Commonwealth. Natural area preserves may be acquired by gift, grant, or purchase.

B. Dedication of a natural preserve shall become effective only upon acceptance of the instrument of dedication by the Director.

C. The instrument of dedication may:

1. Contain restrictions and other provisions relating to management, use, development, transfer, and public access, and may contain any other restrictions and provisions as may be necessary or advisable to further the purposes of this article;
2. Define, consistently with the purposes of this article, the respective rights and duties of the owner

and of the Commonwealth and provide procedures to be followed in case of violations of the restrictions;

3. Recognize and create reversionary rights, transfers upon conditions or with limitations, and gifts over; and

4. Vary in provisions from one natural area preserve to another in accordance with differences in the characteristics and conditions of the the several areas.

D. Public departments, commissions, boards, counties, municipalities, corporations, colleges, universities and all other agencies and instrumentalities of the Commonwealth and its political subdivisions are empowered to dedicate suitable areas within their jurisdiction as natural area preserves.

E. Subject to the approval of the Governor, the Commonwealth may enter into amendments to the instrument of dedication upon finding that the amendment will not permit an impairment, disturbance, use, or development of the area inconsistent with the provisions of this article. If the fee simple estate in the natural area preserve is not held by the Department under this article, no amendment may be made without the written consent of the owner of the other interests therein. (1989, c. 553.)

§ 10.1-214. Virginia natural area preserves system established. – A state system of natural area preserves is hereby established and shall be called the Virginia Natural Area Preserves System. The system shall consist of natural area preserves dedicated as provided in § 10.1-213. Once dedicated, a natural area preserve shall be managed in a manner consistent with continued preservation of the natural heritage resources it supports. (1989, c. 553.)

§ 10.1-215. Establishment of fund. – A. A fund consisting of general fund appropriations, gifts, bequests and devises known as the Natural Area Preservation Fund is hereby established.

B. Any funds remaining in such fund at the end of the biennium, including all appropriations, gifts, bequests and devises, and interest accruing thereon, shall not revert to the General Fund but shall remain in the Natural Area Preservation Fund. (1989, c. 553.)

§ 10.1-216. Natural area registry. – A. The Department shall maintain a state registry of voluntarily protected natural areas to be called the Virginia Registry of Natural Areas. Registration of natural areas shall be accomplished through voluntary agreement between the owner of the natural area and the Director. State-owned lands may be registered by agreement with the agency to which the land is allocated. Registry agreements may be terminated by either party at any time, and upon such termination the area shall be removed from the registry.

B. A natural area shall be registered when an agreement to protect and manage the natural area for its specified natural heritage resource has been signed by the owner and the Director. The owner of a registered natural area shall be given a certificate signifying the inclusion of the area in the registry. (1989, c. 553.)

§ 10.1-217. Gifts, devises and bequests. – Gifts, devises or bequests, whether personal or real property, and the income derived therefrom, accepted by the Director, shall be deemed as gifts to the Commonwealth, which shall be exempt from all state and local taxes, and shall be regarded as the property of the Commonwealth for the purposes of all tax laws. (1989, c. 553.)

Appendix C

Natural Heritage Program Publications and Technical Reports

Peer-reviewed Publications

In the course of their conservation work, Natural Heritage Program scientists research a wide range of subjects in natural history. Some of these investigations produce data of interest to the scientific community, from the range of a dragonfly to the composition of prairie vegetation at Buffalo Mountain. To share the most significant research with the scientific community, staff biologists publish work in many peer-reviewed publications. There is limited time for publishing work through the office and many staff members will work nights and weekends to gather data and write-up results. Below is a list of the peer-reviewed papers and publications produced by Natural Heritage Program scientists and their co-authors. These are grouped by year of publication.

1987

Lipford, M. L., G. D. Rouse, and C. A. Clampitt. 1987. The Virginia Natural Heritage Program: monitoring rare species and communities. *Virginia Journal of Science* 38(4): 388-398.

1989

Buhlmann, K. A. 1989. Field notes: *Crotalus horridus atricaudatus* (Canebrake Rattlesnake). *Catesbeiana* 9(2): 34.

Buhlmann, K. A., and C. A. Pague. 1989. Field notes: *Hemidactylum scutatum* (Four-toed Salamander). *Catesbeiana* 9(2): 33.

Buhlmann, K. A., C. A. Pague, and J. C. Mitchell. 1989. Field notes: *Deirochelys reticularia reticularia* (Eastern Chicken Turtle). *Catesbeiana* 9(2): 35-36.

Lipford, M. L. 1989. The status of freshwater mussels (Unionidae) of Virginia. *Sterkiana* 72: 27-31.

Ludwig, J.C. 1989. The biological and legal status of Virginia's rare and uncommon vascular plants. *Jeffersonia* 20: 1-18.

1990

Buhlmann, K. A., and R. L. Hoffman. 1990. Geographic distribution: *Ambystoma tigrinum tigrinum* (Eastern Tiger Salamander). *Herpetological Review* 21(2):36.

1991

Buhlmann, K. A. 1991. Field notes: *Siren lacertina* (Greater Siren). *Catesbeiana* 11(1):19-20.

Buhlmann, K. A. 1991. Field notes: *Ambystoma mabeei* (Mabee's Salamander). *Catesbeiana* 11(1):20.

Buhlmann, K. A., and M. S. Hayslett. 1991. Herpetofauna of Chippokes Plantation State Park. *Catesbeiana* 11(2): 33-34.

Clampitt, C. A. 1991. White Mandarin, *Streptopus amplexifolius* (Linnaeus) DeCandolle. Pp. 435-436 in K. Terwilliger (coord.). Virginia's Endangered Species. McDonald and Woodward Publishing Company, Blacksburg, Virginia

Clampitt, C. A. 1991. The upland plant communities of Seashore State Park, Virginia Beach, Virginia. *Virginia Journal of Science* 42(4): 419-436.

- Gourley, E. V., and C. A. Pague. 1991. Shovel-nosed Salamander, *Leurognathus marmoratus* Moore. Pp. 435-436 in K. Terwilliger (coord.). Virginia's Endangered Species. McDonald and Woodward Publishing Company, Blacksburg, Virginia.
- Lipford, M. L. 1991. Elephant-ear, *Elliptio crassidens* (Lamarck) Pp. 271-272, Sheepnose, *Plethobasus cyphus* (Rafinesque) Pp. 280-281, Fanshell, *Cyprogenia stegaria* (Rafinesque) Pp. 291-292, Black Sandshell, *Ligumia recta* (Lamarck) Pp. 302-303, Deertoe, *Truncilla truncata* (Rafinesque) Pp. 304-305 in K. Terwilliger (coord.). Virginia's Endangered Species. McDonald and Woodward Publishing Company, Blacksburg, Virginia.
- Ludwig, J. C. 1991. Epiphytic Sedge, *Carex decomposita* Muhlenberg Pp. 71-72, Toothed Sedge, *Cyperus dentatus* Torrey Pp. 74-75, Black-fruited Spikerush, *Eleocharis melanocarpa* Torrey Pp. 77-78, Robbins' Spikerush, *Eleocharis robbinsii* Oakes Pp. 78-79, Pine Barren Rush, *Juncus arborescens* Chapman Pp. 84-85, Bog Rose, *Arethusa bulbosa* Linnaeus Pp. 90-91, White Fringed Orchid, *Habenaria blephariglottis* (Willdenow) Hooker Pp. 92-93, Large-leaf Grass-of-Parnassus, *Parnassia grandifolia* DeCandolle Pp. 14-115, Carolina Lilaeopsis, *Lilaeopsis carolinensis* Linnaeus Pp. 134-135, Fringed Gentian, *Gentiana crinita* Froelich Pp. 137-138, Buckbean, *Menyanthes trifoliata* Linnaeus Pp. 138-139, Smooth Coneflower, *Echinacea laevigata* (Boynton and Beadle) Blake Pp. 144-145 in K. Terwilliger (coord.). Virginia's Endangered Species. McDonald and Woodward Publishing Company, Blacksburg, Virginia.
- Ludwig, J. C., J. B. Wright, and N. E. Van Alstine. 1991. The rare plants of False Cape State Park, Virginia Beach City, Virginia. Pp. 249-256 in H. G. Marshall and M. D. Norman (eds.). Proceedings of the Back Bay Ecological Symposium. Old Dominion University, Norfolk, Virginia.
- Mitchell, J. C., and K. A. Buhlmann. 1991. Eastern Chicken Turtle, *Deirochelys reticularia reticularia* (Latreille). Pp. 459-461 in K. Terwilliger (coord.). Virginia's Endangered Species. McDonald and Woodward Publishing Company, Blacksburg, Virginia.
- Mitchell, J. C., K. A. Buhlmann, and C. H. Ernst. 1991. Bog Turtle, *Clemmys muhlenbergii* (Schoepf). Pp. 457-459 in K. Terwilliger (coord.). Virginia's Endangered Species. McDonald and Woodward Publishing Company, Blacksburg, Virginia.
- Mitchell, J. C., and C. A. Pague. 1991. Ecology of freshwater turtles in Back Bay, Virginia. Pp. 183-187 in H. G. Marshall and M. D. Norman (eds.). Proceedings of the Back Bay Ecological Symposium. Old Dominion University, Norfolk, Virginia.
- Mitchell, J. C., and C. A. Pague. 1991. Eastern Glass Lizard, *Ophisaurus ventralis* (Linnaeus). Pp. 464-466 in K. Terwilliger (coord.). Virginia's Endangered Species. McDonald and Woodward Publishing Company, Blacksburg, Virginia.
- Pague, C. A. 1991. Oak Toad, *Bufo quercicus* Holbrook Pp. 423-424, Carpenter Frog, *Rana virgatipes* Cope Pp. 426-427, Pygmy Salamander, *Desmognathus wrighti* King Pp. 433-435, Weller's Salamander, *Plethodon welleri* Walker Pp. 442-443, Hellbender, *Cryptobranchus alleganiensis alleganiensis* (Daudin) Pp. 443-445 in K. Terwilliger (coord.). Virginia's Endangered Species. McDonald and Woodward Publishing Company, Blacksburg, Virginia.
- Pague, C.A., and K. A. Buhlmann. 1991. Rare animals of Back Bay, Virginia Beach, Virginia. Pp. 148-158 in H. G. Marshall and M. D. Norman (eds.). Proceedings of the Back Bay Ecological Symposium. Old Dominion University, Norfolk, Virginia.
- Pague, C. A., and K. A. Buhlmann. 1991. Eastern Tiger Salamander, *Ambystoma tigrinum*

- tigrinum* (Green). Pp. 431-433 in K. Terwilliger (coord.). Virginia's Endangered Species. McDonald and Woodward Publishing Company, Blacksburg, Virginia.
- Pague, C. A., K. A. Buhlmann, and J. C. Mitchell. 1991. Cow Knob Salamander, *Plethodon punctatus* Highton. Pp. 437-439 in K. Terwilliger (coord.). Virginia's Endangered Species. McDonald and Woodward Publishing Company, Blacksburg, Virginia.
- Pague, C. A., and J. C. Mitchell. 1991. The amphibians and reptiles of Back Bay, Virginia. Pp. 159-166 in H. G. Marshall and M. D. Norman (eds.). Proceedings of the Back Bay Ecological Symposium. Old Dominion University, Norfolk, Virginia.
- Pague, C. A., and J. C. Mitchell. 1991. Mabee's Salamander, *Ambystoma mabeei* Bishop Pp. 427-429, Mole Salamander, *Ambystoma talpoideum* (Holbrook) Pp. 429-431, Peaks of Otter Salamander, *Plethodon hubrichti* Thurow Pp. 436-437 in K. Terwilliger (coord.). Virginia's Endangered Species. McDonald and Woodward Publishing Company, Blacksburg, Virginia.
- Pague, C. A., and D. F. Schweitzer. 1991. Butterflies and moths. Pp. 237-246 in K. Terwilliger (coordinator). Virginia's Endangered Species. McDonald and Woodward Publishing Company, Blacksburg, Virginia.
- Pague, C. A., and D. A. Young. 1991. Barking Treefrog, *Hyla gratiosa* LeConte. Pp. 424-426 in K. Terwilliger (coord.). Virginia's Endangered Species. McDonald and Woodward Publishing Company, Blacksburg, Virginia.
- Van Alstine, N. E. 1991. White Buttons, *Eriocaulon septangulare* Withering. Pp. 83-84 in K. Terwilliger (coord.). Virginia's Endangered Species. McDonald and Woodward Publishing Company, Blacksburg, Virginia.
- U.S. Fish and Wildlife Service. 1991. Shale barren rock cress (*Arabis serotina*) recovery plan.
- Prepared by J.C. Ludwig and N.E. Van Alstine. Newton Corner, Massachusetts. 40 pp.
- 1992
- Pague, C. A. 1992. Field notes: *Stereochilus marginatus* (Many-lined Salamander). Catesbeiana 12(1): 10-11.
- Pague, C. A., and K. A. Buhlmann. 1992. Field notes: *Rana virgatipes* (Carpenter Frog). Catesbeiana 12(1): 9.
- Pague, C. A., M. Hayslett, and P. Kramer. 1992. Field notes: *Plethodon hubrichti* (Peaks of Otter Salamander). Catesbeiana 12(1): 9-10.
- 1993
- Buhlmann, K. A., J. C. Mitchell, and C. A. Pague. 1993. Amphibian and small mammal abundance and diversity in saturated forested wetlands and adjacent uplands of southeastern Virginia. Pp. 1-7 in S. D. Eckles, A. Jennings, A. Spingarn and C. Wienhold (eds.). Proceedings of a Workshop on Saturated Forested Wetlands in the Mid-Atlantic Region: The State of the Science. U. S. Fish and Wildlife Service, Annapolis, Maryland.
- Buhlmann, K. A., A. H. Savitzky, B. A. Savitzky, and J. C. Mitchell. 1993. Geographic distribution: *Regina rigida* (Glossy Crayfish Snake). Herpetological Review 24(4): 156-157.
- Mitchell, J. C., S. Y. Erdle, J. F. Pagels, and C. S. Hobson. 1993. The effect of short-term sampling on descriptions of terrestrial vertebrate communities in saturated forested wetlands, and comments on estimating wetland value. Pp. 24-28 in S. D. Eckles, A. Jennings, A. Spingarn and C. Wienhold (eds.). Proceedings of a Workshop on Saturated Forested Wetlands in the Mid-Atlantic Region: The State of the Science. U. S. Fish and Wildlife Service, Annapolis, Maryland.
- Mitchell, J. C., S. Y. Erdle, J. F. Pagels. 1993. Evaluation of capture techniques for amphibian, reptile, and small mammal communities in

saturated forested wetlands. *Wetlands* 13(2):130-136.

Rawinski, T. J., and T. F. Wieboldt. 1993. Classification and ecological interpretation of mafic glade vegetation on Buffalo Mountain, Floyd County, Virginia. *Banisteria* 2: 3-10.

1994

Roble, S. M. 1994. *Gasteracantha cancriformis* (L.), a spectacular spider new to the fauna of Virginia (Araneae: Araneidae). *Banisteria* 3: 20.

Roble, S. M. 1994. Field notes: *Hyla cinerea* (Green Treefrog). *Catesbeiana* 14(2): 40.

Roble, S. M. 1994. Field notes: *Eumeces anthracinus anthracinus* (Northern Coal Skink). *Catesbeiana* 14(2): 40-42.

Roble, S. M. 1994. A preliminary checklist of the damselflies of Virginia, with notes on distribution and seasonality (Odonata: Zygoptera). *Banisteria* 4: 3-23.

Roble, S. M., and C. S. Hobson. 1994. Field notes: *Farancia erytrogramma* (Rainbow Snake). *Catesbeiana* 14(1): 15-16.

Roble, S. M., and P. H. Stevenson. 1994. Rediscovery of the dragonfly *Nannothemis bella* in Virginia (Odonata: Libellulidae). *Banisteria* 3: 27-28.

1995

Buhlmann, K. A. 1995. Habitat use, terrestrial movements, and conservation of the turtle, *Deirochelys reticularia* in Virginia. *Journal of Herpetology* 29(2): 173-181.

Erdle, S. Y. and J. F. Pagels. 1995. Observations on *Sorex longirostris* (Mammalia: Soricidae) and associates in eastern portions of the historical Great Dismal Swamp. *Banisteria* 6:17-23.

Hobson, C. S., and D. J. Stevenson. 1995. Field notes: *Thamnophis sirtalis sirtalis* (Eastern Garter Snake). *Catesbeiana* 15(1): 23.

Rawinski, T. J., and J. C. Mitchell. 1995. Field notes: *Cnemidophorus sexlineatus sexlineatus* (Six-lined Racerunner). *Catesbeiana* 15(1): 25.

Roble, S. M. 1995. Field notes: *Agkistrodon piscivorus piscivorus* (Eastern Cottonmouth). *Catesbeiana* 15(1): 24

Roble, S. M. 1995. Field notes: *Regina septemvittata* (Queen Snake). *Catesbeiana* 15(1): 24-25.

Roble, S. M. 1995. First record of *Miathyria marcella* in Virginia. *Argia* 7(2): 4-5.

Roble, S. M. 1995. Geographic distribution: *Siren intermedia intermedia* (Eastern Lesser Siren). *Herpetological Review* 26(3): 150-151.

Roble, S. M. 1995. Checklist of the butterflies and skippers of Virginia's Eastern Shore. Kiptopeke Environmental Station, Research and Education Laboratory (KESTREL), Franktown, Virginia. Brochure for public distribution at Kiptopeke State Park and the Eastern Shore of Virginia National Wildlife Refuge.

Roble, S. M., and C. S. Hobson. 1995. Geographic distribution: *Hemidactylium scutatum* (Four-toed Salamander). *Herpetological Review* 26(1): 41.

Roble, S. M., and C. S. Hobson. 1995. Records of amphibians and reptiles from the Clinch Ranger District, Jefferson National Forest. *Catesbeiana* 15(1): 3-14.

Stevenson, D. J., S. M. Roble, and C. S. Hobson. 1995. New records of the damselfly *Ischnura prognata* in Virginia. *Banisteria* 6: 26-27.

1996

Adams, H. S., M. S. Hayslett, and C. S. Hobson. 1996. Salamander diversity and abundance along

- Buck Run in the Laurel Fork area of Highland County, Virginia. *Catesbeiana* 16(2): 35-43.
- Buhlmann, K. A., and C. S. Hobson. 1996. Geographic distribution: *Ambystoma tigrinum tigrinum* (Eastern Tiger Salamander). *Herpetological Review* 27(1): 28.
- Fleming, G.P., and J.C. Ludwig. 1996. Noteworthy collections: Virginia. *Castanea* 61(1): 89-94.
- Ludwig, J. C. 1996. Shoreline flora of the Blackwater River in Southampton and Isle of Wight Counties, Virginia. *Banisteria* 8: 44-46.
- Roble, S. M. 1996. Checklist of the dragonflies and damselflies of Virginia's Eastern Shore. Kiptopeke Environmental Station, Research and Education Laboratory (KESTREL), Franktown, Virginia. Brochure for public distribution at Kiptopeke State Park and the Eastern Shore of Virginia National Wildlife Refuge.
- Roble, S. M., and C. S. Hobson. 1996. The Odonata of Fort A. P. Hill and vicinity, Caroline County, Virginia. *Banisteria* 7: 11-40.
- Roble, S. M., and D. J. Stevenson. 1996. First records of *Telebasis byersi* from Virginia, including a new northern range limit. *Argia* 8(1): 13-14.
- Stevenson, D. J. 1996. Field notes: *Hemidactylum scutatatum* (Four-toed Salamander). *Catesbeiana* 16(1): 20-22.
- Stevenson, D. J., C. S. Hobson, and M. S. Hayslett. 1996. Field notes: *Ambystoma jeffersonianum* (Jefferson Salamander). *Catesbeiana* 16(1):16-20.
- Van Alstine, N. E., W. H. Moorhead III, A. Belden Jr., T. J. Rawinski, and J. C. Ludwig. 1996. Recently discovered populations of small whorled pogonia (*Isotria medeoloides*) in Virginia. *Banisteria* 7: 3 -10.
- 1997
- Buhlmann, K. A., and J. C. Mitchell. 1997. Ecological notes on the amphibians and reptiles of the Naval Surface Warfare Center, Dahlgren Laboratory, King George County, Virginia. *Banisteria* 9: 45-51.
- Buhlmann, K. A., J. C. Mitchell, and M. G. Rollins. 1997. New approaches for the conservation of bog turtles, *Clemmys muhlenbergii* in Virginia. Pp. 359-363 in J. Van Abbema and M. Klemens (eds.). *Conservation of Tortoises and Turtles*, State University of New York, Purchase, New York.
- Mitchell, J. C., K. A. Buhlmann, and M. D. Norman. 1997. Freshwater fishes of an isolated, interdunal freshwater ecosystem in northern Virginia Beach, Virginia. *Banisteria* 9: 57-60.
- Mitchell, J. C., S. C. Rinehart, J. F. Pagels, K. A. Buhlmann, and C. A. Pague. 1997. Factors influencing amphibian and small mammal assemblages in central Appalachian forests. *Journal of Forest Ecology and Management* 96(1997): 65-76.
- Roble, S. M., and C. S. Hobson. 1997. Field notes: *Regina septemvittata* (Queen Snake). *Catesbeiana* 17(1): 21.
- Roble, S. M., and C. S. Hobson. 1997. Field notes: *Heterodon platirhinos* (Eastern Hognose Snake). *Catesbeiana* 17(1): 22.
- Roble, S. M., C. S. Hobson, and D. J. Stevenson. 1997. New distributional records for rare and uncommon Odonata in Virginia. *Banisteria* 9: 33-42.
- Roble, S. M., and P. H. Stevenson. 1997. First records of freshwater mussels on the Eastern Shore of Virginia. *Banisteria* 10: 22-24.
- Stevenson, D. J., and S. M. Roble. 1997. New distributional records for the water scorpion

- Nepa apiculata* in the Coastal Plain of Georgia and Virginia. *Banisteria* 9: 54-56.
- U.S. Fish and Wildlife Service. 1997. Lee County cave isopod (*Lirceus usdagalun*) recovery plan. Prepared by S. M. Roble, T. E. Brown, and L. M. Koch, Hadley, Massachusetts. 39 pp.
- 1998
- Belden, A. Jr. 1998. The vascular flora of five newly discovered granite flatrocks in Virginia's southern Piedmont. *Banisteria* 11: 3 - 18.
- Hobson, C. S. 1998. An inland record for the tiger beetle *Cicindela trifasciata ascendens* in Virginia. *Banisteria* 11: 49-50.
- Hobson, C. S. 1998. Field notes: *Hemidactylum scutatum* (Four-toed Salamander). *Catesbeiana* 18(2): 47-48.
- Hobson, C. S. 1998. Bat records from southeastern Virginia, including a new resident species, *Myotis austroriparius* (Chiroptera: Vespertilionidae). *Banisteria* 12: 18-23.
- Hobson, C. S., A. C. Chazal, and S. M. Roble. 1998. The Virginia Piedmont water-boatman *Sigara depressa* (Heteroptera: Corixidae) rediscovered in Virginia. *Banisteria* 11: 37-40.
- Hoffman, R. L., S. M. Roble, and E. L. Quinter. 1998. New locality records for the Dismal Swamp green stink bug (Heteroptera: Pentatomidae). *Banisteria* 12: 29-31.
- Mitchell, J. C., and S. M. Roble. 1998. Annotated checklist of the amphibians and reptiles of Fort A. P. Hill, Virginia and vicinity. *Banisteria* 11: 19-32.
- Roble, S. M., and S. Garriock. 1998. Field notes: *Chelydra serpentina serpentina* (Common Snapping Turtle). *Catesbeiana* 18(2): 53-54.
- Roble, S. M., and C. S. Hobson. 1998. Observations on nesting by a fence lizard, *Sceloporus undulatus hyacinthinus*, in Virginia. *Banisteria* 11: 47-49.
- Roble, S. M., and C. S. Hobson. 1998. Records of amphibians and reptiles from Fort Lee, Prince George County, Virginia. *Catesbeiana* 18(2): 35-42.
- Roble, S. M., and C. S. Hobson. 1998. Field notes: *Pseudacris brachyphona* (Mountain Chorus Frog). *Catesbeiana* 18(2): 48-49.
- Roble, S. M., and D. J. Stevenson. 1998. Records of Odonata, fish and birds from the Grafton Ponds sinkhole complex, York County, Virginia. *Banisteria* 12: 3-17.
- Roble, S. M., D. J. Stevenson, and A. C. Chazal. 1998. Field notes: *Eumeces anthracinus anthracinus* (Northern Coal Skink). *Catesbeiana* 18(2): 49-52.
- Roble, S. M., D. J. Stevenson, and C. S. Hobson. 1998. Recent noteworthy records of the swampfish (*Chologaster cornuta*) from the Nottoway River system, Virginia. *Banisteria* 11: 50-51.
- Wieboldt, T. F., G. P. Fleming, J. C. Ludwig, and F. C. Huber. 1998. Noteworthy collections: Virginia. *Castanea* 63: 82- 91.
- 1999
- Bedell, P. and A. Chazal. 1999. *Dythemis velox*, a new species for Virginia. *Argia* 11(3): 4-5.
- Buhlmann, K. A., J. C. Mitchell and L. R. Smith. 1999. Descriptive ecology of the Shenandoah Valley sinkhole pond system in Virginia. *Banisteria* 13: 23-51.
- Chazal, A. C. and C. S. Hobson. 1999. Field Notes: *Hyla squirella* (Squirrel Treefrog). *Catesbeiana* 19(2): 65.
- Fleming, G. P. and N. E. Van Alstine. 1999. Plant communities and floristic features of sinkhole

- ponds and seepage wetlands in southeastern Augusta County, Virginia. *Banisteria* 13: 67-94.
- Hutto, C.J., V.B. Shelburne, and S.M. Jones. 1999. Preliminary ecological land classification of the Chauga Ridges Region of South Carolina. *Forest Ecology and Management* 114:385-393.
- Ludwig, J. C. 1999. The flora of dolomite and limestone barrens in southwestern Virginia. *Castanea* 64(3): 209-230.
- Mitchell, J. C., T. K. Pauley, D. I. Withers, S. M. Roble, B. T. Miller, A. L. Braswell, P. V. Cupp, Jr., and C. S. Hobson. 1999. Conservation status of the Southern Appalachian herpetofauna. *Virginia Journal of Science* 50(1): 13-35.
- Roble, S. M. 1999. Field Notes: *Plethodon cinereus* (Red-backed Salamander). *Catesbeiana* 19(1): 33.
- Roble, S. M. 1999. Field Notes: *Thamnophis sauritus sauritus* (Eastern Ribbon Snake). *Catesbeiana* 19(1): 35.
- Roble, S. M. 1999. Dragonflies and damselflies (Odonata) of the Shenandoah Valley sinkhole pond system and vicinity, Augusta County, Virginia. *Banisteria* 13: 101-127.
- Roble, S. M. 1999. Amphibians and reptiles of beaver pond habitats in the Laurel Fork Recreation Area, Highland County, Virginia. *Catesbeiana* 19(2): 51-60.
- Roble, S. M. and A. C. Chazal. 1999. Field Notes: *Rana catesbeiana* (Bullfrog). *Catesbeiana* 19(1): 34.
- Roble, S. M. and A. C. Chazal. 1999. Field Notes: *Pseudemys concinna concinna* (Eastern River Cooter). *Catesbeiana* 19(2): 67-68.
- Roble, S. M., A. C. Chazal and C. S. Hobson. 1999. Field Notes: *Graptemys geographica* (Common Map Turtle). *Catesbeiana* 19(2): 67.
- Roble, S. M., A. C. Chazal, C. S. Hobson and J. C. Ludwig. 1999. First records of *Noctua pronuba* L., an Old World moth, in Virginia (Lepidoptera: Noctuidae). *Banisteria* 14: 45-47.
- Roble, S. M., D. J. Stevenson and C. S. Hobson. 1999. Distribution of the dwarf waterdog (*Necturus punctatus*) in Virginia, with comments on collecting techniques. *Banisteria* 14: 39-44.
- Walton, D. P. 1999. Field Notes: *Farancia erytrogramma erytrogramma* (Rainbow Snake). *Catesbeiana* 19(2): 68.
- Walton, D. P. and P. P. Coulling. 1999. Field Notes: *Amphiuma means* (Two-toed Amphiuma). *Catesbeiana* 19(2): 65-66.
- Williamson, G. M. and S. M. Roble. 1999. Noteworthy snake records from False Cape State Park, City of Virginia Beach, Virginia. *Catesbeiana* 19(2): 61-64.
- 2000
- Blossey, B., and J. T. Weber. 2000. First Virginia records of four European insect herbivores of *Phragmites australis*. *Banisteria* 16: 29-35.
- Chazal, A. C. 2000. Two Virginia records for *Enallagma weewa*. *Argia* 12(3): 26-27.
- Department of Conservation & Recreation, Division of Natural Heritage. 2000. *Phragmites* in Virginia: A Management Symposium. Speakers Abstracts. December 14, 2000. Library of Virginia.
- Hobson, C. S. 2000. First record of Nycteribiidae (Diptera) in Virginia, and a discussion of the host specificity and distribution of *Basilisa boardmani*. *Entomological News* 111(4): 291-293.
- Hoffman, R. L., and S. M. Roble. 2000. Fourteen ground beetles new to the Virginia fauna (Coleoptera: Carabidae). *Banisteria* 16: 36-41.

- Ludwig, J. C. 2000. A survey of macrolepidopteran moths near Vontay, Hanover County, Virginia. *Banisteria* 15: 16-35.
- Roble, S. M. 2000. Field Notes: *Bufo americanus* (American Toad). *Catesbeiana* 20(2): 79.
- Roble, S. M. 2000. Field Notes: *Ambystoma opacum* (Marbled Salamander). *Catesbeiana* 20(2): 85-86.
- Roble, S. M., A. C. Chazal, and A. K. Foster. 2000. A preliminary survey of the amphibians and reptiles of Savage Neck Dunes Natural Area Preserve, Northampton County, Virginia. *Catesbeiana* 20(2): 63-74.
- Roble, S. M., and R. D. Cuyler. 2000. The damselflies and dragonflies (Odonata) of the Great Dismal Swamp and vicinity. Pp. 115-131 in R. K. Rose (ed.), *The Natural History of the Great Dismal Swamp*. Old Dominion University Publications, Norfolk, Virginia.
- Roble, S. M., W. D. Hartgroves, and P. A. Opler. 2000. The butterflies and skippers (Lepidoptera) of the Great Dismal Swamp and vicinity. Pp. 93-113 in R. K. Rose (ed.), *The Natural History of the Great Dismal Swamp*. Old Dominion University Publications, Norfolk, Virginia.
- Roble, S. M., and C. S. Hobson. 2000. Field Notes: *Gastrophryne carolinensis* (Eastern Narrow-mouthed Toad). *Catesbeiana* 20(2): 80-82.
- Roble, S. M., and C. S. Hobson. 2000. Field Notes: *Clemmys insculpta* (Wood Turtle). *Catesbeiana* 20(2): 83.
- Roble, S. M., and C. S. Hobson. 2000. Previously overlooked records of the least weasel (*Mustela nivalis*) from Virginia. *Banisteria* 16: 49-50.
- Roble, S. M., and R. L. Hoffman. 2000. Three true bugs new to the Virginia fauna, including the first record of the Family Schizopteridae (Heteroptera). *Banisteria* 16: 41-45.
- Rose, R. K., C. S. Hobson, T. M. Padgett, and D. A. Schwab. 2000. Dismal Swamp bats. Pp. 235-239 in R. K. Rose (ed.), *The Natural History of the Great Dismal Swamp*. Old Dominion University Publications, Norfolk, Virginia.
- 2001
- Derge, K. L., and A. C. Chazal. 2001. Field Notes: *Eurycea guttolineata* (Three-lined Salamander). *Catesbeiana* 21(1): 33.
- Fagan, Joseph H. (Joey), and Wil Orndorff. 2001. Interagency Cooperative Sinkhole Protection and Karst Remediation in Virginia. Pp. 101-103 in G. Thomas Rea (ed.), *Proceedings of the 2001 National Cave and Karst Management Symposium*. Published by USDA-Forest Service Coronado National Forest.
- Fleming, Gary P., Kathleen M. McCoy, and Nancy E. Van Alstine. 2001. The vascular flora of fire-maintained grasslands and woodlands at Quantico Marine Corps Base, Virginia. *Banisteria* 17: 3-19.
- Ludwig, J.C. 2001. An update to the survey of macrolepidopteran moths near Vontay, Hanover County, Virginia. *Banisteria* 17: 42-47.
- Orndorff, Wil, and Joey Fagan. 2001. Towards a Comprehensive Sinkhole Classification Scheme for Land Use Planning. P. 104. Speakers Abstract in G. Thomas Rea (ed.), *Proceedings of the 2001 National Cave and Karst Management Symposium*. Published by USDA-Forest Service Coronado National Forest.
- Roble, S. M.. 2001. Herps of Savage Neck Dunes Natural Area Preserve: addendum. *Catesbeiana* 21(1): 36.
- Roble, S. M., and C. S. Hobson. 2001. Field Notes: *Bufo americanus* (American Toad). *Catesbeiana* 21(2): 78.

- Roble, S. M. 2001. Field Notes: *Dermochelys coriacea* (Leatherback). *Catesbeiana* 21(2): 78-79.
- Roble, S. M., C. T. Kessler, B. Grimes, C. S. Hobson, and A. C. Chazal. 2001. Biology and conservation status of *Neonympha mitchellii*, a globally rare butterfly new to the Virginia fauna. *Banisteria* 18: 3-23.
- Roble, S. M., and O. S. Flint, Jr. 2001. Five northern lacewings new to the Virginia fauna, including significant southern range extensions for *Eremochrysa canadensis* and *Hemerobius costalis* (Neuroptera: Chrysopidae, Hemerobiidae). *Banisteria* 18: 31-33.
- Roble, S. M., and O. S. Flint, Jr. 2001. *Nemotaulius hostilis* (Trichoptera: Limnephilidae), a boreal caddisfly new to the Virginia fauna. *Banisteria* 18: 34-37.
- 2002
- Chazal, A. C. and C. S. Hobson. 2002. Status of the Rare Skipper (*Problema bulenta*) in Virginia. *Banisteria* 19:18-22.
- Church, D. R., H. M. Wilbur, S. M. Roble, F. C. Huber, and M. W. Donahue. 2002. Observations on breeding by eastern spadefoots (*Scaphiopus holbrookii holbrookii*) in Augusta County, Virginia. *Banisteria* 20: 71-72.
- Hoffman, R. L., S. M. Roble, and W. E. Steiner, Jr. 2002. Thirteen additions to the known beetle fauna of Virginia (Coleoptera: Scirtidae, Bothriideridae, Cleridae, Tenebrionidae, Melyridae, Callirphidae, Cerambycidae, Chrysomelidae). *Banisteria* 20: 53-61.
- Ludwig, J.C. 2002. Second update to the survey of macrolepidopteran moths near Vontay, Hanover County, Virginia. *Banisteria* 19: 17-19.
- Roble, S. M., and C. S. Hobson. 2002. Records of amphibians and reptiles from "The Cedars" region of Lee County, Virginia. *Catesbeiana* 22(2): 33-48.
- Roble, S. M., and C. S. Hobson. 2002. Field Notes: *Nerodia erythrogaster erythrogaster* (Red-bellied Water Snake). *Catesbeiana* 22(2): 52.
- Roble, S. M. 2002. Field Notes: *Nerodia erythrogaster erythrogaster* (Red-bellied Water Snake). *Catesbeiana* 22(2): 52-53.
- Roble, S. M. 2002. Field Notes: *Clemmys muhlenbergii* (Bog Turtle). *Catesbeiana* 22(2): 59-60.
- Walton, D.P. and M. Hall. 2002. Fieldnotes: *Opheodrys aestivus* (Rough Greensnake). *Catesbiena* 22(2) 53.

Technical Reports

Natural Heritage Program staff write numerous technical reports, which summarize their work and serve as guides for conservation activities. Many of these reports are produced for Natural Heritage Program clients and others are generated for internal use within the Virginia Department of Conservation and Recreation. These are listed here in the order in which they were completed. The first two digits of each report number represent the year it was produced. Reports produced for Natural Heritage Program clients may not be available for public distribution.

Number	Title	Number	Title
89-1	A Natural Heritage Resources Inventory & Biological Assessment of the Elko Tract	91-3	A Survey of the Freshwater Mussel Fauna in Lickinghole Creek, Albemarle County, Virginia
90-2	An Inventory of the Natural Communities, and Rare, Threatened and Endangered Species of Seashore State Park and Natural Area, Virginia Beach, Virginia	91-4	A Survey of the Freshwater Mussel Fauna in Aquia Creek above Smith Lake in Stafford County, Virginia
90-3	An Inventory of the Rare, Threatened and Endangered Species of the Little Creek Amphibious Base	91-5	A Survey of the Freshwater Fishes at the Route 919 Crossing of the Blackwater River, Franklin County, Virginia
90-4	An Inventory of the Rare, Threatened, and Endangered Species of the NCS Cheatham Annex	91-6	A Survey of the Freshwater Mussel Fauna in the Rivanna River at Glenmore Estates, Albemarle County, Virginia
90-5	An Inventory of the Rare, Threatened, and Endangered Species of the Naval Auxiliary Landing Field, Fentress	91-7	A Survey of the Freshwater Mussel Fauna in the Maury River Adjacent to Buena Vista, Virginia
90-6	An Inventory of the Rare, Threatened, and Endangered Species of the Naval Air Station, Oceana	91-8	A Natural Areas Inventory of the City of Virginia Beach, Virginia, Year 2
90-7	An Inventory of the Rare, Threatened, and Endangered Species of Camp Pendleton	92-1	Natural Areas Inventory of the Lower Peninsula of Virginia
90-8	A Natural Areas Inventory of Loudoun County, Virginia, Year 1	92-2	A Natural Heritage Resources Inventory of the Fleet Combat Training Center, Dam Neck
90-9	A Natural Areas Inventory of the City of Virginia Beach, Virginia, Phase I	92-3	Blue Ridge Interpretive Music Center and Fisher Peak - Rare, Threatened, and Endangered Species Assessment
91-1	Biological Diversity Protection on the GWNF	92-4	A Natural Heritage Resources Inventory of Hunting Bay - Dyke Marsh, Alexandria City and Fairfax County, Virginia
91-2	Distribution and Habitat of <i>Sorex longirostris fisheri</i>	92-14	Critical Natural Areas, Exemplary Wetlands, and Endangered Species Habitats in Southeastern Virginia

VIRGINIA'S PRECIOUS HERITAGE

Number	Title	Number	Title
92-15	1991 Final Report - Natural Heritage Inventory: <i>Gomphus septima</i>	92-30	A Natural Heritage Inventory of Seven Cave Beetles of the Genus <i>Pseudanophthalmus</i> and Assessment of their Respective Habitats
92-16	Natural Heritage Inventory: <i>Cicindela dorsalis dorsalis</i> of the Chesapeake Bay Beaches of Virginia	92-31	A Natural Heritage Inventory for <i>Ophiogomphus howei</i> in the New River, Virginia
92-18	A Natural Heritage Resources Inventory of the Naval Weapons Station Yorktown, York County, Virginia	92-32	Shenandoah Related Lands Study for National Park Service, Mid-Atlantic Service
92-19	A Natural Heritage Inventory for Unknown <i>Helenium virginicum</i> S.F. Blake Populations	93-1	A Natural Heritage Inventory of Rare, Threatened, and Endangered Plant Species of Naval Security Group Activity, Northwest, Department of the Navy, Chesapeake, Virginia
92-20	An Inventory of <i>Clemmys muhlenbergii</i> in Southwestern Virginia	93-2	An Inventory of Rare, Threatened, and Endangered Plant Species and Significant Natural Communities of the Humpback Rocks Area, Blue Ridge Parkway
92-21	A Classification of Virginia's Indigenous Biotic Communities: Vegetated Terrestrial, Palustrine, and Estuarine Community Classes	93-3	A Status Survey of <i>Scirpus flaccidifolius</i> (Fern.) Schuyler
92-22	Preliminary Survey of NH Resource Sites in Northampton and Accomac Counties, Virginia	93-4	Conservation Planning for the Natural Areas of the Lower Peninsula of Virginia
92-23	An Inventory of Threatened and Endangered Species: Southeast TiSand Joint Venture, Greensville County, Virginia	93-5	A Natural Heritage Inventory of Mid-Atlantic Region National Parks in Virginia: Shenandoah National Park
92-24	Inventory for Rare, Threatened, and Endangered Plant and Animal Species: Route 600, Smyth County, Virginia	93-6	A Natural Heritage Inventory of Mid-Atlantic Region National Parks in Virginia: Colonial National Historic Park
92-25	A Natural Heritage Resources Inventory of the Marine Corps Combat Development Command, Quantico, Virginia	93-7	A Natural Heritage Inventory of Mid-Atlantic Region National Parks in Virginia: Appomattox Courthouse National Historical Park
92-26	A Natural Heritage Resources Inventory of the Naval Surface Warfare Center, Dahlgren Laboratory, Dahlgren, Virginia	93-8	A Natural Heritage Inventory of Mid-Atlantic Region National Parks in Virginia: Booker T. Washington National Monument
92-27	A Rare Plant Inventory at Fort Belvoir, Virginia		
92-29	Natural Heritage Inventory: Select Troglobitic Cave Beetles		

VIRGINIA DEPARTMENT OF CONSERVATION AND RECREATION

Number	Title	Number	Title
93-9	A Natural Heritage Inventory of Mid-Atlantic Region National Parks in Virginia: Fredericksburg and Spotsylvania National Military Park	93-22	An Inventory for <i>Isotria medeoloides</i> (Small Whorled Pogonia) at The Ashland Property, Prince William County, Virginia
93-10	A Natural Heritage Inventory of Mid-Atlantic Region National Parks in Virginia: George Washington Birthplace National Monument	93-23	An Inventory for <i>Isotria medeoloides</i> (Small Whorled Pogonia) at Marine Corps Combat Development Command, Quantico, Stafford County, VA
93-11	A Natural Heritage Inventory of Mid-Atlantic Region National Parks in Virginia: Petersburg National Battlefield Park	93-24	An Inventory for <i>Isotria medeoloides</i> (Small Whorled Pogonia) Around Smith Lake Reservoir, Stafford County, Virginia
93-12	A Natural Heritage Inventory of Mid-Atlantic Region National Parks in Virginia: Richmond National Battlefield Park	93-25	An Inventory for Threatened and Endangered Plants and Animals, Manassas National Battlefield Park, Virginia, Stuarts Hill and Brawner Farm Tracts
93-13	A Natural Heritage Inventory of Mid-Atlantic Region National Parks in Virginia: Summary Report	94-1	A Natural Heritage Inventory of Fort A. P. Hill, Virginia
93-14	A Natural Areas Inventory of the City of Virginia Beach, Virginia	94-2	A Natural Heritage Inventory of The Clinch Ranger District, Jefferson National Forest
93-15	A Status Survey of <i>Clematis addisonii</i> Briton	94-3	A Natural Heritage Inventory of Ft. Pickett, Virginia
93-17	An Inventory Plan for Southeast Virginia's Critical Natural Areas, Exemplary Wetlands, and Endangered Species Habitats (Albemarle-Estuarine Pamlico Study)	94-4	A Natural Heritage Inventory of Ft. Lee, Virginia
93-19	Conservation Strategies For Shale Barren Rock Cress (<i>Arabis serotina</i> Steele)	94-5	A Natural Heritage Inventory, Preliminary Status Survey for <i>Pyrus wyandot</i> in Virginia
93-20	Classification and Mapping of Ecological Land Types on The James River Face Wilderness, Jefferson National Forest	94-6	A Natural Heritage Inventory, Status Survey for the Regal Fritillary, <i>Speyeria idalia</i> in Virginia, 1993
93-21	An Inventory for <i>Isotria medeoloides</i> (Small Whorled Pogonia) at Two Sites on Quantico Marine Corps Base, Prince William County, Virginia	94-7	Conservation Strategy for the Northeastern Beach Tiger Beetle <i>Cicindela dorsalis dorsalis</i> in Virginia
		94-8	Prescribed Burn and Disturbance History Studies at the Narrows: Habitat Studies for the Endangered Peter's Mountain Mallow

VIRGINIA'S PRECIOUS HERITAGE

Number	Title	Number	Title
94-9	Conservation Planning for the Management and Protection of Natural Areas in the Albemarle-Pamlico Estuarine Study Area of Virginia	94-21	Threat Assessment of Sensitive Joint-Vetch (<i>Aeschynomene virginica</i>) in Virginia
94-10	A Natural Heritage Review and Inventory of Proposed Timber Harvest at Fort A. P. Hill, Virginia	94-22	A Natural Heritage Inventory of Proposed Lakeside Forest, Section 5, York County, Virginia
94-11	A Natural Heritage Inventory, Status Survey for the Regal Fritillary, <i>Speyeria idalia</i> in Ten Counties in Northern and Southwestern Virginia	95-1	Natural Heritage Resources of Virginia: Rare Vascular Plants Species
94-12	Conservation Planning For The Management and Protection of Natural Areas in the City of Virginia Beach, Virginia	95-2	An Inventory of Shale Barrens on the George Washington National Forest in Virginia
94-13	A Natural Heritage Inventory, Status Survey for the Dwarf Wedge Mussel, <i>Alasmidonta heterodon</i> on the Eastern Shore of Virginia	95-3	A Natural Heritage Inventory of the Clinch Ranger District II, George Washington and Jefferson National Forests
94-14	Forest Vegetation of the Ramsey's Draft and Little Laurel Run Res. N.A. Baseline Ecological Monitoring and Classification	95-4	Biological Monitoring at Bethel Beach Natural Area Preserve
94-15	Reassigned to 1995	95-5	An Inventory of Rare, Threatened and Endangered Plant and Animal Species at Colonial National Historical Park, Yorktown Creek Drainage
94-16	A Natural Heritage Inventory of the Appalachian Trail in Virginia	95-6	Prescribed Burn Monitoring Studies for Peter's Mountain Mallow <i>Iliamna corei</i>
94-17	A Natural Heritage Inventory, Status Survey for the Grizzled Skipper, <i>Pyrgus wyandot</i> in Virginia	95-7	Natural Area Source Book: A Guide for Land Mangers, Scientists, Educators, and Conservation Planners within the VA Coastal Resources Mgmt. Area
94-18	A Natural Heritage Inventory, Status Survey for the Regal Fritillary <i>Speyeria idalia</i> in Virginia	95-8	An Inventory of Rare, Threatened, and Endangered Plant and Animal Species of Camp Peary
94-19	Population surveys for the Northeastern Beach Tiger Beetle, <i>Cicindela dorsalis dorsalis</i> at Twenty Selected Sites in Virginia	95-9	North Landing River Natural Area Preserve Resource Management Plan, First Edition
94-20	Landowner Contact For Five Sites Supporting the Smooth Coneflower, <i>Echinacea laevigata</i> in Virginia	95-10	Bethel Beach Natural Area Preserve Resource Management Plan, First Edition
		95-12	A Natural Heritage Inventory of the Polecat Creek Watershed, Caroline County, Virginia and Preliminary Results of a Mark-Recapture Study

VIRGINIA DEPARTMENT OF CONSERVATION AND RECREATION

Number	Title	Number	Title
95-13	Status Survey for the Fly Poison Borer Moth <i>Papaipema sp. nov.</i> in Virginia	96-4	Distribution, Abundance and Conservation Status of the Northeastern Beach Tiger Beetle (<i>Cicindela dorsalis dorsalis</i>) in Virginia: 1995 Summary Report
95-14	An Inventory for Small Whorled Pogonia <i>Isotria medeoloides</i> at Several Sites on Marine Corps Base Quantico, Prince William County, Virginia	96-5	Biological Monitoring at Bethel Beach Natural Area Preserve - 1995
95-15	Final Report, Distribution of <i>Rhus michauxii</i> of Ft. Pickett, Virginia	96-6	A Reassessment of the Status of the <i>Helenium virginicum</i> Populations in the Shenandoah Valley of Virginia
95-16	1995 Inventory for New Population of <i>Aeschynomene virginica</i> (L.) BSP. in Virginia	96-7	A Rare Plant Inventory of Southeastern Virginia Powerline Rights-of-Way
95-17	A Natural Heritage Inventory of the Lee County Airport - Site 6	96-8	Ecological Land Units of the Laurel Fork Area, Highland County, Virginia
95-18	Status Survey for the Cherokee Clubtail, <i>Gomphus consanguis</i> , in Virginia	96-9	A Natural Heritage Inventory of Langley Air Force Base, Virginia
95-19	Status Survey for the Regal Fritillary, <i>Speyeria idalia</i> , in Virginia, 1995	96-10	A Natural Heritage Inventory of the Clinch Ranger District III, George Washington and Jefferson National Forests
95-20	Status Survey for Bucholz' Dart Moth, <i>Agrotis buchholzi</i> , in Virginia	96-11	Natural Heritage Resources of Virginia: Rare Animal Species 1996
95-21	A Search for <i>Helenium virginicum</i> Blake in Unsurveyed Sinkhole Ponds in the Shenandoah Valley of Virginia	96-12	A Natural Heritage Resource Inventory of Fort Story, Virginia
95-22	Plant Monitoring and Habitat Studies for Peters Mountain Mallow, <i>Iliamna corei</i> , Following Prescribed Burns	96-13	Natural Heritage Inventory - Wallops Flight Facility
95-24	Assessment and Inventory of a Seepage Swamp Biological Community for Baseline Data	96-14	Special Biological Areas on the Jefferson National Forest
96-1	Natural Heritage Resources of Virginia: Rare Vascular Plants 1996	96-15	Production and Distribution of Natural Resource Maps and Information Final Report
96-2	An Inventory for Rare Plants in the Virginia Portion of Harpers Ferry National Historical Park	96-16	Transmission Powerline Siting Near Swamp Pink (<i>Helonias bullata</i>) in Henrico County, Virginia
96-3	A Natural Heritage Inventory of U. S. Army Fort Belvoir	96-17	A Floristic Survey of Ft. Pickett, Virginia

VIRGINIA'S PRECIOUS HERITAGE

Number	Title	Number	Title
96-19	Southern Watersheds Common Reed Project, Final Report, Prepared for the US EPA and the US Fish and Wildlife Service	97-6	A Natural Heritage Inventory of Prince William Forest Park Potential Exchange Parcels
96-20	Plant Communities and Ecological Land Units of the Glenwood Ranger District, GWNF, Virginia	97-7	Natural Heritage Resource Maps, Information and Planning Support for CZM Area Localities
96-21	A Natural Heritage Inventory of the Southeastern Public Service Authority of Virginia Regional Landfill Proposed Expansion Site	97-8	A Rare Plant Inventory of Selected Powerline Rights-of-Way Sites in Virginia
96-22	A Survey for Swamp Pink (<i>Helonias bullata</i>) Along a Proposed Transmission Power Line Route in Henrico County, Virginia - Part 1	97-9	Natural Heritage Inventory of Groundwater Invertebrates within the George Washington Memorial Parkway and Great Falls Park, Virginia
96-23	Status and Distribution Survey for Bigger's Cave Amphipod (<i>Stygobromus biggersi</i>) in Virginia	97-10	Vegetation Ecology of the Grafton Ponds, York County, Virginia with Notes On Waterfowl Use
96-24	A Survey for Swamp Pink (<i>Helonias bullata</i>) Along a Proposed Transmission Power Line Route in Henrico County, Virginia - Part 2	97-11	Status Survey for the Dismal Swamp Green Stink Bug <i>Chlorochroa dismalia</i> in Virginia
96-25	Conservation Planning For Two Virginia Sneezeweed (<i>Helenium virginicum</i>) Sites	97-12	Bethel Beach Natural Area Preserve Mathews County, Virginia, Small Mammal Survey
96-26	1996 Inventory for New Populations of <i>Aeschynomene virginica</i> (L.) BSP. in Virginia	97-13	Protection of Wetland Natural Areas on Virginia's Coastal Zone
96-27	Status Survey For The Cherokee Clubtail (<i>Stenogomphurus consanguis</i>) in Virginia	97-14	A Natural Heritage Zoological Inventory of Fort Eustis, Virginia
96-28	Monitoring of Northeastern Beach Tiger Beetles (<i>Cicindela dorsalis dorsalis</i>) On Sites Protected by Virginia Department of Conservation and Recreation	97-15	Conservation Planning for Three Priority Virginia Sneezeweed (<i>Helenium virginicum</i>) Sites
97-1	Natural Heritage Resources of Virginia: Rare Vascular Plants 1997	97-16	A Natural Heritage Inventory of Three Sites in Southeastern Virginia for Champion International Corporation
97-2	An Inventory of Shale Barrens on the George Washington and Jefferson National Forests in Virginia	97-17	Status Survey for the Mountain River Cruiser (<i>Macromia margarita</i>) in Virginia, and a Rangewide Assessment of the Status of the Species
97-5	A Natural Heritage Zoological Inventory of U.S. Army Fort Belvoir	97-18	Status Survey for the Cherokee Clubtail (<i>Stenogomphurus consanguis</i>) in Virginia 1997

VIRGINIA DEPARTMENT OF CONSERVATION AND RECREATION

Number	Title	Number	Title
97-19	Monitoring of Northeastern Beach Tiger Beetles (<i>Cicindela dorsalis dorsalis</i> Say) on Sites Protected by the Virginia Department of Conservation and Recreation 1996 and 1997 - Final Report	98-12	Natural Heritage Locality Liaison Program - Resource Mapping and Habitat Restoration
97-20	Results of Surveys for Flint's Common Stonefly (<i>Acroneturia flinti</i>) and Virginia Piedmont Water-boatman (<i>Sigara depressa</i>) in Virginia	98-13	Restoring A Wetland Ecosystem: Protection and Fire Management Programs For The North Landing River Wetland - Phase I
98-1	Hughlett Point Natural Area Preserve Resource Management Plan (1998)	98-14	Conservation Planning for Natural Areas of Colonial National Historical Park, Virginia
98-2	Natural Heritage Resources of Virginia: Rare Vascular Plants	98-15	Assessment of Hydrologic Relations of Wetlands to Surrounding Areas in the North Landing River Natural Area Preserve
98-3	A Zoological Inventory of the Grafton Ponds Sinkhole Complex, York County, Virginia	98-16	1998 Inventory for New Populations of <i>Aeschynomene virginica</i> (L.) BSP. in Virginia
98-4	Grafton Ponds Natural Area Preserve Resource Management Plan First Edition	98-17	Millennium-Long Fire and Vegetation Histories of Pocosins of Southeastern Virginia
98-5	1997 Conservation Status Assessment for the Green Floater (<i>Lasmigona subviridis</i>) in Virginia	98-18	1998 Inventory for Limestone Barrens in Lee County, Virginia
98-6	A Rare Plant Inventory of Additional Powerline Rights-of-Way in Southeastern Virginia	98-19	Results of Surveys for the Pittsylvania Well Amphipod (<i>Stygobromus obrutus</i>) in the Southern Piedmont of Virginia
98-7	A Natural Heritage Inventory of Manassas National Battlefield Park	98-20	Status Survey for the Puritan Tiger Beetle (<i>Cicindela puritana</i>) in the Chesapeake Bay Region of Virginia
98-8	Status Survey for the Green Floater (<i>Lasmigona subviridis</i>) in Virginia	98-21	Status Survey for the Brook Floater (<i>Alasmidonta varicosa</i>) in Virginia
98-9	Comparative Wetlands Ecology Study of the Great Dismal Swamp, Northwest River and North Landing River in Virginia	98-22	A Survey for <i>Iliamna remota</i> Greene (Kankakee Globe-Mallow) in River-Scoured Habitat Along the James River in Botetourt County, VA
98-10	A Natural Heritage Inventory of City of Chesapeake - Final Report	98-23	Conservation Status Assessment for the Grizzled Skipper (<i>Pyrgus wyandot</i>) on National Forest Lands in Virginia
98-11	A Natural Heritage Inventory of the Cheatham and Wormley Pond Drainages, Colonial National Historical Park		

VIRGINIA'S PRECIOUS HERITAGE

Number	Title	Number	Title
98-24	Surveys for Small Whorled Pogonia (<i>Isotria medeoloides</i>) in Timber Compartments 12, 24, and 35 at Marine Corps Base, Quantico, Virginia	99-12	Rare Natural Communities Management Guidelines, Rare Plant Species Summary Information, and Rare Plant Species Matrix for Shenandoah National Park, Virginia
98-25	Managing Invasive Alien Plants in Natural Areas, Parks, and Small Woodlands	99-13	Resource Management Plan for Grandview Nature Preserve
99-1	A Natural Heritage Inventory of Three Cave Beetles of the Genus (<i>Pseudanophthalmus</i>) and An Assessment of Their Habitats	99-14	Fire Management Plan for Cherry Orchard Bog
99-2	An Inventory of Shale Barrens on the George Washington and Jefferson National Forests in Virginia – Third Edition	99-15	Resource Management Plan for Zuni Pine Barrens
99-4	Plant Communities of Limestone, Dolomite, and other Calcareous Substrates in the George Washington and Jefferson National Forests, Virginia	99-16	Population Monitoring and Status Assessment for the Regal Fritillary (<i>Speyeria idalia</i>) in Southwestern Virginia during 1998
99-5	A Natural Heritage Inventory of Virginia Outdoors Foundation Properties on Bull Run Mountain	99-17	Crow's Nest, Stafford County, Virginia – Ecological Restoration Invasive Species Management Guidelines
99-6	A Natural Heritage Inventory of the Big Survey, Wythe County, Virginia	99-19	Preliminary Natural Heritage Inventory of Warm Springs Mountain, Bath County, Virginia
99-7	A Natural Heritage Inventory of John H. Kerr Reservoir, Virginia and North Carolina	99-20	Fire Management for NLR Wetlands Restoration
99-8	Eastern Hemlock Inventory and Assessment for Prince William Forest Park, Virginia	99-21	Natural Heritage Locality Liaison Program – Final Report
99-9	A Rare Plant Inventory of Powerline Rights-of-Way in Virginia	99-22	Status Survey for the Rare Skipper (<i>Problema bulenta</i>) in Eastern Virginia, 1999
99-10	A Natural Heritage Inventory of Chincoteague National Wildlife Refuge	99-23	Status Survey for (<i>Cardamine micranthera</i>) Rollins (Small-Anthered Bittercress) in Virginia
99-11	Natural Heritage Resources of Virginia: Rare Vascular Plants	99-24	Karst IV– Final Report
		99-25	Conservation Status Assessment for the Regal Fritillary (<i>Speyeria idalia</i>) in Virginia, 1999
		99-26	First Supplement to SBA's on the Jefferson National Forest

VIRGINIA DEPARTMENT OF CONSERVATION AND RECREATION

Number	Title	Number	Title
00-01	Surveys for Small Whorled Pogonia (<i>Isotria medeoloides</i>) in Timber Compartments 2, 11, 31, and 32 at Marine Corps Base, Quantico, Va.	00-17	2000 Inventory for <i>Amaranthus pumilus</i> Raf. in Virginia
00-03	A Natural Heritage Inventory of the Dragon Run Watershed	00-19	Current Status and Conservation Strataegy for the Eastern Small Footed Myotis (<i>Myotis leibii</i>)
00-04	An Inventory of the Flora of the Fire-Maintained Grasslands and Woodlands at Marine Corps Base, Quantico, Virginia	00-20	Conservation Assessment of the Regal Fritillary (<i>Speyeria idalia</i>) in Virginia, 2000
00-05	Zoological Surveys for the Dwarf Wedgemussel and Lepidoptera At Marine Corps Base, Quantico, Virginia	00-21	Conservation status assessment of <i>Neonympha mitchellii</i> in Virginia, 1999.
00-06	Surveys for Rare Insects and Crustaceans in Manassas National Battlefield Park	00-22	Status survey for Saint Francis' Satyr, <i>Neonympha mitchellii francisci</i> , in Virginia, 2000.
00-07	Plant Communities and Ecological Land Units of the Peters Mountain Area, James River Ranger District, GW and JNF, Virginia	01-01	An Updated Inventory of Rare, Threatened, and Endangered Species and Significant Natural Communities at the Naval Amphibious Base Little Creek South Virginia Beach Annex (Camp Pendleton)
00-08	Ecological Communities of U. S. Army Garrison, Fort Belvoir	01-02	An Updated Inventory of Rare, Threatened, and Endangered Species and Significant Natural Communities at the Naval Amphibious Base, Little Creek South Virginia Beach Annex (Camp Pendleton)
00-09	Natural Heritage Resources of Virginia: Rare Plants	01-03	A Natural Heritage Inventory of the Dragon Run Watershed – Second Edition
00-10	Biological Diversity Protection on the George Washington National Forest – First Supplement	01-04	Results of mist net surveys for the eastern small-footed myotis (<i>Myotis leibii</i>) at Turkey Run and Great Falls Parks, Virginia, 1999-2000
00-11	Special Biological Areas on the Jefferson National Forest – First Supplement	01-05	A Natural Heritage Inventory at Neck O Land, Colonial National Historical Park
00-13	Spring Amphipods of the George Washington and Jefferson National Forests, Virginia	01-06	A Natural Heritage Inventory of Philpott Lake
00-14	Pitcher Plant (<i>Sarracenia Spp</i>) Inventory of Fort A. P. Hill, Virginia	01-07	Status Survey for Rare Goundwater Amphipods (Genus <i>Stygobromus</i>) in Eastern Virginia
00-15	2000 Inventory for New Populations of <i>Aeschynomene virginica</i> (L.) BSP. in Virginia		
00-16	Coalfields Expressway Small Whorled Pogonia (<i>Isotria medeoloides</i>) Survey 2000: A Preliminary Sampling		

VIRGINIA'S PRECIOUS HERITAGE

Number	Title	Number	Title
01-09	Biological Survey of the Coastal Plain Depression Ponds (Sinkholes) Of Colonial National Historical Park, Yorktown, Virginia – Final Report	01-26	Surveys for Small Whorled Pogonia (<i>Isotria medeoloides</i>) in Timber Compartments 13, 15, 26, 27, 28, 29, 33, and 40 in 2000 and 2001 at Marine Corps Base, Quantico, Virginia
01-10	A List of the Vascular Plants of Manassas National Battlefield Park	02-01	Plants and Animals Recorded from the Jamestown Island 400 Project Area, Colonial National Historical Park
01-11	Natural Heritage Resources of Virginia: Rare Vascular Plants	02-02	A Natural Heritage Inventory of Rare, Threatened, and Endangered Species at Naval Air Station Oceana and Naval Auxiliary Landing Field Fentress Virginia Beach and Chesapeake, Virginia
01-12	Rare Fauna Inventory at Fort Pickett – Maneuver Training Center Blackstone, Virginia	02-03	An Inventory of Nocturnal Lepidoptera at Sharp Top Mountain, Peaks of Otter, Blue Ridge Parkway, Virginia
01-13	Ranking Invasive Exotic Plant Species in Virginia	02-04	Coalfields Expressway Small Whorled Pogonia (<i>Isotria medeoloides</i>) Survey 2001: Final Report
01-14	Ecological Communities of the George Washington and Jefferson National Forests, Virginia	02-06	Restoration of Habitat for Smooth Coneflower (<i>Echinacea laevigata</i>) in Virginia: Phase I – Population Surveys and Management Plan
01-15	A Status Survey and Assessment of Holsinger's Cave Beetle (<i>Pseudanophthalmus holsingeri</i>) at Young-Fugate Cave, Lee County, Virginia, 2000-2001	02-07	Ecological Communities of the Jamestown Island 400 th Anniversary Planning Project Area, Colonial National Historical Park, Virginia
01-16	Natural Heritage Resources of Virginia: Rare Animals	02-09	A Natural Heritage Inventory of the Presquile and James River National Wildlife Refuges
01-18	Conservation Plan for the Saint Francis' Satyr (<i>Neonympha mitchellii francisci</i>) in Virginia	02-10	Status Survey of the Regal Fritillary (<i>Speyeria idalia</i>) in Virginia, 2001
01-21	The Vascular Flora of John H. Kerr Reservoir, VA – Final Report	02-11	A Natural Heritage Inventory of Plant and Animal Species at Virginia Army National Guard OMS No. 1 and No. 2 near Sandston, Henrico County, Virginia
01-23	An Inventory for Rare, Threatened, and Endangered Species in the Jamestown Island 400 Project Area, Colonial National Historical Park	02-13	Natural Heritage Resources of Virginia: Rare Plants
01-24	Status Survey for the Appalachian Grizzled Skipper (<i>Pyrgus wyandot</i>) in VA.		
01-25	Status survey for Saint Francis' Satyr, <i>Neonympha mitchellii francisci</i> , in Virginia, 2001.		

VIRGINIA DEPARTMENT OF CONSERVATION AND RECREATION

Number	Title	Number	Title
02-14	Preliminary Classification of Piedmont and Inner Coastal Plain Vegetation Types in Virginia	02-27	Status survey for and population monitoring of Saint Francis' Satyr (<i>Neonympha mitchellii francisci</i>) in Virginia, 2002.
02-15	Mosquito Control Guidelines for Virginia State Parks and Natural Area Preserves	03-04	Natural Heritage Resources of Virginia: Rare Animal Species.
02-16	Habitat Restoration for the Vaughan Tract at North Landing River Natural Area Preserve	03-05	An inventory for Natural Resources in the Chowan River Drainage Basin of Virginia.
02-17	Status Survey for the Appalachian Grizzled Skipper (<i>Pyrgus wyandot</i>) in Virginia	03-06	Restoration of Habitat for Smooth Coneflower (<i>Echinacea laevigata</i>) in Virginia: Phase I I- Management and Monitoring
02-19	A Lepidopteran Survey of Turkey Run Park, George Washington Memorial Parkway	03-09	An inventory of rare, threatened, and endangered species and significant natural communities at the Naval Weapons Station Yorktown Complex, Yorktown, Virginia
02-20	Status Survey of Regal Fritillary (<i>Speyeria idalia</i>) in 2002 on Radford Army Ammunition Plant		

Natural Area Preserve Management Guidelines

Overview

Natural area preserves in Virginia are managed for the objective of providing suitable habitat conditions for the continued existence of rare or declining species of plants and animals, and also to maintain rare and exemplary natural community types. Active management actions are often required to meet objectives, as is the case in many better known fields of natural resources management. For example, actions are taken in order to: (1) protect fragile and rare habitats from the potentially destructive impacts of human visitation while still allowing compatible and appropriate types of public use; (2) reinstate the natural process of fire through the use of prescribed burning to create and maintain habitat conditions required by fire-adapted and fire-dependant species and communities; (3) restore altered water flows and soil moisture regimes by blocking ditches or removing fill; (4) control invasive plants that rapidly usurp resources and occupy habitats of rare species while obliterating natural communities.

These management guidelines are intended to explain the general rationale for managing rare species and natural communities, to clarify the reasons for restricting public use and visitation, and to state principles and ideas that guide management of natural areas with the goal that they will perpetually sustain their valuable and vulnerable resources.

Introduction

The Virginia Natural Area Preserve System was established by law in 1989 to protect and conserve *natural heritage resources* (habitats of rare plants and animals; exemplary natural communities; other rare natural features) throughout the state. This system of protected lands is administered by the Virginia Department of Conservation and Recreation (DCR)

and managed by the Division of Natural Heritage (DNH). Natural Area Preserve Dedication, in accordance with the Code of Virginia sections 10.1-209 - 217 (Virginia Natural Area Preserves Act), offers strong levels of protection by placing privately and publicly held natural areas into a legally established statewide preserve system with statutory protection against most forms of condemnation and conversion to other land uses.

These guidelines were developed by DCR–DNH to provide management direction for dedicated natural area preserves in Virginia. Natural area preserves may constitute a portion of larger conservation areas such as state parks, municipal watersheds, county parks, and privately-owned open spaces. Such areas often have recreation and/or commodity and income production as primary management objectives; thus, they nearly always have a broader set of compatible uses than is appropriate for natural area preserves.

Natural areas often support fragile habitats that are easily disturbed and sometimes destroyed by the presence of people. In a world dominated by humans, most natural areas have been modified to varying degrees by past and on-going land-use activities, and by introductions of non-indigenous species of plants and animals. The result, in some cases, has been the suppression or elimination of natural processes such as fire and flooding. These agents of disturbance are required to maintain successional stages that provide habitat for certain species or that result in the formation of distinct communities. Often, the introduction of exotic and invasive plants and animals poses a threat to native species and natural community integrity. For these reasons, a “hands-off” approach will usually not meet the objectives of natural areas stewardship. Natural area stewards must identify which processes are involved in maintaining communities and the habitats of rare species in order

to develop successful management strategies and prescriptions.

The primary and over-riding objective of natural areas stewardship is to provide for the continued presence of natural heritage resources. Attaining this objective may require management actions that result in perpetuation of a particular successional vegetative stage (habitat condition) required by a rare species or characterizing a natural community. Actions are taken that maintain, restore, or mimic natural processes and result in a particular desired vegetative structural and compositional condition. Thus, natural area stewards may work to prevent an unnatural, harmful disturbance (such as invasion by a non-native plant like kudzu) and allow or promote a natural, appropriate disturbance (such as fire) to maintain a rare grassland or prairie community in the Shenandoah Valley. By taking such actions, the natural processes and conditions that allowed the rare species or community to occur at the site are restored, to the extent possible.

Natural Area Preserve (NAP) Management Plans are written for all dedicated natural area preserves in Virginia. Plans are comprehensive and contain specific site and resource information plus management objectives and action recommendations that guide preserve stewardship and allow for management continuity over time. With assistance from various sources and organizations, DCR–DNH staff lead the assembly of information and development of management strategies aimed at enhancing, maintaining, and/or restoring the natural heritage resources for which the site was protected.

Public Use

Natural area preserves are acquired and managed primarily to perpetuate the long-term quality, condition, and viability of natural heritage resources contained or supported within their boundaries. Some natural area preserves can be managed to meet this objective while at the same time accommodating some level of public use. Compatible and appropriate types of uses for each preserve are identified through the management planning process. Visitor use is monitored by natural area stewards and data is used

for refining public use and visitor access objectives. Some preserves contain extremely fragile habitats and species that are damaged by even low levels of visitation. Other preserves are more resilient and may be capable of sustaining higher levels of public use. Some preserves may be closed seasonally but open for visitor use at specific times of year. At others, visitation may be restricted to specific areas – such as along a designated trail or boardwalk.

Public use of natural area preserves can conflict with the primary natural heritage resource management and protection objective mandated by the Virginia Natural Area Preserves Act. The term “public use” as used here includes such activities as hiking, camping, biking, fishing, hunting, swimming, research, and education. It is a plain fact that human visitors often harm or threaten population viability of rare plants and animals, as well as their often-fragile habitats. The degree of damage depends on the frequency, intensity, and location of visitor activity. Some level of public use may be considered as appropriate if the characteristics of visitation and use are compatible with the resource protection priority and if such use does not threaten or degrade occurrences of natural heritage resources. Additionally, with the scarcity of funds to support natural areas management, costs to monitor and manage public use cannot be excessive.

Guidelines relating to specific types of public uses in the context of natural areas management follow. These are organized into three use categories, based on their appropriateness under normal circumstances and management situations.

Category 1: Normally Appropriate Uses
Birding, wildlife-watching, wildflower and native plant observation, photography. These non-consumptive uses by the public are often compatible with natural areas management. Populations of plants and animals are simply being observed, often at a distance, with no collection, disturbance, or resultant change in population condition. At some sites, trails or observation platforms may be beneficial for managing impacts of large groups or increased numbers of visitors participating in these activities. Particularly on fragile sites such as mountaintop balds, rock outcrops, and wetlands, repeated foot

travel can damage local habitats and trample rare plants. Visitation may, in some cases, need to be limited to specific seasons. Such is the case with preserves supporting populations of colonial beach nesting birds, so that nesting success is not decreased as a result of the presence of humans.

Hiking. Trails and vestiges of old roads nearly always exist as a result of land use prior to the establishment of a natural area preserve. Such trails may or may not be appropriate for public use by hikers, depending on factors such as proximity to occurrences of natural heritage resources, active erosion, wetland crossings, and other terrain features. New trails, if they are to be constructed, should be carefully located and maintained. All proposals for new trails in a natural area preserve, whether for recreation, research, or education, will be reviewed by the Natural Area Preserve Public Access Oversight Committee, co-chaired by the DCR–DNH Division Director and Stewardship Manager.

A map of existing and proposed trails will be included in the preserve Management Plan section on public access. This section will describe the purpose and physical characteristics of preserve trails. On most DCR-owned preserves, trail maintenance and use monitoring is the responsibility of the regional DNH Natural Area Operations Steward. Trail use monitoring assesses the number of trail users, the specific aspects of trail maintenance, and the extent to which users stay on designated trail routes. Careful attention is given to monitoring whether occurrences of natural heritage resources are being degraded by visitors using trails. It is notable that adverse effects from trail use are difficult to detect before damage has occurred and that once public use patterns are established, they are not easy to change. As needed, DNH staff will consult with Division of Planning and Recreation Resources and Division of State Parks staff to develop strategies to protect sensitive resources. Actions for reducing access to sensitive areas will include blocking roads and trails with gates and rocks, and installing interpretive signs explaining the purpose for access restrictions in natural area preserves.

Research. Numerous possibilities for research exist on natural area preserves. Baseline inventory work is often needed, such as floral, faunal, and community surveys. Research that increases knowledge about local microclimates, soils, geology, and hydrology of the area greatly benefits and informs preserve management decisions. To the extent possible, DNH will support scientific studies that show promise to fill knowledge gaps in natural area preserve and natural heritage resource management. Proposals for research funding support on natural area preserves will be reviewed on an individual basis. Studies to be conducted on preserves will require prior submission of a Research and Collecting permit application, review and approval by DNH staff, and issuance of a written permit. Research methods will be used that minimize adverse effects on natural heritage resources and physical features at the preserve. At project conclusion, researchers will be required to remove evidence of their work such as residue from destructive sampling techniques (clipped plots), temporary shelters for instrumentation, plastic flagging, and visual plot locators such as stakes, wire flags, or sampling station monuments

Teaching and interpretation. The use of natural area preserves for educational programs is highly appropriate. Natural areas present an opportunity to observe many rare forms of life as well as the natural processes that maintain them. Preserves are also ideal locations for introducing students to the concept and value of biodiversity and for educating people of all ages of the need for broad and comprehensive approaches to natural resource management. As with other public uses of natural areas, teaching and interpretation activities must be managed to prevent adverse impacts on natural heritage resources. DNH staff and/or responsible volunteer instructors should accompany all group field trips to natural area preserves.

Category 2: Conditionally Appropriate Uses
Fishing, picnicking, canoeing. Whether or not these activities constitute appropriate public uses depends on (1) the site-specific characteristics of a particular natural area and (2) the observed consequences of such uses. For example, circumstances may allow low

numbers of fishermen to use a beach that supports rare beach nesting birds and animals. At some preserves, however, there is clear justification for prohibiting these uses because they are known or expected to cause negative impacts to rare species. In all cases, where allowed, the effects of such uses will be monitored. If negative impacts to natural heritage resources are observed, the causative public use(s) will be discontinued.

Swimming. Swimming is not an authorized activity on DCR-owned natural area preserves, due primarily to the issue of public safety. With no lifeguards or patrols in place on public beaches or waterways, responsible landowning public agencies cannot officially sanction swimming. Rather, in nearly all cases, they must prohibit or actively discourage it. On privately-owned natural area preserves, decisions to allow swimming or to prohibit it are the responsibility of the landowner. In cases where beach uses such as sunbathing and beach-walking result in direct damage to fragile beach and dune habitats that support rare species, such impacts will be documented and the specific causative use(s) discontinued.

Hunting. As with fishing, hunting is not necessarily incompatible with natural area preserve management. Hunting may be both compatible and necessary for the purpose of controlling populations of animals that need to be limited such as white-tailed deer, nutria, snow geese, or resident Canada geese. However, hunting is an activity that can and often does result in conflicts between user groups. For example, public use by birders and wildlife watchers who visit a preserve to view migratory waterfowl is not compatible with concurrent waterfowl hunting. Likewise, use of a preserve by nature photographers or educators would not be a compatible use during periods when hunting activities to achieve control of the local deer population were taking place. In most instances, hunting on natural area preserves will be limited temporally and conducted specifically to meet the management objective of controlling animal populations that, if left unchecked, present a threat to natural heritage resources on site.

Category 3: Incompatible and Inappropriate Uses Camping. Camping activities inevitably result in repeated localized intensive use and long-term degraded site effects. Even low-intensity camping styles cause some adverse impacts. And while “no trace” camping practices have much to recommend them, DCR–DNH does not have the capacity to monitor campers and ensure that they follow such practices. Additionally, if “no-trace” or other camping styles were allowed on state-owned preserves, increasing numbers of people would request camping access and many would not abide by “no trace” practices. Thus, permitting camping would lead to gradual habitat degradation and negative impacts on rare species. For these reasons, camping is considered incompatible with the objectives of the Virginia Natural Area Preserve System and is prohibited.

Bicycles. Except for accessing established parking areas and public access points designed for automobiles, use of bicycles in natural area preserves is prohibited. Mountain biking has become a popular outdoor activity that exerts increasing pressure on sensitive natural areas. If bicycle use has occurred in a preserve or if ready access exists, management actions will be taken to inform riders that biking is not permitted. If feasible or needed, access will be blocked with signs and/or barricades placed in strategic locations. Adverse effects from mountain bikes may be difficult to detect before damage has occurred. Given that bicycle riding patterns are difficult to change once established, it is imperative to quickly develop strategies to protect natural heritage resources from this incompatible use once such use is detected.

Horseback riding. This use is inappropriate for natural area preserves due to the well-documented negative impacts to soils and vegetation of concentrated and frequent passage of horses. Additionally, the introduction of invasive weeds from both manure and hoof-borne vectors is a documented negative aspect of horseback riding in areas managed for natural heritage resources. While infrequent use may cause minimal impacts, increased levels of use are inevitable on public lands. Thus, as with bicycles, horseback riding is nearly always an inappropriate

and incompatible use on lands managed as natural area preserves.

Rock climbing and caving. Rock outcrops, cliffs, and caves are among the most fragile of habitats and support some of the rarest occurrences of natural heritage resources in the state. The repeated presence of humans at these places often leads to habitat degradation and, if prolonged or chronic, is well-known to cause damage or extirpation of rare species of plants and animals. For this reason, access to most cliffs, rocky peaks, and caves on natural area preserves will be restricted to designated trails or observation points *only*, or to visitation during an organized field trip, or following issuance of a written Research and Collection or Special Use permit from DCR–DNH.

Off-road vehicles. Motorized all-terrain-vehicles including SUVs, “four-wheelers,” and dirt bikes are prohibited within natural area preserves. These uses degrade trails and cause severe erosion requiring expensive repairs. Noise pollution from vehicle engines reduces the quality of the outdoor experience for other authorized user groups and constitutes harassment to wildlife. The use of such motorized vehicles is perhaps the most incompatible of all public use categories in natural area preserves.

Unleashed pets. Visitors are not prohibited from bringing pets with them when visiting natural area preserves. However, by regulation, pets must at all times remain under leash restraint while on DCR-owned lands. Unleashed dogs pose a particular threat to natural heritage resources and to various species of wildlife. Free-roaming dogs are known to cause nest abandonment in shore nesting bird colonies and to harm or destroy ground nesting bird eggs and young. Digging activity by dogs also causes habitat degradation on beaches protected for rare animals such as northeastern beach tiger beetles. For these reasons, all dogs or other domestic animals accompanying human visitors to natural areas preserves must be kept on leash at all times.

Collection of plants, animals, minerals, or artifacts. In order to protect occurrences of rare species, the collection and removal of plant material, animals, minerals (rocks), or artifacts is prohibited. The one

exception to this guideline is the non-commercial, incidental gathering of common species (e.g., blackberries, blueberries, strawberries) for personal consumption. However, some rare species that produce an edible berry are native to Virginia and should not be picked. In such instances and locations, signs will be posted to inform the public in order to prevent negative effects to rare species from incidental collection. For legitimate research and education purposes, collection of specimens may be approved by DNH following submission and review of an application for a natural area preserve Research and Collection permit.

Site Operations Management

Roads

Many preserves have existing roads from previous land uses. Building new roads is nearly always inappropriate in natural area preserves and seldom is there sufficient justification to do so. Even roads outside of the preserve, especially along boundaries, may adversely affect resources within the preserve due to impacts such as introduction of invasive species, noise pollution, and alteration of local hydrology. Existing interior roads, skid trails, or historic traces will be mapped and described in Natural Area Preserve (NAP) Management Plans. Roads within preserves will be considered for closure or obliteration if they have no specific utility or function for preserve stewardship, or if such closure would reduce negative impacts to natural heritage resources or cause a decrease in vandalism to preserve facilities and infrastructure. Road maintenance schedules and costs will be included in NAP Management Plans.

Rights-of-way

Utility corridors such as powerline rights-of-way can and do exist in natural area preserves. Siting of new corridors within preserve boundaries is highly inappropriate and should be prevented by preserve Deed of Dedication language. Rights-of-way agreements or easements particular to a preserve will be appended to the NAP Management Plan, along with a list of contacts regarding agreements and corridor maintenance. All non-DCR entities (rights-of-way maintenance contractors, utilities,

municipalities, etc.) should be informed of the sensitivity and importance of natural heritage resources in the preserve. Frequency and methods for rights-of-way maintenance will be used that have the fewest negative effects on natural heritage resources. Such coordination will decrease adverse impacts to rare species and increase DCR inclusion in planning for expansion or improvement to utility corridors near or within natural area preserves.

Access Points

Public access facilities and points of entry to preserves will be designed so as to meet the primary objective of protecting natural heritage resources. Access designs will first and foremost function to restrict or direct visitor activity in ways that protect fragile habitats. Determining and mapping the location of sensitive areas within the preserve is essential so that threats can be abated and vulnerable resources protected. All proposed and existing structures and signs at preserve entrances will be described in NAP Management Plans. Additional needs for improved parking, interpretive signs, and trails will be discussed and approved by the NAP Public Access Oversight Committee prior to project implementation.

Facilities and Infrastructure

Guard rails, signs, fences, gates, trail steps, and other devices or measures may be installed as necessary for site security and visitor safety. Such infrastructure should be described and justified in each NAP Management Plan. Potentially dangerous conditions such as dead trees, branches, abandoned wells or pits, and similar hazards on trails or in authorized public use areas may be removed, cleared, filled in, or otherwise remedied. When in accordance with the NAP Management Plan, evidence of past human use such as fences, fence rows, culverts, trash dumps, and abandoned vehicles or structures (having no historic or scientific value) may be removed from the preserve.

Biological Resource Management

Prescribed Burning

Prescribed burns will be conducted to restore, enhance, and maintain fire-adapted natural

communities, control invasive species, and accomplish various other objectives as identified in NAP Management Plans and in accordance with guidance from DNH fire managers and fire ecologists. DNH stewardship staff with training and experience in fire management that hold Virginia Prescribed Burn Manager Certification will, in conjunction with reviews and approval by other fire managers, prepare a written burn plan for each prescribed burn project. All required permits and approvals shall be obtained for each project. Burning shall not be attempted under conditions more hazardous than those specified in the prescribed burn plan. The use of equipment and motorized vehicles, size and roles of the burn crew, identity of the fire leader, time of year for the burn, frequency of burning, amount of area to be burned, and other detailed information pertinent for conducting a burn shall be specified in prescribed burn plans.

Prescribed burn plans shall be reviewed and approved by a DCR Fire Manager. The implementation of prescribed burn plans will require the concurrence of the Director of the Department of Conservation and Recreation, or his/her designee, and the Director of the Division of Natural Heritage. Stewardship objectives of prescribed burning shall be stated in NAP Management Plans. As appropriate and needed, monitoring of animal, plant, or community responses will be accomplished in order to determine efficacy of burn projects. Copies of unit burn prescriptions and monitoring reports will be completed and archived in the DNH NAP management files.

Restoration of Natural Hydrology

Hydrologic conditions altered by human activities such as drainage or fill placement may be restored, as appropriate, to create soil moisture regimes necessary for the benefit and enhancement of rare species and natural community occurrences. Stewardship actions that affect hydrology will be conducted for the purpose of meeting habitat maintenance and restoration objectives for which the preserve was established. Specific actions will be described in NAP Management Plans and be in accordance with local, state, and federal laws and regulations.

Erosion Control and Conservation Plantings

Control of erosion in natural area preserves that result from human disturbance may be accomplished through conservation plantings or by other means in order to meet natural heritage resource stewardship goals, to protect water quality, and to abate man-induced soil loss arising from previous land surface alterations. Species native to Virginia (and if possible, native to the specific region) will be used for conservation plantings to achieve soil stabilization. Planting non-native and/or invasive alien species is inappropriate on natural area preserves as well as in other natural settings, and such plantings are now widely discouraged for most natural resource conservation projects. In addition, erosion problems on adjacent or nearby lands that impinge on preserve stewardship issues may be addressed in cooperation with DCR's Division of Soil and Water Conservation and the landowner. Erosion mitigation plans will be developed as needed in cooperation with appropriate agencies, parties, and stakeholders

Invasive Species Control

Measures to control invasive plants and animals will be taken using accepted methods consistent with objectives stated in NAP Management Plans. The term "control of invasive species" may in some cases include the control of plant succession, even if targeted plants are native to Virginia. Actions recommended for the control of any plant or animal species, noxious or otherwise, will be described in NAP Management Plans.

Insect and Disease Control

Insect or disease control programs will be undertaken only if the infestation or outbreak (1) threatens adjacent natural areas, (2) will drastically alter natural ecological processes within the natural area preserve or cause adverse economic impacts on adjacent property, or (3) constitutes a public health emergency provided that such control programs are approved by the managing agency or are provided for by law.

Pesticide Use

The use of certain pesticides is one means by which natural area preserve stewards may accomplish specific management objectives. NAP Management Plans describe those situations under which pest

management, such as invasive plant control programs, will be undertaken. Pesticide use in the context of natural area stewardship is mostly limited to herbicide applications for controlling (1) invasions of exotic vegetation that threaten on-site occurrence of rare species or natural communities or (2) weedy growth in public access facilities such as parking areas. Other use of pesticides should be made only with project review and approval by DNH staff or by consent of the managing entity or agency.

Forest Harvesting and Silviculture

The objectives of management for natural area preserves focus on (1) minimizing soil disturbance to retard or prevent invasive plant introductions, (2) retention and restoration of natural hydrological regimes and nutrient cycles, and (3) taking other actions to alter or maintain habitat conditions that favor the expansion of populations of rare species of plants and animals. Objectives of natural area preserve management do not include production of a continuous supply of forest products or income streams. Many silvicultural practices such as chemical and/or mechanical site preparation, fertilization, drainage, and plantation establishment are, in most instances, not compatible with protection and stewardship goals on natural areas as they can conflict with the goal of maintaining and enhancing natural plant communities and rare species habitats.

Nevertheless, actions such as cutting, deadening, or removing trees are not necessarily incompatible with natural areas management. Some silvicultural activities may be appropriate tools for natural area preserve management, but only when the objective is improvement or creation of habitat conditions for a targeted rare species or natural community. For example, thinning and burning a pine stand in order to favor shade-intolerant endangered plants such as smooth coneflower, or removing loblolly pine in order to restore a longleaf pine savanna may be high priorities requiring specialized forest harvesting plans for some natural area management programs. Such thinning and overstory removals may even, in some cases, best be accomplished through the process of conducting a timber sale.

When alterations to existing structure and composition of forest vegetation are appropriate and necessary to benefit natural heritage resources, natural area preserve stewards may make use of practices or treatments that closely resemble those of silviculture. Management plans for natural area preserves should clearly designate what vegetation management practices are to be used and for what objectives.

Traditional Wildlife and Fisheries Management

Natural area preserves are not purchased or managed for the objective of providing fishing, hunting, or trapping opportunities for the general public. It is therefore inappropriate to take management actions on preserves with the specific intent of improving consumptive recreation opportunities. However, certain types of hunting, fishing, or trapping activities may, at times, be considered compatible with preserve stewardship goals. For example, hunting may occur on some preserves under circumstances such as retained rights, conditions of transfer, traditional use, or to meet population reduction objectives. Hunting, fishing, and trapping activities for the purpose of protecting or enhancing natural heritage resources will be described in site-specific NAP Management Plans.

Rare Species Recovery

A primary objective of natural areas management is to conduct activities which provide or enhance habitats for plants and animals that have not benefited from common, traditional, or commercial land management regimes. Management of endangered, threatened, and special concern species of both plants and animals, plus non-listed species which may be of management concern on a particular natural area preserve, will receive close attention from natural area managers. Habitat manipulations and protective measures favoring a particular species will be undertaken as specified in NAP Management Plans. Monitoring of the target species will be undertaken in order to assess effectiveness of recovery or management actions.

Reintroduction as a means for rare species recovery will be considered only as a last resort and only when it is clear that reinstating natural processes and/or threat and stress mitigation will not result in

population recovery. Intentional introductions of plant material of any type or kind of propagule (plant, cutting, seed, shoot, rhizome, rootstock, bulb, corm, etc.) or of any animal will be made only with review and approval, on a species by species and site by site basis, by a DNH oversight committee consisting of the Division Director, Stewardship Manager, and Chief Biologist.

Livestock Grazing and Crop Production

In nearly all cases, domestic livestock grazing is incompatible with the objectives of natural area preserve management. Concentrated grazing by cattle, horses, sheep, or other stock cannot be rationally argued to mimic a natural process; e.g., to simulate the effects once produced by native grazing animals such as bison or elk. Negative grazing effects commonly include degradation of stream banks and reduction of downstream water quality. Eliminating grazing and allowing or facilitating reestablishment of stream bank vegetation is one sound method of riparian buffer restoration.

However, certain exceptions are noteworthy of mention. Some natural area managers have experimented and seen positive results with grazing of goats in mountain bald communities for the control of invading woody species. Specialized circumstances may exist, such as retained rights or conditions of sale where grazing is continued for a specified time period. In such cases, detailed records will be kept on stock density, timing, and duration of grazing. A monitoring program will be designed and enclosures may be established to evaluate the effects of grazing. Management options for reducing negative grazing impacts to natural heritage resources should be developed under the guidance of the NAP Management Plan. These options may include shifting the season of grazing, providing resting periods, changing stocking levels, appropriately locating water, shelter, and mineral supplements, and rehabilitating soil.

As with grazing of stock, crop production for agricultural production purposes is not compatible with natural area preserve management. Except in the case of retained rights or short-term leases in specialized instances, the use of natural areas for

producing crops of any kind, including forages, grains, leaf, vegetables, or fruits is not consistent with the purpose and objectives for establishing and managing natural area preserves.

Archeological and Historic Resources

Archeological and historic resources on natural area preserves will be protected. Inventories for archeological and historic resources will be conducted and recommendations for conservation will be included in NAP Management Plans. Resources may be considered for interpretive and/or research value as identified and prescribed in the Plan. The collection of artifacts will be discouraged and only permitted for justified research studies approved by the Department of Historic Resources and the Department of Conservation and Recreation.

Eligible historic structures will be surveyed and nominated for placement on the Virginia Landmarks Register. Archeological research may vary, from recordation surveys where no collection or excavation is performed, to intensive excavations usually focused in a confined area. Consequently, compatibility of archaeological research and natural area preserve stewardship may vary and each proposed action should be assessed on an individual basis.

Certain resources are protected by established statutes, regulations, and guidelines. Activities which would in some way affect significant historic resources may require review and/or permitting by the Department of Historic Resources. Pertinent statutes to consider include the Virginia Antiquities Act, Virginia Cave Protection Act, Appropriations Act, and the National Historic Preservation Act.

Minerals

Mineral exploration and extraction are incompatible and inappropriate uses on natural area preserves, and are prohibited in all cases. Soil disturbance, especially at the scale necessary to remove mineral resources, is clearly at odds to the purposes and objectives of natural area preserve establishment and stewardship. Simply stated, dedicated natural area preserves will have no mineral exploration or exploitation. Collection of any surface mineral specimens for research or educational purposes requires the prior issuance of a Research and Collection permit by the Department of Conservation and Recreation.

THESE GUIDELINES were approved by the Director of the Virginia Department of Conservation and Recreation on December 8, 2000 and by the Board of Conservation and Recreation on December 12, 2000. Modifications shall require the approval of the Director or his/her designee.

Virginia's Natural Heritage Resources

The following four tables provide a thumbnail sketch of the status of each plant, animal, natural community and other natural heritage resource monitored as part of the Natural Heritage Program. Each table provides the number of occurrences of each natural heritage resource and the number of occurrences that are on managed or protected lands. The plant and animal tables also provide global and state ranks, and federal and state endangered species status for each species. Data contained in these tables are essential for targeting species and community types for conservation.

KEY TO TABLES

Scientific Name

Names used here for plants and animals follow the nomenclature used by the Natural Heritage Program scientists. In most cases, the nomenclature for the vascular plants follows Kartesz, J.T. 1999. *A Synonymized Checklist and Atlas with Biological Attributes for the Vascular Flora of the United States, Canada, and Greenland*. First Edition. In: Kartesz, J.T., and C.A. Meacham. *Synthesis of the North American Flora, Version 1.0*. North Carolina Botanical Garden, Chapel Hill, NC. or A.S. Weakley *Flora of the Carolinas and Virginia* (In prep.). Animal names are derived from numerous sources but are typically the most scientifically accepted names for each taxonomic group. For brevity, species names are given here without the names or codes of their credited authors.

Common Name

Plant and animal common names are provided here for convenience. Standard common names have been developed and universally adopted for only a few animal groups and many taxa have no entirely

satisfactory common name. Common names for birds, fishes, and a few selected aquatic invertebrate groups (e.g., mussels) are recognized as stable. Common names of plants vary widely. Some species lack common names and they are usually indicated in the tables as "a tiger beetle," "a sedge," etc. It is best to rely on scientific names whenever possible.

Community Name

Nomenclature used in the community list follows The Natural Communities of Virginia, Classification of Ecological Community Groups, Natural Heritage Technical Report 01-1. Most of these names are at the ecological community group level of classification. A few are at the finer scale, technically referred to as "community type."

Global Rank

Global ranks are assigned by a consensus of the network of natural heritage programs, scientific experts and NatureServe to designate a rarity rank based on the range-wide status of a species or variety. Ranks are assigned after considering a suite of factors, including number of occurrences, number of individuals and severity of threats. All plants and animals in the following tables have been assigned global ranks, but most communities and other natural heritage resource types have not.

- G1 = Extremely rare and critically imperiled with 5 or fewer occurrences or very few remaining individuals; or because of some factor(s) making it especially vulnerable to extinction.
- G2 = Very rare and imperiled with 6 to 20 occurrences or few remaining individuals; or because of some factor(s) making it vulnerable to extinction.

G3 = Either very rare and local throughout its range or found locally (even abundantly at some of its locations) in a restricted range; or vulnerable to extinction because of other factors. Usually fewer than 100 occurrences are documented.

G4 = Common and apparently secure globally, though it may be rare in parts of its range, especially at the periphery.

G5 = Very common and demonstrably secure globally, though it may be rare in parts of its range, especially at the periphery.

GH = Formerly part of the world's biota with expectation that it may be rediscovered.

GX = Believed extinct throughout its range with virtually no likelihood of rediscovery.

GU = Possibly rare, but status uncertain and more data needed.

G? = Unranked, or, if following a ranking, rank uncertain (ex. G3?).

G_Q = the taxon has a questionable taxonomic assignment, such as a G3Q.

G_T_ = signifies the rank of a subspecies or variety. For example, a G5T1 would apply to a subspecies of a species that is demonstrably secure globally (G5) but the subspecies warrants a rank of T1, critically imperiled.

HYB = hybrid

State Rank

State ranks are assigned in a manner similar to that described for global ranks, but consider only those factors within the political boundaries of Virginia. For example, whereas a plant endemic to Virginia (found nowhere else) will have the same global and state ranks, a plant that is common in the northeastern United States, but only known from a few occurrences in Virginia will have different global and state ranks. By comparing the global and state ranks, the status, rarity and the urgency of conservation needs can be ascertained. All plants and animals in the following tables have been assigned state ranks, but most communities and other natural heritage resource types have not.

S1 = Extremely rare and critically imperiled with 5 or fewer occurrences or very few remaining individuals in Virginia; or because of some factor(s) making it especially vulnerable to extirpation in Virginia.

S2 = Very rare and imperiled with 6 to 20 occurrences or few remaining individuals in Virginia; or because of some factor(s) making it vulnerable to extirpation in Virginia.

S3 = Rare to uncommon in Virginia with between 20 and 100 occurrences; may have fewer occurrences if found to be common or abundant at some of these locations; may be somewhat vulnerable to extirpation in Virginia.

S4 = Common and apparently secure with more than 100 occurrences; may have fewer occurrences with numerous large populations.

S5 = Very common and demonstrably secure in Virginia.

SH = Formerly part of the Virginia biota with expectation that it may be rediscovered.

SX = Believed extirpated from Virginia with virtually no likelihood of rediscovery.

SE = Exotic; not believed to be a native component of Virginia's flora.

SR = Reported for Virginia, but without persuasive documentation which would provide a basis for either accepting or rejecting the report.

SRF= Reported for Virginia, but with convincing evidence that the report was in error.

SU = Possibly rare, but status uncertain and more data needed.

S_?= Rank uncertain, for example a S2? denotes a species or variety which may range from S1 to S3, another example is SE?, meaning a taxon may or may not be native to Virginia.

Federal Status

The U. S. Fish and Wildlife Service determines federal status for plants and animals. This includes all species and varieties, which are listed as endangered or threatened by the U. S. government and receive protection under the federal Endangered Species Act.

The list also notes those taxa, which are proposed for listing or are candidates for listing. Communities and other natural heritage resources do not receive this type of federal designation.

LE = Listed Endangered. A taxon is threatened with extinction throughout all or a significant portion of its range.

LT = Listed Threatened. A taxon is likely to become endangered in the foreseeable future.

PE = Proposed Endangered. A taxon is proposed for listing as endangered.

PT = Proposed Threatened. A taxon is proposed for listing as threatened.

C = Candidate. There is enough available information to propose the taxon for listing, but listing is "precluded by other pending proposals of higher priority". The U. S. Fish and Wildlife Service is "directed to make prompt use of the emergency listing if the well-being of any such species is at significant risk."

_ * = An * following the status denotes that the species or variety is possibly extinct.

State Status

State status indicates those plants and animals listed as state endangered or threatened. The status of plants and insects are determined under authority of the Virginia Department of Agriculture and Consumer Services, and the status of all other animals are determined by the Virginia Department of Game and Inland Fisheries. Communities and other natural heritage resources do not receive this type of state designation.

LE = Listed Endangered

LT = Listed Threatened

PE = Proposed Endangered

PT = Proposed Threatened

C = Candidate for listing as threatened or endangered.

No. of Occurrences

This column contains the number of occurrences in Virginia for each natural heritage resource that is

recorded in the Natural Heritage Program database. This column is blank for some elements. This is because there is no well-defined location for the known occurrences, former occurrences have been extirpated or location records have not yet been entered into the database.

Occurrences by Rank

This section is divided into five columns, with each column listing the number of occurrences of each species or community type with the corresponding element occurrence rank. These ranks reflect the quality, condition and defensibility of the occurrences with "A" representing excellent estimated viability, "B" good viability and "C" fair viability. The "H or X-Rank" column includes those occurrences for which there are only historic records or which are known to be extirpated from a site. Occurrences with poor viability or for which the viability is unknown are grouped in the "Other Rank" column. (For a more complete discussion of element occurrence ranks, see Chapter 3.)

Occurrences on Federal Lands

This section is divided into five columns, with each column listing the number of occurrences of each species or community type on land managed by a major federal government agency. Each entry has two numbers. The first is the number of occurrences fully contained within the boundaries of the federally managed property. The second number represents all occurrences, including those which extend beyond the federal property boundary. For example, if a cell contains "0/3," there are three occurrences of the element on that particular agency's lands, but no occurrence is fully contained within property managed by that agency. The agencies are abbreviated as follows:

USFS – U. S. Department of Agriculture, Forest Service, includes national forest lands

DOD – U. S. Department of Defense, includes military reservations and U. S. Army Corps of Engineers lands

USFWS – U. S. Department of Interior, Fish and Wildlife Service, includes National Wildlife Refuge System lands

NPS – U. S. Department of Interior, National Park Service, includes national parks

Other Private – lands owned by other private conservation organizations and some private individuals

Occurrences on State Lands

This section is divided into six columns, with each column listing the number of occurrences of each species or community type on land managed by a major state government agency. As with the previous columns, each entry has two numbers. The first is the number of occurrences fully contained within the boundaries of the state managed property. The second number represents all occurrences, including those which extend beyond the state property boundary. Some occurrences may be counted twice in these columns, since some state lands are managed by multiple agencies. The abbreviations used here for the state agencies are:

DCR – Virginia Department of Conservation and Recreation, includes state parks and natural area preserves

DOF – Virginia Department of Forestry, includes state forests

DGIF – Virginia Department of Game and Inland Fisheries, includes wildlife management areas

EDU – Virginia educational institutions, includes university properties used for research

VOF – Virginia Outdoors Foundation, includes properties with full VOF ownership and lands with VOF conservation easements

Occurrences on Other Lands

This section is similar to the previous two sections, but includes data on occurrences on non-state and non-federal lands. Some occurrences may be counted here that were also counted in the state lands columns, since some natural area preserves (DCR) are owned by local governments, TNC and private individuals. The column headings used here are:

Locality – local government lands

TNC – The Nature Conservancy

VIRGINIA'S PRECIOUS HERITAGE

Table 1: Rare Plants

Scientific Name	Common Name	Global Rank	State Rank	Federal Status	State Status	No. of Occurrences	Occurrences by E. O. Rank					Occurrences on Federal Lands					Occurrences on State Lands					Occ. on Other Lands						
							A-Rank	B-Rank	C-Rank	H- or X-Rank	Other Rank	USFS	DOD	USFWS	NPS	Other Federal	DCR	DOF	VDGIF	EDU	VOF	Other State	Locality	TNC	Other Private			
<i>Abies balsamea</i>	balsam fir	G5	S1			3			3						3/3													
<i>Abies fraseri</i>	Fraser fir	G2	S1			1	1				1/1																	
<i>Adiantum capillus-veneris</i>	southern maidenhair-fern	G5	SH																									
<i>Aeschynomene virginica</i>	sensitive joint-vetch	G2	S2	LT		32	1	3	9	11	8			0/1	1/1			0/1								0/2		
<i>Agalinis auriculata</i>	earleaf foxglove	G3	S1			5		1		3	1														0/1			
<i>Agalinis paupercula</i>	small-flower gerardia	G5	S1			1					1																	
<i>Aletris aurea</i>	golden colicroot	G5	S1			11		1	1	6	3																	
<i>Alnus incana</i> ssp. <i>rugosa</i>	speckled alder	G5 T5	S2			9	3	2	1	2	1			6/7														
<i>Amaranthus pumilus</i>	seabeach amaranth	G2	S1	LT		3				3																		
<i>Amphicarpum purshii</i>	blue maiden-cane	G4	S1			2		1	1																			
<i>Anagallis minima</i>	chaffweed	G5	SH																									
<i>Anaphalis margaritacea</i>	pearly everlasting	G5	S1			6			1	5		0/1																
<i>Andropogon mohrii</i>	Mohr bluestem	G4?	SH			2				2																		
<i>Anemone berlandieri</i>	southern thimbleweed	G4?	S1			1		1																				
<i>Anemone canadensis</i>	Canada anemone	G5	S1			2					2		0/1													0/1		
<i>Arabis glabra</i> var. <i>glabra</i>	tower-mustard	G5 T5	S1			2				1	1	1/1																
<i>Arabis hirsuta</i> var. <i>adpressipilis</i>	hairy rockcress	G5 T4Q	S1 S2			12	1	2		3	6						2/4									1/1		
<i>Arabis patens</i>	spreading rockcress	G3	S2																									
<i>Arabis serotina</i>	shale-barren rockcress	G2	S2	LE	LE	59	3	11	16	1	28	30/47					2/4											
<i>Arabis shortii</i>	Short's rockcress	G5	S2			8		2	2	3	1			0/3											1/1			
<i>Aralia hispida</i>	bristly sarsaparilla	G5	S2			15	1	2	1	10	1	3/3			2/2													
<i>Arctostaphylos uva-ursi</i>	bearberry	G5	S1			1			1					1/1														
<i>Arenaria lanuginosa</i> ssp. <i>lanuginosa</i>	a sandwort	G5 T5	SH			1				1																		
<i>Arethusa bulbosa</i>	dragon's mouth	G4	S1			1					1																	
<i>Arnoglossum muehlenbergii</i>	great Indian-plaintain	G4	S2			18		2	5	8	3	8/9																
<i>Asclepias longifolia</i>	long-leaf milkweed	G4 G5	S1			2					2																	
<i>Asclepias purpurascens</i>	purple milkweed	G4 G5	S2			4			3		1	1/1		1/2											1/1			
<i>Asclepias rubra</i>	red milkweed	G4 G5	S2			27	1	4	6	4	12	1/1		0/2											0/1			

VIRGINIA'S PRECIOUS HERITAGE

Table 1: Rare Plants

Scientific Name	Common Name	Global Rank	State Rank	Federal Status	State Status	No. of Occurrences	Occurrences by E. O. Rank					Occurrences on Federal Lands					Occurrences on State Lands					Occ. on Other Lands																				
							A-Rank	B-Rank	C-Rank	H- or X-Rank	Other Rank	USFS	DOD	USFWS	NPS	Other Federal	DCR	DOF	VDGIF	EDU	VOF	Other State	Locality	TNC	Other Private																	
<i>Calopogon tuberosus</i> var. <i>tuberosus</i>	tuberosus grass-pink	G5 T5	S2			3	1		1																																	
<i>Calycanthus floridus</i> var. <i>floridus</i>	sweet-shrub	G5 T4	S2?			9		2		4	2																												1/1			
<i>Camassia scilloides</i>	wild hyacinth	G4 G5	S2			8		2	1	3	2	0/1																														
<i>Campanula rotundifolia</i>	American harebell	G5	S1			6		2	1		3	1/1																														
<i>Cardamine clematitis</i>	mountain bittercress	G2 G3	S1 S2			5		2	1		2	5/5																														
<i>Cardamine dissecta</i>	divided toothwort	G4?	S1			2		1			1																															
<i>Cardamine flagellifera</i>	a bittercress	G3	S1			4	1			2	1	0/1																														
<i>Cardamine micranthera</i>	small-anthered bittercress	G1	S1	LE		13	2	5	2		4																															
<i>Cardamine pratensis</i>	cuckooflower	G5	S1			4		1		3																																
<i>Carex aquatilis</i>	aquatic sedge	G5	S1			1		1				1/1																														
<i>Carex arctata</i>	black sedge	G5?	S1			3		3				3/3																														
<i>Carex atherodes</i>	awned sedge	G5	S1			1			1																																	
<i>Carex barrattii</i>	Barratt's sedge	G4	S2			13	2	5	2	2	2	3/3																														
<i>Carex buxbaumii</i>	brown bog sedge	G5	S2			19		10	4	2	3	3/4	1/1			2/3																									0/1	
<i>Carex conoidea</i>	field sedge	G5	S1 S2			10		3	4		3					2/3																										
<i>Carex crawei</i>	Craw's sedge	G5	S2			7	3	1	3																																	1/1
<i>Carex cristatella</i>	crested sedge	G5	S2			10		2		3	5	0/1				0/1																										
<i>Carex crus-corvi</i>	ravenfoot sedge	G5	S1 S2			11	1		4	4	2																															
<i>Carex decomposita</i>	epiphytic sedge	G3	S2			11		1	1	8	1																														0/1	
<i>Carex flava</i>	green sedge	G5	S1			3	1	2				3/3																														
<i>Carex interior</i>	inland sedge	G5	S1			8	1	3	2		2																														0/1	
<i>Carex juniperorum</i>	juniper sedge	G2	S1			1		1																																		
<i>Carex lacustris</i>	lake-bank sedge	G5	S1			6		4		2																																
<i>Carex lasiocarpa</i> var. <i>americana</i>	slender sedge	G5 T5	S1			2		1			1	0/1																														
<i>Carex lupuliformis</i>	false hop sedge	G4	S1			8	1			4	3																															0/1
<i>Carex manhartii</i>	Manhart sedge	G3	S1			1		1				1/1																														
<i>Carex oklahomensis</i>	sooner sedge	G4	S1			1			1			1/1																														
<i>Carex ormostachya</i>	a sedge	G4	SH																																							
<i>Carex pallescens</i>	pale sedge	G5	S1			2				1	1																															
<i>Carex polymorpha</i>	variable sedge	G3	S2		LE	15		4	5	1	5	7/7				2/2																										2/2

VIRGINIA DEPARTMENT OF CONSERVATION AND RECREATION

Table 1: Rare Plants

Scientific Name	Common Name	Global Rank	State Rank	Federal Status	State Status	No. of Occurrences	Occurrences by E. O. Rank					Occurrences on Federal Lands					Occurrences on State Lands					Occ. on Other Lands			
							A-Rank	B-Rank	C-Rank	H- or X-Rank	Other Rank	USFS	DOD	USFWS	NPS	Other Federal	DCR	DOF	VDGIF	EDU	VOF	Other State	Locality	TNC	Other Private
<i>Carex prairea</i>	prairie sedge	G5?	S1			3		3																0/1	0/1
<i>Carex purpurifera</i>	purple sedge	G4?	S2			8	2	2	2	1	1	3/4				1/2									
<i>Carex reniformis</i>	reniform sedge	G4?	SH			6				6															
<i>Carex roanensis</i>	Roan Mountain sedge	G2	S2			1			1			1/1													
<i>Carex schweinitzii</i>	Schweinitz's sedge	G3	S1			6	2	1	2	1															
<i>Carex silicea</i>	sea-beach sedge	G5	S1			1					1				0/1	0/1									
<i>Carex sp. 2</i>	a sedge	G1	S1			5	2		3																
<i>Carex sp. 4</i>	a sedge	G?	S1			1		1																	
<i>Carex sterilis</i>	sterile sedge	G4	S1			1			1																0/1
<i>Carex straminea</i>	straw sedge	G5	S1			1			1							0/1									
<i>Carex tenera</i>	slender sedge	G5	S1?			1			1							0/1									
<i>Carex utriculata</i>	beaked sedge	G5	S1			2	1				1														
<i>Carex vesicaria</i>	inflated sedge	G5	S1 S2			9		3	2		4	2/3			1/1				0/1						
<i>Carex vestita</i>	a sedge	G5	S2			8		2	3	1	2		3/3		0/1										
<i>Carex x aestivaliformis</i>	a sedge	HYB	S1																						
<i>Carphephorus bellidifolius</i>	sandy-woods chaffhead	G4	S1			18	1		2	11	4							1/2					0/3		
<i>Carphephorus tomentosus</i>	wooly chaffhead	G4	S1			13			3	10													1/1		
<i>Carya caroliniae-septentrionalis</i>	southern shagbark hickory	G5?	S1			1			1																
<i>Cerastium arvense</i> <i>ssp. velutinum</i>	a field chickweed	G5 T4?	S2?			3		3							0/1								0/1		
<i>Chamaesyce bombensis</i>	southern beach spurge	G4 G5	S2			15	1	4		6	4		2/3	1/1		1/2						0/1	2/4		
<i>Cheilanthes alabamensis</i>	Alabama lipfern	G4 G5	S1			2			1	1				1/1											
<i>Cheilanthes eatonii</i>	chestnut lipfern	G5?	S2			15		5	4		6	0/1				0/1							0/2	0/1	
<i>Cheilanthes feei</i>	fee's lipfern	G5	S1			1			1							0/1								0/1	
<i>Chelone cuthbertii</i>	Cuthbert turtlehead	G3	S2			33		5	5	8	15			2/4				0/1	0/1				1/2		
<i>Chelone obliqua</i>	red turtlehead	G4	S1			6	1			3	2														
<i>Chrysopsis gossypina</i>	cottony golden-aster	G5	S1			3	1		1	1						1/1									
<i>Cicuta bulbifera</i>	bulb-bearing water-hemlock	G5	SH																						
<i>Cimicifuga rubifolia</i>	Appalachian bugbane	G3	S2			15	2	1	2	6	4	0/1													
<i>Cirsium altissimum</i>	tall thistle	G5	SH			7				6															
<i>Cirsium carolinianum</i>	Carolina thistle	G5	S1			2		1		1						1/2								0/1	
<i>Cirsium nuttallii</i>	Nuttall's thistle	G5	SH			2				2															
<i>Cirsium repandum</i>	coastal-plain thistle	G5	SH			2				2															

VIRGINIA'S PRECIOUS HERITAGE

Table 1: Rare Plants

Scientific Name	Common Name	Global Rank	State Rank	Federal Status	State Status	No. of Occurrences	Occurrences by E. O. Rank					Occurrences on Federal Lands					Occurrences on State Lands					Occ. on Other Lands				
							A-Rank	B-Rank	C-Rank	H- or X-Rank	Other Rank	USFS	DOD	USFWS	NPS	Other Federal	DCR	DOF	VDGIF	EDU	VOF	Other State	Locality	TNC	Other Private	
<i>Cirsium virginianum</i>	Virginia thistle	G3	S2			25			3	16	6					0/1								0/1		
<i>Cladium jamaicense</i>	sawgrass	G5 T5	S2			4	1	1			2				1/1			0/2								0/1
<i>Cleistes bifaria</i>	small spreading pogonia	G3 G4	S1			10			1	1	8	9/9								1/2						
<i>Cleistes divaricata</i>	spreading pogonia	G4	S1			14	1		1	4	8															1/1
<i>Clematis addisonii</i>	Addison's leatherflower	G2	S2			34	8	6	8	9	3							0/1								0/3
<i>Clematis catesbyana</i>	satin-curles	G4 G5	S1			3		1		1	1	1/1														
<i>Clematis glaucophylla</i>	white-leaved leatherflower	G4?	SH			3				3																
<i>Clematis occidentalis</i> var. <i>occidentalis</i>	purple clematis	G5 T5	S2																							
<i>Clematis viticaulis</i>	Millboro leatherflower	G2	S2			21	4	6	5	3	3	3/9														
<i>Clinopodium glabellum</i>	savory	G3Q	SH																							
<i>Cocculus carolinus</i>	red-berried moonseed	G5	S1																							
<i>Coelorachis rugosa</i>	wrinkled jointgrass	G5	S1			1		1																		
<i>Collinsia verna</i>	spring blue-eyed mary	G5	S1 S2			7		1	1	4	1									1/2						
<i>Collinsonia verticillata</i>	whorled horse-balm	G3	S1			2		1			1															
<i>Conioselinum chinense</i>	hemlock parsley	G5	S1			1			1						1/1											
<i>Corallorhiza bentleyi</i>	an orchid	G1?	S1																							
<i>Corallorhiza maculata</i> var. <i>occidentalis</i>	western spotted coralroot	G5T 3T5	S1			1			1						1/1											
<i>Coreopsis falcata</i>	pool coreopsis	G4 G5	S1			1		1										1/1								
<i>Coreopsis linifolia</i>	Texas tickseed	G4Q	S1			3		1			2															
<i>Cornus canadensis</i>	bunchberry	G5	S1			4			3	1		1/1			1/1											1/1
<i>Cornus rugosa</i>	roundleaf dogwood	G5	S1			13		2	1	9	1				4/4											
<i>Cornus sericea</i> ssp. <i>sericea</i>	red-osier dogwood	G5 T5	S1			4				2	2				1/1											
<i>Crataegus aestivalis</i>	May hawthorn	G5	S1			1				1																
<i>Crataegus calpodendron</i>	pear hawthorn	G5	S1			4				4																
<i>Crataegus mollis</i>	a hawthorn	G5	S1			1					1				1/1											
<i>Crataegus pruinosa</i>	a hawthorn	G5	S2			15		3	1	10	1	2/4			1/1			0/1								
<i>Crataegus spathulata</i>	a hawthorn	G5	S1			1				1																
<i>Crataegus succulenta</i>	fleshy hawthorn	G5	S1			1				1																

VIRGINIA DEPARTMENT OF CONSERVATION AND RECREATION

Table 1: Rare Plants

Scientific Name	Common Name	Global Rank	State Rank	Federal Status	State Status	No. of Occurrences	Occurrences by E. O. Rank					Occurrences on Federal Lands					Occurrences on State Lands					Occ. on Other Lands																							
							A-Rank	B-Rank	C-Rank	H- or X-Rank	Other Rank	USFS	DOD	USFWS	NPS	Other Federal	DCR	DOF	VDGIF	EDU	VOF	Other State	Locality	TNC	Other Private																				
<i>Crotalaria purshii</i>	rattlebox	G5	S2																																										
<i>Crotalaria rotundifolia</i>	prostrate rattle-box	G5	SH			5				5																																			
<i>Ctenium aromaticum</i>	toothache grass	G5	S1			5				2	2	1																																	
<i>Cuscuta cephalanthi</i>	button-bush dodder	G5	S1?			7				6	1																											0/1	0/1						
<i>Cuscuta coryli</i>	hazel dodder	G5	S2?			12	2	2	3	3	2	2/2				6/6						0/1																							
<i>Cuscuta indecora</i>	pretty dodder	G5	S2?			8				4	4										0/2	0/1																0/2							
<i>Cuscuta polygonorum</i>	smartweed dodder	G5	S2?			7		1	1	5						1/1	1/1																												
<i>Cuscuta rostrata</i>	beaked dodder	G4	S2			11	1	2	1	4	3	2/4										1/2																							
<i>Cuthbertia graminea</i>	grass-like roselinings	G5	S1			2		2																																					
<i>Cyperus acuminatus</i>	short-point flatsedge	G5	SH																																										
<i>Cyperus dentatus</i>	toothed sedge	G4	S1			2	1			1		0/1																													0/1				
<i>Cyperus diandrus</i>	umbrella flatsedge	G5	S1			4		1	1	2						2/2	2/2																												
<i>Cyperus engelmannii</i>	Engelmann's umbrella-sedge	G4Q	S1			1		1														1/1																							
<i>Cyperus granitophilus</i>	granite-loving flatsedge	G3Q	S1			6	1	2	1	1	1																															0/1			
<i>Cyperus houghtonii</i>	Houghton's umbrella-sedge	G4?	SH			2				2																																			
<i>Cyperus plukenetii</i>	a galingale sedge	G5	S2			3		1	2							1/1																													
<i>Cypripedium candidum</i>	small white ladies-slipper	G4	S1																																										
<i>Cypripedium kentuckiense</i>	Kentucky lady's slipper	G3	S1			2	1																																					0/1	
<i>Cypripedium reginae</i>	showy lady's-slipper	G4	S1			7			2	3	2	2/3																																	
<i>Cystopteris fragilis</i>	fragile fern	G5	S1?			2				2																																			
<i>Cystopteris tennesseensis</i>	Tennessee bladderfern	G5	S1			1		1																																					
<i>Dalibarda repens</i>	robin runaway	G5	S1			3		1		1	1					1/1																													
<i>Dasistoma macrophylla</i>	mullein foxglove	G4	S1																																										
<i>Deschampsia cespitosa</i> ssp. <i>glauca</i>	tufted hairgrass	G5 T5	S1			2					2																																		
<i>Desmodium canadense</i>	showy tick-trefoil	G5	S1			4		2		2																																			
<i>Desmodium cuspidatum</i>	toothed tick-trefoil	G5	S2			3		1	1			2/2																																	
<i>Desmodium ochroleucum</i>	creamflower tick-trefoil	G2?	SH			5				4	1																																		
<i>Desmodium sessilifolium</i>	sessile-leaf tick-trefoil	G5	S2			9		2	1	3	3											0/2																						0/1	

VIRGINIA'S PRECIOUS HERITAGE

Table 1: Rare Plants

Scientific Name	Common Name	Global Rank	State Rank	Federal Status	State Status	No. of Occurrences	Occurrences by E. O. Rank					Occurrences on Federal Lands					Occurrences on State Lands					Occ. on Other Lands																	
							A-Rank	B-Rank	C-Rank	H- or X-Rank	Other Rank	USFS	DOD	USFWS	NPS	Other Federal	DCR	DOF	VDGIF	EDU	VOF	Other State	Locality	TNC	Other Private														
<i>Desmodium strictum</i>	pineland tick-trefoil	G4	S2			16		1	6	5	4		1/1					1/2	1/1																				
<i>Desmodium tenuifolium</i>	slim-leaf tick-trefoil	G4	S1			14			5	6	3				0/1																								
<i>Diamorpha smallii</i>	Small's stonecrop	G4	S1			1	1																													0/1			
<i>Diarrhena obovata</i>	a beakgrain	G4 G5	S1			1					1																									0/1			
<i>Dichanthelium caerulescans</i>	blue witch grass	G5T 4T5	S1			2		1	1												1/1																		
<i>Dichanthelium consanguineum</i>	blood witchgrass	G5	S1?			2			1		1										0/1																		
<i>Dichanthelium ovale</i> var. <i>ovale</i>	oval-fruited panic grass	G5 T5	S1?			1	1								0/1	0/1																							
<i>Dichanthelium strigosum</i> var. <i>strigosum</i>	rough-hair witchgrass	G5 T5	S1?			1			1																														
<i>Dicliptera brachiata</i>	wild mudwort	G5	S2			9	1	3	1	3	1										0/1		0/1													0/1			
<i>Didiplas diandra</i>	water-purslane	G5	S1			6		1		4	1																												
<i>Digitaria cognata</i>	mountain hairgrass	G5	S2			6		2	2	1	1		1/1																								0/1		
<i>Digitaria serotina</i>	dwarf crabgrass	G5?	SH			2				2																													
<i>Echinacea laevigata</i>	smooth coneflower	G2	S2	LE		43	7	11	12	6	7	2/2									3/6																0/3		
<i>Echinocystis lobata</i>	wild mock-cucumber	G5	S1?			2				2																													
<i>Echinodorus tenellus</i>	dwarf burhead	G5?	S1			6	1	1	1	2	1	0/1																										0/2	
<i>Elatine minima</i>	small water-wort	G5	S1			3					3																										0/2		
<i>Eleocharis baldwinii</i>	Baldwin spikerush	G4 G5	S1			8		2	2	3	1		1/1																										
<i>Eleocharis compressa</i>	flat-stemmed spike-rush	G4	S2			8	1	3	2	1	1	0/1									1/1																		
<i>Eleocharis equisetoides</i>	horse-tail spikerush	G4	S1			2	1			1																													
<i>Eleocharis halophila</i>	salt-marsh spikerush	G4	S1			3			1	2											0/1																		
<i>Eleocharis intermedia</i>	matted spikerush	G5	S1			3		2			1	0/1									1/1																	0/1	
<i>Eleocharis melanocarpa</i>	black-fruited spikerush	G4	S2			13	2	4	4	2	1	2/4									1/1																	0/1	
<i>Eleocharis radicans</i>	rooted spikerush	G5	SH			1				1																													
<i>Eleocharis robbinsii</i>	Robbins spikerush	G4 G5	S1			5	2	2	1			2/3																										0/1	
<i>Eleocharis tricostata</i>	three-angle spikerush	G4	S1			5			1	3	1																												
<i>Eleocharis vivipara</i>	viviparous spikerush	G5	S1			5	2	1	1	1			2/3																										
<i>Elymus canadensis</i>	nodding wild-rye	G5	S2?			4		2		1	1	0/2																											

VIRGINIA DEPARTMENT OF CONSERVATION AND RECREATION

Table 1: Rare Plants

Scientific Name	Common Name	Global Rank	State Rank	Federal Status	State Status	No. of Occurrences	Occurrences by E. O. Rank					Occurrences on Federal Lands					Occurrences on State Lands					Occ. on Other Lands						
							A-Rank	B-Rank	C-Rank	H- or X-Rank	Other Rank	USFS	DOD	USFWS	NPS	Other Federal	DCR	DOF	VDGIF	EDU	VOF	Other State	Locality	TNC	Other Private			
<i>Elymus trachycaulus</i> ssp. <i>trachycaulus</i>	slender wheatgrass	G5 T5	S2			8		1	3	1	3	4/4				2/3												
<i>Enemion biternatum</i>	false rue-anemone	G5	S1			2	1				1				0/1										0/1			
<i>Epilobium leptophyllum</i>	linear-leaved willow-herb	G5	S2			18	1	8	3	2	4	6/6			3/4	1/1												
<i>Equisetum fluviatile</i>	water horsetail	G5	S1			2	2																					
<i>Equisetum sylvaticum</i>	woodland horsetail	G5	S1			3				2	1																	
<i>Erigeron vernus</i>	white-top fleabane	G5	S2			17	2	4	1	8	2		1/2	2/2		1/1												
<i>Eriocaulon aquaticum</i>	white buttons	G5	S1			6	2	1	2	1		4/4																
<i>Eriocaulon decanquale</i>	ten-angle pipewort	G5	S2			17		7	2	3	5		2/2			0/1								0/1				
<i>Eriocaulon parkeri</i>	parker's pipewort	G3	S2			31	2	4	4	10	11													0/1	1/1			
<i>Eryngium integrifolium</i>	savanna eryngo	G5	S1			1		1																				
<i>Eryngium yuccifolium</i> var. <i>yuccifolium</i>	rattlesnake-master	G5 T5	S2			23		2	2	17	2				0/1		0/3							0/1	0/2			
<i>Erysimum capitatum</i> var. <i>capitatum</i>	western wallflower	G5 T5	S2			13	1	4	3		5	7/10					1/2											
<i>Erythronium albidum</i>	white trout-lily	G5	S2			11	1	1	2	2	5			0/6									1/3		0/1			
<i>Eupatorium glaucescens</i>	wedge-leaf thoroughwort	G5	S1			4				4																		
<i>Eupatorium incarnatum</i>	pink thoroughwort	G5	S2			8		3	2	2	1	1/1					2/2											
<i>Eupatorium maculatum</i> var. <i>maculatum</i>	spotted joe-pye weed	G5 T5	S2			6		2		2	2	0/1																
<i>Euphorbia purpurea</i>	glade spurge	G3	S2			18		6	9	1	2				4/4		2/4	0/1										
<i>Eurybia radula</i>	rough-leaved aster	G5	S1			3			2	1				1/1														
<i>Eurybia surculosa</i>	creeping aster	G4 G5	S1			4		2		2		1/1																
<i>Filipendula rubra</i>	queen-of-the-prairie	G4 G5	S2			20	1	4	6	2	7						0/3							0/1	0/1			
<i>Fimbristylis perpusilla</i>	Harper's fimbriatylis	G2	S1	LE		11	1	5	3		2													8/11				
<i>Fimbristylis puberula</i> var. <i>puberula</i>	hairy fimbriatylis	G5 T5?	S1			1		1																				
<i>Fragaria vesca</i> ssp. <i>americana</i>	woodland strawberry	G5 T5	S2?																									
<i>Fuirena breviseta</i>	an umbrella sedge	G5	SH																									
<i>Gaylussacia brachycera</i>	box huckleberry	G3	S2			7	1	2	2	2		0/4																
<i>Gentiana autumnalis</i>	pine-barren gentian	G3	S1			6			3	2	1																	

VIRGINIA'S PRECIOUS HERITAGE

Table 1: Rare Plants

Scientific Name	Common Name	Global Rank	State Rank	Federal Status	State Status	No. of Occurrences	Occurrences by E. O. Rank					Occurrences on Federal Lands					Occurrences on State Lands					Occ. on Other Lands																	
							A-Rank	B-Rank	C-Rank	H- or X-Rank	Other Rank	USFS	DOD	USFWS	NPS	Other Federal	DCR	DOF	VDGIF	EDU	VOF	Other State	Locality	TNC	Other Private														
<i>Gentiana linearis</i>	narrow-leaved gentian	G4 G5	S1?																																				
<i>Gentianella quinquefolia</i> ssp. <i>occidentalis</i>	western stiff gentian	G5T 4T5	S1?			1		1													0/ 1																		
<i>Gentianopsis crinita</i>	fringed gentian	G5	S1			3			1	2	1/1																												
<i>Geranium robertianum</i>	herb-robert	G5	S2			6		5	1								5/5																						
<i>Geum aleppicum</i>	yellow avens	G5	SH			4				4																													
<i>Geum laciniatum</i> var. <i>trichocarpum</i>	rough avens	G5T ?	S2?			12		3	2	3	2						0/1				0/ 1															2/ 2			
<i>Glyceria grandis</i> var. <i>grandis</i>	American manna grass	G5T 5	S1			4		2	1	1		2/2																											
<i>Glyceria laxa</i>	northern mannagrass	G5	S1?			2	1			1																													
<i>Gnaphalium helleri</i>	catfoot	G4G 5	S1			1					1																												
<i>Gnaphalium macounii</i>	winged cudweed	G5	S1			3			1	1	1	1/1																											
<i>Gnaphalium uliginosum</i>	low cudweed	G5	S1			6		2		3	1	0/1									1/ 1																		
<i>Goodyera repens</i> var. <i>ophioides</i>	dwarf rattlesnake plantain	G5 T?Q	S2?																																				
<i>Hasteola suaveolens</i>	sweet-scented Indian-plantain	G3	S2			21	2	2	2	7	8						0/5																				0/ 2		
<i>Hedyotis nigricans</i>	barren bluets	G5	S1			2	1	1																															
<i>Helenium brevifolium</i>	shortleaf sneezeweed	G3 G4	S2			13	3	3	2	2	3										0/ 1																		
<i>Helenium virginicum</i>	Virginia sneezeweed	G2	S2	LT	LE	34	6	3	9	4	12	5/8									2/ 3																0/ 1		
<i>Helianthemum bicknellii</i>	plains frostweed	G5	S1			5		1		3	1	1/1									1/ 1																		
<i>Helianthemum propinquum</i>	low frostweed	G4	S1			3		1		2																													
<i>Helianthus occidentalis</i>	McDowell sunflower	G5	S1			2	1	1										0/2																					
<i>Heliopsis helianthoides</i> var. <i>scabra</i>	smooth oxeye	G5 T5	S1																																				
<i>Heliotropium curassavicum</i>	seaside heliotrope	G5	S1			7		1		6							1/1	1/1																					
<i>Helonias bullata</i>	swamp-pink	G3	S2 S3	LT	LE	45	6	8	16	3	12	13/ 18	13/ 14				0/1																						
<i>Hemicarpha micrantha</i>	dwarf bulrush	G4	S1			6	1	1	2	1	1		1/2								0/ 1															1/ 1			
<i>Heteranthera multiflora</i>	multiflowered mud-plantain	G4	S1																																				
<i>Heuchera alba</i>	white alumroot	G2Q	S2?			9		2	2	2	3	5/5																											
<i>Hexastylis shuttleworthii</i> var. <i>shuttleworthii</i>	large-flowered heartleaf	G4 T4	S2?			7		1		4	2	1/1					0/1																						
<i>Hierochloa odorata</i> ssp. <i>arctica</i>	vanilla grass	G5	S1			1					1										1/ 1																		

VIRGINIA DEPARTMENT OF CONSERVATION AND RECREATION

Table 1: Rare Plants

Scientific Name	Common Name	Global Rank	State Rank	Federal Status	State Status	No. of Occurrences	Occurrences by E. O. Rank					Occurrences on Federal Lands					Occurrences on State Lands					Occ. on Other Lands														
							A-Rank	B-Rank	C-Rank	H- or X-Rank	Other Rank	USFS	DOD	USFWS	NPS	Other Federal	DCR	DOF	VDGIF	EDU	VOF	Other State	Locality	TNC	Other Private											
<i>Honckenya peploides</i> ssp. <i>robusta</i>	sea-beach sandwort	G5 T4	SH			1				1																										
<i>Hordeum jubatum</i>	fox-tail barley	G5	S1			1	1																													
<i>Houstonia canadensis</i>	Canada bluets	G4 G5	S2			16	3	5	2	4	2	0/1									1/3								0/1	0/3	0/1					
<i>Huperzia appalachiana</i>	Appalachian fir-clubmoss	G4 G5	S2			11	3	5	2		1	0/1			8/8						1/1															
<i>Huperzia porophila</i>	rock clubmoss	G4	S1			1	1																													
<i>Hydrocotyle bonariensis</i>	coastal-plain penny-wort	G5	S1?			4	1	1	1	1		0/1	0/1								2/2															
<i>Hypericum adpressum</i>	creeping St. John's-wort	G2 G3	S1			2	1		1																											
<i>Hypericum boreale</i>	northern St. John's-wort	G5	S2			19	2	4	3		10	6/7									4/5								0/1							
<i>Hypericum denticulatum</i>	coppery St. John's-wort	G5	SH																																	
<i>Hypericum ellipticum</i>	pale St. John's-wort	G5	SH			1				1																										
<i>Hypericum setosum</i>	a St. John's-wort	G4 G5	S1 S2			17		3	2	10	2																							1/1		
<i>Hypotrachyna oostingii</i>	Oosting's loop lichen	G2?	SU																																	
<i>Hypoxis sessilis</i>	glossy-seeded star-grass	G4	SH			1				1																										
<i>Ilex collina</i>	long-stalked holly	G3	S2		LE	11	5	4	1	1	6/7										2/2															
<i>Ilex coriacea</i>	bay-gail holly	G5	S2			8	1	1		3	3		1/1								0/1														0/1	
<i>Iliamna corei</i>	Peter's Mountain mallow	G1Q	S1	LE	LE	1					1																								1/1	
<i>Iliamna remota</i>	Kankakee globe-mallow	G1Q	S1			11	1	4	1	5	0/2			0/1																						
<i>Isoetes appalachiana</i>	Engelmann's quillwort	G4	S2?			4	2	1			1				2/4																					
<i>Isoetes hyemalis</i>	a quillwort	G2 G3	S1?			4	1	3					1/2																							
<i>Isoetes lacustris</i>	lake quillwort	G5	S1?			1				1	1/1																									
<i>Isoetes melanopoda</i>	blackfoot quillwort	G5	S1?			3		1	1	1																										
<i>Isoetes piedmontana</i>	piedmont quillwort	G3	S1?			1				1																										
<i>Isoetes virginica</i>	Virginia quillwort	G1	S1?			5	1		1	3	0/1	0/1																								
<i>Isotria medeoloides</i>	small whorled pogonia	G2	S2	LT	LE	47	1	7	8	30	1/1	14/14		2/3	1/1					1/2																
<i>Iva imbricata</i>	sea-coast marsh-elder	G5?	S2			10	2	3		5		0/2									0/2													1/1		
<i>Juncus abortivus</i>	pine-barren rush	G4 G5	S1			9				6	3																								0/1	
<i>Juncus articulatus</i>	jointed rush	G5	S2			4	1		1	2	0/1										0/1	0/1														
<i>Juncus balticus</i> var. <i>littoralis</i>	Baltic rush	G5 T5	S1			3	2	1													0/2													0/1		

VIRGINIA'S PRECIOUS HERITAGE

Scientific Name	Common Name	Global Rank	State Rank	Federal Status	State Status	No. of Occurrences	Occurrences by E. O. Rank					Occurrences on Federal Lands					Occurrences on State Lands					Occ. on Other Lands								
							A-Rank	B-Rank	C-Rank	H- or X-Rank	Other Rank	USFS	DOD	USFWS	NPS	Other Federal	DCR	DOF	VDGIF	EDU	VOF	Other State	Locality	TNC	Other Private					
<i>Juncus brachycephalus</i>	small-head rush	G5	S2			11		3	3	2	3	2/3							0/1								0/1			
<i>Juncus brevicaudatus</i>	narrow-panicled rush	G5	S2			4		2			2	4/4																		
<i>Juncus caesariensis</i>	New Jersey rush	G2	S2			25		4	5	5	11		5/6																	
<i>Juncus elliotii</i>	bog rush	G4 G5	S1 S2			8			3	4	1		1/1	0/1					1/1											
<i>Juncus megacephalus</i>	big-head rush	G4 G5	S1 S2			11	1	4		2	4			0/4	0/1				0/2								3/4			
<i>Juncus nodosus</i>	knotted rush	G5	S1			5		1			4																0/2			
<i>Juncus pelocarpus</i>	brown-fruited rush	G5	S1			4		1	2		1			1/1																
<i>Juncus torreyi</i>	Torrey's rush	G5	S2			15		1	1	8	5								1/1											
<i>Juncus trifidus</i>	highland rush	G5	S1			1	1								1/1															
<i>Juniperus communis</i> var. <i>depressa</i>	ground juniper	G5 T5	S1			8		1		4	3									2/2							1/1			
<i>Kalmia angustifolia</i>	sheep-laurel	G5	S2			12	1	5	2		4		4/5						1/1						0/1					
<i>Kalmia carolina</i>	Carolina sheep-laurel	G4	S2			10	2	2	2	2	2								1/2								0/1			
<i>Lachnanthes carolina</i>	Carolina redroot	G4	SH			2				2																				
<i>Lachnocaulon anceps</i>	bog-buttons	G5	S2			17	1	1	1	11	3																			
<i>Lathyrus palustris</i>	vetchling	G5	S1			7	1	1		1	4		1/1							0/3								0/1		
<i>Lechea intermedia</i> var. <i>intermedia</i>	narrowleaf pinweed	G5T 4T5	S1?			1				1																				
<i>Leersia hexandra</i>	club-head cutgrass	G5	SH			2				2																				
<i>Lejeunea ruthii</i>	a liverwort	G3 G4	SU																											
<i>Lemna trisulca</i>	star duckweed	G5	S1			3		1		2																				
<i>Leucothoe fontanesiana</i>	highland dog-hobble	G5	S1 S2			8			1	4	3	1/2			0/1														0/1	
<i>Lilaeopsis carolinensis</i>	Carolina lilaeopsis	G3 G5	S1			13	4	2	1	2	4		2/6						0/2								0/1			
<i>Lilium catesbaei</i> var. <i>longii</i>	southern red lily	G4 T?	S1			3			1	1	1																			
<i>Lilium grayi</i>	Gray's lily	G3	S2			32		1	8	11	12	1/2			5/6				0/3											
<i>Limosella australis</i>	mudwort	G4 G5	SH																											
<i>Liparis loeselii</i>	Loesel's twayblade	G5	S2			18		3	4	7	4	3/4	2/2		2/3				1/1											
<i>Lipocarpha maculata</i>	a lipocarpha	G5	S1			4	1	2			1		2/2	1/1					1/1											
<i>Lithospermum carolinense</i>	golden puccoon	G4 G5	S1			2		1		1									0/1	0/1										
<i>Litsea aestivalis</i>	pondspice	G3	S1			1					1																1/1			

VIRGINIA DEPARTMENT OF CONSERVATION AND RECREATION

Table 1: Rare Plants

Scientific Name	Common Name	Global Rank	State Rank	Federal Status	State Status	No. of Occurrences	Occurrences by E. O. Rank					Occurrences on Federal Lands					Occurrences on State Lands					Occ. on Other Lands					
							A-Rank	B-Rank	C-Rank	H- or X-Rank	Other Rank	USFS	DOD	USFWS	NPS	Other Federal	DCR	DOF	VDGIF	EDU	VOF	Other State	Locality	TNC	Other Private		
<i>Lobelia elongata</i>	elongated lobelia	G4 G5	S1			6	2	3	1													0/ 3			0/ 1	0/ 1	
<i>Lotus helleri</i>	Carolina prairie-trefoil	G5 T3	S1			7	1	2	2	2		3/4															
<i>Ludwigia alata</i>	winged seedbox	G4	S1			6		3	1	2				1/2								1/ 3				0/ 1	0/ 1
<i>Ludwigia brevipes</i>	long beach seedbox	G4 G5	S2			17	2	3		5	7		3/3	1/4								0/ 2				0/ 1	
<i>Ludwigia hirtella</i>	hairy seedbox	G5	S1			6		2			4		1/1														
<i>Ludwigia pilosa</i>	hairy seedbox	G5	S1			6		2	1	1	2			1/2													
<i>Ludwigia ravenii</i>	Raven's seedbox	G2?	S1			9		1	2	5	1														0/ 1	0/ 1	
<i>Ludwigia repens</i>	creeping seedbox	G5	S1			3		1		1	1		1/1	0/1													
<i>Ludwigia virgata</i>	savanna seedbox	G5	SH			1				1																	
<i>Lycopodiella inundata</i>	northern bog clubmoss	G5	S1			9		2		6	1	1/2										0/ 1					
<i>Lycopodiella margueriteae</i>	northern appressed clubmoss	G2	S1			1		1																			
<i>Lysimachia hybrida</i>	lance-leaf loosestrife	G5	S2			6	1	1	2		2																
<i>Lysimachia quadriflora</i>	four-flowered loosestrife	G5?	S1			6	1	1		1	3											0/ 2			0/ 1	0/ 1	
<i>Lysimachia radicans</i>	trailing loosestrife	G4 G5	SH			4				4																	
<i>Lythrum alatum</i>	winged-loosestrife	G5	S2			17	1	4	2	9	1											0/ 2			0/ 1		
<i>Magnolia macrophylla</i>	bigleaf magnolia	G5	S1			2	1			1																	
<i>Maianthemum stellatum</i>	starflower false Solomon's-seal	G5	S2?																								
<i>Malvastrum hispidum</i>	hispid falsemallow	G3G 5	S1			1			1													1/ 1					
<i>Manfreda virginica</i>	false aloe	G5	S2			11	2	1	5	1	2											0/ 2			0/ 1	0/ 2	0/ 1
<i>Marshallia obovata</i> var. <i>obovata</i>	obovate marshallia	G4G 5T?	S2			11		4	2	4			1/1									1/ 2					
<i>Matelea decipiens</i>	old-field milkvine	G5	S1			5		1		3	1		2/2														
<i>Matteuccia struthiopteris</i> var. <i>pennsylvanica</i>	ostrich fern	G5 T5	S1			4		1		1	2	0/1			0/2										0/ 2		
<i>Melanelia culbersonii</i>	Appalachian camouflage lichen	G2 G4	S2?																								
<i>Melanelia stygia</i>	alpine camouflage lichen	G4 G5	S2?																								
<i>Melica nitens</i>	three-flower melic grass	G5	S1 S2			4		2		1	1	1/1															
<i>Menyanthes trifoliata</i>	buckbean	G5	S1			3	1	1	1					1/1								0/ 1			0/ 1	0/ 1	
<i>Micranthemum micranthemoides</i>	Nuttall's micranthemum	GH	SH			6				6																	
<i>Micranthemum umbrosum</i>	shade mudflower	G5	S1			6	2	1		2	1														0/ 1		

VIRGINIA'S PRECIOUS HERITAGE

Table 1: Rare Plants

Scientific Name	Common Name	Global Rank	State Rank	Federal Status	State Status	No. of Occurrences	Occurrences by E. O. Rank					Occurrences on Federal Lands					Occurrences on State Lands					Occ. on Other Lands																
							A-Rank	B-Rank	C-Rank	H- or X-Rank	Other Rank	USFS	DOD	USFWS	NPS	Other Federal	DCR	DOF	VDGIF	EDU	VOF	Other State	Locality	TNC	Other Private													
<i>Mimosa quadrivalvis</i> var. <i>angustata</i>	little-leaf sensitive-briars	G5 T5	S2			16			2	9	5																											
<i>Mimulus moschatus</i>	muskflower	G4 G5	S1			3									1/1																							
<i>Minuartia caroliniana</i>	pine-barren sandwort	G5	SH																																			
<i>Minuartia groenlandica</i>	mountain sandwort	G5	S1			4	2	1	1				1/1			1/1					1/1																	
<i>Mitreola petiolata</i>	lax hornpod	G5	S1			9	1		1	7						1/1					0/1						0/1											
<i>Mitreola sessilifolia</i>	a mitrewort	G4 G5	S1			1				1																												
<i>Moehringia lateriflora</i>	grove sandwort	G5	S1			1					1																											
<i>Monotropsis odorata</i>	sweet pine sap	G3	S2S			3				1	9	2	1/1																									
<i>Morella pumila</i>	southern bayberry	G5 T?	S1			2				1	1																											
<i>Muhlenbergia bushii</i>	bush's muhly	G5	S1			5				1	4				1/1																							
<i>Muhlenbergia cuspidata</i>	plains muhly	G4	S2			6			3			3																										
<i>Muhlenbergia expansa</i>	cut-over muhly	G5 T5	SH			1					1																											
<i>Muhlenbergia glabriflora</i>	smooth-leaved muhly	G4?	SH			1					1																											
<i>Muhlenbergia glomerata</i>	marsh muhly	G5	S2			12	2	4	4				1/2			4/5					0/1																	
<i>Myriophyllum humile</i>	low water-milfoil	G5	S1			1						1																										
<i>Myriophyllum tenellum</i>	slender water-milfoil	G5	S1																																			
<i>Napaea dioica</i>	glade mallow	G3	S1?			1						1																										
<i>Nardia lescurii</i>	a liverwort	G3?	SU																																			
<i>Neobeckia aquatica</i>	lake cress	G4?	SH			1					1																											
<i>Nestronia umbellula</i>	nestronia	G4	S1		LE	7	1	2	1	3																												
<i>Nuphar sagittifolia</i>	narrow-leaved spatterdock	G2	S1			7	1	1	1	2	2																											
<i>Nymphoides aquatica</i>	big floating-heart	G5	S1			2		1		1																												
<i>Oldenlandia boscii</i>	Bosc's bluet	G5	S1			6				1	4	1		0/1																								
<i>Oligoneuron rigidum</i> var. <i>rigidum</i>	stiff goldenrod	G5 T5	S2			19	3	6	3	4	3	2/2				2/3					1/1																	
<i>Onosmodium virginianum</i>	Virginia false-gromwell	G4	S2			11		1	1	4	5	1/1				1/1					1/1											0/1						
<i>Ophioglossum petiolatum</i>	longstem adder's-tongue	G5	SH			1					1																											
<i>Ophioglossum pusillum</i>	adder's-tongue	G5	S1			1					1																											
<i>Orbexilum onobrychis</i>	French-grass	G5	S1																																			

VIRGINIA DEPARTMENT OF CONSERVATION AND RECREATION

Table 1: Rare Plants

Scientific Name	Common Name	Global Rank	State Rank	Federal Status	State Status	No. of Occurrences	Occurrences by E. O. Rank					Occurrences on Federal Lands					Occurrences on State Lands					Occ. on Other Lands						
							A-Rank	B-Rank	C-Rank	H- or X-Rank	Other Rank	USFS	DOD	USFWS	NPS	Other Federal	DCR	DOF	VDGIF	EDU	VOF	Other State	Locality	TNC	Other Private			
<i>Orthilia secunda</i>	one-sided wintergreen	G5	SH			5				5																		
<i>Orthotrichum keeverae</i>	Keever's bristle-moss	G1	S1			1				1																		
<i>Oryzopsis asperifolia</i>	white-grained mountain-ricegrass	G5	S1			1				1	1/1																	
<i>Osmanthus americanus</i> var. <i>americanus</i>	wild olive	G5 T5	S1			4			2	2			1/1								1/1							
<i>Osmunda cinnamomea</i> var. <i>glandulosa</i>	glandular cinnamon fern	G5 T?	S1			1	1				1/1																	
<i>Oxypolis ternata</i>	a cowbane	G3	SH			1																						
<i>Packera millefolia</i>	yarrow-leaved ragwort	G2	S2			11	4	4	2		1										0/2						0/1	
<i>Panicum hemitomon</i>	maiden cane	G5?	S2			7	1	2	2	1	1	1/1														0/1		
<i>Parnassia grandifolia</i>	large-leaved grass-of-parnassus	G3	S2			21	4	7	3	6	1	0/1									0/3						0/1	
<i>Paronychia virginica</i> var. <i>virginica</i>	yellow nailwort	G4T 1Q	S1			7		1	3	2	1	1/1									0/1					0/1		
<i>Paspalum bifidum</i>	pitchfork paspalum	G5	SH			2				2																		
<i>Paspalum dissectum</i>	Walter paspalum	G4?	S2			9	2	3		3	1		0/1	0/1							0/1							
<i>Paspalum distichum</i>	joint paspalum	G5	S1			5	1			2	2			1/1	1/1						1/1							
<i>Paspalum praecox</i>	early paspalum	G4	S1			4			1	3																		
<i>Paxistima canbyi</i>	Canby's mountain-lover	G2	S2			36	1	4	4	21	6						1/1				1/4							
<i>Pediomelum canescens</i>	hoary scurfpea	G3 G4	S1			1			1												1/1							
<i>Penstemon australis</i>	southern beardtongue	G5	S2																									
<i>Penstemon calycosus</i>	long-sepal beardtongue	G5	S1			1				1																		
<i>Penstemon hirsutus</i>	hairy beardtongue	G4	S2			27	1	3	3	18	2					1/2										0/2		
<i>Phacelia covillei</i>	blue scorpion-weed	G2	S1			5	2			1	2					0/3										0/1	0/1	
<i>Phacelia fimbriata</i>	fringed scorpion-weed	G4	S2			13	3	5		4	1	5/5									2/4							
<i>Phalaris caroliniana</i>	May grass	G5?	SH			1				1																		
<i>Phanopyrum gymnocarpon</i>	clustered panic-grass	G5	S1			1					1																	
<i>Phlox amplifolia</i>	large-leaved phlox	G3 G5	S2			6	1	1	1		3	2/3			1/1						0/3							
<i>Phlox buckleyi</i>	sword-leaved phlox	G2	S2			44		1	5	26	12	7/12				1/2					0/1						0/1	
<i>Phlox pilosa</i> ssp. <i>pilosa</i>	downy phlox	G5 T5	S2			11	1		1	7	2		1/1												1/1			
<i>Phyla nodiflora</i>	common frog-fruit	G5	S1			3			1	1	1					0/1					0/1							

VIRGINIA'S PRECIOUS HERITAGE

Table 1: Rare Plants

Scientific Name	Common Name	Global Rank	State Rank	Federal Status	State Status	No. of Occurrences	Occurrences by E. O. Rank					Occurrences on Federal Lands					Occurrences on State Lands					Occ. on Other Lands							
							A-Rank	B-Rank	C-Rank	H- or X-Rank	Other Rank	USFS	DOD	USFWS	NPS	Other Federal	DCR	DOF	VDGIF	EDU	VOF	Other State	Locality	TNC	Other Private				
<i>Physalis walteri</i>	sticky ground-cherry	G4	S2			12	2	6	2	1	1					0/1						3/3					0/1	1/5	
<i>Physostegia leptophylla</i>	slender-leaved dragon-head	G4?	S2 S3			5	3		1	1												0/2					0/1	0/1	
<i>Pinus palustris</i>	long-leaf pine	G5	S1			10			2	2	6											0/1				0/2			
<i>Plagiothecium latebricola</i>	lurking leskea	G3 G4	SU																										
<i>Plantago cordata</i>	heart-leaved plantain	G4	SH			5				5																			
<i>Plantago maritima</i> var. <i>juncoides</i>	seaside plantain	G5 T5	S1			3	1		1	1					0/2	1/1													
<i>Platanthera blephariglottis</i> var. <i>conspicua</i>	large white fringed orchid	G4G 5T3 T4	S1			13			3	3	7																		
<i>Platanthera grandiflora</i>	large purple-fringe orchid	G5	S1			12		4	3	4	1	2/2			5/5														
<i>Platanthera leucophaea</i>	prairie white-fringe orchid	G2	S1	LT		1					1																		
<i>Platanthera peramoena</i>	purple fringeless orchid	G5	S2			4					4	0/1										0/1				0/1	0/2		
<i>Poa paludigena</i>	bog bluegrass	G3	S2			12	3	9				2/2			3/3								1/1						
<i>Poa palustris</i>	fowl bluegrass	G5	S1 S2			14		3		6	5	3/5										0/1					0/1		
<i>Poa saltuensis</i>	a bluegrass	G5	S2			12		5	1	1	5	5/5										1/3							
<i>Polanisia dodecandra</i> ssp. <i>dodecandra</i>	common clammy-weed	G5 T?	S2			13	3	2	3	1	4	0/2			0/1														
<i>Polygala brevifolia</i>	little-leaf milkwort	G4 G5	SH																										
<i>Polygala ramosa</i>	low pine-barren milkwort	G5	SH			3				3																			
<i>Polygonella polygama</i>	October-flower	G4	S1			2	1				1											1/1				0/1			
<i>Polygonum glaucum</i>	sea-beach knotweed	G3	S1 S2			13	1		4	4	4		2/2	1/1								0/1					1/5		
<i>Populus tremuloides</i>	quaking aspen	G5	S2			3			1		2			1/2															
<i>Porteranthus stipulatus</i>	American ipecac	G5	S1			8		1	5		2	1/1										0/2							
<i>Portulaca smallii</i>	Small's purslane	G3	S1			6	1	2	1	1	1																0/1		
<i>Potamogeton amplifolius</i>	large-leaf pondweed	G5	S1 S2			10				5	4	0/2																	
<i>Potamogeton hillii</i>	Hill's pondweed	G3	S1			1					1																		
<i>Potamogeton oakesianus</i>	Oakes pondweed	G4	S2			11	2	3	1	5		1/2	2/2																
<i>Potamogeton robbinsii</i>	flatleaf pondweed	G5	SH			1				1																			
<i>Potamogeton spirillus</i>	spiral pondweed	G5	S1			3				3																			

VIRGINIA DEPARTMENT OF CONSERVATION AND RECREATION

Table 1: Rare Plants

Scientific Name	Common Name	Global Rank	State Rank	Federal Status	State Status	No. of Occurrences	Occurrences by E. O. Rank					Occurrences on Federal Lands					Occurrences on State Lands					Occ. on Other Lands																
							A-Rank	B-Rank	C-Rank	H- or X-Rank	Other Rank	USFS	DOD	USFWS	NPS	Other Federal	DCR	DOF	VDGIF	EDU	VOF	Other State	Locality	TNC	Other Private													
<i>Potamogeton strictifolius</i>	straight-leaf pondweed	G5	S1			1				1																												
<i>Potamogeton tennesseensis</i>	Tennessee pondweed	G2	S1			3			1	2																												
<i>Potamogeton zosteriformis</i>	flatstem pondweed	G5	S1			2	1		1																													
<i>Potentilla arguta</i>	tall cinquefoil	G5	S1			2	2				1/1																											
<i>Prenanthes autumnalis</i>	slender rattlesnake-root	G4 G5	S2			10		2	6	2																												
<i>Prunus maritima</i>	beach plum	G4	S1																																			
<i>Prunus nigra</i>	Canada plum	G4 G5	S1			4		2	1	1				1/1																								
<i>Prunus susquehanae</i>	sand cherry	G5 T4	S1			4		1	2	1																												
<i>Pseudolycopodiella caroliniana</i>	slender clubmoss	G5	SH			3			2	1																												
<i>Ptilimnium nodosum</i>	harperella	G2	S1	LE																																		
<i>Puccinellia fasciculata</i>	salt marsh goosegrass	G3 G5	S1			2			2																													
<i>Pycnanthemum clinopodioides</i>	basil mountain-mint	G2	S1			2	1			1																												1/1
<i>Pycnanthemum monotrichum</i>	a mountain-mint	GHQ	SH			2			2																													
<i>Pycnanthemum montanum</i>	single-haired mountain-mint	G3 G5	S2																																			
<i>Pycnanthemum setosum</i>	awned mountain-mint	G3?	S1			3	1	1		1										2/2																		
<i>Pycnanthemum torrei</i>	Torrey's mountain-mint	G2	S2?			14	1	8	5		1/1	1/1																										1/1
<i>Pyrola chlorantha</i>	greenish-flowered wintergreen	G5	SH			3			3																													
<i>Pyrola elliptica</i>	shinleaf	G5	S2			13	1		9	3	1/1			1/1																								
<i>Pyxidantha barbulate</i> var. <i>barbulata</i>	flowering pixie-moss	G4 T4	S1			10	1	1	4	4																												0/1
<i>Quercus hemisphaerica</i>	Darlington's oak	G5	S1			4	1		1	2			0/2							1/2																		
<i>Quercus incana</i>	blue jack oak	G5	S2			18	2	2	2	8	4		1/5							1/3																		
<i>Quercus laevis</i>	turkey oak	G5	S2			17	3	4	3	3	4									1/1																		0/1
<i>Quercus macrocarpa</i>	bur oak	G5	S1			2				1	1																											
<i>Quercus prinoides</i>	dwarf chinquapin oak	G5	S1			26	2		20	4										1/1																		
<i>Radula tenax</i>	a liverwort	G3 G4	SU																																			
<i>Ranunculus ambigens</i>	water-plantain spearwort	G4	S1			1	1					1/1																										
<i>Ranunculus hederaceus</i>	long-stalked crowfoot	G5	SH			9			8	1																												
<i>Ranunculus laxicaulis</i>	Mississippi buttercup	G5?	S1			4	1		2	1																												1/1

VIRGINIA'S PRECIOUS HERITAGE

Table 1: Rare Plants

Scientific Name	Common Name	Global Rank	State Rank	Federal Status	State Status	No. of Occurrences	Occurrences by E. O. Rank					Occurrences on Federal Lands					Occurrences on State Lands					Occ. on Other Lands																						
							A-Rank	B-Rank	C-Rank	H- or X-Rank	Other Rank	USFS	DOD	USFWS	NPS	Other Federal	DCR	DOF	VDGIF	EDU	VOF	Other State	Locality	TNC	Other Private																			
<i>Ranunculus longirostris</i>	white water crow-foot	G5	S1			2				2																																		
<i>Ranunculus trichophyllus</i> var. <i>trichophyllus</i>	white water crowfoot	G5 T5	S1			2				1	1	0/1																																
<i>Rhamnus alnifolia</i>	alderleaf buckthorn	G5	S1			6		3	2		1					1/1																												
<i>Rhamnus lanceolata</i> var. <i>glabrata</i>	smooth lance-leaved buckthorn	G5T 4T5	S1			2				1		1																																
<i>Rhexia petiolata</i>	ciliate meadowbeauty	G5?	S1			10		1	1	5	3																																	
<i>Rhododendron arborescens</i>	smooth azalea	G4 G5	S2			15	1	3	1	4	6	0/3				1/2																												
<i>Rhus michauxii</i>	Michaux's sumac	G2	S1	LE		6	1	1	2		2			6/6																														
<i>Rhynchospora alba</i>	white beakrush	G5	S2			10	3	3	3		1		1/1	1/1																														
<i>Rhynchospora capillacea</i>	capillary beakrush	G5	S1			4		1	1	1	1																																	
<i>Rhynchospora cephalantha</i> var. <i>attenuata</i>	small capitate beakrush	G5 T3?	S2			23	1	11	5	4	2																																	
<i>Rhynchospora colorata</i>	white-topped sedge	G5	S1			4	1		1	2				1/1																														
<i>Rhynchospora debilis</i>	savannah beakrush	G4?	S1			8		1		7																																		
<i>Rhynchospora fascicularis</i> var. <i>distans</i>	fasciculate beakrush	G5 T4?	S1?			11	1	1	3	3	3		2/3	0/2																														
<i>Rhynchospora filifolia</i>	thread-leaved beakrush	G5	SH			1				1																																		
<i>Rhynchospora grayi</i>	Gray's beakrush	G4	SH																																									
<i>Rhynchospora harveyi</i>	Harvey beakrush	G4	SH			2				2																																		
<i>Rhynchospora macrostachya</i> var. <i>macrostachya</i>	tall hornedrush	G4 T4	S2			1			1																																			
<i>Rhynchospora miliacea</i>	millet beakrush	G5	SH																																									
<i>Rhynchospora nitens</i>	short-beaked baldrush	G4?	S1			3				2	1																																	
<i>Rhynchospora oligantha</i>	few-flowered beakrush	G4	S1			1		1						1/1																														
<i>Rhynchospora pallida</i>	pale beakrush	G3	SH			1				1																																		
<i>Rhynchospora perplexa</i> var. <i>virginiana</i>	a beakrush	G5 T?	S1 S2			9	1	4		3	1																																	
<i>Rhynchospora scirpoides</i>	long-beaked baldrush	G4	S1			5	1		1	3																																		
<i>Rhynchospora stenophylla</i>	Chapman beakrush	G4	S1			1			1																																			
<i>Rhynchospora wrightiana</i>	Wright's beakrush	G5	SH																																									

VIRGINIA DEPARTMENT OF CONSERVATION AND RECREATION

Table 1: Rare Plants

Scientific Name	Common Name	Global Rank	State Rank	Federal Status	State Status	No. of Occurrences	Occurrences by E. O. Rank					Occurrences on Federal Lands					Occurrences on State Lands					Occ. on Other Lands																				
							A-Rank	B-Rank	C-Rank	H- or X-Rank	Other Rank	USFS	DOD	USFWS	NPS	Other Federal	DCR	DOF	VDGIF	EDU	VOF	Other State	Locality	TNC	Other Private																	
<i>Ribes americanum</i>	wild black currant	G5	S1			3				2	1																															
<i>Ribes lacustre</i>	bristly black currant	G5	S1?			1				1																																
<i>Rorippa sessiliflora</i>	stalkless yellowcress	G5	S1			7		1	1	2	3		1/2								0/1																	0/1				
<i>Rosa setigera</i>	prairie rose	G5	S1			7				2	3	2				0/1		0/1																								
<i>Rubus idaeus</i> ssp. <i>strigosus</i>	red raspberry	G5 T5	S2			9	4	1	1	3		2/2				4/4																										
<i>Rudbeckia heliopsisidis</i>	sun-facing coneflower	G2	S1			1		1																																		
<i>Rudbeckia triloba</i> var. <i>pinnatifida</i>	pinnate-lobed black-eyed susan	G4G 5T2?	S1			4		1	1		2	0/1										0/1																				
<i>Sabatia campanulata</i>	slender marsh pink	G5	S2			21	2	2	4	9	3	1/1				0/1																							1/3			
<i>Sabatia difformis</i>	two-formed pink	G4 G5	S1			4				2	1	1																														
<i>Saccharum brevibarbe</i>	short-beard plume grass	G3 G5	S1?			7		1	2	4																																
<i>Saccharum coarctatum</i>	bunched plume grass	G5?	S1?																																							
<i>Sagittaria calycina</i> var. <i>calycina</i>	long-lobe arrowhead	G5 T5?	S1			4	1				2	0/1	1/2								0/1																					
<i>Sagittaria engelmanniana</i>	Engelmann arrowhead	G5?	SH			1				1																																
<i>Sagittaria rigida</i>	sessile-fruited arrowhead	G5	S1			3		1		2																															0/1	
<i>Salix discolor</i>	pussy willow	G5	S1			1		1																																		
<i>Salix exigua</i>	sandbar willow	G5	S1			4				3	1					0/1																										
<i>Sanguisorba canadensis</i>	Canada burnet	G5	S2			20	2	6	6	2	4					4/5					0/1																					
<i>Sarracenia flava</i>	yellow pitcher-plant	G5?	S1			22			4	10	8		1/1																													
<i>Sarracenia purpurea</i> ssp. <i>purpurea</i>	northern purple pitcher-plant	G5 T5?	S2?			43		7	8	7	21											0/1																			0/1	
<i>Saxifraga careyana</i>	Carey saxifrage	G3	S2?			7	2			2	3										0/2		0/1																			
<i>Saxifraga caroliniana</i>	carolina saxifrage	G2	S2?			17	4	5	1	5	2	1/4									1/2																					
<i>Schizachne purpurascens</i>	purple oat-grass	G5	S1			4	3		1			2/2											1/1																			
<i>Schoenoplectus acutus</i>	hardstemmed bulrush	G5	S1			3				2	1																															
<i>Schoenoplectus etuberculatus</i>	Canby's bulrush	G3 G4	SH			1				1																																
<i>Schoenoplectus smithii</i>	Smith's bulrush	G5?	SH																																							
<i>Schoenoplectus subterminalis</i>	water bulrush	G4 G5	S1 S2			6	4	1			1	2/2	3/4																													
<i>Schoenoplectus torreyi</i>	Torrey's bulrush	G5?	S1			3	3																																			
<i>Schwalbea americana</i>	chaffseed	G2	SH	LE		2				2																																

VIRGINIA'S PRECIOUS HERITAGE

Table 1: Rare Plants

Scientific Name	Common Name	Global Rank	State Rank	Federal Status	State Status	No. of Occurrences	Occurrences by E. O. Rank					Occurrences on Federal Lands					Occurrences on State Lands					Occ. on Other Lands													
							A-Rank	B-Rank	C-Rank	H- or X-Rank	Other Rank	USFS	DOD	USFWS	NPS	Other Federal	DCR	DOF	VDGIF	EDU	VOF	Other State	Locality	TNC	Other Private										
<i>Scirpus ancistrochaetus</i>	northeastern bulrush	G3	S2	LE	LE	8	4	1		1	2	2/2																							
<i>Scirpus flaccidifolius</i>	reclining bulrush	G2	S1			5	1	2	1		1																								
<i>Scleria ciliata</i>	fringed nutrush	G5	S1			2		1		1																									
<i>Scleria minor</i>	slender nutrush	G4	S2			21	1	8	2	4	6																								
<i>Scleria pauciflora</i> var. <i>caroliniana</i>	few-flowered nutrush	G5T4T5	S1																																
<i>Scleria verticillata</i>	whorled nutrush	G5	S2			7	4	2			1				0/1	0/1				0/2													0/1		
<i>Sclerolepis uniflora</i>	one-flower sclerolepis	G4	S1			1		1																											
<i>Scutellaria arguta</i>	sharp-leaved skullcap	G2?Q	SH																																
<i>Scutellaria galericulata</i>	hooded skullcap	G5	S1			1		1																											
<i>Scutellaria incana</i>	hoary skullcap	G5	S2			9		2	3	1	3		1/1		1/1					1/1	1/1	1/1													
<i>Scutellaria parvula</i> var. <i>parvula</i>	small skullcap	G4T4	S1			4	1			3										0/1							0/1	0/1	0/1						
<i>Seymeria cassioides</i>	seymeria	G5	S1S2			10	1		1	6	2														1/1		1/1								
<i>Sibbaldiopsis tridentata</i>	three-toothed cinquefoil	G5	S2			8	3	1	2	1	1	2/2			3/3					1/1															
<i>Sida elliotii</i>	Elliott sida	G4G5	S1			4			2	2																									
<i>Sida hermaphrodita</i>	Virginia mallow	G2	S1			7				4	3	0/1			0/1																			0/1	
<i>Silene nivea</i>	snowy campion	G4?	S1			6				5	1																								
<i>Silene ovata</i>	ovate catchfly	G2G3	S1			4				2	2																								
<i>Silene rotundifolia</i>	roundleaf catchfly	G4	S2			9	1		2	1	5	1/4			0/1					0/2															
<i>Silphium terebinthinaceum</i>	prairie rosinweed	G4G5	S1			1			1						1/1																				
<i>Sisyrinchium albidum</i>	white blue-eyed-grass	G5?	S2			16	4	3	7		2	1/1								0/3							0/1	0/2	0/1						
<i>Smilax ecirrata</i>	upright greenbrier	G5?	S1			1					1																								
<i>Smilax smallii</i>	Small's greenbrier	G5?	SH																																
<i>Solidago gracillima</i>	a goldenrod	G4?	S2			3		1	1		1																								
<i>Solidago latissimifolia</i>	Elliott goldenrod	G5	S2			11		3	1	1	6		1/3								0/1														0/1
<i>Solidago patula</i> var. <i>strictula</i>	round-leaved goldenrod	G5T5	S1			2		1		1																									
<i>Solidago racemosa</i>	sticky goldenrod	G5T4?	S1			24	6	8	8	1	1				0/2																				
<i>Solidago rupestris</i>	rock goldenrod	G4?	S1			7	1	1	1	4		0/1			0/1																				
<i>Solidago tortifolia</i>	a goldenrod	G4G5	S1			9		1		8																									
<i>Solidago uliginosa</i> var. <i>uliginosa</i>	bog goldenrod	G4G5T?	S2			12	3	2	1	6		1/1	1/1							0/1															
<i>Sparganium androcladum</i>	branching burreed	G4G5	SH			1					1																								

VIRGINIA DEPARTMENT OF CONSERVATION AND RECREATION

Table 1: Rare Plants

Scientific Name	Common Name	Global Rank	State Rank	Federal Status	State Status	No. of Occurrences	Occurrences by E. O. Rank					Occurrences on Federal Lands					Occurrences on State Lands					Occ. on Other Lands				
							A-Rank	B-Rank	C-Rank	H- or X-Rank	Other Rank	USFS	DOD	USFWS	NPS	Other Federal	DCR	DOF	VDGIF	EDU	VOF	Other State	Locality	TNC	Other Private	
<i>Sparganium chlorocarpum</i>	narrow-leaf burreed	G5	S1			10	1	1	3	4	1	4/5														
<i>Spartina pectinata</i>	freshwater cordgrass	G5	S2			16	1	2	4	3	6	0/4			0/3											
<i>Spermacoce glabra</i>	smooth buttonweed	G4 G5	S1			1					1	0/1														
<i>Spermolepis divaricata</i>	rough-fruit spermolepis	G5	S1?			1			1																	
<i>Sphagnum angustifolium</i>	narrowleaf peatmoss	G5	S1 S2			4					4	1/1														
<i>Sphagnum capillifolium</i>	pom-pom peatmoss	G5	S1 S2			2					2	0/2														
<i>Sphagnum carolinianum</i>	carolina peatmoss	G3	S2			5				1	4															0/1
<i>Sphagnum cyclophyllum</i>	circular-leaved peatmoss	G3	S1 S2			2					2															
<i>Sphagnum fimbriatum</i>	a peatmoss	G5	S1			1					1	0/1														
<i>Sphagnum flavicomans</i>	a peatmoss	G3	SU			1					1															
<i>Sphagnum flexuosum</i>	flexuose peatmoss	G5	S1 S2			3					2	1	1/1													
<i>Sphagnum fuscum</i>	brown peatmoss	G5	S1			2					2															
<i>Sphagnum girgensohnii</i>	Girgensohn's peatmoss	G5	S1 S2			3					2	1														
<i>Sphagnum inundatum</i>	inundated peatmoss	G4	S1 S2			2					1	1														
<i>Sphagnum macrophyllum</i> var. <i>macrophyllum</i>	large-leaf peatmoss	G3 T3?	S2			3					1	2														1/1
<i>Sphagnum molle</i>	soft peatmoss	G4	S2			4					3	1														0/1
<i>Sphagnum portoricense</i>	Puerto Rico peatmoss	G5	S1 S2			1					1															
<i>Sphagnum quinquefarium</i>	five-rowed peatmoss	G5	S2S 3			7					3	4	1/3													0/1
<i>Sphagnum rubellum</i>	red peatmoss	G5	S2			4					1	3	3/3													1/1
<i>Sphagnum russowii</i>	Russow's peatmoss	G5	S1 S2			2					2	1/2														0/1
<i>Sphagnum strictum</i>	straight peatmoss	G5	S2			2					1	1		1/1												
<i>Sphagnum subsecundum</i>	subsecund peatmoss	G5	S1																							
<i>Sphagnum subtile</i>	delicate peatmoss	G5? Q	S1 S2			2						2														
<i>Sphagnum torreyanum</i>	Torrey's peatmoss	G3 G4	S2			6					1	5														0/1
<i>Sphagnum trinicense</i>	Trinidad peatmoss	G4	S2 S3			5	1				1	3		2/2												0/1
<i>Sphenopholis filiformis</i>	long-leaf wedgescale	G4?	S1			2					2															
<i>Spiraea virginiana</i>	Virginia spiraea	G2	S1	LT	LE	6	2	2	2				0/4													0/2

VIRGINIA'S PRECIOUS HERITAGE

Table 1: Rare Plants

Scientific Name	Common Name	Global Rank	State Rank	Federal Status	State Status	No. of Occurrences	Occurrences by E. O. Rank					Occurrences on Federal Lands					Occurrences on State Lands					Occ. on Other Lands					
							A-Rank	B-Rank	C-Rank	H- or X-Rank	Other Rank	USFS	DOD	USFWS	NPS	Other Federal	DCR	DOF	VDGIF	EDU	VOF	Other State	Locality	TNC	Other Private		
<i>Spiranthes lucida</i>	shining ladies'-tresses	G5	S1			6	1		1	4	0/1							0/1								0/1	
<i>Spiranthes magnicamporum</i>	great plains ladies'-tresses	G4	S1			3	1	1		1								0/1									
<i>Spiranthes ochroleuca</i>	yellow nodding ladies'-tresses	G4	S1			5				3	2	0/1															
<i>Sporobolus compositus</i> var. <i>compositus</i>	longleaf dropseed	G5 T5	S1 S2			10	1	5	2		2					0/1		0/1									0/1
<i>Sporobolus heterolepis</i>	northern dropseed	G5	S1			1		1																			
<i>Sporobolus junceus</i>	a dropseed	G5	S1			2		1		1																	
<i>Sporobolus neglectus</i>	small dropseed	G5	S2			12		1	2	6	3	0/1						0/1									
<i>Stachys aspera</i>	rough hedge-nettle	G5 T4?	S2			1	1											1/1									
<i>Stachys eplingii</i>	Epling's hedge-nettle	G5	S1			4			3	1																	
<i>Stachys pilosa</i> var. <i>arenicola</i>	marsh hedgenettle	G5 T4?	S1			9	1	3	2	3						3/4											
<i>Stachys</i> sp. 1	Vadkin hedgenettle	G?	S1			3		1	1		1		0/2												0/1		
<i>Steinchisma hians</i>	gaping panic grass	G5	S1			5			1	4						1/1											
<i>Stewartia ovata</i>	mountain camellia	G4	S2			14	1	1	1	10	1		2/2		1/1		1/1										
<i>Stillingia sylvatica</i> ssp. <i>sylvatica</i>	queen's delight	G5 T5	S1			5			1	2	2							1/1	0/1								
<i>Stipulicida setacea</i> var. <i>setacea</i>	pineland scaly-pink	G4G 5T4 T5	S1			2		1			1		0/1					0/1									
<i>Streptopus amplexifolius</i>	white mandarin	G5	S1			2			2						2/2												
<i>Stylophorum diphyllum</i>	celandine poppy	G5	S2			16	1	1	4	4	6								0/1						0/1	0/1	
<i>Sullivantia sullivantii</i>	sullivantia	G4	S1			4	1		2		1																
<i>Symphoricarpos albus</i> var. <i>albus</i>	snowberry	G5T 4	S2			4			1		1	0/2															
<i>Symphotrichum elliotii</i>	Elliott's aster	G5T 3T4	S1			4		1		2	1							0/1									
<i>Symphotrichum ericoides</i>	white heath aster	G5	S1			11		3	1	2	5							0/1							0/2		
<i>Symphotrichum praealtum</i> var. <i>angustior</i>	willow aster	G5 T4	S1			1		1																			
<i>Symphotrichum pratense</i>	barrens silky aster	G? G5	S1			7	1	1	3		2	1/1						1/3							0/1		
<i>Symphotrichum shortii</i>	short's aster	G4 G5	S1			3			1	1	1				0/1												
<i>Synandra hispidula</i>	gyandotte beauty	G4	S2			13		5	3	4	1															0/1	
<i>Talinum mengesii</i>	Menge's fame-flower	G3	S1			3	1		2									1/1									

VIRGINIA DEPARTMENT OF CONSERVATION AND RECREATION

Table 1: Rare Plants

Scientific Name	Common Name	Global Rank	State Rank	Federal Status	State Status	No. of Occurrences	Occurrences by E. O. Rank					Occurrences on Federal Lands					Occurrences on State Lands					Occ. on Other Lands																									
							A-Rank	B-Rank	C-Rank	H- or X-Rank	Other Rank	USFS	DOD	USFWS	NPS	Other Federal	DCR	DOF	VDGIF	EDU	VOF	Other State	Locality	TNC	Other Private																						
<i>Tetragonotheca helianthoides</i>	pineland squarehead	G5	S1			5		1		4																																					
<i>Thalictrum macrostylum</i>	piedmont meadow-rue	G3 G4	S1			4				1	3																																				
<i>Thelypteris simulata</i>	bog fern	G4 G5	S1 S2			5	1	3		1					2/2																									0/1							
<i>Tillandsia usneoides</i>	Spanish moss	G5	S2			19	1	2	2	7	7		1/2	1/1						1/2																			1/1	0/1							
<i>Tofieldia glutinosa</i>	sticky false-asphodel	G5	S1			1				1																																					
<i>Tofieldia racemosa</i>	coastal false-asphodel	G5	S1			4				1	2	1																																			
<i>Toxicodendron rydbergii</i>	western poison ivy	G5	S1			2					2																																				
<i>Triadenum fraseri</i>	Fraser's marsh St. John's-wort	G4 G5	S1			2																																					1/1				
<i>Triadenum tubulosum</i>	large marsh St. John's-wort	G4?	S1			6		2		1	3			2/2									0/1																								
<i>Trichomanes boschianum</i>	bristle-fern	G4	S1			1				1																																					
<i>Trichostema setaceum</i>	narrow-leaved blue-curls	G5	S2			12		3	3	6		2/2											0/1																			0/1					
<i>Tridens chapmanii</i>	Chapman's redtop	G?	SH																																												
<i>Trifolium calcaricum</i>	running glade clover	G1	S1			2	2																																					0/1	0/1	0/1	
<i>Trifolium reflexum</i>	buffalo clover	G5	S1			10				1	6	3				1/1																															
<i>Trillium cernuum</i>	nodding trillium	G5	S2			7	1	2	1	1	2												1/1																								
<i>Trillium flexipes</i>	nodding trillium	G5	S1			6				5	1																																				
<i>Trillium nivale</i>	snow trillium	G4	S1																																												
<i>Trillium pusillum</i> var. <i>virginianum</i>	Virginia least trillium	G3 T2	S2			33	2	3	4	13	11	2/2	0/1	0/1									0/1																				1/1	1/1	0/1		
<i>Triphora trianthophora</i>	nodding pogonia	G3 G4	S1			7	1			1	2	3	1/2										1/1																								
<i>Trisetum spicatum</i>	narrow false oats	G5	S1			1	1									1/1																															
<i>Utricularia juncea</i>	southern bladderwort	G5	S2			11		1	3	7				1/1																																	
<i>Utricularia olivacea</i>	minute bladderwort	G4	S1			1				1																																					
<i>Utricularia purpurea</i>	purple bladderwort	G5	S2			11	1	2		3	5		3/5									1/2	0/1																								
<i>Utricularia striata</i>	fibrous bladderwort	G4 G5	S1			4		1		3			0/1		0/1																																
<i>Vaccinium crassifolium</i>	creeping blueberry	G4 G5	S1			8				1	5	2																																			
<i>Vaccinium macrocarpon</i>	large cranberry	G4	S2			18	1	5	3	6	3	2/2		2/2	1/2							0/1																									
<i>Vaccinium myrtilloides</i>	velvetleaf blueberry	G5	S2			6		2		2	2			2/2									0/1																								
<i>Vaccinium virgatum</i>	swamp blueberry	G4	SH																																												
<i>Valeriana pauciflora</i>	valerian	G4	S2			8	1	2		3	2					0/2																															
<i>Verbena scabra</i>	sandpaper vervain	G5	S2			9		1		7	1					1/2																															

VIRGINIA'S PRECIOUS HERITAGE

Table 1: Rare Plants

Scientific Name	Common Name	Global Rank	State Rank	Federal Status	State Status	No. of Occurrences	Occurrences by E. O. Rank					Occurrences on Federal Lands					Occurrences on State Lands					Occ. on Other Lands							
							A-Rank	B-Rank	C-Rank	H- or X-Rank	Other Rank	USFS	DOD	USFWS	NPS	Other Federal	DCR	DOF	VDGIF	EDU	VOF	Other State	Locality	TNC	Other Private				
<i>Veronica scutellata</i>	marsh-speedwell	G5	S1			10		1	2	2	5														0/1			0/1	0/1
<i>Viburnum lentago</i>	nannyberry	G5	S1			1																							
<i>Vicia americana</i> ssp. <i>americana</i>	American purple vetch	G5 T5	S1 S2			9		2		7		0/2																	
<i>Viola esculenta</i>	salad violet	G4 G5	S1			5	1			2	2										0/1	0/1							
<i>Viola walteri</i>	prostrate blue violet	G4 G5	S2			18	3	4	4	5	2										0/6		0/1					0/1	
<i>Vitis rupestris</i>	sand grape	G3	S1?			9		3	1	4	1	0/1				0/2					0/1								
<i>Wisteria frutescens</i>	American wisteria	G5	S2			8		2	1	4	1		1/1																
<i>Wolffia columbiana</i>	Columbia water-meal	G5	S1			5				4	1																		
<i>Xyris caroliniana</i>	Carolina yellow-eyed-grass	G4 G5	S1			13		1		10	2										0/1							1/2	
<i>Xyris difformis</i> var. <i>curtissii</i>	Curtiss' yellow-eyed-grass	G5 T5	S1			2			1		1																		
<i>Xyris fimbriata</i>	fringed yellow-eyed-grass	G5	S1			5		1		3	1				1/2														
<i>Xyris laxifolia</i> var. <i>iridifolia</i>	irisleaf yellow-eyed-grass	G4G 5T4 T5	S1			5		1	2		2										3/3								
<i>Xyris platylepis</i>	tall yellow-eyed-grass	G5	S2			6		1	4		1																		
<i>Zenobia pulverulenta</i>	dusty zenobia	G4?	S1			6		1		5																			
<i>Zigadenus densus</i>	black snakeroot	G5	S1			3		1	1	1																			
<i>Zigadenus glaberrimus</i>	large-flowered camass	G5	S1			9				1	4	4				0/1													
<i>Zigadenus leimanthoides</i>	death-camass	G4Q	S1			4	1	1	2												0/1								
<i>Zornia bracteata</i>	viperina	G5?	S1			6		2		3	1																	1/1	

VIRGINIA DEPARTMENT OF CONSERVATION AND RECREATION

Table 2: Rare Animals

Scientific Name	Common Name	Global Rank	State Rank	Federal Status	State Status	No. of Occurrences	Occurrences by E. O. Rank					Occurrences on Federal Lands					Occurrences on State Lands					Occ. on Other Lands		
							A-Rank	B-Rank	C-Rank	H- or X-Rank	Other Rank	USFS	DOD	USFWS	NPS	Other Federal	DCR	DOF	VDGIF	EDU	VOF	Other State	Locality	TNC
Vertebrates																								
Fish																								
<i>Acipenser brevirostrum</i>	shortnose sturgeon	G3	SX	LE	LE																			
<i>Acipenser oxyrinchus</i>	Atlantic sturgeon	G3	S2		SC																			
<i>Ameiurus brunneus</i>	snail bullhead	G4	S2			2				1	1													
<i>Ammocrypta clara</i>	western sand darter	G3	S1		LT	6				3	1													
<i>Aplodinotus grunniens</i>	freshwater drum	G5	S2			7				7														
<i>Cottus baileyi</i>	black sculpin	G4Q	S2			35				22	13	0/5												
<i>Cottus cognatus</i>	slimy sculpin	G5	S2			7				3	4										0/1			
<i>Cottus sp. 1</i>	bluestone sculpin	G2	S2			1																		
<i>Cottus sp. 4</i>	Clinch sculpin	G1 G2	S1 S2			4					4													
<i>Cottus sp. 5</i>	Holston sculpin	G2	S2																					
<i>Cyprinella labrosa</i>	thicklip chub	G4	SH																					
<i>Cyprinella monacha</i>	turquoise shiner	G2	S1	LT	LT	16				2	14										0/1			
<i>Cyprinella whipplei</i>	steelcolor shiner	G5	S1		LT																			
<i>Enneacanthus chaetodon</i>	blackbanded sunfish	G4	S1		LE	5		1		1	3						0/1				0/1 0/1			
<i>Erimystax cahni</i>	slender chub	G1	S1	LT	LT	3				1	2										0/1			
<i>Erimyzon sucetta</i>	lake chubsucker	G5	S2			12				4	8										0/1 0/1			
<i>Etheostoma acuticeps</i>	sharphead darter	G3	S1		LE	3			2		1													
<i>Etheostoma caeruleum</i>	rainbow darter	G5	S2																					
<i>Etheostoma camurum</i>	bluebreast darter	G4	S2		SC	29		2		12	15										0/1			
<i>Etheostoma chlorbranchium</i>	greenfin darter	G4	S1		LT	3					3	0/2												
<i>Etheostoma cinereum</i>	ashy darter	G2 G3	S1			2				1	1													
<i>Etheostoma collis</i>	Carolina darter	G3	S2		LT	3		1		1	1													
<i>Etheostoma denoncourtii</i>	golden darter	G2	S1		LT	10		1	1	3	5						0/1				0/1			
<i>Etheostoma jessiae</i>	blueside darter	G4Q	S1		LE	1				1														
<i>Etheostoma meadiae</i>	bluespar darter	G4	S2			11		3		6	2													
<i>Etheostoma osburni</i>	candy darter	G3	S1		SC	21				14	3	0/1												
<i>Etheostoma percnurum</i>	duskytail darter	G1	S1	LE	LE	4			2	2														

Table 2: Rare Animals

Scientific Name	Common Name	Global Rank	State Rank	Federal Status	State Status	No. of Occurrences	Occurrences by E. O. Rank					Occurrences on Federal Lands					Occurrences on State Lands					Occ. on Other Lands														
							A-Rank	B-Rank	C-Rank	H- or X-Rank	Other Rank	USFS	DOD	USFWS	NPS	Other Federal	DCR	DOF	VDGIF	EDU	VOF	Other State	Locality	TNC	Other Private											
<i>Etheostoma swannanoa</i>	Swannanoa darter	G4	S2			5				3	2																									
<i>Etheostoma variatum</i>	variegated darter	G5	S1		LE																															
<i>Etheostoma vulneratum</i>	wounded darter	G3	S2 S3			1																														
<i>Fundulus lineolatus</i>	lined topminnow	G5	S2 S3			24			1	5	18										1/2	0/1										0/1	0/1			
<i>Fundulus rathbuni</i>	speckled killifish	G4	S2		SC	7			1	4	2																									
<i>Hybopsis hypsinotus</i>	highback chub	G4	S2			3					3																									
<i>Ichthyomyzon bdellium</i>	Ohio lamprey	G3 G4	S2			4				2	2																									
<i>Ichthyomyzon greeleyi</i>	mountain brook lamprey	G3 G4	S2			1					1																									
<i>Labidesthes sicculus</i>	brook silverside	G5	S2		SC	7				5	2																									
<i>Lythrurus lirus</i>	mountain shiner	G4	S2 S3			2				1	1																									
<i>Moxostoma carinatum</i>	river redhorse	G4	S2 S3		SC	19					4	15																							0/1	
<i>Notropis alborus</i>	Whitemouth shiner	G4	S1		LT	4					4																									
<i>Notropis ariommus</i>	popeye shiner	G3	S2 S3		SC	32	2	4	2	6	18											0/2														
<i>Notropis atherinoides</i>	emerald shiner	G5	S1 S2		LT	2				1	1																									
<i>Notropis bifrenatus</i>		G5	S2		SC																															
<i>Notropis semperasper</i>	roughhead shiner	G2 G3	S2 S3		SC	34		1		29	4	0/4																								
<i>Notropis spectrunculus</i>	mirror shiner	G4	S2		SC	2				1	1																									
<i>Notropis stramineus</i>	sand shiner	G5	S2																																	
<i>Noturus eleutherus</i>	mountain madtom	G4	S2 S3			1				1																										
<i>Noturus flavipinnis</i>	yellowfin madtom	G1	S1	LT	LT	12			1	6	5																									
<i>Noturus flavus</i>	stonecat	G5	S2		SC	14				5	9																									
<i>Noturus gilberti</i>	orange-fin madtom	G2	S2		LT	22	1	1	1	1	18	0/4																								
<i>Noturus insignis</i> ssp. 1	spotted margined madtom	G5 T1Q	S1																																	
<i>Percina aurantiaca</i>	tangerine darter	G4	S2 S3			33		2	1	21	9											0/2												0/1		
<i>Percina burtoni</i>	blotchside logperch	G2	S1		SC	34				17	17																									
<i>Percina copelandi</i>	channel darter	G4	S2		SC	14				9	5																									
<i>Percina crassa</i>	Piedmont darter	G4	S1			1				1																										
<i>Percina evides</i>	gilt darter	G4	S2			13				7	6										0/1															
<i>Percina macrocephala</i>	longhead darter	G3	S1 S2		LT	13				8	5																									
<i>Percina maculata</i>	blackside darter	G5	SX																																	

VIRGINIA DEPARTMENT OF CONSERVATION AND RECREATION

Table 2: Rare Animals

Scientific Name	Common Name	Global Rank	State Rank	Federal Status	State Status	No. of Occurrences	Occurrences by E. O. Rank					Occurrences on Federal Lands					Occurrences on State Lands					Occ. on Other Lands					
							A-Rank	B-Rank	C-Rank	H- or X-Rank	Other Rank	USFS	DOD	USFWS	NPS	Other Federal	DCR	DOF	VDGIF	EDU	VOF	Other State	Locality	TNC	Other Private		
<i>Percina rex</i>	Roanoke logperch	G1 G2	S1 S2	LE	LE	43	1	1	2	6	31		1/2					0/ 3						0/ 1			
<i>Percina sciera</i>	dusky darter	G5	S1 S2			2					1	1						0/ 1									
<i>Percopsis omiscomaycus</i>	trout-perch	G5	SX																								
<i>Phenacobius crassilabrum</i>	fatlips minnow	G3 G4	S2		SC	3					1	2															
<i>Phenacobius mirabilis</i>	suckermouth minnow	G5	S1 S2																								
<i>Phenacobius teretulus</i>	Kanawha minnow	G3 G4	S2 S3			47					35	8			1/1			0/ 1									
<i>Phoxinus cumberlandensis</i>	blackside dace	G2	S1	LT																							
<i>Phoxinus saylori</i>	laurel dace	G1																									
<i>Phoxinus tennesseensis</i>	Tennessee dace	G3	S1		LE	4					2	2															
<i>Pimephales vigilax</i>	bullhead minnow	G5	S1			2					1	1															
<i>Polyodon spathula</i>	paddlefish	G4	S1		LT	1					1																
<i>Scartomyzon sp. 1</i>	brassy jumprock	G4	S1 S2																								
<i>Stizostedion canadense</i>	sauger	G5	S2 S3		SC	8					2	6															
<i>Thoburnia hamiltoni</i>	rustyside sucker	G3	S2		SC	5					2	3			0/1												
Amphibians																											
<i>Ambystoma mabeei</i>	Mabee's salamander	G4	S1 S2		LT	13	1	1	7	2	2		1/1	1/1										0/ 1	1/ 3		
<i>Ambystoma talpoideum</i>	mole salamander	G5	S1 S2		SC	2			1		1																
<i>Ambystoma tigrinum</i>	tiger salamander	G5	S1		LE	5		1	2	1	1	0/1															
<i>Bufo quercicus</i>	oak toad	G5	S1 S2		SC	8				7	1																
<i>Cryptobranchus alleganiensis</i>	hellbender	G3 G4	S2 S3		SC	46	2	3	2	32	7							0/ 2									
<i>Desmognathus marmoratus</i>	shovel-nosed salamander	G4	S2		SC	7	1	1		3	2	2/2															
<i>Desmognathus wrighti</i>	pygmy salamander	G3 G4	S2		SC	4		1	1		2	1/2															
<i>Eurycea wilderae</i>	Blue Ridge two-lined salamander	G5	S2																								
<i>Hyla gratiosa</i>	barking treefrog	G5	S1		LT	11	1	3	2	3	2													1/ 2			
<i>Necturus maculosus</i>	mudpuppy	G5	S2			9	1	2		3	3														0/ 1		
<i>Necturus punctatus</i>	dwarf waterdog	G4	S2 S3			9	2	1		6								0/ 1									
<i>Plethodon hubrichti</i>	Peaks of Otter salamander	G2	S2		SC	12	8	1	1	1	1	3/7			3/8												
<i>Plethodon punctatus</i>	Cow Knob salamander	G3	S2		SC	13	10		1	1		6/8															

VIRGINIA'S PRECIOUS HERITAGE

Table 2: Rare Animals

Scientific Name	Common Name	Global Rank	State Rank	Federal Status	State Status	No. of Occurrences	Occurrences by E. O. Rank					Occurrences on Federal Lands					Occurrences on State Lands					Occ. on Other Lands									
							A-Rank	B-Rank	C-Rank	H- or X-Rank	Other Rank	USFS	DOD	USFWS	NPS	Other Federal	DCR	DOF	VDGIF	EDU	VOF	Other State	Locality	TNC	Other Private						
<i>Plethodon shenandoah</i>	Shenandoah salamander	G1	S1	LE	LE	5	4	1										3/4													
<i>Plethodon ventralis</i>	southern zigzag salamander	G4	S1			2							2																		
<i>Plethodon virginia</i>	Shenandoah Mountain salamander	G2 G3Q	S2																												
<i>Plethodon welleri</i>	Weller's salamander	G3	S2		SC	3		2					1	2/2																	
<i>Siren intermedia</i>	lesser siren	G5	S2			5	1	2	1		1			0/1																	
Reptiles																															
<i>Apalone spinifera</i>	spiny softshell	G5	S2			7	2				1	4							0/1	0/1											
<i>Caretta caretta</i>	loggerhead (sea turtle)	G3	S1B, S1N	LT	LT	3					1	1																			
<i>Crotalus horridus atricaudatus</i>	canebrake rattlesnake	G4 TUQ	S1		LE	23	2	1	1	7	12			1/1	1/1				1/5							1/6	0/5				
<i>Deirochelys reticularia</i>	chicken turtle	G5	S1		LE	2				1		1		0/1					0/1												
<i>Eumeces anthracinus</i>	coal skink	G5	S2			9	3	1	1	4		5/5																			
<i>Glyptemys insculpta</i>	wood turtle	G4	S2		LT	27	1	4	3	7	12	1/1	1/2		1/2											0/2	1/1	0/1			
<i>Glyptemys muhlenbergii</i>	bog turtle	G3	S1 S2	LT	LE	65	4	16	10	3	32				3/17	0/1	0/2	0/1	0/1											0/2	
<i>Graptemys geographica</i>	northern map turtle	G5	S2 S3			19		7		8	4								0/2										0/1		
<i>Lampropeltis getula nigra</i>	eastern black kingsnake	G5 T5	S2			5					5								1/1												
<i>Lepidochelys kempii</i>	Kemp's ridley (sea turtle)	G1	S1N	LE	LE																										
<i>Ophisaurus ventralis</i>	eastern glass lizard	G5	S1		LT	3					1	2							1/2							0/1	0/1				
<i>Pituophis melanoleucus</i>	pine snake	G4	S1 S3			10		1		9		1/1																			
<i>Regina rigida</i>	glossy crayfish snake	G5	S1			1		1																							
<i>Sternotherus minor</i>	loggerhead musk turtle	G5	S2			7	2	2	1		2																				
<i>Tantilla coronata</i>	southeastern crowned snake	G5	S2			5	1			1	3															0/1					
<i>Trachemys scripta troostii</i>	Cumberland slider	G5T 3T4	S1			4	1				3																				
<i>Virginia valeriae pulchra</i>	mountain earthsnake	G5T 3T4	S1		SC	1				1																					
Birds																															
<i>Actitis macularia</i>	Spotted Sandpiper	G5	S2B, SZN			1					1																				
<i>Aegolius acadicus</i>	Northern Saw-whet Owl	G5	S1B, S1N		SC	6				3	3	1/4							1/1	0/1											
<i>Aimophila aestivalis</i>	Bachman's Sparrow	G3	S1B		LT	12		2	2		8			3/3																	

VIRGINIA DEPARTMENT OF CONSERVATION AND RECREATION

Table 2: Rare Animals

Scientific Name	Common Name	Global Rank	State Rank	Federal Status	State Status	No. of Occurrences	Occurrences by E. O. Rank					Occurrences on Federal Lands					Occurrences on State Lands					Occ. on Other Lands						
							A-Rank	B-Rank	C-Rank	H- or X-Rank	Other Rank	USFS	DOD	USFWS	NPS	Other Federal	DCR	DOF	VDGIF	EDU	VOF	Other State	Locality	TNC	Other Private			
<i>Ammodramus caudacutus</i>	Saltmarsh Sharp-tailed Sparrow	G4	S2B, S3N		SC	5	1	3		1					1/1			0/2	1/1									
<i>Ammodramus henslowii</i>	Henslow's Sparrow	G4	S1B		LT	6				2				1/1														
<i>Anas discors</i>	Blue-Winged Teal	G5	S1B, S2N																									
<i>Anas strepera</i>	Gadwall	G5	S2B, S3N			2	1			1																	2/2	
<i>Aquila chrysaetos</i>	Golden Eagle	G5	SHB, S1N																									
<i>Ardea alba</i>	Great Egret	G5	S2B, S3N		SC	12	1	6		2					2/2	0/1		1/1							0/1	1/1		
<i>Asio flammeus</i>	Short-eared Owl	G5	S1B, S3N			2														0/1								
<i>Asio otus</i>	Long-eared Owl	G5	S1		SC																							
<i>Bartramia longicauda</i>	Upland Sandpiper	G5	S1B, SZN		LT	4				1	2	1								0/1								
<i>Botaurus lentiginosus</i>	American Bittern	G4	S1B, S2N			1						1													0/1			
<i>Carpodacus purpureus</i>	Purple Finch	G5	S1B, S5N		SC	6					1	5	2/5															
<i>Catharus guttatus</i>	Hermit Thrush	G5	S1B, S5N		SC	7	1	2		2	1	1	3/4					0/1	1/1									
<i>Catharus ustulatus</i>	Swainson's Thrush	G5	S1B, SZN			1				1			1/1															
<i>Charadrius melodus</i>	Piping Plover	G3	S2B, S1N	LT	LT	30	7	5		12				0/1	2/5	0/2		0/2						0/1	4/18			
<i>Charadrius wilsonia</i>	Wilson's Plover	G5	S1B, SZN		LE	17	1	5		5					2/4	1/1		0/1								3/11		
<i>Chondestes grammacus</i>	Lark Sparrow	G5	SHB, SZN																									
<i>Circus cyaneus</i>	Northern Harrier	G5	S1S, S2B, S3S4		SC	6	1	1		1					1/1					1/1					0/3			
<i>Cistothorus platensis</i>	Sedge Wren	G5	S1B, S1, S2N		SC	2						2																
<i>Contopus cooperi</i>	Olive-sided Flycatcher	G4	SHB, SZN																									
<i>Dendroica fusca</i>	Blackburnian Warbler	G5	S2B, SZN			8				2																		
<i>Dendroica magnolia</i>	Magnolia Warbler	G5	S2B, SZN		SC	10	1	2		2								0/1	3/3									
<i>Egretta caerulea</i>	Little Blue Heron	G5	S2B, S3N		SC	5	1			4					1/1			1/1								1/1		
<i>Egretta thula</i>	Snowy Egret	G5	S2B, S3N			8	1	5				2			1/1			1/1								1/2		
<i>Egretta tricolor</i>	Tricolored Heron	G5	S2B, S3N		SC	5	2	2		1					1/1			1/1								1/1		
<i>Empidonax alnorum</i>	Alder Flycatcher	G5	S1B, SZN		SC	3		1		1			0/2					0/1								0/1		
<i>Empidonax flaviventris</i>	Yellow-bellied Flycatcher	G5	S1B, SZN		SC	1						1	1/1															

VIRGINIA'S PRECIOUS HERITAGE

Table 2: Rare Animals

Scientific Name	Common Name	Global Rank	State Rank	Federal Status	State Status	No. of Occurrences	Occurrences by E. O. Rank					Occurrences on Federal Lands					Occurrences on State Lands					Occ. on Other Lands							
							A-Rank	B-Rank	C-Rank	H- or X-Rank	Other Rank	USFS	DOD	USFWS	NPS	Other Federal	DCR	DOF	VDGIF	EDU	VOF	Other State	Locality	TNC	Other Private				
<i>Eudocimus albus</i>	White Ibis	G5	S1B, SAN			2			1	1				1/1															
<i>Falco peregrinus</i>	Peregrine Falcon	G4	S1B, S2N		LT	25	4	4	2	1	14		0/1	1/4	1/4											0/3	2/4	0/1	
<i>Fulica americana</i>	American Coot	G5	S1B, S5N																										
<i>Gallinula chloropus</i>	Common Moorhen	G5	S1B, S1N		SC	1					1			0/1												0/1			
<i>Haliaeetus leucocephalus</i>	Bald Eagle	G4	S2, S3B, S3N	LT	LT	574	1	12	6		555	1/1	27/30	12/20	6/10		7/11	4/8							0/2	1/5	2/5	4/8	
<i>Himantopus mexicanus</i>	Black-necked Stilt	G5	S1B			1		1						0/1															
<i>Lanius ludovicianus</i>	Loggerhead Shrike	G4	S2B, S3N		LT	25		6	1	6	12	0/3	1/1																
<i>Laterallus jamaicensis</i>	Black Rail	G4	S2B, S2N			1	1													1/1									
<i>Limnothlypis swainsonii</i>	Swainson's Warbler	G4	S2B, S2N		SC	7		2	5			5/5		0/1															
<i>Loxia curvirostra</i>	Red Crossbill	G5	S1B, S2N		SC	4					4	1/3															0/1		
<i>Melospiza georgiana</i>	Swamp Sparrow	G5	S1B, S4S, 5N																										
<i>Mergus merganser</i>	Common Merganser	G5	S1B, S4N																										
<i>Nyctanassa violacea</i>	Yellow-crowned Night-heron	G5	S2B, S3N		SC	9					9		0/1	1/1												0/1	1/1		
<i>Oporornis philadelphia</i>	Mourning Warbler	G5	S1B, S2N		SC	4		1			3	1/4																	
<i>Pelecanus occidentalis</i>	Brown Pelican	G4	S1B, S3N		SC	3		2	1					0/1													0/2		
<i>Picoides borealis</i>	Red-cockaded Woodpecker	G3	S1	LE	LE	11				6	1	4															0/2		
<i>Plegadis falcinellus</i>	Glossy Ibis	G5	S2B, S1N		SC	5	2	1			2			1/1						1/1							1/1		
<i>Podilymbus podiceps</i>	Pied-billed Grebe	G5	S2B, S3N			1					1		0/1														0/1		
<i>Porzana carolina</i>	Sora	G5	S1B, S2N			2			2											1/1									
<i>Rallus elegans</i>	King Rail	G4, G5	S2B, S3N			8		2	1		5		0/2	1/2						0/1						0/2	0/1		
<i>Rallus limicola</i>	Virginia Rail	G5	S2B, S3N			4		1	3											1/1							0/1		
<i>Regulus satrapa</i>	Golden-crowned Kinglet	G5	S2B, S5N		SC	9	4	2			3	4/7								1/2	1/1								
<i>Rynchops niger</i>	Black Skimmer	G5	S2B, S1N			22	3	14	5					0/1						0/1						0/1	3/10		
<i>Seiurus noveboracensis</i>	Northern Waterthrush	G5	S1B, S2N			1					1	0/1									0/1								
<i>Sitta canadensis</i>	Red-breasted Nuthatch	G5	S2B, S4N		SC	9		3	1		5	4/5					1/1			1/1	0/1								

VIRGINIA DEPARTMENT OF CONSERVATION AND RECREATION

Table 2: Rare Animals

Scientific Name	Common Name	Global Rank	State Rank	Federal Status	State Status	No. of Occurrences	Occurrences by E. O. Rank					Occurrences on Federal Lands					Occurrences on State Lands					Occ. on Other Lands						
							A-Rank	B-Rank	C-Rank	H- or X-Rank	Other Rank	USFS	DOD	USFWS	NPS	Other Federal	DCR	DOF	VDGIF	EDU	VOF	Other State	Locality	TNC	Other Private			
<i>Sphyrapicus varius</i>	Yellow-bellied Sapsucker	G5	S1B, S4N			7			1	4	2	0/3																
<i>Sterna antillarum</i>	Least Tern	G4	S2B, SZN		SC	22	1	12	1			8		0/3	1/4											0/1	3/12	
<i>Sterna caspia</i>	Caspian Tern	G5	S1B, S2N		SC	5						5														1/3		
<i>Sterna dougallii</i>	Roseate Tern	G4	SHB, SZN	LE	LE																							
<i>Sterna maxima</i>	Royal Tern	G5	S2B, SZN			2	1		1																	0/1		
<i>Sterna nilotica</i>	Gull-billed Tern	G5	S2B, SZN		LT	19	2	7	6			4			0/1						0/1					2/7		
<i>Sterna sandvicensis</i>	Sandwich Tern	G5	S1B, SZN		SC	2		1				1														0/1		
<i>Thryomanes bewickii altus</i>	Appalachian Bewick's Wren	G5 T2Q	S1B, SZN		LE	21				12	5																	
<i>Troglodytes troglodytes</i>	Winter Wren	G5	S2B, S4N		SC	8	1	3	1			3	3/5		3/4													
<i>Vermivora ruficapilla</i>	Nashville Warbler	G5	S1B, SZN																									
Mammals																												
<i>Corynorhinus rafinesquii macrotis</i>	eastern big-eared bat	G3G 4T?	S2		LE	29		1	3	1	24			1/1													0/2	
<i>Corynorhinus townsendii virginianus</i>	Virginia big-eared bat	G4 T2	S1	LE	LE	13	2		2	6	3	0/1																
<i>Glaucomys sabrinus coloratus</i>	northern flying squirrel	G5 T1	S1	LE	LE	6	2	1	1		1	3/3																
<i>Lepus americanus</i>	snowshoe hare	G5	S1		LE	1					1	1/1																
<i>Martes pennanti</i>	fisher	G5	S1			1					1																	
<i>Microtus chrotorrhinus carolinensis</i>	southern rock vole	G4 T3	S1		LE	5		1			2	0/2																
<i>Myotis austroriparius</i>	southeastern myotis	G3 G4	S1 S2			5		1	2		2			3/3												1/1		
<i>Myotis grisescens</i>	gray bat	G3	S1	LE	LE	10		2	1	2	4																	
<i>Myotis leibii</i>	eastern small-footed bat	G3	S1			24		2	5	1	16	4/5			1/1													
<i>Myotis sodalis</i>	Indiana bat	G2	S1	LE	LE	20	3	4	3	4	6	4/6			2/2													
<i>Puma concolor cougar</i>	eastern cougar	G5 TH	SX	LE	LE																							
<i>Sciurus niger cinereus</i>	Delmarva fox squirrel	G5 T3	S1	LE	LE	2		1			1			0/1	0/1													
<i>Sorex longirostris fisheri</i>	Dismal Swamp southeastern shrew	G5 T4	S2		LT	10	1	1	3	3	2		0/1	1/1												0/1		
<i>Sorex palustris punctulatus</i>	southern water shrew	G5 T3	S1 S2		LE	4			1		2	1/2																
<i>Sylvilagus floridanus hitchensi</i>		G5 THQ	SH			3				3																		

VIRGINIA'S PRECIOUS HERITAGE

Table 2: Rare Animals

Scientific Name	Common Name	Global Rank	State Rank	Federal Status	State Status	No. of Occurrences	Occurrences by E. O. Rank					Occurrences on Federal Lands					Occurrences on State Lands					Occ. on Other Lands																														
							A-Rank	B-Rank	C-Rank	H- or X-Rank	Other Rank	USFS	DOD	USFWS	NPS	Other Federal	DCR	DOF	VDGIF	EDU	VOF	Other State	Locality	TNC	Other Private																											
							Invertebrates																																													
Turbellaria (flatworms)																																																				
<i>Geocentrophora cavernicola</i>	a cave planarian	G3 G4	S1			1		1																																												
<i>Procotyla typhlops</i>	a groundwater planarian	G1 G2	S1 S2			2			1																																											
<i>Sphalloplana chandleri</i>	Chandler's planarian	G1 G3	S1			1			1																																											
<i>Sphalloplana consimilis</i>	Powell Valley planarian	G2 G3	S1			6	2		3	1																																										
<i>Sphalloplana holsingeri</i>	Holsinger's groundwater planarian	GH	SH			1			1																																											
<i>Sphalloplana hypogea</i>	a groundwater planarian	G1 G2	S1 S2																																																	
<i>Sphalloplana subtilis</i>	Bigger's groundwater planarian	GH	SH			1			1																																											
<i>Sphalloplana virginiana</i>	Rockbridge County cave planarian	G1	S1			1			1																																											
Gastropoda (snails)																																																				
<i>Anquispira jessica</i>	mountain disc	G3 G4	S1																																																	
<i>Catinella hubrichti</i>	Snowhill ambersnail	G3	S3																																																	
<i>Discus nigrimontanus</i>	black mountain disc	G4	S3																																																	
<i>Euchemotrema leai</i>	lowland pillsnail	G5	S3																																																	
<i>Fontigens bottimeri</i>	Appalachian springsnail	G2	S2																																																	
<i>Fontigens morrisoni</i>	Virginia springsnail	G1	S1																																																	
<i>Fumonelix wheatleyi clingmanicus</i>	Clingman covert	G4T 3T4	S1 S2																																																	
<i>Gastrocopta clappi</i>	bluegrass snaggletooth	G5	S2																																																	
<i>Gastrocopta pellucida</i>	slim snaggletooth	G4 G5	S1 S3																																																	
<i>Gastrodonta fonticula</i>	Appalachia bellytooth	G3 G4	S1 S3																																																	
<i>Glyphyalinia picea</i>	rust glyph	G3	S3			1			1																																											
<i>Glyphyalinia praecox</i>	brilliant glyph	G4	S3																																																	
<i>Glyphyalinia raderi</i>	Maryland glyph	G2	S2		SC	3			1																																											
<i>Glyphyalinia sculptilis</i>	suborb glyph	G4	S1																																																	
<i>Glyphyalinia virginica</i>	depressed glyph	G3	S3			5			5																																											

VIRGINIA DEPARTMENT OF CONSERVATION AND RECREATION

Table 2: Rare Animals

Scientific Name	Common Name	Global Rank	State Rank	Federal Status	State Status	No. of Occurrences	Occurrences by E. O. Rank					Occurrences on Federal Lands					Occurrences on State Lands					Occ. on Other Lands						
							A-Rank	B-Rank	C-Rank	H- or X-Rank	Other Rank	USFS	DOD	USFWS	NPS	Other Federal	DCR	DOF	VDGIF	EDU	VOF	Other State	Locality	TNC	Other Private			
<i>Helicodiscus diadema</i>	shaggy coil	G1	S1		LE	4				2	2	0/2																
<i>Helicodiscus lirellus</i>	rubble coil	G1	S1		LE	2																						
<i>Helicodiscus multidentis</i>	twilight coil	G2	S2																									
<i>Helicodiscus shimiki</i>	temperate coil	G4	S1																									
<i>Helicodiscus triodus</i>	tallus coil	G2	S2			1						0/1																
<i>Holsingeria</i> sp. 1	Skyline Caverns snail	G1Q	S1																									
<i>Holsingeria unthanksensis</i>	an aquatic cavesnail	G1	S1		LE	5		1			4																	0/1
<i>Inflectarius kalmianus</i>	brown globelet	G3	S3		S1																							
<i>Io fluvialis</i>	spiny riversnail	G2	S2		LT	20	2	1	3	6	6										0/1							0/2
<i>Leptoxis praerosa</i>	onyx rocksnail	G5	S3			11					11																	
<i>Megapallifera wetherbyi</i>	blotchy mantleslug	G2	S1?																									
<i>Mesodon andrewsae</i>	balsam globe	G3	S1																									
<i>Mesodon christyi</i>	glossy covert	G3	S1																									
<i>Mesodon elevatus</i>	proud globe	G5	S2			1					1																	0/1
<i>Mesodon panselenus</i>	Virginia bladetooth	G2	S2																									
<i>Mesomphix subplanus</i>	flat button	G3	S2			1				1																		
<i>Millerelix plicata</i>	Cumberland liptooth	G3	S1																									
<i>Oxyloma subeffusum</i>	Chesapeake ambersnail	G3	S1																									
<i>Pallifera hemphilli</i>	black mantleslug	G3	S1																									
<i>Pallifera varia</i>	variable mantleslug	G2	S2?			4				4																		
<i>Paravitrea blarina</i>	shrew supercoil	G2	S1																									
<i>Paravitrea calcicola</i>	pearl supercoil	G1	SR																									
<i>Paravitrea dentilla</i>	comb supercoil	G1	S1			1				1																		
<i>Paravitrea hera</i>	spirit supercoil	G1	S1		LE	1					1																	
<i>Paravitrea mira</i>	funnel supercoil	G2	S2			3				3																		
<i>Paravitrea placentula</i>	glossy supercoil	G3	S3																									
<i>Paravitrea pontis</i>	Natural Bridge supercoil	G3	S2																									
<i>Paravitrea reesei</i>	round supercoil	G2	S2																									
<i>Paravitrea septadens</i>	brown supercoil	G1	S1		LT	2				1	1	0/1									0/1							

VIRGINIA'S PRECIOUS HERITAGE

Table 2: Rare Animals

Scientific Name	Common Name	Global Rank	State Rank	Federal Status	State Status	No. of Occurrences	Occurrences by E. O. Rank					Occurrences on Federal Lands					Occurrences on State Lands					Occ. on Other Lands																
							A-Rank	B-Rank	C-Rank	H- or X-Rank	Other Rank	USFS	DOD	USFWS	NPS	Other Federal	DCR	DOF	VDGIF	EDU	VOF	Other State	Locality	TNC	Other Private													
<i>Paravitrea seradens</i>	barred supercoil	G3	S1 S3																																			
<i>Paravitrea subtilis</i>	slender supercoil	G2	S1 S2																																			
<i>Polygyriscus virginianus</i>	Virginia fringed mountain snail	G1	S1	LE	LE	1		1																														
<i>Pomatiopsis cincinnatiensis</i>	brown walker	G4	S2																																			
<i>Pupilla muscorum</i>	widespread column	G5	S1																																			
<i>Somatogyrus virginicus</i>	pandhandle pebblesnail	G1 G2	S1 S2			1			1																													
<i>Stagnicola neopalustris</i>	Piedmont pondsail	GH	SH																																			
<i>Stenotrema altispira</i>	highland slitmouth	G2	S1																																			
<i>Stenotrema pilula</i>	pygmy slitmouth	G3 G4	S1																																			
<i>Stenotrema spinosum</i>	carinate slitmouth	G3 G4	S2																																			
<i>Striatura exigua</i>	ribbed striate	G4 G5	S2			2		2																														
<i>Striatura milium</i>	fine-ribbed striate	G4	S1 S3			1		1																														
<i>Triodopsis anteridon</i>	Carter threetooth	G2 G3	S2 S3																																			
<i>Triodopsis messana</i>	pinhole threetooth	G4	S1 S3																																			
<i>Triodopsis pendula</i>	hanging rock three-tooth	G3	S1 S3																																			
<i>Triodopsis picea</i>	Spruce Knob three-tooth	G3	S1																																			
<i>Vallonia parvula</i>	trumpet vallonina	G4	S1																																			
<i>Ventridens coelaxis</i>	bidentate dome	G3	S2																																			
<i>Ventridens decussatus</i>	crossed dome	G2 G3	S1																																			
<i>Ventridens lawae</i>	rounded dome	G3 G4	S1 S3																																			
<i>Ventridens pilsbryi</i>	yellow dome	G4	S2?																																			
<i>Vertigo bollesiana</i>	delicate vertigo	G3	S1 S3																																			
<i>Vertigo clappi</i>	cupped vertigo	G1 G2	S1 S2																																			
<i>Vertigo oralis</i>	palmetto vertigo	G5	S1 S3																																			
<i>Vertigo teskeyae</i>	swamp vertigo	G4	S1 S3																																			
<i>Vertigo ventricosa</i>	five-tooth vertigo	G3 G4	S1 S3																																			
<i>Vitrinizonites latissimus</i>	glassy grapeskin	G4	S2?																																			

VIRGINIA DEPARTMENT OF CONSERVATION AND RECREATION

Table 2: Rare Animals

Scientific Name	Common Name	Global Rank	State Rank	Federal Status	State Status	No. of Occurrences	Occurrences by E. O. Rank					Occurrences on Federal Lands					Occurrences on State Lands					Occ. on Other Lands			
							A-Rank	B-Rank	C-Rank	H- or X-Rank	Other Rank	USFS	DOD	USFWS	NPS	Other Federal	DCR	DOF	VDGIF	EDU	VOF	Other State	Locality	TNC	Other Private
Bivalvia (mussels & clams)																									
Mussels																									
<i>Alasmidonta heterodon</i>	dwarf wedgemussel	G1 G2	S1	LE	LE	16		2	6	7		0/1									0/1				
<i>Alasmidonta marginata</i>	elktoe	G4	S2		SC	21			15	6					0/1							0/5			
<i>Alasmidonta varicosa</i>	brook floater	G3	S1		LE	21			12	9															
<i>Alasmidonta viridis</i>	slippershell mussel	G4 G5	S1		LE	13			9	4															
<i>Cumberlandia monodonta</i>	spectacle case	G2 G3	S1		LE	5				5												0/1			
<i>Cyprogenia stegaria</i>	fanshell	G1	S1	LE	LE	4		1		3												0/0/2/1			
<i>Dromus dromas</i>	dromedary pearlymussel	G1	S1	LE	LE	11		1	3	3	4											0/2			
<i>Elliptio crassidens</i>	elephant ear	G5	SX		LE	8				5	3														
<i>Elliptio lanceolata</i>	yellow lance	G2 G3	S2 S3		SC	110	9	18	26	9	46	0/14	0/1				0/2					0/2			
<i>Elliptio roanokensis</i>	Roanoke slabshell	G2 G3	S1		SC	3		1	1		1		1/1												
<i>Epioblasma brevidens</i>	Cumberland combshell	G1	S1	LE	LE	12			2	2	8											0/0/4/1			
<i>Epioblasma capsaeformis</i>	oyster mussel	G1	S1	LE	LE	15			3	7	5											0/0/2/1			
<i>Epioblasma florentina walkeri</i>	tan riffleshell	G1 T1	S1	LE	LE	5	1		1	3															
<i>Epioblasma torulosa gubernaculum</i>	green-blossom pearlymussel	G2 TX	SX	LE	LE	4				4															
<i>Epioblasma triquetra</i>	snuffbox	G3	S1		LE	3					3											0/0/2/1			
<i>Fusconaia barnesiana</i>	Tennessee pigtoe	G2 G3	S2 S3		SC	148	5	17	20	35	71	0/1					0/2					0/5			
<i>Fusconaia cor</i>	shiny pigtoe	G1	S1	LE	LE	28		1	6	13	8						0/1					0/0/4/1			
<i>Fusconaia cuneolus</i>	fine-rayed pigtoe	G1	S1	LE	LE	13			1	8	4											0/0/3/1			
<i>Fusconaia masoni</i>	Atlantic pigtoe	G2	S2		LT	40		6	7	3	19	0/4	1/2									0/1			
<i>Hemistena lata</i>	cracking pearlymussel	G1	S1	LE	LE	6				4	2											0/1			
<i>Lampsilis abrupta</i>	pink mucket	G2	SX	LE	LE																				
<i>Lampsilis cariosa</i>	yellow lampmussel	G3 G4	S2		SC	29	1	2	4	3	19														
<i>Lampsilis radiata</i>	eastern lampmussel	G5	S2		SC	16		2	1	1	12														
<i>Lasmigona holstonia</i>	Tennessee heelsplitter	G3	S1		LE	32				22	9	0/1													
<i>Lasmigona subviridis</i>	green floater	G3	S2		SC	73	1	6	9	26	23	1/1	0/1				0/2								

VIRGINIA'S PRECIOUS HERITAGE

Table 2: Rare Animals

Scientific Name	Common Name	Global Rank	State Rank	Federal Status	State Status	No. of Occurrences	Occurrences by E. O. Rank					Occurrences on Federal Lands					Occurrences on State Lands					Occ. on Other Lands				
							A-Rank	B-Rank	C-Rank	H- or X-Rank	Other Rank	USFS	DOD	USFWS	NPS	Other Federal	DCR	DOF	VDGIF	EDU	VOF	Other State	Locality	TNC	Other Private	
<i>Lemiox rimosus</i>	birdwing pearlymussel	G1	S1	LE	LE	15			2	10	3													0/3	0/1	
<i>Leptodea fragilis</i>	fragile papershell	G5	S2		LT	31		1	14	12	4														0/4	0/1
<i>Lexingtonia dolabelloides</i>	slabside pearlymussel	G2	S2	C	LT	28		1	3	7	17														0/4	0/1
<i>Lexingtonia subplana</i>	Virginia pigtoe	G1Q	S1			9				9																
<i>Ligumia recta</i>	black sandshell	G5	S2		LT	29		1	14	4	10														0/4	0/1
<i>Pegias fabula</i>	little-winged pearlymussel	G1	S1	LE	LE	18			2	15	1															
<i>Plethobasus cyphus</i>	sheepnose	G3	S1		LT	20	1	1	4	4	10							0/1							0/2	0/2
<i>Pleurobema collina</i>	James spiny mussel	G1	S1	LE	LE	47	4	8	18	5	12	1/9														
<i>Pleurobema cordatum</i>	Ohio pigtoe	G3	SX		LE	3				3																
<i>Pleurobema oviforme</i>	Tennessee clubshell	G3	S2 S3			124	1	27	30	21	45							0/1							0/2	
<i>Pleurobema plenum</i>	rough pigtoe	G1	SH	LE	LE	1				1																
<i>Pleurobema rubrum</i>	pyramid pigtoe	G2	S1		LE	2					2														0/1	
<i>Ptychobranhus subtentum</i>	fluted kidneyshell	G2 G3	S2	C		13			4	2	7														0/2	
<i>Quadrula cylindrica strigillata</i>	rough rabbits foot	G3 T2	S2	LE	LE	16		1	3	2	9														0/3	0/1
<i>Quadrula intermedia</i>	Cumberland monkeyface	G1	S1	LE	LE	14			5	4	5														0/2	
<i>Quadrula pustulosa</i>	pimple back	G5	S2		LT	10			1	2	7														0/2	
<i>Quadrula sparsa</i>	Appalachian monkeyface	G1	S1	LE	LE	8			2	2	4														0/3	0/1
<i>Toxolasma lividus</i>	purple liliput	G2	S1		LE	3				1	2															
<i>Truncilla truncata</i>	deertoe	G5	SH		LE	17		3	3	7	4														0/3	0/1
<i>Villosa fabalis</i>	rayed bean	G1 G2	SX																							
<i>Villosa perpurpurea</i>	purple bean	G1	S1	LE	LE	10			2	5	3														0/2	
<i>Villosa trabalis</i>	Cumberland bean	G1	SX	LE	LE	5				5																
Clams																										
<i>Pisidium equilaterale</i>	round peaclam	G5	S2																							
Annelida (segmented worms)																										
<i>Spelaedrillus multiporus</i>	a cave lumbriculid worm	G1 G2	S1			1				1																
<i>Stylodrilus beattiei</i>	a cave lumbriculid worm	G2 G3	S1			1				1																

VIRGINIA DEPARTMENT OF CONSERVATION AND RECREATION

Table 2: Rare Animals

Scientific Name	Common Name	Global Rank	State Rank	Federal Status	State Status	No. of Occurrences	Occurrences by E. O. Rank					Occurrences on Federal Lands					Occurrences on State Lands					Occ. on Other Lands		
							A-Rank	B-Rank	C-Rank	H- or X-Rank	Other Rank	USFS	DOD	USFWS	NPS	Other Federal	DCR	DOF	VDGIF	EDU	VOF	Other State	Locality	TNC
Arachnida (spiders, pseudoscorpions & relatives)																								
Spiders																								
<i>Agelenopsis kastoni</i>	a funnel-web spider	G4?	S4			2				2			1/1				0/1							
<i>Amaurobius borealis</i>	an amaurobiid spider	G4	S1 S3																					
<i>Anahita punctulata</i>	southeastern wandering spider	G4	S1 S3			1				1	0/1						0/1							
<i>Anthrobia mammouthia</i>	a cave spider	G3 G4	S1			4			4															
<i>Antrodiaetus robustus</i>	robust trapdoor spider	G3?	S2																					
<i>Barronopsis jeffersi</i>	a funnel-web spider	G3	S1 S3			1				1							1/1							
<i>Bathypantes weyeri</i>	a cave spider	G3 G4	S1			1			1															
<i>Castianeira trilineata</i>	a two-clawed hunting spider	G4?	S1 S3			1				1							1/1							
<i>Clubiona spiralis</i>	a two-clawed hunting spider	G4	S1 S3														1/1							
<i>Drassylus louisianus</i>	a gnaphosid spider	G4?	S1 S3			1				1							1/1							
<i>Hypochilus pococki</i>	Pocock's lampshade-web spider	G4 G5	S2																					
<i>Hypochilus thorelli</i>	Thorell's lampshade-web spider	G4	S1																					
<i>Islandiana muma</i>	a cave spider	G2 G3	S1			1			1															
<i>Nesticus holsingeri</i>	Holsinger's cave spider	G2 G3	S1 S2			11			10	1														
<i>Nesticus mimus</i>	a cave spider	G2	S1			4			2	2														
<i>Nesticus paynei</i>	a cave spider	G2 G3	S1			1			1															
<i>Nesticus tennesseensis</i>	a cave spider	G2 G4	S2			15	2		13															
<i>Pisaurina dubia</i>	a nursery-web spider	G4	S1 S3			1				1							1/1							
<i>Xysticus emertoni</i>	Emerton's crab spider	G5	S1 S3																					
Mites																								
<i>Foveacheles paralleloseta</i>	a cave mite	G1	S1			1			1															
<i>Poecilophysis extraneostella</i>	a cave mite	G2?	S1			1			1															
<i>Poecilophysis weyerensis</i>	a cave mite	G3?	S1			2			2															
<i>Rhagidia varia</i>	a cave mite	G3	S2?			3			3															

VIRGINIA'S PRECIOUS HERITAGE

Table 2: Rare Animals

Scientific Name	Common Name	Global Rank	State Rank	Federal Status	State Status	No. of Occurrences	Occurrences by E. O. Rank					Occurrences on Federal Lands					Occurrences on State Lands					Occ. on Other Lands		
							A-Rank	B-Rank	C-Rank	H- or X-Rank	Other Rank	USFS	DOD	USFWS	NPS	Other Federal	DCR	DOF	VDGIF	EDU	VOF	Other State	Locality	TNC
Pseudoscorpions																								
<i>Apochthonius coecus</i>	a cave pseudoscorpion	G1	S1			2				2														
<i>Apochthonius holsingeri</i>	a cave pseudoscorpion	G1 G2	S1			2				2														
<i>Chitrella</i> sp. 1	a cave pseudoscorpion	G1	S1			1					1													
<i>Chitrella superba</i>	a cave pseudoscorpion	G1	S1			1				1														
<i>Kleptochthonius anophthalmus</i>	a cave pseudoscorpion	G1	S1			1				1														
<i>Kleptochthonius binoculatus</i>	a cave pseudoscorpion	G1	S1			1				1														
<i>Kleptochthonius gertschi</i>	Gertsch's cave pseudoscorpion	G1	S1			1				1														
<i>Kleptochthonius lutzi</i>	Lutz's cave pseudoscorpion	G1	S1			1				1														
<i>Kleptochthonius polychaetus</i>	Shaenadoah pseudoscorpion	G1 G3	S1 S3																					
<i>Kleptochthonius proximisetus</i>	a cave pseudoscorpion	G1	S1			1				1														
<i>Kleptochthonius regulus</i>	a cave pseudoscorpion	G1	S1			1		1																
<i>Kleptochthonius similis</i>	a cave pseudoscorpion	G1	S1			1				1														
<i>Kleptochthonius</i> sp. 1	a cave pseudoscorpion	G1	S1			2		1			1						0/ 1							
<i>Microcreagris valentinei</i>	Valentine's cave pseudoscorpion	G1 G3	S1			1				1														
<i>Mundochthonius holsingeri</i>	a cave pseudoscorpion	G1	S1			1	1																	
Scorpions																								
<i>Vaejovis carolinianus</i>	Carolina scorpion	G5	S1			1				1														
Crustacea (amphipods, isopods & decapods)																								
Amphipods																								
<i>Bactrurus angulus</i>	Cumberland Gap cave amphipod	G1	S1			1		1																
<i>Crangonyx gracilis</i>	an amphipod	G4	S1 S3																					
<i>Crangonyx</i> sp. 3	Bland County amphipod	G1?	S1																					
<i>Crangonyx</i> sp. 5		G1?	S1?																					
<i>Stygobromus abditus</i>	James cave amphipod	G2	S2			7		1	2		4		1/1											
<i>Stygobromus barodyi</i>	Rockbridge County cave amphipod	G2	S1 S2			7	1	1		2	3													
<i>Stygobromus biggersi</i>	Bigger's cave amphipod	G2 G4	S1 S2			3	1			1	1													

VIRGINIA DEPARTMENT OF CONSERVATION AND RECREATION

Table 2: Rare Animals

Scientific Name	Common Name	Global Rank	State Rank	Federal Status	State Status	No. of Occurrences	Occurrences by E. O. Rank					Occurrences on Federal Lands					Occurrences on State Lands					Occ. on Other Lands																		
							A-Rank	B-Rank	C-Rank	H- or X-Rank	Other Rank	USFS	DOD	USFWS	NPS	Other Federal	DCR	DOF	VDGIF	EDU	VOF	Other State	Locality	TNC	Other Private															
<i>Stygobromus conradi</i>	Burnsville Cove cave amphipod	G1 G3	S1 S2			7			3	4																														
<i>Stygobromus cumberlandus</i>	Cumberland cave amphipod	G2 G3	S1 S2			5		1		3	1										0/1																			
<i>Stygobromus ephemerus</i>	ephemeral cave amphipod	G1	S1		SC	3		1		1	1																													
<i>Stygobromus estesi</i>	Craig County cave amphipod	G1 G2	S1 S2			6		1		1	4	1/2																												
<i>Stygobromus fergusonii</i>	Montgomery County cave amphipod	G1 G2				3				2	1																													
<i>Stygobromus finleyi</i>	Finley's cave amphipod	G1 G3	S1			3					3										0/1																			
<i>Stygobromus gracilipes</i>	Shenandoah Valley cave amphipod	G2 G4	S2 S3		SC	10				6	4	1/1																												
<i>Stygobromus hoffmani</i>	Alleghany County cave amphipod	G1	S1			2				1	1	1/1																												
<i>Stygobromus interitus</i>	New Castle murder hole amphipod	G1	S1			1				1																														
<i>Stygobromus kenki</i>	Rock Creek groundwater amphipod	G1 G3				1				1																														
<i>Stygobromus leensis</i>	Lee County cave amphipod	G1	S1			4		1	2		1																													
<i>Stygobromus morrisoni</i>	Morrison's cave amphipod	G2 G3	S1 S2		SC	5				1	4																													
<i>Stygobromus mundus</i>	Bath County cave amphipod	G2 G3	S1 S2		SC	4				2	2																													
<i>Stygobromus obrutus</i>	Pittsylvania well amphipod	G1	SH			1				1																														
<i>Stygobromus phreaticus</i>	Northern Virginia well amphipod	G1	S1			3	1			2		1/1																												
<i>Stygobromus pizzinii</i>	Pizzini's amphipod	G2 G4	S1 S2		SC	5		2		3			1/2																										0/1	
<i>Stygobromus pseudospinosus</i>	Luray Caverns amphipod	G1	S1			1		1																																
<i>Stygobromus</i> sp. 10	a cave amphipod (Botetourt Co.)	G1	S1																																					
<i>Stygobromus</i> sp. 11	a cave amphipod (Nelson Co.)	G1	S1																																					
<i>Stygobromus</i> sp. 12	a cave amphipod (Rockbridge Co.)	G1	S1																																					
<i>Stygobromus</i> sp. 15	a groundwater amphipod	G1	S1			2	1		1				1/2																										0/1	
<i>Stygobromus</i> sp. 16	Helsley's cave amphipod	G1	S1																																					
<i>Stygobromus</i> sp. 17	Massanutten spring amphipod	G2	S2																																					
<i>Stygobromus</i> sp. 18	Big Levels spring amphipod	G1?	S1?																																					
<i>Stygobromus</i> sp. 19	a cave amphipod (Scott Co.)	G1	S1																																					

VIRGINIA'S PRECIOUS HERITAGE

Table 2: Rare Animals

Scientific Name	Common Name	Global Rank	State Rank	Federal Status	State Status	No. of Occurrences	Occurrences by E. O. Rank					Occurrences on Federal Lands					Occurrences on State Lands					Occ. on Other Lands							
							A-Rank	B-Rank	C-Rank	H- or X-Rank	Other Rank	USFS	DOD	USFWS	NPS	Other Federal	DCR	DOF	VDGIF	EDU	VOF	Other State	Locality	TNC	Other Private				
<i>Stygobromus</i> sp. 20	a cave amphipod (Bath and Highland Cos.)	G1	S1																										
<i>Stygobromus</i> sp. 21	Rappahannock spring amphipod	G1 G2	S1 S2			2	1			1																		1/ 1	1/ 1
<i>Stygobromus</i> sp. 23	Shenandoah Mountain spring amphipod	G1?	S1?																										
<i>Stygobromus</i> sp. 7	Sherando spinosoid amphipod	G2	S2			3		2		1	1/3				0/2														
<i>Stygobromus</i> sp. 8	a groundwater amphipod	G2 G3	S2 S3			2					2	1/2																	
<i>Stygobromus</i> sp. 9	a cave amphipod (shenandoah county)	G1	S1			3																							
<i>Stygobromus stegerorum</i>	Madison cave amphipod	G1	S1		LT	2	1	1																					
Isopods																													
<i>Amerigoniscus henroti</i>	Powell Valley terrestrial cave isopod	G1 G2	S1 S2			9	1	1		6	1																		
<i>Antrolana lira</i>	Madison cave isopod	G2	S2	LT	LT	8	2				6																		
<i>Caecidotea attenuatus</i>	Dismal Swamp isopod	G1?	S1?																										
<i>Caecidotea bowmani</i>	Natural Bridge cave isopod	G1	S1			1				1																			
<i>Caecidotea cumberlandensis</i>	Cumberland cave isopod	G1	S1			1					1			1/1															
<i>Caecidotea henroti</i>	Henrot's cave isopod	G2 G3	S1 S2			3				3																			
<i>Caecidotea holsingeri</i>	Greenbriar Valley cave isopod	G3	S1			5				1	4										0/ 1								
<i>Caecidotea incurva</i>	incurved cave isopod	G2 G3	S1 S2			4				2	2	1/1																	
<i>Caecidotea phreatica</i>	phreatic isopod	G1 G2	S1			3					3																		
<i>Caecidotea pricei</i>	Price's cave isopod	G3 G4	S2 S3			19		1	1	12	5																		1/ 1
<i>Caecidotea richardsonae</i>	Tennessee Valley cave isopod	G3 G5	S2			15	1	1		11	2																		
<i>Caecidotea vandeli</i>	Vandel's cave isopod	G2 G3	S1 S2			9				6	3																		
<i>Ligidium elrodii leensis</i>	Lee County terrestrial cave isopod	G4G 5T1 T2	S1 S2																										
<i>Lirceus culveri</i>	Rye Cove isopod	G1	S1		SC	1	1																						
<i>Lirceus usdagalun</i>	Lee County cave isopod	G1	S1	LE	LE	6	2	2	1	1																			
<i>Miktoniscus racovitza</i>	Racovitza's terrestrial cave isopod	G3 G4	S2			6		1		4	1																		

VIRGINIA DEPARTMENT OF CONSERVATION AND RECREATION

Table 2: Rare Animals

Scientific Name	Common Name	Global Rank	State Rank	Federal Status	State Status	No. of Occurrences	Occurrences by E. O. Rank					Occurrences on Federal Lands					Occurrences on State Lands					Occ. on Other Lands			
							A-Rank	B-Rank	C-Rank	H- or X-Rank	Other Rank	USFS	DOD	USFWS	NPS	Other Federal	DCR	DOF	VDGIF	EDU	VOF	Other State	Locality	TNC	Other Private
Decapods																									
<i>Cambarus buntingi</i>	Bunting's crayfish	G4	S2																						
<i>Cambarus jezerinaci</i>	Powell River crayfish	G1	S1			4																			
<i>Cambarus monongalensis</i>	a crayfish	G5	S1?																						
<i>Cambarus parvovulus</i>	a crayfish	G4	S2?																						
<i>Cambarus sciotensis</i>	Scioto crayfish	G5	S2																						
<i>Cambarus veteranus</i>	a crayfish	G3	S1																						
<i>Macrobrachium ohione</i>	Ohio River shrimp	G4	S1			1			1																
<i>Orconectes virginianus</i>	Chowanoke River crayfish	G3	S2			6			3	3		0/2													
Diplopoda (millipedes)																									
<i>Abacion tessellatum</i>	a millipede	G5	S2																						
<i>Aniulus orientalis</i>	a millipede	G2	S1																						
<i>Aniulus sp. 1</i>	a millipede (Elm Hill)	G?	S1																						
<i>Auturus erythrogygos</i>	a millipede	G3	S1			1				1															
<i>Boraria infesta</i>	a millipede	G4	S2																						
<i>Brachoria cedra</i>	cedar millipede	G1	S1			2	1		1								0/1				0/1				
<i>Brachoria dentata</i>	a millipede	G1	S1			1				1	0/1														
<i>Brachoria ethotela</i>	Hungry Mother millipede	G3	S3			1			1																
<i>Brachoria falcifera</i>	Big Cedar Creek millipede	G1	S1			1				1							1/1								
<i>Brachoria hoffmani</i>	Hoffman's xystodesmid millipede	G2	S2			1				1	0/1						0/1								
<i>Brachoria insolita</i>	a millipede	G1	S1																						
<i>Brachoria laminata</i>	Keeton's millipede	G1	S1																						
<i>Brachoria mendota</i>	Collinwood millipede	G1	S1																						
<i>Brachoria separanda hamata</i>	a millipede	G2	S2			4	1		1																
<i>Brachoria sp. 1</i>	Powell Mountain millipede sp. a	G1?	S1?			1				1															
<i>Brachoria sp. 2</i>	Powell Mountain millipede sp. b	G1?	S1?			1				1															
<i>Brachoria turneri</i>	Turner's millipede	G1	S1																						
<i>Buotus carolinus</i>	a millipede	G1	S1			1				1	0/1														
<i>Chaetaspis albus</i>	a millipede	G4	S2																						

VIRGINIA'S PRECIOUS HERITAGE

Table 2: Rare Animals

Scientific Name	Common Name	Global Rank	State Rank	Federal Status	State Status	No. of Occurrences	Occurrences by E. O. Rank					Occurrences on Federal Lands					Occurrences on State Lands					Occ. on Other Lands									
							A-Rank	B-Rank	C-Rank	H- or X-Rank	Other Rank	USFS	DOD	USFWS	NPS	Other Federal	DCR	DOF	VDGIF	EDU	VOF	Other State	Locality	TNC	Other Private						
<i>Cherokia georgiana latassa</i>	a millipede	G4 T?	S1			1				1																					
<i>Cleidogona fidelitor</i>	faithful millipede	G1	S1																												
<i>Cleidogona hoffmani</i>	Hoffman's cleidogonid millipede	G2	S2			2				2																					
<i>Cleidogona lachesis</i>	a millipede	G2	S1			1				1																					
<i>Cleidogona medialis</i>	Blowing Rock millipede	G1	S1																												
<i>Conotyia aeto</i>	aeto millipede	G1	S1																												
<i>Conotyia celeno</i>	celeno millipede	G1	S1																												
<i>Conotyia melinda</i>	Melinda millipede	G2	S2																												
<i>Conotyia sp. 1</i>	a millipede (burkes garden)	G1	S1																												
<i>Conotyia venetia</i>	venetia millipede	G2	S2			1				1																					
<i>Desmonus earlei</i>	a millipede	G5	S1			1				1																					
<i>Dixioria brooksi</i>	Brooks millipede	G1	S1																												
<i>Dixioria coronata</i>	a millipede	G2	S2			1				1																					
<i>Dixioria fowleri</i>	a millipede	G2	S2			1				1																					
<i>Euryurus leachi fraternus</i>	a millipede	G4 T?	S1																												
<i>Gyalostethus monticolens</i>	a millipede	G4	S2																												
<i>Nannaria conservata</i>	Duke Forest xystodesmid	G1	S1																												
<i>Nannaria ericacea</i>	McGraw Gap xystodesmid	G2	S2			1				1																					
<i>Nannaria laminata</i>	Smith Creek xystodesmid	G1	S1																												
<i>Nannaria shenandoah</i>	Shenandoah Mt xystodesmid	G1	S1			1				1																					
<i>Nannaria simplex</i>	a millipede	G1	S1																												
<i>Nannaria sp. 1</i>	Roaring Branch nannaria millipede	G1?	S1?			1				1	0/1																				
<i>Okeanobates americanus</i>	a millipede	G4	S1			1				1																					
<i>Onomeris underwoodi</i>	a millipede	G5	S1																												
<i>Orinisobates nigrior</i>	a millipede	G4	S1																												
<i>Polyzonium rosalbum</i>	a millipede	G5	S2																												
<i>Polyzonium strictum</i>	a millipede	G5	S1																												
<i>Pseudopolydesmus paludicolous</i>	a millipede	G3?	S2			2				2																					
<i>Pseudotremia alecto</i>	a millipede	G1	S1			2				2	1/1																				
<i>Pseudotremia arnesi</i>	a millipede	G2	S2			1	1																								

VIRGINIA DEPARTMENT OF CONSERVATION AND RECREATION

Table 2: Rare Animals

Scientific Name	Common Name	Global Rank	State Rank	Federal Status	State Status	No. of Occurrences	Occurrences by E. O. Rank					Occurrences on Federal Lands					Occurrences on State Lands					Occ. on Other Lands					
							A-Rank	B-Rank	C-Rank	H- or X-Rank	Other Rank	USFS	DOD	USFWS	NPS	Other Federal	DCR	DOF	VDGIF	EDU	VOF	Other State	Locality	TNC	Other Private		
<i>Pseudotremia cavernarum</i>	Ellett Valley pseudotremia millipede	G2 G4	S1		LT	5	1			1	3																
<i>Pseudotremia momus</i>	a millipede	G2	S2			2				2																	
<i>Pseudotremia princeps</i>	South Branch Valley cave millipede	G1	S1			1				1																	
<i>Pseudotremia sp. 2</i>	Roaring Branch pseudotremia millipede	G1?	S1?			1					1	0/1															
<i>Pseudotremia sp. 3</i>	a cave millipede	G1	S1																								
<i>Pseudotremia sublevis</i>	a millipede	G1	S1			4		1		3																	
<i>Pseudotremia tuberculata</i>	a millipede	G2	S1 S2			5		1		4																	
<i>Rudiloria trimaculata tortua</i>	a millipede	G5 T2	S2			1				1																	
<i>Semionellus placidus</i>	a millipede	G3	S2			6	1		1	3	1				3/3												
<i>Sigmoria whiteheadi</i>	Laurel Creek xystodesmid millipede	G1	S1		LT	1					1				0/1												
<i>Striaria causeyae</i>	a millipede	G1	S1																								
<i>Striaria columbiana</i>	a millipede	G2	S2			1				1																	
<i>Striaria granulosa</i>	a millipede	G2	S1																								
<i>Striaria sp. 1</i>	a millipede	G1	S1			1				1																	
<i>Thalassisobates littoralis</i>	a millipede	G5	S1																								
<i>Trichomeris sinuata</i>	a millipede	G5	S1																								
<i>Trichopetalum dux</i>	a millipede	G1	S1																								
<i>Trichopetalum lunatum</i>	a millipede	G5	S2																								
<i>Trichopetalum packardi</i>	Packard's blind cave millipede	G4	S2			16				16																	
<i>Trichopetalum weyerienseis</i>	Grand Caverns blind cave millipede	G3	S2			7				6	1	1/1															
<i>Trichopetalum whitei</i>	Luray Caverns blind cave millipede	G3 G4	S2			9				9																	
<i>Uroblaniulus canadensis</i>	a millipede	G5	S2																								
<i>Uroblaniulus jerseyi</i>	a millipede	G3	S2																								
<i>Uroblaniulus sp. 1</i>	a millipede (Burkes Garden)	G?	S1																								
<i>Virgoiulus minutus</i>	a millipede	G5	S2																								
Chilopoda (centipedes)																											

VIRGINIA'S PRECIOUS HERITAGE

Table 2: Rare Animals

Scientific Name	Common Name	Global Rank	State Rank	Federal Status	State Status	No. of Occurrences	Occurrences by E. O. Rank					Occurrences on Federal Lands					Occurrences on State Lands					Occ. on Other Lands																	
							A-Rank	B-Rank	C-Rank	H- or X-Rank	Other Rank	USFS	DOD	USFWS	NPS	Other Federal	DCR	DOF	VDGIF	EDU	VOF	Other State	Locality	TNC	Other Private														
<i>Escaryus cryptorobius</i>	montane centipede	G2	S2			3					3	0/2						0/1																					
<i>Escaryus orestes</i>	Whitop Mountain centipede	G1 G2	S1 S2			1					1	0/1																											
<i>Nampabius turbator</i>	a cave centipede	G1 G2	S1			2				2																													
Collembola (springtails)																																							
<i>Arrhopalites caedus</i>	a cave springtail	G1 G2	S1			2				2	1/1																												
<i>Arrhopalites carolynae</i>	a cave springtail	G2 G3	S1			7				7	1/1										0/1																		
<i>Arrhopalites clarus</i>	a cave springtail	G2 G4	S1			2				2																													
<i>Arrhopalites commorus</i>	a cave springtail	G1 G2	S1			4				4																													
<i>Arrhopalites lacuna</i>	a cave springtail	G1 G2	S1 S2			1				1																													
<i>Arrhopalites marshalli</i>	a cave springtail	G3	S2			2				2																													
<i>Arrhopalites pavo</i>	a cave springtail	G1 G2	S1			2				2																													
<i>Arrhopalites sacer</i>	a cave springtail	G1 G2	S1			2				2	1/1																												
<i>Arrhopalites silvus</i>	a cave springtail	G1 G2	S1			2				2																													
<i>Oncopodura hubbardi</i>	a cave springtail	G1	S1			3				3																													
<i>Pseudosinella bona</i>	a cave springtail	G1 G2	S1 S2			2				1	1																												
<i>Pseudosinella erehwon</i>	a cave springtail	G1	S1			1				1																													
<i>Pseudosinella extra</i>	a cave springtail	G1	S1			2				2																													
<i>Pseudosinella gisini virginia</i>	a cave springtail	G3 G4 T1	S1			1				1																													
<i>Pseudosinella granda</i>	a cave springtail	G3	S2			1				1																													
<i>Pseudosinella hirsuta</i>	a cave springtail	G2 G4	S1			3				3																													
<i>Schaefferia hubbardi</i>	a cave springtail	G3	S2			1				1																													
<i>Typhlogastrura valentini</i>	a cave springtail	G1	S1			2				2																													
Diplura (diplurans)																																							
<i>Litocampa cookei</i>	Cooke's cave dipluran	G4 G5	S2			8				7	1																												
<i>Litocampa sp. 1</i>	a cave dipluran (Salamander Cave)	G1	S1			1				1																													
<i>Litocampa sp. 2</i>	a cave dipluran	G1	S1			4	1	1		2																													
<i>Litocampa sp. 3</i>	a cave dipluran	G2	S2			7				7																													

VIRGINIA DEPARTMENT OF CONSERVATION AND RECREATION

Table 2: Rare Animals

Scientific Name	Common Name	Global Rank	State Rank	Federal Status	State Status	No. of Occurrences	Occurrences by E. O. Rank					Occurrences on Federal Lands					Occurrences on State Lands					Occ. on Other Lands															
							A-Rank	B-Rank	C-Rank	H- or X-Rank	Other Rank	USFS	DOD	USFWS	NPS	Other Federal	DCR	DOF	VDGIF	EDU	VOF	Other State	Locality	TNC	Other Private												
<i>Litocampa sp. 4</i>	a cave dipturan	G2	S1 S2			3				3																											
Ephemeroptera (mayflies)																																					
<i>Ameletus cryptostimulus</i>	Allegheny mayfly	G4	S1 S3																																		
<i>Ameletus tarteri</i>	Tarter's ameletus mayfly	G1	S1																																		
<i>Baetisca rubescens</i>	a mayfly	G2	S1																																		
<i>Barbaetis benfieldi</i>	Benfield's bearded small minnow mayfly	G2	S1			1				1																											
<i>Ephemerella berneri</i>	Berner's ephemerella mayfly	G3	S1 S3																																		
<i>Ephemerella inconstans</i>	a mayfly	G3	S1 S3																																		
<i>Habrophlebiodes celeteria</i>	a mayfly	G2	S1?																																		
<i>Isonychia arida</i>	a mayfly	G5	S1 S3																																		
<i>Isonychia georgiae</i>	Georgia isonychia mayfly	G3	S1 S3																																		
<i>Isonychia hoffmani</i>	Hoffman's isonychia mayfly	G1	S1																																		
<i>Isonychia serrata</i>	a mayfly	G4	S1 S3																																		
<i>Isonychia tusculanensis</i>	a mayfly	G3	S2																																		
<i>Leptophlebia johnsoni</i>	Johnson's prongbill mayfly	G4	S1			1				1	1/1																										
<i>Paraleptophlebia assimilis</i>	a mayfly	G3	S1 S3																																		
<i>Paraleptophlebia jeanae</i>	a mayfly	G3	S1 S3																																		
<i>Pseudiron centralis</i>	a mayfly	G5	S1																																		
<i>Rhithrogena anomala</i>	a mayfly	G2	S1?																																		
<i>Siphloplecton costalense</i>	Spieth's great speckled olive mayfly	G2	SH			2				2																											
Odonata (damselflies & dragonflies) Damselflies																																					
<i>Calopteryx aquabilis</i>	river jewelwing	G5	S2?																																		
<i>Calopteryx amata</i>	superb jewelwing	G4	S1			3	1		1	1	1/1																										
<i>Calopteryx angustipennis</i>	Appalachian jewelwing	G4	S2			8	3		1	4	1/1										0/1	0/1															
<i>Enallagma cyathigerum</i>	northern bluet	G5	S1			1			1		1/1																										
<i>Enallagma dubium</i>	burgundy bluet	G5	S2			4	1		1	2		3/3																									

VIRGINIA'S PRECIOUS HERITAGE

Table 2: Rare Animals

Scientific Name	Common Name	Global Rank	State Rank	Federal Status	State Status	No. of Occurrences	Occurrences by E. O. Rank					Occurrences on Federal Lands					Occurrences on State Lands					Occ. on Other Lands																							
							A-Rank	B-Rank	C-Rank	H- or X-Rank	Other Rank	USFS	DOD	USFWS	NPS	Other Federal	DCR	DOF	VDGIF	EDU	VOF	Other State	Locality	TNC	Other Private																				
<i>Enallagma ebrium</i>	marsh bluet	G5	S1																																										
<i>Enallagma hageni</i>	Hagen's bluet	G5	S2			7	1	1	1	3	1	3/4																																	
<i>Enallagma pallidum</i>	pale bluet	G4	S1			3		1		1				1/1																											0/1				
<i>Enallagma weewa</i>	blackwater bluet	G5	S2			2			1		1		0/1																																
<i>Lestes disjunctus disjunctus</i>	northern common spreadwing	G5 T5	S1 S2			6	2			2	2	2/2			1/1																											1/1			
<i>Lestes dryas</i>	emerald spreadwing	G5	S1																																										
<i>Lestes vidua</i>	Carolina spreadwing	G5	SH																																										
<i>Nehalennia gracilis</i>	sphagnum sprite	G5	S2			3	1				2		2/2																																
<i>Nehalennia integricollis</i>	southern sprite	G5	S2			6		2		1	3		4/5																																
<i>Nehalennia irene</i>	sedge sprite	G5	S1			2		1			1	1/1			1/1																														
<i>Telebasis byersi</i>	duckweed firetail	G5	S3			2		1			1										1/1																				1/1				
Dragonflies																																													
<i>Aeshna canadensis</i>	Canada darner	G5	S1			1				1																																			
<i>Aeshna constricta</i>	lance-tipped darner	G5	S1			2					2																																		
<i>Aeshna mutata</i>	spatterdock darner	G3 G4	S2			5	1	1	3			1/1																																	
<i>Aeshna tuberculifera</i>	black-tipped darner	G4	S3			12		3	5	1	3	3/3	1/1											1/1																			1/1		
<i>Aeshna verticalis</i>	green-striped darner	G5	S1			1			1			1/1																																	
<i>Aphylla williamsoni</i>	two-striped forceptail	G5	S1			1				1																																			
<i>Argomphus furcifer</i>	lilypad clubtail	G5	SH			2				1	1																																		
<i>Celithemis martha</i>	Martha's pennant	G4	S2			1				1																																			
<i>Celithemis ornata</i>	faded pennant	G5	SH			1				1																																			
<i>Cordulegaster diastatops</i>	delta-spotted spiketail	G5	S1			2				1	1																																		
<i>Cordulia shurtleffii</i>	American emerald	G5	S2			8	1	2	3	1	1	1/2													1/1																				
<i>Coryphaeschna ingens</i>	regal darner	G5	S1 S2			1				1																																			
<i>Dythemis velox</i>	swift setwing	G5	S4			1					1		1/1																																
<i>Epitheca canis</i>	beaverpond baskettail	G5	S1			2			1		1	1/1																																	
<i>Epitheca costalis</i>	stripe-winged baskettail	G4	S2			4			1	3				1/1																															
<i>Epitheca semiaquea</i>	mantled baskettail	G4	S1			1				1																																			
<i>Epitheca spinosa</i>	robust baskettail	G4	S2			5	1	1		1	2													0/1																				0/1	1/1
<i>Gomphus abbreviatus</i>	spine-crowned clubtail	G3 G4	S2 S3			9			2	6	1																																		

VIRGINIA DEPARTMENT OF CONSERVATION AND RECREATION

Table 2: Rare Animals

Scientific Name	Common Name	Global Rank	State Rank	Federal Status	State Status	No. of Occurrences	Occurrences by E. O. Rank					Occurrences on Federal Lands					Occurrences on State Lands					Occ. on Other Lands																			
							A-Rank	B-Rank	C-Rank	H- or X-Rank	Other Rank	USFS	DOD	USFWS	NPS	Other Federal	DCR	DOF	VDGIF	EDU	VOF	Other State	Locality	TNC	Other Private																
<i>Gomphus adelphus</i>	moustached clubtail	G4	S1			11				2	9							0/3																							
<i>Gomphus apomyius</i>	banner clubtail	G4	S1			1				1																															
<i>Gomphus borealis</i>	beaverpond clubtail	G4	S1			1				1																															
<i>Gomphus consanguis</i>	Cherokee clubtail	G2 G3	S2			9	1	2	6																																
<i>Gomphus descriptus</i>	harpoon clubtail	G4	S1			2				1	1										0/1																				
<i>Gomphus fraternus</i>	midland clubtail	G5	S1			3				3																															
<i>Gomphus parvidens</i>	Piedmont clubtail	G4	S1			2	2																																		
<i>Gomphus quadricolor</i>	rapids clubtail	G3 G4	S1			5				2	3																														
<i>Gomphus septima</i>	Septima's clubtail	G2	SR			1				1																															
<i>Gomphus ventricosus</i>	skillet clubtail	G3	S1			3				2	1										0/1																				
<i>Gomphus viridifrons</i>	green-faced clubtail	G3	S2			10	3	3	2	2	0/2																														
<i>Helocordulia selysii</i>	Selys' sundragon	G4	S2			9				7	2																													1/1	
<i>Ladona exusta</i>	white corporal skimmer	G4	S1			1				1																															
<i>Ladona julia</i>	chalk-fronted corporal skimmer	G5	S1			1	1					1/1																													
<i>Lanthus parvulus</i>	northern pygmy clubtail	G4	S2			7	4	2		1	1/2			1/1							1/1																				
<i>Leucorrhinia frigida</i>	frosted whiteface	G5	SH			2			1	1																															
<i>Leucorrhinia hudsonica</i>	hudsonian whiteface	G5	S1			1	1																																		
<i>Leucorrhinia intacta</i>	dot-tailed whiteface	G5	S2 S3			8	1		5	1	2/2																														
<i>Leucorrhinia proxima</i>	red-waisted whiteface	G5	SH			1				1																															
<i>Macromia alleghaniensis</i>	Allegheny river cruiser	G4	S2																																						
<i>Macromia margarita</i>	mountain river cruiser	G3	S1			1	1																																		
<i>Nannothemis bella</i>	elfin skimmer	G4	S1			3		2	1			2/2																													
<i>Neurocordulia virginensis</i>	cinnamon shadowdragon	G4	S1			1				1																															
<i>Neurocordulia yamaskanensis</i>	stygian shadowdragon	G5	S2			7				6	1	0/1																													
<i>Ophiogomphus alleghaniensis</i>	Allegheny snaketail	G3Q	S1			2		1		1																															
<i>Ophiogomphus aspersus</i>	brook snaketail	G3 G4	S1			3				2	1																														
<i>Ophiogomphus carolus</i>	rifle snaketail	G5	S1			2				2																															
<i>Ophiogomphus howei</i>	pygmy snaketail	G3	S1 S2			5	1	1		2	1																														
<i>Ophiogomphus incurvatus</i>	Appalachian snaketail	G3	S1			2		1	1																																

VIRGINIA'S PRECIOUS HERITAGE

Table 2: Rare Animals

Scientific Name	Common Name	Global Rank	State Rank	Federal Status	State Status	No. of Occurrences	Occurrences by E. O. Rank					Occurrences on Federal Lands					Occurrences on State Lands					Occ. on Other Lands																							
							A-Rank	B-Rank	C-Rank	H- or X-Rank	Other Rank	USFS	DOD	USFWS	NPS	Other Federal	DCR	DOF	VDGIF	EDU	VOF	Other State	Locality	TNC	Other Private																				
<i>Ophiogomphus mainensis</i>	maine snaketail	G4	S1			2				2																																			
<i>Somatochlora elongata</i>	ski-tailed emerald	G5	S1 S2			5	1	2	1	1	2/3																																		
<i>Somatochlora filosa</i>	fine-lined emerald	G5	S2			8		1	2	4	1									2/2																									
<i>Somatochlora georgiana</i>	coppery emerald	G3 G4	S1			1		1																																					
<i>Somatochlora provocans</i>	treetop emerald	G4	S2			3			1	1	1																																		
<i>Somatochlora williamsoni</i>	Williamson's emerald	G5	SH			1			1																																				
<i>Stylurus amnicola</i>	riverine clubtail	G4	S1			2				2																																			
<i>Stylurus laurae</i>	Laura's clubtail	G4	S2			9			1	7	1																																		
<i>Stylurus notatus</i>	elusive clubtail	G3	S1			1			1																																				
<i>Stylurus scudderi</i>	zebra clubtail	G4	S1 S2			2				1	1																																		
<i>Sympetrum corruptum</i>	variegated meadowhawk	G5	S1			1				1																																			
<i>Sympetrum janeae</i>	Jane's meadowhawk	G5	SH			1				1																																			
<i>Sympetrum obtrusum</i>	white-faced meadowhawk	G5	S1			5		2	1	2	2/2																																		
Orthoptera (grasshoppers, katydids, crickets & relatives)																																													
<i>Appalachia hebardii</i>		GH	SH																																										
<i>Melanoplus pachycercus</i>		G2 G3	S1 S3																																										
<i>Melanoplus</i> sp. 55		G1 G2	S1 S2																																										
<i>Melanoplus</i> sp. 59		G1 G2	S1 S2																																										
<i>Scudderia septentrionalis</i>	northern bush katydid	G3?	S1 S3																																										
Plecoptera (stoneflies)																																													
<i>Acroneuria flinti</i>	Manassas stonefly	GH	SH			1				1																																			
<i>Acroneuria kosztarabi</i>	Virginia stonefly	G1	S1			1					1																																		
<i>Allocapnia fumosa</i>	Smokies snowfly	G2	S1 S2																																										
<i>Allocapnia illinoensis</i>	Illinois snowfly	G3	S1 S3																																										
<i>Allocapnia simmonsii</i>	spatulate snowfly	G2	S1 S2			1					1																																		
<i>Allocapnia stannardi</i>	Blue Ridge snowfly	G3	S1 S3																																										
<i>Alloperla banksii</i>	tufted sallfly	G4	S1 S3																																										

VIRGINIA DEPARTMENT OF CONSERVATION AND RECREATION

Table 2: Rare Animals

Scientific Name	Common Name	Global Rank	State Rank	Federal Status	State Status	No. of Occurrences	Occurrences by E. O. Rank					Occurrences on Federal Lands					Occurrences on State Lands					Occ. on Other Lands							
							A-Rank	B-Rank	C-Rank	H- or X-Rank	Other Rank	USFS	DOD	USFWS	NPS	Other Federal	DCR	DOF	VDGIF	EDU	VOF	Other State	Locality	TNC	Other Private				
<i>Alloperla biserrata</i>	dusky sallfly	G3	S2 S3																										
<i>Alloperla ideii</i>	vernal sallfly	G3	S1 S3																										
<i>Alloperla nanina</i>	Swannanoa sallfly	G4	S1 S3																										
<i>Alloperla neglecta</i>	Tennessee sallfly	G3	S1 S2																										
<i>Bolotoperla rossi</i>	smoky willowfly	G4	S1 S3																										
<i>Cultus decisus isolatus</i>	southern springfly	G4 T2	S1 S2																										
<i>Diploperla kanawholensis</i>	kanawhole springfly	G3	S1 S3			1																							
<i>Diploperla morgani</i>	Virginia springfly	G2	S2																										
<i>Hansonoperla appalachia</i>	Appalachian stonefly	G3	S1 S3																										
<i>Isogenoides varians</i>	Rock Island springfly	G3	S1 S3																										
<i>Isoperla major</i>	big stripetail stonefly	G1	S1			1				1																			
<i>Leuctra mitchellensis</i>	Mitchell needelfly	G3	S1 S2																										
<i>Leuctra monticola</i>	montane needelfly	G1Q	S1																										
<i>Megaleuctra flinti</i>	Shenandoah needelfly	G2	S2																										
<i>Megaleuctra williamsae</i>	Smokies needelfly	G2	S2			3																							
<i>Ostrocerca complexa</i>	notched forestfly	G4	S1 S3																										
<i>Ostrocerca prolongata</i>	bent forestfly	G3	S1 S3																										
<i>Paragnetina ichusa</i>	widecollar stonefly	G3	S1 S3																										
<i>Perlesta frisoni</i>	Blue Ridge stonefly	G3	S1 S2																										
<i>Perlesta teaysia</i>	Teays stonefly	G3	S1 S3																										
<i>Prostoia hallasi</i>	swamp forestfly	G3	S1 S3			2				2					0/1														
<i>Pteronarcys comstocki</i>	spiny salmonfly	G3	S1 S3																										
<i>Pteronarcys scotti</i>	Carolina salmonfly	G4	S1 S3																										
<i>Remenus kirchneri</i>	Blue Ridge springfly	G2	S2																										
<i>Strophopteryx limata</i>	newfound willowfly	G3	S1 S2																										
<i>Sweltsa holstonensis</i>	Holston sallfly	G1	S1																										
<i>Sweltsa voshelli</i>	Virginia sallfly	G3	S2			2				2					0/1														

VIRGINIA'S PRECIOUS HERITAGE

Table 2: Rare Animals

Scientific Name	Common Name	Global Rank	State Rank	Federal Status	State Status	No. of Occurrences	Occurrences by E. O. Rank					Occurrences on Federal Lands					Occurrences on State Lands					Occ. on Other Lands																										
							A-Rank	B-Rank	C-Rank	H- or X-Rank	Other Rank	USFS	DOD	USFWS	NPS	Other Federal	DCR	DOF	VDGIF	EDU	VOF	Other State	Locality	TNC	Other Private																							
<i>Taeniopteryx nelsoni</i>	cryptic willowfly	G1	S1			1				1																																						
<i>Tallaperla cornelia</i>	southeastern roachfly	G4	S1 S3																																													
<i>Tallaperla lobata</i>	lobed roachfly	G2	S1 S2			1				1																																						
<i>Yugus arinus</i>	highlands springfly	G3	S1 S3																																													
Heteroptera (true bugs)																																																
<i>Acantholomidea denticulata</i>	a shield bug	G?	SH																																													
<i>Allopodops mississippiensis</i>	Mississippi turtle bug	G2 G3	SH																																													
<i>Bothynotus johnstoni</i>	a mirid bug	G3	S1 S3			1				1																																						
<i>Botocudo modestus</i>	a seed bug	G5	S1 S3																																													
<i>Chelinidea vittiger</i>	opuntia squash bug	G3 G5	SR																																													
<i>Chlorochroa dismala</i>	Dismal Swamp green stink bug	GU	S1 S3			1				1																																						
<i>Ctenotrachelus shermani</i>	combneck assassin bug	G3	S1 S3			1				1																																						
<i>Elasmotethus atricornis</i>	Hercules club stink bug	G3?	S1 S3																																													
<i>Eurygaster alternata</i>	a shield bug	G5	SH																																													
<i>Galgupha denudata</i>	a shield bug	G3	S1 S3																																													
<i>Isthmocorius piceus</i>	black stalk-eyed bug	G5	S1 S2																																													
<i>Limnopus dissortis</i>	a water strider	G5	S1																																													
<i>Melanaethus cavicollis</i>	a burrower bug	G4	S1 S3			1				1																																						
<i>Oncozygia clavicornis</i>	a turtle	G3	SH																																													
<i>Ploiaria carolina</i>	Carolina thread-legged bug	G4?	S1 S3			1				1																																						
<i>Ploiaria hirticornis</i>	an assassin bug	G3?	S1 S3			2		1		1			1/1																																			
<i>Pnirontis brimleyi</i>	an assassin bug	G2	S1 S3			1				1																																						
<i>Pycnoderiella virginiana</i>	seashore mirid bug	GU	SU			1	1																																									
<i>Ramphocorixa acuminata</i>	acuminate water boatman	G4	S1																																													
<i>Ranatra drakei</i>	Drake's water scorpion	G4	S1 S3																																													
<i>Sigara depressa</i>	Virginia Piedmont water boatman	G1 G3	S1 S3			4		1		3																																						

VIRGINIA DEPARTMENT OF CONSERVATION AND RECREATION

Table 2: Rare Animals

Scientific Name	Common Name	Global Rank	State Rank	Federal Status	State Status	No. of Occurrences	Occurrences by E. O. Rank					Occurrences on Federal Lands					Occurrences on State Lands					Occ. on Other Lands														
							A-Rank	B-Rank	C-Rank	H- or X-Rank	Other Rank	USFS	DOD	USFWS	NPS	Other Federal	DCR	DOF	VDGIF	EDU	VOF	Other State	Locality	TNC	Other Private											
<i>Stachycnemus apicalis</i>	sandpit alydid bug	G4	SH																																	
<i>Stenocoris tipuloides</i>	neotropical rice bug	G5	S3			1						1																								
Homoptera (cicadas, leafhoppers & relatives)																																				
<i>Puto kosztarabi</i>	Buffalo Mountain mealybug	G1	S1			1	1															1/1														
Coleoptera (beetles)																																				
<i>Arianops jeanneli</i>	a cave pselaphid beetle	G1	S1			1							1																							
<i>Atheta annexa</i>	a rove beetle	G2 G4	S2			5							5																							
<i>Atheta trogliphila</i>	a rove beetle	G1	S1			3							3																							
<i>Calligrapha pnirsa</i>	a leaf beetle	G3?	S1 S3																																	
<i>Cicindela abdominalis</i>	orange-bellied tiger beetle	G5	S1			1							1																							
<i>Cicindela ancocisconensis</i>	a tiger beetle	G3	S2			6							2	4	1/2								1/1													
<i>Cicindela dorsalis dorsalis</i>	northeastern beach tiger beetle	G4 T2	S2	LT		123	6	20	29				67			0/2						1/13	0/1				0/5	0/2	0/4							
<i>Cicindela formosa generosa</i>	a tiger beetle	G5 T5	SH			4							4																							
<i>Cicindela gratiosa</i>	a tiger beetle	G5	S1																																	
<i>Cicindela lepida</i>	spectral tiger beetle	G4	S1			1									1			1/1																		
<i>Cicindela limbalis</i>	a tiger beetle	G5	SH			1							1																							
<i>Cicindela patruela</i>	barrens tiger beetle	G3	S2			2	1								1	1/1																				
<i>Cicindela trifasciata</i>	a tiger beetle	G5	S1			5							2	1	2		2/2					0/1														
<i>Cyclotrachelus incisus</i>	a ground beetle	G2	S1			1							1	0/1								0/1														
<i>Dryobius sexnotatus</i>	six-banded longhorn beetle	G? S3	S1 S3			1							1	0/1								0/1														
<i>Hydraena appalachicola</i>	minute moss beetle	G? SU	S1			1							1																							
<i>Hydraena maureenae</i>	Maureen's shale stream beetle	G1 G3	S1 S3			2							2																							
<i>Laccophilus schwarzi</i>	Schwarz' diving beetle	G? S3	S1 S3			2							2																							
<i>Lordithon niger</i>	black lordithon rove beetle	GU	SH			4							2																							
<i>Nicrophorus americanus</i>	American burying beetle	G2 G3	SH	LE																																
<i>Pentagonica picticornis</i>	a ground beetle	G? S3	S1 S3																																	
<i>Phloeoxena signata</i>	a ground beetle	G3? S3	S1 S3			1							1																							

VIRGINIA'S PRECIOUS HERITAGE

Table 2: Rare Animals

Scientific Name	Common Name	Global Rank	State Rank	Federal Status	State Status	No. of Occurrences	Occurrences by E. O. Rank					Occurrences on Federal Lands					Occurrences on State Lands					Occ. on Other Lands								
							A-Rank	B-Rank	C-Rank	H- or X-Rank	Other Rank	USFS	DOD	USFWS	NPS	Other Federal	DCR	DOF	VDGIF	EDU	VOF	Other State	Locality	TNC	Other Private					
<i>Pseudanophthalmus avernus</i>	avernus cave beetle	G1	S1			1					1																			
<i>Pseudanophthalmus cordicollis</i>	Little Kennedy Cave beetle	G1	S1			1					1																			
<i>Pseudanophthalmus deceptivus</i>	deceptive cave beetle	G1	S1			1					1																			
<i>Pseudanophthalmus delicatus</i>	delicate cave beetle	G2	S2			13					13																			
<i>Pseudanophthalmus egberti</i>	New River Valley cave beetle	G1	S1			2					1	1																		
<i>Pseudanophthalmus gracilis</i>	a cave beetle	G1 G2	S1 S2			4					3	1																		
<i>Pseudanophthalmus hirsutus</i>	Cumberland Gap cave beetle	G1	S1			2					1	1			1/1															
<i>Pseudanophthalmus hoffmani</i>	Hoffman's cave beetle	G1 G2	S1 S2			7	1				6																			
<i>Pseudanophthalmus holsingeri</i>	Holsinger's cave beetle	G1	S1	C		1			1																					
<i>Pseudanophthalmus hortulanus</i>	Burkes Garden cave beetle	G1	S1			1					1																			
<i>Pseudanophthalmus hubbardi</i>	Hubbard's cave beetle	G1	S1			1					1																			
<i>Pseudanophthalmus hubrichti</i>	Hubricht's cave beetle	G1	S1			1					1																			
<i>Pseudanophthalmus intersectus</i>	Crossroads cave beetle	G1	S1			2					1	1																		
<i>Pseudanophthalmus limicola</i>	mud-dwelling cave beetle	G1	S1			3					3																			
<i>Pseudanophthalmus longiceps</i>	long-headed cave beetle	G1	S1			1					1																			
<i>Pseudanophthalmus nelsoni</i>	Nelson's cave beetle	G1	S1			2			1	1																				
<i>Pseudanophthalmus parvicollis</i>	thin-neck cave beetle	G1	S1			1					1																			
<i>Pseudanophthalmus petrunkevitchi</i>	Petrunkevitch's cave beetle	G1 G2	S1			2					2																			
<i>Pseudanophthalmus pontis</i>	Natural Bridge cave beetle	GH	SH			1					1																			
<i>Pseudanophthalmus potomaca</i>	South Branch Valley cave beetle	G2 T2	S2			3					3	2/2																		
<i>Pseudanophthalmus praetermissus</i>	overlooked cave beetle	G1	S1			1					1																			
<i>Pseudanophthalmus punctatus</i>	spotted cave beetle	G1	S1			5	1		3	1																				
<i>Pseudanophthalmus pusio</i>	a cave beetle	G3	S1 S2			9	1		6	2																				
<i>Pseudanophthalmus quadratus</i>	Straley's cave beetle	G1	S1			1					1																			
<i>Pseudanophthalmus rotundatus</i>	rotund cave beetle	G1 G3	S1			3					3																			
<i>Pseudanophthalmus sanctipauli</i>	Saint Paul cave beetle	G1	S1			2					1	1																		

VIRGINIA DEPARTMENT OF CONSERVATION AND RECREATION

Table 2: Rare Animals

Scientific Name	Common Name	Global Rank	State Rank	Federal Status	State Status	No. of Occurrences	Occurrences by E. O. Rank					Occurrences on Federal Lands					Occurrences on State Lands					Occ. on Other Lands						
							A-Rank	B-Rank	C-Rank	H- or X-Rank	Other Rank	USFS	DOD	USFWS	NPS	Other Federal	DCR	DOF	VDGIF	EDU	VOF	Other State	Locality	TNC	Other Private			
<i>Pseudanopthalmus seclusus</i>	a cave beetle	G1	S1			7				7																		
<i>Pseudanopthalmus sericus</i>	silken cave beetle	G1	S1			1				1																		
<i>Pseudanopthalmus</i> sp. 10	a cave beetle	G1	S1			1				1																		
<i>Pseudanopthalmus</i> sp. 11	a cave beetle	G1	S1			1				1																		
<i>Pseudanopthalmus</i> sp. 12	Catawba cave beetle	G1	S1																									
<i>Pseudanopthalmus</i> sp. 13	McMullan cave beetle	G1	S1																									
<i>Pseudanopthalmus</i> sp. 14	Karl's Pit cave beetle	G1	S1																									
<i>Pseudanopthalmus</i> sp. 4	a cave beetle	G1	S1			1				1																		
<i>Pseudanopthalmus</i> sp. 5	a cave beetle	G1	S1			1				1																		
<i>Pseudanopthalmus</i> sp. 6	a cave beetle	G1	S1			3				3																		
<i>Pseudanopthalmus</i> sp. 7	a cave beetle	G1	S1			1				1																		
<i>Pseudanopthalmus</i> sp. 8	a cave beetle	G1	S1			2				2																		
<i>Pseudanopthalmus</i> sp. 9	a cave beetle	G1	S1			1				1																		
<i>Pseudanopthalmus thomasi</i>	Thomas' cave beetle	G1	S1			2				1	1																	
<i>Pseudanopthalmus vicarius</i>	vicariant cave beetle	G1 G2	S1 S2			6	1		1	2	2																	
<i>Pseudanopthalmus virginicus</i>	Maiden Spring cave beetle	GH	SH			1				1																		
<i>Pseudaptinus lecontei</i>	a ground beetle	G?	S1 S3			1				1								1/1										
<i>Rybaxis</i> sp. 1	a pselaphid beetle	GU	SU			1				1																		
<i>Sosylus costatus</i>	a beetle	G?	S1 S3																									
<i>Sphaeroderus schaumii</i>	Schaum's ground beetle	G4	S2			1				1					1/1													
<i>Stenelmis gammoni</i>	Gammon's riffle beetle	G1 G3	S1																									
<i>Stenocorus schaumii</i>	Schaum's longhorn beetle	G?	S1 S3																									
<i>Thalpius pygmaeus</i>	a ground beetle	G?	S1																									
Mecoptera (scorpionflies)																												
<i>Boreus nivorius</i>	a snow scorpionfly	G4	S1 S2																									
<i>Brachyanorpa jeffersoni</i>	Jefferson's short-nosed scorpionfly	G2	S1 S2			3				2	1	1/1																
Trichoptera (caddisflies)																												

VIRGINIA'S PRECIOUS HERITAGE

Table 2: Rare Animals

Scientific Name	Common Name	Global Rank	State Rank	Federal Status	State Status	No. of Occurrences	Occurrences by E. O. Rank					Occurrences on Federal Lands					Occurrences on State Lands					Occ. on Other Lands																		
							A-Rank	B-Rank	C-Rank	H- or X-Rank	Other Rank	USFS	DOD	USFWS	NPS	Other Federal	DCR	DOF	VDGIF	EDU	VOF	Other State	Locality	TNC	Other Private															
<i>Anabolia apora</i>	a limnephilid caddisfly	G1 G3	S1 S3																																					
<i>Nemotaulius hostilis</i>	a limnephilid caddisfly	G5	S1			1		1																																
<i>Rhyacophila appalachia</i>	appalachian rhyacophilid caddisfly	G3?	S1 S3																																					
<i>Rhyacophila tricornuta</i>	a rhyacophilid caddisfly	G1 G3	S1 S3																																					
<i>Wormaldia thyria</i>	a philopotamid caddisfly	G3?	S1 S3																																					
Lepidoptera (butterflies, skippers, moths) Butterflies																																								
<i>Anaea andria</i>	goatweed butterfly	G5	S1			1				1																														
<i>Boloria selene</i>	silver-bordered fritillary	G5	S2			10		3		6	1	2/2																												
<i>Calephelis borealis</i>	northern metalmark	G3 G4	S2 S3			1							1	0/1																										
<i>Calephelis virginensis</i>	little metalmark	G4	SH			6				6																														
<i>Callophrys hesseli</i>	Hessel's hairstreak	G3 G4	S1																																					
<i>Callophrys irus</i>	frosted elfin	G3	S2			15				14	1																													
<i>Callophrys polios</i>	hoary elfin	G5	S1 S3			2				2																														
<i>Colias interior</i>	pink-edged sulphur	G5	S2			1		1				1/1																												
<i>Euchloe olympia</i>	Olympia marble	G4 G5	S2 S3			5			1	2	2	2/2																												
<i>Lycaena hyllus</i>	bronze copper	G5	S1																																					
<i>Neonympha areolata areolata</i>	Georgia satyr	G4T 3T4	S2 S3			6		2	1	3																														
<i>Neonympha mitchellii francisci</i>	Saint Francis' satyr	G1 G2 T1	S1	LE																																				
<i>Phyciodes batesii batesii</i>	tawny crescent spot	G4 T1	SH			5				5																														
<i>Phyciodes cocyta</i>	northern pearly crescent spot	G5	S1 S3			3					3	1/2																												
<i>Satyrrium caryaevorum</i>	hickory hairstreak	G4	S1 S3			1				1																														
<i>Satyrrium kingi</i>	King's hairstreak	G3 G4	S2 S3			4		1		2	1	0/1																												
<i>Speyeria atlantis</i>	Atlantis fritillary	G5	S2			7	2	1	1	2	1	3/3																												
<i>Speyeria idalia</i>	regal fritillary	G3	S1			48			1	8	3	0/1	1/1																											
Skippers																																								
<i>Amblyscirtes alternata</i>	dusky roadside-skipper	G3 G4	S1																																					

VIRGINIA DEPARTMENT OF CONSERVATION AND RECREATION

Table 2: Rare Animals

Scientific Name	Common Name	Global Rank	State Rank	Federal Status	State Status	No. of Occurrences	Occurrences by E. O. Rank					Occurrences on Federal Lands					Occurrences on State Lands					Occ. on Other Lands					
							A-Rank	B-Rank	C-Rank	H- or X-Rank	Other Rank	USFS	DOD	USFWS	NPS	Other Federal	DCR	DOF	VDGIF	EDU	VOF	Other State	Locality	TNC	Other Private		
<i>Atrytone arogos arogos</i>	arogos skipper	G3 G4T 1T2	SH			1				1																	
<i>Erynnis lucilius</i>	columbine duskywing	G4	S1 S3			5				5																	
<i>Erynnis martialis</i>	mottled duskywing	G3 G4	S1 S3			19				18	1	0/1															
<i>Erynnis persius persius</i>	persius duskywing	G5T 2T3	S1			7				7																	
<i>Euphyes bimacula</i>	two-spotted skipper	G4	S2			2				1	1																
<i>Euphyes conspicua</i>	black dash	G4	S1 S3			3				3																	
<i>Euphyes dukesi</i>	scarce swamp skipper	G3	S2			9	1	1	2	3	2														2/2	0/2	
<i>Euphyes pilatka</i>	saw-grass skipper	G3 G4	SH			2				2																	
<i>Hesperia attalus slossonae</i>	dotted skipper	G3G 4T3	SH			2				2																	
<i>Megathymus yuccae</i>	yucca giant skipper	G5	SH																								
<i>Polites mystic</i>	long dash	G5	S1?																								
<i>Problema bulenta</i>	rare skipper	G2 G3	S1			2		1		1			0/1														
<i>Pyrgus wyandot</i>	Appalachian grizzled skipper	G2	S1 S2			28				20	3	1/1					0/1								0/1		
Moths																											
<i>Acherdoa ferraria</i>	chocolate moth	G5	S1 S2																								
<i>Acrapex relictta</i>	cane boring moth	G4	S1 S3																								
<i>Acronicta albarufa</i>	barrens dagger moth	G3 G4	S1 S3																								
<i>Acronicta brumosa</i>	a dagger moth	G4?	S1																								
<i>Anaplectoides brunneomedia</i>	brown-lined dart moth	G4	S1 S3			1				1	1/1																
<i>Apamea smythi</i>	Smyth's apamea moth	GH	SH			1																					
<i>Apamea sp. 1</i>	cane apamea moth	G3 G4	S1 S2																								
<i>Aplectoides condita</i>	a noctuid moth	G4	S1 S3			1				1																1/1	
<i>Argillophora furcilla</i>	a noctuid moth	G2 G4	S1 S3			1				1							1/1										
<i>Argyrostromis deleta</i>	a noctuid moth	G4 G5	S1 S3																								
<i>Argyrostromis sylvarum</i>	a noctuid moth	G4	S1 S3																								
<i>Arugisa watsoni</i>	Watson's arugisa moth	G4	S1 S3																								
<i>Brachionycha borealis</i>	boreal fan moth	G4	S1 S3																								

VIRGINIA'S PRECIOUS HERITAGE

Table 2: Rare Animals

Scientific Name	Common Name	Global Rank	State Rank	Federal Status	State Status	No. of Occurrences	Occurrences by E. O. Rank					Occurrences on Federal Lands					Occurrences on State Lands					Occ. on Other Lands						
							A-Rank	B-Rank	C-Rank	H- or X-Rank	Other Rank	USFS	DOD	USFWS	NPS	Other Federal	DCR	DOF	VDGIF	EDU	VOF	Other State	Locality	TNC	Other Private			
<i>Callosamia securifera</i>	sweetbay silkmoth	G4	S1 S2			1				1																		
<i>Catocala consors sorsconi</i>	consort underwing	G4T 2T4	SH																									
<i>Catocala dulciola</i>	sweet underwing	G3	S1 S3			1			1																			
<i>Catocala herodias gerhardi</i>	herodias underwing	G3 T3	S2 S3			4			1	3	0/1								0/ 1								1/ 1	
<i>Catocala marmorata</i>	marbled underwing	G3 G4	S2			1				1	0/1																	
<i>Catocala messalina</i>	messalina underwing	G4	SH			1			1																			
<i>Catocala pretiosa pretiosa</i>	precious underwing	G4T 2T3	SH																									
<i>Catocala ulalume</i>	ulalume underwing	G4	S1 S3			1		1			1/1																	
<i>Crambidia cephalica</i>	yellow-headed lichen moth	G4	S1 S2																									
<i>Cymatophora approximaria</i>	a geometrid moth	G4 G5	S1 S3																									
<i>Drasteria graphica atlantica</i>	Atlantic graphic moth	G4 T4	S2 S3																									
<i>Dysstroma citrata</i>	a geometrid moth	G5	S1 S3																									
<i>Emarginea percara</i>	a noctuid moth	G4	S1 S3																									
<i>Erythroecia hebardei</i>	Hebard's noctuid moth	GU	SH			1			1																			
<i>Euchlaena milnei</i>	Milne's euchlaena moth	G2 G4	S2			11			3	8	0/1																0/ 1	
<i>Euxoa immixta</i>	mixed dart moth	G4	SH																									
<i>Faronta rubripennis</i>	pink-streak moth	G3 G4	S1 S3																									
<i>Franclemontia interrogans</i>	a cane moth	G3 G4	S1 S3																									
<i>Hadena ectypa</i>	a noctuid moth	G3 G4	S1 S3			1				1			1/1															
<i>Heterocampa astarte</i>	a prominent moth	G4 G5	S1 S2																									
<i>Hypomecis buchholzaria</i>	Buchholz's gray moth	G3 G4	S1 S3																									
<i>Hyppa contrasta</i>	a noctuid moth	G4	S1 S3																									
<i>Idaea taturata</i>	a geometrid moth	G?	S1 S2																									
<i>Itame ribearia</i>	currant spanworm moth	G4	S1 S3																									
<i>Itame sp. 1</i>	barrens itame	G3	S1 S3																									
<i>Leucania calidior</i>	a noctuid moth	GU	S1 S3			1				1																	1/ 1	
<i>Lithacodia sp. 1</i>	a noctuid moth	G4	S1 S2																									

VIRGINIA DEPARTMENT OF CONSERVATION AND RECREATION

Table 2: Rare Animals

Scientific Name	Common Name	Global Rank	State Rank	Federal Status	State Status	No. of Occurrences	Occurrences by E. O. Rank					Occurrences on Federal Lands					Occurrences on State Lands					Occ. on Other Lands																	
							A-Rank	B-Rank	C-Rank	H- or X-Rank	Other Rank	USFS	DOD	USFWS	NPS	Other Federal	DCR	DOF	VDGIF	EDU	VOF	Other State	Locality	TNC	Other Private														
<i>Lithophane lemmeri</i>	Lemmer's pinion moth	G3	S1																																				
<i>Lithophane lepida adipel</i>	a pinion moth	G4	S3																																				
<i>Lophosis labeculata</i>	a geometrid moth	GU	S3																																				
<i>Lytrosis permagnaria</i>	a geometrid moth	G3	S1			1				1	0/1																										0/1		
<i>Merolonche dolli</i>	Doll's merolonch	G3	S1			1				1													0/1																
<i>Meropleon cosmion</i>	a noctuid moth	G4	S3																																				
<i>Meropleon titan</i>	a noctuid moth	G2	S1																																				
<i>Metarranthis sp. 1</i>	a geometrid moth	G3	S3																																				
<i>Metria amella</i>	a noctuid moth	G5	S2																																				
<i>Nemoria elfa</i>	elfin emerald moth	G?	S3			1				1												1/1																	
<i>Nemoria tuscarora</i>	an emerald moth	GU	S3																																				
<i>Oxycilla mitographa</i>	a noctuid moth	G4	SH																																				
<i>Paectes abrostolella</i>	a noctuid moth	G4	S2			2				2												2/2																	
<i>Panopoda repanda</i>	orange panopoda moth	G5	S2																																				
<i>Papaipema astuta</i>	yellow stoneroot borer moth	G3	S1			1				1																												1/1	
<i>Papaipema duovata</i>	seaside goldenrod stem borer	G4	S3																																				
<i>Papaipema duplicata</i>	dark stoneroot borer moth	G2	S1			1	1																																1/1
<i>Papaipema sp. 3</i>	southeastern cane borer moth	G4	S3			3				3	2/2											0/1																	
<i>Papaipema speciosissima</i>	osmunda stem borer moth	G4	S3																																				
<i>Papaipema stenocelis</i>	chain fern borer moth	G4	S3																																				
<i>Polychrysia morigera</i>	a noctuid moth	G4	S3			1				1													1/1																
<i>Properigea sp. 1</i>	a noctuid moth	G2	S1																																				
<i>Ptichodis bistrigata</i>	southern ptichodis moth	G3	S3																																				
<i>Pygarctia abdominalis</i>	yellow-edged pygarctia moth	G3	S1																																				
<i>Richia grotei</i>	a noctuid moth	G4	S3																																				
<i>Schinia siren</i>	a flower moth	G?	S2																																				
<i>Semiothisa distribuaria</i>	a geometrid moth	G4	S2																																				

Table 2: Rare Animals

Scientific Name	Common Name	Global Rank	State Rank	Federal Status	State Status	No. of Occurrences	Occurrences by E. O. Rank					Occurrences on Federal Lands					Occurrences on State Lands					Occ. on Other Lands							
							A-Rank	B-Rank	C-Rank	H- or X-Rank	Other Rank	USFS	DOD	USFWS	NPS	Other Federal	DCR	DOF	VDGIF	EDU	VOF	Other State	Locality	TNC	Other Private				
<i>Sphinx franckii</i>	Franck's sphinx	G4	S2 S3																										
<i>Synanthedon castaneae</i>	chestnut clearwing moth	G3 G5	S1 SH																										
<i>Syngrapha rectangulara</i>	salt-and-pepper looper moth	G5	S1 S3																										
<i>Tischeria perplexa</i>	chestnut leaf-mining moth	GHQ	SH																										
<i>Xanthorhoe iduata</i>	a geometrid moth	G4	S1 S3																										
<i>Zale curema</i>	a noctuid moth	G3 G4	S1 S3			1				1		1/1																	
<i>Zale sp. 1 nr lunifera</i>	pine barrens zale	G3 G4	S1 S3																										
<i>Zale sp. 3 nr buchholzi</i>	maritime zale moth	G3?	S2																										
<i>Zale sp. 2 near squamularis</i>		G4Q	S1 S3																										
<i>Zanclognatha gypsalis</i>	a noctuid moth	G4	S1 S3			1	1																						
Diptera (true flies)																													
<i>Basilina boardmanni</i>	southeastern myotis bat fly	G3	S1 S2			2		1		1						1/ 1											1/ 1		
<i>Fletcherimyia fletcheri</i>	pitcher plant fly	G5	S1 S2																										
<i>Metricnemus knabi</i>	pitcher plant midge	G5	S2																										
<i>Spelobia tenebrarum</i>	a cave fly	G4 G5	S1			2			2																				
<i>Wyeomyia haynei</i>	southern pitcher plant mosquito	G4	S2			1				1																			

VIRGINIA DEPARTMENT OF CONSERVATION AND RECREATION

Table 3: Significant Natural Communities

Community Name	Global Rank	State Rank	No. of Occurrences	Occurrences by E. O. Rank					Occurrences on Federal Lands					Occurrences on State Lands					Occ. on Other Lands		
				A-Rank	B-Rank	C-Rank	H- or X-Rank	Other Rank	USFS	DOD	USFWS	NPS	Other Federal	DCR	DOF	VDGIF	EDU	VOF	Other State	Locality	TNC
acidic cove forest			8	3	4	1			5/7												
acidic oak - hickory forest			1		1															0/1	
acidic oak - hickory woodland/savanna		S1	4	3	1				4/4												
<i>Andropogon gerardii</i> - <i>Liatris spicata</i> - <i>Carex buxbaumii</i> saturated herbaceous vegetation	G2?	S1	3			2															
Appalachian bog			17	3	8	3	3		8/10					2/2	1/1						
Appalachian cave drip pool/epikarstic community	G2	S2	3	3																	
Appalachian cave stream community	G2	S2	11	11																0/1	
Appalachian edaphobitic/epikarstic terrestrial cave community	G1	S1	2	2																	
Appalachian karst phreatic community	G1	S1	1	1																	
Appalachian terrestrial dung/transitory organic matter cave community	G2	S2	7	6			1														
Appalachian terrestrial riparian cave community	G2	S2	6	6																0/1	
arborvitae slope forest			3		2	1			1/1												
bald cypress - tupelo swamp			4	3	1									0/1						0/2	
basic mesic forest			28	7	16	5			1/2	3/5	1/3		0/3			0/1		0/2		0/1	
basic oak - hickory forest			18	2	12	4					2/4			0/1		1/2		0/1	0/2	0/1	
basic oak - hickory woodland/savanna		S1	2	1	1				2/2												
calcareous fen / seep			12	3	6	3			4/4				1/1								
calcareous spring marsh/muck fen			6	2	3	1			1/1											0/1	
Carolina hemlock forest			1		1				1/1												
central Appalachian northern hardwood forest			3		2	1			2/2				1/1								
central Appalachian red spruce forest			7	2	3	2			0/2					3/3							
central Appalachian shale barren			60	32	24	4			26/46				0/1							0/2	
chestnut oak forest			19	7	8	4			7/10		2/2		2/3		0/1						
coastal plain / piedmont acidic seepage swamp			16	3	9	4			10/10		0/1										
coastal plain / piedmont bottomland forest			5	1	3	1			0/1				0/2	0/1							1/2
coastal plain / piedmont seepage bog			10	2	8				9/9												
coastal plain basic seepage swamp			6	3	2	1			2/3	3/4	1/1	1/1									
coastal plain depression pond			39	6	29	2	2				4/7								9/18		1/1
coastal plain dry calcareous forest/woodland			4		3	1			0/1	1/2											
coastal plain semipermanent impoundment			3	1	2				2/2												
<i>Danthonia compressa</i> - <i>Sibbaldiopsis tridentata</i> - <i>Carex brunnescens</i> herbaceous vegetation	G1	S1	2		1				1/1												
dry-mesic calcareous forest			5	1	3	1			3/3												
eastern hemlock forest			22	3	10	7	2		0/1	0/2	0/1										
eastern white pine - hardwood forest			2	1		1			1/1		1/1										

VIRGINIA'S PRECIOUS HERITAGE

Table 3: Significant Natural Communities

Community Name	Global Rank	State Rank	No. of Occurrences	Occurrences by E. O. Rank					Occurrences on Federal Lands					Occurrences on State Lands					Occ. on Other Lands			
				A-Rank	B-Rank	C-Rank	H- or X-Rank	Other Rank	USFS	DOD	USFWS	NPS	Other Federal	DCR	DOF	VDGIF	EDU	VOF	Other State	Locality	TNC	Other Private
				estuarine fringe pine forest																		
estuarine fringe swamp forest		S1S2																				
floodplain pond / pool			1	1																		
fluvial terrace woodland			4	3	1								0/1									
Fraser fir - spruce forest			1	1				1/1														
granitic flatrock			15	1	8	6			2/2									0/1	0/1			
high-elevation boulderfield forest/woodland			9	4	3	2		3/3		5/5			1/1									
high-elevation cove forest			10	3	5	2		7/7				1/1	2/2									
high-elevation outcrop barren	G1	S1	22	6	10	5		4/5		11/11		5/5										
high-elevation seep			1	1						1/1												
high-elevation seepage swamp			5	1	2	2		3/3		1/1												
interdune pond			11	5	4	1	1		2/3	7/7	6/6	1/2										
interdune wet pine woodland			1		1					1/1	1/1											
limestone/dolomite barren			62	19	28	15						3/14							1/3	0/3		
loblolly pine savanna			3	2	1				3/3													
longleaf pine / mixed pine flatwoods																						
low-elevation acidic outcrop barren			5	3	2			2/3		1/1												
low-elevation basic outcrop barren	G1	S1	37	17	13	5	1	2/4	3/4	12/14		2/3										
low-elevation boulderfield forest/woodland			12	5	5	2		5/6		2/2		0/1		0/1								
mafic fen / seep	G1	S1	12	1	8	1						0/1										
mafic woodland seep	G1	S1	5	1	1	2																
maritime dune grassland			6	2	4				0/1	0/2		0/4										
maritime dune woodland	G2	S1	8	2	5	1				0/2	0/2	0/1										
maritime evergreen forest		S1	2	2					0/1	0/1		0/2										
maritime loblolly pine forest			2	1	1					0/2	0/2											
maritime mixed forest		S1	5	3	2					0/1	0/1	2/4										
maritime scrub			10	5	5				0/3	0/3	0/1	1/6							1/1			
maritime shrub swamp																						
maritime swamp forest			3	1	2							2/3										
maritime wet grassland			5	3	2				2/5	2/3		0/1										
mesic calcareous cliff			4	3			1	1/1														
mesic mixed hardwood forest			20	2	14	2	2		4/5			1/1	0/1	1/1	0/2							
mixed oak/heath forest			6		3	3		2/3		0/1												
montane acidic woodland			12	2	5	5		5/6										0/1				
montane alluvial forest																						
montane basic seepage swamp			10	3	7			1/3		3/3		1/1										
montane dry calcareous forest/woodland			17	6	8	3		8/10		1/1												
montane oak - hickory forest			12	4	1	7		3/7		3/3									1/1			

VIRGINIA DEPARTMENT OF CONSERVATION AND RECREATION

Table 3: Significant Natural Communities

Community Name	Global Rank	State Rank	No. of Occurrences	Occurrences by E. O. Rank					Occurrences on Federal Lands					Occurrences on State Lands					Occ. on Other Lands		
				A-Rank	B-Rank	C-Rank	H- or X-Rank	Other Rank	USFS	DOD	USFWS	NPS	Other Federal	DCR	DOF	VDGIF	EDU	VOF	Other State	Locality	TNC
montane pine barren			1	1																1/1	
moss/lichen boulderfield			1		1							1/1									
mountain / piedmont acidic seepage swamp			15	4	8	2		1	2/3			1/3	0/1			0/1	1/2				
mountain pond			14	5	7	1		1	10/11												
natural lake draw-down shore																					
non-riverine pine - hardwood forest			2	1		1															
non-riverine swamp forest			1	1																	
non-riverine wet hardwood forest		S2	2			1		1				1/1									
northern red oak forest			4	2	2				2/2			1/1									
peatland Atlantic white cedar forest		S1	3	1		1					0/1			0/1							
piedmont / low mountain alluvial forest																					
piedmont / mountain bottomland forest			6		4	2			0/1						0/1				0/1		0/1
piedmont / mountain semipermanent impoundment	G?	S1?	3	2					0/1	1/1				0/1							
piedmont / mountain swamp forest			8	1	6	1				4/5	0/1										
piedmont hardpan forest			7		3	4				0/4			0/1	1/1							
piedmont prairie			5	1	4					3/3											
piedmont/coastal plain oak - beech/heath forest			1		1																
piedmont/mountain acidic cliff			4	4					1/1							0/1					
piedmont/mountain basic cliff			2		2														0/1		
piedmont/mountain basic woodland	G1Q	S1	29	17	9	2			4/6			9/10	1/1		0/1						1/2
pine/scrub oak sandhill		S1	9	2	3	2	1	1						2/2					1/2		
pine-oak/heath woodland			10	5	3	2			4/6			1/1	1/1			0/1					
<i>Pinus rigida</i> - <i>Quercus stellata</i> / <i>Andropogon gerardii</i> - <i>Senecio pauperculus</i> woodland	G1	S1	3		2																
pond pine woodland / pocosin		S1	4	1	1	1		1			0/1			2/2							0/1
rich cove/slope forest			19	3	11	3	1	1	3/8	0/1		6/6			0/1						
riverine aquatic bed																					
river-scour woodland			1			1						0/1									
riverside outcrop barren			2	1	1							0/1									
riverside prairie			9	1	2	5		1	0/4		0/1										
rocky bar and shore			1			1								0/1							
salt flat			3	2	1						0/1			0/1							
salt scrub			2		2																1/1
sand / gravel / mud bar and shore			4	2	1	1				2/4				0/2							
<i>Scirpus robustus</i> - <i>Juncus gerardii</i> - <i>Hordeum jubatum</i> - <i>Atriplex patula</i> seasonally flooded herbaceous vegetation	G1	S1	2			1															
sea level fen		S1	4	1	3						1/1										
Shenandoah Valley sinkhole pond			40	11	23	4		1	10/14		0/1			3/5					0/1		
southern Appalachian northern hardwood forest			5	3	2				1/3					1/2	1/1						

VIRGINIA'S PRECIOUS HERITAGE

Table 3: Significant Natural Communities

Community Name	Global Rank	State Rank	No. of Occurrences	Occurrences by E. O. Rank					Occurrences on Federal Lands					Occurrences on State Lands					Occ. on Other Lands							
				A-Rank	B-Rank	C-Rank	H- or X-Rank	Other Rank	USFS	DOD	USFWS	NPS	Other Federal	DCR	DOF	VDGIF	EDU	VOF	Other State	Locality	TNC	Other Private				
southern Appalachian red spruce forest			5	2	3					3/3							2/2									
southern Appalachian shrub bald			2	1		1				2/2																
spray cliff			1		1																					
streamhead pocosin			1	1																						
tidal bald cypress forest / woodland			5	2	2			1			0/1			1/1												
tidal baldcypress woodland / savanna																										
tidal freshwater and oligohaline aquatic bed																										
tidal freshwater marsh			22	14	8					1/1	0/2					0/2						0/1			0/1	
tidal hardwood swamp			1		1																					
tidal mesohaline / polyhaline marsh			6	4	2									0/3												
tidal mesohaline and polyhaline aquatic bed																										
tidal oligohaline marsh			9	2	4	2		1			0/1	1/2														0/1
tidal shrub swamp			1	1										0/1											0/1	
ultramafic barren	G1	S1	2	1	1																					
upland depression swamp			8	1	4	3				0/1		0/1			0/1											
upper beach/overwash flat			1	1																					0/1	
wet prairie / prairie fen			5		4	1								0/2											0/1	0/1
wind-tidal oligohaline marsh		S1	9	5	3	1					0/2			0/3		2/2						0/1	0/1			
xeric calcareous cliff			6	2	3	1			1/2					0/1												

Table 4: Other Natural Heritage Resources

Name	Global Rank	State Rank	No. of Occurrences	Occurrences by E. O. Rank					Occurrences on Federal Lands					Occurrences on State Lands					Occ. on Other Lands								
				A-Rank	B-Rank	C-Rank	H- or X-Rank	Other Rank	USFS	DOD	USFWS	NPS	Other Federal	DCR	DOF	VDGIF	EDU	VOF	Other State	Locality	TNC	Other Private					
Bald Eagle roost			2	1				1			0/1			1/1													
bird nesting colony			39	10	5	7		17		1/1	1/4			1/2											2/17		
mussel concentration site			14	2	4	3		5						0/1								0/1	0/3	0/1			
significant cave			232				21	211	0			1		2/2	0/3							0/2	0/1	2/3			
significant Great Blue Heron colony	G3G5		7	2	1			4		1/1	0/1	1/2		0/2			0/1	0/2									
significant karst area			7					7	0/2					0/2	0/2							0/1	0/1				

Appendix F

Virginia's Endemic Species

The following is a list of Virginia's endemic species, those found only within the borders of the state. For a discussion on endemics, see Chapter 2.

Plants

<i>Betula uber</i>	Virginia round-leaf birch
<i>Clematis addisonii</i>	Addison's leatherflower
<i>Clematis coactilis</i>	Virginia white-haired leatherflower
<i>Clematis viticaulis</i>	Millboro leatherflower
<i>Iliamna corei</i>	Peter's Mountain-mallow

Animals

Vertebrates

Fish

<i>Cottus sp 4</i>	Clinch sculpin
<i>Notropis semperasper</i>	Roughhead shiner
<i>Percina rex</i>	Roanoke logperch

Amphibians

<i>Plethodon shenandoah</i>	Shenandoah salamander
<i>Plethodon hubrichti</i>	Peaks of Otter salamander

Invertebrates

Turbellaria (flatworms)

<i>Sphalloplana hypogea</i>	a groundwater planarian
<i>Sphalloplana subtilis</i>	Bigger's groundwater planarian
<i>Sphalloplana virginiana</i>	Rockbridge County cave planarian

Gastropoda (snails)

<i>Fontigens morrisoni</i>	Virginia springsnail
<i>Holsingeria unthinksensis</i>	an aquatic cavesnail
<i>Holsingeria sp 1</i>	Skyline Caverns snail
<i>Helicodiscus diadema</i>	shaggy coil
<i>Helicodiscus lirellus</i>	rubble coil
<i>Paravitrea hera</i>	spirit supercoil
<i>Paravitrea septadens</i>	brown supercoil
<i>Pleurocera gradata</i>	bottle hornsnailed
<i>Polygyriscus virginicus</i>	Virginia fringed mountain snail
<i>Stagnicola neopalustris</i>	piedmont pondsnailed

Bivalvia (mussels & clams)

<i>Lexingtonia subplana</i>	Virginia pigtoe
-----------------------------	-----------------

Annelida (segmented worms)

<i>Spelaedrillus multiporus</i>	a cave lumbricolid worm
---------------------------------	-------------------------

Arachnida (spiders & pseudoscorpions)

<i>Apochthonius coecus</i>	a cave pseudoscorpion
<i>Apochthonius holsingeri</i>	a cave pseudoscorpion
<i>Chitrella superba</i>	a cave pseudoscorpion
<i>Foveacheles paralleloseta</i>	a cave mite
<i>Kleptochthonius regulus</i>	a cave pseudoscorpion
<i>Kleptochthonius anophthalmus</i>	a cave pseudoscorpion
<i>Kleptochthonius binoculatus</i>	a cave pseudoscorpion
<i>Kleptochthonius gertschi</i>	a cave pseudoscorpion
<i>Kleptochthonius lutzi</i>	a cave pseudoscorpion
<i>Kleptochthonius proximisetus</i>	a cave pseudoscorpion
<i>Kleptochthonius similis</i>	a cave pseudoscorpion
<i>Kleptochthonius polychaetus</i>	a cave pseudoscorpion
<i>Microcreagris valentinei</i>	a cave pseudoscorpion
<i>Mundochthonius holsingeri</i>	a cave pseudoscorpion
<i>Nesticus holsingeri</i>	Holsinger's cave spider

Crustacea (amphipods & isopods)

<i>Amerigoniscus henroti</i>	Powell Valley terrestrial cave isopod
<i>Caecidotea bowmani</i>	Natural Bridge cave isopod
<i>Caecidotea henroti</i>	Henrot's cave isopod
<i>Caecidotea phreatica</i>	phreatic isopod
<i>Caecidotea vandeli</i>	Vandel's cave isopod
<i>Crangonyx sp 5</i>	an amphipod
<i>Lirceus culveri</i>	Rye Cove isopod
<i>Lirceus usdagalun</i>	Lee County cave isopod
<i>Stygobromus abditus</i>	James cave amphipod
<i>Stygobromus baroodyi</i>	Rockbridge County cave amphipod
<i>Stygobromus conradi</i>	Burnsville Cove cave amphipod

VIRGINIA DEPARTMENT OF CONSERVATION AND RECREATION

<i>Stygobromus cumberlandus</i>	Cumberland cave amphipod	<i>Arrhopalites silvus</i>	a cave springtail
<i>Stygobromus ephemerus</i>	ephemeral cave amphipod	<i>Oncopodura hubbardi</i>	a cave springtail
<i>Stygobromus estesi</i>	Craig County cave amphipod	<i>Pseudosinella bona</i>	a cave springtail
<i>Stygobromus fergusonii</i>	Montgomery County cave amphipod	<i>Pseudosinella erehwon</i>	a cave springtail
<i>Stygobromus hoffmani</i>	Alleghany County cave amphipod	<i>Pseudosinella extra</i>	a cave springtail
<i>Stygobromus interitus</i>	New Castle Murder Hole amphipod	<i>Pseudosinella granda</i>	a cave springtail
<i>Stygobromus leensis</i>	Lee County cave amphipod	<i>Schaefferia hubbardi</i>	a cave springtail
<i>Stygobromus mundus</i>	Bath County cave amphipod	<i>Typhlogastrura valentini</i>	a cave springtail
<i>Stygobromus obrutus</i>	Pittsylvania well amphipod		
<i>Stygobromus phreaticus</i>	northern Virginia well amphipod		
<i>Stygobromus pseudospinosus</i>	Luray Caverns amphipod		
<i>Stygobromus spinosus</i>	Blue Ridge Mountain amphipod		
<i>Stygobromus stegerorum</i>	Madison cave amphipod		
<i>Stygobromus sp 16</i>	Helsley's cave amphipod		
<i>Stygobromus sp 17</i>	Massanutten Mountain spring amphipod		
<i>Stygobromus sp 18</i>	Big Levels spring amphipod		
<i>Stygobromus sp 19</i>	a cave amphipod (Scott Co.)		
<i>Stygobromus sp 20</i>	a cave amphipod (Bath and Highland Cos.)		
<i>Stygobromus sp 21</i>	Rappahannock spring amphipod		
Diplopoda (millipedes)			
<i>Brachoria cedra</i>	cedar millipede		
<i>Brachoria falcifera</i>	Big Cedar Creek millipede		
<i>Brachoria laminata</i>	Keeton's millipede		
<i>Brachoria turneri</i>	Turner's millipede		
<i>Nannaria sp 1</i>	Roaring Branch nannaria millipede		
<i>Pseudotremia cavernarum</i>	Ellett Valley pseudotremia millipede		
<i>Pseudotremia tuberculata</i>	a millipede		
<i>Pseudotremia sp 2</i>	Roaring Branch pseudotremia millipede		
<i>Pseudotremia sp 3</i>	a cave millipede		
<i>Sigmoria whiteheadi</i>	a millipede		
Chilopoda (centipedes)			
<i>Nampabius turbator</i>	a cave centipede		
Collembola (springtails)			
<i>Arrhopalites caedus</i>	a cave springtail		
<i>Arrhopalites carolynae</i>	a cave springtail		
<i>Arrhopalites commorus</i>	a cave springtail		
<i>Arrhopalites lacuna</i>	a cave springtail		
<i>Arrhopalites marshalli</i>	a cave springtail		
<i>Arrhopalites pavo</i>	a cave springtail		
<i>Arrhopalites sacer</i>	a cave springtail		
Diplura (diplurans)			
		<i>Litocampa pucketti</i>	a cave dipluran
Coleoptera (beetles)			
		<i>Pseudanopthalmus avernus</i>	avernus cave beetle
		<i>Pseudanopthalmus cordicollis</i>	Little Kennedy cave beetle
		<i>Pseudanopthalmus deceptivus</i>	deceptive cave beetle
		<i>Pseudanopthalmus delicatus</i>	delicate cave beetle
		<i>Pseudanopthalmus egberti</i>	New River Valley cave beetle
		<i>Pseudanopthalmus gracilis</i>	a cave beetle
		<i>Pseudanopthalmus holsingeri</i>	Holsinger's cave beetle
		<i>Pseudanopthalmus hortulanus</i>	Burkes Garden cave beetle
		<i>Pseudanopthalmus hubbardi</i>	Hubbard's cave beetle
		<i>Pseudanopthalmus hubrichti</i>	Hubricht's cave beetle
		<i>Pseudanopthalmus hoffmani</i>	Hoffman's cave beetle
		<i>Pseudanopthalmus intersectus</i>	Crossroads cave beetle
		<i>Pseudanopthalmus limicola</i>	mud-dwelling cave beetle
		<i>Pseudanopthalmus nelsoni</i>	Nelson's cave beetle
		<i>Pseudanopthalmus parvicollis</i>	thin-neck cave beetle
		<i>Pseudanopthalmus petrunkevitchi</i>	Petrunkevitch's cave beetle
		<i>Pseudanopthalmus pontis</i>	Natural Bridge cave beetle
		<i>Pseudanopthalmus praetermissus</i>	overlooked cave beetle
		<i>Pseudanopthalmus punctatus</i>	spotted cave beetle
		<i>Pseudanopthalmus pusio</i>	a cave beetle
		<i>Pseudanopthalmus quadratus</i>	Straley's cave beetle
		<i>Pseudanopthalmus sanctipauli</i>	Saint Paul cave beetle
		<i>Pseudanopthalmus seclusus</i>	a cave beetle
		<i>Pseudanopthalmus sericus</i>	silken cave beetle
		<i>Pseudanopthalmus thomasi</i>	Thomas' cave beetle
		<i>Pseudanopthalmus vicarius</i>	vicariant cave beetle
		<i>Pseudanopthalmus virginicus</i>	Maiden Spring cave beetle
Plecoptera (stoneflies)			
		<i>Acroneuria flinti</i>	Manassas stonefly
		<i>Isopterla major</i>	big stripetail stonefly
		<i>Perlesta teaysia</i>	Teays stonefly
		<i>Remenus kirchneri</i>	Blue Ridge springfly
		<i>Sweltsa holstonensis</i>	Holston sallfly
		<i>Sweltsa voshelli</i>	Virginia sallfly
		<i>Taeniopteryx nelsoni</i>	cryptic willowfly

VIRGINIA'S PRECIOUS HERITAGE

<i>Tallaperla lobata</i>	lobed roachfly	Homoptera (cicadas & leaf hoppers)	
Heteroptera (true bugs)		<i>Puto kosztarabi</i>	Buffalo Mountain giant mealybug
<i>Sigara depressa</i>	Virginia piedmont water boatman	Orthoptera (grasshoppers)	
<i>Pycnoderiella virginiana</i>	seashore plant bug	<i>Melanoplus sp 55</i>	a spur-throat grasshopper
		<i>Melanoplus sp 59</i>	a spur-throat grasshopper

Appendix G

Virginia's Historic, Extirpated and Extinct Species

The following table lists the plants and animals that are known to have occurred within Virginia in the past but now have no known populations within the state. The date and location of the last observation of each species is provided for those species for which there are records. The terms used in the status column can be briefly defined as follows:

Extinct: no longer alive anywhere in the world

Extirpated: no longer found in the wild in Virginia

Historic: no known wild populations but there is some possibility that the species may be found

For a more detailed discussion see Virginia's Lost Natural Heritage in Chapter 2.

Scientific name	Common name	Date last seen	Location last seen	Status
Plants				
<i>Adiantum capillus-veneris</i>	southern maidenhair-fern			Historic in VA
<i>Anagallis minima</i>	chaffweed			Historic in VA
<i>Andropogon mohrii</i>	Mohr bluestem	1938	Dinwiddie & Prince George	Historic in VA
<i>Arenaria lanuginosa ssp lanuginosa</i>	a sandwort	1936	City of Virginia Beach	Subspecies historic in VA
<i>Bacopa caroliniana</i>	Carolina water-hyssop	1970	Prince George	Historic in VA
<i>Baptisia cinerea</i>	hairy false-indigo	1969	Halifax	Historic in VA
<i>Botrychium jenmanii</i>	Alabama grape-fern	1942	Wise	Historic in VA
<i>Burmannia biflora</i>	northern burmannia	1938	Greensville	Historic in VA
<i>Carex ormostachya</i>	a sedge			Historic in VA
<i>Carex reniformis</i>	reniform sedge	1973	Greensville	Historic in VA
<i>Cicuta bulbifera</i>	bulb-bearing water-hemlock			Historic in VA
<i>Cirsium altissimum</i>	tall thistle	1949	Shenandoah	Historic in VA
<i>Cirsium nuttallii</i>	Nuttall's thistle	1938	Southampton	Historic in VA
<i>Cirsium repandum</i>	coastal-plain thistle			Historic in VA
<i>Clematis glaucophylla</i>	white-leaved leatherflower	1968	Lee	Historic in VA
<i>Clinopodium glabellum</i>	savory			Historic in VA (taxonomy uncertain)
<i>Crotalaria rotundifolia</i>	prostrate rattle-box	1967	City of Suffolk	Historic in VA
<i>Cyperus acuminatus</i>	short-point flatsedge			Historic in VA
<i>Cyperus houghtonii</i>	Houghton's umbrella-sedge	1966	Botetourt	Historic in VA
<i>Desmodium ochroleucum</i>	creamflower tick-trefoil	1988	Chesterfield	Historic in VA
<i>Digitaria serotina</i>	dwarf crabgrass	1942	Southampton	Historic in VA
<i>Eleocharis radicans</i>	rooted spikerush	1934	City of Virginia Beach	Historic in VA
<i>Fuirena breviseta</i>	an umbrella sedge			Historic in VA
<i>Geum aleppicum</i>	yellow avens	1945	Rockingham	Historic in VA
<i>Honckenya peploides ssp robusta</i>	sea-beach sandwort	1898	City of Virginia Beach	Subspecies historic in VA

VIRGINIA DEPARTMENT OF CONSERVATION AND RECREATION

Scientific name	Common name	Date last seen	Location last seen	Status
<i>Hypericum denticulatum</i>	coppery St. John's-wort			Historic in VA
<i>Hypericum ellipticum</i>	pale St. John's-wort	1971	Amherst	Historic in VA
<i>Hypoxis sessilis</i>	glossy-seeded star-grass	1934	City of Virginia Beach	Historic in VA
<i>Lachnanthes caroliniana</i>	Carolina redroot	1966	Augusta	Historic in VA
<i>Leersia hexandra</i>	club-head cutgrass	1939	Essex	Historic in VA
<i>Limosella australis</i>	mudwort			Historic in VA
<i>Ludwigia virgata</i>	savanna seedbox	1970-	City of Suffolk	Historic in VA
<i>Lysimachia radicans</i>	trailing loosestrife	1940-	Augusta	Historic in VA
<i>Lythrum lanceolatum</i>	lance-leaved loosestrife	1940	York	Historic in VA
<i>Micranthemum micranthemoides</i>	Nuttall's micranthemum	1941	Charles City	Globally historic
<i>Minuartia caroliniana</i>	pine-barren sandwort			Historic in VA
<i>Muhlenbergia expansa</i>	cut-over muhly	1941	Greensville	Historic in VA
<i>Muhlenbergia glabrifloris</i>	smooth-leaved muhly	1942	Brunswick	Historic in VA
<i>Neobeckia aquatica</i>	lake cress	1936	Southampton	Historic in VA
<i>Ophioglossum petiolatum</i>	longstem adder's-tongue	1979	City of Virginia Beach	Historic in VA
<i>Orthilia secunda</i>	one-sided wintergreen	1941	Prince William	Historic in VA
<i>Oxypolis ternata</i>	a cowbane			Historic in VA
<i>Paspalum bifidum</i>	pitchfork paspalum	1970	Southampton	Historic in VA
<i>Phalaris caroliniana</i>	May grass			Historic in VA
<i>Plantago cordata</i>	heart-leaved plantain	1924	Fairfax	Historic in VA
<i>Polygala brevifolia</i>	little-leaf milkwort			Historic in VA
<i>Polygala ramosa</i>	low pine-barren milkwort	1949	Greensville	Historic in VA
<i>Potamogeton robbinsii</i>	flatleaf pondweed	1915	Fairfax	Historic in VA
<i>Pseudolycopodiella caroliniana</i>	slender clubmoss	1985	Sussex	Historic in VA
<i>Pycnanthemum monotrichum</i>	a mountain-mint	1936	Sussex	Globally historic (taxonomy uncertain)
<i>Pyrola chlorantha</i>	greenish-flowered wintergreen	1929	Madison	Historic in VA
<i>Ranunculus hederaceus</i>	long-stalked crowfoot	1984	Westmoreland	Historic in VA
<i>Rhynchospora filifolia</i>	thread-leaved beakrush	1945	Sussex	Historic in VA
<i>Rhynchospora grayi</i>	Gray's beakrush			Historic in VA
<i>Rhynchospora harveyi</i>	Harvey beakrush	1941	Sussex	Historic in VA
<i>Rhynchospora miliacea</i>	millet beakrush			Historic in VA
<i>Rhynchospora pallida</i>	pale beakrush	1939	City of Suffolk	Historic in VA
<i>Rhynchospora wrightiana</i>	Wright's beakrush			Historic in VA
<i>Sagittaria engelmanniana</i>	Engelmann arrowhead	1941	City of Chesapeake	Historic in VA
<i>Schoenoplectus etuberculatus</i>	Canby's bulrush			Historic in VA
<i>Schoenoplectus smithii</i>	Smith's bulrush			Historic in VA
<i>Schwalbea americana</i>	chaffseed	1938	Greensville & Sussex	Historic in VA
<i>Scutellaria arguta</i>	sharp-leaved skullcap			Historic in VA (taxonomy uncertain)
<i>Smilax smallii</i>	Small's greenbrier			Historic in VA
<i>Sparganium androcladum</i>	branching burreed	1988	City of Virginia Beach	Historic in VA
<i>Tridens chapmanii</i>	Chapman's redtop			Historic in VA
<i>Vaccinium virgatum</i>	swamp blueberry		Southampton	Historic in VA
Vertebrates				
Fish				
<i>Acipenser brevirostrum</i>	shortnose sturgeon	1876	Chesapeake estuaries	Breeding population extirpated from VA
<i>Cyprinella labrosa</i>	thicklip chub	1933	Peedee River	Historic in VA
<i>Moxostoma lacerum</i>	harelip sucker	1888	N. Fork Holston R.	Extinct
<i>Percina maculata</i>	blackside darter	1937	Big Sandy R.	Extirpated from VA

VIRGINIA'S PRECIOUS HERITAGE

Scientific name	Common name	Date last seen	Location last seen	Status
<i>Percopsis omiscomaycus</i>	trout-perch	1911	Potomac R.	Extirpated from VA
Birds				
<i>Aquila chrysaetos</i>	Golden Eagle			Breeding population historic in VA
<i>Chondestes grammacus</i>	Lark Sparrow	1937	Rockingham	Breeding population historic in VA
<i>Contopus cooperi</i>	Olive-Sided Flycatcher	1938	Highland	Breeding population historic in VA
<i>Conuropsis carolinensis</i>	Carolina Parakeet	ca. 1865		Extinct
<i>Ectopistes migratorius</i>	Passenger Pigeon	1874	Nelson	Extinct
<i>Sterna dougallii</i>	Roseate Tern	pre-1927	Eastern Shore	Breeding population historic in VA
<i>Vermivora bachmanii</i>	Bachman's Warbler	1958	Fairfax	Extirpated from VA, globally historic
Mammals				
<i>Bos bison</i>	bison	ca. 1790		Extirpated from VA
<i>Canis lupus</i>	gray wolf	ca. 1910	Tazewell	Extirpated from VA
<i>Canis rufus</i>	red wolf			Extirpated from VA
<i>Cervus elaphus</i>	wapiti or elk	ca. 1855	Clarke	Native population extirpated from VA
<i>Erethizon dorsatum</i>	porcupine			Extirpated from VA
<i>Puma concolor cougar</i>	eastern cougar	ca. 1880		Extirpated from VA
<i>Sylvilagus floridanus hitchensi</i>	Smith Island cottontail	1911	Northampton	Subspecies globally historic (taxonomy uncertain)
Invertebrates				
Turbellaria (flatworms)				
<i>Sphalloplana holsingeri</i>	Holsinger's groundwater planarian	1973	Fairfax	Globally historic
<i>Sphalloplana subtilis</i>	Bigger's groundwater planarian	1973	Fairfax	Globally historic
Gastropoda (snails)				
<i>Stagnicola neopalustris</i>	piedmont pondsnail			Globally historic
Bivalvia (mussels & clams)				
<i>Elliptio crassidens</i>	elephant ear	1996	Lee	Extirpated from VA
<i>Epioblasma arcaeformis</i>	sugarspoon			Extinct
<i>Epioblasma florentina florentina</i>	yellow-blossom pearlymussel			Subspecies extinct
<i>Epioblasma haysiana</i>	acornshell			Extinct
<i>Epioblasma lenior</i>	narrow catspaw			Extinct
<i>Epioblasma lewisii</i>	forkshell			Extinct
<i>Epioblasma stewardsonii</i>	Cumberland leafshell			Extinct
<i>Epioblasma torulosa gubernaculum</i>	green-blossom pearlymussel	1999	Scott	Subspecies extinct
<i>Lampsilis abrupta</i>	pink mucket			Extirpated from VA
<i>Pleurobema cordatum</i>	Ohio pigtoe	1988	Scott	Extirpated from VA
<i>Pleurobema plenum</i>	rough pigtoe	1984	Scott	Extirpated from VA
<i>Villosa fabalis</i>	rayed bean			Extirpated from VA
<i>Villosa trabalis</i>	Cumberland bean	1988	Scott	Extirpated from VA
<i>Truncilla truncata</i>	deertoe			Historic in VA
Crustacea (amphipods, isopods & decapods)				
<i>Stygobromus kenki</i>	Rock Creek groundwater amphipod	1973	Fairfax	Historic in VA
<i>Stygobromus obrutus</i>	Pittsylvania well amphipod	1948	Pittsylvania	Historic in VA
Ephemeroptera (mayflies)				
<i>Siphloplecton costalense</i>	Spieth's great speckled olive mayfly	1935	Southampton	Historic in VA

VIRGINIA DEPARTMENT OF CONSERVATION AND RECREATION

Scientific name	Common name	Date last seen	Location last seen	Status
Odonata				
Dragonflies				
<i>Arigomphus furcifer</i>	lilypad clubtail	1973	Highland	Historic in VA
<i>Somatochlora williamsoni</i>	Williamson's emerald	1973	Highland	Historic in VA
<i>Sympetrum janeae</i>	Jane's meadowhawk	1978	City of Suffolk	Historic in VA
Orthoptera (grasshoppers & relatives)				
<i>Appalachia hebardii</i>	Appalachian grasshopper		Bath	Globally historic
Plecoptera (stoneflies)				
<i>Acroneuria flinti</i>	Manassas stonefly	1962	Fairfax	Globally historic
Heteroptera (true bugs)				
<i>Allopodops mississippiensis</i>	a turtle bug	1943	Fairfax	Historic in VA
<i>Eurygaster alternata</i>	a shield bug	1948	Montgomery	Historic in VA
<i>Oncozygia clavicornis</i>	a turtle bug	1891	Hampton	Historic in VA
<i>Stachyocnemus apicalis</i>	sandpit alydid bug	1920	Chesterfield	Historic in VA
Coleoptera (beetles)				
<i>Cicindela formosa generosa</i>	a tiger beetle	1948	Lee & Fairfax	Historic in VA
<i>Cicindela limbalis</i>	a tiger beetle		City of Alexandria	Historic in VA
<i>Lordithon niger</i>	black lordithon rove beetle	pre-1982	Fairfax & Stafford	Historic in VA
<i>Nicrophorus americanus</i>	American burying beetle	1955	Montgomery	Historic in VA
<i>Pseudanopthalmus pontis</i>	Natural Bridge cave beetle	1959	Rockbridge County	Globally historic
<i>Pseudanopthalmus virginicus</i>	Maiden Spring cave beetle	1966	Tazewell	Globally historic
Lepidoptera (butterflies & moths)				
Butterflies				
<i>Phyciodes batesii batesii</i>	tawny crescentspot	1940	Giles	Historic in VA
Skippers				
<i>Atrytone arogos arogos</i>	arogos skipper	pre-1950	Montgomery	Historic in VA
<i>Euphyes pilatka</i>	saw-grass skipper	1971	City of VA Beach	Historic in VA
<i>Hesperia attalus slossonae</i>	dotted skipper	1940	Loudon	Historic in VA
<i>Megathymus yuccae</i>	yucca giant skipper	1957	City of VA Beach	Historic in VA
Moths				
<i>Apamea smythi</i>	Smyth's apamea moth	1907	Montgomery	Globally historic
<i>Catocala agrippina</i>	agrippina underwing			Historic in VA
<i>Catocala consors sorsconi</i>	consort underwing	ca. 1960	City of Danville	Historic in VA
<i>Catocala messalina</i>	messalina underwing	ca. 1990	Montgomery	Historic in VA
<i>Catocala pretiosa</i>	precious underwing	ca. 1990	Montgomery	Historic in VA
<i>Erythroecia hebardii</i>	Hebard's noctuid moth	1916	Bath	Historic in VA
<i>Euxoa immixta</i>	mixed dart moth			Historic in VA
<i>Leucorrhinia frigida</i>	frosted whiteface	1978	Highland	Historic in VA
<i>Leucorrhinia proxima</i>	red-waisted whiteface	1978	Highland	Historic in VA
<i>Oxycilla mitographa</i>	a noctuid moth		Giles	Historic in VA
<i>Synanthedon castaneae</i>	chestnut clearwing moth		Fairfax	Historic in VA
<i>Tischeria perplexa</i>	chestnut leaf-mining moth			Globally historic (taxonomy uncertain)

Invasive Alien Plant Species of Virginia

About the List

This list was developed as a cooperative project between Virginia Department of Conservation and Recreation's Natural Heritage Program and the Virginia Native Plant Society. It is intended to inform land managers of potential risks associated with certain plant species known to exhibit invasive behavior in some situations. This list is not regulatory in nature, thus does not prohibit the use of the listed plant species.

The Natural Heritage Program and Virginia Native Plant Society use detailed criteria to assess the invasiveness of a plant. Factors used to rank each species include: cumulative impacts on natural areas; potential to disperse and invade natural landscapes; distribution and abundance; difficulty to manage; and impacts on other species.

Invasiveness Ranking

Each species on the list is assessed according to its cumulative effects on natural areas and native plant habitats where it typically occurs.

Highly invasive species exhibit the most invasive tendencies in natural areas and native plant habitats. They may disrupt ecosystem processes and cause major alterations in plant community composition and structure. They establish readily in natural systems and spread rapidly.

Moderately invasive species exhibit moderate invasiveness in natural areas. They may have minor influence on ecosystem processes, alter plant community composition and affect community structure in at least one layer. They may become dominant in the understory layer without threatening

all species found in the community. These species usually require a minor disturbance to become established.

Occasionally invasive species generally do not affect ecosystem processes but may alter plant community composition by out-competing one or more native plant species. They often become established in severely disturbed areas. The disturbance may be of natural or human origin, such as ice storm damage, wind-throw or road construction. These species spread slowly or not at all from disturbed sites.

Regions

For purposes of this list, the state has been divided into three regions. Coastal Plain and Piedmont follow conventional boundaries. Blue Ridge, Ridge and Valley and Cumberland Mountains are grouped together into one region called Mountain.

Habitat Requirements

The categories for light and soil moisture requirements are very broad and are meant only to give general indication of habitat adaptations for these plants.

VIRGINIA DEPARTMENT OF CONSERVATION AND RECREATION

		Key								
M = Mountains		F = Full sun			H = Hydric (wet)					
P = Piedmont		P = Partial sun			M = Mesic (moist)					
C = Coastal		S = Shade			X = Xeric (dry)					
Common name	Scientific name	Region			Light			Moisture		
		M	P	C	F	P	S	H	M	X
Highly invasive species										
<i>Ailanthus altissima</i>	tree-of-heaven	•	•	•	•	•			•	
<i>Alliaria petiolata</i>	garlic mustard	•	•		•	•	•		•	
<i>Alternanthera philoxeroides</i>	alligator weed			•	•	•		•		
<i>Ampelopsis brevipedunculata</i>	porcelain-berry		•		•	•	•		•	
<i>Carex kobomugi</i>	Asiatic sand sedge			•	•	•				•
<i>Celastrus orbiculata</i>	oriental bittersweet	•	•	•		•	•		•	
<i>Centaurea dubia</i>	short-fringed knapweed	•			•	•			•	•
<i>Centaurea maculosa</i>	spotted knapweed	•	•	•	•	•				•
<i>Cirsium arvense</i>	Canada thistle	•	•	•	•				•	
<i>Dioscorea oppositifolia</i>	Chinese yam	•	•	•		•	•		•	
<i>Elaeagnus umbellata</i>	autumn olive	•	•	•	•	•			•	
<i>Euonymus alata</i>	winged burning bush		•			•	•		•	
<i>Hydrilla verticillata</i>	hydrilla			•	•	•		•		
<i>Imperata cylindrica</i>	cogon grass			•		•	•		•	
<i>Lespedeza cuneata</i>	Chinese lespedeza	•	•		•				•	
<i>Ligustrum sinense</i>	Chinese privet	•	•	•		•	•		•	
<i>Lonicera japonica</i>	Japanese honeysuckle	•	•	•	•	•	•		•	
<i>Lonicera morrowii</i>	Morrow's honeysuckle	•	•		•	•	•		•	
<i>Lonicera standishii</i>	Standish's honeysuckle	•	•			•	•		•	
<i>Lythrum salicaria</i> & <i>L. virgatum</i>	purple loosestrife	•	•	•	•			•	•	
<i>Melilotus alba</i>	white sweet clover	•	•	•	•	•			•	
<i>Melilotus officinalis</i>	yellow sweet clover	•	•	•	•	•			•	
<i>Microstegium vimineum</i>	Japanese stilt grass	•	•	•	•	•	•	•	•	
<i>Murdannia keisak</i>	aneilema		•	•	•	•		•		
<i>Myriophyllum aquaticum</i>	parrot feather	•	•	•	•			•		
<i>Myriophyllum spicatum</i>	European water-milfoil	•	•	•	•			•		
<i>Phragmites australis</i>	common reed		•	•	•	•		•	•	
<i>Polygonum cuspidatum</i>	Japanese knotweed	•	•	•	•	•			•	
<i>Polygonum perfoliatum</i>	mile-a-minute		•		•	•	•		•	
<i>Pueraria lobata</i> (<i>P. montana</i>)	kudzu vine	•	•	•	•	•	•		•	
<i>Ranunculus ficaria</i>	lesser celandine			•		•	•		•	
<i>Rosa multiflora</i>	multiflora rose	•	•	•	•	•			•	
<i>Rubus phoenicolasius</i>	wineberry	•	•	•		•	•		•	
<i>Sorghum halepense</i>	Johnson-grass	•	•	•	•	•			•	
Moderately invasive species										
<i>Acer platanoides</i>	Norway maple	•	•	•	•	•			•	
<i>Agropyron repens</i>	quack grass	•	•	•	•	•			•	
<i>Agrostis tenuis</i>	Rhode Island bent-grass	•	•		•	•			•	
<i>Akebia quinata</i>	five-leaf akebia		•	•	•	•	•		•	
<i>Allium vineale</i>	wild onion	•	•	•	•	•			•	

VIRGINIA'S PRECIOUS HERITAGE

		Key								
M = Mountains		F = Full sun			H = Hydric (wet)			M = Mesic (moist)		
P = Piedmont		P = Partial sun			M = Mesic (moist)			X = Xeric (dry)		
C = Coastal		S = Shade								
Common name	Scientific name	Region			Light			Moisture		
		M	P	C	F	P	S	H	M	X
<i>Artemisia vulgaris</i>	mugwort	•	•	•	•	•			•	•
<i>Arthraxon hispidus</i>	jointed grass	•	•	•	•	•	•	•	•	
<i>Arundo donax</i>	giant reed		•	•	•	•		•	•	
<i>Berberis thunbergii</i>	Japanese barberry	•	•	•	•	•	•		•	
<i>Cardiospermum halicacabum</i>	balloon vine			•	•				•	
<i>Carduus nutans</i>	musk thistle	•	•	•	•				•	
<i>Cassia obtusifolia</i>	sickle pod		•	•	•	•			•	•
<i>Centaurea jacea</i>	brown knapweed	•	•		•	•			•	•
<i>Cirsium vulgare</i>	bull-thistle	•	•	•	•				•	
<i>Convolvulus arvensis</i>	field-bindweed	•	•	•	•	•			•	
<i>Dipsacus laciniatus</i>	cut-leaf teasel	•			•				•	
<i>Dipsacus sylvestris</i>	common teasel	•	•	•	•			•	•	
<i>Egeria densa</i>	Brazilian water-weed	•	•	•	•	•		•		
<i>Euonymus fortunei</i>	wintercreeper			•		•	•	•	•	
<i>Festuca elatior (F. pratensis)</i>	tall fescue	•	•	•	•	•			•	
<i>Foeniculum vulgare</i>	fennel		•	•	•			•	•	•
<i>Glechoma hederacea</i>	gill-over-the-ground	•	•	•		•	•		•	
<i>Hedera helix</i>	English ivy		•	•	•	•	•		•	
<i>Holcus lanatus</i>	velvet-grass	•	•	•	•	•		•	•	
<i>Humulus japonicus</i>	Japanese hops	•	•	•	•	•	•	•	•	
<i>Ipomoea hederacea</i>	ivy-leaved morning-glory	•	•	•	•	•		•	•	
<i>Ipomoea purpurea</i>	common morning-glory	•	•	•	•				•	
<i>Iris pseudacorus</i>	yellow flag	•	•	•	•	•		•		
<i>Lespedeza bicolor</i>	shrubby bushclover	•	•	•	•	•			•	
<i>Ligustrum obtusifolium</i>	blunt-leaved privet		•	•			•		•	
<i>Lonicera maackii</i>	Amur honeysuckle	•	•			•			•	
<i>Lonicera tatarica</i>	Tartarian honeysuckle	•	•		•	•			•	
<i>Lysimachia nummularia</i>	moneywort	•	•	•	•	•	•	•	•	
<i>Melia azedarach</i>	China-berry		•	•	•	•			•	
<i>Phleum pratense</i>	Timothy	•	•	•	•	•			•	
<i>Phyllostachys aurea</i>	golden bamboo		•	•	•	•			•	
<i>Poa compressa</i>	Canada bluegrass	•	•	•	•	•	•		•	•
<i>Poa trivialis</i>	rough bluegrass	•	•	•	•	•	•	•	•	
<i>Polygonum cespitosum</i>	bristled knotweed	•	•	•	•	•	•	•	•	
<i>Populus alba</i>	white poplar	•	•	•	•	•			•	
<i>Raphanus raphanistrum</i>	jointed charlock	•	•	•	•				•	
<i>Rumex acetosella</i>	red sorrel	•	•	•	•	•			•	
<i>Rumex crispus</i>	curled dock	•	•		•				•	•
<i>Setaria faberi</i>	giant foxtail		•	•	•	•			•	
<i>Spiraea japonica</i>	Japanese spiraea	•	•			•	•	•	•	
<i>Stellaria media</i>	common chickweed	•	•	•	•	•	•		•	

VIRGINIA DEPARTMENT OF CONSERVATION AND RECREATION

		Key								
M = Mountains		F = Full sun			H = Hydric (wet)					
P = Piedmont		P = Partial sun			M = Mesic (moist)					
C = Coastal		S = Shade			X = Xeric (dry)					
Common name	Scientific name	Region			Light			Moisture		
		M	P	C	F	P	S	H	M	X
<i>Veronica hederifolia</i>	ivy-leaved speedwell	•	•	•	•	•	•		•	
<i>Wisteria sinensis</i>	Chinese wisteria		•	•		•	•		•	
<i>Xanthium strumarium</i>	common cocklebur	•	•	•	•	•			•	•
Occasionally invasive species										
<i>Agrostis gigantea</i>	redtop	•	•	•	•	•			•	
<i>Ajuga reptans</i>	bugleweed	•	•	•	•	•			•	•
<i>Albizia julibrissin</i>	mimosa	•	•	•	•	•			•	
<i>Arrhenatherum elatius</i>	oatgrass	•	•	•	•	•			•	
<i>Commelina communis</i>	common dayflower	•	•	•	•	•			•	
<i>Conium maculatum</i>	poison hemlock	•	•	•	•	•			•	
<i>Coronilla varia</i>	crown-vetch	•	•	•	•				•	•
<i>Dactylis glomerata</i>	orchard grass	•	•	•	•	•			•	
<i>Elaeagnus angustifolia</i>	Russian olive	•	•	•	•	•			•	
<i>Elaeagnus pungens</i>	thorny elaeagnus		•	•		•			•	
<i>Eragrostis curvula</i>	weeping lovegrass	•	•	•	•				•	•
<i>Euphorbia esula</i>	leafy spurge	•	•			•	•		•	
<i>Ipomoea coccinea</i>	red morning-glory	•	•	•	•				•	
<i>Lapsana communis</i>	nipplewort	•			•	•			•	
<i>Lonicera fragrantissima</i>	sweet breath of spring		•		•	•			•	
<i>Lonicera x bella</i>	Bell's honeysuckle	•	•	•	•	•			•	
<i>Lotus corniculatus</i>	birdsfoot trefoil	•	•	•	•	•			•	•
<i>Miscanthus sinensis</i>	silver grass	•	•	•	•	•			•	
<i>Morus alba</i>	white mulberry	•	•	•	•	•			•	
<i>Pastinaca sativa</i>	wild parsnip	•	•	•	•	•			•	
<i>Perilla frutescens</i>	beefsteak plant	•	•	•		•	•		•	
<i>Pinus thunbergii</i>	black pine			•	•	•			•	
<i>Quercus acutissima</i>	sawtooth oak	•			•				•	
<i>Trapa natans</i>	water chestnut			•	•			•	•	
<i>Ulmus pumila</i>	Siberian elm		•		•	•			•	
<i>Viburnum dilatatum</i>	linden viburnum		•		•	•			•	
<i>Vinca minor & V. major</i>	periwinkle	•	•	•	•	•	•		•	
<i>Wisteria floribunda</i>	Japanese wisteria			•		•	•		•	

Virginia Endangered Species Act

Code of Virginia
Article 6.
Endangered Species.

§ 29.1-563. Definitions. – For the purposes of this article:

"*Endangered species*" means any species which is in danger of extinction throughout all or a significant portion of its range;

"*Fish or wildlife*" means any member of the animal kingdom, vertebrate or invertebrate, except for the class Insecta, and includes any part, products, egg, or the dead body or parts thereof;

"*Person*" means any individual, firm, corporation, association or partnership;

"*Threatened species*" means any species which is likely to become an endangered species within the foreseeable future throughout all or a significant portion of its range. (1972, c. 329, § 29-231; 1977, c. 377; 1987, c. 488; 1990, c. 369.)

§ 29.1-564. Taking, transportation, sale, etc., of endangered species prohibited. – The taking, transportation, processing, sale, or offer for sale within the Commonwealth of any fish or wildlife appearing on any list of threatened or endangered species published by the United States Secretary of the Interior pursuant to the provisions of the federal Endangered Species Act of 1973 (P.L. 93-205), or any modifications or amendments thereto, is prohibited except as provided in § [29.1-568](#). (1972, c. 329, § 29-232; 1977, c. 377; 1987, c. 488.)

§ 29.1-566. Regulations. – The Board is authorized to adopt the federal list, as well as modifications and amendments thereto by regulations; to declare by regulation, after consideration of recommendations from the Director of the Department of Conservation and Recreation and from other reliable data sources, that species not appearing on the federal

lists are endangered or threatened species in Virginia; and to prohibit by regulation the taking, transportation, processing, sale, or offer for sale within the Commonwealth of any threatened or endangered species of fish or wildlife. (1972, c. 329, §§ 29-233, 29-234; 1977, c. 377; 1987, c. 488; 1989, c. 553.)

§ 29.1-567. Penalties; authority of game wardens and police officers; disposition of property seized. –

A. Any person who violates the provisions of § [29.1-564](#) or § [29.1-566](#), or any regulations issued pursuant to these sections, or whoever violates any regulation or permit issued under § [29.1-568](#) shall be guilty of a Class 1 misdemeanor; however, the sale, offering for sale, purchasing or offering to purchase within the Commonwealth of any fish or wildlife appearing on a list of threatened or endangered species as prohibited by § [29.1-564](#) shall be punishable as provided in § [29.1-553](#).

B. Any judicial officer or other officer authorized to issue criminal warrants shall have authority to issue a warrant for the search and seizure of any goods, business records, merchandise or fish or wildlife taken, employed or used in connection with a violation of any provision of this article. All such search warrants shall be issued and executed pursuant to Chapter 5 (§ [19.2-52](#) et seq.) of Title 19.2.

C. Goods, merchandise, fish or wildlife or records seized under the provisions of subsection B of this section shall be held by an officer or agent of the Department at the direction of the judge or court pending disposition of court proceedings, and thereafter be forfeited to the Commonwealth for destruction or disposition as the Director may deem appropriate. However, prior to forfeiture, the Director may direct the transfer of fish or wildlife so

seized to a qualified zoological, educational, or scientific institution for safekeeping, with costs assessable to the defendant. The Board is authorized to issue regulations to implement this section. (1972, c. 329, § 29-235; 1987, c. 488; 1990, c. 123; 1994, c. 848.)

§ 29.1-568. When Board may permit taking, etc., of endangered species. – The Board may permit the taking, exportation, transportation or possession of any fish or wildlife which is listed by the provisions of this article, for zoological, educational, or scientific purposes and for propagation of such fish or wildlife in captivity for preservation purposes. (1972, c. 329, § 29-236; 1987, c. 488.)

§ 29.1-569. Keeping of reptiles generally; penalty. – It shall be unlawful for the owner or keeper of any exotic reptile or type of reptile not native to the Commonwealth of Virginia, including but not limited to the American alligator, to keep the reptile in any manner that will permit its escape or to knowingly permit the reptile to run at large. Any violation of this section shall constitute a Class 2 misdemeanor. (1980, c. 202, § 29-213.35; 1987, c. 488; 1999, c. 85.)

§ 29.1-570. Cooperation of state agencies. – All departments, commissions, boards, authorities, agencies, offices and institutions within any branch of the state government shall cooperate with the Board in carrying out the purposes of this article. (1978, c. 835, § 29-248; 1987, c. 488.)

Virginia Endangered Plant and Insect Species Act

Code of Virginia
Chapter 39
Endangered Plant and Insect Species Act.

§ 3.1-1020. **Short title.** – This chapter shall be known and may be cited as the "Endangered Plant and Insect Species Act." (1979, c. 372.)

§ 3.1-1021. **Definitions.** – As used in this chapter:
"Board" means the Board of Agriculture and Consumer Services.
"Candidate species" means those species formally recommended by the Director of the Department of Conservation and Recreation or other reliable data sources in writing to and accepted by the Commissioner for presentation to the Board of Agriculture and Consumer Services for listing under the Virginia Endangered Plant and Insect Species Act.
"Commissioner" means the Commissioner of the Department of Agriculture and Consumer Services or his designee.
"Department" means the Department of Agriculture and Consumer Services.
"Endangered species" means any species or variety of plant life or insect life determined by the Board to be in danger of extinction throughout all or a significant part of its range other than a species determined by the Commissioner not to be in the best interest of the welfare of man.
"Insect" or "insect life" means any species of the class Insecta.
"Person" means an individual, corporation, partnership, trust, association, or any other private entity, or any officer, agent, department, or instrumentality of the federal government, of any state or political subdivision thereof, or of any foreign government.

"Plant" or "plant life" means any member of the plant kingdom, including spores, leaves, stems, branches, flowers, seeds, roots, and other parts or products thereof.

"Proposed species" means any candidate species authorized by the Board for consideration for listing as endangered or threatened under the Endangered Plant and Insect Species Act.

"Species" includes any species or variety of plant life or insects.

"Take" means, in reference to plants and insects, to collect, pick, cut, or dig up for the purpose of resale.

"Threatened species" means any species determined by the Board to be likely to become an endangered species within the foreseeable future throughout all or a significant portion of its native range. (1979, c. 372; 1985, c. 326; 1989, c. 553; 1990, c. 369.)

§ 3.1-1022. **Powers and duties of Commissioner; appointment of State Botanist and assistants; cooperative agreements; programs; permits; funding; when endangered or threatened species may be taken, etc.** – For the purpose of effectively administering this chapter, the Commissioner shall have the following powers and duties:
A. It shall be the duty of the Commissioner of Agriculture and Consumer Services to exercise or perform the powers and duties imposed upon him by this chapter.
B. It shall be the duty of the Commissioner to appoint a competent person as State Botanist and such other assistants as he deems necessary, who shall advise and assist the Commissioner in carrying out the provisions of this chapter.

C. In carrying out the program authorized by this chapter the Commissioner may enter into cooperative agreements with federal and state agencies, political subdivisions of the Commonwealth or with private persons or groups for the administration and management of any area or program established under this chapter.

D. The Commissioner may establish programs as are deemed necessary for the management of endangered or threatened species. The Commissioner may issue a permit under certain circumstances for the taking, possessing, buying, selling, transporting, exporting or shipping of any endangered or threatened species which appears on the state list of endangered or threatened species for scientific, biological, or educational purposes or for propagation in order to ensure their survival, provided that such action does not violate federal laws or regulations.

E. The Commissioner may accept funds for a special account or other gifts or grants from any source for use in the furtherance of this chapter. Funds collected for services on articles determined by the Commissioner to be beyond the scope of this chapter shall revert to the fund from which expended.

F. The Commissioner may enter into reciprocal agreements with responsible officers of other states under which any part of this chapter would benefit.

G. Upon good cause shown and where necessary to alleviate damage to property, the impact on progressive development, or protect human health, endangered or threatened species on the state list may be removed, taken, or destroyed but only in accordance with a permit issued by the Commissioner provided that such action does not violate federal laws or regulations. (1979, c. 372; 1985, c. 326.)

§ 3.1-1023. Prohibitions on taking, possession, etc., of endangered or threatened species. – It shall be unlawful for any person to dig, take, cut, process, or otherwise collect, remove, transport, possess, sell, offer for sale, or give away any species native to or occurring in the wild in Virginia that are listed in this chapter or rules and regulations promulgated pursuant thereto as threatened or endangered, other than from such person's own land, except in accordance with this chapter or the rules and

regulations adopted pursuant to this chapter by the Board. (1979, c. 372.)

§ 3.1-1024. Power of Commissioner to regulate sale and movement of endangered and threatened species.

– A. The Commissioner or his assistants are hereby authorized to stop sale, to seize or return to point of origin at the owner's expense, any endangered or threatened species, or part thereof possessed, transported or moved within this Commonwealth or brought into this Commonwealth from any place outside thereof if such is found by him or his duly authorized agents to be in violation of this chapter or the rules and regulations promulgated pursuant thereto. Products or species seized may be disposed of at the discretion of the Commissioner.

B. The Commissioner may demand of any person possessing endangered species or parts thereof to present such species or parts thereof for inspection and to give full information as to its origin and destination.

C. In those situations in which permission to enter is denied by the owner or occupant, the Commissioner is hereby authorized to seek an administrative inspection warrant signed by any judge of any circuit court whose territorial jurisdiction encompasses the property to be inspected, authorizing the Commissioner or his designated representative to make inspections or develop other biological data for the proper management of any endangered or threatened species. The issuance of an administrative inspection warrant pursuant hereto shall conform, insofar as is practicable, to the requirements and guidelines set forth in Chapter 24 (§ [19.2-393](#) et seq.) of Title 19.2 relating to the issuance of inspection warrants in connection with the manufacturing or emitting of a toxic substance. (1979, c. 372.)

§ 3.1-1025. Powers and duties of Board; listing of rare species; further powers of Commissioner. – A.

The Board may prescribe and adopt regulations including, but not limited to, the listing of endangered or threatened species, their taking, quotas, seasons, buying, selling, possessing, monitoring of movement, investigating, protecting, or any other need in furtherance of the purposes of this chapter.

B. The Commissioner may permit the taking of a threatened species when the Board has determined that its abundance in the Commonwealth justifies a controlled harvest which is not in violation of federal laws or regulations. The Commissioner shall take the necessary action to conserve, protect, restore, or propagate endangered and threatened species.

C. The Board may adopt regulations to permit and control the commercial harvest of certain threatened species that would prevent that species from becoming endangered or extinct.

D. The Commissioner may conduct investigations of species of plants and insects, in order to develop information relating to the population, distribution, habitat needs, limiting factors, and other biological and ecological data in order to determine management measures necessary to assure their continued ability to sustain themselves successfully. As a result of this investigation and recommendations received regarding candidate species from the Director of the Department of Conservation and Recreation and from other reliable data, the Board shall approve proposed species to be added to or deleted from the list of endangered species or the list of threatened species, or to be transferred from one list to the other. (1979, c. 372; 1985, c. 326; 1989, c. 553; 1990, c. 369.)

§ 3.1-1026. License required to buy threatened species; records of purchases. – A. It shall be unlawful for any person to buy any threatened species or part thereof, which is listed in this chapter or rules and regulations promulgated pursuant thereto, without first obtaining a license to do so from the Commissioner. Provided, however, that the provisions of this section shall not apply to the purchase or sale of real property upon which such threatened species or part thereof may be located. Application forms shall be provided by the Commissioner and shall be completed and returned with a fee of ten dollars made payable to the Treasurer of Virginia. Licenses shall expire on December 31 annually and there shall be no abatement in the annual fee. Licenses may be revoked at any time by the Commissioner for good cause.

B. The buyer of any threatened species or part thereof shall maintain and keep records of all purchases for the preceding twelve months on forms

prescribed by the Commissioner. Records shall be sent or otherwise provided to the Commissioner within thirty days following the expiration of the license. Records shall be made available to the Commissioner or his assistants during normal business hours for examination or information. (1979, c. 372.)

§ 3.1-1027. Wild ginseng declared threatened plant species; license; harvesting season. – The indigenous plant, *Panax quinquefolius* L., of the Araliaceae family, commonly referred to as ginseng, is hereby declared a threatened plant species when it occurs in the wild. All persons buying wild ginseng or otherwise accepting this plant or part thereof for resale shall be licensed to do so and shall acquire wild ginseng or parts thereof in accordance with this chapter and the rules and regulations established by the authority of this chapter. The wild ginseng harvest season shall be August 15 to December 31 annually. If any person takes wild ginseng, other than from his own land, on any other date it shall be deemed a violation of this chapter. (1979, c. 372; 1983, c. 121.)

§ 3.1-1027.1. Export certificate required for export of ginseng; exception; records. – All persons who have ginseng either wild or artificially propagated in any quantity and who wish to export any amount out of the Commonwealth shall obtain an export certificate from the Department of Agriculture and Consumer Services. The provisions of this paragraph shall not apply to persons exporting ginseng for personal or individual use in quantities not exceeding eight ounces in any calendar year. To obtain an export certificate, an individual shall keep accurate records of the year of harvest and the county of origin of the ginseng. In the case of dealers, a person shall keep accurate records of purchases, quantity purchased, whether the ginseng was wild or cultivated, county of origin, and the name of the seller. Such records shall be presented to the Commissioner or his assistants for inspection. (1983, c. 121.)

§ 3.1-1028. Virginia birch declared endangered species. – Virginia birch or round-leaf birch, *Betula uber* of the Betulaceae family, is hereby declared an

endangered species as defined herein and is subject to this chapter in order to preserve those specimens known to occur in this Commonwealth. (1979, c. 372.)

§ 3.1-1029. Enforcement of chapter; summons. –

Any game warden or law-enforcement officer as defined in § [9.1-101](#), excluding certain Alcoholic Beverage Control Board members, may enforce this chapter and the regulations promulgated under this chapter as well as those who are so designated by the

Commissioner. Those designated by the Commissioner are hereby authorized to issue a summons to any violator of the provisions of this chapter to appear at a time and place to be specified in such summons. (1979, c. 372.)

§ 3.1-1030. Penalty. – Any person who violates any provision of this chapter or the rules and regulations promulgated thereto shall be guilty of a Class 1 misdemeanor. (1979, c. 372; 1985, c. 326.)

Appendix K

Scorecard For Candidate Natural Area Preserves

The Natural Heritage Program staff consider a wide range of criteria when evaluating properties for inclusion in the Natural Area Preserve System. This scorecard was devised as a means to compare sites to ensure the best possible allocation of resources when acquiring new preserves.

Criterion	Score	Notes
<p>1) B-rank: What is the Natural Heritage Biodiversity Rank of the site? Assign value below based on the site's B-rank. Maximum score: 15.</p> <p>B1=15 B4=1 B2=10 B5=0 B3=5</p>		
<p>2) No. & Quality of EOs: How many element occurrences are known for the site and what is the quality of those occurrences? Assign the value below for each occurrence based on it's EO-rank. Sum these values. Maximum score: 15</p> <p>A-rank=4 C-rank=1 AB-rank=3 CD-rank=0.5 B-rank=2 D-rank=0 BC-rank=1.5 E-rank=1</p>		
<p>3) Community Representation: To what extent does the site support exemplary natural communities that are not well protected in Virginia? Maximum score: 10.</p> <ul style="list-style-type: none"> • Supports communities not found on other protected lands = 10 • Supports communities found on limited number (1-10) of protected lands = 5 • Supports communities well represented (10+) on other protected lands = 0 		
<p>4) Rare Species Representation: To what extent does the site support rare species that are not well protected in Virginia? Maximum score: 5.</p> <ul style="list-style-type: none"> • Supports rare species not found on other protected lands = 5 • Supports rare species found on limited number (1-10) of protected lands = 3 • Supports rare species well represented (10+) on other protected lands = 0 		
<p>5) Size & Natural Condition: Are the size and natural condition of the site adequate to protect and allow for management of conservation targets? Maximum score: 5</p> <ul style="list-style-type: none"> • Size and condition are adequate to fully protect & manage targets = 5 • Size and condition are uncertain to provide for full protection and management of conservation targets = 3 • Size and condition are unlikely to allow full protection & management of the conservation targets = 0 		
<p>6) Proximity: Is the site/tract adjacent to or in close physical or functional proximity (e.g. upstream or upslope) to other protected managed areas and would it expand the protection of natural heritage resources? Maximum score: 5</p> <ul style="list-style-type: none"> • Close proximity and supports NHRs = 5 • Close proximity, important buffer, but no NHRs = 3 • No physical or functional proximity to existing natural area = 0 		

VIRGINIA DEPARTMENT OF CONSERVATION AND RECREATION

Criterion	Score	Notes
<p>7) Previous land-use: Are natural heritage resources threatened by the effects of previous land-uses? If so, will it take a significant effort to abate these threats through restoration efforts? Maximum score: 5</p> <ul style="list-style-type: none"> • No threat = 5 • Low threat = 4 • Medium threat = 2 • High threat = 0 		
<p>8) Fire management: Is fire management needed and feasible? If so, what are the complexity levels of safety, smoke, and escape potential involved? Maximum score: 5</p> <ul style="list-style-type: none"> • No fire management needed = 5 • Fire management is needed, low complexity = 4 • Fire management is needed, moderate complexity = 3 • Fire management is needed, high complexity = 2 • Fire management is needed but not feasible, complexity too high = 0 		
<p>9) Invasive Species: What is the level of invasive species management needed and how soon can a maintenance level of control be attained? Maximum score: 5</p> <ul style="list-style-type: none"> • Invasive species pose no threat to NHRs = 5 • Minor invasive problems; can control in 1-3 years = 4 • Significant invasive problems; can control in 3-6 years = 2 • Major invasive problems; probably cannot be controlled at a reasonable cost = 0 		
<p>10) Restoration Potential: Is there potential for restoring degraded or lost communities or natural values? Maximum score: 5</p> <ul style="list-style-type: none"> • Site is in excellent condition; no restoration needed = 5 • Site has high potential for habitat restoration = 4 • Site has moderate potential for habitat restoration = 2 • No potential for restoration = 0 		
<p>11) Access restrictions: Are there access restrictions to the site that will impair ability to properly manage the property? Maximum score: 5</p> <ul style="list-style-type: none"> • No apparent access restrictions = 5 • Some access restrictions = 3 • Major access restrictions = 0 		
<p>12) Applicant Qualifications: Does the applicant have the capability to manage and protect the site? Maximum score: 10</p> <ul style="list-style-type: none"> • Applicant has proven experience with natural community/rare species management = 10 • Applicant has land management experience = 5 • Applicant has no proven land management experience = 0 		
<p>13) Contingencies: Will the acquisition of the property or easement be contingent upon special arrangements such as farming, grazing, housing, hunting, or timber rights? Maximum score: 5</p> <ul style="list-style-type: none"> • No = 5 • Yes, but short-term or not likely to significantly interfere with management of the site = 3 • Yes, contingencies are long-term and may significantly interfere with management of the site = 0 		
<p>14) In-holdings: Does the property have private in-holdings? Maximum score: 5</p> <ul style="list-style-type: none"> • No = 5 • Yes but not likely to significantly interfere with management of the site = 3 • Yes and likely to significantly interfere with management of the site = 0 		
TOTAL SCORE		

Other Considerations For Land Protection Projects

Primary considerations: These questions must be asked and must receive a yes answer before proceeding with a land protection project.

- ◆ **availability of property:** Is the landowner willing to sell or donate the property or easement?
- ◆ **availability of funds:** Does DCR have the funds available to acquire the property or easement?

Secondary considerations: These questions should be asked before proceeding with a land protection project but a negative answer does not necessarily stop a project. Positive responses may have significant influence over the decision to proceed.

- ◆ **vulnerability of site:** Is the property likely to become unavailable or significantly degraded if not protected within the next five years?
- ◆ **vulnerability of natural heritage resources:** Are the Natural Heritage Resources on the site likely to be lost from Virginia or significantly degraded if not protected within the next five years?
- ◆ **completeness of project:** Will this project result in the total protection of a conservation site?
- ◆ **geographic representation:** Will this project help DCR have better geographic coverage by establishing a preserve in a locality, watershed, PDC or state senatorial district, which currently is under-represented?
- ◆ **other conservation objectives:** Will this project help DCR meet other important conservation objectives such as wetland restoration, Chesapeake Bay watershed protection, ecoregional planning targets or endangered species recovery goals?
- ◆ **other values:** Will this project result in other tangible public benefits such as providing significant outdoor recreational opportunities?

- ◆ **cost vs. benefit:** Are the costs worth the conservation benefits? Would there be greater benefits if the funds were expended on another project?
- ◆ **outside funding sources:** Are there other funding sources to help cover the costs of the project? For every dollar DCR invests, what will be the value of the return when these other sources are considered? (Include donated properties and easements.)

Appendix L

Land Trusts that Operate in Virginia

An increasing number of land trusts are being established in Virginia each year. This list is provided by the Virginia Department of Conservation and Recreation's Office of Land Conservation, which serves as a clearinghouse for information on land protection options in Virginia. For additional information and the most up-to-date list of Virginia land trusts visit the website:

www.dcr.state.va.us/olc/

Accokeek Foundation
3400 Bryan Point Rd
Accokeek, MD 20607-9676
Phone: (301) 283-2113
Fax: (301) 283-2049
Area of Operation: Maryland, Virginia, West Virginia, and the District of Columbia
Email: accofound@accokeek.org
www.accokeek.org

Appalachian Trail Conference
P.O. Box 807
Harpers Ferry, WV 25425-0807
Phone: (304) 535-6331
Fax: (304) 535-2667
Area of Operation: The Appalachian Mountains/Trail
Email: atc-varo@appalachiantrail.org
www.appalachiantrail.org

Association for the Preservation of Virginia Antiquities
204 W. Franklin St.
Richmond, VA 23220
Phone: (804) 648-1899
Area of Operation: Eastern Shore to mountains of Blackburg
Email: clong@apva.org
www.apva.org/apva/index.html

Blue Ridge Foothills Conservancy
HC 6 Box 215
Madison, VA 22719-9711
Phone: (540) 923-9980
Fax: (540)-923-4841
Area of Operation: Madison and Green Counties
Email: blueridgeconserve@nexet.net
www.blueridgeconserve.com

Burwell-van Lennep Foundation
P.O. Box 245
Millwood, VA 22646-0245
Phone: (540) 837-1353
Fax: (540) 837-1352
Area of Operation: Clarke County
Email: cburl@shentel.net

Cedar Creek Battlefield Foundation
P.O. Box 229
Middletown, VA 22645
Phone: (540) 869-2064 Toll-free: (888) 628-1864
Fax: (540) 869-1438
Area of Operation: Cedar Creek Battlefield, Middletown, Va.
Email: cedarcrk@visuallink.com
www.cedarcreekbattlefield.org

VIRGINIA DEPARTMENT OF CONSERVATION AND RECREATION

Central Virginia Battlefields Trust
64 Brittany Lane
Stafford, VA 22554-7687
Phone: (703) 395-4236
Area of Operation: Fredericksburg and
Spotsylvania Counties
Email: webmaster@cvbt.org
www.cvbt.org

Chesapeake Bay Foundation
1108 East Main St, Suite 1600
Richmond, VA 23219
Phone: (804) 780-1392
Area of Operation: Chesapeake Bay watershed
Email: jljerch@cbf.org
www.cbf.org

Civil War Preservation Trust
1331 H St NW Ste 1000
Washington, DC 20005-4745
Phone: (202) 367-1861
Fax: (202) 367-1865
Area of Operation: Civil War battlefields
Email: civilwartrust@civilwar.org
www.civilwar.org

500-Year Forest Foundation
1133 Old Abert Road
Lynchburg, VA 24503-6455
Phone: (804) 384-2324
Fax: (804) 384-3268
Area of Operation: Virginia
Email: info@500yearforest.org
www.500yearforest.org

Friends of Chesterfield's Riverfront
P.O. Box 2158
Chesterfield, VA 23832
(804) 796-6091
Fax (804) 796-6092
Area of Operation: James and Appomattox
Riverfronts in Chesterfield County
Email riverfronts@earthlink.net
www.co.chesterfield.va.us/riverfront/

Friends of Dragon Run
P.O. Box 882
Gloucester, VA 23061-0882
Phone: (804) 694-5415
Fax:
Area of Operation: Dragon Run watershed: King and
Queen, Gloucester, Middlesex, and Essex Counties
Email: katgreg03@rivnet.net
www.dragonrun.org

Hampton Land Conservancy
4896 Burnham Rd.
Richmond, VA 23234
Phone: (804) 275-6476
Fax: (804) 275-6476 (call prior to
Faxing)
Area of Operation: Hampton and adjoining localities
Email: tmatteson1@mindspring.com

Historic Green Springs
P.O. Box 1685
Louisa, VA 23093-1685
Phone: (540) 967-1099
Fax: (540) 967-1308
Area of Operation: Green Springs Historic District,
Louisa County

Historic Polegreen Church Foundation
P.O. Box 2111
Mechanicsville, VA 23116
Area of Operation: Richmond battlefield area

James River Association
P.O. Box 909
Mechanicsville, VA 23111
Phone: (804) 730-2898
Fax: (804) 730-2898
Area of Operation: James River watershed
Email: pjackson@jamesriverassociation.org
www.jamesriverassociation.org

VIRGINIA'S PRECIOUS HERITAGE

Jamestown Compact Land Trust
P.O. Box 2272
Middleburg, VA 20118-2272
Phone: (540) 687-3654
Fax: (540) 687-6632
Area of Operation: Mosby Heritage Area -
Loudon and Fauquier Counties
Email: tdodson@jamestowncompact.org
www.jamestowncompact.org

Kernstown Battlefield Association
P.O. Box 1327
Winchester, VA
Area of Operation: Kernstown Battlefield,
Winchester and Frederick, Va.
Email: kba@kernstownbattle.org
www.kernstownbattle.org

Land Trust of Virginia
P.O. Box 14
Middleburg, VA 20118
Phone: (540) 687-8441
Fax: (540) 687-4619
Area of Operation: Loudon, Clarke and Madison
Counties
Email: bruce@presidential.com
www.landtrustva.org

Mathews County Land Conservancy
P.O. Box 306
Mathews, VA 23109-0306
Phone: (804) 725-9685
Fax: (804) 725-1225
Area of Operation: Mathews County
Email: lcsmlc@ccsinc.com

McLean Land Conservancy
P.O. Box 224
McLean, VA 22101
(703) 241-1095
Fax 703/241-1560
Area of Operation: McLean area, including
McLean, Great Falls, and parts of Falls Church
email awhyte@bellatlantic.net

Middle Peninsula Land Trust
P.O. Box 585
Mathews, VA 23109-0585
Phone: (804) 725-4622
Fax: (804) 725-4622
Area of Operation: Essex, Gloucester, King and Queen,
King William, Mathews and Middlesex counties
Email: layer@inna.net

National Committee for the New River
4 N. Jefferson Ave.
P.O. Box 1480
West Jefferson, NC 28694
Phone: (336) 246-4871
Fax: (336) 246-6433
Area of Operation: New River watershed
Email: ncnr@fastransit.net
www.ncnr.org

National Forestry Land Trust
374 Maple Avenue
Vienna, VA 22180-4718
Phone: (703) 255-2700
Fax: (703) 281-9200
Area of Operation:
Email: argow@nwoa.net
www.nationalforestry.net

National Trust for Historic Preservation
1785 Massachusetts Ave, NW
Washington, DC 20036
Phone: (202) 588-6000
www.nationaltrust.org

New River Land Trust
P.O. Box 11057
Blacksburg, VA 24062-1057
Phone: (540) 951-1704
Fax: (540) 951-0223
Area of Operation: New River Watershed
Email: betho@i-plus.net

VIRGINIA DEPARTMENT OF CONSERVATION AND RECREATION

Northern Virginia Conservation Trust
4022 Hummer Road
Annandale, VA 22003-2403
Phone: (703) 354-5093
Fax: (703)-354-5169
Area of Operation: Northern Virginia
Email: pgilbert@nvct.org
www.nvct.org

Piedmont Environmental Council
P.O. Box 460
Warrenton, VA 20188-0460
Phone: (540) 347-2334
Fax: (540) 347-9003
Area of Operation: Albemarle, Clarke, Culpeper,
Fauquier, Greene, Loudoun, Madison, Orange,
and Rappahannock Counties
Email: pec@pecva.org
www.pecva.org

Potomac Appalachian Trail Club
118 Park St SE
Vienna, VA 22180-4608
Phone: (703) 242-0693
Fax: (703) 242-0968
Area of Operation: Virginia, Maryland, West
Virginia, Pennsylvania, and Washington, DC
Email: info@patc.net
www.patc.net

Potomac Conservancy
1730 N Lynn St Ste 403
Arlington, VA 22209-2004
Phone: (703) 276-2777
Fax: (703) 276-1098
Area of Operation: Potomac watershed
Email: webmaster@potomac.org
www.potomac.org

Preservation Alliance of Virginia
108 E. Grace St., Suite 1
Richmond, VA 23219
Phone: (804) 421-9800
Fax: (804) 421-9810
Area of Operation: Virginia
Email: pav@vapreservation.org
www.vapreservation.org

Rivanna Conservation Society
P.O. Box 141
Palmyra, VA 22963-0141
Phone: (434) 589-7576
Area of Operation:
Email: racs@avenue.org
avenue.org/racs

Rockbridge Area Conservation Council
P.O. Box 564
Lexington, VA 24450
Phone: (540) 463-2330
Area of Operation: Rockbridge County and immediate
surrounding area
Email: RACC@rockbridge.net
<http://organizations.rockbridge.net/racc/>

Scenic Virginia
P.O. Box 17606
Richmond, VA 23226
Phone: (804) 282-5522
Fax: (804) 282-5506
Area of Operation: Virginia
Email: email@scenicva.org
www.scenicva.org

Shenandoah Valley Battlefields Foundation
P.O. Box 897
New Market, VA 22844
Phone: (540) 740-4545
Fax (540) 740-4509
Area of Operation: Shenandoah Valley
Email: jhutch@shentel.net
www.shenandoahatwar.org

The Nature Conservancy of Virginia
490 Westfield Rd
Charlottesville, VA 22901-1633
Phone: (804) 295-6106
Fax: (804) 979-0370
Area of Operation: Virginia
Email: dwhite@tnc.org
www.nature.org/virginia

VIRGINIA'S PRECIOUS HERITAGE

Trevilian Station Battlefield Foundation
P.O. Box 124
Trevilians, VA 23170
(804) 589-8989, (540) 832-2862
Area of Operation: Trevilian Station Battlefield
www.trevilianbattlefield.org

Valley Conservation Council
P.O. Box 2335
Staunton, VA 24402-2335
Phone: (540) 886-3541
Fax: (540) 886-1380
Area of Operation: Shenandoah Valley - eleven counties
Email: vcc@cfw.com
www.valleyconservation.org

Virginia Outdoors Foundation
302 Royal Lane
Blacksburg, VA 24060
Phone: (540) 951-2822
Fax: (540) 951-2695
Area of Operation: Virginia
Email: tvance@virginiaoutdoorsfoundation.org
www.virginiaoutdoorsfoundation.org

Waterford Foundation
P.O. Box 142
Waterford, VA 20197-0142
Phone: (540) 882-3018
Fax: (540) 882-3921
Area of Operation: Waterford National Historic Landmark District, Coctania River, and northern Loudoun County
Email: info@waterfordva.org
www.waterfordva.org

Western Virginia Land Trust
722 First Street, Suite L
Roanoke, VA 24016-4120
Phone: (540) 985-0000
Fax: (540) 985-0000
Area of Operation: Western Virginia
Email: info@westernvirginialandtrust.org
www.westernvirginialandtrust.org

Williamsburg Land Conservancy
5000 New Point Road, Suite 1202
Williamsburg, VA 23188-9411
Phone: (757) 565-0343
Fax: (757) 565-0049
Area of Operation: The Historic Triangle - Williamsburg, Yorktown, Jamestown
Email: carenschu@widowmaker.com
www.williamsburglandconservancy.org