

Brandnew



Multifunctional and reasonably priced:
The Innovative IP Phone Family
tiptel 32xx series



tiptel

Multifunctional & reasonably priced: The Innovative IP Phone Family tiptel 32xx series

With the release of the tiptel 32xx series IP phones, Tiptel proves again her innovative look to specifically for users designed IP phones who integrated communication with excellent functionality, excellent HD sound quality and an ultra-slim design. The tiptel 32xx series is characterized by a very soothing design and intuitive operation.

Everything your teams need is a reliable office phone that is equipped with advanced features and functions that are easy to learn. The tiptel 32xx series are professional IP desk phones which combines advanced hardware with proven generic software designed for busy professionals. All phones in the tiptel 32xx series have the same menu structure. The intuitive user interface of the menu and the direct function keys on the phones makes navigation easy and requires minimal training.

All phones have the clear and well-organized Web interface. By this easy-to-use Web interface the phones are by both the user and the installer easy to configure.

The tiptel 32xx series makes communications easy!



tiptel 3275

Next generation touch screen IP phone with
high resolution camera.

- 7" capacitive touch screen TFT-LCD, 800x480 pixels
- 2M pixels CMOS camera with privacy shutter
- Dual switched 10/100Mbps Ethernet ports, Bluetooth, USB, PoE and Wireless feature
- Android 4.2 operating system and support Android API for the 3 party Android application installation





tiptel 3235

Power mid-range business phone for today's office workers and call attendants delivering HD voice

- Color display
- Gigabit
- HD Voice
- Up to 3 SIP Accounts
- 8 programmable display keys
- 2.9" 132x64 Graphical LCD with Backlight
- Support 3-way Conference
- Support PoE
- Full Compatible with Asterisk, BroadSoft Platform

tiptel 3245

Premium high-range business phone delivering best-in-class desktop productivity for busy corporate executives and managers

- Color display
- Gigabit
- HD Voice
- Up to 6 SIP Accounts
- 10 programmable display keys
- 4.3" 480x272 Graphical LCD with Backlight
- Support 3-way Conference
- Support PoE
- Full Compatible with Asterisk, BroadSoft Platform





tiptel 3230

Power mid-range business phone for today's office workers and call attendants delivering HD voice

- HD Voice
- Up to 3 SIP Accounts
- 2.9" 132x64 Graphical LCD with Backlight
- Support 3-way Conference
- Support PoE
- Full Compatible with Asterisk, BroadSoft Platform

tiptel 3240

Premium high-range business phone delivering best-in-class desktop productivity for busy corporate executives and managers

- HD Voice
- Up to 6 SIP Accounts
- 4.3" 480x272 Graphical LCD with Backlight, 4-bit Graylevel
- Support 3-way Conference
- Support PoE
- Full Compatible with Asterisk, BroadSoft Platform





tiptel 3210

Cost-effective business phone with HD voice

- HD Voice
- 1 SIP Account
- 2.3" 132x64 Graphical LCD with Backlight
- Support 3-way Conference
- Support PoE
- Full Compatible with Asterisk, BroadSoft Platform

tiptel 3220

Cost-effective business phone with HD voice

- HD Voice
- Up to 2 SIP Accounts
- 2.3" 132x64 Graphical LCD with Backlight
- Support 3-way Conference
- Support PoE
- Full Compatible with Asterisk, BroadSoft Platform





HS108-P(v2)

Hotel Compact Type IP Phone

This IP Phone is special designed for hotel, business hall and other service places, which is an easy operational, wall-mountable and desktop IP Phone. Its fashion and scientific appearance, excellent voice quality and powerful function with matching integrated communication platforms can replace traditional phone and become a new generation of intelligent terminal equipment.

- Double use (Wall-mountable and desktop)
- HD Voice: HD Codec, HD Speaker.
- WEB support Multi-language, e.g. Chinese, English, Russian, French etc.
- One SIP accounts and support three-way conference.
- Support IEEE802.3af class 0 (POE).
- Convenient and fast for Installation and maintenance
- Support HTTP/TFTP/Telnet/Auto provision, and TR069 centralization maintenance.
- Call hold, Call waiting, Call forward, Call return, Call transfer

tiptel 3220XL

Health Care Phone for Seniors

- Easy to use
- HD Voice with High Adjustable Volume
- Boost Button, Adjustable Tone
- Hearing Aid Compatible (HAC)
- Big Buttons, SOS key
- Support PoE
- Full Compatible with Asterisk, BroadSoft Platform





tiptel EM-63

Extension module for tiptel 3245

tiptel EM-63 is an extension module for the tiptel 3245, with large graphic color LCD display, 22 programmer keys and 22 dual-color leds, and can be programmed to various features include BLF, BLF List, Speed Dial, Hot Desking, Record, XML Browser, Account, Call forward, Pickup, Intercom, DTMF, etc.

tiptel EM-40

Extension module for tiptel 3240

tiptel EM-40 is an extension module for the tiptel 3240, with large graphic LCD display, 22 programmer keys and 22 dual-color leds, and can be programmed to various features include BLF, BLF List, Speed Dial, Hot Desking, Record, XML Browser, Account, Call forward, Pickup, Intercom, DTMF, etc



tiptel EHS-40

Adapter for Jabra headset



Function	Model	tiptel 3210	tiptel 3220	tiptel 3230	tiptel 3240	tiptel 3235	tiptel 3245	tiptel 3275
Display								
Monochrome (Size)		2.3"	2.3"	2.9"	4.3"	2.8"	4.3"	7"
Color (Size)		-	-	-	16 levels Greyscale	16 bit depth color	16 bit depth color	24 bit color
Resolution (Dots)		132*64	132*64	132*64	480*272	320*240	480*272	800*480
Connections								
LAN - PC		10/100	10/100	10/100	10/100	10/100/1000	10/100/1000	10/100
Headset Standard / DHSG		■ / -	■ / -	■ / -	■ / ■	■ / ■	■ / ■	■ / -
Power over Ethernet (PoE)		■	■	■	■	■	■	■
Extension module available		-	-	-	■	■	■	-
Max. count of extension modules		0	0	0	6	6	6	-
Wall Mounting		■	■	■	■	-	■	-
Keys								
DSS keys		-	-	-	10	-	10	-
Display keys		-	2	3	4	8	10	-
Softkeys		4	4	4	4	4	4	-
Control Keys		6	6	6	6	6	6	13
Volume keys / Mute keys		■ / ■	■ / ■	■ / ■	■ / ■	■ / ■	■ / ■	■ / ■
Phonebook key		■	■	■	■	■	■	■
Redialing key		■	■	■	■	■	■	-
Hands free speakerphone key / headset key		■ / ■	■ / ■	■ / ■	■ / ■	■ / ■	■ / ■	■ / -
Mailbox key / Transfer key		■ / ■	■ / ■	■ / ■	■ / ■	■ / ■	■ / ■	■ / ■
Conference key		-	-	-	-	-	-	■
Alphanumeric Keypad		-	-	-	-	-	-	■
Phone Features								
VoIP Accounts		1	2	3	6	3	6	6
Call hold / Call waiting		■ / ■	■ / ■	■ / ■	■ / ■	■ / ■	■ / ■	■ / ■
Call forward / Caller ID display		■ / ■	■ / ■	■ / ■	■ / ■	■ / ■	■ / ■	■ / ■
Call transfer (blind/semi-attended/attended)		■	■	■	■	■	■	■
Redial / Mute		■ / ■	■ / ■	■ / ■	■ / ■	■ / ■	■ / ■	■ / ■
DND / Auto answer		■ / ■	■ / ■	■ / ■	■ / ■	■ / ■	■ / ■	■ / ■
3-way conferencing / Speed dial		■ / ■	■ / ■	■ / ■	■ / ■	■ / ■	■ / ■	■ / ■
Voice mail / Black list		■ / ■	■ / ■	■ / ■	■ / ■	■ / ■	■ / ■	■ / ■
Message Waiting Indication (MWI) LED		■	■	■	■	■	■	■
Ring tone selection/import/delete		■	■	■	■	■	■	-
Phonebook entries		■	■	■	■	■	■	■
Call history: dialed/received/missed/forwarded		■	■	■	■	■	■	■
Advanced Phone Features								
XML phonebook search/import		■	■	■	■	■	■	-
LDAP phonebook		■	■	■	■	■	■	■
Group listening		■	■	■	■	■	■	-
Dial Plan		■	■	■	■	■	■	■
XML Browser, XML Idle Screen		■	■	■	■	■	■	-
Action URL & Active URI		■	■	■	■	■	■	-
Wallpaper		-	-	-	-	-	-	■
Screensaver		-	-	-	-	-	-	■
Color Picture Caller-ID		-	-	-	-	-	-	■
IP PBX System Integration								
Busy lamp field (BLF)		-	■	■	■	■	■	■
Bridged Line Appearance (BLA)		-	-	-	-	-	-	-
Intercom		■	■	■	■	■	■	■
Paging		-	-	-	-	-	-	-
Call park / Call Pickup		■ / ■	■ / ■	■ / ■	■ / ■	■ / ■	■ / ■	- / -
Call recording / Call completion		■ / ■	■ / ■	■ / ■	■ / ■	■ / ■	■ / ■	- / -
Group pickup / Network conference		■ / ■	■ / ■	■ / ■	■ / ■	■ / ■	■ / ■	- / -
Anonymous call / Anonymous call rejection		■ / ■	■ / ■	■ / ■	■ / ■	■ / ■	■ / ■	■ / ■
Network Features								
SIP v1 (RFC2543), v2 (RFC3261)		■	■	■	■	■	■	- / ■
IPv6		-	-	-	-	-	-	-
DNS SRV (RFC263)		■	■	■	■	■	■	■
Redundant server support		■	■	■	■	■	■	■
NAT Traversal: STUN mode		■	■	■	■	■	■	-
DTMF		■	■	■	■	■	■	■
Proxy mode and peer-to-peer SIP link mode		■	■	■	■	■	■	■
IP Assignment		■	■	■	■	■	■	■
Bridge/router mode for PC port		no router mode for PC port	no router mode for PC port	no router mode for PC port	no router mode for PC port	no router mode for PC port	no router mode for PC port	no router mode for PC port
TFTP/DHCP/PPPoE client		■	■	■	■	■	■	■
Telnet/HTTP server		- / ■	- / ■	- / ■	- / ■	- / ■	- / ■	- / ■
DNS client, NAT/DHCP server		■	■	■	■	■	■	■
Codecs and Voice Features								
Wideband codec		■	■	■	■	■	■	■
Narrowband codec		■	■	■	■	■	■	■
Full-duplex speakerphone with AEC		■	■	■	■	■	■	■
Management								
Auto-provision via FTP/TFTP/HTTP/HTTPS		■	■	■	■	■	■	■
Auto-provision with PnP		■	■	■	■	■	■	■
SNMP V1/2, TR069		■	■	■	■	■	■	-
Configuration: browser/phone/auto-provision		■	■	■	■	■	■	■
Factory configuration customized		■	■	■	■	■	■	■
Trace package and system log export		■	■	■	■	■	■	■
Security								
Open VPN, 802.1x, VLAN QoS (802.1pq), LLDP		- / ■ / ■ / -	- / ■ / ■ / -	- / ■ / ■ / -	- / ■ / ■ / -	- / ■ / ■ / -	- / ■ / ■ / -	- / ■ / ■ / -
Transport Layer Security (TLS)		■	■	■	■	■	■	■
HTTPS (server/client), SRTP (RFC3711)		■	■	■	■	■	■	-
Digest authentication using MD5/MDS-session		■	■	■	■	■	■	■
Secure configuration file via AES encryption		■	■	■	■	■	■	■
Phone lock for personal privacy protection		■	■	■	■	■	■	■
Admin/VAR/User 3-level configuration mode		Admin	Admin	Admin	Admin	Admin/user	Admin	Admin/user
Technical Data								
Power over Ethernet (PoE)		■	■	■	■	■	■	■
Power by AC Adaptor		5V/1A	5V/1A	5V/1A	5V/1.2A	5V/1A	5V/1.2A	12V/1A
Dimensions (W x H x D)		193.2x189.7x36.9	229.5x193.2x38.5	229.5x193.2x38.5	281.4x214.1x53.5	229.5x193.2x38.5	281.4x214.1x53.5	244x198x73
Ambient Temperature		0°C-40°C	0°C-40°C	0°C-40°C	0°C-40°C	-10°C-50°C	0°C-40°C	-10°C-50°C
Power Consumption		5w	5w	5w	5w	5w	5w	12w
Weight		0.8kg	1.19kg	1.19kg	1.23kg	1.6kg	1.23kg	1.04kg

About Tiptel b.v.

Tiptel b.v. is founded in 1993 and the specialist in the field of communication equipment, especially based on IP. Tiptel b.v. is a distributor with value add and three keynotes are important in this:

Support: Over 20 years of experience in the telecom market. All of the product engineers are trained and certified by the several brands Tiptel b.v. represent and distribute in the BeNeLux and France.

Stock: Order today before 3pm, next day delivering.

Price: Value for money and the possibility for project pricing.

Tiptel b.v.

Camerastraat 2
1322 BC Almere
The Netherlands
Telephone +31 36 53 666 50
Fax +31 36 53 678 81
info@tiptel.nl
www.tiptel.nl

Tiptel.com GmbH

Halskestr. 1
40880 Ratingen
Germany
Telephone +49 2102 428 0
Fax +49 2102 428 10
info@tiptel.com
www.tiptel.de

Tiptel NV/SA

Imperiastraat 10/B8
1930 Zaventem
Belgium
Telephone +32 2 714 93 33
Fax +32 2 714 93 34
tiptel@tiptel.be
www.tiptel.be

Tiptel GmbH

Ricoweg 30/B1
2351 Wiener Neudorf
Austria
Telephone +43 2236 677 464 0
Fax +43 2236 677 464 22
office@tiptel.at
www.tiptel.at

Tiptel s.a.r.l.

23, avenue René Duguay-Trouin
78960 Voisins-Le-Bretonneux
France
Telephone +33 1 39 44 63 30
Fax +33 1 30 57 00 29
info@tiptel.fr
www.tiptel.fr

Tiptel AG

Bahnstrasse 46
8105 Regensdorf
Switzerland
Telephone +41 44 843 13 13
Fax +41 44 843 13 23
tiptel@tiptel-online.ch
www.tiptel-online.ch