


# Xerox<sup>®</sup> WorkCentre<sup>®</sup> 5865/5875/5890 Multifunction Printer

Superior productivity through leading-edge simplicity.







# A new way of working.

### Large workgroups succeed because they're productive, flexible and reliable.

You need an office technology solution that matches those strengths. Which is why we designed the Xerox® WorkCentre® 5865/5875/5890 with a powerful mix of features and capabilities that handle your heavy workload in ways you never imagined.

- Great features your choice of speeds.
  With fast copying and printing up to 65, 75 or 90 ppm there's more than enough speed to meet your department-level workload.
  But if your business demands workgroup productivity, consider the fast but lowerspeed models in the WorkCentre 5945/5955 for great performance up to 55 ppm.
- Scanning at up to 200 images per minute. Single-pass color scanning enables faster electronic distribution of full-color documents for more effective and impressive communications.
- Single touch scanning. Use the Single Touch
   Scan feature to create a dedicated, easy-to locate scan button directly on the color touch
   screen interface. Assign the Single Touch
   Scan button its own scanning workflow for
   fast document distribution and archiving.
- Higher paper capacity, more flexibility.
   Print more for longer with a total paper capacity of up to 8,700 sheets. Multiple finishing options, from basic to advanced, give you the flexibility your workload requires.

- Exceptional print and copy quality. With superior fine-line definition, shadows and highlights, your copies truly look like the original.
- Walk-up simplicity. Print from and scan to any USB memory device for faster document delivery when you're not at your computer.
- Your print job, your priority. The Print Around feature eliminates extended printing delays by holding a job in need of resources (such as a different paper size) and printing the next job in the queue.
- Customize your solutions. Xerox Extensible Interface Platform® Serverless technology allows creation of ConnectKey® Apps to run on ConnectKey enabled MFPs without the need for additional IT infrastructure. This allows you to simplify and personalize the usability of your device with a range of capabilities from support applications to scanning.



#### Illuminated Paper Path

The WorkCentre 5865/5875/5890 features an illuminated paper path, which makes user access even easier.



## The new standard of simplicity.

When office life is simpler, large workgroups function more efficiently and excel at the work that really matters. But you need the right tools to help you get there. Rest assured, the Xerox® WorkCentre® 5865/5875/5890 turns complexity into a higher level of simplicity with a solution that works the way you do.

#### Conservation Built-in

Get a powerful multifunction printer that includes a number of environmental features.

- Power save with quick start-up conserves electricity during downtime while keeping the device ready for action.
- Full compliance with the EU Restriction of Hazardous Substances (RoHS)
   Directive, Environmental Choice, EPEAT (United States) and the stringent ENERGY STAR® TEC Version 1.2 standards
- Multiple print settings are available that allow for reduced impact on the environment. Options include default two-sided printing, proof print, printing on recycled paper and draft mode.
- Our innovative Earth Smart print driver settings let you select the most environmentally conscious print options.

- Leading-edge color touch screen user interface. Provides the comfortable look and feel Xerox is known for and features bright, intuitive icons and easy access to all major functions directly from the home screen.
- Less user intervention means less
  downtime. Our new, more efficient toner
  lasts longer and can be replaced quickly by
  any user and provides superior image quality.
- A help desk at your fingertips. Get quick, easy, step-by-step troubleshooting assistance

   like tips for sending a scan via email – with embedded help videos right on the user interface.
- Xerox® Online Support. Stay up and running
  with instant access to searchable online help
  right at the device's front panel or in the
  print driver. You get the same information
  our Product Support Specialists use when
  resolving printer problems, assisting with
  error codes, print quality, media jams,
  software installation, and more.

- A truly universal print driver. Xerox® Global Print Driver® lets IT administrators install, upgrade and manage Xerox® and non-Xerox® devices from a single driver. It provides a consistent, easy-to-use interface for endusers, reducing the number of support calls, and simplifying print services management.
- Advanced copy and print features. The
  WorkCentre 5865/5875/5890 greatly
  simplifies everyday office tasks, providing
  plenty of support for specialized print
  applications including Annotation, Bates
  Stamping, ID Card Copy, tab print capability
  and page-level programming.
- Consistent user experience. The WorkCentre 5865/5875/5890 features the same technology as our other latest-generation tabloid-size multifunction printers, making users more comfortable operating the devices because of their common look and feel. For more information about our groundbreaking Xerox® ConnectKey® Technology, visit www.connectkey.com.



# Don't risk your sensitive information.

Working at peak performance means nothing if the data that's critical to the success of your business isn't fully safeguarded. And network multifunction devices are potential points of entry for malicious activities. That's why the Xerox° WorkCentre° 5865/5875/5890 boasts the most complete range of advanced features, technologies, and solutions from security-industry leaders that ensure comprehensive, 24/7 protection.

- Protect your confidential information.

  Safeguard all sensitive data with encrypted PDF files for scanning; hard drive encryption, compliant with the 256-bit AES FIPS 140-2 standard; and Image Overwrite with a 3-pass scrub process to ensure total deletion of all data fragments.
- Prevent unauthorized access. Permit only authorized users to access the device with Xerox user permissions, network authentication, IP filtering, and smart card, role-based and function-level login.
- Manage threats proactively. As new threats emerge, Xerox proactively monitors security clearinghouses for new vulnerabilities and provides patches when necessary, ensuring your equipment stays current and your data is kept safe. Plus, you can receive up-tothe-minute updates via RSS feeds and stay informed via www.xerox.com/security.

• Stay compliant with regulations.
WorkCentre 5865/5875/5890 devices comply

with the latest security standards across industries, including government, finance and healthcare. These include Common Criteria, HIPAA, Data Protection Act, COBIT and more. These devices can conform to any standard, with controls available to match your needs.

Gain complete visibility. Prevent IP theft
and ensure non-repudiation by having total
visibility into the device and network. With
security policy management and tracking of
most activities on the device with Audit Log,
you can know who accessed what, when and
details of most interactions with the device.



#### **Powerful Partnerships**

The WorkCentre 5865/5875/5890 includes McAfee® technology integration, resulting in the industry's first lineup of multifunction printers that protect themselves from potential outside threats. McAfee's whitelisting technology ensures only safe, pre-approved files or functions are executed on your devices, minimizing the need to manually update software levels against new security threats. Also, seamless integration with the Xerox® Managed Print Services toolset and McAfee ePolicy (ePO) allows for easy tracking and monitoring.

Plus, automatic Cisco® TrustSec Identity Services Engine (ISE) integration provides comprehensive visibility of all Xerox® ConnectKey® enabled MFPs' endpoints to enforce IT-centric security policies and compliance.



### Real business for the real world.

Today's pace of business requires anytime, anywhere access to the technology that makes your work easier. You need a real-world solution that bridges the gap between workplace productivity and the tasks that have to get done beyond your office walls. Our mobile solutions empower today's professionals to get real work done in the office and on the go, providing the freedom and flexibility to keep pace with the demands of your business – wherever it takes you.



#### **Remote Control Panel**

Remotely and securely operate the WorkCentre 5865/5875/5890 control panel from any office PC as though you were standing at the device. The Remote Control Panel allows IT staff to remotely view and control the user interface and makes it easier and more convenient to train users. And during a remote session, walk-up users are notified at the device to prevent simultaneous system changes. Plus, advanced print drivers and free device management tools let you remotely monitor real-time performance and available resources for greater uptime.

#### The Freedom of Uninhibited Mobility

Whether at work or working away, the Xerox® WorkCentre® 5865/5875/5890 provides powerful, helpful technologies with barrier-free accessibility. Now, office staff can control device functions from any workstation, while mobile professionals stay connected to the communications tools and productivity solutions offered by the WorkCentre 5865/5875/5890 – for more flexibility, anywhere.

- Optional Wi-Fi connectivity. Administrators can connect the WorkCentre 5800 series devices anywhere, without the need for network cabling.
- Apple® AirPrint™. Print email, photos and important office documents directly from your Apple iPhone® or iPad® with no drivers to install.

- Xerox® Mobile Print, and more. Take the mystery and anxiety out of wireless and mobile device printing. Xerox has all the options to enable secure, accurate printing from most mobile devices, to any printer or multifunction printer, regardless of brand. Whether offsite or onsite, learn more about why Xerox is the only choice for today's mobile professionals by visiting www.xerox.com/mobile.
- Mopria™ certified. Mopria certification simplifies the mobile printing experience for tablets and smartphones to many printing devices, including the WorkCentre 5800 series.
- Xerox® Print Service Plug-in for Android™.
   This plug-in enables printing to many Xerox® printers and MFPs without the need for third-party apps or additional print drivers.



#### Xerox® WorkCentre® 5800 Series Optimized for:





**Productivity** 





Security

Networking





**Solutions** 

Wi-Fi


#### **Paper Input**

- 1 Single-pass Automatic Document Feeder scans documents as fast as 200 images per minute.
- 100-sheet Bypass Tray handles heavy paper up to
- Two 500-sheet universal trays are adjustable up to 11 x 17 in.
- 4 Optional Envelope Kit (replaces Tray 2) provides trouble-free feeding of 50 envelopes.
- 5 High Capacity Tandem Tray holds a total of 3,600 sheets of letter-size paper.
- 6 4,000-sheet letter-size High Capacity Feeder (optional) can increase total capacity to 8,700 sheets. Or add the 2,000-sheet Short-Edge Kit in either letter/legal size or 11 x 17 in. size.

#### **Finishing Options**

7 Multiple finishing options let you αdd the capabilities that are right for individual workgroups. Choose basic features like staple and hole punch, or advanced capabilities to produce paginated, saddle-stitched and folded booklets and Z and C-folded brochures.





#### **Extend Your Possibilities**

Whether scanning and managing documents on your office network or a hosted cloud on the Internet, you can access scan workflow solutions right from any WorkCentre 5865/5875/5890 thanks to the power of Xerox® Workflow Solutions, built on our Xerox Extensible Interface Platform®. These are just a few of the many examples of Xerox® Workflow Solutions\*:

- Xerox® ConnectKey® for SharePoint® or Xerox<sup>®</sup> ConnectKey<sup>®</sup> for DocuShare<sup>®</sup>. Scan files directly into Microsoft® SharePoint or Xerox® DocuShare® and other Windows® folders. Plus, you'll go beyond basic file storage and PDF creation by automatically converting documents to intelligent, structured data with easy file naming and routing tools.
- Xerox® ConnectKey® Share to Cloud. Our cloud-based scanning solution provides easy, secure, scalable scanning to popular cloudbased repositories such as Google  $\mathsf{Docs}^\mathsf{m}$ , SalesForce.com, Office 365 and Dropbox™, using custom-designed workflows that leverage our Xerox Extensible Interface Platform® technology. Learn more about Xerox® Workflow Solutions at www.office.xerox.com/softwaresolutions.

<sup>\*</sup> Optional solutions may vary by geography.



WorkCentre 5800 series multifunction printers are built on Xerox® ConnectKey® Technology. For more information, go to **www.connectkey.com**.

Device Specifications		WorkCentre 5865	WorkCentre 5875	WorkCentre 5890	
Speed		Up to 65 ppm	Up to 75 ppm	Up to 90 ppm	
Duty Cycle <sup>1</sup>		Up to 250,000 pages / month	Up to 300,000 pages / month	Up to 400,000 pages / month	
Hard Drive / Processor / Memory		Minimum 250 GB HDD / 1 GHz Dual-core / 2 GB			
Connectivity		10/100/1000Base-T Ethernet, High-Speed USB 2.0 direc	t print, Optional Wi-Fi (with Xerox® USB Wireless Adapter)		
Controller Features		Unified Address Book, Remote Control Panel, Online Supp	port (accessed from the user interface and print driver), Co	nfiguration Cloning	
Copy and Print Copy and Print Resolution		<b>Copy:</b> Up to 600 x 600 dpi; <b>Print:</b> Up to 4800 x 1200, 25	56 shades of gray		
First-print-out Time	(as fast as)	2.9 seconds			
Page Description La	ınguages	Adobe® PostScript® 3™, PDF, PCL® 5c / PCL 6, HP-GL2™, X	ML Paper Specification (XPS®) (Optional)		
Print Features		Print from USB, Earth Smart Driver Settings, Job Identific	ation, Booklet Creation, Store and Recall Driver Settings, Bi	-directional Status, Scaling, Job Monitoring	
Mobile Printing		Apple AirPrint, Xerox® PrintBack, Xerox® Mobile Print (Opt	tional), Xerox® Mobile Print Cloud (Optional), Mopria™ cert	ified, Xerox® Print Service Plug-in for Android™	
Scan	Standard		nail, Scan to Network; <b>File Formats:</b> PDF, PDF/A, XPS, JPEG 5 / TIFF, Encrypted / Password Protected PDF, Linearized PI		
	Optional	<b>Software Packages:</b> ConnectKey® for SharePoint®, Conrother solutions available through various Xerox Business	nectKey® for DocuShare®, ConnectKey® Share to Cloud, Xe Innovation Partners	rox® Scan to PC Desktop® SE and Professional,	
Fax	Standard	Internet Fax, Fax Build Job, Network Server Fax Enableme	ent		
	Optional	Fax Forward to Email or SMB, Walk-up Fax (one-line and t	wo-line options, includes LAN Fax)		
Security	Standard	McAfee® Embedded, McAfee ePolicy (ePO) Compatible, HDD Overwrite, 256-bit Encryption (FIPS 140-2 compliant), Common Criteria Certification (ISO 15408), Secure Print, Secure Fax, Secure Scan, Secure Email, Cisco® TrustSec Identity Services Engine (ISE) Integration, Network Authentication, SSL, SNMPv3, Audit Log, Access Controls, User Permissions			
	Optional	McAfee Integrity Control, Xerox Secure Access Unified ID	System®, Smart Card Enablement Kit (CAC/PIV/.NET)		
Accounting	Standard	Xerox® Standard Accounting (Copy, Print, Scan, Fax, Ema	il), Network Accounting Enablement		
	Optional	Equitrac Express®, Equitrac Office®, Equitrac Professional®	, YSoft® SafeQ®, other network accounting solutions availa	ble through various Xerox Business Innovation Partners	
Paper Input	Standard	Single-pass Automatic Document Feeder: 200 sheets; Speed: up to 200 ipm (duplex); Sizes: 4.9 x 5 in. to 11.7 x 17 in. / 125 x 138 mm to 297 x 432 mm Bypass Tray: 100 sheets; Custom sizes: 4.25 x 5.5 to 11 x 17 in. / A6 to A3 Trays 1-2: 500 sheets each; Custom sizes: 5.5 x 8.5 to 11 x 17 in. / A5 to A3 High Capacity Tandem Tray: 3,600-sheet total (1,600 and 2,000 sheets); Size 8.5 x 11 in. / A4		17 in. / 125 x 138 mm to 297 x 432 mm	
	Optional	High Capacity Feeder (HCF): 4,000 sheets; Size 8.5 x 11 in. / A4 long edge feed HCF Kits (HCF required): 2,000-sheet 11 x 17 in. Short Edge Kit or 2,000-sheet Letter/Legal Short Edge Kit Envelope Tray (replaces Tray 2): Up to 50 envelopes: #10 commercial, monarch, DL, C5			
Paper Output / Finishing Standard		Offset Catch Tray (5865/5875 only): 300 sheets			
Optional		Office Finisher with Booklet Maker (5865/5875 only High Volume Finisher (HVF): 3,000 + 250-sheet trays,	50-sheet trays, 100-sheet multi-position stapling, saddle-st Adds letter-size Z- and C-folding Booklet Maker): Adds preprinted inserts b. bond), includes Work Surface	g, saddle-stitch booklet making, optional hole punch	

 $<sup>^{1}</sup>$  Maximum volume capacity expected in any one month. Not expected to be sustained on a regular basis.

**Xerox Corporation** 



Document Imaging Solutions Line of the Year

2014 Report2014 Certificαte2015 Report2015 Certificαte

Xerox® App Studio



Outstanding Achievement in Innovation

2015 Report 2015 Certificate

Xerox® Mobile Print Solution Pick of the Year





Outstanding Enterprise Mobile Print Solution

2014 Report 2014 Certificate 2015 Report 2015 Certificate

Xerox<sup>®</sup> Mobile Print Cloud Pick of the Year



Outstanding Small Business Mobile Print Solution

2013 Report 2013 Certificate 2015 Report 2015 Certificate

Xerox® ConnectKey® Share to Cloud



Outstanding Achievement in Innovation

2013 Report 2013 Certificate

For more detailed specifications, go to www.xerox.com/office/WC5865\_75\_90Specs. Build and configure your own Xerox® WorkCentre 5800 series multifunction printer at

www.buildyourownxerox.com/connectkey.





# Xerox® WorkCentre® 5865/5875/5890 Multifunction Printer

WorkCentre 5800 series multifunction printers are built on Xerox® ConnectKey® Technology. For more information, go to www.connectkey.com.



System Specifications	WorkCentre 5865	WorkCentre 5875	WorkCentre 5890	
Speed (up to) 8.5 x 11 in. / A4 (LEF) 8.5 x 13 to 8.5 x 14 in. / A4 to B4 (SEF) 11 x 17 in. / A3 (A3 SEF) (Bypass Tray will reduce speed by 10 to 20%)	65 ppm 49 ppm 42 ppm	75 ppm 49 ppm 42 ppm	90 ppm 54 ppm 47 ppm	
Monthly Duty Cycle <sup>1</sup>	Up to 250,000 pages	Up to 300,000 pages	Up to 400,000 pages	
Recommended Average Monthly Print Volume <sup>2</sup>	25,000 to 110,000 pages	30,000 to 125,000 pages	50,000 to 150,000 pages	
Hard Drive / Processor / Memory	Minimum 250 GB HDD / 1 GHz Dual-core / 2 GB sy	rstem		
Connectivity	10/100/1000Base-T Ethernet, High-Speed USB 2.0	Direct Print, Optional Wi-Fi (with Xerox® USB Wireles	ss Adapter)	
Controller Features	Unified Address Book, Remote Control Panel, Online	e Support (accessed from the user interface and print	t driver), Configuration Cloning	
Copy and Print				
Copy and Print Resolution	Copy: Up to 600 x 600 dpi; Print: Up to 4800 x 120	00, 256 shades of gray		
First-print-out Time	As fast as 2.9 seconds			
First-copy-out Time	As fast as 2.9 seconds from the Platen / 5.9 seconds from the Automatic Document Feeder			
Page Description Languages	Adobe® PostScript® 3™, PDF, PCL® 5c / PCL 6, XML Paper Specification (XPS®) (Optional)			
Print Features	Print from USB, Earth Smart Driver Settings, Job Identification, Booklet Creation, Store and Recall Driver Settings, Bi-directional Status, Scaling, Job Monitoring			
Mobile Printing	Apple® AirPrint™, Xerox® PrintBack, Xerox® Mobile Print Solution (Optional), Xerox® Mobile Print Cloud (Optional), Mopria™ certified , Xerox® Print Service Pluq-in for Android™			
Scan				
Standard Features	<b>Destinations:</b> Scan to Mailbox, Scan to USB, Scan to Email, Scan to Network; <b>File Formats:</b> PDF, PDF/A, XPS, JPEG, TIFF; <b>Convenience Features:</b> Scan to Home, Single Touch Scan, Searchable PDF, Single/Multi-Page PDF / XPS / TIFF, Encrypted / Password Protected PDF, Linearized PDF / PDF/A			
Optional Features	Software Packages: ConnectKey® for SharePoint®, ConnectKey® for DocuShare®, ConnectKey® Share to Cloud, Xerox® Scan to PC Desktop® SE and Professional, other solutions available through various Xerox Business Innovation Partners			
Fax				
Standard Features	Internet Fax, Fax Build Job, Network Server Fax Enablement			
Optional Features	Fax Forward to Email or SMB, Walk-up Fax (one-line and two-line options, includes LAN Fax)			
Security				
Standard Features	McAfee® Embedded, McAfee ePolicy (ePO) Compatible, HDD Overwrite, 256-bit Encryption (FIPS 140-2 compliant), Common Criteria Certification (ISO 15408), Secure Print, Secure Fax, Secure Scan, Secure Email, Cisco® TrustSec Identity Services Engine (ISE) Integration, Network Authentication, SSL, SNMPv3, Audit Log, Access Controls, User Permissions			
Optional Features	McAfee Integrity Control, Xerox Secure Access Unified ID System®, Smart Card Enablement Kit (CAC/PIV/.NET)			
Accounting				
Standard Features	Xerox® Standard Accounting (Copy, Print, Scan, Fax, Email), Network Accounting Enablement			
Optional Features	Equitrac Express®, Equitrac Office®, Equitrac Professional®, YSoft® SafeQ®, other network accounting solutions available through various Xerox Business Innovation Partners			
			Detailed Specifications 1	

Device Specifications						
Control Panel Languages	US English, International English, International French, Italian, German, International Spanish, Dutch, Brazilian Portuguese, Swedish, Norwegian, Danish, Finnish, Turkish, Greek, Russian, Czech, Polish, Hungarian, Romanian, Catalan					
Accessories						
Optional	High Capacity Feeder (HCF) HCF Kit (Letter/Legal SEF) (HCF required) HCF Kit (Tabloid SEF) (HCF required) Envelope Tray (Replaces Tray 2) Office Finisher (optional with 5865/5875 only) Office Finisher (optional with 5865/5875 only) Hole Punch for Office Finisher (optional with 5865/5875 only) Hole Punch for Office Finisher (optional with 5865/5875 only) High Volume Finisher High Volume Finisher with Booklet Maker Z Fold / C Fold Unit (with High Volume Finisher with Booklet Maker) Post Process Inserter (with High Volume Finisher with Booklet Maker) Convenience Stapler (includes Work Surface) Smart Card Enablement Kit Xerox Secure Access Unified ID System® Walk up Fax (One- or Two-line options, includes LAN Fax) Xerox® USB Wireless Adapter McAfee® Integrity Control Enablement Kit XPS Print Option Kit					
Foreign Device Interface (FDI) (Optional)	Also known as Auxiliary Access C	Device, this is an inte	rface to third par	ty access control devices, such a	is coin machines and card readers.	
Electrical Requirements						
North America	Voltage : 110-127 VAC +/- 10% Frequency: 50/60 Hz +/- 5%, 10					
Europe	Voltage : 220-240 VAC +/- 10 % Frequency: 50/60 Hz +/- 5%, 16	Ā				
Power Consumption	WorkCentre 5865		WorkCentre 58	75	WorkCentre 5890	
Running (Average)	1,550 watts		1,600 watts		1,650 watts	
Standby Mode	310 watt					
Low Power Mode	≤160 watts					
Auto off / Sleep mode	≤4 watts (Default time to sleep :	= 2 minutes)				
Warm up (from Off)	As fast as <230 seconds (3 minu	ites, 50 seconds) (De	pendent on num	ber of services registered)		
Low Power Recovery	<4 seconds					
Recovery from Sleep	<28 seconds					
Operating Environment						
Required Temperature Range	50° to 90° F (10° to 32° C)					
Required Relative Humidity	15% to 85%					
Sound Power Levels	Operating 7.2 B(A), Standby: 5.0	) B(A)			Operating 7.3 B(A), Standby: 5.0 B(A)	
Sound Pressure Levels	Operating: 57 dB(A), Standby: 3	Operating: 57 dB(A), Standby: 35 dB(A)  Operating: 58 dB(A), Standby: 35 dB(A)				
Dimensions and Weight	Width	Depth		Height	Weight	
Base Configuration with OCT	39.0 in. / 990 mm	25.6 in. / 650	mm	43.5 in. / 1,104 mm	271.8 lbs. / 123.3 kg	
With Office Finisher (5865/5875 only)	47.6 in. / 1,209 mm 25.6 in. / 650 mm 43.5 in. / 1,104 mm		329.6 lbs. / 149.5 kg			
With Office Finisher with Booklet Maker (5865/5875 only)	47.6 in. / 1,209 mm	25.6 in. / 650 mm 43.5 in. / 1,104		43.5 in. / 1,104 mm	364.9 lbs. / 165.5 kg	
With High Volume Finisher	64.8 in. / 1,645 mm	64.8 in. / 1,645 mm 25.6 in. / 650 mm 45.1 in. / 1,145 mm		45.1 in. / 1,145 mm	425.1 lbs. / 192.8 kg	
With High Volume Finisher with Booklet Maker, C Fold / Z Fold Unit and Post Process Inserter	78.5 in. / 1,995 mm	2		485.7 lbs. / 220.3 kg		
High Capacity Feeder	15.3 in. / 389 mm	20.1 in. / 510	mm	22.6 in. / 510 mm	66.1 lbs. / 30 kg	
Work Surface (Does not add to overall width if combined with High Capacity Feeder	11.2 in. / 285 mm	-		-	-	

Certifications				
	FCC Class A Compliant (US), ICES Class A Compliant (Canada) CSA Listed (UL 60950-1, Second Edition) CB Certified (IEC 60950-1, Second Edition) GS Mark ENERGY STAR® EPEAT (United States) GOST NOM Blue Angel ECOLOGO® CE Mark Common Criteria (IEEE 2600.2 standard) Citrix® Certified WHQL IPv6 Ready MEDITECH SAP Cerner			
	To view the latest list of certifications, go to www.xerox.com/OfficeCertifications.			
Paper Handling				
Single-pass Automatic Document I				
Capacity <sup>3</sup>	200 sheets			
Speed (Black-and-white and color)	Up to 105 images per minute (ipm) (simplex) Up to 200 ipm (duplex)			
Paper Sizes Sensed	4.9 x 5.4 in. to 11.7 x 17 in. / 125 x 138 mm to 297 x 432 mm			
Weights	13 lb. bond to 43 lb. bond / 50 gsm to 160 gsm			
Bypass Tray				
Capacity <sup>3</sup>	100 sheets			
Sizes	Custom sizes: 4.25 x 5.5 in. to 11 x 17 in. / A6 to A3			
Weights	16 lb. bond to 80 lb. cover / 60 to 216 gsm			
Types	Bond Carbonless Card Stock Envelopes Hole punched Index Labels Letterhead Plain Preprinted Recycled Transparencies Tabs			
Trays 1 and 2				
Capacity <sup>3</sup>	500 sheets each			
Sizes	Custom Sizes from 5.5 x 8.5 in. LEF to 11 x 17 in. SEF / A5 to A3			
Weights	16 lb. bond to 53 lb. bond / 60 to 200 gsm			
Types	Bond Card Stock Glossy Hole punched Index Labels Letterhead Lightweight Card Stock Plain Preprinted Recycled Tabs			
High Capacity Tandem Tray				
Capacity <sup>3</sup>	Tray 3: 1,600 sheets Tray 4: 2,000 sheets			
Sizes	Standard Sizes: 8.5 x 11 in. LEF / A4			
Sizes				

Types  High Capacity Feeder (HCF) (Optio Capacity³	Bond Card Stock Glossy Hole punched Index Letterhead Lightweight Card Stock Plain Preprinted Recycled  4.000 sheets
Capacity	Optional HCF Kits: 2,000 sheets with Letter/Legal HCF Kit or 2,000 sheets with Tabloid SEF HCF Kit (Optional)
Sizes	8.5 x 11 in. / A4 LEF Optional HCF Kits: 8.5 x 11 in. / A4 or 11 x 17 in. / A3
Weights	16 lb. bond to 58 lb. bond / 60 to 216 gsm
Types	Bond Card Stock Hole punched Index Letterhead Plain Preprinted Recycled
Envelope Tray (Optional - Replaces	Tray 2)
Capacity <sup>3</sup>	Up to 50 envelopes
Sizes	#10 Commercial (9.25 x 4.125 in.), #9 Commercial (8.875 x 3.875 in.), Monarch, DL, C5
Weights	20 lb. bond to 24 lb. bond / 75 to 90 gsm
Total Capacity	
Device Total Capacity <sup>3</sup>	8,700 sheets
Finishing	
Offset Catch Tray (OCT) (Standard	on 5865/5875; not available with 5890)
Capacity	Up to 300 sheets of 20 lb. bond / 80 gsm
Capacity Office Finisher (Optional with 5865	Up to 300 sheets of 20 lb. bond / 80 gsm 5/5875 only)
Capacity Office Finisher (Optional with 5865 Top Tray Capacity Stacking Tray Capacity	Up to 300 sheets of 20 lb. bond / 80 gsm  5/5875 only)  250 sheets unstapled of 80 gsm  2,000 sheets unstapled of 80 gsm or 1,000 sheets single stapled or 750 sheets dual stapled (8.5 x 11 in. / A4)
Capacity Office Finisher (Optional with 5865) Top Tray Capacity	Up to 300 sheets of 20 lb. bond / 80 gsm  5/5875 only)  250 sheets unstapled of 80 gsm
Capacity  Office Finisher (Optional with 5865  Top Tray Capacity Stacking Tray Capacity  Top Tray Sizes	Up to 300 sheets of 20 lb. bond / 80 gsm  5/5875 only)  250 sheets unstapled of 80 gsm 2,000 sheets unstapled of 80 gsm or 1,000 sheets single stapled or 750 sheets dual stapled (8.5 x 11 in. / A4)  4.25 x 5.85 in. to 11 x 17 in. / A6 to A3
Capacity Office Finisher (Optional with 5865 Top Tray Capacity Stacking Tray Capacity Top Tray Sizes Stacking Tray Sizes Weights Multiposition Stapling	Up to 300 sheets of 20 lb. bond / 80 gsm  5/5875 only)  250 sheets unstapled of 80 gsm 2,000 sheets unstapled of 80 gsm or 1,000 sheets single stapled or 750 sheets dual stapled (8.5 x 11 in. / A4)  4.25 x 5.85 in. to 11 x 17 in. / A6 to A3 5.5 x 8.5 in. to 11 x 17 in. / A5 to A3
Capacity  Office Finisher (Optional with 5865  Top Tray Capacity Stacking Tray Capacity  Top Tray Sizes Stacking Tray Sizes Weights	Up to 300 sheets of 20 lb. bond / 80 gsm  5/5875 only)  250 sheets unstapled of 80 gsm 2,000 sheets unstapled of 80 gsm or 1,000 sheets single stapled or 750 sheets dual stapled (8.5 x 11 in. / A4)  4.25 x 5.85 in. to 11 x 17 in. / A6 to A3 5.5 x 8.5 in. to 11 x 17 in. / A5 to A3  16 lb. bond to 58 lb. bond / 60 to 216 gsm
Capacity  Office Finisher (Optional with 5865)  Top Tray Capacity Stacking Tray Capacity  Top Tray Sizes Stacking Tray Sizes  Weights  Multiposition Stapling  Hole Punch (Optional) North America:	Up to 300 sheets of 20 lb. bond / 80 gsm  250 sheets unstapled of 80 gsm  2,000 sheets unstapled of 80 gsm or 1,000 sheets single stapled or 750 sheets dual stapled (8.5 x 11 in. / A4)  4.25 x 5.85 in. to 11 x 17 in. / A6 to A3  5.5 x 8.5 in. to 11 x 17 in. / A5 to A3  16 lb. bond to 58 lb. bond / 60 to 216 gsm  50 sheets of 20 lb. bond / 80 gsm  2-3 Hole Punch  2-4 Hole Punch
Capacity  Office Finisher (Optional with 5865  Top Tray Capacity Stacking Tray Capacity  Top Tray Sizes Stacking Tray Sizes  Weights  Multiposition Stapling  Hole Punch (Optional) North America: Europe:	Up to 300 sheets of 20 lb. bond / 80 gsm  250 sheets unstapled of 80 gsm  2,000 sheets unstapled of 80 gsm or 1,000 sheets single stapled or 750 sheets dual stapled (8.5 x 11 in. / A4)  4.25 x 5.85 in. to 11 x 17 in. / A6 to A3  5.5 x 8.5 in. to 11 x 17 in. / A5 to A3  16 lb. bond to 58 lb. bond / 60 to 216 gsm  50 sheets of 20 lb. bond / 80 gsm  2-3 Hole Punch  2-4 Hole Punch
Capacity  Office Finisher (Optional with 5865 Top Tray Capacity Stacking Tray Capacity  Top Tray Sizes Stacking Tray Sizes  Weights  Multiposition Stapling  Hole Punch (Optional) North America: Europe:  Office Finisher with Booklet Maker	Up to 300 sheets of 20 lb. bond / 80 gsm  255875 only)  250 sheets unstapled of 80 gsm 2,000 sheets unstapled of 80 gsm or 1,000 sheets single stapled or 750 sheets dual stapled (8.5 x 11 in. / A4)  4.25 x 5.85 in. to 11 x 17 in. / A6 to A3 5.5 x 8.5 in. to 11 x 17 in. / A5 to A3  16 lb. bond to 58 lb. bond / 60 to 216 gsm  50 sheets of 20 lb. bond / 80 gsm  2-3 Hole Punch 2-4 Hole Punch 2-6 (Optional with 5865/5875 only)  250 sheets unstapled of 80 gsm
Capacity  Office Finisher (Optional with 5865  Top Tray Capacity Stacking Tray Capacity  Top Tray Sizes Stacking Tray Sizes  Weights  Multiposition Stapling  Hole Punch (Optional) North America: Europe:  Office Finisher with Booklet Maker Top Tray Capacity Stacking Tray Capacity  Top Tray Sizes	Up to 300 sheets of 20 lb. bond / 80 gsm  250 sheets unstapled of 80 gsm 2,000 sheets unstapled of 80 gsm or 1,000 sheets single stapled or 750 sheets dual stapled (8.5 x 11 in. / A4)  4.25 x 5.85 in. to 11 x 17 in. / A6 to A3 5.5 x 8.5 in. to 11 x 17 in. / A5 to A3  16 lb. bond to 58 lb. bond / 60 to 216 gsm  50 sheets of 20 lb. bond / 80 gsm  2-3 Hole Punch 2-4 Hole Punch  (Optional with 5865/5875 only)  250 sheets unstapled of 80 gsm 2,000 sheets unstapled of 80 gsm or 1,000 sheets single stapled or 750 sheets dual stapled (8.5 x 11 in. / A4)  4.25 x 5.85 in. to 11 x 17 in. / A6 to A3
Capacity  Office Finisher (Optional with 5865  Top Tray Capacity Stacking Tray Capacity  Top Tray Sizes Stacking Tray Sizes  Weights  Multiposition Stapling  Hole Punch (Optional) North America: Europe:  Office Finisher with Booklet Maker  Top Tray Capacity Stacking Tray Capacity  Top Tray Sizes  Stacking Tray Sizes	Up to 300 sheets of 20 lb. bond / 80 gsm
Capacity  Office Finisher (Optional with 5865 Top Tray Capacity Stacking Tray Capacity Top Tray Sizes Stacking Tray Sizes Weights  Multiposition Stapling Hole Punch (Optional) North America: Europe: Office Finisher with Booklet Maker Top Tray Capacity Stacking Tray Capacity Top Tray Sizes Stacking Tray Sizes Weights	Up to 300 sheets of 20 lb. bond / 80 gsm  5/5875 only)  250 sheets unstapled of 80 gsm 2,000 sheets unstapled of 80 gsm or 1,000 sheets single stapled or 750 sheets dual stapled (8.5 x 11 in. / A4)  4.25 x 5.85 in. to 11 x 17 in. / A6 to A3 5.5 x 8.5 in. to 11 x 17 in. / A5 to A3  16 lb. bond to 58 lb. bond / 60 to 216 gsm  50 sheets of 20 lb. bond / 80 gsm  2-3 Hole Punch  (Optional with 5865/5875 only)  250 sheets unstapled of 80 gsm 2,000 sheets unstapled of 80 gsm or 1,000 sheets single stapled or 750 sheets dual stapled (8.5 x 11 in. / A4)  4.25 x 5.85 in. to 11 x 17 in. / A6 to A3 5.5 x 8.5 in. to 11 x 17 in. / A6 to A3 5.5 x 8.5 in. to 11 x 17 in. / A5 to A3  16 lb. bond to 58 lb. bond / 60 to 216 gsm
Capacity  Office Finisher (Optional with 5865 Top Tray Capacity Stacking Tray Capacity Top Tray Sizes Stacking Tray Sizes Weights  Multiposition Stapling Hole Punch (Optional) North America: Europe: Office Finisher with Booklet Maker Top Tray Capacity Stacking Tray Capacity Top Tray Sizes Stacking Tray Sizes Weights  Multiposition Stapling Hole Punch (Optional) North America:	Up to 300 sheets of 20 lb. bond / 80 gsm  250 sheets unstapled of 80 gsm 2,000 sheets unstapled of 80 gsm or 1,000 sheets single stapled or 750 sheets dual stapled (8.5 x 11 in. / A4)  4,25 x 5.85 in. to 11 x 17 in. / A6 to A3 5,5 x 8.5 in. to 11 x 17 in. / A5 to A3  16 lb. bond to 58 lb. bond / 60 to 216 gsm  50 sheets of 20 lb. bond / 80 gsm  2-3 Hole Punch 2-4 Hole Punch 2-50 sheets unstapled of 80 gsm 2,000 sheets unstapled of 80 gsm 2,000 sheets unstapled of 80 gsm or 1,000 sheets single stapled or 750 sheets dual stapled (8.5 x 11 in. / A4)  4,25 x 5.85 in. to 11 x 17 in. / A6 to A3 5,5 x 8.5 in. to 11 x 17 in. / A5 to A3  16 lb. bond to 58 lb. bond / 60 to 216 gsm  50 sheets of 20 lb. bond / 60 to 216 gsm
Capacity  Office Finisher (Optional with 5865 Top Tray Capacity Stacking Tray Capacity Top Tray Sizes Stacking Tray Sizes Weights  Multiposition Stapling Hole Punch (Optional) North America: Europe: Office Finisher with Booklet Maker Top Tray Capacity Stacking Tray Capacity Top Tray Sizes Stacking Tray Sizes Weights Multiposition Stapling Hole Punch (Optional) North America: Europe:	Up to 300 sheets of 20 lb. bond / 80 gsm  250 sheets unstapled of 80 gsm 2,000 sheets unstapled of 80 gsm or 1,000 sheets single stapled or 750 sheets dual stapled (8.5 x 11 in. / A4)  4,25 x 5.85 in. to 11 x 17 in. / A6 to A3 5.5 x 8.5 in. to 11 x 17 in. / A5 to A3  16 lb. bond to 58 lb. bond / 60 to 216 gsm  50 sheets of 20 lb. bond / 80 gsm  2-3 Hole Punch  2-4 Hole Punch  2-5 x 5.85 in. to 11 x 17 in. / A6 to A3 5.5 x 8.5 in. to 11 x 17 in. / A5 to A3  16 lb. bond to 58 lb. bond / 60 to 216 gsm  50 sheets unstapled of 80 gsm 2,000 sheets unstapled of 80 gsm 2,000 sheets unstapled of 80 gsm or 1,000 sheets single stapled or 750 sheets dual stapled (8.5 x 11 in. / A4)  4,25 x 5.85 in. to 11 x 17 in. / A6 to A3 5.5 x 8.5 in. to 11 x 17 in. / A5 to A3  16 lb. bond to 58 lb. bond / 60 to 216 gsm  50 sheets of 20 lb. bond / 80 gsm
Capacity  Office Finisher (Optional with 5865  Top Tray Capacity Stacking Tray Capacity  Top Tray Sizes Stacking Tray Sizes  Weights  Multiposition Stapling  Hole Punch (Optional) North America: Europe:  Office Finisher with Booklet Maker  Top Tray Capacity Stacking Tray Capacity  Top Tray Sizes Stacking Tray Sizes  Weights  Multiposition Stapling  Hole Punch (Optional) North America: Europe:  Booklet Making Capacity <sup>3</sup>	Up to 300 sheets of 20 lb. bond / 80 gsm

High Volume Finisher (HVF) (Option	nal)		
Capacity <sup>3</sup>	Top Tray – 250 sheets Stacking Tray – 3,000 sheets		
Sizes	4.25 x 5.5 in. / to 11 x 17 in. / A6 to A3 / 105 x 148 mm to 297 x 420 mm		
Weights	16 lb. to 57 lb. bond / 80 lb cover / 60 to 216 gsm		
Stapling <sup>3</sup>	100 sheets Single (any corner), dual, front, rear, SEF and 4-stitch		
<b>Hole Punch (Optional)</b> North America:	3-hole punch 2-hole Legal punch		
Europe:	2-hole punch 4-hole punch and 4-hole "Swedish" punch		
High Volume Finisher with Booklet	Maker (Optional)		
Capacity <sup>3</sup>	Top Tray – 250 sheets Stacking Tray – 3,000 sheets		
Sizes	4.25 x 5.5 in. to 11 x 17 in. / A6 to A3 / 105 x 148 mm to 297 x 420 mm		
Weights	16 lb. to 57 lb. bond / 80 lb. cover / 60 to 216 gsm		
Stapling <sup>3</sup>	100 sheets Single (any corner), dual, front, rear, SEF and 4-stitch		
Hole Punch (Optional) North America: Europe:	3-hole punch 2-hole Legal punch 2-hole punch		
Booklet Maker	4-hole punch and 4-hole "Swedish" punch  Tray stop up: 30 booklets (1-15 sheets per booklet)		
Capacity <sup>3</sup>	Tray stop down: Unlimited		
Booklet Maker Sizes	Letter – 8.5 x 11 in. / A4 / 210 x 297 mm Legal – 8.5 x 14 in. / 216 x 356 mm Ledger – 11 x 17 in. / A3 / 297 x 420 mm		
Booklet Maker Weights	16 lb. to 57 lb. bond / 80 lb. cover / 60 to 216 gsm		
Saddle-stitch Stapling <sup>3</sup>	Saddle-stitch (2-15 sheets / 8-60 page booklet)		
Folding	V-folding (1-15 sheets / unstapled)		
Z Fold / C Fold Unit (Optional with	HVF with Booklet Maker)		
Capacity <sup>3</sup>	50 sheets or unlimited capacity with tray stop in the down position		
Sizes	Letter – 8.5 x 11 in. / A4 / 210 x 297 mm		
Weights	16 lb. to 57 lb. bond / 80 lb. cover / 60 to 216 gsm		
•	h HVF and HVF with Booklet Maker)		
Capacity <sup>3</sup> Sizes	250 sheets  Letter – 8.5 x 11 in. / A4 / 210 x 297 mm  Legal – 8.5 x 14 in. / 216 x 356 mm  Ledger – 11 x 17 in. / A3 / 297 x 420 mm		
Weights	16 lb. to 57 lb. bond / 80 lb. cover / 60 to 216 gsm		
Convenience Stapler (Optional - Includes Work Surface)			
Capacity <sup>3</sup>	50-sheet stapling 5,000 staples Requires a separate power outlet		
Сору			
First-copy-out Time	2.9 seconds from the Platen / 5.9 seconds from the Single-pass Automatic Document Feeder		
Sides (input:output)	1-1, 1-2, 2-2, 2-1		
Quantity	1 to 9,999		
Resolution (max.)	Up to 600 x 600 dpi		
Reduction / Enlargement	Variable zoom from 25% to 400% in 1% increments		
Concurrency	Program-ahead to allow job to be initiated while initial job is processed (Copy, Print, Fax and Scan)		

Copy Features  Xerox® Copier Assistant®	Annotation and Bates™ stamping (with color capability and font size adjustment) Authentication for Services Auto Paper Select Auto Reduction & Enlargement to fit selected paper size Auto Tray Switching Automatic 2-sided / Duplex Booklet Creation Build Job: (Enables page-level programming and also lets you proof each section or delete last section as the job is built) Collation Covers (Front only, front and back, back only, printed inside and out: Blank or Printed) Dividers (blank) Edge Erase Features Help (Intuitive text and graphic descriptions) ID Card Copy Image Quality Adjustments Image Shift (with Auto Center option) Invert Image (negative or mirror image) Large Job Interrupt Multi-up (up to 15 columns by 15 rows) Sample Set Save Job Settings Stapling Transparencies  Xerox® Copier Assistant® Software provides a PC-based alternative to the user interface touch screen. Used in conjunction with a customer-supplied PC
	attached via the USB port, this software supports text-to-speech, screen magnification and easy PC keyboard access to basic and advanced copy features.  Section 508 compliant. For more information or to download Xerox® Copier Assistant for free, visit www.xerox.com
Print	
First-print-out Time	As fast as 6.2 seconds
Print Resolution	Up to 4800 x 1200, 256 shades of gray
Print Features	Application Defaults Banner Sheet Enable / Disable Bi-directional Status Cover Selection Delay Print (specific time) User Permissions Image Options (Toner Saver, Resolution (Standard, Enhanced, High) Job Identification (Print ID or Banner, Print ID in margins on first page only or all pages) LAN Fax (requires optional Fax Kit) Layout / Watermark (N-up (up to 16 pages per sheet), Multi-up, Booklet layout / finishing, Fit to new paper size) Overlays Paper Selection by Attribute Sample Set Saved Job Secure Print with Timed Deletion Special Pages (exception page programming: covers, inserts, exception pages) Store and Recall Driver Settings Sustainability Features (Xerox® Earth Smart Settings, Duplex, N-up, Turn-off Banner and Print ID, Smart Sample Set, Hold All Jobs)
Print from USB	Allows walk-up printing from Type A USB port on front panel Supports direct printing from computer via Type B USB port Supported file formats: PDF, JPEG, TIFF, PS, XPS, PCL
Operating Systems	Microsoft® Windows® XP SP3 (32- and 64-bit) Windows Server 2003 (32- and 64-bit) Windows Server 2008 and R2 (32- and 64-bit) Windows Server 2012 and R2 Windows Vista SP2 (32- and 64-bit) Windows 7 (32- and 64-bit) Windows 8 (32- and 64-bit) Windows 8 (32- and 64-bit) Windows 8.1 (32- and 64-bit) Mindows 8.1 (32- and 64-bit) Mindows 8.1 (30- and 64-bit) Mindows 8.1 (30- and 64-bit) Mac OS 10.7, 10.8, 10.9 Linux® Redhat® Fedora® Core 19 x86 Ubuntu® 13.10 x64 openSUSE® 13.1 x64

Network Protocols	TCP/IP: HTTP/HTTPS, Internet Printing Protocol, LPR/LPD, Raw Socket Printing/Port 9100, IPv4/IPv6,WSD			
	NetWare: Bindery and NDS IPX/SPX, NDPS®/NEPS (with Server Gateway)  AppleTalk®: EtherTalk®			
	Microsoft Windows Networking over IP			
	Apple® Bonjour® IPv6			
	Secure FTP			
Administrative Protocols	Most protocols not in use can be disabled  DHCP, BOOTP, SNMP, WINS, SLP® v2, HTTP, HTTPS, DHCP Autonet, SSL, NTP, DNS, SSDP			
Fonts	PCL: 93 scalable fonts, line printer and bitmap font (including Cyrillic font support)			
Tonis	PostScript 3: 173 Type 1 fonts, 2 Multiple Master fonts			
Xerox <sup>®</sup> Mobile Express Driver <sup>®</sup>	Makes it easy for mobile users to find, use and manage Xerox® and non-Xerox devices in every new location. Plug into a new network, and Mobile Express Driver automatically discovers available printers and provides status and capability information. Save a list of "favorite" printers for each location, store application print settings for use on any printer in any network, and greatly reduce mobile support calls to IT.			
Xerox® Global Print Driver®	A truly universal print driver that lets IT administrators install, upgrade and manage Xerox® and non-Xerox devices from a single driver. It provides a consistent, easy-to-use interface for end-users, reducing the number of support calls, and simplifying print services management.			
Xerox® Pull Print Driver	Makes it easy for IT managers to qualify, deploy and manage all print devices using a single driver in a Pull Print environment. Uses a single queue and single driver. The Xerox® Pull Print Driver extends convenience across a broad range of printing assets. IT administrators no longer need to manage and configure multiple drivers. Used in conjunction with Xerox Secure Access Unified ID System®, Equitrac Office®, Ysoft® SafeQ®, Pharos® and others.			
Print Solutions				
Xerox® Mobile Print Cloud (Optional)	Xerox® Mobile Print Cloud addresses the needs of businesses with a mobile workforce and puts you ahead of the evolving mobile print need, but without burdening staff, budget or infrastructure. Getting started takes only a few minutes via the cloud. Print from any mobile device to nearly any brand of printer. Accurate printing with true Microsoft® Office® rendering and more. Print what you need, when, where and how you need it.			
Xerox® Mobile Print Solution (Optional)	Xerox® Mobile Print Solution is an ideal choice for sites that have additional requirements for control and security with an onsite server. Xerox® Mobile Print Solution allows users to print from most mobile devices to nearly any brand of printer or MFP without drivers or added complexity. Simply enter a release code (PIN) at the device and get accurate printing with true Microsoft Office rendering and more to use with your server for private, onsite deployment.			
Unified Address Book for Fax, Int	ternet Fax, Email and Scan to			
Features	Services supported: Fax, Internet Fax, Email, Scan to			
	Maximum contacts: 5,000 Contacts: Supports 1 or more destinations			
	Favorites for quick access of fax numbers, emails, etc.			
Scan				
Concurrency	Scan while the system is printing, copying, or while it is transferring scan to network or fax jobs (priority is for return of scanned originals and printing concurrent jobs)			
Input Speed	Scan at up to 200 ipm color scanning and black-and-white – 8.5 x 11 in. / A4 LEF			
Resolution	72 x 72 dpi to 600 x 600 dpi Bit Depth: 1-bit (black-and-white), 8-bit (grayscale), 24-bit (color)			
Maximum Scan Area	11 x 17 in. / A3			
Scan Template Management	Support 250 scan templates Create Xerox® CentreWare® IS scan templates and share via device cloning to other MFPs Confirmation sheet options			
Network Protocols	sFTP, FTP, SMB, NetWare, HTTP, HTTPS			
File Compression	Color TIFF (TIFF 6.0 or TTN2 with JPEG, LZW) Black-and-white TIFF (G3MH, G4 MMR compression - single or multiple pages) Searchable PDF and PDF/A (MRC, JPEG, G3 MH, G4 MMR, JBIG 2 Huffman, JBIG Arithmetic Compression, Deflate (for Black-and-white and within MRC))			
	Linearized PDF / PDF/A			
Document Management Fields (Meta Data)	Linearized PDF / PDF/A  Features only available in Network Scan to File Templates:  1 to 6 user programmable metadata fields per network scan to file templates and unlimited fields within the template – Metadata field consists of field name, default value and other configurations  Customized fields viewed on user interface for variable data input			
_	Features only available in Network Scan to File Templates:  1 to 6 user programmable metadata fields per network scan to file templates and unlimited fields within the template – Metadata field consists of field name, default value and other configurations  Customized fields viewed on user interface for variable data input  Mixed Size Originals			
(Meta Data)	Features only available in Network Scan to File Templates:  • 1 to 6 user programmable metadata fields per network scan to file templates and unlimited fields within the template – Metadata field consists of field name, default value and other configurations  • Customized fields viewed on user interface for variable data input  Mixed Size Originals  Scan Build Job			
(Meta Data)	Features only available in Network Scan to File Templates:  1 to 6 user programmable metadata fields per network scan to file templates and unlimited fields within the template – Metadata field consists of field name, default value and other configurations  Customized fields viewed on user interface for variable data input  Mixed Size Originals			
(Meta Data)	Features only available in Network Scan to File Templates:  1 to 6 user programmable metadata fields per network scan to file templates and unlimited fields within the template – Metadata field consists of field name, default value and other configurations  Customized fields viewed on user interface for variable data input  Mixed Size Originals  Scan Build Job  Compression Quality/File Size Control  Original Type (Photo and Text, Photo, Text, Map, Newspaper / Magazine)  Auto Background and Shadow Suppression			
(Meta Data)	Features only available in Network Scan to File Templates:  1 to 6 user programmable metadata fields per network scan to file templates and unlimited fields within the template – Metadata field consists of field name, default value and other configurations  Customized fields viewed on user interface for variable data input  Mixed Size Originals  Scan Build Job  Compression Quality/File Size Control  Original Type (Photo and Text, Photo, Text, Map, Newspaper / Magazine)			
(Meta Data)	Features only available in Network Scan to File Templates:  1 to 6 user programmable metadata fields per network scan to file templates and unlimited fields within the template – Metadata field consists of field name, default value and other configurations  Customized fields viewed on user interface for variable data input  Mixed Size Originals Scan Build Job Compression Quality/File Size Control Original Type (Photo and Text, Photo, Text, Map, Newspaper / Magazine) Auto Background and Shadow Suppression Size for Size (for mixed size originals) TWAIN Support / WIA Support Bound Originals			
(Meta Data)	Features only available in Network Scan to File Templates:  1 to 6 user programmable metadata fields per network scan to file templates and unlimited fields within the template – Metadata field consists of field name, default value and other configurations  Customized fields viewed on user interface for variable data input  Mixed Size Originals  Scan Build Job  Compression Quality/File Size Control  Original Type (Photo and Text, Photo, Text, Map, Newspaper / Magazine)  Auto Background and Shadow Suppression  Size for Size (for mixed size originals)  TWAIN Support / WIA Support			

Scan to Email (Standard)			
Scan Features	<ul> <li>Email signatures (6 lines each of 128 character max), email message body (user configurable), email CentreWare IS confirmation sheet options</li> <li>Scan to Email S/MIME Encryption</li> <li>Email signing (requires Smart Card option)</li> <li>Auto send to self</li> </ul>		
Directory Access	Address list via LDAP (Windows Active Directory, Exchange, Notes, Domino)  Downloaded address list (comma-separated file format)		
Scan to (Standard)			
Features	Scan to USB Scan to Network Folder (uses Unified Address Book entries)		
Network Scanning – Software Sol	utions		
Xeroxº Scan to PC Desktopº Professional (Optional)	A desktop offering that provides advanced document imaging, archiving, editing and organization tools:  • PaperPort Professional image viewing and file management software  - Complete PDF functionality  - Secure PDF workflow of all scanning applications  • OmniPage Pro Office (for desktop/client installation) – Professional OCR software for digital archiving and document conversion  • Image Retriever – provides fully automated retrieval of scanned images direct from a scan enabled Xerox® WorkCentre to individual desktops. Also includes email inbox polling capability		
Xerox® ConnectKey® for SharePoint® (Optional)	Xerox® ConnectKey for SharePoint simplifies and streamlines the way you scan, capture and store your paper-based documents. Using your Xerox® MFP, you can route documents directly into the precise document repository folder, just like you would from your PC. At the MFP, you can browse to the folder, name the document, and add any key indexing information before you scan. With the flexibility to capture and route to SharePoint as well as Windows folders, ConnectKey is the right solution for any office that needs to archive and share paper-based documents.		
Xerox® ConnectKey® Share to Cloud (Optional)	Xerox® ConnectKey Share to Cloud provides organizations with powerful, easy and secure document scanning capabilities that connect your Xerox® MFP to popular cloud services and email, such as Google Docs, SalesForce.com, Office 365 and Dropbox™ and gives employees anytime, anywhere access to their most important documents using mobile devices.		
Xerox® ConnectKey® for DocuShare® (Optional)	Xerox® ConnectKey for DocuShare, a one-step scan-to-workflow solution, simplifies the process of incorporating hard copy content into enterprise document flows. Users can easily scan documents directly into a DocuShare collection or Windows folder via a multifunction printer (MFP).		
Security			
Xerox Secure Access Unified ID	<ul> <li>Expanded Authentication</li> <li>Network authentication to access device and/or device services via· Kerberos (UNIX / Windows Server 2003 / Windows Server 2008), SMB (Windows Server 2003 / Windows Server 2008), NDS, LDAP</li> <li>Xerox Secure Access Unified ID System®</li> <li>Local Authentication (internal database)</li> <li>Smart Card authentication -144k CAC / PIV Card Support (2048 bit certificate key) / .NET</li> <li>Secure Data</li> <li>Digitally signed PDF (when using Smart Card authentication)</li> <li>Encrypted Scan to Email</li> <li>Encrypted / Password Protected PDF (when using Email and Network Scan Templates only)</li> <li>Secure Print (up to 10 digit PIN or Network Authentication)</li> <li>Immediate Image Overwrite</li> <li>On Demand Image Overwrite (Scheduled, Manual), includes sanitation of unused area of disk</li> <li>FIPS 140-2 256 bit Hard Disk Encryption</li> <li>Expanded Authorization</li> <li>SA access based on network credentials</li> <li>Authorization per user per service</li> <li>User Permissions required to access Print and Print Features (e.g. color access, or time restrictions) reflects in the print driver</li> <li>Secure Network Access</li> <li>IP Filter, IPsec, IPv6, SSL v3.0, SNMPv3, HTTPs, 802.1X, Cisco® TrustSec integration, Device Security</li> <li>McAfee® Embedded Security, Port disablement including USB ports, Audit Log, Hide Print Job Names, McAfee Integrity Control (optional)</li> <li>Common Criteria Certification ISO 15408</li> <li>Xerny Secure Access Unified ID System integrates your Xerny® multifunction systems with your existing employee/student ID PIN or hadge providing</li> </ul>		
Xerox Secure Access Unified ID System® (Optional)	Xerox Secure Access Unified ID System integrates your Xerox® multifunction systems with your existing employee/student ID PIN or badge providing a flexible and convenient authentication system. Allow your staff, employees or students to send documents to a centralized print server. Then, at any multifunction printer on the network, they'll simply log in with a swipe of their magnetic or proximity ID card or their PIN to securely print their job. For more information, go to <a href="https://www.office.xerox.com/software-solutions">www.office.xerox.com/software-solutions</a>		
Fax			
Network Server Fax Features			
Compatibility	ITU (CCITT) group 3; Various Xerox Business Innovation Partner Solutions		
Maximum Scan Area Fax Send Features	11 x 17 in. / A3  One- or Two-sided Scanning (up to 11 x 17 in. / A3)		
Tax Jena realures	Add to Send List (50 numbers maximum)  Build Job, Favorites, Delay Send (specific time) Original Type (photo, text or photo and text)		

Fax Print Features	One- or Two-sided Printing, Staple, Secure Print	
Transmission Resolution	Superfine: 400 x 200 dpi (Scan at 600 x 600 dpi) Fine: 200 x 200 dpi Standard: 200 x 100 dpi	
Internet Fax Features		
Capability	Direct print-ready document transmission to remote Internet Fax machines or email clients (SMTP) Reception and automatic printout of documents sent via email from remote Internet Fax machines or email clients	
Directory Access	Utilizes the Unified Address Book	
Send / Receive	Multi-page TIFF, Image only PDF	
Resolution	72 x 72 dpi to 600 x 600 dpi; Bit Depth: 1-bit (black-and-white)	
Network Protocols	SMTP (send), POP3 (receive)	
Compliance	ITU-T T.37 compliant	
Walk-up Fax Features (Optional	(Customer-installable) – 1 and 2 lines)	
Compatibility	ITU (CCITT) Group 3	
Speed / Modems	One or Two V.34 modems: 33,600 bps. Less than 4 seconds per page transmission time ATA analog terminal adapter utilizing T38 (optional)	
Compression / Speed	MH/G3, MMR/SG3	
Resolution	Walkup Send: Standard: 200 x 100 dpi Fine: 200 x 200 dpi Superfine: 600 x 600 dpi Receive: Accepts all sizes	
Fax Send Features	LAN Fax (fax from print driver) Auto Fax Transmission Reduction Page-by-page Job Status at the Machine Delay Start, Build Job, Favorites Automatic Memory Resend Automatic Cover Sheets PSTN Fax Batch Send (up to memory capacity)	
Fax Receive Features	One- or Two-sided Printing Stapled or Unstapled Receive Print Mode – Manual (size, margin, stock, header) / Auto Output Tray Selection Up to 200 Password Protected Mailboxes Secure Receive Receive Timestamp Auto Answer Delay	
Fax Forward	Forward to Email or SMB Location Fax Forward on Receive Only	
Fax Reports	Activity, Dial Directory, Group Directory, Transmission Confirmation, Pending Fax, Options Report, On Demand Overwrite Report, Mailbox Report, Broadcast Report	
Directory Access	Utilizes the Unified Address Book Group fax available	
Auto Redial	Up to 14 attempts (per country requirements)  • 1 to 25 minute intervals	
Auto Resend	Up to 5 attempts	
Device Management		
Management Support	SNMP Version 1. SNMP Version 2c and SNMP Version 3 trap over TCP/IP and IP MIB access (IETF-MIBII RFC 1213), Host Resources MIB RFC 2790, Printer MIB RFC 1759 v.2	
Xerox® CentreWare® Web	<ul> <li>A Web-based server application for network administrators that permits Web browser-based device management from any workstation, whether running Windows, UNIX or any other operating system:</li> <li>Works with any SNMP-managed printer from any manufacturer.</li> <li>Provides help with device discovery and installation, health checks and troubleshooting, and device upgrades, as well as basic accounting and asset management.</li> <li>Requires Windows XP, Vista or Windows 7 and Internet Explorer 6.0 and higher.</li> <li>CentreWare Integration available for Tivoli® NetView®, Unicenter TNG®, Microsoft Management Console (MMC), HP® OpenView®</li> </ul>	
Novell NDPS/NEPS	Server gateway application: centralized management tool.	

Xerox® Device Manager	Xerox® Device Manager collects and manages the data that drives fact-based decisions for your enterprise device management environment. It is a single tool to install print queues and configure, manage, monitor and report on both networked and locally connected devices – regardless of vendor – across your enterprise. Xerox® Device Manager provides:  • Device monitoring and troubleshooting  • Extensive reporting and discovery of new devices  • Usage collection, chargeback and billing capabilities		
Xerox® Device Types for SAP Environment  Xerox, together with SAP through our Gold-level membership in the SAP Printer Vendor Program, provides seamless connectivity to and your Xerox® printers and MFPs. And as an SAP customer you benefit from having SAP-certified Xerox® device types available delivery model. SAP-certified device types for Xerox® printers and MFPs are available to download. www.office.xerox.com/softw			
Xerox® Device Types for SAP R/3 Intelligent Barcode Utility (optional)	Provides built-in process intelligence that allows the printing of barcodes on any appropriately configured PostScript printer in specific versions of SAPenvironment and within Latin-1 (ISO8859-1) SAP system code pages only. Used in conjunction with Xerox® PostScript Device Types for SAP environment and Xerox® Font Center Barcode Fonts. Information available at <a href="https://www.office.xerox.com/software-solutions">www.office.xerox.com/software-solutions</a>		
Xerox® Barcode Pro PS (optional)			
CentreWare Internet Services – Int	regrated Web Pages Provided by the Device		
Device Status	Web server embedded in Network Controller:  Tray status/contents Consumables status Alerts Remote Control Panel		
Job Submission	Print ready files: PS, PCL, TIFF, PDF, JPG, XPS <sup>4</sup> , TXT, PRN Output feature selection (2-sided, output color, collate, orientation, staple, hole punch, folding, output destination) Delivery options (Immediate, sample set, delay and secure, Save job or reprint)		
Device Administration	Allows simple, remote installation setting of configuration options and management of the device		
Browsers	Internet Explorer 7.x, 8.x, 9.x Safari 5.x Mozilla Firefox 4.x, 5.x, 6.x, 7.x, 8.x, 9.x, 10.x, 11.x Opera 11.x Chrome 12		
Support	Install print / scan drivers and online support available via web page		
Languages Supported	International English, International French, Italian, German, International Spanish, Dutch, Brazilian Portuguese, Swedish, Norwegian, Danish, Finnish or Russian, Simplified Chinese, Korean, Japanese		
Remote Services			
Xerox® MeterAssistant®	Automates the process of collecting and submitting meter reads for tracking and billing of Xerox® device usage. Eliminates the need for time-consuming end-user involvement and ensures that meter reads are submitted to Xerox on time.		
Xerox® SuppliesAssistant®	Automatically orders supplies for Xerox® output devices based on actual usage, eliminating the need to manually manage supplies inventory.		
MaintenanceAssistant	Offers a fast (and free) way to resolve potential issues and receive assistance and automate the troubleshooting/repair process. Diagnostic data is sent to Xerox, allowing for problems to be solved faster with increased uptime.		
Accounting			
Xerox® Standard Accounting (Stan	dard)		
Tracking	Copy, Print, Fax, Scan and Email usage		
Accounting	Up to 2,497 User accounts (User ID) Up to 500 General accounts (Client) Up to 498 Group accounts (Department)		
Features	<ul> <li>Administrator can manage the feature via the Web User Interface or device control panel in tools</li> <li>Administrator has the ability to import or export user accounts, Group Accounts, General Accounts and User limits via an industry standard CSV file</li> </ul>		
Accounting Options – Network Acc	counting – Third Party Enablement		
	Enhanced network accounting with up to the minute data on how the system is being used Comprehensive management and enterprise scale tracking and reporting of device usage of copy, print, scan and server fax Numerous solutions are available through Xerox Alliance Partners. For details visit <a href="https://www.xerox.com">www.xerox.com</a> Security enhancements with the addition of HTTPS protocol support Device requests account authentication from third party server enabling larger databases of users and accounts Accept Authentication Login at control panel and pass to third party Networking Account Interface with third party accounting terminal for accounting user interface		

Supplies	Description	Quantity	Part Number
Toner Cartridge	Includes 2 Toner Cartridges and Waste Toner Bottle	110,000 pages <sup>4</sup> (55,000 pages each) <sup>4</sup>	006R01552
Waste Toner Bottle	Supplied with each Toner Cartridge Box	100,000 pages <sup>4</sup>	008R12896
Staple Cartridges	Office Finisher (5865/5875 only)	5,000 per cartridge (15,000 staples)	108R00493
	Office Finisher with Booklet Maker (5865/5875 only)	5,000 per cartridge (15,000 staples)	108R00493
	Office Finisher with Booklet Maker – saddle-stitch stapling (5865/5875 only)	2,000 per cartridge (8,000 staples)	108R01158
	HVF and HVF with Booklet Maker  • Complete Cartridge  • Refill Cartridge	5,000 per cartridge 5,000 per cartridge (15,000 staples)	008R12912 008R12898
	HVF with Booklet Maker – saddle-stitch stapling	2,000 per cartridge (16,000 staples)	008R12897
	Convenience Stapler  • Complete Cartridge  • Refill Cartridge	5,000 per cartridge 5,000 per cartridge (15,000 staples)	008R12964 008R12941
Xerox® SmartKit®			
Fuser Module	Includes Ozone Filter	400,0004	109R00773
Xerographic Module – Metered		450,000 <sup>4</sup>	109R00672
Xerographic Module – Sold	North America: Europe:	450,0004	113R00674 113R00673
Document Handler Feeder Rolls		150,000 feeds	113R00718

<sup>&</sup>lt;sup>1</sup> Maximum volume capacity expected in any one month. Not expected to be sustained on a regular basis.

Return spent imaging supplies through the Xerox Green World Alliance collection/reuse/recycling program. For more information, visit www.xerox.com/about-xerox/recycling.

For more information, call **1-800-ASK-XEROX** or visit us at www.xerox.com/office



<sup>&</sup>lt;sup>2</sup> Expected regular monthly throughput.

<sup>&</sup>lt;sup>3</sup> Paper capacities are based on 20 lb. / 75 gsm stock; capacities will vary with different weight stocks.

<sup>&</sup>lt;sup>6</sup> Approximate pages. Declared Yield based on 5 page job size, 6% area coverage, using letter / A4 media. Yield will vary based on media size, image area coverage, media orientation and usage patterns.