


Black-browed Albatross. At sea off Cape Horn, South Atlantic. 9th February 2009.  
Photo: Michael O'Keeffe.



# List of Albatrosses with References

Compiled by Joe Hobbs



## Introduction

This is the final version of the Albatross list, no further updates will be made. Grateful thanks to Michael O'Keeffe (<http://birdingimagequalitytool.blogspot.com/>) for the cover images and all those who responded with constructive feedback. All images © the photographer.

Please note that this and other Reference Lists I have compiled are **not exhaustive** and are best employed in conjunction with other sources.

Joe Hobbs

## Index

The general order of species follows the International Ornithologists' Union World Bird List (**Gill, F. & Donsker, D.** (eds.) 2019. IOC World Bird List. Available from: <https://www.worldbirdnames.org/> [version 9.1 accessed January 2019]).

## Final Version

Version 1.2 (March 2019).

## Cover

Main image: Black-browed Albatross. At sea off Cape Horn, South Atlantic. 9th February 2009.  
Picture by Michael O'Keeffe.

Vignette: Atlantic Yellow-nosed Albatross. At sea in the South Atlantic off Argentina. 13th February 2009. Picture by Michael O'Keeffe.

Species	Page No.
Amsterdam Albatross [ <i>Diomedea amsterdamensis</i> ]	14
Atlantic Yellow-nosed Albatross [ <i>Thalassarche chlororhynchos</i> ]	25
Black-browed Albatross [ <i>Thalassarche melanophris</i> ]	18
Black-footed Albatross [ <i>Phoebastria nigripes</i> ]	7
Buller's Albatross [ <i>Thalassarche bulleri</i> ]	27
Campbell Albatross [ <i>Thalassarche impavida</i> ]	21
Chatham Albatross [ <i>Thalassarche eremita</i> ]	23
Grey-headed Albatross [ <i>Thalassarche chrysostoma</i> ]	24
Indian Yellow-nosed Albatross [ <i>Thalassarche carteri</i> ]	26
Laysan Albatross [ <i>Phoebastria immutabilis</i> ]	5
Light-mantled Albatross [ <i>Phoebetria palpebrata</i> ]	17
New Zealand Albatross [ <i>Diomedea antipodensis</i> ]	13
Northern Royal Albatross [ <i>Diomedea sanfordi</i> ]	15
Royal Albatross [ <i>Diomedea sp.</i> ]	15
Salvin's Albatross [ <i>Thalassarche salvini</i> ]	23
Short-tailed Albatross [ <i>Phoebastria albatrus</i> ]	9
Shy Albatross [ <i>Thalassarche cauta</i> ]	21
Sooty Albatross [ <i>Phoebetria fusca</i> ]	16
Southern Royal Albatross [ <i>Diomedea epomophora</i> ]	15
Tristan Albatross [ <i>Diomedea dabbenena</i> ]	15
Wandering Albatross [ <i>Diomedea exulans</i> ]	10
Waved Albatross [ <i>Phoebastria irrorata</i> ]	8

## Relevant Publications

- Barwell, G.** 2014. *Albatross*. Reaktion Books, London.
- Beaman, M.** 1994. *Palearctic birds: a checklist of the birds of Europe, North Africa and Asia north of the foothills of the Himalayas*. Harrier Publications, Stonyhurst, Lancashire.
- BirdLife International** 2004. *Tracking ocean wanderers: the global distribution of albatrosses and petrels. Results from the Global Procellariiform Tracking Workshop, 1-5 September, 2003, Gordon's Bay, South Africa*. Cambridge, UK: BirdLife International.
- Brooke, M.deL.** 2004. *Albatrosses and Petrels across the World*. Oxford University Press, Oxford & New York.
- Burton, R. & Croxall, J.** 2012. *A Field Guide to the Wildlife of South Georgia*. South Georgia Heritage Trust - Wildguides - Princeton University.
- Couve, E. & Vidal, C.F.** 2005. *Albatrosses: Of the Southern Ocean / Albatros: Del Océano Austral*. Fantastico Sur, Chile.
- Cramp, S. & Simmons, K.E.L.** (eds.) 1977. *Handbook of the Birds of Europe, the Middle East and North Africa, The Birds of the Western Palearctic, Volume 1: Ostrich to Ducks*. Oxford University Press.
- Croxall, J.P.** (ed.) 1991. *Seabird Status and Conservation: A Supplement*. ICBP / BirdLife Technical Publication Series 11.
- de Roy, T. et al.** 2008. *Albatross - Their world, their ways*. Christopher Helm, London.
- del Hoyo, J. et al.** (eds.) 1992. *Handbook of the Birds of the World. Volume 1. Ostrich to Ducks*. Lynx Edicions, Barcelona.
- Doughty, R.W. & Carmichael, V.** 2011. *The Albatross and the Fish: Linked Lives in the Open Seas*. University of Texas Press.
- Enticott, J. & Tipling, D.** 1997. *Photographic Handbook of the Seabirds of the World*. New Holland.
- Falla, R.A. et al.** 1987. *Collins Guide to the Birds of New Zealand*. Collins, Auckland and London.
- Flood, B. & Fisher, A.** 2015. *Multimedia Identification Guide to North Atlantic Seabirds: Albatrosses & Fulmarine Petrels*. Pelagic Birds & Birding Multimedia Identification Guides, Isles of Scilly.
- Gaston, A.J.** 2004. *Seabirds: A Natural History*. T. & A.D. Poyser, A & C Black, London.
- Haley, D.** 1984. *Seabirds of eastern North Pacific and Arctic waters*. Pacific Search Press.
- Harper, P.C. & Kinsky, F.C.** 1978. *Southern Albatrosses and Petrels*. Prince Milburn & Co., Wellington.
- Harrison, P.** 1983 & revised edition 1985. *Seabirds: an identification guide*. Croom Helm.
- Harrison, P.** 1987. *Seabirds of the World A Photographic Guide*. Christopher Helm, London.
- Howell, S.N.G.** 2012. *Petrels, Albatrosses & Storm-Petrels of North America: A Photographic Guide*. Princeton University Press, New Jersey and Oxfordshire.
- Howell, S.N.G. et al.** 2014. *Rare Birds of North America*. Princeton University Press, Princeton and Oxford.
- Hume, R. & Pearson, B.** 1993. *Seabirds*. Hamlyn Bird Behaviour Guides. Hamlyn, London.
- King, W.B. (ed.)** 1974. *Pelagic Studies of Seabirds in the Central and Eastern Pacific Ocean*. Smithsonian Institution Press, Washington.
- Lewington, I. et al.** 1991. *A Field Guide to the Rare Birds of Britain and Europe*. HarperCollins.
- Lindsey, T.** 2008. *Albatrosses*. CSIRO Publishing.
- Löfgren, L.** 1984. *Ocean birds: their breeding biology and behaviour*. Croom Helm, Beckenham.
- Marchant, S. & Higgins, P.** (eds) 1990. *Handbook of Australian, New Zealand and Antarctic Birds Volume 1: Ratites to Ducks. Part A: Ratites to Petrels*. Oxford University Press, Australia.
- Martin, T.** 2011. *Albatrosses*. Colin Baxter Photography, Grafton-on-Spey.
- Mulder, C.P.H. et al. (eds.)** 2011. *Seabird Islands Ecology, Invasion, and Restoration*. Oxford University Press, USA.
- Onley, D. & Bartle, S.** 1999. *Identification of Seabirds of the Southern Ocean: A Guide for Scientific Observers Aboard Fishing Vessels*. Te Papa Press.
- Onley, D. & Scofield, P.** 2007. *Albatrosses, Petrels and Shearwaters of the World*. Christopher Helm, A & C Black, London.
- Parkinson, B.** 2001 & 2007. *Field Guide to New Zealand Seabirds*. New Holland Publishers.
- Pearson, B.** 2012. *Troubled Waters: trailing the albatross, an artist's journey*. Langford Press.
- Pratt, H.D. et al.** 1987. *The Birds of Hawaii and the Tropical Pacific*. Princeton University Press.
- Robertson, C.J. & Gales, R.** (eds.) 1998. *Albatross Biology and Conservation*. Surrey Beatty & Sons Ltd., Chipping Norton, NSW.
- Safina, C.** 2003. *Eye of the Albatross: Visions of Hope and Survival*. John MacRae Books.
- Serventy, D.L. et al.** 1971. *The handbook of Australian seabirds*. A.H. & A.W. Reed, Sydney.

- Shirihi, H. & Jarrett, B.** 2002. *A Complete Guide to Antarctic Wildlife, The Birds and Marine Mammals of the Antarctic Continent and Southern Ocean*. Alula Press Oy, Finland.
- Shirihi, H. & Jarrett, B.** 2007. *A Complete Guide to Antarctic Wildlife Birds and Marine Mammals of the Antarctic Continent and Southern Ocean*. A & C Black, London. 2nd edition.
- Sinclair, I. & Langrand, O.** 2003 & 2013. *Birds of the Indian Ocean Islands: Madagascar, Mauritius, Réunion, Rodrigues, Seychelles and the Comoros*. New Holland.
- Snow, D.W. & Perrins, C.M.** (eds.). 1998. *The Birds of the Western Palearctic Concise Edition Volume 1, Non-Passerines*. Oxford University Press.
- Terauds, A. & Stewart, F.** 2005. *Albatross: Elusive Mariners of the Southern Ocean*. Reed New Holland.
- Tickell, W.L.N.** 2000. *Albatrosses*. Pica Press, Sussex.
- Tuck, G.S. & Heinzel, H.** 1978. *A Field Guide to the Seabirds of Britain and the World*. Collins.
- Watson, G.E.** 1975. *Birds of the Antarctic and Sub-Antarctic*. American Geophysical Union, Washington.

### General Notes

- Ackered, H.** 2003. Atlantic Odyssey - The ultimate pelagic trip? *Alula* 9(2): 42-55.
- Agombar, D.** 2015. BB eye: The Hookpod - built to save the albatross. *British Birds* 108(12): 702-703.
- Baker, G. et al.** 2002. Albatrosses and petrels in Australia: a review of their conservation and management. *Emu* 102: 71-97.
- Boggs, C.** Deterring albatrosses from contacting baits during swordfish longline sets, pp. 79-94. Found in: **Melvin, E. & Parish, J.** (eds.) 2001. *Seabird bycatch: trends, roadblocks, and solutions*. Alaska Sea Grant, Fairbanks.
- Bonaccorsi, G.** 2003. Les procellariiformes (Diomedeidae, Procellariidae et Hydrobatidae) non nicheurs en Méditerranée occidentale: une synthèse [Non-breeding procellariiformes (Diomedeidae, Procellariidae and Hydrobatidae) in the western Mediterranean]. *Alauda* 71(1): 1-7.
- Bourne, W.R.P. & Warham, J.** 1999. Letters: Albatross taxonomy. *Birding World* 12(3): 123-124.
- Bourne, W.R.P.** 1990. The evolution, classification and nomenclature of the great albatrosses. *Le Gerfaut* 79: 105-116.
- Bourne, W.R.P.** 2003. Letters: The nomenclature of albatrosses and the former distribution of the English Albatross. *British Birds* 96(3): 143.
- Brothers, N.** 1991. Albatross mortality and associated bait loss in the Japanese longline fishery in the Southern Ocean. *Biological Conservation* 55(3): 255-268.
- Buurman, D. & Shirihi, H.** 2003. Kaikoura, New Zealand: the World's No.1 site for seabirds and marine mammals. *Birding World* 16(4): 161-172.
- Chambers, G.K. et al.** 2009. Phylogenetic analysis of the 24 named albatross taxa based on full mitochondrial cytochrome b DNA sequences. *Notornis* 56: 82-94.
- Clarke, A. et al.** 2012. Important Bird Areas - South Georgia. *British Birds* 105(3): 118-144.
- Clarke, R.H. & Schulz, M.** 2005. Land-based observations of seabirds off sub-Antarctic Macquarie Island during 2002 and 2003. *Marine Ornithology* 33: 7-17.
- Cohen, C. et al.** 2001. Pelagic seabirding off Cape Town, South Africa. *Bulletin of the African Bird Club* 8(1): 12-17.
- Cooper, J. & Ryan, P.G.** 2001. The agreement on the conservation of albatrosses and petrels: implications for research and monitoring at the Prince Edward Islands. *South African Journal of Science* 97: 78-79.
- Cooper, J.** 2000. Keeping albatrosses off the hook. *British Birds* 93(6): 260-262.
- Cooper, J. et al.** 2006. The Agreement on the Conservation of Albatrosses and Petrels: rationale, history, progress and the way forward. *Marine Ornithology* 34(1): 1-5.
- Coster, B.** 2003. World of birds: Gooney Island. *Birdwatch* 129: 34-37.
- Croxall, J.P. & Prince, P.A.** 1994. Dead or alive, night or day: how do albatrosses catch squid? *Antarctic Science* 6: 155-162.
- Croxall, J.P. et al.** 2005. Global circumnavigations: tracking year-round ranges of non-breeding albatrosses. *Science* 307: 249-250.
- Dénes, F.V. et al.** 2007. The great albatrosses of the genus *Diomedea* Linnaeus, 1758 in Brazil. *Revista Brasileira de Ornitologia* 15: 543-550.
- Denny, M.** 2009. Dynamic soaring: aerodynamics for albatrosses. *European Journal of Physics* 30: 75-84.

- Department of Sustainability, Environment, Water, Population and Communities** 2011. *National recovery plan for threatened albatrosses and giant petrels 2011-2016*. Commonwealth of Australia, Hobart.
- Dunn, E.** 2004. Bird families: Giants of the ocean. *Birdwatch* 144: 33-37.
- Erickson, J.G.** 1955. Flight behaviour of the Procellariiformes. *The Auk* 72(4): 415-420.
- Falla, R.A.** 1960. Oceanic birds as dispersal agents. *Proceedings of the Royal Society of London, Biological Sciences* 152: 655-659.
- Fisher, R.G.** 1993. The Great Albatross Day. *Birding XXV*(1): 78-79.
- Fraser, M.** 2004. ListCheck: Classification - Tubenoses. *Birdwatch* 149: 13.
- Fraser, M.** 2006. ListCheck: Relationships - Albatrosses. *Birdwatch* 166: 55.
- Gale, J. & Rose, C.** 2012. Artists for Albatrosses - raising funds and awareness for seabird conservation. *Birding World* 25(9): 396.
- Garnett, S.** 1991. Saving the Albatross - A perplexing conservation problem solved. *Birds International* 3(1): 80-83.
- Gilman, E.** 2001. Keeping Albatrosses off the hook in the North Pacific. *World Birdwatch* 23(2): 14-16.
- Grandjean, E.C.** 1990. Mollymawks, Stinkers and Whalebirds. *Birds International* 2(3): 84-89.
- Harbard, C.** 2006. World of birds: Albatross odyssey. *Birdwatch* 167: 36-40.
- Kennedy, M. & Page, R.D.M.** 2002. Seabird supertrees: combining partial estimates of Procellariiform phylogeny. *The Auk* 119(1): 88-108.
- Kenyon, K.W.** 1950. Distribution of albatrosses in the North Pacific and adjacent waters. *The Condor* 52: 97-103.
- Madge, G.** 2007. Seabirds: Trailing a tori. *Birdwatch* 181: 30-31.
- Marks, J.S. & Hall, C.S.** 1992. Tool use by Bristle-thighed Curlews feeding on Albatross eggs. *The Condor* 94(4): 1032-1034.
- McHugh, J.L.** 1950. Increasing abundance of Albatrosses off the coast of California. *The Condor* 52(4): 153-156.
- Miller, L.** 1962. A new Albatross from the Miocene of California. *The Condor* 64(6): 471-472.
- Mlodinow, S.G.** 1999. Southern Hemisphere albatrosses in North American waters. *Birders Journal* 8: 131-141.
- Neves, T. & Olmos, F.** Albatross mortality in fisheries off the coast of Brazil, pp. 214-219. Found in: **Robertson, G. & Gales, R.** (eds.) 1998. *Albatross biology and conservation*. Surrey Beatty & Sons, Chipping Norton.
- Nunn, G.B. & Stanley, S.E.** 1998. Body size effects and rates of cytochrome-*b* evolution in tube-nosed seabirds. *Molecular Biology and Evolution* 15(10): 1360-1371.
- Nunn, G.B. et al.** 1996. Evolutionary relationships among extant albatrosses (Procellariiformes: Diomedidae) established from complete cytochrome-*B* gene sequences. *The Auk* 113: 784-801.
- Pearson, B.** 2012. Art: Trailing the albatross. *Birdwatch* 245: 27-31.
- Penhallurick, J. & Wink, M.** 2004. Analysis of the taxonomy and nomenclature of the Procellariiformes based on complete nucleotide sequences of the mitochondrial cytochrome *b* gene. *Emu* 104: 125-147.
- Pennycuick, C.J.** 1982. The Flight of Petrels and Albatrosses (Procellariiformes), Observed in South Georgia and its Vicinity. *Philosophical Transactions of the Royal Society: Biological Sciences* 300: 75-106.
- Pennycuick, C.J.** 1987. Flight of Auks (Alcidae) and Other Northern Seabirds Compared with Southern Procellariiformes: Ornithodolite Observations. *Journal of Experimental Biology* 128: 335-347.
- Pennycuick, C.J. et al.** 1984. Scaling of foraging radius and growth rate in petrels and albatrosses (Procellariiformes). *Ornis Scandinavica* 15: 145-154.
- Pettit, T.N. et al.** 1985. Basal Metabolic Rate in Tropical Seabirds. *The Auk* 102(1): 172-174.
- Pitches, A.** 2004. News and comment: UK ratifies albatross treaty. *British Birds* 97(5): 251.
- Plantema, O.** 2012. Varia: Albatrosses of the Southern Atlantic Ocean. *Dutch Birding* 34(4): 244-254.
- Rice, D.W. & Kenyon, K.W.** 1962. Breeding distribution, history, and population of North Pacific albatrosses. *The Auk* 79(3): 365-386.
- Richardson, M.E.** 1984. Aspects of the ornithology of the Tristan da Cunha Group and Gough Island, 1972-1974. *Cormorant* 12: 122-201.
- Ridoux, V.** 1994. The diets and dietary segregation of seabirds at the subantarctic Crozet Islands. *Marine Ornithology* 22(1): 1-192.

- Robertson, C.J.R. & Nunn, G.B.** Towards a new taxonomy for albatrosses, pp. 13-19. Found in:  
**Robertson, G. & Gales, R.** (eds.) 1998. *Albatross biology and conservation*. Surrey Beatty & Sons, Chipping Norton.
- Russ, R. & Shirihi, H.** 2000. The birds, marine mammals, habitat and history of the subantarctic islands off New Zealand. *Alula* 6(3): 82-147.
- Shirihi, H.** 2003. World of birds: Pelagic odyssey. *Birdwatch* 135: 36-41.
- Soldaat, E. et al.** 2009. Albatross mandible at archeological site in Amsterdam, the Netherlands and WP records of *Diomedea* albatrosses. *Dutch Birding* 31(1): 1-16.
- Spear, L.B. & Ainley, D.G.** 1997. Flight behaviour of seabirds in relation to wind direction and wing morphology. *Ibis* 139: 221-233.
- Spear, L.B. & Ainley, D.G.** 1997. Flight speed of seabirds in relation to wind speed and direction. *Ibis* 139: 234-251.
- Spear, L.B. et al.** 1999. Kleptoparasitism by Brown Skuas on albatrosses and giant-petrels in the Indian Ocean. *The Auk* 116(2): 545-548.
- Thomas, R. & Dunn, E.** 2000. Keeping seabirds off the hook - Longline fishing is killing albatrosses and other seabirds. *Wings* 18: 6-7.
- Thomas, R. & Dunn, E.** 2000. Seabirds on the Line - A global conservation issue. *Birdwatch* 97: 32-36.
- Veit, R.R.** 1995. Pelagic communities of seabirds in the South Atlantic Ocean. *Ibis* 137(1): 1-10.
- Warham, J. et al.** 1974. Additional notes on albatross identification. *American Birds* 28(3): 598-603.
- Warham, J. et al.** 1974. Albatross identification in the North Atlantic. *American Birds* 28(3): 585-598.
- Warham, J. et al.** Albatross identification in the North Atlantic, pp. 61-70. Found in: **Sharrock, J.T.R.** (ed.) 1980. *The Frontiers of Bird Identification*. London.

### Laysan Albatross

**Phoebastria immutabilis** [Rothschild].

Breeding: Torishima Island (S Izu Islands, Japan region, NW Pacific), Mukojima group (Bonin / Ogasawara Islands, Japan region, NW Pacific) and Kure Atoll, Midway Island, Laysan Island, Nihoa, Ni'ihi & Kaua'i (NW Hawaiian Islands), Moko Manu (off NE Oahu, Hawaii Islands) and Guadalupe Island (off Baja California, W Mexico) & Revillagigedo Islands (off S Baja California, W Mexico). Non-breeding: Seas of Japan to the Bering Sea & W coast North America in N Pacific S to 15°N. Treated by del Hoyo *et al.* 1992 as *Diomedea immutabilis*.

- Brazil, M.A.** 1993. Seabirding in Japan. *Dutch Birding* 15(4): 160-166 (plate 97, p. 162).
- Charlwood, R. & Charlwood, L.** 1997. Midway: gem of the Pacific. *Birding World* 10(7): 263-266.
- Chiba, H. et al.** 2007. The Distribution of Seabirds in the Bonin Islands, Southern Japan. *Journal of the Yamashina Institute for Ornithology* 39(1): 1-17.
- Collins, C.** 2012. Birding in the Russian Far East. *Birding World* 25(3): 108-123 (plate 6, p. 114).
- Dill, H.R.** 1916. The Albatross of Laysan. *The Wilson Bulletin* 28(4): 172-175.
- Dunlap, E.** 1988. Laysan Albatross nesting on Guadalupe Island, Mexico. *American Birds* 42(2): 180-181.
- Dunn, J. & Unitt, P.** 1977. A Laysan Albatross in interior Southern California. *Western Birds* 8: 27-28.
- Fernández, P. & Anderson, D.J.** 2000. Nocturnal and diurnal foraging activity of Hawaiian Albatrosses detected with a new immersion monitor. *The Condor* 102(3): 577-584.
- Fernández, P. et al.** 2001. Foraging destinations of three low-latitude albatross (*Phoebastria*) species. *Journal of Zoology* 254(3): 391-404.
- Fisher, H.I. & Fisher, J.R.** 1972. The oceanic distribution of the Laysan Albatross, *Diomedea immutabilis*. *The Wilson Bulletin* 84(1): 7-27.
- Fisher, H.I. & Fisher, M.L.** 1969. The visits of Laysan Albatrosses to the breeding colony. *Micronesia* 5: 173-221.
- Fisher, H.I.** 1951. The avifauna of Niihau Island, Hawaiian Archipelago. *The Condor* 53(1): 31-42 (35).
- Fisher, H.I.** 1966. Aerial census of Laysan Albatrosses breeding on Midway Atoll in December, 1962. *The Auk* 83(4): 670-673.
- Fisher, H.I.** 1966. Airplane-Albatross collisions on Midway Atoll. *The Condor* 68(3): 229-242.
- Fisher, H.I.** 1967. Body weights in Laysan albatrosses *Diomedea immutabilis*. *Ibis* 109(3): 373-382.
- Fisher, H.I.** 1968. The 'two-egg clutch' in the Laysan Albatross. *The Auk* 85(1): 134-136.
- Fisher, H.I.** 1969. Eggs and egg-laying in the Laysan Albatross, *Diomedea immutabilis*. *The Condor* 71(2): 102-112.

- Fisher, H.I.** 1971. The Laysan Albatross: its incubation, hatching, and associated behaviors. *Living Bird* 10: 19-78.
- Fisher, H.I.** 1972. Sympatry of Laysan and Black-footed Albatrosses. *The Auk* 89: 381-402.
- Fisher, H.I.** 1975. Longevity of the Laysan Albatross, *Diomedea immutabilis*. *Bird Banding* 46(1): 1-6.
- Fisher, H.I.** 1975. The relationship between deferred breeding and mortality in the Laysan Albatross. *The Auk* 92(3): 433-441.
- Fisher, H.I.** 1976. Some dynamics of a breeding colony of Laysan Albatrosses. *The Wilson Bulletin* 88(1): 121-142.
- Fisher, W.K.** 1904. A Laysan Albatross feeding its young. *The Condor* 6(6): plate 1.
- Fredrich, L.A.** 1961. An occurrence of the Laysan Albatross on the northwestern coast of Oregon. *The Condor* 63(3): 506.
- Frings, H. & Frings, M.** 1959. Observations on salt balance and behavior of Laysan and Black-footed Albatrosses in captivity. *The Condor* 61(5): 305-314.
- Frings, H. & Frings, M.** 1961. Some biometric studies on the Albatrosses of Midway Atoll. *The Condor* 63(4): 304-312.
- Gallo-Reynoso, J-P. & Figueroa-Carranza, A-L.** 1996. The breeding colony of Laysan Albatrosses on Isla De Guadalupe, Mexico. *Western Birds* 27(2): 70-76.
- Grant, G.S. & Whittow, G.C.** 1983. Metabolic cost of incubation in the Laysan albatross and Bonin petrel. *Comparative Biochemistry and Physiology Part A: Physiology* 74(1): 77-82.
- Grant, G.S. et al.** 1982. Water loss from Laysan and Black-footed Albatross eggs. *Physiological Zoology* 55(4): 405-414.
- Holmes, R.T.** 1964. Notes on the occurrence of the Laysan Albatross near the California Coast. *The Condor* 66(4): 302-303.
- Howell, S.N.G. & Shearwater, D.L.** 2008. Attempted kleptoparasitism by a South Polar Skua on a Laysan Albatross. *Western Birds* 39(1): 54-55.
- Howell, S.N.G. & Webb, S.W.** 1992. Changing status of the Laysan Albatross in Mexico. *American Birds* 46(2):
- Howell, T.R. & Bartholomew, G.A.** 1961. Temperature regulation in Laysan and Black-footed albatrosses. *The Condor* 63(3): 185-197.
- Hyrenbach, K.D. et al.** 2002. Oceanographic habitats of two sympatric North Pacific albatrosses during the breeding season. *Marine Ecology Progress Series* 233: 283-301.
- Kenyon, K.W. & Kridler, E.** 1969. Laysan Albatrosses swallow indigestible matter. *The Auk* 86(2): 339-343.
- Kenyon, K.W. & Rice, D.W.** 1958. Homing of Laysan Albatross. *The Condor* 60(1): 3-6.
- Kenyon, K.W.** 1950. Distribution of Albatrosses in the North Pacific and adjacent waters. *The Condor* 52(3): 97-103.
- Kepler, C.B.** 1967. Polynesian rat predation on nesting Laysan Albatrosses and other Pacific seabirds. *The Auk* 84(3): 426-430.
- Langston, N.E. & Rohwer, S.** 1995. Unusual patterns of incomplete primary molt in Laysan and Black-footed Albatrosses. *The Condor* 97(1): 1-19.
- LeFebvre, E.A.** 1977. Courtship display and interspecific isolation between Laysan and Black-footed Albatrosses. *The Auk* 94(1): 172.
- LeFebvre, E.A.** 1977. Laysan Albatross breeding behavior. *The Auk* 94(2): 270-274.
- Ludwig, J.P. et al.** 1995. Band Loss in North Pacific Populations of Laysan Albatross (*Diomedea immutabilis*) and Black-Footed Albatross (*D. nigripes*). *North American Bird Bander* 20(4): 157-164.
- McAllister, T.** 1954. The Laysan Albatross (*Diomedea immutabilis*) on the Oregon coast. *The Auk* 71(2): 211.
- McKee, T. & Pyle, P.** 2002. Plumage variation and hybridization in Black-footed and Laysan Albatrosses. *North American Birds* 56(2): 131-138.
- Newcomer, M.W. & Siber, G.K.** 1989. Sightings of the Laysan Albatross in the northern Gulf of California, Mexico. *Western Birds* 20(3): 134-135.
- Pettit, T.N. et al.** 1981. Ingestion of plastics by Laysan Albatross. *The Auk* 98(4): 839-841.
- Pettit, T.N. et al.** 1982. Embryonic oxygen-consumption and growth of Laysan and Black-footed albatross. *American Journal of Physiology* 242: R121-R128.
- Plantema, O.** 2011. Pacific albatrosses: Laysan, Short-tailed, Black-footed and Waved Albatross. *Dutch Birding* 33(6): 386-394.
- Podolsky, R.H.** 1990. Effectiveness of social stimuli in attracting Laysan Albatross to new potential nesting sites. *The Auk* 107(1): 119-124.

- Rice, D.W. & Kenyon, K.W.** 1962. Breeding cycles and behavior of Laysan and Black-footed Albatrosses. *The Auk* 79(4): 517-567.
- Sileo, L. & Fefer, S.I.** 1987. Paint chip poisoning of Laysan albatross at Midway Atoll. *Journal of Wildlife Diseases* 23(3): 432-437.
- Sparling Jr., D.** 1977. Sounds of Laysan and Black-footed Albatrosses. *The Auk* 94(2): 256-269.
- Stager, K.E.** 1958. A record of the Laysan Albatross from southern California. *The Condor* 60(6): 404-405.
- Stallcup, R. & Terrill, S.** 1996. Albatrosses and Cordell Bank. *Birding XXVIII*(2): 106-110.
- Stallcup, R.** 1990. Life in the California Current. *Birding XXII*(6): 272-275 (figure 3, p. 275).
- Thompson, D.Q.** 1951. Notes on distribution of north Pacific Albatrosses. *The Auk* 68(2): 227-235 (234).
- Van Ryzin, M.T. & Fisher, H.I.** 1976. The age of Laysan Albatrosses, *Diomedea immutabilis*, at first breeding. *The Condor* 78(1): 1-9.
- Wahl, T.R.** 1975. Seabirds in Washington's offshore zone. *Western Birds* 6(4): 117-134 (122).
- Yesner, D.R.** 1976. Aleutian Island Albatrosses: a population history. *The Auk* 93(2): 263-280.
- Young, L.C. et al.** 2008. Successful same-sex pairing in Laysan albatross. *Biology Letters* 4(4): 323-325.
- Young, L.C. et al.** 2009. Demography and Natural History of Laysan Albatross on Oahu, Hawaii. *The Wilson Journal of Ornithology* 121(4): 722-729.

### Black-footed Albatross

**Phoebastria nigripes** [Audubon].

Breeding: Torishima Island (S Izu Islands, Japan region, NW Pacific), Mukojima group (Bonin / Ogasawara Islands, Japan region, NW Pacific), Kita-ko-jima (S Ryukyu Islands, East China Sea) and Midway Island, Laysan Island, Lisianski Island, Pearl and Hermes Reef & French Frigate Shoals (NW Hawaiian Islands).

Non-breeding: Most of the N Pacific.

Treated by del Hoyo *et al.* 1992 as *Diomedea nigripes*.

- Bourne, W.R.P.** 1982. The color of the tail coverts of the Black-footed Albatross. *Sea Swallow* 31: 61.
- Charlwood, R. & Charlwood, L.** 1997. Midway: gem of the Pacific. *Birding World* 10(7): 263-266.
- Cheshire, N.** 2010. Procellariiformes observed around Papua New Guinea including the Bismarck Archipelago from 1985 to 2007. *South Australian Ornithologist* 36(1-2): 9-24 (13).
- Chiba, H. et al.** 2007. The Distribution of Seabirds in the Bonin Islands, Southern Japan. *Journal of the Yamashina Institute for Ornithology* 39(1): 1-17.
- Fernández, P. & Anderson, D.J.** 2000. Nocturnal and diurnal foraging activity of Hawaiian Albatrosses detected with a new immersion monitor. *The Condor* 102(3): 577-584.
- Fernández, P. et al.** 2001. Foraging destinations of three low-latitude albatross (*Phoebastria*) species. *Journal of Zoology* 254(3): 391-404.
- Fisher, H.I.** 1945. Black-footed Albatrosses eating Flying Fish. *The Condor* 47(3): 128-129.
- Fisher, H.I.** 1951. The avifauna of Niihau Island, Hawaiian Archipelago. *The Condor* 53(1): 31-42 (35).
- Fisher, H.I.** 1972. Sympatry of Laysan and Black-footed Albatrosses. *The Auk* 89: 381-402.
- Frings, H. & Frings, M.** 1959. Observations on salt balance and behavior of Laysan and Black-footed Albatrosses in captivity. *The Condor* 61(5): 305-314.
- Frings, H. & Frings, M.** 1961. Some biometric studies on the Albatrosses of Midway Atoll. *The Condor* 63(4): 304-312.
- Howell, S.N.G.** 2006. Primary moult in the Black-footed Albatross. *Western Birds* 37(4): 241-244.
- Howell, T.R. & Bartholomew, G.A.** 1961. Temperature regulation in Laysan and Black-footed albatrosses. *The Condor* 63(3): 185-197.
- Hubbs, C.L.** 1968. Black-footed Albatross, banded at Midway Island, recovered Off Baja California in first year. *The Condor* 70(1): 92.
- Hyrenbach, K.D. & Dotson, R.C.** 2001. Post-breeding movements of a male Black-footed Albatross *Phoebastria nigripes*. *Marine Ornithology* 29: 7-10.
- Hyrenbach, K.D. & Dotson, R.C.** 2003. Assessing the susceptibility of female black-footed albatross (*Phoebastria nigripes*) to longline fisheries during their post-breeding dispersal: an integrated approach. *Biological Conservation* 112: 391-404.
- Hyrenbach, K.D.** 2002. Plumage-based ageing criteria for the Black-footed Albatross *Phoebastria nigripes*. *Marine Ornithology* 30: 85-93.

- Hyrenbach, K.D.** et al. 2002. Oceanographic habitats of two sympatric North Pacific albatrosses during the breeding season. *Marine Ecology Progress Series* 233: 283-301.
- Jarrett, B.** 2004. Avifauna of the Eastern tropical Pacific. *Alula* 10(3): 90-93 (93).
- Kenyon, K.W.** 1950. Distribution of Albatrosses in the North Pacific and adjacent waters. *The Condor* 52(3): 97-103.
- Langston, N.E. & Rohwer, S.** 1995. Unusual patterns of incomplete primary molt in Laysan and Black-Footed Albatrosses. *The Condor* 97(1): 1-19.
- LeFebvre, E.A.** 1977. Courtship display and interspecific isolation between Laysan and Black-footed Albatrosses. *The Auk* 94(1): 172.
- Ludwig, J.P.** et al. 1995. Band Loss in North Pacific Populations of Laysan Albatross (*Diomedea immutabilis*) and Black-Footed Albatross (*D. nigripes*). *North American Bird Bander* 20(4): 157-164.
- McKee, T. & Pyle, P.** 2002. Plumage variation and hybridization in Black-footed and Laysan Albatrosses. *North American Birds* 56(2): 131-138.
- Miller, L.** 1940. Observations on the Black-footed Albatross. *The Condor* 42(5): 229-238.
- Miller, L.** 1942. Some tagging experiments with Black-footed Albatross. *The Condor* 44(1): 3-9.
- Pettit, T.N.** et al. 1982. Embryonic oxygen-consumption and growth of Laysan and Black-footed albatross. *American Journal of Physiology* 242: R121-R128.
- Plantema, O.** 2011. Pacific albatrosses: Laysan, Short-tailed, Black-footed and Waved Albatross. *Dutch Birding* 33(6): 386-394.
- Rice, D.W. & Kenyon, K.W.** 1962. Breeding cycles and behavior of Laysan and Black-footed Albatrosses. *The Auk* 79(4): 517-567.
- Sparling Jr., D.** 1977. Sounds of Laysan and Black-footed Albatrosses. *The Auk* 94(2): 256-269.
- Stallcup, R. & Terrill, S.** 1996. Albatrosses and Cordell Bank. *Birding XXVIII*(2): 106-110.
- Starrett, W.C. & Dixon, K.L.** 1946. The scarcity of the Black-footed Albatross in parts of its known range. *The Condor* 48(6): 268-271.
- Thompson, D.Q.** 1951. Notes on distribution of north Pacific Albatrosses. *The Auk* 68(2): 227-235 (228 -233).
- Wahl, T.R. & Tweit, B.** 2000. Seabird abundances off Washington, 1972-1998. *Western Birds* 31(2): 69-88 (73).
- Wahl, T.R.** 1975. Seabirds in Washington's offshore zone. *Western Birds* 6(4): 117-134 (119).
- Yesner, D.R.** 1976. Aleutian Island Albatrosses: a population history. *The Auk* 93(2): 263-280.
- Yocom, C.** 1947. Notes on behaviour and abundance of the Black-footed Albatrosses in the Pacific waters off the continental North American shores. *The Auk* 64(4): 507-523.
- Yocom, C.F.** 1965. Longevity record of a Black-footed Albatross. *The Condor* 67(2): 187-188.

### **Waved Albatross**

***Phoebastria irrorata*** [Salvin].

Breeding: Española Island (Galapágos) & La Plata Island (off Ecuador).

Non-breeding: Seas between Galapágos and the coasts of Peru and Ecuador.

Treated by del Hoyo et al. 1992 as *Diomedea irrorata*.

Other name: Galapágos Albatross.

- Anderson, D.J. & Fortner, S.** 1988. Waved albatross egg neglect and associated mosquito ectoparasitism. *The Condor* 90(3): 727-729.
- Anderson, D.J.** et al. 2002. Population size and trends of the Waved Albatross *Phoebastria irrorata*. *Marine Ornithology* 30: 63-69.
- Anderson, D.J.** et al. 2003. At-sea distribution of waved albatrosses and the Galapagos Marine Reserve. *Biological Conservation* 110: 367-373.
- Anderson, D.J.** et al. 2008. Population status of the Critically Endangered waved albatross *Phoebastria irrorata*, 1999 to 2007. *Endangered Species Research* 5: 185-192.
- Anderson, D.J.** et al. Foraging ranges of Waved Albatross in the eastern tropical Pacific Ocean, pp. 180-185. Found in: **Robertson, G. & Gales, R.** (eds.) 1997. *Albatross Biology and Conservation*. Surrey Beatty & Sons, Chipping Norton.
- Awkerman, J.A.** et al. 2005. Foraging activity and submesoscale habitat use of waved albatrosses *Phoebastria irrorata* during chick-brooding period. *Marine Ecology Progress Series* 291: 289-300.
- Awkerman, J.A.** et al. 2006. Incidental and intentional catch threatens Galapagos waved albatross. *Biological Conservation* 133: 483-489.
- Awkerman, J.A.** et al. 2007. Female-biased sex ratio arises after parental care in the sexually dimorphic waved albatross (*Phoebastria irrorata*). *The Auk* 124(4): 1336-1346.

- Douglas, H.D. & Fernández, P.** 1997. A longevity record for the Waved Albatross. *Journal of Field Ornithology* 68(2): 224-227.
- Douglas III, H.D.** 1998. Changes in the distribution and abundance of Waved Albatrosses at Isla Española, Galápagos Islands, Ecuador. *The Condor* 100(4): 737-740.
- Fernández, P. et al.** 2001. Foraging destinations of three low-latitude albatross (*Phoebastria*) species. *Journal of Zoology* 254(3): 391-404.
- Harius, M.** 1969. Age at breeding and other observations on the Waved Albatross *Diomedea irrorata*. *Ibis* 111(1): 97-98.
- Harris, M.P.** 1973. The biology of the Waved Albatross *Diomedea irrorata* of Hood Island, Galápagos. *Ibis* 115: 483-510.
- Harris, M.P.** 1979. Survival and ages of first breeding of Galápagos Seabirds. *Bird-Banding* 50(1): 56-61.
- Huyvaert, K.P. & Parker, P.G.** 2006. Absence of population genetic structure among breeding colonies of the Waved Albatross. *The Condor* 108(2): 440-445.
- Huyvaert, K.P. & Parker, P.G.** 2010. Extra-pair paternity in waved albatrosses: genetic relationships among females, social mates and genetic sires. *Behaviour* 147(12): 1591-1613.
- Huyvaert, K.P. et al.** 2000. Extra-pair paternity in waved albatrosses. *Molecular Ecology* 9(9): 1415-1419.
- Huyvaert, K.P. et al.** 2006. Mate opportunity hypothesis and extrapair paternity in waved albatrosses (*Phoebastria irrorata*). *The Auk* 123(2): 524-536.
- Jiménez-Uzcátegui, G. et al.** 2006. Fishery bycatch of the Waved Albatross *Phoebastria irrorata*, a need for implementation of agreements. *Galapagos Research* 38: 18-21.
- Merlen, G.** 1996. Scavenging behavior of the waved albatross in Galapagos: a potential problem with increasing longlining? *Pacific Seabirds* 23(2): 10-12.
- Merlen, G.** 1998. Scavenging behavior of the waved albatross in Galapagos: a potential problem with increasing longlining? *Noticias de Galapágos* 59: 20-23.
- Mouritsen, H. et al.** 2003. Waved albatrosses can navigate with strong magnets attached to their head. *Journal of Experimental Biology* 206: 4155-4166.
- Owre, O.T.** 1976. A second breeding colony of Waved Albatross *Diomedea irrorata*. *Ibis* 118(3): 419-420.
- Plantema, O.** 2011. Pacific albatrosses: Laysan, Short-tailed, Black-footed and Waved Albatross. *Dutch Birding* 33(6): 386-394.
- Rechten, C.** 1986. Factors determining the laying date of the Waved Albatross *Diomedea irrorata*. *Ibis* 128: 492-501.
- Tickell, W.L.N.** 1996. Galápagos Albatrosses at sea. *Sea Swallow* 45: 83-85.
- Wiedenfeld, D.A. & Jiménez-Uzcátegui, G.A.** 2008. Critical problems for bird conservation in the Galápagos Islands. *Cotinga* 29: 22-27 (23).

### Short-tailed Albatross

***Phoebastria albatrus*** [Pallas].

Breeding: Torishima Island (S Izu Islands, Japan region, NW Pacific) Minami Kojima (Senkaku Islands, East China Sea), Yomejima (Bonin / Ogasawara Islands, Japan region, NW Pacific) and Midway Island (NW Hawaii islands).

Non-breeding: Coast of Japan & E Russia across N Pacific & Bering Sea to North America.

Treated by del Hoyo *et al.* 1992 as *Diomedea albatrus*.

Other name: Steller's Albatross.

**Georg Wilhelm Steller** (1709–1746), German botanist, zoologist, physician and explorer, who worked in Russia and was an early explorer to Alaska.

- Adams, M.P. et al.** 2003. Extinct and endangered ('E&E') birds: a proposed list for collection catalogues. *Bulletin of the British Ornithologists' Club* 123: 338-354.
- Brazil, M.A.** 1993. Seabirding in Japan. *Dutch Birding* 15(4): 160-166 (plate 98, p. 165).
- Charlwood, R. & Charlwood, L.** 1997. Midway: gem of the Pacific. *Birding World* 10(7): 263-266.
- Finkelstein, M.E. et al.** 2010. The anatomy of a (potential) disaster: Volcanoes, behavior, and population viability of the short-tailed albatross *Phoebastria albatrus*. *Biological Conservation* 143(2): 321-331.
- Fisher, H.I.** 1951. The avifauna of Niihau Island, Hawaiian Archipelago. *The Condor* 53(1): 31-42 (35).
- Gruchy, C.G. et al.** 1972. The short-tailed albatross recorded at ocean station Papa North Pacific Ocean with notes on other birds. *Canadian Field-Naturalist* 86: 285-287.

- Hasegawa, H. & DeGange, A.R.** 1982. The Short-tailed Albatross, *Diomedea albatrus*, its status, distribution and natural history. *American Birds* 36(5): 806-814.
- Helm, R.C.** 1980. A Short-tailed Albatross off California. *Western Birds* 11: 47-48.
- Ikemoto, T. et al.** 2005. Non-destructive monitoring of trace element levels in short-tailed albatrosses *Phoebastria albatrus* and black-footed albatrosses *Phoebastria nigripes* from Torishima Island, Japan using eggs and blood. *Marine Pollution Bulletin* 51(8-12): 889-895.
- Kenyon, K.W.** 1950. Distribution of Albatrosses in the North Pacific and adjacent waters. *The Condor* 52(3): 97-103.
- Olson, S.L. & Hearty, P.J.** 2003. Probable extirpation of a breeding colony of short-tailed albatross (*Phoebastria albatrus*) on Bermuda by Pleistocene sea-level rise. *PNAS USA* 100: 12825-12829.
- Piatt, J.F. et al.** 2006. Predictable hotspots and foraging habitat of the endangered short-tailed albatross *Phoebastria albatrus* in the North Pacific: Implications for conservation. *Deep Sea Research Part II: Topical Studies in Oceanography* 53(3): 387-398.
- Plantema, O.** 2011. Pacific albatrosses: Laysan, Short-tailed, Black-footed and Waved Albatross. *Dutch Birding* 33(6): 386-394.
- Pyle, P. et al.** 2007. Photo salon: Short-tailed Albatross in Alaska. *North American Birds* 61(1): 174-175.
- Sanger, G.A.** 1972. The recent pelagic status of the short-tailed albatross *Diomedea albatrus*. *Biological Conservation* 4(3): 189-193.
- Stallcup, R. & Terrill, S.** 1996. Albatrosses and Cordell Bank. *Birding* XXVIII(2): 106-110.
- Stallcup, R.** 1990. Life in the California Current. *Birding* XXII(6): 272-275 (274-275).
- Suryan, R.M. et al.** 2006. Foraging destinations and marine habitat use of short-tailed albatrosses: a multi-scale approach using first-passage time analysis. *Deep Sea Research Part II* 53: 370-386.
- Suryan, R.M. et al.** 2007. Migratory routes of short-tailed albatrosses: Use of exclusive economic zones of North Pacific rim countries and spatial overlap with commercial fisheries in Alaska. *Biological Conservation* 137(3): 450-460.
- Taylor, M.A.** 1950. A record of the Short-tailed Albatross. *The Condor* 52(2): 90.
- Vlietstra, L.S. & Parga, J.A.** 2002. Long-term changes in the type, but not amount, of ingested plastic particles in short-tailed shearwaters in the southeastern Bering Sea. *Marine Pollution Bulletin* 44(9): 945-955.
- Wahl, T.R.** 1970. A Short-Tailed Albatross record for Washington state. *California Birds* 1(3): 113-115.
- Wahl, T.R.** 1975. Seabirds in Washington's offshore zone. *Western Birds* 6(4): 117-134 (119).
- Wetmore, A.** 1928. The Short-tailed Albatross in Oregon. *The Condor* 30(3): 191.
- Wyatt, B.** 1963. A Short-Tailed Albatross sighted off the Oregon Coast. *The Condor* 65(2): 163.
- Yesner, D.R.** 1976. Aleutian Island Albatrosses: a population history. *The Auk* 93(2): 263-280.
- Zador, S.G. et al.** 2008. Population impacts of endangered short-tailed albatross bycatch in the Alaskan trawl fishery. *Biological Conservation* 141(3): 872-882.

## Wandering Albatross

*Diomedea exulans* [Linnaeus]

Breeding: South Georgia Island (S Atlantic), Prince Edward & Marion Islands, Crozet & Kerguelen, Heard & McDonald Islands (S Indian Ocean) and possibly on Macquarie Island (Australia region).

Non-breeding: Circumpolar in the southern oceans.

Treated by del Hoyo *et al.* 1992 as polytypic with forms *exulans* & *dabbenena*.

Other name: Snowy Albatross.

**Adams, N.J. et al.** 1986. Energy expenditure of free-ranging wandering albatrosses *Diomedea exulans*. *Physiological Zoology* 59(6): 583-591.

**Alderman, R. et al.** 2005. Genetic affinities of newly sampled populations of Wandering and Black-browed Albatross. *Emu* 105: 169-179.

**Arnould, J.P.Y. et al.** 1996. The foraging behaviour and energetics of wandering albatrosses brooding chicks. *Antarctic Science* 8(3): 229-236.

**Berrow, S.D.** 1999. Wing and primary growth of the Wandering Albatross. *The Condor* 101(2): 360-368.

**Bonadonna, F. et al.** 2005. Orientation in the wandering albatross: interfering with magnetic perception does not affect orientation performance. *Proceedings of the Royal Society B: Biological Sciences* 272(1562): 489-495.

**Bourne, W.R.P.** 1992. Debatable British and Irish seabirds. *Birding World* 5(10): 382-390 (382).

- Brown, C.R. & Adams, N.J.** 1984. Basal metabolic rate and energy expenditure during incubation in the Wandering Albatross (*Diomedea exulans*). *The Condor* 86(2): 182-186.
- Bugoni, L. & Furness, R.W.** 2009. Age composition and sexual size dimorphism of albatrosses and petrels off Brazil. *Marine Ornithology* 37(3): 253-260.
- Burg, T.M. & Croxall, J.P.** 2004. Global population structure and taxonomy of the wandering albatross species complex. *Molecular Ecology* 13(8): 2345-2355.
- Burg, T.M. & Croxall, J.P.** 2006. Extrapaternalities in black-browed *Thalassarche melanophris*, grey-headed *T. chrysostoma* and wandering albatrosses *Diomedea exulans* at South Georgia. *Journal of Avian Biology* 37(4): 331-338.
- Campbell, O.** 2014. South Georgia: the world's greatest seabird spectacle in recovery. *Birding World* 26(12): 510-518 (plate 2, p. 511).
- Clark, G.S. et al.** 1992. Notes on the seabirds of the Cape Horn islands. *Notornis* 39(2): 133-144 (136).
- Clarke, M.R. et al.** 1981. Cephalopod remains in regurgitations of the wandering albatross *Diomedea exulans* L. at South Georgia. *British Antarctic Survey Bulletin* 54: 9-21.
- Cooper, J. et al.** 1992. The diet of the wandering albatross *Diomedea exulans* at subantarctic Marion Island. *Polar Biology* 12(5): 477-484.
- Croxall, J.P. & Prince, P.A.** 1990. Recoveries of Wandering Albatrosses *Diomedea exulans* ringed at South Georgia 1958-1986. *Ringing & Migration* 11(1): 43-51.
- Croxall, J.P. & Prince, P.A.** 1996. Potential interactions between wandering albatrosses and longline fisheries for Patagonian toothfish at South Georgia. *CCAMLR Science* 3: 101-110.
- Croxall, J.P.** 1979. Distribution and population changes in the Wandering Albatross *Diomedea exulans* at South Georgia. *Ardea* 67: 15-21.
- Croxall, J.P.** 1988. Fish prey of the wandering albatross *Diomedea exulans* at South Georgia. *Polar Biology* 9(1): 9-16.
- Croxall, J.P. et al.** 1990. Reproductive performance, recruitment and survival of Wandering Albatrosses *Diomedea exulans* at Bird Island, South Georgia. *Journal of Animal Ecology* 59: 775-796.
- Croxall, J.P. et al.** 1992. The effect of maternal age and experience on egg-size and hatching success in Wandering Albatrosses *Diomedea exulans*. *Ibis* 134(3): 219-228.
- Cuthbert, R.J. et al.** 2003. Separating the Tristan Albatross and the Wandering Albatross using morphometric measurements. *Waterbirds* 26(3): 338-344.
- de la Mare, W.K. & Kerry, K.R.** 1994. Population dynamics of the Wandering Albatross (*Diomedea exulans*) on Macquarie Island and effects of mortality from longline fishing. *Polar Biology* 14: 231-241.
- de Villiers, M.S. et al.** 2005. Individual variability of behavioural responses by Wandering Albatrosses (*Diomedea exulans*) to human disturbance. *Polar Biology* 28(4): 255-260.
- Duriez, O. et al.** 2005. Birds and wildlife of the French sub-antarctic islands: Crozet, Kerguelen and Amsterdam & St Paul. *Dutch Birding* 27(2): 87-115 (plates 110, 116, 129 & 131, pp. 93, 95 & 101).
- Edwards, A.M. et al.** 2007. Revisiting Lévy flight search patterns of wandering albatrosses, bumblebees and deer. *Nature* 449: 1044-1048.
- Flood, B. et al.** 2013. Tubenoses in the southwest Atlantic in April 2012. *Birding World* 26(7): 304-308 (304).
- Harrap, H.** 1994. Albatrosses in the Western Palearctic. *Birding World* 7(6): 241-245 (244).
- Inchausti, P. & Weimerskirch, H.** 2002. Dispersal and metapopulation dynamics of an oceanic seabird, the wandering albatross, and its consequences for its response to long-line fisheries. *Journal of Animal Ecology* 71(5): 765-770.
- Joly, Y. et al.** 1987. Environmental modifications of a subantarctic peat-bog by the wandering albatross (*Diomedea exulans*): a preliminary study. *Polar Biology* 8(1): 61-72.
- Jouventin, P. & Weimerskirch, H.** 1990. Satellite tracking of wandering albatrosses. *Nature* 343: 746-748.
- Jouventin, P. et al.** 1999. Age-related mate choice in the wandering albatross. *Animal Behaviour* 57(5): 1099-1106.
- Lambert, K.** 2005. The spatial and seasonal occurrence of seabirds (Aves) off southern Mozambique. *Durban Museum Novitates* 30: 45-60 (48).
- Lequette, B. & Weimerskirch, H.** 1990. Influence of parental experience on the growth of Wandering Albatross chicks. *The Condor* 92(3): 726-731.
- Miskelly, C.M. et al.** 2006. Additions to the Chatham Islands' bird list, with further records of vagrant and colonising bird species. *Notornis* 53: 215-230 (216).

- Moloney, C.L.** et al. 1994. Use of a population model to assess the impact of longline fishing on wandering albatross *Diomedea exulans* populations. *Biological Conservation* 70(3): 195-203.
- Nel, D.C.** et al. 2002. Population trends of albatrosses and petrels at sub-Antarctic Marion Island. *Polar Biology* 25: 81-89.
- Nel, D.C.** et al. 2003. Population dynamics of the wandering albatross *Diomedea exulans* at Marion Island: longline fishing and environmental influences. *African Journal of Marine Science* 25(1): 503-517.
- Nevitt, G.A.** et al. 2008. Evidence for olfactory search in wandering albatross, *Diomedea exulans*. *PNAS USA* 105(12): 4576-4581.
- Nicholls, D.** et al. 1995. Satellite tracking of the Wandering Albatross *Diomedea exulans* around Australia and in the Indian Ocean. *Emu* 95(3): 223-230.
- Nicholls, D.G.** et al. 2002. Foraging niches of three *Diomedea* albatrosses. *Marine Ecology Progress Series* 231: 269-277.
- Paxton, R.O.** 1968. Wandering Albatross in California. *The Auk* 85(3): 502-504.
- Pickering, S.P.C.** 1989. Attendance patterns and behaviour in relation to experience and pair-bond formation in the Wandering Albatross *Diomedea exulans* at South Georgia. *Ibis* 131(2): 183-195.
- Poncet, S.** et al. 2006. Status and distribution of Wandering, Black-browed and Grey-headed Albatrosses at South Georgia. *Polar Biology* 29(9): 772-781.
- Prater, T.** 2012. Important Bird Areas: St. Helena. *British Birds* 105(11): 638-653 (645).
- Prince, P.A. & Payne, M.R.** 1979. Current status of birds at South Georgia. *British Antarctic Survey Bulletin* 48: 103-118.
- Prince, P.A.** et al. 1992. Satellite tracking of wandering albatrosses (*Diomedea exulans*) in the South Atlantic. *Antarctic Science* 4(1): 31-36.
- Prince, P.A.** et al. 1997. Molt, maturation of plumage and ageing in the Wandering Albatross. *The Condor* 99(1): 58-72.
- Rains, D.** et al. 2011. Piecing together the global population puzzle of wandering albatrosses: genetic analysis of the Amsterdam albatross *Diomedea amsterdamensis*. *Journal of Avian Biology* 42(1): 69-79.
- Rodhouse, P.G.** et al. 1987. Cephalopod prey of the wandering albatross *Diomedea exulans*. *Marine Biology* 96(1) 1-10.
- Salamolard, M. & Weimerskirch, H.** 1993. Relationship between foraging effort and energy requirement throughout the breeding season in the wandering albatross. *Functional Ecology* 7(6): 643-652.
- Shaffer, S.A.** et al. 2001. Functional significance of sexual dimorphism in Wandering Albatrosses, *Diomedea exulans*. *Functional Ecology* 15(2): 203-210.
- Taylor, A.** 2012. On wind and a prayer. *Birdwatch* 244: 28-31.
- Tomkins, R.J.** 1985. Reproduction and mortality of Wandering albatrosses on Macquarie Island. *Emu* 85(1): 40-42.
- Tuck, G.N.** et al. 1999. The potential of archival tags to provide long-term movement and behaviour data for seabirds: first results from wandering albatross *Diomedea exulans* of South Georgia and the Crozet Islands. *Emu* 99(1): 60-68.
- Tuck, G.N.** et al. 2001. Modelling the impact of fishery by-catches on albatross populations. *Journal of Applied Ecology* 38(6): 1182-1196.
- Viswanathan, G.M.** et al. 1996. Lévy flight search patterns of wandering albatrosses. *Nature* 381: 413-415.
- Weimerskirch, H. & Jouventin, P.** 1987. Population dynamics of the wandering albatross, *Diomedea exulans*, of the Crozet Islands: causes and consequences of the population decline. *Oikos* 49(3): 315-322.
- Weimerskirch, H. & Lys, P.** 2000. Seasonal changes in the provisioning behaviour and mass of male and female wandering albatrosses in relation to the growth of their chick. *Polar Biology* 23(11): 733-744.
- Weimerskirch, H. & Wilson, R.P.** 2000. Oceanic respite for wandering albatrosses. *Nature* 406: 955-956.
- Weimerskirch, H.** 1991. Sex-specific differences in molt strategy in relation to breeding in the Wandering Albatross. *The Condor* 93(3): 731-737.
- Weimerskirch, H.** 1992. Reproductive effort in long-lived birds: age-specific patterns of condition, reproduction and survival in the wandering albatross. *Oikos* 64(3): 464-473.
- Weimerskirch, H.** 1995. Regulation of foraging trips and incubation routine in male and female wandering albatrosses. *Oecologia* 102(1): 37-43.

- Weimerskirch, H.** et al. 1988. Foraging ranges and partitioning of feeding zones in three species of southern Albatrosses. *The Condor* 90(1): 214-219.
- Weimerskirch, H.** et al. 1989. Development and maturation of plumage in the wandering albatross *Diomedea exulans*. *Journal of Zoology* 219(3): 411-421.
- Weimerskirch, H.** et al. 1993. Foraging strategy of wandering albatrosses through the breeding season: a study using satellite telemetry. *The Auk* 110(2): 325-342.
- Weimerskirch, H.** et al. 1994. Pelagic seabirds and the marine environment: foraging patterns of wandering albatrosses in relation to prey availability and distribution. *Proceedings of the Royal Society of London, Biological Sciences* 255(1343): 91-97.
- Weimerskirch, H.** et al. 1997. Activity pattern of foraging in the wandering albatross: a marine predator with two modes of prey searching. *Marine Ecology Progress Series* 151(1): 245-254.
- Weimerskirch, H.** et al. 1997. Population dynamics of wandering albatross *Diomedea exulans* and Amsterdam albatross *D. amsterdamensis* in the Indian Ocean and their relationships with long-line fisheries: conservation implications. *Biological Conservation* 79(2-3): 257-270.
- Weimerskirch, H.** et al. 2005. Population sex ratio variation in a monogamous long-lived bird, the wandering albatross. *Journal of Animal Ecology* 74(2): 285-291.
- Weimerskirch, H.** et al. 2006. Postnatal dispersal of wandering albatrosses *Diomedea exulans*: implications for the conservation of the species. *Journal of Avian Biology* 37(1): 23-28.
- Weimerskirch, H.** et al. 2007. Does Prey Capture Induce Area-Restricted Search? A Fine-Scale Study Using GPS in a Marine Predator, the Wandering Albatross. *The American Naturalist* 170(5): 734-743.
- Xavier, J.C.** et al. 2003. Feeding strategies and diets of breeding grey-headed and wandering albatrosses at South Georgia. *Marine Biology* 143(2): 221-232.
- Xavier, J.C.** et al. 2003. Inter-annual variation in the cephalopod component of the diet of the wandering albatross, *Diomedea exulans*, breeding at Bird Island, South Georgia. *Marine Biology* 142(3): 611-622.

## New Zealand Albatross

- Diomedea antipodensis*** [Robertson & Warham].  
 [D.a. *antipodensis*] Breeding: Antipodes Islands, Campbell Island and Main Island & Pitt Island (Chatham Islands) (all New Zealand region).  
 [D.a. *gibsoni*] Breeding: Auckland Islands (New Zealand region).  
 Non-breeding: W to Tasman Sea and E across S Pacific towards coasts of E South America.  
 Both races considered by del Hoyo et al. 1992 to be included in *D.e. exulans*.  
 Other name: Antipodean Albatross (*antipodensis*), Gibson's Albatross (*gibsoni*).  
**John Douglas Gibson** (1924-1984), Australian ornithologist who became an internationally respected authority on the Albatrosses.

- Baker, G.B. & Jensz, K.** 2014. *Gibson's albatross at Disappointment Island - analysis of aerial photographs*. Report by Latitude 42 Environmental Consultants for the Department of Conservation, Wellington.
- Burg, T.M. & Croxall, J.P.** 2004. Global population structure and taxonomy of the wandering albatross species complex. *Molecular Ecology* 13(8): 2345-2355.
- Clark, G.** et al. 1995. Unexpectedly large number of wandering albatrosses (*Diomedea exulans*) breeding on Antipodes Island, New Zealand. *Notornis* 43: 42-46.
- de Groot, H.** 1997. Pelagic seabirds off Woolongong, Australia. *Dutch Birding* 19(5): 238-241 (plate 246, p. 240).
- Elliott, G.P. & Walker, K.J.** 2005. Detecting population trends of Gibson's and Antipodean wandering albatrosses. *Notornis* 52(4): 215-222.
- Flood, B.** 2004. Pelagic Day-Trips off Australia and New Zealand. *Alula* 10(4): 170-180 (175).
- Flux, I.A.** 2002. New Zealand white-capped mollymawk (*Diomedea cauta steadi*) chicks eaten by pigs (*Sus scrofa*). *Notornis* 49: 175-176.
- Miskelly, C.M.** et al. 2006. Additions to the Chatham Islands' bird list, with further records of vagrant and colonising bird species. *Notornis* 53: 215-230 (216).
- Miskelly, C.M.** et al. 2008. Antipodean wandering albatrosses (*Diomedea antipodensis*) colonising the Chatham Islands. *Notornis* 55(2): 89-95.
- Nicholls, D.G.** et al. 1996. Satellite tracking of a wandering albatross from the Antipodes Islands, New Zealand, to South America. *Corella* 20: 28-28.
- Nicholls, D.G.** et al. 2002. Foraging niches of three *Diomedea* albatrosses. *Marine Ecology Progress Series* 231: 269-277.

- Paxton, R.O.** 1968. Wandering Albatross in California. *The Auk* 85(3): 502-504.
- Plantema, O.** 2009. Albatrosses and penguins of New Zealand and Australian subantarctic islands. *Dutch Birding* 31(4): 232-246 (*antipodensis* & *gibsoni* - plates 279-282, pp. 238 & 239).
- Rains, D.** et al. 2011. Piecing together the global population puzzle of wandering albatrosses: genetic analysis of the Amsterdam albatross *Diomedea amsterdamensis*. *Journal of Avian Biology* 42(1): 69-79.
- Robertson, C.J.R. & Warham, J.** 1992. Nomenclature of the New Zealand Wandering Albatrosses. *Bulletin of the British Ornithologists' Club* 112: 74-81.
- Robertson, C.J.R. & Warham, J.** 1994. Measurements of *Diomedea exulans antipodensis* and *D.e. gibsoni*. *Bulletin of the British Ornithological Club* 114: 132-134.
- Walker, K. & Elliott, G.** 1999. Population changes and biology of the wandering albatross *Diomedea exulans gibsoni* at the Auckland Islands. *Emu* 99: 239-247.
- Walker, K. & Elliott, G.** 2005. Population changes and biology of the Antipodean wandering albatross (*Diomedea antipodensis*). *Notornis* 52(4): 206-214.
- Walker, K.** et al. 2005. Satellite tracking of wandering albatross (*Diomedea exulans*) from the Auckland Islands: Preliminary results. *Notornis* 42: 127-137.
- Walker, K.** et al. 2006. At-sea distribution of Gibson's and Antipodean wandering albatrosses, and relationships with longline fisheries. *Notornis* 53(3): 265-290.

### Amsterdam Albatross

***Diomedea amsterdamensis*** [Roux, Jouventin, Mougin, Stahl & Weimerskirch].

Breeding: Plateau des Tourbières (Amsterdam Island, S Indian Ocean).

Non-breeding: Probably S Indian Ocean possibly as far E as Australia.

Other name: Amsterdam Island Albatross.

- Adams, M.P.** et al. 2003. Extinct and endangered ('E&E') birds: a proposed list for collection catalogues. *Bulletin of the British Ornithologists' Club* 123: 338-354.
- Duriez, O.** et al. 2005. Birds and wildlife of the French sub-antarctic islands: Crozet, Kerguelen and Amsterdam & St Paul. *Dutch Birding* 27(2): 87-115 (plates 138-142, pp. 107 & 108).
- Ebels, E.B.** 2001. Amsterdam and its albatross. *Dutch Birding* 23(1): 7-12.
- Hansbro, P.** 2004. A Voyage of Discovery 13.11 - 14.12.2002. *Alula* 10(2): 66-72 (67).
- Inchausti, P. & Weimerskirch, H.** 2001. Risks of decline and extinction of the endangered Amsterdam albatross and the projected impact of long-line fisheries. *Biological Conservation* 100(3): 377-386.
- Jouventin, P. & Weimerskirch, H.** 1990. Satellite tracking of wandering albatrosses. *Nature* 343: 746-748.
- Jouventin, P.** 1995. Past, present and future of Amsterdam Island (Indian Ocean) and its avifauna. *Bird Conservation Studies* 1: 122-132.
- Jouventin, P.** et al. 1989. Breeding biology and current status of the Amsterdam Island Albatross *Diomedea amsterdamensis*. *Ibis* 131: 171-182.
- Micol, T. & Jouventin, P.** 1995. Restoration of Amsterdam Island, South Indian Ocean, following control of feral cattle. *Biological Conservation* 73(3): 199-206.
- Rains, D.** et al. 2011. Piecing together the global population puzzle of wandering albatrosses: genetic analysis of the Amsterdam albatross *Diomedea amsterdamensis*. *Journal of Avian Biology* 42(1): 69-79.
- Rivalan, P.** et al. 2010. Combined impacts of longline fisheries and climate on the persistence of the Amsterdam Albatross *Diomedea amsterdamensis*. *Ibis* 152(1): 6-18.
- Roux, J-P.** et al. 1983. Un nouvel albatros *Diomedea amsterdamensis* n. sp. découvert sur l'île Amsterdam (37°50'S, 77°35'E) [A new species of Albatross *Diomedea amsterdamensis* discovered on Amsterdam Island (37°50'S, 77°35'E)]. *L'Oiseau et R.F.O.* 53(1): 1-11.
- Thiebot, J-B.** et al. 2014. Stage-dependent distribution of the Critically Endangered Amsterdam albatross in relation to Economic Exclusive Zones. *Endangered Species Research* 23: 263-276.
- van Rootselaar, O.** 1999. New birds for the World: species discovered during 1980 – 1999. *Birding World* 12(7): 286-293 (287).
- Weimerskirch, H.** 2004. Diseases threaten southern ocean albatrosses. *Polar Biology* 27(6): 374-379.
- Weimerskirch, H.** et al. 1997. Population dynamics of wandering albatross *Diomedea exulans* and Amsterdam albatross *D. amsterdamensis* in the Indian Ocean and their relationships with long-line fisheries: conservation implications. *Biological Conservation* 79(2-3): 257-270.

## Tristan Albatross

*Diomedea dabbenena* [Mathews].

Breeding: Inaccessible Island & Gough Island (Tristan da Cunha group, S Atlantic).

Non-breeding: S Atlantic and possibly SW Indian Ocean.

Treated by del Hoyo *et al.* 1992 as a race of Wandering Albatross.

**Roberto Dabbene** (1864-1938), Argentinian ornithologist.

- Bourne, W.R.P.** 1992. Debatable British and Irish seabirds. *Birding World* 5(10): 382-390 (382).
- Bugoni, L. & Furness, R.W.** 2009. Age composition and sexual size dimorphism of albatrosses and petrels off Brazil. *Marine Ornithology* 37(3): 253-260.
- Burg, T.M. & Croxall, J.P.** 2004. Global population structure and taxonomy of the wandering albatross species complex. *Molecular Ecology* 13(8): 2345-2355.
- Corso, A.** 2005. Tristan Albatross in the WP: a cautionary note. *Dutch Birding* 31(5): 307-308.
- Cuthbert, R. & Hilton, G.** 2004. Introduced house mice *Mus musculus*: a significant predator of threatened and endemic birds on Gough Island, South Atlantic Ocean? *Biological Conservation* 117(5): 483-489.
- Cuthbert, R.J. et al.** 2003. Separating the Tristan Albatross and the Wandering Albatross using morphometric measurements. *Waterbirds* 26(3): 338-344.
- Cuthbert, R.J. et al.** 2004. Demography and conservation of the Tristan albatross *Diomedea [exulans] dabbenena*. *Biological Conservation* 117(5): 471-481.
- Cuthbert, R.J. et al.** 2005. At-sea distribution of breeding Tristan Albatrosses *Diomedea dabbenena* and potential interactions with pelagic longline fishing in the South Atlantic Ocean. *Biological Conservation* 121: 345-355.
- Flood, B. et al.** 2013. Tubenoses in the southwest Atlantic in April 2012. *Birding World* 26(7): 304-308 (304 & plate 6, p. 307).
- Haas, M.** 2009. Tristan Albatross collected in Sicily, Italy, in October 1957. *Dutch Birding* 31(3): 180.
- Harrap, H.** 1994. Albatrosses in the Western Palearctic. *Birding World* 7(6): 241-245 (244).
- Rains, D. et al.** 2011. Piecing together the global population puzzle of wandering albatrosses: genetic analysis of the Amsterdam albatross *Diomedea amsterdamensis*. *Journal of Avian Biology* 42(1): 69-79.
- Ryan, P.** 2008. Important Bird Areas: Tristan da Cunha and Gough Island. *British Birds* 101(11): 586-606.
- Ryan, P.G. et al.** 2001. Population status, breeding biology and conservation of the Tristan Albatross *Diomedea [exulans] dabbenena*. *Bird Conservation International* 11: 35-48.
- Taylor, A.** 2012. On wind and a prayer. *Birdwatch* 244: 28-31.
- Wanless, R.M. et al.** 2009. From both sides: dire demographic consequences of carnivorous mice and longlining for the critically endangered Tristan albatrosses on Gough Island. *Biological Conservation* 142(8): 1710-1718.

## Royal Albatrosses

### Southern Royal Albatross

*Diomedea epomophora* [Lesson].

Breeding: Campbell Island (New Zealand region) and Auckland Island, Adams Island & Enderby Island (Auckland Islands, New Zealand region). Birds on Enderby Island include some Southern Royal x Northern Royal hybrids.

Non-breeding: Circumpolar in the southern oceans especially W & E coasts of South America.

Treated by del Hoyo *et al.* 1992 as polytypic with forms *epomophora* & *sanfordi*.

### Northern Royal Albatross

*Diomedea sanfordi* [Murphy].

Breeding: Forty-fours Island, Big Sister Island & Little Sister Island (Chatham Islands, New Zealand region), Enderby Island (Auckland Islands, New Zealand region) & Taiaroa Head (Otago peninsula, South Island, New Zealand). Birds on Enderby Island include some Northern Royal x Southern Royal hybrids.

Non-breeding: Circumpolar in the southern oceans especially Indian Ocean and seas off South Africa & Australia.

Treated by del Hoyo *et al.* 1992 as a race of *D.e. epomophora*.

**Dr. Leonard Cutler Sanford** (1868-1950), American zoologist who was one of the organizers of the Whitney-Sanford South Pacific expeditions.

- Baker, G.B. & Jensz, K.** 2013. *Southern royal albatross at Enderby Island - analysis of aerial photographs*. Final Report by Latitude 42 Environmental Consultants for the Department of Conservation, Wellington.
- Clark, G.S. et al.** 1992. Notes on the seabirds of the Cape Horn islands. *Notornis* 39(2): 133-144 (136).
- Flood, B. et al.** 2013. Tubenoses in the southwest Atlantic in April 2012. *Birding World* 26(7): 304-308 (304).
- Higham, J.E.S.** 1998. Tourists and albatrosses: the dynamics of tourism at the Northern Royal Albatross colony, Taiaroa Head, New Zealand. *Tourism Management* 19(6): 521-531.
- Imber, M.J.** 1999. Diet and Feeding Ecology of the Royal Albatross *Diomedea epomophora* - King of the Shelf Break and Inner Slope. *Emu* 99(3): 200-211.
- Lambert, K.** 2001. Sightings of new and rarely reported seabirds in southern African waters. *Marine Ornithology* 29: 115-118.
- Miskelly, C.M. et al.** 2006. Additions to the Chatham Islands' bird list, with further records of vagrant and colonising bird species. *Notornis* 53: 215-230 (218).
- Nicholls, D.G. et al.** 1994. Oceanic flights of the northern royal albatross *Diomedea epomophora sanfordi* using satellite telemetry. *Corella* 18: 50-52.
- Nicholls, D.G. et al.** 2002. Foraging niches of three Diomedea albatrosses. *Marine Ecology Progress Series* 231: 269-277.
- Nicholls, D.G. et al.** 2005. Evaluating distribution modelling using kernel functions for northern royal albatrosses off South America. *Notornis* 52: 223-235.
- Plantema, O.** 2009. Albatrosses and penguins of New Zealand and Australian subantarctic islands. *Dutch Birding* 31(4): 232-246 (Southern - plates 271 & 283, pp. 233 & 239, Northern - plate 284, p. 239 ).
- Richdale, L.E.** 1939. A Royal Albatross nesting on the Otago Peninsula, New Zealand. *Emu* 38: 467-488.
- Richdale, L.E.** 1942. Supplementary notes on the royal albatross. *Emu* 41(3): 169-184.
- Richdale, L.E.** 1954. The Starvation Theory in Albatrosses. *The Auk* 71(3): 239-252.
- Robertson, C.J.R. & Kinsky, F.C.** 1972. The dispersal movements of the royal albatross (*Diomedea epomophora*). *Notornis* 19(4): 289-301.
- Robertson, C.J.R.** 1993. Survival and longevity of the Northern Royal Albatross *Diomedea epomophora sanfordi* at Taiaroa Head 1937-93. *Emu* 93: 269-276.
- Robertson, C.J.R.** Factors influencing the breeding performance of the northern royal albatross, pp. 99-104. Found in: **Robertson, G. & Galcs, R.** (eds.) 1998. *Albatross biology and conservation*. Chipping Norton, Australia, Surrey Beatty & Sons.

## Sooty Albatross

**Phoebetria fusca** [Hilsenberg].

Breeding: Tristan da Cunha group & Gough Island (S Atlantic), Prince Edward and Marion Islands, Crozet, Kerguelen, Amsterdam Island & St. Paul Island (S Indian Ocean).

Non-breeding: S Atlantic & S Indian Oceans N to about 30°S.

Other names: Dark-mantled Sooty Albatross, Dark-mantled Albatross.

**Berruti, A. & Harcus, T.** 1978. Cephalopod prey of the sooty albatrosses *Phoebetria fusca* and *P. palpebrata* at Marion island. *South African Journal of Antarctic Research* 8: 99-103.

**Berruti, A.** 1979. The breeding biologies of the sooty albatrosses *Phoebetria fusca* and *P. palpebrata*. *Emu* 79(4): 161-175.

**Berruti, A.** 1981. Displays of the sooty albatrosses *Phoebetria fusca* and *P. palperbrata*. *Ostrich* 52(2): 98-103.

**Cooper, J. & Klages, N.T.W.** 1995 The diets and dietary segregation of Sooty Albatrosses (*Phoebetria* spp.) at subantarctic Marion Island. *Antarctic Science* 7: 15-23.

**Duriez, O. et al.** 2005. Birds and wildlife of the French sub-antarctic islands: Crozet, Kerguelen and Amsterdam & St Paul. *Dutch Birding* 27(2): 87-115 (plate 148, p. 111).

**Flood, B. et al.** 2013. Tubenoses in the southwest Atlantic in April 2012. *Birding World* 26(7): 304-308 (308 & plate 4, p. 306).

**Nel, D.C. et al.** 2002. Population trends of albatrosses and petrels at sub-Antarctic Marion Island. *Polar Biology* 25: 81-89.

**Prince, P.A. & Payne, M.R.** 1979. Current status of birds at South Georgia. *British Antarctic Survey Bulletin* 48: 103-118.

- Ryan, P.** 2008. Important Bird Areas: Tristan da Cunha and Gough Island. *British Birds* 101(11): 586-606.
- Ryan, P.G. & Moloney, C.L.** 2000. The status of Spectacled Petrels *Procellaria conspicillata* and other seabirds at Inaccessible Island. *Marine Ornithology* 28(2): 93-100.
- Stone, W.** 1934. Townsend's Sooty Albatross. *The Auk* 51(2): 225-226.
- Weimerskirch, H. & Robertson, G.** 1994. Satellite tracking of light-mantled sooty albatrosses. *Polar Biology* 14(2): 123-126.
- Weimerskirch, H.** 2004. Diseases threaten southern ocean albatrosses. *Polar Biology* 27(6): 374-379.
- Weimerskirch, H. et al.** 1987. Survival in five southern albatrosses and its relationship with their life history. *Journal of Animal Ecology* 56(3): 1043-1055.

### Light-mantled Albatross

***Phoebetria palpebrata*** [J.R. Forster].

Breeding: South Georgia Island (S Atlantic), Prince Edward and Marion Islands, Crozet, Kerguelen, Heard & McDonald Islands (S Indian Ocean) and Macquarie Island (Australia region), Auckland Island, Antipodes Islands & Campbell Island (New Zealand region).

Non-breeding: Southern oceans N to about 35°S.

Other name: Light-mantled Sooty Albatross, Grey-mantled Albatross.

- Berruti, A. & Harcus, T.** 1978. Cephalopod prey of the sooty albatrosses *Phoebetria fusca* and *P. palpebrata* at Marion island. *South African Journal of Antarctic Research* 8: 99-103.
- Berruti, A.** 1979. The breeding biologies of the sooty albatrosses *Phoebetria fusca* and *P. palpebrata*. *Emu* 79(4): 161-175.
- Berruti, A.** 1981. Displays of the sooty albatrosses *Phoebetria fusca* and *P. palperbrata*. *Ostrich* 52(2): 98-103.
- Campbell, O.** 2014. South Georgia: the world's greatest seabird spectacle in recovery. *Birding World* 26(12): 510-518 (plate 6, p. 513).
- Clark, G.S. et al.** 1992. Notes on the seabirds of the Cape Horn islands. *Notornis* 39(2): 133-144.
- Clarke, A.** 2018. Important Bird Areas: British Antarctic Territory. *British Birds* 111(12): 720-743 (730).
- Cooper, J. & Klages, N.T.W.** 1995 The diets and dietary segregation of Sooty Albatrosses (*Phoebetria* spp.) at subantarctic Marion Island. *Antarctic Science* 7: 15-23.
- Duriez, O. et al.** 2005. Birds and wildlife of the French sub-antarctic islands: Crozet, Kerguelen and Amsterdam & St Paul. *Dutch Birding* 27(2): 87-115 (plate 107, p. 92).
- Flood, B. et al.** 2013. Tubenoses in the southwest Atlantic in April 2012. *Birding World* 26(7): 304-308 (308 & plate 3, p. 306).
- Green, K. et al.** 1998. Dietary studies of Light-mantled Sooty Albatrosses *Phoebetria palpebrata* from Macquarie and Heard Islands. *Marine Ornithology* 26: 19-26.
- Howell, S.N.G. & Pyle, P.** 1997. Twentieth report of the California Bird Records Committee: 1994 records. *Western Birds* 28(3): 117-141 (122).
- Nel, D.C. et al.** 2002. Population trends of albatrosses and petrels at sub-Antarctic Marion Island. *Polar Biology* 25: 81-89.
- Parker, G.C. et al.** 2017. Trial of three methods to obtain population estimates of light-mantled sooty albatross *Phoebetria palpebrata* at Campbell and Auckland islands, New Zealand. ACAP.
- Phillips, R.A. et al.** 2005. Foraging and provisioning strategies of the light-mantled sooty albatross at South Georgia: competition and co-existence with sympatric pelagic predators. *Marine Ecology Progress Series* 285: 259-270.
- Plantema, O.** 2009. Albatrosses and penguins of New Zealand and Australian subantarctic islands. *Dutch Birding* 31(4): 232-246 (plate 273, p. 234).
- Pranty, B. et al.** 2007. Annual Report of the ABA Checklist Committee: 2006. *Birding* 39: 24-31 (24).
- Prince, P.A. & Payne, M.R.** 1979. Current status of birds at South Georgia. *British Antarctic Survey Bulletin* 48: 103-118.
- Stallcup, R. & Terrill, S.** 1996. Albatrosses and Cordell Bank. *Birding* XXVIII(2): 106-110.
- Terauds, A. & Gales, R.** 2006. Provisioning strategies and growth patterns of Light-mantled Sooty Albatrosses *Phoebetria palpebrata* on Macquarie Island. *Polar Biology* 29(11): 917-926.
- Thomas, G. & Friend, G.R.** 1982. The food and feeding ecology of the Light-mantled Sooty Albatross at South Georgia. *Emu* 82(2): 92-100.
- Thomas, G. et al.** 1983. Breeding biology of the Light-mantled sooty albatross (*Phoebetria palpebrata*) at South Georgia. *Journal of Zoology* 199(1): 123-135.

**Weimerskirch, H. & Robertson, G.** 1994. Satellite tracking of Light-mantled Sooty Albatrosses. *Polar Biology* 14: 123-126.

**Weimerskirch, H. et al.** 1987. Survival in five southern albatrosses and its relationship with their life history. *Journal of Animal Ecology* 56(3): 1043-1055.

### **Black-browed Albatross**

***Thalassarche melanophrys*** [Temminck].

Breeding: Falkland Islands, South Georgia & South Sandwich Islands (S Atlantic), Crozet, Kerguelen, Heard and McDonald Islands (S Indian Ocean), Macquarie Island & Bishop & Clerk Islets (Australia region), Antipodes Islands, Campbell Island & Snares Islands (New Zealand region) and Islas Ildefonso, Diego De Almagro, Isla Evangelistas & Islas Diego Ramírez (Chile region, off Cape Horn). Non-breeding: N from breeding areas towards continental shelf waters in the southern oceans with a history of vagrancy to N Atlantic waters.

Treated by del Hoyo *et al.* 1992 as polytypic *Diomedea melanophrys* with forms *melanophrys* & *impavida*.

Other name: Black-browed Mollymawk.

**Alderman, R. et al.** 2005. Genetic affinities of newly sampled populations of Wandering and Black-browed Albatross. *Emu* 105: 169-179.

**Arata, J. & Xavier, J.** 2003. The diet of black-browed albatrosses at the Diego Ramirez islands, Chile. *Polar Biology* 26: 638-647.

**Arata, J. et al.** 2003. The Evangelistas Islets, Chile: a new breeding site for black-browed albatrosses. *Polar Biology* 26: 687-690.

**Bergström, S. et al.** 1999. Increased mortality of black-browed albatross chicks at a colony heavily-infested with the tick *Ixodes uriae*. *International Journal for Parasitology* 29(9): 1359-1361.

**Bourne, W.R.P.** 1977. Half a pair of Black-browed Albatrosses. *British Birds* 70: 301-303.

**Bourne, W.R.P.** 1992. Debatable British and Irish seabirds. *Birding World* 5(10): 382-390 (383).

**Buckland, M.** 2001. Reports: Black-browed Albatross keeps Dungeness at the top. *Birdwatch* 109: 50-51.

**Bugoni, L. & Furness, R.W.** 2009. Age composition and sexual size dimorphism of albatrosses and petrels off Brazil. *Marine Ornithology* 37(3): 253-260.

**Bugoni, L. & Furness, R.W.** 2009. Ageing immature Atlantic Yellow-nosed *Thalassarche chlororhynchos* and Black-browed Albatrosses *T. melanophrys* in wintering grounds using bill colour and moult. *Marine Ornithology* 37: 249-252.

**Burg, T.M. & Croxall, J.P.** 2001. Global relationships amongst black-browed and grey-headed albatrosses: analysis of population structure using mitochondrial DNA and microsatellites. *Molecular Ecology* 10: 2647-2660.

**Burg, T.M. & Croxall, J.P.** 2006. Extrapair paternities in black-browed *Thalassarche melanophrys*, grey-headed *T. chrysostoma* and wandering albatrosses *Diomedea exulans* at South Georgia. *Journal of Avian Biology* 37(4): 331-338.

**Burg, T.M. et al.** 2000. Comparative population structure of Black-browed *Thalassarche melanophrys* and Grey-headed *T. chrysostoma* Albatrosses using genetic analyses (abstract). *Marine Ornithology* 28: 128.

**Campbell, O.** 2014. South Georgia: the world's greatest seabird spectacle in recovery. *Birding World* 26(12): 510-518 (plate 3, p. 511).

**Carlos, C.J. & Voisin, J-F.** 2008. *Diomedea melanophrys* Temminck, 1828 (currently *Thalassarche melanophrys*; Aves, Procellariiformes): proposed conservation of original spelling. *The Bulletin of Zoological Nomenclature* 65: 129-131.

**Cherel, Y. & Weimerskirch, H.** 1995. Seabirds as indicators of marine resources: black-browed albatrosses feeding on ommastrephid squids in Kerguelen waters. *Marine Ecology Progress Series* 129: 295-300.

**Cherel, Y. et al.** 2000. Food and feeding ecology of the neritic-slope forager black-browed albatross and its relationships with commercial fisheries in Kerguelen waters. *Marine Ecology Progress Series* 207: 183-199.

**Clark, G.S. et al.** 1992. Notes on the seabirds of the Cape Horn islands. *Notornis* 39(2): 133-144 (137).

**Clarke, M.R. & Prince, P.A.** 1981. Cephalopod remains in regurgitations of black-browed and grey-headed albatrosses at South Georgia. *British Antarctic Survey Bulletin* 54: 1-7.

**Colabuono, F.I. et al.** 2006. A Black-browed Albatross *Thalassarche melanophrys* consumes a Tern *Sterna* sp. *Marine Ornithology* 34: 167-168.

- Collinson, M.** 2006. Splitting headaches? Recent taxonomic changes affecting the British and Western Palearctic lists. *British Birds* 99(6): 306-323 (308).
- Copson, G.R.** 1988. The status of the Black-browed and Grey-headed Albatross on Macquarie Island. *Papers and Proceedings of the Royal Society of Tasmania* 122: 137-141.
- Crewe, M.** 2006. Albatross arrives on cue. Black-browed Albatross: *Sula Sgeir*, Outer Hebrides, May 2006. *Birdwatch* 169: 57.
- de Bruijne, J.W.A.** 1970. Black-browed Albatross (*Diomedea melanophris*) in the Caribbean. *Ardea* 58: 264.
- de Groot, H.** 1997. Pelagic seabirds off Woolongong, Australia. *Dutch Birding* 19(5): 238-241 (plate 242, p. 238).
- Duffy, D.C. et al** 1988. Spring seabird distribution in the Straits of Magellan. *Cormorant* 16(2): 98-102.
- Dumont, P.G.** 1973. Black-browed Albatross sightings off the United States east coast. *American Birds* 27(4): 739-740.
- Duriez, O. et al.** 2005. Birds and wildlife of the French sub-antarctic islands: Crozet, Kerguelen and Amsterdam & St Paul. *Dutch Birding* 27(2): 87-115 (plates 119, 120 & 127, pp. 97 & 102).
- Eds.** 1999. Bird news: A summering Black-browed Albatross. *Birdwatch* 88: 61.
- Eds.** 2000. Bird news: Jersey anglers net a first with Black-browed Albatross. *Birdwatch* 98: 61.
- Eds.** 2012. Frontispiece: Black-browed Albatross, Drake Passage, South Atlantic, March 2006 - picture by Marc Guyt. *Birding World* 25(6): 221.
- Escalante, R.** 1962. Frequency of occurrence of some seabirds in Uruguay. *The Condor* 64(6): 510-512.
- Filby, D.** 2007. The ultimate twitch. Black-browed Albatross: *Sula Sgeir*, Outer Hebrides, May 2007. *Birdwatch* 181: 58-59.
- Fisher, A. & Flood, B.** 2009. The Black-browed Albatross off Scilly. *Birding World* 22(9): 379-381.
- Flood, B. & Fisher, A.** 2009. The chase is on! Black-browed Albatross: St. Mary's, Scilly, 21 September 2009. *Birdwatch* 209: 54-55.
- Flood, B.** 2004. Pelagic Day-Trips off Australia and New Zealand. *Alula* 10(4): 170-180 (172).
- Flood, B. et al.** 2013. Tubenoses in the southwest Atlantic in April 2012. *Birding World* 26(7): 304-308 (304 & plates 1 & 5, pp. 305 - 306).
- Flood, R.L.** 2014. Black-browed Albatross *Thalassarche melanophris* primary moult timing in the fourth prebasic moult. *Seabird* 27: 98-103.
- Flood, R.L. et al.** 2015. Ageing criteria for the Black-browed Albatross. *British Birds* 108(5): 279-285.
- Fryer, J.** 2017. Antarctic giant hits the north. Black-browed Albatross: Bempton Cliffs RSPB, East Yorkshire, 13, 16 and 18 May 2017. *Birdwatch* 301: 8.
- Gremillet, D. et al.** 2000. Black-browed albatrosses, international fisheries and the Patagonian shelf. *Marine Series Progress Series* 195: 269-280.
- Harrison, P.** 1984. Mystery photographs: Giant Petrel and Black-browed Albatross. *British Birds* 77(4): 150-152.
- Harrap, H.** 1994. Albatrosses in the Western Palearctic. *Birding World* 7(6): 241-245 (241).
- Hector, J.A.L. et al.** 1986. Reproductive endocrinology of the Black-browed albatross *Diomedea melanophris* and the Grey-headed albatross *D. chrysostoma*. *Journal of Zoology* 208(2): 237-253.
- Howell, S.N.G.** 2010. Moult and ageing in Black-browed Albatross. *British Birds* 103(6): 353-356.
- Huin, N.** 2002. Foraging distribution of the Black-browed Albatross, *Thalassarche melanophris*, breeding in the Falkland Islands. *Aquatic Conservation: Marine and Freshwater Ecosystems* 12: 89-99.
- Jiguet, F.** 2000. Identification and ageing of Black-browed Albatross at sea. *British Birds* 93(6): 263-276.
- Kelchtermans, J.** 2002. Black-browed Albatross off La Spezia, Italy, in July 2000. *Dutch Birding* 24(5): 269-270.
- Krug, G. et al.** 2014. Black-browed Albatross in Denmark and Germany in May-July 2014. *Dutch Birding* 36(4): 232-241.
- Lambert, K.** 2005. The spatial and seasonal occurrence of seabirds (Aves) off southern Mozambique. *Durban Museum Novitates* 30: 45-60 (48).
- Mackrill, E.** 1982. Letters: Shy and Black-browed Albatrosses. *British Birds* 75(12): 585-587.
- McDaniel, J.W.** 1973. Vagrant Albatrosses in the western North Atlantic and Gulf of Mexico. *American Birds* 27(3): 563-565.
- Mellow, B.** 2009. Rainy day albatross. Black-browed Albatross: Porthgwarra, Cornwall, 28 July 2009. *Birdwatch* 207: 51.
- Miskelly, C.M. et al.** 2006. Additions to the Chatham Islands' bird list, with further records of vagrant and colonising bird species. *Notornis* 53: 215-230 (218).

- Moore, P.J. et al.** 1997. Interbreeding of black-browed albatrosses *Diomedea m. melanophris* and New Zealand Black-browed Albatross *T. m. impavida* on Campbell Island. *Emu* 97: 322-324.
- Nevoux, M. et al.** 2007. Environmental variation and experience-related differences in the demography of the long-lived black-browed albatross. *Journal of Animal Ecology* 76(1): 159-167.
- Offringa, H. & Witbaard, R.** 1990. Black-browed Albatross in FRG in October 1988. *Dutch Birding* 12(2): 69.
- Patteson, J.B. et al.** 1999. The Black-browed Albatross in North America: First photographically documented record. *North American Birds* 53(3): 228-331.
- Phelps, T.** 2019. Storm Erik's big surprise. Black-browed Albatross: Lizard Point, Cornwall, 8 January 2019. *Birdwatch* 321: 8-9.
- Plantema, O.** 2015. Black-browed Albatrosses on Steeple Jason, Falkland Islands. *Dutch Birding* 37(4): 254-260.
- Poncet, S. et al.** 2006. Status and distribution of Wandering, Black-browed and Grey-headed Albatrosses at South Georgia. *Polar Biology* 29(9): 772-781.
- Pop, R. & Ebels, E.B.** 2001. Falkland Islands. *Dutch Birding* 23(1): 12-24 (plates 12 & 16, pp. 13 & 16).
- Prince, P.A. & Payne, M.R.** 1979. Current status of birds at South Georgia. *British Antarctic Survey Bulletin* 48: 103-118.
- Prince, P.A. & Rodwell, S.** 1994. Ageing immature Black-browed and Grey-headed Albatrosses using moult, bill and plumage characteristics. *Emu* 94: 246-254.
- Prince, P.A.** 1980. The food and feeding ecology of grey-headed albatross *Diomedea chrysostoma* and black-browed albatross *D. melanophris*. *Ibis* 122(4): 476-488.
- Prince, P.A. et al.** 1981. Weight loss in incubating Albatrosses and its implications for their energy and food requirements. *The Condor* 83(3): 238-242.
- Prince, P.A. et al.** 1993. Moult in Black-browed and Grey-headed Albatrosses *Diomedea melanophris* and *D. chrysostoma*. *Ibis* 135(2): 121-131.
- Prince, P.A. et al.** 1994. Population dynamics of Black-browed and Grey-headed albatrosses *Diomedea melanophris* and *D. chrysostoma* at Bird Island, South Georgia. *Ibis* 136(1): 50-71.
- Reid, T.A., & Sullivan, B.J.** 2004. Longliners, black-browed albatross mortality and bait scavenging in Falkland Island waters: what is the relationship? *Polar Biology* 27(3): 131-139.
- Rey, A.R. & Schiavini, A.** 2001. Filling the groove: energy flow to seabirds in the Beagle Channel, Tierra del Fuego, Argentina. *Ecología Austral* 11(2): 115-122.
- Richards, B.** 2010. Found and lost albatross. Black-browed Albatross: Flamborough Head, East Yorks, 26 May 2010. *Birdwatch* 217: 51.
- Robertson, G. et al.** 2014. Black-browed albatross numbers in Chile increase in response to reduced mortality in fisheries. *Biological Conservation* 169: 319-333.
- Sangster, G. et al.** 2002. The genetic status of Black-browed Albatross and other albatrosses. *British Birds* 95(11): 583-585.
- Sangster, G. et al.** 2013. Taxonomic recommendations for Western Palearctic birds: ninth report. *Ibis* 155(4): 898-907.
- Scott, M.** 2005. Has Albert returned? Black-browed Albatross: Outer Hebrides, August 2005. *Birdwatch* 161: 58.
- Scott, M.** 2005. The Black-browed Albatross on Sula Sgeir. *Birding World* 18(9): 382-384.
- Slings, Q.L.** 1980. Waarneming van Wenkbrauwbalbatros in Nederland in oktober 1971 [Observation of Black-browed Albatross in Netherlands in October 1971]. *Dutch Birding* 2(4): 122-125.
- Taylor, R.** 2011. Notes: Black-browed Albatross in mid-Atlantic. *British Birds* 104(6): 329.
- Thompson, K.R. & Riddy, M.D.** 1995. Utilization of offal and discards from 'finfish' trawlers around the Falkland Islands by the Black-browed Albatross *Diomedea melanophris*. *Ibis* 137(2): 198-206.
- Tickell, W.L.N. & Pinder, R.** 1975. Breeding biology of the black-browed albatross *Diomedea melanophris* and grey-headed albatross *D. chrysostoma* at Bird Island, South Georgia. *Ibis* 117(4): 433-451.
- Veit, R.R. & Prince, P.A.** 1997. Individual and population level dispersal of black-browed *Diomedea melanophris* and grey-headed albatrosses *D. Chrysostoma* in response to Antarctic krill. *Ardea* 85: 129-134.
- Warham, J. et al.** 1966. Albatross identification in the North Atlantic. *British Birds* 59(9): 376-384 (379-380).
- Waterston, G.** 1968. Black-browed Albatross on the Bass Rock. *British Birds* 61(1): 22-27.
- Waugh, S.M. et al.** 1999. Geographical variation in morphometry of Black-browed and Grey-headed Albatrosses from four sites. *Polar Biology* 22: 189-194.

- Waugh, S.M. et al.** 1999. Population dynamics of Black-browed and Grey-headed albatrosses *Diomedea melanophris* and *D. chrysostoma* at Campbell Island, New Zealand, 1942–1996. *Ibis* 141: 216-225.
- Waugh, S.M. et al.** 2000. Contrasting strategies of provisioning and chick growth in two sympatrically breeding Albatrosses at Campbell Island, New Zealand. *The Condor* 102(4): 804-813.
- Weiβ, I.** 2018. Black-browed Albatross off Franz Josef Land, Russia, in July 2017. *Dutch Birding* 40(3): 166-167.
- Weimerskirch, H. et al.** 1987. Survival in five southern albatrosses and its relationship with their life history. *Journal of Animal Ecology* 56(3): 1043-1055.
- Weimerskirch, H. et al.** 1988. Foraging ranges and partitioning of feeding zones in three species of southern Albatrosses. *The Condor* 90(1): 214-219.

### Campbell Albatross

***Thalassarche impavida*** [Mathews].

Breeding: Campbell Island & Jeanette Marie Island (Campbell Islands, New Zealand region).

Non-breeding: S Pacific, Tasman Sea & Ross Sea.

Treated by del Hoyo *et al.* 1992 as a race of Black-browed Albatross.

Other name: Campbell Mollymawk.

**Miskelly, C.M. et al.** 2006. Additions to the Chatham Islands' bird list, with further records of vagrant and colonising bird species. *Notornis* 53: 215-230 (218).

**Moore, P.J. et al.** 1997. Interbreeding of black-browed albatrosses *Diomedea m. melanophris* and New Zealand Black-browed Albatross *T. m. impavida* on Campbell Island. *Emu* 97: 322-324.

**Moore, P.J. et al.** 2001. Provenance and sex ratio of Black-browed Albatross, *Thalassarche melanophris*, breeding on Campbell Island, New Zealand. *Emu* 101: 329-334.

**Plantema, O.** 2009. Albatrosses and penguins of New Zealand and Australian subantarctic islands. *Dutch Birding* 31(4): 232-246 (plate 274, p. 234).

**Sangster, G. et al.** 2013. Taxonomic recommendations for Western Palearctic birds: ninth report. *Ibis* 155(4): 898-907.

### Shy Albatross

***Thalassarche cauta*** [Gould].

[*T.c. cauta*] Breeding: Albatross Island (Hunter Island group, Bass Strait, Australia), Pedra Blanca & Mewstone (Pedra Blanca group, off S Tasmania).

[*T.c. steadi*] Breeding: Disappointment Island & Auckland Island (Auckland Islands group, New Zealand region), Bollons Island & Antipodes Island (Antipodes Islands group, New Zealand region). Non-breeding: Throughout the southern oceans.

Treated by del Hoyo *et al.* 1992 as *Diomedea cauta* with forms *cauta*, *salvini* & *eremita*.

Other names: Tasmanian Albatross (*cauta*), White-capped Albatross/Mollymawk (*steadi*).

Form *steadi* possibly best treated as a full species.

1st WP Record (*T.c. cauta*): [immature ♂] 20th February 1981. Taba, Gulf of Aqaba, Egypt. Presumed same individual found dead at Eilat, Israel the following 7th March (**Shirihai, H.** 1996. *The Birds of Israel*. Academic Press).

**Abbott, C.L. & Double, M.C.** 2003. Genetic structure, conservation genetics and evidence of speciation by range expansion in shy and white-capped albatrosses. *Molecular Ecology* 12(11): 2953-2962.

**Abbott, C.L. & Double, M.C.** 2003. Phylogeography of shy and white-capped albatrosses inferred from mitochondrial DNA sequences: implications for population history and taxonomy. *Molecular Ecology* 12(10): 2747-2758.

**Abbott, C.L. et al.** 2006. Copulation behaviour and paternity in shy albatrosses (*Thalassarche cauta*). *Journal of Zoology* 270(4): 628-635.

**Abbott, C.L. et al.** 2006. Molecular provenance analysis for Shy and White-capped Albatrosses killed by fisheries interactions in Australia, New Zealand, and South Africa. *Conservation Genetics* 74(4): 531-542.

**Alderman, R. et al.** 2012. Global population status of shy albatross and an assessment of colony-specific trends and drivers. *Wildlife Research* 38(8): 672-686.

**Alderman, R.L. et al.** 2010. Post-fledging survival and dispersal of shy albatross from three breeding colonies in Tasmania. *Marine Ecology Progress Series* 405(suppl.): 271-285.

- Baker, G.B.** et al. 2007. A global assessment of the impact of fisheries-related mortality on shy and white-capped albatrosses: conservation implications. *Biological Conservation* 137(3): 319-333.
- Bourne, W.P.R.** 1982. Letters: Identification of mollymawks. *British Birds* 75(12): 588.
- Bourne, W.P.R.** 1983. Letters: Shy Albatrosses, elusive Capped Petrels, and a great accumulation of shearwaters. *British Birds* 76(12): 583-584.
- Brothers, N.** et al. 1997. At-sea distribution of shy albatrosses *Diomedea cauta cauta* derived from records of band recoveries and colour-marked birds. *Emu* 97(3): 231-239.
- Brothers, N.** et al. 1998. Foraging movements of the Shy Albatross *Diomedea cauta* breeding in Australia; implications for interactions with longline fisheries. *Ibis* 140: 446-457.
- Clancey, P.A.** 1978. On Shy Albatrosses from Natal. *Cormorant* 5: 30.
- Cole, L.W.** 2000. A first shy albatross, *Thalassarche cauta* in California, and a critical re-examination of Northern Hemisphere records of the former *Diomedea cauta* complex. *North American Birds* 54(2): 124-135.
- Cole, L.W.** et al. 2005. First record of a Shy Albatross in Alaska. *Western Birds* 36: 135-137.
- Double, M.C.** et al. 2004. Morphometric comparison of Australian shy and New Zealand white-capped albatrosses. *Emu* 103(4): 287-294.
- Duriez, O.** et al. 2005. Birds and wildlife of the French sub-antarctic islands: Crozet, Kerguelen and Amsterdam & St Paul. *Dutch Birding* 27(2): 87-115 (plate 143, p. 109).
- Flux, I.A.** 2002. New Zealand white-capped mollymawk (*Diomedea cauta steadi*) chicks eaten by pigs (*Sus scrofa*). *Notornis* 49: 175-176.
- Harrap, H.** 1994. Albatrosses in the Western Palearctic. *Birding World* 7(6): 241-245 (244).
- Harrison, P.** 1984. Letters: Shy Albatross, tangible field-marks and Dr Bourne. *British Birds* 77(9): 427-428.
- Hedd, A. & Gales, R.** 2001. The diet of shy albatrosses (*Thalassarche cauta*) at Albatross Island, Tasmania. *Journal of Zoology* 253(1): 69-90.
- Hedd, A.** et al. 1997. Diving behaviour of the Shy Albatross *Diomedea cauta* in Tasmania: initial findings and dive recorder assessment. *Ibis* 139(3): 452-460.
- Hedd, A.** et al. 1998. Reliability of morphometric measures for determining the sex of adult and fledgling shy albatrosses, *Diomedea cauta cauta*, in Australia. *Wildlife Research* 25(1): 69-79.
- Hedd, A.** et al. 2001. Foraging strategies of shy albatross *Thalassarche cauta* breeding at Albatross Island, Tasmania, Australia. *Marine Ecology Progress Series* 224: 267-282.
- Hedd, A.** et al. 2002. Provisioning and growth rates of shy albatrosses at Albatross Island, Tasmania. *The Condor* 104(1): 12-29.
- Howell, S.N.G.** 2006. Immature Shy Albatrosses. *Birding* 38: 56-59.
- Hunter, M.G. & Bailey, D.C.** 1997. Oregon's first White-capped Albatross (*Diomedea cauta cauta*). *Oregon Birds* 23(2): 35-39.
- Hunter, M.G. & Bailey, D.C.** 1998. Shy Conclusions, Some Lessons in Pelagic Birding. *Birding* XXX(3): 234-239.
- Jiménez, S.** et al. 2009. Interactions of long-line fishing with seabirds in the south-western Atlantic Ocean, with a focus on White-capped Albatross *Thalassarche steadi*. *Emu* 109: 321-326.
- Jouventin, P.** 1990. Shy Albatrosses *Diomedea cauta salvini* breeding on Penguin Island, Crozet Archipelago, Indian Ocean. *Ibis* 132: 126-127.
- Kieser, J.A.** 1982. Letters: Identification of Shy Albatross. *British Birds* 75(1): 37-38.
- Lambert, K.** 2005. The spatial and seasonal occurrence of seabirds (Aves) off southern Mozambique. *Durban Museum Novitates* 30: 45-60 (48).
- Mackrill, E.** 1982. Letters: Shy and Black-browed Albatrosses. *British Birds* 75(12): 585-587.
- Miskelly, C.M.** et al. 2006. Additions to the Chatham Islands' bird list, with further records of vagrant and colonising bird species. *Notornis* 53: 215-230 (218).
- Phalan, B.** et al. 2005. A White-capped Albatross, *Thalassarche [cauta] steadi*, at South Georgia: first confirmed record in the south-western Atlantic. *Emu* 104(4): 359-361.
- Plantema, O.** 2009. Albatrosses and penguins of New Zealand and Australian subantarctic islands. *Dutch Birding* 31(4): 232-246 (plates 275 & 276, p. 235).
- Ross, G.J.B.** 1986. On Shy Albatrosses *Diomedea cauta* in South African waters. *Cormorant* 13: 165-167.
- Slipp, J.W.** 1952. A record of the Tasmanian White-capped Albatross, *Diomedea cauta cauta*, in American north Pacific waters. *The Auk* 69(4): 458-459.
- Wahl, T.R.** 1975. Seabirds in Washington's offshore zone. *Western Birds* 6(4): 117-134 (130).
- Warham, J.** et al. 1966. Albatross identification in the North Atlantic. *British Birds* 59(9): 376-384 (382).

## **Chatham Albatross**

***Thalassarche eremita*** [Murphy].

Breeding: The Pyramid Rock (S of Pitt Island, Chatham Islands, New Zealand region).

Non-breeding: E to waters off the coasts of Chile in S Pacific.

Treated by del Hoyo *et al.* 1992 as a race of Shy Albatross.

Other name: Chatham Island Albatross.

- Adams, M.P. et al.** 2003. Extinct and endangered ('E&E') birds: a proposed list for collection catalogues. *Bulletin of the British Ornithologists' Club* 123: 338-354.
- Cole, L.W.** 2000. A first shy albatross, *Thalassarche cauta* in California, and a critical re-examination of Northern Hemisphere records of the former *Diomedea cauta* complex. *North American Birds* 54(2): 124-135.
- Howell, S.N.G.** 2009. Identification of immature Salvin's, Chatham and Buller's Albatrosses. *Neotropical Birding* 4: 19-25.
- Latham, P.C. et al.** 2004. Chatham albatross (*Thalassarche eremita*) off the Chilean coast. *Notornis* 51: 47-49.
- Nicholls, D.G. & Robertson, C.J.R.** 2007. Assessing flight characteristics for the Chatham albatross (*Thalassarche eremita*) from satellite tracking. *Notornis* 54(3): 168-179.
- Plantema, O.** 2009. Albatrosses and penguins of New Zealand and Australian subantarctic islands. *Dutch Birding* 31(4): 232-246 (plates 287 & 288, p. 241).
- Robertson, C.J. et al.** 2000. The Chatham albatross (*Thalassarche eremita*): at home and abroad. *Notornis* 47(3): 174.
- Robertson, C.J.R. & Robertson, G.G.** 1997. White-capped albatross (*Thalassarche steadi*) breeding at Chatham Islands. *Notornis* 44: 156-158.
- Robertson, C.J.R. et al.** 2003. *Population assessment of the Chatham mollymawk at The Pyramid, December 2001*. DOC Science Internal Series 91. Department of Conservation, Wellington. 17 pp.
- Ryan, P.G.** 2002. Chatham albatross: *Thalassarche eremita*: new to Africa. *Bulletin of the African Bird Club* 9: 43-44.
- Spear, L.B. et al.** 2003. Distribution, abundance and behaviour of Buller's, Chatham Island and Salvin's Albatrosses off Chile and Peru. *Ibis* 145(2): 253-269.

## **Salvin's Albatross**

***Thalassarche salvini*** [Rothschild].

Breeding: Bounty Islands & Snares Islands (New Zealand region), Crozet & Kerguelen (S Indian Ocean).

Non-breeding: Throughout the southern oceans with concentrations in waters off C Chile.

Treated by del Hoyo *et al.* 1992 as a race of Shy Albatross.

Other name: Grey-backed Albatross.

**Osbert Salvin FRS** (1835-1898), English naturalist and collector who was Curator of Ornithology at Cambridge University from 1874 to 1882.

- Arata, J.** 2003. New record of Salvin's albatross (*Thalassarche salvini*) at the Diego Ramirez Islands, Chile. *Notornis* 50(3): 169-170.
- Baker, G.B. et al.** 2012. *Data collection of demographic, distributional and trophic information on Salvin's albatross to allow estimation of effects of fishing on population viability*. Report by Latitude 42 Environmental Consultants for the Ministry of Fisheries.
- Benter, R.B. et al.** 2005. First record of a Shy Albatross in Alaska. *Western Birds* 36(2): 135-137.
- Bourne, W.P.R.** 1982. Letters: Identification of mollymawks. *British Birds* 75(12): 588.
- Bourne, W.R.P.** 1983. Letters: Shy Albatrosses, elusive Capped Petrels, and a great accumulation of shearwaters. *British Birds* 76(12): 583-584.
- Cabezas, L.A. et al.** 2009. New records of Salvin's albatross (*Thalassarche salvini*) from fishing boats off southern Chile. *Polar Biology* 32: 947-951.
- Cole, L.W.** 2000. A first shy albatross, *Thalassarche cauta* in California, and a critical re-examination of Northern Hemisphere records of the former *Diomedea cauta* complex. *North American Birds* 54(2): 124-135.
- Harrison, P.** 1984. Letters: Shy Albatross, tangible field-marks and Dr Bourne. *British Birds* 77(9): 427-428.
- Howell, S.N.G.** 2009. Identification of immature Salvin's, Chatham and Buller's Albatrosses. *Neotropical Birding* 4: 19-25.

- Miskelly, C.M. et al.** 2006. Additions to the Chatham Islands' bird list, with further records of vagrant and colonising bird species. *Notornis* 53: 215-230 (218).
- Plantema, O.** 2009. Albatrosses and penguins of New Zealand and Australian subantarctic islands. *Dutch Birding* 31(4): 232-246 (plates 285, 286 & 289, pp. 240 & 241).
- Robertson, C.J.R. et al.** 2005. Salvin's albatross (*Thalassarche salvini*) on Midway Atoll. *Notornis* 52: 236-237.
- Seco Pon, J.P. et al.** 2007. First record of Salvin's albatross (*Thalassarche salvini*) on the Patagonian Shelf. *Notornis* 54: 49-51.
- Spear, L.B. et al.** 2003. Distribution, abundance and behaviour of Buller's, Chatham Island and Salvin's Albatrosses off Chile and Peru. *Ibis* 145(2): 253-269.
- Visser, P. et al.** 2009. Salvin's Albatross *Thalassarche salvini* on Gough Island, South Atlantic. *Bulletin of the African Bird Club* 16(2): 215-218.

### Grey-headed Albatross

***Thalassarche chrysostoma*** [J.R. Forster].

Breeding: South Georgia (S Atlantic), Prince Edward and Marion Islands, Crozet & Kerguelen (S Indian Ocean), Macquarie Island (Australia region), Campbell Island (New Zealand region) and Islas Diego Ramírez & Islas Ildefonso (Chile region, off Cape Horn).

Non-breeding: Throughout the southern oceans N to about 45°S.

Treated by del Hoyo et al. 1992 as *Diomedea chrysostoma*.

Other name: Gray-headed Albatross.

- Berrow, S.D.** 1999. Wing and primary growth of the Wandering Albatross. *The Condor* 101(2): 360-368.
- Burg, T.M. & Croxall, J.P.** 2001. Global relationships amongst black-browed and grey-headed albatrosses: analysis of population structure using mitochondrial DNA and microsatellites. *Molecular Ecology* 10: 2647-2660.
- Burg, T.M. & Croxall, J.P.** 2006. Extrapair paternities in black-browed *Thalassarche melanophris*, grey-headed *T. chrysostoma* and wandering albatrosses *Diomedea exulans* at South Georgia. *Journal of Avian Biology* 37(4): 331-338.
- Burg, T.M. et al.** 2000. Comparative population structure of Black-browed *Thalassarche melanophris* and Grey-headed *T. chrysostoma* Albatrosses using genetic analyses (abstract). *Marine Ornithology* 28: 128.
- Catry, P. et al.** 2004. Foraging strategies of grey-headed albatrosses *Thalassarche chrysostoma*: integration of movements, activity and feeding events. *Marine Ecology Progress Series* 280: 261-273.
- Catry, P. et al.** 2004. Sustained fast travel by a gray-headed albatross (*Thalassarche chrysostoma*) riding an Antarctic storm. *The Auk* 121: 1208-1213.
- Clark, G.S. et al.** 1992. Notes on the seabirds of the Cape Horn islands. *Notornis* 39(2): 133-144 (137).
- Clarke, M.R. & Prince, P.A.** 1981. Cephalopod remains in regurgitations of black-browed and grey-headed albatrosses at South Georgia. *British Antarctic Survey Bulletin* 54: 1-7.
- Cobley, N.D. & Prince, P.A.** 1998. Factors affecting primary molt in Gray-headed Albatross. *The Condor* 100(1): 8-17.
- Copson, G.R.** 1988. The status of the Black-browed and Grey-headed Albatross on Macquarie Island. *Papers and Proceedings of the Royal Society of Tasmania* 122: 137-141.
- Duriez, O. et al.** 2005. Birds and wildlife of the French sub-antarctic islands: Crozet, Kerguelen and Amsterdam & St Paul. *Dutch Birding* 27(2): 87-115 (plates 120 & 124, pp. 97 & 99).
- Flood, B. et al.** 2013. Tubenoses in the southwest Atlantic in April 2012. *Birding World* 26(7): 304-308 (308 & plate 2, p. 305).
- Hector, J.A.L. et al.** 1986. Reproductive endocrinology of the Black-browed albatross *Diomedea melanophris* and the Grey-headed albatross *D. chrysostoma*. *Journal of Zoology* 208(2): 237-253.
- Lambert, K.** 2001. Sightings of new and rarely reported seabirds in southern African waters. *Marine Ornithology* 29: 115-118.
- Miskelly, C.M. et al.** 2006. Additions to the Chatham Islands' bird list, with further records of vagrant and colonising bird species. *Notornis* 53: 215-230 (218).
- Nel, D.C. et al.** 2001. Exploitation of mesoscale oceanographic features by grey-headed albatross *Thalassarche chrysostoma* in the southern Indian Ocean. *Marine Ecology Progress Series* 217: 15-26.

- Nel, D.C.** et al. 2002. Population trends of albatrosses and petrels at sub-Antarctic Marion Island. *Polar Biology* 25: 81-89.
- Plantema, O.** 2009. Albatrosses and penguins of New Zealand and Australian subantarctic islands. *Dutch Birding* 31(4): 232-246 (plate 277, p. 237).
- Poncet, S.** et al. 2006. Status and distribution of Wandering, Black-browed and Grey-headed Albatrosses at South Georgia. *Polar Biology* 29: 772-781.
- Prince, P.A. & Payne, M.R.** 1979. Current status of birds at South Georgia. *British Antarctic Survey Bulletin* 48: 103-118.
- Prince, P.A. & Rodwell, S.** 1994. Ageing immature Black-browed and Grey-headed Albatrosses using moult, bill and plumage characteristics. *Emu* 94: 246-254.
- Prince, P.A.** 1980. The food and feeding ecology of grey-headed albatross *Diomedea chrysostoma* and black-browed albatross *D. melanophris*. *Ibis* 122(4): 476-488.
- Prince, P.A.** et al. 1981. Weight loss in incubating Albatrosses and its implications for their energy and food requirements. *The Condor* 83(3): 238-242.
- Prince, P.A.** et al. 1993. Moult in Black-browed and Grey-headed Albatrosses *Diomedea melanophris* and *D. chrysostoma*. *Ibis* 135(2): 121-131.
- Prince, P.A.** et al. 1994. Population dynamics of Black-browed and Grey-headed albatrosses *Diomedea melanophris* and *D. chrysostoma* at Bird Island, South Georgia. *Ibis* 136(1): 50-71.
- Tickell, W.L.N. & Pinder, R.** 1975. Breeding biology of the black-browed albatross *Diomedea melanophris* and grey-headed albatross *D. chrysostoma* at Bird Island, South Georgia. *Ibis* 117(4): 433-451.
- Veit, R.R. & Prince, P.A.** 1997. Individual and population level dispersal of black-browed *Diomedea melanophris* and grey-headed albatrosses *D. Chrysostoma* in response to Antarctic krill. *Ardea* 85: 129-134.
- Warham, J.** et al. 1966. Albatross identification in the North Atlantic. *British Birds* 59(9): 376-384 (380-382).
- Waugh, S.M.** et al. 1999. Geographical variation in morphometry of Black-browed and Grey-headed Albatrosses from four sites. *Polar Biology* 22: 189-194.
- Waugh, S.M.** et al. 1999. Population dynamics of Black-browed and Grey-headed albatrosses *Diomedea melanophris* and *D. chrysostoma* at Campbell Island, New Zealand, 1942-1996. *Ibis* 141: 216-225.
- Waugh, S.M.** et al. 2000. Contrasting strategies of provisioning and chick growth in two sympatrically breeding Albatrosses at Campbell Island, New Zealand. *The Condor* 102(4): 804-813.
- Weimerskirch, H.** et al. 1988. Foraging ranges and partitioning of feeding zones in three species of southern Albatrosses. *The Condor* 90(1): 214-219.
- Xavier, J.C.** et al. 2003. Feeding strategies and diets of breeding grey-headed and wandering albatrosses at South Georgia. *Marine Biology* 143(2): 221-232.

### Atlantic Yellow-nosed Albatross

***Thalassarche chlororhynchos*** [Gmelin].

Breeding: Tristan da Cunha group & Gough Island (S Atlantic).

Non-breeding: S Atlantic N to about 45°S and some vagrancy to N Atlantic.

Treated by del Hoyo et al. 1992 as the polytypic Yellow-nosed Albatross with forms *chlororhynchos* & *carteri*.

1st WP Record: [adult] 13th April 1994. At sea, 30km NW of Halten, Sør-Trøndelag, Norway (Harrop 1994).

**Bourne, W.P.R.** 1982. Letters: Identification of mollymawks. *British Birds* 75(12): 588.

**Bourne, W.R.P.** 1992. Debatable British and Irish seabirds. *Birding World* 5(10): 382-390 (383).

**Bugoni, L. & Furness, R.W.** 2009. Age composition and sexual size dimorphism of albatrosses and petrels off Brazil. *Marine Ornithology* 37(3): 253-260.

**Bugoni, L. & Furness, R.W.** 2009. Ageing immature Atlantic Yellow-nosed *Thalassarche chlororhynchos* and Black-browed Albatrosses *T. melanophris* in wintering grounds using bill colour and moult. *Marine Ornithology* 37: 249-252.

**Bull, J.L.** 1961. Yellow-nosed Albatross off the coast of Long Island, New York. *The Auk* 78(3): 425-426.

**Brooke, R.K.** et al. 1980. Geographical variation in *Diomedea chlororhynchos* (Aves: Diomedeidae). *Durban Museum Novitates* 12: 171-180.

**Curtis, W.F.** 1963. Yellow-nosed Albatross *Diomedea chlororhynchos* off Cornwall. *Sea Swallow* 42: 63-65.

- Cuthbert, R.** et al. 2003. Demography and population trends of the Atlantic yellow-nosed albatross. *The Condor* 105(3): 439-452.
- Eds.** 2007. Brean's albatross resurfaces inland. Yellow-nosed Albatross: Manton, near Messingham, Lincolnshire, 2-3 July 2007. *Birdwatch* 183: 64-65.
- Flood, B.** et al. 2013. Tubenoses in the southwest Atlantic in April 2012. *Birding World* 26(7): 304-308 (304).
- Furness, R.W.** 1988. Influences of status and recent breeding experience on the moult strategy of the yellow-nosed albatross *Diomedea chlororhynchos*. *Journal of Zoology* 215(4): 719-727.
- Gantlett, S. & Pym, T.** 2007. The Atlantic Yellow-nosed Albatross from Somerset to Lincolnshire - a new British bird. *Birding World* 20(7): 279-295.
- Hansbro, P.** 2004. A Voyage of Discovery 13.11 - 14.12.2002. *Alula* 10(2): 66-72 (71).
- Harrop, H.** 1994. Albatrosses in the Western Palearctic. *Birding World* 7(6): 241-245.
- Jensen, J-K.** 2012. An Atlantic Yellow-nosed Albatross off the Faeroe Islands. *Birding World* 25(8): 328.
- McDaniel, J.W.** 1973. Vagrant Albatrosses in the western North Atlantic and Gulf of Mexico. *American Birds* 27(3): 563-565.
- McKensie, D.** 2007. From the Southern Ocean to Somerset. Yellow-nosed Albatross: Brean, Somerset, 29-30 June 2007. *Birdwatch* 182: 66-67.
- Miskelly, C.M.** et al. 2006. Additions to the Chatham Islands' bird list, with further records of vagrant and colonising bird species. *Notornis* 53: 215-230 (218).
- Norton, A.H.** 1934. Second occurrence of the Yellow-nosed Albatross (*Thalassogeron chlororhynchos*) in Maine. *The Auk* 51(4): 507-508.
- Rowan, M.K.** 1951. The Yellow-nosed Albatross *Diomedea chlororhynchos* Gmelin, at its breeding grounds in the Tristan da Cunha group. *Ostrich* 22(3): 139-155.
- Rowlands, A.** et al. 2010. From the Rarities Committee's files: Yellow-nosed Albatross: new to Britain. *British Birds* 103(7): 376-384.
- Ryan, P.** 2008. Important Bird Areas: Tristan da Cunha and Gough Island. *British Birds* 101(11): 586-606.
- Ryan, P.G. & Moloney, C.L.** 2000. The status of Spectacled Petrels *Procellaria conspicillata* and other seabirds at Inaccessible Island. *Marine Ornithology* 28(2): 93-100.
- Traversi, G.S. & Vooren, C.M.** 2013. Interactions between seabirds and the trawl fishery in coastal waters of southern Brazil in summer. *Revista Brasileira de Ornitologia* 18(3): 183-193.
- Warham, J.** et al. 1966. Albatross identification in the North Atlantic. *British Birds* 59(9): 376-384 (382).

### Indian Yellow-nosed Albatross

*Thalassarche carteri* [Rothschild].

Breeding: Prince Edward Islands, Crozet, Kerguelen, Amsterdam Island & St. Paul Islands (S Indian Ocean).

Non-breeding: S Indian Ocean E to waters off Australia & New Zealand.

Treated by del Hoyo et al. 1992 as a race of Yellow-nosed Albatross.

Other name: Carter's Albatross.

**Thomas Carter** (1863-1931), English ornithologist and collector who farmed and explored in Australia. He has numerous species and subspecies named in his honour.

**Bourne, W.P.R.** 1982. Letters: Identification of mollymawks. *British Birds* 75(12): 588.

**Brooke, R.K.** et al. 1980. Geographical variation in *Diomedea chlororhynchos* (Aves: Diomedeidae). *Durban Museum Novitates* 12: 171-180.

**Carlos, C.J.** 2008. A critical look at the alleged Brazilian records of the Indian Yellow-nosed Albatross *Thalassarche carteri*, with comments on mollymawk identification in Brazil (Procellariiformes: Diomedeidae). *Revista Brasileira de Ornitologia* 16(1): 99-106.

**Duriez, O.** et al. 2005. Birds and wildlife of the French sub-antarctic islands: Crozet, Kerguelen and Amsterdam & St Paul. *Dutch Birding* 27(2): 87-115 (plate 146, p. 110).

**de Groot, H.** 1997. Pelagic seabirds off Woolongong, Australia. *Dutch Birding* 19(5): 238-241 (plate 244, p. 239).

**Lambert, K.** 2005. The spatial and seasonal occurrence of seabirds (Aves) off southern Mozambique. *Durban Museum Novitates* 30: 45-60 (48).

**Miskelly, C.M.** et al. 2006. Additions to the Chatham Islands' bird list, with further records of vagrant and colonising bird species. *Notornis* 53: 215-230 (218).

- Robertson, C.J.R.** 2002. The Scientific name of the Indian yellow-nosed albatross *Thalassarche carteri*. *Marine Ornithology* 30: 48-49.
- Rolland, V.** et al. 2009. Assessing the impact of fisheries, climate and disease on the dynamics of the Indian yellow-nosed Albatross. *Biological Conservation* 142(5): 1084-1095.
- Rowlands, A.** et al. 2010. From the Rarities Committee's files: Yellow-nosed Albatross: new to Britain. *British Birds* 103(7): 376-384.
- Weimerskirch, H.** 2004. Diseases threaten southern ocean albatrosses. *Polar Biology* 27(6): 374-379.
- Weimerskirch, H.** et al. 1987. Survival in five southern albatrosses and its relationship with their life history. *Journal of Animal Ecology* 56(3): 1043-1055.
- Weimerskirch, H.** et al. 2001. Influence of environmental variability on breeding effort in a long-lived seabird, the Yellow-nosed Albatross. *Behavioral Ecology* 12(1): 22-30.

### Buller's Albatross

***Thalassarche bulleri*** [Rothschild].

[*T.b. bulleri*] Breeding: Snares Islands, Solander Island (New Zealand region) & islands surrounding Stewart Island (off South Island, New Zealand).

Non-breeding: Largely sedentary.

[*T.b. platei*] Breeding: The Sisters & The Forty-Fours (Chatham Islands, New Zealand region) and Three Kings Island (off North Island, New Zealand).

Non-breeding: S Pacific E to South America.

Although the form *platei* is considered valid by del Hoyo et al. 1992, Onley & Scofield 2007 point out that it is a junior synonym of *bulleri*, leaving the northern form currently unnamed and is used here for convenience only.

Other names: Southern Buller's Albatross (*bulleri*), Northern Buller's Petrel (*platei*).

**Sir Walter Lawry Buller** (1838-1906), New Zealand ornithologist and lawyer who also spent time as a Government minister between 1896 and 1899.

- Howell, S.N.G.** 2009. Identification of immature Salvin's, Chatham and Buller's Albatrosses. *Neotropical Birding* 4: 19-25.
- James, G.D. & Stahl, J.C.** 2000. Diet of southern Buller's albatross (*Diomedea bulleri bulleri*) and the importance of fishery discards during chick rearing. *New Zealand Journal of Marine and Freshwater Research* 34(3): 435-454.
- Miskelly, C.M.** et al. 2006. Additions to the Chatham Islands' bird list, with further records of vagrant and colonising bird species. *Notornis* 53: 215-230 (218).
- Plantema, O.** 2009. Albatrosses and penguins of New Zealand and Australian subantarctic islands. *Dutch Birding* 31(4): 232-246 (plate 278, p. 237).
- Richdale, L.E. & Warham, J.** 1973. Survival, pair bond retention and nest-site tenacity in Buller's Mollimawk. *Ibis* 115: 257-263.
- Richdale, L.E.** 1949. *The pre-egg stage in Buller's Mollimawk*. Biological Monographs 2. Privately Published, Dunedin, New Zealand.
- Sagar, P.M. & Weimerskirch, H.** 1996. Satellite tracking of Southern Buller's Albatrosses from the Snares, New Zealand. *The Condor* 98(3): 649-652.
- Sagar, P.M.** et al. 1994. Numbers of Buller's Mollimawks breeding at the Snares Islands. *Notornis* 41: 85-91.
- Sagar, P.M.** et al. 1999. Population size and trends within the two populations of Southern Buller's Albatross. *Biological Conservation* 89: 11-19.
- Sagar, P.M.** et al. 2000. Temporal and age-related changes in survival rates of Southern Buller's Albatrosses (*Thalassarche bulleri bulleri*) at the Snares, New Zealand. *The Auk* 117(3): 699-708.
- Spear, L.B.** et al. 2003. Distribution, abundance and behaviour of Buller's, Chatham Island and Salvin's Albatrosses off Chile and Peru. *Ibis* 145(2): 253-269.
- Stahl, J.C. & Sagar, P.M.** 2000. Foraging strategies and migration of southern Buller's albatrosses *Diomedea b. bulleri* breeding on the Solander Is, New Zealand. *Journal of the Royal Society of New Zealand* 30: 319-334.
- Stahl, J.C. & Sagar, P.M.** 2000. Foraging strategies of southern Buller's albatrosses *Diomedea b. bulleri* breeding on The Snares, New Zealand. *Journal of the Royal Society of New Zealand* 30: 299-318.
- Stahl, J.C.** et al. 1998. Distribution and movements of Buller's Albatross (*Diomedea bulleri*). *New Zealand Journal of Zoology* 24: 109-137.

- Warham, J. & Bennington, S.L.** 1983. A census of Buller's Albatross *Diomedea bulleri* at the Snares Islands, New Zealand. *Emu* 83: 112-114.
- Warham, J.** 1982. A distant recovery of a Buller's Mollymawk. *Notornis* 29: 213-214.
- West, J.A. & Imber, M.J.** 1986. Some foods of Buller's mollymawk *Diomedea bulleri*. *New Zealand Journal of Zoology* 13(2): 169-174.