

BLACK & DECKER®





S. Duncan Black



Alonzo G. Decker

1910 - Two young entrepreneurs, S. Duncan Black and Alonzo G. Decker, founded a small machine shop in Baltimore, Maryland. They called it The Black & Decker® Manufacturing Company.

Today, 100 years later, Black & Decker® is a global manufacturer and marketer of quality power tools and accessories, hardware and home improvement products and technology based fastening systems. With products marketed in over 100 countries, Black & Decker®'s product lines hold leading market share positions in their respective industries.



1946



WORLDS FIRST

Consumer Electric Drill

1971



THE ORIGINAL

Workmate®

1961



WORLDS FIRST

Cordless NiCad Electric Drill

1996



THE ORIGINAL

Mouse Sander

2007



THE ORIGINAL

Autoselect® Lithium Ion technology

INDEX

	<u>PAGE</u>
NEW IN 2011	05
CORDED DRILLING	06
CORDLESS DRILLING	09
SCREW DRIVING	12
GRINDING	14
SMALL ANGLE GRINDERS	
LARGE ANGLE GRINDERS	
SAWING	16
JIGSAWS	
CIRCULAR SAWS	
MITRE SAW / CHOPSAW	
WOOD WORKING	19
ROUTER	
PLANERS	
SANDING AND POLISHING	20
HEAT GUNS	22
WORK BENCHES	23
ELECTRONIC HAND TOOLS	24
SPIRIT LEVEL / DETECTOR	
LASER	
THERMAL LEAK DETECTOR	
OTHERS	25
BLOWER	
CAR POLISHER	
ROTARY TOOL	
LOGISTIC INFORMATION	26
DISTRIBUTORS	28
SERVICE CENTRES	30



AUTO SELECT

SELECT THE JOB....
THE DRILL DOES THE REST!

Our range of Autoselect® Tools are pre-set by experts, making them easier to use. The Autoselect® drills automatically select the gear and torque setting required to complete your job. Autoselect® technology is now used in drills, jigsaws, sanders and screwdrivers.



LITHIUM ION

The new Black & Decker® Lithium ion range is ultra compact and light-weight allowing you to carry out long drilling tasks easily. Its 1.3Ah Lithium ion changeable battery holds its charge better than any NiCad battery and provides enough running time to complete all DIY jobs around the house. Thanks to lithium technology, the low discharge and no memory effect of the battery, the drill is always ready to go!

LITHIUM™
BATTERYTECH



NEW IN 2011

OSCILLATING TOOLS

Two new oscillating multi tools coming soon in the Black & Decker® range-corded multi tool & cordless 10.8V Lithium ion multi tool with long lasting 1.3Ah battery plus 30 minutes fast charger. These tools include functions like the electronic scalpel for use as a sander, scraper, saw or cutting tool. The tool free fitment feature makes accessory changing quick and easy.

MT250KA-QS



HPL108MTKA-QW

RECIPROCATING SAW

Introducing the New Black & Decker® pendulum reciprocating saw, with powerful 1050W motor, pendulum action for increasing speed of cut without compromising on the vibration /finish and increased variable speed. Its large stroke length, and new twist lock blade clamp ensures blade stays locked during cutting. Its adjustable and removable shoe feature increases blade life, while its unique 8 position side handle feature with easy lock provides superior safety and control when required.



RSP1050K-QS

10.8V HIGH PERFORMANCE LITHIUM ION RANGE

Black & Decker® now introduces high performance compact and light weight tools with optimised control and power. This range is packed with features like intelligent energy efficient fast charger, ergonomic handle, softgrip providing comfort when using for long periods, and a magnetic bit storage & belt clip for keeping important accessories close. This range includes drill driver, reciprocating saw and impact driver.



HPL106KB-QW



HPL10RSK-QW



HPL10IMKB-QW

CORDED DRILLING

Black & Decker® has a proud heritage when it comes to drilling. Filing the first patent in 1914 for the world's first portable powered drill with pistol grip and trigger switch, in 1946 Black & Decker® launched the home utility drill giving rise to the global consumer power tool market.

With a choice of power options, keyed or keyless chucks and many extra features, these corded drills can be switched to hammer action for use on a wide variety of materials including wood, metal, plastic and masonry. Additional features found on selected models include variable speed, reversing, secondary handle, depth stop and spindle lock.



				
SPECIFICATIONS	KR454 HAMMER DRILL	KR504 HAMMER DRILL	KR504RE HAMMER DRILL	KR554RE HAMMER DRILL
POWER	450 W	500 W	500 W	550 W
VOLTAGE	230 V	230 V	230 V	230 V
CHUCK	KEYED	KEYED	KEYED	KEYED
CHUCK SIZE	10 MM	10 MM	13 MM	13 MM
HAMMER	YES	YES	YES	YES
BEATS PER MINUTE	47600 BPM	47600 BPM	47600 BPM	47600 BPM
MAX. CAPACITY - WOOD	20 MM	20 MM	20 MM	20 MM
MAX. CAPACITY - STEEL	10 MM	10 MM	13 MM	13 MM
MAX CAPACITY - MASONRY	10 MM	10 MM	13 MM	13 MM
REVERSE	NO	NO	YES	YES
SPEED	SINGLE	SINGLE	VARIABLE	VARIABLE
NO LOAD SPEED	0-2800 RPM	0-2800 RPM	0-2800 RPM	0-2800 RPM
SECONDARY HANDLE	NO	NO	NO / YES (KR504REK-AE)	YES
ADJUSTABLE DEPTH STOP	NO	NO	YES	YES
CABLE LENGTH	2 M	2 M	2 M	3 M
ARTICLE NUMBER	KR454-QS	KR504-QS	KR504RE-QS	KR554RE-AE
WITH KIT BOX			KR504REK-AE	

CORDED DRILLING



SPECIFICATIONS	KR604RE PERCUSSION HAMMER DRILL	CD714CRES PERCUSSION HAMMER DRILL	CD714REK PERCUSSION HAMMER DRILL	KR703K PERCUSSION HAMMER DRILL
POWER	600 W	710 W	710 W	710 W
VOLTAGE	230 V	230 V	230 V	230 V
CHUCK	KEYED	SINGLE KEYLESS	KEYED	KEYED
CHUCK SIZE	13 MM	13 MM	13 MM	13 MM
HAMMER	YES	YES	YES	YES
BEATS PER MINUTE	47,600 BPM	47,600 BPM	47,600 BPM	52,700 BPM
MAX. CAPACITY - WOOD	20 MM	25 MM	25 MM	32 MM
MAX. CAPACITY - STEEL	13 MM	13 MM	13 MM	13 MM
MAX CAPACITY - MASONRY	13 MM	13 MM	13 MM	16 MM
REVERSE	YES	YES	YES	YES
SPEED	VARIABLE	VARIABLE	VARIABLE	VARIABLE
NO LOAD SPEED	0-2800 RPM	0-2800 RPM	0-2800 RPM	0-3100 RPM
SPINDLE LOCK	NO	YES	NO	YES
SECONDARY HANDLE	YES	YES	YES	YES
ADJUSTABLE DEPTH STOP	YES	YES	YES	YES
CABLE LENGTH	3 M	2 M	2 M	3 M
ARTICLE NUMBER	KR604RE-AE	CD714CRES-QS	-	-
WITH KIT BOX			CD714REK-AE	KR703K-AE

SDS HAMMER DRILLS

SDS hammer drills are heavy duty drills designed for drilling into hard materials such as concrete. The electro - pneumatic hammer mechanism produces high impact energy which results in quicker and more effective drilling. Black & Decker® SDS Drills are designed for fast and efficient penetration of brick, block, stone and concrete.






SPECIFICATIONS	KD975KA 1.8J PNEUMATIC HAMMER DRILL	KD985KA 2.2J PNEUMATIC HAMMER DRILL	KD990KA 2.4J PNEUMATIC HAMMER DRILL	KD750KC 2.7J PNEUMATIC HAMMER DRILL
POWER	710 W	800 W	800 W	750 W
VOLTAGE	230 V	230 V	230 V	230 V
CHUCK	SDS +	SDS +	SDS +	SDS +
CHUCK SIZE	13 MM	13 MM	13 MM	13 MM
HAMMER	YES	YES	YES	YES
BEATS PER MINUTE	5180 BPM	5180 BPM	5180 BPM	5200 BPM
MAX. CAPACITY - WOOD	30 MM	30 MM	30 MM	30 MM
MAX. CAPACITY - STEEL	13 MM	13 MM	13 MM	13 MM
MAX CAPACITY - CONCRETE	22 MM	24 MM	26 MM	26 MM
REVERSE	YES	YES	YES	YES
SPEED	VARIABLE	VARIABLE	VARIABLE	VARIABLE
NO LOAD SPEED	0-980 RPM	0-980 RPM	0-980 RPM	0-1050 RPM
SPINDLE LOCK	YES	YES	YES	YES
SECONDARY HANDLE	YES	YES	YES	YES
ADJUSTABLE DEPTH STOP	YES	YES	YES	YES
CABLE LENGTH	3 M	3 M	3 M	3 M
WITH KIT BOX	KD975KA-QS	KD985KA-QS	KD990KA-QS	KD750KC-QS
ACCESSORIES	8X110 MM SDS DRILL BIT 10X110 MM SDS DRILL BIT 12X110 MM SDS DRILL BIT	8X110 MM SDS DRILL BIT 10X110 MM SDS DRILL BIT 22X250 MM POINT CHISEL 13MM CHUCK, ADAPTOR & KEY	8X110 MM SDS DRILL BIT 10X110 MM SDS DRILL BIT 12X110 MM SDS DRILL BIT 22X250 MM FLAT CHISEL 250 MM POINT CHISEL 13 MM CHUCK, ADAPTOR & KEY	13 MM CHUCK ADAPTOR & KEY

CORDLESS DRILLING

Black & Decker® offers a range of cordless drills ranging from a 10.8V to 18V, with Autoselect® technology and lithium ion battery. The motor design and construction make these drills “best-in-class” for torque and comfort. They are ideal for light DIY tasks around your home and outdoors. Not only attractive in design, these drills have new features to make DIY easier.





CORDLESS DRILL 10.8V/12V



			
SPECIFICATIONS	EGBL108K 10.8V DRILL DRIVER	EPC12CA 12V DRILL DRIVER	PS122KB 12V AUTO SELECT HAMMER DRILL
VOLTAGE	10.8 V	12 V	12 V
BATTERY TYPE	LITHIUM ION	NiCAD SLIDE PACK	NiCAD SLIDE PACK
CAPACITY	1.3Ah	1.2Ah	1.5Ah
CHARGE TIME	3 hr	3 hr	1 hr
CHUCK / CHUCK SIZE	KEYLESS 2 SLEEVE / 10 MM	KEYLESS 2 SLEEVE / 10 MM	KEYLESS SINGLE SLEEVE METAL / 10 MM
HAMMER	NO	NO / YES (EPC128BK)	YES
CLUTCH POSITIONS	11	24	11
CLUTCH MECHANISM	YES	YES	YES
MAX. CAPACITY - WOOD	25 MM	25 MM	25 MM
MAX. CAPACITY - STEEL	10 MM	10 MM	10 MM
MAX. CAPACITY - MASONRY	-	-/10 MM (EPC128BK)	10 MM
SOFT GRIP	YES	YES	YES
TWO GEARS	NO	NO / YES (EPC128BK)	YES
REVERSE	YES	YES	YES
SPEED	VARIABLE	VARIABLE	VARIABLE
NO LOAD SPEED	0-600 RPM	0-750/0-450/0-1400 RPM (EPC128BK)	0-400/0-1200 RPM
TORQUE CONTROL	YES	YES	YES
MAX TORQUE	12/24NM	11NM/13 MM (EPC128BK)	20NM
KIT BOX	YES	NO / YES (EPC128BK)	YES
ARTICLE NUMBER	EGBL108K-QW	EPC12CA-QW	-
HAMMER DRILL		EPC128BK-QW	PS122KB-QW

CORDLESS DRILLING
CORDLESS DRILL 14.4V



				
SPECIFICATIONS	EPC14CA 2 GEAR HAMMER DRILL	PS142KB AUTO SELECT HAMMER DRILL	EPL14K 2 GEAR Li-ion DRILL	HP146F4LK 2 GEAR Li-ion DRILL
VOLTAGE	14.4 V	14.4 V	14.4 V	14.4 V
BATTERY TYPE	NiCAD SLIDE PACK	NiCAD SLIDE PACK	LITHIUM ION SLIDE PACK	LITHIUM ION SLIDE PACK
CAPACITY	1.2Ah	1.5Ah	1.1Ah	1.5Ah
CHARGE TIME	3 hr	1 hr	3 hr	40 Min
CHUCK	KEYLESS 2 SLEEVE	KEYLESS SINGLE SLEEVE METAL	KEYLESS 2 SLEEVE	KEYLESS SINGLE SLEEVE
CHUCK SIZE	10 MM	10 MM	10 MM	13 MM
HAMMER	NO / YES (EPC148BK)	YES	NO / YES (EPL148K/KB)	NO
CLUTCH POSITIONS	24	11	24	24
CLUTCH MECHANISM	YES	YES	YES	YES
MAX. CAPACITY - WOOD	25 MM	30 MM	25 MM	25 MM
MAX. CAPACITY - STEEL	10 MM	10 MM	10 MM	13 MM
MAX CAPACITY - MASONRY	- / 10 MM (EPC148BK)	10 MM	- / 10 MM (EPL148K/KB)	-
SOFT GRIP	YES	YES	YES	YES
TWO GEARS	NO / YES (EPC148BK)	- / YES	NO / YES (EPL148K/KB)	YES
REVERSE	YES	YES	YES	YES
SPEED	VARIABLE	VARIABLE	VARIABLE	VARIABLE
NO LOAD SPEED	0-750/0-450/0-1500 RPM (EPC148BK)	0-400/0-1200 RPM	0-750 RPM	0-350/0-1200 RPM
TORQUE CONTROL	YES	YES	YES	YES
MAX TORQUE	12.1NM /15NM (EPC148BK)	23NM	10/21NM 16/33NM (EPL148K/KB)	29NM
KIT BOX	YES	YES	YES	YES
ARTICLE NUMBER	EPC14CA-QW	-	EPL14K-QW	HP146F4LK-QW
HAMMER DRILL	EPC148BK-QW	PS142KB-QW	EPL148K-QW/EPL148KB-QW	

CORDLESS DRILLING
CORDLESS DRILL 18V



SPECIFICATIONS	EPC18CA DRILL DRIVER	PS182K AUTO SELCET 2 GEAR HAMMER DRILL	EPL188K 2 GEAR Li-ion HAMMER DRILL	HP188F4BK HIGH PERFORMANCE HAMMER DRILL	ASL188K AUTO SELCET Li-ion HAMMER DRILL
VOLTAGE	18 V	18 V	18 V	18 V	18 V
BATTERY TYPE	NI-CAD DETACHABLE	NI-CAD SLIDE PACK	LITHIUM ION SLIDE PACK	NI-CAD 2 X SLIDE PACK	LITHIUM ION SLIDE PACK
CAPACITY	1.2Ah	1.5Ah	1.1Ah	1.7Ah	1.3Ah
CHARGE TIME	3 hr	1 hr	3 hr	1 hr	3 hr
CHUCK	KEYLESS 2 SLEEVE	KEYLESS SINGLE SLEEVE METAL	KEYLESS 2 SLEEVE	KEYLESS SINGLE SLEEVE METAL	KEYLESS SINGLE SLEEVE
CHUCK SIZE	10 MM	10 MM	10 MM	13 MM	10 MM
HAMMER	NO	YES	YES	YES	YES
CLUTCH POSITIONS	24	11	24	32	11
CLUTCH MECHANISM	YES	YES	YES	YES	AUTO SELECT
MAX. CAPACITY-WOOD	25 MM	35 MM	25 MM	38 MM	30 MM
MAX. CAPACITY-STEEL	10 MM	10 MM	10 MM	13 MM	10 MM
MAX CAPACITY-MASONRY	-	10 MM	10 MM	13 MM	10 MM
SOFT GRIP	YES	YES	YES	YES	YES
TWO GEARS	NO	YES	YES	YES	YES
REVERSE	YES	YES	YES	YES	YES
SPEED	VARIABLE	VARIABLE	VARIABLE	VARIABLE	VARIABLE
NO LOAD SPEED	0-750 RPM	0-400/0-1200 RPM	0-400/0-1350 RPM	0-450/0-1500 RPM	0-400/0-1200 RPM
SECONDARY HANDLE	NO	NO	NO	YES	NO
TORQUE CONTROL	YES	YES	YES	YES	YES
MAX TORQUE	12.1NM	27NM	17/34NM	36NM	18/35NM
KIT BOX	YES	YES	YES	YES	YES
ARTICLE NUMBER	EPC18CA-QW	PS182KB-QW	EPL188K-QW/EPL188KB-QW	HP188F4BK-QW	ASL188KB-QW

SCREW DRIVING

Black & Decker® screwdrivers offer compactness, versatility, high performance and are bursting with end user driven features. Whether you're in or outside the home, looking for light or heavy duty, there's a screwdriver to suit your needs. The complete range has been developed to take the strain out of everyday screwdriving tasks, giving you great results every time. Features such as a retractable screw holder and pivoting heads ensure you can complete the task at hand quickly and easily. With Lithium ion battery technology, some screwdrivers also offer improved performance and longer run time.



			
SPECIFICATIONS	KC36R SCREW DRIVER	KC9039 SCREW DRIVER	PLR36NC SCREW DRIVER WITH LED LIGHT
VOLTAGE	3.6 V	3.6 V	3.6 V
BATTERY TYPE	NiCAD	NiCAD	NiCAD
CHARGE TIME	12 hr	12 hr	12 hr
CLUTCH POSITIONS	-	23	-
CLUTCH MECHANISM	-	YES	-
REVERSE	YES	YES	YES
SPINDLE LOCK	MANUAL	AUTOMATIC	MANUAL
MAX TORQUE	3.4NM	3.9NM	4NM
NO LOAD SPEED	180 RPM	180 RPM	180 RPM
SPEED	SINGLE	SINGLE	SINGLE
ACCESSORIES	-	-	YES
ARTICLE NUMBER	KC36R-QW	KC9039-QW	PLR36NC-QW

SCREW DRIVING



SPECIFICATIONS	KC460LN 3.6V Li-Ion EASY ACCESS SCREW DRIVER	PP360 4.8V SCREW DRIVER	AS36LN AUTO SELCET SCREW DRIVER
VOLTAGE	3.6 V	4.8 V	3.6 V
BATTERY TYPE	LITHIUM ION	NiMh	LITHIUM ION
CHARGE TIME	12 hr	12 hr	6-9 hr
SOFT GRIP	YES	YES	YES
CLUTCH POSITIONS	-	-	6
CLUTCH MECHANISM	ACCESS DRIVE	-	YES
REVERSE	YES	YES	YES
MAX TORQUE	3.2/7.7 NM	4NM	4NM
NO LOAD SPEED	180 RPM	180 RPM	180 RPM
KIT BOX	STORAGE TIN	-	STORAGE TIN
ARTICLE NUMBER	KC460LN-QW	PP360-QW	AS36LN-QW
ACCESSORIES	DOUBLE ENDED SCREWDRIVER BIT	CRADLE CHARGER, 10 SCREWDRIVER BITS, STORAGE CASE	CRADLE CHARGER, 11 SCREWDRIVER BITS, STORAGE CASE

GRINDING

Black & Decker® have a wide range of angle grinders to choose from. All Black & Decker® grinders are designed to make your tough tasks easier with convenient features like powerful motor, ergonomic body design, multiposition side handle, and in most cases, a spindle lock for easy accessory change.



SMALL ANGLE GRINDERS

Small angle grinders offer light weight and ease of use. These are available in 100mm, 115mm and 125mm disc sizes.



				
SPECIFICATIONS	CD110 SMALL ANGLE GRINDER	KG915K SMALL ANGLE GRINDER	KG750 SMALL ANGLE GRINDER	KG751 SMALL ANGLE GRINDER
POWER	700 W	900 W	750 W	750 W
VOLTAGE	230 V	230 V	230 V	230 V
WHEEL DIAMETER	100 MM	115 MM	115 MM	125 MM
NO LOAD SPEED	10000 RPM	10000 RPM	11000 RPM	11000 RPM
CONFIGURATION	BODY GRIP	BODY GRIP	BODY GRIP	BODY GRIP
SPINDLE SIZE	16 MM	14 MM	14 MM	14 MM
SPINDLE LOCK	YES	YES	YES	YES
LOCK ON SWITCH	YES	YES	YES	YES
SAFETY GUARD	YES	YES	YES	YES
ARTICLE NUMBER	CD110-QS	KG915K-QS	KG750-QS	KG751-QS

GRINDING LARGE ANGLE GRINDERS

Large angle grinders provide power and a greater depth of cut by using 180-230mm discs.



			
SPECIFICATIONS	KG2001D LARGE ANGLE GRINDER	KG2000D LARGE ANGLE GRINDER	KG2300 LARGE ANGLE GRINDER
POWER	2000 W	2000 W	2300 W
VOLTAGE	230 V	230 V	230 V
WHEEL DIAMETER	180 MM	230 MM	230 MM
SOFT GRIP	YES	YES	YES
SOFT START	YES	YES	YES
NO LOAD SPEED	6500 RPM	6500 RPM	6500 RPM
CONFIGURATION	END HANDLE	END HANDLE	END HANDLE
SPINDLE SIZE	14 MM	14 MM	22 MM
SPINDLE LOCK	YES	YES	YES
LOCK ON SWITCH	YES	YES	YES
SAFETY GUARD	YES	YES	YES
ARTICLE NUMBER	-	-	KG2300-QS
WITH DISC	KG2001D-AE	KG2000D-AE	-

SAWING JIGSAWS

Black & Decker® offers a wide range of jigsaws to suit all user needs, from single speed units to scrolling jigsaws. Whatever your requirements and skill levels, all our jigsaws have several features designed specifically for added convenience and ease of use. The patented sight-line channel ensures good visibility in all applications, whilst the tool free adjustable shoe allows you to effortlessly pre-set the angle of your cut, between 0-45 degrees. A tool free blade clamp also makes light work of changing blades and the on-board blade storage, means you will never misplace that jigsaw blade again!



					
SPECIFICATIONS	KS500 JIGSAW	KS700PE JIGSAW	KS777K JIGSAW	KS888E JIGSAW	KS900SK AUTO SELECT JIGSAW
POWER	400 W	480 W	520 W	500 W	620 W
VOLTAGE	230 V	230 V	230 V	230 V	230 V
SPEED	SINGLE	VARIABLE	VARIABLE	VARIABLE	VARIABLE
STROKES	0-3000/Min	0-3000/Min	0-3000/Min	0-3200/Min	800-3200/Min
TOOL FREE BLADE CLAMP	NO	NO	YES	YES	YES
LOCK ON SWITCH	YES	YES	YES	YES	YES
BEVEL CUT	0 to 45°	0 to 45°	0 to 45°	0 to 45°	0 to 45°
DUST BLOWER	YES	YES	YES	YES	YES
ACCU-BEVEL SYSTEM	-	-	-	-	YES
BLADE STORAGE	YES	NO	YES	YES	YES
ARTICLE NUMBER	KS500-QS	KS700PE-QS	-	KS888E-QS	-
WITH KIT BOX			KS777K-QS		KS900SK-QS

SAWING

CIRCULAR SAW

One of the most common power tools on any jobsite is a circular saw. Black & Decker® offers a range of powerful lightweight circular saws that fulfill all user needs.



RECIPROCATING SAW

The Black & Decker® reciprocating saw is the perfect multi-purpose cutting tool ideal for many tasks around the home and garden. Whether it's cutting through steel pipes or aerated concrete blocks, or simply pruning and sizing branches.



					
SPECIFICATIONS	CD602 CIRCULAR SAW	KS1300 CIRCULAR SAW	CS718 CIRCULAR SAW	SPECIFICATIONS	KS890ECN HAND SAW
POWER	1150 W	1300 W	1500 W	POWER	400 W
VOLTAGE	230 V	230 V	230 V	VOLTAGE	230 V
DEPTH OF CUT	55 MM	65 MM	63 MM	BLADE STROKES	0-5500/Min
NO LOAD SPEED	5000 RPM	5000 RPM	4800 RPM	STROKE LENGTH	10 MM
BLADE DIAMETER	170 MM	190 MM	185 MM	SAFETY LOCK OFF SWITCH	YES
BORE SIZE	16 MM	16 MM	20 MM	SPEED	VARIABLE
BEVEL CUT	0-45°	0-45°	0-45°	BLADE SIZE (RECIP SAW)	239-153-134 mm
DUST EXTRACTION	YES	YES	YES	ARTICLE NUMBER	KS890ECN-QS
SAFETY LOCK	YES	YES	YES		
RIP FENCE	YES	YES	YES		
TCT SAW BLADE	YES	YES	36 TCT BLADE		
ARTICLE NUMBER	CD602-QS	KS1300-QS	CS718-AE		

**SAWING
CHOPSAW**

Ideal for any shop or job site application, chop saws provide fast, efficient cutting of metal drywall studs to angle iron. The Black & Decker® chop saw is able to cut a wide variety of materials including ferrous and non-ferrous materials, making it a versatile addition to any jobsite.



COMPOUND SLIDE MITRE SAW

A new addition to the Black & Decker® range, the compound slide mitre saw, is a multifunctional and convenient tool for applications like fitting ceiling coving, architrave skirting, wall paneling, laying wood flooring, fixing cabinet cornice, wood paneling, window sills, decking, cutting plastic fascia boards and aluminium extrusion.


Unique features like the laser alignment module, superlok™ mitre clamp and high sliding fence make tasks effortless.



SPECIFICATIONS	CS355 ABRASIVE CHOP SAW	SPECIFICATIONS	SMS500 SLIDE MITRE SAW
POWER	2300 W	POWER	2000 W
VOLTAGE	230 V	VOLTAGE	230 V
NO LOAD SPEED	3800 RPM	DEPTH OF CUT	92 MM
WHEEL DIAMETER	355 MM	WIDTH OF CUT	305 MM
ARTICLE NUMBER	CS355-QS	NO LOAD SPEED	4800 RPM
ACCESSORIES	355 MM X 25 MM BORE CUTTING WHEEL	BLADE DIAMETER	255 MM
		BORE SIZE	30 MM
		DUST EXTRACTIONS	DUST BAG
		ARTICLE NUMBER	SMS500-QS
		ACCESSORIES	255 MM X 30 MM X 60 TCT BLADE 255 MM X 30 MM X 40 TCT BLADE

WOOD WORKING

Black & Decker® has an excellent range of wood working tools to offer. Planers are used to “shave” a thin layer of material off the work surface. Routers are the most versatile power tool, as they can be used for decorating the surfaces, cutting joints and making circles with the aid of dedicated cutters and attachments.







SPECIFICATIONS	KW900E PLUNGE ROUTER	SPECIFICATIONS	KW712 PLANER	KW750K PLANER
POWER	1200 W	POWER	650 W	750 W
VOLTAGE	230 V	VOLTAGE	230 V	230 V
SPEED	VARIABLE	SPEED	SINGLE	SINGLE
NO LOAD SPEED	8,000-28,000 RPM	NO LOAD SPEED	17,000 RPM	16,000 RPM
PLUNGE DEPTH	55MM	DEPTH OF CUT	0-2.0 MM	0-2.0 MM
COLLET SIZE	6,6.35, 8MM	WIDTH OF CUT	82 MM	82 MM
MAXIMUM CUTTER DIAMETER	38 MM	PLAINING WIDTH	82 MM	82 MM
SPINDLE LOCK	YES	REBATING DEPTH	8 MM	12 MM
DUST EXTRACTIONS	YES	ERGONOMIC HANDLE	YES	YES
CABLE LENGTH	3 M	DUST EXTRACTION	DUST BAG	DUAL
ARTICLE NUMBER	KW900E-QS	RIVERSIBLE BLADES	YES	YES
		CUTTER TYPE	HSS	TCT
		VACUUM ADAPTOR	YES	YES
		CABLE LENGTH	3 M	3 M
		ARTICLE NUMBER	KW712-QS	KW750K-QS
		KITBOX	-	YES

SANDING

Preparation is the key to a good finish. For woodwork and paintwork in the home and garden, Black & Decker® has an extensive range of sanders. These tools can be used not just for sanding and polishing, detailed work can be undertaken on windows, floors, doors, furniture and metal work.



				
SPECIFICATIONS	KA161 MOUSE DETAIL SANDER	KA1000 MOUSE DETAIL SANDER	KA280 AUTOSELECT MULTI SANDER	KA198 RANDOM ORBIT SANDER
POWER	55 W	55 W	220 W	260 W
VOLTAGE	230 V	230 V	230 V	230 V
SPEED	SINGLE	SINGLE	VARIABLE	SINGLE
NO LOAD SPEED	11000 RPM	11000 RPM	8500 & 13,000 RPM	13,000 RPM
ECCENTRICITY	0.75 MM	0.75 MM	1 MM	1.5 MM
ORBIT DIAMETER	1.5 MM	1.5 MM	2 MM	3 MM
DUST EXTRACTION	VACUUM ADAPTOR	DUST CASSETTE	CYCLONIC	DUST BAG
PAPER ATTACHMENT	QUICK FIT	QUICK FIT	HOOK AND LOOP	QUICK - FIT
PAPER SIZE / AREA	110 MM/cm ²	110 MM/cm ²	VARIOUS	125 MM
PLATTEN SIZE	105 MM ²	105 MM ²	VARIOUS	125 MM
PLATTEN SHAPE	TEAR DROP	TEAR DROP	VARIOUS	ROUND
SANDING ACTIONS	ORBITAL	ORBITAL	ORBITAL / RANDOM ORBIT	RANDOM ORBIT
SOFT TRIGGER	YES	YES	YES	YES
SOFT GRIP	YES	YES	YES	YES
CABLE LENGTH	3 M	2.3 M	3 M	3 M
ARTICLE NUMBER	KA 161-QS	KA 1000-QS	KA 280-QS	KA 198-QS
KIT BOX	NO	TOOL BAG	KA 280K-QS	NO
ACCESSORIES	8 SANDING SHEETS	15 SANDING SHEETS (VARIOUS) 1 FOAM PAD	6 SANDING SHEETS (VARIOUS)	3 SANDING SHEETS 1 DUST CONNECTOR

SANDING



				
SPECIFICATIONS	KA310 1/3 SHEET SANDER	KA274EKA 1/2 SHEET SANDER	KA86 BELT SANDER	KA900E POWERFILE BELT SANDER
POWER	240 W	310 W	720 W	350 W
VOLTAGE	230 V	230 V	230 V	230 V
SPEED	SINGLE	VARIABLE	SINGLE	VARIABLE
NO LOAD SPEED	15,000 RPM	6,000 - 10,000 RPM	206 RPM	900 - 1400 RPM
BELT WIDTH	-	-	75 MM	13 MM
BELT DIMENSION	-	-	75 X 457 MM	451 X 13 MM
BELT TRACKING	-	-	AUTO	MANUAL
ECCENTRICITY	1 MM	1 MM	-	1 MM
ORBIT DIAMETER	2 MM	2 MM	-	2 MM
DUST EXTRACTION (SANDERS)	DUST BAG	DUST BAG	DUST BAG	CYCLONIC
PAPER ATTACHMENT	QUICK-FIT & CLIP	THUMB LEVEL CLAMPING SYSTEM	-	-
PAPER SIZE / AREA	92 X 230 MM	115 X 280 MM	75 X 457 MM	451 X 13 MM
PLATTEN SIZE	91 X 189 MM	115 X 230 MM	-	-
SANDING AREA	-	-	75 X 145 MM	-
SANDING ACTIONS	ORBITAL	ORBITAL	-	ORBITAL
SOFT GRIP	NO	YES	NO	NO
CABLE LENGTH	2.3 M	3 M	3 M	3 M
LOCK ON SWITCH	-	-	YES	YES
ARTICLE NUMBER	KA310-QS	KA274EKA-QS	KA86-QS	KA900E-QS
KIT BOX	NO	YES	NO	YES
ACCESSORIES	-	10 SANDING SHEETS (VARIOUS)	-	3 SANDING BELTS

HEAT GUNS


Thorough preparation is the key to success when decorating. Black & Decker® decorating products are designed to safely and effectively remove old paint or loosen old wall coverings, making the tasks prior to redecorating much simpler. Heatguns can be used for stripping old paint from metal and wood, or drying new coats of paint or filler. They are also ideal for thawing frozen water pipes, soldering, bending and shaping metal.



SPECIFICATIONS	KX1650 HEAT GUN	KX1800 HEAT GUN	KX2000K HEAT GUN	KX2200K HEAT GUN
POWER	1750 W	1800 W	2000 W	2000 W
VOLTAGE	230 V	230 V	230 V	230 V
HEAT SETTINGS	2	VARIABLE	VARIABLE	VARIABLE
STYLE	PISTOL	PISTOL	PISTOL	PISTOL
TEMP RANGE	460-600° C	50-600° C	50-600° C	65-645° C
AIR FLOW	570/740 l/min	< 650 l/min	< 650 l/min	360 / 720 l/min
CABLE LENGTH	2 M	3 M	3 M	3 M
ACCESSORIES	-	YES	YES	YES
ARTICLE NUMBER	KX1650-QS	KX1800-QS	KX2000K-QS	KX2200K-QS
KIT BOX	-	-	YES	YES

WORK BENCHES

The Black & Decker® Workmate™ is an ideal partner for your Black & Decker® tools. It grips like a vice, is portable, compact and sturdy, holding your work in place wherever you are in the home or garden.



SPECIFICATIONS	WM301 WORKMATE	WM536 WORKMATE
WORKING HEIGHTS	760 MM	775/595 MM
FOLDED SIZE (W X H X D)	630 X 890 X 130 MM	610 X 740 X 195 MM
VICE JAW OPENING	0-115 MM	0-136 MM
VICE JAW LENGTH	610 MM	610 MM
MAX TABLE WIDTH-JAWS OPEN	341 MM	384 MM
VICE JAW POSITIONS	0	1
MAXIMUM LOAD	160 KG	250 KG
COMPACT STORAGE	YES	YES
SWIVEL PEGS	YES	YES
DUAL CLAMPING CRANKS	YES	YES
VICE JAW MATERIAL	COMPRESSED BAMBOO	PARTICLE BOARD
WEIGHT	6.6 KG	9.69 KG
ARTICLE NUMBER	WM301-XJ	WM536-XJ

ELECTRONIC HAND TOOLS

LASER / DETECTOR

Black & Decker® lasers are the latest time saving tool for DIY projects in the home. The detector offers peace of mind prior to any drilling task by detecting studs, wires or pipes through walls.






THERMAL LEAK DETECTOR

The Black & Decker® Thermal Leak Detector is a new way of tackling rising energy costs and will make a real difference to the way home owners manage their gas and electric consumption. It will empower home owners and provide them with the knowledge to save money on their own fuel bills. Finding and sealing energy leaks can save on heating and cooling costs.

Simple and easy to use, the Black & Decker® Thermal Leak Detector is a small hand held device that identifies and measures hot and cold thermal leaks around the home, such as cold drafts around doors, windows and floor boards. Once detected, the problem area can be sealed and insulated where needed. The Thermal Leak Detector has an infrared sensor that detects the leaks and a coloured light is projected onto the area to indicate a change in temperature. Blue for a cold leak and red for a warm leak – simply point and scan anywhere around the house to detect leaks and identify where money is being lost. These settings are particularly beneficial for homes with air conditioning.



					
SPECIFICATIONS	TLD100 THERMAL LEAK DETECTOR	BDL120 MANUAL LASER LEVEL	BDSL30 3 IN 1 SPIRIT LEVEL WITH WIRE DETECTOR		
BATTERY	9 V ALKALINE	VOLTAGE	3 V	LENGTH	61 & 25 cm
TYPE OF DETECTION	THERMAL	CLASS	2	DEPTH OF DETECTION AC WIRE	25 MM
LED DISPLAY	DEGREES C/F	LEVELS	MANUAL	GECKO GRIP	YES
ARTICLE NUMBER	TLD100-XJ	ACCURACY	± 1 MM @ 1M ⁰	ARTICLE NUMBER	BDSL30-XJ
		TOTAL VISIBLE LINE SPAN	3 M		
		ARTICLE NUMBER	BDL120-XJ		

LOGISTICS INFORMATION

ARTICLE NUMBER	DESCRIPTION	BARCODE	GROSS WEIGHT KG	VOLUME CCM	MASTER PACK QTY
CORDED DRILLING					
KR454-QS	Hammer Drill	5035048289419	1.700	6,394.125	-
KR504-QS	Hammer Drill	5035048287453	1.746	6,224.850	4
KR504RE-QS	Hammer Drill	5035048287491	2.06	6206.58	4
KR504REK-AE	Hammer Drill	5035048294031	2.10	11,372.925	-
KR554RE-AE	Hammer Drill	5035048294048	2.10	6,243.675	-
KR604RE-AE	Percussion Hammer Drill	5035048294062	2.10	6,199.200	-
CD714CRES-QS	Percussion Hammer Drill	5035048200018	4.40	11,172.00	4
CD714REK-AE	Percussion Hammer Drill	5035048294079	4.40	11,165	-
KR703K-AE	Percussion Hammer Drill	5035048162484	3.500	15,840	4
KD975KA-QS	1.8J Pneumatic Hammer Drill	5035048200018	4.40	11,172.00	4
KD985KA-QS	2.2J Pneumatic Hammer Drill	5035048196854	6.340	21,000	4
KD990KA-QS	2.4J Pneumatic Hammer Drill	5035048191446	6.700	20,171	4
KD750KC-QS	2.7J Pneumatic Hammer Drill	5035048307229	5.70	20,171	2
CORDLESS DRILLING					
EGBL108K-QW	10.8V Drill Driver	5035048306239	1.50	11,803	4
EPC12CA-QW	12V Drill Driver	5035048206645	1.908	4,942	4
EPC128BK-QW	12V Hammer Drill Driver	5035048244296	3.60	11,368	4
PS122KB-QW	12V Auto Select Hammer Drill	5035048174968	4.20	14,649	3
EPC14CA-QW	2 Gear Hammer Drill	5035048206317	2.50	5,256	4
EPC148BK-QW	2 Gear Cordless Drill	5035048244326	3.84	11,304	4
PS142KB-QW	Auto Select Hammer Drill	5035048175002	4.40	14,477	3
EPL14K-QW	2 Gear Lithium Ion Drill	5035048306215	2.90	14,459	4
EPL148K-QW	2 Gear Lithium Ion Hammer Drill	5035048307342	3.08	15,116	4
EPL148KB-QW	2 Gear Lithium Ion Hammer Drill	5035048311424	3.30	14,586	4
HP146F4LK-QW	2 Gear Lithium Ion Drill	5035048260401	3.700	0.015	-
EPC18CA-QW	Drill Driver	5035048260401	3.700	0.015	-
PS182KB-QW	Autoselect 2-Gear Hammer Drill	5035048175040	4.780	14,187.250	-
EPL188K-QW	2 Gear Lithium Ion Hammer Drill	5035048307366	1.700	8,250	-
EPL188KB-QW	2 Gear Lithium Ion Hammer Drill	5035048307366	1.700	8,250	-
HP188F4BK-QW	High Performance Hamer Drill	5035048260326	2.50	14,773.00	1
ASL188KB-QW	Autoselect Lithium Ion Hammer Drill	5035048311387	3.676	15,060.640	-
SCREWDRIVING					
KC36R-QW	Screwdriver	5035048143407	0.67	1,700.00	6
KC9039-QW	Screwdriver	5035048106198	0.78	5,263.50	1
PLR36NC-QW	Screwdriver with LED Light	5035048260128	0.674	4,415.600	-
KC460LN-QW	3.6V Li-Ion Easy Access Screwdriver	5035048260111	0.847	2,754	-
PP360-QW	4.8V Screwdriver	5035048180587	1.43	6,240.00	1
AS36LN-QW	Auto Select Screwdriver	5035048203224	0.50	6,240.00	1
GRINDING					
CD110-QS	Small Angle Grinder	5011402182282	2.32	2,200.00	1
KG915K-QS	Small Angle Grinder	5035048119020	3.58	15,534.40	1
KG750-QS	Small Angle Grinder	5035048312018	2.50	4,988.88	1
KG751-QS	Small Angle Grinder	5035048312025	2.50	4,988.88	1
KG2001D-AE	Large Angle Grinder	5035048122198	7.40	14,160	1
KG2000D-AE	Large Angle Grinder	5035048122181	7.50	2,000.00	1
KG2300-QS	Large Angle Grinder	5035048199633	6.98	14,848.00	1

LOGISTICS INFORMATION

ARTICLE NUMBER	DESCRIPTION	BARCODE	GROSS WEIGHT KG	VOLUME CCM	MASTER PACK QTY
SAWING					
KS500-QS	Jigsaw	5035048172476	1.79	4,838.40	1
KS700PE-QS	Jigsaw	5035048173039	2.180	5,497.608	4
KS777K-QS	Jigsaw	5035048312094	3.040	11,550	4
KS888E-QS	Jigsaw	5035048120729	2.435	6,372	4
KS900SK-QS	Auto Select Jigsaw	5035048173107	4.22	12,512.00	4
CD602-QS	Circular Saw	5035048123652	6.00	3,300.00	1
KS1300-QS	Circular Saw	5035048181997	6.317	24,786	2
CS718-AE	Circular Saw	9312105119138	5.800	3,300	-
KS890ECN-QS	Handsaw	5035048128862	2.80	1,357.03	1
CS355-QS	Abrasive Chop Saw	5035048331460	19.200	1,010	-
SMS500-QS	Slide Mitre Saw	5035048282458	23.740	1,740	-
WOOD WORKING					
KW900E-QS	Plunge Router	5035048120354	3.30	11,648.00	6
KW712-QS	Planer	5035048120354	3.30	11,648.00	1
KW750K-QS	Planer	5035048312070	5.200	2,100	-
SANDING					
KA161-QS	Mouse Detail Sander	5035048130544	0.960	8,050	6
KA1000-QS	Mouse Detail Sander	5035048202722	3.50	7,924.80	1
KA280-QS	Autoselect Multi Sander	5035048287842	2.304	7,833.700	2
KA280K-QS	Autoselect Multi Sander	5035048272008	3.30	16,263	4
KA198-QS	Random Orbit Sander	5035048128688	2.06	6.95	6
KA310-QS	1/3 Sheet Sander	5035048203316	1.498	5,024.250	2
KA274EKA-QS	1/2 Sheet Sander	5035048129814	4.200	18.259	4
KA86-QS	Belt Sander	5035048175163	2.890	9,352	2
KA900E-QS	Powerfile Belt Sander	5035048175187	2.17	10,944.00	1
HEAT GUNS					
KX1650-QS	Heat Gun	5035048331491	0.940	4,981.500	-
KX1800-QS	Heatgun	5035048133286	1.46	6,770	6
KX2000K-QS	Heatgun	5011402164110	2.44	12,264.00	1
KX2200K-QS	Heat Gun	5035048331521	2.400	13,365	-
WORK BENCHES					
WM301-XJ	Workmate	5035048103678	6.60	16,288.75	1
WM536-XJ	Workmate	5011402100170	10.20	8,100.00	1
ELECTRONIC HAND TOOLS					
TLD100-XJ	Thermal Leak Detector	5035048332085	0.477	3,071	2
BDL120-XJ	Manual Laser Level	5035048151150	0.360	3,299.400	3
BDSL30-XJ	3 in 1 Spirt Level with Wire Detector	5035048186459	0.644	6,400.00	3
OTHERS					
KTX5000-B5	Variable Speed Blower	5035048240250	2.20	13,000	6
KP600-B1	Car Polisher	28877362069	2.0	12,496	-
RT650KA-QS	Rotary Tool	5011402180745	1.851	9,567.600	4

DISTRIBUTORS

ALGERIA



SARL OUTILLAGE CORPORATION
08, Rue Med Boudiaf -
Chéraga - Algiers. Algeria.
Tel : + 213 21 375130
Fax : + 213 21 369667

BAHRAIN



KEWALRAM & SONS
P.O. Box 84,
Manama, Bahrain
Tel : + 973 17213110
Fax : + 973 17210627

EGYPT



ELFARAB FOR IMPORT S.A.E
15, Nabil El Wakkad street,
Dokki, Giza, Egypt.
Tel : + 202 3760 39 46
Fax : + 202 3335 27 96

ETHIOPIA



TEWFIK SHERIF & CO. LTD
P.O. Box 2525
Addis Ababa, Ethiopia
Tel : + 251 11 156 3968
Fax : + 251 11 155 8009

IRAQ



FINANCIAL LINKS ASK GROUP OF COMPANIES
Kazzaz Building Arsat,
Al - Hindia
Baghdad, Iraq
Tel : + 964 780 19522

IRAQ



SAKHAR AL IRAQ
Sakhar Group Building,
University of Technology Street,
Baghdad, Iraq.
Tel : + 964 7400 144446

JORDAN



BASHITI HARDWARE
93, King Abdulla II Street
P.O. Box 3005,
Amman 11953, Jordan
Tel : + 962 6 5349098
Fax : + 962 6 5330731

KENYA

DEXTRON TOOLS

Mombasa Road.
P.O. Box 40382 - 00100,
Nairobi, Kenya.
Tel : + 254 20 690 5000
Fax : + 254 20 690 5111

KUWAIT

MARKET VISION TRADING

P.O. Box 26567,
13126 Safat, Kuwait
Tel : + 965 24341990 / 1-6
Fax : + 965 24348179

BIN NISF GEN. TRDG. & CONTG. CO

P.O. Box 871, Safat 13009,
Kuwait. Industrial Area # 1,
Street 17, Block 54,
Shuwaikh, Kuwait.
Tel : + 965 1822244
Fax : + 965 24839353

LEBANON



ST. SHAYA & AZAR SARL
Boulevard Jdeideh -
Mar Takla - Bouchrieh
P.O.Box: 90545 Jdeideh.
Beirut - Lebanon
Tel : + 961 1 872305 / 306
Fax : + 961 1 872303

LIBYA



AL-HELAL Co.
Benghazi Headquarters:
Distribution Center
Sniydel st.,
Amr Ibn EL-Aas Rd.
Tel : + 218 (061) 909 7681

MAURITIUS



ROBERT LE MAIRE LTD
Old Moka Road
Bell Village, Mauritius
Tel : + 230 2121865
Fax : + 230 2080843

MOROCCO



ETS LOUIS GUILLAUD & CIE
31 Rue Pierre Parent
21000 Casablanca, Morocco
Tel : + 212 522 301446
305971
Fax : + 212 522 444518
317888

NIGERIA



MERIDIAN POWER TOOLS LTD.
Ground Floor, #1,
Alhaji Masha Road,
Next to Teslim-Balogun Stadium,
Near National Stadium,
Surulere, Lagos, Nigeria.
Tel : + 234 1 7740431

OMAN



OMAN MARKETING & SERVICES Co.
P.O. Box 2734, PC112
Ruwi, Muscat,
Sultanate of Oman
Tel : + 968 24565840
Fax : + 968 24565841

PAKISTAN

NASIR & BROS
2, Musa Market,
Sharae Liaqat
74000, Karachi
Pakistan
Tel : + 92 21 2428000
Fax : + 92 21 2427802

QATAR

ALMUFTAH TRADING & CONTRACTING
P.O. Box 875, Doha, Qatar
Tel : + 974 4446868
Fax : + 974 4441415

TEYSEER INDUSTRIAL SUPPLIES & SERVICES CO.
P.O. Box 40523
Salwa Industrial Area
Doha, Qatar
Tel : + 974 4601146/4602298
Fax : + 974 4602297

SAUDI ARABIA



AL-BAWARDI TOOLS & HARDWARE
9th Street, Albawardi building
P.O. Box 112, Dammam, 31411
Saudi Arabia
Tel : + 966 3 833 5555
Fax : + 966 3 833 0772

SAUDI ARABIA AL-AASEMA EST FOR INDUSTRIAL TOOLS

Bob-Makkah Road
Kilo 1, Jeddah
Saudi Arabia
Tel : + 966 2 6446549
Fax : + 966 2 6438285

SAUDI ARABIA HOUSE OF INDUSTRIAL EQUIPMENTS LIMITED

Omar Al-Mukhtar street
(Rail Street) P.O. Box 6266
Riyadh, 11442
Tel : + 966 1 4489225
4465976
Fax : + 966 1 4469608

SOUTH AFRICA



MASSMART HOLDINGS LIMITED
16 Peltier Drive, Sunninghill,
Ext 6, Sandton, South Africa
Tel : + 27 11 517 0000
BD Info 0861 23 4636
Fax : + 27 11 517 0020

TANZANIA

GENERAL MOTORS INVESTMENT LTD

P.O. Box 16541
Dar Es Salaam,
Tanzania
Tel : + 255222862661

TUNISIA



SOCIETE TUNISIENNE DE QUINCAILLERIE (STQ)
RUE DE LA PHYSIQUE.
NOUVELLE ZONE
Industrielle Ben Arous.
2013 Ben Arous, Tunisia.
Tel : + 216 71 386102
Fax : + 216 71 385154

UAE



BLACK & DECKER (OVERSEAS) GmbH
P.O. Box 17164,
Dubai, U.A.E.
Tel : + 971 4 8863030
Fax : + 971 4 8863333

YEMEN



MIDDLE EAST TRADING CO.
P.O. Box 12363, Sana'a,
Republic of Yemen
Tel : + 9671 219469
Fax : + 9671 204204



Black & Decker® offers a unique 2 year warranty on their entire range of power tools against defects due to faulty material and/or workmanship. If the product becomes defective within the warranty period, Black & Decker® will repair, or at Black & Decker®'s discretion, replace free of charge. All repair claims must be made through a Black & Decker® authorised service center and should be supported by the warranty registration card & purchase receipt.

BLACK & DECKER SERVICE CENTRES

AREA	NAME	ADDRESS	*C&A CODE	TEL.	FAX
ALGERIA	Sarl Outillage Corporation	08 Rue Med Boudiaf – Chéraga - Algiers, Algeria.	213-21	375130	369667
AZERBAIJAN	Royalton Holdings Ltd.	41 Khagani St. Apt. 47 AZ 1001, Baku	994-12	4935544	5980378
BAHRAIN	Alfouz Services Co. WLL	P.O. Box 26562, Tubli, Manama	973	17783562	17783479
	Kavalani & Sons WLL	P.O. Box 71, Sitra, Manama	973	17732888	17737379
EGYPT	EL- FARAB S.A.E	15-Nabil El Wakkad Street, Dokki, Giza	202	37603946	33352796
ETHIOPIA	Seif Tewfik Sherif	Arada Sub-City, Kebele 01/02 Global-Insurance Building, 2nd Floor, Room 43, P.O. Box 2525, Addis Ababa, Ethiopia	251-11	1563968 1563969	1558009
IRAQ	Al Sard Co. For General Trading Ltd	Jbara Bldg. 3Flr. Al Rasheed St. Bagdad.	964	18184102	
	Sakhar Group	Arrassat al-hindyaAl Masbah. Bagdad.	964	7400144446	
JORDAN	Palestine Bldg.Matl. (Bashiti Hardware)	93 King Abdulla 2nd Street, Opp ELBA House, P.O. Box 1564	962-6	5349098	5330731
KUWAIT	Al Omar Technical Co.	P.O.Box 4062, 13041 Safat Kuwait	965	24848595/24840039	24845652
	Fawaz Al Zayani Establishment	P.O. Box 42426, Shop No.18, Al Humaizi Commercial Complex, Khalifa Al Jassim, Shuwaikh, Kuwait.	965	24828710	24828716
	Fawaz Al Zayani Establishment	Fahaheel Industrial Area, Main St., Sanaya, Kuwait	965	23925830	24828716
KENYA	Dextron Tools Ltd.	P.O.Box 20121-00200, Shariff House,	254-20	6905000	6905111
		Kimathi Street, Nairobi		2358021	6905112
LEBANON	Est. Shaya & Azar S.A.R.L.	Boulevard, Jdeideh, Mar Takla-Bouchrieh. P.O. Box 90545, Jdeideh, Beirut.	961-1	872305 872306	872303
LIBYA	North Africa Trading (El Ghouf Brothers)	P.O.Box 348,7 October Street 11,Benghazi	218	613388706	
	North Africa Trading (El Ghouf Brothers)	AlBarniq DEWALT Center, Mokhazin - elsukar st., ElFallah, Tripoli	218	0214808019	0214808019
	North Africa Trading (El Ghouf Brothers)	AlHilal Service Center, Tawergha st.Misrata	218	0512626743	
MAURITIUS	Robert Le Marie Limited.	Old Moka Road,Bell Village,P.O.Box161, Port Louis	230	2121865 2122847	2080843
MOROCCO	Ets. Louis Guillaud & Cie	31, Rue Piere Parent, Casablanca-21000	522	301446 305971 317815/315576	444518 317888
NIGERIA	Meridian Power Tools Ltd.	Gr.Floor, #1 Alhaji Masha Road, Next to Teslim Balogun Stadium Near National Stadium, Surulere, Lagos.	234-1	7740431 7740410	7913798
OMAN	Al Jizzi Company LLC	P.O. Box 1704,PC 112 Ruwi,Oman	968	24832618/24835153	24831334
	Al Hassan Technical & Construction Supplies Co. LLC	P.O. Box 1948, P.C. 112, Ruwi	968	24810575/ 24837054	24810287/ 24833080
	Khimji Ramdas	P.O. Box 19, Post Code 100, Ghala, Muscat, Oman	968	24595906/907	24852752
	Oman Hardware Co. LLC	P.O.Box 635, Ruwi- 112	968	24815131	24816491
	Oman Marketing & Service Co.(Omasco)	P.O. Box 2734,Behind Honda Showroom, Wattayah,Oman	968	24560232/ 24560255	24560993
	Oman Marketing & Service Co.(Omasco)	Al Ohi, Sohar,Oman	968	26846379	26846379
	Oman Marketing & Service Co.(Omasco)	Sanaya, Salalah,Oman	968	23212290	23210936

BLACK & DECKER SERVICE CENTRES

AREA	NAME	ADDRESS	*C&A CODE	TEL.	FAX	
PAKISTAN	Ammar Service & Spares	60-Bank Arcade, Serai Road, Karachi	92-21	32426905	32427214	
	ZIT Co.-Nasir & Bros.	2nd Floor, Qadri Center, Chowk Dalgran, Railway Road, Lahore.	92-42	37670 839	37652989	
QATAR	Al Muftah Service Centre	Al Wakrah Road, P.O. Box 875, Doha,Qatar	974	4650880/4650110 4446868	4441415 4662599	
	Shaheen Electrical Works & Trading Co. WLL	Gate 34, St. 44 Industrial Area P.O. Box 9756, Doha	974	4600230/4600525	4601338	
	Teyseer Industrial Supplies & Services Co. WLL	55, Al Wakalat St. (Between St.18&19) Salwa Industrial Area, P.O.Box 40523 Doha,Qatar	974	4581536	4682024	
KSA	Al Bawardi Tools & Hardware	P.O. Box 112, Dammam 31411	966-3	8335555	8350772	
	Al Bawardi Tools & Hardware	P.O. Box 68, Riyadh 11411	966-1	4484999	4487877	
	Al Bawardi Tools & Hardware	P.O. Box 16905, Jeddah 21474	966-2	6444547	6439024	
	EAC (Al Yousef Contg. & Trdg. Est.)	P.O. Box 30377, Jeddah -21477	966-2	6519912	6511153	
	Fawaz Ebrahim Al Zayani Trading Est.	P.O. Box 76026, Al Khobar # 31952	966-3	8140914	8140824	
	Garziz Trading for Bldg Mat&Decoration	P.O. Box 3364, Madina	966-4	8261490/8227636	8265741	
	Industrial Material Organization (IMO)	P.O. Box 623, Rail Street ,Riyadh	966-1	4026320/4026350	4037970	
	Mohamed Ahmed Bin Afif Est.	P.O. Box 530, Yanbu, Al Bahr	966-4	3222626/3228867	3222210	
	MSS (Al-Mojil Supply & Services)	P.O. Box 450, Jubail 31951.Opp-Gulf Bridge Library & Riyadh House	966-3	3612850/3624487 3621729	3623589 3620783	
	Sultan Garment Factory (RSC)	P.O. Box 29912, Riyadh 11467, KSA	966-1	4055148/4042889	4055148	
	SOUTH AFRICA	Trevco Power Tool Service	14 Steenbok Street Koedoespoort, 0186, Pretoria, South Africa	27-86	1873826	5001771
	TUNISIA	Société Tunisienne De Maintenance (STM)	Rue De La Physique. Nouvelle Zone Industrielle, Ben Arous - 2013 Ben Arous, Tunisia	216-79	386102 389687	391063
U.A.E.	Alebrah Engineering Service	P.O. Box 78954, Al Qusais , Dubai	971-4	2850044	2844802	
	Al Sukoon Gen. Trdg. Co. LLC	P.O. Box 2975, Ajman	971-6	7435725/7438317	7437350	
	BLACK & DECKER (OVERSEAS) GmbH	P.O. Box 5420, Dubai	971-4	8127400/8127406	2822765	
	Burj Al Madeena	Industrial Area No 1, Opp Pakistani Masjid P.O. Box 37635, Sharjah	971-6	5337747	5337719	
	Ideal Star Workshop Eqpt.Trading LLC	P.O. Box 37116, Al Quoz, Dubai	971-4	3474160	3474157	
	Light House Electrical	P.O. Box 120, Abu Dhabi	971-2	6726131	6720667	
	Light House Electrical	P.O. Box 120, Abu Dhabi	971-2	5548315	5540461	
	Mc Coy Middle East LLC	P.O. Box 25793, Sharjah	971-6	5395931	5395932	
	Mc Coy Middle East LLC	P.O. Box 10584, Ras Al Khaimah	971-7	2277095	2277096	
	Zillion Equipment and Spare Parts Trading LLC	P.O. Box 19740, Opp. Bin Sadal / Trimix Redymix Sanaiya, Al Ain	971-3	7216690	7216103	
UGANDA	The Building Center (U) Ltd.	52 Station Road, Kitgum House, P.O. Box 7436, Kampala, Uganda	256-41	4234567 4259754	4236413	
YEMEN	Middle East Trading Co.(METCO)	P.O.Box 12363, 5th Flr, Hayel Saeed Anam Bldg. Al-Mugamma St. Taiz, Yemen	967-4	213455	219869	
	Middle East Trading Co.(METCO)	Mualla Dakka, Aden, Yemen	967-2	222670	222670	
	Middle East Trading Co.(METCO)	Hayel St., Sana'a, Yemen	967-1	204201	204204	

* Country & Area Code



Black & Decker (Overseas) GmbH
Middle East & Africa Headquarters
Jebel Ali Freezone (South)
P.O. Box 17164, Dubai, U.A.E.
Tel.: +971 4 8863030, Fax.: +971 4 8863333