

# CD AUDIO

CD AUDIO  
TRUE TO THE SOURCE.



# PRODUCT CATALOG

# 2023



IMPORTED & MARKETED BY:  
 **Elite International**

**8882480094**  
[www.elliteinternational.com](http://www.elliteinternational.com)

7-Basement, Bhera Enclave, Paschim Vihar, New Delhi-110087

# CD AUDIO

TRUE TO THE SOURCE.



**Oklahoma SS-1889-AD**



MRP  
**₹29990**

**FRONT & REAR  
CAMERA**



**9" | 10"**  
**2+32GB**

**DVR DUAL**  
**AHD CAMERA INPUT**

**T5**  
**Processor**



**FRONT & REAR  
CAMERA**

**android**  
**10.0**

- The Android 10.0 System
- Built – in EQ 32
- 32G Large Storage Space
- 2GB Ram
- Soft Touch
- CPU: Quadcore T507 – CH
- Sound Processor: AK 7604
- Radio Module: QN8035
- Boot Version: T5Q
- Support IOS Phone TP Link
- Support Android Phone TP Link

- Support Heavy Bass Sound
- Support Mixed Alarm Sound
- Built in EQ Adjustment: Loud Gain Adjustment
- 1280\*720P AHD LCD Display
- Capacitive Touch Screen
- Support 720/1080P Video Playback
- Support Video Picture-in-Picture
- Support Lossless Music
- High Sensitivity Digital Radio
- Support APK download, installation and removal

- Built in Bluetooth: Traditional Bluetooth
- Version: Bluetooth Music Playback
- Support Bluetooth Sharing Network
- Support 720P/AHD Camera
- Support Fast Reversing
- Single USB Channel
- Inbuilt Front Rear DVR
- Support USB DVR Playback
- Support Dashcam Video Preview
- Support Wifi/Mobile Hotspot Internet Access
- Built-in GPS Positioning
- Built in Multicolour Lamp
- Maximum Power 50W X 4

**Oklahoma SS-880-AD**



MRP  
**₹19990**

**9" | 10"**  
**2+32GB**

**DSP**

**TS9**  
PROCESSOR

**HI-FI**  
SOUND OUTPUT  
**50W X 4**

- The Android 12.0 System
- 32G Large Storage Space
- 2GB Ram
- DSP
- Soft Touch
- Android Auto, CarPlay Wireless
- Sound Processor: AK 7604
- Radio Module: QN8035
- Boot Version: TS9
- Support IOS Phone TP Link

- Support Android Phone TP Link
- Support Heavy Bass Sound
- Support Mixed Alarm Sound
- 1280\*720P AHD LCD Display
- Capacitive Touch Screen
- Support 720/1080P Video Playback
- Support Video Picture-in-Picture
- Support Lossless Music
- High Sensitivity Digital Radio
- Built in Bluetooth: Traditional Bluetooth

- Support Bluetooth Sharing Network
- Support 720P/AHD Camera
- Support Fast Reversing
- Single USB Channel
- Support USB DVR Playback
- Support Dashcam Video Preview
- Support Wifi/Mobile Hotspot Internet Access
- Built-in GPS Positioning
- Built in Multicolour Lamp
- Maximum Power 50W X 4





MRP  
₹ 3490

**310W**



**RL-X4**

**4" Coaxial Speaker**

- Speaker Size : 4"
- Tweeter Size : 13mm
- RMS : 45W RMS
- Peak Power : 310W
- Impedance : 4ohm
- Frequency Response (Hz): 104Hz-20kHz

MRP  
₹ 6990

**450W**



**RL-6X9**

**6X9" Oval Speaker**

- Speaker Size : 6X9"
- Tweeter Size : 13mm
- RMS : 65W RMS
- Peak Power : 450W
- Impedance : 4ohm
- Frequency Response (Hz): 60Hz-20kHz

MRP  
₹ 4490

**450W**



**RL-X6.5**

**6" Coaxial Speaker**

- Speaker Size : 6"
- Tweeter Size : 13mm
- RMS : 65W RMS
- Peak Power : 450W
- Impedance : 4ohm
- Frequency Response (Hz): 75Hz-20kHz

MRP  
₹ 9990

**540W**



**RL-C6.5**

**6.5" Component Speaker**

- Speaker Size : 6.5"
- Tweeter Size : 20mm
- RMS : 65W RMS
- Peak Power : 540W
- Impedance : 4ohm
- Frequency Response (Hz): 75Hz-20kHz

MRP  
₹ 9990

**600W**



**RL-SW12-S4**

**12" SUBWOOFER**

- Woofer Size : 12"
- RMS : 300W RMS
- Peak Power : 600W
- Impedance : 4ohm

MRP  
₹ 9990

**600W**



**RL-SW12-D2**

**12" SUBWOOFER**

- Woofer Size : 12"
- RMS : 300W RMS
- Peak Power : 600W
- Impedance : 2ohm

MRP  
₹ 9990



**1800W**

**12" SUBWOOFER**

Woofer Size : 12"  
RMS : 300W RMS  
Peak Power : 600W  
Impedance : 4ohm

**RL-SW12-D4**

MRP  
₹ 29990



**1800W**

**12" SUBWOOFER**

Woofer Size : 12"  
RMS : 600W RMS  
Peak Power : 1800W  
Impedance : 2ohm

**RL-PSW12-D2**

MRP  
₹ 29990



**1800W**

**12" SUBWOOFER**

Woofer Size : 12"  
RMS : 600W RMS  
Peak Power : 1800W  
Impedance : 4ohm

**RL-PSW12-D4**

MRP  
₹ 49990



**2100W**

**15" SUBWOOFER**

Woofer Size : 15"  
RMS : 700W RMS  
Peak Power : 2100W  
Impedance : 2ohm

**RL-PSW15-D2**

MRP  
₹ 14990



**1800W**

TEST VOLTAGE : 14.4 V  
OUTPUT CHANNELS : 4 Ch  
CONT WATTAGE @ 4 OHM : 4x65 / 2x180 RMS  
CONT WATTAGE @ 2 OHM : 4x100 RMS  
CONT WATTAGE @ 1 OHM : NA  
DYNAMIC WATTAGE : 1800W

**RL-LA 400.4**

MRP  
₹ 17990



**1200W**

TEST VOLTAGE : 14.4 V  
OUTPUT CHANNELS : 1 Ch  
CONT WATTAGE @ 4 OHM : 1x180 RMS  
CONT WATTAGE @ 2 OHM : 1x350 RMS  
CONT WATTAGE @ 1 OHM : 1X600 RMS  
DYNAMIC WATTAGE : 1200W

**RL-LA 600.1**

MRP  
₹ 19990

**1000W**



**RL-SA500.1**

TEST VOLTAGE	: 14.4 V
OUTPUT CHANNELS	: 1 Ch
CONT WATTAGE @ 4 OHM	: 1x250 <b>RMS</b>
CONT WATTAGE @ 2 OHM	: 1x390 <b>RMS</b>
CONT WATTAGE @ 1 OHM	: 1x500 <b>RMS</b>
DYNAMIC WATTAGE	: 1000W

MRP  
₹ 16990

**600W**



**RL-SA300.4**

TEST VOLTAGE	: 14.4 V
OUTPUT CHANNELS	: 4 Ch
CONT WATTAGE @ 4 OHM	: 4x65/2x120 <b>RMS</b>
CONT WATTAGE @ 2 OHM	: 4x75 <b>RMS</b>
CONT WATTAGE @ 1 OHM	: NA
DYNAMIC WATTAGE	: 600W

MRP  
₹ 24990



**RL-SE12**

**600W**

***Sealed Enclosure***

Woofer Size	: 12"
RMS	: 300W <b>RMS</b>
Peak Power	: 600W
Impedance	: 1ohm

 Elite International

# E-SERIES





**MRP**  
**₹3990**

**200W**



**Ex4**

**4" Coaxial Speaker**

Speaker Size : 4"  
 RMS : 75W RMS  
 Peak Power : 200W  
 Impedance : 4ohm  
 Frequency Response(Hz): 100Hz-20kHz

**MRP**  
**₹4990**

**250W**



**EX5.2**

**5.2" Coaxial Speaker**

Speaker Size : 5.2"  
 RMS : 100W RMS  
 Peak Power : 250W  
 Impedance : 4ohm  
 Frequency Response(Hz): 60Hz-20kHz

**MRP**  
**₹8990**

**300W**



**EX6.5**

**6.5" Coaxial Speaker**

Speaker Size : 6.5"  
 RMS : 100W RMS  
 Peak Power : 300W  
 Impedance : 4ohm  
 Frequency Response(Hz): 60Hz-20kHz

**MRP**  
**₹11990**

**300W**



**Ex6x9**

**6X9" Oval Speaker**

Speaker Size : 6x9"  
 RMS : 100W RMS  
 Peak Power : 300W  
 Impedance : 4ohm  
 Frequency Response(Hz): 50Hz-20kHz

**MRP**  
**₹16990**

**600W**



**E-C6.5a**

**6.5" Component Speaker**

Speaker Size : 6.5"  
 Tweeter Size : 25mm  
 RMS : 80W RMS  
 Peak Power : 600W  
 Impedance : 4ohm  
 Frequency Response(Hz): 60Hz-20kHz



# D-CLASS COMPONENTS

MRP  
**₹ 21990**

**150W**



**DC6.5a**

**6.5" Component Speaker**

Speaker Size	: 6.5"
Tweeter Size	: 25mm
RMS	: 50W RMS
Peak Power	: 150W
Impedance	: 4ohm
Frequency Response(Hz)	: 60Hz-25kHz

MRP  
**₹ 10990**

**150W**



**DX6.5a**

**6.5" Coaxial Speaker**

Speaker Size	: 6.5"
RMS	: 50W RMS
Peak Power	: 150W
Impedance	: 4ohm
Frequency Response(Hz)	: 60Hz-25kHz

MRP  
**₹ 39990**



**CC6.5a**

**180W**



**6.5" Component Speaker**

Speaker Size	: 6.5"
Tweeter Size	: 28mm
RMS	: 75W RMS
Peak Power	: 180W
Impedance	: 4ohm
Frequency Response(Hz)	: 50Hz-20kHz

# C-CLASS COMPONENTS



MRP  
₹ 21990



DD606D-D2

**6.5" SUBWOOFER**  
Woofer Size : 6.5"  
RMS : 500W RMS  
Peak Power : 1500W  
Impedance : 2ohm

MRP  
₹ 21990



DD606D-D4

**6.5" SUBWOOFER**  
Woofer Size : 6.5"  
RMS : 500W RMS  
Peak Power : 1500W  
Impedance : 4ohm

MRP  
₹ 34990



DD612E-D2

**12" SUBWOOFER**  
Woofer Size : 12"  
RMS : 800W RMS  
Peak Power : 2400W  
Impedance : 2ohm

MRP  
₹ 34990



DD612E-D4

**12" SUBWOOFER**  
Woofer Size : 12"  
RMS : 800W RMS  
Peak Power : 2400W  
Impedance : 4ohm



MRP ₹54990



DD712D-D2

12" SUBWOOFER
Woofers Size : 12"
RMS : 1200W RMS
Peak Power : 3600W
Impedance : 2ohm

MRP ₹54990



DD712D-D4

12" SUBWOOFER
Woofers Size : 12"
RMS : 1200W RMS
Peak Power : 3600W
Impedance : 4ohm

MRP ₹79990



DD715D-D4

15" SUBWOOFER
Woofers Size : 15"
RMS : 1200W RMS
Peak Power : 3600W
Impedance : 4ohm

MRP ₹34990



DD AE-U10

10" Underseat Subwoofer
Woofers Size : 10"
Continuous Wattage : 200W RMS
Dynamic Wattage : 700W
Operating Voltage : 10-16
Frequency Response(Hz) : 20Hz-150hz



MRP  
**₹ 39990**



**D4.125**

TEST VOLTAGE : 14.4 V  
 OUTPUT CHANNELS : 4 Ch  
 CONT WATTAGE @ 4 OHM : 4 x 125 / 2 x 400 RMS  
 CONT WATTAGE @ 2 OHM : 4 x 200 RMS

MRP  
**₹ 59990**



**D4.200**

TEST VOLTAGE : 14.4 V  
 OUTPUT CHANNELS : 4 Ch  
 CONT WATTAGE @ 4 OHM : 200 x 4 / 700 x 2 RMS  
 CONT WATTAGE @ 2 OHM : 370 x 4 / 1040 x 2 RMS  
 CONT WATTAGE @ 1 OHM : 550 x 4 RMS

MRP  
**₹ 29990**



**D600**

TEST VOLTAGE : 14.4 V  
 OUTPUT CHANNELS : 1 Ch  
 CONT WATTAGE @ 4 OHM : 200 x 1 RMS  
 CONT WATTAGE @ 2 OHM : 400 x 1 RMS  
 CONT WATTAGE @ 1 OHM : 600 x 1 RMS

MRP  
**₹ 39990**



**DM1000A**

TEST VOLTAGE : 14.4 V  
 OUTPUT CHANNELS : 1 Ch  
 CONT WATTAGE @ 4 OHM : 470x1 RMS  
 CONT WATTAGE @ 2 OHM : 770x1 RMS  
 CONT WATTAGE @ 1 OHM : 1000x1 RMS  
 DYNAMIC WATTAGE : 1500W

MRP  
**₹ 54990**



**DM.1500A**

TEST VOLTAGE : 14.4 V  
 OUTPUT CHANNELS : 1 Ch  
 CONT WATTAGE @ 4 OHM : 580x1 RMS  
 CONT WATTAGE @ 2 OHM : 1000x1 RMS  
 CONT WATTAGE @ 1 OHM : 1500x1 RMS  
 DYNAMIC WATTAGE : 2300W



MRP  
**₹ 4990**




**2 Channel Line Output Converter**

Operating Voltage	: 10-16V
Output Channel	: 2
Max Current Draw(Amps)	: 100mA
High-Level Input Voltage Sensitivity:	2-20v/4-40v
RCA Output Voltage	: 10V
RCA Input Impedance	: 180

**SC-2a**

MRP  
**₹ 8990**




**4 Channel Line Output Converter**

Operating Voltage	: 10-16V
Input Channel	: 4 x Speaker Level
Output Channel	: 4 x Low Level RCA
Max Current Draw(Amps)	: 110mA
High-Level Input Voltage Sensitivity:	2 - 20V
RCA Output Voltage	: 10V
RCA Input Impedance	: 180

**SC-4a**

MRP  
**₹ 14990**



**4 Channel Line Output Converter**

Operating Voltage	: 10-16V
Input Channel	: 6xSpeaker Level
Output Channel	: 6xLow Level RCA
Max Current Draw(Amps)	: 110mA
High-Level Input Voltage Sensitivity:	2-20V
RCA Output Voltage	: 10V
RCA Input Impedance	: 180

**SC-6a**







MRP  
**₹ 7990**

**VO.M6.5**

**6.5"** Mid Range

Mid Size : **6.5"**  
Rms : **150W RMS**  
Peak : **300W**  
Impedance: **4ohm**



MRP  
**₹ 12990**

**VO.M6.5B**

**6.5"** Mid Range

Mid Size : **6.5"**  
Rms : **100W RMS**  
Peak : **300W**  
Impedance: **2ohm\4ohm**



MRP  
**₹ 16990**

**VO.B3a**

**1"** Bullet Tweeter

Tweeter Size: **1.5**  
Rms : **50W RMS**  
Peak : **100W**  
Impedance : **4ohm**



MRP  
**₹ 19990**

**VO.B4a**

**1.5"** Bullet Tweeter

Tweeter Size: **1.5"**  
Rms : **50W RMS**  
Peak : **150W**  
Impedance : **4ohm**



MRP  
**₹ 9990**

**VO.BT25**

**1"** Bullet Tweeter

Tweeter Size: **1"**  
Rms : **50W RMS**  
Peak : **150W**  
Impedance : **4ohm**

MRP  
₹26990



- FEATURES**
- Thickness 2.00mm
  - 100-200 **Microns**
  - Aluminium Foil
  - Box :- 12 **Sheets**

**DD DAMPING BLACK**

MRP  
₹26990



- FEATURES**
- Thickness 2.00mm
  - 100-200 **Microns**
  - Aluminium Foil
  - Box :- 12 **Sheets**

**DD DAMPING RED**

MRP  
₹17990



**Z-WIRE RCA SYSTEM**

## WIRING CONNECTORS

- FEATURES**
- Interconnect Cable
  - Male RCA Connector
  - Female RCA Connector
  - Y Adapter Block



Imported & Marketed By:

**Elite International**

---



7-Basement, Bhera Enclave,  
Pachim Vihar, New Delhi-110087



8882480094



[eliteinternational.com](http://eliteinternational.com)