

Energizer®

PROFESSIONAL CHANNELS CATALOGUE




BATTERIES	p4
LITHIUM BATTERIES	p6
ALKALINE BATTERIES	p8
MAX Plus™	p10
MAX™	p12
Industrial	p14
Power	p16
Special batteries	p17
RECHARGEABLE	p18
Batteries	p20
Chargers	p22
SPECIALTY	p24
Electronic devices	p25
Camera	p28
Hearing aids	p28
Watch	p29
LIGHTS	p30
DAILY PROFESSIONAL USE	
Hard Case professional lights	p34
ATEX lights	p40
Tactical lights	p42
OCCASIONAL PROFESSIONAL USE	
Metal lights	p44
Vision Headlights	p46
Expert pro	p50
DIY lights	p51
Smart lights	p54

Energizer® is leading the power and portable lighting categories worldwide with a powerful portfolio of groundbreaking products and consumer-led innovation.

Our battery and light products are sold in more than 140 markets around the globe.

► Innovation at the heart of our strategy

From the first dry cell battery back in the 1890's, **Energizer®** has continuously built a rich history of powerful advancements with innovation always at the heart of the strategy.



► A unique full line portfolio

The **Energizer®** portfolio counts with best-in-class product specifications and professional dedicated solutions designed to be used in the most technical work environments.

Our strong claim "Makers of the world's longest lasting battery (Ultimate Lithium™ AA)" reinforces our position of technologically advanced brand, capitalizing on the outstanding and unique performances of our Ultimate Lithium™ AA & AAA batteries.



BATTERIES



**ALL
PROFESSIONALS
USE BATTERIES**

How to choose the right battery ?

	ULTIMATE LITHIUM™	ALKALINE MAX PLUS™	ALKALINE INDUSTRIAL	RECHARGEABLE	SPECIALTY
Usage	For critical devices and outdoor usage	For everyday usage and demanding devices	For standard industrial usage, Volume offers / tenders	For frequently used and power-hungry devices	Specific formats
Product advantages	<ul style="list-style-type: none"> World's longest lasting AA battery Performs in extreme temperatures from -40°C to 60°C 20 years shelf life (AA/AAA) 	<ul style="list-style-type: none"> Our longest lasting alkaline (AA/AAA) Made to Last. Not to Leak 12 years shelf life (AA/AAA) 	<ul style="list-style-type: none"> 10 years shelf life (AA/AAA/C/D) 	<ul style="list-style-type: none"> Environmentally-friendly: made with 15% recycled batteries Economical: can be recharged 100s of times 	<ul style="list-style-type: none"> Zero added mercury Wide range to power all kinds of small devices
Type of devices					
Formats	AA, AAA, 9V	AA, AAA, C, D, 9V	AA, AAA, C, D, 9V	AA, AAA, C, D, 9V	SPECIFIC FORMATS
Pack size	X10, X4 (AA,AAA), X1 (9V)	X20, X8 & X4 (AA, AAA), X2 (C, D), X1 (9V)	X10 (AA,AAA), X12 (C,D,9V)	X10, X4, X2 (AA,AAA), X2 (C,D) X1 (9V)	X6, X4, X2, X1 (DEPENDING ON FORMATS)

Energizer
MAX PLUS™

BUSINESS PACKS:
The best battery pack solution for professionals



MORE BATTERIES:
UP TO 20 PER PACK



PRACTICAL:
EASY TO STORE
AND RECLOSABLE



ENVIRONMENTALLY FRIENDLY
CARDBOARD PACKAGING



*AA/AAA sizes available. C/D/9V only available for Max Plus™



HIGH ENERGY & LONGEST LASTING

- ▶ **Up to 11x longer lasting****
For critical work tools



** in digital cameras vs. *Energizer*® basic alkaline AA only

OUTDOOR USAGE

- ▶ **Performs in extreme temperatures*****



from -40°C...



to 60°C

*** only for AA/AAA/9V

IDEAL FOR PORTABLE DEVICES

- ▶ **25% (9V) to 33%(AA/AAA) lighter** than standard Alkaline

BEST PERFORMANCE

- ▶ **The best AA battery** for peak performance in all devices****
- ▶ **20 years shelf life (AA/AAA)**
- ▶ **Leak resistant construction**

**** vs. Alkaline Batteries



ATEX certified

Lithium AA & AAA batteries are certified as a component in intrinsic safety apparatus according to directive 94/9/EC ATEX. They can be used safely to power devices in hazardous environments

VALUE PACKS **Reclosable / Easy to store / Plastic free**

X10



AA x10
Minimum order: 12
Voltage: 1,5v
EAN: 7638900 343 526



AAA x10
Minimum order: 12
Voltage: 1,5v
EAN: 7638900 343 533



9V x10
Minimum order: 4
Voltage: 9v
EAN: 7638900 332 889

IDEAL FOR SMOKE DETECTORS
Ultimate Lithium™ 9V lasts up to **65% LONGER⁽³⁾** in smoke detectors

*vs. *Energizer*® Standard Alkaline 9v



Other Formats



AA x4
Minimum order: 6
Voltage: 1,5v
EAN: 7638900 262 643



AAA x4
Minimum order: 6
Voltage: 1,5v
EAN: 7638900 273 267



9V x1
Minimum order: 12
Voltage: 9v
EAN: 7638900 332 872

Energizer[®]

MAX PLUS[™]



Energizer[®]

MAX PLUS[™]

Power for demanding devices and work tools


Alkaline Performance



NOW UP TO **100%** LONGER LASTING*



No alkaline performs better
Max Plus is our No. 1 longest lasting alkaline (AA/AAA)



Increased efficiency
Supporting larger energy demands from today's devices.
Longer lasting power means fewer battery replacements for more efficiency



A positive impact on environment
Using less batteries for the same job and generating less waste



OUR LONGEST LASTING ALKALINE (AA/AAA)

▶ **Lasting power for demanding devices**
For everyday usage



MADE TO LAST, NOT TO LEAK

▶ **Reduces damaging risks for devices and work tools**

RELIABLE & RESISTANT


▶ **12 years shelf life (AA/AAA)**
Ready to use when you need them



Energizer[®]

MAX PLUS[™]

Long lasting power
for demanding professionals



**VALUE
PACKS**



**Reclosable / Easy to store
/ Plastic free**

X20



AA x20
Minimum order: 6
Voltage: 1,5v

EAN: 7638900 423 372



AAA x20
Minimum order: 6
Voltage: 1,5v

EAN: 7638900 423 174



D x20
Minimum order: 8
Voltage: 1,5v

EAN: 7638900 423 365



C x20
Minimum order: 8
Voltage: 1,5v

EAN: 7638900 423 341



9V x20
Minimum order: 8
Voltage: 9v

EAN: 7638900 423 204

X8



AA x8
Minimum order: 12
Voltage: 1,5v

EAN: 7638900 423 297



AAA x8
Minimum order: 12
Voltage: 1,5v

EAN: 7638900 423 136

X4



AA x4
Minimum order: 12
Voltage: 1,5v

EAN: 7638900 423 211



AAA x4
Minimum order: 12
Voltage: 1,5v

EAN: 7638900 423 051

Other
Formats



C x2
Minimum order: 6
Voltage: 1,5v

EAN: 7638900 423 334



D x2
Minimum order: 6
Voltage: 1,5v

EAN: 7638900 423 358




9V x1
Minimum order: 12
Voltage: 9v

EAN: 7638900 423 389

Energizer[®] MAX[®]

**Alkaline
Premium**

**Lasting power
for everyday devices**



**POWERSEAL™
TECHNOLOGY**

Protects* your devices, no leaks guaranteed



*From leakage of fully-used batteries in devices up to 2 years. (AA/AAA)

RELIABLE


10 years shelf life (AA/AAA/C/D)

Energizer MAX[®] AA Technology: delivers longer runtime, still protects devices from leakage



Up to
+50% Longer Lasting*


*Vs Energizer[®] basic alkaline in digital cameras



More active materials
Ring-molded design



Improved energy flow



Leakage protection



X12



AA x12
Minimum order: 6
Voltage: 1,5v
EAN: 7638900 426 625



AAA x12
Minimum order: 12
Voltage: 1,5v
EAN: 7638900 426 526

X8



AA x8
Minimum order: 12
Voltage: 1,5v
EAN: 7638900 426 618



AAA x8
Minimum order: 12
Voltage: 1,5v
EAN: 7638900 426 571

X4



AA x4
Minimum order: 24
Voltage: 1,5v
EAN: 7638900 426 557



AAA x4
Minimum order: 12
Voltage: 1,5v
EAN: 7638900 426 687

Autres
Formats



C x2
Minimum order: 6
Voltage: 1,5v
EAN: 7638900 426 809




D x2
Minimum order: 6
Voltage: 1,5v
EAN: 7638900 426 823



Minimum order: 12
Voltage: 9v
9V x1 EAN: 7638 900 426 663
9V x2 EAN: 7638900 426 533

**Alkaline
Industrial**

**Batteries for tenders
and volume offers**



**INDUSTRIAL AND
COMMERCIAL USE**

**Ideal for everyday devices used at work
or on the job**



RELIABLE

**Up to 10 years shelf life
(AA/AAA/C/D)**



**PROFESSIONAL
PACKS**

**Reclosable / Easy to store
/ Plastic free**

X10



AAX10
Minimum order: 12
Voltage: 1,5v
EAN: 7638900 361 056



AAAX10
Minimum order: 12
Voltage: 1,5v
EAN: 7638900 361 063

X12



CX12
Minimum order: 6
Voltage: 1,5v
EAN: 7638900 361 070



DX12
Minimum order: 6
Voltage: 1,5v
EAN: 7638900 361 087



9VX12
Minimum order: 6
Voltage: 1,5v
EAN: 7638900 361 094

Energizer
ALKALINE
POWER

**Alkaline
Standard**

Energizer® quality at low price



X4



AA x4
Minimum order: 24
Voltage: 1,5v
EAN: 7638900 246 599



AAA x4
Minimum order: 12
Voltage: 1,5v
EAN: 7638900 247 893

X16



AA x16
Minimum order: 12
Voltage: 1,5v
EAN: 7638900 436 402



AAA x16
Minimum order: 12
Voltage: 1,5v
EAN: 7638900 436 419



AA x10
Minimum order: 24
Voltage: 1,5v
EAN: 7638900 275 001

**VALUE
BOX**

Reclosable / Easy to store

X24



AA x24 Value box
Minimum order: 8
Voltage: 1,5v
EAN: 7638900 435 849



AAA x24 Value box
Minimum order: 8
Voltage: 1,5v
EAN: 7638900 435 832

Autres
Formats



C x2
Minimum order: 6
Voltage: 1,5v
EAN: 7638900 297 324



9V x1
Minimum order: 12
Voltage: 9v
EAN: 7638900 297 409

SPECIAL BATTERIES

X1



Alkaline 4,5V
Minimum order: 12
Voltage: 4,5V
EAN: 7638900 426 519



Alkaline 6V
Minimum order: 6
Voltage: 6V
EAN: 3147290 013 581



**Eveready PJ996/4R25-2 VP
Saline**
Minimum order: 12
Voltage: 6V
EAN: 5010419 043 517



**Eveready 991/4R25-2 VP
Saline**
Minimum order: 6
Voltage: 6V
EAN: 3147290 507 028



Energizer®

RECHARGE

Nº1 rechargeable
brand in the world**



NEW
As of May 2021



Energizer®

RECHARGE

Reusable power

RECHARGEABLE



ECONOMICAL & ECOLOGICAL

▶ **For frequently used devices**

Can be recharged 100s of times



▶ **Made with up to 15% recycled material***

Available for AA (2000 and 2300 mAh) and AAA (700 and 800mAh) batteries only. C, D and 9V batteries are made with 7% recycled material

UNCOMPROMISING PERFORMANCE

▶ **Lasts up to 6x longer****

The higher the mAh, the more the rechargeable battery can be used in high drain devices and the longer it lasts

**in digital cameras vs. Energizer® basic alkaline, results vary by device. Energizer® Accu Recharge Extreme AA and AAA only)

EASY TO USE

▶ **Pre-charged (AA/AAA)**

Ready to use from purchase

Holds charge for up to 1 year***

***when not in use (Energizer® Accu Recharge Power Plus AA/AAA)



Energizer®

RECHARGE

Rechargeable batteries



VALUE PACKS **Reclosable / Easy to store / Plastic free**

X10



AA 2000mAhX10
Minimum order: 12
Voltage: 1,2V
EAN: 7638900 417 029



AAA 700mAhX10
Minimum order: 12
Voltage: 1,2V
EAN: 7638900 416 985

X4

POWER PLUS - Last 4X longer*



AA 2000mAhX4
Minimum order: 12
Voltage: 1,2V
EAN: 7638900 417 012



AAA 700mAhX4
Minimum order: 12
Voltage: 1,2V
EAN: 7638900 417 005

X4

EXTREME - Last 6X longer*




AA 2300mAhX4
Minimum order: 12
Voltage: 1,2v
EAN: 7638900 416 893



AAA 800mAhX4
Minimum order: 12
Voltage: 1,2v
EAN: 7638900 416 879

OTHER FORMATS

X2



C 2500mAhX2
Minimum order: 6
Voltage: 1,2v
EAN: 7638900 138 740



D 2500mAhX2
Minimum order: 6
Voltage: 1,2v
EAN: 7638900 138 757



9V 175mAhX1
Minimum order: 6
Voltage: 9V
EAN: 7638900 138 771



AA 2300mAhX2
Minimum order: 12
Voltage: 1,2v
EAN: 7638900 416 886



AAA 800mAhX2
Minimum order: 12
Voltage: 1,2v
EAN: 7638900 416 862



Energizer®

RECHARGE



Chargers

Energizer chargers are equipped with:

- Reverse polarity protection
- Battery charging status indicator

1 HOUR CHARGER



- ▶ Fast charging
- ▶ Individual battery charge available
- ▶ Power level gauge
- ▶ Charged formats: AA/AAA
- ▶ Detection of defective batteries
- ▶ Safety timer to prevent overcharge
- ▶ Charging time: 1h
- ▶ Number of batteries capable of charging: 1-4

1H CHARGER

Minimum order: 4

EAN: 7638900 421 248

PRO CHARGER



- ▶ Light and sound charging status indicator
- ▶ Charged formats: AA/AAA
- ▶ Detection of defective batteries
- ▶ Safety timer to prevent overcharge
- ▶ Over charge protection
- ▶ Charging time: AA/AAA: 3-5h
- ▶ Number of batteries capable of charging: 2-4

PRO CHARGER

Minimum order: 4

EAN: 7638900 398 373

MAXI CHARGER



- ▶ LED indicators
- ▶ Charged formats: AA/AAA
- ▶ Detection of defective batteries
- ▶ Safety timer to prevent overcharge
- ▶ Charging time: 5h to 10h
- ▶ Number of batteries capable of charging: 2 or 4



MAXI CHARGER + 4AA 2000MAH

Minimum order: 4

EAN: 7638900 321 401

MINI 2000 / MINI 700 CHARGER



- ▶ Compact and light
- ▶ Charged formats: AA/AAA
- ▶ Ideal for traveling
- ▶ Charging time: 7 - 12h
- ▶ Number of batteries capable of charging: 1 or 2

MINI CHARGER + 2AA 2000MAH

Minimum order: 4

EAN: 7638900 421 439

MINI CHARGER + 2AAA 700MAH

Minimum order: 4

EAN: 7638900 421 446

UNIVERSAL CHARGER



- ▶ Versatile charger
- ▶ Charges all standard sizes of batteries: AA/AAA/C/D/9V
- ▶ LED indicator when charging
- ▶ Detection of defective batteries
- ▶ Safety timer to prevent overcharge
- ▶ Charging time 3-5h / 9V: 8h
- ▶ Number of batteries capable of charging: 2 or 4 for AA/AAA/C/D
1 or 2 for 9V

UNIVERSAL CHARGER

Minimum order: 4

EAN: 7638900 423 716

Energizer®

Specialty

Power for smaller devices



WIDE PORTFOLIO

▶ **A battery for every need**
Full range of specialty batteries adapted to numerous small size devices



SAFE SOLUTIONS

▶ **Zero added Mercury** on 100% of the portfolio



MULTIPACKS

▶ **Value packs: 4-pack and more available**



Energizer
Nº1 brand for specialty in Europe*

Energizer®

ULTIMATE LITHIUM™

OUR Nº. **1** LONGEST LASTING LITHIUM COIN

↓
MORE POWER*

Higher voltage throughout the battery life

↓
BURNS BRIGHTER*

Lighting devices glow stronger

↓
WORKS FARTHER*

Wireless devices work reliably from longer distance

↓
LASTS LONGER*

High drain devices work longer at their best performance level

ELECTRONIC DEVICES



Lithium - Performance



CR2016X2
Minimum order: 10
EAN: 7638900 423 020



CR2025X2
Minimum order: 10
EAN: 7638900 423 013



CR2032X2
Minimum order: 10
EAN: 7638900 423 006



CR2032X4
Minimum order: 10
EAN: 7638900 422 993

ELECTRONIC DEVICES



Lithium - Premium



Minimum order: 10
CR2032 x1
 EAN: 7638900 083 040
CR2032 x2
 EAN: 7638900 248 357
CR2032 x4
 EAN: 7638900 377 620
CR2032 x6
 EAN: 7638900 428 025



Minimum order: 10
CR2016X1
 EAN: 7638900 083 002
CR2016 x2
 EAN: 7638900 248 340
CR2016 x4
 EAN: 7638900 415 353



Minimum order: 10
CR2025 x1
 EAN: 7638900 083 026
CR2025 x2
 EAN: 7638900 248 333
CR2025 x4
 EAN: 7638900 415 360



Minimum order: 10
CR2430 x2
 EAN: 7638900 379 914



Minimum order: 10
CR2450 x2
 EAN: 7638900 381 795



Minimum order: 10
CR1216 x1
 EAN: 7638900 411 508



Minimum order: 10
CR1025 x1
 EAN: 7638900 411 515



Minimum order: 10
CR1220 x1
 EAN: 7638900 411 522



Minimum order: 10
CR1225 x1
 EAN: 7638900 411 560



Minimum order: 10
CR1616 x1
 EAN: 7638900 411 539



Minimum order: 10
CR1620 x1
 EAN: 7638900 411 546



Minimum order: 10
CR1632 x1
 EAN: 7638900 411 553



Minimum order: 10
CR2012 x1
 EAN: 7638900 411 577

TYPE	H (mm)	D (mm)	V	I.E.C	DURACELL	GOLD PEAK	KODAK	RENETA	VARTA-PANASONIC RAYOVAC
CR 1025	2,5	10	3	CR1025	DL1025	-	-	CR1025	CR1025
CR 1216	1,6	12,5	3	CR1216	DL1216	-	-	CR1216	CR1216
CR 1220	2	12,5	3	CR1220	DL1220	GPCR1220	-	CR1220	CR1220
CR 1616	1,6	16	3	CR1616	DL1616	GPCR1616	-	CR1616	CR1616
CR 1620	2	16	3	CR1620	DL1620	-	-	CR1620	CR1620
CR 1632	3,2	16	3	-	-	-	-	-	-
CR 2016	1,6	20	3	CR2016	DL2016	GPCR2016	KCR2016	CR2016	CR2016
CR 2025	2,5	20	3	CR2025	DL2025	GPCR2025	KCR2025	CR2025	CR2025
CR 2032	3,2	20	3	CR2032	DL2032	GPCR2032	KCR2032	CR2032	CR2032
CR 2430	3	24,5	3	CR2430	DL2430	-	-	CR2430	CR2430
CR 2450	5	24,5	3	CR2450	DL2450	-	-	CR2450N	CR2450

Alkaline



Minimum order: 5
AAAA/LR61 x2
 EAN: 7638900 202 410



Minimum order: 10
A544/4LR44 x2
 EAN: 7638900 393 354



Minimum order: 10
A11/E11A x2
 EAN: 7638900 394 498



Minimum order: 10
A23/E23A x1
 EAN: 7638900 083 057
A23/E23A x2
 EAN: 7638900 295 641



Minimum order: 10
A27 x2
 EAN: 7638900 393 330



Minimum order: 10
LR44 /A76 x2
 EAN: 7638900 083 071
LR44 /A76 x4
 EAN: 7638900 411 164



Minimum order: 10
LR9/EPX625G x1
 EAN: 7638900 393 187



Minimum order: 10
LR43/186 x2
 EAN: 7638900 393 194



Minimum order: 10
LR54/189 x2
 EAN: 7638900 083 088



Minimum order: 10
LR1/E90 x1
 EAN: 7638900 083 064
LR1/E90 x2
 EAN: 7638900 295 634

TYPE	H (mm)	D (mm)	V	I.E.C	DURACELL	GP	KODAK	MAXELL	PANASONIC	RAYOVAC	RENETA	SEIKO/TOSHIBA	SONY	VARTA
AAAA LR61	42,5	8,3	1,5	-	-	-	-	-	-	-	-	-	-	-
A544				4LR44	PX28A	GP476A	K28A	4LR44	4LR44	-	-	-	-	V4034PX
A11 E11A	16	10	6	-	-	GP11A	-	-	-	-	-	-	-	-
A23 E23A	28,5	10,3	12	LRV08	MN21	GP23A	K23A	-	LRV08	R23A	-	-	-	V23GA
A27 E27A	8	8	12	-	MN27	GP27A	-	-	-	-	-	-	-	-
A76 LR44	5,4	11,6	1,5	LR44	PX76A	A76	KA76	LR44	LR44	RW82/LR44	LR44	LR44	LR44	V13GA
EPX625G	6,1	15,5	1,5	LR9	PX625A	GP625A	KA625	-	LR9	-	-	-	-	V625U
LR43/186	4,2	11,6	1,5	LR43	D186A	GP186	-	LR43	LR43	RW84	LR43	LR43	LR43	V12GA
LR54/189	3,1	11,6	1,5	LR54	D189A	GP189	-	LR1130	LR1130	RW89	-	LR1130	LR1130	V10GA
E90 LR01	30,2	12	1,5	LR1	MN9100	GP910A	KN	LR1130	LR1	810	-	-	AM5	4001

ELECTRONIC DEVICES / CAMERA



WATCH



Lithium



123 x1
Minimum order: 6

EAN: 7638900 052 008

123 x2

EAN: 7638900 168 495



CR2 x1
Minimum order: 6

EAN: 7638900 026 429

CR2 x2

EAN: 7638900 169 331



2CR5 x1
Minimum order: 6

EAN: 7638900 057 003



223 x1
Minimum order: 6

EAN: 7638900 052 503

Silver oxide

Wide card format

Also exist in Mini Blister



357/303 x1
Minimum order: 10
7638900 193 114



357/303 x2
Minimum order: 10
7638900 422 962



364/363 x1
Minimum order: 10
7638900 107 753



377/376 x1
Minimum order: 10
7638900 107 777



390/389 x1
Minimum order: 10
7638900 083 118



392/384 x1
Minimum order: 10
7638900 083 095

Type	H (mm)	D (mm)	V	I.E.C	DURACELL	MAXELL-VARTA	PANASONIC	SONY
123	34,5	17	3	CR17345	DL123A	CR123	CR123A	CR123A
CR2	27	15,6	3	CR15H270	DLCR2	CR2	CR2	CR2
2CR5	45	17x34	6	2CR5	DL245	2CR5M	2CR5M	2CR5
223	36	35x19,5	6	CR-P2	DL223A	CRP2P	CRP2P	CR-P2S



Mini Blister (batteries 10-pack)

Multi-drain batteries allow storage optimization:
1 reference instead of 2

Type	H (mm)	D (mm)	V	Code EAN	I.E.C	CITIZEN	DURACELL	GOLD PEAK	JIS	MAXELL	PANASONIC	RAYOVAC	RENATA	SEIKO	SONY	TOSHIBA	VARTA
315	1,45	7,9	1,55	7 638 900 055 504	SR 67/SR 716 SW	280-56/280-55	D315	GP315/GP15/G16R	-	SR716SW	SR716SW	3115	315	SR716SW	SR716SW	SR716SW	V 315
317	1,65	7,9	1,55	7 638 900 055 405	SR 62/SR 516 SW	280-58/280-107	D317	GP317/GP17	-	SR516SW	SR516SW	317	317	SR516SW	SR516SW	SR516SW	V 317
319	2,7	7,9	1,55	7 638 900 055 306	SR 64/SR 527 SW	280-60	D319	GP319	-	SR527SW	SR527SW	319	319	SR/TR527SW	SR527SW	SR527SW	V 319
321	1,65	5,8	1,55	7 638 900 055 108	SR 65/SR 616 SW	280-73	D321	GP321/GP21	-	SR616SW	SR616SW	321	321	SR/TR616SW	SR616SW	SR616SW	V 321
329	3,1	5,8	1,55	7 638 900 052 909	SR 731 SW	-	GP329/D329	GP18	GS18	SR731SW	SR731SW	329	329	SR731SW	SR731SW	SR731SW	V 329
333	1,05	6,8	1,55	7 638 900 085 303	-	-	-	-	-	-	-	-	-	-	-	-	-
335	1,25	7,9	1,55	7 638 900 059 304	SR 512 SW	280-68	-	-	-	SR512SW	SR335	335	335	SR512SW	SR512SW	-	V 335
337	1,65	6,8	1,55	7 638 900 063 905	SR 416 SW	280-75	-	GP337	-	SR416SW	SR416SW	-	337	-	SR416SW	-	-
339	1,45	5,8	1,55	7 638 900 054 606	SR 614 SW	-	-	-	-	SR614SW	SR614SW	339	339	-	SR614SW	-	V 339
341	1,45	4,8	1,55	7 638 900 054 705	SR 714 SW	-	-	-	-	SR714SW	SR714SW	341	341	-	SR714SW	-	V 341
344/350	3,6	6,8	1,55	7 638 900 259 650	SR 42/SR 1136 SW	-	D344/MS12	-	-	SR1136SW	SR1136SW	344	344	-	-	H-B	V344
346	1,3	7,9	1,55	7 638 900 059 809	SR 712 SW	280-66	-	-	-	SR712SW	SR712SW	346	346	SR/TR712SW	SR712SW	-	V 346
357/303	5,35	11,6	1,55	7 638 900 252 989	SR 44/SR 1154 W	-	D303/357/10L14	GP357/GP57	G13	SR44W	SR44W	303/357	357	SR44W	SR44W	MR44/SR44W	V 357
362/361	2,1	7,9	1,55	7 638 900 252 996	SR 58/SR 721 SW	280-29	D361/362/10L180	362/GP32	GS11	SR721SW	SR721SW	361/362	362	SR/TR721SW	SR721SW	SR721SW	V 362
364/363	2,15	6,8	1,55	7 638 900 253 009	SR 60/SR 621 SW	280-34	D364	GP364/GP64	GS1	SR621SW	SR621SW	364	364	SR/TR621W	SR621SW	SR621SW	V 364
365	1,65	11,6	1,55	7 638 900 058 109	SR 1116W	-	-	-	-	SR1116W	SR1116W	-	365	SR/TR1116W	SR1116W	SR1116W	-
366	1,65	11,6	1,55	7 638 900 058 208	SR 1116 SW	280-46	D366	GP366/GP66	-	SR1116SW	SR1116SW	366	366	SR1116SW	SR1116SW	SR1116SW	-
371/370	2,1	9,5	1,55	7 638 900 253 016	SR 69/SR 920SW	280-31	D370/371	GP371/GP71	GS6	SR920SW	SR920SW	370/371	371	SR/TR920SW	SR920SW	SR920SW	V 371
373	1,65	9,5	1,55	7 638 900 058 802	SR 68/SR 916 SW	280-45	D373	GP373/GP73	-	SR916SW	SR916SW	373	373	SR/TR916SW/SR/TR916W	SR916SW/SR916SW	SR916SW	V 373
377/376	2,6	6,8	1,55	7 638 900 253 023	SR 66/SR 626 SW	280-39	D377	GP377/GP77	GS4	SR626SW	SR626SW	376/377	377	SR/TR626SW	SR626SW	SR626SW	V 377
379	2,15	5,8	1,55	7 638 900 054 903	SR 63/SR 521 SW	280-59	D379	GP379/GP79	-	SR521SW	SR521SW	379	379	SR/TR521SW	SR521SW	SR521SW	V 379
386/301	4,2	11,6	1,55	7 638 900 253 030	SR 43/SR 1142 W	280-41/280-21	D301/386/10L124	GP386/GP86	G12	SR43W	SR43W	301/386	386	SR43W	SR43W	SR43W	V 386
387S	3,6	11,6	1,55	7 638 900 081 275	SR 1136 S	-	-	-	-	-	-	387	-	-	-	HS-B	-
390/389	3	11,6	1,55	7 638 900 253 047	SR 54/SR 1130 W	280-15	D389/390/10L122	GP389/GP89	G10	SR1130W	SR1130W	389/390	389	SR1130W	SR1130W	SR1130W	V 389
391/381	2,05	11,6	1,55	7 638 900 254 716	SR 55/SR 1120 W	280-30	D381/391/10L130	GP391/GP91	G8	SR1120W	SR1120W	381/391	391	SR/TR1120SW	SR1120W	SR1120W	V 391
392/384	3,6	7,9	1,55	7 638 900 253 054	SR 41/SR 736 W	280-13/280-11	D384/392/10L125	GP392/GP92	G3	SR41W	SR41W	384/392	392	SR/TR41W	SR41W	SR41W	V 392
393/309	5,35	7,9	1,55	7 638 900 086 706	SR 48/SR 754 W	-	D309/393/10L123	GP393/GP93	G5	SR754W	SR754W	309/393	393	SR48W	SR48W	SR48W	V 393
394/380	3,6	9,5	1,55	7 638 900 253 061	SR 45/SR 936 SW	280-17	D394/10L126/10L12	GP394/GP94	GS9	SR936SW	SR936SW	394	394	SR936SW/SR936W	SR936SW/SR936W	SR936SW	V 394
395/399	2,7	9,5	1,55	7 638 900 253 078	SR 57/SR 927 SW	280-48/280-20	D395/399	GP395/GP95	GS7	SR927SW	SR927SW	395/399	395	SR/TR927SW	SR927SW	SR927SW	V 395
397/396	2,6	7,9	1,55	7 638 900 252 972	SR 59/SR 726 W	280-52	D396/397/10L102	GP396/GP96	G2	SR726W	SR726W	396/397	396	SR/TR726W	SR726W	SR726W	V 396

HEARING AIDS



Zinc air



13 x8
Minimum order: 6
EAN: 7638900 425 727



312 x8
Minimum order: 6
EAN: 7638900 425 741




10 x8
Minimum order: 6
EAN: 7638900 425 734



675 x8
Minimum order: 6
EAN: 7638900 349 252

LIGHTS



LIGHTS ARE ESSENTIAL WORK TOOLS

Why is it important to select the appropriate lighting solution?

► To improve comfort and ensure safety

- High quality LEDs without dark spots & areas for visual comfort
- Impact resistance and water resistance
- ATEX certified lights for hazardous work environments

► To facilitate interventions

- Handheld and hands-free solutions
- Choose an adapted light solution based on your needs for light intensity, beam distance, and run time



Circulate and move about safely



Long distance lighting



Close-up work



Light a wide work area

Optimize your light efficiency by choosing the right battery



ALKALINE: For everyday usage

LITHIUM: Recommended for outdoor (Performs in extreme temperatures from -40°C to 60°C) and for most powerful torches over 300 lumens

RECHARGEABLE: Recommended for frequent usage (daily or weekly basis)

WHAT ARE THE LIGHTS CHARACTERISTICS?

Lights performances are accredited by ANSI standards



The American National Standards Institute ensures products performances are all measured based on a common protocol to facilitate product comparison and consumer's choice.



► Luminous flux

The amount of light is expressed in LUMENS.

The more Lumens, the brighter the light will be.

The beam angle also has a direct effect on luminosity. As it widens, the intensity decreases.



Wide beam



Concentrated beam



► Beam distance

Projection distance of a light beam onto a surface.

Expressed in meters.



► Run time

How long a light can run until it offers 10% of the initial lumen output. Expressed in hours.



► Water resistance

Water resistance levels are measured in relation to IEC 60529 IPXX standards. Some **Energizer**® lights are IPX4 or IPX7 certified.

IPX4: Resist water splashing from any direction.

IPX7: Resist temporary water immersion. 30 minutes at 1 meter depth.



► Impact resistance

Expressed in meters.

After dropping in 6 different orientations, the lights retain all the performances established above.

How to select the appropriate lighting solution that meets your professional needs?

Daily professional use

Standard environment

ATEX: Environment with explosion risks



Do you need your hands to be free?

YES

NO

YES

NO

Do you wear a helmet?

Do you need to:



ATEX HEADLIGHT p.41

ATEX TORCH 2D p.41

YES


NO

Light a proximity zone

Move about safely

See long distance

Wide area



HARD CASE PRO WORKLIGHT p.37

Hard Case PRO PIVOT p.37

HARD CASE PRO SPOTLIGHT p.39



PANEL LIGHT p.36

Close-up work



HARD CASE PRO 2AA TORCH p.35

HARD CASE PRO 4AA TORCH p.35



TACTICAL ULTRA 1000 P.43

TACTICAL RECHARGEABLE P.43



HARD CASE PRO HELMET HEADLIGHT p.38



HARD CASE PRO MAGNET HEADLIGHT p.38



RECHARGEABLE INDUSTRIAL HEADLIGHT p.47



RECHARGEABLE HEADLIGHT p.48



VISION HD+ FOCUS INDUSTRIAL HEADLIGHT p.47



VISION ULTRA HEADLIGHT p.48

Occasional professional use

Do you need your hands to be free?

YES

NO



VISION HD+ FOCUS HEADLIGHT p.49



VISION HD+ HEADLIGHT p.49



Light a proximity zone

Move about safely

See long distance

Precise / Close up work



IMPACT 2AAA TORCH p.53



IMPACT 2AA TORCH p.53



TOUCH TECH KEYCHAIN LIGHT p.55



METAL VISION HD 2AA TORCH p.45



METAL PENLIGHT p.55



TACTICAL LIGHT 700 P.43



EXPERT PRO LED SPOTLIGHT p.50



METAL VISION HD 6AA TORCH p.45



HARD CASE PRO 2AA TORCH p.35

Energizer
Hard Case
PROFESSIONAL

HARD CASE PROFESSIONAL LIGHTS




Tough, dependable and hardworking torches for professionals



ERGONOMIC

- Textured housing and ergonomic shape
- Large switch button



ADAPTABLE

- Adjustable light intensity
- Helmet solution



EXTREMELY ROBUST


- Water resistance: IPX4
- Sustains 7 meters drop test
- Rugged ABS plastic



Daily professional use

Hard Case
PROFESSIONAL

The toughest lights you will ever need



HANDHELD TORCHES

▶ **For close-up work & precise lighting**

HARD CASE PRO 2AA

- ▶ Small and powerful
- ▶ Light modes: high, low and dimming
- ▶ Beam: concentrated
- ▶ Lanyard slot
- ▶ Dimensions: (H)165x(W)35x(D)35 mm
- ▶ Weight: 185g



High mode	LUMENS 300 LUMENS	REACH 115m	RUN TIME 6h30	WATER RESISTANCE IPX4	DROP RESISTANCE 7m
Low mode	45lm	47m	65h		

HARD CASE PRO 2AA
Minimum order: 4
2XAA alkaline batteries included
EAN: 7638900 287 424

HARD CASE PRO PROJECT PLUS 4AA

- ▶ Compact for ease of use in all professional tasks
- ▶ Ergonomic shape to fit your hand even with gloves
- ▶ Light modes: high, low and dimming
- ▶ 2 beam modes: wide and mixed
- ▶ Lanyard slot
- ▶ Dimensions: (H)215x(W)57x(D)45 mm
- ▶ Weight: 358g



High mode	LUMENS 400 LUMENS	REACH 125m	RUN TIME 11h	WATER RESISTANCE IPX4	DROP RESISTANCE 7m
Low mode	40lm		50h		

HARD CASE PRO PROJECT PLUS 4AA
Minimum order: 4
4XAA alkaline batteries included
EAN: 7638900 287 448



AREA LIGHTS

Light a wide working area



Battery Level indicator



PANEL LIGHT
Minimum order: 2
EAN: 7638900 430 301



PANEL LIGHT

- ▶ Flexible and malleable
- ▶ Double lens
- ▶ Weather resistant (IPX4)
- ▶ Resistant to 2M drops
- ▶ Rechargeable
- ▶ Powerful: 1000 lumens
- ▶ Dimension: (H)140x(W)200x(D)50 mm
- ▶ Weight: 530g


*Light output measured from LED. Value is only applicable to the LED. Actual device light output may vary.
**Endpoint determined at 1% of initial value.



HARD CASE PRO PIVOT
Minimum order: 4
2XAA batteries included
EAN: 7638900 423 792

HARD CASE PRO PIVOT

- ▶ Compact body
- ▶ Hands free functionality: Magnetic base
- ▶ Pivoting head rotates up to 175°
- ▶ Light modes: high and low
- ▶ Beam: wide
- ▶ Lanyard slot
- ▶ Dimensions: (H)175x(W)40x(D)50 mm
- ▶ Weight: 170g



HARD CASE PRO WORKLIGHT
Minimum order: 4
4XAA batteries included
EAN: 7638900 398 250

HARD CASE PRO WORKLIGHT

- ▶ Ergonomic handle design
- ▶ Hands free functionality:
 - Retractable rotating hook
 - Strong magnets on the back
 - Wide base
- ▶ Powerful 180° lighting. 6 extremely bright LEDs
- ▶ Light modes: high, low and dimming
- ▶ Beam: wide
- ▶ Lanyard slot
- ▶ Dimensions: (H)278x(W)70x(D)60 mm
- ▶ Weight: 374g



*Light output measured from LED. Value is only applicable to the LED. Actual device light output may vary.
**Endpoint determined at 1% of initial value.



HEADLIGHTS

Best hands-free solutions



SPOTLIGHT

Powerful long distance and precise lighting



HARD CASE PRO MAGNET HEADLIGHT
Minimum order: 4
3XAAA batteries included
EAN: 7638900 388 671

HARD CASE PRO MAGNET HEADLIGHT

- ▶ Removable over head strap
- ▶ Pivoting, detachable light module with integrated magnets for hands-free versatility
- ▶ Light modes: high and low
- ▶ Beam: mixed
- ▶ Dimensions: (H)45x(W)80x(D)33 mm
- ▶ Weight: 125g

High mode	LUMENS 250	REACH 60m	RUN TIME 3h30	WATER RESISTANCE IPX4	DROP RESISTANCE 7m
Low mode	70lm	30m	17h		



HARD CASE PRO SPOTLIGHT

- ▶ Rechargeable spotlight (Charger and In Car charger included)
Works with Rechargeable NiMH, Alkaline or Lithium batteries, for extra convenience
- ▶ Innovative & unique battery type detection system, prevents product damage
- ▶ Top laying surface for hands-free convenience
- ▶ Ergonomic shape for outstanding grip
- ▶ Light modes: high, low and dimming
- ▶ 2 beam modes: concentrated and wide
- ▶ Dimensions: (H)240x(W)156x(D)78 mm
- ▶ Weight: 1100g



HARD CASE PRO HELMET HEADLIGHT
Minimum order: 6
3XAA batteries included
EAN: 7638900 375 718

HARD CASE PRO HELMET HEADLIGHT

- ▶ Non-slip adjustable headstrap with silicon layers to fit most helmets
- ▶ Top strap for greater stability
- ▶ Universal and adhesive clips to reinforce attachment
- ▶ Pivoting head to shine where needed
- ▶ Light modes: high and low
- ▶ 3 beam modes: Wide, Concentrated, Mixed
- ▶ Independent switches allow precise operation of wide and concentrated beam modes
- ▶ Dimensions: (H)45x(W)80x(D)33 mm
- ▶ Weight: 230g

High mode	LUMENS 325	REACH 100m	RUN TIME 22h	WATER RESISTANCE IPX4	DROP RESISTANCE 7m
Low mode	110lm	50m	36h		



HARD CASE PRO RECHARGE SPOTLIGHT
Minimum order: 4
6XAA NiMH rechargeable batteries included
EAN: 7638900 344 974



High mode	LUMENS 550	REACH 425m	RUN TIME 6h	WATER RESISTANCE IPX4	DROP RESISTANCE 7m
Low mode	215lm	270m	22h		




What is ATEX

ATEX (ATmosphere EXplosive) is a European directive that requires to control the risk of Explosion in certain atmospheres. Areas where explosions may occur have to be identified and measures have to be taken to prevent these explosions.

Energizer® ATEX lights are suitable for:

- ▶ Every atmospheres where Gas and Vapors can cause an explosion (Zone 0, 1 & 2)

- ▶ Both product groups
Group 1: case specific to mines
Group 2: all surface industries



What are the characteristics of ATEX certified lights?

CE 0539 Ex I M 1 / II 1 / G / Ex / ia / op is / I / IIC T4

- CE Authorized by the European: Committee for electrochemical standardization
- 0539 Marking certifying DEMKO / UL international quality control
- Ex Protection against explosions
- I M 1 Mine equipment, category M1: high protection
- II 1 Surface industry type equipment, category 1: very high protection
- G Suitable for gas and vapor type risk environments
- Ex Tested to the latest European manufacturing standards
- ia Light material design ensuring maximum intrinsic safety
- op is Inherently safe optical radiation protection
- I For use in Mines category 1
- IIC Resistant to gas groups Acetylene and Hydrogen, Ethylene and Propane
- T4 Temperature class 4: resist up to 135°C



Energizer® Ultimate Lithium™ Batteries are ATEX certified

Lithium AA & AAA batteries are certified as a component in intrinsic safety apparatus according to directive 94/9/EC ATEX. They can be used safely to power devices in hazardous environments

p6

Daily professional use

ATEX Intrinsicly safe torches for professionals in hazardous environments

UPGRADED RANGE



HANDHELD TORCHES

▶ For close-up work & precise lighting



2AA ATEX TORCH

2AA ATEX TORCH
 Minimum order: 4
 2xAA Batteries not included
 EAN: 7638900 424 485



2D ATEX TORCH

2D ATEX TORCH
 Minimum order: 4
 2xD Batteries not included
 EAN: 7638900 424 492

- ▶ Water resistance: IPX67
 - ▶ Ribbed casing for a secure grip
 - ▶ Lanyard loop
 - ▶ Anti-static push-button switch
 - ▶ Shatterproof lens
- Dimensions: 2AA: (H)185x(W)58x(D)45 mm, 155g
 2D: (H)210x(W)60x(D)55 mm, 176g




HEADLIGHT

▶ Best hands-free solution



ATEX HEADLIGHT
 Minimum order: 3
 3xAAA Batteries not included
 EAN: 7638900 424 508

High mode



TACTICAL LIGHTS



Daily professional use

Tactical light

NEW



TACTICAL RECHARGEABLE 1200
Minimum order: 4
EAN: 7638900 433 807



TACTICAL RECHARGEABLE 1200

- ▶ Rechargeable
- ▶ Recharges via USB cable (Included)
- ▶ Charges other devices (USB port out)
- ▶ Durable aircraft grade aluminium
- ▶ Strike Bezel Head
- ▶ Rear push button for one handed operation
- ▶ Dimensions: (H)238x(W)50x(D)47 mm
- ▶ Weight: 520g

High mode	1200 LUMENS	200m	4h	IPX4	1m
Low mode	250lm		15h		

Tactical light



TACTICAL ULTRA 1000
Minimum order: 4
6XAA batteries included
EAN: 7638900 430 288

TACTICAL ULTRA 1000

- ▶ Rugged construction made of durable aircraft grade aluminium
- ▶ Rear push button to easily change modes
- ▶ Shatterproof lens
- ▶ Versatility: High mode, Low mode
- ▶ Dimensions: (H)233x(W)49x(D)49 mm
- ▶ Weight: 540g

High mode	1000 LUMENS	200m	4h	IPX7	1m
Low mode	250lm		15h		



TACTICAL RECHARGEABLE
Minimum order: 4
EAN: 7638900 430 271

TACTICAL RECHARGEABLE

- ▶ Rechargeable
- ▶ Durable Aircraft Grade Aluminium
- ▶ Rear easily push button to easily change modes
- ▶ Compact size and lightweight
- ▶ Strike bezel head
- ▶ Removable clip in both orientations
- ▶ Dimensions: (H)160x(W)33x(D)33 mm
- ▶ Weight: 250g

High mode	700 LUMENS	100m	2h	IPX4	1m
Moderate mode	100lm		12h		
Low mode	20lm		30h		



TAC700
Minimum order: 4
2x CR123 batteries included
EAN: 7638900 426 472

TAC700

- ▶ Durable aircraft grade aluminium
- ▶ Rear push button allows users to easily change modes while holding the light
- ▶ MAXVIZ Technology to deliver a wide, powerful beam and high-definition vision
- ▶ 4 light modes: high, moderate, low intensity and strobe mode
- ▶ Dimensions: (H)122x(W)33x(D)31 mm
- ▶ Weight: 144g

High mode	700 LUMENS	100m	2h	IPX4	1m
Moderate mode	100lm		15h		
Low mode	20lm		35h		

METAL LIGHTS



Occasional professional use

Metal lights



RECHARGEABLE VISION HD METAL LIGHT
Minimum order: 4
EAN: 7638900 426 410

RECHARGEABLE VISION HD METAL

- ▶ Aircraft Grade Aluminum Body
- ▶ Rechargeable Lithium Ion Battery. USB Charging System
- ▶ USB out: Emergency phone charge via USB
- ▶ 3 light modes: high, low and emergency strobe
- ▶ Beam: Digital Focus for precise light mode dimming
- ▶ Dimensions: (H)230x(W)50x(D)55 mm
- ▶ Weight: 496 g

High mode					
Low mode					

Metal lights

METAL VISION HD LIGHTS

- ▶ Durable alloy construction provides confidence for any task
- ▶ Up to x4 brighter than standard LED technology
- ▶ Beam: digital Focus for precise and smooth light intensity dimming
- ▶ 3 light modes: high, low, emergency strobe (only 6AA & 2AA)



NEW



VISION HD METAL 9AA
Minimum order: 4
EAN: 7638900 433 814

High mode
Low mode

- ▶ Dimensions: (H)238x(W)60x(D)60 mm
- ▶ Weight: 720g



METAL VISION HD 6AA
Minimum order: 4
6XAA Alkaline batteries included
EAN: 7638900 419 597

High mode
Low mode

- ▶ Dimensions: (H)220x(W)47x(D)48 mm
- ▶ Weight: 413g



METAL VISION HD 2AA
Minimum order: 4
2XAA Alkaline batteries included
EAN: 7638900 313 130

High mode
Low mode

- ▶ Dimensions: (H)158x(W)31x(D)37 mm
- ▶ Weight: 196g



METAL VISION HD 3AAA
Minimum order: 6
3XAAA Alkaline batteries included
EAN: 7638900 419 580

High mode
Low mode

- ▶ Dimensions: (H)100x(W)35x(D)40 mm
- ▶ Weight: 146g

HEADLIGHTS



A complete range of hands-free solutions

COMFORTABLE

Compact and stylish
Practical lightweight solutions
Adjustable headband

RELIABLE IN EVERY WORK SITUATION

Water resistant
Shatterproof lens



HIGH PERFORMANCE

Latest LED technology
Pivoting head to direct light as needed
Dim light intensity for vision comfort


Daily professional use

INDUSTRIAL HELMET HEADLIGHTS

High performance hands-free solutions designed to fit all types of professional helmets



Minimum order: 4
EAN: 7638900 434 347



RECHARGEABLE INDUSTRIAL HEADLIGHT

- ▶ Non-slip adjustable head strap with silicon layers and extra universal helmet attachments for increased stability
- ▶ Rechargeable Lithium Ion battery
- ▶ Charges via standard micro USB cable
- ▶ 7 light modes: Concentrated high and low & wide high and low white LED, Red LED for night vision, Flashing red LED, green LED for inspection work.
- ▶ Dimming to control light intensity
- ▶ Pivoting head
- ▶ Dimensions: (H)46x(W)60x(D)35 mm
- ▶ Weight: 120g

	LUMENS	REACH	RUN TIME	WATER RESISTANCE	DROP RESISTANCE
High mode	400 LUMENS	80m	4h	IPX4	1m
Low mode	20lm	25m	15h		



VISION HD+ FOCUS INDUSTRIAL HEADLIGHT
Minimum order: 4
3xAAA batteries included
EAN: 7638900 434 354



VISION HD+ FOCUS INDUSTRIAL HEADLIGHT

- ▶ Non-slip adjustable head strap with silicon layers and extra universal helmet attachments for increased stability
- ▶ Digital focus technology: precise control of beam angle
- ▶ 7 light modes: Concentrated high and low & wide high and low white LED, Red LED for night vision, Flashing red LED, green LED for inspection work.
- ▶ Dimming to control light intensity
- ▶ Pivoting head
- ▶ Dimensions: (H)46x(W)60x(D)35 mm
- ▶ Weight: 120g

	LUMENS	REACH	RUN TIME	WATER RESISTANCE	DROP RESISTANCE
High mode	400 LUMENS	85m	3h	IPX4	1m
Low mode	45lm	30m	35h		

Daily professional use



HEADLIGHTS

Comfortable, reliable in every work situation and high performance
Best hands-free solutions



RECHARGEABLE HEADLIGHT
 Minimum order: 4
 EAN: 7638900 426 441

RECHARGEABLE HEADLIGHT

- ▶ Rechargeable Lithium Ion Battery
- ▶ Charges via standard micro USB cable
- ▶ 6 light modes: high and low white LED, dimming to control light intensity, red LED for night vision, flashing red LED, green LED for inspection work
- ▶ Beam modes: Wide, Concentrated and Mixed
- ▶ Dimensions: (H)46x(W)60x(D)35 mm
- ▶ Weight: 140g

	LUMENS	REACH	RUN TIME	WATER RESISTANCE	DROP RESISTANCE
High mode	400 LUMENS	80m	4h	IPX4	1m
Low mode	20lm	25m	15h		



VISION ULTRA HD HEADLIGHT
 Minimum order: 6
 3XAAA batteries included
 EAN: 7638900 424 478

VISION ULTRA HD HEADLIGHT

- ▶ VisionGuard helps protecting eyes by gradually increasing light intensity
- ▶ Low battery indicator
- ▶ 6 light modes: high and low white LED, dimming to control light intensity, red LED for night vision, flashing red LED, green LED for inspection work
- ▶ Beam modes: Wide, Concentrated and Mixed
- ▶ Dimensions: (H)46x(W)60x(D)35 mm
- ▶ Weight: 120g

	LUMENS	REACH	RUN TIME	WATER RESISTANCE	DROP RESISTANCE
High mode	450 LUMENS	85m	2h30	IPX4	1m
Low mode	20lm		50h		

Occasional professional use



VISION HD+ FOCUS HEADLIGHT
 Minimum order: 6
 3XAAA batteries included
 EAN: 7638900 412 802

VISION HD+ FOCUS

- ▶ Memory recall to access favorite mode
- ▶ Next push off
- ▶ Digital focus technology: precise control of beam angle
- ▶ Light modes: high, low, dimming and red light for night vision
- ▶ 2 beam modes: wide and concentrated
- ▶ Dimensions: (H)46x(W)60x(D)35 mm
- ▶ Weight: 85g

	LUMENS	REACH	RUN TIME	WATER RESISTANCE	DROP RESISTANCE
High mode	400 LUMENS	85m	3h	IPX4	1m
Low mode	45lm	30m	35h		



VISION HD+ HEADLIGHT
 Minimum order: 6
 3XAAA batteries included
 EAN: 7638900 316 384

VISION HD+

- ▶ Next push off
- ▶ Adjustable elastic headband and pivoting head
- ▶ Light modes: high, low, dimming and red light for night vision
- ▶ 2 beam modes: wide and concentrated
- ▶ Dimensions: (H)46x(W)60x(D)35 mm
- ▶ Weight: 115g

	LUMENS	REACH	RUN TIME	WATER RESISTANCE	DROP RESISTANCE
High mode	350 LUMENS	80m	4h	IPX4	1m
Low mode	45lm	30m	35h		



VISION HD HEADLIGHT
 Minimum order: 6
 3XAAA batteries included
 EAN: 7638900 316 377

VISION HD

- ▶ Next push off
- ▶ Adjustable elastic headband and pivoting head
- ▶ Light modes: high, low, dimming
- ▶ 2 beam modes: wide and concentrated
- ▶ Dimensions: (H)46x(W)60x(D)35 mm
- ▶ Weight: 90g

	LUMENS	REACH	RUN TIME	WATER RESISTANCE	DROP RESISTANCE
High mode	300 LUMENS	55m	4h	IPX4	1m
Low mode	45lm	25m	30h		



VISION HEADLIGHT
 Minimum order: 6
 3XAAA batteries included
 EAN: 7638900 270 228

VISION

- ▶ On/off slide switch
- ▶ Light modes: high and low
- ▶ Beam mode: wide
- ▶ Dimensions: (H)46x(W)60x(D)35 mm
- ▶ Weight: 90g

	LUMENS	REACH	RUN TIME	WATER RESISTANCE	DROP RESISTANCE
High mode	200 LUMENS	50m	7h		1m
Low mode	45lm	25m	20h		

EXPERT PRO LED SPOTLIGHT



Occasional professional use



SPOTLIGHT

Powerful long distance lighting

DIY LIGHTS



Occasional professional use




LANTERN LIGHT

Light a wide working area



EXPERT PRO LED

- ▶ Strong alloy construction
- ▶ Outstanding grip
- ▶ Head swivels 140° to direct light where you need it
- ▶ Easy-to-use push button switch
- ▶ Simple battery replacement
- ▶ Hours of runtime
- ▶ 3 light modes:
 - Low (wide beam) thanks to 3 peripheral LEDs
 - Moderate (concentrated beam) thanks to one high mode central LED
 - High (concentrated + wide beam) with its 4 LEDs



- ▶ Dimensions: (H)288x (W)280x(D)93 mm
- ▶ Weight: 1990g

	LUMENS	REACH	RUN TIME	DROP RESISTANCE
High mode	500 LUMENS	500m	40h	1m
Moderate mode	400lm		50h	
Low mode	150lm		120h	

EXPERT PRO LED
 Minimum order: 4
 1X6V battery included
 EAN: 3426050 019 378



RECHARGEABLE LANTERN

- ▶ Rechargeable
- ▶ Durable Construction
- ▶ USB Port out
- ▶ Powerful and bright: 360 area lighting
- ▶ Steady base
- ▶ Comfortable non-slip grip
- ▶ Shatterproof lens
- ▶ Dimensions: (H)252x(W)152x(D)72 mm
- ▶ Weight: 682g



RECHARGEABLE LANTERN:
 Minimum order: 2
 EAN: 7638900 430 325

*Light output measured from LED. Value is only applicable to the LED. Actual device light output may vary.
 **Endpoint determined at 1% of initial value.

Occasional professional use

LANTERN



COMPACT AREA LANTERN
Minimum order: 4
4xAA Batteries included
EAN: 7638900 414 707



USB LANTERN
Minimum order: 2
4xD batteries not included
EAN: 7638900 426 458

FUSION COMPACT AREA LANTERN

- ▶ Compact and lightweight
- ▶ 360° lighting
- ▶ Robust handle and rear stand for hands-free
- ▶ Water resistance: IPX4
- ▶ Light Fusion Technology™ for vibrant and uniform lighting
- ▶ Light modes: High and Low
- ▶ Dimensions: (H)190x(W)142x(D)40 mm
- ▶ Weight: 230g

High mode

Low mode

USB LANTERN

- ▶ Dimming Feature for customized light output
- ▶ Powerful 360° area lighting
- ▶ USB port out: charges devices
- ▶ Steady base for hands-free Non-slip grip
- ▶ Dimensions: (H)255x(W)152x(D)72 mm
- ▶ Weight: 620g

High mode

Low mode

Occasional professional use

HANDHELD TORCHES



IMPACT LIGHT 2AAA
Minimum order: 12
2xAAA Batteries included
EAN: 7638900 326 307

IMPACT LIGHT 2AAA

- ▶ Durable rubber construction
- ▶ Convenient, built-in stand for hands-free
- ▶ Non-slip grip
- ▶ Easy to operate switch when wearing gloves
- ▶ Lanyard loop
- ▶ Dimensions: IMPACT LIGHT 2AAA: (H)155x(D)57x(W)55 mm, 105g
IMPACT LIGHT 2AA: (H)192x(D)73x(W)60 mm, 425g



IMPACT LIGHT 2AA
Minimum order: 4
2xAA Batteries included
EAN: 7638900 326 291

IMPACT LIGHT 2AA



LED LIGHT 2AA
Minimum order: 12
2xAA batteries not included
EAN: 7638900 386 677

LED LIGHT 2AA

- ▶ Easy to operate push-button switch
- ▶ Up to 5X Brighter than ordinary LED technology
- ▶ Long Runtime
- ▶ Lanyard included
- ▶ Ribbed design for secure grip
- ▶ Dimensions: LED LIGHT 2AA: (H)155x(D)40x(W)40 mm, 36g
LED LIGHT 2D: (H)185x(D)60x(W)53 mm, 76g



LED LIGHT 2D
Minimum order: 9
2xD batteries not included
EAN: 7638900 386 660

LED LIGHT 2D



WATERPROOF LIGHT
Minimum order: 12
2xAA batteries included
EAN: 7638900 418 811

WATERPROOF LIGHT

- ▶ Waterproof: IPX7
- ▶ Floats
- ▶ Durable construction
- ▶ Reflective panels
- ▶ Up to 4X Brighter than Standard LED Technology
- ▶ Dimensions: (H)165x(D)58x(W)55 mm
- ▶ Weight: 63g

*Light output measured from LED. Value is only applicable to the LED. Actual device light output may vary.
**Endpoint determined at 1% of initial value.

Occasional use

SMART LIGHTS



BP112 3R12
Minimum order: 12
1 x 3R12 battery
EAN: 3147290 024 686




COMPACT LED 2AA
Minimum order: 12
2 x AA batteries
EAN: 7638900 307 504



POCKET LIGHT
Minimum order: 6
2 x AAA batteries included
EAN: 7638900 326 314



WEARABLE CLIP LIGHT
Minimum order: 12
2 x CR2032 batteries included
EAN: 7638900 426 434



TOUCH TECH KEYCHAIN LIGHT
Minimum order: 12
2 x CR2032 batteries
EAN: 7638900 424 225

BP112 3R12

- ▶ Source: light bulb
- ▶ Large lens for a wide beam
- ▶ Convenient hanging hook
- ▶ Dimensions: (H)120x(D)70x(W)55 mm
- ▶ Weight: 90g



COMPACT LED 2AA

- ▶ Source: LED
- ▶ Durable aluminum construction
- ▶ Easy to operate slide switch
- ▶ Stands for hands-free operation
- ▶ Morse signal capability
- ▶ Dimensions: (H)103x(D)53x(W)25 mm
- ▶ Weight: 162g



POCKET LIGHT

- ▶ Compact & lightweight
- ▶ Handy slide switch
- ▶ Ergonomic shape
- ▶ D: (H)78x(D)50x(W)35 mm
- ▶ Weight: 57g



WEARABLE CLIP LIGHT

- ▶ Universal clip to attach on shirts, pockets, bags...
- ▶ Compact solution
- ▶ Easy to use switch on button
- ▶ 3 light modes: area, red area, Red flashing
- ▶ Dimensions: (D)58x(H)34x(W)25 mm
- ▶ Weight: 40g



TOUCH TECH KEYCHAIN LIGHT

- ▶ Switchless: super easy to use. Maximum convenience – Grip the light for instant illumination and release to smoothly turn off
- ▶ Auto-off
- ▶ Compact size
- ▶ Dimensions: (H)60x(W)25x(D)18 mm
- ▶ Weight: 55g



X FOCUS LED 1AAA
Minimum order: 12
1 x AAA batteries included
EAN: 7638900 015 119



X FOCUS LED 2AA
Minimum order: 12
2 x AA batteries included
EAN: 7638900 015 096



BOOKLITE LED
Minimum order: 12
2 x CR2032 batteries
EAN: 7638900 383 911



INSPECTION LIGHT
Minimum order: 4
2xAAA batteries included
EAN: 7638900 430 295



METAL PENLIGHT
Minimum order: 8
2 x AAA batteries included
EAN: 7638900 420 821

X FOCUS LED 1AAA

- ▶ Adjustable focus
- ▶ Convenient tail switch
- ▶ Sustains 1 meter drop test
- ▶ Water resistance: IPX4 (only 2AA)
- ▶ D: X FOCUS 1AAA: (H)90x(D)28x(W)28 mm, 39g
- ▶ X FOCUS 2AA: (H)148x(D)28x(W)25 mm, 73g



X FOCUS LED 2AA

X Focus LED 2AA

BOOKLITE LED

- ▶ Flexible book light
- ▶ Large extended spring clip mounts securely to books, clipboards and eReaders
- ▶ The neck bends easily and then holds its position
- ▶ Dimensions: (H)138x(W)98x(D)25 mm
- ▶ Weight: 40g



INSPECTION LIGHT

- ▶ Beam pattern – Inspection Beam
- ▶ Sharp inspection spot beam
- ▶ Clip Tail switch
- ▶ Versatile usage
- ▶ Durable Aircraft Grade Aluminum
- ▶ Dimensions: (D)148x(H)18x(W)15 mm
- ▶ Weight: 100g



METAL PENLIGHT

- ▶ Easy-to-operate tail switch allows one-handed operation
- ▶ Sturdy clip
- ▶ Compact and Lightweight
- ▶ Dimensions: (D)140x(H)13x(W)14 mm
- ▶ Weight: 50g



*Light output measured from LED. Value is only applicable to the LED. Actual device light output may vary.
**Endpoint determined at 1% of initial value.

Energizer[®]



www.energizer.eu