

THE
ENTOMOLOGIST'S RECORD
AND JOURNAL OF VARIATION

A publication of The Amateur Entomologists' Society



Contents and Special Index Volume 132 (2020)

Edited by C. W. Plant

ISSN 0013-8916

THE ENTOMOLOGIST'S RECORD

AND JOURNAL OF VARIATION

World List abbreviation: *Entomologist's Rec. J. Var.*

<http://www.entrecord.com>

Published by the Amateur Entomologists' Society
UK Registered Charity number 267430

Annual subscription for individual subscribers for 2020 is £30.
For institutional and overseas rates please visit the website at www.entrecord.com

Editor

C.W. PLANT, B.Sc., F.R.E.S., F.B.N.A.
14 West Road, Bishops Stortford, Hertfordshire CM23 3QP.
Telephone: 01279 507697 E-mail: cpauk1@ntlworld.com

Webmaster: Rob Edmunds B.Sc., M.A., F.R.E.S.

Proof Reader: Graham Wenman

Indexer: Barry Goater

Who to contact

Material for publication, books for review, obituaries, advertisements – the Editor
ALL OTHER MATTERS (subscriptions, change of address, late or non-arrivals, back issues –
e-mail registrar@amentsoc.org or write to PO Box 8774, London SW7 5ZG

Back Issues

Volumes more than ten years old may be read at www.biodiversitylibrary.org/bibliography/8408

Readers are respectfully advised that the publication of material in this journal does not imply that the views and opinions expressed therein are shared by the Editor or by the Amateur Entomologists' Society or by any party other than the named author or authors.

Guidelines for Contributors

The Editor welcomes contributions on British Isles Lepidoptera, on non-British Lepidoptera where likely to be of interest to British researchers and on other groups of British Insects for which specialist English language journals do not currently exist. We accept descriptions of new species. Other subject matter may be accepted entirely at the discretion of the Editor, whose decision is final.

Please follow the format in this issue; if in doubt, ask the Editor. We positively encourage the use of colour photographs of insects and their habitats but their inclusion must enhance the text or serve some other useful purpose. We encourage the use of colour in the interpretation of graphs, charts etc. All images must be sent as individual separate files; please send high resolution files – do not reduce file size for ease of e-mailing. Images embedded (pasted into) word processor files cannot be used.

All papers are subject to peer-review and may be returned for changes prior to acceptance. Shorter communications and Notes are normally reviewed by the Editor but may also be sent for external review before acceptance; to reduce both cost and delay required changes to these are usually made by the Editor.

We now issue Pdf files in place of paper reprints. These are sent automatically to the first named author of Papers. Authors of Notes may request a Pdf of their contribution. Abstracts of Papers are published on our website.

Books for review must be sent to the Editor in the first instance. We do not normally accept unsolicited reviews by third parties.

The General Data Protection Regulation (GDPR)

It is the policy of this journal to include the name(s) and contact details of authors, as supplied to the Editor, as a part of their published contributions. To comply with the new regulation authors will in future be asked to confirm that they are happy with this arrangement. The Editor will maintain a list of persons who have given such consent. Where the publication of an address is considered unacceptable, a "care of" address may be substituted by the author(s). Advertisements and other non scientific material submitted for publications are also subject to the GDPR and must adhere to the published AES policy.

Front cover image: Pine Beauty *Panolis flammea* (D.& S.). Ipswich, Suffolk, 13 April 2016.

Photograph copyright © Paul Kitchener

CONTENTS

Compiled by Colin W. Plant & Andrew Smith

1: PEER-REVIEWED PAPERS

A

Agonopterix rigidella (Chrétien, 1907) resurrected from synonymy (Lepidoptera, Depressariidae). *M. F. V. Corley, P. Buchner, F. Rymarczyk and M. Dutheil*, 281-296

B

Balqisia nom. nov. A replacement name for *Adenia* Slamka, 2019 (Lepidoptera, Pyraloidea, Pyralidae, Phycitinae) preoccupied by *Adenia* Robineau-Desvoidy, 1863 (Diptera, Tachinidae, Exoristini, Exorista (Subgen. *Adenia*)). *František Slamka*, 88

C

(The) changing moth and butterfly fauna of Britain – the second decade of the twenty-first century (2010-2019). *Mark S. Parsons*, 53-62

(A) contribution to knowledge of Balkan Lepidoptera: moths collected in May-June 2018 in Austria, Slovenia, Serbia, North Macedonia and Albania. *Stoyan Beshkov, Colin W. Plant, Ana Nahirnić, Andrew King & Predrag Jakšić*, 24-25

(A) contribution to knowledge of the Balkan Lepidoptera: new Geometridae species for Serbia. *Stoyan Beshkov*, 71-73

(A) contribution to knowledge of the Balkan Lepidoptera: *Evergestis alborivulalis* (Eversmann 1843) Crambidae: a new species for Serbia. *Colin W. Plant & Predrag Jakšić*, 74-76

(A) contribution to knowledge of the Balkan Lepidoptera: some species collected in Albania in August 2018. *Stoyan Beshkov, Colin W. Plant & Ana Nahirnić*, 129-152

(A) contribution to the knowledge of the moth diversity (Heterocera) of Bosnia & Herzegovina. *Toni Koren & Matea Martinović*, 124-128

Correction of a recent “record” of *Colias hyale* (L., 1758) from the Azores Archipelago (Pieridae). *Peter J. C. Russell*, 77-80

D

Diversity of the butterfly fauna (Hesperioidea and Papilionoidea) of Jagodina region, Serbia. *Boban Stanković*, 1-23

E

Epermenia insecurella (Stainton, 1849) (Lep.: Epermeniidae): a further note on the species on the Isle of Wight, including Hymenopterous parasitoids reared. *R. J. Heckford & S. D. Beavan*, 192-199

G

(The) genus *Megacoelum* (Hemiptera, Miridae) in Ireland and the first record of *M. infusum* (Herrich-Schäffer, 1937). *Brian Nelson, Larry Doherty & Ciarán Byrne*, 50-52

I

(The) immigration of Lepidoptera to the British Isles. *Sean P. Clancy*, 157-191

M

Microlepidoptera Review of 2019. *A. M. Davis and G. M. Tordoff*, 253-280

N

(A) new moth list for Wales. *G. M. Tordoff*, 63-70

(A) new site for *Tricholeiochiton fagesii* (Guinard, 1879) (Trichoptera: Hydroptilidae) in Ireland. *John T. Brophy & James P. O'Connor*, 244-248

P

Platynota stultana Walsingham, 1884 (Lep.: Tortricidae): an adventive species newly recorded from Britain. *D. J. L. Agassiz & J. Feltwell*, 202-203

(A) preliminary report on the moth fauna of the Jagodina region of Serbia. *Boban Stanković*, 235-243

Third update to a *Checklist of the Lepidoptera of the British Isles*, 2013. *D. J. L. Agassiz, S. D. Beavan & R. J. Heckford*, 2-7

2: NOTES

A

- (The) genera *Acrolepia* Curtis and *Acrolepiopsis* Gaedike (Glyphipterigidae) in southern Scotland. *K. P. Bland*, 13-14
- Additional records of the Cryptic Fern *Horisme radicularia* (La Harpe) (Geometridae) support this species being an established resident in south-east England. *Sean P. Clancy & Graeme J. Smith*, 152
- (An) adventive population of *Oinophila v-flava* (Haworth, 1828) (Tineidae) from a potted plant, Oxfordshire (VC23). *Douglas H. Boyes*, 106
- Asalebria pseudoflorella*, 1934 (Pyralidae: Phycitinae) in the Balkans. *Colin W. Plant & Ignác Richter*, 153-155
- (An) atypical *Antispila* sp. (Heliozelidae) mine in Shropshire. *Mike P. Shurmer*, 10

B

- Boathouse Gem *Thysanoplusia daubei* (Boisduval, 1840) (Lep.: Noctuidae), a migrant new to Ireland. *Tony Bryant*, 218-219
- Bohemannia auriciliella* (Joannis) (Lep.: Nepticulidae): four specimens found at Gloucestershire site with a previous record. *Guy H. J. Meredith*, 233-234

C

- Coleophora saxicolella* Duponchek, 1843 *corrigenum* and *Coleophora versurella* Zeller, 1849 from Fair Isle, Shetland. *Nick Riddiford & Mark R. Young*, 105
- Confirmation of the presence in Spain of *Psorosa ferrugatella* (Turati, 1924) and *Epischnia ampliata* (Heinemann, 1864) (Pyralidae, Phycitinae). *John Girdley, Manuel Garre, R. M. Rubio, J. J. Guerrero & A. S. Ortiz*, 111-114
- Corrigenda, 304
- (A) Cream-spot Tiger-moth *Arctia villica* (Linnaeus) captured in a light-trap at West Walton, West Norfolk. *Paul Waring & Dee Shore*, 215-216

D

- Digging for England, GDPR and copyright. *Graham Wenman*, 117-119
- Diploseustis perieresalis* (Walker, 1859) (Crambidae) new to Scotland. *Nick Candlish & Mark Young*, 212

E

- Editorial, 1
- Epirrita dilutata* (D. & S.) f. *bifasciata* (Le.: Geometridae): A new form of the November Moth from East Lothian. *Katty Baird*, 300

F

- (The) fate of two pupae of the Orange-tip *Anthocharis cardamines* L. (Lep.: Pieridae) in the wild on Garlic Mustard *Alliaria petiolata* (M. Bieb) Cavara & Grande. *Chris Tyler-Smith & Yali Xue*, 226-232
- Follow-up on the White-spotted Pinion *Cosmia diffinis* (L.) (Lep.: Noctuidae). *Paul Waring*, 303-304
- (The) Four-spotted Moth *Tyta luctuosa* (D. & S.) in Northamptonshire, Cambridgeshire, Lincolnshire, Leicestershire and Buckinghamshire in 2019. *Paul Waring*, 89-90
- (The) Four-spotted Moth *Tyta luctuosa* (D. & S.), the Grizzled Skipper butterfly *Pyrgus malvae* (L.) and the Emperor Moth *Saturnia pavonia* (L.) at Werrington Brook Drain, Peterborough, in 2019, including infilling and replacement of the Drain. *Paul Waring*, 204-208

L

- (The) larval foodplants of the Brown Argus *Aricia agestis* Denis & Schiffermüller, 1775. *John F. Burton*, 201-302
- Larval foodplants of the Brown Argus *Aricia agestis*. *Roger Kemp*, 203-204
- Leading lepidopterists honoured at Butterfly Conservation AGM, 8-9
- Lesser-spotted Pinion *Cosmia affinis* L. (Noctuidae) in the Bath area. *Chris Iles*, 80-82

M

- Macro Moth Status Changes in West Lothian (VC84) 2010-2019. *Mark Cubitt*, 83-87
- Mallow *Larentia clavaria* Haw. (Geometridae) in Scotland. *Katty Baird*, 110-111
- (A) memory of the insects pressed in Adam Buddle's 17th century herbarium. *John F. Burton*, 87
- Monitoring the Marsh Moth *Athetis pallustris* (Hb.) (Lep.: Noctuidae) in 2017. *Paul Waring & Dee Shore*, 224-225
- Monopis laevigella* [Denis & Schiffermüller, 1775] (Tineidae) bred from a pellet deposited by a Golden Eagle *Aquila chrysaetos*. *Robin Knill-Jones*, 107-108

More notes on Hemlock *Conium maculatum* as host-plant for the British Swallowtail butterfly *Papilio machaon* L. ssp. *britannicus* Switz (Papilionidae). *Kevin Radley & Hannah Breach*, 222-224
More on the Dotted Fan-foot *Macrochilo cribrumalis* (Hb.) (Erebidae) in Northamptonshire, Huntingdonshire, Cambridgeshire and Norfolk. *Paul Waring & Dee Shore*, 114-115

N

New records for Pimpinel Pug *Eupithecia pimpinellata* L. in south-east Scotland. *Katty Baird*, 302-303
(A) new species of *Earias* (Lep.: Nolidae: Chloephorinae) in the British Isles. *David W. Emley & Roy Gillibrand*, 200-201
Nineta pallida (Schneider) (Neur.: Chrysopidae): A fourth British example and chronologically the first. *Colin W. Plant*, 109-110
Northern Dart *Xestia alpicola* (Zett.) rediscovered in North Northumberland. *Jeremy Chad*, 49
Notes concerning the larval foodplants of the Brown Argus Butterfly *Aricia agestis* Denis & Schiffermüller, 1775 (Lycaenidae). *John F. Burton*, 96
Notes on the biology of *Teleiodes vulgella* ([Denis & Schiffermüller], 1775) (Lep.: Gelechiidae). *Ben Smart*, 297-299
Notes on the early stages of two little-known moth species from South Wiltshire. *L. K. Evans*, 120-123

O

Observations of Old Lady *Mormo maura* (L.) (Noctuidae) in North Berwick culvert. *Katty Baird*, 45-48
Observations on alternative host plant selection by the Swallowtail butterfly *Papilio machaon* (L.) ssp. *britannicus* (Seitz) (Papilionidae). *K. Radley*, 91-95

P

Parachronistis albiceps (Zeller) (Lep.: Gelechiidae) larva mining Sallow *Salix* sp. shoot. *Guy H. J. Meredith*, 217-218
Parallel Lines *Grammodes bifasciata* (Petagan, 1787) (Lep.; Erebidae) new to Britain from Cambridgeshire. *Trevor Brownell & Ben Sale*, 209-210
Pyrausta aurata (Scopoli, 1763) (Lep.: Crambidae): an adventive species new to Ireland. *Nick A. Littlewood, Patrick Keown & Rose Toney*, 211

R

(A) record of *Zelleria oleastrella* (Yponomeutidae) from Herefordshire (VC36). *Robin Hemming*, 109
Resurgence of the caddis *Oecetis notata* (Rambur, 1842) (Trich: Leptoceridae) in Britain and Ireland. *Ian D. Wallace & James P. O'Connor*, 14-15

S

Saturnia pavonia (Linnaeus, 1758) (Lep.: Saturniidae). A case of delayed eclosure for 14 months. *Dafydd Lewis*, 214
Sharp-angled Carpet *Euphyia unangulata* (Haw.) Lep.: Geometridae – a new Scottish macro moth species. *Ronald W Forrester*, 213-214
(The) sixth British and first Buckinghamshire record of *Cydia interscindana* (Möschler, 1866) with suggestions to assist in mapping its UK distribution. *Robin Knill-Jones*, 16-18
(The) Small Ranunculus *Hecatera dysodea* (D. & S.) (Noctuidae) as a garden moth. *Christopher Iles*, 116-117
Spilosoma lutea (L.) f. *subnigra* (Lep.: Erebidae): An extreme aberration close to f. *zatima* Stoll, 1782 from Pentraeth, Anglesey. *Charles Aron*, 299-300
(A) striking form of Foxglove Pug *Eupithecia pulchellata* Stephens (Geometridae). *Roger Morton*, 156
Suffolk Ant-lion *Euroleon nostras* (Geoffroy) (Neur.: Myrmeleontidae): First positive evidence of primary immigration to Britain. *Tom Stewart*, 220-221

T

Tree Bedstraw *Coprosma repens* A. Rich. (Rubiaceae), confirmed as a larval foodplant of *Mecyna asinalis* (Hübner, [1918]) (Crambidae) on the Isles of Scilly and also discovered in the Isle of Wight. *R. J. Heckford & S. D. Beavan*, 11-12

3: BOOK REVIEWS

Aphids – Anoeciinae, Lachninae, Eriosomatinae, Phloeomyzinae, Thelaxinae, Hormophidinae & Mindarinae
British Coleoptera Larvae, 104

Butterflies of South Africa: a field guide, 103
Field Guide to the Caterpillars of Great Britain and Ireland, 101-102
Handbooks for Identification of British Insects
Ladybird beetles of the Australo-Pacific Region, 103
The ecology, biogeography and speciation of the butterflies of Cabo Verde, 97-100

4: OBITUARIES

Samuel Alan Knill-Jones, 249-252

5: ADDENDA & CORRIGENDA

Corrigenda, 304

6: CONTRIBUTORS

Page number entries **in bold** refer to peer-reviewed papers; entries in ordinary type refer to Notes and other communications that have been refereed internally by the Editor and his colleagues. Where an author is not the first named of multiple authors, page number entry is printed in *italic type*.

Agassiz, D. J. L.....	2-7; 202-203	Koren, T.....	124-128
Aron, C.....	299-300	Lewis, D.....	214
Baird, K.....	45-48, 110-111, 300, 302-303	Littlewood, N.A.....	211
Beavan, S. D.....	2-7; 11-12, 192-199	Martinović, M.....	124-128
Beshkov, S.....	71-73, 24-25, 129-152	Meredith, G.H. J.....	217-218, 233-234
Bland, K. P.....	13-14	Morton, R.....	156
Boyes, D. H.....	106	Nahirnić, A.....	24-25, 129-152
Breach, H.....	222-224	Nelson, B.....	50-52
Brophy, J.T.....	244-248	O'Connor, J. P.....	<i>14-15, 244-248</i>
Brownsell, T.....	209-210	Ortiz, A. S.....	<i>111-114</i>
Bryant, T.....	218-219	Parsons, M. S.....	53-62
Buchner, P.....	281-296	Plant, C. W. 24-25, 74-76, 109-110, 129-152, 153-155	
Burton, J.F.....	87, 96, 201-302	Radley, K.....	91-95, 222-224
Byrne, C.....	50-52	Richter, I.....	<i>153-155</i>
Candlish, N.....	212	Riddiford, N.....	105
Chad, J.....	49	Rubio, R. M.....	<i>111-114</i>
Clancy, S. P.....	152, 157-191	Russell, P.J. C.....	77-80
Corley, M. F. V.....	281-296	Rymarczyk, F.....	281-296
Cubitt, M.....	83-87	Sale, B.....	<i>209-210</i>
Davis, A. M.....	253-280	Shore, D.....	114-115, <i>215-216, 224-225</i>
Doherty, L.....	50-52	Shurmer, M.P.....	10
Dutheil, M.....	281-296	Slamka, F.....	88
Editor.....	1, 8-9, 304	Smart, B.....	297-299
Emley, D. W.....	200-201	Smith, G. J.....	<i>152</i>
Evans, L. K.....	120-123	Stanković, B.....	1-23
Feltwell, J.....	202-203	Stanković, B.....	235-243
Forrester, R.W.....	213-214	Stewart, T.....	220-221
Garre, M.....	<i>111-114</i>	Toney, R.....	211
Gillibrand, R.....	<i>200-201</i>	Tordoff, G. M.....	63-70, 253-280
Girdley, J.....	111-114	Tyler-Smith, C.....	226-232
Guerrero, J. J.....	<i>111-114</i>	Wallace, I. D.....	14-15
Heckford, R. J.....	2-7, 11-12, 192-199	Waring, P.89-90, 114-115, 204-208, 215-216, 224-225, 303-304,	
Hemming, R.....	109	Wenman, G.....	117-119
Iles, C.....	80-82, 116-117	Xue, Y.....	226-232
Jakšić, P.....	24-25, 74-76	Young, M. R.....	<i>105</i>
Kemp, R.....	203-204	Young, Mark.....	212
Keown, P.....	211		
King, A.....	24-25		
Knill-Jones, R.....	16-18, 107-108		

SPECIAL INDEX

Compiled by Barry Goater

Newly described taxa are indicated in **bold** type.

Taxa new to, or newly recognised in, the British Isles and mentioned first in this volume are indicated by an asterisk*.

	Page		Page
LEPIDOPTERA			
<i>abietella</i> ([D. & S.]), <i>Dioryctria</i>	37	<i>albipalpella</i> (H.-S.), <i>Syncopacma</i>	58
<i>ablutaria</i> (Boisd.), <i>Coenoteophria</i>	143	<i>albiguncta</i> ([D. & S.]), <i>Mythimna</i>	35, 176, 241
<i>absoluta</i> (Meyrick), <i>Tuta</i>	57, 66, 162, 265	<i>albitarsella</i> Zell., <i>Coleophora</i>	266
<i>accentifera</i> (Lef.), <i>Ctenoplusia</i>	146	<i>alborivulalis</i> (Evers.), <i>Evergestis</i>	74, 75
<i>aceriana</i> (Dup.), <i>Gypsonoma</i>	278	<i>albuginana</i> (Guen.), <i>Pammene</i>	274
<i>aceris</i> (Frey), <i>Stigmella</i>	65, 256	<i>albula</i> ([D. & S.]), <i>Meganola</i>	31
<i>aceris</i> (Linn.), <i>Acronicta</i>	33, 146	<i>albulata</i> (Hufn.), <i>Asthena</i>	29
<i>achatana</i> ([D. & S.]), <i>Ancylis</i>	37, 272	<i>albulata</i> ([D. & S.]), <i>Perizoma</i>	30, 143
<i>achromaria</i> (la Harpe), <i>Nebula</i> 135, 143 (photos), 142 (genit.) 143		<i>alceae</i> (Esp.), <i>Carcharodus</i>	20
<i>acroxantha</i> (Meyr.), <i>Tachystola</i>	263	<i>alcetas</i> (Hoffm.), <i>Cupido</i>	21
<i>acuminatana</i> (Lien. & Zell.), <i>Dichrorampha</i> 273, 279		<i>alchemillata</i> (Linn.), <i>Perizoma</i>	30
<i>acuminatus</i> (Stdgr), <i>Dichomeris</i>	162	<i>alchymista</i> ([D. & S.]), <i>Catephia</i>	32, 160, 173
<i>acutellus</i> (Evers.), <i>Sclerocona</i>	55	<i>alciphron</i> (Rott.), <i>Lycaena</i>	21
<i>adippe</i> ([D. & S.]), <i>Argynnis</i>	22	<i>alcyonipennella</i> (Kollar), <i>Coleophora</i>	266
<i>adoratrix</i> (Stdgr), <i>Eutelia</i>	33	<i>alexis</i> (Poda), <i>Glaucoopsyche</i>	21, 23
<i>adriana</i> (Schaw.), <i>Hadena</i>	35	<i>alfacariensis</i> (Ribbe), <i>Colias</i> ...12, 78 (photo), 79	
<i>adulatrix</i> (Hübner), <i>Eutelia</i>	33, 146	<i>algae</i> (Fabr.), <i>Cryphia</i>	34, 147, 174
<i>adumbraria</i> (H.-S.), <i>Euphyia</i> . 72, 73 (genit.), 143		<i>algira</i> (Linn.), <i>Dysgonia</i>	33, 239
<i>adusta</i> (Esp.), <i>Mniotype</i>	34, 148	<i>alni</i> (Linn.), <i>Acronicta</i>	33, 41 (photo), 42, 85
<i>adustata</i> ([D. & S.]), <i>Ligdia</i>	27, 237	<i>alpella</i> ([D. & S.]), <i>Ypsolopha</i>	278
<i>advenaria</i> (Hübner), <i>Cepphis</i>	28	<i>alpicola</i> (Zett.), <i>Xestia</i>	49
<i>advenella</i> (Zinck.), <i>Acrobasis</i>	275	<i>alpigennella</i> (Dup.), <i>Pempelia</i>	36
<i>aegeria</i> (Linn.), <i>Pararge</i>	22	<i>alpina</i> (Curtis), <i>Eudonia</i>	276
<i>aenealis</i> ([D. & S.]), <i>Evergestis</i>	36	<i>alpinana</i> (Treits.), <i>Dichrorampha</i>	273
<i>aeneana</i> (Hübner), <i>Commophila</i>	207	<i>alpinella</i> (Hübner), <i>Platytes</i>	277
<i>aeonofasciella</i> (H.-S.), <i>Stigmella</i>	65, 69	<i>alpium</i> (Osbeck), <i>Moma</i>	33
<i>aequidentellus</i> (Hofm.), <i>Epermenia</i>	269	<i>alternata</i> (Müll.), <i>Epirrhoe</i>	29, 238
<i>aeruginalis</i> (Hübner), <i>Loxostege</i>	36	<i>alternata</i> ([D. & S.]), <i>Macaria</i>	28, 138, 237
<i>aerugula</i> (Hübner), <i>Nola</i>	31, 38, 177	<i>alternella</i> ([D. & S.]), <i>Tortricodes</i>	270
<i>aestimaria</i> (Hübner), <i>Chiasmia</i>	160, 170	<i>amasina</i> (Draudt), <i>Nyctobrya</i>	147
<i>aestivaria</i> (Hübner), <i>Hemithea</i>	27	<i>ambigua</i> ([D. & S.]), <i>Hoplodrina</i>	34, 240
<i>aestivella</i> (Zell.), <i>Metzneria</i>	264	<i>ambigualis</i> (Treits.), <i>Scoparia</i>	276
<i>affinis</i> (Linn.), <i>Cosmia</i>	34, 80, 81 (photos), 82	<i>amethystina</i> (Hübner), <i>Eucarta</i>	34
<i>agastis</i> ([D. & S.]), <i>Aricia</i>	22, 96, 203, 301	<i>amethystinella</i> Rag., <i>Coleophora</i>	266
<i>aglaja</i> (Linn.), <i>Argynnis</i>	22	<i>amoena</i> (Hübner), <i>Eublemma</i>	32
<i>agnorista</i> Dufay, <i>Abrostola</i>	146	<i>amplana</i> (Hübner), <i>Cydia</i>	163, 273
<i>ahenella</i> ([D. & S.]), <i>Hypochoalcia</i>	37	<i>ampliatella</i> Hein., <i>Epischmia</i> 37, 38, 111 (photos)	
<i>alacella</i> (Zell.), <i>Dichomeris</i>	66	<i>anatolica</i> (Draudt), <i>Chersotis</i>	141 (photos), 142 (genit.) 149
<i>albicans</i> Zell., <i>Coleophora</i>	68	<i>anatolica</i> (Led.), <i>Omphalophana</i>	33
<i>albicapitella</i> (Scharf.), <i>Paraswammerdamia</i>	261	<i>ancilla</i> (Linn.), <i>Dysauxes</i>	32
<i>albiceps</i> (Zell.), <i>Parachronistis</i>	217 (photo)	<i>anella</i> ([D. & S.]), <i>Lamoria</i>	2
<i>albicosta</i> (Haw.), <i>Coleophora</i>	266	<i>angustella</i> (Hübner), <i>Nephoterix</i>	275
<i>albifasciella</i> (Hein.), <i>Ectoedemia</i>	257	<i>angustiorana</i> (Haw.), <i>Ditula</i>	269
<i>albifrontella</i> (Hübner), <i>Elachista</i>	267	<i>annulatella</i> (Curtis), <i>Rhigognostis</i>	261
<i>albimacula</i> (Borkh.), <i>Hadena</i>	35, 68, 148	<i>antalis</i> (Hopffer), <i>Deudorix</i>	2
<i>albiocellaria</i> (Hübner.), <i>Cyclophora</i>	29	<i>antennalis</i> (Fabr.), <i>Synaphe</i>	36
		<i>antiqua</i> (Linn.), <i>Orgyia</i>	31
		<i>antiqualis</i> (Hübner.), <i>Zekelita</i>	31, 144

<i>antiopa</i> (Linn.), <i>Nymphalis</i>	22, 164
<i>antirrhini</i> (Hübner.), <i>Omphalophana</i>	33
<i>apfelbecki</i> (Rebel), <i>Rusina</i>	34, 42
<i>aquilina</i> ([D.& S.]), <i>Euxoa</i>	149
<i>arcania</i> (Linn.), <i>Coenonympha</i>	22
<i>arcuella</i> (Clerck), <i>Celypha</i>	37
<i>arethusa</i> ([D.& S.]), <i>Arethusana</i>	22, 136
<i>argentella</i> (Clerck), <i>Elachista</i>	37
<i>argentimaculella</i> (Staint.), <i>Infurcitinea</i>	258
<i>argentina</i> ([D.& S.]), <i>Spatalia</i>	30, 144
<i>argiades</i> (Pall.), <i>Cupido</i>	21
<i>argiolus</i> (Linn.), <i>Celastrina</i>	21, 203
<i>argus</i> (Linn.), <i>Plebejus</i>	21, 203
<i>argyrognomon</i> (Bergst.), <i>Plebejus</i>	22
<i>argyropeza</i> (Zell.), <i>Ectoedemia</i>	278
<i>arion</i> (Linn.), <i>Phengaris</i>	21, 23
<i>armigera</i> (Hübner.), <i>Helicoverpa</i>	34, 160, 185 240, 243
<i>armoricanus</i> (Oberth.), <i>Pyrgus</i>	20
<i>artemisia</i> (Hufn.), <i>Cucullia</i>	146
<i>artemisiella</i> (Treits.), <i>Scrobipalpa</i>	265
<i>artesiaria</i> ([D.& S.]), <i>Isturgia</i>	28, 138
<i>asbolaea</i> (Meyrick), <i>Barea</i>	56, 263
<i>asclepiadis</i> ([D.& S.]), <i>Abrostola</i>	33
<i>ashworthii</i> (Doubl.), <i>Xestia</i>	141 (photo), 150
<i>asiatica</i> O. Bang-Haas, <i>Cilix</i>	27, 41
<i>asinalis</i> (Hübner.), <i>Mecyna</i>	11, 276
<i>asperaria</i> (Hübner.), <i>Rhoptria</i>	27
<i>assectella</i> (Zell.), <i>Acrolepiopsis</i>	13, 66, 262
<i>assimilella</i> (Zell.), <i>Stigmella</i>	256, 278
<i>asteris</i> Mühlig, <i>Coleophora</i>	266
<i>atalanta</i> (Linn.), <i>Vanessa</i>	22, 55, 179
<i>athalia</i> (Rott.), <i>Melitaea</i>	22
<i>atomaria</i> (Linn.), <i>Ematurga</i>	207, 238, 243
<i>atomella</i> ([D.& S.]), <i>Agonopterix</i>	263
<i>atrella</i> ([D.& S.]), <i>Oxypteryx</i>	265
<i>atrifrontella</i> (Staint.), <i>Ectoedemia</i>	65
<i>atripalpella</i> Wahlst., <i>Parornix</i>	54
<i>atriplis</i> (Linn.), <i>Trachea</i>	147, 175, 241
<i>atropos</i> (Linn.), <i>Acherontia</i>	144, 168, 188, 189, 238
<i>aurana</i> (Fabr.), <i>Pammene</i>	274
<i>aurata</i> (Scop.), <i>Pyrausta</i>	211 (photo)
<i>aureatella</i> (Scop.), <i>Micropterix</i>	255
<i>aureolaria</i> ([D.& S.]), <i>Idaea</i>	28
<i>auriciliella</i> (Joannis), <i>Bohemannia</i>	233 (photo)
<i>aurofasciana</i> (Haw.), <i>Celypha</i>	271
<i>autumnitella</i> Curtis <i>Acrolepia</i>	13, 262, 278
<i>aversata</i> (Linn.), <i>Idaea</i>	28, 238
<i>azaleella</i> (Brants), <i>Caloptilia</i>	259
<i>badia</i> (Hodges), <i>Anatrachyntis</i>	162
<i>baja</i> ([D.& S.]), <i>Xestia</i>	150
<i>bajularia</i> ([D.& S.]), <i>Comibaena</i>	27, 42
<i>balcana</i> (Lork.), <i>Pieris</i>	21
<i>baliodactylus</i> (Zell.), <i>Merrifieldia</i>	67, 269
<i>bankiana</i> (Fabr.), <i>Deltote</i>	33
<i>basaltinella</i> (Zell.), <i>Bryotropha</i>	4, 66, 264
<i>batis</i> (Linn.), <i>Thyatira</i>	27

<i>beatricella</i> (Wals.), <i>Aethes</i>	67
<i>bedellella</i> (Sirc.), <i>Elachista</i>	267
<i>bellargus</i> (Rott.), <i>Polyommatus</i>	22
<i>berbera</i> Rungs, <i>Amphipyra</i>	240, 243
<i>berberata</i> ([D.& S.]), <i>Pareulype</i>	30
<i>bergmanniana</i> (Linn.), <i>Acleris</i>	37
<i>betulae</i> (Linn.), <i>Thecla</i>	21
<i>betularia</i> (Linn.), <i>Biston</i>	24, 28, 41
<i>betulella</i> (Curtis), <i>Acrolepiopsis</i>	13
<i>betulella</i> Hein., <i>Coleophora</i>	4, 266
<i>betulicola</i> (Hering), <i>Caloptilia</i>	259
<i>betulicola</i> (Staint.), <i>Stigmella</i>	256
<i>betulina</i> (Zell.), <i>Proutia</i>	258
<i>betuletana</i> (Haw.), <i>Apotomis</i>	271
<i>betulinella</i> (Paykull), <i>Nemaxera</i>	258
<i>bicolorana</i> (Fuessly), <i>Bena</i>	31, 150
<i>bicolorata</i> (Hufn.), <i>Hecatera</i>	35
<i>bicostella</i> (Clerck), <i>Pleurota</i>	263
<i>bifasciana</i> (Haw.), <i>Piniphila</i>	38
<i>bifasciata</i> Petagna, <i>Grammodes</i> *.....	209, 304
<i>bifractella</i> (Dup.), <i>Apodia</i>	265
<i>bigramma</i> (Esp.), <i>Agrotis</i>	149
<i>bilineata</i> (Linn.), <i>Camptogramma</i>	29
<i>bimaculata</i> (Fabr.), <i>Lomographa</i>	28, 84
<i>binaria</i> (Hufn.), <i>Watsonalla</i>	27
<i>binderella</i> (Kollar), <i>Coleophora</i>	266
<i>bipunctella</i> (Fabr.), <i>Ethmia</i>	37, 264
<i>bipunctidactyla</i> (Scop.), <i>Stenoptilia</i>	268
<i>biriviata</i> (Borkh.), <i>Xanthorhoe</i>	68, 169
<i>biselata</i> (Hufn.), <i>Idaea</i>	238
<i>bisselliella</i> Hummel, <i>Tineola</i>	258
<i>bistriatella</i> (Hulst), <i>Apomyelois</i>	275
<i>biviella</i> (Zell.), <i>Vitula</i>	2375
<i>blancardella</i> (Fabr.), <i>Phyllonorycter</i>	260
<i>blanda</i> ([D.& S.]), <i>Hoplodrina</i>	34
<i>blandiata</i> ([D.& S.]), <i>Perizoma</i>	131, 143
<i>blandulella</i> (Tutt), <i>Caryocolum</i>	265
<i>blattariae</i> (Esp.), <i>Shargacucullia</i>	33, 44
<i>boeticus</i> (Linn.), <i>Lampides</i>	165, 188
<i>boletella</i> (Fabr.), <i>Scardia</i>	135 (photo)
<i>bombicina</i> (Hufn.), <i>Polia</i>	58
<i>boreella</i> (Dougl.), <i>Bryotropha</i>	66
<i>botrana</i> ([D.& S.]), <i>Lobesia</i>	271
<i>bractea</i> ([D.& S.]), <i>Autographa</i>	138 (photo), 146
<i>bractella</i> (Linn.), <i>Oecophora</i>	263
<i>bradleyi</i> Riedl, <i>Mompha</i>	66, 278
<i>brassicacae</i> (Linn.), <i>Pieris</i>	21
<i>breviculata</i> (Donzel), <i>Eupithecia</i>	30, 43
<i>britanniodactylus</i> (Gregson), <i>Capperia</i>	268
<i>brogniardella</i> (Fabr.), <i>Acrocercops</i>	259
<i>bruguieralis</i> (Dup.), <i>Dolicharthria</i>	36
<i>brunnea</i> ([D.& S.]), <i>Diarsia</i>	149
<i>brunneata</i> (Thunb.), <i>Macaria</i>	237
<i>brunnichella</i> (Linn.), <i>Stephensia</i>	267
<i>bucephala</i> (Linn.), <i>Phalera</i>	30, 144
<i>buettneri</i> (Hering), <i>Sedina</i>	175
<i>caecana</i> Schläger, <i>Grapholita</i>	279
<i>caesia</i> ssp. <i>xanthophoba</i> (Schaw.), <i>Hadena</i>	148

<i>caesiata</i> ([D. & S.]), <i>Entephria</i>	86
<i>caespititiella</i> Zell., <i>Coleophora</i>	266
<i>cagnagella</i> (Hübner), <i>Yponomeuta</i>	261
<i>cailino</i> (Lefeb.), <i>Drasteria</i>	32, 145
<i>calabra</i> (Petagna), <i>Rhodostrophia</i>	29,
41(photo), 43	
<i>c-album</i> (Linn.), <i>Polygonia</i>	22
<i>calendulae</i> Treits., <i>Cucullia</i>	157, 160, 173
<i>calligraphata</i> (H.-S.), <i>Horisme</i> 30, 41(photo), 42	
<i>calthella</i> (Linn.), <i>Micropterix</i>	255
<i>calvaria</i> ([D. & S.]), <i>Idia</i>	32, 145
<i>camilla</i> (Linn.), <i>Limnitis</i>	22
<i>cana</i> (Haw.), <i>Eucosma</i>	38
<i>canapennella</i> (Hübner), <i>Elachista</i>	267
<i>candelisequa</i> ([D. & S.]), <i>Dichagyris</i>	149
<i>candidula</i> ([D. & S.]), <i>Pseudeustrotia</i>	147, 174
<i>caniola</i> (Hübner), <i>Eilema</i>	32, 171, 239
<i>caprealis</i> (Hübner), <i>Aglossa</i>	58
<i>capreana</i> (Hübner), <i>Apotomis</i>	271
<i>capreolaria</i> ([D. & S.]), <i>Pungeleria</i>	28, 160, 170
<i>caprimulgella</i> (Staint.), <i>Triaxomasia</i>	258
<i>capsincola</i> ([D. & S.]), <i>Hadena</i>	139 (photo),
142 (genit.), 148	
<i>capucina</i> (Linn.), <i>Ptilodon</i>	30
<i>cararia</i> (Hübner), <i>Stegania</i>	27, 55, 159, 171, 189
<i>cardamines</i> (Linn.), <i>Anthocharis</i>	21, 207,
227 (photos)	
<i>cardui</i> (Linn.), <i>Vanessa</i>	22, 179, 207
<i>caricaria</i> (Reutti), <i>Scopula</i>	29
<i>carpinata</i> (Borkh.), <i>Trichopteryx</i>	84
<i>casta</i> (Pall.), <i>Psyche</i>	258
<i>catalaunalis</i> (Dup.), <i>Antigastra</i>	166
<i>catharticella</i> (Staint.), <i>Stigmella</i>	256
<i>c-aureum</i> (Knoch), <i>Lamprotes</i>	33
<i>cautella</i> (Walk.), <i>Cadra</i>	275
<i>celerio</i> (Linn.), <i>Hippotion</i>	137 (photo), 144, 168
<i>centaureata</i> ([D. & S.]), <i>Eupithecia</i>	30
<i>cerasicola</i> (H.-S.), <i>Phyllonorycter</i>	3
<i>cerisy</i> (Godart), <i>Zerynthia</i>	21, 23
<i>cerussella</i> ([D. & S.]), <i>Platytes</i>	36
<i>cervantes</i> ssp. <i>vargai</i> Fibiger,	
<i>Epipisilia</i>	140(photos), 149
<i>cervinalis</i> (Scop.), <i>Hydria</i>	30
<i>cespitana</i> (Hübner), <i>Celypha</i>	271
<i>chaerophylllella</i> (Goeze), <i>Epermenia</i>	269
<i>chaerophylli</i> Zell., <i>Depressaria</i>	263
<i>chalcites</i> (Esp.), <i>Chrysodeixis</i>	33, 173, 240
<i>chi</i> (Linn.), <i>Antitype</i>	148
<i>chlamilutalis</i> (Hübner), <i>Nola</i>	31, 150
<i>chlorocharis</i> (Dufay), <i>Euchalcia</i>	33
<i>chlorosata</i> (Scop.), <i>Petrophora</i>	28
<i>choragella</i> ([D. & S.]), <i>Morphoga</i>	65
<i>chrysitis</i> (Linn.), <i>Diachrysia</i>	33, 240
<i>chrysonuchella</i> (Scop.), <i>Thisanotta</i>	36, 250
<i>chrysolepidella</i> (Zell.), <i>Paracrania</i>	65, 69
<i>chrysonuchella</i> (Scop.), <i>Thisanotta</i>	277
<i>chrysoprasaria</i> (Esp.), <i>Hemistola</i>	27, 67
<i>chrysorrhoea</i> (Linn.), <i>Euproctis</i>	31
<i>cicatricella</i> (Zett.), <i>Eriocrania</i>	255
<i>cilium</i> (Guen.), <i>Spodoptera</i>	68
<i>cinctana</i> ([D. & S.]), <i>Clepsis</i>	38
<i>cinerea</i> ([D. & S.]), <i>Agrotis</i>	149
<i>cinereana</i> (Haw.), <i>Epinotia</i>	67, 69, 278
<i>cinerosella</i> (Zell.), <i>Euzophera</i>	275
<i>cinnamomella</i> (Dup.), <i>Ancylolis</i>	37
<i>cinxia</i> (Linn.), <i>Melitaea</i>	22
<i>cinctella</i> (Clerck), <i>Syncopacma</i>	37
<i>cinereana</i> (Haw.), <i>Epinotia</i>	272
<i>circe</i> (Fabr.), <i>Brintisia</i>	22
<i>circumvoluta</i> Geoff.), <i>Myelois</i>	37, 275
<i>cirrigerella</i> (Zinck.), <i>Eurhodope</i>	59
<i>cirsiana</i> (Zell.), <i>Epiblema</i>	273
<i>citrella</i> Staint., <i>Phyllocnistis</i>	254
<i>citri</i> (Mill.), <i>Prays</i>	162
<i>citrinalis</i> (Scop.), <i>Hypercallia</i>	37, 59
<i>clathrata</i> (Linn.), <i>Chiasmia</i>	28, 237
<i>claustralla</i> (Bruand), <i>Bacotia</i>	65
<i>clavaria</i> Haw. <i>Larentia</i>	110
<i>clavis</i> (Hufn.), <i>Agrotis</i>	35
<i>cloraria</i> (Hübner), <i>Chlorissa</i>	27
<i>clorana</i> (Linn.), <i>Earias</i>	31
<i>c-nigrum</i> (Linn.), <i>Xestia</i>	36
<i>coarctaria</i> ([D. & S.]), <i>Scotopteryx</i>	29, 42
<i>cognata</i> (Thunb.), <i>Thera</i>	86
<i>comae</i> A. Schmidt, <i>Timandra</i>	29, 238, 243
<i>comes</i> (Hübner), <i>Noctua</i>	35, 241
<i>comitata</i> (Linn.), <i>Pelurga</i>	85
<i>comma</i> (Linn.), <i>Leucania</i>	35, 148
<i>communana</i> (H.-S.), <i>Cnephasia</i>	270
<i>comparella</i> (Dup.), <i>Phyllonorycter</i>	4, 66, 261
<i>complana</i> (Linn.), <i>Eilema</i>	32
<i>compta</i> ([D. & S.]), <i>Hadena</i>	35, 148
<i>confinaria</i> (H.-S.), <i>Scopula</i>	29, 141
<i>confinis</i> (H.-S.), <i>Cosmia</i>	34
<i>confusa</i> (Linn.), <i>Hadena</i>	35, 43
<i>confusa</i> (Steph.), <i>Macdunnoughia</i>	33, 173, 240
<i>congrua</i> (Hübner), <i>Mythimna</i>	241
<i>conicephala</i> (Stdgr), <i>Raparna</i>	32
<i>conicolana</i> (Heyl.), <i>Cydia</i>	273
<i>conigera</i> ([D. & S.]), <i>Mythimna</i>	148
<i>conjuncta recte coniuncta</i> (Esp.), <i>Catocala</i>	145
<i>conspersana</i> Dougl., <i>Cnephasia</i>	270
<i>conspicivella</i> Zell., <i>Coleophora</i>	266, 278
<i>contaminella</i> (Hübner), <i>Pediasia</i>	36
<i>conterminana</i> (Guen.), <i>Eucosma</i>	272
<i>conturbatella</i> (Hübner), <i>Mompha</i>	267
<i>continella</i> (Staint.), <i>Stigmella</i>	256
<i>contritella</i> (Walker),	2, 54
<i>conversa</i> (Esp.), <i>Catocala</i>	32, 145
<i>convolvuli</i> (Linn.), <i>Agrius</i>	30, 86, 159, 181, 238
<i>cordiaria</i> (Hübner), <i>Eilicrinia</i>	28, 42
<i>corollaria</i> (H.-S.), <i>Protorhoe</i>	29
<i>coronata</i> (Hufn.), <i>Anania</i>	276
<i>correptaria</i> (Zell.), <i>Peribatodes</i>	28
<i>corticata</i> (Treits.), <i>Horisme</i>	30, 143
<i>coryli</i> (Linn.), <i>Colocasia</i>	33, 85

<i>coryli</i> (Nic.), <i>Phyllonorycter</i>	260
<i>corylifoliella</i> (Hübner), <i>Phyllonorycter</i>	260
<i>coryli</i> (Nic.), <i>Phyllonorycter</i>	260
<i>cossus</i> (Linn.), <i>Cossus</i>	27
<i>costalis</i> (Fabr.), <i>Hypsopygia</i>	36, 242
<i>costalis</i> (Zell.) = <i>morosina</i> H.-S., <i>Eilema</i>	145
<i>costella</i> (Hump. & Westw.), <i>Scrobipalpa</i>	14
<i>costipunctana</i> (Haw.), <i>Epiblema</i>	273
<i>craccae</i> ([D. & S.]), <i>Lygephila</i>	32, 68
<i>crataegella</i> (Linn.), <i>Scythropia</i>	38
<i>crataegi</i> (Linn.), <i>Aporia</i>	21
<i>craterellus</i> (Scop.), <i>Chrysocrambus</i>	36, 241
<i>renata</i> (Esp.), <i>Gluphisia</i>	30
<i>crepusculella</i> (Zell.), <i>Pseudopostega</i>	257
<i>cretica</i> Lederer, <i>Sesamia</i>	148
<i>cribraria</i> (Linn.), <i>Coscinia</i>	31, 58, 171
<i>cribrumalis</i> (Hübner), <i>Macrochilo</i>	114
<i>cristana</i> ([D. & S.]), <i>Acleris</i>	270
<i>croatica</i> (Esp.), <i>Hemaris</i>	30, 43
<i>crocea</i> (Geoff.), <i>Colias</i>	12, 57, 77, 179
<i>crocea</i> (Geoff.), f. <i>cremonae</i> (B.-Haas)	77, 78
(photo), 79	
<i>croceago</i> ([D. & S.]), <i>Jodia</i>	58
<i>crocealis</i> (Hübner), <i>Anania</i>	36, 276
<i>crociacaptella</i> (Clemens), <i>Monopis</i>	278, 279
<i>cruciana</i> (Linn.), <i>Epinotia</i>	272
<i>cruentalis</i> (Gey.), <i>Ephelis</i>	36
<i>cuculata</i> (Hufn.), <i>Catarhoe</i>	29, 41, 131, 143
<i>cuculata</i> (Linn.), <i>Nola</i>	31
<i>cucullaria</i> (Rebel), <i>Eupithecia</i>	30
<i>cucullina</i> ([D. & S.]), <i>Ptilodon</i>	30, 144
<i>cuculipennella</i> (Hübner), <i>Caloptilia</i>	259
<i>culmella</i> (Linn.), <i>Chrysoteuchia</i>	36, 277
<i>culta</i> ([D. & S.]), <i>Lamprosticta</i>	34, 146
<i>cultraria</i> (Fabr.), <i>Watsonalla</i>	27
<i>cuprea</i> ([D. & S.]), <i>Chersotis</i>	141 (photo), 149
<i>cuprella</i> ([D. & S.]), <i>Adela</i>	257, 279
<i>cupressella</i> (Wals.), <i>Argyresthia</i>	4, 278
<i>currucipennella</i> Zell., <i>Coleophora</i>	66
<i>curtula</i> (Linn.), <i>Clostera</i>	238
<i>curvatula</i> (Borkh.), <i>Drepana</i>	55, 167, 188
<i>cyaneimarmorella</i> (Mill.), <i>Stenoptinea</i>	59, 258
<i>cynosbatella</i> (Linn.), <i>Notocelia</i>	38
<i>cytisella</i> (Curtis), <i>Monochroa</i>	265
<i>dalmatica</i> (Rebel), <i>Omphalopana</i>	33
<i>dalmatina</i> Wagn., <i>Nychiodes</i>	28
<i>damon</i> ([D. & S.]), <i>Polyommatus</i>	136
<i>daphne</i> ([D. & S.]), <i>Brenthia</i>	22
<i>darduinella</i> (Mill.), <i>Penestoglossa</i>	135
<i>dardouini</i> (Boisd.), <i>Metachrostis</i>	32, 43
<i>daubei</i> (Boisd.), <i>Thysanoplusia</i>	218 (photo)
<i>deaurata</i> (Esp.), <i>Panchrysia</i>	146
<i>deauratella</i> (H.-S.), <i>Oegoconia</i>	66
<i>deauratella</i> Lien. & Zell., <i>Coleophora</i>	4, 266
<i>decentella</i> (H.-S.), <i>Ectoedemia</i>	256
<i>decora</i> ([D. & S.]), <i>Euxoa</i>	149
<i>decorata</i> ([D. & S.]), <i>Scopula</i>	29
<i>decorella</i> (Haw.), <i>Carpatolechia</i>	265
<i>decrepitalis</i> (H.-S.), <i>Udea</i>	279
<i>decussata</i> ([D. & S.]), <i>Schistostege</i>	29, 43
<i>degeneraria</i> (Hübner), <i>Idaea</i>	28, 169, 238
<i>delphinii</i> (Linn.), <i>Periphanes</i>	34, 38
<i>delunella</i> (Staint.), <i>Eudonia</i>	277
<i>demaryella</i> (Dup.), <i>Bucculatrix</i>	259, 278
<i>dentalis</i> ([D. & S.]), <i>Cynaeda</i>	36
<i>dentella</i> (Zell.), <i>Phaulernis</i>	269
<i>depressa</i> (Esp.), <i>Eilema</i>	32, 84
<i>deserta</i> (Bartel), <i>Watsonarctia</i>	31
<i>despicata</i> (Scop.), <i>Pyrausta</i>	36, 276
<i>determinata</i> (Stdgr), <i>Idaea</i>	28, 42
<i>detersa</i> (Esp.), <i>Auchmis</i>	34, 138 (photo), 147
<i>detrita</i> (Esp.), <i>Ocneria</i>	31
<i>deversaria</i> (H.-S.), <i>Idaea</i>	28
<i>devoniella</i> (Staint.), <i>Parornix</i>	260
<i>didyma</i> auct., <i>Mesapamea</i>	3
<i>dia</i> (Linn.), <i>Boloria</i>	22
<i>Dichrorampha</i> sp. larva	118 (photos)
<i>didyma</i> (Esp.), <i>Melitaea</i>	22
<i>diffinis</i> (Haw.), <i>Telepopsis</i>	279
<i>diffinis</i> (Linn.), <i>Cosmia</i>	303 (photo)
<i>dilecta</i> (Hübner), <i>Catocala</i>	146
<i>dilectella</i> Zell., <i>Argyresthia</i>	262
<i>dilutata</i> ([D. & S.]), <i>Epirrita</i>	
f. <i>bifasciata</i>	301 (photo)
<i>dilutella</i> ([D. & S.]), <i>Delplanqueia</i>	274
<i>dimidiata</i> (Hufn.), <i>Idaea</i>	238
<i>dimidiella</i> ([D. & S.]), <i>Brachmia</i>	37
<i>discopunctata</i> Amsel, <i>Rhodostrophia</i>	29
<i>discordella</i> Zell., <i>Coleophora</i>	266
<i>dispar</i> (Haw.), <i>Lycaena</i>	21, 23
<i>dispar</i> (Linn.), <i>Lymantria</i>	67, 171, 239, 243
<i>divisella</i> H.-S., <i>Mompha</i>	268
<i>dodecea</i> (Haw.), <i>Ethmia</i>	66
<i>dodecella</i> (Linn.), <i>Exoteleia</i>	266
<i>dononaea</i> ([D. & S.]), <i>Drymonia</i>	30, 42
<i>dolabraria</i> (Linn.), <i>Plagodis</i>	28, 84
<i>domestica</i> (Haw.), <i>Bryotropha</i>	264
<i>dominula</i> (Linn.), <i>Callimorpha</i>	31
<i>dryas</i> (Scop.), <i>Minois</i>	22
<i>dubitata</i> (Linn.), <i>Triphosa</i>	84, 143, 170
<i>dubitella</i> (H.-S.), <i>Phyllonorycter</i>	260
<i>dulcinalis</i> (Treits.), <i>Hyperlais</i>	36, 43
<i>dumetata</i> (Treits.), <i>Odontognophos</i>	137
<i>dumicolana</i> (Zell.), <i>Clepsis</i>	54
<i>duplicana</i> (Zett.), <i>Cydia</i>	38
<i>duplicella</i> (Geoff.), <i>Narycia</i>	258
<i>dysodea</i> ([D. & S.]), <i>Hecatera</i>	35,
116 (photo), 241	
<i>Earias</i> sp.	200 (photo)
<i>eburnella</i> ([D. & S.]), <i>Mirificama</i>	37
<i>edusa</i> (Fabr.), <i>Pontia</i>	21
<i>effusa</i> (Boisd.), <i>Amphipyra</i>	33
<i>egenaria</i> H.-S., <i>Eupithecia</i>	
<i>elbaensis</i> (Slamka), <i>Balqista</i> (<i>Adenia</i>)	88
<i>electa</i> (View.), <i>Catocala</i>	55, 137 (photo),
146, 172, 239	

<i>elegans</i> (Evers.), <i>Chersotis</i>	140 (photo), 142 (genit.), 149	<i>flammea</i> (Esp.), <i>Trigonophora</i>	55, 175
<i>elocata</i> (Esp.), <i>Catocala</i>	4	<i>flammealis</i> (D.& S.), <i>Endotricha</i>	242, 275
<i>elongella</i> (Linn.), <i>Caloptilia</i>	259	<i>flammeolaria</i> (Hufn.), <i>Hydrelia</i>	29, 84
<i>elongaria</i> (Ramb.), <i>Idaea</i>	141	<i>flavalis</i> (D.& S.), <i>Mecyna</i>	166
<i>elpenor</i> (Linn.), <i>Deilephila</i>	30	<i>flavescentella</i> Haw., <i>Tinea</i>	66
<i>emberizaepennella</i> (Bouché), <i>Phyllonorycter</i>	261	<i>flaviceps</i> (Butler), <i>Plesiomorpha</i>	157, 170
<i>emortualis</i> (D.& S.), <i>Trisateles</i>	32, 137 (photo), 145, 239	<i>flavidorsana</i> Knaggs, <i>Dichrorampha</i>	273
<i>ephemerella</i> (D.& S.), <i>Acentria</i>	36, 277	<i>flavipalpana</i> (H.-S.), <i>Celypha</i>	38
<i>epilobiella</i> (D.& S.), <i>Mompha</i>	268	<i>flavirena</i> (Guen.), <i>Caradrina</i>	34
<i>epomidion</i> (Haw.), <i>Apamea</i>	34, 85	<i>flavofasciata</i> (Thunb.), <i>Perizoma</i>	30
<i>erate</i> (Esp.), <i>Colias</i>	12, 78 (photo), 79	<i>flexula</i> (D.& S.), <i>Laspeyria</i>	32, 145
<i>ergane</i> (Gey.), <i>Pieris</i>	136	<i>flocciferus</i> (Zell.), <i>Carcharodus</i>	20, 23
<i>ericella</i> (Hüb.), <i>Crambus</i>	278	<i>floridensis</i> (Guen.), <i>Calloptistria</i>	157, 174
<i>ericinella</i> (Zell.), <i>Aristotelia</i>	264	<i>fluctuata</i> (Linn.), <i>Xanthorhoe</i>	29
<i>erosaria</i> (D.& S.), <i>Ennomos</i>	28	<i>follicularis</i> (Vallot), <i>Coleophora</i>	267
<i>erminea</i> (Esp.), <i>Cerura</i>	4, 30	<i>forcipula</i> (D.& S.), <i>Dichagyris</i>	35
<i>ericinella</i> (Zell.), <i>Aristotelia</i>	66	<i>forcicella</i> (Thunb.), <i>Donacaula</i>	4
<i>erythrocephala</i> (D.& S.), <i>Conistra</i>	175	<i>formosa</i> (Haw.), <i>Rhodophaea</i>	275
<i>esperella</i> (Goeze), <i>Phyllonorycter</i>	260	<i>formosa</i> Rogenhofer, <i>Cucullia</i>	138 (photo), 146
<i>etruscaria</i> (Zell.), <i>Phaiogramma</i>	27	<i>formosana</i> (Scop.), <i>Enarmonia</i>	271
<i>euphorbiae</i> (D.& S.), <i>Acronicta</i>	33, 146	<i>forsskalleana</i> (Linn.), <i>Acleris</i>	270
<i>euphorbiae</i> (Linn.), <i>Hyles</i>	30, 57, 168	<i>forsterella</i> (Fabr.), <i>Glyphipterix</i>	262
<i>eutychea</i> Treits., <i>Catocala</i>	32	<i>fovealis</i> Zell., <i>Duponchelia</i>	166, 276
<i>evonymella</i> (Linn.), <i>Yponomeuta</i>	38, 242	<i>francillana</i> (Fabr.), <i>Aethes</i>	270
<i>exclamationis</i> (Linn.), <i>Agrotis</i>	35, 241, 243	<i>fraternana</i> (Haw.), <i>Epinotia</i>	272
<i>exanthemata</i> (Scop.), <i>Cabera</i>	135(photo), 138	<i>fraternella</i> (Dougl.), <i>Caryocolum</i>	265
<i>exigua</i> (Hüb.), <i>Spodoptera</i>	34, 186	<i>fraxinella</i> (Bjerk.), <i>Prays</i>	262
<i>exsiccata</i> (Led.), <i>Tathorhynchus</i>	157, 172	<i>fraxini</i> (Linn.), <i>Catocala</i>	172
<i>extimalis</i> (Scop.) <i>Evergestis</i>	167, 276	<i>fraudatricula</i> (Hüb.), <i>Cryphia</i>	34
<i>fagi</i> (Scop.), <i>Hipparchia</i>	22, 23	<i>froelichiella</i> (Zell.), <i>Phyllonorycter</i>	261
<i>fagi</i> (Linn.), <i>Stauropus</i>	30, 144	<i>frumentalis</i> (Linn.), <i>Evergestis</i>	36
<i>fagiglandana</i> (Zell.), <i>Cydia</i>	38	<i>frustata</i> (Treits.), <i>Euphyia</i>	29
<i>fagivora</i> (Frey), <i>Parornix</i>	260	<i>fruticosella</i> (Wals.), <i>Agonopterix</i>	281, 285 (photos)
<i>falsella</i> (D.& S.), <i>Catoptria</i>	277	<i>fuliginaria</i> (Linn.), <i>Parascotia</i>	83, 85, 172
<i>fanula</i> (Frey.), <i>Dysauxes</i>	32, 145	<i>fuliginosa</i> (Linn.), <i>Phragmatobia</i>	31, 239
<i>farinalis</i> (Linn.), <i>Pyralis</i>	36, 242	<i>fulvalis</i> (Hüb.), <i>Udea</i>	68, 166, 276
<i>farinata</i> (Hufn.), <i>Lithosteges</i>	29	<i>fulvata</i> (Forst.), <i>Cidaria</i>	30
<i>fascelina</i> (Linn.), <i>Dicallomera</i>	84	<i>funesta</i> (Esp.), <i>Aedia</i>	33, 159, 173, 240
<i>fascelinella</i> (Hüb.), <i>Pediasia</i>	167	<i>furcata</i> (Thunb.), <i>Hydriomena</i>	131, 143
<i>fasciapennella</i> (Staint.), <i>Kessleria</i>	59	<i>furcifera</i> (Hufn.), <i>Lithophane</i>	68
<i>fasciaria</i> (Linn.), <i>Hylaea</i>	28	<i>furcula</i> (Clerck), <i>Furcula</i>	30
<i>faustinata</i> (Mill.), <i>Phaiogramma</i>	3	<i>furfurana</i> (Haw.), <i>Bactra</i>	271
<i>fenestratella</i> (Heyd.), <i>Monopis</i>	66, 258	<i>furva</i> (D.& S.), <i>Apamea</i>	147
<i>ferrago</i> (Fabr.), <i>Mythimna</i>	35	<i>furvata</i> (D.& S.), <i>Gnophos</i>	139
<i>ferrugalis</i> (Hüb.), <i>Udea</i>	36, 177, 180	<i>fuscatella</i> (Tengst.), <i>Lampronia</i>	258
<i>ferrugata</i> (Clerck), <i>Xanthorhoe</i>	84	<i>galathea</i> (Linn.), <i>Melanargia</i>	22, 207
<i>ferrugatella</i> (Turati), <i>Psorosora</i>	111 (photos)	<i>galiata</i> (D.& S.), <i>Epirrhoe</i>	29
<i>festaliella</i> (Hüb.), <i>Schreckensteinia</i>	269	<i>gallii</i> (Rott.), <i>Hyles</i>	144, 168
<i>filicata</i> (Hüb.), <i>Idaea</i>	28	<i>gamma</i> (Linn.), <i>Autographa</i>	33, 177, 188, 240, 243
<i>filicivora</i> (Meyr.), <i>Psychoides</i>	259	<i>gardesanella</i> Toll, <i>Coleophora</i>	266
<i>filipendulae</i> (Linn.), <i>Zygaena</i>	242, 243	<i>geminipuncta</i> (Haw.), <i>Lenisa</i>	4, 83, 85
<i>filigrana</i> (Esp.), <i>Hadena</i>	35	<i>geniculella</i> (Rag.), <i>Phyllonorycter</i>	261
<i>fimbrialis</i> (Scop.), <i>Thalera</i>	27	<i>genistella</i> (Dup.), <i>Pempelia</i>	274
<i>fimbriata</i> (Schreb.), <i>Noctua</i>	35, 241, 243	<i>genitalana</i> P.& M., <i>Cnephasia</i>	67, 270
<i>fitzi</i> (Schaw.), <i>Colostygia</i>	135 (photos), 143	<i>gentianaeana</i> (Hüb.), <i>Endothenia</i>	271
<i>flammea</i> (D.& S.), <i>Panolis</i>	125	<i>gigantea</i> (Wocke), <i>Cynaeda</i>	36
		<i>gigantella</i> (D.& S.), <i>Schoenobius</i>	67

<i>giganteana</i> (Pey.), <i>Pammene</i>	274	<i>humidialis</i> Doubl., <i>Hyphenodes</i>	85
<i>gigantula</i> (Stdgr), <i>Meganola</i>	31, 42	<i>hyale</i> (Linn.), <i>Colias</i>	12, 77, 78 (photo), 79
<i>gilva</i> (Donzel), <i>Caradrina</i>	34, 147	<i>hyperantus</i> (Linn.), <i>Aphantopus</i>	22
<i>gilvago</i> ([D. & S.]), <i>Cirrha</i>	86, 175	<i>hyperici</i> ([D. & S.]), <i>Chloantha</i>	34
<i>gilvaria</i> ([D. & S.]), <i>Scipilates</i>	139	<i>idas</i> (Linn.), <i>Plebicus</i>	21
<i>glabella</i> ssp. <i>balcanica</i> Fibiger, <i>Euxoa</i>	149	<i>ignorata</i> Kuznetzov, <i>Pammene</i>	56, 67, 274
<i>glabratella</i> (Zell.), <i>Argyresthia</i>	262	<i>ilia</i> ([D. & S.]), <i>Apatura</i>	22
<i>glarearia</i> ([D. & S.]), <i>Heliomata</i>	28	<i>illutana</i> (H.-S.), <i>Cydia</i>	4, 67
<i>glauca</i> (Scop.), <i>Cilix</i>	27	<i>illyria</i> Frey., <i>Apamea</i>	34
<i>glaucinalis</i> (Linn.), <i>Hypsopygia</i>	275	<i>imitaria</i> (Hübner), <i>Scopula</i>	29
<i>glaucinarina</i> (Hübner), <i>Charissa</i>	139	<i>immorata</i> (Linn.), <i>Scopula</i>	29, 238
<i>glaucinella</i> Zell., <i>Argyresthia</i>	262	<i>immutata</i> (Linn.), <i>Scopula</i>	29
<i>gleichenella</i> (Fabr.), <i>Elachista</i>	267	<i>imperialella</i> (Zell.), <i>Dialectica</i>	259
<i>gluteosa</i> (Treits.), <i>Athetis</i>	34	<i>implicitana</i> (Wocke), <i>Cochylidia</i>	270
<i>glycerion</i> (Borkh.), <i>Coenonympha</i>	22	<i>incanana</i> (Steph.), <i>Eana</i>	270
<i>glyphica</i> (Linn.), <i>Euclidia</i>	32, 207, 239	<i>incanata</i> (Linn.), <i>Scopula</i>	29, 141
<i>gnoma</i> (Fabr.), <i>Phoasia</i>	30	<i>incarnata</i> Frey., <i>Heliothis</i>	34, 43
<i>gorgoniades</i> (Hübner), <i>Sphingonaepiopsis</i>	31, 43	<i>incognitella</i> (H.-S.), <i>Stigmella</i>	256
<i>graecaria</i> (Stdgr), <i>Charissa</i>	135 (photo), 139	<i>inconspicuellata</i> (Staint.), <i>Dahlica</i>	65, 258
<i>grandella</i> (Zell.), <i>Hypsipyla</i>	2	<i>indigenata</i> (Vill.), <i>Eucrostes</i>	137
<i>grandipennis</i> (Haw.), <i>Scythris</i>	268	<i>inratella</i> (Zell.), <i>Scoparia</i>	36
<i>grandis</i> (Rogenhofer), <i>Lasiocampa</i>	136 (photo), 143	<i>innocentaria</i> (Christ.), <i>Dyscia</i>	28
<i>granella</i> (Linn.), <i>Nemapogon</i>	258	<i>innoxiiella</i> Gregersen & Karsholt, <i>Anarsia</i>	56, 264, 279
<i>gratiosata</i> (H.-S.), <i>Eupithecia</i>	30, 43	<i>inopinata</i> (Bigot & Picard), <i>Stenoptilia</i>	162
<i>grisealis</i> ([D. & S.]), <i>Herminia</i>	32	<i>inquinatana</i> ([D. & S.]), <i>Cydia</i>	55
<i>griseana</i> (Hübner), <i>Zeiraphera</i>	163	<i>inquinatella</i> ([D. & S.]), <i>Agriphila</i>	277
<i>griseata</i> ([D. & S.]), <i>Lithosteges</i>	29, 38	<i>inscriptella</i> (Dup.), <i>Delplanqueia</i>	37, 38, 1274
<i>griseola</i> (Hübner), <i>Eilema</i>	83, 84	<i>insectella</i> (Fabr.), <i>Haplotinea</i>	259
<i>grisescens</i> (Fabr.), <i>Epipsilia</i>	140 (photo), 149	<i>insecurella</i> (Staint.), <i>Epermenia</i>	192 (photos)
<i>grossulariella</i> (Hübner), <i>Zophodia</i>	4, 165	<i>insignata</i> (Hübner), <i>Eupithecia</i>	67, 69
<i>grotiana</i> (Fabr.), <i>Epagoge</i>	38	<i>insularis</i> Ramb., <i>Zethes</i>	32, 137 (photo), 145
<i>gryneata</i> Mill., <i>Eupithecia</i>	30	<i>insularia</i> (Guen.), <i>Pleuroprucha</i>	3
<i>gysseleniella</i> Zell., <i>Cedestis</i>	66	<i>interjecta</i> (Hübner), <i>Noctua</i>	35
<i>hamana</i> (Linn.), <i>Agapeta</i>	37, 117 (photos)	<i>interposita</i> (Hübner), <i>Noctua</i>	35, 43, 150
<i>hammoniella</i> Sorh., <i>Heliozela</i>	257	<i>interpunctella</i> (Hübner), <i>Plodia</i>	275
<i>hannoverella</i> (Glitz), <i>Ectoedemia</i>	257	<i>interscindana</i> (Mösch.), <i>Cydia</i>	16, 55, 163, 273
<i>harpagula</i> (Esp.), <i>Sabra</i>	67	<i>intimella</i> (Zell.), <i>Ectoedemia</i>	257
<i>haywardi</i> (Tams), <i>Divaena</i>	150	<i>io</i> (Linn.), <i>Aglais</i>	22
<i>haworthiata</i> Doubl., <i>Eupithecia</i>	30	<i>ipsilon</i> (Hufn.), <i>Agrotis</i>	35, 177, 188
<i>headleyella</i> (Staint.), <i>Trifurcula</i>	3, 65	<i>iris</i> (Linn.), <i>Apatura</i>	22
<i>hecate</i> ([D. & S.]), <i>Brenthis</i>	22	<i>irrorella</i> (Hübner), <i>Yponomeuta</i>	162
<i>heegeriella</i> (Zell.), <i>Phyllonorycter</i>	260	<i>italica</i> Baldizzone, <i>Metalampra</i>	4, 66, 262
<i>heinemanni</i> (Wocke), <i>Coptotriche</i>	58	<i>jacobaeae</i> (Linn.), <i>Tyria</i>	84
<i>hemerobiella</i> (Scop.), <i>Coleophora</i>	66, 69	<i>janthe</i> (Borkh.), <i>Noctua</i>	141 (photo), 150
<i>hemidactylella</i> ([D. & S.]), <i>Caloptilia</i>	259	<i>janthina</i> ([D. & S.]), <i>Noctua</i>	36, 68, 69, 150
<i>heparana</i> ([D. & S.]), <i>Pandemis</i>	38	<i>janthinana</i> (Dup.), <i>Grapholita</i>	274
<i>herbaria</i> (Hübner), <i>Microloxia</i>	27, 157, 170	<i>josephinae</i> (Toll), <i>Agnoea</i>	263
<i>heringella</i> (Mariani), <i>Ectoedemia</i>	65, 257	<i>jota</i> (Linn.), <i>Autographa</i>	146
<i>heringi</i> (Toll), <i>Ectoedemia</i>	257	<i>jungiella</i> (Clerck), <i>Grapholita</i>	274
<i>herrichiana</i> (Hein.), <i>Pammene</i>	4	<i>juniperana</i> (Mill.), <i>Pammene</i>	2
<i>hippithoe</i> (Linn.), <i>Lycaena</i>	21	<i>juniperata</i> (Linn.), <i>Thera</i>	86
<i>histrionana</i> (Fröl.), <i>Dichelia</i>	269	<i>jurtina</i> (Linn.), <i>Maniola</i>	22, 207
<i>hohenwartiana</i> ([D. & S.]), <i>Eucosma</i>	272	<i>juventina</i> (Stoll), <i>Callopietria</i>	34, 157, 159, 174
<i>honoratella</i> (Rebel), <i>Caloptilia</i>	2, 253, 259, 279	<i>kadenii</i> (Frey.), <i>Caradrina</i>	34, 174
<i>hortulata</i> (Linn.), <i>Anania</i>	276	<i>kaekeritziana</i> (Hübner), <i>Aegle</i>	33, 240
<i>hospes</i> (Frey.), <i>Athetis</i>	34, 175, 189	<i>kindermannii</i> (F.v.R.) <i>Anchoscelis</i>	126
<i>hostilis</i> (Steph.), <i>Sciota</i>	274	<i>kirbyi</i> Guilding, <i>Oiketicus</i>	162

<i>klemannella</i> (Fabr.), <i>Phyllonorycter</i>	261
<i>koenigi</i> (Cäpuse), <i>Nemapogon</i>	258
<i>kuehniella</i> (Zell.), <i>Ephesia</i>	165
<i>lacteana</i> Caradja, <i>Bactra</i>	271, 278
<i>lacteella</i> (Steph.), <i>Mompha</i>	267
<i>lacunana</i> (D.& S.), <i>Celypha</i>	38
<i>laustrata</i> (Panz.), <i>Eudonia</i>	276
<i>laetana</i> (Fabr.), <i>Ancylis</i>	37
<i>laetus</i> (Zell.), <i>Oxyptilus</i>	268
<i>laevigatella</i> (D.& S.), <i>Monopis</i>	107
<i>laevis</i> (Hübner), <i>Propenistra</i>	126
<i>l-album</i> (Linn.), <i>Mythimna</i>	35, 241
<i>lampra</i> (Schaw.), <i>Sideridis</i>	35
<i>langiella</i> (Hübner), <i>Mompha</i>	268
<i>langmaidi</i> Plant., <i>Tetramoera</i>	57
<i>lantanela</i> (Schrank), <i>Phyllonorycter</i>	260
<i>lapidella</i> (Goeze), <i>Luffia</i>	258, 278
<i>lappella</i> (Linn.), <i>Metzneria</i>	264
<i>laricana</i> (Hein), <i>Spilonota</i>	272
<i>lariciata</i> (Frey.), <i>Eupithecia</i>	86
<i>larseniella</i> Gozm., <i>Aptraerema</i>	264
<i>lassella</i> Stdgr., <i>Coleophora</i>	66
<i>lateritia</i> (Hufn.), <i>Apamea</i>	147
<i>lathamella</i> Fletch., <i>Chrysoclista</i>	267
<i>lathonia</i> (Linn.), <i>Issoria</i>	22, 164
<i>lathoniellus</i> (Zinck.), <i>Crambus</i>	36
<i>latistria</i> (Haw.), <i>Agriphila</i>	277
<i>latreillei</i> (Dup.), <i>Callopietria</i>	34
<i>latruncula</i> (D.& S.), <i>Oligia</i>	34, 43
<i>laudeti</i> (Boisd.), <i>Hadena</i>	35, 38, 43
<i>lecheana</i> (Linn.), <i>Ptycholoma</i>	38
<i>lemnata</i> (Linn.), <i>Cataclysta</i>	277
<i>lemniscella</i> (Zell.), <i>Stigmella</i>	278
<i>lentiginosella</i> (Zell.), <i>Mirificama</i>	66
<i>leucapennella</i> (Steph.), <i>Povolnya</i>	259
<i>leucatella</i> (Clerck), <i>Recurvaria</i>	37
<i>leucogaster</i> (Frey.), <i>Ochropleura</i>	35, 57, 157, 160, 176, 189
<i>leucographa</i> (D.& S.), <i>Cerastis</i>	177
<i>leucographella</i> (Zell.), <i>Phyllonorycter</i>	260
<i>leucomas</i> (Linn.), <i>Aedia</i>	33, 147, 251
<i>leucotreta</i> (Meyr.), <i>Thaumatotibia</i>	164, 188, 273
<i>levana</i> (Linn.), <i>Araschnia</i>	22, 164
<i>libatrix</i> (Linn.), <i>Scoliopteryx</i>	31, 144
<i>licarsisalis</i> (Walk.), <i>Herpetogramma</i>	251
<i>lichenaria</i> (Hufn.), <i>Cleorodes</i>	170
<i>lichenella</i> (Hübner), <i>Polymixis</i>	87
<i>lichenella</i> (Linn.), <i>Dahlica</i>	258
<i>lienigianus</i> (Zell.), <i>Hellinsia</i>	67
<i>lienigiella</i> Lien. & Zell., <i>Cosmopterix</i>	264
<i>ligustri</i> (D.& S.), <i>Craniophora</i>	33, 146
<i>ligustri</i> (Linn.), <i>Sphinx</i>	31
<i>limacodes</i> (Linn.), <i>Apoda</i>	27, 41
<i>limbata</i> (Linn.), <i>Evergestis</i>	276
<i>limbata</i> (Stdgr.), <i>Autophila</i>	32, 41 (photo), 42
<i>limbirena</i> (Guen.), <i>Ctenoplusia</i>	68, 160, 173
<i>linearia</i> (Hübner), <i>Cyclophora</i>	238
<i>lineata</i> (Scop.), <i>Siona</i>	28, 237
<i>linetella</i> (Fabr.), <i>Chrysocrambus</i>	241
<i>linariata</i> (D.& S.), <i>Eupithecia</i>	86
<i>lineola</i> (Curtis), <i>Eudonia</i>	277
<i>lineola</i> (Ochs.), <i>Thymelicus</i>	21
<i>linneella</i> (Clerck), <i>Chrysoclista</i>	66, 267
<i>linogrisea</i> (D.& S.), <i>Epilecta</i>	150
<i>litterosa</i> (Haw.), <i>Litoligia</i>	148
<i>littorella</i> (Dougl.), <i>Metzneria</i>	37
<i>littoricola</i> Le Marchand, <i>Elachista</i>	58
<i>liturata</i> (Clerck), <i>Macaria</i>	28
<i>livornica</i> (Esp.), <i>Hyles</i>	30, 168
<i>ljungiana</i> (Thunb.), <i>Argyrotaenia</i>	37, 269
<i>l-nigrum</i> (Müll.), <i>Arctornis</i>	31
<i>lobarzewskii</i> (Nowicki), <i>Grapholita</i>	274
<i>loeflingiana</i> (Linn.), <i>Aleimma</i>	37
<i>loganella</i> (Staint.), <i>Parornix</i>	260
<i>logaea</i> Durr., <i>Rhyacionia</i>	273
<i>logiana</i> (Clerck), <i>Acleris</i>	67, 270
<i>longana</i> (Haw.), <i>Cnephasia</i>	270
<i>loniceriae</i> (Scheven), <i>Zygaena</i>	207
<i>loreyi</i> (Dup.), <i>Leucania</i>	176
<i>lotella</i> (Staint.), <i>Leucoptera</i>	262
<i>louisella</i> (Sirc.), <i>Ectoedemia</i>	256
<i>lubricipeda</i> (Linn.), <i>Spilosoma</i>	31, 239
<i>lucerna</i> (Linn.) ssp. <i>illyrica</i> (Rebel & Zerny), <i>Standfussiana</i>	35
<i>lucida</i> (Hufn.), <i>Acontia</i>	33, 240
<i>lucidella</i> (Steph.), <i>Monochroa</i>	265
<i>lucina</i> (Linn.), <i>Hamearisa</i>	21
<i>lucipara</i> (Linn.), <i>Euplexia</i>	34, 147
<i>luctuosa</i> (Gey.), <i>Diaphora</i>	31
<i>luctuosa</i> (D.& S.), <i>Tyta</i>	33, 89, 204, 240, 243
<i>lunaedactyla</i> (Haw.), <i>Marasmarcha</i>	268
<i>lunaki</i> (Bours.), <i>Teinoptera</i>	33, 43
<i>lunalis</i> (Scop.), <i>Zanclognatha</i>	32, 57, 159, 172, 189
<i>lunana</i> (Thunb.), <i>Philedonides</i>	269, 278
<i>lunaris</i> (D.& S.), <i>Minucia</i>	33
<i>lunula</i> (Hufn.), <i>Calophasia</i>	33, 147
<i>lumulana</i> (D.& S.), <i>Grapholita</i>	274
<i>lunularia</i> (Hübner), <i>Selenia</i>	28, 170
<i>lupulinus</i> (Linn.), <i>Korscheltellus</i>	27
<i>luridata</i> (Hufn.), <i>Scotopteryx</i>	29
<i>lurideola</i> (Zinck.), <i>Eilema</i>	32, 239
<i>lutea</i> (Hufn.), <i>Spilarctia</i>	31, 84, 145
<i>lutea</i> (Linn.), <i>Spilosoma</i>	299 (photo)
<i>luteago</i> (D.& S.), <i>Conisania</i>	35
<i>lutealis</i> (Dup.), <i>Mecynasens str.</i>	36, 44
<i>luteolata</i> (Linn.), <i>Opisthographis</i>	28, 237
<i>luteicomella</i> Zell., <i>Elachista</i>	267
<i>lutulenta</i> (D.& S.), <i>Aporophyla</i>	68
<i>lycaon</i> (Rott.), <i>Hyponephele</i>	136
<i>lychnitis</i> (Ramb.), <i>Shargacucullia</i>	33, 44
<i>machaon</i> (Linn.), <i>Papilio</i>	21, 91, 164, 222 (photo)
<i>macularia</i> (Linn.), <i>Pseudopanthera</i>	28, 237, 243
<i>maculicerusella</i> (Bruand), <i>Elachista</i>	267
<i>maculosa</i> (Gerning), <i>Chelis</i>	31

<i>maestingella</i> (Müll.), <i>Phyllonorycter</i>	37	<i>minutata</i> (Fabr.), <i>Eublemma</i>	145
<i>magdalanae</i> (Klimesch, <i>Stigmella</i>	256	<i>minutella</i> (Linn.), <i>Borkhausenia</i>	59, 66
<i>magna</i> (Zell.), <i>Nematopogon</i>	3	<i>mirificaria</i> (Lederer), <i>Celonoptera</i>	29, 41
<i>magnolia</i> (Boisd.), <i>Hadena</i>	35	<i>mnenosyne</i> (Linn.), <i>Parnassius</i>	21, 23
<i>malifoliella</i> (Costa), <i>Leucoptera</i>	262	<i>moldavica</i> (Esp.), <i>Synapse</i>	36
<i>malinellus</i> (Zell.), <i>Yponomeuta</i>	242	<i>molliculana</i> Zell., <i>Cochylis</i>	270
<i>malvae</i> (Linn.), <i>Pyrgus</i>	20, 204, 206	<i>monacha</i> (Linn.), <i>Lymantria</i>	31
<i>malvella</i> (Hübner), <i>Pexicopia</i>	264	<i>moneta</i> (Fabr.), <i>Polychrysia</i>	86
<i>manni</i> (Mayer), <i>Pieris</i>	21	<i>moniliata</i> ([D. & S.]), <i>Idaea</i>	28, 141
<i>mansuetella</i> Zell., <i>Micropterix</i>	65	<i>monochroma</i> (Esp.), <i>Dryobotodes</i>	148
<i>marcidella</i> (Curtis) <i>Acroleptopsis</i> ...	121 (photos)	<i>monodactyla</i> (Linn.), <i>Emmelina</i>	269
<i>margana</i> (Stauder), <i>Amata</i>	32	<i>monoglypha</i> (Hufn.), <i>Apamea</i>	34
<i>margaritacea</i> (de Vill.), <i>Chersotis</i>	149	<i>montana</i> ([D. & S.]), <i>Xanthorhoe</i>	29
<i>margaritata</i> (Linn.), <i>Campaea</i>	28	<i>morio</i> (Linn.), <i>Penthophora</i>	24, 31, 42, 239
<i>margaritella</i> ([D. & S.]), <i>Catoptria</i>	167, 277	<i>morpheus</i> (Pall.), <i>Heteropterus</i>	21
<i>margarotana</i> (Dup.), <i>Aethes</i>	59	<i>mucronella</i> ([D. & S.]), <i>Donacula</i>	277
<i>margarotana</i> (Hein.), <i>Gravarmata</i>	54, 55, 163, 273	<i>muelleriella</i> (Zell.), <i>Phyllonorycter</i>	260
<i>marginata</i> (Linn.), <i>Lomaspilis</i>	27	<i>mulinella</i> (Zell.), <i>Mirificarma</i>	265
<i>marginella</i> (Fabr.), <i>Dichomeris</i>	37	<i>multangula</i> (Hübner), <i>Chersotis</i>	149
<i>marginepunctata</i> Goeze), <i>Scopula</i>	29	<i>mundalis</i> (Guen.), <i>Evergestis</i>	36
<i>maritima</i> Staint., <i>Bucculatrix</i>	259	<i>mundana</i> (Linn.), <i>Nudaria</i>	86
<i>maritima</i> (Tengst.), <i>Phycitodes</i>	275, 279	<i>muricata</i> (Hufn.), <i>Idaea</i>	238
<i>marmorea</i> (Haw.), <i>Acrobasis</i>	275	<i>murinaria</i> ([D. & S.]), <i>Tephрина</i>	28
<i>marocanella</i> Amsel, <i>Blastobasis</i>	54	<i>muscerda</i> (Hufn.), <i>Pelosia</i>	171
<i>matura</i> (Hufn.), <i>Thalophila</i>	147, 240	<i>musculana</i> (Hübner), <i>Symphemis</i>	38
<i>maura</i> (Linn.), <i>Mormo</i>	45	<i>musculosa</i> (Hübner), <i>Oria</i>	34, 58
<i>medicaginella</i> (Gerasimov), <i>Phyllonorycter</i> ...	54, 253, 278	<i>naevana</i> (Hübner), <i>Rhopobota</i>	272
<i>medicaginis</i> (Kuzn.), <i>Cydia</i>	163	<i>nana</i> (Haw.), <i>Cochylis</i>	270
<i>megacephala</i> ([D. & S.]), <i>Subacronicta</i>	33	<i>nanana</i> (Treits.), <i>Epinotia</i>	272
<i>megea</i> (Linn.), <i>Lasiommata</i>	22	<i>nanella</i> ([D. & S.]), <i>Recurvaria</i>	266
<i>melas</i> (Herbst), <i>Erebia</i>	136	<i>napi</i> (Linn.), <i>Pieris</i>	21
<i>mellinata</i> (Fabr.), <i>Eulithis</i>	86	<i>nebulella</i> ([D. & S.]), <i>Homoeosoma</i>	165
<i>mellonella</i> (Linn.), <i>Galleria</i>	242	<i>nebulosa</i> (Hufn.), <i>Polia</i>	35, 85, 131, 148
<i>mendax</i> (Stdgr) ssp. <i>occidentalis</i> (Hacker), <i>Anarta</i>	34, 41 (photo), 43	<i>nemorialis</i> (Scop.), <i>Agrotera</i>	276
<i>mercurella</i> (Linn.), <i>Eudonia</i>	277	<i>nemorana</i> (Hübner), <i>Choreutis</i>	54
<i>messomella</i> (Linn.), <i>Cybosia</i>	31	<i>nemorivaga</i> (Tengst.), <i>Epinotia</i>	272
<i>messaniella</i> (Zell.), <i>Phyllonorycter</i>	260, 279	<i>nerii</i> (Linn.), <i>Daphnis</i>	168
<i>metamelana</i> (Hamps.), <i>Balqisia</i> (<i>Adenia</i>).....	88	<i>nervosa</i> ([D. & S.]), <i>Simyra</i>	33
<i>metalella</i> ([D. & S.]), <i>Antispila</i>	10	<i>neustria</i> (Linn.), <i>Malacosoma</i>	27, 237
<i>metallica</i> (Poda), <i>Nemophora</i>	65, 257	<i>ni</i> (Hübner), <i>Trichoplusia</i>	33, 173, 189
<i>metzneriana</i> (Treits.), <i>Eucosma</i>	272	<i>nickerlii</i> (Freyer), <i>Luperina</i>	250
<i>mi</i> (Clerck), <i>Euclidia</i>	32, 83, 85	<i>nigra</i> (Haw.), <i>Aporophyla</i>	126
<i>micalis</i> (Mann), <i>Tebenna</i>	163	<i>nigra</i> (Haw.), <i>Gelechia</i>	66, 69
<i>micana</i> ([D. & S.]), <i>Phiaris</i>	271	<i>nigrata</i> (Scop.), <i>Pyrausta</i>	276
<i>micans</i> Led., <i>Amphipyra</i>	138 (photo), 146	<i>nigrescens</i> (Höfner), <i>Dichagyris</i>	35, 149
<i>micella</i> ([D. & S.]), <i>Argolamprotes</i>	265	<i>nigrescentella</i> (Logan), <i>Phyllonorycter</i>	260
<i>michieli</i> ssp. <i>hellenica</i> (Hacker et al.), <i>Apamea</i>	139 (photos), 147	<i>nigricana</i> (Fabr.), <i>Cydia</i>	273
<i>milhauseri</i> Fabr.), <i>Harpya</i>	30	<i>nigricomella</i> (Zell.), <i>Bucculatrix</i>	259
<i>milvipennis</i> Zell., <i>Coleophora</i>	266	<i>nigripunctella</i> (Haw.), <i>Tenaga</i>	59
<i>miniata</i> (Forst.), <i>Mitochrista</i>	31	<i>nigropunctata</i> (Hufn.), <i>Scopula</i>	29, 141, 169
<i>minimana</i> (Caradja), <i>Gynnidomorpha</i>	4, 67	<i>niobe</i> (Linn.), <i>Argynnis</i>	22
<i>minimella</i> ([D. & S.]), <i>Nemophora</i>	257	<i>niphognatha</i> (Gozm.), <i>Monochroa</i>	265
<i>minorata</i> (Treits.), <i>Perizoma</i>	68	<i>nisella</i> (Clerck), <i>Epinotia</i>	272
<i>minutana</i> (Hübner), <i>Gypsonoma</i>	67, 69	<i>nitidalis</i> (Walker), <i>Musotima</i>	56, 277
		<i>nitidulata</i> (Hufn.), <i>Nymphula</i>	277
		<i>noctuella</i> ([D. & S.]), <i>Nomophila</i>	36, 177, 181
		<i>notata</i> (Linn.), <i>Macaria</i>	138
		<i>notatella</i> (Hübner), <i>Carpatolechia</i>	265

<i>notha</i> (Hübner), <i>Archiearis</i>	67
<i>novimundi</i> (Busck), <i>Oegoconia</i>	54
<i>nubiferana</i> (Haw.), <i>Hedya</i>	271
<i>nubigera</i> (D. & S.), <i>Heliothis</i>	34
<i>nubilalis</i> (Hübner), <i>Ostrinia</i>	36, 166
<i>nyctymerides</i> ssp. <i>stavroitiacus</i> Toulechkoff, <i>Rhyacia</i>	149
<i>nymphea</i> (Esp.), <i>Catocala</i>	32
<i>nympheaata</i> (Linn.), <i>Elophila</i>	277
<i>nympthagoga</i> (Esp.), <i>Catocala</i>	32, 239
<i>obductella</i> (Zell.), <i>Moitrelia</i>	274
<i>obelisca</i> (D. & S.), <i>Euxoa</i>	87
<i>obeliscata</i> (Hübner), <i>Thera</i>	29
<i>obesalis</i> Treits., <i>Hypena</i>	145
<i>obliquella</i> (Hein.), <i>Stigmella</i>	256
<i>oblitelia</i> (Dup.), <i>Ancylosis</i>	165, 275
<i>obliterata</i> (Esp.), <i>Drymonia</i>	144
<i>obscurana</i> (Steph.), <i>Pammene</i>	274
<i>obscurata</i> (D. & S.), <i>Charissa</i>	84, 139
<i>obscurepennella</i> (Staint.), <i>Perittia</i>	267
<i>obscure</i> (Hübner), <i>Hypena</i>	65, 67, 69, 171
<i>obsoleta</i> (Hübner), <i>Leucania</i>	85
<i>obstipata</i> (Fabr.), <i>Nycterostia</i>	184
<i>obumbratana</i> Lien. & Zell.), <i>Eucosma</i>	272, 278
<i>obviata</i> (D. & S.), <i>Monopis</i>	37
<i>occidentis</i> Falkovitsh, <i>Lobesia</i>	271
<i>occulta</i> (Linn.), <i>Eurois</i>	177
<i>ocellaris</i> (Borkh.), <i>Cirrhia</i>	68
<i>ocellata</i> (Linn.), <i>Cosmorhoe</i>	30
<i>ocellata</i> (Linn.), <i>Smerinthus</i>	31, 144
<i>ocellatella</i> (Boyd), <i>Scrobipalpa</i>	265
<i>ocellea</i> (Haw.), <i>Euchromia</i>	167, 277
<i>ochraceata</i> (Scop.), <i>Scopula</i>	29, 38, 41 (photo)
<i>ochrata</i> (Scop.), <i>Idaea</i>	169, 189
<i>ochrearia</i> (Rossi), <i>Aspitates</i>	28
<i>ochroleuca</i> (D. & S.), <i>Eremobia</i>	34
<i>ochsenheimeriana</i> (Lien. & Zell.), <i>Pammene</i>	4, 67
<i>ochsi</i> (Bours.), <i>Cryphia</i>	126, 147, 240
<i>ocularis</i> (Linn.), <i>Tethea</i>	84
<i>oculea</i> (Linn.), <i>Amphipoea</i>	87
<i>odontites</i> (Boisd.), <i>Anarta</i>	148
<i>oehlmanniella</i> (Hübner), <i>Incurvaria</i>	257, 279
<i>ohridella</i> Deschka & Dimić, <i>Cameraria</i>	261
<i>oleae</i> (Bernard), <i>Prays</i>	162
<i>oleastrella</i> (Mill.), <i>Zelleria</i>	109, 120, 162, 189, 261 (photos), 279
<i>oleracea</i> (Linn.), <i>Lacanobia</i>	35, 241
<i>olivalis</i> (D. & S.), <i>Udea</i>	276
<i>olivata</i> (D. & S.), <i>Colostygia</i>	30, 42
<i>olivina</i> (H.-S.), <i>Teinoptera</i>	33
<i>omoscopa</i> (Meyrick), <i>Oporoga</i>	56, 259
<i>ononaria</i> (Fuessly), <i>Aplasta</i>	27, 137, 170
<i>ononidis</i> (Zell.), <i>Parectopa</i>	259
<i>onustaria</i> (H.-S.), <i>Charissa</i>	28, 42
<i>oo</i> (Linn.), <i>Dicycla</i>	34
<i>opalina</i> (Esp.), <i>Calophasia</i>	33
<i>operculella</i> (Zell.), <i>Phthorimaea</i>	4, 66

<i>oporana</i> (Linn.), <i>Archips</i>	37
<i>oppositaria</i> (Mann), <i>Eumannia</i>	140
<i>oppressana</i> (Treits.), <i>Gypsonoma</i>	272
<i>or</i> (D. & S.), <i>Tethea</i>	27
<i>orana</i> (F. v. R.), <i>Adoxophyes</i>	270
<i>orbifer</i> (Hübner), <i>Spialia</i>	20
<i>orbitella</i> Zell., <i>Coleophora</i>	278
<i>orbona</i> (Hufn.), <i>Noctua</i>	35, 149
<i>orichalcea</i> Staint., <i>Cosmopterix</i>	264
<i>orientalis</i> Mann, <i>Acronicta</i>	33
<i>ornata</i> (Scop.), <i>Scopula</i>	29
<i>ornatella</i> (D. & S.), <i>Pempeliella</i>	37
<i>ornatipennella</i> (Hübner), <i>Coleophora</i>	37
<i>orphnata</i> Petersen, <i>Eupithecia</i>	30
<i>osteodactylus</i> (Zell.), <i>Hellinsia</i>	269
<i>ostrina</i> (Hübner), <i>Eublemma</i>	32, 172
<i>ostrinaria</i> (Hübner), <i>Idaea</i>	28
<i>otidipennella</i> (Hübner), <i>Coleophora</i>	266
<i>otus</i> (Drury), <i>Pachypasa</i>	136 (photo), 144
<i>oxalina</i> (Hübner), <i>Mesogona</i>	126
<i>pactolia</i> Meyr., <i>Dryadula</i> 258.....
<i>palealis</i> (D. & S.), <i>Sitochroa</i>	36, 165
<i>paleacea</i> (Esp.), <i>Enargia</i>	175
<i>pallens</i> (Linn.), <i>Mythimna</i>	3, 35
<i>pallida</i> (Curtis), <i>Eudonia</i>	277
<i>pallidata</i> (Hufn.), <i>Evergestis</i>	67, 276
<i>pallifrontana</i> Zell., <i>Grapholita</i>	273
<i>pallustris</i> (Hübner.), <i>Athesis</i>	224 (photo)
<i>palpellus</i> (Haw.), <i>Aplota</i>	263
<i>palpina</i> (Clerck), <i>Pterostoma</i>	30, 84
<i>palumbella</i> (D. & S.), <i>Pempelia</i>	4, 36
<i>palustrella</i> (Dougl.), <i>Monochroa</i>	66, 265
<i>pamphilus</i> (Linn.), <i>Coenonympha</i>	22
<i>pandalis</i> (Hübner), <i>Paratalanta</i>	36
<i>paphia</i> (Linn.), <i>Argynnis</i>	22
<i>papilionaria</i> (Linn.), <i>Geometra</i>	27
<i>parenthesella</i> (Linn.), <i>Ypsolopha</i>	38
<i>partita</i> Guen., <i>Galgula</i>	65, 68
<i>parva</i> (Hübner), <i>Eublemma</i>	32, 85, 172
<i>parvulana</i> (Wilkinson), <i>Eucosma</i>	272
<i>pascuella</i> (Linn.), <i>Crambus</i>	36
<i>pastinum</i> (Treits.), <i>Lygephila</i>	32
<i>pastorella</i> (Zell.), <i>Phyllonorycter</i>	54, 261
<i>pavonia</i> (Linn.), <i>Saturnia</i>	204, 206, 214, 237
<i>pectinataria</i> (Knoch), <i>Colostygia</i>	30
<i>pedella</i> (Linn.), <i>Stathmopoda</i>	4, 67, 268
<i>pelella</i> (Treits.), <i>Neofriseria</i>	265
<i>pellionella</i> Linn., <i>Tinea</i>	258
<i>peltigera</i> (D. & S.), <i>Heliothis</i>	34, 174
<i>pentadactyla</i> (Linn.), <i>Pterophorus</i>	37, 242, 243, 268
<i>penziana</i> (Thunb.), <i>Eana</i>	270
<i>perieresalis</i> (Walk.), <i>Diploseustis</i> 166, 212 (photo)
<i>perlella</i> (Scop.), <i>Crambus</i>	36
<i>perlucidalis</i> (Hübner), <i>Anania</i>	36, 38
<i>permixtaria</i> (H.-S.), <i>Catarhoe</i>	29
<i>perplexa</i> (D. & S.), <i>Hadena</i>	35, 148
<i>perspectalis</i> (Walk.), <i>Cydalima</i>	36, 56, 166, 241, 243, 276, 279

<i>petryi</i> Martini, <i>Antispila</i>	10, 257
<i>phegea</i> (Linn.), <i>Amata</i>	32, 239, 243
<i>phlaeas</i> (Linn.), <i>Lycaena</i>	21
<i>phoebe</i> ([D. & S.]), <i>Melitaeta</i>	22
<i>phoeniceata</i> (Ramb.), <i>Eupithecia</i>	67
<i>phragmitella</i> Staint., <i>Limnaecia</i>	264
<i>phragmitidis</i> (Hüb.), <i>Arenostola</i>	68
<i>picaella</i> (Kearfott), <i>Coleotechnites</i>	58
<i>picarella</i> (Clerck), <i>Nemopogon</i>	68
<i>piercei</i> Obr., <i>Aethes</i>	270
<i>pigra</i> (Hufn.), <i>Clostera</i>	30, 144
<i>pilosellae</i> (Zell.), <i>Oxyptilus</i>	59
<i>pimpinellae</i> Zell., <i>Depressaria</i>	263
<i>pimpinellata</i> (Hüb.), <i>Eupithecia</i>	302 (photo)
<i>pinastri</i> (Linn.), <i>Hyloicus</i>	31, 42, 43, 144
<i>pinguinialis</i> (Linn.), <i>Aglossa</i>	241
<i>pinguis</i> (Haw.), <i>Euzophora</i>	4
<i>pini</i> (Linn.), <i>Dendrolimus</i>	24, 27, 41, 143
<i>pinitaria</i> (Linn.), <i>Bupalus</i>	24, 28, 41
<i>pinariella</i> Zell., <i>Ocnerosoma</i>	4, 66
<i>pinirica</i> (Reisser), <i>Nebula</i>	143
<i>pirithous</i> (Linn.), <i>Leptotes</i>	21
<i>pisi</i> (Linn.), <i>Ceramica</i>	148
<i>pityocampa</i> ([D. & S.]), <i>Thaumetopoea</i>	144
<i>placida</i> (Friv.), <i>Phragmatobia</i>	31
<i>plagiata</i> (Linn.), <i>Aplocera</i>	29
<i>plagicolella</i> (Staint.), <i>Stigmella</i>	278
<i>platani</i> (Stdgr), <i>Phyllonorycter</i>	260
<i>platinea</i> (Treits.), <i>Apamea</i>	139 (photo), 147
<i>plebeja</i> (Linn.), <i>Hada</i>	35
<i>plebejana</i> Zell., <i>Crociosema</i>	272
<i>pecta</i> (Linn.), <i>Ochroleura</i>	35, 149
<i>plexippus</i> (Linn.), <i>Danaus</i>	164
<i>plumaria</i> ([D. & S.]), <i>Selidosema</i>	140
<i>plumbagana</i> (Treits.), <i>Dichrorampha</i>	273
<i>plumigeralis</i> (Hüb.), <i>Polypogon</i>	145, 171
<i>poae</i> (Staint.), <i>Elachista</i>	267
<i>podalirius</i> (Linn.), <i>Iphiclidus</i>	21
<i>podana</i> (Scop.), <i>Archips</i>	37, 269
<i>polychloros</i> (Linn.), <i>Nymphalis</i>	22, 57
<i>polychromella</i> (Rebel), <i>Aproaerema</i>	264
<i>polyommata</i> ([D. & S.]), <i>Trichopteryx</i>	67, 69
<i>polygramma</i> (Dup.), <i>Eublemma</i>	32, 145
<i>polygrammata</i> (Borkh.), <i>Costaconvexa</i>	170
<i>polyxena</i> ([D. & S.]), <i>Zerynthia</i>	21, 23
<i>pomonella</i> (Linn.), <i>Cydia</i>	242, 273
<i>populetorum</i> (Zell.), <i>Caloptilia</i>	259
<i>populi</i> (Linn.), <i>Laothoe</i>	31, 238
<i>porcellus</i> (Linn.), <i>Deilephila</i>	30, 85
<i>porphyrana</i> (Hüb.), <i>Eudemis</i>	271
<i>posticana</i> (Zett.), <i>Pseudococcyx</i>	273
<i>postvittana</i> (Walk.), <i>Epiphyas</i>	269
<i>poterii</i> (Staint.), <i>Stigmella</i>	256
<i>praecox</i> (Linn.), <i>Acteia</i>	176
<i>praeformata</i> (Hüb.), <i>Aplocera</i>	29, 67
<i>praelatella</i> ([D. & S.]), <i>Incurvaria</i>	258
<i>prasinana</i> (Linn.), <i>Pseudoips</i>	31, 239
<i>pratella</i> (Linn.), <i>Crampus</i>	277

<i>pretiosa</i> (Hein), <i>Stigmella</i>	256
<i>proboscidalis</i> (Linn.), <i>Hypena</i>	31, 144
<i>proboscoidata</i> (H.-S.), <i>Orectis</i>	145
<i>procax</i> (Hüb.), <i>Lygephila</i>	32, 145
<i>procellata</i> ([D. & S.]), <i>Melanthia</i>	30
<i>processionea</i> (Linn.), <i>Thaumetopoea</i>	53, 144, 171
<i>promissa</i> ([D. & S.]), <i>Catocala</i>	138 (photo), 146, 172, 239
<i>prunalis</i> ([D. & S.]), <i>Udea</i>	276
<i>pronuba</i> Linn., <i>Noctua</i>	35, 241, 243
<i>pronubana</i> (Hüb.), <i>Cacoecimorpha</i>	269
<i>propinquella</i> (Staint.), <i>Mompha</i>	268
<i>prospopina</i> (Pall.), <i>Prospopina</i>	3
<i>proxima</i> (Hüb.), <i>Lasionhada</i>	149
<i>pruinata</i> (Hufn.), <i>Pseudoterpna</i>	84
<i>prunaria</i> (Linn.), <i>Angerona</i>	238
<i>pruni</i> (Linn.), <i>Odonestis</i>	27
<i>pruniana</i> (Hüb.), <i>Hedya</i>	38, 271
<i>prunifoliae</i> Doets., <i>Coleophora</i>	4, 66
<i>prunifoliella</i> (Hüb.), <i>Lyonetia</i>	55, 262
<i>prunaria</i> (Linn.), <i>Angerona</i>	28, 67
<i>pruinata</i> (Hufn.), <i>Pseudoterpna</i>	27
<i>pseudocomplana</i> (Daniel), <i>Eilema</i>	3, 145
<i>pseudoflorella</i> Schmidt, <i>Asalebria</i>	153 (photos)
<i>pseudopretella</i> (Staint.), <i>Hofmannophila</i>	263
<i>psi</i> (Linn.), <i>Acrionicta</i>	33, 146
<i>pudibunda</i> (Linn.), <i>Calliteara</i>	31
<i>pulchellata</i> Steph., <i>Eupithecia</i>	156 (photo)
<i>pulchrimella</i> (Chambers), <i>Cosmopterix</i>	264
<i>pulicariae</i> (Klim.), <i>Digitivalva</i>	262
<i>pullana</i> (Haw.), <i>Endothenia</i>	67
<i>pulmonaris</i> (Esp.), <i>Atypha</i>	34
<i>pulveralis</i> (Hüb.), <i>Psammotis</i>	165
<i>pulveraria</i> (Linn.), <i>Plagodis</i>	28
<i>punctalis</i> ([D. & S.]), <i>Dolicharthria</i>	36
<i>punctalis</i> (Fabr.), <i>Synaphe</i>	67
<i>punctaria</i> (Linn.), <i>Cyclophora</i>	29
<i>punctella</i> (Treits.), <i>Ematheudes</i>	242, 243
<i>punctidatyla</i> (Haw.), <i>Amblyptilia</i>	268
<i>punctiferalis</i> (Guen.), <i>Conogethes</i>	166
<i>punctinalis</i> (Scop.), <i>Hypomecis</i>	28
<i>pupillana</i> (Clerck), <i>Eucosma</i>	272
<i>pupillaria</i> (Hüb.), <i>Cyclophora</i>	29, 67, 169
<i>purdeyi</i> (Durr.), <i>Clavigesta</i>	279
<i>purpuralis</i> (Linn.), <i>Pyrausta</i>	36
<i>purpuraria</i> (Linn.), <i>Lythria</i>	238, 243
<i>purpurata</i> (Linn.), <i>Rhyparia</i>	31
<i>purpurina</i> ([D. & S.]), <i>Eublemma</i>	32, 172
<i>pusaria</i> (Linn.), <i>Cabera</i>	28
<i>pusillata</i> ([D. & S.]), <i>Eupithecia</i>	72, 73
<i>pustulalis</i> (Hüb.), <i>Epascestria</i>	36
<i>putrescens</i> (Hüb.), <i>Leucania</i>	148
<i>putridaria</i> (H.-S.), <i>Catarhoe</i>	29, 143
<i>putris</i> (Linn.), <i>Axylia</i>	35
<i>pygarga</i> (Hufn.), <i>Delote</i>	33
<i>pygmaeana</i> (Hüb.), <i>Epinotia</i>	272
<i>pygmaeella</i> ([D. & S.]), <i>Argyresthia</i>	262
<i>pygmaeola</i> (Doubl.), <i>Eilema</i>	32

<i>pygmaeola</i> ssp. <i>pallifrons</i> (Zell.), <i>Eilema</i>	145
<i>pyralella</i> (ID. & S.), <i>Scoparia</i>	36
<i>pyraliata</i> (ID. & S.), <i>Gandaritis</i>	30, 143
<i>pyramidea</i> (Linn.), <i>Amphipyra</i>	85, 240
<i>pyri</i> ((ID. & S.)), <i>Saturnia</i>	237
<i>pyritoides</i> (Hufn.), <i>Habrosyne</i>	131, 137
<i>pyri</i> (ID. & S.), <i>Saturnia</i>	27
<i>pyri</i> (Glitz), <i>Stigmella</i>	65
<i>pyrina</i> (Linn.), <i>Zeuzera</i>	27, 237
<i>pyritoides</i> (Hufn.), <i>Habrosyne</i>	27, 38, 84
<i>quercifolia</i> (ID. & S.), <i>Gastropacha</i>	27
<i>quercinaria</i> (Hufn.), <i>Ennomos</i>	138
<i>quadra</i> (Linn.), <i>Lithosia</i>	32, 171
<i>quadrillella</i> (Goeze), <i>Ethmia</i>	278
<i>quadrimaculella</i> (Boheman), <i>Bohemannia</i>	256
<i>quadripuncta</i> (Haw.), <i>Oegoconia</i>	262
<i>quadripunctaria</i> (Poda), <i>Euplagia</i>	68, 145, 239, 243
<i>querna</i> (ID. & S.), <i>Drymonia</i>	144
<i>quercana</i> (Fabr.), <i>Carcina</i>	263
<i>quercinaria</i> (Hufn.), <i>Ennomos</i>	84, 237
<i>quercus</i> (Linn.), <i>Favonius</i>	21
<i>quercus</i> (Linn.), <i>Lasiocampa</i>	207
<i>quercus</i> (ID. & S.), <i>Marumba</i>	31, 238
<i>querna</i> (ID. & S.), <i>Drymonia</i>	30
<i>quinqueguttella</i> (Staint.), <i>Phyllonorycter</i>	260
<i>radicaria</i> (La Harpe), <i>Horisme</i>	2, 30, 152
<i>ramburialis</i> (Dup.), <i>Diasemiopsis</i>	166
<i>ramosa</i> (Esp.), <i>Callierges</i>	33, 42
<i>ramulicola</i> Langmaid & Corley, <i>Phyllocnistis</i>	261
<i>rapae</i> (Linn.), <i>Pteris</i>	21
<i>raunaria</i> (Frey.), <i>Dyscia</i>	28, 140
<i>ravida</i> (ID. & S.), <i>Spaelotis</i>	58
<i>reaumurella</i> (Linn.), <i>Adela</i>	257
<i>rebeli</i> Hering, <i>Depressaria</i>	291
<i>rebeli</i> Karsholt & Sinev, <i>Blastobasis</i>	279
<i>rectangula</i> (D. & S.), <i>Chersotis</i>	35
<i>rectangulata</i> (Linn.), <i>Pasiphila</i>	30
<i>rectifasciana</i> (Haw.), <i>Isotrias</i>	259
<i>rectilinea</i> (Esp.), <i>Hyppa</i>	85
<i>rectilinea</i> (Warren), <i>Bryophila</i>	147
<i>recurvalis</i> (Fabr.), <i>Spoladea</i>	166
<i>reducta</i> (Stdgr), <i>Limenitis</i>	22
<i>regalis</i> (ID. & S.), <i>Pyralis</i>	36, 242
<i>regiana</i> (Zell.), <i>Pammene</i>	274
<i>reliquana</i> (Hübner), <i>Lobesia</i>	271
<i>remmi</i> Rezbanyai-Reser, <i>Mesapamea</i>	3
<i>renigera</i> (Hübner), <i>Dichagyris</i>	35
<i>repandalis</i> (ID. & S.), <i>Paracorsia</i>	36
<i>repandaria</i> (Hufn.), <i>Epione</i>	28
<i>repandalis</i> (ID. & S.), <i>Paracorsia</i>	275
<i>repandata</i> (Linn.), <i>Alcis</i>	28, 140
<i>repersa</i> (ID. & S.), <i>Hoplodrina</i>	34
<i>reticulata</i> (Goeze), <i>Sideridis</i>	35, 58
<i>rhamni</i> (Linn.), <i>Gonepteryx</i>	21
<i>rhenella</i> (Zinck.), <i>Sciota</i>	274
<i>rhododactyla</i> (ID. & S.), <i>Cnaemidophorus</i>	162, 242

<i>rhomboidaria</i> (ID. & S.), <i>Peribatodes</i>	28, 238
<i>rigidella</i> (Chrét.), <i>Agonopterix</i>	281, 283 (photos)
<i>riguata</i> (Hübner), <i>Cataclysm</i>	29, 143
<i>rimicola</i> (ID. & S.), <i>Eriogaster</i>	127
<i>rippertella</i> (Zell.), <i>Megasia</i>	36, 43
<i>rivulana</i> (Scop.) <i>Celypha</i>	38
<i>rivularis</i> (Dup.), <i>Elophila</i>	2
<i>rivularis</i> (Fabr.), <i>Sideridis</i>	35, 131, 148
<i>roborana</i> (ID. & S.), <i>Notocelia</i>	38, 273
<i>roborella</i> (ID. & S.), <i>Phycita</i>	37, 275
<i>roborella</i> (Johansson), <i>Stigmella</i>	256
<i>robustana</i> (Christoph), <i>Bactra</i>	271
<i>rorrella</i> (Hübner), <i>Yponomeuta</i>	261
<i>rosana</i> (Linn.), <i>Archips</i>	37
<i>roscida</i> (ID. & S.), <i>Setina</i>	32
<i>rosea</i> (Hübner), <i>Eublemma</i>	32
<i>rostralis</i> (Linn.), <i>Hypena</i>	31, 239
<i>roxelana</i> (Cram.), <i>Kirinia</i>	22
<i>rubella</i> (Dup.), <i>Luperina</i>	147
<i>rubi</i> (Linn.), <i>Callophrys</i>	21
<i>rubi</i> (Linn.), <i>Macrothylacia</i>	27
<i>rubiginata</i> (ID. & S.), <i>Plemyria</i>	30
<i>rubiginata</i> (Hufn.), <i>Scopula</i>	29, 169
<i>rubiginosa</i> (Scop.), <i>Conistra</i>	55, 175
<i>rubraria</i> (Stdgr), <i>Idaea</i>	141
<i>rubricollis</i> (Linn.), <i>Atolmis</i>	32, 38
<i>rubromixta</i> (Rebel), <i>Balgista</i> (<i>Adenia</i>).....	88
<i>rufana</i> (ID. & S.), <i>Acleris</i>	270
<i>rufana</i> (Scop.), <i>Celypha</i>	163
<i>rufaria</i> (Hübner), <i>Idaea</i>	29
<i>rufella</i> (Dup.), <i>Pterothrixidia</i>	37, 43
<i>ruficeps</i> (Hein.), <i>Prays</i>	66, 262
<i>rufescens</i> (Haw.), <i>Helcystogramma</i>	278
<i>ruficiliana</i> (Haw.), <i>Falseuncaria</i>	271
<i>ruficilaria</i> (H.-S.), <i>Cyclophora</i>	29, 42, 169
<i>rufifasciata</i> (Haw.), <i>Gymnoscelis</i>	30
<i>rufimitrella</i> (Scop.), <i>Cauchas</i>	257
<i>rumicis</i> (Linn.), <i>Acronicta</i>	33, 240
<i>ruralis</i> (Scop.), <i>Pleuroptya</i>	36, 241, 243
<i>ruricolella</i> (Staint.), <i>Nemapogon</i>	258
<i>rusticata</i> (ID. & S.), <i>Idaea</i>	29, 169, 238
<i>sakhalinella</i> (Puplesis), <i>Stigmella</i>	256
<i>sacrarina</i> (Linn.), <i>Rhodometra</i>	29, 159, 183
<i>sagitella</i> (Bjerk.), <i>Phyllonorycter</i>	261
<i>sagittigera</i> (Hufn.), <i>Pachetra</i>	35
<i>salicalis</i> (ID. & S.), <i>Colobochyla</i>	32
<i>salicella</i> (Linn.), <i>Hedya</i>	38
<i>salicicola</i> (Eversm.), <i>Dyspessa</i>	27, 40(photo), 43
<i>salicicolella</i> (Sirc.), <i>Phyllonorycter</i>	260
<i>saligna</i> (Zell.), <i>Phyllocnistis</i>	261
<i>salopiella</i> (Staint.), <i>Eriocrania</i>	65, 255
<i>samatella</i> (Zell.), <i>Stigmella</i>	256
<i>sangi</i> (Wood), <i>Eriocrania</i>	255
<i>sannio</i> (Linn.), <i>Diacristia</i>	31
<i>santonici</i> (Hübner), <i>Cucullia</i>	33
<i>sappho</i> (Pall.), <i>Neptis</i>	22
<i>sartata</i> (Treits.), <i>Dicrognophos</i>	28
<i>saturna</i> (ID. & S.), <i>Mniotype</i>	126

<i>Satyrium</i>	21
<i>saucia</i> (Hübner), <i>Peridroma</i>	35, 187
<i>sauciana</i> (Fröhl.), <i>Apotomis</i>	271
<i>saxicola</i> (Vaughan), <i>Phycitodes</i>	275
<i>saxicolella</i> Dup., <i>Coleophora</i>	105
<i>scabrella</i> (Linn.), <i>Ypsolopha</i>	4
<i>scabriuscula</i> (Linn.), <i>Dypterygia</i>	34
<i>scariella</i> (Zell.), <i>Dialectica</i>	260
<i>schreberella</i> (Fabr.), <i>Phyllonorycter</i>	260
<i>schreibersiana</i> (Fröhl.), <i>Phitheochroa</i>	59, 270
<i>schwarziellus</i> Zell., <i>Nematopogon</i>	257
<i>scopariella</i> (Hein.), <i>Agonopterix</i>	263
<i>scripturata</i> (Hübner), <i>Camptogramma</i> 72, 73 (photo)	
<i>scripturata</i> ssp. <i>poliata</i> (Schaw.).....	72
<i>scripturata</i> ssp. <i>rilica</i> (Prout).....	72
<i>scutosa</i> ([D. & S.]), <i>Protoschinia</i>	147
<i>secalana</i> (Hein.), <i>Mesapamea</i>	131, 147
<i>secalis</i> (Linn.), <i>Mesapamea</i>	3, 34
<i>secundaria</i> ([D. & S.]), <i>Peribatodes</i>	28, 140
<i>segetum</i> ([D. & S.]), <i>Agrotis</i>	35
<i>selenaria</i> ([D. & S.]), <i>Ascotis</i>	28
<i>selinata</i> H.-S., <i>Eupithecia</i>	30
<i>septembrella</i> (Staint.), <i>Ectoedemia</i>	257
<i>sequella</i> (Clerck), <i>Ypsolopha</i>	261
<i>semicana</i> (Esp.), <i>Aegle</i>	33, 125
<i>semifascia</i> (Haw.), <i>Caloptilia</i>	259
<i>semirubella</i> (Scop.), <i>Oncocera</i>	36, 165, 274
<i>senecionana</i> (Hübner), <i>Clepsis</i>	269
<i>senna</i> (Frey.) ssp. <i>contorta</i> (Rebel & Zerny), <i>Spaelotis</i>	36
<i>separata</i> (Frey.), <i>Catocala</i>	32
<i>sericata</i> (Esp.), <i>Polyphaenis</i>	34
<i>sericealis</i> (Scop.), <i>Rivula</i>	31
<i>serpentata</i> (Hufn.), <i>Idaea</i>	29
<i>serratilella</i> (Rag.), <i>Vitula</i>	3
<i>serricornis</i> (Staint.), <i>Elachista</i>	4, 66
<i>serratileana</i> Rag., <i>Vitula</i>	55
<i>servillana</i> (Dup.), <i>Cydia</i>	273
<i>sexpunctella</i> (Fabr.), <i>Prolita</i>	265
<i>shepherdana</i> (Steph.), <i>Acleris</i>	67, 69
<i>sicella</i> (Zell.), <i>Scythris</i>	58
<i>sicula</i> (Treits.), <i>Mythimna</i>	35, 148
<i>siculana</i> (Fuchs), <i>Nycteola</i>	2
<i>signaria</i> (Hübner), <i>Macaria</i>	170
<i>signatana</i> (Dougl.), <i>Epinotia</i>	272
<i>signatella</i> (H.-S.), <i>Symmoca</i>	262
<i>silaceata</i> ([D. & S.]), <i>Ecliptopera</i>	143
<i>silenicolata</i> Mab., <i>Eupithecia</i>	136 (photo), 143
<i>similiana</i> (Hufn.), <i>Parectropis</i>	28
<i>similella</i> (Hübner), <i>Denisia</i>	66, 262
<i>similella</i> (Zinck.), <i>Elegia</i>	37, 67, 274
<i>similis</i> (Fuessly), <i>Sphrageidus</i>	31
<i>similis</i> (Staint.), <i>Bryotropha</i>	264
<i>simplicella</i> (Hein.), <i>Dioryctria</i>	275
<i>simpliciana</i> (Haw.), <i>Dichrorampha</i>	273
<i>simpliciata</i> (Treits.), <i>Aplocera</i>	143
<i>simpliciella</i> (Steph.), <i>Glyphipterix</i>	262
<i>simulans</i> (Hufn.), <i>Rhyacia</i>	86, 177

<i>sinapis</i> (Linn.), <i>Leptidea</i>	21
<i>sinuella</i> (Fabr.), <i>Homoeosoma</i>	37
<i>sociana</i> (Haw.), <i>Gypsonoma</i>	272, 278
<i>sociaria</i> (Hübner), <i>Synopsia</i>	28
<i>sociella</i> (Linn.), <i>Aphomia</i>	274
<i>sodaliana</i> (Haw.), <i>Phitheochroa</i>	38
<i>solidaginis</i> (Hübner), <i>Lithomoia</i>	87
<i>solitaria</i> (Freyer), <i>Thaumetopoea</i>	137 (photo), 144
<i>solitariaella</i> Zell., <i>Coleophora</i>	266
<i>sophialis</i> (Fabr.), <i>Evergestis</i>	36
<i>sorbi</i> (Staint.), <i>Stigmella</i>	256
<i>sordens</i> (Hufn.), <i>Apamea</i>	34
<i>sordatella</i> Tengst., <i>Depressaria</i>	263
<i>sororcula</i> (Hufn.), <i>Eilema</i>	32, 239
<i>sororculana</i> (Zett.), <i>Apotomis</i>	271
<i>sororculella</i> (Hübner), <i>Gelechia</i>	265
<i>sparmannella</i> (Bosc), <i>Eriocrania</i>	255
<i>spartiella</i> (Schrank), <i>Anarsia</i>	264
<i>spinicoella</i> (Zell.), <i>Phyllonorycter</i>	260
<i>spinoseella</i> Staint., <i>Argyresthia</i>	37
<i>splendana</i> (Hübner), <i>Cydia</i>	273
<i>splendens</i> (Hübner), <i>Lacanobia</i>	56, 176
<i>splendidissimella</i> (H.-S.), <i>Stigmella</i>	256
<i>sponsa</i> (Linn.), <i>Catocala</i>	172
<i>squamosella</i> Staint., <i>Coleophora</i>	266
<i>stachydalis</i> (Germar), <i>Anania</i>	36
<i>stellatarum</i> (Linn.), <i>Macroglossum</i>	57, 177, 182, 238
<i>stephensi</i> (Staint.), <i>Dystebenna</i>	267
<i>stephensiana</i> (Doubl.), <i>Cnephasia</i>	38
<i>steropodes</i> Meyrick, <i>Pachyrhabda</i>	56, 67, 69
<i>steveneria</i> (Boisd.), <i>Neognopharmia</i>	28
<i>sticticalis</i> (Linn.), <i>Loxostege</i>	165, 276
<i>sticticana</i> (Fabr.), <i>Epiblema</i>	272
<i>stigmatica</i> (Hübner), <i>Xestia</i>	85, 131, 141 (photo), 150
<i>stix</i> H.-S., <i>Amphipyra</i>	138 (photo), 146
<i>straminata</i> (Borkh.), <i>Idaea</i>	29
<i>straminea</i> (Haw.), <i>Cochylimorpha</i>	270
<i>straminea</i> (Treits.), <i>Mythimna</i>	35, 85
<i>strataria</i> (Hufn.), <i>Biston</i>	84
<i>striata</i> (Linn.), <i>Coscinia</i>	68
<i>striatipennella</i> Nylander, <i>Coleophora</i>	266
<i>strigilis</i> (Linn.), <i>Oligia</i>	34
<i>strigillaria</i> (Hübner), <i>Perconia</i>	28, 38
<i>strigilata</i> (Linn.), <i>Pechipogo</i>	32, 68
<i>strigosa</i> ([D. & S.]), <i>Acronicta</i>	33
<i>strigula</i> ([D. & S.]), <i>Meganola</i>	31, 68
<i>striolella</i> Matsumura, <i>Niditinea</i>	66, 69
<i>strobilella</i> (Linn.), <i>Cydia</i>	157, 163, 273, 279
<i>stultana</i> Walsingham, <i>Platynota</i>	202, 253, 269
<i>suava</i> (Hübner), <i>Odice</i>	32
<i>suavella</i> (Zinck.), <i>Acrobasis</i>	275
<i>subalbidella</i> Schläger, <i>Elachista</i>	267
<i>subbimaculella</i> (Haw.), <i>Ectoedemia</i>	257
<i>subbistrigella</i> (Haw.), <i>Mompha</i>	268
<i>subcinctella</i> (Bruand), <i>Scythris</i>	268
<i>suberivora</i> (Staint.), <i>Stigmella</i>	256

<i>subfuscata</i> (Haw.), <i>Eupithecia</i>	30
<i>sublubris</i> (Esp.), <i>Apamea</i>	34
<i>submutata</i> (Treits.), <i>Scopula</i>	29, 127 (photo)
<i>subnigrella</i> Dougl., <i>Elachista</i>	267
<i>subochreella</i> (Doubl.), <i>Agnoea</i>	263
<i>subpropinquella</i> (Staint.), <i>Agonopterix</i>	263, 279
<i>subpunctaria</i> (H.-S.), <i>Scopula</i>	29
<i>subtusa</i> ([D.& S.]), <i>Ipimorpha</i>	86
<i>superstes</i> (Ochs.), <i>Hoplodrina</i>	34, 147
<i>suscianja</i> (Mentzer), <i>Caradrina</i>	34, 42, 147
<i>suspecta</i> (Hübner.), <i>Parastichtis</i>	86
<i>sylvanus</i> (Esp.), <i>Ochlodes</i>	21
<i>sylvata</i> (Scop.), <i>Abraxas</i>	27, 170
<i>sylvaticella</i> Wood, <i>Coleophora</i>	266
<i>sylvestrella</i> (Ratz.), <i>Dioryctria</i>	165
<i>sylvestris</i> (Poda), <i>Thymelicus</i>	21
<i>sylvicolana</i> (Hein.), <i>Dichrorampha</i>	6, 69
<i>sylvina</i> (Linn.), <i>Triodia</i>	135, 237
<i>syriaca</i> ssp. <i>podolica</i> (Kremky) <i>Hadena</i>	35, 43, 148
<i>syriaca</i> ssp. <i>tallosi</i> Kovács & Varga,	
<i>Apamea</i>	34, 41(photo)
<i>syringaria</i> (Linn.), <i>Apeira</i>	28
<i>tages</i> (Linn.), <i>Erynnis</i>	20
<i>tarsicrinialis</i> (Knoch), <i>Herminia</i>	32
<i>tarsipennalis</i> (Treits.), <i>Herminia</i>	32
<i>tau</i> (Linn.), <i>Aglia</i>	237, 243
<i>taurella</i> ([D.& S.]), <i>Ochsenheimeria</i>	243
<i>taurata</i> ([D.& S.]), <i>Lomographa</i>	28, 38
<i>tenebrata</i> (Scop.), <i>Panemeria</i>	240
<i>tenebrosa</i> (Esp.), <i>Dryobotodes</i>	126
<i>tentacularia</i> (Linn.), <i>Polyopogon</i>	32, 239
<i>tentaculata</i> (Hübner.), <i>Ancylolomia</i>	277, 279
<i>tenuialis</i> (Rebel), <i>Herminia</i>	32
<i>tenuiata</i> (Hübner.), <i>Eupithecia</i>	86
<i>tephroleuca</i> (Boisd.), <i>Hadena</i>	35
<i>tephrinthii</i> (Frey.), <i>Ocneria</i>	31
<i>terebrella</i> (Zinck), <i>Assara</i>	165, 275
<i>terminella</i> (Hump & Westw.), <i>Mompha</i>	268
<i>terrella</i> ([D.& S.]), <i>Bryotropha</i>	264
<i>tertia</i> Mentzer et al., <i>Noctua</i>	150
<i>tesselata</i> (Linn.), <i>Pseudotelphusa</i>	37
<i>tesserana</i> ([D.& S.]), <i>Aethes</i>	270
<i>tessulata</i> (Stdgr), <i>Pseudococcyx</i>	163
<i>tetralunaria</i> (Hufn.), <i>Selenia</i>	84
<i>thapsiphaga</i> (Treits.), <i>Shargacucullia</i>	33, 146
<i>thersamon</i> (Esp.), <i>Lycaena</i>	21
<i>thoracella</i> (Thunb.), <i>Bucculatrix</i>	259
<i>thrasonella</i> (Steph.), <i>Glyphipterix</i>	262
<i>tibiaris</i> (Ramb.), <i>Pachynemata</i>	127 (photo)
<i>tiliae</i> (Frey), <i>Stigmella</i>	256
<i>tiliae</i> (Linn.), <i>Mimas</i>	31, 42, 144, 238
<i>tinctella</i> (Hübner.), <i>Crassa</i>	263
<i>tirrenica</i> Bieb. et al., <i>Noctua</i>	35, 150
<i>titania</i> (Esp.), <i>Acontia</i>	33
<i>tithonus</i> (Linn.), <i>Pyronia</i>	22
<i>tityrus</i> (Poda), <i>Lycaena</i>	21
<i>togatulalis</i> (Hübner.), <i>Nola</i>	31, 150

<i>torrida</i> (Guen.), <i>Dysgonia</i> ,	239
<i>trabealis</i> (Scop.), <i>Acontia</i>	33, 68, 240, 243
<i>tragopoginis</i> (Clerck), <i>Amphipyra</i>	34
<i>transversata</i> (Hufn.), <i>Philereme</i>	30, 40 (photo), 42
<i>trapezina</i> (Linn.), <i>Cosmia</i>	34, 240
<i>treitschkiella</i> (F. v. R.), <i>Antispila</i>	53, 54
<i>tremula</i> (Clerck), <i>Pheosia</i>	30, 144
<i>tremulifolia</i> (Hübner.), <i>Phylloidesma</i>	27
<i>triatoema</i> (Haw.), <i>Elachista</i>	267
<i>tridens</i> ([D.& S.]), <i>Acrionicta</i>	33, 42
<i>tricolorella</i> (Haw.), <i>Caryocolum</i>	265
<i>trifasciata</i> Stdgr, <i>Argyresthia</i>	262
<i>trifolii</i> (Hufn.), <i>Anarta</i>	35, 86, 176, 241
<i>trifolii</i> ([D.& S.]), <i>Lasiocampa</i>	27, 143
<i>trigeminata</i> (Haw.), <i>Idaea</i>	29
<i>trigeminella</i> Fuchs, <i>Coleophora</i>	266
<i>trigrammica</i> (Hufn.), <i>Charanyca</i>	34
<i>trimaculella</i> (Haw.), <i>Stigmella</i>	256
<i>trinotata</i> (Metzner), <i>Eilicrinia</i>	28
<i>tripartita</i> (Hufn.), <i>Abrostola</i>	33
<i>tripunctaria</i> H.-S., <i>Eupithecia</i>	86
<i>triquetra</i> ([D.& S.]), <i>Gonospileia</i>	32, 38
<i>triquetrella</i> (Hübner.), <i>Dahlica</i>	258
<i>tristalis</i> (Fabr.), <i>Paracolax</i>	32, 145
<i>tritici</i> (Linn.), <i>Euxoa</i>	68
<i>tritophus</i> ([D.& S.]), <i>Notodonta</i>	250
<i>trux</i> (Hübner.), <i>Agrotis</i>	35
<i>tumidana</i> ([D.& S.]), <i>Acrobasis</i>	16, 275
<i>turbidana</i> Hübner., <i>Apotomis</i>	271
<i>turca</i> (Linn.), <i>Mythimna</i>	35
<i>turionella</i> (Linn.), <i>Pseudococcyx</i>	67
<i>udana</i> (Guen.), <i>Phalonia</i>	270
<i>uddmanniana</i> (Linn.), <i>Notocelia</i>	38, 273
<i>ulceratalis</i> Led., <i>Cornifrons</i>	157, 167
<i>uliginosellus</i> Zell., <i>Crambus</i>	277
<i>ultimella</i> Staint., <i>Depressaria</i>	263
<i>ulula</i> (Borkh.), <i>Dyspessa</i>	27, 40 (photo), 43
<i>umbra</i> (Hufn.), <i>Pyrrhia</i>	34, 147
<i>umbellana</i> (Fabr.), <i>Agonopterix</i>	263
<i>umbraria</i> (Hübner.), <i>Peribatodes</i>	28, 140
<i>umbratica</i> (Linn.), <i>Cucullia</i>	33
<i>unangulata</i> (Haw.), <i>Euphyia</i>	213, 238 (photo)
<i>uncula</i> (Clerck), <i>Deltote</i>	33
<i>undalis</i> (Fabr.), <i>Hellula</i>	167
<i>undulana</i> ([D.& S.]), <i>Orthotaenia</i>	271
<i>undulata</i> (Linn.), <i>Hydria</i>	84
<i>unguicella</i> (Linn.), <i>Ancylis</i>	272
<i>unicorella</i> (Dup.), <i>Oxypteryx</i>	265
<i>unimaculella</i> (Zett.), <i>Eriocrania</i>	255
<i>unipuncta</i> (Haw.), <i>Mythimna</i>	3, 87, 187
<i>unitana</i> (Hübner.), <i>Zelotherses</i>	269
<i>urticae</i> (Esp.), <i>Spilosoma</i>	67
<i>urticae</i> (Linn.), <i>Aglais</i>	22, 207
<i>ustula</i> (Frey.), <i>Epimecia</i>	33
<i>ustulana</i> (Haw.), <i>Endothenia</i>	271
<i>utonella</i> Frey, <i>Elachista</i>	267
<i>v-ata</i> (Haw.), <i>Chloroclystis</i>	30
<i>valeriana</i> (Hübner.), <i>Eupithecia</i>	84

<i>vancouverana</i> McDunnough, <i>Dichrorampha</i>	273
<i>variata</i> (D. & S.), <i>Thera</i>	29
<i>variegata</i> (Dup.), <i>Charissa</i>	28
<i>velocella</i> (Zell.)	265
<i>venata</i> (Bremer & Grey), <i>Ochloides</i>	207
<i>venosata</i> (Fabr.), <i>Eupithecia</i>	86
<i>venustula</i> (Hübner), <i>Elaphria</i>	34
<i>verbescalis</i> (D. & S.), <i>Anania</i>	36, 241
<i>verellus</i> (Zinck.), <i>Catoptria</i>	157, 167
<i>versicolor</i> (Borkh.), <i>Oligia</i>	34, 43
<i>versicolora</i> (Linn.), <i>Endromis</i>	67
<i>versurella</i> Dup. <i>Coleophora</i>	105
<i>verticalis</i> (Linn.), <i>Sitochroa</i>	36, 276
<i>vestianella</i> (Linn., <i>Coleophora</i>	266
<i>vetulata</i> (D. & S.), <i>Philereme</i>	30
<i>vetusta</i> (Hübner), <i>Xylena</i>	175
<i>vetustata</i> (D. & S.), <i>Thera</i>	159, 170
<i>v-flava</i> (Haw.) <i>Oinophila</i>	106 (photo)
<i>vibicaria</i> (Clerck), <i>Rhodostrophia</i>	29, 141
<i>viburnana</i> (D. & S.), <i>Aphelia</i>	269
<i>viciella</i> (D. & S.), <i>Megalophanes</i>	37
<i>vicinaria</i> (Dup.), <i>Scotopteryx</i>	29, 42, 143
<i>vicrama</i> (Moore) ssp. <i>schiffermuelleri</i> (Hemming), <i>Pseudophilotes</i>	136
<i>villica</i> (Linn.), <i>Arctia</i>	31, 215 (photo), 239
<i>viminetorum</i> (Staint.), <i>Phyllonorycter</i>	66, 69
<i>viminiella</i> (Sirc.), <i>Phyllonorycter</i>	260
<i>vinella</i> (Banks), <i>Aproaerema</i> (<i>Syncopacma</i>)	59, 264
<i>violacea</i> (Ström), <i>Coleophora</i>	266
<i>virgata</i> (Hufn.), <i>Phibalapteryx</i>	29, 38
<i>virginalis</i> Dup., <i>Pyrausta</i>	36, 43
<i>virginiensis</i> (Drury), <i>Vanessa</i>	250
<i>virgulata</i> (D. & S.), <i>Scopula</i>	29, 38
<i>viridana</i> (Linn.), <i>Tortrix</i>	38
<i>viridata</i> (Clerck), <i>Phytometra</i>	32
<i>viriplaca</i> (Hufn.), <i>Heliothis</i>	34
<i>viscariella</i> (Staint.), <i>Caryocolum</i>	265
<i>vitalbata</i> (D. & S.), <i>Horisme</i>	30, 143
<i>vitellina</i> (Hübner), <i>Mythimna</i>	35, 186, 241
<i>vitrata</i> (Fabr.), <i>Maruca</i>	166
<i>vitrealis</i> (Rossi), <i>Palpita</i>	36, 180, 241
<i>vittata</i> (Woll.), <i>Blastobasis</i>	4, 268
<i>vittata</i> Stdr., <i>Paradrymonia</i>	30, 56
<i>vittata</i> ssp. <i>streckfussi</i> (Honrath), <i>Paradrymonia</i>	137 (photo), 144

<i>vittella</i> (Fabr.), <i>Earias</i>	177
<i>vulcanica</i> ssp. <i>urumovi</i> (Drenowski), <i>Hadena</i>	139, 140 (photos), 148
<i>vulgana</i> (Fröl.), <i>Capua</i>	269
<i>vulgella</i> (D. & S.), <i>Teleiodes</i>	297 (photos)
<i>wagae</i> (Nowicki), <i>Teleiodes</i>	4, 66, 265
<i>w-album</i> (Knoch), <i>Satyrium</i>	21
<i>wauaria</i> (Linn.), <i>Macaria</i>	86, 170
<i>weaveri</i> (Staint.), <i>Ectoedemia</i>	257
<i>welseriella</i> (Zell.), <i>Ephestia</i>	37
<i>w-latinum</i> (Hufn.), <i>Lacanobia</i>	35
<i>woodiana</i> (Barrett), <i>Celypha</i>	271
<i>wullschlegleri</i> Püng., <i>Caradrina</i>	34
<i>xenia</i> Hering, <i>Phyllocnistis</i>	261
<i>xeranthemi</i> Boisd., <i>Cucullia</i>	33, 43
<i>xylosteania</i> (Linn.), <i>Archips</i>	37
<i>xylostella</i> (Linn.), <i>Plutella</i>	37, 157, 177, 178
<i>yeatiana</i> (Fabr.), <i>Agonopterix</i>	263
<i>ypsillon</i> (D. & S.), <i>Apterogenum</i>	34, 38, 86
<i>ziczac</i> (Linn.), <i>Notodonta</i>	30, 144
<i>zieglerella</i> (Hübner), <i>Cosmopterix</i>	264
<i>zinckenella</i> (Treits.), <i>Etiella</i>	274
<i>zoegana</i> (Linn.), <i>Agapeta</i>	270

DIPTERA

<i>dulcamara</i> (Wood), <i>Pegomyia</i>	14
<i>hyoscyami</i> (Panzer), <i>Pegomyia</i>	14
<i>interruptella</i> (Zett.), <i>Pegomyia</i>	14

HEMIPTERA

<i>infusum</i> (H.-S.), <i>Megacoelum</i>	50
---	----

HYMENOPTERA

<i>subbaciculata</i> Bridgman, <i>Lissonota</i>	11
---	----

NEUROPTERA

<i>nostras</i> (Geoff.), <i>Euroleon</i>	220 (photo)
<i>pallida</i> (Schneider), <i>Nineta</i>	109

TRICHOPTERA

<i>fagesii</i> (Guinard), <i>Tricholeiochiton</i>	244
<i>lusitanicus</i> (McLachlan), <i>Leptocerus</i>	15
<i>notata</i> (Ramb.), <i>Oecetis</i>	14
<i>senilis</i> (Burmeister), <i>Ceraclea</i>	15
<i>tenellus</i> (Ramb.), <i>Encomus</i>	15
<i>tineiformis</i> Curtis, <i>Leptocerus</i>	15