

# Site 106

**Botanist** Andrew Craigie (AIC)  
**Date** 7/09/2016  
**Quadrat Size** 50 x 50 m  
**NW Corner Coordinates** 52K 0455135 7492102  
**Landform** Upper edge of saline depression  
**Slope & Aspect** Slope - Gentle  
**Soil Group** Loamy  
**Soil Colour** Brown; White  
**Soil Texture** Sand Clay Loam  
**Rock Type** No Rocks  
**Rock Size and Abundance** Sand or Smaller (<2 mm) - No Rocks (0%)  
**Vegetation Condition** 2. Pristine or nearly so  
**Disturbance Type** Animal Tracks; Faeces  
**Time since Fire** > 5 years  
**Leaf Litter Distribution and Cover** Low <10%



Taxon	Stratum	Cover Class
<i>Acacia ligulata</i>	Shrub (0-1 m)	<1%
<i>Dissocarpus paradoxus</i>	Shrub (0-1 m)	<1%
<i>Eremophea spinosa</i>	Shrub (0-1 m)	<1%
<i>Frankenia cordata</i>	Shrub (0-1 m)	1-5%
<i>Lawrencia glomerata</i>	Shrub (0-1 m)	<1%
<i>Maireana luehmannii</i>	Shrub (0-1 m)	<1%
<i>Tecticornia indica</i> subsp. <i>leiostachya</i>	Shrub (0-1 m)	6-20%
<i>Enneapogon polyphyllus</i>	Grass	<1%
<i>Eragrostis dielsii</i>	Grass	<1%
<i>Eragrostis falcata</i>	Grass	1-5%
<i>Fimbristylis dichotoma</i>	Sedge	<1%
<i>Calocephalus platycephalus</i>	Herb	<1%
<i>Euphorbia tannensis</i> subsp. <i>eremophila</i>	Herb	<1%
<i>Lepidium</i> ? <i>muelleri-ferdinandii</i> (indet.)	Herb	1-5%
<i>Nicotiana rosulata</i>	Herb	<1%
<i>Swainsona cyclocarpa</i>	Herb	1-5%
<i>Vittadinia eremaea</i>	Herb	<1%

# Site 110

**Botanist** Andrew Craigie (AIC)  
**Date** 12/09/2016  
**Quadrat Size** 50 x 50 m  
**NW Corner Coordinates** 52K 0444928 7491724  
**Landform** Upper edge of saline depression  
**Slope & Aspect** Slope - Gentle  
**Soil Group** Loamy  
**Soil Colour** Orange; White  
**Soil Texture** Sand Clay Loam  
**Rock Type** No Rocks  
**Rock Size and Abundance** Sand or Smaller (<2 mm) - No Rocks (0%)  
**Vegetation Condition** 2. Pristine or nearly so  
**Disturbance Type** No Disturbance  
**Time since Fire** > 5 years  
**Leaf Litter Distribution and Cover** Low <10%



Taxon	Stratum	Cover Class
<i>Maireana luehmannii</i>	Shrub (0-1 m)	<1%
<i>Melaleuca glomerata</i>	Shrub (0-1 m)	1-5%
<i>Streptoglossa bubakii</i>	Shrub (0-1 m)	<1%
<i>Tecticornia indica</i> subsp. <i>leiostachya</i>	Shrub (0-1 m)	6-20%
<i>Eragrostis dielsii</i>	Grass	1-5%
<i>Eragrostis falcata</i>	Grass	1-5%
? <i>Oldenlandia</i> sp. (indet.)	Herb	<1%
<i>Calocephalus platycephalus</i>	Herb	<1%
<i>Dysphania kalpari</i>	Herb	<1%
<i>Goodenia maideniana</i>	Herb	<1%
<i>Pluchea rubelliflora</i>	Herb	<1%
<i>Stemodia florulenta</i>	Herb	<1%
<i>Swainsona ?unifoliolata</i> (indet.)	Herb	<1%
<i>Swainsona tanamiensis</i>	Herb	1-5%



# Site 111

**Botanist** Andrew Craigie (AIC)  
**Date** 12/09/2016  
**Quadrat Size** 50 x 50 m  
**NW Corner Coordinates** 52K 0440925 7493666  
**Landform** Plain  
**Slope & Aspect** Slope - Negligible  
**Soil Group** Sandy; Surface - Loose  
**Soil Colour** Orange  
**Soil Texture** Sand Clay Loam  
**Rock Type** No Rocks  
**Rock Size and Abundance** Sand or Smaller (<2 mm) - No Rocks (0%)  
**Vegetation Condition** 2. Pristine or nearly so  
**Disturbance Type** No Disturbance  
**Time since Fire** 2-5 years  
**Leaf Litter Distribution and Cover** Low <10%



Taxon	Stratum	Cover Class
<i>Carissa lanceolata</i>	Shrub (0-1 m)	<1%
<i>Corchorus sidoides</i>	Shrub (0-1 m)	<1%
<i>Dissocarpus paradoxus</i>	Shrub (0-1 m)	1-5%
<i>Enchylaena tomentosa</i>	Shrub (0-1 m)	<1%
<i>Eremophila latrobei</i> subsp. <i>filiformis</i>	Shrub (0-1 m)	<1%
<i>Frankenia cordata</i>	Shrub (0-1 m)	<1%
<i>Heliotropium glanduliferum</i>	Shrub (0-1 m)	<1%
<i>Hibiscus leptocladus</i>	Shrub (0-1 m)	<1%
<i>Indigofera georgei</i>	Shrub (0-1 m)	<1%
<i>Pluchea ferdinandi-muelleri</i>	Shrub (0-1 m)	<1%
<i>Ptilotus obovatus</i>	Shrub (0-1 m)	1-5%
<i>Scaevola spinescens</i>	Shrub (0-1 m)	<1%
<i>Sclerolaena crenata</i>	Shrub (0-1 m)	<1%
<i>Sclerolaena cuneata</i>	Shrub (0-1 m)	<1%
<i>Sclerolaena deserticola</i>	Shrub (0-1 m)	<1%
<i>Sclerolaena urceolata</i>	Shrub (0-1 m)	<1%
<i>Senna artemisioides</i> subsp. <i>oligophylla</i>	Shrub (0-1 m)	1-5%
<i>Senna notabilis</i>	Shrub (0-1 m)	<1%
<i>Sida echinocarpa</i>	Shrub (0-1 m)	<1%
<i>Sida</i> sp. Rabbit Flat (B.J. Carter 626)	Shrub (0-1 m)	<1%
<i>Solanum cleistogamum</i>	Shrub (0-1 m)	<1%

Taxon	Stratum	Cover Class
<i>Streptoglossa bubakii</i>	Shrub (0-1 m)	<1%
<i>Trianthera turqidifolium</i>	Shrub (0-1 m)	<1%
<i>Triodia salina</i>	Hummock Grass	6-20%
<i>Aristida contorta</i>	Grass	1-5%
<i>Dactyloctenium radulans</i>	Grass	<1%
<i>Eragrostis falcata</i>	Grass	1-5%
<i>Eriachne aristidea</i>	Grass	<1%
<i>Fimbristylis dichotoma</i>	Sedge	<1%
<i>Abutilon otocarpum</i>	Herb	<1%
<i>Brassicaceae sp.</i>	Herb	<1%
<i>Calandrinia ?stagnensis</i>	Herb	<1%
<i>Calandrinia pleiopetala</i>	Herb	<1%
<i>Calocephalus platycephalus</i>	Herb	1-5%
<i>Einadia nutans subsp. eremaea</i>	Herb	<1%
<i>Euphorbia tannensis subsp. eremophila</i>	Herb	<1%
<i>Evolvulus alsinoides var. villosicalyx</i>	Herb	<1%
<i>Goodenia virgata</i>	Herb	<1%
<i>Heliotropium ammophilum</i>	Herb	<1%
<i>Polycarpaea corymbosa</i>	Herb	<1%
<i>Pterocaulon sphacelatum</i>	Herb	<1%
<i>Ptilotus polystachyus</i>	Herb	<1%
<i>Synaptantha tillaeacea var. hispidula</i>	Herb	<1%
<i>Trianthema pilosum</i>	Herb	<1%
<i>Trianthema triquetrum</i>	Herb	<1%
<i>Tribulopsis angustifolia</i>	Herb	<1%
<i>Tribulus hirsutus</i>	Herb	<1%
<i>Wahlenbergia tumidifructa</i>	Herb	<1%

# Site 4901

**Botanist** Andrew Craigie (AIC)  
**Date** 7/09/2016  
**Quadrat Size** 3 x 3 m  
**NW Corner Coordinates** 52K 0453722 7496533  
**Landform** Salt Lake Lower  
**Slope & Aspect** Slope - Gentle; Aspect - North  
**Soil Group** Loamy; Surface - Salt Crust  
**Soil Colour** Orange; Brown; White  
**Soil Texture** Sand Clay Loam  
**Rock Type** Calcrete; No Rocks  
**Rock Size and Abundance** Sand or Smaller (<2 mm) - No Rocks (0%)  
**Vegetation Condition** 2. Pristine or nearly so  
**Disturbance Type** No Disturbance  
**Time since Fire** No Evidence  
**Leaf Litter Distribution and Cover** Low <10%



Taxon	Stratum	Cover Class
<i>Tecticornia calyptata</i>	Shrub (0-1 m)	6-20%
<i>Tecticornia halocnemoides</i> subsp. <i>longispicata</i>	Shrub (0-1 m)	6-20%
<i>Eragrostis falcata</i>	Grass	1-5%



# Site 4902

**Botanist** Andrew Craigie (AIC)  
**Date** 7/09/2016  
**Quadrat Size** 3 x 3 m  
**NW Corner Coordinates** 52K 0453722 7496528  
**Landform** Salt Lake Mid  
**Slope & Aspect** Slope - Gentle; Aspect - North  
**Soil Group** Loamy  
**Soil Colour** Orange; Brown; White  
**Soil Texture** Sand Clay Loam  
**Rock Type** No Rocks  
**Rock Size and Abundance** Sand or Smaller (<2 mm) - No Rocks (0%)  
**Vegetation Condition** 2. Pristine or nearly so  
**Disturbance Type** Animal Tracks  
**Time since Fire** No Evidence  
**Leaf Litter Distribution and Cover** Low <10%



Taxon	Stratum	Cover Class
<i>Lawrenzia glomerata</i>	Shrub (0-1 m)	<1%
<i>Maireana lehmannii</i>	Shrub (0-1 m)	1-5%
<i>Surreya diandra</i>	Shrub (0-1 m)	6-20%
<i>Tecticornia calytrata</i>	Shrub (0-1 m)	1-5%
<i>Eragrostis falcata</i>	Grass	1-5%
<i>Calocephalus platycephalus</i>	Herb	1-5%
<i>Swainsona cyclocarpa</i>	Herb	<1%



# Site 4903

**Botanist** Andrew Craigie (AIC)  
**Date** 7/09/2016  
**Quadrat Size** 3 x 3 m  
**NW Corner Coordinates** 52K 0453718 7496520  
**Landform** Salt Lake Upper  
**Slope & Aspect** Slope - Gentle; Aspect - North  
**Soil Group** Sandy; Surface - Loose  
**Soil Colour** Brown; White  
**Soil Texture** Sand; Clayey Sand  
**Rock Type** No Rocks  
**Rock Size and Abundance** Sand or Smaller (<2 mm) - No Rocks (0%)  
**Vegetation Condition** 2. Pristine or nearly so  
**Disturbance Type** No Disturbance  
**Time since Fire** No Evidence  
**Leaf Litter Distribution and Cover** Low <10%



Taxon	Stratum	Cover Class
<i>Frankenia cordata</i>	Shrub (0-1 m)	1-5%
<i>Scaevola collaris</i>	Shrub (0-1 m)	1-5%
<i>Triodia salina</i>	Hummock Grass	6-20%
<i>Aristida holathera</i>	Grass	1-5%
<i>Bulbostylis barbata</i>	Sedge	<1%
<i>Calocephalus platycephalus</i>	Herb	1-5%
<i>Swainsona cyclocarpa</i>	Herb	<1%
<i>Synaptantha tillaeacea</i> var. <i>hispidula</i>	Herb	<1%



# Site 4904

**Botanist** Andrew Craigie (AIC)  
**Date** 7/09/2016  
**Quadrat Size** 3 x 3 m  
**NW Corner Coordinates** 52K 0453715 7496513  
**Landform** Salt Lake Upper  
**Slope & Aspect** Slope - Gentle; Aspect - North  
**Soil Group** Sandy  
**Soil Colour** Brown; White  
**Soil Texture** Sand  
**Rock Type** No Rocks  
**Rock Size and Abundance** Sand or Smaller (<2 mm) - No Rocks (0%)  
**Vegetation Condition** 2. Pristine or nearly so  
**Disturbance Type** No Disturbance  
**Time since Fire** > 5 years  
**Leaf Litter Distribution and Cover** Low <10%



Taxon	Stratum	Cover Class
<i>Frankenia cordata</i>	Shrub (0-1 m)	1-5%
<i>Triodia salina</i>	Hummock Grass	21-50%
<i>Aristida holathera</i>	Grass	1-5%
<i>Eragrostis eriopoda</i>	Grass	<1%
<i>Bulbostylis barbata</i>	Sedge	<1%
<i>Brachyscome ciliaris</i>	Herb	<1%
<i>Calocephalus platycephalus</i>	Herb	<1%



# Site 4905

**Botanist** Andrew Craigie (AIC)  
**Date** 7/09/2016  
**Quadrat Size** 3 x 3 m  
**NW Corner Coordinates** 52K 0453704 7496489  
**Landform** Salt Lake Upper  
**Slope & Aspect** Slope - Gentle; Aspect - North; Aspect - West  
**Soil Group** Sandy  
**Soil Colour** Orange; Brown; White  
**Soil Texture** Sand; Sand Clay Loam  
**Rock Type** No Rocks  
**Rock Size and Abundance** Sand or Smaller (<2 mm) - No Rocks (0%)  
**Vegetation Condition** 2. Pristine or nearly so  
**Disturbance Type** No Disturbance  
**Time since Fire** > 5 years  
**Leaf Litter Distribution and Cover** Low <10%



Taxon	Stratum	Cover Class
<i>Frankenia cordata</i>	Shrub (0-1 m)	6-20%
<i>Lawrenzia glomerata</i>	Shrub (0-1 m)	<1%
<i>Maireana luehmannii</i>	Shrub (0-1 m)	1-5%
<i>Surreya diandra</i>	Shrub (0-1 m)	6-20%
<i>Eragrostis falcata</i>	Grass	1-5%
<i>Calocephalus platycephalus</i>	Herb	<1%



# Site 4906

**Botanist** Andrew Craigie (AIC)  
**Date** 7/09/2016  
**Quadrat Size** 3 x 3 m  
**NW Corner Coordinates** 52K 0453710 7496499  
**Landform** Salt Lake Upper  
**Slope & Aspect** Slope - Gentle; Aspect - North  
**Soil Group** Sandy  
**Soil Colour** Brown; White  
**Soil Texture** Sand; Sand Clay Loam  
**Rock Type** No Rocks  
**Rock Size and Abundance** Sand or Smaller (<2 mm) - No Rocks (0%)  
**Vegetation Condition** 2. Pristine or nearly so  
**Disturbance Type** No Disturbance  
**Time since Fire** > 5 years  
**Leaf Litter Distribution and Cover** Low <10%



Taxon	Stratum	Cover Class
<i>Frankenian cordata</i>	Shrub (0-1 m)	6-20%
<i>Maireana luehmannii</i>	Shrub (0-1 m)	<1%
<i>Surreya diandra</i>	Shrub (0-1 m)	1-5%
<i>Eragrostis falcata</i>	Grass	1-5%
<i>Bulbostylis barbata</i>	Sedge	<1%
<i>Brassicaceae sp.</i>	Herb	<1%
<i>Calocephalus platycephalus</i>	Herb	<1%



# Site 5101

**Botanist** Andrew Craigie (AIC)  
**Date** 7/09/2016  
**Quadrat Size** 3 x 3 m  
**NW Corner Coordinates** 52K 0443353 7500329  
**Landform** Salt Lake Lower  
**Slope & Aspect** Slope - Negligible; Aspect - North  
**Soil Group** Loamy; Surface - Salt Crust  
**Soil Colour** Orange; Brown; White  
**Soil Texture** Sand Clay Loam  
**Rock Type** No Rocks  
**Rock Size and Abundance** Sand or Smaller (<2 mm) - No Rocks (0%)  
**Vegetation Condition** 2. Pristine or nearly so  
**Disturbance Type** No Disturbance  
**Time since Fire** No Evidence  
**Leaf Litter Distribution and Cover** Low <10%



Taxon	Stratum	Cover Class
<i>Maireana luehmannii</i>	Shrub (0-1 m)	<1%
<i>Tecticornia calyptata</i>	Shrub (0-1 m)	1-5%
<i>Eragrostis falcata</i>	Grass	<1%
<i>Angianthus cyathifer</i>	Herb	<1%

# Site 5102

**Botanist** Andrew Craigie (AIC)  
**Date** 7/09/2016  
**Quadrat Size** 3 x 3 m  
**NW Corner Coordinates** 52K 0443350 7500319  
**Landform** Salt Lake Upper  
**Slope & Aspect** Slope - Gentle; Aspect - North  
**Soil Group** Sandy  
**Soil Colour** Orange; Brown; White  
**Soil Texture** Sand Clay Loam  
**Rock Type** No Rocks  
**Rock Size and Abundance** Sand or Smaller (<2 mm) - No Rocks (0%)  
**Vegetation Condition** 2. Pristine or nearly so  
**Disturbance Type** No Disturbance  
**Time since Fire** No Evidence  
**Leaf Litter Distribution and Cover** Low <10%



Taxon	Stratum	Cover Class
<i>Frankenia cordata</i>	Shrub (0-1 m)	1-5%
<i>Maireana luehmannii</i>	Shrub (0-1 m)	1-5%
<i>Scaevola collaris</i>	Shrub (0-1 m)	1-5%
<i>Triodia salina</i>	Hummock Grass	6-20%
<i>Eragrostis falcata</i>	Grass	1-5%
<i>Angianthus cyathifer</i>	Herb	<1%
<i>Calocephalus platycephalus</i>	Herb	<1%
<i>Swainsona cyclocarpa</i>	Herb	<1%



# Site 5103

**Botanist** Andrew Craigie (AIC)  
**Date** 7/09/2016  
**Quadrat Size** 3 x 3 m  
**NW Corner Coordinates** 52K 0443416 7500311  
**Landform** Salt Lake Lower  
**Slope & Aspect** Slope - Gentle; Aspect - North  
**Soil Group** Loamy  
**Soil Colour** Orange; Brown; White  
**Soil Texture** Sand Clay Loam  
**Rock Type** No Rocks  
**Rock Size and Abundance** Sand or Smaller (<2 mm) - Few (<10%)  
**Vegetation Condition** 2. Pristine or nearly so  
**Disturbance Type** Animal Tracks  
**Time since Fire** No Evidence  
**Leaf Litter Distribution and Cover** Low <10%



Taxon	Stratum	Cover Class
<i>Maireana luehmannii</i>	Shrub (0-1 m)	1-5%
<i>Scaevola collaris</i>	Shrub (0-1 m)	1-5%
<i>Tecticornia calyptrata</i>	Shrub (0-1 m)	1-5%
<i>Tecticornia halocnemoides subsp. longispicata</i>	Shrub (0-1 m)	6-20%
<i>Eragrostis falcata</i>	Grass	1-5%
<i>Angianthus cyathifer</i>	Herb	<1%
<i>Zygophyllum compressum</i>	Herb	<1%

# Site 5104

**Botanist** Andrew Craigie (AIC)  
**Date** 7/09/2016  
**Quadrat Size** 3 x 3 m  
**NW Corner Coordinates** 52K 0443414 7500302  
**Landform** Salt Lake Upper  
**Slope & Aspect** Slope - Gentle; Aspect - North  
**Soil Group** Sandy  
**Soil Colour** Orange; Brown; White  
**Soil Texture** Sand; Clayey Sand  
**Rock Type** No Rocks  
**Rock Size and Abundance** Sand or Smaller (<2 mm) - No Rocks (0%)  
**Vegetation Condition** 2. Pristine or nearly so  
**Disturbance Type** No Disturbance  
**Time since Fire** No Evidence  
**Leaf Litter Distribution and Cover** Low <10%



Taxon	Stratum	Cover Class
<i>Maireana luehmannii</i>	Shrub (0-1 m)	1-5%
<i>Scaevola collaris</i>	Shrub (0-1 m)	6-20%
<i>Tecticornia calyptata</i>	Shrub (0-1 m)	1-5%
<i>Triodia salina</i>	Hummock Grass	1-5%
<i>Eragrostis falcata</i>	Grass	1-5%
<i>Angianthus cyathifer</i>	Herb	<1%
<i>Calocephalus platycephalus</i>	Herb	<1%
<i>Cassutha capillaris</i>	Vine	<1%



# Site 5105

**Botanist** Andrew Craigie (AIC)  
**Date** 7/09/2016  
**Quadrat Size** 3 x 3 m  
**NW Corner Coordinates** 52K 0443401 7500287  
**Landform** Salt Lake Upper  
**Slope & Aspect** Slope - Gentle; Aspect - North  
**Soil Group** Sandy  
**Soil Colour** Orange; Brown; White  
**Soil Texture** Sand  
**Rock Type** No Rocks  
**Rock Size and Abundance** Sand or Smaller (<2 mm) - No Rocks (0%)  
**Vegetation Condition** 2. Pristine or nearly so  
**Disturbance Type** No Disturbance  
**Time since Fire** No Evidence  
**Leaf Litter Distribution and Cover** Low <10%



Taxon	Stratum	Cover Class
<i>Frankenian cordata</i>	Shrub (0-1 m)	1-5%
<i>Pluchea ferdinandi-muelleri</i>	Shrub (0-1 m)	1-5%
<i>Triodia salina</i>	Hummock Grass	21-50%
<i>Calocephalus platycephalus</i>	Herb	<1%
<i>Trachymene glaucifolia</i>	Herb	<1%
<i>Cassytha capillaris</i>	Vine	<1%



# Site 5106

**Botanist** Andrew Craigie (AIC)  
**Date** 7/09/2016  
**Quadrat Size** 3 x 3 m  
**NW Corner Coordinates** 52K 0443348 7500294  
**Landform** Salt Lake Upper  
**Slope & Aspect** Slope - Gentle; Aspect - North  
**Soil Group** Sandy  
**Soil Colour** Orange; White  
**Soil Texture** Sand  
**Rock Type** No Rocks  
**Rock Size and Abundance** Sand or Smaller (<2 mm) - No Rocks (0%)  
**Vegetation Condition** 2. Pristine or nearly so  
**Disturbance Type** No Disturbance  
**Time since Fire** No Evidence  
**Leaf Litter Distribution and Cover** Low <10%



Taxon	Stratum	Cover Class
<i>Frankenia cordata</i>	Shrub (0-1 m)	6-20%
<i>Lawrencia glomerata</i>	Shrub (0-1 m)	1-5%
<i>Maireana luehmannii</i>	Shrub (0-1 m)	1-5%
<i>Eragrostis falcata</i>	Grass	1-5%
<i>Calandrinia pleiopetala</i>	Herb	<1%
<i>Calocephalus platycephalus</i>	Herb	<1%



# Site 5301

**Botanist** Andrew Craigie (AIC)  
**Date** 10/09/2016  
**Quadrat Size** 3 x 3 m  
**NW Corner Coordinates** 52K 0495668 7519604  
**Landform** Salt Lake Lower  
**Slope & Aspect** Slope - Gentle; Aspect - South  
**Soil Group** Loamy  
**Soil Colour** Orange; Brown; White  
**Soil Texture** Sand Clay Loam  
**Rock Type** No Rocks  
**Rock Size and Abundance** Sand or Smaller (<2 mm) - No Rocks (0%)  
**Vegetation Condition** 2. Pristine or nearly so  
**Disturbance Type** No Disturbance  
**Time since Fire** No Evidence  
**Leaf Litter Distribution and Cover** Low <10%



Taxon	Stratum	Cover Class
<i>Maireana luehmannii</i>	Shrub (0-1 m)	1-5%
<i>Tecticornia halocnemoides</i> subsp. <i>longispicata</i>	Shrub (0-1 m)	6-20%
<i>Eragrostis ?falcata</i>	Grass	1-5%



# Site 5302

**Botanist** Andrew Craigie (AIC)  
**Date** 10/09/2016  
**Quadrat Size** 3 x 3 m  
**NW Corner Coordinates** 52K 0495680 7519622  
**Landform** Salt Lake Lower  
**Slope & Aspect** Slope - Gentle; Aspect - South  
**Soil Group** Loamy; Surface - Salt Crust  
**Soil Colour** Orange; Brown; White  
**Soil Texture** Sand Clay Loam  
**Rock Type** No Rocks  
**Rock Size and Abundance** Sand or Smaller (<2 mm) - No Rocks (0%)  
**Vegetation Condition** 2. Pristine or nearly so  
**Disturbance Type** No Disturbance  
**Time since Fire** No Evidence  
**Leaf Litter Distribution and Cover** Low <10%




Taxon	Stratum	Cover Class
<i>Maireana luehmannii</i>	Shrub (0-1 m)	1-5%
<i>Tecticornia calyptata</i>	Shrub (0-1 m)	1-5%
<i>Tecticornia halocnemoides</i> subsp. <i>longispicata</i>	Shrub (0-1 m)	6-20%
<i>Eragrostis ?falcata</i>	Grass	1-5%



# Site 5303


**Botanist** Andrew Craigie (AIC)  
**Date** 10/09/2016  
**Quadrat Size** 3 x 3 m  
**NW Corner Coordinates** 52K 0495696 7519667  
**Landform** Salt Lake Lower  
**Slope & Aspect** Slope - Gentle; Aspect - South  
**Soil Group** Sandy; Loamy; Surface - Salt Crust  
**Soil Colour** Orange; Brown; White  
**Soil Texture** Sand Clay Loam  
**Rock Type** No Rocks  
**Rock Size and Abundance** Sand or Smaller (<2 mm) - No Rocks (0%)  
**Vegetation Condition** 2. Pristine or nearly so  
**Disturbance Type** No Disturbance  
**Time since Fire** No Evidence  
**Leaf Litter Distribution and Cover** Low <10%



Taxon	Stratum	Cover Class
<i>Maireana luehmannii</i>	Shrub (0-1 m)	1-5%
<i>Tecticornia globulifera</i>	Shrub (0-1 m)	6-20%
<i>Tecticornia halocnemoides</i> subsp. <i>longispicata</i>	Shrub (0-1 m)	1-5%
<i>Eragrostis falcata</i>	Grass	1-5%

# Site 5304

**Botanist** Andrew Craigie (AIC)  
**Date** 10/09/2016  
**Quadrat Size** 3 x 3 m  
**NW Corner Coordinates** 52K 0495718 7519710  
**Landform** Salt Lake Lower  
**Slope & Aspect** Slope - Gentle; Aspect - South  
**Soil Group** Sandy; Loamy; Surface - Salt Crust  
**Soil Colour** Orange; Brown; White  
**Soil Texture** Sand Clay Loam  
**Rock Type** No Rocks  
**Rock Size and Abundance** Sand or Smaller (<2 mm) - No Rocks (0%)  
**Vegetation Condition** 2. Pristine or nearly so  
**Disturbance Type** No Disturbance  
**Time since Fire** No Evidence  
**Leaf Litter Distribution and Cover** Low <10%



Taxon	Stratum	Cover Class
<i>Maireana luehmannii</i>	Shrub (0-1 m)	<1%
<i>Tecticornia calytrata</i>	Shrub (0-1 m)	1-5%
<i>Tecticornia globulifera</i>	Shrub (0-1 m)	6-20%
<i>Tecticornia halocnemoides</i> subsp. <i>longispicata</i>	Shrub (0-1 m)	1-5%



# Site 5305

**Botanist** Andrew Craigie (AIC)  
**Date** 10/09/2016  
**Quadrat Size** 3 x 3 m  
**NW Corner Coordinates** 52K 0495750 7519744  
**Landform** Salt Lake Upper  
**Slope & Aspect** Slope - Gentle; Aspect - South  
**Soil Group** Sandy; Loamy  
**Soil Colour** Brown; White  
**Soil Texture** Sand Clay Loam  
**Rock Type** Calcrete  
**Rock Size and Abundance** Pebbles (2-64 mm) - Few (<10%)  
**Vegetation Condition** 2. Pristine or nearly so  
**Disturbance Type** No Disturbance  
**Time since Fire** No Evidence  
**Leaf Litter Distribution and Cover** Low <10%



Taxon	Stratum	Cover Class
<i>Maireana luehmannii</i>	Shrub (0-1 m)	<1%
<i>Scaevola collaris</i>	Shrub (0-1 m)	1-5%
<i>Sclerolaena clelandii</i>	Shrub (0-1 m)	<1%
<i>Tecticornia indica</i> ?subsp. <i>leiostachya</i>	Shrub (0-1 m)	6-20%
<i>Eragrostis falcata</i>	Grass	1-5%



# Site 5306

**Botanist** Andrew Craigie (AIC)  
**Date** 10/09/2016  
**Quadrat Size** 3 x 3 m  
**NW Corner Coordinates** 52K 0495769 7519761  
**Landform** Salt Lake Upper; Island fringing dunes  
**Slope & Aspect** Slope - Gentle; Aspect - South  
**Soil Group** Sandy; Loamy; Surface - Loose  
**Soil Colour** Orange; Brown  
**Soil Texture** Sand Clay Loam  
**Rock Type** No Rocks  
**Rock Size and Abundance** Sand or Smaller (<2 mm) - No Rocks (0%)  
**Vegetation Condition** 2. Pristine or nearly so  
**Disturbance Type** No Disturbance  
**Time since Fire** No Evidence  
**Leaf Litter Distribution and Cover** Low <10%



Taxon	Stratum	Cover Class
<i>Acacia ligulata</i>	Shrub (1-2 m)	1-5%
<i>Scaevola spinescens</i>	Shrub (1-2 m)	1-5%
<i>Scaevola collaris</i>	Shrub (0-1 m)	1-5%
<i>Triodia pungens</i>	Hummock Grass	6-20%
<i>Aristida holathera</i>	Grass	<1%
<i>Eragrostis falcata</i>	Grass	<1%
<i>Salsola australis</i>	Herb	<1%
<i>Zygophyllum compressum</i>	Herb	<1%