

GLOBAL FOREST RESOURCES ASSESSMENT

COUNTRY REPORTS

JAMAICA

FRA2005/178 Rome, 2005



The Forest Resources Assessment Programme

Sustainably managed forests have multiple environmental and socio-economic functions important at the global, national and local scales, and play a vital part in sustainable development. Reliable and up-to-date information on the state of forest resources - not only on area and area change, but also on such variables as growing stock, wood and non-wood products, carbon, protected areas, use of forests for recreation and other services, biological diversity and forests' contribution to national economies - is crucial to support decision-making for policies and programmes in forestry and sustainable development at all levels.

FAO, at the request of its member countries, regularly monitors the world's forests and their management and uses through the Forest Resources Assessment Programme. This country report forms part of the Global Forest Resources Assessment 2005 (FRA 2005), which is the most comprehensive assessment to date. More than 800 people have been involved, including 172 national correspondents and their colleagues, an Advisory Group, international experts, FAO staff, consultants and volunteers. Information has been collated from 229 countries and territories for three points in time: 1990, 2000 and 2005.

The reporting framework for FRA 2005 is based on the thematic elements of sustainable forest management acknowledged in intergovernmental forest-related fora and includes more than 40 variables related to the extent, condition, uses and values of forest resources. More information on the FRA 2005 process and the results - including all the country reports - is available on the FRA 2005 Web site (www.fao.org/forestry/fra2005).

The Global Forest Resources Assessment process is coordinated by the Forestry Department at FAO headquarters in Rome. The contact person for matters related to FRA 2005 is:

Mette Løyche Wilkie Senior Forestry Officer FAO Forestry Department Viale delle Terme di Caracalla Rome 00100, Italy

E-mail: Mette.LoycheWilkie@fao.org

Readers can also use the following e-mail address: fra@fao.org

DISCLAIMER

The designations employed and the presentation of material in this information product do not imply the expression of any opinion whatsoever on the part of the Food and Agriculture Organization of the United Nations concerning the legal status of any country, territory, city or area or of its authorities, or concerning the delimitation of its frontiers or boundaries.

The Global Forest Resources Assessment 2005 Country Report Series is designed to document and make available the information forming the basis for the FRA 2005 reports. The Country Reports have been compiled by officially nominated country correspondents in collaboration with FAO staff. Prior to finalisation, these reports were subject to validation by forestry authorities in the respective countries.

Report preparation and contact person:

Mr. Owen Evelyn

National Project Manager Trees for Tomorrow Project Forestry Department 173 Constant Spring Road Kingston 8, Jamaica Telephone 1 876 9242125 Fax 1 876 9242626 E-mail oevelyn@forestry.gov.jm

With the collaboration of:

Mr. Upton Edwards

GIS Mapping Unit Forestry Department 173 Constant Spring Road Kingston 8, Jamaica Telephone 876 9242667-8; 876 8425609 E-mail <u>uedwards@forestry.gov.jm</u>

Mr. Alli Morgan

. Director Technical Services (Actg) Forestry Department 173 Constant Spring Road Kingston 8, Jamaica Telephone 876 92 42667-8 E-mail <u>amorgan@forestry.gov.jm</u>

Contents

1	TAI	BLE T1 – EXTENT OF FOREST AND OTHER WOODED LAND	. 5
	1.1	FRA 2005 CATEGORIES AND DEFINITIONS	. 5
	1.2	NATIONAL DATA	
	1.3	ANALYSIS AND PROCESSING OF NATIONAL DATA	. 5
	1.4	RECLASSIFICATION INTO FRA 2005 CLASSES	
	1.5	DATA FOR NATIONAL REPORTING TABLE T1	
	1.6	COMMENTS TO NATIONAL REPORTING TABLE T1	
2	TAI	BLE T2 – OWNERSHIP OF FOREST AND OTHER WOODED LAND	. 5
	2.1	FRA 2005 CATEGORIES AND DEFINITIONS	. 5
	2.2	NATIONAL DATA	
	2.3	ANALYSIS AND PROCESSING OF NATIONAL DATA	. 5
	2.4	Reclasification	. 5
	2.5	DATA FOR NATIONAL REPORTING TABLE T2	. 5
	2.6	COMMENTS TO NATIONAL REPORTING TABLE T2	
3	TAI	BLE T3 – DESIGNATED FUNCTION OF FOREST AND OTHER WOODED LAND	. 5
	3.1	FRA 2005 CATEGORIES AND DEFINITIONS	5
	3.2	NATIONAL DATA	
	3.3	ANALYSIS AND PROCESSING OF NATIONAL DATA	
	3.4	RECLASSIFICATION INTO FRA 2005 CLASSES	
	3.5	DATA FOR NATIONAL REPORTING TABLE T3	
	3.6	COMMENTS TO NATIONAL REPORTING TABLE T3	
4		BLE T4 – CHARACTERISTICS OF FOREST AND OTHER WOODED LAND	
	4.1	FRA 2005 CATEGORIES AND DEFINITIONS	5
	4.1 4.2	NATIONAL DATA	
	4.2	ANALYSIS AND PROCESSING OF NATIONAL DATA	
	4.5	RECLASSIFICATION INTO FRA 2005 CLASSES	
	4.5	DATA FOR NATIONAL REPORTING TABLE T4	
	4.6	COMMENTS TO NATIONAL REPORTING TABLE T4	
5		BLE T5 – GROWING STOCK	
C			
	5.1	FRA 2005 CATEGORIES AND DEFINITIONS	
	5.2	NATIONAL DATA	
	5.3	ANALYSIS AND PROCESSING OF NATIONAL DATA Reclassification into FRA 2005 classes	
	5.4 5.5	RECLASSIFICATION INTO FRA 2005 CLASSES Data for National reporting table T5	
	5.5 5.6	COMMENTS TO NATIONAL REPORTING TABLE T5	
6		COMMENTS TO NATIONAL REPORTING TABLE 15	
U			
	6.1	FRA 2005 CATEGORIES AND DEFINITIONS	
	6.2	NATIONAL DATA	
	6.3	ANALYSIS AND PROCESSING OF NATIONAL DATA	
	6.4	RECLASSIFICATION INTO FRA 2005 CLASSES	
	6.5 6.6	DATA FOR NATIONAL REPORTING TABLE T6 COMMENTS TO NATIONAL REPORTING TABLE T6	
7		COMMENTS TO NATIONAL REPORTING TABLE TO	
'	IAI		
	7.1	FRA 2005 CATEGORIES AND DEFINITIONS	
	7.2	NATIONAL DATA	
	7.3	ANALYSIS AND PROCESSING OF NATIONAL DATA	
	7.4	RECLASSIFICATION INTO FRA 2005 CLASSES	
	7.5	DATA FOR NATIONAL REPORTING TABLE T7	
~	7.6	COMMENTS TO NATIONAL REPORTING TABLE T7	
8	TAI	BLE T8 – DISTURBANCES AFFECTING HEALTH AND VITALITY	. 5
	8.1	FRA 2005 CATEGORIES AND DEFINITIONS	. 5
	8.2	NATIONAL DATA	. 5
	8.3	ANALYSIS AND PROCESSING OF NATIONAL DATA	. 5

AI	PPENDE	X 2: END	ANGERED TREE SPECIES	5
AI	PPENDE	X 1: CRIT	FICALLY ENDANGERED TREE SPECIES	5
17			5	
16			IS TO NATIONAL REPORTING TABLE 115	
	15.5		TS TO NATIONAL REPORTING TABLE T15	
			FICATION INTO FRA 2005 CLASSES	
	15.3 15.4		S AND PROCESSING OF NATIONAL DATA FICATION INTO FRA 2005 CLASSES	
			L DATA S AND PROCESSING OF NATIONAL DATA	
			5 CATEGORIES AND DEFINITIONS	
10				
15			• EMPLOYMENT IN FORESTRY	
	14.5 14.6		TS TO NATIONAL REPORTING TABLE 114	
			R NATIONAL REPORTING TABLE T14	
	14.3 14.4		S AND PROCESSING OF NATIONAL DATA FICATION INTO FRA 2005 CLASSES	
	14.2 14.3		L DATA S AND PROCESSING OF NATIONAL DATA	
			L DATA	
			5 CATEGORIES AND DEFINITIONS	
14	TAB	LE T14 –	VALUE OF NON-WOOD FOREST PRODUCT REMOVAL	5
	13.6	COMMENT	TS TO NATIONAL REPORTING TABLE T13	5
	13.5	DATA FOR	R NATIONAL REPORTING TABLE T13	5
		RECLASSI	FICATION INTO FRA 2005 CLASSES	5
	13.3	ANALYSIS	S AND PROCESSING OF NATIONAL DATA	5
	13.2		L DATA	
	13.1	FRA 2005	5 CATEGORIES AND DEFINITIONS	5
13				
17	12.6		TS TO NATIONAL REPORTING TABLE T12 NON-WOOD FOREST PRODUCT REMOVAL	
			FICATION INTO FRA 2005 CLASSES	
	12.3		S AND PROCESSING OF NATIONAL DATA FICATION INTO FRA 2005 CLASSES	
	12.2		L DATA S AND PROCESSING OF NATIONAL DATA	
			5 CATEGORIES AND DEFINITIONS L DATA	
	12.1	ED A 2004	5 CATEGORIES AND DEFINITIONS	5
12			VALUE OF WOOD REMOVAL	
	11.6	COMMENT	TS TO NATIONAL REPORTING TABLE T11	5
			R NATIONAL REPORTING TABLE T11	
	11.4		FICATION INTO FRA 2005 CLASSES	
	11.3		S AND PROCESSING OF NATIONAL DATA	
			L DATA	
	11.1		5 CATEGORIES AND DEFINITIONS	
11				
11			WOOD REMOVAL	
			TS TO NATIONAL REPORTING TABLE T10	
			R NATIONAL REPORTING TABLE T10	
	10.5		ICATION	
	10.2		S AND PROCESSING OF NATIONAL DATA	
			L DATA	
	10.1	FRA 2005	5 CATEGORIES AND DEFINITIONS	5
10	TAB	LE T10 –	GROWING STOCK COMPOSITION	5
	9.6		TS TO NATIONAL REPORTING TABLE T9	
	9.5		R NATIONAL REPORTING TABLE T9	
	9.4		ICATION	
	9.3	ANALYSIS	S AND PROCESSING OF NATIONAL DATA	5
			L DATA	
			5 CATEGORIES AND DEFINITIONS	
9			DIVERSITY OF TREE SPECIES	
	8.5 8.6		TS TO NATIONAL REPORTING TABLE 18	
	8.4 8.5		RICATION INTO FRA 2005 CLASSES	
	8.4	DECT AGOT	FICATION INTO FRA 2005 CLASSES	5

APPENDIX 3: VULNERABLE TREE SPECIES	. 5
APPENDIX IV: 10 MOST IMPORTANT TREE SPECIES BY FOREST TYPE	. 5

1 Table T1 – Extent of Forest and Other wooded land

Category	Definition
Forest	Land spanning more than 0.5 hectares with trees higher than 5 meters and
	a canopy cover of more than 10 percent, or trees able to reach these
	thresholds in situ. It does not include land that is predominantly under
	agricultural or urban land use.
Other wooded land	Land not classified as "Forest", spanning more than 0.5 hectares; with trees
	higher than 5 meters and a canopy cover of 5-10 percent, or trees able to
	reach these thresholds in situ; or with a combined cover of shrubs, bushes
	and trees above 10 percent. It does not include land that is predominantly
	under agricultural or urban land use.
Other land	All land that is not classified as "Forest" or "Other wooded land".
Other land with tree cover	Land classified as "Other land", spanning more than 0.5 hectares with a
(Subordinated to "Other	canopy cover of more than 10 percent of trees able to reach a height of 5
land")	meters at maturity.
Inland water bodies	Inland water bodies generally include major rivers, lakes and water
	reservoirs.

1.1 FRA 2005 Categories and definitions

1.2 National data

1.2.1 Data sources

References to sources of information	Quality (H/M/L)	Variable(s)	Year(s)	Additional comments
Evelyn O. B and Camirand R., 2003. Forestry cover and deforestation in Jamaica: an analysis of forest cover and estimates over time. Jamaica. <u>International</u> <u>Forestry Review</u> , 5(4), 2003, pp. 354-363 (Table 6)	H	Forest cover, forest type classification, land use/cover change	1989 to 1998	Analysis of forest cover change over period 1989 to 1998 using LANDSAT TM images, aerial photos and field checks. Online at <u>www.forestry.gov.jm</u>

National class	Definitions	Corresponding FAO Class for FRA 2005	
Forests land use			
Bamboo	<i>Bambusa vulgaris</i> (bamboo brakes) on the lower shale hills (disturbed forest)	Forest	
Mangrove	Edaphic forest (areas with brackish water) composed of trees with stilt roots or pneumatopores, species indicators such as <i>Rhizophora mangle</i> (red mangrove)	Forest	
Closed broadleaf	Closed primary forest with broadleaf trees at least 5 m tall and crown interlocking, with minimal human disturbance	Forest	
Disturbed broadleaf Disturbed broadleaf forest with trees at least 5 m tall and species-indicators of disturbance such as <i>Ceropia peltata</i> (trumpet tree)		Forest	
Short open dry Open scrub, shrub, bush or brushland with trees or shrubs 1-5 m tall and crowns not in contact, in drier parts of Jamaica with species-indicators such as <i>Prosopis juliflora</i> (cashaw) or <i>Stenocereus hystrix</i> (columnar cactus)		Other wooded land	
Swamp	Edaphic forest (soil waterlogging) with a single tree storey with species-indicators such as <i>Symphonia globulifera</i> (hog plum) and <i>Roystonea princeps</i> (royal palm)	Forest	
Tall open dry	Open natural woodland or forest with trees at least 5 m tall and crown not in contact, in drier parts of Jamaica with species-indicators such as <i>Bursera simaruba</i> (red birch)	Forest	
Mixed Land Use			
Bamboo and fields	>50% bamboo; >25% fields	75% Other wooded land 25% Other land	
Bamboo and Disturbed broadleaf forest	>50% bamboo; > 25% Disturbed broadleaf forest	100% Forest	
Bauxite extraction and Disturbed broadleaf forest	>50% bauxite extraction; >25% Disturbed broadleaf forest	25% Other wooded land 75% Other land	
Fields and Disturbed broadleaf forest	>50% fields; >25% Disturbed broadleaf forest	25% Other wooded land 75% Other land	
Fields or Disturbed broadleaf forest and Pine plantation	>50% fields or Disturbed broadleaf forest;>25% Pine plantation	100% Forest	
Disturbed broadleaf forest and fields	>50% Disturbed broadleaf forest; >25% fields	75% Other wooded land 25% Other land	
Non-Forest land			
use Buildings and other	Buildings and other constructed features such as airstrips,	Other land	
infrastructure	quarries, etc.	Other land	
Bauxite extraction	Surface mining/bauxite	Other land	
Bare rock	Bare sand/rock	Other land	
Fields	Herbaceous crops, fallow, cultivated grass/legumes	Other land	
Herbaceous wetlands	Edaphic vegetation (soil waterlogging) with herbaceous	Other land	
Plantations	plants Tree crops, shrub crops like sugar cane, bananas, citrus and coconuts	Other land with tree cover	
Water bodies	Lakes, rivers	Inland water bodies	
Small islands	Mostly sand/limestone, unvegetated small islands (cays)	Other land	

1.2.2 Classification and definition

1.2.3 Original data

Land use/cover change in Jamaica (1989-1998)

National classes	1989	1998
	'000 ha	'000 ha
Forests land use		
Bamboo	2.8	3.0
Mangrove	9.8	9.7
Closed broadleaf	88.7	88.2
Disturbed broadleaf	177.2	174.8
Short open dry	12.1	12.1
Swamp	2.4	2.2
Tall open dry	42.1	42.0
TOTAL	335.1	332.0
Mixed land use		
Bamboo and fields	29.8	29.0
Bamboo and disturbed broadleaf	12.3	12.7
Bauxite and disturbed broadleaf	1.6	2.9
Fields and disturbed broadleaf	118.9	118.0
Fields/Disturbed broadleaf and pine plantation	8.9	8.2
Disturbed broadleaf and fields	166.8	166.0
TOTAL	338.3	336.8
Non-Forest land use		
Buildings/other infrastructure	51.9	52.3
Bauxite	1.2	4.9
Bare rock	0.9	0.9
Fields	273.2	274.5
Herbaceous wetlands	10.9	10.9
Plantations	83.1	82.3
Water bodies	1.6	1.6
Small islands	0.2	0.2
Total	423.0	427.6
Total area of country	1096.4	1096.4

Source: Forestry cover and deforestation in Jamaica: an analysis of forest cover and estimates over time.

1.3 Analysis and processing of national data

1.3.1 Calibration

Source	Total land area (1000 hectares)
National data	1096.4
FAOSTAT	1099

Calibration factor = (1099/1096) = 1.002371397

National classes	1989	1998	1990 ¹	20001	20051
	'000 ha _a	'000 ha _b	'000 ha _c	'000 ha _d	'000 ha _e
Forests land use					
Bamboo	2.8	3.0	2.8	3.0	3.1
Mangrove	9.8	9.7	9.8	9.7	9.6
Closed broadleaf	88.7	88.2	88.9	88.3	88.0
Disturbed broadleaf	177.2	174.8	177.3	174.7	173.3
Short open dry	12.1	12.1	12.1	12.1	12.1
Swamp	2.4	2.2	2.4	2.2	2.0
Tall open dry	42.1	42.0	42.2	42.1	42.0
Total	335.1	332.0	335.5	332.1	330.1
Mixed land use					
Bamboo and fields	29.8	29.0	29.8	28.9	28.4
Bamboo and disturbed broadleaf	12.3	12.7	12.4	12.8	13.0
Bauxite and disturbed broadleaf	1.6	2.9	1.7	3.2	3.9
Fields and disturbed broadleaf	118.9	118.0	119.1	118.0	117.5
Fields/Disturbed broadleaf and pine plantation	8.9	8.2	8.9	8.2	8.2
Disturbed broadleaf and fields	166.8	166.0	167.1	166.2	165.7
Total	338.3	336.8	339.0	337.3	336.7
Non-Forest Land Use					
Non-Forest land use	407.0	411.6	408.5	413.6	416.2
Water	16.0	16.0	16.0	16.0	16.0
Total	423.0	427.6	424.5	429.6	432.2
Grand Total	1096.4	1096.4	1099.0	1099.0	1099.0

1.3.2 Estimation and forecasting

The class fields/disturbed broadleaf and pine plantation comprises pine and hardwood

plantations

 $ha_a = original data for year 1989$

 $ha_b = original data for year 1998$

 $ha_c = ha_a + (ha_a - ha_b)/9 * calibration factor$

 $ha_d = (ha_b + (ha_a - ha_b)/9 * 2) * calibration factor$

 $ha_e = (ha_b + (ha_a - ha_b)/9 * 7) * calibration factor$

*Areas are multiplied by the calibration factor to arrive at the FAO STAT Country total. *¹ Data for the years 1990 and 2000 were estimated using linear interpolation of the data from 1989 and 1998. Similarly, data for year 2005 were forecasted using the same linear trend. *Total Hectare for water was used as 16,000 hectares (total as reported by FOA STAT)

National Classes		FRA 2005 Categories					
	IWB	Forest	OWL	Other Lands	Total	OWLTC	
Bamboo		100%					
Mangrove		100%			100%		
Closed broadleaf		100%			100%		
Disturbed broadleaf		100%			100%		
Short open dry ¹			100%		100%		
Swamp		100%			100%		
Tall open dry		100%			100%		
Bamboo and Fields			75%	25%	100%		
Bamboo and disturbed broadleaf		100%			100%		
Bauxite and disturbed broadleaf			25%	75%	100%		
Fields and disturbed broadleaf			25%	75%	100%		
Fields/Disturbed broadleaf and pine ²		100%			100%		
Disturbed broadleaf and Fields			75%	25%	100%		
None-Forest land use				100%	100%	14.5%	
Water	100%				100%		

1.4 Reclassification into FRA 2005 classes

OWLTC classification by expert knowledge

The mixed areas are placed in **other wooded lands** instead of forest because it is not sure that these areas fit the 10% crown cover criterion. In the past these areas were classified as other wooded lands because they did not fit the 1967 FAO's forest definition of "more than 20% crown cover". Because the analysis was done using Landsat TM a more detailed analysis would have to be done, possibly using aerial photographs, in order to extract the areas which fit the 2001/2005 definition of more than 10% crown cover.

FRA 2005 Categories	Area (1000 hectares)					
r KA 2005 Categories	1990	2000	2005			
Forest	345	341.0	339			
Other wooded land	190.0	189	188			
Other land	548 553		556			
of which with tree cover 1)	82	82	83			
Inland water bodies	16.0	16.0	16.0			
TOTAL	1099.0	1099.0	1099.0			

1.5 Data for National reporting table T1

1) Area of "Other land with tree cover" is included in the area reported under "Other land" and should therefore be excluded when calculating the total area for the country.

1.6 Comments to National reporting table T1

The disturbed areas were considered as other wooded land. If these areas were considered as forest, the area of forest on the island may show an increase when in fact there is no increase. This may put us back into the confused situation Jamaica was in in the 1990s when FAO reported a significant decrease in forest. As it is now, there is clarifyication and consistency between the reports over the years, facilitating comparison and analysis.

¹ Fails to satisfy height criterion for that of forest for FRA 2005 classification

² This class was classified as forest because of the pine and hardwood plantations making up its composition

There is a discrepancy between the area of water reported by FAO STAT and that reported by the Statistical Institute of Jamaica (STATIN). FAOSTAT is reporting 16,000 ha while the official figure by STATIN is 1,600 ha. The area as reported by FAOSTAT of 16,000 ha. is used for this exercise.

2 Table T2 – Ownership of Forest and Other wooded land

2.1 FRA 2005 Categories and definitions

Category	Definition
Private ownership	Land owned by individuals, families, private co-operatives, corporations,
	industries, religious and educational institutions, pension or investment
	funds, and other private institutions.
Public ownership	Land owned by the State (national, state and regional governments) or
	government-owned institutions or corporations or other public bodies
	including cities, municipalities, villages and communes.
Other ownership	Land that is not classified either as "Public ownership" or as "Private
-	ownership".

2.2 National data

2.2.1 Data sources

References to sources of information	Quality (H/M/L)	Variable(s)	Year(s)	Additional comments
Camirand R. and Evelyn	H	Area (%) of	1998	The same percentages can be
5	11	× /	1990	
O.B., 2003. Forestry		Jamaica by		applied for the reporting years as
Department-Trees for		protection status		data used are those used for the
Tomorrow Project. 2004.				creation of Table T1.
National Forest Inventory				
Report 2003, Main Report				Online at <u>www.forestry.gov.jm</u>
and Appendices 1 to V				
(Table 21)				

2.2.2 Classification and definitions

National class	Definition	
Forest Reserve	Any crown or private lands so declared under the Forest Act	
Other Protected	Government lands other than Forest Reserves and private lands so declared.	
Unprotected	Privately owned lands which do not assume any protected status	

Area (%) of Jamaica by forest land class and protection status				
Forest	Other	Unprotected	Grand	
Reserve	Protected		Total	
5.8	0.1	2.1	8.0	
1.1	0.2	14.6	15.9	
0.6	1.3	2.0	3.9	
0.1	0.4	0.6	1.1	
0.0	0.1	0.1	0.2	
0.1	0.5	0.3	0.9	
0.3	0.0	0.1	0.4	
0.3	0.0	0.1	0.4	
8.3	2.6	19.9	30.8	
0.7	0.3	14.1	15.1	
0.8	0.4	13.9	15.1	
1.5	0.7	28.0	30.2	
9.8	3.3	47.9	61.0	
	Forest Reserve 5.8 1.1 0.6 0.1 0.0 0.1 0.3 0.3 0.7 0.8 1.5	Forest Reserve Other Protected 5.8 0.1 1.1 0.2 0.6 1.3 0.1 0.4 0.0 0.1 0.1 0.4 0.0 0.1 0.1 0.5 0.3 0.0 0.3 0.0 0.3 0.0 0.3 0.0 0.3 0.0 0.3 0.0 0.3 0.0 0.3 0.0 0.3 0.0 0.3 0.0 0.3 0.0 0.3 0.0 0.3 0.0 0.3 0.7 0.8 0.4 1.5 0.7	Forest Reserve Other Protected Unprotected 5.8 0.1 2.1 1.1 0.2 14.6 0.6 1.3 2.0 0.1 0.4 0.6 0.0 0.1 0.1 0.1 0.4 0.6 0.0 0.1 0.1 0.1 0.5 0.3 0.3 0.0 0.1 0.3 0.0 0.1 0.3 0.0 0.1 0.3 0.0 0.1 0.3 0.0 0.1 0.3 0.0 0.1 0.3 0.0 0.1 0.3 0.0 0.1 0.3 0.0 0.1 0.7 0.3 14.1 0.8 0.4 13.9 1.5 0.7 28.0	

2.2.3 Original data

Area (%) of Jamaica by forest land class and protection status

Source: National Forest Inventory Report 2003, Main Report and Appendices 1 to V

* Caribbean pine plantation and Other species plantation = Fields/disturbed broadleaf and pine plantation from Table T1

** Disturbed broadleaf forest and Non-forest land use = Disturbed broadleaf forest and fields from Table T1

*** Non-forest land use and disturbed broadleaf forest = bamboo, bamboo and fields, bamboo and disturbed broadleaf, bauxite and disturbed broadleaf, and fields and disturbed broadleaf from Table T1

2.3 Analysis and processing of national data

Forest Reserve ha = Forest Reserve % * 1099.0 (country total area)
Other Protected ha = Other Protected % * 1099.0 (country total area)
Unprotected ha = Unprotected % * 1099.0 (country total area)

Sub-Class	Forest	Other	Unprotected	Total
	Reserve	Protected	'000 ha	'000 ha
	'000 ha	'000 ha		
Closed broadleaf	63.7	1.1	23.1	87.9
Disturbed broadleaf	12.1	2.2	160.5	174.8
Tall open dry	6.6	14.3	22.0	42.9
Riparian/Swamp	0.0	1.1	1.1	2.2
Mangrove	1.1	5.5	3.3	9.9
Caribbean pine				
plantation	3.3	0.0	1.1	4.4
Other species				
plantation	3.3	0.0	1.1	4.4
Total forest	90.1	24.2	212.2	326.5
Disturbed broadleaf				
forest and Non-forest				
land use	7.7	3.3	155.0	166.0
Non-forest land use				
and disturbed				
broadleaf	8.8	4.4	152.8	166.0
Short open dry	1.1	4.4	6.6	12.1
Total other wooded				
lands	17.6	12.1	314.4	344.1

Reclasification on forest and other wooded land was done. See details in section 2.4. Percentages for Forest reserve, Other protected and Unprotected were estimated as follow:

FRA Classes	%	%	%	
	Forest reserve	Other protected	Un-protected	
Forest	27.59	7.41	64.99	
Other wooded land	5.11	3.52	91.37	

This percenges were applied to the total forest area for the years 1990 and 2000 presented in table number one, the results are preseted below:

	1990	2000
Forest	344.7	341
Forest reserve	95.12	94.10
Other protected	25.55	25.27
Unprotected	224.03	221.62
Other wooded land	190	188.8
Forest reserve	9.71	9.66
Other protected	6.68	6.64
Unprotected	173.60	172.50

2.4 Reclasification

Sub-Class	Forest	Other wooded land	
Closed broadleaf	100%		
Disturbed broadleaf	100%		
Tall open dry	100%		
Riparian/Swamp	100%		
Mangrove	100%		
Caribbean pine plantation*	100%		
Other species plantation	100%		
Disturbed broadleaf forest ** and Non-forest land use		100%	
Non-forest land use and disturbed broadleaf ***	9 %	91 %	
Short open dry		100%	

Caribbean pine plantation and Other species plantation = Fields/disturbed broadleaf and pine plantation from Table T1

** Disturbed broadleaf forest and Non-forest land use = Disturbed broadleaf forest and fields from Table T1

*** Non-forest land use and disturbed broadleaf forest = **bamboo**, **bamboo** and fields, bamboo and disturbed broadleaf, bauxite and disturbed broadleaf, and fields and disturbed broadleaf from Table T1 bamboo area is considered forest.

National class	Fra class
Forest Reserve	Public ownership
Other Protected	Other ownership
Unprotected	Private ownership

	Area (1000 hectares)				
FRA 2005 Categories	For	rest	Other wooded land		
	1990	2000	1990	2000	
Private ownership	224	222	174	172	
Public ownership	95	94	10	10	
Other ownership	26	25	7	7	
TOTAL	345	341	190	189	

2.6 Comments to National reporting table T2

For this report, Other ownership areas may include both private and public lands. This is so because our national Cadastral Index, which is in spatial format, is not available to do the breakout, which would address this problem.

3 Table T3 – Designated function of Forest and Other wooded land

3.1 FRA 2005 Categories and definitions

Types of designation

Category	Definition
	A designated function is considered to be primary when it is significantly more important than other functions. This includes areas that are legally or voluntarily set aside for specific purposes.
	Total area where a specific function has been designated, regardless whether it is primary or not.

Designation categories

Category / Designated function	Definition
Production	Forest / Other wooded land designated for production and extraction of
	forest goods, including both wood and non-wood forest products.
Protection of soil and water	Forest / Other wooded land designated for protection of soil and water.
Conservation of biodiversity	Forest / Other wooded land designated for conservation of biological
	diversity.
Social services	Forest / Other wooded land designated for the provision of social services.
Multiple purpose	Forest / Other wooded land designated to any combination of: production
	of goods, protection of soil and water, conservation of biodiversity and
	provision of social services and where none of these alone can be
	considered as being significantly more important than the others.
No or unknown function	Forest / Other wooded land for which a specific function has not been
	designated or where designated function is unknown.

3.2 National data

3.2.1 Data sources

References to sources of information	Quality (H/M/L)	Variable(s)	Year(s)	Additional comments
Forestry Department. 2001.	Н	Forest values	1990	
National Forestry Management		to society	2000	
and Conservation Plan.				
Jamaica				
Camirand R. and Evelyn O.B.,	Н	Area (%) of	1990	The same percentages can be
2003. Forestry Department-		Jamaica by	2000	applied for the reporting years as
Trees for Tomorrow Project.		protection		data used are those used for the
2004. National Forest		status		creation of Table T1.
Inventory Report 2003, Main				
Report and Appendices 1 to V				Online at <u>www.forestry.gov.jm</u>
(Table 21)				

3.2.2 Classification and definitions

National class	Definition
Legal/Administrative function	A function prescribed by law or by administrative decree for a particular site
Not legal/administrative function	function performed although not prescribed by law or administrative decree

3.2.3 Original data

The forest types used in the Forestry Inventory and presented in table number one T1, calibrated, estimated/forecasted areas in 1.3.2 of this report, have been designated a legal administrative function as presented in the next table:

National classes	FRA classes
Closed broadleaf	Conservation of biodiversity
Disturbed broadleaf	Protection of soil and water
Tall open dry	OWL multiple purpose
Riparian/Swamp	Conservation of biodiversity
Mangrove	Conservation of biodiversity
Disturbed broadleaf forest and Non-forest land use	Multiple purpose
Non-forest land use and Disturbed broadleaf forest	Multiple purpose
Short open dry	Multiple purpose
Fields/Disturbed broadleaf and pine plantation	Production
Not legal/administrative designated	No or unknown function

Note: Fields/Disturbed broadleaf and pine plantation consists of Carib pine plantation and Other species plantation This gives the results of primary function as presented below for specific years:

Primary Function - for year 1990 (000 hectares)

Trimury runction for y			1					
Primary Function	Legal/Administrative Designated Function							
Sub-Class	Production	Protection of	Conservation of	Social	Multiple	No or unknown		
		soil and water	biodiversity	services	purposes	function		
Closed broadleaf			65.5					
Disturbed broadleaf		14.5						
Tall open dry					20.6			
Riparian/Swamp			1.2					
Mangrove			6.5					
Caribbean pine plantation	5.0							
Other species plantation	3.9							
*Non-forest land use and		1.0						
disturbed broadleaf forest								
Forest total	8.9	15.5	73.2	0.0	20.6	226.5		
Disturbed broadleaf forest and					8.3			
Non-forest land use								
Non-forest land use and		4.9						
disturbed broadleaf forest*								
Short open dry					5.5			
Other wooded land	0.0	4.9	0.0	0.0	13.8	171.3		

* The area of Non-forest land use and disturbed broadleaf forerst classified as forest consists of Bamboo, and Bamboo and disturbed broadleaf from Table T1 (estimation and forecasting)

Figures in bold are transferred to reporting table T3 for corresponding year

223

169.6

Primary Function	Legal/Administrative Designated Function							
Sub-Class	Production	Protection of	Conservation of	Social	Multiple	No or unknown		
		soil and water	biodiversity	services	purposes	function		
Closed broadleaf			65.1					
Disturbed broadleaf		14.3						
Tall open dry					20.5			
Riparian/Swamp			1.1					
Mangrove			6.5					
Caribbean pine plantation	4.3							
Other species plantation	3.9							
*Non-forest land use and		1.0						
disturbed broadleaf forest								
Forest total	8.2	15.3	72.7	0.0	20.5	224.3		
Disturbed broadleaf forest and					8.3			
Non-forest land use								
Non-forest land use and		4.7						
disturbed broadleaf forest								
Short open dry					5.5			
Other wooded land	0.0	4.7	0.0	0.0	13.8	170.3		

Primary Function - for year 2000

* The area of Non-forest land use and disturbed broadleaf forerst classified as forest consists of Bamboo, and Bamboo and disturbed broadleaf from Table T1 (estimation and forecasting) Figures in bold are transferred to reporting table T3 for corresponding year

Primary Function - for year 2005 Primary Function Legal/Administrative Designated Function Sub-Class Production Protection of Conservation of Social Multiple No or unknown soil and water biodiversity services purposes function Closed broadleaf 64.9 Disturbed broadleaf 14.2Tall open dry 20.5 Riparian/Swamp 1.0 Mangrove 6.4 Caribbean pine plantation 4.3 Other species plantation 3.9 *Non-forest land use and 1.0 disturbed broadleaf forest 15.2 72.3 Forest total 8.2 0.0 20.5 Disturbed broadleaf forest and 8.3 Non-forest land use Non-forest land use and 4.7 disturbed broadleaf forest Short open dry 5.5 Other wooded land 0.0 4.7 0.0 0.0 13.8 * The area of Non-forest land use and disturbed broadleaf forerst classified as forest consists of Bamboo, and

Bamboo and disturbed broadleaf from Table T1 (estimation and forecasting) Figures in bold are transferred to reporting table T3 for corresponding year

3.3 Analysis and processing of national data

3.3.1 Calibration

Not needed.

3.3.2 Estimation and Forecasting

Total forest area used is the one reported in table number 1. The areas serving for total functions are based on expert opinion.

Forest	Leg./Adm.		Area serving t	otal functions	
Primary function	Designated Area	Production	Protection of soil and water	Conservation of biodiversity	Social services
	('000 ha)				
Production	8.9	8.9	8.9		
Protection of soil and water	15.5	14.5	15.5		
Conservation of biodiversity	73.2		73.2	73.2	73.2
Social services	0.0				
Multiple purposes	20.6	20.6	20.6	20.6	20.6
Total		44	118	93.8	93.8
Other wooded lands					
Production	0.0				
Protection of soil and water	4.9	4.9	4.9		4.9
Conservation of biodiversity	0.0				
Social services	0.0				
Multiple purpose	13.8	13.8	13.8	13.8	13.8
Total		18.7	18.7	13.8	18.7

Total area with function – for year 1990

Figures in bold are transferred to reporting table T3 for corresponding year

Total area with function – for year 2000

Forest	Leg./Adm.		Area serving t	otal functions	
Primary function	Designated Area ('000 ha)	Production	Protection of soil and water	Conservation of biodiversity	Social services
Production	8.2	8.2	8.2		
Protection of soil and water	15.3	14.3	15.3		
Conservation of biodiversity	72.7		72.7	72.7	72.7
Social services	0.0				
Multiple purpose	20.5	20.5	20.5	20.5	20.5
Total		43	116.7	93.2	93.2
Other wooded lands					
Production	0.0				
Protection of soil and water	4.7	4.7	4.7		4.7
Conservation of biodiversity	0.0				
Social services	0.0				
Muliple purpose	13.8	13.8	13.8	13.8	13.8
Total		18.5	18.5	13.8	18.5

Figures in bold are transferred to reporting table T3 for corresponding year

Forest	Leg./Adm.		Area serving total functions				
Primary function	Designated Area ('000 ha)	Production	Protection of soil and water	Conservation of biodiversity	Social services		
Production	8.2	8.2	8.2				
Protection of soil and water	15.2	14.2	15.2				
Conservation of biodiversity	72.3		72.3	72.3	72.3		
Social services	0.0						
Multiple purpose	20.5	20.5	20.5	20.5	20.5		
Total		43	116.2	92.8	92.8		
Other wooded lands							
Production	0.0						
Protection of soil and water	4.7	4.7	4.7		4.7		
Conservation of biodiversity	0.0						
Social services	0.0						
Multiple purpose	13.8	13.8	13.8	13.8	13.8		
Total		18.5	18.5	13.8	18.5		

Total area with function – for year 2005

Figures in bold are transferred to reporting table T3 for corresponding year

3.4 Reclassification into FRA 2005 classes

See section orginal data for details.

3.5 Data for National reporting table T3

	Area (1000 hectares)						
FRA 2005 Categories / Designated function	Pri	mary funct	ion	Total area with function			
Designated function	1990 2000 2005		1990	2000	2005		
Forest							
Production	9	8	8	44	43	43	
Protection of soil and water	16	15	15	118	117	116	
Conservation of biodiversity	73	73	72	94	93	93	
Social services	0.0	0.0	0.0	94	93	93	
Multiple purpose	21	21	21	not appl.	not appl.	not appl.	
No or unknown function	227	224	223	not appl.	not appl.	not appl.	
Total - Forest	345	341	339	not appl.	not appl.	not appl.	
Other wooded land							
Production	0.0	0.0	0.0	19	19	19	
Protection of soil and water	5	5	5	19	19	19	
Conservation of biodiversity	0.0	0.0	0.0	14	14	14	
Social services	0.0	0.0	0.0	19	19	19	
Multiple purpose	14	14	14	not appl.	not appl.	not appl.	
No or unknown function	171	171	170	not appl.	not appl.	not appl.	
Total – Other wooded land	190	189	188	not appl.	not appl.	not appl.	

3.6 Comments to National reporting table T3

Using local expert knowledge along with the assignment of agregates for the sub-classes in the creation of the Primary Function table the assignment of agregates to other functions were

done to create the Total Area with Function table. Multiple purpose area is assumed to serve all four functions

4 Table T4 – Characteristics of Forest and Other wooded land

4.1 FRA 2005 Categories and definitions

Category	Definition
Primary	Forest / Other wooded land of native species, where there are no clearly
	visible indications of human activities and the ecological processes are not
	significantly disturbed.
Modified natural	Forest / Other wooded land of naturally regenerated native species where there
	are clearly visible indications of human activities.
Semi-natural	Forest / Other wooded land of native species, established through planting,
	seeding or assisted natural regeneration.
Productive plantation	Forest / Other wooded land of introduced species, and in some cases native
	species, established through planting or seeding mainly for production of
	wood or non wood goods.
Protective plantation	Forest / Other wooded land of native or introduced species, established
	through planting or seeding mainly for provision of services.

4.2 National data

4.2.1 Data sources

References to sources of	Quality	Variable(s)	Year(s)	Additional comments
information	(H/M/L)			
Evelyn O. B and Camirand R.,	Н	Classes for	1989 &	classification, definitions,
2003. Forestry cover and		Forests and	1998	tables etc. are extracted form
deforestation in Jamaica: an		Other wooded		information for Table T1
analysis of forest cover and		lands		
estimates over time. Jamaica.				Online at <u>www.forestry.gov.jm</u>
International Forestry Review,				
5(4), 2003, pp. 354-363 (Table 6)				

4.2.2 Classification and definitions

National class	Definitions
Forests	
Mangrove	Edaphic forest (areas with brackish water) composed of trees with stilt roots or
	pneumatopores, species indicators such as Rhizophora mangle (red mangrove)
Closed broadleaf	Closed primary forest with broadleaf trees at least 5 m tall and crown interlocking,
	with minimal human disturbance
Disturbed broadleaf	Disturbed braodleaf foresr with trees at least 5 m tall and species-indicators of
	disturbance such as Ceropia peltata (trumpet tree)
Swamp	Edaphic forest (soil waterlogging) with a single tree storey with species-indicators
	such as Symphonia globulifera (hog plum) and Roystonea princeps (royal palm)
Tall open dry	Open natural woodland or forest with trees at least 5 m tall and crown not in
	contact, in drier parts of Jamaica with species-indicators such as Bursera
	simaruba (red birch)
Caribbean pine	Forest plantation with Pinus caribaea
plantation	
Other species plantation	Forest plantation with other species such as Hibiscus elatus (blue mahoe),
	Swietenia macrophylia (Honduras mahogany), Tectona grandis (teak), Eucalyptus
	saligna, Cedrela odorata (cedar), etc

`

Other wooded lands

Disturbed broadleaf	>50% Disturbed broadleaf forest; >25% Non forest land uses
forest and Non forest	
land use	
non forest land use and	>50% Non forest land use; >25% Disturbed broadleaf forest;
Disturbed broadleaf	
forest	
Short open dry	open scrub, shrub, bush or brushland with trees or shrubs 1-5 m tall and crowns not in contact, in drier parts of Jamaica with species-indicators such as <i>Prosopis</i> <i>juliflora</i> (cashaw) or <i>Stenocereus hystrix</i> (columnar cactus)

4.2.3 Original data

Land use/cover change in Jamaica (1989-1998)

National classes	1989	1998
	'000 ha	'000 ha
Forests land use		
Bamboo	2.8	3.0
Mangrove	9.8	9.7
Closed broadleaf	88.7	88.2
Disturbed broadleaf	177.2	174.8
Short open dry	12.1	12.1
Swamp	2.4	2.2
Tall open dry	42.1	42.0
TOTAL	335.1	332.0
Mixed land use		
Bamboo and fields	29.8	29.0
Bamboo and disturbed broadleaf	12.3	12.7
Bauxite and disturbed broadleaf	1.6	2.9
Fields and disturbed broadleaf	118.9	118.0
Fields/Disturbed broadleaf and pine plantation	8.9	8.2
Disturbed broadleaf and fields	166.8	166.0
TOTAL	338.3	336.8

4.3 Analysis and processing of national data

4.3.1 Calibration

Same as Table T1

4.3.2 Estimation and forecasting

National classes	1989	1998	1990	2000	2005
	'000 ha	'000 ha	'000 ha	'000 ha	'000 ha
Forests land use					
Bamboo	2.8	3.0	2.8	3.0	3.1
Mangrove	9.8	9.7	9.8	9.7	9.6
Closed broadleaf	88.7	88.2	88.9	88.3	88.0
Disturbed broadleaf	177.2	174.8	177.3	174.7	173.3
Short open dry	12.1	12.1	12.1	12.1	12.1
Swamp	2.4	2.2	2.4	2.2	2.0
Tall open dry	42.1	42.0	42.2	42.1	42.0
Total	335.1	332.0	335.5	332.1	330.1
Mixed land use					
Bamboo and fields	29.8	29.0	29.8	28.9	28.4
Bamboo and disturbed broadleaf	12.3	12.7	12.4	12.8	13.0
Bauxite and disturbed broadleaf	1.6	2.9	1.7	3.2	3.9
Fields and disturbed broadleaf	118.9	118.0	119.1	118.0	117.5
Fields/Disturbed broadleaf and pine plantation	8.9	8.2	8.9	8.2	8.2

Disturbed broadleaf and fields	166.8	166.0	167.1	166.2	165.7
Total (from table 1)	338.3	336.8	339.0	337.3	336.7

4.4 Reclassification into FRA 2005 classes

National Classes	1990	2000	2005		FR	A 2005	classes		Other	Total %
•00	'000 ha	'000 ha	'000 ha	Primary	Modified natural		Productive plantation		lands	
FOREST										
Bamboo	2.8	3.0	3.1					100%		100%
Mangrove	9.8	9.7	9.6		100%					100%
Closed broadleaf	88.9	88.3	88.0		100%					100%
Disturbed broadleaf	177.3	174.7	173.3		100%					100%
Swamp	2.4	2.2	2.0		100%					100%
Tall open dry	42.2	42.1	42.0		100%					100%
Fields/Disturbed broadleaf and pine plantation	8.9	8.2	8.2				100%			100%
Bamboo and disturbed broadleaf	12.4	12.8	13.0		25%			75%		100%
Total forest lands	332.5	328.2	326.5							
OTHER WOODED							-			
Bamboo and fields	29.8	28.9	28.4					75%	25%	100%
Bauxite and disturbed broadleaf	1.7	3.2	3.9		25%				75%	100%
Fields and disturbed broadleaf	119.1	118.0	117.5		25%				75%	100%
Disturbed braodleaf and fields	163.0	163.1	163.1		75%				25%	100%
Short open dry	12.1	12.1	12.2		100%					100%
Total wooded lands	342.3	341.4	340.0			1				

The class fields/disturbed broadleaf and pine plantation comprises pine and hardwood plantations

4.5 Data for National reporting table T4

	Area (1000 hectares)							
FRA 2005 Categories		Forest		Oth	Other wooded land			
	1990	2000	2005	1990	2000	2005		
Primary	-	-	-	-	-	-		
Modified natural	330	327	325	168	167	167		
Semi-natural	-	-	-	1	1	-		
Productive plantation	9	8	8	-	-	-		
Protective plantation	6	6	6	22.4	21.7	21.3		
TOTAL	345	341	339	190.0	189	188		

4.6 Comments to National reporting table T4

5 Table T5 – Growing stock

5.1 FRA 2005 Categories and definitions

Category	Definition
Growing stock	Volume over bark of all living trees more than X cm in diameter at breast height (or above buttress if these are higher). Includes the stem from ground level or stump height up to a top diameter of Y cm, and may also include branches to a minimum diameter of W cm.
Commercial growing stock	The part of the growing stock of species that are considered as commercial or potentially commercial under current market conditions, and with a diameter at breast height of Z cm or more.

5.2 National data

5.2.1 Data sources

References to sources of information	Quality (H/M/L)	Variable(s)	Year(s)	Additional comments
Camirand R. and Evelyn O.B., 2003. Forestry Department-Trees for Tomorrow Project. 2004. <i>National Forest Inventory Report</i> 2003, Main Report and Appendices 1 to V	Н	Area and Volume	2003	

5.2.2 Classification and definitions

Not needed as classes correspond with FRA 2005 classe

5.2.3 Original data

Total Volume by forest types

Name	Area	Volume
	('000 ha)	(Mil. m^3)
Closed Broadleaf	88.2	17.09
Disturbed Broadleaf	174.7	28.91
Tall Open Dry	42.0	1.59
Short Open Dry	12.1	0.27
Riparian/Swamp	2.3	0.41
Mangrove	9.7	0.76
Caribbean Pine Plantations	4.3	0.51
Other Species Plantation	3.9	0.58
Forest total	337.2	50.12
Disturbed Broadleaf Forest & Non-Forest Land Use	166.0	15.53
Non-Forest Land Use & Disturbed Broadleaf Forest	165.6	11.00
Mixed Total	331.6	26.53
Total	668.7	76.65

Source: National Forest Inventory Report 2003, Main Report and Appendices 1 to V

5.3 Analysis and processing of national data

5.3.1 Calibration

Not needed

Name	Vol/ha	19	90	2	2000	2	2005
	(Mil. m3)	AREA '000 HA	Volume (Mil. M3)	Area '000 ha	VOLUME (Mil. M3)	Area '000 ha	Volume (Mil. M3)
Closed Broadleaf	0.19	88.9	16.89	88.3	16.78	88.0	16.72
Disturbed Broadleaf	0.17	177.3	30.14	174.7	29.70	173.3	29.46
TALL OPEN DRY	0.04	42.2	1.69	42.1	1.68	42.0	1.68
Short Open Dry	0.02	12.1	0.24	12.1	0.24	12.1	0.24
Riparian/Swamp	0.18	2.4	0.43	2.2	0.40	2.0	0.36
Mangrove	0.08	9.8	0.78	9.7	0.78	9.6	0.77
Caribbean Pine							
Plantations	0.12	5.0	0.60	4.3	0.52	4.3	0.52
Other Species							
Plantation	0.15	3.9	0.59	3.9	0.59	3.9	0.59
Forest total		341.6	51.36	337.3	50.69	335.2	50.34
Disturbed Broadleaf Forest & Non-Forest							
Land Use	0.09	167.1	15.04	166.2	14.96	165.7	14.91
Non-Forest Land Use & Disturbed Broadleaf							
Forest	0.07	165.8	11.61	165.9	11.61	165.9	11.61
Mixed Total		332.9	26.65	332.1	26.57	331.6	26.52

5.3.2 Estimation and forecasting

Vol/ha (Mil. M3) = Volume (Mil. m3) / Area ('000 ha); from original table

Volume (Mil. M3) = Vol/ha (Mil. M3) * Area ('000 ha);

Areas are extracted from Total Calibrated '000 ha of calibration tables in Table T2 and Table T3.

Non-Forest Land Use and Disturbed Broadleaf Forest (Table T5) = Bamboo, Bamboo and fields, Bamboo and disturbed broadleaf, Bauxite and disturbed broadleaf, and Fields and disturbed broadleaf (Table T1).

5.4 Reclassification into FRA 2005 classes

For	Year	1990
-----	------	------

Name	Volume (Mil. M ³)	FOREST %	Wooded area	Total %	Commercial growing	RESULT C RECLASS)F IFICATION
			%		stock %	Forest	Other Wooded land
Closed Broadleaf	16.89	100		100		16.89	
Disturbed Broadleaf	30.14	100		100		30.14	
Tall Open Dry	1.69	100		100		1.69	
Short Open Dry	0.24		100	100			0.24
Riparian/Swamp	0.43	100		100		0.43	
Mangrove	0.78	100		100		0.78	
Caribbean Pine Plantations	0.60	100		100	100	0.60	
Other Species Plantation	0.59	100		100	100	0.59	
Disturbed Broadleaf Forest & Non-Forest Land Use	15.04		100	100			15.04
Non-Forest Land Use & Disturbed Broadleaf Forest*	11.61	22.4	77.6	100		2.60	9.01
Total	•	•			•	53.72	24.29

* From Non-forest Land Use and Disturbed Broadleaf Forest, the classes Bamboo, and Bamboo and disturbed broadleaf are reclassified as forest and the others remain as wooded lands.

For year 2000

Name	Volume (Mil. M ³)	FOREST %	Wooded area %	Total %	Commercial growing stock %	RESULT OF RECLASSIFICAT ON	
						Forest	Wooded
							area
Closed Broadleaf	16.78	100		100		16.78	
Disturbed Broadleaf	29.70	100		100		29.70	
Tall Open Dry	1.68	100		100		1.68	
Short Open Dry	0.24		100	100			0.24
Riparian/Swamp	0.40	100		100		0.40	
Mangrove	0.78	100		100		0.78	
Caribbean Pine Plantations	0.52	100		100	100	0.52	
Other Species Plantation	0.59	100		100	100	0.59	
Disturbed Broadleaf Forest	14.96		100	100			14.96
& Non-Forest Land Use							
Non-Forest Land Use &	11.61	23.3	76.7	100		2.71	8.90
Disturbed Broadleaf Forest							
Total						53.16	24.10

For year 2005

Name	Volume (Mil. M ³)	FOREST %	Wooded area %	Total %	Commercial growing stock %	RESULT RECLASS ON	OF SIFICATI
						Forest	Wooded area
Closed Broadleaf	16.72	100		100		16.72	
Disturbed Broadleaf	29.46	100		100		29.46	
Tall Open Dry	1.68	100		100		1.68	
Short Open Dry	0.24		100	100			0.24
Riparian/Swamp	0.36	100		100		0.36	
Mangrove	0.77	100		100		0.77	
Caribbean Pine Plantations	0.52	100		100	100	0.52	
Other Species Plantation	0.59	100		100	100	0.59	
Disturbed Broadleaf Forest & Non-Forest Land Use	14.91		100	100			14.91
Non-Forest Land Use & Disturbed Broadleaf Forest	11.61	23.7	76.3	100		2.75	8.86
Total	1	1	1	1		52.85	24.01

5.5 Data for National reporting table T5

	Volume (million cubic meters over bark)								
FRA 2005 Categories		Forest		Other wooded land					
	1990	2000	2005	1990	2000	2005			
Growing stock	54	53	53	24.	24	24			
Commercial growing stock	1.19	1.11	1.11	NA	NA	NA			

Specification of country threshold values	Unit	Value	Complementary information
1. Minimum diameter at breast height of trees included in Growing stock (X)	cm	10	All species
2. Minimum diameter at the top end of stem (Y) for calculation of Growing stock	cm	7	7cm for <i>Pinus</i> species and crown point for other species
3. Minimum diameter of branches included in Growing stock (W)	cm	7	
4. Minimum diameter at breast height of trees in Commercial growing stock (Z)	cm	10	
5. Volume refers to "Above ground" (AG) or "Above stump" (AS)	AG / AS	AG	
6. Have any of the above thresholds (points 1 to 4) changed since 1990	Yes/No	No	
7. If yes, then attach a separate note giving details of the change	Attachment		

5.6 Comments to National reporting table T5

6 Table T6 – Biomass stock

6.1 FRA 2005 Categories and definitions

Category	Definition
Above-ground biomass	All living biomass above the soil including stem, stump, branches, bark, seeds, and foliage.
Below-ground biomass	All living biomass of live roots. Fine roots of less than 2mm diameter are excluded because these often cannot be distinguished empirically from soil organic matter or litter.
Dead wood biomass	All non-living woody biomass not contained in the litter, either standing, lying on the ground, or in the soil. Dead wood includes wood lying on the surface, dead roots, and stumps larger than or equal to 10 cm in diameter or any other diameter used by the country.

6.2 National data

6.2.1 Data sources

References to sources of information	Quality (H/M/L)	Variable(s)	Year(s)	Additional comments
Camirand R. and Evelyn	Н	Biomass stock	2003	
O.B., 2003. Forestry				
Department-Trees for				
Tomorrow Project. 2004.				
National Forest Inventory				
Report 2003, Main Report				
and Appendices 1 to V				

6.2.2 Classification and definitions

Not needed as classes correspond with FRA 2005 classes

6.2.3 Original data

Results of table number 5.

	Volume (million cubic meters over bark)								
FRA 2005 Categories		Forest		Other wooded land					
	1990	2000	2005	1990	2000	2005			
Growing stock	54	53	53	24.	24	24			
Commercial growing stock	1.19	1.11	1.11	NA	NA	NA			

6.3 Analysis and processing of national data

6.3.1 Calibration

Not needed

Name	Growing	Aboveground	Root-	B.G biomass
	stock	living biomass	Shoot	(Mil. tonnes)
	(Mil. t)	(Mil. tonnes)	Ratio	(1.1.1. 0011105)
Closed Broadleaf	17.09	15.57	0.24	3.74
Disturbed Broadleaf	28.91	28.68	0.24	6.88
Tall Open Dry	1.59	3.38	0.27	0.91
Riparian/Swamp	0.41	0.37	0.24	0.09
Mangrove	0.76	1.05	0.24	0.25
Caribbean Pine Plantations	0.51	0.54	0.23	0.12
Other Species Plantation	0.58	0.63	0.24	0.15
*Non-Forest Land Use & Disturbed	2.91	4.57	0.24	1.10
Broadleaf Forest (26.5%)				
Total Forest	52.76	54.79		13.24
Disturbed Broadleaf Forest & Non-	15.53	20.54	0.24	4.93
Forest Land Use				
**Non-Forest Land Use & Disturbed	8.09	12.66	0.24	3.04
Broadleaf Forest (73.5%)				
Short Open Dry	0.27	0.74	0.27	0.20
Total Wooded lands	23.89	33.94		8.17
Grand Total	76.65	88.73		21.41

6.3.2	Estimation	and forecasting
-------	------------	-----------------

Root-Shoot Ratios taken from Guidelines for Country Reporting To FRA 2005, Table 5.5 in Appendix 5 Below Ground biomass (B.G biomass) = Aboveground biomass * Root-Shoot Ratio

*Non-Forest Land Use & Disturbed Broadleaf Forest (26.5%) consists of Bamboo, and Bamboo and disturbed broadleaf (estimation and forecasting) in Table T1.

**Non-Forest Land Use & Disturbed Broadleaf Forest (73.5%) consists of Bamboo and fields, Bauxite and disturbed broadleaf, and Fields and disturbed broadleaf (estimation and forecasting) in Table T1 For Forest – WCF, agb = 54.79/52.76 = 1.0385; WCF, bgb = 13.24/52.76 = 0.2509

For Wooded lands – WCF, agb = 33.94 / 23.89 = 1.4207; WCF, bgb = 8.17 / 23.89 = 0.3419

FRA 2005 category	Volume (million m3 over bark)							
		Fo	rest		Ot	her woo	ded land	s
	Factor	1990	2000	2005	Factor	1990	2000	2005
Growing stock		53.72	53.16	52.85		24.29	24.10	24.01
- WCF,abg	1.0385				1.4207			
- WCF,bgb	0.2509				0.3419			
Above-ground living		55.79	55.21	54.88		34.51	34.24	34.11
biomass								
Below-ground living		13.48	13.34	13.26		8.30	8.24	8.21
biomass								
Total living biomass		69.27	68.55	68.14		42.81	42.48	42.32
Dead-live ratio	0.11							
Dead wood biomass		7.62	7.54	7.50		4.71	4.67	4.66
Total		76.89	76.09	75.64		47.52	47.15	46.98

Growing stock figures extracted from Table T5

Above ground living biomass = Growing stock * WCF, agb (factor)

Below ground living biomass = Growing stock * WCF, bgb (Factor)

Dead-live ratio (taken from Guidelines to Country Reporting to FRA2005, Appendix 5, Table5.6) Dead wood biomass = Total living biomass * Dead live ratio

6.4 Reclassification into FRA 2005 classes

Not needed

6.5 Data for National reporting table T6

	Biomass (million metric tonnes oven-dry weight)								
FRA 2005 Categories		Forest		Other wooded land					
	1990	2000	2005	1990	2000	2005			
Above-ground biomass	56	55	55	35	34	34			
Below-ground biomass	13	13	13	8	8	8			
Dead wood biomass	8	8	8	5	5	5			
TOTAL	77	76	76	48	475	47			

Thresholds used by the country are the following:

Default threshold values of 2 mm for fine roots and 10 cm for dead wood are used. DBH => 10cm (all trees)

6.6 Comments to National reporting table T6

The calculations of aboveground biomass of the trees (over-storey living biomass, not including roots, litter, dead wood and under-storey) per hectare were made following the methodology proposed by Brown (1997), which uses crown point volume over bark (stem volume over bark in this study) per hectare for the broadleaf species. For coniferous species (pines), the calculations are based on the total volume over bark per hectare.

The following equations were used in the calculations:

Aboveground living biomass (t/ha) = VOB * WD * BEF, where VOB (Broadleaf species) = Crown point volume over bark, all trees with DBH => 10cm VOB (Coniferous species) = Total volume over bark, all trees with DBH => 10cm WD = Volume-weighted average wood density (t of oven-dry biomass per m3 greenvolume) BEF = Biomass expansion factor (ratio of aboveground oven-dry biomass of trees to oven-dry biomass of inventoried volume) For Coniferous species (*Pinus caribaea*): WD = 0.51 and BEF = 1.3 For Broadleaf species: WD = 0.6 and BEF = Exp (3.213 - 0.506 * Ln(VOB*WD))

The aboveground living biomass (over-storey living biomass, not including roots, litter, dead wood and understorey) of the Jamaican forests is approximately 88.73 million metric tons. The weighted average biomass per hectare is 132.7 metric tons, ranging between 60.9 t/ha for the short open dry forest and 176.4 t/ha for the closed broadleaf forest.

The closed and disturbed broadleaf forest types constitute one half of the aboveground living biomass. The mixed forest types associated with other land use types, such as cultivation, pasture, bauxite, etc, represents 42.6% of the total aboveground living biomass. Since the latter land use types are mostly unprotected it is likely that the total aboveground living biomass for these land use types could decrease in the future. Only 22.9% of the total aboveground living biomass of Jamaican forests is located on lands with protection status.

SOURCE: Camirand R. and Evelyn O.B., 2003. Forestry Department-Trees for Tomorrow Project. 2004. *National Forest Inventory Report 2003, Main Report and Appendices 1 to V*

7 Table T7 – Carbon stock

7.1 FRA 2005 Categories and definitions

Category	Definition
Carbon in above-ground biomass	Carbon in all living biomass above the soil, including stem, stump,
	branches, bark, seeds, and foliage.
Carbon in below-ground biomass	Carbon in all living biomass of live roots. Fine roots of less than 2 mm
	diameter are excluded, because these often cannot be distinguished
	empirically from soil organic matter or litter.
Carbon in dead wood biomass	Carbon in all non-living woody biomass not contained in the litter, either
	standing, lying on the ground, or in the soil. Dead wood includes wood
	lying on the surface, dead roots, and stumps larger than or equal to 10 cm in
	diameter or any other diameter used by the country.
Carbon in litter	Carbon in all non-living biomass with a diameter less than a minimum
	diameter chose by the country for lying dead (for example 10 cm), in
	various states of decomposition above the mineral or organic soil. This
	includes the litter, fumic, and humic layers.
Soil carbon	Organic carbon in mineral and organic soils (including peat) to a specified
	depth chosen by the country and applied consistently through the time
	series.

7.2 National data

7.2.1 Data sources

References to sources of information	Quality (H/M/L)	Variable(s)	Year(s)	Additional comments
Camirand R. and Evelyn O.B., 2003. Forestry	Н	Biomass stock	2003	
Department-Trees for Tomorrow Project. 2004.				
National Forest Inventory Report 2003, Main Report				
and Appendices 1 to V				

7.2.2 Classification and definitions

Not needed as classes correspond with FRA 2005 classes

7.2.3 Original data

	Biomass (million metric tonnes oven-dry weight)								
FRA 2005 Categories		Forest		Other wooded land					
	1990	2000	2005	1990	2000	2005			
Above-ground biomass	56	55	55	35	34	34			
Below-ground biomass	13	13	13	8	8	8			
Dead wood biomass	8	8	8	5	5	5			
TOTAL	77	76	76	48	47	47			

Extracted from 'Data for National reporting table T6'

7.3 Analysis and processing of national data

7.3.1 Calibration Not needed

7.3.2 Estimation and forecasting

FRA 2005 category	Biomass (million tonnes oven-dry weight)				Carbon st	ock (million	n tonnes)				
	Forest										
	1990	2000	2005	IPCC-GPG DEFAULT VALUE	1990	2000	2005				
ABOVE-GROUND BIOMASS	55.79	55.21	54.88	50%	27.80	27.00	27.44				
<u></u>	12.10	10.04	10.04	500/	27.89	27.60	27.44				
Below-ground biomass	13.48	13.34	13.26	50%	6.74	6.67	6.63				
Total living biomass	69.27	68.55	68.14		34.63	34.27	34.07				
Dead wood biomass	7.62	7.54	7.50	50%	3.81	3.77	3.75				
Total	76.89	76.09	75.64		38.44	38.04	37.82				
Other wooded land											
ABOVE-GROUND	34.51	34.24	34.11	50%							
BIOMASS					17.25	17.12	17.06				
Below-ground biomass	8.30	8.24	8.21	50%	4.61	4.12	4.10				
Total living biomass	42.81	42.48	42.32		21.86	21.24	21.16				
Dead wood biomass	4.71	4.67	4.66	50%	2.35	2.34	2.33				
Total	47.52	47.15	46.98		24.21	23.58	23.49				

Carbon stock (million tonnes) = Biomass (million tonnes oven-dry weight * IPCC-GPG default value

Carbon stock in litter

	IPCC-GPG		1990	20	00	2005			
Forest	default value (Tonnes c per ha.)	'000 ha	Litter Carbon (Mil. tonnes)	'000 ha	Litte Carbon (Mil. tonnes)	'000 ha	Litter Carbon (Mil. tonnes)		
Broadleaf	2.1	339.7	0.71	336.7	0.71	334.9	0.70		
Carib pines	5.2	5.0	0.03	4.3	0.02	4.3	0.02		
Total		344.7	0.74	341.0	0.73	339.2	0.72		
Other wooded land	and								
BROADLEAF	2.1	190	0.40	188.8	0.40	188.1	0.40		

Classification done by expert knowledge

IPP-GPG default value per hectare obtained from Guidelines for country reporting to FRA2005, Appendix 5 - Table 5.7

Litter carbon (Mil. tonnes) = '000 ha * IPCC-GPG default value (Tonnes c per ha.) / 1000

Soil Carbon calculations

	IPCC-GPG		1990	20	00	2005	
Forest	default value (Tonnes c per ha. for 0-30 cm depth)	'000 ha	Carbon Mil. tonnes	'000 ha	Carbon	'000 ha	Carbon
Tropical, wet, volcanic							
soils	130	88.9	11.56	88.3	11.48	88.0	11.44
Tropical, dry, volcanic							
soils	50	42.2	2.11	42.1	2.11	42.0	2.10
Tropical, moist, volcanic							
soils	70	201.4	14.10	198.7	13.91	197.6	13.83
Tropical, wetlands soils	86	12.2	1.05	11.9	1.02	11.6	1.00
Total		334.7	28.82	341.0	28.52	339.2	28.37
Other wooded land							
TROPICAL, MOIST, VOLCANIC SOILS	70	177.9	12.45	176.7	12.37	176.0	12.32
TROPICAL, DRY,							
VOLCANIC SOILS	50	12.1	0.61	12.1	0.61	12.1	0.61
TOTAL		190.0	13.06	188.8	12.98	188.1	12.93

Classification done by expert knowledge

IPP-GPG default value per hectare obtained from Guidelines for country reporting to FRA2005, Appendix 5 - Table 5.8

Carbon Mil. tonnes = '000 ha * IPCC-GPG default value (Tonnes c per ha. for 0-30 cm depth) / 1000

7.4 Reclassification into FRA 2005 classes

Not needed

7.5 Data for National reporting table T7

	Carbon (Million metric tonnes)							
FRA 2005 Categories		Forest		Other wooded land				
	1990	2000	2005	1990	2000	2005		
Carbon in above-ground biomass	28	28	27	19	19	19		
Carbon in below-ground biomass	7	7	7	5	5	5		
Sub-total: Carbon in living biomass	35	34	34	24	24	24		
Carbon in dead wood	4	4	4	3	3	3		
Carbon in litter	1	1	1	0.40	0.40	0.40		
Sub-total: Carbon in dead wood and litter	5	5	4	3	3	3		
Soil carbon to a depth of 30cm	29	29	28	13	13	13		
TOTAL CARBON	68	68	67	40	40	40		

Soil carbon depth = 30cm (default value)

7.6 Comments to National reporting table T7

All default values used are taken from Guidelines for Country Reporting to FRA 2005, Appendix 5.

8 Table T8 – Disturbances affecting health and vitality

8.1 FRA 2005 Categories and definitions

Category	Definition				
Disturbance by fire	Disturbance caused by wildfire, independently whether it broke out				
Distuibance by file	inside or outside the forest/OWL.				
Disturbance by insects	Disturbance caused by insect pests that are detrimental to tree health.				
Disturbance by diseases	Disturbance caused by diseases attributable to pathogens, such as a				
Distuibance by diseases	bacteria, fungi, phytoplasma or virus.				
Other disturbance	Disturbance caused by other factors than fire, insects or diseases.				

8.2 National data

8.2.1 Data sources

References to sources of information	Quality (H/M/L)	Variable(s)	Year(s)	Additional comments
Forestry Department, 2001. National Forestry Management and Conservation Plan. Jamaica	Н	Existing plantations	2001	Online at <u>www.forestry.gov.jm</u>

8.2.2 Classification and definitions

Not needed as classes correspond with FRA 2005 classes

8.2.3 Original data

In the year of 1988, a total of 6.1 thousand hectares were destroyed by hurricane Gilbert.

8.3 Analysis and processing of national data

Not needed

8.3.1 Estimation and forecasting

FRA 2005 request five years average, therefore the 6.1 thousand hectares were divided by 5 for the reporting year of 1990.

8.4 Reclassification into FRA 2005 classes

Not needed

	Average annual area affected (1000 hectares)					
FRA-2005 Categories	For	ests	Other wooded land			
	1990	2000	1990	2000		
Disturbance by fire	0	0	0	0		
Disturbance by insects	0	0	0	0		
Disturbance by diseases	0	0	0	0		
Other disturbance	1.22	0	I.D.	0		

8.5 Data for National reporting table T8

Other disturbance is disturbance by the effects of hurricane winds.

8.6 Comments to National reporting table T8

In the year 1990, two years after hurricane Gilbert passed over the island, an inventory was carried out on its effects on Jamaica's forests. The hurricane destroyed 6, 100 hectares of pine and hardwood plantations. Damages to the hardwoods were minimal in comparison to the pines. Assessment on the natural forests showed that damage was mainly to the crown cover. No inventory was carried on the wooded lands to determine the extent of the hurricane damage.

9 Table T9 – Diversity of tree species

9.1 FRA 2005 Categories and definitions

Category	Definition
Number of native tree species	The total number of native tree species that have been identified within the country.
Number of critically endangered tree species	The number of native tree species that are classified as "Critically endangered" in the IUCN red list.
Number of endangered tree species	The number of native tree species that are classified as "Endangered" in the IUCN red list.
Number of vulnerable tree species	The number of native tree species that are classified as "Vulnerable" in the IUCN red list.

9.2 National data

9.2.1 Data sources

References to sources of	Quality	Variable(s)	Year(s)	Additional comments
information	(H/M/L)			
Camirand R. and Evelyn	Н	Threatened	2000	Online at <u>www.forestry.gov.jm</u>
O.B., 2003. Forestry		tree species		
Department-Trees for				
Tomorrow Project. 2004.				
National Forest Inventory				
Report 2003, Main Report				
and Appendices 1 to V				
(Appendix 111, group 8)				
Adams, C.D. 1972.	Н		1972	
Flowering plants of				
Jamaica. University of the				
West Indies, Kingston,				
848 p.				
IUCN Red List for forest				IUCN lisdting see website:
habitats				http://www.fao.org/forestry/foris/webview
				/forestry2/index.jsp?siteId=5461

9.2.2 Classification and definitions

Not needed

9.2.3 Original data

IUCN list.

9.3 Analysis and processing of national data

9.4 Reclasification

9.5 Data for National reporting table T9

FRA 2005 Categories	Number of species (year 2000)
Native tree species	722
Critically endangered tree species	15
Endangered tree species	27
Vulnerable tree species	62

9.6 Comments to National reporting table T9

The number of national reported threatened tree species reported is 39, which include species listed on the Critically endangered tree species, Endangered tree species and the vulnerable tree species lists from the IUCN red listings.

Some species listed on the IUCN listings are classified as shrub or trees as they are able to attain the height to be classified as tree under certain conditions. The lists are attached as Appendices 1-3 at the end of the report.

GROUP 8 - THREATENED TREE SPECIES					
Code	Local name	Scientific name	Family name		
066-01-04	Wild Sour Sop	Annona praetermissa	Annonaceae		
180-25-01		Antirhea tomentosa	Rubiaceae		
151-02-07		Ardisia urbanii	Myrsinaceae		
105-01-02	Siboney	Bursera aromatica	Burseraceae		
111-01-02		Buxus arborea	Buxaceae		
094-06-04		Calliandra paniculata	Mimosaceae		
139-02-02	Coco Plum of Troy	Cassipourea brittoniana	Rhizophoraceae		
139-02-04		Cassipourea subcordata	Rhizophoraceae		
069-02-01	Mountain Cinnamon, Red Canella	Cinnamodendron corticosum	Canellaceae		
080-03-04		Clusia havetioides	Clusiaceae		
054-04-02	Big Leaf Grape	Coccoloba proctorii	Polygonaceae		
112-05-04		Comocladia cordata	Anacardiaceae		
166-06-10		Cordia harrisii	Boraginaceae		
166-06-09		Cordia troyana	Boraginaceae		
145-03-10		Dendropanax filipes	Araliaceae		
141-06-42		Eugenia kellyana	Myrtaceae		
141-06-43		Eugenia laurae	Myrtaceae		
183-45-09		Eupatorium critoniforme	Asteraceae		
174-04-16		Gesneria alpina	Gesneriaceae		
174-04-05		Gesneria calycina	Gesneriaceae		
102-01-01	Lignum Vitae	Guaiacum officinale	Zygophyllaceae		
154-01-01	Sapodilla, Sappa, Sapodilla Bullet	Manilkara excisa	Sapotaceae		
154-05-02	Mastic	Mastichodendron floribundum	Sapotaceae		
154-05-01	Mastic	Mastichodendron foetidissimum	Sapotaceae		
095-01-01	Red Nickel, Bead Tree	Ormosia jamaicensis	Fabaceae		
141-03-05		Pimenta obscura	Myrtaceae		
141-03-06		Pimenta richardii	Myrtaceae		
038-02-01	Black Jointer	Piper amalago	Piperaceae		
180-09-16		Rondeletia portlandensis	Rubiaceae		
180-09-03		Rondeletia subsessilifolia	Rubiaceae		
174-05-02	Cow 's Tongue, Wild Search-me-Heart	Rytidophyllum grande	Gesneriaceae		
103-02-03	Mountain Pride	Spathelia coccinea	Rutaceae		
161-06-01	Gutterwood	Strempeliopsis arborea	Apocynaceae		
106-03-01	Jamaican Mahogany, West Indian Mahogany	Swietenia mahagoni	Meliaceae		
140-05-03	White Olive, Olive	Terminalia arbuscula	Combretaceae		
077-03-01		Ternstroemia calycina	Theaceae		
077-03-06		Ternstroemia glomerata	Theaceae		
179-03-02		Viburnum villosum	Caprifoliaceae		
151-03-06	Bob Cock	Wallenia sylvestris	Myrsinaceae		
Source:	Dob Cook		ing for accac		
	. 1988. The threatened flowering plants of Jan	naica. Biological Conservation 46:	201-216.		
). Online internet list for Jamaica.		-		

Camirand R. and Evelyn O.B. 2003. Forestry Department-Trees for Tomorrow Project. 2004. *National Forest Inventory Report 2003, Main Report and Appendices 1 to V* (Appendix 111, group 8), pp 79

10 Table T10 – Growing stock composition

10.1 FRA 2005 Categories and definitions

List of species names (scientific and common names) of the ten most common species.

10.2 National data

10.2.1 Data sources

References to sources of information	Quality (H/M/L)	Variable(s)	Year(s)	Additional comments
Camirand R. and Evelyn O.B., 2003. Forestry Department-Trees for Tomorrow Project. 2004. <i>National Forest Inventory</i> <i>Report 2003, Main Report</i> <i>and Appendices 1 to V</i> (Appendix 1V)	Н	Important tree species by forest type	2000	Online at <u>www.forestry.gov.jm</u>

10.2.2 Original data

Insuficient data to report.

10.3 Analysis and processing of national data

10.3.1 Calibration

Not needed

10.3.2 Estimation and forecasting

Not needed

10.4 Reclasification

10.5 Data for National reporting table T10

FRA 2005 Categories / Species name (Scientific name and common name)	Growing Stock in Forests (million cubic meters) 1990 2000	
(Scientific hance and common hance)		2000
	ID	ID
TOTAL	ID	ID

10.6 Comments to National reporting table T10

A major problem of forest inventory in Jamaica, as in other tropical countries, is the identification of tree species. Except for the most common, tree species can only be accurately identified by a skilled botanist. As observed in the FD's inventories and the John Crow Mountains botanical surveys (Kelly and Dickinson 1985)³, the common, local or native names used by the tree spotters to identify species are often difficult to correlate with the scientific or Latin names. The same common name is often applied to a group of tree species or to different species in different parts of Jamaica and inversely, different common names are

³ Kelly, D.L. and Dickinson, T.A. 1985. Local names for vascular plants in the John Crow Mountains, Jamaica. Economic Botany 39(3): 346-362.

used to identify the same tree species in different forest regions. Adams (1972)⁴ made an attempt to prioritise the most widely used common, local or native names reported where possible.

The most dominant tree species, represent 20.3% of the total volume by hectare with DBH =>10cm

⁴ Adams, C.D. 1972. *Flowering plants of Jamaica*. University of the West Indies, Kingston, 848 p.

11 Table T11 – Wood removal

11.1 FRA 2005 Categories and definitions

Category	Definition
Industrial wood removal	The wood removed (volume of roundwood over bark) for production of
	goods and services other than energy production (woodfuel).
Woodfuel removal	The wood removed for energy production purposes, regardless whether for
	industrial, commercial or domestic use.

11.2 National data

11.2.1 Data sources

References to sources of information	Quality (H/M/L)	Variable(s)	Year(s)	Additional comments
Forestry Department,	М	Cubic	2000 &	
Jamaica. various regional		meters	2004	
reports				

11.2.2 Classification and definitions

Not needed

	Year 2000	Year 2004
Hardwood ('000 m3)	0.329	0.330
Pine ('000 m3)	0.342	0.358
Total	0.671	0.688

Source: Forestry Department lumber sales reports for years as shown

11.3 Analysis and processing of national data

11.3.1 Estimation and forecasting

		(1000, cubic meters)			
	1990	2000	2004	2005	
hardwood		0.329	0.330	0.331	
pine		0.342	0.358	0.374	
Total	I.D	0.671	0.688	0.705	

For years 1990 no figures are available, for 2000 reported figures are actual for that year For 2005, figures are arived at by linear progression using 2000 and 2004 actual figures There is no information to report for five years average as requested.

11.4 Reclassification into FRA 2005 classes

Not needed

11.5 Data for National reporting table T11

	Volume in 1000 cubic meters of roundwood over bark				
FRA 2005 Categories	Forest and Other wooded land				
	1990	2000	2005		
Industrial roundwood	I.D.	1	1		
Woodfuel	I.D.	I.D.	I.D.		
TOTAL for Country	I.D.	1	1		

11.6 Comments to National reporting table T11

Roundwood removal

As little or no records are kept of removal from private lands on a national basic only removal from state owned forests and other wooded lands are reported for this exercise. Removal from state owned forests and other wooded lands were being undertaken by the Forest Industries Development Company (FIDCO) in 1990 and as such no reports are available by the Forestry Department.

Fuelwood removal

Fuelwood removal are not reported or recorded hence these figures are not available for reporting.

12 Table T12 – Value of wood removal

12.1 FRA 2005 Categories and definitions

Category	Definition
Value of industrial wood	Value of the wood removed for production of goods and services other
removal	than energy production (woodfuel).
Value of woodfuel removal	Value of the wood removed for energy production purposes, regardless
	whether for industrial, commercial or domestic use.

12.2 National data

12.2.1 Data sources

References to sources of information	Quality (H/M/L)	Variable(s)	Year(s)	Additional comments
Forestry Department,	М	Cubic	2000 &	
Jamaica. various regional reports		meters	2004	
Bank of Jamaica	Н	Exchange rate	2004	
Guidelines for Country Reporting to FRA 2005, Appendix 4	Н	Exchange rates	2000	

12.2.2 Classification and definitions

Not needed

12.2.3 Original data

12.3 Analysis and processing of national data

12.3.1 Estimation and forecasting

	Wood removal '000 m ³		Rates (Ja\$)	Cost (J\$'000)		Exchange Rates (US\$)		Cost (US\$'000)	
	2000	2005		2000	2005	2000	2005	2000	2005
Hardwoods	0.329	0.331	6105.25	2008.63	2020.84				
Pines	0.342	0.374	3707.00	1267.79	1386.42	45.41	61.48	72.15	55.42
Total	0.671	0.705		3276.42	3407.26				

Wood removal '000 m3 obtained from table T11

Rates (Ja\$) from Forestry Departments stumpage rates (Revised 2004)

Cost (J\$) = Wood removal '000 m3 * Rates (Ja\$)

Rates (US\$) obtained from Guidelines for Country Reporting to FRA 2005, appendix 4, for year 2000, and Bank of Jamaica exchange rate, for 2004

Cost (US\$) = Total Cost (J\$) / Exchange Rates (US\$)

12.4 Reclassification into FRA 2005 classes

Not needed

12.5 Data for National reporting table T12

	Value of roundwood removal (1000 USD) Forest and Other wooded land					
FRA 2005 Categories						
	1990	2000	2005			
Industrial roundwood	I.D.	72	55			
Woodfuel	I.D.	I.D.	I.D.			
TOTAL for Country	I.D. 72 55					

12.6 Comments to National reporting table T12

13 Table T13 – Non-wood forest product removal

13.1 FRA 2005 Categories and definitions

The following categories of non-wood forest products have been defined:

Cat	egory
Pla	nt products / raw material
1.	Food
2.	Fodder
3.	Raw material for medicine and aromatic products
4.	Raw material for colorants and dyes
5.	Raw material for utensils, handicrafts & construction
6.	Ornamental plants
7.	Exudates
8.	Other plant products
Ani	mal products / raw material
9.	Living animals
10.	Hides, skins and trophies
11.	Wild honey and bee-wax
12.	Bush meat
13.	Raw material for medicine
14.	Raw material for colorants
15.	Other edible animal products
16.	Other non-edible animal products

13.2 National data

13.2.1 Data sources

References to sources of information	Quality (H/M/L)	Variable(s)	Year(s)	Additional comments
Forestry Department	Н	Minor forest	2000	See comments
2001, National Forestry		products		
Management and				Online at <u>www.forestry.gov.jm</u>
Conservation Plan.				
Jamaica				

13.2.2 Classification and definitions

Not needed

13.2.3 Original data Not available

13.3 Analysis and processing of national data

13.3.1 Estimation and forecasting

13.4 Reclassification into FRA 2005 classes

Not needed

13.5 Data for National reporting table T13

FRA 2005 Categories	Scale	Unit	NV	VFP remov	al
r KA 2005 Categories	factor	Umt	1990	2000	2005
Plant products / raw material			ID		ID
1. Food			ID		ID
2. Fodder			ID		ID
3. Raw material for medicine and aromatic products			ID		ID
4. Raw material for colorants and dyes			ID		ID
5. Raw material for utensils, handicrafts & construction			ID		ID
6. Ornamental plants			ID		ID
7. Exudates			ID		ID
8. Other plant products			ID		ID
			ID		ID
Animal products / raw material			ID		ID
9. Living animals			ID		ID
10. Hides, skins and trophies			ID		ID
11. Wild honey and bee-wax			ID		ID
12. Bush meat			ID		ID
13. Raw material for medicine			ID		ID
14. Raw material for colorants			ID		ID
15. Other edible animal products			ID		ID
16. Other non-edible animal products			ID		ID

13.6 Comments to National reporting table T13

Plant material collected from the forest is used for a variety of purposes. The principal source of materials for making hats, bags, table-mats, etc., is Jippi jappa (*Carludovica palmata*). Bamboo and thatch are used most often for temporary construction. Strips from the Rose Apple (*Eugenia jambos*) are used to make baskets and hampers. Wicker is widely used in furniture making. The bark from the bastard cabbage tree is used to make rope to bundle agricultural produce and for lashing poles together in temporary construction. Fern root is collected for the horticultural sector for use as a growing medium, particularly in orchid production. Mahogany bark is still collected for use as a dye.

Many trees and other forest plants are used medicinally: for example, Chainy root is used in the making of restorative tonics, chewsticks are collected for cleaning teeth, nettle is steeped to make a drink rich in mineral salts and vitamins, and the extract of bitterwood bark is used as a liver tonic, for fevers and for eliminating round worm.

How much of these materials are removed from the forest is not known nor is there current information with respect to their relative social and economic importance. A survey (with quantity data) of the utilisation of minor forest products would provide valuable information for use in assessing forest management options.

14 Table T14 – Value of non-wood forest product removal

14.1 FRA 2005 Categories and definitions

The following categories of non-wood forest products have been defined:

Cat	egory
Pla	nt products / raw material
1.	Food
2.	Fodder
3.	Raw material for medicine and aromatic products
4.	Raw material for colorants and dyes
5.	Raw material for utensils, handicrafts & construction
6.	Ornamental plants
7.	Exudates
8.	Other plant products
Ani	mal products / raw material
9.	Living animals
10.	Hides, skins and trophies
11.	Wild honey and bee-wax
12.	Bush meat
13.	Raw material for medicine
14.	Raw material for colorants
15.	Other edible animal products
16.	Other non-edible animal products

14.2 National data

Data sources

Insufficient data.

Classification and definitions

Not needed

Original data

Insufficient data.

14.3 Analysis and processing of national data

Insufficient data.

14.4 Reclassification into FRA 2005 classes

14.5 Data for National reporting table T14

Insufficient data.

14.6 Comments to National reporting table T14

15 Table T15 – Employment in forestry

15.1 FRA 2005 Categories and definitions

Category	Definition
Primary production of	Employment in activities related to primary production of goods, like
goods	industrial roundwood, woodfuel and non-wood forest products.
Provision of services	Employment in activities directly related to services from forests and woodlands.
Unspecified forestry activities	Employment in unspecified forestry activities.

15.2 National data

15.2.1 Data sources

References to sources of information	Quality (H/M/L)	Variable(s)	Year(s)	Additional comments
Forestry Department's	Н	Employment	2000	
(FD) accounting records,		figures		
and projects coordinator				
Forest Industries	Н	Manpower	1989-	Statement VIII
Development Company's		numbers	1990	
(FIDCO) 'Appraisal and				
financial statements April				
89-March 1990'				
Jamaica Conservation	Н	Employment	2000	
Development Trust		figures		
(JCDT)				

15.2.2 Classification and definitions

Not needed

15.2.3 Original data

For year 1990

Employment	1989	1990
Staff (FD)		
Staff (FIDCO)	132	104
Total	132	104

For year 2000

Employment	1999	2000	2001	2002	Total	2000 average.
Projects (FD)	1131	1132	1132	1132	4527	1132
Staff (FD)	141	141	141	141	564	141
Staff (JCDT)	6	6	6	6	24	6
Total	1278	1279	1279	1279	5115	1279

15.3 Analysis and processing of national data

15.3.1 15.3.1 Estimation and forecasting

Not needed

15.4 Reclassification into FRA 2005 classes

National Catigory	FRA Category
Projects	Primary production of goods
Staff	Provision of services

15.5 Data for National reporting table T15

EDA 2005 Cotogorios	Employment (100	0 person-years)
FRA 2005 Categories	1990	2000
Primary production of goods		1.13
Provision of services	0.12	0.147
Unspecified forestry activities		
TOTAL	0.12	1.28

15.6 Comments to National reporting table T15

The figures provided are for employment in state run projects on forest reserves and direct public sector employment in the forestry service and the Jamaica Conservation Depelopment Thrust's rangers' sevices.

The 1990 total is an avaerage for work performed by the Forest Industries Development Company between 1989 and 1990. This Company was a government owned company involved in both plantation development and commercial timber production.

The 2000 total is an avaerage for work performed by the FD and the JCDT between 1999 and 2003.

16. Thematic reporting tables

If countries would like to submit additional reporting tables, these should be included here. (See the chapter on thematic reporting in the Guidelines for Country Reporting).

17. APPENDICES

Appendix 1: Critically Endangered Tree Species

[Scientific Name]	Common Name(s)	Red List
Antirhea tomentosa		CR B1+2c ver 2.3 (1994)
Calyptranthes acutissima		CR B1+2c ver 2.3 (1994)
Cassipourea subsessilis		CR B1+2c ver 2.3 (1994)
Comocladia parvifoliola		CR B1+2c ver 2.3 (1994)
Dendropanax cordifolius		CR B1+2c ver 2.3 (1994)
Dendropanax grandiflorus		CR B1+2c ver 2.3 (1994)
Dendropanax grandis		CR B1+2c ver 2.3 (1994)
Eugenia polypora		CR B1+2c ver 2.3 (1994)
Eugenia rendlei		CR B1+2c ver 2.3 (1994)
Ilex subtriflora		CR B1+2c ver 2.3 (1994)
Ouratea elegans		CR D ver 2.3 (1994)
Psychotria danceri		CR B1+2c ver 2.3 (1994)
Spathelia coccinea		CR B1+2c ver 2.3 (1994)
Ternstroemia glomerata		CR D ver 2.3 (1994)
Ternstroemia granulata		CR B1+2c ver 2.3 (1994)

Appendix 2: Endangered Tree Species

[Scientific Name]	Common Name(s)	Red List
Bursera hollickii		EN B1+2c ver 2.3 (1994)
Calyptranthes discolor		EN B1+2c ver 2.3 (1994)
Cassipourea brittoniana		EN B1+2c ver 2.3 (1994)
Coccoloba proctorii		EN B1+2c ver 2.3 (1994)
Eugenia acutisepala		EN B1+2c ver 2.3 (1994)
Eugenia eperforata		EN B1+2c ver 2.3 (1994)
Eugenia pycnoneura		EN B1+2c ver 2.3 (1994)
Guaiacum officinale	COMMONER LIGNUM VITAE (E) GUAIAC TREE (E) GUAYACÁN (S) PALO DE VIDA (S) PALO SANTO (S)	EN C2a <u>ver 2.3 (1994)</u>
Ilex jamaicana		EN B1+2c ver 2.3 (1994)
Manilkara excisa		EN B1+2c ver 2.3 (1994)
Ormosia jamaicensis		EN B1+2c ver 2.3 (1994)
Phialanthus jamaicensis		EN B1+2c ver 2.3 (1994)
Phialanthus revolutus		EN B1+2c ver 2.3 (1994)
Phyllanthus axillaris		EN B1+2c ver 2.3 (1994)
Pimenta richardii		EN B1+2c ver 2.3 (1994)
Psychotria clarendonensis		EN B1+2c ver 2.3 (1994)
Psychotria clusioides		EN B1+2c ver 2.3 (1994)
Rhamnidium dictyophyllum		EN B1+2c ver 2.3 (1994)
Rondeletia amplexicaulis		EN B1+2c $ver 2.3 (1994)$
Rondeletia dolphinensis		EN B1+2c ver 2.3 (1994)
Swietenia mahagoni	AMERICAN MAHOGANY (E)	EN A1cd ver 2.3 (1994)
	CUBAN MAHOGANY (E)	<u>_</u>
	SMALL-LEAVED MAHOGANY (E)	
	WEST INDIAN MAHOGANY (E)	
	ACAJOU (F)	
	MAHOGANI DE SAINT-DOMINIQUE (F)	
	MAHOGANI PETITES FEUILLES (F)	
	CAOBA (S)	
	COABILLA (S)	
Tabernaemontana ovalifolia		EN B1+2c ver 2.3 (1994)
Terminalia arbuscula	WHITE OLIVE (E)	EN B1+2c ver 2.3 (1994)
Ternstroemia calycina		EN B1+2c $ver 2.3 (1994)$
Tetrasiphon jamaicensis		EN B1+2c $ver 2.3 (1994)$
Tetrazygia albicans		EN B1+2c $ver 2.3 (1994)$
Zanthoxylum negrilense		EN B1+2c $ver 2.3 (1994)$

Appendix 3: Vulnerable Tree Species

Enter Normal		Ded I tot
[Scientific Name] Allophylus pachyphyllus	Common Name(s)	Red List VU B1+2c ver 2.3 (1994)
<u>Alvaradoa jamaicensis</u>		VU B1+2c ver 2.3 (1994) VU B1+2c ver 2.3 (1994)
Annona praetermissa	WILD SOUR SOP (E)	$\frac{\text{VUB1+2c}}{\text{VUB1+2c}} \frac{\text{Ver } 2.3 (1994)}{\text{ver } 2.3 (1994)}$
Ardisia urbanii	WILD SOUR SOI (L)	$\frac{\text{VU B1+2c}}{\text{VU B1+2c}} \frac{\text{VU C12.3 (1994)}}{\text{ver } 2.3 (1994)}$
Auerodendron jamaicense		$\frac{\text{VU B1+2c}}{\text{VU B1+2c}} \frac{\text{VU C12.3 (1994)}}{\text{ver } 2.3 (1994)}$
Bactris jamaicana	PRICKLY POLE (E)	$\frac{\text{VO B1}(22)}{\text{VU A2c}} \frac{\text{VO B1}(22)}{\text{VU A2c}}$
Brunfelsia jamaicensis	TRICKET TOLL (L)	VU B1+2c ver 2.3 (1994)
Brunfelsia splendida		$\frac{\text{VU B1+2c}}{\text{VU B1+2c}} \frac{\text{VU B1+2c}}{\text{ver } 2.3 (1994)}$
Bunchosia jamaicensis		$\frac{1}{1000} \frac{1}{1000} \frac{1}{1000$
Bursera aromatica		VU B1+2c ver 2.3 (1994)
Buxus arborea		VU B1+2c ver 2.3 (1994)
Calliandra comosa		VU D2 ver 2.3 (1994)
Calyptranthes nodosa		VU B1+2c ver 2.3 (1994)
Cedrela odorata	CIGAR-BOX WOOD (E)	VU A1cd+2cd ver 2.3 (1994)
	RED CEDAR (E)	
	SPANISH CEDAR (E)	
	ACAJOU ROUGE (F)	
	ACAJOU-BOIS (F)	
	CEDRAT (F)	
	CEDRO ROJO (S)	
Chionanthus jamaicensis		VU B1+2c ver 2.3 (1994)
Cinnamodendron corticosum		VU B1+2c ver 2.3 (1994)
<u>Clusia portlandiana</u>		VU B1+2c ver 2.3 (1994)
Coccoloba troyana		VU B1+2c ver 2.3 (1994)
Colubrina obscura		VU B1+2c ver 2.3 (1994)
Comocladia cordata		VU B1+2c ver 2.3 (1994)
<u>Cordia troyana</u>		VU B1+2c ver 2.3 (1994)
Dendropanax blakeanus		VU B1+2c ver 2.3 (1994)
Dendropanax ovalifolius		VU B1+2c ver 2.3 (1994)
Erithalis quadrangularis		VU B1+2c ver 2.3 (1994)
Erythroxylum incrassatum		VU B1+2c ver 2.3 (1994)
Eugenia brachythrix		VU B1+2c ver 2.3 (1994)
Eugenia schulziana		VU B1+2c ver 2.3 (1994)
Exostema triflorum		VU B1+2c <u>ver 2.3 (1994)</u>
Garcinia decussata		VU B1+2c <u>ver 2.3 (1994)</u>
Grimmeodendron jamaicense		VU B1+2c ver 2.3 (1994)
Guarea jamaicensis		VU B1+2c ver 2.3 (1994)
<u>Guettarda frangulifolia</u>		VU B1+2c ver 2.3 (1994)
Hyeronima jamaicensis		VU B1+2c ver 2.3 (1994)
<u>Ilex florifera</u>		VU B1+2c ver 2.3 (1994)
<u>Ilex puberula</u>		VU B1+2c ver 2.3 (1994)
<u>Ilex vaccinoides</u>		VU B1+2c ver 2.3 (1994) VU B1+2c ver 2.2 (1994)
Lasiocroton fawcettii		VU B1+2c ver 2.3 (1994) VU B1+2c ver 2.2 (1994)
<u>Lasiocroton harrisii</u> Lunania polydactyla		VU B1+2c ver 2.3 (1994) VU B1+2c ver 2.3 (1994)
Lunania racemosa		$\frac{\text{VO B1+2c}}{\text{VU B1+2c}} \frac{\text{Ver } 2.3 (1994)}{\text{ver } 2.3 (1994)}$
<u>Mappia racemosa</u>		$\frac{\text{VU B1+2c}}{\text{VU A1cd}} \frac{\text{ver } 2.3 (1994)}{\text{(1994)}}$
Ocotea robertsoniae		$\frac{\text{VU B1+2c}}{\text{VU B1+2c}} \frac{\text{VU B1+2c}}{\text{VU B1+2c}} \frac{\text{VU B1+2c}}{\text{VU B1+2c}}$
Phyllanthus cauliflorus		$\frac{\text{VO B1+2c}}{\text{VU B1+2c}} \frac{\text{Ver } 2.3 (1994)}{\text{ver } 2.3 (1994)}$
Pimenta obscura	WILD PIMENTO (E)	$\frac{\text{VUB1+2c}}{\text{VUB1+2c}} \frac{\text{VU2.5(1994)}}{\text{ver } 2.3(1994)}$
Portlandia harrisii	WILD I INILIATO (L)	$\frac{\text{VUB1+2c}}{\text{VUB1+2c}} \frac{\text{VU2.5(1224)}}{\text{ver } 2.3(1994)}$
Psychotria domatiata		$\frac{\text{VUB1+2c}}{\text{VUB1+2c}} \frac{\text{VU22.5(1994)}}{\text{ver } 2.3(1994)}$
Psychotria foetens		$\frac{\text{VUB1+2c}}{\text{VUB1+2c}} \frac{\text{VU2.5(1994)}}{\text{ver } 2.3(1994)}$
Rondeletia pallida		$\frac{\text{VUB1+2c}}{\text{VUB1+2c}} \frac{\text{VUB1+2c}}{\text{ver } 2.3 (1994)}$
Rondeletia portlandensis		$\frac{1}{1} VU B1+2c \frac{1}{2} VU $
Rondeletia racemosa		$\frac{1}{10000000000000000000000000000000000$
Samyda glabrata		$\frac{1}{10000000000000000000000000000000000$
<u>/ ···· @ ··· ····</u>		

<u>Schefflera troyana</u>		VU B1+2c	ver 2.3 (1994)
<u>Schoepfia harrisii</u>		VU B1+2c	ver 2.3 (1994)
<u>Strempeliopsis arborea</u>		VU B1+2c	ver 2.3 (1994)
Symplocos tubulifera	WEST INDIAN SATINWOOD (E)	VU B1+2c	ver 2.3 (1994)
Tabernaemontana ochroleuca	YELLOW SANDERS (E)	VU B1+2c	ver 2.3 (1994)
Viburnum arboreum	YELLOW-HEAD (E)	VU B1+2c	ver 2.3 (1994)
Wallenia erythrocarpa	YELLOWHEART (E)	VU B1+2c	ver 2.3 (1994)
Wallenia sylvestris	BOIS NOYER (F)	VU B1+2c	ver 2.3 (1994)
Zanthoxylum flavum	ESPINILLO (S)	VU A1c <u>v</u>	er 2.3 (1994)
Zanthoxylum harrisii	× /	VU B1+2c	<u>ver 2.3 (1994)</u>
Zanthoxylum hartii		VU B1+2c	<u>ver 2.3 (1994)</u>

Appendix IV: 10 most important tree species by forest type

broadleaf forest Gehra accidentalis 21 174 5.33 2.83 7.31 6.72 1 (IFF) Nectandra spp. 33 440 669 3.38 5.38 7.10 4.22 11 Qupania glabra 12 78 2.74 1.62 3.22 2.69 5.04 4.01 1 Qupania glabra 12 78 2.74 1.62 3.22 3.41 Coreopanax capitatus 20 72 2.02 2.69 3.02 2.52 Manikara excisa 10 19 3.76 1.35 0.80 4.69 Subtotal 219 115 51.97 7.05 53.17 6.015 18 Forest Total 7.43 231 9.04 3.71 5.79 4.66 1.77 (SF) Eugenia spp. 68 2.52 7.71 7.82 3.17 5.79 4.21 2.88 1.6 2.46 1.60 <th>Forest Type</th> <th>Species</th> <th>SU</th> <th>Ν</th> <th>BA</th> <th>RF</th> <th>DE</th> <th>DO</th> <th>IVI</th>	Forest Type	Species	SU	Ν	BA	RF	DE	DO	IVI
forest (PF) Eugenia spp. 40 169 3.38 5.38 7.10 4.22 1 Achornea latfolia 20 1.22 3.22 2.269 5.04 4.01 1 Coreopanax capitatus 20 7.2 2.02 2.69 3.02 2.52 3.02 Ceropia peltata 22 68 1.77 2.96 2.86 2.14 Occetopia peltata 22 68 1.77 2.96 2.86 2.14 Occeta martinicensis 16 64 1.90 2.15 2.68 3.02 2.52 Mailkara excisa 10 1.93 3.76 1.35 0.80 4.68 3.9.85 1.16 Total 7.70 289 8.25 3.16 4.96 4.25 1.85 (SF) Eugenia spp. 68 2.35 4.51 3.07 4.03 2.31 2.23 3.03 Athornea latfolia 60 162 5.26 2.71 2.78 3.70 </td <td>Closed</td> <td></td> <td></td> <td>208</td> <td>4.19</td> <td>3.36</td> <td>8.74</td> <td>5.22</td> <td>17.33</td>	Closed			208	4.19	3.36	8.74	5.22	17.33
(PF) Nectandra spp. 33 143 3.65 4.44 6.01 4.55 1. Alchornea latifolia 20 120 3.22 2.69 5.04 4.01 1 Cupania glabra 12 78 2.74 1.62 3.28 3.41 3.5 Cecropia pettata 22 68 1.72 2.96 2.66 2.14 4.6 Coctear martinicensis 16 64 1.90 2.15 2.60 2.64 2.14 4.633 39.85 111 Remaining 124 species 524 1266 48.27 70.52 53.17 6.06 1 Disturbed Cecropia pettata 823 3.51 3.07 4.03 2.33 1 3.7 6.61 1 Noraclast 47 187 4.83 3.15 5.7 4.66 1.25 1.3 3.7 6.61 1 1.5 1.7 6.28 1.1 1.3 1.61 3.22 3.7 1.5.61 </td <td>broadleaf</td> <td>Clethra occidentalis</td> <td>21</td> <td>174</td> <td>5.39</td> <td>2.83</td> <td>7.31</td> <td>6.72</td> <td>16.85</td>	broadleaf	Clethra occidentalis	21	174	5.39	2.83	7.31	6.72	16.85
Alchornea latifolia 20 120 3.22 2.69 5.04 4.01 1 Cupania glabra 12 78 2.74 1.62 3.28 3.41 3.20 Oreopanax capitatus 20 72 2.02 2.69 3.02 2.52 3.7 Manilkara exocisa 10 19 3.76 1.35 0.80 4.69 3.7 Manilkara exocisa 10 19 3.76 1.35 0.80 4.69 3.985 1.16 Subtotal 219 1115 31.97 29.48 46.83 39.85 1.16 Disturbed Cecropia peltata 82 337 9.04 3.71 5.79 4.66 1. Nectandra spp. 70 289 8.25 3.16 4.96 4.25 1.8 (SF) Eugenia spp. 68 235 4.51 3.07 4.32 2.12 3.21 2.23 3.363 9 (SF) Eugenia spp. 67	forest	Eugenia spp.	-	169	3.38	5.38	7.10	4.22	16.70
Cupania glabra 12 78 2.74 1.62 3.28 3.41 i Oreopanax capitatus 20 72 2.02 2.66 3.02 2.52 i Cecropia peltata 22 68 1.72 2.96 2.86 2.14 i Ocotea martinicensis 16 64 1.90 2.15 2.66 2.14 Subtotal 219 1115 31.97 2.948 46.83 39.85 11 Remaining 124 species 524 1266 44.27 70.52 53.17 60.15 18 Total Cecropia peltata 82 337 9.04 3.71 5.79 4.66 1 broadleat Recraindra spp. 68 255 4.51 3.07 4.03 2.33 (SF) Eugenia spp. 68 255 4.51 3.07 4.03 2.33 (SF) Eugenia spp. 68 255 4.51 3.07 4.33 2.12 2.21	(PF)	Nectandra spp.	33	143	3.65	4.44	6.01	4.55	14.99
Oreopanax capitatus 20 72 2.02 2.68 3.02 2.52 i Cecropia peltata 22 68 1.72 2.96 2.66 2.14 . Coctea martinicensis 16 64 1.90 2.15 2.69 2.37 . Manilkara excisa 10 19 3.76 1.35 0.80 4.69		Alchornea latifolia	20	120	3.22	2.69	5.04	4.01	11.74
Cecropia peltata 22 68 1.72 2.96 2.86 2.14 1 Coctea martinicensis 16 64 1.90 2.15 2.69 2.37 1 Manilkara excisa 10 1.15 31.97 2.948 46.83 39.85 111 Remaining 124 species 524 1266 48.27 70.52 53.17 60.15 18 Total 70 289 8.25 3.16 4.96 4.25 1 Brosimum alicastrum 41 157 12.17 1.85 2.70 6.28 10 (SF) Eugenia spp. 68 255 4.51 3.07 4.03 2.33 Alchornea latifolia 60 162 5.26 2.71 2.78 2.71 2.8 Calophylium cataba 37 137 7.06 1.67 2.25 3.64 2.07 2.18 2.79 2.58 2.70 2.18 2.79 2.18 2.79 2.59 2.59		Cupania glabra	12	78	2.74	1.62	3.28	3.41	8.30
Ocotea martinicensis 16 64 1.90 2.15 2.69 2.37 1 Manikara excisa 10 19 3.76 1.35 0.80 4.69 1 Subtotal 219 1115 31.97 2.9.84 46.83 39.85 11 Remaining 124 species 524 1266 48.27 70.52 53.17 60.15 18 Total 743 2381 80.24 100 100 100 100 100 Cecropia peltata 822 337 9.04 3.71 5.79 4.66 1.22 1.3 1.4 4.96 4.25 1.5 (SF) Eugenia spp. 68 255 1.51 3.07 4.03 2.33 1.6 1.60 1.53 3.61 0.8 2.71 1.8 2.70 2.8 1.6 1.3 1.03 2.25 3.64 1.5 1.5 6.42 2.59 2.59 1.6 2.56 2.76 1.8 2.76		Oreopanax capitatus	20	72	2.02	2.69	3.02	2.52	8.23
Manilkara excisa 10 19 3.76 1.35 0.80 4.69 r. Bubtotal 219 1115 31.97 29.48 46.83 39.85 11 Remaining 124 species 524 1266 48.27 70.52 53.17 60.15 18 Total 743 2381 80.24 100 100 100 Disturbed Cecropia peltata 82 337 9.04 3.71 5.79 4.66 1. forest Brosinrum alcastrum 41 157 12.17 1.85 2.70 6.28 1. (SF) Eugenia spp. 68 235 4.51 3.07 4.03 2.31 2.23 3.64 . Alchornea latifolia 60 162 5.26 2.71 2.78 2.71 		Cecropia peltata	22	68	1.72	2.96	2.86	2.14	7.96
Subtotal 219 1115 31.97 29.48 46.83 39.85 11 Remaining 124 species 524 1266 48.27 70.52 53.17 60.15 18 Total 743 2381 80.24 100 100 100 Disturbed Cacropia peltata 82 337 9.04 3.71 5.79 4.66 1 forest Brosimum allicastrum 41 157 12.17 1.85 2.70 6.28 1 (SF) Eugenia sp. 68 235 4.51 3.07 4.03 2.23 2.12 2.21 3.24 2.23 3.14 7.06 1.67 2.25 3.64 2.070 2.18 2.471 1.63 2.99 2.59 3.97 3.66 2.07 2.18 2.476 1.63 2.99 2.59 3.97 3.66 3.7 2.01 1.63 2.99 3.07 3.63 9 Catophylum calaba 221 5825 1		Ocotea martinicensis	16	64	1.90	2.15	2.69	2.37	7.21
Remaining 124 species 524 1266 48.27 70.52 53.17 60.15 18 Total 743 2381 80.24 100 100 100 Disturbed Rectandra spp. 70 229 8.25 3.16 4.96 4.25 1. forest Brosimum alicastrum 41 157 12.17 1.85 2.70 6.28 1.1 Alchornea latifolia 60 162 5.26 2.71 2.78 2.71 2.33 2.33 2.12 2.23 2.23 2.36 2.36 2.36 2.36 2.36 2.36 2.36 2.36 2.36 2.36 2.36 2.37 2.36 2.37 2.36 2.37 2.36 2.37 2.36 2.36 2.36 2.36 2.36 2.36 2.36 2.36 2.36 2.36 2.36 2.36 2.36 2.36 2.36 2.36 2.36 2.56 2.76 0.16 3.6 6.37 2.06 3.4<		Manilkara excisa	10	19	3.76	1.35	0.80	4.69	6.83
Total 743 2381 80.24 100 100 100 Disturbed Cecropia peltata 82 337 9.04 3.71 5.79 4.66 1. broadleaf Brosimum alicastrum 41 157 12.17 1.85 2.70 6.28 1. forest Brosimum alicastrum 41 157 12.17 1.85 2.70 6.28 1. (SF) Eugenia spp. 68 235 4.51 3.07 4.03 2.23 2.21 2.29 2.29 3.29 3.29 3.29 3.29 3.29 3.29 3.29 3.23 3.63 9 Ciethra occidentalis 2.41 150 5.36 6.37 7.00 1.00 100 100 100 100 100 <td></td> <td>Subtotal</td> <td>219</td> <td>1115</td> <td>31.97</td> <td>29.48</td> <td>46.83</td> <td>39.85</td> <td>116.15</td>		Subtotal	219	1115	31.97	29.48	46.83	39.85	116.15
Disturbed Cecropia peltata 82 337 9.04 3.71 5.79 4.66 1 forest Brosimum alicastrum 41 157 12.17 1.85 2.70 6.28 11 (SF) Eugenia spp. 68 255 6.51 3.07 4.03 2.33 1 Alchornea latifolia 60 162 5.26 2.71 2.78 2.71 1 Alchornea latifolia 60 162 5.26 2.71 2.78 2.71 1 Calophyllum calaba 37 131 7.06 1.67 2.25 3.64 1 Oreopanax capitatus 57 157 4.24 2.58 2.70 2.18 1 Anyris balsamifera 36 174 5.02 1.83 3.99 3.63 9 Remaining 217 species 1691 3846 128.74 76.41 66.03 66.37 10.0 100 100 100 100 100 100 100 10		Remaining 124 species	524	1266	48.27	70.52	53.17	60.15	183.85
broadleaf forest Nectandra spp. 70 289 8.25 3.16 4.96 4.25 1. (SF) Eugenia spp. 68 235 4.51 3.07 4.03 2.33 1. (SF) Alchornea latifolia 60 162 5.26 2.71 2.78 2.71 2.78 2.71 2.78 2.71 2.78 2.71 2.78 2.71 2.78 2.71 2.78 2.71 2.78 2.71 2.78 2.71 2.78 2.71 2.78 2.71 2.78 2.71 2.78 2.71 2.78 2.71 2.78 2.71 2.78 2.71 2.78 2.71 2.78 2.76 0.75 3.89 3.97 3.36 9 Amris balsamifera 36 174 5.02 1.63 2.99 2.59 2.56 2.76 0.76 3.57 1.84 1.65 3.97 3.63 9 8 2.76 1.08 2 2.56 3.76 1.41		Total	743	2381	80.24	100	100	100	300
forest (SF) Brosimum alicastrum 41 157 12.17 1.85 2.70 6.28 1 (SF) Eugenia spp. 68 235 4.51 3.07 4.03 2.33 3 Aichornea latifolia 60 162 5.26 2.71 2.78 2.71 1 Xylopia muricata 47 187 4.33 2.12 3.21 2.23 - Calophyllum calaba 37 131 7.06 1.67 2.25 3.64 - Amyris balsamifera 36 174 5.02 1.63 2.99 2.59 - Clethra occidentalis 24 150 5.36 1.08 2.68 2.76 - Subtotal 522 1979 65.24 23.59 33.97 33.63 9 Remaining 217 species 1691 3846 128.77 7.6.41 66.03 6.37 11.48 2 Disturbed Xyzygium jambos 2 29 0.87 <	Disturbed	Cecropia peltata	82	337	9.04	3.71	5.79	4.66	14.15
(SF) Eugenia spp. 68 235 4.51 3.07 4.03 2.33 1 Alchornea latifolia 60 162 5.26 2.71 2.78 2.71 1 Xylopia muricata 47 187 4.33 2.12 3.21 2.23 1 Calophyllum calaba 37 131 7.06 1.67 2.25 3.64 1 Oreopanax capitatus 57 157 4.24 2.58 2.70 2.18 1 Amyris balsamifera 36 174 5.02 1.63 2.99 2.59 1 0 160 1.63 2.99 2.59 2.59 1 0 160 1.63 2.99 2.59 3.397 33.63 9 Non-forest Subtotal 522 1979 65.24 23.59 3.57 1.84 16.56 3 Iand use Artocarpus altilis 3 10 0.60 5.36 6.37 1.148 2	broadleaf	Nectandra spp.	70	289	8.25	3.16	4.96	4.25	12.38
Althornea latifolia 60 162 5.26 2.71 2.78 2.71 1 Xylopia muricata 47 187 4.33 2.12 3.21 2.23 1 Calophyllum calaba 37 131 7.06 1.63 2.99 2.59 1 Oreopana capitatus 57 157 4.24 2.58 2.76 1 Amyris balsamifera 36 174 5.02 1.63 2.99 2.59 1 Clethra occidentalis 224 150 5.36 1.08 2.58 2.76 1 Subtotal 522 1979 65.24 2.359 3.97 3.363 9 Remaining 217 species 1601 3464 128.74 76.41 66.03 66.37 2.0 Total 2213 5825 193.99 1.00 100 100 100 Disturbed Cecropia peltata 2 11 0.57 3.57 7.01 1.089 2	forest	Brosimum alicastrum	41	157	12.17	1.85	2.70	6.28	10.82
Xylopia muricata 47 187 4.33 2.12 3.21 2.23 Calophyllum calaba 37 131 7.06 1.67 2.25 3.64 Oreopanax capitatus 57 157 4.24 2.58 2.70 2.18 Amyris balsamifera 36 174 5.02 1.63 2.99 2.59 Clethra occidentalis 24 150 5.36 1.08 2.58 2.76 Subtotal 522 1979 65.24 23.59 33.97 3.63 9 Remaining 217 species 1691 3846 128.74 76.41 66.03 66.37 200 Total 2213 5825 193.99 100 100 100 100 100 Iand use Artocarpus altilis 3 10 0.60 5.36 6.37 11.48 2 Disturbed Cecropia peltata 4 8 0.18 7.14 1.80 1.1 1.79 5.10 2.06	(SF)	Eugenia spp.	68	235	4.51	3.07	4.03	2.33	9.43
Calophyllum calaba 37 131 7.06 1.67 2.25 3.64 Oreopanax capitatus 57 157 4.24 2.58 2.70 2.18 Amyris balsamifera 36 174 5.02 1.63 2.99 2.59 Clethra occidentalis 24 150 5.36 1.08 2.58 2.76 0 Subtotal 522 1979 65.24 23.59 33.37 3.63 9 Remaining 217 species 1691 3846 128.74 76.41 66.03 66.37 200 Non-forest Syzygium jambos 2 29 9.87 3.57 18.47 16.56 3 Iand use Artocarpus altilis 3 10 0.60 5.36 2.54 1.47 11.48 2 Cedrela odorata 2 3 0.51 3.57 1.91 9.69 1 forest Spathodea campanulata 3 4 0.25 5.66 2.57 5.10		Alchornea latifolia	60	162	5.26	2.71	2.78	2.71	8.21
Calophyllum calaba 37 131 7.06 1.67 2.25 3.64 Oreopanax capitatus 57 157 4.24 2.58 2.70 2.18 Amyris balsamifera 36 174 502 1.63 2.99 2.59 Clethra occidentalis 24 150 5.36 1.08 2.52 2.76 0.00 Subtotal 522 1979 65.24 23.59 33.97 33.63 9 Remaining 217 species 1691 3846 128.74 76.41 66.03 66.37 20 Total 2213 5825 193.99 100 100 100 100 Non-forest Syzygium jambos 2 29 0.87 3.57 18.47 16.56 33 11.48 2 and Cecropia peltata 4 8 0.18 7.11 10.89 2 forest Spathodea campanulata 3 4 0.25 5.36 2.55 4.74 <		Xylopia muricata	47	187	4.33	2.12	3.21	2.23	7.57
Amyris balsamifera 36 174 5.02 1.63 2.99 2.59 Clethra occidentalis 24 150 5.36 1.08 2.58 2.76 Subtotal 522 1979 65.24 23.59 33.97 33.63 9 Remaining 217 species 1691 3846 128.74 76.41 66.03 66.37 20 Total 2213 5825 193.99 100 100 100 100 Non-forest Syzygium jambos 2 29 0.87 3.57 18.47 16.56 3 and Cactropus attilis 3 10 0.60 5.36 6.37 11.48 2 Disturbed Cacropia peltata 4 8 0.18 7.14 5.10 3.49 1 (CS) Simarouba glauca 3 8 0.11 1.79 5.10 2.06 1 (CS) Simarouba glauca 2 5 0.10 3.57 3.18			37	131	7.06	1.67	2.25	3.64	7.56
Amyris balsamifera 36 174 5.02 1.63 2.99 2.59 Clethra occidentalis 24 150 5.36 1.08 2.58 2.76 Subtotal 522 1979 65.24 23.59 33.97 33.63 9 Remaining 217 species 1691 3846 128.74 76.41 66.03 66.37 20 Total 2213 5825 193.99 100 100 100 100 Non-forest Syzygium jambos 2 29 0.87 3.57 18.47 16.56 3 and Cactropus attilis 3 10 0.60 5.36 6.37 11.48 2 Disturbed Cacropia peltata 4 8 0.18 7.14 5.10 3.49 1 (CS) Simarouba glauca 3 8 0.11 1.79 5.10 2.06 1 (CS) Simarouba glauca 2 5 0.10 3.57 3.18		Oreopanax capitatus	57	157	4.24	2.58	2.70	2.18	7.46
Subtotal 522 1979 65.24 23.59 33.97 33.63 9 Remaining 217 species 1691 3846 128.74 76.41 66.03 66.37 20 Non-forest Syzygium jambos 2 29 0.87 3.57 18.47 16.56 33 Iand use Artocarpus attilis 3 10 0.60 5.36 6.37 11.48 2 Disturbed Cecropia peltata 2 11 0.57 3.57 1.91 9.69 11 forest Spathodea campanulata 3 4 0.25 5.36 2.55 4.74 1 (CS) Simarouba glauca 3 8 0.11 1.79 5.10 2.11 1 Octea martinicensis 1 8 0.11 3.57 3.18 1.90 9 Eugenia spp. 1 7 0.07 1.79 4.46 1.41 1.41 1.42 Subtotal 23 93			36	174	5.02	1.63	2.99	2.59	7.20
Subtotal 522 1979 65.24 23.59 33.97 33.63 9 Remaining 217 species 1691 3846 128.74 76.41 66.03 66.37 20 Non-forest Syzygium jambos 2 29 0.87 3.57 18.47 16.56 33 Iand use Artocarpus attilis 3 10 0.60 5.36 6.37 11.48 2 Disturbed Cecropia peltata 2 11 0.57 3.57 7.01 10.89 2 forest Spathodea campanulata 3 4 0.25 5.36 2.55 4.74 1 (CS) Simarouba glauca 3 8 0.11 1.79 5.10 2.11 1 Octea martinicensis 1 8 0.11 1.79 5.10 2.06 14 Georepia spp. 1 7 0.07 1.79 4.46 1.41 14 14 Octea martinicensis 1 8 <td></td> <td>Clethra occidentalis</td> <td>24</td> <td>150</td> <td>5.36</td> <td>1.08</td> <td>2.58</td> <td>2.76</td> <td>6.42</td>		Clethra occidentalis	24	150	5.36	1.08	2.58	2.76	6.42
Remaining 217 species 1691 3846 128.74 76.41 66.03 66.37 20 Total 2213 5825 193.99 100 11 1.65 5.3 11.45 11 1.65 13 11 1.8 11 1.75 1.50 3.49 11 1.65 13 11 1.75 1.50 1.4 11 1.75 1.50 1.4 1.4 1.53 1.51 1.211 1.1 1.1 1.20 1.4 1.4 1.4 1.4 1.4 1.4 1.4			522			23.59		33.63	91.19
Total 2213 5825 193.99 100 100 100 Non-forest land use Syzygium jambos 2 29 0.87 3.57 18.47 16.56 33 and Cedrela odorata 2 11 0.57 3.57 7.01 10.89 2 Disturbed Cecropia peltata 4 8 0.18 7.14 5.10 3.49 11 forest Spathodea campanulata 3 4 0.25 5.36 2.55 4.74 11 17 (CS) Simarouba glauca 3 8 0.11 1.79 5.10 2.06 14 Eugenia spp. 1 7 0.07 1.79 4.46 1.41 14		Remaining 217 species		3846					208.81
$\begin{array}{ c c c c c c c c c c c c c c c c c c c$			2213	5825	193.99	100	100	100	300
Iand use and Artocarpus altilis 3 10 0.60 5.36 6.37 11.48 2 Disturbed Cedrela odorata 2 11 0.57 3.57 7.01 10.89 2 Disturbed Cecropia peltata 4 8 0.18 7.14 5.10 3.49 11 forest Spathodea campanulata 3 4 0.25 5.36 2.55 4.74 11 (CS) Simarouba glauca 3 8 0.11 5.36 5.10 2.11 11 Octea martinicensis 1 8 0.11 5.76 3.18 1.90 4 Eugenia spp. 1 7 0.07 1.79 4.46 1.41 1 Subtotal 23 93 3.39 41.07 59.24 64.34 16 Remaining 31 species 33 64 1.88 58.93 40.76 35.66 13 Total 206 157 5.27 100 100 100 100 Disturbed Syzygium jambos 10	Non-forest	Syzygium jambos				3.57	18.47	16.56	38.60
and Disturbed Cedrela odorata 2 11 0.57 3.57 7.01 10.89 2 broadleaf Mangifera indica 2 3 0.51 3.57 1.91 9.69 1 forest Spathodea campanulata 3 4 0.25 5.36 2.55 4.74 1 (CS) Simarouba glauca 3 8 0.11 5.36 5.10 2.11 1 (CS) Simarouba glauca 3 8 0.11 1.79 5.10 2.06 3 Pimenta dioica 2 5 0.10 3.57 3.18 1.90 4 Subtotal 23 93 3.39 41.07 59.24 64.34 16 Remaining 31 species 36 157 5.27 100 100 100 Disturbed Syzygium jambos 10 63 1.43 4.98 12.02 8.94 22 forest Cecropia peltata 7 26 1	land use			10	0.60	5.36	6.37	11.48	23.21
Disturbed broadleaf Cecropia peltata 4 8 0.18 7.14 5.10 3.49 14 forest forest Spathodea campanulata 2 3 0.51 3.57 1.91 9.69 13 (CS) Simarouba glauca 3 4 0.25 5.36 2.55 4.74 11 Ocotea martinicensis 1 8 0.11 1.79 5.10 2.06 3 Pimenta dioica 2 5 0.10 3.57 3.18 1.90 3 Subtotal 23 93 3.39 41.07 59.24 64.34 16 Remaining 31 species 33 64 1.88 58.93 40.76 35.66 133 Total 56 157 5.27 100 100 100 Disturbed Syzygium jambos 10 63 1.43 4.98 12.02 8.94 22 forest Cecropia peltata 7 26 1.12 3.48	and	-			0.57		7.01	10.89	21.47
broadleaf forest Mangifera indica 2 3 0.51 3.57 1.91 9.69 1 (CS) Simarouba glauca 3 4 0.25 5.36 2.55 4.74 11 Ocotea martinicensis 1 8 0.11 5.36 5.10 2.11 11 Ocotea martinicensis 1 8 0.11 1.79 5.10 2.06 3 Pimenta dioica 2 5 0.10 3.57 3.18 1.90 3 Eugenia spp. 1 7 0.07 1.79 4.46 1.41 5 Subtotal 23 93 3.39 41.07 59.24 64.34 16 Remaining 31 species 33 64 1.88 58.93 40.76 35.66 13 Total 56 157 5.27 100 100 100 100 Disturbed Syzygium jambos 10 63 1.43 4.98 1.20 8.94	Disturbed			8	0.18	7.14		3.49	15.72
forest (CS)Spathodea campanulata340.255.362.554.7411(CS)Simarouba glauca380.115.365.102.1111Ocotea martinicensis180.111.795.102.063Pimenta dioica250.103.573.181.903Eugenia spp.170.071.794.461.413Subtotal23933.3941.0759.2464.3416Remaining 31 species33641.8858.9340.7635.66133Total561575.27100100100100DisturbedSyzygium jambos10631.434.9812.028.9422forestCecropia peltata7261.123.484.967.0011andAndira inermis9230.524.484.393.2811Non-forestEugenia spp.6240.322.994.582.023land useNectandra spp.8140.403.982.673.283(SC)Alchornea latifolia6110.482.992.102.994.58Subtotal682397.5233.8345.6147.0612Remaining 74 species1332858.4666.1754.3952.9417Total201<	broadleaf		2		0.51	3.57		9.69	15.18
(CS)Simarouba glauca380.115.365.102.1111Ocotea martinicensis180.111.795.102.063Pimenta dioica250.103.573.181.903Eugenia spp.170.071.794.461.41Subtotal23933.3941.0759.2464.3416Remaining 31 species33641.8858.9340.7635.6613Total561575.27100100100100DisturbedSyzygium jambos10631.434.9812.028.9422forestCecropia peltata7252.063.484.7712.912forestLugenia spp.6240.322.994.582.024.58andAndira inermis9230.524.484.393.2811Non-forestEugenia spp.6240.322.994.582.024.58Iand useNectandra spp.8140.403.982.672.504.58(SC)Alchornea latifolia6140.522.992.673.284.56Matayba apetala7160.243.483.051.504.56Subtotal682397.5233.8345.6147.0612Remaining 74 species133285 <td>forest</td> <td>-</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>12.65</td>	forest	-							12.65
Ocotea martinicensis 1 8 0.11 1.79 5.10 2.06 3 Pimenta dioica 2 5 0.10 3.57 3.18 1.90 3 Eugenia spp. 1 7 0.07 1.79 4.46 1.41 Subtotal 23 93 3.39 41.07 59.24 64.34 166 Remaining 31 species 33 64 1.88 58.93 40.76 35.66 133 Total 56 157 5.27 100 100 100 Disturbed Syzygium jambos 10 63 1.43 4.98 12.02 8.94 22 forest Cecropia peltata 7 26 1.12 3.48 4.96 7.00 11 and Andira inermis 9 23 0.52 4.48 4.39 3.28 11 Non-forest Eugenia spp. 6 24 0.32 2.99 2.67 3.28 32	(CS)			8	0.11			2.11	12.57
Pimenta dioica 2 5 0.10 3.57 3.18 1.90 4.46 Eugenia spp. 1 7 0.07 1.79 4.46 1.41 1.41 Subtotal 23 93 3.39 41.07 59.24 64.34 16. Remaining 31 species 33 64 1.88 58.93 40.76 35.66 13.7 Total 56 157 5.27 100 100 100 Disturbed Syzygium jambos 10 63 1.43 4.98 12.02 8.94 2.2 forest Cecropia peltata 7 25 2.06 3.48 4.77 12.91 2 forest Cecropia peltata 7 26 1.12 3.48 4.96 7.00 11 and Andira inermis 9 23 0.52 4.48 4.39 3.28 11 Non-forest Eugenia spp. 6 24 0.32 2.99 2.67	()								8.94
Eugenia spp. 1 7 0.07 1.79 4.46 1.41 Subtotal 23 93 3.39 41.07 59.24 64.34 16. Remaining 31 species 33 64 1.88 58.93 40.76 35.66 13.7 Total 56 157 5.27 100 100 100 100 Disturbed Syzygium jambos 10 63 1.43 4.98 12.02 8.94 2.2 forest Cecropia peltata 7 25 2.06 3.48 4.77 12.91 2 and Andira inermis 9 23 0.52 4.48 4.39 3.28 11 Non-forest Eugenia spp. 6 24 0.32 2.99 4.58 2.02 9 (SC) Alchornea latifolia 6 14 0.40 3.98 2.67 2.50 9 Matayba apetala 7 16 0.24 3.48 3.05			2		0.10	3.57		1.90	8.66
Subtotal 23 93 3.39 41.07 59.24 64.34 16. Remaining 31 species 33 64 1.88 58.93 40.76 35.66 13. Total 56 157 5.27 100 100 100 Disturbed Syzygium jambos 10 63 1.43 4.98 12.02 8.94 22 broadleaf Mangifera indica 7 25 2.06 3.48 4.77 12.91 2 forest Cecropia peltata 7 26 1.12 3.48 4.96 7.00 11 and Andira inermis 9 23 0.52 4.48 4.39 3.28 11 Non-forest Eugenia spp. 6 24 0.32 2.99 4.58 2.02 52 Iand use Nectandra spp. 8 14 0.40 3.98 2.67 2.50 52 (SC) Alchornea latifolia 6 11 0.48<		Eugenia spp.							7.65
Remaining 31 species 33 64 1.88 58.93 40.76 35.66 133 Total 56 157 5.27 100 100 100 100 Disturbed Syzygium jambos 10 63 1.43 4.98 12.02 8.94 24 broadleaf Mangifera indica 7 25 2.06 3.48 4.77 12.91 2 forest Cecropia peltata 7 26 1.12 3.48 4.96 7.00 11 and Andira inermis 9 23 0.52 4.48 4.39 3.28 11 Non-forest Eugenia spp. 6 24 0.32 2.99 4.58 2.02 5 Iand use Nectandra spp. 8 14 0.40 3.98 2.67 2.50 5 (SC) Alchornea latifolia 6 11 0.48 2.99 2.10 2.99 4.63 1.50 5 Subtotal			23						164.64
Total 56 157 5.27 100 100 100 Disturbed Syzygium jambos 10 63 1.43 4.98 12.02 8.94 24 broadleaf Mangifera indica 7 25 2.06 3.48 4.77 12.91 2 forest Cecropia peltata 7 26 1.12 3.48 4.96 7.00 11 and Andira inermis 9 23 0.52 4.48 4.39 3.28 11 Non-forest Eugenia spp. 6 24 0.32 2.99 4.58 2.02 52 land use Nectandra spp. 8 14 0.40 3.98 2.67 2.50 52 (SC) Alchornea latifolia 6 14 0.52 2.99 2.67 3.28 52 (SC) Alchornea patia 7 16 0.24 3.48 3.05 1.50 52 Matayba apetala 7 16		Remaining 31 species		64	1.88	58.93	40.76	35.66	135.36
Disturbed Syzygium jambos 10 63 1.43 4.98 12.02 8.94 22 broadleaf Mangifera indica 7 25 2.06 3.48 4.77 12.91 2 forest Cecropia peltata 7 26 1.12 3.48 4.96 7.00 11 and Andira inermis 9 23 0.52 4.48 4.39 3.28 11 Non-forest Eugenia spp. 6 24 0.32 2.99 4.58 2.02 9 Iand use Nectandra spp. 8 14 0.40 3.98 2.67 2.50 9 (SC) Alchornea latifolia 6 14 0.52 2.99 2.67 3.28 10 Matayba apetala 7 16 0.24 3.48 3.05 1.50 15 Adenanthera pavonina 2 23 0.42 1.00 4.39 2.63 15 Subtotal 68 239 </td <td></td> <td></td> <td></td> <td></td> <td></td> <td>100</td> <td></td> <td></td> <td>300</td>						100			300
broadleaf forest and Mangifera indica 7 25 2.06 3.48 4.77 12.91 2 Andira inermis 7 26 1.12 3.48 4.96 7.00 11 Non-forest Eugenia spp. 6 24 0.32 2.99 4.58 2.02 11 Iand use Nectandra spp. 8 14 0.40 3.98 2.67 2.50 12 (SC) Alchornea latifolia 6 14 0.52 2.99 2.67 3.28 12 Spathodea campanulata 6 14 0.52 2.99 2.67 3.28 12 Matayba apetala 7 16 0.24 3.48 3.05 1.50 15 Adenanthera pavonina 2 23 0.42 1.00 4.39 2.63 12 Remaining 74 species 133 285 8.46 66.17 54.39 52.94 17 Total 201 524 15.97 100	Disturbed								25.93
forest and Cecropia peltata 7 26 1.12 3.48 4.96 7.00 11 Andira inermis 9 23 0.52 4.48 4.39 3.28 11 Non-forest Eugenia spp. 6 24 0.32 2.99 4.58 2.02 11 Iand use Nectandra spp. 8 14 0.40 3.98 2.67 2.50 12 (SC) Alchornea latifolia 6 14 0.52 2.99 2.67 3.28 12 Spathodea campanulata 6 11 0.48 2.99 2.10 2.99 13 Adenanthera pavonina 2 23 0.42 1.00 4.39 2.63 12 Adenanthera pavonina 2 23 0.42 1.00 4.39 2.63 12 Subtotal 68 239 7.52 33.83 45.61 47.06 12 Remaining 74 species 133 285 8.46 66.17			7						21.16
and Andira inermis 9 23 0.52 4.48 4.39 3.28 11 Non-forest Eugenia spp. 6 24 0.32 2.99 4.58 2.02 12 Iand use Nectandra spp. 8 14 0.40 3.98 2.67 2.50 12 (SC) Alchornea latifolia 6 14 0.52 2.99 2.67 3.28 14 Spathodea campanulata 6 11 0.48 2.99 2.10 2.99 15 Matayba apetala 7 16 0.24 3.48 3.05 1.50 15 Adenanthera pavonina 2 23 0.42 1.00 4.39 2.63 12 Subtotal 68 239 7.52 33.83 45.61 47.06 12 Remaining 74 species 133 285 8.46 66.17 54.39 52.94 17 Total 201 524 15.97 100 100 100 100 SU = Number of sample units in which species occurred; N = Number of individuals; <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>15.44</td>									15.44
Non-forest land use (SC) Eugenia spp. 6 24 0.32 2.99 4.58 2.02 9 (SC) Nectandra spp. 8 14 0.40 3.98 2.67 2.50 3 (SC) Alchornea latifolia 6 14 0.52 2.99 2.67 3.28 3 Spathodea campanulata 6 11 0.48 2.99 2.10 2.99 3 Matayba apetala 7 16 0.24 3.48 3.05 1.50 3 Adenanthera pavonina 2 23 0.42 1.00 4.39 2.63 3 Subtotal 68 239 7.52 33.83 45.61 47.06 12 Remaining 74 species 133 285 8.46 66.17 54.39 52.94 17 SU = Number of sample units in which species occurred; N = Number of individuals; 3 3 45.7 100 100 100 SA = Basal area (m ²); RF = Relative frequency; DE = Relative density; 3									12.15
Iand use (SC) Nectandra spp. 8 14 0.40 3.98 2.67 2.50 9 Alchornea latifolia 6 14 0.52 2.99 2.67 3.28 3.28 3.28 3.28 3.28 3.28 3.05 1.50 3.28 3.05 1.50 3.28 3.05 1.50 3.28 3.05 1.50 3.28 3.05 1.50 3.28 3.05 1.50 3.28 3.05 1.50 3.28 3.05 1.50 3.28 3.05 1.50 3.28 3.05 1.50 3.28 3.05 1.50 3.28 3.05 1.50 3.28 3.05 1.50 3.28 3.263 3.28 3.05 1.50 3.28 3.263 3.28 3.263 3.263 3.263 3.263 3.263 3.265 3.28 3.285 8.46 66.17 54.39 52.94 17.27 100 100 100 100 100 100 100 100 100 100									9.59
(SC) Alchornea latifolia 6 14 0.52 2.99 2.67 3.28 3.28 3.28 3.28 3.28 3.28 3.28 3.28 3.28 3.28 3.28 3.28 3.28 3.28 3.28 3.28 3.29 2.10 2.99 2.67 3.28 3.28 3.48 3.05 1.50 3.28 3.48 3.05 1.50 3.28 3.48 3.05 1.50 3.28 3.44 3.05 1.50 3.28 3.44 3.05 1.50 3.28 3.45 1.50 3.28 3.45 1.50 3.28 3.45 1.50 3.28 3.45 1.50 3.28 3.28 3.45 1.50 3.28									9.16
Spathodea campanulata 6 11 0.48 2.99 2.10 2.10 2.10 2.10 2.10 2.10 2.10 2.10 2.10 2.10 2.10 2.10 2.10 2.10 2.10 2.10 2.10 2.10 <th2.10< th=""> 2.10 <th2.10< th=""></th2.10<></th2.10<>									8.94
Matayba apetala 7 16 0.24 3.48 3.05 1.50 3.43 Adenanthera pavonina 2 23 0.42 1.00 4.39 2.63 3.43 Subtotal 68 239 7.52 33.83 45.61 47.06 124 Remaining 74 species 133 285 8.46 66.17 54.39 52.94 173 Total 201 524 15.97 100 100 100 SU = Number of sample units in which species occurred; N = Number of individuals; BA = Basal area (m²); RF = Relative frequency; DE = Relative density;	()								8.08
Adenanthera pavonina 2 23 0.42 1.00 4.39 2.63 33 Subtotal 68 239 7.52 33.83 45.61 47.06 124 Remaining 74 species 133 285 8.46 66.17 54.39 52.94 173 Total 201 524 15.97 100 100 100 SU = Number of sample units in which species occurred; N = Number of individuals; BA = Basal area (m²); RF = Relative frequency; DE = Relative density; Herein and the species of the structure is the species of the species of the structure is the structure is the species of the structure is the species of the structure is the struc									8.04
Subtotal 68 239 7.52 33.83 45.61 47.06 120 Remaining 74 species 133 285 8.46 66.17 54.39 52.94 17 Total 201 524 15.97 100 100 100 SU = Number of sample units in which species occurred; N = Number of individuals; BA = Basal area (m²); RF = Relative frequency; DE = Relative density;									8.01
Remaining 74 species1332858.4666.1754.3952.94173Total20152415.97100100100SU = Number of sample units in which species occurred; N = Number of individuals; BA = Basal area (m ²); RF = Relative frequency; DE = Relative density;BA		-							126.50
Total20152415.97100100100SU = Number of sample units in w hich species occurred; N = Number of individuals;BA = Basal area (m²); RF = Relative frequency; DE = Relative density;									173.50
SU = Number of sample units in w hich species occurred; N = Number of individuals; BA = Basal area (m²); RF = Relative frequency; DE = Relative density;									300
BA = Basal area (m ²); RF = Relative frequency; DE = Relative density;									
DO = Relative dominance; IVI = Importance value index (RF + DE + DO).									

Short open dry forest	Prosopis juliflora Melicoccus bijugatus	6 2	29	0.39	13.64	25.22	13.08	51.93
		ົ່	10					
		- 2	13	0.37	4.55	11.30	12.46	28.31
	Bursera simaruba	4	6	0.28	9.09	5.22	9.64	23.95
(SL)	Mangifera indica	2	4	0.43	4.55	3.48	14.49	22.51
. ,	Guazuma ulmifofia	3	11	0.13	6.82	9.57	4.28	20.67
	Spondias mombin	1	1	0.31	2.27	0.87	10.58	13.72
	Cordia gerascanthus	2	5	0.09	4.55	4.35	3.10	12.00
	Tabebuia heterophylla	1	5	0.13	2.27	4.35	4.41	11.03
	Peltophorum linnaei	1	4	0.11	2.27	3.48	3.58	9.33
	Coccoloba spp.	2	3	0.06	4.55	2.61	1.97	9.13
	Subtotal	24	81	2.29	54.55	70.43	77.61	202.59
	Remaining 18 species	20	34	0.66	45.45	29.57	22.39	97.41
	Total	44	115	2.95	100	100	100	300
Tall	Bursera simaruba	52	136	4.25	13.13	13.88	19.09	46.10
open	Metopium brow nii	33	124	3.31	8.33	12.65	14.85	35.84
dry forest	Tabebuia heterophylla	17	84	2.10	4.29	8.57	9.45	22.31
(WL)	Haematoxylum campechianum	17	70	1.58	4.29	7.14	7.10	18.53
	Piscidia piscipula	21	60	1.13	5.30	6.12	5.05	16.48
	Thrinax parviflora	26	65	0.65	6.57	6.63	2.91	16.10
	Coccoloba spp.	18	45	0.95	4.55	4.59	4.24	13.38
	Neea nigricans	15	27	0.93	3.79	2.76	4.16	10.70
	Pouteria multiflora	8	24	0.61	2.02	2.45	2.76	7.22
	Eugenia maleolens	6	22	0.31	1.52	2.24	1.41	5.17
	Subtotal	213	657	15.81	53.79	67.04	71.00	191.83
	Remaining 77 species	183	323	6.46	46.21	32.96	29.00	108.17
	Total	396	980	22.27	100	100	100	300
Mangrove	Rhizophora mangle	22	294	9.78	40.74	49.41	60.26	150.42
forest	Avicennia germinans	14	122	2.75	25.93	20.50	16.94	63.37
(MG)	Laguncularia racemosa	10	123	2.55	18.52	20.67	15.69	54.88
	Conocarpus erectus	3	22	0.26	5.56	3.70	1.61	10.86
	Casuarina equisetifolia	1	20	0.50	1.85	3.36	3.07	8.28
	Terminalia catappa	2	11	0.30	3.70	1.85	1.84	7.39
	Ficus spp.	1	2	0.09	1.85	0.34	0.53	2.72
	Unknow n / Unidentified	1	1	0.01	1.85	0.17	0.06	2.08
	Subtotal	54	595	16.24	100	100	100	300
	Remaining 0 species	0	0	0	0	0	0	0
	Total	54	595	16.236	100	100	100	300
Riparian /	Roystonea princeps	18	191	11.13	7.29	19.31	27.95	54.55
Sw amp	Haematoxylum campechianum	18	161	4.03	7.29	16.28	10.13	33.70
forest	Guazuma ulmifofia	13	71	2.27	5.26	7.18	5.71	18.15
(SW)	Ficus spp.	11	27	3.90	4.45	2.73	9.79	16.97
	Ehretia tinifolia	4	83	1.24	1.62	8.39	3.10	13.12
	Samanea saman	8	18	2.91	3.24	1.82	7.31	12.37
	Nectandra spp.	7	56	1.26	2.83	5.66	3.15	11.65
	Piscidia piscipula	8	35	0.68	3.24	3.54	1.71	8.49
	Andira inermis	9	19	0.45	3.64	1.92	1.12	6.68
	Zanthoxylum martinicensis	7	22	0.63	2.83	2.22	1.58	6.64
	Subtotal	103	683	28.50	41.70	69.06	71.56	182.32
1								
	Remaining 66 species	144	306	11.33	58.301	30.941	28.44	117.08
	Remaining 66 species Total	144 247	306 989	11.33 39.83	58.30 100	30.94 100	28.44 100	117.68 300

 $BA = Basal area (m^2); RF = Relative frequency; DE = Relative density;$

DO = Relative dominance; IVI = Importance value index (RF + DE + DO).

Forest Type	Species	SU	Ν	BA	RF	DE	DO	IVI
Other	Hibiscus elatus	16	232	9.35	9.41	28.82	32.38	70.61
species	Swietenia macrophylla	10	154	6.23	5.88	19.13	21.57	46.58
plantation	Eucalyptus saligna	6	83	3.83	3.53	10.31	13.28	27.12
(HP)	Pinus caribaea	9	64	1.60	5.29	7.95	5.55	18.80
	Eucalyptus robusta	5	55	1.78	2.94	6.83	6.15	15.93
	Nectandra spp.	8	25	0.62	4.71	3.11	2.16	9.97
	Terminalia latifolia	8	20	0.51	4.71	2.48	1.76	8.95
	Cecropia peltata	7	12	0.38	4.12	1.49	1.33	6.94
	Oreopanax capitatus	6	8	0.12	3.53	0.99	0.41	4.93
	Alchornea latifolia	5	7	0.18	2.94	0.87	0.64	4.45
	Subtotal	80	660	24.61	47.06	81.99	85.23	214.28
	Remaining 53 species	90	145	4.26	52.94	18.01	14.77	85.72
	Total	170	805	28.88	100	100	100	300
Caribbean	Pinus caribaea	99	2194	98.46	27.65	75.09	85.58	188.32
pine	Cecropia peltata	35	131	3.36	9.78	4.48	2.92	17.18
plantation	Miconia spp.	23	67	0.77	6.42	2.29	0.67	9.39
(PP)	Nectandra spp.	15	62	1.03	4.19	2.12	0.90	7.21
	Alchornea latifolia	15	42	0.90	4.19	1.44	0.78	6.41
	Hibiscus elatus	11	34	0.93	3.07	1.16	0.81	5.04
	Brunellia comocladiifolia	10	44	0.69	2.79	1.51	0.60	4.90
	Clethra occidentalis	10	26	0.53	2.79	0.89	0.46	4.15
	Eucalyptus saligna	5	28	1.36	1.40	0.96	1.18	3.54
	Eugenia spp.	8	12	0.32	2.23	0.41	0.28	2.92
	Subtotal	231	2640	108.34	64.53	90.35	94.17	249.05
	Remaining 50 species	127	282	6.70	35.47	9.65	5.83	50.95
	Total	358	2922	115.04	100	100	100	300
SU = Number of sample units in w hich species occurred; N = Number of individuals;								

BA = Basal area (m²); RF = Relative frequency; DE = Relative density;DO = Relative dominance; IVI = Importance value index (RF + DE + DO).