



'Village Forest' Kepayang, South Sumatra – Rehabilitation of Burnt Areas and Landscape Management on Peatland

Presenter - Partners of Bioclime Project : Herwin Purnomo; Forestry Service South Sumatra, Indonesia

APFW 2016

Clark Freeport Zone, Pampanga, Philippines, 22-26 February 2016







- 1. South Sumatra, Indonesia
 - Ecosystems
 - Peatland
 - Deforestation, Degradation
- 2. Concept "Village Forest" Indonesia
 - "Village Forest" Kepayang.
- 3. Challenges of forest rehabilitation on peatlands after land and forest fires
 - Rehabilitation on peatland technical aspects
 - Governance and tenure arrangements for effective forest rehabilitation and sustainable management
 - FMU approach in forest landscape restoration
 - Community engagement in forest rehabilitation
 - Sustainable use of NTFPs











South Sumatra, Indonesia











Pilot Project Area - South Sumatra









Peatland after land and forest fires:




Potential of natural revegetation

1. Video: Drone monitoring after peat and forest fires (Link: 1 minute)







2. CBFM: "Village Forests" in Indonesia

State of the Art:

- Forests in Indonesia are under state control. Based on the main function the forest areas are divided in conservation-, protection- and production forests.
- 'Village Forest' licences are issued over open access state-owned forests and can be for both 'protection' and 'production' forest categories. They are managed by village institutions based on a license/permisson for 35 years. The area remains state-owned forest;
- Village forest management aims to preserve forest functions and improve community welfare and is part of the efforts on 'Land Conflict Resolution'.
- In the village forest area, the communities are allowed to collect nontimber forest products (NTFPs). The community may be granted a license of restricted timber utilization in areas with 'production forest' status.
- Management of the village forest is based on a business plan. A forest inventory has to be done prior to implementation of the business plan.

07.03.2016 APFW 2016 Seite 5








3. Challenges of forest rehabilitation on peatland after land and forest fires:

Eco-hydrology and Water Management:

- Redesigning Peat Hydrological Units: restoration in the protection zone (peat dome), and rehabilitation in the utilization zone and buffer zone;
- Canal blocking for rewetting of peat and controlling of water level;
- Areas with root and deep peat fires, almost no natural revegetation, must be kept irrigated with a high water level during dry season;
- Water management (eco-hydrology) and tenure arrangements for effective peat and forest rehabilitation and sustainable management in the Peat **Hydrology Unit.**













Challenges of forest rehabilitation on peatland after land and forest fires: Rehabilitation on peatland – technical aspects:


- Selection of endemic and local species, and forest rehabilitation technique at higher water level with paludiculture system;
- Selection of adaptive and high economic values species, and forest rehabilitation technique at wet peat land with agroforestry system;
- How to introduce: 1) techniques on spreading of seeds (germinated, small and lightweight, fast growing local species and pioneer but not invasive species, adaptive to water), 2) using drones (octocopter) due to minimum accessibility;
- Definition of criteria and indicators for performance and success of peat ecosystem restoration and forest rehabilitation.













are representing the local government. Their role in CBFM is to provide technical assistance for the management of the licenses.

The objective is to conserve forests, protect watersheds and peat land, and to improve forest productivity.

<u>Community Engagement</u> in Forest Rehabilitation:

- 1. Villagers need to be rewarded for their efforts and engaged in the co-benefit arrangements (payment based on the number of trees, planted and growing).
- 2. Technical support in rehabilitation and management of NTFPs, including production and marketing.
- 3. Support of extension workers and NGOs is required to ensure the success.




Sustainable use of NTFPs: How to implement sustainable rubber production?

Other NTFPs. Examples:

 Jelutung (Dyera polyphylla), Gemor (Alseodaphne sp.), Perupuk (Lophopetalum sp.), Suntai (Palaquium burckii), Rotan (Calamus sp.), Nyatoh (Palaquium xanthochimum).





Sekian dan Terimakasih

As a federal enterprise, GIZ supports the German Government in achieving its objectives in the field of international cooperation for sustainable development.

Published by Deutsche Gesellschaft für Internationale Zusammenarbeit (GIZ) GmbH

Registered offices, Bonn and Eschborn, Germany

Preparation of a National REDD+ Mechanism for Greenhouse Gas Reduction and Conservation of Biodiversity in the Philippines

4th Floor FMB Annex Building, DENR, Visayas Avenue, Quezon City, Manila, Philippines T +63 2 697 3127
E bernd-markus.liss@giz.de
I www.giz.de

Responsible

Dr. Bernd-Markus Liss

Authors

Mr. Zulfikhar; Sriwijaya University, Palembang, Indonesia

Mr. Herwin Purnomo; Forestry Service

South Sumatra, Indonesia.

Mr. Berthol Haasler; Bioclime-GIZ.

Photo/Video credits

© Bioclime

Layout

Bioclime In cooperation with





Spatial planning characteristics of Peat Hydrological Unit






Table A: The key findings of the five presented papers on ecological tolerance to extreme environmental conditions and the conditions required for optimal growth conditions

No.	Species (local name)	Drought tolerance	Light strategy	Flood tolerance	Optimal nutrient requirements	Preferred mycorrhiza	Recommended for reforestation?
1	Aglaia rubignosa (Kajalaki)	Good			All macro nutrients		Yes—limited data
2	Alstonia spatulata (Pulai rawa)	Good	Generalist	Acceptable	N, Mg, Ca		Yes
3	Baccaurea bracteata (Jajantik)	Acceptable	Generalist	Poor	Mg, Ca	None found	In areas without flooding
4	Calophyllum hosei (Bintangur)	Poor	Shade-tolerant		None	None found	More suited to enrichment planting
5	Calophyllum sclerophyllum (Kapurnaga)	Poor	Shade-tolerant	Acceptable	None	Enthrophospora sp.	More suited to enrichment planting
6	Combretocarpus rotundatus (Perepat)	Acceptable			None	None found	Limited data
7	Cotylelobium sp. (Resak)	Acceptable	Shade-tolerant	Poor	None	None found	More suited to enrichment planting
8	Cratoxylum glaucum (Gerunggang)	Poor	Shade-tolerant		None	None found	More suited to enrichment planting
9	Dacrydium pectinatum (Alau)			Acceptable			Limited data
10	Disopyros bantamensis (Mahirangan)	Acceptable	Shade-tolerant	Acceptable	None	None found	In shaded areas
1	Knema mandarahan (Mandarahan)	Good	Generalist	Poor	Р		In areas without flooding
2	Koompassia malaccensis		Generalist				Limited data
13	Licania splendens (Bintan)	Good			None	None found	Yes—limited data
4	Lithocarpus sp. (Pampaning)	Poor		Poor	N, Mg, Ca		More suited to enrichment planting
15	Lophopetalum javanicum (Perupuk)	Poor	Shade-tolerant	Excellent	N, Ka	Glomus clarum	In flooded areas
16	Mangifera sp. (Mangga-mangga)	Good	Sun-loving	Poor	None		In areas without flooding
17	Melaleuca leucadendra (Galam)	Poor	Shade-tolerant		N, Ka, Mg, Ca		More suited to enrichment planting
8	Palaquium sp. (Nyatoh)	Poor	Shade-tolerant	Poor	None	None found	More suited to enrichment planting
9	Parartocarpus venenosus (Lilin-lilin)	Good	Generalist	Poor	N, Ka	Enthrophospora sp.	In areas without flooding
0	Sandoricum beccanarium (Papung)	Acceptable	Sun-loving	Poor	Ka		In areas without flooding
1	Shorea sp. (Meranti daun kecil)	Poor	Shade-tolerant	Poor			More suited to enrichment planting
22	Shorea sp. (Meranti daun lebar)	Poor	Generalist		None		More suited to enrichment planting
23	Stemonurus scorpioides (Medang telur)	Poor	Sun-loving	Acceptable	None	None found	In areas without drought
24	Syzygium sp. 1/pakan (Pakan)			No tolerance	None	Glomus clarum and Enthrophospora sp.	Limited data
25	Syzygium sp. (Jambu burung kecil)					None found	Limited data
26	Syzygium sp. 2 (Mahalilis)		Sun-loving	Poor	None	Glomus clarum	In areas without flooding

Source: Banjarbaru Forestry Researh Unit & L&BeGfaham (2014)