EN - For pricing and availability in your local country please visit one of the below links:

DE - Informationen zu Preisen und Verfügbarkeit in Ihrem Land erhalten Sie über die unten aufgeführten Links:

FR - Pour connaître les tarifs et la disponibilité dans votre pays, cliquez sur l'un des liens suivants:

[MR.JKL11.002](MR.JKL11.002)

EN
This Datasheet is presented by
the manufacturer

DE
Dieses Datenblatt wird vom
Hersteller bereitgestellt

FR
Cette fiche technique est
présentée par le fabricant

Projector
P1385W

Best-value projection

- WXGA crystal-clear imagery with 3400 ANSI brightness.
- True-to-life color thanks to Acer ColorBoost3D and Acer ColorSafe II.
- Wireless projection* capability frees your from cable.
- Hidden dongle design that makes projector look neat and elegant.
- 10,000 hours lamp life of ExtremeEco technology.

| WXGA RESOLUTION | 3400 ANSI LM BRIGHTNESS | 20000:1 DYNAMIC BLACK | HDMI 3D | WIRELESS PROJECTION | 40° KEYSTONE CORRECTION | BUILT-IN SPEAKER | HIDDEN DONGLE DESIGN |

ColorBoost **3D** · ColorSafe II · DLP 3D READY · ECO PROJECTION · ExtremeEco · TCO CERTIFIED · MHL

Product Specifications

Model name	P1385W
Projection system	DLP®
Resolution	Native WXGA (1280 x 800) Maximum UXGA (1,600 x 1,200), WUXGA (1,920 x 1,200)
Aspect ratio	16:10 (native), 4:3, 16:9
Throw ratio	62"@2m/ 100"@3.2 (1.50 ~ 1.65:1)
Contrast ratio	20,000:1
Brightness	3,400 ANSI Lumens (Standard) 2,720 ANSI Lumens (ECO)
Lamp life	4,000 Hours (Standard) 6,000 Hours (ECO) 10,000 Hours (ExtremeEco)*
Projection lens	F = 2.56 ~ 2.80, f = 21.00mm ~ 23.10mm 1:1.1 Manual Zoom and Manual Focus
Keystone correction	+/-40 degrees (Vertical), Manual& Auto
Noise level	30 dBA (Standard mode), 26 dBA (ECO mode)
Input interface	Analog RGB/Component video (D-Sub) x2 Composite video (RCA) x1 S-video (Mini DIN) x1 HDMI/MHL(Video, Audio, HDCP) x1 HDMI/MHL (Video, Audio, HDCP, Internal) x1 PC audio (Stereo mini jack) x2
Output interface	Analog RGB (D-Sub) x 1 PC Audio (Stereo mini jack) x 1 DC Out (5V/1A, USB Type A) x 1 DC Out (5V/1A, USB Micro-B, Internal Plug) x 1
Control interface	USB (mini-B) x 1 RS-232 (mini DIN) x 1
Dimensions	308 x 211 x 86 mm (12.1" x 8.3" x 3.4")
Weight	2.3 Kg (5.1 lbs)

Feature Highlights

Expressive display
- WXGA (1280 x 800) resolution
- 3,400 ANSI lumens
- Dynamic Black 20,000:1
- Acer ColorBoost3D
- Acer ColorSafe II
- DLP® 3D Ready
- HDMI 3D with 144Hz 24p

Enhanced usability
- Wireless projection[1]
- WirelessHD[2]
- 10W built-in speaker
- Instant resume
- Instant pack
- Acer SmartFormat
- AC Power On

Installation flexibility
- Keystone correction up to 40 degrees
- Auto keystone correction
- Auto ceiling-mount
- Top-loading lamp

Eco-friendly functionality
- TCO Certified
- Acer EcoProjection
- Lamp life up to 10,000 hours in ExtremeEco mode

1 By optional wireless dongle.
2 By optional WirelessHD-Kit. WiHD is capable for 1080P Full HD data transmission, but P1385W native resolution is WXGA.

Control panel   Zoom controller   Remote control receiver   Lens

HDMI/ MHL Micro USB cable

Kensington™ lock port   Audio in   S-Video   Mini USB   DC 5V output   HDMI (MHL)   VGA in   VGA out   RS232   Audio out   Power Socket   Composite video

Optional Accessory

| WirelessCAST MWA3 | WirelessHD-Kit MWiHD1 | 3D Glasses E4W | Ceiling Mount CM-01S | Ceiling Mount CM-02S | Universal Remote Control E25 |

Acer ColorBoost3D
Acer's ColorBoost 3D is a combination of technical advancements that improve optical color performance for all kinds of content, based on color wheel design, specialized techniques to control the projector lamp, and a Texas Instruments DLP™ chip. Now, Acer presents ColorBoost3D that provides true-to- life images even while displaying 3D or 2D-3D contents.

Acer ColorSafe II
Acer projectors featuring ColorSafe II are virtually immune to color decay, such as the yellow or green tint on images displayed by some projectors that have been used for extended periods of time. Acer projectors take advantage of DLP® technology to guarantee picture integrity even after prolonged use.

acer
explore beyond limits™

EN - For pricing and availability in your local country please visit one of the below links:

DE - Informationen zu Preisen und Verfügbarkeit in Ihrem Land erhalten Sie über die unten aufgeführten Links:

FR - Pour connaître les tarifs et la disponibilité dans votre pays, cliquez sur l'un des liens suivants:

[MR.JKL11.002](MR.JKL11.002)

EN
This Datasheet is presented by
the manufacturer

DE
Dieses Datenblatt wird vom
Hersteller bereitgestellt

FR
Cette fiche technique est
présentée par le fabricant