

- **EN** For pricing and availability in your local country please visit one of the below links:
- **DE** Informationen zu Preisen und Verfügbarkeit in Ihrem Land erhalten Sie über die unten aufgeführten Links:
- FR Pour connaître les tarifs et la disponibilité dans votre pays, cliquez sur l'un des liens suivants:

<u>TZ-FX231</u>

<u>TZ-FX641</u>

EN This Datasheet is presented by the manufacturer DE


Dieses Datenblatt wird vom Hersteller bereitgestellt **FR** Cette fiche technique est présentée par le fabricant



Longer Lasting Labels

Brother's unique, patented TZ tapes are designed to be extra hard wearing. Tests have shown that these scratch-proof labels can withstand heavy abrasion, electrical resistance and lengthy exposure to chemicals, sunlight, water and extreme temperatures from -50°C to 300°C. Brother laminated tapes consist of six layers of materials, resulting in a thin, extremely strong label. Characters formed with thermal transfer ink are actually printed onto the underside of the laminate. Sandwiched between two layers of PET (polyester film) this lets you create characters that are virtually indestructible.

Brother Laminate Tape Construction



LAMINATED BROTHER TAPES WITH PATENTED BROTHER UNDER-TAPE PRINTING

Technical Information

Hardware		Firmware		
Housing Dimensions	108mm(W) x 196mm(D) x 55mm(H) (with cutter lever)	Built in Fonts		Helsinki & Oklahoma
Housing Design	Slim Handheld	Characters		241
Housing Weight	335g (without batteries and tape cassette)	Symbols		59
Housing Color	Blue	No. of lines printable		Max. 2 lines
Key Board	ABCD	Text Buffer		55 characters
Number of Keys	49 keys	Memory		Yes (Store,/Recall,/Delete) up to 9 files,
Cutter	Manual Cut			Max 300 characters
Power (not included)	AAA sized Alkaline Batteries x 6pcs or AC Adapter (Model G or G1)	Type Styles		Normal / Bold / Outline / Shadow / Italic Italic Bold / Italic Outline / Italic Shadow / Vertical / Mirror
LCD	8 chrs x 1 line	Framing & Fill Pattern		5 kinds (Off/Undl/Round/Banner/Wooden/Vine)
Item Included	Users Guide 12mm x 5m Black on White Starter Tape	Repeat Printing		Yes (1-9)
Таре Туре	TZ-tape	Underline		Yes
Tape Size	6/9/12mm	Tape Margin Settings		Yes (Full/Half/Narrow/Chain)
Print Head	180 dpi	Numbering		Yes (0-9)
Max. Print Height	9mm	Battery Weak Indication		Yes
Print Speed	10mm / sec.	LCD Language Change		Yes (English/French/German)
		Auto Power Off		Yes
		Print Image (Preview)		Yes


158u

Contact:

Tape Options

- Options include standard laminated tape including fluorescent and transparent options. Specialist tapes include Non-laminated, Matt, Strong Adhesive, and Flexi ID. All are available in varying widths, character and tape colour options.
- Tape widths of 6, 9 and 12mm
- Standard tape length of 8m*
- *Providing approximately 100 labels. (based on 10 characters & standard label length 8cm)

Tape Widths



brother.

Tel:0870 830 4020 (National Rate Call) Fax:0870 830 4031

Brother International Europe Ltd Audenshaw, Manchester M34 5JE

www.brother.co.uk





ZLFTPT1000U1

NB. Not all tape colours are available in all countries.




The P-touch 1000 from Brother.

An easy-to-use, hand-held labelling machine for the office or home, that produces a wide variety of professional quality labels made to last. It's the P-touch 1000 electronic labelling system from Brother.

Organising your world has never been easier

Whether you'd like to organise your workplace or simply sort things out around the home, it shouldn't be complicated. With the P-touch 1000 you just key in the word or number, choose the style, and then print. With Brother's professional quality TZ tapes you know these are labels that will last.

The P-touch 1000 is ideal for creating labels for any of the following:




•••• Always at your side

Printing that puts you in control

}	Large printing area makes every label and printing on two lines means you c much detail as you'd like	
}	Choose from two different font styles	Oklahoma
}	Choose up to ten different type styles plus framing and <u>underlining</u>)
;>	Access over 50 symbols by pressing t	he symbol ke


conditions and direct sunlight so they won't fade.

Available in a range of colours









€ @ % © → 🕃



ITALIC/BOLD ITALICSHADOW

CDe

www.P-touch.com



- **EN** For pricing and availability in your local country please visit one of the below links:
- **DE** Informationen zu Preisen und Verfügbarkeit in Ihrem Land erhalten Sie über die unten aufgeführten Links:
- FR Pour connaître les tarifs et la disponibilité dans votre pays, cliquez sur l'un des liens suivants:

<u>TZ-FX231</u>

<u>TZ-FX641</u>

EN This Datasheet is presented by the manufacturer DE

Dieses Datenblatt wird vom Hersteller bereitgestellt **FR** Cette fiche technique est présentée par le fabricant