



This high-performing black-and-white LaserJet printer provides leading security features, reliability, fast speeds up to 50 ppm and the flexibility to expand its capabilities with multiple input/output options while being easy to use and manage.

**The best choice for larger workgroups of 10 - 20 users in managed SMB and enterprise environments who need a fast, reliable black-and-white printer to produce high quality documents.**

**Enjoy peace of mind with this robust workgroup printer's security features.**

Accomplish more with a robust printer you can count on. Get fast, secure performance across your network with advanced IPSec encryption. Prevent unauthorised access with management features like 802.1X authentication and password protection, and guard sensitive information with support for private printing. Just press the Folder button to view your stored jobs, enter a PIN, and print your documents. Simplify fleet management tasks and reduce IT costs with HP Web Jetadmin<sup>1</sup>

**Enable your workgroup to be more productive with fast speeds and performance you can rely on.**

New HP toner enables print speeds of up to 50 pages. No time is lost waiting for the printer to warm up as Instant-on Technology ensures the first page prints out as fast as 8.5 seconds from Ready mode. Save time and improve productivity as the 540 MHz processor handles complex documents quickly. Get reliable, efficient sharing with Gigabit networking. Use a single driver—the HP Universal Print Driver communicates directly with each HP device on your network<sup>2</sup>.

**Boost your printer's capabilities and meet growing needs with a range of expandable features**

Upgrade your printer as business needs evolve with optional accessories, including additional 500-sheet trays<sup>3</sup> or 1,500-sheet input tray, an automatic duplexer for two sided printing<sup>4</sup>, an envelope feeder, a 5-bin mailbox, a stacker, or a stapler/stacker. Improve performance and increase storage capacity with an optional EIO hard disk. Choose the cartridge<sup>5</sup> that best suits your needs: the HP LaserJet CC364X Black Print Cartridge delivers greater value per printed page for high volumes.

<sup>1</sup> For more information, please visit [www.hp.com/go/webjetadmin](http://www.hp.com/go/webjetadmin)

<sup>2</sup> To download the free HP Universal Print Driver Series for Windows, visit [www.hp.com/go/upd](http://www.hp.com/go/upd)

<sup>3</sup> 2nd 500-sheet paper tray is standard on HP LaserJet P4015tn and P4015x

<sup>4</sup> Standard on HP LaserJet P4015x

<sup>4</sup> Cut paper consumption in half with optional automatic two-sided printing

<sup>5</sup> HP LaserJet CC364A Black Print Cartridge(10,000 pages); HP LaserJet CC364X Black Print Cartridge(24,000 pages)



HP LaserJet P4015n  
Printer



HP LaserJet P4015tn  
Printer



HP LaserJet P4015x  
Printer

## Product walkaround

HP LaserJet P4015X Printer shown with optional 500-sheet 5-bin mailbox, optional 500-sheet input trays 3 and 4, optional 1,500-sheet high capacity input tray, optional printer stand, optional duplexer

1. Control panel simultaneously displays up to four lines of text and animated graphics and features a built in 10 key pad
2. Optional 500-sheet 5-bin mailbox with sorting capability
3. 500-sheet top output bin
4. Adjustable 100-sheet multipurpose input tray 1 for special media
5. 500-sheet input tray 2
6. 500-sheet input tray 3
7. Optional 500-sheet input tray 4
8. Optional 1,500-sheet high capacity input tray
9. HP Jetdirect Gigabit Ethernet embedded print server with IPSec
10. A powerful 540 MHz processor and 128 MB of standard printing memory, expandable up to 640 MB
11. EIO expansion slot supports an optional parallel card, hard disk, or Jetdirect print server
12. One external and two internal Host USB 2.0 like ports for third party connections
13. Security lock slot
14. Hi-Speed USB 2.0 port for direct connection to printer
15. 100-sheet rear output bin
16. Duplexer for automatic two sided printing
17. Optional printer stand enables printer mobility



## Series at a glance



### HP LaserJet P4015n Printer

- HP LaserJet P4015n: print speed of up to 50 ppm
- 128 MB RAM (max 640 MB)
- 540 MHz processor
- HP Jetdirect Gigabit Ethernet embedded print server with IPSec
- Standard input capacity of 600-sheets with 1x100 sheet tray and 1x500-sheet input tray
- Expandable to 3600 pages with optional 3x500-sheet input trays and a 1500-sheet high-capacity input tray
- Recommended monthly print volume 3000 to 15000 pages
- Duty cycle up to 225000 pages



### HP LaserJet P4015tn Printer

- HP LaserJet P4015tn: as P4015n with additional 500-sheet input tray



### HP LaserJet P4015x Printer

- HP LaserJet P4015x: as P4015tn with automatic duplexer for two-sided printing

## Recommended accessories



**CB518A**  
HP LaserJet 500-sheet Feeder/Tray  
The HP 500-sheet input tray and feeder increases flexibility by providing one additional paper tray, increasing output capacity and decreasing user intervention.



**CB523A**  
HP LaserJet 1500-sheet High-capacity Input Tray  
Ideal for handling large high volume print jobs, the HP 1500-sheet high capacity input tray helps to increase productivity and minimise user interventions.



**CB524A**  
HP LaserJet 75-sheet Envelope Feeder  
The HP LaserJet 75-sheet Envelope Feeder enables simple and efficient business mailing and eliminates the need for manual loading as you can print up to 75 envelopes at a time.



**CB519A**  
HP LaserJet Automatic Duplexer for Two-sided Printing Accessory  
The automatic duplexer for two-sided printing enables you to cut paper consumption by up to 50% and save money.



**CB520A**  
HP LaserJet 500-sheet 5-bin Mailbox  
Find your printed output quickly and easily with the HP LaserJet 500-sheet 5-Bin Mailbox. Assign each mailbox bin to an individual, workgroup or department for easy job retrieval. It can also be used as a sorter/collator, stacker or job separator.



**CB522A**  
HP LaserJet 500-sheet Stapler/Stacker  
This stapler/stacker offers an additional 500-sheets output capacity and an automatic stapling capability (up to 15 pages), enabling simple, convenient and efficient finishing of documents with automatic offset.

### HP Global Solutions Catalogue

HP Global Solutions partners deliver and integrate a wide range of business printing solutions: Products can be mixed, matched and customized. Solutions include: E-forms and stationery, Barcodes and cheque printing (OCR and MICR), Printing from SAP R/3 and ERP packages, Secure printing, Host printing, Cost-controlled printing and copying, Print job accounting and special industry solutions. Go to [www.hp.com/eur/gsc](http://www.hp.com/eur/gsc) for more information.

## Ordering information



**HP LaserJet P4015n Printer (CB509A)**  
Printer, right-angled power cord, control panel overlay, software and documentation on CD-ROM, print cartridge, Getting Started Guide, support flyer



**HP LaserJet P4015m Printer (CB510A)**  
Additional 500-sheet paper tray



**HP LaserJet P4015x Printer (CB511A)**  
Additional 500-sheet paper tray and automatic duplexer for two-sided printing

## Accessories, Supplies and Support

### Accessories

<b>CB518A</b>	HP LaserJet 500-sheet Feeder/Tray
<b>CB523A</b>	HP LaserJet 1500-sheet High-capacity Input Tray
<b>CB524A</b>	HP LaserJet 75-sheet Envelope Feeder
<b>CB519A</b>	HP LaserJet Automatic Duplexer for Two-sided Printing Accessory
<b>CB520A</b>	HP LaserJet 500-sheet 5-bin Mailbox
<b>CB522A</b>	HP LaserJet 500-sheet Stapler/Stacker
<b>CB521A</b>	HP LaserJet 500-sheet Stacker
<b>CB527A</b>	HP LaserJet 400-sheet Custom Media Tray
<b>J7972G</b>	HP 1284B Parallel Card
<b>J7989G</b>	HP High Performance Serial ATA Hard Disk
<b>CB388A</b>	HP 110-volt User Maintenance Kit
<b>CB525A</b>	HP LaserJet P4010/4510 Series Printer Stand
<b>CB389A</b>	HP 220-volt User Maintenance Kit
<b>Q3216A</b>	HP Stapler Cartridge (3 cartridges x 1000 units)
<b>CC413A</b>	HP 64 MB 144-pin x32 DDR2 Memory Module
<b>CC414A</b>	HP 128 MB 144-pin x32 DDR2 Memory Module
<b>CC415A</b>	HP 256 MB 144-pin x32 DDR2 Memory Module
<b>CE483A</b>	HP 512 MB 144-pin x32 DDR2 Memory Module

### Connectivity

<b>J7961G</b>	HP Jetdirect 635n IPv6/IPsec Internal Print Server (EIO, 10/100/1000TX)
<b>J7972G</b>	HP 1284B Parallel Card
<b>J7997G</b>	HP Jetdirect 630n Internal Print Server

<b>J7942G</b>	HP Jetdirect en3700 External Print Server (USB, 10/100TX)
<b>J7988G</b>	HP Jetdirect en1700 External Print Server
<b>J7951G</b>	HP Jetdirect ew2400 802.11g Wireless and Fast Ethernet External Print Server
<b>J7934G</b>	HP Jetdirect 620n Fast Ethernet Print Server
<b>J8007G</b>	HP Jetdirect 690n Wireless 802.11g Internal Print Server

### Service & support

<b>H5479A/E</b>	HP Care Pack, Next Business Day On-site, 3 years
<b>H4475E</b>	HP Care Pack, Same Business Day On-site within 4 hours 13x5, 3 years
<b>H2668E</b>	HP Care Pack, Next Business Day On-site, 4 years
<b>H2669E</b>	HP Care Pack, Next Business Day On-site, 5 years
<b>H2664PE</b>	HP Care Pack, Post Warranty Next Business Day On-site, 1 year
<b>U2032PE</b>	HP Care Pack, Post Warranty Same Business Day On-site within 4 hours 13x5, 1 year
<b>UG819E</b>	HP Care Pack, Next Business Day On-site, 3 years (3 kits limit)
<b>UC742E</b>	HP Care Pack Installation and Network configuration for 1 network printer

For a complete list of supplies, accessories and services, please refer to <http://www.hp.com>



## Technical specifications

<b>Print technology</b>	Monochrome Laser			
<b>Print speed</b>	A4 black: Up to 50 ppm First page out Black: < 8.5 sec (from ready mode) Exact speed varies depending on the system configuration, software program, and document complexity			
<b>Processor</b>	540 MHz, Motorola ColdFire® V5e			
<b>Memory</b>	128 MB, Expandable to 640 MB through One 144-pin DDR2 DIMM slot			
<b>Print resolution</b>	Up to 1200 x 1200 dpi			
<b>Print quality</b>	HP REt, HP FastRes 1200, HP ProRes 1200, HP 600 dpi, HP 300 dpi			
<b>Printer languages</b>	HP PCL 6, HP PCL 5e, HP Postscript level 3 emulation, direct PDF (v 1.4) printing (Printer memory 128 MB required, 192 MB recommended)			
<b>Economical printing</b>	Return to PowerSave mode after print job due to instant-on fuser technology (saves electricity), N-up printing and two-sided printing (saves paper), Draftmode (saves toner)			
<b>Typefaces/fonts</b>	80 HP font set (plus Greek, Hebrew, Cyrillic, Arabic)			
<b>Duty cycle</b>	Up to 225000 pages per month			
<b>Print margins</b>	top: 6 mm, left: 5 mm, right: 5 mm, bottom: 6 mm			
<b>Media handling</b>	<b>Input</b>	<b>Capacity</b>	<b>Weight</b>	<b>Size</b>
	Tray 1	sheets: 100, envelopes: 10	60 to 200 g/m <sup>2</sup>	A4, A5, B5 (JIS), letter, legal, executive, statement, 16K, Dpostcard (JIS), Executive (JIS), envelope (Com 10, Monarch #7-3/4, DL ISO, C5 ISO, B5 ISO), 76 x 127 mm to 216 x 356 mm
	Tray 2	sheets: 500	60 to 120 g/m <sup>2</sup>	A4, A5, B5 (JIS), letter, legal, executive, statement, 16K, Executive (JIS), 148 x 210 to 216 x 356 mm
	Tray 3 (optional)	sheets: 500	60 to 120 g/m <sup>2</sup>	A4, A5, B5 (JIS), letter, legal, executive, statement, 16K, Executive (JIS), 148 x 210 to 216 x 356 mm
	<b>Output:</b>	Sheets: Up to 600. Envelopes: Up to 10. Transparencies: Up to 600; 100-sheet rear output bin, 500-sheet top output bin		
	<b>Duplex printing:</b>	P4015n: Automatic (optional); P4015tn: Automatic (optional); P4015x: Automatic (standard)		
<b>Media types</b>	Paper (bond, colour, letterhead, plain, preprinted, prepunched, recycled, rough, light), envelopes, labels, cardstock, transparencies			
<b>Interface and connectivity</b>	Hi-Speed USB (compatible with USB 2.0 specifications), EIO slot, 1 external and 2 internal Host "USB 2.0-like" ports for 3rd party connection, HP Jetdirect Gigabit Ethernet embedded print server, optional: HP Jetdirect EIO internal print servers, HP Jetdirect external print servers, HP wireless print servers, HP Jetdirect EIO connectivity card (for USB, serial, LocalTalk), Bluetooth® wireless			
<b>Operating systems compatibility</b>	Microsoft® Windows® 2000; XP Home; XP Professional; Server 2003; Certified for Windows Vista®; Mac OS X v10.2, v10.3 or higher Optional: Mac OS X v10.5, OS/2, UNIX, Linux, HP OpenVMS, Most recent printer drivers and software for all supported operating systems available at <a href="http://www.hp.com/support/hpljp4015series">http://www.hp.com/support/hpljp4015series</a> ; if no access to the Internet, see support flyer that came in printer box			
<b>Network operating systems compatibility</b>	Via an HP Jetdirect print server: Microsoft® Windows® 2000, Server 2003, XP, 2003 64-bit, XP 64-bit; Windows Vista®, Windows Vista® 64-bit (For Microsoft® IPv6 compatible with Microsoft® Windows® 2003, XP, and Windows Vista®); Novell® 5.1 and later; Mac OS X v10.2, v10.3, v10.4 and later; RED HAT Linux 7.x and later; SUSE Linux 8.x and later; HP-UX 10.20, 11.x, 11.i; Solaris® 2.5 and later (SPARC® systems only); IBM® AIX 3.2.5 and later 1; MPE-iX; Citrix® MetaFrame Server; Microsoft® Windows® Terminal Services, optional: Microsoft® Windows® 2000, XP Home, XP Professional, Server 2003; Apple Mac OS X v10.2, v10.3, v10.4, v10.5			
<b>Minimum system requirements</b>	Microsoft® Windows® 2000: 133 MHz processor, 64 MB RAM, CD-ROM drive; Microsoft® Windows® XP Home and Professional: 233 MHz processor, 64 MB RAM, CD-ROM drive; Microsoft® Windows® Server 2003: 550 MHz processor, 128 MB RAM (standard edition), 220 MB of free hard disk space for Microsoft® Windows®, 1 GHz processor, 512 MB RAM (Windows Vista® Ready, check user guide for minimum hard drive space); CD-ROM drive or Internet connection, IEEE 1284-compliant bidirectional parallel port, USB (compatible with USB 1.1 or 2.0 specifications), Mac OS X v10.2 or higher; PowerPC G3, G4, G5, or Intel® Core processor; 160 MB free hard disk space; CD-ROM drive, USB port or IEEE 1284-B compliant parallel port (via HP1284B Parallel Card J7972G)			
<b>Software</b>	Print drivers and installation software on CD-ROM: HP PCL 5e, HP PCL 6, Postscript, Postscript Printer Description files, HP LaserJet Utility (Mac), Macintosh software			
<b>Control panel</b>	2.29 x 5.33 cm 4-Line LCD display, 3 light-emitting diode (LED) indicator lights (Ready, Data, Attention), buttons (10 numeric keys, Information, Return, Stop/Cancel, OK, Toggle up/down)			
<b>Printer management</b>	HP Web Jetadmin, HP LaserJet Utility, HP Embedded Web Server, HP Easy Printer Care			
<b>Power</b>	Requirements: Input voltage 100 to 127 VAC (+/- 10%), 50/60 Hz (+/- 3 Hz); 220 to 240 VAC (+/- 10%), 50/60 Hz (+/- 3 Hz). Consumption: 840 watts maximum (active/printing), 18 watts maximum (ready), 12 watts maximum (sleep), Typical electricity consumption (TEC) 4.286 KWh/week			
<b>Dimensions (w x d x h)</b>	Out of package: P4015n: 419 x 450 x 393 mm; P4015tn: 419 x 450 x 546 mm; P4015x: 419 x 508 x 546 mm Packaged: P4015n: 570 x 535 x 500 mm; P4015tn: 790 x 600 x 540 mm; P4015x: 790 x 600 x 540 mm			
<b>Weight</b>	Out of package: P4015n: 25.82 kg; P4015tn: 32.47 kg; P4015x: 35.12 kg Packaged: P4015n: 27 kg; P4015tn: 34 kg; P4015x: 36 kg			
<b>Operating environment</b>	Operating temperature: 15 to 32.5° C. Recommended operating temperature: 10 to 32° C. Operating humidity: 10 to 80% RH. Recommended operating humidity: 10 to 80% RH. Storage temperature: 0 to 35° C. Storage humidity: 10 to 95% RH. Noise level per ISO 9296: Sound power: LwAd 7.2 B(A) (active/printing), 4.1 B(A) (ready). Sound pressure: LpAm 58 dB(A) (active/printing), 27 dB(A) (ready)			
<b>Product certifications</b>	Safety certifications: IEC 60950-1 (International), EN 60950-1+A11 (EU), IEC 60825-1+A1+A2, UL/cUL Listed (US/Canada), GS license (Europe), EN 60825-1+A1+A2 (Class 1 Laser/LED Device) GB4943-2001, Low Voltage Directive 2006/95/EC with CE Marking (Europe); other safety approvals as required by individual countries			
<b>Warranty</b>	One year on-site warranty. Optional HP Care Pack services available. Warranty and support options vary by product, country and local legal requirements.			

<http://www.hp.com/uk>



© Copyright 2008 Hewlett-Packard Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP Products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Published in EMEA 04/08 4AA1-8014EEE

