



International Journal of Fisheries and Aquatic Studies

E-ISSN: 2347-5129
P-ISSN: 2394-0506
(ICV-Poland) Impact Value: 5.62
(GIF) Impact Factor: 0.549
IJFAS 2017; 5(1): 253-264
© 2017 IJFAS
www.fisheriesjournal.com
Received: 08-11-2016
Accepted: 09-12-2016

Arijit Chakraborty
Regional Research Centre,
ICAR-Central Institute of
Freshwater Aquaculture, Field
station of RRC, CIFA, Rahara,
A-5 (Phase-III), Santalpara,
P.O. Kalyani, Dist. Nadia, West
Bengal, India

Rumki Shaw
Aquaculture Laboratory,
Department of Zoology, the
University of Burdwan,
Burdwan, West Bengal, India

Koushik Ghosh
Aquaculture Laboratory,
Department of Zoology, the
University of Burdwan,
Burdwan, West Bengal, India

An inventory of endemic fish species in India with notes on state-wise distribution and conservation measures

Arijit Chakraborty, Rumki Shaw and Koushik Ghosh

Abstract

Endemism refers to the species restricted to a geographical range. India is not an exception to the global perspective experiencing serious threats with regard to ecosystem instability and loss of fish diversity. A basic insight on the endemic fish species available in India and their status could be considered as a primary step to realize the present situation. This article emphasizes the endemic fish species recorded from India, their International Union for Conservation of Nature (IUCN) red list status and state-wise distribution that may be useful to adopt specific conservation strategy at the regional level.

Keywords: Indian endemic fish, state distribution, new fish species

1. Introduction

Fish constitutes almost half of the total number of vertebrates in the world^[1]. Among the recorded fish species around the globe, about 11.7% are found in Indian waters^[2] that has made India rich in biodiversity of the endemic fish species. Fish endemic to India refers to the fish species which are restricted to the geographical range of India and become unavailable in other such regions. Aquatic environment is experiencing serious threats with regard to ecosystem stability resulting loss of aquatic biodiversity^[3]. The global extinction rate of fish has been alleged to be higher than it would have been naturally expected^[4]. The key factors behind the loss of fish-diversity are habitat degradation and fragmentation, introduction of exotic alien species, water diversions, water pollution and global climate change^[5]. Therefore, suitable conservatory measures are to be implemented to mitigate the impact of the pressures laid down by the environmental as well as anthropogenic stresses so that ichthyo-diversity of the endemic fish species in India may be protected. This article emphasizes the endemic fish species recorded from India, their IUCN red list status and state-wise distribution which may be useful to adopt specific conservation strategy at the regional level. This inventory also includes the IUCN not evaluated fish species which are recorded from India till 2015. A compilation of data on the endemic fish species from India along with their taxonomic status could be of importance to the academicians and researchers at the national level. Moreover, a concluding note on the conservation measures of these endemic fish species might suggest identifying the threatened endemic fish species and standardizing captive breeding protocol for their *in situ* conservation.

2. Indian endemic fishes, IUCN red list status and distribution

According to IUCN red list^[6], species can be categorized as Extinct (EX), Extinct in the wild (EW), Critically Endangered (CR), Endangered (EN), Vulnerable (VU), Near Threatened (NT), Least Concern (LC) and Data Deficient (DD). About 295 numbers of endemic fish species exclusively found in India are recorded in IUCN^[6], which are listed in table 1.

Correspondence
Arijit Chakraborty
Regional Research Centre,
ICAR-Central Institute of
Freshwater Aquaculture, Field
station of RRC, CIFA, Rahara,
A-5 (Phase-III), Santalpara,
P.O. Kalyani, Dist. Nadia, West
Bengal, India

Table 1: State wise distribution and list of Indian endemic fishes (excluding IUCN Not Evaluated Species)

IUCN red list status [#]	Order	FAMILY	SPECIES NAME
CR (13 species)	Cypriniformes (11 species)	Balitoridae	1. <i>Mesonoemacheilus herrei</i> TN 2. <i>Schistura papulifera</i> MEG
		Cyprinidae	1. <i>Barbodes wynaadensis</i> KAR,KER 2. <i>Horalabiosa arunachalam</i> KER 3. <i>Hypselobarbus pulchellus</i> KAR 4. <i>Hypselobarbus thomassi</i> KAR 5. <i>Neolissochilus bovanicus</i> TN 6. <i>Parapsilorhynchus prateri</i> MAHR 7. <i>Pethia pookodensis</i> KER 8. <i>Puntius deccanensis</i> MAHR
		Psilorhynchidae	1. <i>Psilorhynchus tenura</i> KAR
		Siluriformes (2 species)	1. <i>Hemibagrus punctatus</i> KAR,KER,TN 1. <i>Glyptothorax kudremukhensis</i> KAR
		Balitoridae	1. <i>Homaloptera montana</i> KER,TN 2. <i>Homaloptera santhamparaiensis</i> KER 3. <i>Longischistura striata</i> KAR,KER,TN 4. <i>Nemacheilus petrubanarescui</i> KAR,KER 5. <i>Nemacheilus pulchellus</i> KER,TN 6. <i>Nemachilichthys shimogensis</i> KAR 7. <i>Schistura minutus</i> MAN 8. <i>Schistura nagodiensis</i> KAR 9. <i>Schistura reticulata</i> MAN 10. <i>Schistura sijuensis</i> MEG 11. <i>Schistura tigrinum</i> MAN 12. <i>Travancoria elongata</i> KER 13. <i>Travancoria jonesi</i> KER
		Cobitidae	1. <i>Botia striata</i> MAHR,KAR 2. <i>Lepidocephalichthys arunachalensis</i> ARP
		Cyprinidae	1. <i>Barilius canarensis</i> KAR 2. <i>Crossocheilus periyarensis</i> KER 3. <i>Dawkinsia arulius</i> KAR,KER,TN 4. <i>Dawkinsia exclamatio</i> KER 5. <i>Dawkinsia tamraparniei</i> TN 6. <i>Devario horai</i> ARP 7. <i>Devario neilgherriensis</i> KER,TN 8. <i>Eechathalakenda ophicephalus</i> KER 9. <i>Garra hughii</i> KER,TN 10. <i>Garra kalakadensis</i> TN 11. <i>Garra surendranathani</i> KER 12. <i>Horalabiosa joshuai</i> TN 13. <i>Hypselobarbus curmuca</i> KAR,KER,TN 14. <i>Hypselobarbus dubius</i> KAR,KER,TN 15. <i>Hypselobarbus micropogon</i> KER,TN 16. <i>Hypselobarbus mussullah</i> MAHR,KAR,KER,TN 17. <i>Hypselobarbus periyarensis</i> KER 18. <i>Labeo potail</i> MAHR,KAR,KER 19. <i>Lepidopygopsis typus</i> KER 20. <i>Osteochilus longidorsalis</i> KER 21. <i>Parapsilorhynchus elongatus</i> MAHR 22. <i>Pethia manipurensis</i> MAN 23. <i>Pethia sharmai</i> TN 24. <i>Puntius cauveriensis</i> KAR,KER 25. <i>Puntius crescentus</i> KAR 26. <i>Puntius fraseri</i> MAHR 27. <i>Sahyadria chalakkudiensis</i> KER 28. <i>Sahyadria denisonii</i> KAR,KER 29. <i>Schismatorhynchos nukta</i> MAHR,KAR,TN 30. <i>Thynnichthys sandkhol</i> MAHR,AP,KAR 31. <i>Tor kulkarnii</i> MAHR 32. <i>Tor malabaricus</i> KAR,KER,TN
		Psilorhynchidae	1. <i>Psilorhynchus microphthalmus</i> MAN
EN (64 species)	Perciformes (2 species)	Badidae	1. <i>Badis tuiviae</i> MAN
		Cichlidae	1. <i>Etroplus canarensis</i> KAR
	Siluriformes (12 species)	Amblycipitidae	1. <i>Amblyceps arunachalensis</i> ARP
		Bagridae	1. <i>Batasio sharavatiensis</i> KAR 2. <i>Horabagrus nigricollaris</i> KER
		Schilbeidae	1. <i>Pseudeutropius mitchelli</i> KER 2. <i>Silonia childreni</i> MAHR,AP

		Siluridae	1. <i>Pterocryptis barakensis</i> MAN 2. <i>Pterocryptis wynaadensis</i> MAHR,KAR,KER,TN
		Sisoridae	1. <i>Glyptothorax anomalaensis</i> KER,TN 2. <i>Glyptothorax davissinghi</i> KER 3. <i>Glyptothorax housei</i> KER,TN 4. <i>Glyptothorax madraspatanus</i> MAHR,KAR,KER 5. <i>Glyptothorax poonaensis</i> MAHR
		Synbranchiformes (2 species)	Chaudhuriidae 1. <i>Pillaia indica</i> WB,ASM*,MEG
		Synbranchidae	1. <i>Monopterus fossorius</i> KER
		Beloniformes (1 species)	Hemiramphidae 1. <i>Hyporhamphus xanthopterus</i> KER
	VU (64 species)	Cypriniformes (49 species)	Balitoridae 1. <i>Aborichthys garoensis</i> ARP,MEG 2. <i>Aborichthys tikaderi</i> ARP 3. <i>Balitora mysorensis</i> KAR,KER 4. <i>Mesonoemacheilus pambarensis</i> KER 5. <i>Nemacheilus keraleensis</i> KER 6. <i>Nemacheilus kodaguensis</i> KAR 7. <i>Nemacheilus menoni</i> KER 8. <i>Nemacheilus pavonaceus</i> ASM 9. <i>Nemacheilus periyarensis</i> KER 10. <i>Physoschistura elongata</i> MEG 11. <i>Schistura chindwinica</i> MAN 12. <i>Schistura inglisi</i> WB,SIK 13. <i>Schistura khugae</i> MAN 14. <i>Schistura nagaensis</i> MAN,NAG 15. <i>Schistura prashadi</i> MAN 16. <i>Schistura reticulofasciata</i> MEG 17. <i>Schistura sharavathiensis</i> KAR 18. <i>Schistura singhi</i> NAG
			Cyprinidae 1. <i>Barilius chatricensis</i> MAN 2. <i>Barilius dimorphicus</i> UTK 3. <i>Barilius ngawa</i> MAN 4. <i>Cirrhinus cirrhosus</i> WB,TN 5. <i>Danio jaintianensis</i> MEG 6. <i>Dawkinsia assimilis</i> KAR,KER,TN 7. <i>Dawkinsia rohani</i> TN 8. <i>Devario acuticeps</i> MAN,NAG 9. <i>Devario assamensis</i> ASM 10. <i>Devario fraseri</i> MAHR 11. <i>Devario naganensis</i> MAN,NAG 12. <i>Garra litanensis</i> MAN 13. <i>Garra manipurensis</i> MAN 14. <i>Garra menoni</i> KER 15. <i>Garra nambulica</i> MAN 16. <i>Garra paralissorhynchus</i> MAN 17. <i>Garra periyarensis</i> KER 18. <i>Horalabiosa palaniensis</i> TN 19. <i>Hypselobarbus kolas</i> MAHR,KAR,KER,TN 20. <i>Laubuca fasciata</i> KER 21. <i>Parapsilorhynchus discophorus</i> MAHR 22. <i>Pethia ater</i> MAN 23. <i>Pethia khugae</i> MAN 24. <i>Pethia setmai</i> GO,KAR 25. <i>Pethia shalynius</i> MEG 26. <i>Pethia yuensis</i> MAN 27. <i>Puntius arenatus</i> KER,TN 28. <i>Puntius mudumalaiensis</i> TN 29. <i>Rasbora ornata</i> MAN 30. <i>Salmophasia belachi</i> KAR 31. <i>Salmophasia horai</i> PUN,MAHR,KAR
			Perciformes (2 species)
			Channidae 1. <i>Channa diplogramme</i> KER,TN
			Osphronemidae 1. <i>Pseudosphromenus dayi</i> KER
	Siluriformes (9 species)	Bagridae	1. <i>Batasio travancoria</i> KAR,KER 2. <i>Horabagrus brachysoma</i> KAR,KER
			1. <i>Gagata itchkeea</i> MAHR,AP,KAR 2. <i>Glyptothorax saisi</i> JHA 3. <i>Glyptothorax trewavasae</i> MAHR,KAR 4. <i>Myersglanis jayarami</i> MAN 5. <i>Pseudecheneis sirenica</i> ARP 6. <i>Pseudecheneis ukhrulensis</i> MAN 7. <i>Sisor barakensis</i> MAN

	Synbranchiformes (1 species)	Synbranchidae	1. <i>Monopterus indicus</i> MAHR
	Syngnathiformes (1 species)	Syngnathidae	1. <i>Oostethus insularis</i> AN
	Tetraodontiformes (1 species)	Tetraodontidae	1. <i>Carinotetraodon travancoricus</i> KAR,KER
NT (12 species)	Cypriniformes (7 species)	Balitoridae	1. <i>Neonoemacheilus assamensis</i> ASM,MAN 2. <i>Schistura manipurensis</i> MAN,NAG
		Cobitidae	1. <i>Acantopsis multistigmatus</i> MAN
		Cyprinidae	1. <i>Barilius lairokensis</i> MAN 2. <i>Garra bicornuta</i> MAHR,KAR 3. <i>Garra rupecula</i> ARP,MAN,MEG 4. <i>Tor progeneius</i> UTK,ASM,MAN,MEG,NAG
	Perciformes (1 species)	Channidae	1. <i>Channa bleheri</i> ARP,ASM
	Siluriformes (3 species)	Bagridae	1. <i>Mystus malabaricus</i> MAHR,KAR,KER,TN
		Clariidae	1. <i>Clarias dussumieri</i> GO,KAR,KER,TN,PON
		Sisoridae	1. <i>Glyptothorax striatus</i> MEG
	Synbranchiformes (1 species)	Chaudhuriidae	1. <i>Garo khajuriai</i> ASM,MEG
LC (77 species)	Beloniformes (1 species)	Adrianichthyidae	1. <i>Oryzias setnai</i> GUJ,MAHR,KAR,KER
	Clupeiformes (1 species)	Clupeidae	1. <i>Dayella malabarica</i> KER
	Cypriniformes (53 species)	Balitoridae	1. <i>Aborichthys elongatus</i> WB,ARP 2. <i>Homaloptera manipurensis</i> MAN 3. <i>Homaloptera menoni</i> KER 4. <i>Homaloptera pillaii</i> KER 5. <i>Indoreonectes evezardi</i> MAHR,MP,KAR 6. <i>Mesonoemacheilus remadevii</i> KER 7. <i>Nemacheilus anguilla</i> MAHR,KAR,KER 8. <i>Nemacheilus denisoni</i> RAJ,MAHR,KAR,KER,TN 9. <i>Nemacheilus guentheri</i> KER 10. <i>Nemacheilus monilis</i> KER,TN 11. <i>Nemacheilus mooreh</i> MAHR,AP 12. <i>Nemacheilus nilgiriensis</i> KAR,KER,TN 13. <i>Nemacheilus rueppelli</i> MAHR 14. <i>Nemacheilus semiarmatus</i> KAR,KER,TN 15. <i>Nemacheilus triangularis</i> KAR,KER,TN 16. <i>Schistura dayi</i> CHA,MP,JHA,ODI 17. <i>Schistura tirapensis</i> ARP
			1. <i>Lepidocephalus coromandelensis</i> AP 2. <i>Pangio goaensis</i> GO,KAR,KER
		Cyprinidae	1. <i>Barbodes carnaticus</i> KAR,KER,TN 2. <i>Barilius bakeri</i> KAR,KER,TN 3. <i>Barilius gatensis</i> KAR,KER,TN 4. <i>Cirrhinus fulungee</i> MAHR,CHA,MP,AP,KAR 5. <i>Dawkinsia filamentososa</i> MAHR, GO,AP,KAR,KER,TN 6. <i>Esomus barbatus</i> KAR,TN 7. <i>Garra lissorhynchus</i> ARP,ASM,MAN,MEG,MIZ,NAG 8. <i>Garra mcclellandi</i> KAR,KER,TN 9. <i>Garra mullya</i> GUI, MAHR,GO,CHA,MP,JHA,ODI,WB,AP,KAR,KER,TN 10. <i>Garra naganensis</i> ARP,MAN,MEG,MIZ,NAG 11. <i>Garra stenorhynchus</i> AP,KAR,KER,TN 12. <i>Haludaria fasciata</i> GO,AP,KAR,KER,TN 13. <i>Haludaria kannikattiensis</i> TN 14. <i>Hypselobarbus jerdoni</i> MAHR,KAR,KER,TN 15. <i>Hypselobarbus kurali</i> KAR,KER,TN 16. <i>Labeo kawrus</i> MAHR,KAR 17. <i>Labeo kontius</i> KAR,KER,TN 18. <i>Laubuca dadiburjori</i> GO,KAR,KER,TN 19. <i>Osteobrama bakeri</i> KAR,KER 20. <i>Osteobrama neilli</i> MAHR,AP,KAR,KER,TN 21. <i>Osteobrama vigorsii</i> MAHR,CHA,MP,ODI,AP,KAR 22. <i>Osteochilichthys brevidorsalis</i> KER,TN 23. <i>Osteochilichthys thomassi</i> AP,KAR,KER,TN 24. <i>Osteochilus nashii</i> MAHR,KAR,KER,TN 25. <i>Parapsilorhynchus tentaculatus</i> MAHR, CHA,MP,AP 26. <i>Pethia narayani</i> MAHR,GO,KAR 27. <i>Pethia punctata</i> KAR,KER,TN 28. <i>Puntius parrah</i> MAHR,KAR,KER,TN

DD (65 species)			29. <i>Puntius sahyadriensis</i> MAHR,KAR 30. <i>Rasbora labiosa</i> GUJ,MAHR,KAR 31. <i>Rohtee ogilbii</i> MAHR,AP,KAR 32. <i>Salmophasia boopis</i> MAHR,GO,KAR,KER,TN 33. <i>Salmophasia untrahi</i> MAHR,CHA,ODI,AP,KAR,TN 34. <i>Salmophasia novacula</i> MAHR,KAR,TN
	Perciformes (5 species)	Ambassidae	1. <i>Parambassis dayi</i> KAR,KER 2. <i>Parambassis thomassi</i> GO,KAR,KER
		Badidae	1. <i>Badis blosyrus</i> WB,ASM
		Gobiidae	1. <i>Sicyopterus griseus</i> KAR,KER,TN
		Nandidae	1. <i>Pristolepis marginata</i> GUJ,MAHR,KAR,KER,TN
	Siluriformes (16 species)	Bagridae	1. <i>Batasio fasciolatus</i> WB,ARP 2. <i>Hemibagrus maydelli</i> MAHR,AP,KAR 3. <i>Mystus montanus</i> KAR,KER,TN 4. <i>Mystus oculatus</i> KER,TN 5. <i>Mystus seengtee</i> MAHR,GO,AP,KAR,KER,TN 6. <i>Rita chrysea</i> CHA,MP,ODI 7. <i>Rita gogra</i> MAHR,CHA,MP,AP,KAR 8. <i>Rita kuturnee</i> MAHR,CHA,AP,KAR
			1. <i>Ompok malabaricus</i> MAHR,GO,AP,KAR,KER
		Sisoridae	1. <i>Glyptothorax annandalei</i> MAHR,KAR,KER,TN 2. <i>Glyptothorax chindwinica</i> MAN 3. <i>Glyptothorax garhwali</i> UTK 4. <i>Glyptothorax granulus</i> MAN 5. <i>Glyptothorax lonah</i> MAHR,MP,ODI,KAR 6. <i>Glyptothorax ventrolineatus</i> MAN 7. <i>Hara horai</i> WB,ARP,ASM
			1. <i>Macrognathus guentheri</i> KER
		Cypriniformes (21 species)	1. <i>Dermogenys brachynotopterus</i> WB
			1. <i>Nemacheilus doonensis</i> UP 2. <i>Nemacheilus stigmofasciatus</i> KAR
			1. <i>Pangio apoda</i> WB
			1. <i>Barilius evezardi</i> MAHR,KAR 2. <i>Barilius radiolatus</i> MP 3. <i>Betadevario ramachandrani</i> KAR 4. <i>Danionella priapus</i> WB 5. <i>Devario manipurensis</i> MAN 6. <i>Haludaria melanampyx</i> KAR,KER 7. <i>Hypselobarbus dobsoni</i> AP,KAR,KER,TN 8. <i>Hypselobarbus lithopodus</i> KER 9. <i>Neolissochilus dukai</i> UP,ASM 10. <i>Neolissochilus spinulosus</i> SIK 11. <i>Opsarius cocsa</i> BI,WB,TN 12. <i>Oreichthys crenuchoides</i> WB 13. <i>Puntius ambassis</i> AP,TN 14. <i>Puntius mahecola</i> KER 15. <i>Schizothorax kumaonensis</i> UP 16. <i>Tor barakae</i> MAN
			1. <i>Psilorhynchus amplicecephalus</i> ASM 2. <i>Psilorhynchus arunachalensis</i> ARP
	Perciformes (7 species)	Badidae	1. <i>Badis assamensis</i> ARP,ASM 2. <i>Badis kanabos</i> ASM 3. <i>Badis dibruiensis</i> ASM 4. <i>Dario dario</i> WB,ASM
			1. <i>Channa aurantimaculata</i> ASM
			1. <i>Bathygobius ostreicola</i> ODI,AP
			1. <i>Nandus andrewi</i> WB
		Siluriformes (31 species)	1. <i>Amblyceps tenuispinus</i> UP 2. <i>Amblyceps torrentis</i> MAN 3. <i>Amblyceps tuberculatum</i> MAN
			1. <i>Batasio merianiensis</i> ARP**,ASM 2. <i>Batasio spilurus</i> ASM
			1. <i>Horaglanis alikunhii</i> KER 2. <i>Horaglanis Krishnai</i> KER
			1. <i>Conta pectinata</i> ASM,MEG 2. <i>Erehistoides montana</i> WB,ASM,TRI 3. <i>Erehistoides senkhiensis</i> ARP 4. <i>Erehistoides sicula</i> WB

			5. <i>Hara kolodynensis</i> MIZ 6. <i>Pseudolaguvia austrina</i> KER 7. <i>Pseudolaguvia ferruginea</i> WB 8. <i>Pseudolaguvia ferula</i> WB 9. <i>Pseudolaguvia flavidia</i> WB 10. <i>Pseudolaguvia foveolata</i> WB 11. <i>Pseudolaguvia virgulata</i> MIZ
		Heteropneustidae	1. <i>Heteropneustes longipectoralis</i> TN
		Schilbeidae	1. <i>Clarias bastari</i> CHA 2. <i>Eutropiichthys goongwaree</i> MAHR,AP 3. <i>Neotropius khavalchor</i> MAHR,AP,KAR 4. <i>Proeutropiichthys buchanani</i> ***
		Siluridae	1. <i>Ompok goae</i> GO 2. <i>Pterocryptis indicus</i> ARP
		Sisoridae	1. <i>Exostoma barakensis</i> MAN 2. <i>Glyptothorax brevipinnis</i> UTK,MP**** 3. <i>Glyptothorax chintuipuiensis</i> MIZ 4. <i>Glyptothorax malabarensis</i> KER 5. <i>Pseudecheneis suppaeatula</i> HP 6. <i>Sisor torosus</i> BLDEL
	Synbranchiformes (4 species)	Synbranchidae	1. <i>Monopterus digressus</i> KER 2. <i>Monopterus eapeni</i> KER 3. <i>Monopterus hodgarti</i> ARP 4. <i>Monopterus roseni</i> KER
	Tetraodontiformes (1 species)	Tetraodontidae	1. <i>Carinotetraodon imitator</i> KAR,KER

IUCN red list status: CR-Critically Endangered, EN-Endangered, VU-Vulnerable, NT-Near Threatened, LC-Least Concern, DD-Data Deficient.


*Distribution in West Bengal and Assam is newly reported by Arunachalam, et. al. [7] and Pathak, et. al. [8] respectively;

Distribution in Arunachal Pradesh is recently reported by Tamang and Sinha [9]; * The exact distribution of this species is unknown, although it is likely to be found in the Indus and Ganges river drainages in India [6]; **** Distribution not reported in IUCN [6] however it is reported by Jayaram [10] and Pandey, et. al. [11]

Northern India: HAR-Haryana, HP-Himachal Pradesh, JK-Jammu & Kashmir, PUN-Punjab, UTK-Uttarakhand, UP-Uttar Pradesh; Western India: RAJ-Rajasthan, GUJ-Gujarat, MAHR-Maharashtra, GO-Goa; Central India: CHA-Chhattisgarh, MP-Madhya Pradesh; Eastern India: BI-Bihar, JHA-Jharkhand, ODI-Odisha, WB-West Bengal; North-Eastern India: ARP-Arunachal Pradesh, ASM-Assam, MAN-Manipur, MEG-Meghalaya, MIZ-Mizoram, NAG-Nagaland, SIK-Sikkim, TRI-Tripura; Southern India: AP-Andhra Pradesh (including Telangana, as separate data for Telangana till not available in IUCN for the enlisted fishes), KAR-Karnataka, KER-Kerala, TN-Tamil Nadu; Union territories: AN-Andaman and Nicobar Islands, CHN-Chandigarh, DN-Dadra and Nagar Haveli, DD-Daman and Diu, LAK-Lakshadweep, DEL-National Capital Territory of Delhi, PON-Pondicherry.

These large numbers of fish species occurring in India listed in table 1 are in threat as about 48% of them belong to the threatened category considering the numbers of CR, EN and VU species presented in the table 1. Among the states and union territories of India, Kerala might be considered as the richest state concerning the endemic fish species, while the Southern India zone is the richest in fish endemism considering the six geographic zones of India (Fig. 1). In addition to this exhaustive list of fish species evaluated by the IUCN, there are many other fish species reported from India that has either recently been identified or not yet been

assessed by IUCN [6] (listed in Table 2, up to 2015). There is meagerly any doubt that many of these IUCN not evaluated fish species might also be endemic to India. India is one of the megabiodiversity countries in the world that occupied the 9th position in terms of freshwater megabiodiversity [12]. It seems to be paradoxical to note that though a great deal of attention had been paid to classify the worlds' top 25 biodiversity hotspots, vertebrate group were considered excluding fish [13]. This is mostly because of the poorly available data indicating the need to evaluate the regional fish biodiversity with a holistic approach.

**Fig 1:** State and geographical zone wise endemism of Indian endemic fishes.**Table 2:** List of IUCN Not Evaluated (NE) fish species recorded from India (up to 2015)

Order	Family	SPECIES NAME
Clupeiformes (1 species)	Engraulidae	1. <i>Setipinna brevifilis</i> * [14]
	Balitoridae	1. <i>Acanthocobitis pavonacea</i> ASM [15] 2. <i>Balitora jalpalli</i> KER [14] 3. <i>Balitora laticauda</i> MAHR [14] 4. <i>Bhavania arunachalensis</i> ARP [15] 5. <i>Homaloptera silasi</i> KER [14] 6. <i>Schistura aizawlensis</i> MIZ [16]
	Cobitidae	1. <i>Pangio ammophila</i> KAR [14] 2. <i>Pangio longipinnis</i> MAN [15]
Cypriniformes (82 species)	Cyprinidae	1. <i>Barilius ardens</i> KAR,KER [17] 2. <i>Barilius profundus</i> MIZ [18] 3. <i>Chela macrolepis</i> TN [14] 4. <i>Dawkinsia rubrotinctus</i> KAR,KER,TN [14] 5. <i>Devario deruptotalea</i> MAN [14] 6. <i>Esomus manipurensis</i> MAN [15] 7. <i>Garra alticaputus</i> ARP [14] 8. <i>Garra arupi</i> ARP [14] 9. <i>Garra chakpiensis</i> MAN [19] 10. <i>Garra cornigera</i> MAN [20] 11. <i>Garra dampaeensis</i> MIZ [14] 12. <i>Garra kalpangi</i> ARP [14] 13. <i>Garra kimini</i> ARP [14] 14. <i>Garra magnidiscus</i> ARP [14] 15. <i>Garra minimus</i> ARP [14] 16. <i>Garra nigricauda</i> ARP [14] 17. <i>Garra palaruvica</i> KER [14] 18. <i>Garra ukhrulensis</i> MAN [19] 19. <i>Garra namyaensis</i> MAN [14] 20. <i>Garra trilobata</i> MAN [20] 21. <i>Labeo rajasthanicus</i> RAJ [15] 22. <i>Labeo udaipurensis</i> RAJ [15] 23. <i>Laubuka lateens</i> KAR,TN [21] 24. <i>Laubuka trevori</i> KAR,TN [21] 25. <i>Pethia aurea</i> WB [14] 26. <i>Pethia striata</i> KAR [22] 27. <i>Pethia expletforis</i> MIZ [14] 28. <i>Pethia longicauda</i> MAHR [14] 29. <i>Pethia rutila</i> MIZ [14] 30. <i>Puntius dolichopterus</i> KER [23] 31. <i>Puntius khohi</i> UTK [15]

		32. <i>Puntius melanostigma</i> KER,TN ^[15] 33. <i>Puntius morehensis</i> MAN ^[15] 34. <i>Puntius muzaffarpurensis</i> BI ^[15] 35. <i>Puntius nangalensis</i> HP,PUN,TN ^[15] 36. <i>Puntius nelsoni</i> KER ^[24] 37. <i>Puntius nigronotus</i> KER ^[25] 38. <i>Puntius viridis</i> KER ^[14] 39. <i>Salmophasia orissaensis</i> ODI ^[15] 40. <i>Schizothorax huegelii</i> JK ^[15] 41. <i>Systomus chryseus</i> KER ^[24] 42. <i>Systomus rufus</i> KER ^[24]
	Nemacheilidae	1. <i>Nemacheilus carletoni</i> HP ^[14] 2. <i>Nemacheilus drassensis</i> JK ^[15] 3. <i>Nemacheilus gangeticus</i> UP ^[15] 4. <i>Nemacheilus guttatus</i> ASM ^[14] 5. <i>Nemacheilus kaimurensis</i> UP ^[15] 6. <i>Nemacheilus shehensis</i> JK ^[15] 7. <i>Paraschistura montana</i> HP ^[15] 8. <i>Physoschistura chindwinensis</i> MAN ^[14] 9. <i>Physoschistura dikrongensis</i> ARP ^[14] 10. <i>Physoschistura tigrinum</i> MAN ^[14] 11. <i>Schistura altipedunculatus</i> KAR ^[15] 12. <i>Schistura fasciata</i> MAN ^[14] 13. <i>Schistura himachalensis</i> HP ^[15] 14. <i>Schistura koladynensis</i> MIZ ^[26] 15. <i>Schistura liyaiensis</i> MAN ^[27] 16. <i>Schistura maculosa</i> MIZ ^[14] 17. <i>Schistura mizoramensis</i> MIZ ^[28] 18. <i>Schistura nebeshwari</i> MIZ ^[29] 19. <i>Schistura obliquofascia</i> UTK ^[14] 20. <i>Schistura paucireticulata</i> MIZ ^[14] 21. <i>Schistura phamhringi</i> MAN ^[14] 22. <i>Schistura porocephala</i> MIZ ^[14] 23. <i>Schistura rendahli</i> ** ^[15] 24. <i>Schistura scyphovecteta</i> MIZ ^[29] 25. <i>Schistura andrewi</i> MIZ ^[30] 26. <i>Triplophysa shehensis</i> JK ^[15] 27. <i>Triplophysa marmorata</i> JK ^[15]
	Psilorhynchidae	1. <i>Psilorhynchus chakpiensi</i> MAN ^[14] 2. <i>Psilorhynchus kaladanensis</i> MIZ ^[31] 3. <i>Psilorhynchus khopai</i> MIZ ^[14] 4. <i>Psilorhynchus maculatus</i> MAN ^[14] 5. <i>Psilorhynchus ngathanu</i> MAN ^[14] 6. <i>Psilorhynchus hamiltoni</i> WB ^[14]
Cyprinodontiformes (1 species)	Aplocheilidae	1. <i>Aplocheilus kirchmayeri</i> GO ^[15]
Perciformes (22 species)	Ambassidae	1. <i>Parambassis bistigmata</i> ARP,MEG ^[14] 2. <i>Parambassis serrata</i> MIZ ^[32] 3. <i>Parambassis waikhami</i> MAN ^[14]
	Badidae	1. <i>Badis andrewraoi</i> WB ^[14] 2. <i>Badis autumnnum</i> WB ^[14] 3. <i>Badis kyanos</i> WB ^[14] 4. <i>Badis singenensis</i> ARP ^[14] 5. <i>Badis soraya</i> WB ^[14] 6. <i>Badis britzi</i> KAR ^[33] 7. <i>Badis laspiophilus</i> WB ^[14] 8. <i>Badis triocellus</i> ARP,ASM,MEG ^[14] 9. <i>Dario kajal</i> MEG ^[14] 10. <i>Dario urops</i> KAR,KER ^[14] 11. <i>Dario huli</i> KAR ^[34]
	Channidae	1. <i>Channa andrao</i> WB ^[14]
	Eleotridae	1. <i>Eleotris andamensis</i> AN ^[15]
	Gobiidae	1. <i>Acentrogobius griseus</i> AP,TN ^[15] 2. <i>Callogobius seshaiyai</i> TN ^[15] 3. <i>Yongeichthys tuticorinensis</i> TN ^[15]
	Pristolepididae	1. <i>Pristolepis pentacantha</i> KER ^[35]
	Pristolepididae	1. <i>Pristolepis rubripinnis</i> KER ^[14]
	Sciaenidae	1. <i>Johnius gangeticus</i> UP,*** ^[15]
	Amblycipitidae	1. <i>Amblyceps cerinum</i> WB ^[14]
	Bagridae	1. <i>Batasio convexirostrum</i> MIZ ^[14] 2. <i>Batasio flavus</i> KER ^[36]
Siluriformes (45 species)		

		3. <i>Horabagrus melanosoma</i> KER ^[14] 4. <i>Mystus canarensis</i> KAR ^[15] 5. <i>Mystus heoki</i> KER ^[14] 6. <i>Mystus indicus</i> KER ^[14] 7. <i>Mystus keralai</i> KER ^[37] 8. <i>Mystus menoni</i> KER ^[14] 9. <i>Mystus ngasep</i> MAN ^[14]
	Clariidae	1. <i>Clarias dayi</i> KER, TN ^[15] 2. <i>Horaglanis abdulkalami</i> KER ^[14]
	Kryptoglanidae	1. <i>Kryptoglanis shajii</i> KER ^[14]
	Olyridae	1. <i>Olyra astrifera</i> KER ^[14] 2. <i>Olyra saginata</i> MIZ ^[14]
	Schilbeidae	1. <i>Eutropiichthys cetosus</i> MIZ ^[14]
	Siluridae	1. <i>Ompok karunkodu</i> TN ^[14]
	Sisoridae	1. <i>Creteuchiloglanis arunachalensis</i> ARP ^[38] 2. <i>Creteuchiloglanis payjab</i> ARP ^[39] 3. <i>Exostoma sawmteai</i> MIZ ^[40] 4. <i>Exostoma tenuicaudata</i> ARP ^[41] 5. <i>Glyptothorax ater</i> MIZ ^[14] 6. <i>Glyptothorax caudimaculatus</i> MIZ ^[14] 7. <i>Glyptothorax churamani</i> MIZ ^[42] 8. <i>Glyptothorax clavatus</i> MAN ^[14] 9. <i>Glyptothorax dikrongensis</i> ARP ^[14] 10. <i>Glyptothorax elankadensis</i> KER ^[43] 11. <i>Glyptothorax jayarami</i> MIZ ^[14] 12. <i>Glyptothorax maceriatus</i> MIZ ^[14] 13. <i>Glyptothorax mibangi</i> ARP ^[44] 14. <i>Glyptothorax nelsoni</i> BI ^[15] 15. <i>Glyptothorax pantherinus</i> ARP ^[14] 16. <i>Glyptothorax radiolus</i> WB ^[14] 17. <i>Glyptothorax scrobiculus</i> MIZ ^[45] 18. <i>Glyptothorax senapatiensis</i> MAN ^[46] 19. <i>Glyptothorax sykesi</i> **** ^[15] 20. <i>Glyptothorax verrucosus</i> MIZ ^[47] 21. <i>Oreoglanis majuscules</i> ARP ^[14] 22. <i>Oreoglanis pangenensis</i> ARP ^[48] 23. <i>Pseudecheneis koladynae</i> MIZ ^[14] 24. <i>Pseudolaguvia lapillicola</i> KAR ^[49] 25. <i>Pseudolaguvia nubile</i> MIZ ^[14] 26. <i>Pseudolaguvia viriosa</i> ARP ^[14] 27. <i>Pseudolaguvia jiyaensis</i> ARP ^[14] 28. <i>Pseudolaguvia magna</i> ARP ^[14]
Synbranchiformes (4 species)	Mastacembelidae	1. <i>Macrognathus albus</i> KER ^[14] 2. <i>Macrognathus fasciatus</i> KER ^[14] 3. <i>Macrognathus malabaricus</i> KER ^[15]
	Synbranchidae	1. <i>Monopterus ichthyophoides</i> MIZ ^[14]

*Ganges system, from at least Delhi to Calcutta; **Known from a single specimen from Nadur Madhmeswar, southern India; ***Ganga river, including its Hooghly estuary in India; ****Peninsular India. Northern India: HAR-Haryana, HP-Himachal Pradesh, JK-Jammu & Kashmir, PUN-Punjab, UTK-Uttarakhand, UP-Uttar Pradesh; Western India: RAJ-Rajasthan, GUJ-Gujarat, MAHR-Maharashtra, GO-Goa; Central India: CHA-Chhattisgarh, MP-Madhya Pradesh; Eastern India: BI-Bihar, JHA-Jharkhand, ODI-Odisha, WB-West Bengal; North-Eastern India: ARP-Arunachal Pradesh, ASM-Assam, MAN-Manipur, MEG-Meghalaya, MIZ-Mizoram, NAG-Nagaland, SIK-Sikkim, TRI-Tripura; Southern India: AP-Andhra Pradesh (including Telangana), KAR-Karnataka, KER-Kerala, TN-Tamil Nadu; Union territories: AN- Andaman and Nicobar Islands, CHN-Chandigarh, DN-Dadra and Nagar Haveli, DD-Daman and Diu, LAK-Lakshadweep, DEL-National Capital Territory of Delhi, PON-Pondicherry.

3. Need for conservation: Present status and future perspectives

It is needless to mention that at present a large number of fish species are facing serious threat. Further studies would be required to map the threats in detail, together with their short term and long term impacts on the ichthyo-diversity. Major reasons behind this situation might include pollution, discharging industrial effluents, discharged pesticides, use of biological resources, over fishing, deforestation, habitat loss, habitat degradation, habitat alteration, natural system modifications, invasive alien species^[50], over fishing for aquarium trade^[51], and climate change. All these factors either directly or indirectly harm the fish diversity. Residential and commercial developments including tourism

and recreational areas are also affecting many endemic fish species^[50].

Since long killing fish in inland water by poisoning or by explosion is punishable offence according to the Indian Fisheries Act (1897). The act also empowered the state governments to ban fishing in selected inland waters and during some season by notification as needed. As for example, Kerala government has stopped fishing of *Sahyadria denisonii* in their breeding season and use of some destructive fishing gears, as this fish is being overexploited for ornamental fish trade^[52]. But there are many other endemic fish species which facing threats of extinction and till date they are not facilitated by the Indian Wildlife Protection Act. Captive breeding protocols for some endemic fishes have

been standardized (viz. *Dawkinsia exclamatio* [53], *Dawkinsia filamentosa* [53], *Dawkinsia tambraparniei* [54], *Garra mulya* [53], *Haludaria fasciata* [53], *Horabagrus brachysoma* [55], *Hypselobarbus curmuca* [56], *Laubuka fasciata* [53], *Nemacheilus semiarmatus* [53], *Nemacheilus triangularis* [53], *Pethia pookodensis* [53], *Pristolepis marginata* [53], *Puntius melanostigma* [53] and *Sahyadria denisonii* [57]), however, standardization of captive breeding for most of the endemic fishes, especially threatened species is yet to be done. Exhaustive surveys, stock assessment, habit and habitat study is needed to know the exact status of the threatened endemic fishes as suggested by Ali *et. al.* [58] for *Hemibagrus punctatus* (CR), that this species should be listed as vulnerable species due to its wider distribution found in recent surveys. *Hypselobarbus lithopidos*, a data deficient species has no further information regarding its occurrence since 1941 through extensive surveys made around its type locality and therefore, it was assumed to be extinct [6]. Even though, further study is needed for the confirmation. The proper distribution of some species viz., *Glyptothorax sykesi*, *Proeutropiichthys buchanani*, *Schistura rendahli* is also not known authentically. *Labeo nigrescens*, a IUCN not evaluated species presently considered as synonym of *Labeo calbasu* [15], may be a valid species endemic to Karnataka and Kerala [59,60]. Further surveys is also required regarding distribution and population trend of 'IUCN Not Evaluated fish species' recorded from India to adopt specific conservation strategy for this wide array of freshwater fishes. Thus, this brief discussion could be drawn together to give a message that it is the crucial time to focus on the native endemic fish species, otherwise endemism would have been a great history for us in near future.

4. Acknowledgments

The first author wishes to express his gratitude to Dr. Gautam Aditya, Associate Professor, Department of Zoology, University of Calcutta, Kolkata, India and Dr. R.N. Mandal, Principal Scientist, RRC, ICAR-CIFA, Rahara, West Bengal, India for their constant guidance and all kinds of support.

5. References

- Kar D, Nagarathna AV, Ramachandra TV, Dey SC. Fish diversity and conservation aspects in an aquatic ecosystem in northeastern India. *Zoos' Print Journal*. 2006; 21(7):2308-2315.
- Murugan AS, Prabaharan C. Fish diversity in relation to physico chemical characteristics of Kamala basin of Darbhanga district Bihar, India. *International Journal of Pharmaceutical & Biological Archive*. 2012; 3(1):211-217.
- Lakra WS, Sarkar UK, Gopalakrishnan A, Kathirvelpandian A. Threatened Freshwater Fishes of India. ICAR-NBFGR, Canal Ring Road, Lucknow, India. 2010, 20.
- Mishra SK, Sarkar UK, Gupta BK, Trivedi SP, Dubey VK, Pal A. Pattern of freshwater fish diversity, threats and issues of fisheries management in an unexplored tributary of the Ganges basin, Northern India. *Journal of Ecophysiology and Occupational Health*. 2011; 11(3):149-159.
- Gibbs JP. Wetland loss and biodiversity conservation. *Conservation Biology*. 2000; 14(1):314-317.
- The IUCN Red List of Threatened Species. <http://www.iucnredlist.org>. Version, 2016, 2.
- Arunachalam M, Raja M, Nandagopal S, Vijayakumar C, Malaiammal P, Bhat SA. Range Extension of Endangered Earthworm Eel *Pillaia indica* Yazdani, 1972 (Synbranchiformes: Chaudhuriidae) from West Bengal, India. *Research and Reviews: Journal of Ecology and Environmental Sciences*. 2014; 2(1):5-8.
- Pathak S, Goswami MM, Sarma NN. Record of *Pillaia indica* Yazdani 1972, an endangered earthworm eel (Teleostei: Chaudhuriidae) from the streams of Brahmaputra drainage in Northeast India. *Journal of Research in Biology*. 2014; 4(5):1365-1370.
- Tamang L, Sinha B. Additional record of *Batasio merianiensis* (Chaudhuri 1913), a catfish (Teleostei: Bagridae) in upper Brahmaputra River drainage in Arunachal Pradesh, India. *Journal of Threatened Taxa*. 2014; 6(5):5738-5743.
- Jayaram KC. Catfishes of India. Narendra Publishing House, Delhi, 2006, 212.
- Pandey A, Dubey VK, Kumar RS, Sarkar UK, Lakra WS. New record of *Glyptothorax brevipinnis* (Hora, 1923) (Pisces, Siluriformes, Sisoridae) in the River Ken, Central India. *Journal of Applied Ichthyology*. 2011; 27(4):1112-1115.
- Mittermeier RA, Mitemeier CG. Megadiversity Earth's Biological Wealthiest Nation. In Mc Allister DE, Lttamiltion A, Harvey B (Eds). Global Fresh Water Biodiversity Sea Wind Cemex, Mexico City, 1997, 1-140.
- Myers N, Russell A, Mittermeier RA, Mitemeier CG, Fonseca GABD, Kent J. Biodiversity hotspots for conservation priorities. *Nature*. 2000; 403:853-858.
- Froese R, Pauly D. (Editors.). Fish Base. World Wide Web electronic publication. <http://www.fishbase.org>. Version 10/2016.
- India Biodiversity Portal. <http://www.indiabiodiversity.org>. Version, 2016.
- Lalramliana. *Schistura aizawlensis*, a new species of loach from Mizoram, northeastern India (Cypriniformes: Balitoridae). *Ichthyological Exploration of Freshwaters*. 2012; 23(2):97-104.
- Knight JDM, Rai A, D'souza RKP, Vijaykrishnan B. *Barilius ardens* (Teleostei: Cyprinidae), a new species from the Western Ghats, India, with redescription of *B. malabaricus* and *B. canarensis*. *Zootaxa*. 2015; 3926(3):396-412.
- Dishma M, Vishwanath W. *Barilius profundus*, a new cyprinid fish (Teleostei: Cyprinidae) from the Koladyne basin, India. *Journal of Threatened Taxa*. 2012; 4(2):2363-2369.
- Nebeshwar K, Vishwanath W. Two new species of *Garra* (Pisces: Cyprinidae) from the Chindwin River basin in Manipur, India, with notes on some nominal Garra species of the Himalayan foothills. *Ichthyological Exploration of Freshwaters*. 2015; 25(4):305-321.
- Shangningam B, Vishwanath W. Two new species of *Garra* from the Chindwin basin, India (Teleostei: Cyprinidae). *Ichthyological Exploration of Freshwaters*. 2015; 26(3):263-272.
- Knight JDM. Description of two new species of *Laubuka* (Teleostei: Cyprinidae) from River Cauvery, southern India. *Zootaxa*. 2015; 4000(5):518-530.
- Atkore VM, Knight JDM, Devi KR, Krishnaswamy J. A New Species of *Pethia* from the Western Ghats, India (Teleostei: Cyprinidae). *Copeia*. 2015; 103(2):290-296.

23. Plamoottil M. *Puntius dolichopterus*, a new fish species (Cypriniformes: Cyprinidae) from Kerala, India. International Journal of Pure and Applied Zoology. 2015; 3(3):226-231.
24. Plamoottil M. *Puntius nelsoni*, *Systomus chryseus* and *S. rufus* (cypriniformes: cyprinidae), three new fish species from Kerala, India. International Journal of Fauna and Biological Studies. 2014; 1(6):135-145.
25. Plamoottil M. *Puntius nigronotus*, a new fish species (cypriniformes; cyprinidae) from Kerala, India. Journal of Research in Biology. 2014; 4(8):1582-1588.
26. Lokeshwor Y, Vishwanath W. *Schistura koladynensis*, a new species of loach from the Koladyne basin, Mizoram, India (Teleostei: Nemacheilidae). Ichthyological Exploration of Freshwaters. 2012; 23(2):139-145.
27. Lokeshwor Y, Vishwanath W. *Schistura liyaiensis*, a new loach from Barak River, Manipur, India (Cypriniformes: Nemacheilidae). Ichthyological Research. 2014; 62(3):313-319.
28. Lalramliana Lalronunga S, Vanramliana Lalthanzara H. *Schistura mizoramensis*, a new species of loach from Mizoram, northeastern India (Teleostei: Nemacheilidae). Ichthyological Exploration of Freshwaters. 2014; 25(3):205-212.
29. Lokeshwor Y, Vishwanath W. Two new species of stone loaches of the genus *Schistura* from the Koladyne basin, Mizoram, India (Teleostei: Cobitoidei: Nemacheilidae). Zootaxa. 2013; 3731(4):561-576.
30. Solo Lalramliana B, Lalronunga Lalnunluanga S. *Schistura andrewi*, a new species of loach (Teleostei: Nemacheilidae) from Mizoram, northeastern India. Zootaxa. 2014; 3860(3):253-260.
31. Lalramliana Lalnunluanga, Lalronunga S. *Psilorhynchus kaladanensis*, a new species (Teleostei: Psilorhynchidae) from Mizoram, northeastern India. Zootaxa. 2015; 3962(1):171-178.
32. Dishma M, Vishwanath W. *Parambassis serrata*, a new species of glassperch (Teleostei: Ambassidae) from the Kaladan drainage, India. Zootaxa. 2015; 4040(5):583-588.
33. Dahanukar N, Kumkar P, Katwate U, Raghavan R. *Badis britzi*, a new percomorph fish (Teleostei: Badidae) from the Western Ghats of India. Zootaxa. 2015; 3941(3):429-436.
34. Britz R, Ali A. *Dario huli*, a new species of badid from Karnataka, southern India (Teleostei: Percomorpha: Badidae). Zootaxa. 2015; 3911(1):139-144.
35. Plamoottil M. *Pristolepis pentacantha*, a new fish species (Perciformes: Pristolepididae) from Kerala, India. International Journal of Scientific Research. 2014; 3(5):552-554.
36. Plamoottil M. *Batasio flavus*, a new catfish species (Siluriformes: Bagridae) from Kerala, India. Journal of Research in Biology. 2015; 5(5):1799-1808.
37. Plamoottil M, Abraham NP. *Mystus Keralai* (Siluriformes: Bagridae), a new fish species from Kerala, India. International Journal of Pure and Applied Zoology. 2014; 2(3):231-240.
38. Sinha B, Tamang L. *Creteuchiloglanis arunachalensis*, a new species of glyptosternine catfish (Teleostei: Sisoridae) from Arunachal Pradesh, northeastern India. Ichthyological Research. 2015; 62(2):189-196.
39. Darshan A, Dutta R, Kachari A, Gogoi B, Aran K, Das DN. *Creteuchiloglanis payjab*, a new species of glyptosternine catfish (Siluriformes: Sisoridae) from Yomgo River, Arunachal Pradesh, India. Aqua, International journal of Ichthyology. 2014; 20(2):73-80.
40. Lalramliana Lalronunga S, Lalnunluanga Ng HH. *Exostoma sawmteai*, a new sisorid catfish from northeast India (Teleostei: Sisoridae). Ichthyological Exploration of Freshwaters. 2015; 26(1):59-64.
41. Tamang L, Sinha B, Gurumayum SD. *Exostoma tenuicaudata*, a new species of glyptosternine catfish (Siluriformes: Sisoridae) from the upper Brahmaputra drainage, northeastern India. Zootaxa. 2015; 4048(3):441-445.
42. Rameshori Y, Vishwanath W. A new catfish of the genus *Glyptothorax* from the Kaladan basin, Northeast India (Teleostei: Sisoridae). Zootaxa. 2012; 3538:79-87.
43. Plamoottil M, Abraham NP. *Glyptothorax elankadensis*, a new species of sisorid fish from Manimala River, Kerala, India. Biosystematica. 2012; 6(2):17-25.
44. Darshan A, Dutta R, Kachari A, Gogoi B, Das DN. *Glyptothorax mibangi*, a new species of catfish (Teleostei: Sisoridae) from the Tisa River, Arunachal Pradesh, northeast India. Zootaxa. 2015; 3962(1):114-122.
45. Ng HH, Lalramliana. *Glyptothorax scrobiculus*, a new species of sisorid catfish (Osteichthyes: Siluriformes) from northeastern India. Ichthyological Exploration of Freshwaters. 2012; 23(1):1-9.
46. Premananda N, Kosygin L, Saidullah B. *Glyptothorax senapatiensis*, a new species of catfish (Teleostei: Sisoridae) from Manipur, India. Ichthyological Exploration of Freshwaters. 2015; 25(4):323-329.
47. Rameshori Y, Vishwanath W. *Glyptothorax verrucosus*, a new sisorid catfish species from the Koladyne basin, Mizoram, India (Teleostei: Sisoridae). Ichthyological Exploration of Freshwaters. 2012; 23(2):147-154.
48. Sinha B, Tamang L. *Oreoglanis pangenensis*, a new species of torrent catfish from Arunachal Pradesh, India (Siluriformes: Sisoridae). Ichthyological Exploration of Freshwaters. 2015; 25(4):331-338.
49. Britz R, Ali A, Raghavan R. *Pseudolaguvia lapillicola*, a new species of catfish from Peninsular India (Teleostei: Sisoridae). Ichthyological Exploration of Freshwaters. 2013; 23(4):289-295.
50. Molur S, Smith KG, Daniel BA, Darwall WRT (Compilers). The Status and Distribution of Freshwater Biodiversity in the Western Ghats, India. Zoo Outreach Organisation, Cambridge, UK and Gland, Switzerland: IUCN and Coimbatore, India, 2011, 128.
51. Raghavan RN, Dahanukar M, Tlusty A, Rhyne K, Krishnakumar Molur S, Rosser AM. Uncovering an obscure trade: threatened freshwater fishes and the aquarium pet trade. Biological Conservation. 2013; 164:158-169.
52. The Hindu. Conservation steps for 'Miss Kerala'. <http://www.thehindu.com/todays-paper/tp-national/tp-kerala/conservation-steps-for-miss-kerala/article1389314.ece>. 6 December, 2008.
53. Mercy TVA. Breeding of indigenous ornamental fishes. Recent Advances in Breeding and Larviculture of Marine Finfish and Shellfish (Compilers Madhu, K. and Madhu, R., CMFRI-Winter School Course Manual on 30 December, 2008 19 January, 2009).
54. ICAR-Central Institute of Freshwater Aquaculture. Annual Report. Bhubaneswar, India, 2014-15, 170.
55. Padmakumar KG, Bindu L, Sreerekha PS, Gopalakrishnan A, Basheer VS, Joseph N, Manu PS,

- Krishnan A. Breeding of endemic catfish, *Horabagrus brachysoma* in captive conditions. Current Science. 2011; 100(8): 1232-1236.
56. Padmakumar KG, Bindu L, Sreerekha PS, Joseph N, Manu PS, Krishnan A. First report on captive breeding of endemic Red tailed silver shark *Gonoproktopterus curmuca* (Cyprinidae: Hamilton-Buchanan 1807). International Journal of Research in Fisheries and Aquaculture. 2014; 4(4):156-160.
57. Mercy TVA, Sajan S, Malika V. Captive breeding and developmental biology of *Sahyadria denisonii* (Day 1865) (Cyprinidae), an endangered fish of the Western Ghats, India. Indian Journal of Fisheries. 2015; 62(2):19-28.
58. Ali A, Dahanukar N, Kanagavel A, Philip S, Raghavan R. Records of the endemic and threatened catfish, *Hemibagrus punctatus* from the southern Western Ghats with notes on its distribution, ecology and conservation status. Journal of Threatened Taxa. 2013; 5(11):4569–4578.
59. Bijukumar A, Raghavan R. A checklist of fishes of Kerala, India. Journal of Threatened Taxa. 2015; 7(13):8036-8080.
60. John PT, John KC. *Labeo nigrescens* Day, 1870 (Pisces: Cypriniformes: Cyprinidae), A new record from Kerala. Zoos'Print Journal. 2004; 19(7):1520-1521.