

Pete J Dunn Bibliography

This bibliography was prepared in November 2002 by Pete Dunn, who wrote that it is “assuredly incomplete.” In particular it is missing his latest work, a 1,102-page treatise on the mining history of the Franklin-Sterling Hill area from 1765 to 1900, which appeared in seven volumes between 2002 and 2005.

Pete J. Dunn

Gem spodumene and achroite tourmaline from Afghanistan.
Journal of Gemmology 14, 170-174. (1974)

Chromian spinel inclusions in American peridots.
Z. Dt. Gemmol. Ges. 23, 304-307. (1974)

Inclusions of albite and phenakite in gem topaz from the Tarryall Mountains, Colorado.
Gems and Gemology, 14, 337-340. (1974)

An unusual occurrence of bobbierite at Wodgina, Western Australia. (with Mason, B.)
The Mineralogical Record 5, 256. (1974)

Guest Editorial: On guest speakers and courtesy.
The Mineralogical Record 5, 102. (1974)

Elbaite from Newry, Maine.
The Mineralogical Record 6, 22-25. (1975)

Inclusions in beryllonite from Stoneham, Maine.
Journal of Gemmology 14, 208-212. (1975)

Personality sketch: C. Wroe Wolfe.
The Mineralogical Record 6, 13. (1975)

The National Mineral Collection.
The American Mineralogist 60, 495. (1975)

Rosenhahnite, a second occurrence at Durham, North Carolina.
The Mineralogical Record 6, 300-301. (1975)

The Loudville lead mines. (and Marshall, J.H.)
The Mineralogical Record 6, 293-298. (1975)

On gem orthopyroxenes; enstatite and bronzite.
Gem and Gemmology, 15, 118-122. (1975)

Personality profile: John Stewart.
Rocks and Minerals 50, 263-264. (1975)

Emeralds in the Smithsonian gem collection.
The Lapidary Journal 28, 1572-1575. (1975)

Personality sketch: Frank Perham.
The Mineralogical Record 6, 105. (1975)

On gem elbaite from Newry, Maine.
Journal of Gemmology 14, 357-367. (1975)

Inclusions in gem almandine from Idaho and New York.
Journal of Gemmology 14, 273-280. (1975)

Red dravite from Kenya. (and J. Arem and J. Saul)
Journal of Gemmology 14, 386-387. (1975)

Notes on inclusions in tanzanite and tourmalinated quartz.
Journal of Gemmology 14, 335-338. (1975)

On jewellery fit for a queen.
Journal of Gemmology, 14, 313-321. (1975)

Guest Editorial: So you think you have a new mineral ?
The Mineralogical Record 6, 220-221. (1975)

Wroewolfeite, a new copper sulfate hydroxide hydrate. (with Rouse, R., Nelen, J. E.)
Mineralogical Magazine 40, 1-5. (1975)

National Mineral Collection supports research.
The Mineralogical Record 6, 206. (1975)

Gemmological notes.

Journal of Gemmology 15, 113-118. (1976)

Green gem herderite from Brazil. (and W. Wight)

Journal of Gemmology 15, 27-28. (1976)

Genthelvite and the Helvine Group.

Mineralogical Magazine 40, 627-636. (1976)

The Lead mines at Loudville. (with J. Marshall)

Rocks and Minerals 51, 250-255. (1976)

Buergerite, uniformity of composition.

The American Mineralogist 61, 1029-1030. (1976)

Gem notes.

Gems and Gemmology 15, 199-202. (1976)

Prosopite, an effective turquoise substitute.

Journal of Gemmology 15, 205-208. (1976)

On gem rhodonite from Massachusetts, U.S.A.

Journal of Gemmology 15, 76-80 (1976)

Uvite, a new (old) common member of the tourmaline group. (and Appleman, D., Nelen, J.

The Mineralogical Record, 8, 100-108. (1977)

and Norberg, J

Achrematite discredited.

The American Mineralogist 62, 170. (1977)

Apatite, a guide to species nomenclature.

The Mineralogical Record 8, 78-82 (1977)

The helvite group.

The Mineralogical Record 8, 92-93 (1977)

The use of the electron microprobe in gemmology.
Journal of Gemmology 15, 248-258. (1977)

The U.S. National Mineral Collection.
The American Mineralogist 62, 179. (1977)

Uvite, a newly classified gem tourmaline.
Journal of Gemmology 15, 300 -308. (1977)

Blue wulfenite from Tsumeb. (with P. Embrey and A. Clark)
The Mineralogical Record 8, 86-87. (1977)

Zektzerite, a new lithium sodium zirconium silicate related to tuhualite
and the osumilite group. The American Mineralogist 62, 416-420. (1977)
(and R. Rouse, B. Cannon, and J. Nelen).

Observations on the Slocum stone.
Gems and Gemology 15, 252-256. (1977)

Phosphophyllite, variation in composition.
The American Mineralogist 62, 818. (1977)

From unknown to known; The characterization of new mineral species.
The Mineralogical Record, 8, 341-349. (1977)

Fluellite from North Carolina.
The Mineralogical Record, 8, 392-393. (1977)

Ferberite from Panasqueira, Portugal, and wolframite from Korea.
The Mineralogical Record, 8, 393-394. (1977)

Hutchinsonite from Quiruvilca, Peru.
The Mineralogical Record, 8, 394. (1977)

Scheelite from Korea.
The Mineralogical Record, 8, 394-395. (1977)

Chromium in dravite.

Mineralogical Magazine, 41, 408-410. (1977)

Andradite from the Junnila mine, California.

Mineralogical Record, 8, 519. (1977)

Perhamite, a new calcium aluminium silico-phosphate mineral, and a re-examination of viseite. Mineralogical Magazine 41, 437-442. (1977) (and Appleman, D.)

Liddicoatite, a new calcium end-member of the tourmaline group.

American Mineralogist, 62, 1121-1124. (1977). (and Appleman, D.E., Nelen, J.E.)

Guest Editorial: Tunnel vision in mineral collecting.

Mineralogical Record, 9, 2. (1978)

Epitaxial wodginite and cassiterite from Lavra Jabuti, Baixio, Galilea, Minas

Gerais, Brazil. Mineralogical Record, 9, 14-18. (1978) (with Gaines, R. V.,
(Wolfe, C. W. and Barbosa, C.d.P.)

Tungstenian tetrwickmanite from Langban, Sweden.

Mineralogical Record 9, 41. (1978)

Hydroxyapophyllite, a new mineral, and a redefinition of the apophyllite group.

I. Description, occurrences and nomenclature. (and Rouse, R.C. and
Norberg, J.A.) American Mineralogist 63, 196-199 (1978)

Hydroxyapophyllite, a new mineral, and a redefinition of the apophyllite group.

II. Crystal Structure. (with Rouse, R.C. and Peacor, D.R.)
American Mineralogist 63, 199-202. (1978)

Uralolite from the Dunton gem mine, Newry, Maine: a second occurrence.

The Mineralogical Record 9, 99-100. (1978)

Book Review: Manual of Mineralogy (after James. D. Dana) by C. S. Hurlbut and
Cornelus Klein. The Mineralogical Record 9, 123. (1978)

Nomenclature revisions in the apophyllite group: hydroxyapophyllite, apophyllite, fluorapophyllite. (and Wilson, W.E.)
The Mineralogical Record 9, 95-98. (1978)

Polydymite, vaesite, and siegenite from Missouri.
The Mineralogical Record 9, 111-112. (1978)

On the composition of gem scapolites.
Journal of Gemmology 16, 4-10. (1978)

Famous mineral localities: The Kalahari manganese field. (with Wilson, W.E.)

The Mineralogical Record 9, 137-153. (1978)
(reprinted in German in Lapis, 3, 10, 29-39. (1978).)

On the composition of some Canadian green garnets.

The Canadian Mineralogist 16, 205-206. (1978)

Gemmological Notes.

Journal of Gemmology 16, 90-93. (1978).

Sanmartinite: new data.

Mineralogical Magazine 42, 281. (1978)

Dehrnite and Lewistonite: discredited.

Mineralogical Magazine 42, 282-284. (1978)

Liddicoatite, a new gem tourmaline species from Madagascar. (and Appleman, D., Nelen,

Journal of Gemmology 16, 172-176 (1978).

Compositional and refractive index variations of the herderite-hydroxyl-herderite series. (with Leavens, P. B. and Gaines, R. V.)
The American Mineralogist 63, 913-917. (1978).

New Minerals 1973-1977: a perspective.

The Mineralogical Record 9, 363-365. (1978).

Book Review: The Mineralogy of the Diamond. (and P. Seel)
The Mineralogical Record 9, 383 (1978).

Morelandite, a new barium arsenate chloride member of the apatite group. (and Rouse,
The Canadian Mineralogist 16, 601-604 (1978).

Mandarinoite, a new ferric-iron selenite from Bolivia. (and Peacor, D., Sturman, B.D
The Canadian Mineralogist 16, 605-609 (1978).

Gem peridot and enstatite with spinel inclusions from Chihuahua, Mexico.

The Journal of Gemmology 16, 236-238 (1978).

Marsturite, $Mn_3CaNaHSi_5O_15$, a new mineral of the nambulite group from Franklin,
New Jersey. (with Peacor, D. R. and Sturman, B. D.)

The American Mineralogist 63, 1187-1189 (1978).

Hydroxyl-herderite from Brazil and a guide to species nomenclature for the
herderite/hydroxyl-herderite series. (and Wolfe, C. W., Leavens, P. B.,
and W. E. Wilson). Mineralogical Record 10, 5-11 1979).

Light green zincite from Sterling Hill, Ogdensburg, New Jersey.

The Mineralogical Record 10, 45-47 (1979).

Ganomalite from Franklin, New Jersey.

The Mineralogical Record 10, 47-48 (1979).

Desautelsite, a new mineral of the pyroaurite group. (and Peacor, D. R., Palmer, T. D.)

The American Mineralogist 64, 127-130. (1979).

Prosperite, $\text{HCaZn}_2(\text{AsO}_4)_2(\text{OH})$, a new mineral from Tsumeb, Southwest Africa (Namibia).

(with Gait, R. I. and Sturman, E. D.).

The Canadian Mineralogist 17, 87-92 (1979).

Guest Editorial: When you are all through collecting.

The Mineralogical Record 10, 66. (1979).

Carlhintzeite, a new calcium aluminum fluoride hydrate from the Hagendorf

pegmatites, Bavaria, Germany. (and Peacor, D. R. and Sturman, B. D.)

The Canadian Mineralogist 17, 103-105 (1979).

Paulmooreite, a new lead arsenite mineral from Langban, Sweden. (and Peacor, D. R.
Sturman, B. D.)

The American Mineralogist 64, 353-354 (1979).

Hureaulite and barbosalite from Lavra do Criminoso, Minas Gerais, Brazil

(and Leavens, P.B., Sturman, B. D., Gaines, R. V. Barbosa, C.D.P.)

The Mineralogical Record 10, 147-151. (1979).

Contributions to the Mineralogy of Franklin and Sterling Hill, New Jersey.

The Mineralogical Record 10, 160-165 (1979).

Queitite, $Pb_4Zn_2\left(SO_4\right)SiO_4|Si_2O_7$, a new mineral from Tsumeb, South West Africa.

(with Keller, P. and Hess, H.)

Neues Jahrbuch Min. Monat. 203-209. (1979).

Koritnigite, $Zn\left[H_2O|HOAsO_3\right]$, ein neues Mineral aus Tsumeb, Südwestafrika.

(with Keller, P., Hess, H., Sürse, P. and Schnorrer, G.)

Tschermaks Min. Petr. Mitt. 26, 51-58 (1979).

Kolicite, a new manganese zinc silicate arsenate from Sterling Hill, Ogdensburg,

New Jersey. (and Peacor, D. and Sturman, B.D.)

American Mineralogist 64, 708-712. (1979)

Die Ladungsbilanz für eine verfeinerte Kristallstruktur von Stranskiit, $Zn_2Cu(AsO_4)_2$

Tschermaks Min. Petr. Mitt. 26, 167-174 (1979) (with Keller, P., Hess, H.)

Kingsmountite, a new mineral isostructural with montgomeryite. (and Peacor, D.R.

White, J. S. and Ramik, R. A.) The Canadian Mineralogist 17, 579-582 (1979)

On the validity of calderite.

Canadian Mineralogist 17, 569-571 (1979).

Lawsonbauerite, a new mineral from the Sterling Hill mine, New Jersey,
and new data for torreyite. (and Peacor, D. R. and Sturman, B.D.)
American Mineralogist 64, 949-952 (1979).

The chemical composition of gageite: an empirical formula.

American Mineralogist 64, 1056-1058 (1979).

Ferridravite, a new member of the tourmaline group from the San Francisco
mine, near Villa Tunari, Bolivia. (with Walenta , K.)
American Mineralogist 64, 945-948 (1979).

Warikhanite, $Zn_3[(H_2O)_2(AsO_4)_2]$, a new mineral from Tsumeb, South West Africa.
(with Keller, P., Hess, H.) Neues Jahrbuch Min. Monat. 389-395 (1979).

Magnesioaxinite from Luning, Nevada, and some nomenclature designations for the
axinite group. (and Leavens, P.B. and Barnes, C.)
Mineralogical Record 11, 13-15 (1980).

Carbonate-fluorapatite from near Fairfield, Utah.

Mineralogical Record 11, 33-34 (1980).

Book Review: Mineralogischen Tabellen (7th Ed.)

Mineralogical Record 11, 50. (1980).

Book Review: Molecular and crystal structure models.

Mineralogical Record 11, 50. (1980).

Book Review: Rock-forming minerals, Volume 2A.

Mineralogical Record 11, 50-51 (1980).

Mossite discredited. (and R. V. Gaines and R. Kristiansen)

Mineralogical Magazine 43, 553-554. (1979)

Hauckite, $\text{Fe}_3^{3+}(\text{Mg},\text{Mn})_{24}\text{Zn}_{18}(\text{SO}_4)_4(\text{CO}_3)_2(\text{OH})_{81}$, a new mineral from Sterling Hill, New Jersey. (and Peacor, D. R. and Sturman, B. D.)

Am. Mineral. 65, 192-195 (1980).

Yeatmanite: new data. (and P. B. Leavens)

Am. Mineral. 65, 196-199 (1980).

Sugilite, a second occurrence: Wessels mine, Kalahari manganese field, Republic of South Africa. (and Brummer, J. J. and Belsky, H.)

Can. Mineral. 18 37-39 (1980).

On the composition of some sarkinites.

Mineral. Mag. 44 681 (1980).

Tancoite, a new lithium, sodium, aluminum phosphate from the Tanco pegmatite, Bernic Lake, Manitoba. (with Ramik, R. A. and Sturman, B. D.)

Can. Mineral. 18 185-190. (1980).

Sundiusite, a new lead sulfate oxychloride from Långban, Sweden (and Rouse, R.)

Am. Mineral. 65, 506-508 (1980).

Book Review: Mineral Names, What do they mean? Am. Mineral. 65, 213. (1980)

Gaitite, $H_2Ca_2Zn(AsO_4)_2(OH)_2$, a new mineral from Tsumeb, Namibia (South West Africa).

Can. Mineral. 18, 197-200 (1980). (with B. D. Sturman).

Nealite, a new mineral from Laurion, Greece. (and Rouse, R.)

Mineral. Record 11, 299-301. (1980).

Book Review: Synthetic Gems Production Techniques Am. Mineral. 65, 818-819.

Goosecreekite, a new calcium aluminum silicate hydrate possibly related to

brewsterite and epistilbite. (and Peacor, D. R., Newberry, N., Ramik, R.A

Can. Mineral. 18, 323-327 (1980).

Kraisslite and mcgovernite: new chemical data. (and Nelen, J.).

Am. Mineral. 65, 957-960 (1980).

Johnbaumite, a new member of the apatite group from Franklin, New Jersey.

(and Peacor, D. R. and Newberry, N.) American Mineralogist 65,
1143-1145 (1980).

Sterlinghillite, a new hydrated manganese arsenate mineral from Ogdensburg,
New Jersey. American Mineralogist 66, 182-184 (1981).

Copper acetate hydrate with native copper. Mineralogical Record 12, 49 (1981).

Book Review: A Manual of new mineral names. American Mineralogist 66, 440.

O'Danielite, $\text{NaZn}_3\text{H}_2(\text{AsO}_4)_3$, a new mineral from Tsumeb, Namibia (with Keller, P.,
Hess, H. and Newbury, D.) Neues Jahrbuch für Mineralogie, 155-160. (1981)

Jamesit, $\text{Pb}_2\text{Zn}_2\text{Fe}^{3+}\text{O}_4(\text{AsO}_4)_5$, ein neues Mineral von Tsumeb. (with Keller, P.,
and H. Hess) Chemie der Erde 40, 105-109 (1981).

Mineral Fraud (and R. E. Bentley) Mineralogical Record 12, 194 (1981).

Mineral Fakes (and R. E. Bentley and W. E. Wilson) Mineralogical Record
12, 197-219

Otjisumeite, PbGe_4O_9 , ein neues Mineral aus Tsumeb, Namibia. (with Keller, P., Hess, H.)
Neues Jahrbuch für Mineralogie, 49-55 (1981).

Lammerite, $\text{Cu}_3(\text{AsO}_4)_2$, ein neues Mineral von Laurani, Bolivien. (with Keller, P. and
Paar, W. H.) Tschermaks Min. Petr. Mitt. 28, 157-164 (1981).

Parascholzite, a new mineral from Hagendorf, Bavaria, and its relationship to scholzite. (with B. D. Sturman and R. C. Rouse)
American Mineralogist 66, 843-851 (1981).

Magnesium-chlorophoenicite redefined and new data on chlorophoenicite.

Canadian Mineralogist 19, 333-336 (1981).

Bartelkeite, $PbFe^{2+}Ge_3O_8$, a new germanium mineral from Tsumeb, Namibia.

(with Keller, P. and Hess, H.) Chemie der Erde 40, 201-206 (1981).

Crystal-chemical data for schallerite, caryopilite and friedelite from Franklin and Sterling Hill, New Jersey. (and Peacor, D. R., Nelen, J. A. and Norberg, J. A.). American Mineralogist 66, 1054-1062 (1981).

Bannisterite: new chemical data and empirical formulae. (and Leavens, P. B., Norberg, J. A. and Ramik, R. A.) American Mineralogist 66, 1063-1067 (1981).

Wicksite, a new mineral from northeastern Yukon Territory. (with Sturman, B. D. and Peacor, D. R.) Canadian Mineralogist 19, 377-380 (1981).

Gormanite, $Fe^{2+}_3Al_4(PO_4)_4(OH)_6 \cdot 2H_2O$, the ferrous analogue of souzalite, and new data for souzalite. (with Sturman, B. D., Mandarino, J. A. and Mrose, M. E.) Canadian Mineralogist 19, 381-387. (1981).

Comancheite, a new mercury oxychloride-bromide from Terlingua, Texas. (with A. C. Roberts and H. G. Ansell) Canadian Mineralogist, 19, 393-396 (1981).

Ogdensburgite, a new calcium-zinc-ferric iron arsenate mineral from Sterling Hill, New Jersey. Mineralogical Record, 12, 369-370. (1981).

Sjögrenite on pyroaurite from Sterling Hill, New Jersey. (with P. B. Leavens). Mineralogical Record, 12, 371-372 (1981).

Holdenite from Sterling Hill and new chemical data. Mineralogical Record, 12, 373-375. (1981).

Akrochordite, a second occurrence: Sterling Hill, New Jersey. Mineralogical Magazine, 44, 235-236. (1981).

Philipsbornite, a new mineral of the crandallite series from Dundas, Tasmania. (with K. Walenta and M. Zwiener) Neues Jahrbuch Mineralogie Monatshefte, 1-5 (1982).

A contribution to the crystal chemistry of ellestadite and the silicate sulfate apatites. (with R. C. Rouse). American Mineralogist, 67, 90-96 (1982).

Johillerit, $\text{Na}(\text{Mg}, \text{Zn})_3\text{Cu}(\text{AsO}_4)_3$, ein neues Mineral aus Tsumeb, Namibia. (with P. Keller and H. Hess). Tschermaks Mineralogische und Petrographische Mitteilungen, 29, 169-175. (1982).

Plumbotsumite, $Pb_5(OH)_{10}Si_4O_8$, a new lead silicate from Tsumeb, Namibia.

(with Keller, P.). Chemie der Erde, 41, 1-6 (1982).

Locality-oriented mineral societies. Mineralogical Record, 13, 130. (1982).

Arsendescloizite, a new mineral from Tsumeb. (with Keller, P.)

Mineralogical Record, 13, 155-157. (1982).

Hodgkinsonite from Franklin and Sterling Hill, New Jersey: a review (and Bostwick, R.C.)

Mineralogical Record, 13, 229-232. (1982).

Mercury amidonitrate crystals from Colorado. (with Rouse, R. C. and Peacor, D. R.)

Mineralogical Record, 13, 233-234 (1982).

Claraite, a new carbonate mineral from the Clara Mine, (Central Black Forest).

(with Walenta, K.). Chemie der Erde, 41, 97-102 (1982).

New data for pitticite and a second occurrence of yukonite at Sterling Hill,

New Jersey. Mineralogical Magazine, 46, 261-264 (1982).

Crystal structure of naturally occurring mercury(II) amidonitrate. (with Randall,

C. J., Peacor, D. R. and Rouse, R. C.)

Journal of Solid State Chemistry, 42, 221-226 (1982).

Retzian-(Nd), a new mineral from Sterling Hill, New Jersey, and a redefinition of retzian. (and B. D. Sturman) American Mineralogist, 67, 841-845. (1982)

On the chemical composition of Bunker Hill pyromorphite. Mineralogical Record, 13, 286. (1982)

Petersite, a REE and phosphate analog of mixite (with D. R. Peacor).
American Mineralogist, 67, 1039-1042 (1982).

Jarosewichite and a related phase: basic manganese arsenates of the chlorophoenicite group from Franklin, New Jersey. (and D. R. Peacor, P. B. Leavens and W. B. Simmons) American Mineralogist, 67, 1043-1047 (1982).

Roeblingite: new chemical data. (and J. A. Norberg and P. B. Leavens) Mineralogical Magazine, 46, 341-342 (1982).

Lotharmeyerite, a new mineral from Mapimi, Durango, Mexico.
Mineralogical Record, 14, 35-36 (1982)..

Loudounite, a new zirconium silicate from Virginia (and D. Newbury).
Canadian Mineralogist, 21, 37-40. (1983).

Unethical use of mineral names: a commentary.
Mineralogical Record, 14, 138. (1983).

Red montgomeryite and associated minerals from the Tip Top Pegmatite, with notes on kingsmountite and calcioferrite. (and W. L. Roberts, T. J. Campbell, and P.B. Leavens). Mineralogical Record, 14, 195-197. (1983).

Pyrobelonite from Franklin, New Jersey.

Mineralogical Record, 14, 203-204. (1983).

Schumacherite, a new bismuth mineral from Schneeberg in Saxony. (with Walenta, K., Hentschel, G., and Mereiter, K.). Tschermaks Mineralogische und Petrographische Mitteilungen, 31, 165- 173(1983).

New Minerals, 1978-1982: a perspective. (and Ferraiolo, J. A.)

Mineralogical Record, 14, 211-214 (1983).

Allactite from Franklin and Sterling Hill, New Jersey.

Mineralogical Record, 14, 251-252 (1983).

New data on georgiadesite (with Rouse, R. C.)

Mineralogical Magazine, 47, 219-220 (1983).

Viitaniemiite from the Francon quarry, Montreal, Quebec. (with R. A. Ramik, B. D.

Sturman, and A. C. Roberts) Canadian Mineralogist, 21, 499-502. (1983).

Bostwickite, a new calcium manganese silicate hydrate from Franklin, New Jersey.

(and P. B. Leavens) Mineralogical Magazine, 47, 387-389. (1983).

The ferric iron equivalent of hematolite from Sterling Hill, New Jersey, and

Langban, Sweden (with D. R. Peacor) Mineralogical Magazine, 47, 381-385 (1983).

Kittatinnyite and wallkilldellite, silicate/arsenate analogues containing calcium and manganese, from Franklin and Sterling Hill, New Jersey (and D. R. Peacor). American Mineralogist, 68, 1029-1032. (1983).

Charlesite, a new mineral of the ettringite group, from Franklin, New Jersey. (and D. R. Peacor, P. B. Leavens, and J. L. Baum). American Mineralogist, 68, 1033-1037. (1983).

Ferrostrunzite, the ferrous iron analogue of strunzite from Mullica Hill, New Jersey. (with D. R. Peacor and W. B. Simmons). Neues Jahrbuch fur Mineralogie, Monatshefte, 524-528 (1983).

Sturmanite, a ferric iron, boron analogue of ettringite. (with D. R. Peacor and M. Duggan). Canadian Mineralogist, 21, 705-709 (1983).

Fransoletite, a new calcium beryllium phosphate from the Tip Top pegmatite, Custer, South Dakota. (with D. R. Peacor, W. L. Roberts, T. J. Campbell, and D. Newbury). Bulletin Mineralogie, 106, 499-503. (1983).

Ganophyllite from Franklin, New Jersey; Pajsberg, Sweden; and Wales: new chemical data. (and Peacor, D. R., Nelen, J. A., and Ramik, R. A.). Mineralogical Magazine, 47, 563-566 (1983).

Willhendersonite, a new zeolite isostructural with chabazite. (with D. R. Peacor, W. B. Simmons, E. Tillmanns, and R. X. Fischer) American Mineralogist, 69, 186-189 (1984).

Garyansellite, a new mineral from Yukon Territory, Canada. (with B. D. Sturman)
American Mineralogist, 69, 207-209 (1984).

Neue Minerale von Franklin und Sterling Hill, New Jersey, U.S.A. (and J. Cianciulli)
Der Aufschluss, 35, 77-91. (1984).

Eggletonite, the Na analogue of ganophyllite. (with D. R. Peacor and W. B. Simmons)
Mineralogical Magazine, 48, 93-96. (1984).

Triplite from East Kemptville, Nova Scotia. (with Mandarino, J. A., J. M. G. Richardson, and E. T. C. Spooner) Mineralogical Magazine, 48, 142-143 (1984).

Tinsleyite, the aluminum analogue of leucophosphite, from the Tip Top pegmatite in South Dakota. (and Rouse, R. C., Campbell, T. J., and Roberts, W. L.)
American Mineralogist, 69, 374-376. (1984).

Sinkankasite, a new phosphate from the Barker pegmatite, South Dakota (with Peacor, D. R., Roberts, W. L., Campbell, T. J., and Simmons, W. B.)
American Mineralogist, 69, 380-382. (1984).

Phosphofibrite, a new iron phosphate from the Clara Mine in the Central Black Forest.
(with Walenta, K.) Chemie der Erde, 43, 11-16. (1984)

Walentaite, a new calcium iron arsenate phosphate from the White Elephant Mine, Pringle, South Dakota (and Peacor, D. R., Roberts, W. L., Campbell, T. J., and Ramik, R. A.) Neues Jahrbuch fur Mineralogie Monatshefte, 169-174. (1984).

Lennilenapeite, the Mg-analogue of stilpnomelane, and chemical data on other stilpnomelane species from Franklin, New Jersey. (and Peacor, D. R., and Simmons, W. B.). Canadian Mineralogist, 22, 259-263 (1984).

Jerrygibbsite, a new polymorph of $Mn_9(SiO_4)_4(OH)_2$ from Franklin, New Jersey, with new data on leucophoenicite. (and Peacor, D. R., Simmons, W. B., and Essene, E. J.). American Mineralogist, 69, 546-552. (1984)

Nelenite, a manganese arsenosilicate of the friedelite group, polymorphous with schallerite, from Franklin, New Jersey (and Peacor, D. R.) Mineralogical Magazine, 48, 271-275 (1984).

Magnussonite: new chemical data, an occurrence at Sterling Hill, New Jersey, and new data on a related phase from the Brattfors mine, Sweden. (and Ramik, R.A.) American Mineralogist, 69, 800-802 (1984).

Gamagarite: a re-examination and comparison with brackebuschite-like minerals. (with Harlow, G. E. and Rossman, G. R.) American Mineralogist, 69, 803-806. (1984).

Earlshannonite, the Mn analogue of whitmoreite, from North Carolina. (with Peacor, D. R. and Simmons, W. B.) Canadian Mineralogist, 22, 471-474 (1984).

Englishite: new chemical data and a second occurrence, from the Tip Top Pegmatite, Custer, South Dakota. (and Rouse, R. C. and Nelen, J. A.) Canadian Mineralogist, 22, 469-470. (1984).

Rankachite, a new mineral from the Clara Mine in the Central Black Forest.

(with Walenta, K.) Neues Jahrbuch fur Mineralogie Monatschefte,
289-295 (1984).

A highly magnesian alleghanyite from Sterling Hill, New Jersey. (with Petersen,
O.V., and Bollhorn, J.) Mineralogical Record, 15, 299-302. (1984).

Paulkerrite, a new titanium phosphate from Arizona (with Peacor, D. R. and
Simmons, W. B.). Mineralogical Record, 15, 303-306. (1984).

Hedyphane from Franklin, New Jersey, and Långban, Sweden: cation ordering in
and arsenate apatite (with Rouse, R. C. and Peacor, D. R.).
American Mineralogist, 69, 920-927 (1984).

Memorial of Earl V. Shannon (and Ferraiolo, J. A.).

American Mineralogist, 69, 993 (1984).

Fredrikssonite, a new member of the pinakiolite group, from Langban, Sweden.

(and Peacor, D. R., Simmons, W. B., and Newbury, D) Geologiska Föreningens
Förhandlingar i Stockholm, 105, 335-340 (1983). (published in 1984)

Minehillite, a new layer silicate from Franklin, New Jersey, related to reyerite
and truscottite (and Peacor, D. R., Leavens, P. B., and Wicks, F. J.)

American Mineralogist, 69, 1150-1155 (1984).

The nickel-arsenide assemblage from Franklin, New Jersey: description and
interpretation. (with I. S. Oen, and C. Kieft). Neues Jahrbuch fur
Mineralogie Abhandlungen, 150, 259-272 (1984).

Retzian - (La), a new mineral from Sterling Hill, Sussex County, New Jersey.

(and Peacor, D. R., Simmons, W. B.). Mineralogical Magazine, 48, 533-535 (1984).

Barian muscovite from Franklin, New Jersey.

Mineralogical Magazine, 48, 562-563 (1984).

Sverigeite, a new tin beryllium silicate mineral from Langban, Varmland, Sweden.

(and Peacor, D. R., Simmons, W. B., Gaines R. V.) Geologiska Foreningens Forhandlingar i Stockholm, 106, 175-177 (1984).

Arsenogoyazite, ein neues Mineral der Crandallitgruppe aus dem Schwarzwald.

(with Walenta, K.) Schweizerische Mineralogische und Petrographische Mitteilungen, 64, 11-19 (1984).

Mammothite, a new mineral from Tiger, Arizona, and Laurium, Greece. (with Peacor, D. R.,

Schnorrer-Kohler, G., and Bideaux, R. A.) Mineralogical Record, 16, 117-120 (1985).

Sodium-pharmacosiderite, a new analog of pharmacosiderite from Australia, and new

occurrences of barium-pharmacosiderite. (with Peacor D. R.)
Mineralogical Record, 16, 121-124 (1985).

Tiptopite, $(\text{Li}, \text{K}, \text{Na}, \text{Ca},)_8 \text{Be}_6 (\text{PO}_4)_6 (\text{OH})_4$, a new mineral species from the Black Hills, South Dakota. (with Grice, J. D., Peacor, D. R., Robinson, G. W., Van Velthuizen, J., Roberts, W. L., and Campbell, T. J.) Canadian Mineralogist, 23, 43-46. (1985).

Manganese humites and leucophoenicites from Franklin and Sterling Hill, New Jersey:
parageneses, compositions, and implications for solid solution limits.
American Mineralogist, 70, 379-387. (1985).

A new yttrium-borate-carbonate mineral from the Evans-Lou Pegmatite, Quebec. (with Grice, J. D., Van Velthuizen, J.) (abstract) Geological Association of Canada/Mineralogical Association of Canada, 1985 Joint Meeting, Programs with Abstracts, A23. (1985).

Mineralogy of hilgardite from New Brunswick (with Rachlin, A. L., Mandarino, J. A., Ramik, R. A., and Murowchick, B. L.) (abstract) Geological Association of Canada/Mineralogical Association of Canada, 1985 Joint Meeting, Programs with Abstracts, A 50. (1985).

A re-examination of sahlinite from Långban, Sweden (with Rouse, R. C.)
Neues Jahrbuch Mineralogie Monatshefte, 127-131 (1985).

A wicksite-like mineral from the Bull Moose Mine, South Dakota (with Peacor, D. R., Ramik, R. A., Campbell, T. J., and Roberts, W. L.) Canadian Mineralogist, 23, 247-249 (1985).

Turneaureite, a new member of the apatite group from Franklin, New Jersey, Balmat, New York, and Langban, Sweden. (and Petersen, E. U., Peacor, D. R.)
Canadian Mineralogist, 23, 251-254. (1985)

Philipsburgite, a new copper zinc arsenate hydrate related to kipushite, from Montana (with Peacor, D. R., Ramik, R. A., Sturman, B. D., and Zeihen, L.G.)
Canadian Mineralogist, 23, 255-258. (1985),

The structure of thorikosite, a naturally occurring member of the bismuth oxyhalide group. (with Rouse, R. C.) Journal of Solid State Chemistry, 57, (1985)

Application of synergistic microanalysis techniques to the study of a possible new mineral containing light elements. (with Etz, E., Newbury, D. E., & Grice, J. D.)
Microbeam Analysis - 1985, 60-64 (1985).

Laphamite, an arsenic selenide analogue of orpiment, from burning anthracite deposits in Pennsylvania (and Peacor, D. R., Criddle, A. J., and Finkelman, R. B.) Mineralogical Magazine, 50, 279-282. (1986).

Santafeite, a re-examination and new empirical formula (and Peacor, D. R.) Mineralogical Magazine, 50, 299-300. (1986)

Rouseite, a new lead manganese arsenite from Langban, Sweden. (and Peacor, D. R., Sturman, B. D., and Wicks, F. J.). American Mineralogist, 71, 1034-1036. (1986)

Barcenite discredited.

Canadian Mineralogist, 24, 591. (1986)

Wheatleyite, $\text{Na}_2\text{Cu}(\text{C}_2\text{O}_4)_2 \cdot 2\text{H}_2\text{O}$, a natural sodium copper salt of oxalic acid.
(with Rouse, R. C., Peacor, D. R., Simmons, W. B., and Newbury, D.)
American Mineralogist, 71, 1240-1242. (1986)

Cuprocassiterite discredited as mushistonite; and an unnamed tin mineral from the Etta Mine (and Roberts, W. L.) Mineralogical Record, 17, 383. (1986)

Zincroselite, $\text{Ca}_2\text{Zn}(\text{AsO}_4)_2 \cdot 2\text{H}_2\text{O}$, a new mineral from Tsumeb, Namibia. (with Keller, P., and Innes, J.) Neues Jahrbuch fur Mineralogie Monatshefte, 1986, 523-527.

Kombatite, the vanadium analogue of sahlinite, from the Kombat Mine, South West Africa (with Rouse, R. and Innes, J.).

Neues Jahrbuch fur Mineralogie Monatshefte, 1986, 519-522.

Davisonite and lehiite discredited. (and Francis, C. A.)
American Mineralogist, 71, 1515-1516 (1986).

Arsenites related to layer silicates: Manganarsite, the arsenite analogue of manganpyrosmalite, and unnamed analogues of friedelite and schallerite
(with Peacor, D. R., Simmon, W. B., and Wicks, F. J.)
American Mineralogist, 71, 1517-1521 (1986).

A new zinc magnesium carbonate and data for other unnamed species from Franklin
and Sterling Hill, New Jersey. Mineralogical Record, 17, 126-127. (1986).

Johnwalkite, the Mn-analogue of olmsteadite, from South Dakota. (and Peacor, D. R.,
Sturman, D. B., Ramik, J. A., Roberts, W. L., Nelen, J. A.)
Neues Jahrbuch fur Mineralogie, Monatshefte (1986), 115-120 (1986).

Mineralogy of volkovskite from New Brunswick (with Mandarino, J. A., Rachlin, A. L.
Lepage, Y., Murowchick, B. L., Ramik, R. A., Falls, R. B., and Back, M. E.)
Mineralogical Association of Canada, Geological Association of Canada,
Canadian Geophysical Union, 1986 Joint Annual Meeting, Program with Abstracts,
99. (1986).

Chenite, $Pb_4Cu(SO_4)_2(OH)_6$, a new mineral, from Leadhills, Scotland. (with Paar, W. H.,
Mereiter, K., Braithwaite, R. S. W., Keller, P.) Mineralogical Magazine,
50, 129-135 (1986).

Mineral specimen trimming (with Wilson, W. E. and Bentley, R. E.)
Mineralogical Record, 17, 163-165 (1986).

Hydroxyl-bearing hedyphane from Langban, Sweden (and Rouse, R. C. and Nelen, J. A.)
Geologiska Foreningens i Stockholm Forhandlingar, 107, 325-327. (1986).

Mathewrogersite, a new lead silicate mineral from Tsumeb, Namibia (with Keller, P.)
Neues Jahrbuch fur Mineralogie Monatashefte (1986), 203-208.

Dangers to science from species dealers (and Francis, C. A.)
Mineralogical Record, 17, 226. (1986).

Freedite and thorikosite from Långban, Sweden, and Laurion, Greece: two new species related to the synthetic bismuth oxyhalides. (and Rouse, R. C.)
American Mineralogist, 70, 845-848. (1985).

New occurrences for ushkovite, and comments on laueite.
Mineralogical Record, 16, 463-464. (1985).

Canaphite, a new sodium calcium phosphate hydrate from the Paterson area, New Jersey (with Peacor, D. R., Simmons, W. B., and Wicks, F. J.)
Mineralogical Record, 16, 467-468. (1985).

Philipsburgite von Neubulach im württembergischen Schwarzwald (with Walenta, K.)
Der Aufschluss, 36, 319-323 (1985).

Shigaite, a new manganese aluminum sulfate mineral from the Ioi Mine, Shiga, Japan.
(with Peacor, D. R., Kato, A., and Wicks, F. J.).
Neues Jahrbuch Mineralogie Monatshefte (1985), 453-457. (1985).

Ganomalite from Franklin, New Jersey, and Jakobsberg, Sweden: new chemical and crystallographic data. (and Peacor, D. R., Valley, J. W., and Randall, C. A.)
Mineralogical Magazine, 49, 579-582. (1985)

The lead silicates from Franklin, New Jersey: occurrence and composition.
Mineralogical Magazine, 49, 721-727 (1985).

Mineral specimen mislabeling (with Bentley, R. E., Wilson, W. E.)
Mineralogical Record, 17, 99-104. (1986)

Marsturite epitaxial on rhodonite from Franklin, New Jersey (and Leavens, P. B.)
Mineralogical Record, 17, 123-125. (1986).

Franciscanite and orebroite, two new minerals from California and Sweden,
related to redefined welinitite (and Peacor, D. R., Erd, R. C., and
Ramik, R. A.) American Mineralogist, 71, 1522-1526 (1986).

Johnninesite, a new sodium manganese arsenosilicate from the Kombat Mine,
Namibia (and Peacor, D. R., Su, S.-C., Nelen, J. A., and von Knorring, O.V.)
Mineralogical Magazine, 50, 667-670 (1986).

Mineralogy of hilgardite-4M from evaporites in New Brunswick. (with Rachlin, A. L.,
Mandarino, J. A., Murowchick, B. L., Ramik, R. A., and Back, M. E.).
Canadian Mineralogist, 24, 689-693 (1986).

Moydite (Y, REE) $(\text{B(OH})_4)(\text{CO}_3)$, a new mineral species from the Evans-Lou
Pegmatite, Quebec. (with Grice, J. D., Van Velthuizen, J., Newbury, D. E.,
Etz, E. S., and Nielsen, C. H.). Canadian Mineralogist, 24, 665-673 (1986).

Quality mineral lectures. (and Wilson, W. E.)
Mineralogical Record, 18, 114-115. (1987).

Ramsbeckite, an American occurrence at the Ecton Mine, Pennsylvania.
(with Peacor, D. R., and Sturman, B. D.)
Mineralogical Record, 18, 131-132. (1987).

Ribbeite, a polymorph of alleghanyite and member of the leucophoenicite group
from the Kombat Mine, Namibia. (with Peacor, D. R., Su, S.-C., and Innes, J.)
American Mineralogist, 72, 213-216. (1987).

Wendwilsonite, the Mg-analogue of roselite, from Morocco, New Jersey, and Mexico,
and new data on roselite. (and Sturman, B. D., and Nelen, J. A.).
American Mineralogist, 72, 217-221. (1987)

Manganostibite: new chemical data, and its relation to kolicite and holdenite.
Geologiska Foreningens Forhandlingar, Stockholm, 109, 101-102. (1987).

Poudretteite, $KNa_2B_3Si_{12}O_{30}$, a new member of the osumilite group from Mont Saint Hilaire, Quebec, and its crystal structure.(with Grice, J. D., Ercit, T. S., and Van Velthuizen, J). Geological Association of Canada / Mineralogical Association of Canada, 1987 Annual Meeting, Program with Abstracts, 49. (abs.) (1987).

Glaucocroite (olivine, $CaMnSiO_4$) from Franklin, New Jersey: Its composition, occurrence, and formation.(with Leavens, P. B., and Burt, D. M.). American Mineralogist, 72, 423-428 (1987).

Ogdensburgite from Mapimi and new data for the species. (with Kampf, A. R.) American Mineralogist, 72, 409-412 (1987)..

Franklinfurnaceite, a $Ca-Fe^{3+}-Mn^{2+}$ zincosilicate isotypic with chlorite, from Franklin, New Jersey (and Peacor, D. R., Ramik, R. A., Su, S. -C., and Rouse, R. C.) American Mineralogist, 72, 812-815. (1987)

Parabrandtite, the manganese analogue of talnessite, from Sterling Hill, Ogdensburg, New Jersey. (and Peacor, D. R., Su, Shu-Chun, Wicks, F. J., Parker, F. J.) Neues Jahrbuch fur Mineralogie Abhandlungen, 157, 113-119. (1987)

Formal definitions of type mineral specimens. (and Mandarino, J. A.)

Canadian Mineralogist, 25, 571-572. (1987)

American Mineralogist, 72, 1269-1270. (1987)

Acta Petrologica et Mineralogica, 6(4), 372-373. (1987)

Mineralogical Journal (Japan), 13, 533-534 (1987)

Bulletin Mineralogie, 111, 105-107 (1988)

Mineralogy and Petrology, 38, 77-79. (1988)

(1988)

Schweizerische Mineralogische und Petrographische Mitteilungen, 67, 405-406.

Neues Jahrbuch fur Mineralogie Monatshefte (1888), 241-243. (1988)

Mineralogical Record, 19, 227-228 (1988)

Mineralogical Magazine, 52, 129-131(1988)

New data on the relation between caryinite and arseniopleite (and D. R. Peacor)

Mineralogical Magazine, 51, 281-284 (1987)

Pahasapaite, a berylophosphate zeolite related to synthetic zeolite rho, from the Tip Top Pegmatite of South Dakota. (with Rouse, R. C., Peacor, D. R., Campbell, T. J., Roberts, W. L., Wicks, F. J. and Newbury, D.)
Neues Jahrbuch fur Mineralogie Monatshefte (1987), 433-440.

Ferristrunzite, a new member of the strunzite group, from Blaton, Belgium.
(with Peacor, D. R., Simmons, W. B., and Ramik, R. A.)
Neues Jahrbuch fur Mineralogie Monatshefte (1987), 453-457.

Poudretteite, $KNa_2B_3Si_{12}O_{30}$, a new member of the osumilite group from Mont Saint-Hilaire, Quebec, and its crystal structure (with Grice, J. D., Ercit, T. S., and Van Velthuizen, J.) Canadian Mineralogist, 25, 763-766. (1987).

Ingersonite, a new calcium-manganese antimonate related to pyrochlore, from Långban, Sweden.
(and Peacor, D. R., Criddle, A. J., and Stanley, C. J.)
American Mineralogist, 73, 405-412 (1988)

Filipstadite, a new Mn-Fe³⁺-Sb derivative of spinel, from Långban, Sweden.
(and Peacor, D. R., Criddle, A. J., and Stanley, C. J.)
American Mineralogist, 73, 413-419. (1988)

Cuprostibite, domeykite, native copper and native lead from the Franklin Mine, New Jersey (USA). (with Burke, E. A. J.)
Neues Jahrbuch fur Mineralogie Monatshefte (1988), 145-148.

Holdawayite, a new manganese hydroxyl-carbonate from the Kombat Mine, Namibia.
(with Peacor, D. R., Essene, E. J., Rouse, R. C., Nelen, J. A., Grice, J. D., Innes, J., and von Knorring, O.
American Mineralogist, 73, 632-636. (1988).

Asisite, a silicon-bearing lead oxychloride from the Kombat Mine, South West Africa (Namibia). (with Rouse, R. C., Peacor, D. R., Criddle, A. J., Stanley, C. J., and Innes, J.) American Mineralogist, 73, 643-649. (1988)

Mineralogical data for a new, unnamed arsenate from the Långban Mine,
Värmland, Sweden. (with Roberts, A. C.)
Geologiska Foreningens Forhandlingar Stockholm, 110, 181-182. (1988)

The preservation of type mineral specimens (with Mandarino, J. A.)
Mineralogical Record, 19, 226-227 (1988)

Maricopaite, a new hydrated Ca-Pb, zeolite-like silicate from Arizona. (with Peacor,
D. R., Simmons, W. B., Wicks, F. J., and Raudsepp, M.)
Canadian Mineralogist, 26, 309-313 (1988)

The X-ray crystallography of tavorite from the Tip Top Pegmatite, Custer, South
Dakota (with Roberts, A. C., Grice, J. D., Newbury, D. E. and Roberts, W. L.)
Powder Diffraction, 3, 93-95 (1988)

Dollaseite-(Ce) (magnesium orthite redefined): Structure refinement and implications
for F + M^{2+} substitutions in epidote group minerals. (with D. R. Peacor)
American Mineralogist, 73, 838-842. (1988).

Paulkellerite, a new bismuth iron phosphate mineral from Schneeberg, Germany.
(and Grice, J. D., Wicks, F. J., and Gault, R. A.)
American Mineralogist, 73, 870-872 (1988).

Defernite from the Kombat mine, Namibia: A second occurrence, structure refinement,
and crystal chemistry. (with Peacor, D. R., Sarp, H., Innes, J., and
Nelen, J. A. American Mineralogist, 73, 888-893 (1988)).

The Commission on New Minerals and Mineral Names of the International Mineralogical
Association; Its history, purpose, and general practice. (and Mandarino, J.)
Mineralogical Record, 19, 319-323. (1988).

Ein richelsdorfitähnliches Mineral von der Grube Clara (with Walenta, K.)
Der Erzgräber, 2, #2, 97-103. (1988).

Zodacite, the Mn analogue of montgomeryite, from Mangualde, Portugal

(and Grice, J. D. and Metropolis, W. C.) American Mineralogist, 73, 1179-1181.
(1988)

A mcgovernite-like mineral and leucophoenicite from the Kombat mine, Namibia.

(and Francis, C. A., and Innes, J.)

American Mineralogist, 73, 1182-1185 (1988)

Protocols for scientists on the deposition of investigated mineral specimens.

Mineralogical Record, 19, 291 (1988).

Mineralogy and Petrology, 38, 299-300 (1988).

Mineralogical Magazine, 53, 131 (1989)

American Mineralogist, 73, 1480 (1988)

Canadian Mineralogist, 27, 157 (1989)

Mineralogical Journal (Japan), 14, 101-102 (1988).

Schweizerische Mineralogische und Petrographische Mitteilungen, 69, 161 (1989).

Grandreefite, pseudograndreefite, laurelite, and aravaipaite: Four new minerals from the Grand Reef mine, Graham County, Arizona. (with Kampf, A. R., & Foord, E. E.)
American Mineralogist, 74, 927-933 (1989).

Pinalite, a new lead tungsten chloride mineral from the Mammoth mine, Pinal County, Arizona. (and Grice, J. D., Bideaux, R.A.)

American Mineralogist, 74, 934-935.

Pararobertsite, $\text{Ca}_2\text{Mn}^{3+}_3(\text{PO}_4)_3\text{O}_2 \cdot 3\text{H}_2\text{O}$, a new mineral species from the Tip Top pegmatite, Custer County, South Dakota, and its relationship to robertsite.

(with Roberts, A. C., Sturman, B. D., and Roberts, W. L.)

Canadian Mineralogist, 27, 451-455 (1989).

Camgasite, ein neues Calcium-Magnesiumarsenatmineral der Zusammensetzung $\text{CaMg}(\text{AsO}_4)(\text{OH}) \cdot 5\text{H}_2\text{O}$ von Wittichen im mittleren Schwarzwald. (with Walenta, K.)

Der Aufschluss, 40, 369-372 (1989). .

Whiteite-(CaMnMg), a new mineral species from the Tip Top pegmatite, Custer, South Dakota.
(with J. D. Grice) Canadian Mineralogist, 27, 699-702 (1989).

Crystal structure of wiserite. (with F. Pertlik).

American Mineralogist, 74, 1351-1354 (1989).

Sclarite, a new mineral from Franklin, New Jersey, with essential octahedrally and tetrahedrally coordinated zinc: Description and structure refinement.
(with J. D. Grice). American Mineralogist, 74, 1355-1359 (1989).

Wiserite, an occurrence at the Kombat mine in Namibia, and new data. (and C. A. Francis,
R. A. Ramik, J. A. Nelen, and J. Innes).

American Mineralogist, 74, 1374-1376. (1989).

A sakhaite-like mineral from the Kombat Mine, Namibia (and Peacor, D R., Nelen, J. A.,
Ramik, R. A., and Innes, J.).

Mineralogical Magazine, 54, 105-108 (1990)

Jahnsite-(CaMnMn), a new member of the whiteite group from Mangualde, Beira, Portugal.
(with Grice, J. D., and Ramik, R. A.)
American Mineralogist, 75, 401-404 (1990).

Wawayandaite, a new calcium manganese beryllium boron silicate from Franklin, New Jersey.
(and Peacor, D. R., Grice, J. D., Wicks, F. F., and Chi, P. H.)
American Mineralogist, 75, 405-408 (1990).

Lithiomarsturite, a new member of the pyroxenoid group, from North Carolina.
(with Peacor, D. R., White, J. S., Jr., Grice, J. D., and Chi, P. H.)
American Mineralogist, 75, 409-414 (1990).

Kegelite from Tsumeb, Namibia: A redefinition. (and Braithwaite, R. S. W., Roberts, A. C.,
and Ramik, R. A.).

American Mineralogist, 75, 702-704 (1990)

Redefinition of volkovskite and its description from Sussex, New Brunswick.

(with Mandarino, J. A., Rachlin, A. L., Le Page, Y., Back, M. E., Murowchick, B. L., Ramik, R. A., and Falls, R. B.) Canadian Mineralogist, 28, 351-356 (1990).

A new lead sulfate oxychloride related to the nadorite group, from Brilon, Germany.

(with Rouse, R.)

Neues Jahrbuch fur Mineralogie, Monatshefte (1990) 337-342. (1990)

An uncommon margarite/corundum assemblage from Sterling Hill, New Jersey. (and Frondel, C.)

Mineralogical Record, 21, 425-427 (1990).

Crystal structure of alvanite, $(\text{Ni}, \text{Zn})\text{Al}_4(\text{VO}_3)_2(\text{OH})_{12} \cdot 2\text{H}_2\text{O}$, the first example of an unbranched zweier-single chain vanadate in nature. (with Pertlik, F.)

Neues Jahrbuch fur Mineralogie, Monatshefte (1990), 385-392. (1990).

The discreditation of mineral species.

American Mineralogist, 75, 928-930 (1990).

Mineralogical Record, 22, 91-93.

Orlymanite, $\text{Ca}_4\text{Mn}_3\text{Si}_8\text{O}_{20}(\text{OH})_6 \cdot 2\text{H}_2\text{O}$, a new mineral from South Africa: A link between gyrolite-family and conventional phyllosilicate minerals? (with Peacor, D. R., Nelen, J.)
American Mineralogist, 75, 923-927 (1990)

Specialization in mineral collecting (and Francis, C. A.)

Mineralogical Record, 21, 511-513. (1990)

Andrewsite and Taubmannite formally discredited.

American Mineralogist, 75, 1197-1199 (1990).

Flexibility of the zeolite rho framework. Effect of dehydration on the crystal structure of the bryllophosphate mineral, pahasapait, and related minerals. (with Corbin, D. R., Abrams, L., Jones, G. A., Gier, T. E., Harlow, R. L., and Parise, J. B.)

Material Research Society Meeting, 1990, Boston Massachusetts (extended abstract), p. 23-25.

Mineral research in museums (and Grice, J. D.)

Mineralogical Record, 22, 7-10. (1991).

Book Review: Handbook of Mineralogy.

Mineralogical Record, 22, 59-60. (1991).

Montesommaite, $(K, Na)_9 Al_9 Si_{23}O_{64} \cdot 10H_2O$, a new zeolite related to merlinoite and the gismondine group. (with Rouse, R. C., Grice, J. D., Schlenker, J. L., and Higgins, J. B. American Mineralogist, 75, 1415-1420. (1991).

Locality species lists.

Mineralogical Record, 22, 133-134. (1991).

Alvanite from Kazakhstan, U. S. S. R.: new crystallographic and chemical data.

(and Roberts, A. C. and Pertlik, F.)

Mineralogical Magazine, 54, 609-611. (1991)

Flexibility of the zeolite RHO framework: Effect of dehydration on the crystal structure of the beryllophosphate mineral, pahasapaite. (with Corbin, D. R., Abrams, L., Jones, G. A., and Harlow, R. L.).
Zeolites, 11, 364-367. (1991).

Suggestions for more accurate locality notations.

Mineralogical Record, 22, 330. (1991).

The resurrection of Sterling Hill (and Kozykowski, B. T.)

Mineralogical Record, 22, 367-376 (1991).

Cianciulliite, a new magnesium manganese zinc hydroxide from Franklin, New Jersey.

(and Grice, J. D., Criddle, A., and Stanley, C.)

American Mineralogist, 76, 1708-1711 (1991).

The crystal structure of cianciulliite, $Mn(Mn, Mg)_2 Zn_2(OH)_{10} \cdot 2-4H_2O$. (with Grice, J. D.)

American Mineralogist, 76, 1711-1714 (1991).

Rare minerals of the Kombat Mine, Namibia.

Mineralogical Record, 22, 421-424 (1991).

New Minerals: what collectors can do to help.

Mineralogical Record, 23, 2-3 (1992).

Ferrilotharmeyerite, a new Ca-Zn-Fe³⁺ hydroxyl arsenate from Tsumeb, Namibia.

(with Ansell, H. G., Roberts, A. C., Birch, W. D., Ansell, V. E., and Grice, J. D.)

Canadian Mineralogist, 30, 215-217 (1992).

Parafranoseletite, a new dimorph of francoisite from the Tip Top Pegmatite, Custer, South Dakota (with Kampf, A. R. and Foord, E. E.)
American Mineralogist, 77, 843-847 (1992).

Franklinphilit, the manganese analog of stilpnomelane, from Franklin, New Jersey.
(and Peacor, D. R. and Su, S. -C.)
Mineralogical Record, 23, 465-468 (1992).

Attakolite: New data and crystal-structure determination. (with Grice, J. D.)
American Mineralogist, 77, 1285-1291 (1992).

Mineral identification in the home laboratory: some useful techniques.
Mineralogical Record, 24, 3-10 (1993).
Gea: Stichting Geologische Aktiviteiten, 1993, #4, 119-126 (1993).

Arsenogorceixite von der Grube Clara im mittleren Schwarzwald. (with K. Walenta)
Der Aufschluss, 44, 250-254 (1993).

Iowaite, a re-investigation. (with Braithwaite, R. S. W., Pritchard, R. G., and Paar, W. H.)
Mineralogical Magazine, 58, 79-85 (1994)

Chavesite discredited (with A. R. Kampf)
American Mineralogist, 79, 385-386 (1994)

Samfowlerite, a new Ca Mn Zn berylllosilicate mineral from Franklin, New Jersey:
its characterization and crystal structure. (with Rouse, R. C., Peacor, D. R.,
Su, S. -C., Chi, P. H., and Yeates, H.)
Canadian Mineralogist, 32, 43-53 (1994).

Crystal structure refinement of Mg- and Zn-rich sonolite from Franklin and
Sterling Hill, New Jersey (with Grice, J. D.)
Mineralogical Magazine, 58, 333-336 (1994).

Johninnesite: Crystal-structure determination and its relationship to other
arsenosilicates. (with Grice, J. D.)
American Mineralogist, 79, 991-995 (1994).

Benuite, a new mineral of the crandallite group from the Clara Mine in the Central Black Forst, Germany (with Walenta, K., and Birch, W. D.)
Chemie der Erde. 56, 171-176 (1996)

Franklin and Sterling Hill, New Jersey: the world's most magnificent mineral deposits.
Monograph published in 5 volumes. Published by the author. Distributed by the Franklin-Ogdensburg Mineralogical Society, P.O. Box 146, Franklin, NJ 07416 (1995), 756

Franklin and Sterling Hill, New Jersey: the world's most magnificent mineral deposits.
Two supplemental volumes to the monograph listed above; Publication and distribution information is the same. (1996).

The Story of Franklin and Sterling Hill. Publication and distribution information is the same as for the 1995 monograph. (1997).

Magnificent rocks: the story of mining, men, and minerals at Franklin and Sterling Hill, New Jersey (with Cooper, S. B.). Published by the authors. Distributed by Book Distributor, 14 Ravine Drive, Newton, NJ 07860 (1997).

Structural studies of the natural antimonian pyrochlores (with Rouse, R. C.; Peacor, D. R., and Wang, L.) Journal of Solid State Chemistry, 141, 562-569 (1998).

Crystal structure determination of pinalite (with J. D. Grice)
American Mineralogist, 85, 806-809 (2000).

38/38
①