# **REGION 2 SENSITIVE SPECIES EVALUATION FORM**

	Rank	Rationale	Literature Citations
1 Distribution within R2	AD	Slender Mountain-ricegrass occurs in the Black Hills of Crook County, Wyoming, on the Black Hills National Forest. It also occurs in Colorado and South Dakota, including Black Hills National Forest. Therefore, more information is necessary in order to determine its status in Region 2.  This species is found in dry, rocky or sandy woods. It occurs at 6500 feet in Wyoming. Its range in the state is very limited and it is known only from a historic record. In Colorado, it is characterized as "Infrequent, our records from pine forests, Arkansas Divide, Black Forest area" (Weber and Wittman 2001).	<ul> <li>Dorn 2001</li> <li>Fertig 2000</li> <li>Gleason and Cronquist 1991</li> <li>Hallsten et al. 1987</li> <li>Larson and Johnson 1999</li> <li>University of Wyoming 1998</li> <li>Weber and Witmann 2001</li> </ul>
	_	Confidence in Rank Medium  Slender Mountain-ricegrass is known from Newfoundland to the Yukon and south to	Fertig 2000
2 Distribution outside R2	В	West Virginia, Illinois, South Dakota, and Colorado. It is disjunct in the Black Hills of Wyoming and South Dakota.	<ul> <li>Gleason and Cronquist 1991</li> <li>Larson and Johnson 1999</li> </ul>
	_	Confidence in Rank High Dispersal vectors are unknown.	
3 Dispersal Capability	D	Confidence in Rank High	• -
4 Abundance in R2	AD	Slender Mountain-ricegrass is known from a single occurrence in Wyoming, last observed in 1950. Abundance is not known, although it is apparently limited to a small geographic area. This species is ranked "SH" in Wyoming, it is present in Colorado but not ranked, and it is ranked "S4" in South Dakota.  Confidence in Rank Medium	<ul> <li>Fertig 2000</li> <li>Hallsten et al. 1987</li> <li>Larson and Johnson 1999</li> <li>NatureServe 2002</li> <li>WYNDD 2002</li> </ul>
	<u> </u>	Not known.	• -
5 Population Trend in R2	D		

Species: C	)ryzopsis	s pungens / Slender Mountain-ricegrass [Piptatherum pungens]			
Criteria	Rank	Rationale	re Citations		
6 Habitat Trend in R2	D	Not known.	•	-	
		Confidence in Rank High			
Habitat Vulnerability or Modification	D	Threats are not known. The only known occurrence is within the Inyan Kara Historic Site on the Black Hills National Forest.  Confidence in Rank High	•	Fertig 2000 Hallsten et al. 1987 Larson and Johnson 1999 WYNDD 2002	
8 Life History and Demographics	D	Slender Mountain-ricegrass is a tufted, perennial grass.  Confidence in Rank High	•	Fertig 2000 Gleason and Cronquist 1991 Hallsten et al. 1987	
Initial Evalua Joy Handley,	Date: April 16, 2002				

National Forests in the Rocky Mountain Region where species is KNOWN (K) or LIKELY(L)<sup>1</sup> to occur:

<sup>&</sup>lt;sup>1</sup> Likely is defined as more likely to occur than not occur on the National Forest or Grassland. This generally can be thought of as having a 50% chance or greater of appearing on NFS lands.

Colorado NF/NG		Kansas NF/NG			Nebraska NF/NG		South Dakota			Wyoming NF/NG		
	Known		Known	Likely		Known	NF/NG	Known	Likely		Known	Likely
Arapaho-Roosevelt NF		Cimmaron NG			Samuel R.McKelvie NF		Black Hills NF	X		Shoshone NF		
White River NF					Halsey NF		Buffalo Gap NG			Bighorn NF		
Routt NF					Nebraska NF		Ft. Pierre NG			Black Hills NF	?	
Grand Mesa,					Ogalala NG					Medicine Bow NF		1
Uncompahgre,												ł
Gunnison NF												l
San Juan NF										Thunder Basin NG		l
Rio Grande NF												1
Pike-San Isabel NF												1
Comanche NG												

### Literature cited

Dorn, R.D. 2001. Vascular Plants of Wyoming, third edition. Mountain West Publishing, Cheyenne, WY.

Fertig, W. 2000. State Species Abstract: Oryzopsis pungens. Wyoming Natural Diversity Database. Available on the internet at www.uwyo.edu/wyndd

Gleason, H.A. and A. Cronquist. 1991. Manual of Vascular Plants of Northeastern United States and Canada. New York Botanical Garden, Bronx, NY.

Hallsten, G.P., Q.D. Skinner, and A.A. Beetle. 1987. Grasses of Wyoming, 3rd Ed. Research Journal 202, Agricultural Experiment Station, University of Wyoming, Laramie.

Holmgren, N. 1998. Illustrated Companion to Gleason and Cronquist's Manual - Illustrations of the Vascular Plants of Northeastern United States and Adjacent Canada. New York Botanical Garden, Bronx NY.

Larson, G.E. and J.R. Johnson. 1999. Plants of the Black Hills and Bear Lodge Mountains. South Dakota State University College of Agriculture and Biological Sciences & South Dakota Agricultural Experiment Station, Brookings, SD.

NatureServe. 2002. Explorer – an encyclopedia of life. Plant and animal data posted at www.natureserveexplorer.org, Arlington, VA.

University of Wyoming – Rocky Mountain Herbarium. 1998. Atlas of the Flora of Wyoming. Posted electronically through 1998 at: <a href="http://www.esb.utexas.edu/tchumley/wyomap/">http://www.esb.utexas.edu/tchumley/wyomap/</a> and unposted accession information at the Rocky Mountain Herbarium through 2001.

USDA Forest Service – Region 2. 2001. "Wyoming plant species" evaluation list and criteria provided to Wyoming Natural Diversity Database. Denver, CO.

Weber, W.A. and R.C. Wittman. 2001. Colorado Flora – Eastern Slope, third edition. University Press of Colorado.

Wyoming Natural Diversity Database. 2002. Ongoing documentation of sensitive species distribution, biology, status, and references for the state of Wyoming. University of Wyoming, Laramie.