
APPENDIX E

VASCULAR PLANTS OF THE LAKE TAHOE BASIN

APPENDIX E

VASCULAR PLANTS OF THE LAKE TAHOE BASIN

Erik M. Holst and Sheryl L. Ferguson

Table E-1—Documented and potential vascular plant species of the Lake Tahoe basin. Reliability codes: 1 = high--documented occurrence; 2 = moderate--potentially occurring based on at least 2 sources; and 3 = low--potentially occurring based on a single source. TESC = Federal or State threatened, endangered, or special concern. Rare = rare - highly restricted or rare - limited occurrence (Skinner and Pavlick 1994, Dennis 1995). Sierra Nevada endemic status is from Shevock (1996). Harvest codes: CH = commercial harvest, M = medicinal, WH = Washoe use. Agency emphasis = TRPA special interest or USDA Forest Service sensitive. Sources: Smith (1973, 1983), Manley and Schlesinger (in prep), and USDA (1995a). All taxa in Dennis (1995) except for those noted with a *.

Scientific name	Common name	Reliability	Ecological Criteria			Cultural Criteria		Source			
			T,E,SC	Rare	SN endemic	Exotic	Harvest	Agency emphasis	Smith	Manley Schlesinger	USDA
<i>Abies concolor</i>	White fir	1					CH, WH,M		X	X	
<i>Abies magnifica</i>	California red fir	1					CH		X	X	
<i>Abies magnifica</i> var. <i>magnifica</i>	California red fir	1					CH		X	X	
<i>Abronia turbinata</i>	Transmontane sand verbena	3					M				
<i>Acer glabrum</i>	Rocky Mountain maple	1					M		X	X	
<i>Acer glabrum</i> var. <i>torreyi</i>	Torrey's maple	1					M		X		
<i>Achillea millefolium</i>	Yarrow	1					WH, M		X	X	
<i>Achnatherum hymenoides</i>	Indian ricegrass	1							X		
<i>Achnatherum lemmonii</i>	Lemmon's needlegrass	3									
<i>Achnatherum lettermanii</i>	Formerly "Stipa lettermanii"	1							X	X	
<i>Achnatherum nelsonii</i> *		3									
<i>Achnatherum nelsonii</i> ssp. <i>dorei</i>	Dore's needlegrass, Williams needlegrass	3									
<i>Achnatherum nevadense</i>	Nevada needlegrass	3									
<i>Achnatherum occidentale</i>	Western needlegrass	1							X	X	

Scientific name	Common name	Reliability	Ecological Criteria				Cultural Criteria		Source		
			T,E,SC	Rare	SN endemic	Exotic	Harvest	Agency emphasis	Smith	Manley Schlesinger	USDA
<i>Achnatherum occidentale</i> ssp. <i>californicum</i>	California needlegrass	1							X		
<i>Achnatherum occidentale</i> ssp. <i>pubescens</i>	Elmer's needlegrass	1							X		
<i>Achnatherum pinetorum</i>	Pine stipa	1							X		
<i>Achnatherum thurberianum</i>	Thurber's needlegrass	3									
<i>Achnatherum webberi</i>	Webber's needlegrass	3									
<i>Aconitum columbianum</i>	Monkshood	1							X	X	
<i>Actaea rubra</i>	Baneberry	1					M		X	X	
<i>Adenocaulon bicolor</i>	American trailplant	1					M		X	X	
<i>Adiantum aleuticum</i>	Five-fingered fern	1					M		X	X	
<i>Adiantum capillus-veneris</i>	Southern maiden	1					M			X	
<i>Agastache parvifolia</i>	Small-leaved horsemint	1								X	
<i>Agastache urticifolia</i>	Nettleleaf giant hyssop	1							X	X	
<i>Ageratina occidentalis</i>	Western snakeroot	1							X	X	
<i>Agoseris aurantiaca</i>	Orange agoseris	1					M		X		
<i>Agoseris elata</i>	Tall agoseris	1							X	X	
<i>Agoseris glauca</i>	Glaucous mountain-dandelion	1							X	X	
<i>Agoseris glauca</i> var. <i>laciniata</i>	False agoseris	3									
<i>Agoseris glauca</i> var. <i>monticola</i>	Pale agoseris	3									
<i>Agoseris grandiflora</i>	Bigflower agoseris	1							X		
<i>Agoseris heterophylla</i>	Annual agoseris	1							X	X	
<i>Agoseris retrorsa</i>	Spearleaf agoseris	1							X	X	
<i>Agropyron desertorum</i>	Desert wheatgrass	1					X		X	X	
<i>Agrostis exarata</i>	Spike bentgrass	1							X	X	
<i>Agrostis gigantea</i>	Giant mountain-dandelion	1					X		X		
<i>Agrostis humilis</i>	Mountain bentgrass	1		X					X		
<i>Agrostis idahoensis</i>	Idaho bentgrass	1							X		
<i>Agrostis oregonensis</i>	Oregon bentgrass	1							X		
<i>Agrostis pallens</i>	Seashore bentgrass	1							X		
<i>Agrostis scabra</i>	Rough bentgrass	1							X		

Scientific name	Common name	Reliability	Ecological Criteria				Cultural Criteria		Source		
			T,E,SC	Rare	SN endemic	Exotic	Harvest	Agency emphasis	Smith	Manley Schlesinger	USDA
<i>Agrostis stolonifera</i>	Creeping bentgrass	1				X			X		
<i>Agrostis thurberiana</i>	Thurber's bentgrass	1							X		
<i>Agrostis variabilis</i>	Mountain bentgrass	1							X		
<i>Allium anceps</i>	Twinleaf onion	3									
<i>Allium bisceptrum</i> *		3									
<i>Allium bisceptrum</i> var. <i>bisceptrum</i>	Twincrest onion	3					WH, M				
<i>Allium campanulatum</i>	Dusky onion	1							X	X	
<i>Allium obtusum</i>		1							X		
<i>Allium parvum</i>	Small onion	3									
<i>Allium platycaule</i>	Broadstemmed onion	1							X		
<i>Allium validum</i>	Pacific onion	1					WH		X	X	
<i>Allophylllum gilioides</i>	Dense false gilia	1							X		
<i>Allophylllum gilioides</i> ssp. <i>gilioides</i>	Dense false gilia	3									
<i>Allophylllum gilioides</i> ssp. <i>violaceum</i>	Dense false gilia	1							X		
<i>Allophylllum integrifolium</i>	White false gilia	1							X		
<i>Allotropa virgata</i>	Sugarstick	1							X	X	
<i>Alnus incana</i> *		1							X	X	
<i>Alnus incana</i> ssp. <i>tenuifolia</i>	Mountain alder	1					M		X	X	
<i>Alnus rhombifolia</i>	White alder	1					M			X	
<i>Alopecurus aequalis</i>	Shortawn foxtail	1							X	X	
<i>Amaranthus californicus</i>	California amaranth	3									
<i>Ambrosia acanthicarpa</i>	Flatspine burr ragweed	1							X		
<i>Amelanchier alnifolia</i>	Service-berry	1					M, WH		X	X	
<i>Amelanchier alnifolia</i> var. <i>pumila</i>	Service-berry	1					M		X		
<i>Amelanchier utahensis</i>	Utah service-berry	1					M		X	X	
<i>Amsinckia tessellata</i>	Devil's lettuce	3									
<i>Anaphalis margaritacea</i>	Pearlyeverlasting	1					M		X	X	
<i>Androsace septentrionalis</i> *		3									
<i>Androsace septentrionalis</i> ssp. <i>subumbellata</i>	Pygmyflower rockjasmine	3					M				

Scientific name	Common name	Reliability	Ecological Criteria				Cultural Criteria		Source		
			T,E,SC	Rare	SN endemic	Exotic	Harvest	Agency emphasis	Smith	Manley Schlesinger	USDA
<i>Anelsonia eurycarpa</i>	Daggerpod	1			X				X		
<i>Anemone drummondii</i>	Drummond's anemone	1							X		
<i>Anemone occidentalis</i>	White pasqueflower	1					M		X		
<i>Angelica breweri</i>	Brewer's angelica	1					WH		X	X	
<i>Angelica californica</i>	California angelica	1								X	
<i>Antennaria argentea</i>	Silver pussytoes	1							X	X	
<i>Antennaria corymbosa</i>	Flattop pussytoes	1							X		
<i>Antennaria dimorpha</i>	Low pussytoes	1							X		
<i>Antennaria geyeri</i>	Pussytoes	1							X	X	
<i>Antennaria media</i>	Rocky Mountain pussytoes	1							X		
<i>Antennaria pulchella</i>	Pussytoes	3		X							
<i>Antennaria rosea</i>	Rosy pussytoes	1					M		X	X	
<i>Antennaria rosea</i> ssp. <i>confinis</i>	Rosy pussytoes	3					M				
<i>Antennaria umbrinella</i>	Umber pussytoes	1							X		
<i>Antirrhinum leptaleum</i>	Spurred toadsmouth	3									
<i>Antirrhinum vexillo-calyculatum</i>		3									
<i>Apocynum androsaemifolium</i>	Mountain dogbane, smooth mountain dogbane	1					M		X	X	
<i>Apocynum cannabinum</i>	Indianhemp	3					M				
<i>Aquilegia formosa</i>	Western columbine	1					M		X	X	
<i>Arabis davidsonii</i>	Davidson's rockcress	3									
<i>Arabis drummondii</i>	Drummond's rockcress	1							X		
<i>Arabis glabra</i>	Tower rockcress	1					M		X	X	
<i>Arabis glabra</i> var. <i>glabra</i>	Tower rockcress	3					M				
<i>Arabis hirsuta</i>	Hairy rockcress	3									
<i>Arabis hirsuta</i> var. <i>glabrata</i>	Mountain rockcress	3									
<i>Arabis hirsuta</i> var. <i>pyncocarpa</i>	Hairy rockcress	3									
<i>Arabis holboellii</i>	Holboell's rockcress	1								X	
<i>Arabis holboellii</i> var. <i>pendulocarpa</i>	Dropseed rockcress	1							X		
<i>Arabis holboellii</i> var. <i>pinetorum</i>	Holboell's rockcress	1							X		

Scientific name	Common name	Reliability	Ecological Criteria				Cultural Criteria		Source		
			T,E,SC	Rare	SN endemic	Exotic	Harvest	Agency emphasis	Smith	Manley Schlesinger	USDA
<i>Arabis holboellii</i> var. <i>retrofracta</i>	Second rockcress	1							X		
<i>Arabis lemmonii</i>	Lemmon's rockcress	1							X		
<i>Arabis lemmonii</i> var. <i>depauperata</i>	Soldier rockcress	1							X		
<i>Arabis lemmonii</i> var. <i>lemmonii</i>	Lemmon's rockcress	1							X		
<i>Arabis lyallii</i>	Lyall's rockcress	1							X		
<i>Arabis lyallii</i> var. <i>lyallii</i>	Lyall's rockcress	3									
<i>Arabis lyallii</i> var. <i>nubigena</i>	Lyall's rockcress	3									
<i>Arabis platysperma</i>	Pioneer rockcress	1							X		
<i>Arabis platysperma</i> var. <i>howellii</i>	Howell's pioneer rockcress	1							X		
<i>Arabis platysperma</i> var. <i>platysperma</i>	Pioneer rockcress	1							X		
<i>Arabis puberula</i>	Silver rockcress	1							X		
<i>Arabis pulchra</i>	Beauty rockcress	3									
<i>Arabis pulchra</i> var. <i>pulchra</i>	Desert rockcress	3									
<i>Arabis rectissima</i> *		1							X	X	
<i>Arabis rectissima</i> var. <i>rectissima</i>	Bristlyleaf rockcress	1							X	X	
<i>Arabis repanda</i>	Yosemite rockcress	1							X		
<i>Arabis repanda</i> var. <i>repanda</i>	Yosemite rockcress	3									
<i>Arabis rigidissima</i>	Trinity Mountain rockcress	3									
<i>Arabis rigidissima</i> var. <i>demota</i>	Galena Creek rockcress	3	X	X	X			X			
<i>Arabis sparsiflora</i>	Sicklepod rockcress	1							X		
<i>Arabis sparsiflora</i> var. <i>sparsiflora</i>	Sicklepod rockcress	3									
<i>Arabis suffrutescens</i>	Woody rockcress	1							X		
<i>Arabis suffrutescens</i> var. <i>suffrutescens</i>	Woody rockcress	3									
<i>Arabis Xdivaricarpa</i> *	Spreadingpod rockcress	3									
<i>Arceuthobium abietinum</i>	Fir dwarf-mistletoe	3									
<i>Arceuthobium americanum</i>	American dwarf mistletoe	1					M		X		
<i>Arceuthobium californicum</i>	Sugar pine dwarf mistletoe	3									
<i>Arceuthobium campylopodium</i>	Western dwarf mistletoe	1					M		X	X	
<i>Arctostaphylos nevadensis</i>	Pinemat manzanita	1					WH, M		X	X	

Scientific name	Common name	Reliability	Ecological Criteria				Cultural Criteria		Source		
			T,E,SC	Rare	SN endemic	Exotic	Harvest	Agency emphasis	Smith	Manley Schlesinger	USDA
<i>Arctostaphylos nevadensis</i> × <i>patula</i> *		1							X		
<i>Arctostaphylos patula</i>	Greenleaf manzanita	1					M, WH		X	X	
<i>Arenaria aculeata</i>	Prickly sandwort	1							X		
<i>Arenaria congesta</i>	Ballhead sandwort	1					M		X		
<i>Arenaria congesta</i> var. <i>congesta</i>	Ballhead sandwort	3					M				
<i>Arenaria congesta</i> var. <i>crassula</i>	Ballhead sandwort	3					M				
<i>Arenaria congesta</i> var. <i>subcongesta</i>	Subcongesta sandwort	1					M		X		
<i>Arenaria congesta</i> var. <i>suffrutescens</i>	Suffrutescent sandwort	1					M		X		
<i>Arenaria kingii</i> *		1							X		
<i>Arenaria kingii</i> var. <i>glabrescens</i>	Prickly sandwort	1							X		
<i>Argemone munita</i>	Flatbud pricklypoppy	3					M				
<i>Arnica amplexicaulis</i>	Clasping arnica	3									
<i>Arnica chamissonis</i> *		1							X	X	
<i>Arnica chamissonis</i> ssp. <i>foliosa</i>	Chamisso arnica	1							X	X	
<i>Arnica cordifolia</i>	Heartleaf arnica	1					M		X	X	
<i>Arnica discoidea</i>	Rayless arnica	1							X		
<i>Arnica diversifolia</i>	Rayless arnica	1							X		
<i>Arnica latifolia</i>	Broadleaf arnica	1					M		X		
<i>Arnica longifolia</i>	Spearleaf arnica	1							X	X	
<i>Arnica mollis</i>	Hairy arnica	1							X	X	
<i>Arnica nevadensis</i>	Nevada arnica	1							X		
<i>Arnica parryi</i>	Parry's arnica	1							X		
<i>Arnica sororia</i>	Twin arnica	1		X						X	
<i>Arnica tomentella</i>	Recondite arnica	1							X		
<i>Artemisia arbuscula</i>	Low sagebrush	1							X		
<i>Artemisia arbuscula</i> ssp. <i>arbuscula</i>	Gray low sagebrush	3									
<i>Artemisia cana</i> *		3									
<i>Artemisia cana</i> ssp. <i>bolanderi</i>	Silver sagebrush	3					M				
<i>Artemisia douglasiana</i>	Douglas' sagewort	1					M		X	X	

Scientific name	Common name	Reliability	Ecological Criteria				Cultural Criteria		Source		
			T,E,SC	Rare	SN endemic	Exotic	Harvest	Agency emphasis	Smith	Manley Schlesinger	USDA
<i>Artemisia dracunculus</i>	Tarragon	1					M		X		
<i>Artemisia ludoviciana</i>	Louisiana sagewort	1					M		X		
<i>Artemisia ludoviciana</i> ssp. <i>candicans</i>	Gray sagewort	3					M				
<i>Artemisia ludoviciana</i> ssp. <i>incompta</i>	Mountain sagewort	1					M		X		
<i>Artemisia ludoviciana</i> ssp. <i>ludoviciana</i>	Foothill sagewort	3					M				
<i>Artemisia norvegica</i> *		1							X		
<i>Artemisia norvegica</i> ssp. <i>saxatilis</i>	Boreal sagewort boreal sagebrush	1							X		
<i>Artemisia nova</i>	Black sagebrush	3					M				
<i>Artemisia rothrockii</i>	Timberline sagebrush	1							X		
<i>Artemisia tridentata</i>	Big sagebrush	1					M		X	X	
<i>Artemisia tridentata</i> ssp. <i>tridentata</i>	Basin big sagebrush	3					M				
<i>Artemisia tridentata</i> ssp. <i>vaseyana</i>	Mountain big sagebrush	3					M				
<i>Artemisia tridentata</i> ssp. <i>wyomingensis</i>	Wyoming big sagebrush	3					M				
<i>Asarum hartwegii</i>	Hartweg's wildginger	3									
<i>Asclepias cordifolia</i>	Heartleaf milkweed	1							X		
<i>Asclepias eriocarpa</i>	Woollypod milkweed	3					M				
<i>Asclepias speciosa</i>	Showy milkweed	1					M		X		
<i>Aspidotis densa</i>	Indian's dream	1							X	X	
<i>Asplenium trichomanes-ramosum</i>	Green spleenwort	1								X	
<i>Aster alpigenuus</i> *		1							X	X	
<i>Aster alpigenuus</i> var. <i>andersonii</i>	Anderson's aster	1						X	X	X	
<i>Aster ascendens</i>	Chilean aster	1							X		
<i>Aster breweri</i>	Brewer's aster	1							X	X	
<i>Aster campestris</i>	Meadow aster	1							X		
<i>Aster eatonii</i>	Eaton's aster	1							X		
<i>Aster foliaceus</i> *		1							X		
<i>Aster foliaceus</i> var. <i>lyallii</i>	Lyll aster	3					M				
<i>Aster foliaceus</i> var. <i>parryi</i>	Parry's Aster	1					M		X		
<i>Aster frondosus</i>	Leafy rayless aster short-rayed	3					M				

Scientific name	Common name	Reliability	Ecological Criteria				Cultural Criteria		Source			
			T,E,SC	Rare	SN endemic	Exotic	Harvest	Agency emphasis	Smith	Manley Schlesinger	USDA	
	alkali aster											
<i>Aster integrifolius</i>	Thickstem aster	1								X	X	
<i>Aster occidentalis</i>	Western aster	1								X	X	
<i>Aster occidentalis</i> var. <i>occidentalis</i>	Western aster	1								X		
<i>Aster occidentalis</i> var. <i>yosemitanus</i>	Western bog aster	1								X		
<i>Aster oregonensis</i>	Oregon aster	1								X		
<i>Aster peirsonii</i>	Peirson's aster	1			X						X	
<i>Aster scopulorum</i>	Alpine ionactis	3										
<i>Astragalus andersonii</i>	Anderson's milkvetch	1								X		
<i>Astragalus austiniiae</i>	Austin's milkvetch	1			X					X		
<i>Astragalus bolanderi</i>	Bolander's milkvetch	1								X		
<i>Astragalus canadensis</i> *		3										
<i>Astragalus canadensis</i> var. <i>brevidens</i>	Shorttooth Canadian milkvetch	3						M				
<i>Astragalus curvicaarpus</i> *		3										
<i>Astragalus curvicaarpus</i> var. <i>curvicaarpus</i>	Curvepod milkvetch	3										
<i>Astragalus iodanthus</i> *		3										
<i>Astragalus iodanthus</i> var. <i>iodanthus</i>	Humboldt River milkvetch	3										
<i>Astragalus lemmonii</i>	Lemmon's milkvetch	3										
<i>Astragalus lentiginosus</i>	Specklepod milkvetch	1						M		X		
<i>Astragalus lentiginosus</i> var. <i>ineptus</i>	Speckledpod milkvetch	3						M				
<i>Astragalus malacus</i>	Shaggy milkvetch	3										
<i>Astragalus purshii</i>	Woollypod milkvetch	1						M		X		
<i>Astragalus purshii</i> var. <i>lectulus</i>	Woollypod milkvetch	3						M				
<i>Astragalus purshii</i> var. <i>purshii</i>	Pursh's milkvetch	3						M				
<i>Astragalus purshii</i> var. <i>tinctus</i>	Woollypod milkvetch	3						M				
<i>Astragalus whitneyi</i>	Balloon pod milkvetch	1								X		
<i>Astragalus whitneyi</i> var. <i>confusus</i>	Conelike milkvetch	3										
<i>Astragalus whitneyi</i> var. <i>lenophyllus</i>	Balloon pod milkvetch	3			X							
<i>Astragalus whitneyi</i> var. <i>whitneyi</i>	Whitney's milkvetch	3										

Scientific name	Common name	Reliability	Ecological Criteria				Cultural Criteria		Source		
			T,E,SC	Rare	SN endemic	Exotic	Harvest	Agency emphasis	Smith	Manley Schlesinger	USDA
<i>Athyrium alpestre</i> *		1							X	X	
<i>Athyrium alpestre</i> var. <i>americanum</i>	American alpine lady fern alpine lady-fern	1							X	X	
<i>Athyrium filix-femina</i> *		1							X	X	
<i>Athyrium filix-femina</i> var. <i>cyclosorum</i>	Subarctic ladyfern	1					M		X	X	
<i>Atriplex canescens</i>	Fourwing saltbush	3					M				
<i>Atriplex canescens</i> ssp. <i>canescens</i>	Shadscale	3					M				
<i>Atriplex truncata</i>	Wedgescale saltbush	3									
<i>Azolla mexicana</i>	Mexican azolla	3		X							
<i>Balsamorhiza sagittata</i>	Arrowleaf balsamroot	1					M, WH		X	X	
<i>Barbarea orthoceras</i>	American yellowrocket	1					WH		X	X	
<i>Bassia hysopifolia</i>	Fivehorn smotherweed	1							X		
<i>Berberis aquifolium</i>	Hollyleaved barberry	1					M			X	
<i>Berberis aquifolium</i> var. <i>aquifolium</i>	Oregon grape	3					M				
<i>Betula occidentalis</i>	Water birch	1							X		
<i>Bolandra californica</i>	Sierra false coolwort	1		X					X		
<i>Boschniakia strobilacea</i>	California groundcone	3									
<i>Botrychium ascendens</i>	Trianglelobe moonwort	3		X				X			
<i>Botrychium multifidum</i>	Leathery grapefern	1								X	
<i>Botrychium simplex</i>	Little grapefern	3									
<i>Boykinia major</i>	Large boykinia	1							X		
<i>Brasenia schreberi</i>	Watershield	1							X		
<i>Brassica rapa</i>	Field mustard	1				X	M		X	X	
<i>Brickellia grandiflora</i>	Tasselflower brickellbush	1					M		X		
<i>Brickellia greenei</i>	Greene brickellbush	1							X		
<i>Brickellia microphylla</i>	Littleleaf brickellbush	3									
<i>Bromus anomalus</i>	Nodding brome	1							X		
<i>Bromus carinatus</i>	California brome	1							X	X	
<i>Bromus carinatus</i> var. <i>carinatus</i>	California brome	1							X		
<i>Bromus ciliatus</i>	Fringed brome	1					M		X		

Scientific name	Common name	Reliability	Ecological Criteria				Cultural Criteria		Source		
			T,E,SC	Rare	SN endemic	Exotic	Harvest	Agency emphasis	Smith	Manley Schlesinger	USDA
<i>Bromus hordeaceus</i>	Soft chess	1				X			X		
<i>Bromus inermis</i> *		1							X		
<i>Bromus inermis</i> ssp. <i>inermis</i>	Smooth brome	1							X		
<i>Bromus laevipes</i>	Chinook brome	1								X	
<i>Bromus madritensis</i>	Compact brome	3				X					
<i>Bromus orcuttianus</i>	Orcutt's brome	1							X	X	
<i>Bromus suksdorfii</i>	Suksdorf's brome	1							X	X	
<i>Bromus tectorum</i>	Cheatgrass	1				X	M		X	X	
<i>Bromus vulgaris</i>	Colombian brome	1							X	X	
<i>Bulbostylis capillaris</i>	Threadleaf beakseed	1								X	
<i>Calamagrostis canadensis</i>	Bluejoint	1							X	X	
<i>Calamagrostis stricta</i> *		1							X		
<i>Calamagrostis stricta</i> ssp. <i>inexpansa</i>	Northern reedgrass	1							X		
<i>Calamagrostis stricta</i> ssp. <i>stricta</i>	Slimstem reedgrass	3									
<i>Callitriche hermaphroditica</i>	Northern waterstarwort	3									
<i>Callitriche heterophylla</i>	Larger waterstarwort	1							X		
<i>Callitriche heterophylla</i> var. <i>bolanderi</i>	Bolander's water-starwort	3									
<i>Callitriche verna</i>	Vernal waterstarwort	1							X		
<i>Calocedrus decurrens</i>	Incense cedar	1					CH, WH		X	X	
<i>Calochortus leichlinii</i>	Smokey mariposa	1							X	X	
<i>Calochortus minimus</i>	Sierra Star Tulip	1							X		
<i>Calochortus nudus</i>	Naked mariposa lily	1							X		
<i>Caltha leptosepala</i> *		1							X	X	
<i>Caltha leptosepala</i> var. <i>biflora</i>	Howell's marshmarigold marsh marigold	1							X	X	
<i>Calyptidium monospermum</i>	One-seeded pussypaws	1								X	
<i>Calyptidium roseum</i>	Rosy pussypaws	1							X		
<i>Calyptidium umbellatum</i>	Cistanthe	1							X	X	
<i>Cahystegia malacophylla</i>	Sierra false bindweed	3									
<i>Cahystegia malacophylla</i> ssp. <i>malacophylla</i>	Sierra false bindweed	3									

Scientific name	Common name	Reliability	Ecological Criteria				Cultural Criteria		Source		
			T,E,SC	Rare	SN endemic	Exotic	Harvest	Agency emphasis	Smith	Manley Schlesinger	USDA
<i>Calystegia occidentalis</i>	Chaparral false bindweed	3					M				
<i>Camassia quamash</i>	Small camas	1							X	X	
<i>Camassia quamash</i> ssp. <i>breviflora</i>	Small camas	3									
<i>Camassia quamash</i> ssp. <i>quamash</i>	Camas small camas	1							X		
<i>Camissonia boothii</i>	Booth's sun cup	3									
<i>Camissonia claviformis</i>	Clavate-fruited primrose	3									
<i>Camissonia parvula</i>	Lewis River suncup	3									
<i>Camissonia pubens</i>	Hairy suncup	3									
<i>Camissonia pusilla</i>	Little wiry suncup	1							X		
<i>Camissonia subacaulis</i>	Stemless sun cup	1							X		
<i>Camissonia tanacetifolia</i>	Tansyleaf eveningprimrose	3									
<i>Capsella bursa-pastoris</i>	Shepherd's purse	1				X	M		X		
<i>Cardamine breweri</i>	Brewer's bittercress	1							X	X	
<i>Cardamine cordifolia</i> *		1							X	X	
<i>Cardamine cordifolia</i> var. <i>lyallii</i>	Lyall's bittercress	1							X	X	
<i>Cardamine nuttallii</i>	Nuttall's toothwort	3									
<i>Cardamine occidentalis</i>	Bitter-cress	1								X	
<i>Cardamine pachystigma</i>		3									
<i>Cardamine pachystigma</i> var. <i>pachystigma</i>		3									
<i>Cardamine pensylvanica</i>	Pennsylvania bittercress	1							X		
<i>Carduus acanthoides</i>	Plumeless thistle	3				X					
<i>Carduus nutans</i>	Musk Thistle	3				X					X
<i>Carex abrupta</i>	Abruptbeak sedge	1							X	X	
<i>Carex amplifolia</i>	Bigleaf sedge	1								X	
<i>Carex angustata</i>	Widefruit sedge	1							X	X	
<i>Carex aquatilis</i>	Water sedge	1							X	X	
<i>Carex athrostachya</i>	Slenderbeak sedge	1							X	X	
<i>Carex aurea</i>	Golden sedge	1							X	X	
<i>Carex bolanderi</i>	Bolander's sedge	1							X		

Scientific name	Common name	Reliability	Ecological Criteria				Cultural Criteria		Source		
			T,E,SC	Rare	SN endemic	Exotic	Harvest	Agency emphasis	Smith	Manley Schlesinger	USDA
<i>Carex brainerdii</i>	Brainerd's sedge	1							X		
<i>Carex breweri</i> *		1							X		
<i>Carex breweri</i> var. <i>breweri</i>	Brewer's sedge	1							X		
<i>Carex canescens</i>	Silvery sedge	1							X		
<i>Carex capitata</i>	Capitate sedge	1							X		
<i>Carex davyi</i>	Davy's sedge	1		X	X				X		
<i>Carex densa</i>	Dense sedge	1								X	
<i>Carex deweyana</i> *		1							X		
<i>Carex deweyana</i> ssp. <i>leptopoda</i>	Taperfruit shortscale sedge	1							X		
<i>Carex diandra</i>	Lesser paniced sedge	1							X		
<i>Carex disperma</i>	Softleaf sedge	3									
<i>Carex douglasii</i>	Douglas' sedge	1							X	X	
<i>Carex echinata</i>	Prickly sedge	1								X	
<i>Carex echinata</i> ssp. <i>echinata</i>	Prickley sedge	1							X		
<i>Carex feta</i>	Greensheath sedge	1							X		
<i>Carex filifolia</i>	Threadleaf sedge	1							X		
<i>Carex filifolia</i> var. <i>erostrata</i>	Shorthair sedge	1							X		
<i>Carex fissuricola</i>	Cleft sedge	1							X	X	
<i>Carex fracta</i>	Fragile sheath sedge	1							X	X	
<i>Carex hassei</i>	Saltsedge	3									
<i>Carex haydeniana</i>	Cloud sedge	1							X		
<i>Carex helleri</i>	Heller's sedge	1							X		
<i>Carex heteroneura</i>	Different nerve sedge	1							X	X	
<i>Carex heteroneura</i> var. <i>epapillosa</i>	Different nerve sedge	1							X		
<i>Carex heteroneura</i> var. <i>heteroneura</i>	Different nerve sedge	3									
<i>Carex hoodii</i>	Hood's sedge	1							X		
<i>Carex illota</i>	Sheep sedge	1							X		
<i>Carex integra</i>	Smoothbeak sedge	1							X	X	
<i>Carex jonesii</i>	Jones' sedge	1							X	X	

Scientific name	Common name	Reliability	Ecological Criteria				Cultural Criteria		Source		
			T,E,SC	Rare	SN endemic	Exotic	Harvest	Agency emphasis	Smith	Manley Schlesinger	USDA
<i>Carex lanuginosa</i>	Woolly sedge	1							X	X	
<i>Carex lemmonii</i>	Lemmon's sedge	1							X	X	
<i>Carex lenticularis</i>	Tufted sedge	1							X	X	
<i>Carex lenticularis</i> var. <i>impressa</i>	Lakeshore sedge	1							X		
<i>Carex lenticularis</i> var. <i>lipocarpa</i>	Kellogg sedge	1							X		
<i>Carex leporinella</i>	Sierra hare sedge	1							X		
<i>Carex limosa</i>	Mud sedge	1		X					X		
<i>Carex luzulaifolia</i>	Luzula-leaved sedge	1			X				X		
<i>Carex luzulina</i>	Woodrush sedge	1								X	
<i>Carex luzulina</i> var. <i>ablata</i>	Woodrush sedge	3									
<i>Carex luzulina</i> var. <i>luzulina</i>	Woodrush sedge	3									
<i>Carex mariposana</i>	Mariposa sedge	1						X	X		
<i>Carex microptera</i>	Smallwing sedge	1							X	X	
<i>Carex multicanlis</i>	Manystem sedge	1							X		
<i>Carex multicosata</i>	Manyrib sedge	1							X	X	
<i>Carex nebrascensis</i>	Nebraska sedge	1							X	X	
<i>Carex nervina</i>	Sierra sedge	1							X	X	
<i>Carex nigricans</i>	Black alpine sedge	1							X		
<i>Carex phaeocephala</i>	Dunhead sedge	1							X		
<i>Carex preslii</i>	Presl's sedge	1							X		
<i>Carex raynoldsii</i>	Raynolds' sedge	1							X		
<i>Carex rossii</i>	Ross' sedge	1							X	X	
<i>Carex saliniformis</i>	Carex	1								X	
<i>Carex scopulorum</i> *		1							X	X	
<i>Carex scopulorum</i> var. <i>bracteosa</i>	Craterlike sedge	1							X	X	
<i>Carex senta</i>	Swamp carex	1								X	
<i>Carex simulata</i>	Analogue sedge	1							X		
<i>Carex specifica</i>		1							X		
<i>Carex spectabilis</i>	Showy sedge	1							X	X	

Scientific name	Common name	Reliability	Ecological Criteria				Cultural Criteria		Source		
			T,E,SC	Rare	SN endemic	Exotic	Harvest	Agency emphasis	Smith	Manley Schlesinger	USDA
<i>Carex stramineiformis</i>	Shasta sedge	1							X		
<i>Carex subfusca</i>	Brown sedge	1							X		
<i>Carex subnigricans</i>	Nearlyblack sedge	1							X		
<i>Carex taheensis</i>	Tahoe sedge	1			X				X		
<i>Carex unilateralis</i>		3									X
<i>Carex utriculata</i>	Beaked sedge	1							X	X	
<i>Carex vernacula</i>	Native sedge	1							X		
<i>Carex vesicaria</i>	Blistersedge	1							X	X	
<i>Carex vesicaria</i> var. <i>vesicaria</i>	Inflated sedge blister sedge	3									
<i>Carex viridula</i> *		1								X	
<i>Carex viridula</i> var. <i>viridula</i>	Sedge	1								X	
<i>Carex whitneyi</i>	Whitney's sedge	1							X		
<i>Cassiope mertensiana</i>	Western moss heather	1							X		
<i>Castilleja angustifolia</i>	Northwestern paintbrush	3					M				
<i>Castilleja applegatei</i>	Wavyleaf paintbrush	1							X	X	
<i>Castilleja applegatei</i> ssp. <i>pallida</i>	Brewer's paintbrush	1			X				X		
<i>Castilleja applegatei</i> ssp. <i>pinetorum</i>	Wavyleaf paintbrush	3									
<i>Castilleja campestris</i>	Yellow owl's clover	3									
<i>Castilleja campestris</i> ssp. <i>campestris</i>	Indian paintbrush	3									
<i>Castilleja lemmonii</i>	Lemmon's paintbrush	1			X				X		
<i>Castilleja linariifolia</i>	Wyoming paintbrush	1					M		X		
<i>Castilleja miniata</i>	Scarlet paintbrush	1					M		X	X	
<i>Castilleja miniata</i> ssp. <i>miniata</i>	Green paintbrush scarlet paintbrush	3					M				
<i>Castilleja minor</i>	Lesser paintbrush	3					M				
<i>Castilleja minor</i> ssp. <i>minor</i>	Lesser paintbrush	3					M				
<i>Castilleja nana</i>	Dwarf alpine paintbrush	1			X				X		
<i>Castilleja parviflora</i>	Mountain paintbrush	1			X				X	X	
<i>Castilleja pilosa</i>	Parrothead paintbrush	1							X		
<i>Castilleja pruinosa</i>	Frosted Indian paintbrush	1							X		

Scientific name	Common name	Reliability	Ecological Criteria				Cultural Criteria		Source		
			T,E,SC	Rare	SN endemic	Exotic	Harvest	Agency emphasis	Smith	Manley Schlesinger	USDA
<i>Castilleja tenuis</i>	Hairy owl's clover	1							X		
<i>Caulanthus major</i>	Slender wild cabbage	3									
<i>Caulanthus major</i> var. <i>nevadensis</i>		3									
<i>Ceanothus cordulatus</i>	Whitethorn ceanothus	1							X	X	
<i>Ceanothus prostratus</i>	Squawcarpet	1							X	X	
<i>Ceanothus velutinus</i>	Tobacco brush	1					M		X	X	
<i>Ceanothus velutinus</i> var. <i>velutinus</i>	Tobacco brush	3					M				
<i>Centaurea cyanus</i>	Garden cornflower	1				X			X		
<i>Centaurea diffusa</i>	Diffuse knapweed	1				X				X	
<i>Centaurea maculosa</i>	Spotted knapweed	3				X					
<i>Cephalanthera austiniiae</i>	Phantom orchid	1							X		
<i>Cerastium arvense</i>	Field chickweed	3					M				
<i>Cerastium beeringianum</i> *		1								X	
<i>Cerastium beeringianum</i> var. <i>capillare</i>		1					M			X	
<i>Cerastium fontanum</i> *		1							X	X	
<i>Cerastium fontanum</i> ssp. <i>vulgare</i>	Big chickweed	1							X	X	
<i>Ceratophyllum demersum</i>	Coon's tail	1							X		
<i>Cercocarpus betuloides</i>	Birchleaf mountain mahogany mountain mahogany	1					M			X	
<i>Cercocarpus betuloides</i> var. <i>betuloides</i>	Mountain mahogany	3					M				
<i>Cercocarpus ledifolius</i>	Curleaf mountain mahogany	1					M		X		
<i>Cercocarpus ledifolius</i> var. <i>intermontanus</i>	Curleaf mountain mahogany	3					M				
<i>Chaenactis alpigena</i>	Southern Sierra pincushion	1							X		
<i>Chaenactis douglasii</i>	Douglas' dustymaiden	1					M		X	X	
<i>Chaenactis douglasii</i> var. <i>alpina</i>	Alpine dustymaiden	3					M				
<i>Chaenactis douglasii</i> var. <i>douglasii</i>	Douglas' dustymaiden	1					M		X		
<i>Chaenactis nevadensis</i>	Nevada dustymaiden	1							X		
<i>Chamaebatia foliolosa</i>	Sierran mountain misery	1			X				X		
<i>Chamaebatiaria millefolium</i>	Fernbush	3					M				
<i>Chamaesaracha nana</i>	Dwarf chamaesaracha	1							X		

Scientific name	Common name	Reliability	Ecological Criteria				Cultural Criteria		Source		
			T,E,SC	Rare	SN endemic	Exotic	Harvest	Agency emphasis	Smith	Manley Schlesinger	USDA
<i>Chamaesyce serpyllifolia</i>	Thymeleaf sandmat	3									
<i>Chamaesyce serpyllifolia</i> ssp. <i>serpyllifolia</i>	Thymeleaf sandmat	3									
<i>Cheilanthes gracillima</i>	Lace lipfern	1							X	X	
<i>Cheilanthes intertexta</i>	Coastal lipfern	3									
<i>Chenopodium album</i>	Lamb's quarters/Pigweed	1							X		
<i>Chenopodium atrovirens</i>	Pinyon goosefoot	3									
<i>Chenopodium berlandieri</i>	Pitseed goosefoot	3									
<i>Chenopodium chenopodioides</i>		3				X					
<i>Chenopodium desiccatum</i>	Aridland goosefoot	1							X		
<i>Chenopodium foliosum</i>		3				X					
<i>Chenopodium bians</i>	Hians goosefoot	3									
<i>Chenopodium incanum</i> *		3									
<i>Chenopodium incanum</i> var. <i>occidentale</i>	Mealy goosefoot	3									
<i>Chenopodium incognitum</i>	Pinyon goosefoot	1							X		
<i>Chenopodium pratericola</i>	Desert goosefoot	1							X		
<i>Chimaphila menziesii</i>	Little prince's pine	1							X	X	
<i>Chimaphila umbellata</i>	Pipsissewa	1					M		X	X	
<i>Chorizanthe watsonii</i>	Fivetooth spineflower	3									
<i>Chrysolepis chrysophylla</i>	Golden chinquapin	1								X	
<i>Chrysolepis chrysophylla</i> var. <i>chrysophylla</i>	Golden chinquapin	3									
<i>Chrysolepis sempervirens</i>	Sierra chinquapin	1							X	X	
<i>Chrysothamnus humilis</i>	Truckee rabbitbrush	3									
<i>Chrysothamnus nauseosus</i>	Rubber rabbitbrush	1					M		X	X	
<i>Chrysothamnus nauseosus</i> ssp. <i>albicaulis</i>	Rubber rabbitbrush rabbitbrush	1					M		X		
<i>Chrysothamnus nauseosus</i> ssp. <i>consimilis</i>	Rubber rabbitbrush	3					M				
<i>Chrysothamnus nauseosus</i> ssp. <i>hololeucus</i>	Rubber rabbitbrush	3					M				
<i>Chrysothamnus parryi</i>	Parry's rabbitbrush	1					M		X		
<i>Chrysothamnus parryi</i> ssp. <i>monocephalus</i>	Single-headed Parry's rabbitbrush	1					M		X		

Scientific name	Common name	Reliability	Ecological Criteria				Cultural Criteria		Source		
			T,E,SC	Rare	SN endemic	Exotic	Harvest	Agency emphasis	Smith	Manley Schlesinger	USDA
<i>Chrysothamnus parryi</i> ssp. <i>nevadensis</i>	Nevada Parry's rabbitbrush	1					M		X		
<i>Chrysothamnus viscidiflorus</i>	Green rabbitbrush	1					M		X	X	
<i>Chrysothamnus viscidiflorus</i> ssp. <i>lanceolatus</i>	Green rabbitbrush	3					M				
<i>Chrysothamnus viscidiflorus</i> ssp. <i>puberulus</i>	Yellow rabbitbrush	3					M				
<i>Chrysothamnus viscidiflorus</i> ssp. <i>viscidiflorus</i>	Green rabbitbrush	3					M				
<i>Cicuta douglasii</i>	Western water hemlock	1					WH, M		X	X	
<i>Cicuta maculata</i> *		3									
<i>Cicuta maculata</i> var. <i>angustifolia</i>	Spotted water hemlock	3					M				
<i>Cinna latifolia</i>	Drooping woodreed	1							X	X	
<i>Circaea alpina</i> *		1							X	X	
<i>Circaea alpina</i> ssp. <i>pacifica</i>	Pacific enchanter's nightshade	1							X	X	
<i>Cirsium andersonii</i>	Rose thistle	1							X	X	
<i>Cirsium canovirens</i>	Gray-green thistle	3									
<i>Cirsium douglasii</i>	Douglas' thistle	1							X		
<i>Cirsium douglasii</i> var. <i>brewerii</i>	Swamp Thistle	1							X		
<i>Cirsium occidentale</i>	Cobwebby thistle	3									
<i>Cirsium occidentale</i> var. <i>venustum</i>	Coulter's thistle Venus thistle	3									
<i>Cirsium scariosum</i>	Dwarf Thistle elk thistle	1								X	
<i>Cirsium vulgare</i>	Bullthistle	1				X	M		X	X	
<i>Clarkia lassenensis</i>	Mt. Lassen fairyfan	3									
<i>Clarkia rhomboidea</i>	Diamond fairyfan	1							X		
<i>Clarkia virgata</i>	Sierra clarkia	3		X	X						
<i>Claytonia exigua</i>	Pale springbeauty	3									
<i>Claytonia lanceolata</i>	Western spring beauty	1							X		
<i>Claytonia megarhiza</i>	Fell-fields claytonia	3									
<i>Claytonia nevadensis</i>	Sierra springbeauty	1			X				X		
<i>Claytonia parviflora</i>	Narrowleaf miner's lettuce	1								X	
<i>Claytonia parviflora</i> ssp. <i>parviflora</i>	Narrowleaf miner's lettuce	3									
<i>Claytonia perfoliata</i>	Miner's lettuce	1								X	

Scientific name	Common name	Reliability	Ecological Criteria				Cultural Criteria		Source		
			T,E,SC	Rare	SN endemic	Exotic	Harvest	Agency emphasis	Smith	Manley Schlesinger	USDA
<i>Claytonia perfoliata</i> ssp. <i>perfoliata</i>	Claytonia	3									
<i>Claytonia rubra</i>	Redstem springbeauty	1							X		
<i>Claytonia rubra</i> ssp. <i>depressa</i>	Redstem springbeauty	1					WH		X		
<i>Claytonia rubra</i> ssp. <i>rubra</i>	Red-stemmed miner's lettuce	3									
<i>Claytonia sibirica</i>	Candy flower	3									
<i>Clematis ligusticifolia</i>	Yerba de chiva	3					M				
<i>Collinsia heterophylla</i>	Chinese houses	1								X	
<i>Collinsia parryi</i>	Collinsia	1								X	
<i>Collinsia parviflora</i>	Smallflower blue eyed Mary	1					M		X	X	
<i>Collinsia sparsiflora</i>		1								X	
<i>Collinsia sparsiflora</i> var. <i>collina</i>	Spinster's blue eyed Mary	1								X	
<i>Collinsia torreyi</i>	Torrey's blue eyed Mary	1							X	X	
<i>Collinsia torreyi</i> var. <i>latifolia</i>	Torrey's blue eyed Mary	3									
<i>Collinsia torreyi</i> var. <i>torreyi</i>	Torrey's blue eyed Mary	1							X		
<i>Collinsia torreyi</i> var. <i>wrightii</i>	Wright's blue eyed Mary	1							X		
<i>Collomia grandiflora</i>	Orange mountain trumpet	1							X	X	
<i>Collomia linearis</i>	Narrowleaf mountain trumpet	1							X	X	
<i>Collomia tinctoria</i>	Yelloweye mountain trumpet	1							X		
<i>Comandra umbellata</i> *		3									
<i>Comandra umbellata</i> ssp. <i>californica</i>	California bastard toadflax	3					M				
<i>Conium maculatum</i>	Poison hemlock	1					X	M		X	
<i>Corallorrhiza maculata</i>	Summer coralroot	1						M	X		
<i>Corallorrhiza striata</i>	Striped coral root	1								X	
<i>Cordylanthus maritimus</i>	Salt marsh bird's beak	3									
<i>Cordylanthus maritimus</i> ssp. <i>canescens</i>	Saltmarsh bird's beak	3									
<i>Cordylanthus tenuis</i>	Slender bird's beak	1							X		
<i>Cornus sericea</i>	Redosier dogwood	1						M	X	X	
<i>Cornus sericea</i> ssp. <i>occidentalis</i>	American dogwood	1						M	X		
<i>Cornus sericea</i> ssp. <i>sericea</i>	American dogwood	1						M	X		

Scientific name	Common name	Reliability	Ecological Criteria				Cultural Criteria		Source		
			T,E,SC	Rare	SN endemic	Exotic	Harvest	Agency emphasis	Smith	Manley Schlesinger	USDA
<i>Coronopus didymus</i>	Lesser swinecress	3				X					
<i>Corydalis caseana</i> *		1							X		
<i>Corydalis caseana</i> ssp. <i>caseana</i>	Sierra corydalis	1		X					X		
<i>Corylus cornuta</i> *		3									
<i>Corylus cornuta</i> var. <i>californica</i>	Hazelnut	3					M				
<i>Crassula aquatica</i>	Aquatic pygmy-weed pygmy weed	1							X		
<i>Crepis acuminata</i>	Longleaf hawksbeard	1					M		X		
<i>Crepis bakeri</i>	Baker's hawksbeard	1							X		
<i>Crepis intermedia</i>	Limestone hawksbeard	1							X		
<i>Crepis modocensis</i>	Siskiyou hawksbeard	1							X		
<i>Crepis monticola</i>	Mountain hawksbeard	3									
<i>Crepis occidentalis</i>	Largeflower hawksbeard	1							X		
<i>Crepis pleurocarpa</i>	Nakedstem hawksbeard	1							X		
<i>Cryptantha affinis</i>	Quill catseye	1							X	X	
<i>Cryptantha ambigua</i>	Basin catseye	1							X		
<i>Cryptantha circumscissa</i>	Cushion catseye	1							X		
<i>Cryptantha echinella</i>	Prickly catseye	1							X		
<i>Cryptantha glomeriflora</i>	Truckee catseye	3			X						
<i>Cryptantha humilis</i>	Roundspike catseye	1							X		
<i>Cryptantha intermedia</i>	Clearwater catseye	1								X	
<i>Cryptantha muricata</i>	Pointed catseye	1							X		
<i>Cryptantha nubigena</i>	Sierra catseye	1			X				X	X	
<i>Cryptantha pterocarya</i>	Wingnut catseye	3									
<i>Cryptantha simulans</i>	Pinewoods catseye	1							X	X	
<i>Cryptantha torreyana</i>	Torrey's catseye	1							X		
<i>Cryptantha watsonii</i>	Watson's catseye	3									
<i>Cryptogramma acrostichoides</i>	American rockbrake	1							X	X	
<i>Cryptogramma cascadenis</i>	Cascade Parsely Fern	3									
<i>Cuscuta californica</i>	Chaparral dodder	1					M		X		

Scientific name	Common name	Reliability	Ecological Criteria				Cultural Criteria		Source		
			T,E,SC	Rare	SN endemic	Exotic	Harvest	Agency emphasis	Smith	Manley Schlesinger	USDA
<i>Cuscuta californica</i> var. <i>breviflora</i>	California dodder	3					M				
<i>Cuscuta californica</i> var. <i>californica</i>	California dodder	3					M				
<i>Cusickiella douglasii</i>	Alkali draba	3									
<i>Cycladenia humilis</i>	Sacramento waxydogbane	3									
<i>Cycladenia humilis</i> var. <i>humilis</i>	Sacramento waxydogbane	3									
<i>Cymopterus terebinthinus</i>		1							X	X	
<i>Cymopterus terebinthinus</i> var. <i>californicus</i>	California wavewing	1							X		
<i>Cymopterus terebinthinus</i> var. <i>petraeus</i>	Rockloving desertparsley	3									
<i>Cynoglossum occidentale</i>	Western hound's tongue	1							X		
<i>Cyperus squarrosus</i>	Bearded flatsedge	1							X		
<i>Cystopteris fragilis</i>	Brittle bladderfern	1					M		X	X	
<i>Cytisus scoparius</i>	Scotch Broom	1				X			X	X	
<i>Dactylis glomerata</i>	Orchardgrass	1							X	X	
<i>Danthonia californica</i>	California oatgrass	1							X		
<i>Danthonia californica</i> var. <i>americana</i>	California oatgrass	1							X		
<i>Danthonia californica</i> var. <i>californica</i>		3									
<i>Danthonia intermedia</i>	Timber oatgrass	1									
<i>Danthonia unispicata</i>	Onespike danthonia	1							X		
<i>Darmera peltata</i>	Indian rhubarb	3					WH, M				
<i>Delphinium andersonii</i>	Anderson's larkspur	1								X	
<i>Delphinium depauperatum</i>	Slim larkspur	1							X	X	
<i>Delphinium glaucum</i>	Sierra larkspur	1							X	X	
<i>Delphinium gracilentum</i>	Pine forest larkspur	3			X						X
<i>Delphinium nuttallianum</i>	Meadow larkspur	1							X	X	
<i>Delphinium patens</i>	Spreading larkspur	1								X	
<i>Delphinium polycladon</i>	Mountain marsh larkspur	1			X				X	X	
<i>Deschampsia cespitosa</i>	Tufted hairgrass	1							X	X	
<i>Deschampsia cespitosa</i> ssp. <i>cespitosa</i>	Tufted hairgrass	3									
<i>Deschampsia danthonioides</i>	Annual hairgrass	1							X		

Scientific name	Common name	Reliability	Ecological Criteria				Cultural Criteria		Source		
			T,E,SC	Rare	SN endemic	Exotic	Harvest	Agency emphasis	Smith	Manley Schlesinger	USDA
<i>Deschampsia elongata</i>	Slender hairgrass	1							X	X	
<i>Descurainia californica</i>	Sierra tansy-mustard	1							X	X	
<i>Descurainia incana</i>	Mountain tansymustard	1								X	
<i>Descurainia incisa</i>		1							X		
<i>Descurainia incisa</i> ssp. <i>filipes</i>		3									
<i>Descurainia incisa</i> ssp. <i>incisa</i>	Mountain tansy-mustard	1							X		
<i>Descurainia paradisica</i>	Paradise tansymustard	3									
<i>Descurainia pinnata</i>	Western tansy-mustard	3					M				
<i>Descurainia pinnata</i> ssp. <i>intermedia</i>	Western tansymustard	3					M				
<i>Descurainia sophia</i>	Herb sophia	1								X	
<i>Dianthus armeria</i> *		1								X	
<i>Dianthus armeria</i> ssp. <i>armeria</i>	Grass pink	1				X				X	
<i>Dianthus deltoide</i> *		1								X	
<i>Dianthus deltoides</i> ssp. <i>deltoides</i>	Meadow pink	1				X				X	
<i>Dicentra formosa</i>	Pacific bleedingheart	3					M				
<i>Dicentra uniflora</i>	Longhorn steershead	1							X		
<i>Dichelostemma capitatum</i>	Verna pool blue dicks	3									
<i>Dichelostemma capitatum</i> ssp. <i>capitatum</i>	Bluedicks	3									
<i>Dodecatheon alpinum</i>	Alpine shootingstar	1							X	X	
<i>Dodecatheon jeffreyi</i>	Tall mountain shootingstar	1					M		X		
<i>Dodecatheon pulchellum</i>	Darkthroat shootingstar	1								X	
<i>Downingia bacigalupii</i>	Bach's calicoflower	3									
<i>Downingia elegans</i>	Elegant calicoflower	3									
<i>Draba albertina</i>	Slender draba	1							X		
<i>Draba asterophora</i>	Tahoe draba	1			X				X		
<i>Draba asterophora</i> var. <i>asterophora</i>	Lake Tahoe draba	1		X	X			X	X		
<i>Draba asterophora</i> var. <i>macrocarpa</i>	Cup Lake draba	1	X	X	X			X	X		
<i>Draba breweri</i>	Cushion draba	3			X						
<i>Draba densifolia</i>	Denseleaf draba	1							X		

Scientific name	Common name	Reliability	Ecological Criteria				Cultural Criteria		Source		
			T,E,SC	Rare	SN endemic	Exotic	Harvest	Agency emphasis	Smith	Manley Schlesinger	USDA
<i>Draba lemmonii</i> *		1							X		
<i>Draba lemmonii</i> var. <i>lemmonii</i>	Lemmon's draba	1			X				X		
<i>Draba oligosperma</i>	Fewseeddraba	1							X		
<i>Draba paysonii</i> *		1							X		
<i>Draba paysonii</i> var. <i>treleasei</i>	Trelease's whitlowgrass	1							X		
<i>Draba reptans</i>	Carolina draba	3				X	M				
<i>Draperia systyla</i>	Violet draperia	3									
<i>Drosera rotundifolia</i>	Roundleaf sundew	1					M		X		
<i>Dryopteris arguta</i>	Calif. Wood Fern	1								X	
<i>Dudleya cymosa</i>	Canyon liveforever	3									
<i>Dudleya cymosa</i> ssp. <i>cymosa</i>	Canyon liveforever	3									
<i>Dugaldia hoopesii</i>	Owlsclaws	1							X		
<i>Dulichium arundinaceum</i>	Three-way sedge	1							X		
<i>Elatine rubella</i>	Southwestern waterwort	1							X		
<i>Eleocharis acicularis</i>	Needle spikerush	1							X		
<i>Eleocharis acicularis</i> var. <i>acicularis</i>	Needle spikerush	3									
<i>Eleocharis acicularis</i> var. <i>bella</i>	Beautiful spikerush	1							X		
<i>Eleocharis bolanderi</i>	Bolander's spikerush	3									
<i>Eleocharis macrostachya</i>	Common spikerush	1							X		
<i>Eleocharis montervidensis</i>	Sand spikerush	3					M				
<i>Eleocharis obtusa</i>	Blunt spikesedge	1								X	
<i>Eleocharis obtusa</i> var. <i>engelmannii</i>		3									
<i>Eleocharis pauciflora</i>	Fewflower spikerush	3									
<i>Elodea canadensis</i>	Common waterweed	1							X		
<i>Elodea nuttallii</i>	Western waterweed	3									
<i>Elymus elymoides</i>	Squirreltail	1							X	X	
<i>Elymus elymoides</i> ssp. <i>californicus</i>	Squirreltail	3									
<i>Elymus elymoides</i> ssp. <i>elymoides</i>	Squirreltail	1							X		
<i>Elymus elymoides</i> × <i>trachycaulus</i> *		1							X		

Scientific name	Common name	Reliability	Ecological Criteria				Cultural Criteria		Source		
			T,E,SC	Rare	SN endemic	Exotic	Harvest	Agency emphasis	Smith	Manley Schlesinger	USDA
<i>Elymus glaucus</i>	Blue wildrye	1					M		X	X	
<i>Elymus glaucus</i> ssp. <i>glaucus</i>	Blue wildrye	3					M				
<i>Elymus lanceolatus</i> *		1								X	
<i>Elymus lanceolatus</i> ssp. <i>lanceolatus</i>	Thickspick wheatgrass	1								X	
<i>Elymus multisetus</i>	Big squirreltail	1							X	X	
<i>Elymus sierrae</i>	Sierra ryegrass	1			X				X		
<i>Elymus trachycaulus</i>	Slender wheatgrass	1							X	X	
<i>Elymus trachycaulus</i> ssp. <i>subsecundus</i>	Slender Wheatgrass	3									
<i>Elymus trachycaulus</i> ssp. <i>trachycaulus</i>	Slender wheatgrass	1							X		
<i>Elymus Xhanseni</i> ssp.	Hybrid of <i>E. elimoides</i> and <i>E. glaucus</i>	1								X	
<i>Elytrigia intermedia</i> *		1							X		
<i>Elytrigia intermedia</i> ssp. <i>intermedia</i>	Intermediate wheatgrass	1				X			X		
<i>Epilobium angustifolium</i> *		1							X	X	
<i>Epilobium angustifolium</i> ssp. <i>circumvagum</i>	Fireweed	1					M		X	X	
<i>Epilobium brachycarpum</i>	Autumn willowweed	1							X	X	
<i>Epilobium canum</i>	California fuchsia, zauschneria	1					M		X	X	
<i>Epilobium canum</i> ssp. <i>latifolium</i>	California Fuchsia	1					M		X		
<i>Epilobium ciliatum</i>	Hairy willowherb	1							X	X	
<i>Epilobium ciliatum</i> ssp. <i>ciliatum</i>	Willow-herb	1							X		
<i>Epilobium ciliatum</i> ssp. <i>glandulosum</i>	Glandular willowweed	1							X		
<i>Epilobium densiflorum</i>	Denseflower spike primrose dense boisduvalia	1							X	X	
<i>Epilobium glaberrimum</i>	Smooth willowweed	1							X	X	
<i>Epilobium glaberrimum</i> ssp. <i>fastigiatum</i>	Smooth willowweed	3									
<i>Epilobium glaberrimum</i> ssp. <i>glaberrimum</i>	Smooth willowweed	3									
<i>Epilobium halleanum</i>	Glandular willowherb	1							X		
<i>Epilobium bornemannii</i> *		1							X	X	
<i>Epilobium bornemannii</i> ssp. <i>bornemannii</i>	Hornemann's willowherb	1							X	X	
<i>Epilobium bowellii</i>	Subalpine fireweed	3		X	X			X			

Scientific name	Common name	Reliability	Ecological Criteria				Cultural Criteria		Source		
			T,E,SC	Rare	SN endemic	Exotic	Harvest	Agency emphasis	Smith	Manley Schlesinger	USDA
<i>Epilobium lactiflorum</i>	Milkflower willowweed	1							X		
<i>Epilobium obcordatum</i>	Heart willowweed	1							X		
<i>Epilobium oregonum</i>	Oregon fireweed	1	X					X	X		
<i>Epilobium oregonense</i>	Slimstem willowweed	1							X		
<i>Epilobium torreyi</i>	Narrow-leaved Boisduvalia	1							X		
<i>Epipactis gigantea</i>	Giant helleborine	1					M		X		
<i>Equisetum arvense</i>	Field horsetail	1					M		X	X	
<i>Equisetum hyemale*</i>		1							X	X	
<i>Equisetum hyemale</i> ssp. <i>affine</i>	Ferris' horsetail common scouring rush	1					M		X	X	
<i>Equisetum laevigatum</i>	Smooth scouring rush	1								X	
<i>Equisetum palustre</i>	Marsh horsetail	1								X	
<i>Eriastrum sparsiflorum</i>	Great Basin woolstar	3									
<i>Eriastrum wilcoxii</i>	Wilcox's woolstar	3									
<i>Ericameria bloomeri</i>	Rabbitbush heathgoldenrod	1							X	X	
<i>Ericameria cuneata</i>	Cliff heathgoldenrod	3									
<i>Ericameria discoidea</i>	Whitestem heathgoldenrod	1							X		
<i>Ericameria suffruticosa</i>	Singlehead heathgoldenrod	1							X		
<i>Erigeron algidus</i>	Stalked fleabane	1							X		
<i>Erigeron aphanactis</i>	Rayless shaggy fleabane	1							X		
<i>Erigeron barbellulatus</i>	Shining fleabane	1			X				X		
<i>Erigeron bloomeri</i>	Scabland fleabane	3									
<i>Erigeron bloomeri</i> var. <i>bloomeri</i>	Scabland fleabane	3									
<i>Erigeron breweri</i>	Brewer's fleabane	1							X	X	
<i>Erigeron breweri</i> var. <i>porphyreticus</i>	Brewer's fleabane	1							X		
<i>Erigeron compositus</i>	Cutleaf daisy	1					M		X		
<i>Erigeron coulteri</i>	Large mountain fleabane	1							X	X	
<i>Erigeron divergens</i>	Spreading fleabane	1					M		X		
<i>Erigeron eatonii*</i>		1							X		
<i>Erigeron eatonii</i> var. <i>nevadicolus</i>		1							X		

Scientific name	Common name	Reliability	Ecological Criteria				Cultural Criteria		Source		
			T,E,SC	Rare	SN endemic	Exotic	Harvest	Agency emphasis	Smith	Manley Schlesinger	USDA
<i>Erigeron eatonii</i> var. <i>plantagineus</i>	Eaton's fleabane	1							X		
<i>Erigeron filifolius</i> *		3									
<i>Erigeron filifolius</i> var. <i>filifolius</i>	Threadleaf fleabane	3					M				
<i>Erigeron foliosus</i>	Leafy fleabane	1					M		X		
<i>Erigeron inornatus</i>	Rayless fleabane	1							X		
<i>Erigeron inornatus</i> var. <i>inornatus</i>	Rayless fleabane	3									
<i>Erigeron linearis</i>	Desert yellow fleabane	1							X		
<i>Erigeron miser</i>	Starved fleabane	1		X	X			X	X		
<i>Erigeron peregrinus</i>	Wandering fleabane	1							X		
<i>Erigeron peregrinus</i> var. <i>calliantbemus</i>	Subalpine fleabane	1							X		
<i>Erigeron petrophilus</i>	Cliff fleabane	3									
<i>Erigeron petrophilus</i> var. <i>sierrensis</i>	Sierra fleabane	3		X	X						
<i>Erigeron pumilus</i> *		1							X		
<i>Erigeron pumilus</i> var. <i>intermedius</i>	Shaggy fleabane	1							X		
<i>Erigeron pygmaeus</i>	Pygmy fleabane	1							X		
<i>Erigeron reductus</i>	Rayless daisy	3									
<i>Erigeron reductus</i> var. <i>reductus</i>	Little rayless fleabane California rayless daisy	3									
<i>Eriogonum baileyi</i>	Bailey's buckwheat	1					M		X		
<i>Eriogonum baileyi</i> var. <i>baileyi</i>	Bailey's buckwheat	3					M				
<i>Eriogonum baileyi</i> var. <i>praebens</i>	Bailey's buckwheat	3					M				
<i>Eriogonum cernuum</i>	Nodding buckwheat	3					M				
<i>Eriogonum cernuum</i> var. <i>viminale</i>	Nodding buckwheat	3					M				
<i>Eriogonum cespitosum</i>	Matted buckwheat	3									
<i>Eriogonum douglasii</i> *		3									
<i>Eriogonum douglasii</i> var. <i>douglasii</i>	Douglas' buckwheat	3									
<i>Eriogonum elatum</i>		1							X		
<i>Eriogonum elatum</i> var. <i>villosum</i>	Tall woolly buckwheat	1					M		X		
<i>Eriogonum incanum</i>	Frosted buckwheat	1			X				X	X	
<i>Eriogonum latens</i>	Inyo buckwheat	3									

Scientific name	Common name	Reliability	Ecological Criteria				Cultural Criteria		Source		
			T,E,SC	Rare	SN endemic	Exotic	Harvest	Agency emphasis	Smith	Manley Schlesinger	USDA
<i>Eriogonum lobbii</i> *		1							X		
<i>Eriogonum lobbii</i> var. <i>lobbii</i>	Lobb's buckwheat	1							X		
<i>Eriogonum luteolum</i>	Goldencarpet buckwheat	3									
<i>Eriogonum luteolum</i> var. <i>luteolum</i>	Wickerstem buckwheat	3									
<i>Eriogonum maculatum</i>	Spotted buckwheat	3									
<i>Eriogonum marifolium</i>	Marumleaf buckwheat	1							X		
<i>Eriogonum microthecum</i>	Slender buckwheat	3									
<i>Eriogonum microthecum</i> var. <i>ambiguum</i>	Slender buckwheat	3									
<i>Eriogonum microthecum</i> var. <i>laxiflorum</i>	Slender buckwheat	3									
<i>Eriogonum nudum</i>	Naked buckwheat	1							X	X	
<i>Eriogonum nudum</i> var. <i>deductum</i>	Naked buckwheat	1							X		
<i>Eriogonum nudum</i> var. <i>nudum</i>	Naked buckwheat	3									
<i>Eriogonum nudum</i> var. <i>oblongifolium</i>	Naked buckwheat	3									
<i>Eriogonum nutans</i>	Dugway buckwheat	3									
<i>Eriogonum ochrocephalum</i>	Whitewoolly buckwheat	3									
<i>Eriogonum ochrocephalum</i> var. <i>ochrocephalum</i>	Whitewoolly buckwheat	3									
<i>Eriogonum ovalifolium</i>	Cushion buckwheat	1					M		X		
<i>Eriogonum ovalifolium</i> var. <i>eximium</i>	Brown-margined buckwheat	1		X			M		X		
<i>Eriogonum ovalifolium</i> var. <i>nivale</i>	Cushion buckwheat	1					M		X		
<i>Eriogonum ovalifolium</i> var. <i>ovalifolium</i>	Cushion buckwheat	3					M				
<i>Eriogonum ovalifolium</i> var. <i>purpureum</i>	Cushion buckwheat	3					M				
<i>Eriogonum ovalifolium</i> var. <i>vineum</i>		1							X		
<i>Eriogonum rosense</i>	Whitewoolly buckwheat	3									
<i>Eriogonum spergulinum</i>	Spurry buckwheat	1							X	X	
<i>Eriogonum spergulinum</i> var. <i>reddingianum</i>	Spurry buckwheat	1							X		
<i>Eriogonum spergulinum</i> var. <i>spergulinum</i>	Spurry buckwheat	3									
<i>Eriogonum sphaerocephalum</i>	Rock buckwheat	3									
<i>Eriogonum sphaerocephalum</i> var. <i>halimioides</i>	Rock buckwheat	3									
<i>Eriogonum sphaerocephalum</i> var. <i>sphaerocephalum</i>	Rock buckwheat	3									

Scientific name	Common name	Reliability	Ecological Criteria				Cultural Criteria		Source		
			T,E,SC	Rare	SN endemic	Exotic	Harvest	Agency emphasis	Smith	Manley Schlesinger	USDA
<i>Eriogonum strictum</i>	Blue Mountain buckwheat	3									
<i>Eriogonum strictum</i> var. <i>anserinum</i>		3									
<i>Eriogonum umbellatum</i>	Sulphur buckwheat	1					M		X	X	
<i>Eriogonum umbellatum</i> var. <i>furcosum</i>	Desert sulfur buckwheat	1					M		X		
<i>Eriogonum umbellatum</i> var. <i>nevadense</i>	Nevada buckwheat	3					M				
<i>Eriogonum umbellatum</i> var. <i>polyanthum</i>	Many-flowered buckwheat	1					M		X		
<i>Eriogonum umbellatum</i> var. <i>torreyanum</i>	Torrey buckwheat	3	X	X	X		M	X			
<i>Eriogonum ursinum</i>	Bear Valley buckwheat	1			X				X		
<i>Eriogonum vimineum</i>	Wickerstem buckwheat	3									
<i>Eriogonum wrightii</i>	Wright's buckwheat	1					M		X	X	
<i>Eriogonum wrightii</i> var. <i>subscaposum</i>	Wright's buckwheat	3					M				
<i>Eriophorum criniger</i>	Criniger's cotton grass	1							X		
<i>Eriophorum gracile</i>	Slender cottongrass	1							X		
<i>Eriophyllum confertiflorum</i>	Yellow yarrow	3									
<i>Eriophyllum confertiflorum</i> var. <i>confertiflorum</i>	Goldenyarrow	3									
<i>Eriophyllum lanatum</i>	Woolly sunflower	1					M		X	X	
<i>Eriophyllum lanatum</i> var. <i>croceum</i>	Common woollysunflower	1					M		X		
<i>Eriophyllum lanatum</i> var. <i>integrifolium</i>	Oregon sunshine woolly sunflower	1					M		X		
<i>Erysimum capitatum</i>	Western wallflower	1					M		X	X	
<i>Erysimum capitatum</i> ssp. <i>perenne</i>	Mountain wallflower sanddune wallflower	1					M		X	X	
<i>Erysimum cheiranthoides</i>	Wormseed mustard	1				X	M			X	
<i>Erythronium purpurascens</i>	Purple fawnlily	3			X						
<i>Festuca brachyphylla</i> *		1							X		
<i>Festuca brachyphylla</i> ssp. <i>breviculmis</i>	Short-leaved fescue	1							X		
<i>Festuca occidentalis</i>	Western fescue	3									X
<i>Festuca rubra</i>	Red fescue	1							X		
<i>Festuca subulata</i>	Bearded fescue	1								X	
<i>Festuca trachyphylla</i>	Hard fescue	3				X					

Scientific name	Common name	Reliability	Ecological Criteria				Cultural Criteria		Source		
			T,E,SC	Rare	SN endemic	Exotic	Harvest	Agency emphasis	Smith	Manley Schlesinger	USDA
<i>Festuca viridula</i>	Greenleaf fescue	1							X		
<i>Floerkea proserpinacoides</i>	False mermaidweed	1							X		
<i>Foeniculum vulgare</i>	Fennel	1								X	
<i>Fragaria vesca</i>	California strawberry	3					M				
<i>Fragaria virginiana</i>	Mountain strawberry	1					M		X	X	
<i>Fremontodendron californicum</i>	California flannelbush	3					M				
<i>Fremontodendron californicum</i> ssp. <i>californicum</i>		3					M				
<i>Fritillaria agrestis</i>	Stinkbells	3		X							
<i>Fritillaria atropurpurea</i>	Spotted missionbells	1							X	X	
<i>Galium aparine</i>	Common bedstraw	1					M			X	
<i>Galium bifolium</i>	Twinleaf bedstraw	1								X	
<i>Galium bolanderi</i>	Bolander's bedstraw	1							X		
<i>Galium grayanum</i>	Gray's bedstraw	1							X		
<i>Galium grayanum</i> var. <i>grayanum</i>	Gray's bedstraw	3									
<i>Galium hypotrichium</i>	Alpine bedstraw	1							X		
<i>Galium mexicanum</i> *		3									
<i>Galium mexicanum</i> var. <i>asperulum</i>	Mexican bedstraw	3									
<i>Galium sparsiflorum</i>	Sequoia bedstraw	3									
<i>Galium trifidum</i>	Threepetal bedstraw	1					M		X	X	
<i>Galium trifidum</i> var. <i>pacificum</i>	Threepetal bedstraw	1					M		X	X	
<i>Galium trifidum</i> var. <i>pusillum</i>	Threepetal bedstraw	1					M		X		
<i>Galium triflorum</i>	Fragrant bedstraw	1					M		X		
<i>Gayophytum decipiens</i>	Deceptive groundsmoke	1							X		
<i>Gayophytum diffusum</i>	Spreading groundsmoke	1							X	X	
<i>Gayophytum diffusum</i> ssp. <i>parviflorum</i>	Spreading groundsmoke	3									
<i>Gayophytum heterozygum</i>	Zigzag groundsmoke	1							X		
<i>Gayophytum humile</i>	Dwarf groundsmoke	1							X		
<i>Gayophytum racemosum</i>	Blackfoot groundsmoke	1							X		
<i>Gayophytum ramosissimum</i>	Pinyon groundsmoke	1							X		

Scientific name	Common name	Reliability	Ecological Criteria				Cultural Criteria		Source		
			T,E,SC	Rare	SN endemic	Exotic	Harvest	Agency emphasis	Smith	Manley Schlesinger	USDA
<i>Gentiana calycosa</i>	Rainier pleated gentian	1							X	X	
<i>Gentiana newberryi</i>	Alpine gentian	1							X		
<i>Gentianella amarella*</i>		1							X		
<i>Gentianella amarella</i> ssp. <i>acuta</i>	Autumn dwarfgentian	1							X		
<i>Gentianopsis simplex</i>	Oneflower fringedgentian	1							X	X	
<i>Geranium richardsonii</i>	Richardson's geranium	1					M		X	X	
<i>Geum macrophyllum</i>	Largeleaf avens	1					M		X	X	
<i>Geum triflorum</i>	Old man's whiskers	1					M		X		
<i>Gilia brecciarum</i>	Nevada gilia	3									
<i>Gilia brecciarum</i> ssp. <i>brecciarum</i>	Nevada gilia	3									
<i>Gilia capillaris</i>	Miniature gilia	1							X	X	
<i>Gilia capitata</i>	Bluehead gilia	3									
<i>Gilia capitata</i> ssp. <i>mediomontana</i>	Blue field gilia	3									
<i>Gilia leptalea</i>	Bridges' gilia	1							X		
<i>Gilia leptalea</i> ssp. <i>bicolor</i>	Purple-throat gilia	1			X				X		
<i>Gilia leptalea</i> ssp. <i>leptalea</i>	Bridges' gilia	3									
<i>Gilia lottiae</i>	Lott's gilia	3									
<i>Gilia modocensis</i>	Modoc gilia	3									
<i>Gilia salticola</i>	Salt gilia	1							X		
<i>Gilia sinistra</i>	Alva Day's gilia	3									
<i>Gilia sinuata</i>	Rosy gilia	1					M		X		
<i>Glyceria borealis</i>	Northern mannagrass	1							X		
<i>Glyceria elata</i>	Tall mannagrass	1							X	X	
<i>Glyceria striata</i>	Fowl mannagrass	1							X	X	
<i>Gnaphalium canescens</i>	Wright's cudweed	1					M		X	X	
<i>Gnaphalium canescens</i> ssp. <i>microcephalum</i>	White everlasting smallhead cudweed	1					M		X		
<i>Gnaphalium canescens</i> ssp. <i>thermale</i>	Small-headed cudweed	3					M				
<i>Gnaphalium palustre</i>	Western marsh cudweed	1							X	X	
<i>Gratiola neglecta</i>	Clammy hedgehysop	1							X		

Scientific name	Common name	Reliability	Ecological Criteria				Cultural Criteria		Source		
			T,E,SC	Rare	SN endemic	Exotic	Harvest	Agency emphasis	Smith	Manley Schlesinger	USDA
<i>Gypsophila elegans</i> *		1							X		
<i>Gypsophila elegans</i> var. <i>elegans</i>		1				X			X		
<i>Hackelia californica</i>	California stickseed	3									
<i>Hackelia floribunda</i>	Manyflower stickseed	1					M			X	
<i>Hackelia micrantha</i>	Jessica sticktight	1							X	X	
<i>Hackelia nervosa</i>		1							X		
<i>Hackelia velutina</i>	Velvet stickseed	1			X				X	X	
<i>Hastingsia alba</i>	White hastingsia	3									
<i>Hazardia whitneyi</i>	Whitney's goldenbush	3									
<i>Hazardia whitneyi</i> var. <i>whitneyi</i>	Whitney's goldenbush	3									
<i>Helenium autumnale</i>	Common sneezeweed	3					M				
<i>Helenium autumnale</i> var. <i>montanum</i>	Mountain sneezeweed	3					M				
<i>Helenium bigelovii</i>	Bigelow's sneezeweed	1							X	X	
<i>Helianthella californica</i>	California helianthella	1							X	X	
<i>Helianthella californica</i> var. <i>nevadensis</i>	Sierra helianthella	1							X		
<i>Helianthus annuus</i>	Common sunflower	3					M				
<i>Helianthus nuttallii</i>	Nuttall's sunflower	3					M				
<i>Helianthus nuttallii</i> ssp. <i>nuttallii</i>	Nuttall's sunflower	3					M				
<i>Heliotropium curassavicum</i>	Salt heliotrope	1					M		X		
<i>Heracleum lanatum</i>	Common cowparsnip cow parsnip	1					M, WH		X	X	
<i>Hesperochiron californicus</i>	California hesperochiron	1							X		
<i>Hesperochiron pumilus</i>	Dwarf hesperochiron	1							X		
<i>Hesperostipa comata</i>	Needle & thread	1							X		
<i>Hesperostipa comata</i> ssp. <i>comata</i>		3									
<i>Hesperostipa comata</i> ssp. <i>intermedia</i>		3									
<i>Heterotheca sessiliflora</i>		1							X		
<i>Heterotheca sessiliflora</i> ssp. <i>bollanderi</i>		1							X		
<i>Heterotheca villosa</i>	Hairy goldenaster	1							X		
<i>Heterotheca villosa</i> var. <i>bispida</i>	Bristly hairy goldaster	3									

Scientific name	Common name	Reliability	Ecological Criteria				Cultural Criteria		Source		
			T,E,SC	Rare	SN endemic	Exotic	Harvest	Agency emphasis	Smith	Manley Schlesinger	USDA
<i>Heuchera micrantha</i>	Crevice alumroot	1					M		X		
<i>Heuchera rubescens</i>	Pink alumroot	1					M		X		
<i>Heuchera rubescens</i> var. <i>alpicola</i>	Pink alumroot	1					M		X		
<i>Heuchera rubescens</i> var. <i>glandulosa</i>	Pink alumroot	1					M		X		
<i>Hieracium albiflorum</i>	White hawkweed	1							X	X	
<i>Hieracium gracile</i>	Slender hawkweed	1							X	X	
<i>Hieracium horridum</i>	Prickly hawkweed	1							X		
<i>Hieracium scouleri</i>	Woollyweed	3									
<i>Hippuris vulgaris</i>	Common maretail	1							X		
<i>Holodiscus discolor</i>	Oceanspray	1					M		X	X	
<i>Holodiscus microphyllus</i>	Oceanspray	1							X	X	
<i>Holodiscus microphyllus</i> var. <i>glabrescens</i>	Rock-Spiraea	3									
<i>Holodiscus microphyllus</i> var. <i>microphyllus</i>		3									
<i>Hordeum brachyantherum</i>	Meadow barley	1							X	X	
<i>Hordeum brachyantherum</i> ssp. <i>californicum</i>	Meadow barley California barley	3									
<i>Horkelia fusca</i>	Tawny horkelia	1							X	X	
<i>Horkelia fusca</i> ssp. <i>parviflora</i>	Smallflower horkelia	1							X		
<i>Horkelia tridentata</i>	Threetooth honeydew	3									
<i>Horkelia tridentata</i> ssp. <i>flavescens</i>	Threetooth honeydew	3									
<i>Horkelia tridentata</i> ssp. <i>tridentata</i>	Threetooth honeydew	3									
<i>Hulsea algida</i>	Pain hulsea	1							X		
<i>Hulsea heterobroma</i>	Redray alpinegold	1							X		
<i>Humulus lupulus</i>	Common hop	1							X		
<i>Hutchinsia procumbens</i>	Prostrate hutchinsia	3									
<i>Hydrophyllum capitatum</i>		1							X	X	
<i>Hydrophyllum capitatum</i> var. <i>alpinum</i>	Woolen-breeches	1							X	X	
<i>Hydrophyllum occidentale</i>	Western waterleaf	1								X	
<i>Hymenoxys cooperi</i>	Cooper's hymenoxys	3									
<i>Hypericum anagalloides</i>	Tinker's penny	1							X	X	

Scientific name	Common name	Reliability	Ecological Criteria				Cultural Criteria		Source		
			T,E,SC	Rare	SN endemic	Exotic	Harvest	Agency emphasis	Smith	Manley Schlesinger	USDA
<i>Hypericum formosum</i> *		1							X		
<i>Hypericum formosum</i> var. <i>scouleri</i>	Scouler's St. Johnswort	1							X		
<i>Hypericum perforatum</i>	Klamathweed	1				X	M			X	
<i>Ipomopsis aggregata</i>	Scarlet gilia	1					M		X	X	
<i>Ipomopsis aggregata</i> ssp. <i>bridgesii</i>	Bridge's gilia	3			X		M				
<i>Ipomopsis aggregata</i> ssp. <i>formosissima</i>	Wherrey's Scarlet Gilia	3					M				
<i>Ipomopsis congesta</i>	Ballhead gilia	1							X	X	
<i>Ipomopsis congesta</i> ssp. <i>congesta</i>	Ballhead gilia	3									
<i>Ipomopsis congesta</i> ssp. <i>montana</i>	Mountain ballhead gilia	1							X		
<i>Ipomopsis congesta</i> ssp. <i>palmifrons</i>	Ballhead gilia	3									
<i>Ipomopsis polycladon</i>	Manybranched gilia	3									
<i>Ipomopsis tenuituba</i>	Slendertube skyrocket	3									
<i>Iris hartwegii</i>	Rainbow iris	3									
<i>Iris hartwegii</i> ssp. <i>hartwegii</i>	Hartweg's iris	3									
<i>Iris missouriensis</i>	Western blue flag	1					M		X		
<i>Isoetes bolanderi</i>	Bolander's quillwort	1							X		
<i>Isoetes bowellii</i>	Howell's quillwort	1							X		
<i>Isoetes nuttallii</i>	Nuttall's quillwort	3									
<i>Isoetes occidentalis</i>	Western quillwort	1							X		
<i>Ivesia aperta</i>	Sierra Valley mousetail	3									
<i>Ivesia lycopodioides</i>	Clubmoss mousetail	1							X		
<i>Ivesia lycopodioides</i> ssp. <i>lycopodioides</i>	Clubmoss mousetail	3			X						
<i>Ivesia santolinoides</i>	Sierra mousetail	1							X		
<i>Ivesia sericoleuca</i>	Plumas mousetail	3	X	X	X			X			
<i>Ivesia shockleyi</i> *		1							X		
<i>Ivesia shockleyi</i> var. <i>shockleyi</i>	Shockley's mousetail	1			X				X		
<i>Ivesia webberi</i>	Webber's ivesia	3	X	X				X			
<i>Jepsonia heterandra</i>	Foothill buttonsaxifrage	3		X							
<i>Juncus balticus</i>	Baltic rush	1							X	X	

Scientific name	Common name	Reliability	Ecological Criteria				Cultural Criteria		Source		
			T,E,SC	Rare	SN endemic	Exotic	Harvest	Agency emphasis	Smith	Manley Schlesinger	USDA
<i>Juncus bufonius</i>	Toad rush	1					M		X		
<i>Juncus capillaris</i>	Hairystem dwarf rush	3									
<i>Juncus chlorocephalus</i>	Greenhead rush	1							X	X	
<i>Juncus confusus</i>	Colorado rush	1							X		
<i>Juncus covillei</i>	Coville's rush	3									
<i>Juncus drummondii</i>	Drummond's rush	1							X	X	
<i>Juncus dubius</i>	Dubius rush	3									
<i>Juncus effusus</i>	Common rush	1					M		X	X	
<i>Juncus ensifolius</i>	Swordleaf rush	1							X	X	
<i>Juncus hemiendytus</i>	Blood rush	1							X		
<i>Juncus hemiendytus</i> var. <i>abjectus</i>	Center Basin rush	1		X					X		
<i>Juncus kelloggii</i>	Kellogg's dwarf rush	3									
<i>Juncus longistylis</i>	Longstyle rush	1							X		
<i>Juncus macrandrus</i>	Longanther rush	1							X		
<i>Juncus mertensianus</i>	Mertens' rush	1							X	X	
<i>Juncus mexicanus</i>	Mexican rush	1							X		
<i>Juncus nevadensis</i>	Nevada rush	1							X	X	
<i>Juncus occidentalis</i>	Western rush	1							X		
<i>Juncus orthophyllus</i>	Straightleaf rush	1							X	X	
<i>Juncus oxymeris</i>	Pointed rush	1							X		
<i>Juncus parryi</i>	Parry's rush	1							X		
<i>Juncus saximontanus</i>	Rocky Mountain rush	1								X	
<i>Juncus tenuis</i>	Poverty rush	3					M				
<i>Juncus triflorus</i>	Yosemite dwarf rush	3									
<i>Juncus xiphioides</i>	Irisleaf rush	1							X		
<i>Juniperus californica</i>	California juniper	1					M			X	
<i>Juniperus communis</i>	Common juniper	1					M		X		
<i>Juniperus occidentalis</i>	Western juniper	1					M		X	X	
<i>Juniperus occidentalis</i> var. <i>australis</i>	Southwestern juniper	3					M				

Scientific name	Common name	Reliability	Ecological Criteria				Cultural Criteria		Source		
			T,E,SC	Rare	SN endemic	Exotic	Harvest	Agency emphasis	Smith	Manley Schlesinger	USDA
<i>Juniperus occidentalis</i> var. <i>occidentalis</i>	Western juniper	3					M				
<i>Kalmia polifolia</i>	Mountain laurel	1					M		X		
<i>Kalmia polifolia</i> ssp. <i>microphylla</i>	Littleleaf mountain laurel	1					M		X		
<i>Kalmia polifolia</i> ssp. <i>polifolia</i>	Mountain laurel	3					M				
<i>Keckiella breviflora</i>	Bush beardtongue	1							X		
<i>Keckiella breviflora</i> var. <i>breviflora</i>	Bush beardtongue	3									
<i>Keckiella breviflora</i> var. <i>glabrisepala</i>	Bush beardtongue	3									
<i>Keckiella lemmonii</i>	Lemmon's penstemon	1							X		
<i>Kelloggia galioides</i>	Milk kelloggia	1							X	X	
<i>Lactuca serriola</i>	Wild lettuce	1							X	X	
<i>Lactuca tatarica</i> *		3									
<i>Lactuca tatarica</i> ssp. <i>pulchella</i>	Blue lettuce	3									
<i>Lappula redowskii</i>	Redowski's stickseed	3					M				
<i>Lappula redowskii</i> var. <i>cupulata</i>	Stickseed	3					M				
<i>Lappula redowskii</i> var. <i>redowskii</i>		3					M				
<i>Lathyrus lanszwertii</i>	Thickleaf peavine	1							X	X	
<i>Lathyrus lanszwertii</i> var. <i>aridus</i>	Nevada peavine	1							X		
<i>Lathyrus lanszwertii</i> var. <i>lanszwertii</i>	Lanszwert's peavine	3									
<i>Lathyrus nevadensis</i> *		1								X	
<i>Lathyrus nevadensis</i> var. <i>nevadensis</i>	Nevada peavine	1								X	
<i>Lathyrus sulphureus</i>	Snub peavine	3									
<i>Layia glandulosa</i>	Whitedaisy tidytops	3									
<i>Ledum glandulosum</i>	Western Labrador tea	1							X	X	
<i>Lemna gibba</i>	Swollen duckweed	1							X		
<i>Lemna trisulca</i>	Star duckweed	1							X		
<i>Lepidium campestre</i>	Field pepperweed	1					X		X	X	
<i>Lepidium densiflorum</i>	Common pepperweed	1					M		X	X	
<i>Lepidium latifolium</i>	Tall whitetop	1					X				X
<i>Lepidium montanum</i>	Mountain pepperweed	3					M				

Scientific name	Common name	Reliability	Ecological Criteria				Cultural Criteria		Source		
			T,E,SC	Rare	SN endemic	Exotic	Harvest	Agency emphasis	Smith	Manley Schlesinger	USDA
<i>Lepidium montanum</i> var. <i>canescens</i>	Mountain pepperweed	3					M				
<i>Lepidium montanum</i> var. <i>montanum</i>	Mountain pepperweed	3					M				
<i>Lepidium virginicum</i>	Virginia pepperweed	1					M			X	
<i>Lepidium virginicum</i> var. <i>medium</i>	Medium pepperweed	3					M				
<i>Lepidium virginicum</i> var. <i>pubescens</i>	Hairy pepperweed	1								X	
<i>Leptodactylon californicum</i>	Prickly-Phlox	1								X	
<i>Leptodactylon pungens</i>	Granite pricklygilia	1					M		X	X	
<i>Lesquerella occidentalis</i> *		1							X		
<i>Lesquerella occidentalis</i> ssp. <i>occidentalis</i>	Western bladderpod	1							X		
<i>Leucanthemum vulgare</i>	Oxe-eye daisy	1								X	
<i>Leucothoe davisiae</i>	Sierra laurel	3									
<i>Lewisia kelloggii</i>	Kellogg's lewisia	3			X						
<i>Lewisia longipetala</i>	Long-petaled lewisia	1	X	X	X			X	X		
<i>Lewisia nevadensis</i>	Nevada bitterroot	1							X		
<i>Lewisia pygmaea</i>	Pigmy bitterroot	1					M		X		
<i>Lewisia triphylla</i>	Threecleaf lewisia	1							X		
<i>Leymus cinereus</i>	Basin wildrye	3									
<i>Leymus triticoides</i>	Beardless wildrye	1							X	X	
<i>Ligusticum grayi</i>	Gray's licoriceroot	1					WH		X	X	
<i>Lilium kelleyanum</i>	Kelley's lily	3									
<i>Lilium pardalinum</i>	Leopard lily	3									
<i>Lilium pardalinum</i> ssp. <i>shastense</i>	Shasta lily	3									
<i>Lilium parvum</i>	Sierra tiger lily	1			X		WH		X	X	
<i>Lilium washingtonianum</i>	Washington lily	1							X		
<i>Lilium washingtonianum</i> ssp. <i>washingtonianum</i>	Washington lily	3									
<i>Limosella aquatica</i>	Water mudwort	1					M		X		
<i>Linanthus ciliatus</i>	Whiskerbrush	1					M		X	X	
<i>Linanthus harknessii</i>	Harkness' flaxflower	1							X		
<i>Linanthus nuttallii</i>	Nuttall's deserttrumpets	1							X		

Scientific name	Common name	Reliability	Ecological Criteria				Cultural Criteria		Source		
			T,E,SC	Rare	SN endemic	Exotic	Harvest	Agency emphasis	Smith	Manley Schlesinger	USDA
<i>Linanthus pachyphyllus</i>	Sierra deserttrumpets	1			X					X	
<i>Linanthus septentrionalis</i>	Northern linanthus	1							X		
<i>Linaria genistifolia</i> *		3									
<i>Linaria genistifolia</i> ssp. <i>dalmatica</i>	Dalmatian toadflax	3				X					
<i>Linum bienne</i>	Flax	1								X	
<i>Linum lewisii</i>	Prairie flax	1					M		X		
<i>Listera convallarioides</i>	Broadlipped twayblade	1							X	X	
<i>Lithocarpus densiflorus</i>	Tanoak	3					M				
<i>Lithocarpus densiflorus</i> var. <i>echinoides</i>	Serpentine bush tanoak	3					M				
<i>Lithophragma glabrum</i>	Bulbous woodlandstar	1							X	X	
<i>Lithophragma parviflorum</i>	Smallflower woodlandstar	3									
<i>Lithophragma parviflorum</i> var. <i>parviflorum</i>	Smallflower woodlandstar	3									
<i>Lolium perenne</i>	English ryegrass	1							X		
<i>Lomatium dissectum</i>	Fernleaf biscuitroot	1					M, WH		X		
<i>Lomatium dissectum</i> var. <i>multifidum</i>	Carrotleaf biscuitroot	3					M				
<i>Lomatium macrocarpum</i>	Bigseed biscuitroot	3					M				
<i>Lomatium nevadense</i>	Nevada biscuitroot	1							X		
<i>Lomatium nevadense</i> var. <i>nevadense</i>	Nevada biscuitroot	3									
<i>Lomatium nevadense</i> var. <i>parishii</i>	Parish's biscuitroot	3									
<i>Lomatium nudicaule</i>	Barestem biscuitroot	3					M				
<i>Lomatium triternatum</i>	Nineleaf biscuitroot	3									
<i>Lonicera cauriana</i>	Bluefly honeysuckle	1							X		
<i>Lonicera conjugialis</i>	Purpleflower honeysuckle	1							X	X	
<i>Lonicera involucrata</i>	Twinberry honeysuckle	1					M		X	X	
<i>Lonicera involucrata</i> var. <i>involucrata</i>	Twinberry honeysuckle	3					M				
<i>Lotus crassifolius</i>	Big deervetch	3									
<i>Lotus crassifolius</i> var. <i>crassifolius</i>	Broad-leaved lotus	3									
<i>Lotus micranthus</i>	Desert deervetch	1								X	
<i>Lotus nevadensis</i>	Nevada trefoil	1								X	

Scientific name	Common name	Reliability	Ecological Criteria				Cultural Criteria		Source		
			T,E,SC	Rare	SN endemic	Exotic	Harvest	Agency emphasis	Smith	Manley Schlesinger	USDA
<i>Lotus oblongifolius</i>	Streambank trefoil	1							X	X	
<i>Lotus oblongifolius</i> var. <i>oblongifolius</i>	Streambank trefoil	1							X		
<i>Lotus purshianus</i> *		1							X	X	
<i>Lotus purshianus</i> var. <i>purshianus</i>	Spanish clover	1							X	X	
<i>Lupinus adsurgens</i>	Drew's silky lupine	3									
<i>Lupinus albicaulis</i>	Sicklekeel lupine	3									
<i>Lupinus andersonii</i>	Anderson's lupine	1							X	X	
<i>Lupinus angustiflorus</i>	Narrow-flowered lupine	1							X		
<i>Lupinus apertus</i>	Summit lupine	3									
<i>Lupinus arbustus</i>	Spur lupine	1							X	X	
<i>Lupinus argenteus</i>	Silvery lupine	1							X	X	
<i>Lupinus argenteus</i> var. <i>meionanthus</i>	Lake Tahoe lupine	1							X		
<i>Lupinus bicolor</i>	Bicolor lupine	1							X		
<i>Lupinus breweri</i>	Brewer's lupine	1							X	X	
<i>Lupinus breweri</i> var. <i>breweri</i>	Brewer's lupine	3									
<i>Lupinus breweri</i> var. <i>bryoides</i>	Brewer's Lupine	1								X	
<i>Lupinus breweri</i> var. <i>grandiflorus</i>	Matted lupine	3									
<i>Lupinus formosus</i>	Western lupine	3									
<i>Lupinus formosus</i> var. <i>formosus</i>	Summer lupine	3									
<i>Lupinus fulcratus</i>	Greenstipule lupine	1			X				X		
<i>Lupinus grayii</i>	Gray's lupine	1			X				X	X	
<i>Lupinus latifolius</i>	Broadleaf lupine	1					WH			X	
<i>Lupinus latifolius</i> var. <i>barbatus</i>		3									
<i>Lupinus latifolius</i> var. <i>columbianus</i>		3									
<i>Lupinus latifolius</i> var. <i>viridifolius</i>		3									
<i>Lupinus lepidus</i>	Pacific lupine	1							X	X	
<i>Lupinus lepidus</i> var. <i>confertus</i>		3									
<i>Lupinus lepidus</i> var. <i>lobbii</i>	Lobb's lupine	1							X		
<i>Lupinus lepidus</i> var. <i>sellulus</i>	Dwarf lupine	1							X		

Scientific name	Common name	Reliability	Ecological Criteria				Cultural Criteria		Source		
			T,E,SC	Rare	SN endemic	Exotic	Harvest	Agency emphasis	Smith	Manley Schlesinger	USDA
<i>Lupinus microcarpus</i>	Lupine	3									
<i>Lupinus obtusilobus</i>	Bluntlobe lupine	1								X	
<i>Lupinus polyphyllus</i>	Bigleaf lupine	1					M		X	X	
<i>Lupinus polyphyllus</i> var. <i>burkei</i>	Bigleaf lupine	1					WH, M		X		
<i>Luzula comosa</i>	Hairy woodrush heath woodrush	1							X		
<i>Luzula divaricata</i>	Forked woodrush	1							X	X	
<i>Luzula orestera</i>	Heath woodrush	1			X				X		
<i>Luzula parviflora</i>	Smallflowered woodrush	3									
<i>Luzula spicata</i>	Spiked woodrush	1							X		
<i>Luzula subcongesta</i>	Donner woodrush	1							X	X	
<i>Lycnis coronaria</i>	Rose campion	1								X	
<i>Lythrum portula</i>	Broadleaf loosestrife	3					X				
<i>Machaeranthera canescens</i>	Hoary-aster	1							X	X	
<i>Machaeranthera canescens</i> var. <i>canescens</i>		1							X		
<i>Machaeranthera canescens</i> var. <i>shastensis</i>	Shasta prickly aster	3									
<i>Madia bolanderi</i>	Bolander's madia	1							X	X	
<i>Madia elegans</i>	Common madia	1							X		
<i>Madia elegans</i> ssp. <i>elegans</i>	Common madia	3									
<i>Madia exigua</i>	Threadstem tarweed	1							X		
<i>Madia glomerata</i>	Mountain tarweed	1					M		X	X	
<i>Madia gracilis</i>	Slender tarweed	1							X	X	
<i>Madia minima</i>	Little tarweed	1							X	X	
<i>Madia yosemitana</i>	Yosemite tarweed	1			X				X		
<i>Malacothrix floccifera</i>	Woolly desertdandelion	1							X		
<i>Malva neglecta</i>	Common mallow	1					X	M	X		
<i>Marsilea oligospora</i>	Pacific waterclove	3									
<i>Marsilea vestita</i> *		1							X		
<i>Marsilea vestita</i> ssp. <i>vestita</i>	Hairy pepperwort	1							X		
<i>Medicago lupulina</i>	Black medick	1							X	X	

Scientific name	Common name	Reliability	Ecological Criteria				Cultural Criteria		Source		
			T,E,SC	Rare	SN endemic	Exotic	Harvest	Agency emphasis	Smith	Manley Schlesinger	USDA
<i>Melica aristata</i>	Bearded melicgrass	1							X	X	
<i>Melica bulbosa</i>	Oniongrass	1							X	X	
<i>Melica fugax</i>	Little oniongrass	1							X	X	
<i>Melica harfordii</i>	Harford's oniongrass	1							X		
<i>Melica stricta</i>	Rock melicgrass	1							X		
<i>Melica subulata</i>	Alaska oniongrass	3									
<i>Melilotus alba</i>	White sweet clover	1								X	
<i>Melilotus officinalis</i>	Yellow sweetclover	1							X		
<i>Mentha arvensis</i>	Wild mint	1							X	X	
<i>Mentha spicata*</i>		1								X	
<i>Mentha spicata</i> var. <i>spicata</i>	Spearmint	1								X	
<i>Mentzelia albicaulis</i>	White-stemmed blazing star	3					M				
<i>Mentzelia congesta</i>	United blazingstar	1							X		
<i>Mentzelia dispersa</i>	Bushy blazingstar	1					WH		X		
<i>Mentzelia laevicaulis</i>	Smoothstem blazingstar	1					M		X		
<i>Mentzelia montana</i>	Variiegated bract blazingstar	3									
<i>Mentzelia veitchiana</i>	Whitestem blazingstar	3					M				
<i>Menyanthes trifoliata</i>	Common buckbean	1					M		X		
<i>Mertensia ciliata</i>	Streamside bluebells	1					M		X	X	
<i>Mertensia oblongifolia</i>	Sagebrush bluebells	3									
<i>Mertensia oblongifolia</i> var. <i>amoena</i>	Sagebrush bluebells	3									
<i>Mertensia oblongifolia</i> var. <i>nevadensis</i>	Sierra bluebells	3									
<i>Mertensia oblongifolia</i> var. <i>oblongifolia</i>		3									
<i>Microseris laciniata</i>	Cutleaf silverpuffs	3									
<i>Microseris laciniata</i> ssp. <i>laciniata</i>	Cutleaf silverpuffs	3									
<i>Microseris laciniata</i> ssp. <i>leptosepala</i>	Cutleaf silverpuffs	3									
<i>Microseris nutans</i>	Nodding microceris	1							X	X	
<i>Mimulus breviflorus</i>	Shortflower monkeyflower	3									X
<i>Mimulus breweri</i>	Brewer's monkeyflower	1							X	X	

Scientific name	Common name	Reliability	Ecological Criteria				Cultural Criteria		Source		
			T,E,SC	Rare	SN endemic	Exotic	Harvest	Agency emphasis	Smith	Manley Schlesinger	USDA
<i>Mimulus cardinalis</i>	Crimson monkeyflower	1					M		X		
<i>Mimulus floribundus</i>	Manyflowered monkeyflower	1							X	X	
<i>Mimulus guttatus</i>	Seep monkeyflower	1					M		X	X	
<i>Mimulus jepsonii</i>	Jepson's monkeyflower	3									
<i>Mimulus kelloggii</i>	Kellogg's monkeyflower	1								X	
<i>Mimulus layneae</i>	Layne's monkeyflower	3									
<i>Mimulus leptaleus</i>	Slender monkeyflower	1			X				X		
<i>Mimulus lewisii</i>	Purple monkeyflower	1							X	X	
<i>Mimulus mephiticus</i>	Foul odor monkeyflower	1							X		
<i>Mimulus moschatum</i>	Musk monkeyflower	1							X	X	
<i>Mimulus nanus</i>	Dwarf purple monkeyflower	1							X		
<i>Mimulus pilosus</i>	False monkeyflower	3									
<i>Mimulus primuloides</i>	Primrose monkeyflower	1							X	X	
<i>Mimulus primuloides</i> ssp. <i>primuloides</i>		1							X		
<i>Mimulus suksdorfii</i>	Suksdorf's monkeyflower	3									
<i>Mimulus tilingii</i>	Tiling's monkeyflower	1							X	X	
<i>Mimulus torreyi</i>	Torrey's monkeyflower	1			X				X	X	
<i>Minuartia nuttallii</i>	Nuttall's sandwort	1							X		
<i>Minuartia nuttallii</i> ssp. <i>fragilis</i>	Brittle sandwort	3									
<i>Minuartia nuttallii</i> ssp. <i>gracilis</i>	Nuttall's Sandwort	1							X		
<i>Minuartia pusilla</i>	Annual sandwort	3									
<i>Mitella breweri</i>	Brewer's miterwort	1							X	X	
<i>Mitella pentandra</i>	Fivestamen miterwort	1							X		
<i>Monardella glauca</i>	Gray monardella	1							X		
<i>Monardella lanceolata</i>	Mustang mountainbalm	1					M		X		
<i>Monardella odoratissima</i>	Pacific monardella	1					M		X	X	
<i>Monardella odoratissima</i> ssp. <i>pallida</i>	Alpine mountainbalm	3									
<i>Monardella sheltonii</i>	Mint	1								X	
<i>Monolepis nuttalliana</i>	Nuttall's poverty weed	1					M		X		

Scientific name	Common name	Reliability	Ecological Criteria				Cultural Criteria		Source		
			T,E,SC	Rare	SN endemic	Exotic	Harvest	Agency emphasis	Smith	Manley Schlesinger	USDA
<i>Monolepis spatulata</i>	Beaver monolepis	3									
<i>Montia chamissoi</i>	Water minerslettuce	1							X	X	
<i>Montia linearis</i>	Narrowleaf minerslettuce	1							X	X	
<i>Montia parvifolia</i>	Littleleaf montia	1							X		
<i>Muhlenbergia andina</i>	Foxtail muhly	1							X		
<i>Muhlenbergia filiformis</i>	Pullup muhly	1							X	X	
<i>Muhlenbergia jonesii</i>	Modoc muhly	1			X					X	
<i>Muhlenbergia montana</i>	Mountain muhly	1							X		
<i>Muhlenbergia richardsonis</i>	Mat muhly	1							X		
<i>Muilla transmontana</i>	Great Basin muilla	1							X		
<i>Myosotis latifolia</i>	Forget-Me-Not	1								X	
<i>Myosurus apetalus</i>	Mouse-tail little mousetail	1							X		
<i>Myosurus minimus</i>	Little mousetail	3					M				
<i>Myriophyllum sibiricum</i>	Siberian milfoil	1									X
<i>Myriophyllum spicatum</i>	Eurasian watermilfoil	1				X			X	X	
<i>Myriophyllum verticillatum</i>		1							X		
<i>Nama aretioides</i>	Purple mat	3									
<i>Nama aretioides</i> var. <i>multiflorum</i>		3									
<i>Nama densum</i>	Dense purple mat	1							X		
<i>Nama densum</i> var. <i>densum</i>	Leafy fiddleleaf	3									
<i>Nama lobbii</i>	Lobb's fiddleleaf	1							X		
<i>Nama rothrockii</i>	Rothrock's fiddleleaf	1							X		
<i>Narthecium californicum</i>	California bog asphodel	1							X		
<i>Navarretia breweri</i>	Brewer's navarretia	1							X		
<i>Navarretia divaricata</i>	Divaricate navarretia	1							X	X	
<i>Navarretia divaricata</i> ssp. <i>divaricata</i>	Mountain navarretia	3									
<i>Navarretia divaricata</i> ssp. <i>viridior</i>	Divaricate navarretia	3									
<i>Navarretia intertexta</i>	Interwoven navarretia	1							X	X	
<i>Navarretia intertexta</i> ssp. <i>propinqua</i>	Near navarretia	1							X		

Scientific name	Common name	Reliability	Ecological Criteria				Cultural Criteria		Source		
			T,E,SC	Rare	SN endemic	Exotic	Harvest	Agency emphasis	Smith	Manley Schlesinger	USDA
<i>Navarretia leucocephala</i>	White vernal pool navarretia	1							X		
<i>Navarretia leucocephala</i> ssp. <i>minima</i>	Little white navarretia	1							X		
<i>Nemophila menziesii</i>	Menzies' baby blue eyes	3									
<i>Nemophila parviflora</i>	Small-flowered nemophila	3									
<i>Nemophila parviflora</i> var. <i>austinae</i>	Small-flowered nemophila	3									
<i>Nemophila pedunculata</i>	Meadow nemophila	1							X		
<i>Nemophila spatulata</i>	Sierra baby blue eyes	1							X	X	
<i>Nicotiana attenuata</i>	Coyote tobacco	1					WH, M		X		
<i>Nothocalais alpestris</i>	Alpine lake prairiedandelion	1							X		
<i>Nuphar luteum</i> *		1							X	X	
<i>Nuphar luteum</i> ssp. <i>polysepalum</i>	Yellow pond-lily	1							X	X	
<i>Nymphaea odorata</i>	American white waterlily	1				X	M		X		
<i>Oenanthe sarmentosa</i>	Water parsely	1					M			X	
<i>Oenothera caespitosa</i>	Fragrant evening primrose	3					M				
<i>Oenothera caespitosa</i> ssp. <i>marginata</i>	Large white desert primrose	3					M				
<i>Oenothera elata</i>	Hooker's eveningprimrose	1							X		
<i>Oenothera elata</i> ssp. <i>hirsutissima</i>	Hooker's evening primrose	1							X		
<i>Oenothera elata</i> ssp. <i>bookeri</i>	Showy evening primrose	3									
<i>Oenothera flava</i> *		3									
<i>Oenothera flava</i> ssp. <i>flava</i>	Yellow eveningprimrose	3					M				
<i>Onopordum acanthium</i> *		3									
<i>Onopordum acanthium</i> ssp. <i>acanthium</i>	Scotch Thistle	3				X	M				
<i>Ophioglossum pusillum</i>	Northern adder's tongue	3									
<i>Opuntia erinacea</i>	Grizzlybear pricklypear	3									
<i>Opuntia erinacea</i> var. <i>utabensis</i>	Grizzlybear pricklypear	3									
<i>Orobanche californica</i>	California broomrape	1							X		
<i>Orobanche corymbosa</i>	Flattop broomrape	1							X		
<i>Orobanche fasciculata</i>	Clustered broomrape	1					M		X	X	
<i>Orobanche parishii</i>	Parish's broomrape	3									

Scientific name	Common name	Reliability	Ecological Criteria				Cultural Criteria		Source		
			T,E,SC	Rare	SN endemic	Exotic	Harvest	Agency emphasis	Smith	Manley Schlesinger	USDA
<i>Orobancha uniflora</i>	Oneflowered broomrape	1							X	X	
<i>Orogenia fusiformis</i>	California Indian potato	1							X		
<i>Orthilia secunda</i>	One-sided wintergreen	1							X	X	
<i>Orthocarpus cuspidatus</i>	Siskiyou owl's-clover	1							X		
<i>Orthocarpus cuspidatus</i> ssp. <i>cryptanthus</i>	Short-flowered owl's-clover	1							X		
<i>Orthocarpus luteus</i>	Yellow owl's clover	1							X		
<i>Osmorhiza chilensis</i>	Sweetcicely	1					M		X	X	
<i>Osmorhiza occidentalis</i>	Western sweet cicely	1					WH		X	X	
<i>Oxypholis occidentalis</i>	Western cowbane	1							X		
<i>Oxyria digyna</i>	Alpine mountainsorrel	1							X		
<i>Oxytheca dendroidea</i> *		3									
<i>Oxytheca dendroidea</i> ssp. <i>dendroidea</i>	Tall oxytheca	3									
<i>Oxytheca perfoliata</i>	Roundleaf puncturebract	3									
<i>Paeonia brownii</i>	Mountain peony	1					M, WH		X	X	
<i>Panicum acuminatum</i>	Pacific panicgrass	3									
<i>Panicum miliaceum</i>	Broom Corn Millet	1								X	
<i>Parnassia californica</i>	Grass-of-Parnassus	1							X		
<i>Parnassia fimbriata</i>	Rocky Mountain parnassia	1					M		X		
<i>Pectocarya setosa</i>	Moth combseed	3									
<i>Pedicularis attollens</i>	Attol lousewort	1							X	X	
<i>Pedicularis groenlandica</i>	Elephanthead lousewort	1					WH, M		X	X	
<i>Pedicularis racemosa</i>	Leafy lousewort	3					M				
<i>Pedicularis semibarbata</i>	Bearded lousewort	1							X	X	
<i>Pellaea brachyptera</i>	Sierra cliffbrake	3									
<i>Pellaea breweri</i>	Brewer's cliffbrake	1							X		
<i>Pellaea bridgesii</i>	Bridges' cliffbrake	1							X	X	
<i>Pellaea mucronata</i>	Bird's-foot fern	3					M				
<i>Pellaea mucronata</i> var. <i>californica</i>	California cliffbrake	3					M				
<i>Pellaea mucronata</i> var. <i>mucronata</i>	Bird's-foot fern	3					M				

Scientific name	Common name	Reliability	Ecological Criteria				Cultural Criteria		Source		
			T,E,SC	Rare	SN endemic	Exotic	Harvest	Agency emphasis	Smith	Manley Schlesinger	USDA
<i>Penstemon azureus</i>	Azure penstemon	3									
<i>Penstemon azureus</i> var. <i>azureus</i>	Shortstalk penstemon	3									
<i>Penstemon davidsonii</i> *		1							X		
<i>Penstemon davidsonii</i> var. <i>davidsonii</i>	Davidson's penstemon	1							X		
<i>Penstemon denstus</i>	Scabland penstemon	1					M		X	X	
<i>Penstemon denstus</i> var. <i>pedicellatus</i>	Hot-rock beardtongue	1					M		X		
<i>Penstemon denstus</i> var. <i>suffrutescens</i>	Hot-rock beardtongue	3					M				
<i>Penstemon fruticiformis</i>	Death Valley beardtongue	1								X	
<i>Penstemon gracilentus</i>	Slender penstemon	1							X	X	
<i>Penstemon heterodoxus</i>	Sierra beardtongue	1							X		
<i>Penstemon heterodoxus</i> var. <i>heterodoxus</i>	Sierra beardtongue	3									
<i>Penstemon laetus</i>	Mountain blue penstemon	3					M				
<i>Penstemon laetus</i> var. <i>laetus</i>	Western gray beardtongue	3					M				
<i>Penstemon newberryi</i>	Mountainpride penstemon	1							X	X	
<i>Penstemon newberryi</i> var. <i>newberryi</i>	Newberry's penstemon	3									
<i>Penstemon personatus</i>	Close-throated beardtongue	1		X	X			X		X	
<i>Penstemon procerus</i>	Littleflower penstemon	1							X		
<i>Penstemon procerus</i> var. <i>formosus</i>	Pincushion beardtongue	1							X		
<i>Penstemon roezlii</i>	Regel's penstemon	1							X	X	
<i>Penstemon rydbergii</i>	Rydberg's penstemon	1							X	X	
<i>Penstemon rydbergii</i> var. <i>oreocharis</i>	Meadow Beardtongue	1							X		
<i>Penstemon speciosus</i>	Royal penstemon	1							X	X	
<i>Pentagramma triangularis</i>	Gold fern	3					M				
<i>Pentagramma triangularis</i> ssp. <i>triangularis</i>	Goldback fern	3					M				
<i>Peraphyllum ramosissimum</i>	Wild crab apple	3									
<i>Perideridia bacigalupii</i>	Bacigalupi's perideridia	3		X	X						
<i>Perideridia bolanderi</i>	Bolander's yampah	1							X		
<i>Perideridia bolanderi</i> ssp. <i>bolanderi</i>	Bolander's yampah	3									
<i>Perideridia lemmonii</i>	Lemmon's yampah	1							X		

Scientific name	Common name	Reliability	Ecological Criteria				Cultural Criteria		Source		
			T,E,SC	Rare	SN endemic	Exotic	Harvest	Agency emphasis	Smith	Manley Schlesinger	USDA
<i>Perideridia parishii</i>	Parish's yampah	1							X	X	
<i>Perideridia parishii</i> ssp. <i>latifolia</i>	Parish's yampah	3									
<i>Phacelia bicolor</i> *		3									
<i>Phacelia bicolor</i> var. <i>bicolor</i>	Twocolor phacelia	3									
<i>Phacelia eisenii</i>	Eisen's scorpionweed	1			X				X		
<i>Phacelia glandulifera</i>	Oak phacelia	3									
<i>Phacelia hastata</i>	Silverleaf phacelia	1					M		X	X	
<i>Phacelia hastata</i> ssp. <i>compacta</i>	Compact phacelia	1					M		X		
<i>Phacelia hastata</i> ssp. <i>bastata</i>	Mountain phacelia	3					M				
<i>Phacelia heterophylla</i> *		1							X	X	
<i>Phacelia heterophylla</i> ssp. <i>virgata</i>	Varileaf phacelia	1							X	X	
<i>Phacelia humilis</i>	Low scorpionweed	1							X	X	
<i>Phacelia humilis</i> var. <i>humilis</i>	Low scorpionweed	3									
<i>Phacelia hydrophylloides</i>	Waterleaf phacelia	1							X	X	
<i>Phacelia imbricata</i>	Imbricate scorpionweed	3									
<i>Phacelia imbricata</i> ssp. <i>imbricata</i>	Imbricate scorpionweed	3									
<i>Phacelia marcescens</i>	Persistentflower scorpionweed	3			X						
<i>Phacelia mutabilis</i>	Changeable scorpionweed	1							X		
<i>Phacelia procera</i>	Mountain phacelia	3									
<i>Phacelia quickii</i>		1							X		
<i>Phacelia racemosa</i>	Racemose scorpionweed	1			X				X		
<i>Phacelia ramosissima</i>	Branching phacelia	1					M		X		
<i>Phacelia ramosissima</i> var. <i>eremophila</i>	Branching phacelia	1					M		X		
<i>Phacelia ramosissima</i> var. <i>ramosissima</i>	Branching phacelia	3					M				
<i>Phacelia ramosissima</i> var. <i>subglabra</i>	Branching phacelia	3					M				
<i>Phacelia tetramera</i>	Fourpart scorpionweed	3									
<i>Phalacroseris bolanderi</i>	Bolander's mock dandelion	3			X						
<i>Pbleum alpinum</i>	Mountain timothy	1							X	X	
<i>Pbleum pratense</i>	Timothy	1							X	X	

Scientific name	Common name	Reliability	Ecological Criteria				Cultural Criteria		Source		
			T,E,SC	Rare	SN endemic	Exotic	Harvest	Agency emphasis	Smith	Manley Schlesinger	USDA
<i>Phlox austromontana</i>		1							X		
<i>Phlox condensata</i>	Condensed phlox	1							X		
<i>Phlox diffusa</i>	Spreading phlox	1							X	X	
<i>Phlox douglasii</i> *		1							X		
<i>Phlox douglasii</i> ssp. <i>rigida</i>	Stiff phlox	1							X		
<i>Phlox gracilis</i>	Annual phlox	1							X	X	
<i>Phlox hoodii</i> *		3									
<i>Phlox hoodii</i> ssp. <i>canescens</i>	Carpet phlox	3									
<i>Phlox speciosa</i>	Showy phlox	3									
<i>Phlox stansburyi</i>	Colddesert phlox	3					M				
<i>Phoeniculis cheiranthoides</i>	Phoeniculis	1					M		X		
<i>Phoradendron densum</i>	Dense mistletoe	1									
<i>Phoradendron juniperinum</i>	Mistletoe	3					M				
<i>Phoradendron libocedri</i>	Incense-cedar mistletoe	1							X		
<i>Phoradendron pauciflorum</i>	Fir mistletoe	1								X	
<i>Phyllodoce breweri</i>	Purple mountainheath	1							X	X	
<i>Pinus albicaulis</i>	Whitebark pine	1							X	X	
<i>Pinus contorta</i>	Lodgepole pine	1					M, CH		X	X	
<i>Pinus contorta</i> ssp. <i>murrayana</i>	Lodgepole pine	1					CH, M		X		
<i>Pinus jeffreyi</i>	Jeffrey pine	1					CH		X	X	
<i>Pinus lambertiana</i>	Sugar pine	1					M, CH, WH		X	X	
<i>Pinus monophylla</i>	Single-leaf pinyon pine	1					M		X		
<i>Pinus monticola</i>	Western white pine	1					M, CH		X	X	
<i>Pinus ponderosa</i>	Ponderosa pine	1					M, CH		X	X	
<i>Pinus washoensis</i>	Washoe Pine	3									
<i>Piperia elegans</i>		3									X
<i>Piperia unalascensis</i>	Alaska rein orchid	1							X		
<i>Plagiobothrys cognatus</i>	Sleeping popcornflower	1							X		
<i>Plagiobothrys hispidulus</i>	Sleeping popcornflower	1							X		

Scientific name	Common name	Reliability	Ecological Criteria				Cultural Criteria		Source		
			T,E,SC	Rare	SN endemic	Exotic	Harvest	Agency emphasis	Smith	Manley Schlesinger	USDA
<i>Plagiobothrys hispidus</i>	Cascade popcornflower	1							X		
<i>Plagiobothrys kingii</i>	King's popcornflower	3									
<i>Plagiobothrys kingii</i> var. <i>barknessii</i>	Great Basin popcornflower	3									
<i>Plagiobothrys torreyi</i>	Torrey's popcornflower	1							X		
<i>Plagiobothrys torreyi</i> var. <i>diffusus</i>	San Francisco popcornflower	3									
<i>Plantago lanceolata</i>	Narrowleaf plantain	1				X	M		X	X	
<i>Platanthera leucostachys</i>	Scentbottle, white bog orchid, white flowered bog	1							X	X	
<i>Platanthera sparsiflora</i>	Sparse-flowered bog-orchid	1							X	X	
<i>Pleuricospora fimbriolata</i>	Fringed pinesap	1							X	X	
<i>Pleuropogon californicus</i>	Semaphore Grass	1								X	
<i>Poa bolanderi</i>	Bolander's bluegrass	1							X	X	
<i>Poa compressa</i>	Canada bluegrass	1				X			X		
<i>Poa cusickii</i>	Skyline bluegrass	1							X	X	
<i>Poa cusickii</i> ssp. <i>cusickii</i>		3									
<i>Poa cusickii</i> ssp. <i>epilis</i>	Skyline bluegrass	1							X		
<i>Poa fendleriana*</i>		1							X		
<i>Poa fendleriana</i> ssp. <i>longiligula</i>	Skyline bluegrass	1							X		
<i>Poa glauca*</i>		1							X		
<i>Poa glauca</i> ssp. <i>rupicola</i>	Timberline bluegrass	1							X		
<i>Poa nemoralis</i>	Wood Bluegrass	1				X			X		
<i>Poa palustris</i>	Fowl bluegrass	1				X			X		
<i>Poa pratensis</i>		1							X		
<i>Poa pratensis</i> ssp. <i>pratensis</i>	Kentucky bluegrass	1				X			X		
<i>Poa pringlei</i>	Pringle's bluegrass	3									
<i>Poa secunda</i>	One-sided bluegrass	1							X	X	
<i>Poa secunda</i> ssp. <i>juncifolia</i>	Western bluegrass, one-sided bluegrass	3									
<i>Poa secunda</i> ssp. <i>secunda</i>	One-sided bluegrass	1							X		
<i>Poa stebbinsii</i>	Stebbins' bluegrass	3			X						

Scientific name	Common name	Reliability	Ecological Criteria				Cultural Criteria		Source		
			T,E,SC	Rare	SN endemic	Exotic	Harvest	Agency emphasis	Smith	Manley Schlesinger	USDA
<i>Poa wheeleri</i>	Wheeler's bluegrass	1								X	
<i>Podistera nevadensis</i>	Sierra podistera	1		X					X		
<i>Polemonium californicum</i>	Moving polemonium	1							X	X	
<i>Polemonium occidentale</i>	Western sky pilot	1							X	X	
<i>Polemonium pulcherrimum</i>	Sky pilot	1							X	X	
<i>Polemonium pulcherrimum</i> var. <i>pilosum</i>	White-flowered polemonium	3									
<i>Polemonium pulcherrimum</i> var. <i>pulcherrimum</i>	(none)	3									
<i>Polygala cornuta</i>	Sierra milkwort	3									
<i>Polygala cornuta</i> var. <i>cornuta</i>	Sierra milkwort	3									
<i>Polygonum amphibium</i>	Water smartweed	1					M		X	X	
<i>Polygonum amphibium</i> var. <i>emersum</i>	Kelp	1									
<i>Polygonum amphibium</i> var. <i>stipulaceum</i>	Water smartweed	1					M		X	X	
<i>Polygonum arenastrum</i>	Common knotweed	1				X			X	X	
<i>Polygonum bistortoides</i>	American bistort	1							X	X	
<i>Polygonum davisiae</i>	Davis' knotweed	1							X		
<i>Polygonum douglasii</i>	Douglas' knotweed	1							X		
<i>Polygonum douglasii</i> ssp. <i>douglasii</i>	Douglas' knotweed	3									
<i>Polygonum douglasii</i> ssp. <i>johnstonii</i>	Johnston's knotweed	1							X		
<i>Polygonum douglasii</i> ssp. <i>majus</i>	(none)	3									
<i>Polygonum minimum</i>	Broadleaf knotweed	1							X		
<i>Polygonum persicaria</i>	(none)	1							X		
<i>Polygonum phytolaccifolium</i>	Poke knotweed	1							X		
<i>Polygonum polygaloides</i>	Milkwort knotweed	1							X		
<i>Polygonum polygaloides</i> ssp. <i>kelloggii</i>	Kellogg's knotweed	1							X		
<i>Polygonum sbastense</i>	Shasta knotweed	1							X	X	
<i>Polypodium hesperium</i>	Western polypody	3									
<i>Polystichum imbricans</i>	Cliff sword fern	3									
<i>Polystichum imbricans</i> ssp. <i>imbricans</i>	Cliff sword fern, imbricate sword fern, naked swor	3									
<i>Polystichum kruckebergii</i>	Kruckeberg's sword fern	1		X					X		

Scientific name	Common name	Reliability	Ecological Criteria				Cultural Criteria		Source		
			T,E,SC	Rare	SN endemic	Exotic	Harvest	Agency emphasis	Smith	Manley Schlesinger	USDA
<i>Polystichum lonchitis</i>	Holly fern	1							X		
<i>Polystichum munitum</i>	Western sword fern	3					M				
<i>Polystichum scopulinum</i>	Mountain hollyfern	3									
<i>Populus balsamifera</i> *		1							X	X	
<i>Populus balsamifera</i> ssp. <i>trichocarpa</i>	Black cottonwood	1					M		X	X	
<i>Populus tremuloides</i>	Quaking aspen	1					M		X	X	
<i>Porterella carnosula</i>	Fleshy porterella	1							X		
<i>Potamogeton alpinus</i> *		1							X		
<i>Potamogeton alpinus</i> ssp. <i>tenuifolius</i>	Alpine pondweed	1							X		
<i>Potamogeton amplifolius</i>	Broad-leaved pondweed	3									
<i>Potamogeton epiphydrus</i> *		1							X		
<i>Potamogeton epiphydrus</i> ssp. <i>nuttallii</i>	Ribbonleaf pondweed	1		X					X		
<i>Potamogeton foliosus</i>	Leafy pondweed	3									
<i>Potamogeton foliosus</i> var. <i>foliosus</i>	Leafy pondweed	3									
<i>Potamogeton gramineus</i>	Variableleaf pondweed	1							X		
<i>Potamogeton illinoensis</i>	Shining pondweed	3									
<i>Potamogeton natans</i>	Floating-leaved pondweed	1					M		X		
<i>Potamogeton nodosus</i>	Long-leaved pondweed	1							X		
<i>Potamogeton pectinatus</i>	Fennel-leaved pondweed	1							X		
<i>Potamogeton pusillus</i>	Small pondweed	1							X		
<i>Potamogeton pusillus</i> var. <i>pusillus</i>	Small pondweed	3									
<i>Potamogeton pusillus</i> var. <i>tenuissimus</i>	Small pondweed	3									
<i>Potamogeton richardsonii</i>	Richardson's pondweed	3									
<i>Potentilla anserina</i>	Silverweed cinquefoil	3					M				
<i>Potentilla anserina</i> ssp. <i>anserina</i>		3					M				
<i>Potentilla biennis</i>	Biennial cinquefoil	1							X		
<i>Potentilla diversifolia</i> *		1							X		
<i>Potentilla diversifolia</i> var. <i>diversifolia</i>	Varileaf cinquefoil	1							X		
<i>Potentilla drummondii</i>	Drummond's cinquefoil	1							X		

Scientific name	Common name	Reliability	Ecological Criteria				Cultural Criteria		Source		
			T,E,SC	Rare	SN endemic	Exotic	Harvest	Agency emphasis	Smith	Manley Schlesinger	USDA
<i>Potentilla drummondii</i> ssp. <i>breweri</i>	Brewer's potentilla	3									
<i>Potentilla drummondii</i> ssp. <i>bruceae</i>		3									
<i>Potentilla drummondii</i> ssp. <i>drummondii</i>		3									
<i>Potentilla flabellifolia</i>	High mountain cinquefoil	1							X		
<i>Potentilla fruticosa</i>	Shrubby cinquefoil	1					M		X		
<i>Potentilla glandulosa</i>	Gland cinquefoil	1					M		X	X	
<i>Potentilla glandulosa</i> ssp. <i>asblandica</i>	Mountain cinquefoil	3					M				
<i>Potentilla glandulosa</i> ssp. <i>glandulosa</i>	Sticky Cinquefoil	1					M		X		
<i>Potentilla glandulosa</i> ssp. <i>hansenii</i>	Hansen's cinquefoil	3					M				
<i>Potentilla glandulosa</i> ssp. <i>nevadensis</i>	Nevada cinquefoil	1					M		X		
<i>Potentilla glandulosa</i> ssp. <i>pseudorupestris</i>	Sticky cinquefoil	1					M		X		
<i>Potentilla glandulosa</i> ssp. <i>reflexa</i>	Sticky cinquefoil	1					M		X		
<i>Potentilla gracilis</i>	Northwest cinquefoil	1							X	X	
<i>Potentilla gracilis</i> var. <i>fastigiata</i>	Slendercinquefoil	1							X		
<i>Potentilla grayi</i>	Gray's cinquefoil	3			X						
<i>Potentilla palustris</i>	Purple marshlocks	1					M		X		
<i>Primula suffrutescens</i>	Sierran primrose	1							X		
<i>Prunella vulgaris</i>		1							X	X	
<i>Prunella vulgaris</i> var. <i>lanceolata</i>	Lanceleaf selfheal	1							X	X	
<i>Prunus emarginata</i>	Bitter cherry	1					M		X	X	
<i>Prunus virginiana</i> *		1							X	X	
<i>Prunus virginiana</i> var. <i>demissa</i>	Western chokecherry	1					M, WH		X	X	
<i>Pseudostellaria jamesiana</i>	Sticky Starwort	1							X	X	
<i>Psilocarphus brevissimus</i>	Woolly marbles	1							X		
<i>Psilocarphus brevissimus</i> var. <i>brevissimus</i>	Short woollyheads	3									
<i>Psilocarphus tenellus</i>	Slender woollyheads	3									
<i>Psilocarphus tenellus</i> var. <i>tenellus</i>	Woolly marbles	3									
<i>Pteridium aquilinum</i> *		1							X	X	
<i>Pteridium aquilinum</i> var. <i>pubescens</i>	Bracken	1					WH, M		X	X	

Scientific name	Common name	Reliability	Ecological Criteria				Cultural Criteria		Source		
			T,E,SC	Rare	SN endemic	Exotic	Harvest	Agency emphasis	Smith	Manley Schlesinger	USDA
<i>Pterospora andromedea</i>	Woodland pinedrops	1					M		X	X	
<i>Ptilagrostis kingii</i>	King's ricegrass	1			X					X	
<i>Purshia tridentata</i>	Antelope bitterbrush	1					M		X	X	
<i>Purshia tridentata</i> var. <i>tridentata</i>	Antelope bitterbrush	3					M				
<i>Pyrola asarifolia</i>	Ginger-leaved wintergreen	1					M		X	X	
<i>Pyrola asarifolia</i> ssp. <i>asarifolia</i>	Liverleaf wintergreen	1					M		X		
<i>Pyrola asarifolia</i> ssp. <i>bracteata</i>	Pink wintergreen	3					M				
<i>Pyrola minor</i>	Snowline wintergreen	1							X	X	
<i>Pyrola picta</i>	Whiteveined wintergreen	1					M		X	X	
<i>Pyrrocomma apargioides</i>	Alpineflames	1							X		
<i>Pyrrocomma hirta</i>	Tacky goldenweed	3									
<i>Pyrrocomma hirta</i> var. <i>lanulosa</i>	Tacky goldenweed	3									
<i>Pyrrocomma lanceolata</i>	Lanceleaf goldenweed	3									
<i>Pyrrocomma lanceolata</i> var. <i>lanceolata</i>	Lanceleaf goldenweed	3									
<i>Pyrrocomma lanceolata</i> var. <i>subviscosa</i>	Lanceleaf goldenweed	3									
<i>Pyrrocomma racemosa</i>	Clustered goldenweed	3									
<i>Pyrrocomma racemosa</i> var. <i>paniculata</i>	Clustered goldenweed	3									
<i>Pyrrocomma uniflora</i>	Plantain goldenweed	3									
<i>Pyrrocomma uniflora</i> var. <i>uniflora</i>	One-flowered pyrrocomma	3									
<i>Quercus chrysolepis</i>	Canyon live oak	1					M		X		
<i>Quercus vaccinifolia</i>	Huckleberry oak	1							X	X	
<i>Raillardella argentea</i>	Silky raillardella	1							X		
<i>Raillardella scaposa</i>	Stem raillardella	1							X	X	
<i>Ranunculus alismifolius</i>	Alisma-leaved buttercup	1							X	X	
<i>Ranunculus alismifolius</i> var. <i>alismellus</i>	Alisma-leaved buttercup	1							X		
<i>Ranunculus alismifolius</i> var. <i>alismifolius</i>	Alisma-leaved buttercup	1							X		
<i>Ranunculus andersonii</i>	Anderson's buttercup	3									
<i>Ranunculus aquatilis</i>	Water buttercup	1							X	X	
<i>Ranunculus aquatilis</i> var. <i>capillaceus</i>	Water buttercup	1							X		

Scientific name	Common name	Reliability	Ecological Criteria				Cultural Criteria		Source		
			T,E,SC	Rare	SN endemic	Exotic	Harvest	Agency emphasis	Smith	Manley Schlesinger	USDA
<i>Ranunculus cymbalaria*</i>		1							X		
<i>Ranunculus cymbalaria</i> var. <i>saximontanus</i>	Rocky Mountain buttercup	1					M		X		
<i>Ranunculus eschscholtzii</i>	Eschscholtz's buttercup	1							X		
<i>Ranunculus eschscholtzii</i> var. <i>oxynotus</i>	Eschscholtz's buttercup	1							X		
<i>Ranunculus flammula</i>	Water buttercup	1							X		
<i>Ranunculus glaberrimus</i>	Smooth buttercup	3					M				
<i>Ranunculus glaberrimus</i> var. <i>ellipticus</i>	Elliptical buttercup	3					M				
<i>Ranunculus glaberrimus</i> var. <i>glaberrimus</i>	Sagebrush buttercup	3					M				
<i>Ranunculus occidentalis</i>	Western buttercup	1					M		X	X	
<i>Ranunculus orthorhynchus</i>	Beaked buttercup	3									
<i>Ranunculus orthorhynchus</i> var. <i>orthorhynchus</i>	Straightbeak buttercup	3									
<i>Ranunculus testiculatus</i>		3					X				
<i>Ranunculus uncinatus</i>	Hooked-fruit buttercup	1					M		X		
<i>Rhamnus ilicifolia</i>	Hollyleaf redberry	3									
<i>Rhamnus purshiana</i>	Cascara sagrada	3					M				
<i>Rhamnus rubra</i>	Sierra coffeeberry	1			X				X		
<i>Rhamnus tomentella</i>		3									
<i>Rhynchospora alba</i>	White beaked-bush	3		X							
<i>Ribes aureum</i>	Golden currant	3					WH				
<i>Ribes aureum</i> var. <i>aureum</i>	Golden currant	3									
<i>Ribes cereum</i>	Wax currant	1							X	X	
<i>Ribes divaricatum</i>	Spreading gooseberry	1					M		X		
<i>Ribes inerme</i>	Whitestem gooseberry	1							X	X	
<i>Ribes inerme</i> var. <i>inerme</i>	Whitestem gooseberry	3									
<i>Ribes lasianthum</i>	Alpine gooseberry	1							X	X	
<i>Ribes montigenum</i>	Gooseberry currant	1							X	X	
<i>Ribes nevadense</i>	Sierra currant	1							X	X	
<i>Ribes roezlii</i>	Sierra gooseberry	1					WH		X	X	
<i>Ribes roezlii</i> var. <i>roezlii</i>	Roehl's gooseberry	3									

Scientific name	Common name	Reliability	Ecological Criteria				Cultural Criteria		Source		
			T,E,SC	Rare	SN endemic	Exotic	Harvest	Agency emphasis	Smith	Manley Schlesinger	USDA
<i>Ribes velutinum</i>	Desert gooseberry	3					WH				
<i>Ribes viscosissimum</i>	Sticky currant	1							X	X	
<i>Rorippa curvipes</i>	Bluntleaf yellowcress	1							X		
<i>Rorippa curvipes</i> var. <i>curvipes</i>	Bluntleaf yellowcress	3									
<i>Rorippa curvipes</i> var. <i>truncata</i>		3									
<i>Rorippa curvisiliqua</i>	Curvepod yellowcress	1							X	X	
<i>Rorippa nasturtium-aquaticum</i>	Water cress	1							X	X	
<i>Rorippa palustris</i>	Bog yellowcress	3									
<i>Rorippa palustris</i> var. <i>occidentalis</i>	Western bog yellowcress	3									
<i>Rorippa subumbellata</i>	Tahoe yellow cress	1	X	X	X			X	X		
<i>Rosa bridgesii</i>	Wood rose	3									
<i>Rosa pinetorum</i>	Pine rose	3									
<i>Rosa woodsii</i> *		1							X	X	
<i>Rosa woodsii</i> var. <i>ultramontana</i>	Interior rose	1					M		X	X	
<i>Rubus glaucifolius</i>	Waxleaf raspberry	3									
<i>Rubus leucodermis</i>	Whitebark raspberry	3					M				
<i>Rubus parviflorus</i>	Thimbleberry	1					M		X	X	
<i>Rudbeckia californica</i>	California coneflower	3									
<i>Rudbeckia californica</i> var. <i>californica</i>	California coneflower	3									
<i>Rumex acetosella</i>	Common sheep sorrel	1					X	M	X	X	
<i>Rumex crispus</i>	Curly dock	1							X	X	
<i>Rumex paucifolius</i>	Fewleaved dock	1							X		
<i>Rumex salicifolius</i>	Willow dock	1					M		X	X	
<i>Rumex salicifolius</i> var. <i>denticulatus</i>	Willow dock	1					M		X		
<i>Rumex salicifolius</i> var. <i>lacustris</i>	Lake dock	3					M				
<i>Rumex salicifolius</i> var. <i>triangulivalvis</i>	Mexican dock willow dock	1					M		X		
<i>Sagina saginoides</i>	Arctic pearlwort	1							X		
<i>Sagittaria cuneata</i>	Tule potato	1					M		X		
<i>Salix arctica</i>	Arctic willow	3									

Scientific name	Common name	Reliability	Ecological Criteria				Cultural Criteria		Source		
			T,E,SC	Rare	SN endemic	Exotic	Harvest	Agency emphasis	Smith	Manley Schlesinger	USDA
<i>Salix boothii</i>	Booth's willow	1							X		
<i>Salix eastwoodiae</i>	Mountain willow	1							X		
<i>Salix exigua</i>	Sandbar willow	1					M		X	X	
<i>Salix geyeriana</i>	Geyer's willow	1							X	X	
<i>Salix jepsonii</i>	Jepson's willow	1							X	X	
<i>Salix lasiolepis</i>	Arroyo willow	1					M		X		
<i>Salix lemmonii</i>	Lemmon's willow	1							X	X	
<i>Salix ligulifolia</i>	Strapleaf willow	3									
<i>Salix lucida</i>	Shining willow	1					M			X	
<i>Salix lucida</i> ssp. <i>candata</i>	Shining willow	3					M				
<i>Salix lucida</i> ssp. <i>lasiandra</i>	Shining willow	1					M		X	X	
<i>Salix lutea</i>	Yellow willow	3									
<i>Salix melanopsis</i>	Dusky willow	1							X		
<i>Salix orestera</i>	Sierra willow	1							X	X	
<i>Salix planifolia</i> *		1								X	
<i>Salix planifolia</i> ssp. <i>planifolia</i>	Tea-leaved willow	1								X	
<i>Salix prolixa</i>	Mackenzie's willow	1								X	
<i>Salix scouleriana</i>	Scouler's willow	1					M		X	X	
<i>Sambucus melanocarpa</i>	Black elderberry	1					M			X	
<i>Sambucus mexicana</i>	Blue elder	1					M, WH		X	X	
<i>Sambucus racemosa</i>	Scarlet elderberry	1					M		X	X	
<i>Sambucus racemosa</i> var. <i>microbotrys</i>	Red elderberry	3					M				
<i>Sanguisorba occidentalis</i>	Western burnet	3									
<i>Sanicula graveolens</i>	Sierra sanicle	1							X		
<i>Sanicula tuberosa</i>	Turkey pea	1							X		
<i>Sarcobatus vermiculatus</i>	Greasewood	3					M				
<i>Sarcodes sanguinea</i>	Snowplant	1							X	X	
<i>Saxifraga aprica</i>	Sierra saxifrage	1							X		
<i>Saxifraga bryophora</i>	Bud saxifrage	1			X				X		

Scientific name	Common name	Reliability	Ecological Criteria				Cultural Criteria		Source		
			T,E,SC	Rare	SN endemic	Exotic	Harvest	Agency emphasis	Smith	Manley Schlesinger	USDA
<i>Saxifraga californica</i>	California saxifrage	3									
<i>Saxifraga nidifica</i> *		1								X	
<i>Saxifraga nidifica</i> var. <i>nidifica</i>	Peak saxifrage	1								X	
<i>Saxifraga odontoloma</i>	Brook saxifrage	1								X	X
<i>Saxifraga oregana</i>	Oregon saxifrage	1								X	
<i>Saxifraga tolmiei</i>	Tolmie's saxifrage	1								X	
<i>Scheuchzeria palustris</i> *		3									
<i>Scheuchzeria palustris</i> ssp. <i>americana</i>	American Scheuchzeria	3		X					X		
<i>Scirpus californicus</i>	California bulrush	1								X	
<i>Scirpus congdonii</i>	Congdon's bulrush	1								X	
<i>Scirpus maritimus</i>	Prairie Rush	3									
<i>Scirpus microcarpus</i>	Panicled bulrush	1								X	X
<i>Scirpus nevadensis</i>	Great Basin bulrush	3					M				
<i>Scirpus pungens</i>	Three-square common threesquare	1									X
<i>Scirpus subterminalis</i>	Water bulrush	1		X						X	
<i>Scrophularia desertorum</i>	Desert figwort	1								X	
<i>Scutellaria galericulata</i>	Marsh skullcap	1		X			M			X	
<i>Sedum lanceolatum</i>	Spearleaf stonecrop	1								X	
<i>Sedum obtusatum</i>	Sierra stonecrop	1								X	X
<i>Sedum obtusatum</i> ssp. <i>boreale</i>	Sierran stonecrop	3									
<i>Sedum obtusatum</i> ssp. <i>obtusatum</i>	Sierra stonecrop	3									
<i>Sedum radiatum</i>	Coast Range stonecrop	3									
<i>Sedum roseum</i> *		1								X	
<i>Sedum roseum</i> ssp. <i>integrifolium</i>	Rosy stonecrop	1								X	
<i>Sedum spatulifolium</i>	Yellow stonecrop	3					M				
<i>Sedum stenopetalum</i>	Wormleaf stonecrop	1								X	
<i>Selaginella watsonii</i>	Watson's spike-moss	1								X	
<i>Senecio aronicoides</i>	Rayless groundsel	1								X	
<i>Senecio canus</i>	Woolly groundsel	1								X	

Scientific name	Common name	Reliability	Ecological Criteria				Cultural Criteria		Source		
			T,E,SC	Rare	SN endemic	Exotic	Harvest	Agency emphasis	Smith	Manley Schlesinger	USDA
<i>Senecio cymbalarioides</i>	Cleftleaf groundsel	3									
<i>Senecio fremontii</i>	Fremont's groundsel	1							X		
<i>Senecio fremontii</i> var. <i>occidentalis</i>	Fremont's ragwort	1							X		
<i>Senecio hydrophilus</i>	Water groundsel	1								X	
<i>Senecio integerrimus</i>	Forest groundsel	1							X	X	
<i>Senecio integerrimus</i> var. <i>exaltatus</i>	Columbia groundsel	1							X		
<i>Senecio integerrimus</i> var. <i>major</i>	Lambstongue groundsel	1							X		
<i>Senecio pauciflorus</i>	Alpine groundsel	3									
<i>Senecio scorzonella</i>	Sierra ragwort	1			X				X		
<i>Senecio serra</i> *		1							X	X	
<i>Senecio serra</i> var. <i>serra</i>	Tall ragwort	1							X	X	
<i>Senecio streptanthifolius</i>	Cleftleaf groundsel	1							X		
<i>Senecio triangularis</i>	Arrowleaf groundsel	1					M		X	X	
<i>Senecio vulgaris</i>	Common groundsel	1								X	
<i>Senecio wernerifolius</i>	Hoary groundsel	1							X		
<i>Shepherdia argentea</i>	Buffalo berry	3					M				
<i>Sibbaldia procumbens</i>	Creeping sibbaldia	1							X		
<i>Sidalcea glaucescens</i>	Waxy checkermallow	1							X	X	
<i>Sidalcea malvaeflora</i>	Checker mallow	3									
<i>Sidalcea malvaeflora</i> ssp. <i>asprella</i>	Harsh checker-mallow	3									
<i>Sidalcea oregana</i>	Oregon checkermallow	1							X	X	
<i>Sidalcea oregana</i> ssp. <i>oregana</i>	Oregon checkermallow	3									
<i>Sidalcea oregana</i> ssp. <i>spicata</i>		1							X		
<i>Silene bernardina</i>	Palmer's catchfly	1							X		
<i>Silene bridgesii</i>	Bridges' catchfly	3			X						X
<i>Silene douglasii</i>	Douglas' catchfly	1							X	X	
<i>Silene grayi</i>	Gray's catchfly	3									
<i>Silene imvisa</i>	Short-petaled campion	1			X				X		
<i>Silene lemmonii</i>	Lemmon's catchfly	1							X	X	

Scientific name	Common name	Reliability	Ecological Criteria				Cultural Criteria		Source		
			T,E,SC	Rare	SN endemic	Exotic	Harvest	Agency emphasis	Smith	Manley Schlesinger	USDA
<i>Silene menziesii</i>	Menzies' campion	3									
<i>Silene occidentalis</i>	Western catchfly	1			X				X		
<i>Silene occidentalis</i> ssp. <i>occidentalis</i>	Western catchfly	3			X						
<i>Silene sargentii</i>	Sargent's catchfly	1							X	X	
<i>Silene verecunda</i>	San Francisco campion	3									
<i>Silene verecunda</i> ssp. <i>andersonii</i>	Anderson's campion	3									
<i>Sisymbrium altissimum</i>	Tall tumbled mustard	3				X	M				
<i>Sisymbrium loeselii</i>	Small tumbleweed mustard	3				X					
<i>Sisyrinchium elmeri</i>	Elmer's goldeneyed grass	1							X		
<i>Sisyrinchium idahoense</i>	Idaho blueeyed grass	1							X		
<i>Smilacina racemosa</i>	Large false solomon's seal	1					M		X	X	
<i>Smilacina stellata</i>	Little false solomon's seal	1					M, WH		X	X	
<i>Solanum rostratum</i>	Buffalo berry	1							X		
<i>Solanum triflorum</i>	Three-flowered nightshade	3				X	M				
<i>Solanum xanti</i>	Purple nightshade	1					M		X		
<i>Solidago altissima</i> *		3									
<i>Solidago altissima</i> var. <i>altissima</i>	Late goldenrod	3				X	M				
<i>Solidago californica</i>	California goldenrod	1					M		X		
<i>Solidago canadensis</i> *		1								X	
<i>Solidago canadensis</i> ssp. <i>elongata</i>	Canada goldenrod goldenrod	1					M			X	
<i>Solidago gigantea</i>	Smooth goldenrod	1		X			M			X	
<i>Solidago multiradiata</i>	Northern goldenrod	1							X	X	
<i>Solidago sparsiflora</i>		3					M				
<i>Solidago spectabilis</i>	Showy goldenrod	3									
<i>Sorbus californica</i>	California mountainash	1							X	X	
<i>Sorbus scopulina</i>	Mountain ash	3									
<i>Sorbus scopulina</i> var. <i>scopulina</i>	Mountain ash	3									
<i>Sparganium angustifolium</i>	Narrowleaf burreed	1							X		
<i>Sparganium natans</i>	Small bur-reed	1		X					X		

Scientific name	Common name	Reliability	Ecological Criteria				Cultural Criteria		Source		
			T,E,SC	Rare	SN endemic	Exotic	Harvest	Agency emphasis	Smith	Manley Schlesinger	USDA
<i>Spergularia rubra</i>	Red sandspurry	1				X			X	X	
<i>Sphaeralcea ambigua</i>	Apricot mallow	3					M				
<i>Sphaeralcea munroana</i>	Munro's globemallow	3									
<i>Sphaeromeria potentilloides</i>	Powerful tansy	3									
<i>Sphaeromeria potentilloides</i> var. <i>potentilloides</i>	Fivefinger chickensage	3									
<i>Sphenosciadium capitellatum</i>	Swamp whiteheads	1					WH, M		X	X	
<i>Spiraea densiflora</i>	Mountain spirea	1							X	X	
<i>Spiranthes porrifolia</i>	Creamy ladystrasses	1							X		
<i>Spiranthes romanzoffiana</i>	Hooded ladystrasses	1					M		X		
<i>Stachys ajugoides</i>	Ajuga hedge nettle	1							X	X	
<i>Stachys ajugoides</i> var. <i>ajugoides</i>	Hedge Nettle	1								X	
<i>Stachys ajugoides</i> var. <i>rigida</i>	Rigid hedge-nettle marsh hedgenettle	1							X		
<i>Stellaria borealis</i> *		1									X
<i>Stellaria borealis</i> ssp. <i>sitchana</i>	Northern starwort	1									X
<i>Stellaria calycantha</i>	Northern starwort	3									
<i>Stellaria crispa</i>	Curled starwort	1							X		
<i>Stellaria graminea</i>	Chickweed	1									X
<i>Stellaria longipes</i> *		1							X	X	
<i>Stellaria longipes</i> var. <i>longipes</i>	Meadow starwort	1							X	X	
<i>Stellaria media</i>	Common chickweed	1				X	M		X	X	
<i>Stellaria umbellata</i>	Umbrella starwort	1							X		
<i>Stenotus acaulis</i>	Stemless mock goldenweed	1							X		
<i>Stephanomeria exigua</i>	Small wirelettuce	3					M				
<i>Stephanomeria exigua</i> ssp. <i>exigua</i>	Small wirelettuce	3					M				
<i>Stephanomeria lactucina</i>	Mountain lettuce	1							X		
<i>Stephanomeria spinosa</i>	Thorn skeletonweed	1					M		X		
<i>Stephanomeria tenuifolia</i>	Narrowleaf wirelettuce	1					M		X		
<i>Stephanomeria virgata</i>	Rod wirelettuce	3					M				
<i>Stephanomeria virgata</i> ssp. <i>pleurocarpa</i>	Wand wirelettuce	3					M				

Scientific name	Common name	Reliability	Ecological Criteria				Cultural Criteria		Source		
			T,E,SC	Rare	SN endemic	Exotic	Harvest	Agency emphasis	Smith	Manley Schlesinger	USDA
<i>Streptanthus cordatus</i>	Heartleaf twistflower	1					M		X		
<i>Streptanthus cordatus</i> var. <i>cordatus</i>	Heartleaf twistflower	3					M				
<i>Streptanthus tortuosus</i>	Shieldplant	1							X	X	
<i>Streptanthus tortuosus</i> var. <i>orbiculatus</i>	Shieldplant	1							X		
<i>Subularia aquatica</i> *		1							X		
<i>Subularia aquatica</i> var. <i>americana</i>	American Awlwort	1							X		
<i>Swertia albicaulis</i>	Whitestem elkweed	3									
<i>Swertia albicaulis</i> var. <i>nitida</i>	Whitestem elkweed	3									
<i>Swertia radiata</i>	Monument plant	1					M		X		
<i>Symphoricarpos mollis</i>	Creeping snowberry	1					M		X	X	
<i>Symphoricarpos rotundifolius</i>	Roundleaf snowberry	1							X	X	
<i>Symphoricarpos rotundifolius</i> var. <i>parishii</i>	Parish's snowberry	3									X
<i>Symphoricarpos rotundifolius</i> var. <i>rotundifolius</i>	Huckleberry snowberry	3									
<i>Tanacetum vulgare</i>	Tansy	1							X	X	
<i>Taraxacum officinale</i>	Common dandelion	1					X	M	X	X	
<i>Tetradymia canescens</i>	Spineless horsebrush	1						M	X		
<i>Tetradymia glabrata</i>	Smooth horsebrush	3									
<i>Tetradymia spinosa</i>	Shortspine horsebrush	3									
<i>Thalictrum fendleri</i>	Fendler's meadowrue	1					WH, M		X	X	
<i>Thalictrum fendleri</i> var. <i>fendleri</i>	Fendler's meadowrue	3					M				
<i>Thalictrum sparsiflorum</i>	Fewflower meadowrue	1					M		X	X	
<i>Thelypodium crispum</i>	Crisped thelypody	3									
<i>Thelypodium integrifolium</i>	Entireleaved thelypody	3									
<i>Thelypodium integrifolium</i> ssp. <i>complanatum</i>	Entireleaved thelypody	3									
<i>Thelypodium laciniatum</i>	Cutleaf thelypody	3									
<i>Thelypodium milleflorum</i>	Manyflower thelypody	3									
<i>Tiquilia nuttallii</i>	Nuttall's coldenia	3									
<i>Tofieldia occidentalis</i> *		1							X		
<i>Tofieldia occidentalis</i> ssp. <i>occidentalis</i>	Western tofieldia	1							X		

Scientific name	Common name	Reliability	Ecological Criteria				Cultural Criteria		Source		
			T,E,SC	Rare	SN endemic	Exotic	Harvest	Agency emphasis	Smith	Manley Schlesinger	USDA
<i>Tonestus excimus</i>	Lake Tahoe serpentweed	1		X	X				X		
<i>Torreyochloa erecta</i>	Upright mannagrass	1							X		
<i>Torreyochloa pallida</i> *		1							X	X	
<i>Torreyochloa pallida</i> var. <i>pauciflora</i>	Sierra Nevada alkali grass weak mannagrass	1							X	X	
<i>Townsendia scapigera</i>	Tufted townsend daisy	1			X				X		
<i>Tragopogon dubius</i>	Yellow salsify	1								X	
<i>Trantvetteria caroliniensis</i> *		1								X	
<i>Trantvetteria caroliniensis</i> var. <i>occidentalis</i>	False bugbane	1								X	
<i>Tricardia watsonii</i>	Three hearts	3									
<i>Trichostema oblongum</i>	Oblong bluecurls	1							X		
<i>Trifolium andersonii</i>	Anderson's clover	3									
<i>Trifolium andersonii</i> var. <i>andersonii</i>	Anderson's clover	3									
<i>Trifolium beckwithii</i>	Beckwith's clover	3									
<i>Trifolium breweri</i>	Brewer's clover	1							X		
<i>Trifolium cyathiferum</i>	Cup clover	1							X	X	
<i>Trifolium dubium</i>	Little Hop Clover / Shamrock	1								X	
<i>Trifolium hybridum</i>	Alsike clover	1					X	M	X		
<i>Trifolium kingii</i> *		1							X		
<i>Trifolium kingii</i> var. <i>productum</i>	King's clover	1							X		
<i>Trifolium lemmonii</i>	Lemmon's clover	3		X							
<i>Trifolium longipes</i>	Longstalk clover	1							X	X	
<i>Trifolium longipes</i> var. <i>shastense</i>	Shasta clover	3									
<i>Trifolium microcephalum</i>		1							X		
<i>Trifolium monanthum</i>	Mountain carpet clover	1							X	X	
<i>Trifolium monanthum</i> var. <i>monanthum</i>	Mountain carpet clover	1							X		
<i>Trifolium pratense</i>	Red clover	1							X	X	
<i>Trifolium repens</i>	White clover	1							X	X	
<i>Trifolium variegatum</i>		1							X		

Scientific name	Common name	Reliability	Ecological Criteria				Cultural Criteria		Source		
			T,E,SC	Rare	SN endemic	Exotic	Harvest	Agency emphasis	Smith	Manley Schlesinger	USDA
<i>Trifolium wormskioldii</i>	Cows clover	1							X		
<i>Triglochin maritima</i>	Seaside arrow-grass	3									
<i>Trillium albidum</i>	Giant white wakerobin	3									
<i>Trisetum canescens</i>	Nodding oatgrass	1							X		
<i>Trisetum cernuum</i>	Nodding oatgrass	1							X		
<i>Trisetum spicatum</i>	Spike trisetum	1							X	X	
<i>Trisetum wolfii</i>	Wolf's trisetum	1							X	X	
<i>Triteleia hyacinthina</i>	White brodiaea	1					WH		X		
<i>Triteleia ixiooides</i>	Prettyface	1					WH		X	X	
<i>Triteleia ixiooides</i> ssp. <i>anilina</i>	Prettyface	3									
<i>Triteleia ixiooides</i> ssp. <i>scabra</i>	Prettyface	1							X		
<i>Triteleia lugens</i>		3									X
<i>Triteleia montana</i>		1							X		
<i>Tsuga heterophylla</i>	Western Hemlock	1								X	
<i>Tsuga mertensiana</i>	Mountain hemlock	1					M		X	X	
<i>Typha latifolia</i>	Broadleaf cattail	3					M, WH				
<i>Urtica dioica</i> *		1							X	X	
<i>Urtica dioica</i> ssp. <i>holosericea</i>	Hoary nettle	1					M		X	X	
<i>Utricularia minor</i>	Lesser bladderwort	1							X		
<i>Utricularia vulgaris</i>	Common bladderwort	1							X		
<i>Vaccinium caespitosum</i>	Dwarf bilberry	1							X		
<i>Vaccinium deliciosum</i>	Cascade bilberry	3									
<i>Vaccinium uliginosum</i> *		1							X	X	
<i>Vaccinium uliginosum</i> ssp. <i>occidentale</i>	Western blueberry	1							X	X	
<i>Valeriana californica</i>	California valerian	1							X	X	
<i>Veratrum californicum</i> *		1								X	
<i>Veratrum californicum</i> var. <i>californicum</i>	California corn lily	1					WH, M			X	
<i>Verbascum thapsus</i>	Common mullein	1				X	M		X	X	
<i>Verbena lasiostachys</i>	Western vervain	3					M				

Scientific name	Common name	Reliability	Ecological Criteria				Cultural Criteria		Source		
			T,E,SC	Rare	SN endemic	Exotic	Harvest	Agency emphasis	Smith	Manley Schlesinger	USDA
<i>Verbena lasiostachys</i> var. <i>lasiostachys</i>	Western vervain	3					M				
<i>Veronica americana</i>	American speedwell	1					M		X	X	
<i>Veronica arvensis</i>	Corn speedwell	1							X		
<i>Veronica cusickii</i>	Cusick's speedwell	1		X					X		
<i>Veronica peregrina</i> *		1							X		
<i>Veronica peregrina</i> ssp. <i>xalapensis</i>	Hairy purslane speedwell	1					M		X		
<i>Veronica scutellata</i>	Marsh speedwell	1							X		
<i>Veronica serpyllifolia</i> *		1							X		
<i>Veronica serpyllifolia</i> ssp. <i>humifusa</i>	Brightblue speedwell	1					M		X		
<i>Veronica wormskejoldii</i>	American alpine speedwell	1							X		
<i>Vicia americana</i> *		1								X	
<i>Vicia americana</i> var. <i>americana</i>	American vetch	1					M			X	
<i>Viola adunca</i>	Hookedspur violet	1					M		X	X	
<i>Viola bakeri</i>	Baker's violet	1							X		
<i>Viola beckwithii</i>	Great Basin violet	1							X		
<i>Viola douglasii</i>	Douglas' violet	1								X	
<i>Viola glabella</i>	Pioneer violet	1							X	X	
<i>Viola lobata</i>	Moosehorn violet	3									
<i>Viola lobata</i> ssp. <i>lobata</i>	Moosehorn violet	3									
<i>Viola macloskeyi</i>	Small white violet	1							X	X	
<i>Viola pinetorum</i>	Pine violet	1							X		
<i>Viola pinetorum</i> ssp. <i>grisea</i>	Grey-leaved violet	1		X				X	X		
<i>Viola pinetorum</i> ssp. <i>pinetorum</i>	Pine violet	1							X		
<i>Viola praemorsa</i>	Astoria violet	1								X	
<i>Viola praemorsa</i> ssp. <i>linguifolia</i>	Upland yellow violet	3									
<i>Viola purpurea</i>	Goosefoot violet	1							X	X	
<i>Viola purpurea</i> ssp. <i>integrifolia</i>	Smooth-leaved violet	1							X		
<i>Viola purpurea</i> ssp. <i>purpurea</i>	Goosefoot violet	3									
<i>Viola purpurea</i> ssp. <i>venosa</i>	Goosefoot yellow violet	3									

Scientific name	Common name	Reliability	Ecological Criteria				Cultural Criteria		Source		
			T,E,SC	Rare	SN endemic	Exotic	Harvest	Agency emphasis	Smith	Manley Schlesinger	USDA
<i>Viola sheltonii</i>	Shelton's violet	1							X		
<i>Viola sororia</i> *		1							X		
<i>Viola sororia</i> ssp. <i>affinis</i>	Northern bog violet	1							X		
<i>Viola tomentosa</i>	Woolly violet	1		X	X				X		
<i>Vulpia myuros</i>	Rattail fescue	3				X					
<i>Vulpia octoflora</i>	Sixweeks fescue	1								X	
<i>Whitneya dealbata</i>	Mock leopardbane	1			X				X		
<i>Woodsia scopulina</i>	Cliff fern	1							X	X	
<i>Wyethia mollis</i>	Woolly wyethia	1					WH, M		X	X	
<i>Zannichellia palustris</i>	Horned pondweed	3									
<i>Zigadenus paniculatus</i>	Foothill deathcamas	3					M				
<i>Zigadenus venenosus</i> *		1								X	
<i>Zigadenus venenosus</i> var. <i>venenosus</i>	Death camas	1					WH, M			X	